

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 1: Tobacco Source**

**Table 1: During the past 30 days, how did you usually get your own cigarettes?
Denominator: Percentage among respondents who reported smoking some days or every day.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
I did not smoke during the past 30 days	2.9	0.8-5.1
From a store	87.0	83.3-90.6
From a vending machine	0.6	0.0-1.3
Over the internet	0	0
From an Indian reservation	5.1	2.7-7.4
In a different state	0.1	0.0-0.4
Someplace else	4.3	2.2-6.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

Table 1: Has a doctor or other health official ever told you that [randomly selected child] has asthma?

Denominator: Percentage among all respondents with children.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	11.9	9.7-14.1
No	88.1	85.9-90.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

Table 2: Does the [randomly selected child] still have asthma?

Denominator: Percentage among all respondents with children ever told had asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	67.3	57.1-77.5
No	32.7	22.5-42.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

**Table 3: During the past 12 months, did the [randomly selected child] take Prednisone or any other steroid such as a pill,
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	43.6	32.3-54.9
No	56.4	45.1-67.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004**

State Added 2: Childhood Asthma

Table 4: Does the [randomly selected child] currently take the preventative kind of asthma medication used everyday to protect his or her lungs and keep him or her from having an attack? Include both pills and inhalers. This is different from inhalers used for quick relief.

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	42.2	30.4-53.9
No	57.8	46.1-59.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

Table 5: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness, and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did the [randomly selected child] have any symptoms of asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Two days a week or less	38.7	27.2-50.1
Three to six days a week	9.5	2.8-16.1
Daily but not all the time	6.2	0.0-12.6
Continually	5.4	0.0-10.8
None	40.2	27.7-52.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

Table 6: During the past 30 days, how many days did symptoms of asthma make it difficult for {randomly selected child] to stay asleep?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Two nights a month or less	36.1	24.5-47.7
Three or four nights a month	5.7	0.4-11.0
More than one night per week	6.3	0.0-12.7
Every night or almost every night	0	0
None	51.9	39.6-64.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004**

State Added 2: Childhood Asthma

Table 7: During the past 30 days, how many days of daycare, preschool, school, or work did [randomly selected child] miss because of his or her asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	81.3	69.3-93.3
1-3	12.8	2.3-23.4
4+	5.9	0.0-12.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004

State Added 2: Childhood Asthma

Table 8: During the past 30 days, how many days was [randomly selected child] unable to do his or her usual activities because of asthma symptoms?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	77.7	68.0-87.4
1-3	19.5	10.1-28.9
4+	2.8	0.0-6.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

**Table 9: Is there a bird, cat, dog or some other pet with fur that spends all or some of its time in the house?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	61.1	49.3-73.0
No	38.9	27.0-50.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

**Table 10: Does anyone, including household members or guests, smoke inside the home?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	11.2	3.3-19.2
No	88.8	80.8-96.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2004
 State Added 2: Childhood Asthma**

Table 11: What type of home heating do you use?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Burn coal	0	0
Burn wood	2.3	0.0-6.9
Burn natural gas or bottled gas	62.1	50.6-73.6
Burn oil	5.6	0.4-10.8
Electricity	25.2	14.6-35.9
Other	4.7	0.0-9.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 2: Childhood Asthma**

**Table 12: During the cold months, about how often do you light a fire in a fireplace to burn wood or other solid fuel? Do not include
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Less than once per month	8.9	1.8-15.9
More than once per month but not every week	5.6	0.5-10.7
More than once per week but not every day	4.0	0.0-8.1
Daily	6.4	0.4-12.5
Never/No fireplace	75.1	64.8-85.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 3: Additional Demographic Information**

**Table 1: Which of the following most accurately describes the type of work or business you currently work in most often?
Denominator: Percentage among respondents with jobs.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
State government employee	9.4	8.0-10.8
Other government employee	8.0	6.7-9.4
Farmer or rancher	9.7	8.2-11.3
Other farm or ranch worker	1.1	0.5-1.8
Manufacturing	7.3	5.9-8.8
Health care	12.6	11.0-14.2
Food or drink server	4.2	3.0-5.5
Wholesale or retail sales	8.9	7.5-10.3
Financial sales	3.7	2.8-4.5
Other	34.9	32.5-37.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 3: Additional Demographic Information**

Table 2: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to physical or mental illness?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
0	58.5	56.0-61.0
1-3	24.0	21.8-26.2
4-10	8.7	7.3-10.1
11+	8.8	7.4-10.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2004
State Added 4: Sexual Orientation**

**Table 1: Do you consider yourself to be heterosexual, homosexual, bisexual or other?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Heterosexual	97.9	97.3-98.5
Homosexual	0.4	0.1-0.6
Bisexual	0.6	0.3-1.0
Other	1.1	0.7-1.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.