

NORTH DAKOTA

2005 Calculated Variables Report

Behavioral Risk Factor Surveillance System

April 6, 2006



SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR HEALTH STATUS (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 1: HEALTH STATUS**

**TABLE 1: RISK FACTOR FOR HEALTH STATUS (_RFHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	486,789	3441	88.0	86.9-89.1	559	12.0	10.9-13.1
Male	1626	241,557	1392	88.3	86.7-89.9	234	11.7	10.1-13.3
Female	2374	245,232	2049	87.6	86.2-89.1	325	12.3	10.9-13.8
Native	108	17,264	78	77.5	68.2-86.8	30	22.5	13.2-31.8
Non-Native	3856	465,629	3335	88.4	87.4-89.5	521	11.5	10.5-12.6
18-24	212	74,659	206	97.6	95.6-99.6	6	2.4	0.35-4.43
25-34	498	79,626	472	95.1	93.1-97.1	26	4.9	2.87-6.91
35-44	719	82,001	668	93.4	91.5-95.3	51	6.6	4.70-8.50
45-54	872	90,266	783	90.3	88.1-92.6	89	9.7	7.41-11.9
55-64	649	63,219	543	84.3	81.4-87.3	106	15.6	12.7-18.6
65+	1012	93,971	735	70.1	66.9-73.3	277	29.9	26.7-33.1
Less Than H.S.	355	40,637	230	68.2	62.5-73.9	125	31.8	26.1-37.5
H.S. or G.E.D.	1160	139,532	944	83.8	81.5-86.2	216	16.2	13.8-18.5
Some Post-H.S.	1246	154,803	1114	91.2	89.5-92.8	132	8.8	7.20-10.5
College Graduate	1232	151,192	1147	93.9	92.4-95.3	85	6.1	4.67-7.57
Less than \$15,000	344	40,441	218	73.8	68.5-79.0	126	26.3	21.0-31.5
\$15,000- 24,999	634	69,555	500	79.3	75.7-83.0	134	20.7	17.0-24.3
\$25,000- 34,999	533	64,738	460	87.8	84.7-90.8	73	12.2	9.19-15.3
\$35,000- 49,999	714	90,134	660	93.0	91.0-95.0	54	7.0	5.00-8.96
\$50,000- 74,999	660	82,520	618	94.4	92.7-96.2	42	5.6	3.85-7.33
\$75,000+	584	75,053	554	94.7	92.5-96.8	30	5.3	3.17-7.49

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 1: HEALTH STATUS**

TABLE 2: RISK FACTOR FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	241,557	1392	88.3	86.7-89.9	234	11.7	10.1-13.3
Non-Native	1576	232,864	1357	88.9	87.3-90.4	219	11.1	9.57-12.7
18-24	103	39,393	102	99.6	98.9-100	1	0.4	0.00-1.10
25-34	235	41,912	225	95.9	93.2-98.7	10	4.0	1.27-6.83
35-44	301	41,550	280	93.3	90.4-96.3	21	6.7	3.72-9.64
45-54	365	46,485	322	88.9	85.4-92.5	43	11.1	7.47-14.6
55-64	270	31,733	225	84.7	80.3-89.2	45	15.3	10.8-19.7
65+	344	39,638	231	66.3	61.0-71.7	113	33.7	28.3-39.0
Less Than H.S.	153	20,730	99	69.3	60.9-77.7	54	30.7	22.3-39.1
H.S. or G.E.D.	488	72,369	396	85.0	81.7-88.2	92	15.0	11.8-18.3
Some Post-H.S.	479	73,292	429	91.6	89.2-94.1	50	8.4	5.95-10.8
College Graduate	502	74,725	465	93.7	91.4-96.0	37	6.3	4.05-8.63
\$15,000- 24,999	223	29,588	158	74.8	68.7-81.0	65	25.2	19.0-31.3
\$25,000- 34,999	238	36,867	200	87.6	83.5-91.7	38	12.4	8.27-16.5
\$35,000- 49,999	327	50,081	298	91.9	88.9-94.9	29	8.1	5.05-11.1
\$50,000- 74,999	297	43,040	279	94.6	92.1-97.1	18	5.4	2.90-7.92
\$75,000+	291	43,210	275	94.6	91.4-97.7	16	5.4	2.32-8.56

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 1: HEALTH STATUS**

TABLE 3: RISK FACTOR FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	245,232	2049	87.6	86.2-89.1	325	12.3	10.9-13.8
Non-Native	2280	232,765	1978	88.0	86.6-89.5	302	12.0	10.5-13.4
18-24	109	35,266	104	95.4	91.2-99.6	5	4.6	0.45-8.83
25-34	263	37,714	247	94.2	91.2-97.1	16	5.8	2.88-8.76
35-44	418	40,451	388	93.5	91.1-95.9	30	6.5	4.14-8.88
45-54	507	43,781	461	91.8	89.2-94.5	46	8.2	5.54-10.8
55-64	379	31,486	318	84.0	80.0-88.0	61	16.0	12.0-20.0
65+	668	54,333	504	72.8	69.0-76.7	164	27.2	23.3-31.0
Less Than H.S.	202	19,907	131	67.1	59.4-74.8	71	32.9	25.2-40.6
H.S. or G.E.D.	672	67,163	548	82.6	79.3-86.0	124	17.4	14.0-20.7
Some Post-H.S.	767	81,511	685	90.7	88.5-93.0	82	9.3	7.05-11.5
College Graduate	730	76,467	682	94.1	92.3-95.9	48	5.9	4.13-7.69
Less than \$15,000	249	27,082	163	76.2	70.4-82.0	86	23.8	18.0-29.6
\$15,000- 24,999	411	39,966	342	82.7	78.1-87.2	69	17.3	12.8-21.9
\$25,000- 34,999	295	27,870	260	88.0	83.5-92.5	35	12.0	7.52-16.5
\$35,000- 49,999	387	40,053	362	94.4	92.0-96.7	25	5.6	3.26-8.00
\$50,000- 74,999	363	39,480	339	94.2	91.8-96.7	24	5.8	3.35-8.25
\$75,000+	293	31,843	279	94.8	92.0-97.6	14	5.2	2.41-7.97

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3994	485,215	2986	76.9	75.4-78.4	1008	23.1	21.6-24.6
Male	1619	240,023	1217	77.9	75.7-80.1	402	22.1	19.9-24.3
Female	2375	245,192	1769	75.9	73.9-77.9	606	24.1	22.1-26.1
Non-Native	3852	464,305	2889	77.3	75.8-78.8	963	22.7	21.2-24.2
18-24	211	74,225	182	86.6	81.6-91.5	29	13.4	8.52-18.4
25-34	495	79,093	414	83.5	80.0-86.9	81	16.5	13.1-20.0
35-44	719	82,001	581	80.6	77.5-83.7	138	19.4	16.3-22.5
45-54	872	90,223	676	78.5	75.5-81.4	196	21.5	18.6-24.5
55-64	649	63,219	456	69.5	65.7-73.4	193	30.5	26.6-34.3
65+	1010	93,407	647	63.8	60.5-67.0	363	36.2	33.0-39.5
Less Than H.S.	353	40,486	177	53.6	46.9-60.2	176	46.4	39.8-53.1
H.S. or G.E.D.	1152	137,972	779	69.6	66.5-72.7	373	30.4	27.3-33.5
Some Post-H.S.	1250	155,051	966	78.8	76.2-81.4	284	21.2	18.6-23.8
College Graduate	1232	151,080	1059	87.8	85.8-89.7	173	12.2	10.3-14.2
Less than \$15,000	344	40,421	193	64.2	57.6-70.7	151	35.8	29.3-42.4
\$15,000- 24,999	633	69,482	428	71.0	66.9-75.1	205	29.0	24.9-33.1
\$25,000- 34,999	533	64,665	399	75.8	71.5-80.0	134	24.3	20.0-28.5
\$35,000- 49,999	710	89,135	551	78.0	74.6-81.4	159	22.0	18.6-25.4
\$50,000- 74,999	661	82,606	528	80.9	77.8-84.1	133	19.1	15.9-22.2
\$75,000+	584	75,068	511	89.4	86.9-91.9	73	10.6	8.06-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 4: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1619	240,023	1217	77.9	75.7-80.1	402	22.1	19.9-24.3
Non-Native	1569	231,430	1179	77.8	75.6-80.1	390	22.1	19.9-24.4
18-24	102	38,959	90	89.8	83.9-95.7	12	10.2	4.35-16.1
25-34	233	41,453	192	81.9	76.8-87.1	41	18.0	12.9-23.2
35-44	301	41,550	248	82.6	78.1-87.1	53	17.4	12.9-21.9
45-54	365	46,485	274	76.6	72.0-81.2	91	23.4	18.8-28.0
55-64	270	31,733	182	66.4	60.4-72.4	88	33.6	27.6-39.6
65+	340	38,997	224	67.3	62.0-72.5	116	32.8	27.5-38.0
Less Than H.S.	153	20,730	72	56.2	46.4-65.9	81	43.8	34.1-53.6
H.S. or G.E.D.	480	70,775	332	71.3	66.8-75.8	148	28.7	24.2-33.2
Some Post-H.S.	481	73,512	368	79.1	75.2-82.9	113	20.9	17.1-24.8
College Graduate	501	74,565	442	88.9	86.0-91.9	59	11.0	8.07-14.0
Less than \$15,000	95	13,339	59	72.8	63.1-82.5	36	27.2	17.5-36.9
\$15,000- 24,999	223	29,588	147	70.2	63.6-76.8	76	29.8	23.2-36.4
\$25,000- 34,999	237	36,747	171	75.5	69.4-81.6	66	24.5	18.4-30.6
\$35,000- 49,999	323	49,183	248	77.2	72.3-82.1	75	22.8	17.9-27.7
\$50,000- 74,999	297	43,040	232	79.6	74.9-84.3	65	20.4	15.7-25.1
\$75,000+	291	43,210	251	88.9	85.4-92.4	40	11.1	7.56-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 4: EXERCISE**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2375	245,192	1769	75.9	73.9-77.9	606	24.1	22.1-26.1	
Non-Native	2283	232,875	1710	76.7	74.7-78.7	573	23.3	21.3-25.3	
18-24	109	35,266	92	83.0	75.0-91.0	17	17.0	9.02-25.0	
25-34	262	37,640	222	85.2	80.7-89.6	40	14.8	10.4-19.3	
35-44	418	40,451	333	78.6	74.4-82.9	85	21.4	17.1-25.6	
45-54	507	43,738	402	80.5	76.8-84.1	105	19.5	15.9-23.2	
55-64	379	31,486	274	72.7	68.0-77.5	105	27.3	22.5-32.0	
65+	670	54,410	423	61.3	57.2-65.4	247	38.7	34.6-42.8	
Less Than H.S.	200	19,756	105	50.8	42.1-59.5	95	49.2	40.5-57.9	
H.S. or G.E.D.	672	67,196	447	67.8	63.5-72.0	225	32.3	28.0-36.5	
Some Post-H.S.	769	81,539	598	78.6	75.1-82.1	171	21.4	17.9-24.9	
College Graduate	731	76,515	617	86.6	84.1-89.2	114	13.3	10.8-15.9	
Less than \$15,000	249	27,082	134	59.9	51.6-68.2	115	40.1	31.8-48.4	
\$15,000- 24,999	410	39,893	281	71.6	66.4-76.8	129	28.4	23.2-33.6	
\$25,000- 34,999	296	27,918	228	76.1	70.5-81.7	68	23.9	18.3-29.5	
\$35,000- 49,999	387	39,952	303	79.0	74.5-83.5	84	21.0	16.5-25.5	
\$50,000- 74,999	364	39,566	296	82.3	78.2-86.5	68	17.7	13.5-21.8	
\$75,000+	293	31,858	260	90.1	86.7-93.6	33	9.9	6.44-13.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 6: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4004	486,701	2874	76.7	75.2-78.1	1130	23.3	21.9-24.8
Male	1626	241,292	1192	77.9	75.7-80.0	434	22.1	20.0-24.3
Female	2378	245,409	1682	75.5	73.6-77.4	696	24.5	22.6-26.4
Native	108	17,264	76	77.1	68.2-86.0	32	22.9	14.0-31.8
Non-Native	3859	465,481	2781	76.8	75.4-78.3	1078	23.2	21.7-24.6
18-24	211	74,370	200	95.3	92.3-98.3	11	4.7	1.67-7.75
25-34	497	79,442	470	95.2	93.4-97.0	27	4.8	2.96-6.64
35-44	719	82,073	640	89.3	86.9-91.7	79	10.7	8.27-13.1
45-54	873	90,351	641	74.1	70.9-77.3	232	25.9	22.7-29.1
55-64	649	63,124	414	65.2	61.3-69.1	235	34.8	30.9-38.7
65+	1017	94,294	481	45.8	42.5-49.1	536	54.2	50.9-57.5
Less Than H.S.	354	40,496	198	61.1	55.0-67.3	156	38.9	32.7-45.0
H.S. or G.E.D.	1161	139,415	785	73.7	71.0-76.4	376	26.3	23.6-29.0
Some Post-H.S.	1248	154,781	923	79.4	77.0-81.8	325	20.6	18.2-23.0
College Graduate	1234	151,383	964	80.8	78.4-83.3	270	19.2	16.7-21.6
Less than \$15,000	344	40,358	214	73.9	68.7-79.0	130	26.1	21.0-31.3
\$15,000- 24,999	635	69,484	397	67.7	63.4-71.9	238	32.3	28.1-36.6
\$25,000- 34,999	534	64,785	370	74.4	70.3-78.5	164	25.6	21.5-29.7
\$35,000- 49,999	714	89,887	528	78.5	75.4-81.6	186	21.5	18.4-24.6
\$50,000- 74,999	661	82,606	531	82.4	79.4-85.4	130	17.6	14.6-20.6
\$75,000+	584	75,124	480	83.2	79.8-86.5	104	16.8	13.5-20.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	241,292	1192	77.9	75.7-80.0	434	22.1	20.0-24.3
Non-Native	1575	232,539	1160	78.1	76.0-80.3	415	21.9	19.7-24.0
18-24	102	39,104	97	95.7	91.8-99.7	5	4.3	0.34-8.18
25-34	234	41,728	220	94.6	91.8-97.5	14	5.4	2.55-8.23
35-44	300	41,478	268	89.4	85.7-93.1	32	10.6	6.93-14.3
45-54	365	46,485	257	71.1	66.1-76.2	108	28.8	23.8-33.9
55-64	270	31,733	170	65.8	59.9-71.8	100	34.1	28.2-40.1
65+	347	39,918	176	48.8	43.3-54.4	171	51.1	45.6-56.7
Less Than H.S.	153	20,730	92	66.3	57.7-75.0	61	33.6	25.0-42.3
H.S. or G.E.D.	488	72,140	353	77.5	73.6-81.3	135	22.5	18.7-26.4
Some Post-H.S.	479	73,256	371	81.3	77.6-84.9	108	18.7	15.1-22.4
College Graduate	502	74,725	375	78.3	74.5-82.1	127	21.7	17.9-25.5
Less than \$15,000	96	13,419	65	78.3	69.9-86.7	31	21.7	13.3-30.1
\$15,000- 24,999	222	29,405	145	70.9	64.4-77.3	77	29.1	22.7-35.6
\$25,000- 34,999	238	36,867	168	76.6	70.9-82.4	70	23.4	17.6-29.1
\$35,000- 49,999	326	49,791	241	78.2	73.7-82.8	85	21.8	17.2-26.3
\$50,000- 74,999	297	43,040	229	79.9	75.4-84.4	68	20.1	15.6-24.6
\$75,000+	290	43,138	229	79.7	74.6-84.8	61	20.3	15.2-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2378	245,409	1682	75.5	73.6-77.4	696	24.5	22.6-26.4
Non-Native	2284	232,942	1621	75.6	73.7-77.5	663	24.4	22.5-26.3
18-24	109	35,266	103	94.8	90.1-99.4	6	5.2	0.56-9.88
25-34	263	37,714	250	95.9	93.6-98.2	13	4.1	1.85-6.43
35-44	419	40,595	372	89.2	86.1-92.3	47	10.8	7.67-13.9
45-54	508	43,866	384	77.3	73.4-81.1	124	22.8	18.9-26.6
55-64	379	31,391	244	64.6	59.4-69.7	135	35.4	30.3-40.6
65+	670	54,376	305	43.6	39.5-47.6	365	56.4	52.4-60.5
Less Than H.S.	201	19,766	106	55.7	47.2-64.1	95	44.3	35.9-52.8
H.S. or G.E.D.	673	67,276	432	69.6	65.8-73.5	241	30.4	26.5-34.2
Some Post-H.S.	769	81,524	552	77.7	74.6-80.8	217	22.3	19.2-25.4
College Graduate	732	76,658	589	83.3	80.3-86.4	143	16.7	13.6-19.7
Less than \$15,000	248	26,939	149	71.7	65.3-78.1	99	28.3	21.9-34.7
\$15,000- 24,999	413	40,080	252	65.3	59.7-70.9	161	34.7	29.1-40.3
\$25,000- 34,999	296	27,918	202	71.5	65.8-77.2	94	28.5	22.8-34.2
\$35,000- 49,999	388	40,096	287	78.9	74.8-83.0	101	21.1	17.0-25.2
\$50,000- 74,999	364	39,566	302	85.1	81.4-88.8	62	14.9	11.2-18.6
\$75,000+	294	31,986	251	87.9	84.3-91.5	43	12.1	8.49-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 7: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS. (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS. (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3873	465,978	3041	72.1	70.2-74.0	206	5.0	4.26-5.72	626	22.9	21.0-24.8
Male	1573	231,145	1166	68.8	65.9-71.7	94	5.3	4.23-6.47	313	25.8	22.9-28.7
Female	2300	234,833	1875	75.3	72.9-77.8	112	4.6	3.73-5.53	313	20.0	17.7-22.4
Native	103	16,654				2	1.4	0.00-3.51			
Non-Native	3736	445,821	2944	72.5	70.6-74.5	202	5.1	4.37-5.85	590	22.3	20.5-24.2
18-24	184	65,092	65	33.3	25.8-40.7	1	0.2	0.00-0.62	118	66.5	59.1-74.0
25-34	472	75,425	268	56.7	52.0-61.5	28	5.3	3.32-7.32	176	37.9	33.3-42.6
35-44	696	79,435	479	68.8	65.1-72.5	61	9.5	7.11-11.9	156	21.7	18.4-25.0
45-54	861	89,253	710	82.0	79.2-84.9	58	6.8	4.97-8.65	93	11.1	8.82-13.5
55-64	638	62,142	566	88.2	85.5-91.0	34	5.7	3.71-7.75	38	6.0	3.99-8.07
65+	984	91,585	919	94.1	92.6-95.6	22	1.9	1.01-2.73	43	4.0	2.76-5.30
Less Than H.S.	337	38,780	275	71.6	63.9-79.3	11	2.6	0.97-4.19	51	25.8	18.0-33.6
H.S. or G.E.D.	1125	134,241	864	69.3	65.6-73.0	52	4.1	2.93-5.37	209	26.5	22.8-30.2
Some Post-H.S.	1202	146,823	932	70.4	67.0-73.8	59	4.9	3.55-6.21	211	24.7	21.3-28.0
College Graduate	1202	145,509	964	76.4	73.5-79.4	84	6.5	5.08-7.98	154	17.0	14.2-19.8
Less than \$15,000	328	37,275	244	64.9	57.5-72.3	15	4.0	1.74-6.20	69	31.1	23.8-38.5
\$15,000- 24,999	615	66,808	463	69.0	64.1-73.9	26	3.6	2.12-5.10	126	27.4	22.5-32.2
\$25,000- 34,999	512	61,268	390	66.0	60.2-71.8	26	4.5	2.70-6.38	96	29.5	23.6-35.3
\$35,000- 49,999	694	86,578	531	71.1	66.9-75.3	41	5.7	3.90-7.54	122	23.2	19.0-27.3
\$50,000- 74,999	650	81,251	514	74.1	70.0-78.3	46	7.0	4.90-9.10	90	18.8	14.9-22.8
\$75,000+	569	73,080	479	82.5	78.6-86.4	34	5.8	3.79-7.79	56	11.7	8.13-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS. (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1573	231,145	1166	68.8	65.9-71.7	94	5.3	4.23-6.47	313	25.8	22.9-28.7
Non-Native	1524	222,842	1134	69.4	66.4-72.3	91	5.4	4.25-6.57	299	25.2	22.3-28.1
25-34	220	39,570	126	57.3	50.4-64.2	13	4.9	2.17-7.57	81	37.8	31.0-44.7
35-44	292	40,253	176	62.3	56.5-68.1	37	12.6	8.62-16.6	79	25.1	19.9-30.2
45-54	360	45,964	283	79.5	75.1-83.9	21	6.0	3.39-8.65	56	14.4	10.6-18.3
55-64	267	31,418	232	87.0	82.7-91.3	17	6.7	3.50-9.92	18	6.3	3.25-9.37
65+	337	38,839	314	94.1	91.6-96.6	5	1.1	0.09-2.09	18	4.8	2.54-7.16
Less Than H.S.	149	20,280				4	2.3	0.00-4.74			
H.S. or G.E.D.	471	68,817	337	64.8	59.3-70.4	26	4.6	2.74-6.50	108	30.5	25.0-36.1
Some Post-H.S.	460	69,429	328	67.0	61.8-72.2	34	6.7	4.41-9.03	98	26.3	21.2-31.4
College Graduate	489	72,178	383	75.3	70.7-79.8	30	5.6	3.54-7.66	76	19.1	14.8-23.5
Less than \$15,000	93	12,471				4	3.9	0.00-8.02			
\$15,000- 24,999	216	28,647	147	64.8	56.9-72.6	11	4.2	1.53-6.83	58	31.1	23.3-38.8
\$25,000- 34,999	225	34,626	153	58.2	49.8-66.7	14	4.9	2.24-7.50	58	36.9	28.3-45.5
\$35,000- 49,999	319	48,325	236	69.4	63.2-75.6	19	5.4	2.88-7.86	64	25.2	19.1-31.3
\$50,000- 74,999	294	42,586	224	72.8	67.0-78.7	24	8.5	5.13-11.9	46	18.6	13.3-24.0
\$75,000+	279	41,466	237	83.1	77.5-88.6	15	4.9	2.36-7.50	27	12.0	6.80-17.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS. (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	234,833	1875	75.3	72.9-77.8	112	4.6	3.73-5.53	313	20.0	17.7-22.4
Native	69	10,163				1	1.4	0.00-4.17			
Non-Native	2212	222,979	1810	75.7	73.3-78.2	111	4.8	3.87-5.75	291	19.5	17.1-21.9
18-24	95	30,836				1	0.4	0.00-1.30			
25-34	252	35,855	142	56.1	49.7-62.5	15	5.8	2.87-8.75	95	38.1	31.8-44.4
35-44	404	39,182	303	75.5	71.0-79.9	24	6.3	3.79-8.81	77	18.3	14.3-22.2
45-54	501	43,289	427	84.7	81.3-88.1	37	7.6	5.08-10.2	37	7.6	5.10-10.2
55-64	371	30,724	334	89.5	86.0-93.0	17	4.7	2.30-7.16	20	5.7	3.07-8.41
65+	647	52,746	605	94.1	92.2-96.0	17	2.4	1.18-3.72	25	3.4	2.00-4.86
Less Than H.S.	188	18,500	161	78.7	69.1-88.3	7	2.8	0.71-4.95	20	18.4	8.75-28.1
H.S. or G.E.D.	654	65,423	527	74.0	69.4-78.7	26	3.7	2.11-5.21	101	22.3	17.6-26.9
Some Post-H.S.	742	77,393	604	73.5	69.1-77.9	25	3.2	1.83-4.61	113	23.3	18.9-27.7
College Graduate	713	73,331	581	77.6	73.8-81.4	54	7.4	5.43-9.47	78	14.9	11.4-18.4
Less than \$15,000	235	24,805	183	70.4	61.8-79.0	11	4.0	1.32-6.66	41	25.6	17.2-34.1
\$15,000- 24,999	399	38,161	316	72.2	66.0-78.4	15	3.2	1.49-4.87	68	24.6	18.4-30.8
\$25,000- 34,999	287	26,642	237	76.1	69.5-82.7	12	4.1	1.64-6.58	38	19.8	13.4-26.2
\$35,000- 49,999	375	38,254	295	73.2	67.8-78.7	22	6.2	3.47-8.85	58	20.6	15.4-25.8
\$50,000- 74,999	356	38,664	290	75.6	69.7-81.5	22	5.3	2.99-7.65	44	19.1	13.3-24.8
\$75,000+	290	31,614	242	81.8	76.4-87.1	19	6.9	3.73-10.1	29	11.3	6.65-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)
Denominator excludes: Respondents who reported not having their blood cholesterol checked in the past five years
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3020	333,683	1818	63.4	61.5-65.3	1202	36.6	34.7-38.5
Male	1158	158,011	689	62.8	59.8-65.8	469	37.2	34.2-40.2
Female	1862	175,672	1129	63.9	61.5-66.4	733	36.1	33.6-38.5
Native	69	9,949	55	82.7	72.8-92.5	14	17.3	7.47-27.2
Non-Native	2923	321,052	1746	62.8	60.9-64.8	1177	37.2	35.2-39.1
18-24	65	21,646	58	88.1	79.1-97.2	7	11.9	2.82-20.9
25-34	268	42,800	235	88.8	84.9-92.6	33	11.2	7.38-15.1
35-44	477	54,479	355	73.2	68.9-77.5	122	26.8	22.5-31.1
45-54	709	73,091	442	61.8	57.9-65.7	267	38.2	34.3-42.1
55-64	558	53,983	269	49.4	44.9-53.9	289	50.6	46.1-55.1
65+	909	84,960	436	47.8	44.3-51.4	473	52.1	48.6-55.7
Less Than H.S.	273	27,565	144	58.2	51.8-64.7	129	41.8	35.3-48.2
H.S. or G.E.D.	861	92,839	494	59.9	56.2-63.6	367	40.1	36.4-43.8
Some Post-H.S.	925	102,750	557	64.5	61.1-67.9	368	35.5	32.1-38.9
College Graduate	955	109,976	621	66.8	63.4-70.2	334	33.2	29.8-36.6
Less than \$15,000	243	24,044	125	60.3	52.5-68.1	118	39.7	31.9-47.5
\$15,000- 24,999	461	46,011	261	59.3	53.8-64.7	200	40.7	35.3-46.2
\$25,000- 34,999	389	40,350	235	65.3	60.1-70.5	154	34.7	29.5-39.9
\$35,000- 49,999	528	61,195	330	64.5	60.1-68.9	198	35.5	31.1-39.9
\$50,000- 74,999	510	59,758	317	63.2	58.8-67.7	193	36.8	32.3-41.2
\$75,000+	476	59,794	317	68.6	64.1-73.0	159	31.4	27.0-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked in the past five years
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1158	158,011	689	62.8	59.8-65.8	469	37.2	34.2-40.2
Non-Native	1126	153,452	666	62.4	59.3-65.4	460	37.6	34.6-40.7
25-34	126	22,678	110	88.7	83.2-94.1	16	11.3	5.91-16.8
35-44	175	25,010	124	70.2	63.1-77.3	51	29.8	22.7-36.9
45-54	282	36,426	161	57.8	51.6-64.0	121	42.2	36.0-48.4
55-64	228	26,761	106	48.7	41.8-55.6	122	51.3	44.4-58.2
65+	312	36,193	158	48.7	42.8-54.6	154	51.3	45.5-57.2
Less Than H.S.	114	13,209	66	61.8	52.1-71.4	48	38.3	28.6-47.9
H.S. or G.E.D.	337	44,621	185	57.5	51.9-63.2	152	42.4	36.8-48.1
Some Post-H.S.	326	46,323	199	66.0	60.6-71.5	127	34.0	28.5-39.4
College Graduate	377	53,417	238	65.0	59.8-70.2	139	35.0	29.8-40.2
\$15,000- 24,999	147	18,550	88	63.1	53.9-72.2	59	36.9	27.8-46.1
\$25,000- 34,999	153	20,167	94	64.6	56.5-72.6	59	35.4	27.4-43.5
\$35,000- 49,999	234	33,269	144	64.6	58.2-71.1	90	35.3	28.9-41.8
\$50,000- 74,999	222	30,760	127	58.8	52.1-65.5	95	41.2	34.5-47.9
\$75,000+	234	33,949	138	63.5	57.0-70.1	96	36.5	29.9-43.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked in the past five years
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1862	175,672	1129	63.9	61.5-66.4	733	36.1	33.6-38.5	
Non-Native	1797	167,600	1080	63.2	60.8-65.7	717	36.8	34.3-39.2	
25-34	142	20,122	125	88.9	83.5-94.4	17	11.1	5.64-16.5	
35-44	302	29,469	231	75.8	70.6-81.0	71	24.2	19.0-29.4	
45-54	427	36,665	281	65.8	60.9-70.7	146	34.2	29.3-39.1	
55-64	330	27,222	163	50.1	44.4-55.8	167	49.9	44.2-55.6	
65+	597	48,767	278	47.3	42.9-51.6	319	52.8	48.4-57.1	
Less Than H.S.	159	14,356	78	55.0	46.4-63.6	81	45.0	36.4-53.6	
H.S. or G.E.D.	524	48,218	309	62.0	57.3-66.8	215	37.9	33.2-42.7	
Some Post-H.S.	599	56,426	358	63.3	59.0-67.6	241	36.7	32.4-41.0	
College Graduate	578	56,559	383	68.5	64.2-72.8	195	31.5	27.2-35.8	
Less than \$15,000	182	17,319	91	58.6	49.1-68.1	91	41.4	31.9-50.9	
\$15,000- 24,999	314	27,461	173	56.7	50.0-63.4	141	43.3	36.6-50.0	
\$25,000- 34,999	236	20,184	141	66.0	59.6-72.4	95	34.0	27.6-40.4	
\$35,000- 49,999	294	27,926	186	64.4	58.4-70.3	108	35.6	29.7-41.6	
\$50,000- 74,999	288	28,998	190	67.9	62.1-73.7	98	32.1	26.3-37.9	
\$75,000+	242	25,846	179	75.2	69.4-80.9	63	24.8	19.1-30.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 9: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
COMPUTED ASTHMA STATUS (_ASTHMST)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3999	486,559	3595	88.9	87.6-90.1	404	11.1	9.86-12.4
Male	1625	241,306	1476	89.5	87.6-91.5	149	10.5	8.51-12.4
Female	2374	245,253	2119	88.2	86.6-89.8	255	11.8	10.2-13.4
Native	108	17,264	86	83.5	75.5-91.4	22	16.5	8.60-24.5
Non-Native	3854	465,339	3476	89.1	87.8-90.4	378	10.9	9.65-12.2
18-24	212	74,659	174	81.6	75.8-87.4	38	18.4	12.6-24.2
25-34	498	79,626	428	86.2	83.0-89.4	70	13.8	10.6-17.0
35-44	719	82,049	657	91.1	88.8-93.4	62	8.9	6.56-11.2
45-54	870	90,114	799	91.9	89.9-93.9	71	8.1	6.06-10.1
55-64	648	63,100	595	91.7	89.4-94.0	53	8.3	5.97-10.6
65+	1014	93,964	906	90.0	88.0-92.0	108	10.0	8.03-12.0
Less Than H.S.	353	40,523	304	83.8	77.5-90.1	49	16.2	9.88-22.5
H.S. or G.E.D.	1162	139,618	1055	89.5	87.2-91.9	107	10.4	8.14-12.8
Some Post-H.S.	1246	154,810	1116	88.8	86.6-91.0	130	11.2	9.01-13.4
College Graduate	1231	150,982	1113	89.6	87.6-91.7	118	10.4	8.33-12.4
Less than \$15,000	344	40,458	285	85.0	80.4-89.6	59	15.0	10.4-19.6
\$15,000- 24,999	633	69,437	563	85.1	81.2-89.1	70	14.9	10.9-18.8
\$25,000- 34,999	533	64,743	471	85.4	80.8-90.0	62	14.6	9.96-19.2
\$35,000- 49,999	712	89,766	654	91.5	89.2-93.8	58	8.5	6.17-10.8
\$50,000- 74,999	660	82,510	604	91.3	88.9-93.7	56	8.7	6.30-11.1
\$75,000+	585	75,196	535	90.4	87.3-93.5	50	9.6	6.54-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	241,306	1476	89.5	87.6-91.5	149	10.5	8.51-12.4
Non-Native	1574	232,553	1434	89.8	87.8-91.8	140	10.2	8.23-12.2
18-24	103	39,393	87	82.0	73.4-90.6	16	18.0	9.41-26.6
25-34	235	41,912	208	88.1	83.6-92.5	27	11.9	7.47-16.4
35-44	301	41,550	279	92.5	89.2-95.8	22	7.5	4.17-10.8
45-54	364	46,355	338	92.7	89.8-95.6	26	7.3	4.38-10.2
55-64	270	31,733	247	91.4	87.8-95.0	23	8.6	5.02-12.2
65+	344	39,517	310	90.3	87.0-93.7	34	9.6	6.30-13.0
H.S. or G.E.D.	488	72,299	445	90.5	87.4-93.7	43	9.5	6.33-12.6
Some Post-H.S.	481	73,512	438	90.1	86.7-93.5	43	9.9	6.48-13.3
College Graduate	499	74,324	457	90.4	87.4-93.5	42	9.5	6.45-12.6
Less than \$15,000	96	13,419	81	85.1	76.4-93.8	15	14.9	6.17-23.6
\$15,000- 24,999	223	29,588	201	87.3	81.4-93.1	22	12.7	6.92-18.6
\$25,000- 34,999	238	36,867	207	83.2	76.0-90.4	31	16.8	9.62-24.0
\$35,000- 49,999	324	49,670	299	92.6	89.6-95.5	25	7.4	4.45-10.4
\$50,000- 74,999	297	43,040	275	92.2	88.8-95.7	22	7.8	4.31-11.2
\$75,000+	291	43,210	272	91.5	87.0-96.0	19	8.5	3.95-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	245,253	2119	88.2	86.6-89.8	255	11.8	10.2-13.4
Native	73	10,483	57	83.8	74.3-93.3	16	16.2	6.71-25.7
Non-Native	2280	232,786	2042	88.3	86.7-90.0	238	11.7	9.99-13.3
18-24	109	35,266	87	81.2	73.5-88.8	22	18.8	11.2-26.5
25-34	263	37,714	220	84.1	79.6-88.6	43	15.9	11.4-20.4
35-44	418	40,499	378	89.7	86.4-92.9	40	10.3	7.07-13.6
45-54	506	43,759	461	91.1	88.3-93.9	45	8.9	6.14-11.7
55-64	378	31,367	348	92.0	89.1-95.0	30	8.0	5.01-10.9
65+	670	54,446	596	89.7	87.3-92.1	74	10.3	7.86-12.7
Less Than H.S.	200	19,793	172	87.3	81.8-92.9	28	12.7	7.10-18.2
H.S. or G.E.D.	674	67,319	610	88.5	85.1-91.9	64	11.5	8.10-14.9
Some Post-H.S.	765	81,298	678	87.6	84.7-90.4	87	12.4	9.56-15.3
College Graduate	732	76,658	656	88.8	86.2-91.5	76	11.1	8.48-13.8
Less than \$15,000	248	27,039	204	84.9	79.6-90.3	44	15.1	9.70-20.4
\$15,000- 24,999	410	39,848	362	83.6	78.2-88.9	48	16.4	11.1-21.8
\$25,000- 34,999	295	27,875	264	88.4	83.7-93.0	31	11.6	6.99-16.3
\$35,000- 49,999	388	40,096	355	90.2	86.7-93.8	33	9.8	6.19-13.3
\$50,000- 74,999	363	39,470	329	90.3	86.9-93.6	34	9.7	6.37-13.1
\$75,000+	294	31,986	263	88.8	84.8-92.8	31	11.2	7.24-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	485,172	3709	92.7	91.6-93.8	280	7.3	6.24-8.36
Male	1621	240,796	1525	93.2	91.5-94.9	96	6.8	5.11-8.49
Female	2368	244,375	2184	92.2	91.0-93.5	184	7.8	6.54-9.04
Native	108	17,264	91	90.2	84.7-95.7	17	9.8	4.28-15.3
Non-Native	3844	463,951	3584	92.8	91.7-93.9	260	7.2	6.13-8.29
18-24	211	74,250	190	89.5	84.7-94.3	21	10.5	5.66-15.3
25-34	497	79,442	454	91.8	89.3-94.3	43	8.2	5.74-10.7
35-44	717	81,905	672	93.3	91.2-95.4	45	6.7	4.61-8.77
45-54	870	90,114	826	95.1	93.6-96.7	44	4.9	3.30-6.44
55-64	647	62,974	603	93.3	91.3-95.4	44	6.7	4.63-8.71
65+	1009	93,438	928	92.7	91.0-94.4	81	7.3	5.61-8.99
Less Than H.S.	353	40,523	316	86.7	80.5-92.9	37	13.3	7.15-19.5
H.S. or G.E.D.	1157	138,763	1080	93.3	91.5-95.1	77	6.7	4.91-8.47
Some Post-H.S.	1246	154,810	1154	92.9	91.2-94.6	92	7.1	5.43-8.85
College Graduate	1226	150,449	1152	93.6	91.9-95.2	74	6.4	4.78-8.08
Less than \$15,000	343	40,378	297	89.3	85.6-93.0	46	10.7	7.00-14.4
\$15,000- 24,999	630	69,205	585	91.5	88.5-94.4	45	8.5	5.56-11.5
\$25,000- 34,999	532	64,602	487	90.0	86.0-94.1	45	10.0	5.92-14.0
\$35,000- 49,999	711	89,583	672	95.0	93.4-96.7	39	4.9	3.32-6.58
\$50,000- 74,999	659	82,385	622	94.3	92.4-96.3	37	5.6	3.65-7.65
\$75,000+	584	75,100	553	93.1	90.3-96.0	31	6.9	4.00-9.72

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,796	1525	93.2	91.5-94.9	96	6.8	5.11-8.49
Non-Native	1570	232,043	1479	93.2	91.4-94.9	91	6.8	5.07-8.55
18-24	103	39,393	92	86.8	78.9-94.7	11	13.2	5.30-21.1
25-34	234	41,728	218	93.3	89.9-96.7	16	6.7	3.34-10.1
35-44	301	41,550	288	95.1	92.3-97.9	13	4.9	2.06-7.66
45-54	364	46,355	349	95.9	93.8-98.1	15	4.1	1.93-6.21
55-64	269	31,607	253	94.3	91.5-97.1	16	5.7	2.86-8.50
65+	342	39,317	318	93.5	90.8-96.3	24	6.4	3.75-9.15
H.S. or G.E.D.	487	72,179	459	93.9	91.3-96.5	28	6.1	3.52-8.66
Some Post-H.S.	481	73,512	452	93.9	91.2-96.6	29	6.1	3.40-8.84
College Graduate	496	73,935	474	94.6	92.1-97.1	22	5.4	2.94-7.92
Less than \$15,000	95	13,339	85	93.1	88.4-97.8	10	6.9	2.22-11.6
\$15,000- 24,999	223	29,588	210	92.5	87.9-97.1	13	7.5	2.90-12.1
\$25,000- 34,999	238	36,867	215	88.3	81.7-94.8	23	11.7	5.17-18.3
\$35,000- 49,999	323	49,487	308	95.9	93.7-98.0	15	4.1	1.96-6.32
\$50,000- 74,999	296	42,914	283	95.4	92.6-98.2	13	4.6	1.80-7.44
\$75,000+	291	43,210	280	93.6	89.3-97.9	11	6.4	2.11-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	244,375	2184	92.2	91.0-93.5	184	7.8	6.54-9.04
Native	73	10,483	59	87.5	79.5-95.4	14	12.5	4.56-20.5
Non-Native	2274	231,908	2105	92.4	91.1-93.7	169	7.6	6.35-8.89
18-24	108	34,857	98	92.6	87.7-97.4	10	7.4	2.57-12.3
25-34	263	37,714	236	90.1	86.5-93.8	27	9.9	6.23-13.5
35-44	416	40,355	384	91.4	88.4-94.5	32	8.6	5.51-11.6
45-54	506	43,759	477	94.3	92.0-96.6	29	5.7	3.44-7.98
55-64	378	31,367	350	92.3	89.4-95.3	28	7.7	4.75-10.6
65+	667	54,122	610	92.1	89.9-94.2	57	7.9	5.78-10.1
Less Than H.S.	200	19,793	180	90.2	84.9-95.4	20	9.8	4.56-15.1
H.S. or G.E.D.	670	66,585	621	92.7	90.2-95.1	49	7.3	4.88-9.78
Some Post-H.S.	765	81,298	702	91.9	89.8-94.1	63	8.1	5.93-10.2
College Graduate	730	76,514	678	92.6	90.4-94.8	52	7.4	5.24-9.56
Less than \$15,000	248	27,039	212	87.4	82.4-92.4	36	12.6	7.55-17.6
\$15,000- 24,999	407	39,616	375	90.7	86.8-94.6	32	9.3	5.40-13.2
\$25,000- 34,999	294	27,734	272	92.3	88.8-95.8	22	7.7	4.19-11.2
\$35,000- 49,999	388	40,096	364	94.0	91.6-96.5	24	5.9	3.48-8.42
\$50,000- 74,999	363	39,470	339	93.2	90.4-96.1	24	6.8	3.95-9.59
\$75,000+	293	31,891	273	92.5	89.2-95.9	20	7.4	4.12-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	485,172	280	7.3	6.24-8.36	114	3.6	2.82-4.34	3595	89.1	87.9-90.4
Male	1621	240,796	96	6.8	5.11-8.49	49	3.5	2.38-4.58	1476	89.7	87.8-91.7
Female	2368	244,375	184	7.8	6.54-9.04	65	3.7	2.59-4.75	2119	88.5	86.9-90.1
Native	108	17,264	17	9.8	4.28-15.3	5	6.8	0.79-12.7	86	83.5	75.5-91.4
Non-Native	3844	463,951	260	7.2	6.13-8.29	108	3.5	2.68-4.24	3476	89.3	88.0-90.6
18-24	211	74,250	21	10.5	5.66-15.3	16	7.4	3.81-11.1	174	82.1	76.3-87.8
25-34	497	79,442	43	8.2	5.74-10.7	26	5.4	3.26-7.54	428	86.4	83.2-89.5
35-44	717	81,905	45	6.7	4.61-8.77	15	2.0	0.94-3.10	657	91.3	89.0-93.6
45-54	870	90,114	44	4.9	3.30-6.44	27	3.2	1.86-4.60	799	91.9	89.9-93.9
55-64	647	62,974	44	6.7	4.63-8.71	8	1.4	0.27-2.63	595	91.9	89.6-94.2
65+	1009	93,438	81	7.3	5.61-8.99	22	2.2	1.19-3.23	906	90.5	88.5-92.4
Less Than H.S.	353	40,523	37	13.3	7.15-19.5	12	2.8	1.01-4.65	304	83.8	77.5-90.1
H.S. or G.E.D.	1157	138,763	77	6.7	4.91-8.47	25	3.2	1.73-4.71	1055	90.1	87.8-92.4
Some Post-H.S.	1246	154,810	92	7.1	5.43-8.85	38	4.1	2.56-5.58	1116	88.8	86.6-91.0
College Graduate	1226	150,449	74	6.4	4.78-8.08	39	3.6	2.35-4.89	1113	89.9	87.9-92.0
Less than \$15,000	343	40,378	46	10.7	7.00-14.4	12	4.1	1.20-7.04	285	85.2	80.6-89.8
\$15,000- 24,999	630	69,205	45	8.5	5.56-11.5	22	6.0	3.15-8.95	563	85.4	81.5-89.4
\$25,000- 34,999	532	64,602	45	10.0	5.92-14.0	16	4.4	1.75-7.09	471	85.6	81.0-90.2
\$35,000- 49,999	711	89,583	39	4.9	3.32-6.58	18	3.3	1.67-4.97	654	91.7	89.5-94.0
\$50,000- 74,999	659	82,385	37	5.6	3.65-7.65	18	2.9	1.51-4.33	604	91.4	89.0-93.8
\$75,000+	584	75,100	31	6.9	4.00-9.72	18	2.6	1.34-3.96	535	90.5	87.4-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,796	96	6.8	5.11-8.49	49	3.5	2.38-4.58	1476	89.7	87.8-91.7
Non-Native	1570	232,043	91	6.8	5.07-8.55	45	3.2	2.14-4.30	1434	90.0	88.0-91.9
18-24	103	39,393	11	13.2	5.30-21.1	5	4.8	0.61-8.95	87	82.0	73.4-90.6
25-34	234	41,728	16	6.7	3.34-10.1	10	4.8	1.76-7.92	208	88.4	84.0-92.9
35-44	301	41,550	13	4.9	2.06-7.66	9	2.6	0.80-4.40	279	92.5	89.2-95.8
45-54	364	46,355	15	4.1	1.93-6.21	11	3.2	1.15-5.31	338	92.7	89.8-95.6
55-64	269	31,607	16	5.7	2.86-8.50	6	2.6	0.32-4.86	247	91.7	88.2-95.3
65+	342	39,317	24	6.4	3.75-9.15	8	2.8	0.73-4.77	310	90.8	87.5-94.1
Less Than H.S.	153	20,730				4	2.8	0.00-5.78			
H.S. or G.E.D.	487	72,179	28	6.1	3.52-8.66	14	3.3	1.27-5.23	445	90.7	87.5-93.8
Some Post-H.S.	481	73,512	29	6.1	3.40-8.84	14	3.8	1.55-5.95	438	90.1	86.7-93.5
College Graduate	496	73,935	22	5.4	2.94-7.92	17	3.6	1.75-5.55	457	90.9	87.9-94.0
Less than \$15,000	95	13,339	10	6.9	2.22-11.6	4	7.4	0.00-15.1	81	85.6	77.0-94.3
\$15,000- 24,999	223	29,588	13	7.5	2.90-12.1	9	5.2	1.28-9.20	201	87.3	81.4-93.1
\$25,000- 34,999	238	36,867	23	11.7	5.17-18.3	8	5.1	1.15-9.07	207	83.2	76.0-90.4
\$35,000- 49,999	323	49,487	15	4.1	1.96-6.32	9	2.9	0.94-4.90	299	92.9	90.0-95.8
\$50,000- 74,999	296	42,914	13	4.6	1.80-7.44	8	2.9	0.83-4.91	275	92.5	89.1-95.9
\$75,000+	291	43,210	11	6.4	2.11-10.7	8	2.0	0.50-3.56	272	91.5	87.0-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	244,375	184	7.8	6.54-9.04	65	3.7	2.59-4.75	2119	88.5	86.9-90.1
Native	73	10,483	14	12.5	4.56-20.5	2	3.7	0.00-9.09	57	83.8	74.3-93.3
Non-Native	2274	231,908	169	7.6	6.35-8.89	63	3.7	2.59-4.83	2042	88.7	87.0-90.3
18-24	108	34,857	10	7.4	2.57-12.3	11	10.5	4.42-16.5	87	82.1	74.6-89.6
25-34	263	37,714	27	9.9	6.23-13.5	16	6.0	3.06-8.98	220	84.1	79.6-88.6
35-44	416	40,355	32	8.6	5.51-11.6	6	1.4	0.24-2.60	378	90.0	86.8-93.2
45-54	506	43,759	29	5.7	3.44-7.98	16	3.2	1.48-4.96	461	91.1	88.3-93.9
55-64	378	31,367	28	7.7	4.75-10.6	2	0.3	0.00-0.71	348	92.0	89.1-95.0
65+	667	54,122	57	7.9	5.78-10.1	14	1.8	0.81-2.81	596	90.3	87.9-92.6
Less Than H.S.	200	19,793	20	9.8	4.56-15.1	8	2.9	0.80-4.92	172	87.3	81.8-92.9
H.S. or G.E.D.	670	66,585	49	7.3	4.88-9.78	11	3.2	0.91-5.45	610	89.5	86.3-92.7
Some Post-H.S.	765	81,298	63	8.1	5.93-10.2	24	4.4	2.27-6.47	678	87.6	84.7-90.4
College Graduate	730	76,514	52	7.4	5.24-9.56	22	3.6	1.89-5.27	656	89.0	86.4-91.7
Less than \$15,000	248	27,039	36	12.6	7.55-17.6	8	2.5	0.46-4.50	204	84.9	79.6-90.3
\$15,000- 24,999	407	39,616	32	9.3	5.40-13.2	13	6.7	2.54-10.8	362	84.0	78.7-89.4
\$25,000- 34,999	294	27,734	22	7.7	4.19-11.2	8	3.5	0.26-6.76	264	88.8	84.2-93.4
\$35,000- 49,999	388	40,096	24	5.9	3.48-8.42	9	3.8	1.09-6.53	355	90.2	86.7-93.8
\$50,000- 74,999	363	39,470	24	6.8	3.95-9.59	10	3.0	1.01-4.93	329	90.3	86.9-93.6
\$75,000+	293	31,891	20	7.4	4.12-10.8	10	3.5	1.19-5.77	263	89.1	85.1-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 10: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	32
2	MALES ONLY	33
3	FEMALES ONLY	34
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	35
5	MALES ONLY	36
6	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1018	94,413	695	70.1	67.1-73.1	323	29.9	26.9-32.9	
Male	347	39,918	238	69.2	64.0-74.3	109	30.8	25.7-36.0	
Female	671	54,495	457	70.8	67.1-74.4	214	29.2	25.6-32.9	
Non-Native	982	90,916	671	70.4	67.3-73.4	311	29.6	26.6-32.7	
65+	1018	94,413	695	70.1	67.1-73.1	323	29.9	26.9-32.9	
Less Than H.S.	221	20,041	150	69.0	62.4-75.6	71	31.0	24.4-37.6	
H.S. or G.E.D.	358	33,318	233	68.6	63.5-73.7	125	31.4	26.3-36.5	
Some Post-H.S.	271	24,948	193	71.9	66.0-77.8	78	28.1	22.2-34.0	
College Graduate	164	15,811	115	71.2	63.7-78.8	49	28.8	21.2-36.3	
Less than \$15,000	148	11,266	98	68.2	60.1-76.2	50	31.8	23.8-39.9	
\$15,000- 24,999	253	22,430	177	71.0	64.8-77.2	76	29.0	22.8-35.2	
\$25,000- 34,999	146	13,901	99	66.2	57.7-74.6	47	33.8	25.4-42.3	
\$35,000- 49,999	133	14,361	88	69.8	61.5-78.0	45	30.2	22.0-38.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	347	39,918	238	69.2	64.0-74.3	109	30.8	25.7-36.0
Non-Native	334	38,476	229	69.3	64.1-74.6	105	30.7	25.4-35.9
65+	347	39,918	238	69.2	64.0-74.3	109	30.8	25.7-36.0
H.S. or G.E.D.	117	13,845	82	70.6	61.8-79.3	35	29.4	20.7-38.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	671	54,495	457	70.8	67.1-74.4	214	29.2	25.6-32.9
Non-Native	648	52,439	442	71.1	67.4-74.8	206	28.9	25.2-32.6
65+	671	54,495	457	70.8	67.1-74.4	214	29.2	25.6-32.9
Less Than H.S.	133	10,665	95	73.5	65.5-81.5	38	26.5	18.5-34.5
H.S. or G.E.D.	241	19,473	151	67.2	60.9-73.4	90	32.8	26.6-39.1
Some Post-H.S.	202	16,688	147	74.7	68.4-81.1	55	25.3	18.9-31.6
Less than \$15,000	111	8,074	77	71.1	62.0-80.3	34	28.9	19.7-38.0
\$15,000- 24,999	174	13,672	119	70.4	63.0-77.8	55	29.6	22.2-37.0

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	997	92,289	707	71.6	68.6-74.7	290	28.3	25.3-31.4
Male	335	38,615	227	68.3	63.0-73.6	108	31.7	26.4-37.0
Female	662	53,673	480	74.1	70.4-77.7	182	25.9	22.3-29.6
Non-Native	962	88,851	678	71.3	68.2-74.4	284	28.7	25.6-31.8
65+	997	92,289	707	71.6	68.6-74.7	290	28.3	25.3-31.4
Less Than H.S.	216	19,590	154	69.7	62.7-76.6	62	30.3	23.4-37.3
H.S. or G.E.D.	349	32,323	243	70.9	65.7-76.1	106	29.1	23.9-34.3
Some Post-H.S.	268	24,597	198	75.9	70.4-81.4	70	24.1	18.6-29.6
College Graduate	161	15,605	110	68.9	61.2-76.7	51	31.0	23.3-38.8
Less than \$15,000	144	11,005	108	75.9	68.5-83.4	36	24.0	16.6-31.5
\$15,000- 24,999	249	22,018	175	68.4	61.8-75.0	74	31.6	25.0-38.2
\$25,000- 34,999	144	13,674	99	69.7	61.5-78.0	45	30.3	22.0-38.5
\$35,000- 49,999	129	13,890	89	72.0	64.0-80.1	40	28.0	19.9-36.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	335	38,615	227	68.3	63.0-73.6	108	31.7	26.4-37.0
Non-Native	323	37,234	219	68.3	62.9-73.7	104	31.7	26.3-37.1
65+	335	38,615	227	68.3	63.0-73.6	108	31.7	26.4-37.0
H.S. or G.E.D.	114	13,445	79	69.6	60.7-78.5	35	30.4	21.5-39.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	662	53,673	480	74.1	70.4-77.7	182	25.9	22.3-29.6
Non-Native	639	51,617	459	73.4	69.7-77.2	180	26.6	22.8-30.3
65+	662	53,673	480	74.1	70.4-77.7	182	25.9	22.3-29.6
Less Than H.S.	132	10,594	103	76.9	68.2-85.6	29	23.1	14.4-31.8
H.S. or G.E.D.	235	18,878	164	71.8	65.6-78.0	71	28.2	22.0-34.4
Some Post-H.S.	201	16,617	148	75.8	69.5-82.0	53	24.2	18.0-30.5
College Graduate	92	7,470	64	72.0	62.4-81.7	28	28.0	18.3-37.6
Less than \$15,000	109	7,933	86	80.5	72.8-88.3	23	19.5	11.7-27.2
\$15,000- 24,999	172	13,461	125	71.1	63.2-79.1	47	28.9	20.9-36.8
\$25,000- 34,999	91	7,286	64	73.4	63.6-83.3	27	26.6	16.7-36.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3995	485,886	587	14.9	13.6-16.3	179	5.2	4.23-6.11	1091	25.5	24.0-27.0	2138	54.4	52.5-56.2
Male	1622	240,935	255	15.5	13.4-17.5	90	6.1	4.57-7.63	554	29.5	27.1-31.9	723	48.9	46.1-51.8
Female	2373	244,952	332	14.4	12.7-16.2	89	4.3	3.12-5.40	537	21.6	19.7-23.5	1415	59.7	57.3-62.1
Native	108	17,264							27	17.9	9.78-26.1			
Non-Native	3850	464,666	551	14.4	13.1-15.8	161	4.6	3.76-5.52	1052	25.7	24.2-27.3	2086	55.2	53.3-57.1
18-24	211	74,370	41	17.6	12.0-23.1	19	9.9	5.31-14.6	27	10.3	6.31-14.3	124	62.1	55.1-69.2
25-34	498	79,626	82	16.5	13.0-20.0	37	6.6	4.39-8.79	86	18.0	14.4-21.6	293	58.9	54.4-63.5
35-44	718	81,857	119	16.5	13.6-19.5	35	5.4	3.57-7.33	132	18.4	15.4-21.4	432	59.7	55.8-63.5
45-54	869	89,940	166	18.1	15.3-20.9	36	4.0	2.61-5.43	220	26.7	23.4-30.0	447	51.1	47.5-54.8
55-64	646	62,918	110	17.0	13.8-20.1	24	3.3	1.80-4.70	214	34.4	30.4-38.4	298	45.4	41.3-49.5
65+	1016	94,214	62	5.8	4.25-7.43	25	2.0	1.15-2.79	402	42.8	39.5-46.2	527	49.3	46.0-52.7
Less Than H.S.	355	40,637	61	22.5	15.8-29.1	16	6.0	2.59-9.41	112	30.6	24.9-36.4	166	40.9	34.5-47.4
H.S. or G.E.D.	1159	139,119	256	22.5	19.6-25.4	59	6.1	4.10-8.02	355	28.7	25.7-31.6	489	42.8	39.3-46.4
Some Post-H.S.	1245	154,599	191	14.7	12.4-16.9	64	5.5	3.86-7.08	339	25.1	22.4-27.8	651	54.8	51.5-58.1
College Graduate	1229	150,906	76	6.1	4.53-7.75	40	3.8	2.25-5.43	283	21.7	19.1-24.2	830	68.3	65.3-71.4
Less than \$15,000	344	40,360	79	21.8	16.2-27.4	25	8.6	4.37-12.8	88	22.5	17.0-28.1	152	47.1	39.8-54.4
\$15,000- 24,999	631	69,271	133	20.1	16.4-23.8	39	7.6	4.60-10.7	171	24.6	20.7-28.5	288	47.6	42.7-52.6
\$25,000- 34,999	533	64,496	94	21.0	16.1-25.9	22	4.6	2.17-7.03	160	26.5	22.3-30.7	257	47.9	42.6-53.2
\$35,000- 49,999	712	89,867	98	13.8	11.0-16.7	31	5.2	2.73-7.59	207	28.5	24.9-32.2	376	52.4	48.2-56.7
\$50,000- 74,999	658	82,285	80	12.7	9.82-15.5	16	2.2	1.08-3.40	183	27.2	23.5-30.9	379	57.9	53.7-62.1
\$75,000+	584	75,053	50	8.3	5.77-10.7	18	3.2	1.46-4.94	138	22.9	19.2-26.6	378	65.6	61.3-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1622	240,935	255	15.5	13.4-17.5	90	6.1	4.57-7.63	554	29.5	27.1-31.9	723	48.9	46.1-51.8
Non-Native	1571	232,182	243	15.1	13.1-17.2	84	5.6	4.23-7.01	534	29.5	27.1-31.9	710	49.8	46.9-52.6
18-24	102	39,104	17	14.6	7.04-22.2	9	10.4	3.48-17.2	7	5.2	1.02-9.34	69	69.8	60.1-79.6
25-34	235	41,912	36	16.9	11.6-22.1	19	7.6	4.13-11.0	45	19.1	13.8-24.4	135	56.5	49.9-63.2
35-44	300	41,406	50	16.8	12.4-21.2	17	5.9	3.00-8.84	60	19.8	15.1-24.4	173	57.5	51.7-63.4
45-54	362	46,159	79	19.8	15.5-24.0	20	5.4	3.00-7.86	112	31.8	26.6-37.1	151	43.0	37.5-48.5
55-64	269	31,670	44	16.9	12.0-21.7	16	4.6	2.16-6.98	113	42.6	36.3-48.9	96	36.0	29.9-42.0
65+	346	39,838	27	7.4	4.48-10.4	8	2.0	0.51-3.41	213	61.1	55.7-66.6	98	29.5	24.3-34.6
Less Than H.S.	153	20,730				9	5.1	1.22-8.90	69	40.5	31.0-50.0	47	30.2	21.0-39.4
H.S. or G.E.D.	485	71,800	112	21.9	17.8-26.0	32	7.7	4.37-11.0	180	32.8	28.2-37.3	161	37.7	32.4-43.1
Some Post-H.S.	480	73,382	80	15.6	12.1-19.1	28	6.4	3.69-9.13	158	27.3	23.0-31.5	214	50.7	45.5-55.9
College Graduate	500	74,582	33	6.5	4.08-8.94	21	4.6	2.21-7.03	145	25.4	21.4-29.5	301	63.4	58.8-68.1
Less than \$15,000	96	13,419	21	17.4	9.57-25.3	9	8.9	1.66-16.1						
\$15,000- 24,999	220	29,330	50	19.5	13.9-25.1	16	7.2	3.39-11.1	74	28.8	22.2-35.3	80	44.5	36.3-52.7
\$25,000- 34,999	237	36,578	44	23.2	15.7-30.7	15	6.8	2.61-10.9	82	26.3	20.3-32.2	96	43.8	36.0-51.6
\$35,000- 49,999	325	49,857	50	15.5	11.1-19.8	17	6.5	2.46-10.5	112	32.3	26.8-37.8	146	45.8	39.6-51.9
\$50,000- 74,999	296	42,910	38	13.3	9.19-17.5	10	3.2	1.18-5.14	109	34.5	28.8-40.2	139	49.0	42.9-55.1
\$75,000+	291	43,210	29	9.5	5.83-13.2	12	4.1	1.38-6.86	82	25.8	20.5-31.2	168	60.5	54.3-66.8

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	244,952	332	14.4	12.7-16.2	89	4.3	3.12-5.40	537	21.6	19.7-23.5	1415	59.7	57.3-62.1
Native	73	10,483				10	15.2	5.24-25.1	18	16.1	7.31-24.9			
Non-Native	2279	232,484	308	13.7	12.0-15.4	77	3.7	2.57-4.77	518	22.0	20.0-24.0	1376	60.6	58.2-63.0
18-24	109	35,266	24	20.9	12.7-29.0	10	9.5	3.39-15.5	20	16.0	9.04-23.0			
25-34	263	37,714	46	16.1	11.5-20.6	18	5.5	2.87-8.17	41	16.8	11.9-21.6	158	61.6	55.5-67.8
35-44	418	40,451	69	16.2	12.4-20.0	18	5.0	2.58-7.36	72	17.0	13.2-20.8	259	61.8	56.9-66.8
45-54	507	43,781	87	16.4	12.9-19.8	16	2.5	1.15-3.93	108	21.3	17.5-25.2	296	59.7	55.1-64.3
55-64	377	31,248	66	17.0	13.0-21.1	8	1.9	0.28-3.54	101	26.1	21.5-30.8	202	54.9	49.6-60.2
65+	670	54,376	35	4.7	2.99-6.37	17	2.0	1.02-2.94	189	29.4	25.6-33.3	429	63.9	59.9-67.9
Less Than H.S.	202	19,907	33	20.7	13.1-28.2	7	7.0	1.33-12.7	43	20.3	13.8-26.8	119	52.0	43.4-60.6
H.S. or G.E.D.	674	67,319	144	23.1	19.0-27.2	27	4.4	2.40-6.32	175	24.3	20.6-28.0	328	48.3	43.6-52.9
Some Post-H.S.	765	81,217	111	13.8	10.9-16.7	36	4.6	2.79-6.43	181	23.1	19.6-26.7	437	58.4	54.2-62.7
College Graduate	729	76,324	43	5.8	3.66-7.90	19	3.1	1.03-5.15	138	17.9	14.8-21.1	529	73.2	69.3-77.0
Less than \$15,000	248	26,941	58	24.0	16.7-31.2	16	8.4	3.23-13.6	50	19.3	12.7-25.9	124	48.3	39.6-57.1
\$15,000- 24,999	411	39,941	83	20.5	15.6-25.5	23	7.9	3.50-12.4	97	21.5	16.9-26.2	208	50.0	43.9-56.1
\$25,000- 34,999	296	27,918	50	18.0	12.6-23.4	7	1.8	0.40-3.14	78	26.9	21.0-32.7	161	53.3	46.7-60.0
\$35,000- 49,999	387	40,010	48	11.8	8.49-15.2	14	3.5	1.52-5.48	95	23.9	19.1-28.6	230	60.8	55.4-66.2
\$50,000- 74,999	362	39,375	42	12.0	8.06-15.9	6	1.2	0.16-2.32	74	19.2	14.8-23.6	240	67.6	62.2-73.0
\$75,000+	293	31,843	21	6.6	3.52-9.64	6	1.9	0.24-3.66	56	19.0	14.2-23.8	210	72.5	67.0-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3995	485,886	3229	79.9	78.3-81.4	766	20.1	18.6-21.7
Male	1622	240,935	1277	78.4	76.0-80.8	345	21.6	19.2-24.0
Female	2373	244,952	1952	81.3	79.3-83.3	421	18.7	16.7-20.7
Non-Native	3850	464,666	3138	80.9	79.4-82.5	712	19.1	17.5-20.6
18-24	211	74,370	151	72.5	65.9-79.1	60	27.5	20.9-34.1
25-34	498	79,626	379	76.9	73.0-80.8	119	23.1	19.2-27.0
35-44	718	81,857	564	78.0	74.7-81.3	154	22.0	18.7-25.3
45-54	869	89,940	667	77.9	74.9-80.8	202	22.1	19.2-25.1
55-64	646	62,918	512	79.8	76.4-83.2	134	20.2	16.8-23.6
65+	1016	94,214	929	92.2	90.4-94.0	87	7.8	6.05-9.57
Less Than H.S.	355	40,637	278	71.5	64.7-78.4	77	28.5	21.6-35.3
H.S. or G.E.D.	1159	139,119	844	71.5	68.2-74.7	315	28.5	25.3-31.8
Some Post-H.S.	1245	154,599	990	79.9	77.3-82.5	255	20.1	17.5-22.7
College Graduate	1229	150,906	1113	90.0	87.8-92.2	116	10.0	7.81-12.2
Less than \$15,000	344	40,360	240	69.6	63.2-76.1	104	30.4	23.9-36.8
\$15,000- 24,999	631	69,271	459	72.2	67.8-76.6	172	27.8	23.4-32.2
\$25,000- 34,999	533	64,496	417	74.4	69.3-79.6	116	25.6	20.4-30.7
\$35,000- 49,999	712	89,867	583	81.0	77.5-84.5	129	19.0	15.5-22.5
\$50,000- 74,999	658	82,285	562	85.1	82.1-88.1	96	14.9	11.9-17.9
\$75,000+	584	75,053	516	88.5	85.6-91.5	68	11.5	8.53-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1622	240,935	1277	78.4	76.0-80.8	345	21.6	19.2-24.0
Non-Native	1571	232,182	1244	79.2	76.9-81.6	327	20.8	18.4-23.1
18-24	102	39,104	76	75.0	65.6-84.4	26	25.0	15.6-34.4
25-34	235	41,912	180	75.6	69.7-81.4	55	24.4	18.6-30.3
35-44	300	41,406	233	77.3	72.3-82.3	67	22.7	17.7-27.7
45-54	362	46,159	263	74.8	70.1-79.5	99	25.2	20.5-29.9
55-64	269	31,670	209	78.5	73.3-83.8	60	21.5	16.2-26.7
65+	346	39,838	311	90.6	87.4-93.9	35	9.4	6.15-12.6
H.S. or G.E.D.	485	71,800	341	70.5	65.7-75.2	144	29.5	24.8-34.3
Some Post-H.S.	480	73,382	372	78.0	73.8-82.2	108	22.0	17.8-26.2
College Graduate	500	74,582	446	88.9	85.6-92.2	54	11.1	7.84-14.4
\$15,000- 24,999	220	29,330	154	73.2	66.8-79.7	66	26.8	20.3-33.2
\$25,000- 34,999	237	36,578	178	70.0	62.2-77.9	59	30.0	22.1-37.8
\$35,000- 49,999	325	49,857	258	78.0	72.6-83.5	67	22.0	16.5-27.4
\$50,000- 74,999	296	42,910	248	83.5	79.0-88.0	48	16.5	12.0-21.0
\$75,000+	291	43,210	250	86.4	81.9-90.8	41	13.6	9.20-18.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	244,952	1952	81.3	79.3-83.3	421	18.7	16.7-20.7
Non-Native	2279	232,484	1894	82.6	80.7-84.6	385	17.4	15.4-19.3
18-24	109	35,266	75	69.7	60.3-79.0	34	30.3	21.0-39.7
25-34	263	37,714	199	78.4	73.3-83.5	64	21.6	16.5-26.7
35-44	418	40,451	331	78.8	74.5-83.1	87	21.2	16.9-25.5
45-54	507	43,781	404	81.1	77.4-84.7	103	18.9	15.3-22.6
55-64	377	31,248	303	81.0	76.8-85.3	74	18.9	14.7-23.2
65+	670	54,376	618	93.3	91.4-95.3	52	6.7	4.74-8.58
Less Than H.S.	202	19,907	162	72.3	63.8-80.8	40	27.7	19.2-36.2
H.S. or G.E.D.	674	67,319	503	72.5	68.3-76.8	171	27.4	23.2-31.7
Some Post-H.S.	765	81,217	618	81.6	78.3-84.8	147	18.4	15.2-21.7
College Graduate	729	76,324	667	91.1	88.3-94.0	62	8.9	6.01-11.7
Less than \$15,000	248	26,941	174	67.6	59.5-75.8	74	32.3	24.2-40.5
\$15,000- 24,999	411	39,941	305	71.5	65.6-77.4	106	28.5	22.6-34.4
\$25,000- 34,999	296	27,918	239	80.2	74.7-85.7	57	19.8	14.3-25.3
\$35,000- 49,999	387	40,010	325	84.6	80.9-88.4	62	15.3	11.6-19.1
\$50,000- 74,999	362	39,375	314	86.8	82.7-90.8	48	13.2	9.18-17.3
\$75,000+	293	31,843	266	91.5	88.0-94.9	27	8.5	5.10-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DRINK-OCCASSIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	47
2 MALES ONLY	48
3 FEMALES ONLY	49
BINGE DRINKERS (ADULTS HAVING FIVE OR MORE DRINKS ON ONE OCCASION) (_RFBING3)	
4 MALES AND FEMALES	50
5 MALES ONLY	51
6 FEMALES ONLY	52
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	53
8 MALES ONLY	54
9 FEMALES ONLY	55
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	56
11 MALES ONLY	57
12 FEMALES ONLY	58
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	59
14 MALES ONLY	60
15 FEMALES ONLY	61

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16 MALES ONLY	62

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 1: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3963	482,215	1574	41.0	39.2-42.9	402	11.4	10.1-12.7	106	2.9	2.28-3.58	130	3.3	2.65-3.95	1751	41.3	39.5-43.2
Male	1607	238,760	654	41.6	38.8-44.4	238	15.7	13.5-18.0	72	4.5	3.31-5.67	94	5.2	4.00-6.36	549	33.0	30.3-35.6
Female	2356	243,455	920	40.5	38.1-42.9	164	7.1	5.78-8.44	34	1.4	0.85-1.95	36	1.5	0.92-2.02	1202	49.6	47.1-52.0
Native	106	16,640				2	2.0	0.00-4.71				1	0.4	0.00-1.15			
Non-Native	3821	461,779	1534	41.5	39.6-43.3	397	11.8	10.4-13.1	105	3.0	2.33-3.67	127	3.4	2.71-4.05	1658	40.4	38.5-42.2
18-24	210	74,097	91	40.3	33.2-47.5	29	15.6	9.78-21.4	6	3.1	0.50-5.68	7	3.1	0.68-5.50	77	37.9	30.7-45.1
25-34	495	78,846	250	48.4	43.8-53.0	65	13.7	10.4-17.0	18	4.1	2.14-6.06	5	1.0	0.12-1.88	157	32.8	28.4-37.2
35-44	714	81,449	360	49.8	45.9-53.7	85	12.7	10.0-15.3	15	2.1	1.01-3.17	12	1.7	0.69-2.69	242	33.7	30.0-37.5
45-54	868	89,836	374	45.2	41.5-48.8	103	12.1	9.77-14.5	25	2.6	1.51-3.67	33	4.0	2.57-5.39	333	36.1	32.7-39.6
55-64	643	62,666	241	40.2	36.1-44.3	59	8.7	6.42-11.0	19	3.7	1.98-5.42	31	5.7	3.62-7.70	293	41.7	37.7-45.8
65+	996	92,318	247	24.7	21.7-27.6	58	6.0	4.39-7.61	23	2.5	1.43-3.51	39	4.5	3.01-5.99	629	62.4	59.1-65.7
Less Than H.S.	346	40,041	93	27.6	21.9-33.4	14	6.7	1.03-12.3	7	2.6	0.52-4.60	9	3.5	0.49-6.61	223	59.6	52.7-66.5
H.S. or G.E.D.	1143	137,025	425	38.9	35.4-42.4	105	10.0	7.85-12.2	22	1.6	0.91-2.39	40	3.4	2.19-4.55	551	46.0	42.5-49.6
Some Post-H.S.	1241	154,347	514	42.9	39.6-46.2	140	11.8	9.46-14.2	36	3.1	1.90-4.22	31	2.4	1.52-3.28	520	39.8	36.6-43.1
College Graduate	1227	150,248	540	44.7	41.5-47.9	143	13.4	11.1-15.8	40	4.0	2.58-5.52	50	4.1	2.87-5.37	454	33.7	30.8-36.6
Less than \$15,000	332	38,837	94	32.1	25.4-38.9	14	8.3	3.11-13.6	4	1.7	0.00-3.66	6	1.3	0.20-2.40	214	56.5	49.2-63.9
\$15,000- 24,999	633	69,384	201	31.8	27.3-36.2	53	8.9	5.41-12.4	15	2.6	0.95-4.29	23	3.8	1.75-5.83	341	52.9	48.0-57.8
\$25,000- 34,999	531	64,568	206	39.9	34.7-45.1	44	9.8	5.82-13.9	13	3.5	1.16-5.86	12	2.7	0.92-4.52	256	44.1	38.9-49.2
\$35,000- 49,999	711	89,863	319	46.6	42.3-50.8	91	12.7	9.95-15.4	18	2.8	1.35-4.29	29	3.7	2.29-5.15	254	34.2	30.2-38.2
\$50,000- 74,999	655	81,716	309	47.1	42.8-51.3	75	12.5	9.59-15.5	18	2.4	1.20-3.52	28	4.4	2.75-6.01	225	33.7	29.6-37.7
\$75,000+	581	74,698	288	49.9	45.3-54.5	83	15.0	11.7-18.3	28	4.5	2.76-6.18	22	3.2	1.79-4.57	160	27.5	23.3-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 2: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1607	238,760	654	41.6	38.8-44.4	238	15.7	13.5-18.0	72	4.5	3.31-5.67	94	5.2	4.00-6.36	549	33.0	30.3-35.6
Non-Native	1558	230,580	640	41.9	39.0-44.7	233	16.0	13.8-18.3	71	4.5	3.33-5.73	92	5.3	4.06-6.46	522	32.3	29.6-35.0
18-24	102	39,104				20	21.5	12.2-30.7	5	4.8	0.38-9.24	6	4.8	0.71-8.91	28	29.4	19.9-38.9
25-34	232	41,132	113	46.4	39.7-53.1	49	20.2	14.8-25.6	14	6.6	3.10-10.1	4	1.6	0.03-3.09	52	25.2	19.1-31.3
35-44	297	40,973	134	45.4	39.4-51.3	52	17.4	12.9-21.9	9	2.6	0.88-4.40	7	2.2	0.48-3.92	95	32.4	26.7-38.0
45-54	364	46,355	152	44.5	39.0-50.0	56	15.0	11.1-18.8	17	3.7	1.86-5.58	24	6.0	3.48-8.46	115	30.8	25.8-35.9
55-64	267	31,513	113	44.4	38.1-50.8	33	11.3	7.42-15.2	14	6.0	2.81-9.17	25	9.3	5.59-13.0	82	29.0	23.3-34.7
65+	337	38,837	96	29.2	24.1-34.3	27	7.9	4.90-10.9	13	3.7	1.66-5.78	27	8.2	5.05-11.3	174	51.0	45.3-56.6
Less Than H.S.	150	20,527	43	27.8	19.4-36.3				6	4.6	0.72-8.44	7	4.5	0.03-9.01			
H.S. or G.E.D.	475	70,183	182	40.5	35.2-45.7	64	14.0	10.2-17.7	11	1.9	0.71-3.15	27	5.1	2.92-7.20	191	38.6	33.4-43.7
Some Post-H.S.	477	73,174	209	44.3	39.1-49.4	79	16.6	12.5-20.8	27	4.8	2.80-6.88	24	4.3	2.54-6.10	138	29.9	25.1-34.8
College Graduate	501	74,435	218	43.9	39.1-48.8	83	17.5	13.8-21.2	27	6.5	3.71-9.27	36	6.3	4.04-8.66	137	25.7	21.6-29.9
Less than \$15,000	91	12,417							2	3.7	0.00-9.60	3	2.2	0.00-4.86			
\$15,000- 24,999	221	29,446	73	30.4	23.5-37.4	25	12.3	5.81-18.7	8	4.6	0.90-8.30	15	6.0	2.22-9.74	100	46.7	38.8-54.6
\$25,000- 34,999	236	36,735	91	40.2	32.5-47.8	31	14.9	8.20-21.6	10	5.3	1.30-9.26	9	3.8	0.82-6.74	95	35.9	28.8-43.0
\$35,000- 49,999	326	49,900	145	47.8	41.6-53.9	55	15.9	11.7-20.2	15	3.8	1.77-5.77	22	5.5	3.09-7.87	89	27.0	21.6-32.5
\$50,000- 74,999	294	42,549	126	43.5	37.5-49.6	49	16.5	11.9-21.2	10	2.9	1.02-4.74	23	7.3	4.37-10.3	86	29.7	24.0-35.4
\$75,000+	288	42,923	137	47.5	41.1-54.0	53	19.2	14.1-24.3	18	5.4	2.81-7.95	13	3.3	1.39-5.23	67	24.6	18.7-30.5

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 3: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2356	243,455	920	40.5	38.1-42.9	164	7.1	5.78-8.44	34	1.4	0.85-1.95	36	1.5	0.92-2.02	1202	49.6	47.1-52.0
Non-Native	2263	231,199	894	41.1	38.6-43.5	164	7.5	6.10-8.88	34	1.5	0.91-2.05	35	1.5	0.94-2.08	1136	48.4	46.0-50.9
18-24	108	34,993				9	9.1	2.83-15.3	1	1.2	0.00-3.44	1	1.2	0.00-3.44			
25-34	263	37,714	137	50.6	44.3-56.9	16	6.6	3.24-9.98	4	1.4	0.00-2.77	1	0.4	0.00-1.15	105	41.0	34.8-47.3
35-44	417	40,475	226	54.3	49.2-59.4	33	7.9	5.18-10.6	6	1.5	0.31-2.77	5	1.2	0.14-2.22	147	35.1	30.3-40.0
45-54	504	43,482	222	45.9	41.1-50.6	47	9.1	6.51-11.8	8	1.4	0.40-2.36	9	1.9	0.65-3.09	218	41.8	37.1-46.4
55-64	376	31,153	128	35.9	30.7-41.1	26	6.1	3.69-8.55	5	1.4	0.15-2.61	6	2.0	0.40-3.58	211	54.6	49.3-60.0
65+	659	53,480	151	21.4	18.0-24.7	31	4.6	2.92-6.30	10	1.6	0.56-2.56	12	1.8	0.72-2.92	455	70.6	66.9-74.4
Less Than H.S.	196	19,514	50	27.4	19.8-35.1	2	0.8	0.00-1.93	1	0.4	0.00-1.30	2	2.5	0.00-6.65	141	68.8	60.6-77.0
H.S. or G.E.D.	668	66,842	243	37.2	32.8-41.7	41	5.9	3.85-8.01	11	1.3	0.50-2.18	13	1.6	0.69-2.49	360	53.9	49.3-58.5
Some Post-H.S.	764	81,173	305	41.6	37.3-45.9	61	7.4	5.12-9.78	9	1.4	0.27-2.63	7	0.7	0.17-1.19	382	48.8	44.4-53.1
College Graduate	726	75,812	322	45.4	41.2-49.7	60	9.4	6.60-12.3	13	1.6	0.71-2.59	14	1.9	0.91-2.95	317	41.5	37.4-45.6
Less than \$15,000	241	26,420	64	28.5	21.1-35.9	5	5.4	0.00-10.8	2	0.7	0.00-1.65	3	0.9	0.00-1.91	167	64.6	56.3-72.9
\$15,000- 24,999	412	39,939	128	32.8	27.0-38.6	28	6.4	2.74-10.1	7	1.2	0.26-2.06	8	2.2	0.00-4.35	241	57.5	51.4-63.7
\$25,000- 34,999	295	27,832	115	39.5	32.9-46.1	13	3.1	1.33-4.97	3	1.2	0.00-2.49	3	1.3	0.00-2.80	161	54.9	48.2-61.5
\$35,000- 49,999	385	39,962	174	45.1	39.5-50.6	36	8.6	5.50-11.7	3	1.6	0.00-3.80	7	1.5	0.39-2.63	165	43.2	37.6-48.7
\$50,000- 74,999	361	39,166	183	50.9	45.0-56.8	26	8.2	4.73-11.7	8	1.8	0.51-3.09	5	1.2	0.15-2.19	139	38.0	32.2-43.7
\$75,000+	293	31,775	151	53.0	46.8-59.3	30	9.3	6.02-12.6	10	3.2	1.21-5.25	9	3.0	1.02-4.98	93	31.4	25.7-37.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (ADULTS HAVING FIVE OR MORE DRINKS ON ONE OCCASION) (_RFBING3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3972	483,680	3382	81.1	79.5-82.8	590	18.8	17.2-20.5
Male	1608	239,410	1210	72.3	69.6-75.0	398	27.7	25.0-30.4
Female	2364	244,270	2172	89.8	88.2-91.4	192	10.2	8.58-11.8
Native	108	17,264	93	84.6	76.2-92.9	15	15.4	7.05-23.8
Non-Native	3827	462,460	3253	80.9	79.2-82.5	574	19.1	17.5-20.8
18-24	212	74,659	141	66.0	59.0-73.0	71	34.0	27.0-41.0
25-34	495	78,927	339	69.6	65.3-73.8	156	30.4	26.2-34.7
35-44	712	81,329	572	79.3	76.0-82.5	140	20.7	17.5-24.0
45-54	866	89,639	733	83.5	80.7-86.2	133	16.5	13.8-19.3
55-64	644	62,784	578	88.0	85.2-90.9	66	11.9	9.13-14.8
65+	1007	93,381	987	97.5	96.4-98.7	20	2.5	1.34-3.62
Less Than H.S.	346	39,955	315	84.4	77.7-91.1	31	15.6	8.87-22.3
H.S. or G.E.D.	1147	137,898	973	80.9	77.9-83.9	174	19.1	16.1-22.1
Some Post-H.S.	1244	154,556	1035	79.2	76.3-82.2	209	20.8	17.8-23.7
College Graduate	1228	150,645	1053	82.4	79.8-85.1	175	17.6	14.9-20.2
Less than \$15,000	337	39,896	299	80.9	74.6-87.2	38	19.1	12.8-25.4
\$15,000- 24,999	626	68,817	550	84.5	80.4-88.7	76	15.5	11.3-19.6
\$25,000- 34,999	531	64,495	436	75.4	70.0-80.7	95	24.6	19.3-30.0
\$35,000- 49,999	711	89,824	595	80.9	77.5-84.4	116	19.0	15.6-22.5
\$50,000- 74,999	657	82,035	529	78.4	74.8-81.9	128	21.6	18.1-25.2
\$75,000+	583	74,967	488	82.2	78.6-85.8	95	17.8	14.2-21.4

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (ADULTS HAVING FIVE OR MORE DRINKS ON ONE OCCASION) (_RFBING3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1608	239,410	1210	72.3	69.6-75.0	398	27.7	25.0-30.4
Non-Native	1557	230,658	1167	72.0	69.2-74.7	390	28.0	25.3-30.8
25-34	233	41,361	130	58.9	52.3-65.5	103	41.1	34.5-47.7
35-44	298	41,117	208	70.9	65.5-76.3	90	29.1	23.7-34.5
45-54	360	46,029	269	76.0	71.4-80.6	91	24.0	19.4-28.6
55-64	265	31,345	216	80.9	75.9-85.9	49	19.1	14.1-24.1
65+	341	39,318	326	95.2	92.7-97.7	15	4.8	2.30-7.28
H.S. or G.E.D.	478	70,948	363	73.3	68.4-78.2	115	26.7	21.8-31.6
Some Post-H.S.	477	73,168	334	68.3	63.3-73.3	143	31.7	26.7-36.7
College Graduate	500	74,407	376	73.1	68.6-77.6	124	26.9	22.4-31.4
\$15,000- 24,999	218	29,150	170	74.7	66.8-82.6	48	25.3	17.4-33.2
\$25,000- 34,999	236	36,705	167	65.8	57.7-73.8	69	34.2	26.2-42.3
\$35,000- 49,999	325	49,872	246	74.6	69.3-79.9	79	25.4	20.1-30.7
\$50,000- 74,999	295	42,693	205	69.1	63.4-74.7	90	30.9	25.3-36.6
\$75,000+	290	43,130	217	74.8	69.2-80.5	73	25.2	19.5-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (ADULTS HAVING FIVE OR MORE DRINKS ON ONE OCCASION) (_RFBING3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2364	244,270	2172	89.8	88.2-91.4	192	10.2	8.58-11.8
Native	73	10,483	66	89.4	81.1-97.8	7	10.5	2.16-18.9
Non-Native	2270	231,802	2086	89.8	88.1-91.4	184	10.3	8.58-11.9
18-24	109	35,266	86	79.6	71.7-87.6	23	20.4	12.4-28.3
25-34	262	37,565	209	81.3	76.4-86.1	53	18.7	13.9-23.6
35-44	414	40,212	364	87.8	84.5-91.2	50	12.1	8.78-15.5
45-54	506	43,610	464	91.4	88.7-94.1	42	8.6	5.90-11.3
55-64	379	31,439	362	95.1	92.8-97.5	17	4.8	2.50-7.20
65+	666	54,063	661	99.2	98.5-99.9	5	0.8	0.07-1.53
Less Than H.S.	197	19,509	182	89.2	83.1-95.3	15	10.8	4.67-16.9
H.S. or G.E.D.	669	66,951	610	88.9	85.8-92.1	59	11.0	7.86-14.2
Some Post-H.S.	767	81,388	701	89.0	86.1-92.0	66	10.9	8.01-13.9
College Graduate	728	76,237	677	91.5	88.9-94.1	51	8.5	5.85-11.1
Less than \$15,000	244	26,760	223	86.4	80.1-92.7	21	13.6	7.35-19.9
\$15,000- 24,999	408	39,667	380	91.7	88.1-95.3	28	8.3	4.66-11.9
\$25,000- 34,999	295	27,790	269	88.1	83.1-93.0	26	11.9	7.00-16.9
\$35,000- 49,999	386	39,952	349	88.9	84.9-92.8	37	11.1	7.16-15.1
\$50,000- 74,999	362	39,342	324	88.5	84.6-92.4	38	11.5	7.61-15.4
\$75,000+	293	31,838	271	92.2	89.0-95.5	22	7.8	4.52-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	3932	478,688	1899	49.0 47.2-50.9	180	5.7 4.71-6.71	89	3.3 2.40-4.16	10	0.3 0.09-0.41	3	0.1 0.00-0.15	1751	41.6 39.8-43.5
Male	1586	236,477	823	51.5 48.6-54.3	125	8.8 7.03-10.6	77	5.9 4.19-7.53	9	0.5 0.15-0.77	3	0.1 0.00-0.31	549	33.3 30.6-36.0
Female	2346	242,212	1076	46.7 44.2-49.1	55	2.7 1.81-3.61	12	0.8 0.23-1.29	1	0.0 0.00-0.12			1202	49.8 47.4-52.3
Native	105	16,529			2	2.0 0.00-4.75								
Non-Native	3793	458,550	1856	49.7 47.8-51.6	177	5.9 4.83-6.91	89	3.4 2.51-4.35	10	0.3 0.08-0.44	3	0.1 0.00-0.17	1658	40.7 38.8-42.5
18-24	208	73,679	99	44.0 36.7-51.4	16	9.6 4.94-14.2	15	8.1 3.47-12.7	1	0.2 0.00-0.59			77	38.1 30.8-45.3
25-34	491	78,276	273	53.6 48.9-58.3	41	8.8 6.13-11.5	19	4.4 2.35-6.39	1	0.2 0.00-0.53			157	33.0 28.6-37.4
35-44	710	80,993	418	58.9 55.0-62.7	33	5.0 3.27-6.75	14	1.8 0.80-2.84	3	0.4 0.00-0.84			242	33.9 30.2-37.7
45-54	863	89,350	465	56.0 52.4-59.6	38	4.4 2.95-5.89	22	2.6 1.47-3.75	4	0.6 0.00-1.19	1	0.1 0.00-0.21	333	36.3 32.8-39.8
55-64	637	62,004	299	49.6 45.4-53.8	29	4.9 3.04-6.76	13	2.8 1.20-4.38	1	0.1 0.00-0.30	2	0.4 0.00-1.04	293	42.2 38.1-46.3
65+	988	91,555	333	33.9 30.7-37.1	20	2.3 1.27-3.39	6	0.9 0.11-1.63					629	62.9 59.6-66.2
Less Than H.S.	342	39,643	101	29.9 24.0-35.8	11	4.1 1.27-6.87	6	5.7 0.00-11.6			1	0.2 0.00-0.47	223	60.2 53.2-67.1
H.S. or G.E.D.	1131	135,502	501	45.5 42.0-49.1	48	4.8 3.08-6.56	26	2.7 1.52-3.80	4	0.4 0.00-0.81	1	0.0 0.00-0.15	551	46.6 43.0-50.1
Some Post-H.S.	1232	153,531	618	49.9 46.5-53.3	61	6.3 4.41-8.17	29	3.4 1.77-5.07	3	0.2 0.00-0.50	1	0.1 0.00-0.36	520	40.1 36.7-43.4
College Graduate	1221	149,458	677	56.5 53.3-59.7	59	6.3 4.53-8.17	28	3.1 1.85-4.31	3	0.2 0.00-0.43			454	33.9 30.9-36.8
Less than \$15,000	328	38,370	96	32.5 25.7-39.3	11	6.9 1.98-11.7	6	3.2 0.15-6.31			1	0.2 0.00-0.50	214	57.2 49.8-64.7
\$15,000- 24,999	629	69,071	253	39.6 34.8-44.4	18	2.8 1.14-4.48	12	3.5 0.69-6.37	5	0.9 0.05-1.69			341	53.2 48.3-58.1
\$25,000- 34,999	525	63,671	231	43.6 38.4-48.9	24	6.9 3.47-10.3	13	4.7 0.93-8.41	1	0.1 0.00-0.44			256	44.7 39.5-49.9
\$35,000- 49,999	706	89,243	390	55.9 51.7-60.1	39	6.1 4.01-8.13	21	3.4 1.87-4.89	2	0.2 0.00-0.53			254	34.4 30.4-38.4
\$50,000- 74,999	652	81,323	365	55.4 51.1-59.6	39	6.3 4.22-8.46	19	3.8 1.91-5.71	2	0.4 0.00-0.85	2	0.3 0.00-0.78	225	33.8 29.7-37.9
\$75,000+	580	74,633	378	65.2 60.8-69.6	31	5.4 3.30-7.50	11	1.8 0.71-2.99					160	27.5 23.3-31.7

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2			>2, <=5			>5, <=10			>10			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	236,477	823	51.5	48.6-54.3	125	8.8	7.03-10.6	77	5.9	4.19-7.53	9	0.5	0.15-0.77	3	0.1	0.00-0.31	549	33.3	30.6-36.0
Non-Native	1539	228,483	805	51.8	48.9-54.7	123	8.9	7.13-10.8	77	6.1	4.35-7.79	9	0.5	0.14-0.80	3	0.1	0.00-0.32	522	32.6	29.9-35.3
18-24	101	38,959				12	14.3	6.60-22.0	13	13.2	5.18-21.2	1	0.4	0.00-1.10				28	29.5	20.0-39.1
25-34	229	40,673	129	53.6	46.8-60.4	30	12.9	8.44-17.3	17	7.7	4.00-11.4	1	0.3	0.00-1.01				52	25.5	19.4-31.7
35-44	295	40,829	166	56.8	50.9-62.8	21	7.2	4.20-10.3	11	2.9	1.07-4.75	2	0.5	0.00-1.29				95	32.5	26.8-38.1
45-54	360	45,997	195	56.9	51.4-62.4	27	6.4	3.91-8.97	18	4.3	2.24-6.40	4	1.1	0.00-2.31	1	0.1	0.00-0.41	115	31.1	26.0-36.2
55-64	262	30,946	146	56.8	50.5-63.2	19	7.4	3.99-10.7	12	5.3	2.21-8.37	1	0.2	0.00-0.59	2	0.8	0.00-2.06	82	29.5	23.7-35.3
65+	332	38,357	137	41.8	36.2-47.4	15	4.5	2.18-6.80	6	2.1	0.29-3.89							174	51.6	45.9-57.3
Less Than H.S.	146	20,129	51	32.6	23.6-41.7	7	6.1	0.92-11.2	5	9.1	0.00-19.7				1	0.3	0.00-0.95			
H.S. or G.E.D.	468	69,248	223	49.2	43.8-54.5	28	6.8	3.62-9.94	21	4.1	2.25-5.93	4	0.8	0.00-1.58	1	0.1	0.00-0.27	191	39.1	33.9-44.3
Some Post-H.S.	471	72,670	260	53.0	47.8-58.3	42	9.2	6.05-12.3	27	6.9	3.55-10.3	3	0.5	0.00-1.05	1	0.3	0.00-0.77	138	30.1	25.2-35.0
College Graduate	497	73,988	287	57.2	52.3-62.1	47	11.0	7.60-14.4	24	5.6	3.24-8.06	2	0.3	0.00-0.65				137	25.9	21.7-30.1
Less than \$15,000	89	12,277				3	7.4	0.00-16.8	5	9.3	0.20-18.4				1	0.5	0.00-1.57			
\$15,000- 24,999	218	29,176	94	39.8	32.2-47.4	9	4.4	0.80-7.94	10	6.6	0.64-12.6	5	2.0	0.13-3.97				100	47.1	39.2-55.1
\$25,000- 34,999	231	36,111	102	44.0	36.3-51.8	21	11.3	5.51-17.0	13	8.2	1.80-14.7							95	36.5	29.3-43.7
\$35,000- 49,999	322	49,377	184	58.5	52.4-64.5	29	8.2	5.14-11.3	18	5.6	2.96-8.22	2	0.4	0.00-0.97				89	27.3	21.8-32.8
\$50,000- 74,999	292	42,298	163	54.8	48.7-61.0	23	8.1	4.62-11.6	16	5.9	2.85-9.01	2	0.7	0.00-1.62	2	0.6	0.00-1.52	86	29.9	24.2-35.6
\$75,000+	287	42,858	186	64.6	58.3-71.0	25	8.2	4.75-11.7	9	2.5	0.78-4.26							67	24.6	18.7-30.5

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2			>2, <=5			>5, <=10			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2346	242,212	1076	46.7	44.2-49.1	55	2.7	1.81-3.61	12	0.8	0.23-1.29	1	0.0	0.00-0.12	1202	49.8	47.4-52.3
Non-Native	2254	230,067	1051	47.7	45.2-50.1	54	2.8	1.88-3.76	12	0.8	0.23-1.37	1	0.0	0.00-0.12	1136	48.7	46.2-51.1
18-24	107	34,721				4	4.3	0.00-8.77	2	2.3	0.00-5.58						
25-34	262	37,603	144	53.6	47.3-60.0	11	4.4	1.63-7.27	2	0.8	0.00-1.89				105	41.1	34.9-47.4
35-44	415	40,164	252	60.9	55.9-65.9	12	2.7	1.13-4.35	3	0.7	0.00-1.52	1	0.2	0.00-0.71	147	35.4	30.5-40.3
45-54	503	43,353	270	55.1	50.4-59.7	11	2.3	0.90-3.64	4	0.8	0.03-1.55				218	41.9	37.2-46.5
55-64	375	31,057	153	42.4	37.1-47.8	10	2.5	0.89-4.03	1	0.3	0.00-0.92				211	54.8	49.4-60.2
65+	656	53,198	196	28.2	24.5-31.9	5	0.8	0.05-1.51							455	71.0	67.3-74.7
Less Than H.S.	196	19,514	50	27.1	19.5-34.7	4	2.0	0.00-4.04	1	2.1	0.00-6.13				141	68.8	60.6-77.0
H.S. or G.E.D.	663	66,254	278	41.7	37.1-46.3	20	2.8	1.50-4.04	5	1.2	0.00-2.47				360	54.4	49.8-59.0
Some Post-H.S.	761	80,861	358	47.0	42.7-51.4	19	3.7	1.50-5.90	2	0.3	0.00-0.70				382	49.0	44.6-53.3
College Graduate	724	75,469	390	55.8	51.7-59.9	12	1.8	0.70-2.86	4	0.6	0.00-1.13	1	0.1	0.00-0.38	317	41.7	37.6-45.8
Less than \$15,000	239	26,093	63	27.6	20.3-35.0	8	6.6	0.98-12.2	1	0.4	0.00-1.10				167	65.4	57.0-73.7
\$15,000- 24,999	411	39,896	159	39.5	33.4-45.6	9	1.7	0.51-2.83	2	1.3	0.00-3.30				241	57.6	51.4-63.7
\$25,000- 34,999	294	27,560	129	43.1	36.5-49.7	3	1.1	0.00-2.44				1	0.3	0.00-1.04	161	55.4	48.8-62.0
\$35,000- 49,999	384	39,866	206	52.7	47.1-58.3	10	3.4	0.84-5.90	3	0.6	0.00-1.37				165	43.3	37.7-48.9
\$50,000- 74,999	360	39,025	202	55.9	50.1-61.8	16	4.4	2.17-6.71	3	1.5	0.00-3.65				139	38.1	32.3-43.9
\$75,000+	293	31,775	192	66.0	60.2-71.9	6	1.6	0.30-2.92	2	0.9	0.00-2.23				93	31.4	25.7-37.2

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5		>5, <=15		>15, <=30		>30, <=60		>60		None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	3932	478,688	934	23.1 21.6-24.6	578	15.7 14.4-17.1	387	10.2 9.08-11.3	180	5.7 4.71-6.71	102	3.6 2.69-4.49	1751	41.6 39.8-43.5
Male	1586	236,477	316	20.0 17.8-22.3	290	18.5 16.4-20.7	217	12.9 11.1-14.7	125	8.8 7.03-10.6	89	6.5 4.75-8.17	549	33.3 30.6-36.0
Female	2346	242,212	618	26.1 24.0-28.2	288	13.0 11.3-14.7	170	7.6 6.23-8.89	55	2.7 1.81-3.61	13	0.8 0.25-1.35	1202	49.8 47.4-52.3
Native	105	16,529			12	9.8 3.42-16.2	6	4.2 0.20-8.24	2	2.0 0.00-4.75				
Non-Native	3793	458,550	914	23.3 21.7-24.8	564	16.0 14.6-17.4	378	10.4 9.23-11.5	177	5.9 4.83-6.91	102	3.8 2.81-4.69	1658	40.7 38.8-42.5
18-24	208	73,679	33	16.1 10.7-21.6	38	16.7 11.4-21.9	28	11.2 6.85-15.6	16	9.6 4.94-14.2	16	8.3 3.65-12.9	77	38.1 30.8-45.3
25-34	491	78,276	103	20.5 16.8-24.2	115	21.9 18.1-25.7	55	11.2 8.21-14.2	41	8.8 6.13-11.5	20	4.5 2.50-6.58	157	33.0 28.6-37.4
35-44	710	80,993	210	29.5 25.9-33.1	131	18.4 15.4-21.5	77	10.9 8.45-13.4	33	5.0 3.27-6.75	17	2.2 1.09-3.33	242	33.9 30.2-37.7
45-54	863	89,350	221	26.2 22.9-29.5	137	17.0 14.2-19.9	107	12.8 10.3-15.2	38	4.4 2.95-5.89	27	3.3 1.97-4.55	333	36.3 32.8-39.8
55-64	637	62,004	163	27.1 23.4-30.9	84	14.5 11.5-17.6	52	8.0 5.77-10.2	29	4.9 3.04-6.76	16	3.3 1.59-5.01	293	42.2 38.1-46.3
65+	988	91,555	197	19.7 17.0-22.4	70	7.1 5.41-8.89	66	7.1 5.34-8.82	20	2.3 1.27-3.39	6	0.9 0.11-1.63	629	62.9 59.6-66.2
Less Than H.S.	342	39,643	63	18.5 13.7-23.4	25	7.1 3.76-10.4	13	4.3 1.72-6.90	11	4.1 1.27-6.87	7	5.8 0.00-11.7	223	60.2 53.2-67.1
H.S. or G.E.D.	1131	135,502	240	20.9 18.0-23.7	149	14.0 11.6-16.5	112	10.6 8.42-12.8	48	4.8 3.08-6.56	31	3.1 1.89-4.33	551	46.6 43.0-50.1
Some Post-H.S.	1232	153,531	291	22.5 19.8-25.2	196	17.6 14.9-20.2	131	9.8 8.02-11.5	61	6.3 4.41-8.17	33	3.8 2.10-5.44	520	40.1 36.7-43.4
College Graduate	1221	149,458	339	26.9 24.1-29.8	207	17.7 15.3-20.2	131	11.9 9.60-14.1	59	6.3 4.53-8.17	31	3.3 2.02-4.52	454	33.9 30.9-36.8
Less than \$15,000	328	38,370	52	17.3 11.9-22.8	34	11.9 7.20-16.6	10	3.3 1.07-5.49	11	6.9 1.98-11.7	7	3.4 0.30-6.50	214	57.2 49.8-64.7
\$15,000- 24,999	629	69,071	117	18.0 14.4-21.7	72	11.8 8.75-14.8	64	9.8 6.68-12.9	18	2.8 1.14-4.48	17	4.4 1.45-7.33	341	53.2 48.3-58.1
\$25,000- 34,999	525	63,671	101	16.3 12.7-19.8	74	15.3 11.4-19.3	56	12.0 8.66-15.4	24	6.9 3.47-10.3	14	4.8 1.08-8.56	256	44.7 39.5-49.9
\$35,000- 49,999	706	89,243	194	27.3 23.5-31.1	118	17.4 14.1-20.7	78	11.1 8.52-13.8	39	6.1 4.01-8.13	23	3.6 2.07-5.13	254	34.4 30.4-38.4
\$50,000- 74,999	652	81,323	189	27.4 23.8-31.1	111	18.1 14.7-21.4	65	9.8 7.40-12.3	39	6.3 4.22-8.46	23	4.5 2.48-6.48	225	33.8 29.7-37.9
\$75,000+	580	74,633	175	29.0 24.9-33.1	115	21.0 17.2-24.7	88	15.3 11.9-18.6	31	5.4 3.30-7.50	11	1.8 0.71-2.99	160	27.5 23.3-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5		>5, <=15			>15, <=30			>30, <=60			>60			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	236,477	316	20.0	17.8-22.3	290	18.5	16.4-20.7	217	12.9	11.1-14.7	125	8.8	7.03-10.6	89	6.5	4.75-8.17	549	33.3	30.6-36.0
Non-Native	1539	228,483	308	19.8	17.6-22.1	285	18.9	16.6-21.1	212	13.0	11.2-14.9	123	8.9	7.13-10.8	89	6.7	4.94-8.42	522	32.6	29.9-35.3
18-24	101	38,959	14	13.9	6.52-21.3	18	17.2	9.57-24.8	15	11.5	5.47-17.5	12	14.3	6.60-22.0	14	13.5	5.53-21.6	28	29.5	20.0-39.1
25-34	229	40,673	34	14.6	9.86-19.3	57	23.1	17.6-28.7	38	15.9	10.9-20.9	30	12.9	8.44-17.3	18	8.0	4.27-11.8	52	25.5	19.4-31.7
35-44	295	40,829	63	22.9	17.8-28.1	64	21.5	16.6-26.5	39	12.4	8.52-16.2	21	7.2	4.20-10.3	13	3.4	1.44-5.44	95	32.5	26.8-38.1
45-54	360	45,997	65	20.7	15.9-25.5	70	20.2	15.7-24.6	60	16.1	12.1-20.0	27	6.4	3.91-8.97	23	5.6	3.22-7.96	115	31.1	26.0-36.2
55-64	262	30,946	67	27.1	21.4-32.9	49	19.5	14.3-24.7	30	10.2	6.49-13.9	19	7.4	3.99-10.7	15	6.3	2.99-9.61	82	29.5	23.7-35.3
65+	332	38,357	72	22.5	17.7-27.3	30	8.9	5.75-12.1	35	10.4	7.01-13.8	15	4.5	2.18-6.80	6	2.1	0.29-3.89	174	51.6	45.9-57.3
Less Than H.S.	146	20,129	30	18.6	11.7-25.5	13	8.9	3.11-14.7	8	5.2	1.23-9.11	7	6.1	0.92-11.2						
H.S. or G.E.D.	468	69,248	77	17.4	13.2-21.7	82	17.3	13.4-21.1	64	14.5	10.7-18.3	28	6.8	3.62-9.94	26	5.0	2.97-6.97	191	39.1	33.9-44.3
Some Post-H.S.	471	72,670	93	19.3	15.4-23.3	95	21.1	16.8-25.4	72	12.6	9.62-15.7	42	9.2	6.05-12.3	31	7.6	4.23-11.1	138	30.1	25.2-35.0
College Graduate	497	73,988	115	23.4	19.2-27.6	99	19.9	16.1-23.8	73	13.9	10.6-17.2	47	11.0	7.60-14.4	26	5.9	3.48-8.34	137	25.9	21.7-30.1
Less than \$15,000	89	12,277							5	4.3	0.45-8.21	3	7.4	0.00-16.8	6	9.8	0.69-19.0			
\$15,000- 24,999	218	29,176	33	13.4	8.36-18.4	34	15.2	9.81-20.7	27	11.2	6.40-16.0	9	4.4	0.80-7.94	15	8.7	2.50-14.8	100	47.1	39.2-55.1
\$25,000- 34,999	231	36,111	32	13.0	8.23-17.8	38	16.3	10.5-22.1	32	14.7	9.43-20.0	21	11.3	5.51-17.0	13	8.2	1.80-14.7	95	36.5	29.3-43.7
\$35,000- 49,999	322	49,377	73	24.5	18.9-30.0	62	20.0	15.0-24.9	49	14.0	9.95-18.1	29	8.2	5.14-11.3	20	6.0	3.29-8.67	89	27.3	21.8-32.8
\$50,000- 74,999	292	42,298	60	21.2	16.2-26.2	59	20.0	15.2-24.8	44	13.7	9.69-17.6	23	8.1	4.62-11.6	20	7.2	3.90-10.5	86	29.9	24.2-35.6
\$75,000+	287	42,858	71	24.2	18.8-29.7	65	23.2	17.9-28.5	50	17.2	12.2-22.2	25	8.2	4.75-11.7	9	2.5	0.78-4.26	67	24.6	18.7-30.5

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2346	242,212	618	26.1	24.0-28.2	288	13.0	11.3-14.7	170	7.6	6.23-8.89	55	2.7	1.81-3.61	13	0.8	0.25-1.35	1202	49.8	47.4-52.3
Native	71	10,160				9	11.1	3.00-19.3	4	4.8	0.00-10.6									
Non-Native	2254	230,067	606	26.7	24.6-28.8	279	13.2	11.5-14.9	166	7.8	6.38-9.12	54	2.8	1.88-3.76	13	0.8	0.27-1.41	1136	48.7	46.2-51.1
18-24	107	34,721	19	18.6	10.6-26.7	20	16.1	8.87-23.3	13	10.9	4.57-17.2	4	4.3	0.00-8.77	2	2.3	0.00-5.58			
25-34	262	37,603	69	26.9	21.3-32.5	58	20.6	15.6-25.6	17	6.1	3.15-9.11	11	4.4	1.63-7.27	2	0.8	0.00-1.89	105	41.1	34.9-47.4
35-44	415	40,164	147	36.2	31.3-41.1	67	15.3	11.6-18.9	38	9.4	6.42-12.4	12	2.7	1.13-4.35	4	0.9	0.01-1.89	147	35.4	30.5-40.3
45-54	503	43,353	156	32.1	27.6-36.6	67	13.7	10.4-17.0	47	9.3	6.58-12.0	11	2.3	0.90-3.64	4	0.8	0.03-1.55	218	41.9	37.2-46.5
55-64	375	31,057	96	27.1	22.3-31.9	35	9.5	6.33-12.7	22	5.8	3.32-8.34	10	2.5	0.89-4.03	1	0.3	0.00-0.92	211	54.8	49.4-60.2
65+	656	53,198	125	17.7	14.6-20.8	40	5.9	3.96-7.76	31	4.7	2.96-6.38	5	0.8	0.05-1.51				455	71.0	67.3-74.7
Less Than H.S.	196	19,514	33	18.5	11.7-25.2	12	5.2	2.12-8.28	5	3.4	0.06-6.80	4	2.0	0.00-4.04	1	2.1	0.00-6.13	141	68.8	60.6-77.0
H.S. or G.E.D.	663	66,254	163	24.4	20.5-28.3	67	10.7	7.69-13.6	48	6.6	4.57-8.61	20	2.8	1.50-4.04	5	1.2	0.00-2.47	360	54.4	49.8-59.0
Some Post-H.S.	761	80,861	198	25.4	21.7-29.1	101	14.4	11.3-17.6	59	7.2	5.21-9.21	19	3.7	1.50-5.90	2	0.3	0.00-0.70	382	49.0	44.6-53.3
College Graduate	724	75,469	224	30.4	26.6-34.2	108	15.6	12.5-18.6	58	9.9	6.77-13.0	12	1.8	0.70-2.86	5	0.7	0.06-1.32	317	41.7	37.6-45.8
Less than \$15,000	239	26,093	36	15.8	9.86-21.8	22	9.0	4.84-13.2	5	2.8	0.09-5.47	8	6.6	0.98-12.2	1	0.4	0.00-1.10	167	65.4	57.0-73.7
\$15,000- 24,999	411	39,896	84	21.5	16.3-26.6	38	9.3	5.83-12.7	37	8.8	4.65-12.8	9	1.7	0.51-2.83	2	1.3	0.00-3.30	241	57.6	51.4-63.7
\$25,000- 34,999	294	27,560	69	20.5	15.3-25.7	36	14.1	9.04-19.2	24	8.5	4.93-12.1	3	1.1	0.00-2.44	1	0.3	0.00-1.04	161	55.4	48.8-62.0
\$35,000- 49,999	384	39,866	121	30.8	25.8-35.9	56	14.3	10.4-18.1	29	7.6	4.60-10.6	10	3.4	0.84-5.90	3	0.6	0.00-1.37	165	43.3	37.7-48.9
\$50,000- 74,999	360	39,025	129	34.2	28.9-39.6	52	16.0	11.4-20.7	21	5.7	3.04-8.30	16	4.4	2.17-6.71	3	1.5	0.00-3.65	139	38.1	32.3-43.9
\$75,000+	293	31,775	104	35.4	29.4-41.4	50	18.0	12.7-23.3	38	12.6	8.69-16.6	6	1.6	0.30-2.92	2	0.9	0.00-2.23	93	31.4	25.7-37.2

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3932	478,688	3775	95.0	94.0-96.0	157	5.0	3.96-5.96
Male	1586	236,477	1497	93.5	91.8-95.2	89	6.5	4.75-8.17
Female	2346	242,212	2278	96.5	95.5-97.5	68	3.5	2.47-4.55
Native	105	16,529	105	100.0	0100-0100			
Non-Native	3793	458,550	3637	94.8	93.8-95.9	156	5.2	4.12-6.20
18-24	208	73,679	188	89.7	84.7-94.7	20	10.3	5.31-15.3
25-34	491	78,276	460	93.3	90.9-95.8	31	6.7	4.25-9.11
35-44	710	80,993	681	96.4	95.1-97.8	29	3.6	2.20-4.94
45-54	863	89,350	825	95.6	94.2-97.1	38	4.4	2.93-5.79
55-64	637	62,004	611	95.5	93.6-97.3	26	4.5	2.67-6.39
65+	988	91,555	977	98.7	97.8-99.5	11	1.3	0.47-2.19
Less Than H.S.	342	39,643	331	93.2	87.3-99.1	11	6.8	0.91-12.7
H.S. or G.E.D.	1131	135,502	1080	95.5	94.2-96.9	51	4.5	3.11-5.81
Some Post-H.S.	1232	153,531	1180	94.3	92.3-96.3	52	5.7	3.72-7.72
College Graduate	1221	149,458	1178	95.8	94.5-97.2	43	4.2	2.80-5.54
Less than \$15,000	328	38,370	313	92.1	87.3-97.0	15	7.9	3.05-12.7
\$15,000- 24,999	629	69,071	603	94.6	91.7-97.6	26	5.4	2.38-8.34
\$25,000- 34,999	525	63,671	508	94.7	90.9-98.5	17	5.3	1.51-9.07
\$35,000- 49,999	706	89,243	673	94.9	93.0-96.8	33	5.1	3.22-6.98
\$50,000- 74,999	652	81,323	613	93.4	91.1-95.6	39	6.6	4.36-8.86
\$75,000+	580	74,633	563	97.5	96.2-98.7	17	2.5	1.26-3.80

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	236,477	1497	93.5	91.8-95.2	89	6.5	4.75-8.17
Non-Native	1539	228,483	1450	93.3	91.6-95.1	89	6.7	4.94-8.42
18-24	101	38,959	87	86.4	78.4-94.5	14	13.5	5.53-21.6
25-34	229	40,673	211	92.0	88.2-95.7	18	8.0	4.27-11.8
35-44	295	40,829	282	96.6	94.6-98.6	13	3.4	1.44-5.44
45-54	360	45,997	337	94.4	92.0-96.8	23	5.6	3.22-7.96
55-64	262	30,946	247	93.7	90.4-97.0	15	6.3	2.99-9.61
65+	332	38,357	326	97.9	96.1-99.7	6	2.1	0.29-3.89
H.S. or G.E.D.	468	69,248	442	95.0	93.0-97.0	26	5.0	2.97-6.97
Some Post-H.S.	471	72,670	440	92.4	88.9-95.8	31	7.6	4.23-11.1
College Graduate	497	73,988	471	94.1	91.7-96.5	26	5.9	3.48-8.34
Less than \$15,000	89	12,277	83	90.2	81.0-99.3	6	9.8	0.69-19.0
\$15,000- 24,999	218	29,176	203	91.3	85.2-97.5	15	8.7	2.50-14.8
\$25,000- 34,999	231	36,111	218	91.8	85.3-98.2	13	8.2	1.80-14.7
\$35,000- 49,999	322	49,377	302	94.0	91.3-96.7	20	6.0	3.29-8.67
\$50,000- 74,999	292	42,298	272	92.8	89.5-96.1	20	7.2	3.90-10.5
\$75,000+	287	42,858	278	97.5	95.7-99.2	9	2.5	0.78-4.26

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2346	242,212	2278	96.5	95.5-97.5	68	3.5	2.47-4.55
Native	71	10,160	71	100.0	0100-0100			
Non-Native	2254	230,067	2187	96.3	95.2-97.4	67	3.7	2.56-4.76
18-24	107	34,721	101	93.3	87.9-98.7	6	6.7	1.26-12.1
25-34	262	37,603	249	94.8	91.8-97.8	13	5.2	2.24-8.24
35-44	415	40,164	399	96.3	94.4-98.2	16	3.7	1.84-5.56
45-54	503	43,353	488	96.9	95.4-98.5	15	3.1	1.49-4.63
55-64	375	31,057	364	97.2	95.6-98.9	11	2.8	1.07-4.45
65+	656	53,198	651	99.2	98.5-99.9	5	0.8	0.05-1.51
Less Than H.S.	196	19,514	191	95.9	91.4-0100	5	4.1	0.00-8.56
H.S. or G.E.D.	663	66,254	638	96.1	94.3-97.9	25	3.9	2.13-5.73
Some Post-H.S.	761	80,861	740	96.0	93.8-98.2	21	4.0	1.76-6.22
College Graduate	724	75,469	707	97.5	96.3-98.8	17	2.5	1.25-3.71
Less than \$15,000	239	26,093	230	93.0	87.4-98.7	9	7.0	1.31-12.6
\$15,000- 24,999	411	39,896	400	97.1	94.7-99.4	11	2.9	0.60-5.26
\$25,000- 34,999	294	27,560	290	98.5	97.1-0100	4	1.4	0.00-2.94
\$35,000- 49,999	384	39,866	371	96.0	93.4-98.6	13	4.0	1.39-6.65
\$50,000- 74,999	360	39,025	341	94.0	91.0-97.1	19	6.0	2.92-9.00
\$75,000+	293	31,775	285	97.4	95.6-99.3	8	2.5	0.73-4.37

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	236,477	1497	93.5	91.8-95.2	89	6.5	4.75-8.17
Non-Native	1539	228,483	1450	93.3	91.6-95.1	89	6.7	4.94-8.42
18-24	101	38,959	87	86.4	78.4-94.5	14	13.5	5.53-21.6
25-34	229	40,673	211	92.0	88.2-95.7	18	8.0	4.27-11.8
35-44	295	40,829	282	96.6	94.6-98.6	13	3.4	1.44-5.44
45-54	360	45,997	337	94.4	92.0-96.8	23	5.6	3.22-7.96
55-64	262	30,946	247	93.7	90.4-97.0	15	6.3	2.99-9.61
65+	332	38,357	326	97.9	96.1-99.7	6	2.1	0.29-3.89
H.S. or G.E.D.	468	69,248	442	95.0	93.0-97.0	26	5.0	2.97-6.97
Some Post-H.S.	471	72,670	440	92.4	88.9-95.8	31	7.6	4.23-11.1
College Graduate	497	73,988	471	94.1	91.7-96.5	26	5.9	3.48-8.34
Less than \$15,000	89	12,277	83	90.2	81.0-99.3	6	9.8	0.69-19.0
\$15,000- 24,999	218	29,176	203	91.3	85.2-97.5	15	8.7	2.50-14.8
\$25,000- 34,999	231	36,111	218	91.8	85.3-98.2	13	8.2	1.80-14.7
\$35,000- 49,999	322	49,377	302	94.0	91.3-96.7	20	6.0	3.29-8.67
\$50,000- 74,999	292	42,298	272	92.8	89.5-96.1	20	7.2	3.90-10.5
\$75,000+	287	42,858	278	97.5	95.7-99.2	9	2.5	0.78-4.26

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2346	242,212	2278	96.5	95.5-97.5	68	3.5	2.47-4.55
Native	71	10,160	71	100.0	0100-0100			
Non-Native	2254	230,067	2187	96.3	95.2-97.4	67	3.7	2.56-4.76
18-24	107	34,721	101	93.3	87.9-98.7	6	6.7	1.26-12.1
25-34	262	37,603	249	94.8	91.8-97.8	13	5.2	2.24-8.24
35-44	415	40,164	399	96.3	94.4-98.2	16	3.7	1.84-5.56
45-54	503	43,353	488	96.9	95.4-98.5	15	3.1	1.49-4.63
55-64	375	31,057	364	97.2	95.6-98.9	11	2.8	1.07-4.45
65+	656	53,198	651	99.2	98.5-99.9	5	0.8	0.05-1.51
Less Than H.S.	196	19,514	191	95.9	91.4-0100	5	4.1	0.00-8.56
H.S. or G.E.D.	663	66,254	638	96.1	94.3-97.9	25	3.9	2.13-5.73
Some Post-H.S.	761	80,861	740	96.0	93.8-98.2	21	4.0	1.76-6.22
College Graduate	724	75,469	707	97.5	96.3-98.8	17	2.5	1.25-3.71
Less than \$15,000	239	26,093	230	93.0	87.4-98.7	9	7.0	1.31-12.6
\$15,000- 24,999	411	39,896	400	97.1	94.7-99.4	11	2.9	0.60-5.26
\$25,000- 34,999	294	27,560	290	98.5	97.1-0100	4	1.4	0.00-2.94
\$35,000- 49,999	384	39,866	371	96.0	93.4-98.6	13	4.0	1.39-6.65
\$50,000- 74,999	360	39,025	341	94.0	91.0-97.1	19	6.0	2.92-9.00
\$75,000+	293	31,775	285	97.4	95.6-99.3	8	2.5	0.73-4.37

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	67
2 MALES ONLY	68
3 FEMALES ONLY	69
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	70
5 MALES ONLY	71
6 FEMALES ONLY	72
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	73
8 MALES ONLY	74
9 FEMALES ONLY	75
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	76
11 MALES ONLY	77
12 FEMALES ONLY	78
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	79
14 MALES ONLY	80
15 FEMALES ONLY	81
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	82
17 MALES ONLY	83
18 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	85
20	MALES ONLY	86
21	FEMALES ONLY	87
	ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	88
23	MALES ONLY	89
24	FEMALES ONLY	90
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	91
26	MALES ONLY	92
27	FEMALES ONLY	93
	REPORTED HEIGHT IN INCHES (HTIN3).	
28	MALES AND FEMALES	94
29	MALES ONLY	95
30	FEMALES ONLY	96
	REPORTED HEIGHT IN METERS (HTM3).	
31	MALES AND FEMALES	97
32	MALES ONLY	98
33	FEMALES ONLY	99
	REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34	MALES AND FEMALES	100
35	MALES ONLY	101
36	FEMALES ONLY	102
	BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37	MALES AND FEMALES	103
38	MALES ONLY	104
39	FEMALES ONLY	105

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	106
41	MALES ONLY	107
42	FEMALES ONLY	108
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	109
44	MALES ONLY	110
45	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	485,368	3810	94.3	93.3-95.3	14	0.4	0.13-0.75	13	0.5	0.13-0.83	9	0.3	0.07-0.43	114	3.8	2.91-4.71	29	0.7	0.44-1.02
Male	1621	240,816	1550	94.9	93.4-96.3	4	0.2	0.00-0.39	8	0.7	0.08-1.38	4	0.3	0.00-0.53	38	3.0	1.85-4.17	17	0.9	0.44-1.46
Female	2368	244,552	2260	93.7	92.2-95.3	10	0.7	0.09-1.27	5	0.3	0.01-0.49	5	0.2	0.00-0.48	76	4.6	3.23-5.97	12	0.5	0.19-0.81
18-24	212	74,659	186	88.0	82.9-93.1	3	1.5	0.00-3.28	2	1.3	0.00-3.12	1	0.3	0.00-0.80	18	8.2	3.77-12.6	2	0.8	0.00-1.86
25-34	498	79,626	467	93.4	90.9-95.9	3	0.3	0.00-0.70	4	1.0	0.00-1.97	1	0.1	0.00-0.36	20	4.4	2.29-6.49	3	0.8	0.00-1.75
35-44	717	81,809	664	92.0	89.8-94.2	5	0.6	0.05-1.19	1	0.2	0.00-0.53	3	0.5	0.00-1.18	36	5.7	3.71-7.63	8	1.0	0.29-1.71
45-54	871	90,050	843	97.1	95.9-98.3	3	0.3	0.00-0.65	3	0.3	0.00-0.64	1	0.2	0.00-0.65	16	1.7	0.79-2.63	5	0.4	0.01-0.75
55-64	646	62,950	627	96.9	95.4-98.5				1	0.1	0.00-0.44	3	0.5	0.00-0.99	11	1.8	0.58-3.08	4	0.6	0.00-1.23
65+	1009	93,354	989	98.0	97.0-98.9				2	0.1	0.00-0.37				11	1.1	0.36-1.78	7	0.8	0.18-1.44
Less Than H.S.	350	40,031	324	88.7	84.0-93.4	1	0.7	0.00-2.01							23	10.1	5.63-14.6	2	0.5	0.00-1.24
H.S. or G.E.D.	1159	139,299	1101	92.2	89.6-94.8	3	0.1	0.00-0.30	5	0.9	0.00-1.89	6	0.6	0.08-1.14	32	5.2	2.82-7.56	12	1.0	0.35-1.61
Some Post-H.S.	1248	154,938	1193	95.1	93.6-96.7	5	0.7	0.00-1.55	2	0.3	0.00-0.80	1	0.1	0.00-0.38	38	3.0	1.89-4.09	9	0.7	0.16-1.26
College Graduate	1225	150,474	1185	96.8	95.7-97.9	5	0.4	0.02-0.72	6	0.4	0.07-0.77	2	0.1	0.00-0.27	21	1.7	0.92-2.52	6	0.6	0.06-1.08
Less than \$15,000	343	40,366	302	81.6	74.8-88.4	1	0.5	0.00-1.51	1	0.2	0.00-0.68				35	16.9	10.1-23.7	4	0.8	0.00-1.51
\$15,000- 24,999	633	69,282	592	92.0	89.3-94.7	6	0.8	0.10-1.40	5	1.1	0.00-2.24	2	0.5	0.00-1.17	23	4.7	2.54-6.82	5	1.0	0.00-1.98
\$25,000- 34,999	533	64,644	510	95.2	93.0-97.4	2	0.6	0.00-1.58	1	0.1	0.00-0.33	1	0.1	0.00-0.33	14	3.0	1.26-4.70	5	1.0	0.00-1.98
\$35,000- 49,999	714	90,129	692	95.7	93.3-98.1	2	0.2	0.00-0.40	2	0.5	0.00-1.24	2	0.3	0.00-0.63	11	2.4	0.28-4.48	5	1.0	0.04-1.88
\$50,000- 74,999	657	82,154	641	97.7	96.4-98.9				1	0.2	0.00-0.50				10	1.6	0.50-2.62	5	0.6	0.05-1.15
\$75,000+	584	75,100	570	97.8	96.5-99.0	2	0.3	0.00-0.71	1	0.1	0.00-0.38	1	0.3	0.00-0.77	9	1.4	0.44-2.40	1	0.1	0.00-0.41

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,816	1550	94.9	93.4-96.3	4	0.2	0.00-0.39	8	0.7	0.08-1.38	4	0.3	0.00-0.53	38	3.0	1.85-4.17	17	0.9	0.44-1.46
18-24	103	39,393	95	92.0	85.9-98.1				2	2.4	0.00-5.88				4	4.1	0.00-8.89	2	1.5	0.00-3.51
25-34	235	41,912	222	93.1	89.3-96.9				3	1.3	0.00-2.90				8	4.7	1.40-8.02	1	0.7	0.00-1.93
35-44	300	41,406	282	93.4	90.3-96.5	3	0.9	0.00-1.89				1	0.5	0.00-1.54	11	4.3	1.74-6.96	3	0.9	0.00-1.87
45-54	364	46,355	350	96.9	95.2-98.7	1	0.2	0.00-0.62	3	0.6	0.00-1.23	1	0.4	0.00-1.24	6	1.3	0.15-2.51	3	0.6	0.00-1.23
55-64	269	31,607	258	96.1	93.6-98.7							1	0.4	0.00-1.18	6	2.3	0.13-4.45	4	1.2	0.00-2.42
65+	342	39,297	336	98.3	97.0-99.7										2	0.5	0.00-1.28	4	1.1	0.00-2.26
Less Than H.S.	150	20,329	142	93.4	88.5-98.3				3	1.4	0.00-3.27	3	0.6	0.00-1.33	6	5.6	0.92-10.3	2	1.0	0.00-2.44
H.S. or G.E.D.	488	72,269	461	92.0	88.3-95.7							1	0.3	0.00-0.80	14	4.8	1.74-7.94	7	1.2	0.16-2.24
Some Post-H.S.	480	73,452	462	96.4	94.5-98.3	1	0.1	0.00-0.30	1	0.4	0.00-1.15				11	2.1	0.72-3.50	4	0.7	0.00-1.62
College Graduate	499	74,325	481	96.5	94.8-98.2	3	0.5	0.00-1.11	4	0.6	0.00-1.30				7	1.4	0.35-2.51	4	0.9	0.00-1.85
Less than \$15,000	96	13,419	86	85.4	75.9-95.0				1	0.7	0.00-2.03				7	12.5	3.04-21.9	2	1.4	0.00-3.38
\$15,000- 24,999	222	29,429	201	89.4	84.5-94.3	2	0.7	0.00-1.81	3	1.6	0.00-3.79	1	0.4	0.00-1.27	10	5.5	1.82-9.18	5	2.3	0.00-4.64
\$25,000- 34,999	238	36,867	226	95.3	92.4-98.1	1	0.4	0.00-1.15							8	3.1	0.85-5.35	3	1.3	0.00-2.91
\$35,000- 49,999	327	50,081	316	94.6	90.7-98.6	1	0.2	0.00-0.56	2	0.9	0.00-2.21	1	0.2	0.00-0.53	5	3.2	0.00-6.77	2	0.9	0.00-2.19
\$50,000- 74,999	295	42,770	290	98.6	97.3-99.9										3	0.9	0.00-2.02	2	0.5	0.00-1.21
\$75,000+	291	43,210	286	98.4	96.9-99.8							1	0.4	0.00-1.33	3	0.9	0.00-1.97	1	0.3	0.00-0.74

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	244,552	2260	93.7	92.2-95.2	10	0.7	0.09-1.27	5	0.3	0.01-0.49	5	0.2	0.00-0.48	76	4.6	3.25-5.95	12	0.5	0.19-0.81
18-24	109	35,266	91	83.6	75.3-91.9	3	3.1	0.00-6.93				1	0.6	0.00-1.72	14	12.8	5.15-20.4			
25-34	263	37,714	245	93.7	90.6-96.8	3	0.7	0.00-1.49	1	0.6	0.00-1.75				12	4.0	1.57-6.51	2	1.0	0.00-2.38
35-44	417	40,403	382	90.6	87.4-93.8	2	0.4	0.00-0.87	1	0.4	0.00-1.07	2	0.5	0.00-1.31	25	7.0	4.12-9.92	5	1.1	0.15-2.11
45-54	507	43,695	493	97.3	95.7-98.9	2	0.4	0.00-1.00							10	2.1	0.65-3.55	2	0.2	0.00-0.47
55-64	377	31,343	369	97.8	96.2-99.4				1	0.3	0.00-0.89	2	0.5	0.00-1.27	5	1.4	0.10-2.64			
65+	667	54,057	653	97.7	96.4-99.0				2	0.3	0.00-0.61				9	1.5	0.36-2.56	3	0.6	0.00-1.28
Less Than H.S.	200	19,701	182	83.9	76.2-91.6	1	1.4	0.00-4.07							17	14.7	7.31-22.2			
H.S. or G.E.D.	671	67,029	640	92.5	88.7-96.2	3	0.3	0.00-0.62	2	0.3	0.00-0.79	3	0.6	0.00-1.39	18	5.6	1.93-9.23	5	0.7	0.06-1.40
Some Post-H.S.	768	81,486	731	94.0	91.6-96.4	4	1.3	0.00-2.83	1	0.3	0.00-0.80				27	3.8	2.09-5.47	5	0.7	0.00-1.36
College Graduate	726	76,149	704	97.1	95.7-98.4	2	0.2	0.00-0.58	2	0.2	0.00-0.53	2	0.2	0.00-0.53	14	2.0	0.82-3.18	2	0.3	0.00-0.60
Less than \$15,000	247	26,947	216	79.7	70.8-88.6	1	0.8	0.00-2.25							28	19.1	10.3-28.0	2	0.4	0.00-1.03
\$15,000- 24,999	411	39,853	391	93.9	90.9-96.9	4	0.8	0.00-1.54	2	0.7	0.00-1.88	1	0.5	0.00-1.51	13	4.1	1.53-6.63			
\$25,000- 34,999	295	27,777	284	95.1	91.7-98.5	1	1.0	0.00-2.88	1	0.3	0.00-0.74	1	0.3	0.00-0.77	6	2.8	0.13-5.51	2	0.6	0.00-1.44
\$35,000- 49,999	387	40,048	376	97.1	95.1-99.0	1	0.1	0.00-0.36				1	0.4	0.00-1.07	6	1.4	0.19-2.65	3	1.0	0.00-2.35
\$50,000- 74,999	362	39,384	351	96.6	94.5-98.8				1	0.4	0.00-1.07				7	2.3	0.41-4.09	3	0.7	0.00-1.55
\$75,000+	293	31,891	284	96.9	94.8-99.1	2	0.7	0.00-1.68	1	0.3	0.00-0.89				6	2.1	0.26-3.90			

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	485,368	3792	93.9	92.8-94.9	13	0.4	0.11-0.69	11	0.4	0.08-0.74	6	0.1	0.03-0.27	111	3.7	2.84-4.60	56	1.5	1.02-1.92
Male	1621	240,816	1543	94.4	92.9-95.9	4	0.2	0.00-0.39	8	0.7	0.08-1.38	2	0.1	0.00-0.21	36	2.9	1.74-4.02	28	1.7	0.99-2.45
Female	2368	244,552	2249	93.3	91.8-94.9	9	0.6	0.03-1.17	3	0.1	0.00-0.22	4	0.2	0.00-0.42	75	4.5	3.19-5.89	28	1.2	0.72-1.74
18-24	212	74,659	185	87.4	82.3-92.6	2	1.2	0.00-2.93	2	1.3	0.00-3.12	1	0.3	0.00-0.80	18	8.2	3.77-12.6	4	1.6	0.00-3.28
25-34	498	79,626	465	93.1	90.6-95.6	3	0.3	0.00-0.70	3	0.7	0.00-1.53	1	0.1	0.00-0.36	20	4.4	2.29-6.49	6	1.4	0.22-2.54
35-44	717	81,809	662	91.9	89.6-94.1	5	0.6	0.05-1.19				2	0.3	0.00-0.65	36	5.7	3.71-7.63	12	1.6	0.62-2.54
45-54	871	90,050	838	96.4	95.1-97.8	3	0.3	0.00-0.65	3	0.3	0.00-0.64				15	1.5	0.67-2.31	12	1.5	0.55-2.47
55-64	646	62,950	623	96.3	94.7-98.0				1	0.1	0.00-0.44	2	0.3	0.00-0.76	9	1.4	0.28-2.52	11	1.8	0.68-2.88
65+	1009	93,354	985	97.6	96.6-98.7				2	0.1	0.00-0.37				11	1.1	0.36-1.78	11	1.1	0.42-1.84
Less Than H.S.	350	40,031	321	87.1	82.1-92.2	1	0.7	0.00-2.01							23	10.1	5.63-14.6	5	2.1	0.00-4.38
H.S. or G.E.D.	1159	139,299	1097	92.0	89.3-94.6	3	0.1	0.00-0.30	4	0.8	0.00-1.76	5	0.5	0.03-0.89	31	5.1	2.72-7.46	19	1.6	0.80-2.36
Some Post-H.S.	1248	154,938	1185	94.7	93.1-96.2	4	0.6	0.00-1.38	1	0.2	0.00-0.56				37	2.9	1.81-4.01	21	1.7	0.87-2.47
College Graduate	1225	150,474	1183	96.7	95.6-97.8	5	0.4	0.02-0.72	6	0.4	0.07-0.77	1	0.0	0.00-0.15	20	1.6	0.83-2.35	10	0.9	0.28-1.50
Less than \$15,000	343	40,366	299	81.3	74.5-88.1				1	0.2	0.00-0.68				34	16.5	9.81-23.3	9	1.9	0.47-3.41
\$15,000- 24,999	633	69,282	589	91.5	88.8-94.3	6	0.8	0.10-1.40	4	0.8	0.00-1.74	2	0.5	0.00-1.17	22	4.4	2.32-6.48	10	2.1	0.65-3.47
\$25,000- 34,999	533	64,644	510	95.2	93.0-97.4	2	0.6	0.00-1.58	1	0.1	0.00-0.33	1	0.1	0.00-0.33	14	3.0	1.26-4.70	5	1.0	0.00-1.98
\$35,000- 49,999	714	90,129	688	94.9	92.4-97.5	2	0.2	0.00-0.40	2	0.5	0.00-1.24	2	0.3	0.00-0.63	11	2.4	0.28-4.48	9	1.8	0.40-3.14
\$50,000- 74,999	657	82,154	640	97.5	96.2-98.8										10	1.6	0.50-2.62	7	0.9	0.23-1.65
\$75,000+	584	75,100	569	97.6	96.3-98.9	2	0.3	0.00-0.71	1	0.1	0.00-0.38				8	1.3	0.33-2.17	4	0.8	0.00-1.52

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,816	1543	94.4	92.9-95.9	4	0.2	0.00-0.39	8	0.7	0.08-1.38	2	0.1	0.00-0.21	36	2.9	1.74-4.02	28	1.7	0.99-2.45
18-24	103	39,393	94	90.9	84.5-97.3				2	2.4	0.00-5.88				4	4.1	0.00-8.89	3	2.6	0.00-5.51
25-34	235	41,912	220	92.6	88.7-96.4				3	1.3	0.00-2.90	1	0.2	0.00-0.65	8	4.7	1.40-8.02	3	1.2	0.00-2.69
35-44	300	41,406	281	93.2	90.1-96.3	3	0.9	0.00-1.89							11	4.3	1.74-6.96	5	1.6	0.12-3.02
45-54	364	46,355	348	96.2	94.2-98.2	1	0.2	0.00-0.62	3	0.6	0.00-1.23				5	0.9	0.07-1.75	7	2.1	0.46-3.76
55-64	269	31,607	258	96.1	93.6-98.7							1	0.4	0.00-1.18	5	1.9	0.00-3.91	5	1.6	0.14-3.04
65+	342	39,297	335	98.2	96.8-99.6										2	0.5	0.00-1.28	5	1.3	0.09-2.45
Less Than H.S.	150	20,329	140	90.9	84.7-97.2										6	5.6	0.92-10.3	4	3.4	0.00-7.81
H.S. or G.E.D.	488	72,269	460	91.9	88.2-95.6				3	1.4	0.00-3.27	2	0.3	0.00-0.73	14	4.8	1.74-7.94	9	1.6	0.40-2.80
Some Post-H.S.	480	73,452	460	96.1	94.2-98.0	1	0.1	0.00-0.30	1	0.4	0.00-1.15				10	1.9	0.61-3.27	8	1.5	0.32-2.64
College Graduate	499	74,325	480	96.3	94.6-98.0	3	0.5	0.00-1.11	4	0.6	0.00-1.30				6	1.2	0.20-2.12	6	1.3	0.21-2.49
Less than \$15,000	96	13,419	86	85.4	75.9-95.0				1	0.7	0.00-2.03				7	12.5	3.04-21.9	2	1.4	0.00-3.38
\$15,000- 24,999	222	29,429	200	89.1	84.2-94.0	2	0.7	0.00-1.81	3	1.6	0.00-3.79	1	0.4	0.00-1.27	9	4.8	1.37-8.31	7	3.2	0.53-5.91
\$25,000- 34,999	238	36,867	226	95.3	92.4-98.1	1	0.4	0.00-1.15							8	3.1	0.85-5.35	3	1.3	0.00-2.91
\$35,000- 49,999	327	50,081	313	93.4	89.1-97.7	1	0.2	0.00-0.56	2	0.9	0.00-2.21	1	0.2	0.00-0.53	5	3.2	0.00-6.77	5	2.2	0.00-4.34
\$50,000- 74,999	295	42,770	289	98.3	96.8-99.7										3	0.9	0.00-2.02	3	0.8	0.00-1.73
\$75,000+	291	43,210	286	98.4	96.9-99.8										2	0.6	0.00-1.52	3	1.0	0.00-2.15

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	244,552	2249	93.3	91.8-94.9	9	0.6	0.03-1.17	3	0.1	0.00-0.22	4	0.2	0.00-0.42	75	4.5	3.19-5.89	28	1.2	0.72-1.74
18-24	109	35,266	91	83.6	75.3-91.9	2	2.5	0.00-6.18				1	0.6	0.00-1.72	14	12.8	5.15-20.4	1	0.6	0.00-1.72
25-34	263	37,714	245	93.7	90.6-96.8	3	0.7	0.00-1.49							12	4.0	1.57-6.51	3	1.6	0.00-3.38
35-44	417	40,403	381	90.5	87.3-93.7	2	0.4	0.00-0.87				2	0.5	0.00-1.31	25	7.0	4.12-9.92	7	1.6	0.37-2.83
45-54	507	43,695	490	96.6	94.8-98.4	2	0.4	0.00-1.00							10	2.1	0.65-3.55	5	0.9	0.00-1.76
55-64	377	31,343	365	96.6	94.6-98.6				1	0.3	0.00-0.89	1	0.2	0.00-0.68	4	0.9	0.00-1.83	6	2.0	0.33-3.63
65+	667	54,057	650	97.2	95.8-98.7				2	0.3	0.00-0.61				9	1.5	0.36-2.56	6	1.0	0.15-1.91
Less Than H.S.	200	19,701	181	83.2	75.5-91.0	1	1.4	0.00-4.07							17	14.7	7.31-22.2	1	0.6	0.00-1.92
H.S. or G.E.D.	671	67,029	637	92.1	88.3-95.8	3	0.3	0.00-0.62	1	0.1	0.00-0.33	3	0.6	0.00-1.39	17	5.4	1.73-8.99	10	1.6	0.54-2.58
Some Post-H.S.	768	81,486	725	93.4	90.9-95.8	3	1.0	0.00-2.52							27	3.8	2.09-5.47	13	1.8	0.70-2.98
College Graduate	726	76,149	703	97.0	95.7-98.4	2	0.2	0.00-0.58	2	0.2	0.00-0.53	1	0.1	0.00-0.27	14	2.0	0.82-3.18	4	0.4	0.00-0.89
Less than \$15,000	247	26,947	213	79.2	70.3-88.1										27	18.6	9.73-27.4	7	2.2	0.22-4.18
\$15,000- 24,999	411	39,853	389	93.3	90.2-96.4	4	0.8	0.00-1.54	1	0.2	0.00-0.53	1	0.5	0.00-1.51	13	4.1	1.53-6.63	3	1.2	0.00-2.61
\$25,000- 34,999	295	27,777	284	95.1	91.7-98.5	1	1.0	0.00-2.88	1	0.3	0.00-0.74	1	0.3	0.00-0.77	6	2.8	0.13-5.51	2	0.6	0.00-1.44
\$35,000- 49,999	387	40,048	375	96.8	94.9-98.8	1	0.1	0.00-0.36				1	0.4	0.00-1.07	6	1.4	0.19-2.65	4	1.3	0.00-2.66
\$50,000- 74,999	362	39,384	351	96.6	94.5-98.8										7	2.3	0.41-4.09	4	1.1	0.00-2.19
\$75,000+	293	31,891	283	96.5	94.2-98.8	2	0.7	0.00-1.68	1	0.3	0.00-0.89				6	2.1	0.26-3.90	1	0.4	0.00-1.33

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	476,805	3740	94.3	93.3-95.3	13	0.4	0.09-0.71	9	0.4	0.05-0.71	6	0.1	0.01-0.29	108	3.6	2.74-4.50	44	1.2	0.77-1.55
Male	1595	236,815	1524	94.8	93.3-96.3	4	0.2	0.00-0.39	8	0.7	0.07-1.41	2	0.1	0.00-0.23	35	2.9	1.70-4.02	22	1.3	0.67-1.97
Female	2325	239,991	2216	93.8	92.3-95.3	9	0.6	0.04-1.18	1	0.0	0.00-0.09	4	0.2	0.00-0.42	73	4.4	3.04-5.70	22	1.0	0.54-1.44
18-24	210	73,961	185	88.3	83.2-93.4	2	1.2	0.00-2.96	2	1.3	0.00-3.15	1	0.3	0.00-0.83	17	7.7	3.36-12.1	3	1.3	0.00-2.73
25-34	491	78,223	460	93.6	91.2-96.0	3	0.3	0.00-0.72	3	0.7	0.00-1.56	1	0.1	0.00-0.36	20	4.5	2.33-6.61	4	0.8	0.00-1.55
35-44	699	79,554	652	92.9	90.7-95.0	5	0.6	0.04-1.22				2	0.3	0.00-0.66	34	5.4	3.46-7.30	6	0.9	0.10-1.62
45-54	862	89,084	830	96.4	95.1-97.8	3	0.3	0.00-0.67	3	0.3	0.00-0.64				15	1.5	0.67-2.35	11	1.5	0.52-2.44
55-64	639	62,129	618	96.7	95.1-98.2							2	0.3	0.00-0.77	9	1.4	0.30-2.54	10	1.6	0.56-2.64
65+	984	91,002	962	97.8	96.7-98.8				1	0.1	0.00-0.24				11	1.1	0.37-1.83	10	1.1	0.37-1.79
Less Than H.S.	331	37,564	305	87.9	83.0-92.9	1	0.7	0.00-2.14							22	9.7	5.32-14.0	3	1.7	0.00-4.01
H.S. or G.E.D.	1134	136,092	1080	92.6	89.9-95.2	3	0.1	0.00-0.30	3	0.7	0.00-1.75	5	0.5	0.04-0.90	30	5.0	2.64-7.46	13	1.0	0.44-1.66
Some Post-H.S.	1236	153,669	1175	94.8	93.2-96.4	4	0.6	0.00-1.38	1	0.2	0.00-0.56				37	2.9	1.83-4.03	19	1.5	0.73-2.25
College Graduate	1212	148,854	1174	97.0	96.0-98.1	5	0.4	0.03-0.73	5	0.4	0.01-0.71	1	0.0	0.00-0.15	19	1.5	0.77-2.25	8	0.6	0.18-1.12
Less than \$15,000	333	39,168	294	82.9	76.1-89.7				1	0.2	0.00-0.68				32	15.5	8.75-22.2	6	1.4	0.06-2.76
\$15,000- 24,999	621	67,719	579	91.6	88.8-94.4	6	0.8	0.12-1.42	3	0.7	0.00-1.66	2	0.5	0.00-1.18	22	4.5	2.38-6.62	9	1.9	0.53-3.31
\$25,000- 34,999	519	62,981	500	96.0	94.0-98.0	2	0.7	0.00-1.62	1	0.1	0.00-0.33	1	0.1	0.00-0.33	13	2.8	1.11-4.55	2	0.3	0.00-0.73
\$35,000- 49,999	707	88,872	683	95.4	92.9-97.9	2	0.2	0.00-0.40	2	0.5	0.00-1.25	2	0.3	0.00-0.64	11	2.4	0.30-4.54	7	1.2	0.07-2.35
\$50,000- 74,999	650	81,381	636	97.9	96.7-99.1										10	1.6	0.49-2.65	4	0.5	0.00-1.08
\$75,000+	579	74,409	565	97.7	96.4-98.9	2	0.3	0.00-0.71							8	1.3	0.32-2.20	4	0.8	0.01-1.53

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1595	236,815	1524	94.8	93.3-96.2	4	0.2	0.00-0.39	8	0.7	0.07-1.41	2	0.1	0.00-0.23	35	2.9	1.70-4.02	22	1.3	0.67-1.97
18-24	102	39,104	94	91.6	85.3-97.9				2	2.4	0.00-5.93				4	4.2	0.00-8.96	2	1.8	0.00-4.44
25-34	232	41,178	218	93.1	89.3-96.9				3	1.3	0.00-2.97	1	0.2	0.00-0.65	8	4.8	1.44-8.14	2	0.6	0.00-1.34
35-44	292	40,109	276	94.0	91.0-97.0	3	0.9	0.00-1.96							10	4.1	1.54-6.72	3	1.0	0.00-2.21
45-54	362	46,029	346	96.2	94.2-98.2	1	0.2	0.00-0.62	3	0.6	0.00-1.26				5	0.9	0.08-1.76	7	2.1	0.45-3.79
55-64	266	31,167	256	96.5	94.0-99.0							1	0.4	0.00-1.18	5	1.9	0.00-3.96	4	1.2	0.00-2.46
65+	334	38,447	328	98.4	97.0-99.7										2	0.5	0.00-1.31	4	1.1	0.00-2.23
Less Than H.S.	141	19,184	133	91.5	85.0-97.9										6	5.9	0.98-10.9	2	2.6	0.00-6.97
H.S. or G.E.D.	479	70,604	454	92.5	88.8-96.2				3	1.4	0.00-3.34	2	0.3	0.00-0.74	14	4.9	1.77-8.13	6	0.9	0.09-1.65
Some Post-H.S.	476	72,962	456	96.1	94.1-98.0	1	0.1	0.00-0.30	1	0.4	0.00-1.18				10	1.9	0.60-3.30	8	1.5	0.33-2.65
College Graduate	495	73,624	478	96.9	95.3-98.4	3	0.5	0.00-1.13	4	0.6	0.00-1.31				5	1.0	0.08-1.88	5	1.0	0.11-1.87
Less than \$15,000	92	13,099	84	86.5	76.8-96.2				1	0.7	0.00-2.07				7	12.8	3.14-22.4			
\$15,000- 24,999	215	28,307	194	89.1	84.1-94.2	2	0.8	0.00-1.88	3	1.7	0.00-3.92	1	0.4	0.00-1.30	9	5.0	1.42-8.64	6	2.9	0.23-5.57
\$25,000- 34,999	235	36,173	225	96.3	93.9-98.7	1	0.4	0.00-1.18							7	2.8	0.58-4.94	2	0.5	0.00-1.29
\$35,000- 49,999	323	49,292	310	93.9	89.6-98.1	1	0.2	0.00-0.59	2	0.9	0.00-2.24	1	0.2	0.00-0.56	5	3.2	0.00-6.88	4	1.6	0.00-3.53
\$50,000- 74,999	292	42,370	287	98.6	97.3-99.9										3	0.9	0.00-2.05	2	0.5	0.00-1.13
\$75,000+	289	42,850	284	98.4	96.9-99.8										2	0.6	0.00-1.52	3	1.0	0.00-2.16

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2325	239,991	2216	93.8	92.3-95.3	9	0.6	0.04-1.18	1	0.0	0.00-0.09	4	0.2	0.00-0.42	73	4.4	3.04-5.70	22	1.0	0.54-1.44
18-24	108	34,858	91	84.6	76.4-92.7	2	2.5	0.00-6.26				1	0.6	0.00-1.75	13	11.7	4.28-19.2	1	0.6	0.00-1.75
25-34	259	37,045	242	94.2	91.2-97.1	3	0.7	0.00-1.50							12	4.1	1.60-6.62	2	1.0	0.00-2.41
35-44	407	39,445	376	91.7	88.7-94.8	2	0.4	0.00-0.89				2	0.5	0.00-1.35	24	6.6	3.84-9.44	3	0.7	0.00-1.61
45-54	500	43,054	484	96.7	94.9-98.5	2	0.4	0.00-1.01							10	2.1	0.66-3.60	4	0.8	0.00-1.65
55-64	373	30,962	362	96.8	94.9-98.8							1	0.2	0.00-0.68	4	0.9	0.00-1.84	6	2.0	0.33-3.67
65+	650	52,554	634	97.3	95.8-98.8				1	0.1	0.00-0.38				9	1.5	0.36-2.64	6	1.1	0.16-1.96
Less Than H.S.	190	18,380	172	84.2	76.8-91.7	1	1.5	0.00-4.36							16	13.6	6.51-20.6	1	0.7	0.00-2.07
H.S. or G.E.D.	655	65,488	626	92.7	88.9-96.5	3	0.3	0.00-0.62				3	0.6	0.00-1.42	16	5.2	1.48-8.84	7	1.2	0.28-2.20
Some Post-H.S.	760	80,708	719	93.7	91.3-96.1	3	1.0	0.00-2.53							27	3.8	2.13-5.51	11	1.5	0.49-2.49
College Graduate	717	75,230	696	97.2	95.9-98.5	2	0.2	0.00-0.58	1	0.1	0.00-0.27	1	0.1	0.00-0.30	14	2.0	0.83-3.23	3	0.3	0.00-0.69
Less than \$15,000	241	26,069	210	81.1	72.2-89.9										25	16.8	8.00-25.6	6	2.1	0.09-4.13
\$15,000- 24,999	406	39,412	385	93.4	90.2-96.5	4	0.8	0.00-1.55				1	0.5	0.00-1.54	13	4.1	1.55-6.69	3	1.2	0.00-2.63
\$25,000- 34,999	284	26,808	275	95.5	92.1-99.0	1	1.0	0.00-3.00	1	0.3	0.00-0.77	1	0.3	0.00-0.80	6	2.9	0.14-5.70			
\$35,000- 49,999	384	39,580	373	97.4	95.7-99.0	1	0.1	0.00-0.36				1	0.4	0.00-1.07	6	1.4	0.20-2.66	3	0.7	0.00-1.62
\$50,000- 74,999	358	39,012	349	97.1	95.1-99.1										7	2.3	0.42-4.14	2	0.6	0.00-1.47
\$75,000+	290	31,559	281	96.7	94.5-99.0	2	0.7	0.00-1.71							6	2.1	0.26-3.94	1	0.4	0.00-1.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3973	483,617	3740	93.0	91.9-94.1	233	7.0	5.94-8.14
Male	1613	239,865	1524	93.6	92.0-95.2	89	6.4	4.84-7.98
Female	2360	243,752	2216	92.3	90.8-93.9	144	7.6	6.06-9.24
18-24	212	74,659	185	87.4	82.3-92.6	27	12.5	7.36-17.7
25-34	496	79,128	460	92.5	90.0-95.1	36	7.5	4.87-10.0
35-44	718	81,905	652	90.2	87.7-92.7	66	9.8	7.34-12.3
45-54	871	90,093	830	95.3	93.8-96.9	41	4.7	3.11-6.21
55-64	647	62,998	618	95.3	93.5-97.2	29	4.7	2.84-6.52
65+	994	91,981	962	96.7	95.5-97.9	32	3.3	2.07-4.51
Less Than H.S.	340	38,804	305	85.1	79.8-90.4	35	14.9	9.58-20.2
H.S. or G.E.D.	1157	139,169	1080	90.5	87.8-93.2	77	9.5	6.77-12.2
Some Post-H.S.	1245	154,636	1175	94.2	92.6-95.8	70	5.8	4.16-7.42
College Graduate	1224	150,381	1174	96.1	94.9-97.2	50	3.9	2.75-5.11
Less than \$15,000	339	40,085	294	81.0	74.1-87.8	45	19.0	12.2-25.9
\$15,000- 24,999	631	69,062	579	89.8	86.8-92.8	52	10.2	7.18-13.2
\$25,000- 34,999	530	64,171	500	94.2	91.9-96.5	30	5.8	3.47-8.13
\$35,000- 49,999	715	90,177	683	94.0	91.4-96.7	32	6.0	3.31-8.61
\$50,000- 74,999	657	82,154	636	97.0	95.6-98.3	21	3.0	1.66-4.40
\$75,000+	584	75,055	565	96.8	95.3-98.3	19	3.2	1.68-4.66

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1613	239,865	1524	93.6	92.0-95.1	89	6.4	4.86-7.96
18-24	103	39,393	94	90.9	84.5-97.3	9	9.1	2.72-15.5
25-34	234	41,637	218	92.1	88.1-96.0	16	7.9	3.95-11.9
35-44	300	41,406	276	91.0	87.4-94.7	24	9.0	5.33-12.6
45-54	364	46,355	346	95.5	93.3-97.7	18	4.5	2.28-6.70
55-64	269	31,607	256	95.1	92.2-98.0	13	4.9	1.98-7.78
65+	336	38,687	328	97.8	96.1-99.4	8	2.3	0.62-3.88
Less Than H.S.	145	19,694	133	89.1	82.4-95.8	12	10.9	4.18-17.6
H.S. or G.E.D.	487	72,110	454	90.5	86.7-94.4	33	9.5	5.63-13.3
Some Post-H.S.	479	73,362	456	95.5	93.5-97.6	23	4.5	2.44-6.48
College Graduate	498	74,260	478	96.0	94.2-97.8	20	4.0	2.16-5.76
Less than \$15,000	94	13,279	84	85.3	75.7-95.0	10	14.6	4.97-24.3
\$15,000- 24,999	220	29,209	194	86.4	80.9-91.9	26	13.6	8.10-19.1
\$25,000- 34,999	237	36,592	225	95.2	92.3-98.1	12	4.8	1.89-7.69
\$35,000- 49,999	327	50,081	310	92.4	88.0-96.8	17	7.6	3.20-12.0
\$50,000- 74,999	295	42,770	287	97.7	96.0-99.4	8	2.3	0.64-3.98
\$75,000+	291	43,210	284	97.5	95.7-99.4	7	2.5	0.60-4.32

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	243,752	2216	92.3	90.8-93.9	144	7.6	6.08-9.22
18-24	109	35,266	91	83.6	75.3-91.9	18	16.4	8.15-24.7
25-34	262	37,491	242	93.1	89.8-96.3	20	6.9	3.73-10.2
35-44	418	40,499	376	89.3	86.0-92.7	42	10.7	7.34-14.0
45-54	507	43,738	484	95.2	93.0-97.3	23	4.8	2.68-7.00
55-64	378	31,391	362	95.5	93.3-97.8	16	4.5	2.23-6.73
65+	658	53,294	634	95.9	94.2-97.7	24	4.0	2.33-5.77
Less Than H.S.	195	19,110	172	81.0	73.0-89.0	23	19.0	11.0-27.0
H.S. or G.E.D.	670	67,059	626	90.5	86.6-94.3	44	9.5	5.67-13.4
Some Post-H.S.	766	81,275	719	93.0	90.6-95.5	47	7.0	4.51-9.45
College Graduate	726	76,122	696	96.1	94.6-97.6	30	3.9	2.40-5.42
Less than \$15,000	245	26,806	210	78.8	69.9-87.7	35	21.2	12.3-30.1
\$15,000- 24,999	411	39,853	385	92.3	89.1-95.6	26	7.7	4.41-10.9
\$25,000- 34,999	293	27,578	275	92.9	89.1-96.6	18	7.1	3.38-10.9
\$35,000- 49,999	388	40,096	373	96.1	93.9-98.3	15	3.9	1.74-6.06
\$50,000- 74,999	362	39,384	349	96.2	94.0-98.4	13	3.8	1.60-6.02
\$75,000+	293	31,845	281	95.9	93.4-98.3	12	4.1	1.71-6.57

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3973	483,617	3740	93.0	91.9-94.1	13	0.4	0.11-0.69	137	4.4	3.43-5.31	30	0.9	0.51-1.21	53	1.4	0.98-1.84
Male	1613	239,865	1524	93.6	92.0-95.2	4	0.2	0.00-0.39	54	4.0	2.68-5.34	13	0.9	0.35-1.53	18	1.3	0.64-1.90
Female	2360	243,752	2216	92.3	90.8-93.9	9	0.6	0.03-1.17	83	4.7	3.37-6.07	17	0.8	0.38-1.20	35	1.5	0.95-2.13
18-24	212	74,659	185	87.4	82.3-92.6	2	1.2	0.00-2.93	20	9.2	4.53-13.9	3	1.2	0.00-2.71	2	0.9	0.00-2.24
25-34	496	79,128	460	92.5	90.0-95.1	3	0.3	0.00-0.70	25	5.4	3.13-7.71	3	0.6	0.00-1.26	5	1.1	0.08-2.20
35-44	718	81,905	652	90.2	87.7-92.7	5	0.6	0.05-1.19	37	5.6	3.70-7.50	5	0.7	0.01-1.43	19	2.9	1.44-4.30
45-54	871	90,093	830	95.3	93.8-96.9	3	0.3	0.00-0.65	22	2.1	1.15-3.07	7	1.1	0.25-2.01	9	1.1	0.32-1.92
55-64	647	62,998	618	95.3	93.5-97.2				14	2.1	0.85-3.39	7	1.2	0.28-2.08	8	1.4	0.38-2.38
65+	994	91,981	962	96.7	95.5-97.9				17	1.8	0.85-2.65	5	0.5	0.01-0.95	10	1.1	0.37-1.75
Less Than H.S.	340	38,804	305	85.1	79.8-90.4	1	0.7	0.00-2.07	22	9.4	5.13-13.6	3	1.6	0.00-3.88	9	3.2	0.65-5.75
H.S. or G.E.D.	1157	139,169	1080	90.5	87.8-93.2	3	0.1	0.00-0.30	44	6.5	3.96-9.10	7	0.6	0.12-1.10	23	2.2	1.21-3.21
Some Post-H.S.	1245	154,636	1175	94.2	92.6-95.8	4	0.6	0.00-1.38	43	3.3	2.16-4.52	14	1.2	0.51-1.97	9	0.6	0.16-1.10
College Graduate	1224	150,381	1174	96.1	94.9-97.2	5	0.4	0.02-0.72	28	2.2	1.30-3.02	5	0.4	0.02-0.76	12	1.0	0.39-1.65
Less than \$15,000	339	40,085	294	81.0	74.1-87.8				34	15.5	8.91-22.1	5	1.2	0.00-2.47	6	2.3	0.00-4.64
\$15,000- 24,999	631	69,062	579	89.8	86.8-92.8	6	0.8	0.10-1.40	30	6.0	3.59-8.37	6	1.5	0.21-2.79	10	1.9	0.57-3.31
\$25,000- 34,999	530	64,171	500	94.2	91.9-96.5	2	0.6	0.00-1.59	17	3.3	1.54-5.06				11	1.8	0.60-3.10
\$35,000- 49,999	715	90,177	683	94.0	91.4-96.7	2	0.2	0.00-0.40	18	3.5	1.29-5.79	4	0.8	0.00-1.83	8	1.4	0.37-2.53
\$50,000- 74,999	657	82,154	636	97.0	95.6-98.3				12	1.8	0.65-2.85	2	0.3	0.00-0.80	7	0.9	0.23-1.65
\$75,000+	584	75,055	565	96.8	95.3-98.3	2	0.3	0.00-0.71	8	1.3	0.33-2.17	4	0.8	0.00-1.52	5	0.9	0.06-1.66

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1613	239,865	1524	93.6	92.0-95.1	4	0.2	0.00-0.39	54	4.0	2.70-5.32	13	0.9	0.35-1.53	18	1.3	0.64-1.90
18-24	103	39,393	94	90.9	84.5-97.3				6	6.5	0.74-12.3	2	1.8	0.00-4.41	1	0.7	0.00-2.16
25-34	234	41,637	218	92.1	88.1-96.0				12	6.3	2.61-9.95	2	0.5	0.00-1.33	2	1.1	0.00-2.65
35-44	300	41,406	276	91.0	87.4-94.7	3	0.9	0.00-1.89	10	4.0	1.49-6.51	3	1.0	0.00-2.16	8	3.1	0.80-5.46
45-54	364	46,355	346	95.5	93.3-97.7	1	0.2	0.00-0.62	11	2.0	0.79-3.29	4	1.5	0.03-3.05	2	0.7	0.00-1.68
55-64	269	31,607	256	95.1	92.2-98.0				9	3.1	0.76-5.42	1	0.4	0.00-1.18	3	1.4	0.00-2.98
65+	336	38,687	328	97.8	96.1-99.4				5	1.5	0.16-2.78	1	0.2	0.00-0.47	2	0.6	0.00-1.52
Less Than H.S.	145	19,694	133	89.1	82.4-95.8				6	5.8	0.94-10.6	2	2.5	0.00-6.80	4	2.6	0.00-5.18
H.S. or G.E.D.	487	72,110	454	90.5	86.7-94.4				23	7.0	3.39-10.6	2	0.4	0.00-1.03	8	2.1	0.54-3.64
Some Post-H.S.	479	73,362	456	95.5	93.5-97.6	1	0.1	0.00-0.30	14	2.7	1.09-4.27	5	1.1	0.05-2.21	3	0.5	0.00-1.20
College Graduate	498	74,260	478	96.0	94.2-97.8	3	0.5	0.00-1.11	11	2.0	0.77-3.23	3	0.6	0.00-1.28	3	0.9	0.00-1.86
Less than \$15,000	94	13,279	84	85.3	75.7-95.0				8	13.3	3.72-22.9				2	1.4	0.00-3.28
\$15,000- 24,999	220	29,209	194	86.4	80.9-91.9	2	0.7	0.00-1.82	16	7.9	3.64-12.1	3	1.9	0.00-4.28	5	3.1	0.17-6.01
\$25,000- 34,999	237	36,592	225	95.2	92.3-98.1	1	0.4	0.00-1.15	9	3.3	0.98-5.52				2	1.1	0.00-2.82
\$35,000- 49,999	327	50,081	310	92.4	88.0-96.8	1	0.2	0.00-0.56	9	4.6	0.73-8.41	3	1.3	0.00-3.04	4	1.6	0.00-3.17
\$50,000- 74,999	295	42,770	287	97.7	96.0-99.4				4	1.1	0.00-2.21	1	0.3	0.00-0.89	3	0.9	0.00-2.00
\$75,000+	291	43,210	284	97.5	95.7-99.4				2	0.6	0.00-1.52	3	1.0	0.00-2.15	2	0.8	0.00-2.01

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	243,752	2216	92.3	90.8-93.9	9	0.6	0.03-1.17	83	4.7	3.39-6.05	17	0.8	0.38-1.20	35	1.5	0.95-2.13
18-24	109	35,266	91	83.6	75.3-91.9	2	2.5	0.00-6.18	14	12.2	4.76-19.6	1	0.6	0.00-1.72	1	1.2	0.00-3.41
25-34	262	37,491	242	93.1	89.8-96.3	3	0.7	0.00-1.49	13	4.5	1.87-7.05	1	0.6	0.00-1.75	3	1.2	0.00-2.64
35-44	418	40,499	376	89.3	86.0-92.7	2	0.3	0.00-0.86	27	7.2	4.38-10.1	2	0.5	0.00-1.20	11	2.6	0.93-4.27
45-54	507	43,738	484	95.2	93.0-97.3	2	0.4	0.00-1.00	11	2.2	0.73-3.67	3	0.7	0.00-1.50	7	1.6	0.31-2.81
55-64	378	31,391	362	95.5	93.3-97.8				5	1.1	0.12-2.16	6	2.0	0.32-3.62	5	1.4	0.15-2.59
65+	658	53,294	634	95.9	94.2-97.7				12	1.9	0.71-3.17	4	0.7	0.00-1.48	8	1.4	0.39-2.39
Less Than H.S.	195	19,110	172	81.0	73.0-89.0	1	1.4	0.00-4.19	16	13.0	6.23-19.9	1	0.7	0.00-1.98	5	3.8	0.00-8.21
H.S. or G.E.D.	670	67,059	626	90.5	86.6-94.3	3	0.3	0.00-0.62	21	6.0	2.38-9.72	5	0.8	0.07-1.59	15	2.3	1.07-3.61
Some Post-H.S.	766	81,275	719	93.0	90.6-95.5	3	1.0	0.00-2.52	29	3.9	2.24-5.62	9	1.3	0.36-2.32	6	0.7	0.03-1.37
College Graduate	726	76,122	696	96.1	94.6-97.6	2	0.2	0.00-0.58	17	2.3	1.08-3.54	2	0.2	0.00-0.46	9	1.2	0.39-1.95
Less than \$15,000	245	26,806	210	78.8	69.9-87.7				26	16.6	8.00-25.2	5	1.8	0.00-3.69	4	2.8	0.00-6.12
\$15,000- 24,999	411	39,853	385	92.3	89.1-95.6	4	0.8	0.00-1.54	14	4.6	1.89-7.29	3	1.2	0.00-2.61	5	1.1	0.09-2.13
\$25,000- 34,999	293	27,578	275	92.9	89.1-96.6	1	1.0	0.00-2.91	8	3.4	0.58-6.14				9	2.8	0.89-4.69
\$35,000- 49,999	388	40,096	373	96.1	93.9-98.3	1	0.1	0.00-0.36	9	2.3	0.66-3.84	1	0.2	0.00-0.71	4	1.3	0.00-2.68
\$50,000- 74,999	362	39,384	349	96.2	94.0-98.4				8	2.5	0.60-4.40	1	0.4	0.00-1.07	4	0.9	0.03-1.87
\$75,000+	293	31,845	281	95.9	93.4-98.3	2	0.7	0.00-1.68	6	2.1	0.27-3.91	1	0.4	0.00-1.33	3	0.9	0.00-1.92

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3963	482,384	3939	99.3	99.0-99.6	23	0.7	0.35-0.97	1	0.0	0.00-0.12
Male	1606	238,922	1595	99.1	98.6-99.7	10	0.8	0.22-1.32	1	0.1	0.00-0.24
Female	2357	243,463	2344	99.4	99.1-99.8	13	0.6	0.23-0.89			
18-24	211	74,370	208	98.8	97.3-0100	3	1.3	0.00-2.72			
25-34	495	78,979	494	99.8	99.5-0100	1	0.2	0.00-0.50			
35-44	710	81,102	706	99.4	98.8-0100	4	0.5	0.00-1.18			
45-54	866	89,704	859	98.9	98.0-99.8	6	0.9	0.13-1.69	1	0.2	0.00-0.65
55-64	642	62,573	638	99.3	98.6-0100	4	0.7	0.00-1.40			
65+	1003	92,739	998	99.5	99.1-0100	5	0.5	0.03-0.93			
Less Than H.S.	348	39,825	345	98.4	96.2-0100	3	1.6	0.00-3.78			
H.S. or G.E.D.	1147	137,941	1142	99.6	99.1-0100	5	0.4	0.01-0.87			
Some Post-H.S.	1241	154,276	1231	99.1	98.5-99.7	9	0.8	0.20-1.34	1	0.1	0.00-0.38
College Graduate	1220	149,717	1215	99.6	99.2-0100	5	0.4	0.02-0.76			
Less than \$15,000	339	40,065	334	98.8	97.5-0100	5	1.2	0.00-2.47			
\$15,000- 24,999	629	68,891	624	98.8	97.7-0100	5	1.2	0.04-2.32			
\$25,000- 34,999	528	64,011	528	100.0	0100-0100						
\$35,000- 49,999	709	89,265	706	99.3	98.3-0100	3	0.7	0.00-1.71			
\$50,000- 74,999	652	81,660	651	99.8	99.5-0100	1	0.2	0.00-0.47			
\$75,000+	584	75,100	581	99.4	98.7-0100	2	0.3	0.00-0.80	1	0.3	0.00-0.77

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	238,922	1595	99.1	98.6-99.7	10	0.8	0.22-1.32	1	0.1	0.00-0.24
18-24	102	39,104	100	98.1	95.6-0100	2	1.8	0.00-4.44			
25-34	234	41,637	233	99.7	99.0-0100	1	0.3	0.00-0.98			
35-44	298	41,154	295	99.0	97.8-0100	3	1.0	0.00-2.16			
45-54	361	46,094	357	98.4	96.9-0100	3	1.1	0.00-2.42	1	0.4	0.00-1.24
55-64	265	31,229	265	100.0	0100-0100						
65+	338	38,858	337	99.8	99.5-0100	1	0.1	0.00-0.46			
Less Than H.S.	148	20,123	146	97.5	93.3-0100	2	2.5	0.00-6.65			
H.S. or G.E.D.	481	71,400	479	99.6	99.0-0100	2	0.4	0.00-1.03			
Some Post-H.S.	477	73,198	474	99.2	98.2-0100	2	0.6	0.00-1.41	1	0.3	0.00-0.80
College Graduate	496	73,759	493	99.4	98.7-0100	3	0.6	0.00-1.29			
Less than \$15,000	94	13,231	94	100.0	0100-0100						
\$15,000- 24,999	218	29,038	215	98.1	95.7-0100	3	1.9	0.00-4.29			
\$25,000- 34,999	235	36,401	235	100.0	0100-0100						
\$35,000- 49,999	325	49,632	322	98.7	96.9-0100	3	1.3	0.00-3.07			
\$50,000- 74,999	293	42,563	292	99.7	99.1-0100	1	0.3	0.00-0.92			
\$75,000+	291	43,210	289	99.3	98.3-0100	1	0.3	0.00-0.74	1	0.4	0.00-1.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2357	243,463	2344	99.4	99.1-99.8	13	0.6	0.23-0.89
18-24	109	35,266	108	99.4	98.3-0100	1	0.6	0.00-1.72
25-34	261	37,342	261	100.0	0100-0100			
35-44	412	39,948	411	99.9	99.6-0100	1	0.1	0.00-0.36
45-54	505	43,610	502	99.3	98.5-0100	3	0.7	0.00-1.53
55-64	377	31,343	373	98.6	97.2-0100	4	1.4	0.00-2.78
65+	665	53,881	661	99.3	98.5-0100	4	0.7	0.00-1.45
Less Than H.S.	200	19,701	199	99.3	98.1-0100	1	0.6	0.00-1.92
H.S. or G.E.D.	666	66,541	663	99.5	98.9-0100	3	0.5	0.00-1.07
Some Post-H.S.	764	81,078	757	99.0	98.3-99.8	7	0.9	0.17-1.73
College Graduate	724	75,958	722	99.8	99.5-0100	2	0.2	0.00-0.46
Less than \$15,000	245	26,834	240	98.2	96.3-0100	5	1.8	0.00-3.69
\$15,000- 24,999	411	39,853	409	99.4	98.5-0100	2	0.6	0.00-1.52
\$25,000- 34,999	293	27,609	293	100.0	0100-0100			
\$35,000- 49,999	384	39,633	384	100.0	0100-0100			
\$50,000- 74,999	359	39,097	359	100.0	0100-0100			
\$75,000+	293	31,891	292	99.5	98.7-0100	1	0.4	0.00-1.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3963	482,384	3939	99.3	99.0-99.6	24	0.7	0.37-1.03
Male	1606	238,922	1595	99.1	98.6-99.7	11	0.8	0.28-1.42
Female	2357	243,463	2344	99.4	99.1-99.8	13	0.6	0.23-0.89
18-24	211	74,370	208	98.8	97.3-0100	3	1.3	0.00-2.72
25-34	495	78,979	494	99.8	99.5-0100	1	0.2	0.00-0.50
35-44	710	81,102	706	99.4	98.8-0100	4	0.5	0.00-1.18
45-54	866	89,704	859	98.9	98.0-99.8	7	1.1	0.25-2.01
55-64	642	62,573	638	99.3	98.6-0100	4	0.7	0.00-1.40
65+	1003	92,739	998	99.5	99.1-0100	5	0.5	0.03-0.93
Less Than H.S.	348	39,825	345	98.4	96.2-0100	3	1.6	0.00-3.78
H.S. or G.E.D.	1147	137,941	1142	99.6	99.1-0100	5	0.4	0.01-0.87
Some Post-H.S.	1241	154,276	1231	99.1	98.5-99.7	10	0.9	0.27-1.53
College Graduate	1220	149,717	1215	99.6	99.2-0100	5	0.4	0.02-0.76
Less than \$15,000	339	40,065	334	98.8	97.5-0100	5	1.2	0.00-2.47
\$15,000- 24,999	629	68,891	624	98.8	97.7-0100	5	1.2	0.04-2.32
\$25,000- 34,999	528	64,011	528	100.0	0100-0100			
\$35,000- 49,999	709	89,265	706	99.3	98.3-0100	3	0.7	0.00-1.71
\$50,000- 74,999	652	81,660	651	99.8	99.5-0100	1	0.2	0.00-0.47
\$75,000+	584	75,100	581	99.4	98.7-0100	3	0.6	0.00-1.28

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	238,922	1595	99.1	98.6-99.7	11	0.8	0.28-1.42
18-24	102	39,104	100	98.1	95.6-0100	2	1.8	0.00-4.44
25-34	234	41,637	233	99.7	99.0-0100	1	0.3	0.00-0.98
35-44	298	41,154	295	99.0	97.8-0100	3	1.0	0.00-2.16
45-54	361	46,094	357	98.4	96.9-0100	4	1.5	0.02-3.08
55-64	265	31,229	265	100.0	0100-0100			
65+	338	38,858	337	99.8	99.5-0100	1	0.1	0.00-0.46
Less Than H.S.	148	20,123	146	97.5	93.3-0100	2	2.5	0.00-6.65
H.S. or G.E.D.	481	71,400	479	99.6	99.0-0100	2	0.4	0.00-1.03
Some Post-H.S.	477	73,198	474	99.2	98.2-0100	3	0.8	0.00-1.84
College Graduate	496	73,759	493	99.4	98.7-0100	3	0.6	0.00-1.29
Less than \$15,000	94	13,231	94	100.0	0100-0100			
\$15,000- 24,999	218	29,038	215	98.1	95.7-0100	3	1.9	0.00-4.29
\$25,000- 34,999	235	36,401	235	100.0	0100-0100			
\$35,000- 49,999	325	49,632	322	98.7	96.9-0100	3	1.3	0.00-3.07
\$50,000- 74,999	293	42,563	292	99.7	99.1-0100	1	0.3	0.00-0.92
\$75,000+	291	43,210	289	99.3	98.3-0100	2	0.7	0.00-1.70

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2357	243,463	2344	99.4	99.1-99.8	13	0.6	0.23-0.89
18-24	109	35,266	108	99.4	98.3-0100	1	0.6	0.00-1.72
25-34	261	37,342	261	100.0	0100-0100			
35-44	412	39,948	411	99.9	99.6-0100	1	0.1	0.00-0.36
45-54	505	43,610	502	99.3	98.5-0100	3	0.7	0.00-1.53
55-64	377	31,343	373	98.6	97.2-0100	4	1.4	0.00-2.78
65+	665	53,881	661	99.3	98.5-0100	4	0.7	0.00-1.45
Less Than H.S.	200	19,701	199	99.3	98.1-0100	1	0.6	0.00-1.92
H.S. or G.E.D.	666	66,541	663	99.5	98.9-0100	3	0.5	0.00-1.07
Some Post-H.S.	764	81,078	757	99.0	98.3-99.8	7	0.9	0.17-1.73
College Graduate	724	75,958	722	99.8	99.5-0100	2	0.2	0.00-0.46
Less than \$15,000	245	26,834	240	98.2	96.3-0100	5	1.8	0.00-3.69
\$15,000- 24,999	411	39,853	409	99.4	98.5-0100	2	0.6	0.00-1.52
\$25,000- 34,999	293	27,609	293	100.0	0100-0100			
\$35,000- 49,999	384	39,633	384	100.0	0100-0100			
\$50,000- 74,999	359	39,097	359	100.0	0100-0100			
\$75,000+	293	31,891	292	99.5	98.7-0100	1	0.4	0.00-1.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3972	484,526	442	23.1	21.1-25.1	590	16.2	14.9-17.5	813	18.7	17.4-20.0	829	17.0	15.8-18.2	563	10.4	9.52-11.4	735	14.6	13.5-15.8
Male	1621	240,991	208	24.3	21.3-27.3	251	16.4	14.4-18.4	355	20.0	17.9-22.0	348	17.4	15.5-19.3	218	10.0	8.66-11.4	241	11.9	10.4-13.4
Female	2351	243,535	234	21.9	19.2-24.6	339	16.0	14.3-17.7	458	17.4	15.8-19.0	481	16.5	15.0-18.0	345	10.8	9.62-12.1	494	17.3	15.8-18.9
Native	106	16,715				24	18.8	10.7-26.9	27	19.4	11.3-27.6	11	6.3	1.78-10.8	12	5.6	2.09-9.15	5	3.2	0.03-6.39
Non-Native	3832	464,048	413	22.3	20.3-24.4	565	16.2	14.9-17.5	784	18.7	17.4-20.1	817	17.5	16.2-18.7	544	10.6	9.62-11.5	709	14.7	13.6-15.8
Less Than H.S.	353	40,088	22	19.5	11.6-27.4	14	5.2	2.38-8.06	30	9.3	5.80-12.7	41	10.5	7.02-14.0	67	13.6	10.1-17.0	179	41.9	35.6-48.2
H.S. or G.E.D.	1158	139,469	121	23.1	19.2-27.0	120	11.6	9.49-13.8	219	17.5	15.1-19.8	237	16.6	14.4-18.7	207	13.7	11.7-15.7	254	17.5	15.3-19.8
Some Post-H.S.	1237	154,291	158	26.5	22.8-30.2	205	17.4	15.0-19.8	268	19.1	16.8-21.5	249	15.6	13.6-17.7	163	9.1	7.60-10.6	194	12.3	10.5-14.1
College Graduate	1218	150,117	141	20.7	17.4-23.9	251	22.2	19.6-24.8	294	21.7	19.2-24.2	302	20.5	18.1-22.9	125	7.9	6.45-9.35	105	7.0	5.59-8.49
Less than \$15,000	343	40,373	56	39.6	31.7-47.6	29	9.5	5.70-13.4	42	9.4	6.21-12.6	48	9.7	6.58-12.9	45	7.4	5.03-9.85	123	24.3	19.4-29.1
\$15,000- 24,999	630	69,347	83	27.8	22.4-33.3	71	11.6	8.70-14.5	83	11.0	8.44-13.6	81	10.1	7.68-12.5	118	13.8	11.1-16.5	194	25.7	22.0-29.5
\$25,000- 34,999	532	64,700	85	31.2	25.4-37.1	71	14.0	10.6-17.5	83	13.1	10.1-16.1	110	15.1	12.1-18.1	95	12.2	9.56-14.9	88	14.3	11.2-17.4
\$35,000- 49,999	714	90,047	80	20.7	16.4-25.0	118	18.3	15.1-21.5	175	21.7	18.5-24.9	168	18.6	15.8-21.5	91	10.3	8.11-12.5	82	10.4	8.11-12.7
\$50,000- 74,999	659	82,456	59	15.5	11.6-19.4	141	23.2	19.7-26.8	176	24.6	21.2-28.1	185	23.3	20.0-26.6	66	8.6	6.53-10.8	32	4.7	2.98-6.36
\$75,000+	580	74,745	27	9.9	5.88-14.0	118	22.3	18.5-26.0	205	33.6	29.4-37.8	157	23.8	20.2-27.4	44	6.3	4.44-8.20	29	4.1	2.49-5.67

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,991	208	24.3	21.3-27.3	251	16.4	14.4-18.4	355	20.0	17.9-22.0	348	17.4	15.5-19.3	218	10.0	8.66-11.4	241	11.9	10.4-13.4
Non-Native	1572	232,596	200	23.9	20.9-27.0	242	16.3	14.3-18.4	344	19.9	17.9-22.0	343	17.8	15.9-19.7	211	10.1	8.69-11.5	232	11.9	10.3-13.5
Less Than H.S.	152	20,437				6	4.9	0.87-8.87	17	11.8	6.13-17.5	21	11.6	6.22-17.0	28	13.3	8.13-18.5	70	37.5	28.4-46.5
H.S. or G.E.D.	488	72,364	65	26.3	20.6-32.0	49	11.4	8.15-14.6	118	20.9	17.1-24.7	101	15.9	12.7-19.1	77	12.0	9.25-14.8	78	13.5	10.5-16.5
Some Post-H.S.	479	73,414	70	27.0	21.4-32.6	96	20.2	16.3-24.1	111	20.3	16.5-24.0	96	15.6	12.4-18.8	55	8.5	6.22-10.8	51	8.4	6.01-10.8
College Graduate	499	74,399	63	20.8	15.9-25.6	100	20.8	17.0-24.6	108	20.8	17.0-24.6	130	22.3	18.5-26.0	57	8.6	6.28-10.9	41	6.8	4.61-8.93
Less than \$15,000	96	13,419				13	12.9	5.23-20.7	12	10.5	4.25-16.8	13	8.9	3.78-14.1	12	7.1	2.76-11.5	30	20.2	12.3-28.1
\$15,000- 24,999	222	29,523	29	26.7	18.0-35.5	21	10.1	5.45-14.7	39	15.1	10.2-20.0	35	12.1	7.75-16.5	40	12.8	8.63-17.0	58	23.1	17.2-29.1
\$25,000- 34,999	238	36,867	54	37.8	29.4-46.2	31	14.1	9.07-19.1	38	12.4	8.19-16.7	48	13.9	9.71-18.0	32	9.9	6.36-13.5	35	11.9	7.80-15.9
\$35,000- 49,999	326	49,951	39	21.3	15.0-27.6	52	17.7	13.1-22.2	72	20.2	15.6-24.7	71	17.9	13.7-22.0	46	11.0	7.82-14.3	46	12.0	8.53-15.4
\$50,000- 74,999	297	43,040	26	13.9	8.67-19.1	62	22.7	17.6-27.8	80	25.4	20.3-30.4	79	23.2	18.4-28.1	32	9.5	6.24-12.7	18	5.3	2.79-7.89
\$75,000+	289	43,014	13	10.8	4.86-16.7	58	21.0	16.0-26.1	92	31.2	25.4-37.0	82	25.4	20.1-30.7	32	8.3	5.40-11.2	12	3.3	1.34-5.18

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	243,535	234	21.9	19.2-24.6	339	16.0	14.3-17.7	458	17.4	15.8-19.0	481	16.5	15.0-18.0	345	10.8	9.62-12.1	494	17.3	15.8-18.9
Native	72	10,227				15	15.9	7.00-24.9	18	17.7	8.29-27.0	6	5.0	0.58-9.44	9	6.2	1.67-10.6	4	4.4	0.00-9.24
Non-Native	2260	231,452	213	20.7	18.0-23.4	323	16.1	14.3-17.8	440	17.5	15.9-19.2	474	17.1	15.6-18.7	333	11.0	9.80-12.3	477	17.5	15.9-19.2
Less Than H.S.	201	19,651	12	18.1	8.36-27.8	8	5.6	1.54-9.62	13	6.6	2.72-10.6	20	9.3	4.95-13.7	39	13.8	9.24-18.4	109	46.5	38.1-54.9
H.S. or G.E.D.	670	67,105	56	19.6	14.3-24.8	71	12.0	9.16-14.8	101	13.8	11.0-16.6	136	17.2	14.3-20.2	130	15.6	12.8-18.4	176	21.9	18.5-25.2
Some Post-H.S.	758	80,876	88	26.0	21.1-30.9	109	14.8	12.0-17.7	157	18.1	15.2-21.0	153	15.6	13.1-18.2	108	9.6	7.65-11.5	143	15.8	13.1-18.5
College Graduate	719	75,718	78	20.6	16.2-25.0	151	23.5	20.0-27.0	186	22.6	19.4-25.8	172	18.8	15.9-21.6	68	7.2	5.45-9.01	64	7.3	5.39-9.23
Less than \$15,000	247	26,954	40	39.3	29.7-49.0	16	7.8	3.55-12.1	30	8.8	5.20-12.5	35	10.1	6.17-14.0	33	7.6	4.70-10.5	93	26.3	20.2-32.4
\$15,000- 24,999	408	39,823	54	28.6	21.7-35.6	50	12.7	9.02-16.4	44	8.0	5.43-10.5	46	8.6	5.94-11.2	78	14.5	11.0-18.0	136	27.6	22.8-32.5
\$25,000- 34,999	294	27,832	31	22.4	15.4-29.5	40	13.9	9.59-18.3	45	14.0	9.81-18.2	62	16.8	12.5-21.0	63	15.3	11.4-19.2	53	17.6	12.8-22.3
\$35,000- 49,999	388	40,096	41	20.0	14.4-25.6	66	19.0	14.7-23.4	103	23.5	19.1-27.9	97	19.6	15.7-23.5	45	9.4	6.53-12.3	36	8.4	5.56-11.3
\$50,000- 74,999	362	39,416	33	17.3	11.4-23.1	79	23.8	19.0-28.7	96	23.8	19.2-28.4	106	23.4	19.0-27.8	34	7.8	5.11-10.4	14	3.9	1.76-6.12
\$75,000+	291	31,730	14	8.7	3.69-13.7	60	23.9	18.4-29.4	113	36.9	31.0-42.9	75	21.6	16.9-26.3	12	3.7	1.55-5.79	17	5.2	2.50-7.88

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3972	484,526	2953	80.5	79.2-81.8	1019	19.5	18.2-20.8	
Male	1621	240,991	1274	83.4	81.7-85.2	347	16.6	14.8-18.3	
Female	2351	243,535	1679	77.6	75.8-79.4	672	22.4	20.6-24.2	
Native	106	16,715	95	94.0	90.0-98.1	11	6.0	1.92-10.0	
Non-Native	3832	464,048	2849	80.4	79.1-81.7	983	19.6	18.3-20.9	
Less Than H.S.	353	40,088	132	50.0	43.3-56.8	221	50.0	43.2-56.7	
H.S. or G.E.D.	1158	139,469	800	76.1	73.5-78.7	358	23.9	21.3-26.5	
Some Post-H.S.	1237	154,291	965	83.8	81.8-85.8	272	16.2	14.2-18.2	
College Graduate	1218	150,117	1054	89.5	87.8-91.2	164	10.5	8.82-12.2	
Less than \$15,000	343	40,373	195	72.1	66.9-77.3	148	27.9	22.7-33.1	
\$15,000- 24,999	630	69,347	377	67.7	63.6-71.8	253	32.3	28.2-36.4	
\$25,000- 34,999	532	64,700	385	78.4	74.7-82.1	147	21.6	17.9-25.3	
\$35,000- 49,999	714	90,047	581	84.0	81.3-86.8	133	15.9	13.2-18.7	
\$50,000- 74,999	659	82,456	608	93.1	91.1-95.0	51	6.9	4.96-8.88	
\$75,000+	580	74,745	536	93.9	92.0-95.8	44	6.1	4.20-7.96	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1621	240,991	1274	83.4	81.7-85.2	347	16.6	14.8-18.3	
Non-Native	1572	232,596	1238	83.5	81.7-85.3	334	16.5	14.7-18.3	
Less Than H.S.	152	20,437	64	54.1	44.2-64.0	88	45.9	36.0-55.8	
H.S. or G.E.D.	488	72,364	371	80.9	77.4-84.4	117	19.1	15.6-22.6	
Some Post-H.S.	479	73,414	410	88.8	86.0-91.5	69	11.3	8.53-14.0	
College Graduate	499	74,399	428	88.9	86.3-91.5	71	11.1	8.45-13.7	
Less than \$15,000	96	13,419	59	76.2	67.7-84.7	37	23.8	15.3-32.3	
\$15,000- 24,999	222	29,523	143	70.3	63.9-76.8	79	29.7	23.2-36.1	
\$25,000- 34,999	238	36,867	185	82.7	77.9-87.5	53	17.3	12.5-22.1	
\$35,000- 49,999	326	49,951	252	81.5	77.4-85.7	74	18.5	14.3-22.6	
\$50,000- 74,999	297	43,040	270	92.2	89.2-95.2	27	7.8	4.79-10.8	
\$75,000+	289	43,014	265	93.9	91.3-96.4	24	6.1	3.60-8.66	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	243,535	1679	77.6	75.8-79.4	672	22.4	20.6-24.2
Native	72	10,227	63	92.3	86.3-98.2	9	7.7	1.76-13.7
Non-Native	2260	231,452	1611	77.3	75.5-79.1	649	22.7	20.9-24.5
Less Than H.S.	201	19,651	68	45.7	36.8-54.6	133	54.3	45.4-63.2
H.S. or G.E.D.	670	67,105	429	71.0	67.2-74.7	241	29.0	25.3-32.8
Some Post-H.S.	758	80,876	555	79.3	76.3-82.3	203	20.7	17.7-23.7
College Graduate	719	75,718	626	90.0	87.9-92.2	93	10.0	7.82-12.1
Less than \$15,000	247	26,954	136	70.0	63.6-76.5	111	29.9	23.5-36.4
\$15,000- 24,999	408	39,823	234	65.7	60.4-70.9	174	34.3	29.1-39.6
\$25,000- 34,999	294	27,832	200	72.8	67.3-78.2	94	27.2	21.8-32.7
\$35,000- 49,999	388	40,096	329	87.2	83.9-90.6	59	12.8	9.44-16.1
\$50,000- 74,999	362	39,416	338	94.0	91.6-96.5	24	6.0	3.47-8.45
\$75,000+	291	31,730	271	94.0	91.2-96.8	20	6.0	3.18-8.82

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	485,554	169	3.3	2.70-3.84	1805	45.3	36.9-40.5	1670	46.3	44.4-48.2	345	11.7	10.4-13.0
Male	1623	241,297	2	0.1	0.00-0.20	128	7.1	5.79-8.41	1149	69.3	66.7-72.0	344	23.5	21.0-26.0
Female	2366	244,258	167	6.4	5.34-7.50	1677	69.9	67.7-72.2	521	23.6	21.5-25.7	1	0.1	0.00-0.18
Native	108	17,264	12	8.4	2.93-13.9							7	7.8	1.76-13.8
Non-Native	3846	464,463	157	3.1	2.55-3.65	1730	38.2	36.4-40.0	1622	46.8	44.9-48.7	337	11.9	10.5-13.3
18-24	212	74,659	4	1.6	0.01-3.27	79	33.4	26.6-40.2	100	49.7	42.4-57.1	29	15.3	9.75-20.8
25-34	496	79,311	7	1.3	0.31-2.31	175	31.8	27.6-36.0	239	49.8	45.1-54.4	75	17.1	13.4-20.7
35-44	719	82,049	11	1.3	0.47-2.15	297	37.5	33.8-41.2	329	47.3	43.4-51.3	82	13.8	11.0-16.7
45-54	871	90,168	30	3.0	1.78-4.14	382	36.9	33.5-40.3	391	49.5	45.9-53.2	68	10.6	8.04-13.2
55-64	646	62,903	35	4.7	3.09-6.31	308	42.2	38.1-46.2	249	42.1	38.0-46.2	54	11.0	8.12-13.9
65+	1011	93,696	81	7.1	5.48-8.70	543	48.9	45.5-52.3	351	39.7	36.3-43.0	36	4.3	2.88-5.74
Less Than H.S.	354	40,566	36	8.7	5.57-11.8	162	40.1	33.7-46.5	140	43.8	37.0-50.6	16	7.4	3.15-11.7
H.S. or G.E.D.	1155	138,899	58	3.8	2.73-4.89	543	41.1	37.6-44.5	467	45.5	41.9-49.0	87	9.7	7.40-11.9
Some Post-H.S.	1245	154,664	49	2.9	1.95-3.95	580	39.3	36.1-42.5	515	46.3	42.9-49.7	101	11.4	8.94-14.0
College Graduate	1229	150,865	26	1.6	0.96-2.34	517	35.6	32.6-38.6	546	47.8	44.6-51.0	140	14.9	12.5-17.4
Less than \$15,000	340	39,985	30	6.1	3.59-8.65	192	52.8	45.5-60.1	102	34.3	27.3-41.3	16	6.8	2.70-10.8
\$15,000- 24,999	634	69,487	36	5.1	3.14-7.10	313	42.9	38.1-47.6	244	42.3	37.5-47.2	41	9.7	6.07-13.2
\$25,000- 34,999	533	64,690	16	2.2	0.94-3.48	234	36.2	31.5-41.0	239	51.1	45.9-56.4	44	10.4	7.11-13.8
\$35,000- 49,999	714	90,079	16	1.8	0.87-2.83	298	35.6	31.7-39.4	326	48.8	44.6-53.0	74	13.7	10.5-16.9
\$50,000- 74,999	660	82,520	15	2.1	0.94-3.34	265	34.9	30.9-38.9	315	50.7	46.5-55.0	65	12.2	9.29-15.2
\$75,000+	584	75,133	9	1.1	0.33-1.85	217	31.5	27.5-35.5	282	50.2	45.6-54.8	76	17.2	13.2-21.2

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	241,297	2	0.1	0.00-0.20	128	7.1	5.79-8.41	1149	69.3	66.7-72.0	344	23.5	21.0-26.0
Non-Native	1572	232,544	2	0.1	0.00-0.21	120	6.8	5.54-8.12	1114	69.3	66.6-72.0	336	23.8	21.2-26.3
18-24	103	39,393				2	1.6	0.00-4.04	72	69.4	59.7-79.1	29	28.9	19.3-38.5
25-34	234	41,820				11	4.6	1.85-7.37	148	63.0	56.5-69.5	75	32.4	26.1-38.7
35-44	301	41,550				24	8.9	5.30-12.6	196	64.1	58.3-69.8	81	27.0	21.7-32.2
45-54	364	46,387				24	5.8	3.37-8.15	272	73.6	68.6-78.6	68	20.6	15.9-25.3
55-64	268	31,607				22	9.2	5.22-13.1	192	68.9	62.8-75.0	54	21.9	16.5-27.4
65+	346	39,758	2	0.5	0.00-1.21	44	13.1	9.32-16.9	264	76.2	71.5-80.9	36	10.2	6.87-13.5
Less Than H.S.	153	20,730	1	0.4	0.00-1.15	18	9.4	4.78-14.0	118	75.7	67.0-84.4	16	14.5	6.52-22.5
H.S. or G.E.D.	488	72,269	1	0.2	0.00-0.50	54	10.5	7.56-13.4	346	70.8	66.1-75.5	87	18.6	14.4-22.7
Some Post-H.S.	480	73,449				36	6.8	4.50-9.12	343	69.1	64.1-74.0	101	24.1	19.3-28.9
College Graduate	499	74,473				20	3.5	1.77-5.29	340	66.4	61.8-71.1	139	30.0	25.5-34.6
Less than \$15,000	95	13,327				13	9.2	3.72-14.7						
\$15,000- 24,999	223	29,588				26	10.7	6.30-15.1	156	66.6	58.7-74.5	41	22.7	15.1-30.3
\$25,000- 34,999	238	36,867				24	9.4	5.58-13.3	170	72.3	65.7-78.8	44	18.3	12.6-24.0
\$35,000- 49,999	326	49,983				22	7.3	4.17-10.4	230	68.0	62.2-73.7	74	24.8	19.4-30.2
\$50,000- 74,999	297	43,040	1	0.3	0.00-0.83	12	3.8	1.68-5.92	219	72.5	67.0-77.9	65	23.4	18.2-28.7
\$75,000+	290	43,147				15	4.4	2.10-6.68	200	66.0	59.6-72.4	75	29.6	23.3-36.0

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2366	244,258	167	6.4	5.32-7.52	1677	69.9	67.7-72.2	521	23.6	21.5-25.7	1	0.1	0.00-0.18
Native	73	10,483	12	13.8	4.92-22.8				11	12.6	4.16-21.1			
Non-Native	2274	231,919	155	6.1	5.05-7.21	1610	69.7	67.4-72.0	508	24.1	22.0-26.3	1	0.1	0.00-0.18
18-24	109	35,266	4	3.5	0.05-6.91	77	68.8	59.2-78.4	28	27.7	18.4-37.1			
25-34	262	37,491	7	2.8	0.68-4.88	164	62.2	56.0-68.4	91	35.0	28.9-41.1			
35-44	418	40,499	11	2.7	0.95-4.37	273	66.8	62.1-71.5	133	30.2	25.6-34.7	1	0.3	0.00-1.04
45-54	507	43,781	30	6.1	3.73-8.47	358	69.9	65.5-74.2	119	24.0	20.0-28.0			
55-64	378	31,296	35	9.4	6.30-12.6	286	75.5	70.9-80.2	57	15.0	11.1-18.9			
65+	665	53,938	79	11.9	9.28-14.6	499	75.3	71.8-78.9	87	12.7	10.0-15.5			
Less Than H.S.	201	19,836	35	17.4	11.4-23.4	144	72.2	64.9-79.5	22	10.4	5.55-15.3			
H.S. or G.E.D.	667	66,629	57	7.8	5.56-9.96	489	74.3	70.3-78.2	121	18.0	14.5-21.5			
Some Post-H.S.	765	81,215	49	5.6	3.74-7.50	544	68.6	64.4-72.9	172	25.7	21.6-29.9			
College Graduate	730	76,393	26	3.3	1.91-4.61	497	66.9	62.9-70.8	206	29.7	25.8-33.6	1	0.2	0.00-0.56
Less than \$15,000	245	26,658	30	9.2	5.41-13.0	179	74.6	67.4-81.9	36	16.2	9.56-22.8			
\$15,000- 24,999	411	39,898	36	8.9	5.53-12.3	287	66.8	60.8-72.7	88	24.3	18.7-30.0			
\$25,000- 34,999	295	27,823	16	5.1	2.24-8.04	210	71.7	65.7-77.7	69	23.1	17.5-28.8			
\$35,000- 49,999	388	40,096	16	4.2	2.00-6.32	276	70.8	65.7-76.0	96	25.0	20.0-30.0			
\$50,000- 74,999	363	39,480	14	4.2	1.75-6.57	253	68.8	63.5-74.1	96	27.1	22.0-32.1			
\$75,000+	294	31,986	9	2.5	0.75-4.35	202	68.1	62.2-74.1	82	28.9	23.0-34.7	1	0.4	0.00-1.33

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	485,554	169	3.3	2.70-3.84	1805	38.7	36.9-40.5	1670	46.3	44.4-48.2	345	11.7	10.4-13.0
Male	1623	241,297	2	0.1	0.00-0.20	128	7.1	5.79-8.41	1149	69.3	66.7-72.0	344	23.5	21.0-26.0
Female	2366	244,258	167	6.4	5.34-7.50	1677	69.9	67.7-72.2	521	23.6	21.5-25.7	1	0.1	0.00-0.18
Native	108	17,264	12	8.4	2.93-13.9							7	7.8	1.76-13.8
Non-Native	3846	464,463	157	3.1	2.55-3.65	1730	38.2	36.4-40.0	1622	46.8	44.9-48.7	337	11.9	10.5-13.3
18-24	212	74,659	4	1.6	0.01-3.27	79	33.4	26.6-40.2	100	49.7	42.4-57.1	29	15.3	9.75-20.8
25-34	496	79,311	7	1.3	0.31-2.31	175	31.8	27.6-36.0	239	49.8	45.1-54.4	75	17.1	13.4-20.7
35-44	719	82,049	11	1.3	0.47-2.15	297	37.5	33.8-41.2	329	47.3	43.4-51.3	82	13.8	11.0-16.7
45-54	871	90,168	30	3.0	1.78-4.14	382	36.9	33.5-40.3	391	49.5	45.9-53.2	68	10.6	8.04-13.2
55-64	646	62,903	35	4.7	3.09-6.31	308	42.2	38.1-46.2	249	42.1	38.0-46.2	54	11.0	8.12-13.9
65+	1011	93,696	81	7.1	5.48-8.70	543	48.9	45.5-52.3	351	39.7	36.3-43.0	36	4.3	2.88-5.74
Less Than H.S.	354	40,566	36	8.7	5.57-11.8	162	40.1	33.7-46.5	140	43.8	37.0-50.6	16	7.4	3.15-11.7
H.S. or G.E.D.	1155	138,899	58	3.8	2.73-4.89	543	41.1	37.6-44.5	467	45.5	41.9-49.0	87	9.7	7.40-11.9
Some Post-H.S.	1245	154,664	49	2.9	1.95-3.95	580	39.3	36.1-42.5	515	46.3	42.9-49.7	101	11.4	8.94-14.0
College Graduate	1229	150,865	26	1.6	0.96-2.34	517	35.6	32.6-38.6	546	47.8	44.6-51.0	140	14.9	12.5-17.4
Less than \$15,000	340	39,985	30	6.1	3.59-8.65	192	52.8	45.5-60.1	102	34.3	27.3-41.3	16	6.8	2.70-10.8
\$15,000- 24,999	634	69,487	36	5.1	3.14-7.10	313	42.9	38.1-47.6	244	42.3	37.5-47.2	41	9.7	6.07-13.2
\$25,000- 34,999	533	64,690	16	2.2	0.94-3.48	234	36.2	31.5-41.0	239	51.1	45.9-56.4	44	10.4	7.11-13.8
\$35,000- 49,999	714	90,079	16	1.8	0.87-2.83	298	35.6	31.7-39.4	326	48.8	44.6-53.0	74	13.7	10.5-16.9
\$50,000- 74,999	660	82,520	15	2.1	0.94-3.34	265	34.9	30.9-38.9	315	50.7	46.5-55.0	65	12.2	9.29-15.2
\$75,000+	584	75,133	9	1.1	0.33-1.85	217	31.5	27.5-35.5	282	50.2	45.6-54.8	76	17.2	13.2-21.2

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	241,297	2	0.1	0.00-0.20	128	7.1	5.79-8.41	1149	69.3	66.7-72.0	344	23.5	21.0-26.0
Non-Native	1572	232,544	2	0.1	0.00-0.21	120	6.8	5.54-8.12	1114	69.3	66.6-72.0	336	23.8	21.2-26.3
18-24	103	39,393				2	1.6	0.00-4.04	72	69.4	59.7-79.1	29	28.9	19.3-38.5
25-34	234	41,820				11	4.6	1.85-7.37	148	63.0	56.5-69.5	75	32.4	26.1-38.7
35-44	301	41,550				24	8.9	5.30-12.6	196	64.1	58.3-69.8	81	27.0	21.7-32.2
45-54	364	46,387				24	5.8	3.37-8.15	272	73.6	68.6-78.6	68	20.6	15.9-25.3
55-64	268	31,607				22	9.2	5.22-13.1	192	68.9	62.8-75.0	54	21.9	16.5-27.4
65+	346	39,758	2	0.5	0.00-1.21	44	13.1	9.32-16.9	264	76.2	71.5-80.9	36	10.2	6.87-13.5
Less Than H.S.	153	20,730	1	0.4	0.00-1.15	18	9.4	4.78-14.0	118	75.7	67.0-84.4	16	14.5	6.52-22.5
H.S. or G.E.D.	488	72,269	1	0.2	0.00-0.50	54	10.5	7.56-13.4	346	70.8	66.1-75.5	87	18.6	14.4-22.7
Some Post-H.S.	480	73,449				36	6.8	4.50-9.12	343	69.1	64.1-74.0	101	24.1	19.3-28.9
College Graduate	499	74,473				20	3.5	1.77-5.29	340	66.4	61.8-71.1	139	30.0	25.5-34.6
Less than \$15,000	95	13,327				13	9.2	3.72-14.7						
\$15,000- 24,999	223	29,588				26	10.7	6.30-15.1	156	66.6	58.7-74.5	41	22.7	15.1-30.3
\$25,000- 34,999	238	36,867				24	9.4	5.58-13.3	170	72.3	65.7-78.8	44	18.3	12.6-24.0
\$35,000- 49,999	326	49,983				22	7.3	4.17-10.4	230	68.0	62.2-73.7	74	24.8	19.4-30.2
\$50,000- 74,999	297	43,040	1	0.3	0.00-0.83	12	3.8	1.68-5.92	219	72.5	67.0-77.9	65	23.4	18.2-28.7
\$75,000+	290	43,147				15	4.4	2.10-6.68	200	66.0	59.6-72.4	75	29.6	23.3-36.0

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2366	244,258	167	6.4	5.32-7.52	1677	69.9	67.7-72.2	521	23.6	21.5-25.7	1	0.1	0.00-0.18
Native	73	10,483	12	13.8	4.92-22.8				11	12.6	4.16-21.1			
Non-Native	2274	231,919	155	6.1	5.05-7.21	1610	69.7	67.4-72.0	508	24.1	22.0-26.3	1	0.1	0.00-0.18
18-24	109	35,266	4	3.5	0.05-6.91	77	68.8	59.2-78.4	28	27.7	18.4-37.1			
25-34	262	37,491	7	2.8	0.68-4.88	164	62.2	56.0-68.4	91	35.0	28.9-41.1			
35-44	418	40,499	11	2.7	0.95-4.37	273	66.8	62.1-71.5	133	30.2	25.6-34.7	1	0.3	0.00-1.04
45-54	507	43,781	30	6.1	3.73-8.47	358	69.9	65.5-74.2	119	24.0	20.0-28.0			
55-64	378	31,296	35	9.4	6.30-12.6	286	75.5	70.9-80.2	57	15.0	11.1-18.9			
65+	665	53,938	79	11.9	9.28-14.6	499	75.3	71.8-78.9	87	12.7	10.0-15.5			
Less Than H.S.	201	19,836	35	17.4	11.4-23.4	144	72.2	64.9-79.5	22	10.4	5.55-15.3			
H.S. or G.E.D.	667	66,629	57	7.8	5.56-9.96	489	74.3	70.3-78.2	121	18.0	14.5-21.5			
Some Post-H.S.	765	81,215	49	5.6	3.74-7.50	544	68.6	64.4-72.9	172	25.7	21.6-29.9			
College Graduate	730	76,393	26	3.3	1.91-4.61	497	66.9	62.9-70.8	206	29.7	25.8-33.6	1	0.2	0.00-0.56
Less than \$15,000	245	26,658	30	9.2	5.41-13.0	179	74.6	67.4-81.9	36	16.2	9.56-22.8			
\$15,000- 24,999	411	39,898	36	8.9	5.53-12.3	287	66.8	60.8-72.7	88	24.3	18.7-30.0			
\$25,000- 34,999	295	27,823	16	5.1	2.24-8.04	210	71.7	65.7-77.7	69	23.1	17.5-28.8			
\$35,000- 49,999	388	40,096	16	4.2	2.00-6.32	276	70.8	65.7-76.0	96	25.0	20.0-30.0			
\$50,000- 74,999	363	39,480	14	4.2	1.75-6.57	253	68.8	63.5-74.1	96	27.1	22.0-32.1			
\$75,000+	294	31,986	9	2.5	0.75-4.35	202	68.1	62.2-74.1	82	28.9	23.0-34.7	1	0.4	0.00-1.33

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3851	472,007	21	0.4	0.21-0.69	1236	29.6	27.9-31.3	1783	46.9	45.0-48.8	635	17.9	16.5-19.4	145	4.2	3.40-4.92	31	0.9	0.56-1.34
Male	1615	240,340				127	8.9	7.12-10.6	875	53.8	51.0-56.6	483	29.1	26.6-31.5	105	6.6	5.20-7.98	25	1.6	0.89-2.41
Female	2236	231,667	21	0.9	0.44-1.38	1109	51.1	48.6-53.6	908	39.8	37.3-42.3	152	6.4	5.23-7.51	40	1.6	1.06-2.20	6	0.2	0.02-0.42
Native	106	16,779	2	1.0	0.00-2.41	25	20.0	11.5-28.6				6	5.6	0.81-10.5	2	1.5	0.00-3.85			
Non-Native	3712	451,561	19	0.4	0.19-0.67	1201	29.9	28.2-31.7	1722	46.9	45.0-48.8	604	17.7	16.3-19.2	138	4.1	3.33-4.89	28	0.9	0.50-1.32
18-24	212	74,659	1	0.4	0.00-1.08	83	36.8	29.8-43.8	90	45.9	38.5-53.3	30	12.9	8.23-17.5	7	3.5	0.84-6.14	1	0.6	0.00-1.72
25-34	478	76,431	4	0.7	0.00-1.37	145	28.6	24.4-32.9	217	45.7	41.0-50.5	90	20.2	16.3-24.1	20	4.4	2.43-6.39	2	0.3	0.00-0.85
35-44	699	80,108	6	0.6	0.09-1.07	206	26.0	22.7-29.4	319	46.8	42.8-50.8	123	19.4	16.1-22.6	35	5.6	3.66-7.54	10	1.6	0.56-2.64
45-54	836	86,909	2	0.1	0.00-0.37	234	23.8	20.8-26.7	384	45.6	41.9-49.3	160	22.5	19.2-25.8	42	5.6	3.76-7.48	14	2.4	0.89-3.91
55-64	616	60,221	1	0.1	0.00-0.24	172	24.9	21.4-28.5	295	48.6	44.3-52.8	118	21.3	17.7-24.9	27	4.6	2.76-6.48	3	0.5	0.00-1.17
65+	986	91,760	7	0.7	0.03-1.41	380	35.7	32.5-38.9	471	49.2	45.8-52.6	113	12.6	10.3-15.0	14	1.6	0.72-2.52	1	0.1	0.00-0.38
Less Than H.S.	345	39,500	1	0.2	0.00-0.65	110	29.8	23.7-35.9	178	51.8	45.0-58.6	47	15.5	10.8-20.3	7	2.3	0.48-4.08	2	0.3	0.00-0.78
H.S. or G.E.D.	1121	135,539	7	0.4	0.07-0.69	361	29.6	26.3-32.9	516	47.7	44.1-51.3	190	18.0	15.4-20.7	39	3.6	2.32-4.82	8	0.7	0.16-1.18
Some Post-H.S.	1188	149,226	5	0.3	0.00-0.60	388	30.2	27.0-33.3	543	45.8	42.4-49.3	195	18.0	15.3-20.7	49	5.0	3.37-6.63	8	0.7	0.20-1.14
College Graduate	1191	147,181	8	0.7	0.16-1.30	374	28.9	26.0-31.9	546	46.1	42.9-49.4	201	18.3	15.8-20.8	49	4.2	2.92-5.54	13	1.7	0.58-2.74
Less than \$15,000	329	39,013	3	1.0	0.00-2.44	112	33.8	26.8-40.7	156	48.2	40.8-55.7	40	11.3	7.13-15.4	13	4.3	1.38-7.18	5	1.4	0.14-2.72
\$15,000- 24,999	610	66,755	4	0.3	0.00-0.70	211	31.9	27.3-36.4	283	47.7	42.7-52.7	82	14.4	11.0-17.8	25	4.5	2.52-6.48	5	1.2	0.00-2.60
\$25,000- 34,999	514	63,090	3	0.2	0.00-0.45	139	24.1	19.7-28.5	239	48.3	42.9-53.7	98	20.2	16.0-24.5	29	6.0	3.50-8.44	6	1.2	0.13-2.21
\$35,000- 49,999	688	87,430	3	0.5	0.00-1.12	199	27.4	23.6-31.2	332	47.6	43.3-51.9	130	21.1	17.6-24.7	19	2.5	1.32-3.78	5	0.8	0.04-1.56
\$50,000- 74,999	644	80,921	4	0.6	0.00-1.29	199	29.7	25.7-33.7	298	45.8	41.5-50.1	116	19.5	16.2-22.9	24	3.8	2.18-5.36	3	0.6	0.00-1.22
\$75,000+	579	74,675	3	0.5	0.00-1.02	163	25.0	21.2-28.9	267	46.5	41.9-51.1	115	20.7	16.9-24.4	26	6.0	3.46-8.56	5	1.3	0.00-2.71

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1615	240,340	127	8.9	7.10-10.7	875	53.8	51.0-56.6	483	29.1	26.6-31.6	105	6.6	5.20-7.98	25	1.6	0.89-2.41
Non-Native	1566	231,970	119	8.6	6.84-10.4	858	54.4	51.6-57.3	465	28.8	26.2-31.3	101	6.6	5.16-8.02	23	1.6	0.82-2.34
18-24	103	39,393	15	15.4	7.79-23.1				26	21.1	13.1-29.1	7	6.6	1.67-11.5	1	1.1	0.00-3.26
25-34	233	41,728	21	9.9	5.61-14.2	123	52.0	45.3-58.8	73	31.2	25.0-37.5	15	6.4	3.13-9.63	1	0.4	0.00-1.30
35-44	299	41,406	22	7.4	4.30-10.5	160	53.3	47.3-59.2	86	28.6	23.2-34.0	25	8.5	5.16-11.9	6	2.2	0.42-3.94
45-54	364	46,387	15	3.6	1.70-5.46	179	47.6	42.1-53.1	128	36.2	30.9-41.5	28	8.1	4.95-11.3	14	4.5	1.71-7.27
55-64	267	31,355	16	6.1	2.85-9.39	143	53.3	46.9-59.7	88	33.7	27.7-39.8	18	6.1	3.14-8.98	2	0.8	0.00-2.03
65+	344	39,647	38	11.3	7.76-14.9	212	61.7	56.2-67.1	81	23.3	18.5-28.0	12	3.4	1.44-5.44	1	0.3	0.00-0.89
Less Than H.S.	151	20,377	15	9.8	4.76-14.9	92	62.0	52.6-71.5	38	25.0	16.8-33.3	4	2.5	0.00-5.01	2	0.6	0.00-1.52
H.S. or G.E.D.	487	72,183	53	12.7	8.76-16.7	254	53.0	47.8-58.2	149	28.5	24.0-33.0	25	4.7	2.65-6.77	6	1.0	0.15-1.95
Some Post-H.S.	475	72,995	31	7.2	4.42-9.94	260	53.7	48.5-58.9	139	28.9	24.2-33.6	39	9.1	5.96-12.3	6	1.1	0.22-1.94
College Graduate	499	74,410	28	6.6	3.73-9.45	269	52.7	47.8-57.6	155	30.8	26.3-35.2	36	6.8	4.41-9.19	11	3.1	0.99-5.19
Less than \$15,000	95	13,327							20	20.8	10.9-30.8	7	7.8	0.66-15.0	4	3.1	0.00-6.24
\$15,000- 24,999	221	29,463	25	10.2	5.82-14.5	124	57.0	49.2-64.8	54	24.3	17.8-30.8	14	6.0	2.54-9.52	4	2.5	0.00-5.58
\$25,000- 34,999	235	36,583	18	7.3	3.04-11.6	116	52.9	45.1-60.7	77	30.1	23.3-36.9	20	8.1	4.10-12.1	4	1.6	0.00-3.34
\$35,000- 49,999	324	49,785	32	12.0	7.75-16.3	175	52.7	46.6-58.9	99	30.3	24.7-35.8	14	3.8	1.74-5.90	4	1.2	0.00-2.50
\$50,000- 74,999	297	43,040	17	7.0	3.32-10.7	159	53.1	47.0-59.1	98	32.4	26.8-38.0	20	6.4	3.56-9.32	3	1.1	0.00-2.31
\$75,000+	291	43,210	7	2.8	0.36-5.22	162	54.5	48.1-61.0	96	31.1	25.2-37.0	22	9.5	5.23-13.7	4	2.1	0.00-4.53

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	231,667	21	0.9	0.44-1.38	1109	51.1	48.6-53.6	908	39.8	37.3-42.3	152	6.4	5.23-7.51	40	1.6	1.06-2.20	6	0.2	0.02-0.42
Native	72	10,291	2	1.6	0.00-3.94							12	12.8	4.67-21.0	3	5.0	0.00-11.0	1	0.7	0.00-2.15
Non-Native	2146	219,590	19	0.9	0.41-1.35	1082	52.4	49.9-54.9	864	39.0	36.5-41.4	139	6.1	4.92-7.20	37	1.5	0.96-2.02	5	0.2	0.00-0.40
18-24	109	35,266	1	0.8	0.00-2.28							4	3.7	0.00-7.34						
25-34	245	34,702	4	1.5	0.00-3.01	124	51.1	44.6-57.7	94	38.2	31.8-44.5	17	7.0	3.56-10.4	5	2.0	0.18-3.90	1	0.2	0.00-0.62
35-44	400	38,703	6	1.2	0.21-2.21	184	46.0	40.8-51.2	159	39.9	34.8-45.0	37	9.5	6.39-12.5	10	2.5	0.76-4.18	4	1.0	0.00-2.01
45-54	472	40,522	2	0.3	0.00-0.79	219	46.8	42.0-51.7	205	43.3	38.5-48.1	32	6.8	4.33-9.27	14	2.7	1.23-4.25			
55-64	349	28,865	1	0.2	0.00-0.50	156	45.4	39.8-50.9	152	43.4	37.9-48.9	30	7.8	4.96-10.7	9	3.0	0.82-5.28	1	0.2	0.00-0.50
65+	642	52,113	7	1.3	0.08-2.48	342	54.2	50.0-58.4	259	39.7	35.6-43.9	32	4.5	2.83-6.25	2	0.3	0.00-0.60			
Less Than H.S.	194	19,123	1	0.4	0.00-1.33	95	51.1	42.3-59.9	86	41.0	32.5-49.5	9	5.4	1.46-9.38	3	2.1	0.00-4.63			
H.S. or G.E.D.	634	63,356	7	0.8	0.15-1.49	308	48.8	44.0-53.6	262	41.8	36.9-46.6	41	6.1	4.12-8.12	14	2.3	0.96-3.58	2	0.2	0.00-0.56
Some Post-H.S.	713	76,231	5	0.6	0.00-1.17	357	52.2	47.7-56.7	283	38.3	34.0-42.7	56	7.6	5.23-9.97	10	1.0	0.34-1.72	2	0.3	0.00-0.70
College Graduate	692	72,771	8	1.5	0.31-2.63	346	51.8	47.4-56.1	277	39.4	35.2-43.6	46	5.6	3.83-7.31	13	1.6	0.62-2.58	2	0.2	0.00-0.49
Less than \$15,000	234	25,686	3	1.5	0.00-3.71	102	42.1	33.4-50.9	102	47.0	37.8-56.2	20	6.3	3.06-9.64	6	2.4	0.20-4.66	1	0.6	0.00-1.66
\$15,000- 24,999	389	37,292	4	0.6	0.00-1.26	186	49.0	42.6-55.4	159	40.3	34.0-46.5	28	6.6	3.76-9.44	11	3.3	1.10-5.50	1	0.2	0.00-0.59
\$25,000- 34,999	279	26,507	3	0.5	0.00-1.08	121	47.3	40.4-54.2	123	42.0	35.2-48.7	21	6.6	3.59-9.67	9	3.0	0.99-5.11	2	0.5	0.00-1.32
\$35,000- 49,999	364	37,645	3	1.2	0.00-2.59	167	47.8	42.0-53.5	157	40.8	35.2-46.5	31	9.1	5.51-12.6	5	0.9	0.06-1.70	1	0.3	0.00-0.74
\$50,000- 74,999	347	37,881	4	1.3	0.00-2.75	182	55.5	49.6-61.3	139	37.5	32.0-43.1	18	4.9	2.59-7.25	4	0.7	0.00-1.49			
\$75,000+	288	31,466	3	1.1	0.00-2.41	156	55.6	49.3-61.9	105	35.5	29.5-41.4	19	6.4	3.38-9.34	4	1.3	0.00-2.58	1	0.1	0.00-0.44

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18		> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	
TOTAL	3844	471,334	38	1.0 0.62-1.32	1278	34.9 33.0-36.8	1508	38.8 37.0-40.6	702	17.4 16.0-18.8	318	8.0 6.97-8.97			
Male	1612	240,054	7	0.5 0.09-0.87	363	26.4 23.7-29.2	783	45.7 42.9-48.5	322	19.1 16.9-21.3	137	8.3 6.79-9.89			
Female	2232	231,279	31	1.5 0.90-2.08	915	43.7 41.2-46.2	725	31.6 29.2-33.9	380	15.6 14.0-17.3	181	7.6 6.35-8.81			
Native	106	16,779	2	2.1 0.00-5.41							20	17.3 8.78-25.8			
Non-Native	3705	450,887	36	0.9 0.59-1.29	1249	35.4 33.5-37.3	1460	38.9 37.1-40.8	666	17.1 15.7-18.5	294	7.6 6.60-8.56			
18-24	212	74,659	4	1.2 0.00-2.44	112	54.2 46.9-61.6	59	27.7 21.0-34.3	27	11.8 7.03-16.6	10	5.0 1.87-8.23			
25-34	478	76,431	7	1.4 0.32-2.40	190	38.9 34.3-43.5	172	37.2 32.6-41.8	75	15.6 12.2-19.1	34	6.9 4.54-9.32			
35-44	699	80,108	5	0.7 0.08-1.26	252	33.7 30.0-37.4	249	37.1 33.3-41.0	126	18.6 15.4-21.7	67	9.9 7.52-12.3			
45-54	836	86,909	5	0.5 0.05-0.87	237	26.1 22.9-29.3	332	40.5 36.9-44.2	173	21.7 18.6-24.8	89	11.2 8.65-13.7			
55-64	614	60,095	6	1.1 0.03-2.27	154	24.3 20.7-28.0	260	44.3 40.1-48.6	132	20.5 17.2-23.9	62	9.6 7.12-12.1			
65+	981	91,213	11	1.1 0.37-1.85	320	31.8 28.6-35.0	427	45.4 42.0-48.8	168	16.5 14.0-19.0	55	5.2 3.74-6.68			
Less Than H.S.	344	39,430	3	0.8 0.00-1.79	92	30.0 23.5-36.5	153	40.5 34.0-47.0	70	19.8 13.7-25.9	26	8.9 5.05-12.7			
H.S. or G.E.D.	1117	135,062	12	1.0 0.37-1.71	358	33.6 30.1-37.2	440	40.0 36.5-43.5	210	17.5 15.0-20.0	97	7.7 6.05-9.43			
Some Post-H.S.	1187	149,163	12	0.9 0.32-1.42	397	34.9 31.6-38.3	441	36.6 33.4-39.9	242	19.7 17.1-22.4	95	7.8 6.00-9.60			
College Graduate	1190	147,118	11	1.1 0.33-1.79	430	37.4 34.2-40.6	472	39.4 36.2-42.6	178	14.2 12.0-16.3	99	8.0 6.17-9.81			
Less than \$15,000	327	38,837	2	1.2 0.00-2.94	101	33.3 26.2-40.5	112	34.0 26.7-41.3	75	21.1 15.5-26.7	37	10.4 6.40-14.4			
\$15,000- 24,999	610	66,755	8	1.2 0.18-2.30	204	35.8 30.7-40.8	226	36.5 31.9-41.2	107	16.5 13.1-20.0	65	9.9 7.10-12.7			
\$25,000- 34,999	514	63,090	4	0.6 0.00-1.18	152	31.1 26.1-36.2	183	35.3 30.2-40.3	121	23.7 18.9-28.5	54	9.3 6.56-12.1			
\$35,000- 49,999	688	87,430	4	0.8 0.00-1.56	233	36.1 31.8-40.3	279	39.7 35.5-43.9	122	16.7 13.6-19.8	50	6.7 4.76-8.72			
\$50,000- 74,999	644	80,921	7	1.1 0.22-1.98	221	35.5 31.3-39.8	269	41.5 37.3-45.7	106	15.7 12.7-18.6	41	6.2 4.22-8.18			
\$75,000+	578	74,613	8	1.3 0.34-2.26	191	32.8 28.4-37.1	244	42.1 37.6-46.6	93	15.7 12.5-18.9	42	8.1 5.30-10.9			

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1612	240,054	7	0.5	0.09-0.87	363	26.4	23.7-29.2	783	45.7	42.9-48.5	322	19.1	16.9-21.3	137	8.3	6.79-9.89
Non-Native	1563	231,685	5	0.3	0.01-0.67	354	26.5	23.7-29.2	765	46.2	43.3-49.0	310	18.9	16.7-21.1	129	8.1	6.55-9.69
18-24	103	39,393	1	0.7	0.00-2.16				35	28.7	19.7-37.7	15	13.8	6.26-21.3	7	7.0	1.81-12.2
25-34	233	41,728				67	28.9	22.7-35.1	109	46.9	40.1-53.6	43	18.4	13.1-23.6	14	5.8	2.71-8.95
35-44	299	41,406				71	23.4	18.4-28.4	143	47.4	41.5-53.4	57	19.5	14.7-24.3	28	9.7	6.11-13.2
45-54	364	46,387	1	0.2	0.00-0.62	55	14.9	11.1-18.8	173	46.8	41.3-52.3	88	24.4	19.7-29.2	47	13.6	9.49-17.7
55-64	265	31,229	4	1.9	0.00-4.03	43	17.3	12.3-22.3	139	52.5	46.1-58.9	56	20.4	15.4-25.4	23	7.9	4.51-11.2
65+	343	39,487	1	0.4	0.00-1.18	82	24.6	19.7-29.4	180	52.4	46.8-58.0	62	17.4	13.1-21.6	18	5.2	2.78-7.68
Less Than H.S.	151	20,377	1	0.5	0.00-1.42	32	24.2	15.5-32.9							12	8.0	3.11-12.9
H.S. or G.E.D.	486	72,023	3	0.8	0.00-1.73	115	29.3	23.9-34.7	229	44.1	39.0-49.2	103	19.3	15.5-23.2	36	6.5	4.17-8.79
Some Post-H.S.	474	72,932	2	0.3	0.00-0.63	107	25.0	20.1-29.9	220	44.8	39.7-50.0	102	21.0	17.0-25.1	43	8.8	5.88-11.8
College Graduate	498	74,347	1	0.4	0.00-1.15	109	25.7	21.1-30.4	255	47.9	43.0-52.7	88	16.5	13.0-20.0	45	9.5	6.42-12.6
Less than \$15,000	95	13,327										19	19.8	10.1-29.6	11	11.9	3.63-20.2
\$15,000- 24,999	221	29,463	1	1.0	0.00-2.90	52	26.4	18.5-34.4	105	45.7	37.9-53.5	41	17.6	12.0-23.2	22	9.3	4.70-13.9
\$25,000- 34,999	235	36,583	2	0.5	0.00-1.26	52	24.1	17.1-31.0	90	39.0	31.5-46.5	67	27.4	20.0-34.8	24	9.0	4.95-13.0
\$35,000- 49,999	324	49,785	1	0.6	0.00-1.69	94	32.6	26.5-38.7	148	43.4	37.4-49.4	57	16.8	12.3-21.2	24	6.6	3.90-9.38
\$50,000- 74,999	297	43,040	1	0.4	0.00-1.10	58	22.1	16.7-27.5	162	52.4	46.4-58.5	51	16.8	12.4-21.3	25	8.2	5.00-11.5
\$75,000+	290	43,147	1	0.3	0.00-0.86	49	20.0	14.3-25.8	159	51.5	45.0-58.0	59	18.8	14.1-23.6	22	9.3	4.97-13.7

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18		> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	
Female	2232	231,279	31	1.5 0.90-2.08	915	43.7 41.2-46.2	725	31.6 29.2-33.9	380	15.6 14.0-17.3	181	7.6 6.35-8.81			
Non-Native	2142	219,203	31	1.6 0.94-2.20	895	44.9 42.4-47.5	695	31.3 29.0-33.6	356	15.2 13.5-16.9	165	7.0 5.84-8.20			
18-24	109	35,266	3	1.7 0.00-3.78			24	26.5 16.6-36.3	12	9.7 4.02-15.3	3	2.9 0.00-6.27			
25-34	245	34,702	7	3.0 0.73-5.27	123	50.9 44.4-57.5	63	25.5 19.9-31.2	32	12.3 8.12-16.5	20	8.3 4.57-11.9			
35-44	400	38,703	5	1.4 0.16-2.62	181	44.7 39.6-49.9	106	26.1 21.5-30.6	69	17.6 13.6-21.6	39	10.2 6.96-13.5			
45-54	472	40,522	4	0.7 0.00-1.48	182	38.9 34.1-43.6	159	33.3 28.8-37.9	85	18.6 14.8-22.5	42	8.4 5.77-11.1			
55-64	349	28,865	2	0.3 0.00-0.78	111	31.9 26.7-37.1	121	35.5 30.1-40.9	76	20.7 16.3-25.1	39	11.5 7.83-15.3			
65+	638	51,726	10	1.6 0.47-2.83	238	37.3 33.2-41.4	247	40.0 35.8-44.2	106	15.8 12.8-18.8	37	5.2 3.42-6.98			
Less Than H.S.	193	19,053	2	1.2 0.00-2.91	60	36.2 27.0-45.4	74	32.9 25.3-40.5	43	19.9 13.5-26.3	14	9.8 3.87-15.7			
H.S. or G.E.D.	631	63,039	9	1.3 0.39-2.27	243	38.6 33.9-43.3	211	35.4 30.5-40.3	107	15.5 12.5-18.5	61	9.2 6.73-11.6			
Some Post-H.S.	713	76,231	10	1.4 0.45-2.45	290	44.4 39.9-49.0	221	28.8 24.9-32.7	140	18.5 15.1-21.9	52	6.8 4.69-8.97			
College Graduate	692	72,771	10	1.7 0.51-2.97	321	49.3 45.0-53.6	217	30.8 26.7-34.8	90	11.8 9.23-14.3	54	6.4 4.56-8.28			
Less than \$15,000	232	25,510	2	1.9 0.00-4.46	78	34.1 25.7-42.5	70	32.7 23.4-42.1	56	21.7 14.9-28.6	26	9.6 5.37-13.8			
\$15,000- 24,999	389	37,292	7	1.4 0.29-2.61	152	43.2 36.7-49.6	121	29.3 23.6-34.9	66	15.7 11.4-20.0	43	10.4 6.91-13.8			
\$25,000- 34,999	279	26,507	2	0.6 0.00-1.65	100	40.9 34.0-47.8	93	30.1 24.0-36.2	54	18.5 13.5-23.6	30	9.8 6.20-13.5			
\$35,000- 49,999	364	37,645	3	1.0 0.00-2.20	139	40.6 34.9-46.3	131	34.8 29.4-40.2	65	16.7 12.5-20.9	26	6.9 4.05-9.69			
\$50,000- 74,999	347	37,881	6	1.9 0.25-3.59	163	50.8 44.8-56.8	107	29.0 23.9-34.2	55	14.3 10.5-18.1	16	3.9 1.90-5.90			
\$75,000+	288	31,466	7	2.7 0.58-4.78	142	50.2 43.9-56.6	85	29.2 23.4-35.0	34	11.4 7.51-15.3	20	6.5 3.50-9.42			

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3844	471,334	1316	35.9	34.0-37.8	1508	38.8	37.0-40.6	1020	25.3	23.7-27.0
Male	1612	240,054	370	26.9	24.1-29.6	783	45.7	42.9-48.5	459	27.4	24.9-29.9
Female	2232	231,279	946	45.2	42.7-47.7	725	31.6	29.2-33.9	561	23.2	21.2-25.2
Non-Native	3705	450,887	1285	36.4	34.5-38.3	1460	38.9	37.1-40.8	960	24.7	23.1-26.3
18-24	212	74,659	116	55.4	48.1-62.8	59	27.7	21.0-34.3	37	16.9	11.4-22.4
25-34	478	76,431	197	40.3	35.6-44.9	172	37.2	32.6-41.8	109	22.6	18.6-26.5
35-44	699	80,108	257	34.4	30.7-38.1	249	37.1	33.3-41.0	193	28.5	24.8-32.1
45-54	836	86,909	242	26.6	23.4-29.7	332	40.5	36.9-44.2	262	32.9	29.3-36.5
55-64	614	60,095	160	25.5	21.8-29.2	260	44.3	40.1-48.6	194	30.2	26.3-34.0
65+	981	91,213	331	32.9	29.7-36.1	427	45.4	42.0-48.8	223	21.7	19.0-24.5
Less Than H.S.	344	39,430	95	30.8	24.3-37.3	153	40.5	34.0-47.0	96	28.7	22.1-35.2
H.S. or G.E.D.	1117	135,062	370	34.7	31.1-38.3	440	40.0	36.5-43.5	307	25.3	22.4-28.2
Some Post-H.S.	1187	149,163	409	35.8	32.4-39.2	441	36.6	33.4-39.9	337	27.5	24.6-30.5
College Graduate	1190	147,118	441	38.4	35.2-41.7	472	39.4	36.2-42.6	277	22.1	19.5-24.8
Less than \$15,000	327	38,837	103	34.6	27.4-41.8	112	34.0	26.7-41.3	112	31.4	25.0-37.9
\$15,000- 24,999	610	66,755	212	37.0	31.9-42.1	226	36.5	31.9-41.2	172	26.4	22.3-30.6
\$25,000- 34,999	514	63,090	156	31.7	26.6-36.8	183	35.3	30.2-40.3	175	33.0	27.9-38.2
\$35,000- 49,999	688	87,430	237	36.8	32.5-41.1	279	39.7	35.5-43.9	172	23.5	20.0-27.0
\$50,000- 74,999	644	80,921	228	36.6	32.4-40.9	269	41.5	37.3-45.7	147	21.9	18.5-25.3
\$75,000+	578	74,613	199	34.1	29.7-38.5	244	42.1	37.6-46.6	135	23.8	19.9-27.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1612	240,054	370	26.9	24.1-29.6	783	45.7	42.9-48.5	459	27.4	24.9-29.9
Non-Native	1563	231,685	359	26.8	24.1-29.6	765	46.2	43.3-49.0	439	27.0	24.5-29.5
18-24	103	39,393				35	28.7	19.7-37.7	22	20.8	12.1-29.4
25-34	233	41,728	67	28.9	22.7-35.1	109	46.9	40.1-53.6	57	24.2	18.4-30.0
35-44	299	41,406	71	23.4	18.4-28.4	143	47.4	41.5-53.4	85	29.1	23.7-34.6
45-54	364	46,387	56	15.2	11.3-19.0	173	46.8	41.3-52.3	135	38.0	32.6-43.5
55-64	265	31,229	47	19.3	14.0-24.5	139	52.5	46.1-58.9	79	28.3	22.6-33.9
65+	343	39,487	83	25.0	20.1-29.8	180	52.4	46.8-58.0	80	22.6	17.9-27.3
Less Than H.S.	151	20,377	33	24.7	15.9-33.4						
H.S. or G.E.D.	486	72,023	118	30.1	24.7-35.5	229	44.1	39.0-49.2	139	25.8	21.5-30.1
Some Post-H.S.	474	72,932	109	25.3	20.4-30.2	220	44.8	39.7-50.0	145	29.9	25.2-34.6
College Graduate	498	74,347	110	26.1	21.4-30.8	255	47.9	43.0-52.7	133	26.0	21.7-30.3
\$15,000- 24,999	221	29,463	53	27.4	19.4-35.4	105	45.7	37.9-53.5	63	26.9	20.1-33.7
\$25,000- 34,999	235	36,583	54	24.6	17.6-31.6	90	39.0	31.5-46.5	91	36.4	28.7-44.1
\$35,000- 49,999	324	49,785	95	33.2	27.1-39.3	148	43.4	37.4-49.4	81	23.4	18.4-28.4
\$50,000- 74,999	297	43,040	59	22.5	17.1-27.9	162	52.4	46.4-58.5	76	25.1	19.9-30.2
\$75,000+	290	43,147	50	20.3	14.6-26.1	159	51.5	45.0-58.0	81	28.2	22.3-34.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	231,279	946	45.2	42.7-47.7	725	31.6	29.2-33.9	561	23.2	21.2-25.2
Non-Native	2142	219,203	926	46.5	43.9-49.0	695	31.3	29.0-33.6	521	22.2	20.2-24.2
18-24	109	35,266				24	26.5	16.6-36.3	15	12.6	6.13-19.0
25-34	245	34,702	130	53.9	47.4-60.4	63	25.5	19.9-31.2	52	20.6	15.3-25.9
35-44	400	38,703	186	46.1	41.0-51.3	106	26.1	21.5-30.6	108	27.8	23.1-32.5
45-54	472	40,522	186	39.6	34.8-44.4	159	33.3	28.8-37.9	127	27.0	22.7-31.4
55-64	349	28,865	113	32.2	27.1-37.4	121	35.5	30.1-40.9	115	32.3	27.1-37.5
65+	638	51,726	248	38.9	34.8-43.1	247	40.0	35.8-44.2	143	21.0	17.7-24.4
Less Than H.S.	193	19,053	62	37.4	28.2-46.6	74	32.9	25.3-40.5	57	29.7	21.7-37.7
H.S. or G.E.D.	631	63,039	252	39.9	35.2-44.7	211	35.4	30.5-40.3	168	24.6	20.9-28.4
Some Post-H.S.	713	76,231	300	45.9	41.3-50.4	221	28.8	24.9-32.7	192	25.3	21.5-29.1
College Graduate	692	72,771	331	51.0	46.7-55.4	217	30.8	26.7-34.8	144	18.2	15.1-21.3
Less than \$15,000	232	25,510	80	36.0	27.4-44.6	70	32.7	23.4-42.1	82	31.3	23.5-39.0
\$15,000- 24,999	389	37,292	159	44.6	38.2-51.1	121	29.3	23.6-34.9	109	26.1	20.9-31.3
\$25,000- 34,999	279	26,507	102	41.5	34.6-48.4	93	30.1	24.0-36.2	84	28.4	22.5-34.3
\$35,000- 49,999	364	37,645	142	41.6	35.9-47.4	131	34.8	29.4-40.2	91	23.6	18.8-28.4
\$50,000- 74,999	347	37,881	169	52.7	46.8-58.6	107	29.0	23.9-34.2	71	18.2	14.1-22.4
\$75,000+	288	31,466	149	52.9	46.6-59.2	85	29.2	23.4-35.0	54	17.9	13.2-22.6

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3844	471,334	1316	35.9	34.0-37.8	2528	64.1	62.2-66.0
Male	1612	240,054	370	26.9	24.1-29.6	1242	73.1	70.4-75.9
Female	2232	231,279	946	45.2	42.7-47.7	1286	54.8	52.3-57.3
Non-Native	3705	450,887	1285	36.4	34.5-38.3	2420	63.6	61.7-65.5
18-24	212	74,659	116	55.4	48.1-62.8	96	44.5	37.2-51.9
25-34	478	76,431	197	40.3	35.6-44.9	281	59.7	55.1-64.4
35-44	699	80,108	257	34.4	30.7-38.1	442	65.6	61.9-69.3
45-54	836	86,909	242	26.6	23.4-29.7	594	73.4	70.3-76.6
55-64	614	60,095	160	25.5	21.8-29.2	454	74.5	70.8-78.2
65+	981	91,213	331	32.9	29.7-36.1	650	67.1	63.9-70.3
Less Than H.S.	344	39,430	95	30.8	24.3-37.3	249	69.2	62.7-75.7
H.S. or G.E.D.	1117	135,062	370	34.7	31.1-38.3	747	65.3	61.7-68.9
Some Post-H.S.	1187	149,163	409	35.8	32.4-39.2	778	64.2	60.8-67.6
College Graduate	1190	147,118	441	38.4	35.2-41.7	749	61.5	58.3-64.8
Less than \$15,000	327	38,837	103	34.6	27.4-41.8	224	65.4	58.2-72.6
\$15,000- 24,999	610	66,755	212	37.0	31.9-42.1	398	63.0	57.9-68.1
\$25,000- 34,999	514	63,090	156	31.7	26.6-36.8	358	68.3	63.2-73.4
\$35,000- 49,999	688	87,430	237	36.8	32.5-41.1	451	63.2	58.9-67.5
\$50,000- 74,999	644	80,921	228	36.6	32.4-40.9	416	63.3	59.1-67.6
\$75,000+	578	74,613	199	34.1	29.7-38.5	379	65.9	61.5-70.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1612	240,054	370	26.9	24.1-29.6	1242	73.1	70.4-75.9
Non-Native	1563	231,685	359	26.8	24.1-29.6	1204	73.2	70.4-75.9
25-34	233	41,728	67	28.9	22.7-35.1	166	71.1	64.9-77.3
35-44	299	41,406	71	23.4	18.4-28.4	228	76.6	71.6-81.6
45-54	364	46,387	56	15.2	11.3-19.0	308	84.8	81.0-88.7
55-64	265	31,229	47	19.3	14.0-24.5	218	80.8	75.5-86.0
65+	343	39,487	83	25.0	20.1-29.8	260	75.0	70.2-79.9
Less Than H.S.	151	20,377	33	24.7	15.9-33.4	118	75.3	66.6-84.1
H.S. or G.E.D.	486	72,023	118	30.1	24.7-35.5	368	69.9	64.5-75.3
Some Post-H.S.	474	72,932	109	25.3	20.4-30.2	365	74.7	69.8-79.6
College Graduate	498	74,347	110	26.1	21.4-30.8	388	73.9	69.2-78.6
\$15,000- 24,999	221	29,463	53	27.4	19.4-35.4	168	72.6	64.6-80.6
\$25,000- 34,999	235	36,583	54	24.6	17.6-31.6	181	75.4	68.4-82.4
\$35,000- 49,999	324	49,785	95	33.2	27.1-39.3	229	66.8	60.7-72.9
\$50,000- 74,999	297	43,040	59	22.5	17.1-27.9	238	77.5	72.1-82.9
\$75,000+	290	43,147	50	20.3	14.6-26.1	240	79.7	73.9-85.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	231,279	946	45.2	42.7-47.7	1286	54.8	52.3-57.3
Non-Native	2142	219,203	926	46.5	43.9-49.0	1216	53.5	51.0-56.1
25-34	245	34,702	130	53.9	47.4-60.4	115	46.1	39.6-52.6
35-44	400	38,703	186	46.1	41.0-51.3	214	53.9	48.7-59.0
45-54	472	40,522	186	39.6	34.8-44.4	286	60.4	55.6-65.2
55-64	349	28,865	113	32.2	27.1-37.4	236	67.8	62.6-72.9
65+	638	51,726	248	38.9	34.8-43.1	390	61.0	56.9-65.2
Less Than H.S.	193	19,053	62	37.4	28.2-46.6	131	62.6	53.4-71.8
H.S. or G.E.D.	631	63,039	252	39.9	35.2-44.7	379	60.0	55.3-64.8
Some Post-H.S.	713	76,231	300	45.9	41.3-50.4	413	54.1	49.6-58.7
College Graduate	692	72,771	331	51.0	46.7-55.4	361	48.9	44.6-53.3
Less than \$15,000	232	25,510	80	36.0	27.4-44.6	152	64.0	55.4-72.6
\$15,000- 24,999	389	37,292	159	44.6	38.2-51.1	230	55.4	48.9-61.8
\$25,000- 34,999	279	26,507	102	41.5	34.6-48.4	177	58.5	51.6-65.4
\$35,000- 49,999	364	37,645	142	41.6	35.9-47.4	222	58.4	52.6-64.1
\$50,000- 74,999	347	37,881	169	52.7	46.8-58.6	178	47.3	41.4-53.2
\$75,000+	288	31,466	149	52.9	46.6-59.2	139	47.1	40.8-53.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 16: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3948	479,636	1255	26.0	24.5-27.5	2693	74.0	72.5-75.5
Male	1607	238,556	409	21.8	19.6-23.9	1198	78.3	76.1-80.4
Female	2341	241,080	846	30.2	28.2-32.3	1495	69.8	67.7-71.8
Native	103	16,606	28	18.6	10.7-26.5	75	81.4	73.5-89.3
Non-Native	3810	459,335	1213	26.2	24.7-27.7	2597	73.8	72.3-75.3
18-24	207	73,074	9	3.8	1.16-6.42	198	96.2	93.6-98.8
25-34	496	79,328	37	7.0	4.62-9.40	459	93.0	90.6-95.4
35-44	708	80,801	135	17.9	14.9-20.9	573	82.1	79.1-85.1
45-54	859	88,867	257	29.3	25.9-32.6	602	70.7	67.4-74.1
55-64	647	62,998	278	41.5	37.4-45.6	369	58.5	54.4-62.6
65+	994	91,812	527	53.2	49.8-56.6	467	46.8	43.4-50.2
Less Than H.S.	343	39,158	157	39.9	33.6-46.3	186	60.1	53.7-66.4
H.S. or G.E.D.	1139	136,456	414	30.1	27.1-33.0	725	69.9	67.0-72.9
Some Post-H.S.	1234	153,304	392	24.5	22.0-27.0	842	75.5	73.0-78.0
College Graduate	1225	150,092	290	20.2	17.8-22.6	935	79.8	77.4-82.2
Less than \$15,000	338	39,697	158	33.6	27.7-39.6	180	66.4	60.4-72.3
\$15,000- 24,999	625	67,930	250	33.0	28.7-37.2	375	67.0	62.8-71.3
\$25,000- 34,999	527	63,784	176	26.3	22.3-30.4	351	73.7	69.6-77.7
\$35,000- 49,999	709	89,496	185	22.3	19.0-25.5	524	77.7	74.5-81.0
\$50,000- 74,999	652	81,463	174	23.5	20.1-26.8	478	76.5	73.2-79.9
\$75,000+	579	74,475	121	19.8	16.1-23.5	458	80.2	76.5-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1607	238,556	409	21.8	19.6-23.9	1198	78.3	76.1-80.4
Non-Native	1558	230,216	397	22.0	19.9-24.2	1161	78.0	75.8-80.1
18-24	102	39,104	2	2.0	0.00-5.10	100	98.0	94.9-100
25-34	235	41,912	14	6.3	2.82-9.88	221	93.6	90.1-97.2
35-44	295	40,685	44	14.9	10.6-19.1	251	85.1	80.9-89.4
45-54	361	45,899	100	28.2	23.1-33.4	261	71.8	66.6-76.9
55-64	269	31,607	94	34.8	28.8-40.9	175	65.1	59.1-71.2
65+	338	38,796	152	46.8	41.1-52.4	186	53.3	47.6-58.9
Less Than H.S.	148	19,901	56	32.3	23.5-41.0	92	67.8	59.0-76.5
H.S. or G.E.D.	482	71,405	133	23.3	19.3-27.3	349	76.7	72.7-80.7
Some Post-H.S.	476	72,903	113	19.6	15.9-23.2	363	80.4	76.8-84.1
College Graduate	497	73,906	105	19.4	15.6-23.1	392	80.6	76.9-84.4
Less than \$15,000	94	12,985	40	29.4	19.4-39.3	54	70.6	60.7-80.6
\$15,000- 24,999	220	29,068	70	26.5	20.2-32.8	150	73.5	67.2-79.8
\$25,000- 34,999	236	36,597	66	22.1	16.6-27.5	170	77.9	72.5-83.4
\$35,000- 49,999	325	49,816	71	19.4	14.9-23.9	254	80.6	76.1-85.1
\$50,000- 74,999	293	42,471	70	22.1	17.2-27.0	223	77.9	73.0-82.8
\$75,000+	287	42,745	54	19.8	14.5-25.2	233	80.2	74.8-85.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2341	241,080	846	30.2	28.2-32.3	1495	69.8	67.7-71.8
Non-Native	2252	229,119	816	30.4	28.3-32.5	1436	69.6	67.5-71.7
18-24	105	33,971	7	5.8	1.42-10.2	98	94.2	89.8-98.6
25-34	261	37,416	23	7.8	4.56-10.9	238	92.3	89.1-95.4
35-44	413	40,116	91	20.9	16.9-25.0	322	79.0	75.0-83.1
45-54	498	42,969	157	30.4	26.0-34.7	341	69.6	65.3-74.0
55-64	378	31,391	184	48.2	42.8-53.5	194	51.8	46.5-57.2
65+	656	53,016	375	57.9	53.8-62.0	281	42.1	38.0-46.2
Less Than H.S.	195	19,257	101	47.8	39.1-56.6	94	52.1	43.4-60.9
H.S. or G.E.D.	657	65,051	281	37.6	33.3-41.8	376	62.4	58.2-66.7
Some Post-H.S.	758	80,401	279	29.0	25.5-32.4	479	71.0	67.6-74.5
College Graduate	728	76,185	185	20.9	17.9-24.0	543	79.0	76.0-82.1
Less than \$15,000	244	26,712	118	35.7	28.3-43.1	126	64.3	56.9-71.7
\$15,000- 24,999	405	38,862	180	37.8	32.2-43.5	225	62.2	56.5-67.8
\$25,000- 34,999	291	27,187	110	32.1	26.3-37.9	181	67.9	62.1-73.7
\$35,000- 49,999	384	39,680	114	25.9	21.3-30.5	270	74.1	69.5-78.7
\$50,000- 74,999	359	38,992	104	25.0	20.4-29.6	255	75.0	70.4-79.6
\$75,000+	292	31,730	67	19.7	15.1-24.3	225	80.3	75.7-84.9

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 17: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)	
1 MALES AND FEMALES	118
2 MALES ONLY	119
3 FEMALES ONLY	120
FRUIT SERVINGS PER DAY (FRUTDAY_)	
4 MALES AND FEMALES	121
5 MALES ONLY	122
6 FEMALES ONLY	123
GREEN SALAD SERVINGS PER DAY (GNSLDAY_)	
7 MALES AND FEMALES	124
8 MALES ONLY	125
9 FEMALES ONLY	126
POTATO SERVINGS PER DAY (POTADAY_)	
10 MALES AND FEMALES	127
11 MALES ONLY	128
12 FEMALES ONLY	129
CARROT SERVINGS PER DAY (CRTSDAY_)	
13 MALES AND FEMALES	130
14 MALES ONLY	131
15 FEMALES ONLY	132
VEGETABLE SERVINGS PER DAY (VEGEDAY_)	
16 MALES AND FEMALES	133
17 MALES ONLY	134
18 FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 17: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)	
19 MALES AND FEMALES	136
20 MALES ONLY	137
21 FEMALES ONLY	138
SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)	
22 MALES AND FEMALES	139
23 MALES ONLY	140
24 FEMALES ONLY	141
CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)	
25 MALES AND FEMALES	142
26 MALES ONLY	143
27 FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3894	475,269	2938	77.1	75.6-78.7	206	5.3	4.41-6.21	43	1.3	0.78-1.72	12	0.4	0.11-0.73	4	0.1	0.00-0.26	691	15.8	14.5-17.1
Male	1591	236,609	1248	79.0	76.6-81.3	76	5.0	3.57-6.43	22	1.6	0.80-2.44	8	0.6	0.11-1.13				237	13.8	11.9-15.6
Female	2303	238,660	1690	75.3	73.2-77.3	130	5.6	4.50-6.74	21	0.9	0.41-1.35	4	0.2	0.00-0.55	4	0.2	0.00-0.51	454	17.8	16.0-19.5
Native	105	16,963	75	77.5	68.3-86.7	10	8.0	2.32-13.6	2	3.3	0.00-8.25							18	11.2	5.28-17.2
Non-Native	3757	454,777	2840	77.2	75.6-78.7	195	5.2	4.30-6.14	40	1.2	0.71-1.61	12	0.4	0.13-0.75	4	0.1	0.00-0.27	666	15.9	14.6-17.2
18-24	208	73,603	167	81.3	75.5-87.0	13	6.5	2.48-10.5	6	2.7	0.41-5.03	3	1.5	0.00-3.28	1	0.4	0.00-1.10	18	7.6	3.95-11.3
25-34	487	77,763	360	75.5	71.5-79.5	31	5.9	3.71-8.13	10	2.1	0.63-3.61	3	0.5	0.00-1.16	1	0.2	0.00-0.56	82	15.8	12.4-19.1
35-44	703	80,202	524	75.1	71.7-78.6	29	4.4	2.71-6.09	4	0.5	0.00-0.97	1	0.2	0.00-0.53				145	19.8	16.7-23.0
45-54	857	88,857	623	74.6	71.4-77.7	42	4.9	3.33-6.47	6	0.6	0.08-1.18	3	0.3	0.00-0.59	1	0.1	0.00-0.30	182	19.5	16.7-22.4
55-64	634	61,851	478	78.2	74.9-81.6	24	3.4	2.01-4.87	7	0.9	0.22-1.60	1	0.1	0.00-0.18	1	0.1	0.00-0.36	123	17.2	14.2-20.3
65+	968	90,010	761	79.0	76.3-81.8	66	6.4	4.80-8.10	9	0.8	0.22-1.40	1	0.0	0.00-0.15				131	13.6	11.3-16.0
Less Than H.S.	336	38,841	257	75.6	69.0-82.3	20	7.5	1.73-13.3	5	1.3	0.06-2.50	1	1.0	0.00-3.09				53	14.5	10.2-18.8
H.S. or G.E.D.	1116	134,937	802	74.9	72.1-77.8	57	4.5	3.16-5.78	13	1.4	0.45-2.45	4	0.4	0.00-0.95	1	0.0	0.00-0.15	239	18.6	16.2-21.1
Some Post-H.S.	1222	151,903	913	76.1	73.2-78.9	67	5.8	4.16-7.42	12	1.0	0.31-1.79	5	0.6	0.00-1.24	2	0.3	0.00-0.67	223	16.2	13.9-18.6
College Graduate	1213	148,962	961	80.5	78.0-83.0	62	5.0	3.69-6.39	13	1.3	0.38-2.14	2	0.1	0.00-0.17	1	0.1	0.00-0.18	174	13.0	11.0-15.1
Less than \$15,000	328	38,999	229	72.9	66.7-79.0	25	8.6	4.42-12.8	6	2.2	0.00-4.51	2	1.1	0.00-3.18	2	0.4	0.00-0.97	64	14.8	10.7-18.9
\$15,000- 24,999	620	67,737	461	77.3	73.3-81.2	38	5.6	3.48-7.80	7	1.5	0.03-2.89	4	0.6	0.00-1.31	1	0.4	0.00-1.18	109	14.6	11.5-17.8
\$25,000- 34,999	521	63,658	378	73.3	68.4-78.3	31	7.1	3.31-10.8	10	1.7	0.56-2.80	4	0.6	0.00-1.33				98	17.3	13.4-21.2
\$35,000- 49,999	704	88,643	548	79.8	76.6-83.1	25	3.2	1.83-4.61	2	0.1	0.00-0.35	1	0.3	0.00-0.98	1	0.2	0.00-0.50	127	16.3	13.4-19.2
\$50,000- 74,999	650	81,156	496	77.6	74.2-81.1	27	3.9	2.31-5.41	3	0.4	0.00-1.00							124	18.1	14.9-21.2
\$75,000+	579	74,552	450	77.6	73.8-81.5	31	5.2	3.24-7.08	6	1.8	0.11-3.49	1	0.6	0.00-1.72				91	14.8	11.8-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 2: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1591	236,609	1248	79.0	76.6-81.3	76	5.0	3.57-6.43	22	1.6	0.80-2.44	8	0.6	0.11-1.13	237	13.8	11.9-15.6
Non-Native	1543	228,072	1212	79.0	76.6-81.4	74	5.1	3.63-6.57	20	1.4	0.67-2.19	8	0.6	0.12-1.18	229	13.8	11.9-15.7
18-24	101	38,814	81	80.2	71.6-88.9	6	6.9	0.54-13.2	5	4.1	0.24-7.96	2	1.9	0.00-4.47	7	6.9	1.75-12.1
25-34	230	40,719	176	77.1	71.4-82.8	11	5.2	2.01-8.37	7	3.0	0.45-5.63	3	1.0	0.00-2.21	33	13.6	9.11-18.2
35-44	294	40,613	224	75.7	70.5-80.9	13	4.5	1.98-7.08	1	0.4	0.00-1.05	1	0.4	0.00-1.05	55	19.1	14.3-23.9
45-54	360	45,932	270	76.8	72.2-81.4	26	6.6	3.92-9.26	3	0.7	0.00-1.51	2	0.4	0.00-1.06	59	15.4	11.5-19.4
55-64	264	31,104	216	83.4	78.8-88.0	6	2.0	0.35-3.69	2	0.5	0.00-1.22				40	14.1	9.71-18.4
65+	335	38,647	275	82.0	77.6-86.4	14	4.0	1.81-6.21	4	1.0	0.00-1.98				42	13.1	9.14-17.0
Less Than H.S.	148	20,054				2	1.4	0.00-3.44							17	11.2	5.49-16.9
H.S. or G.E.D.	477	70,576	350	75.8	71.5-80.0	18	3.5	1.62-5.38	10	2.5	0.65-4.45	3	0.8	0.00-1.75	96	17.4	13.8-21.0
Some Post-H.S.	469	71,959	360	76.9	72.5-81.4	25	5.0	2.87-7.07	5	1.3	0.00-2.68	4	1.2	0.00-2.54	75	15.6	11.8-19.4
College Graduate	493	73,579	413	84.4	81.0-87.9	25	5.1	2.96-7.16	5	1.1	0.00-2.36	1	0.1	0.00-0.27	49	9.3	6.66-12.0
Less than \$15,000	93	12,950				6	6.5	0.15-12.8	4	5.7	0.00-12.4				14	11.6	5.12-18.1
\$15,000- 24,999	219	28,894	168	78.3	72.0-84.5	8	4.2	1.04-7.32	3	2.2	0.00-5.29	3	1.3	0.00-2.90	37	14.0	9.23-18.8
\$25,000- 34,999	233	36,356	172	74.3	66.8-81.8	15	7.6	1.57-13.6	7	2.3	0.51-4.19	3	1.0	0.00-2.21	36	14.7	9.18-20.2
\$35,000- 49,999	322	49,185	265	83.2	78.9-87.6	7	2.2	0.44-3.88				1	0.6	0.00-1.75	49	14.0	10.1-17.9
\$50,000- 74,999	292	42,336	229	78.1	73.1-83.1	12	4.3	1.80-6.74	1	0.4	0.00-1.27				50	17.2	12.6-21.8
\$75,000+	287	42,779	226	78.6	73.3-83.9	19	5.6	2.95-8.25	2	1.3	0.00-3.38	1	1.0	0.00-3.00	39	13.4	9.25-17.6

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES
TABLE 3: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	238,660	1690	75.3	73.2-77.3	130	5.6	4.50-6.74	21	0.9	0.41-1.35	4	0.2	0.00-0.55	4	0.2	0.00-0.51	454	17.8	16.0-19.5
Native	70	10,182				8	11.2	2.42-20.1										11	10.1	3.00-17.2
Non-Native	2214	226,705	1628	75.3	73.3-77.4	121	5.3	4.23-6.47	20	0.9	0.40-1.38	4	0.2	0.00-0.58	4	0.3	0.00-0.55	437	18.0	16.2-19.7
18-24	107	34,789	86	82.4	74.9-89.8	7	6.1	1.37-10.8	1	1.2	0.00-3.46	1	1.2	0.00-3.46	1	0.8	0.00-2.31	11	8.4	3.26-13.6
25-34	257	37,044	184	73.7	68.2-79.2	20	6.7	3.63-9.83	3	1.1	0.00-2.35				1	0.4	0.00-1.18	49	18.1	13.2-22.9
35-44	409	39,589	300	74.6	70.1-79.0	16	4.3	2.08-6.44	3	0.6	0.00-1.29							90	20.6	16.5-24.7
45-54	497	42,926	353	72.1	68.0-76.3	16	3.1	1.54-4.64	3	0.5	0.00-1.26	1	0.1	0.00-0.21	1	0.2	0.00-0.59	123	23.9	20.0-27.9
55-64	370	30,748	262	73.0	68.3-77.7	18	4.9	2.59-7.17	5	1.3	0.14-2.50	1	0.1	0.00-0.36	1	0.2	0.00-0.68	83	20.5	16.2-24.7
65+	633	51,363	486	76.8	73.3-80.4	52	8.3	5.94-10.6	5	0.7	0.02-1.36	1	0.1	0.00-0.24				89	14.1	11.2-17.0
Less Than H.S.	188	18,787	136	74.1	66.6-81.7	12	4.5	1.70-7.34	3	1.1	0.00-2.42	1	2.2	0.00-6.36				36	18.0	11.8-24.3
H.S. or G.E.D.	639	64,361	452	74.1	70.3-77.8	39	5.5	3.71-7.35	3	0.3	0.00-0.54	1	0.1	0.00-0.21	1	0.1	0.00-0.33	143	20.0	16.6-23.4
Some Post-H.S.	753	79,944	553	75.3	71.6-78.9	42	6.5	4.10-8.96	7	0.8	0.16-1.50	1	0.0	0.00-0.12	2	0.5	0.00-1.29	148	16.8	13.9-19.7
College Graduate	720	75,382	548	76.7	73.2-80.3	37	5.0	3.28-6.76	8	1.4	0.16-2.66	1	0.0	0.00-0.12	1	0.1	0.00-0.33	125	16.7	13.5-19.8
Less than \$15,000	235	26,049	160	71.2	63.7-78.7	19	9.7	4.25-15.1	2	0.4	0.00-1.07	2	1.7	0.00-4.77	2	0.6	0.00-1.44	50	16.4	11.2-21.6
\$15,000- 24,999	401	38,842	293	76.5	71.5-81.6	30	6.7	3.76-9.68	4	0.9	0.00-1.90	1	0.1	0.00-0.33	1	0.7	0.00-2.07	72	15.0	10.9-19.2
\$25,000- 34,999	288	27,302	206	72.0	66.0-78.0	16	6.3	2.88-9.82	3	0.8	0.00-1.67	1	0.1	0.00-0.36				62	20.8	15.5-26.0
\$35,000- 49,999	382	39,459	283	75.6	70.9-80.4	18	4.5	2.28-6.78	2	0.3	0.00-0.79				1	0.4	0.00-1.12	78	19.2	14.8-23.5
\$50,000- 74,999	358	38,821	267	77.1	72.5-81.7	15	3.4	1.65-5.17	2	0.5	0.00-1.12							74	19.0	14.7-23.4
\$75,000+	292	31,773	224	76.3	70.9-81.7	12	4.6	1.85-7.29	4	2.5	0.00-5.26							52	16.7	12.2-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 4: FRUIT SERVINGS PER DAY (FRUTDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		> 5		None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	3889	473,898	2929	76.9 75.3-78.5	479	10.9 9.74-12.0	184	4.2 3.51-4.93	41	0.7 0.49-0.99	3	0.1 0.00-0.15	253	7.2 6.12-8.20
Male	1581	235,240	1303	82.8 80.6-84.9	84	4.9 3.72-6.00	31	1.9 1.11-2.67	8	0.4 0.11-0.65	1	0.0 0.00-0.15	154	10.0 8.25-11.9
Female	2308	238,658	1626	71.2 68.9-73.4	395	16.8 14.9-18.7	153	6.5 5.36-7.68	33	1.1 0.69-1.51	2	0.1 0.00-0.21	99	4.3 3.27-5.35
Native	102	16,391					5	4.9 0.39-9.41	2	0.7 0.00-1.60				
Non-Native	3755	454,068	2837	77.6 76.0-79.1	464	10.8 9.66-11.9	177	4.2 3.47-4.93	39	0.8 0.50-1.00	3	0.1 0.00-0.15	235	6.6 5.65-7.61
18-24	206	73,126	158	76.7 70.3-83.1	15	8.4 3.83-12.9	10	3.9 1.33-6.51					23	11.0 6.36-15.6
25-34	489	77,757	394	79.8 76.0-83.5	31	6.5 4.24-8.86	19	4.2 2.29-6.09	3	0.6 0.00-1.22	1	0.1 0.00-0.41	41	8.8 6.09-11.5
35-44	703	80,298	554	79.7 76.6-82.9	69	8.9 6.74-11.0	20	2.6 1.40-3.86	4	0.6 0.01-1.19			56	8.2 5.97-10.4
45-54	855	88,759	648	77.9 74.9-80.8	98	10.8 8.60-13.0	36	3.9 2.60-5.30	11	0.9 0.33-1.55			62	6.4 4.71-8.13
55-64	633	61,546	481	77.8 74.4-81.3	80	11.1 8.63-13.6	27	3.8 2.36-5.30	9	1.2 0.37-1.97	1	0.1 0.00-0.44	35	5.9 3.75-8.03
65+	966	89,430	666	70.5 67.4-73.6	178	18.0 15.4-20.7	71	6.6 4.93-8.19	14	1.2 0.52-1.82	1	0.1 0.00-0.38	36	3.5 2.31-4.77
Less Than H.S.	332	38,556	231	70.4 64.0-76.8	43	13.0 8.01-18.0	17	4.4 2.08-6.74	1	0.2 0.00-0.53			40	12.0 7.41-16.6
H.S. or G.E.D.	1118	134,370	868	78.1 75.0-81.2	108	9.0 6.85-11.2	34	2.5 1.39-3.63	11	0.6 0.22-0.96			97	9.8 7.43-12.1
Some Post-H.S.	1219	151,522	915	77.3 74.5-80.0	153	10.1 8.27-11.9	56	4.1 2.83-5.37	12	0.6 0.25-0.99	1	0.1 0.00-0.21	82	7.8 5.95-9.75
College Graduate	1213	148,823	908	77.1 74.5-79.8	175	12.9 10.8-14.9	77	5.9 4.45-7.27	17	1.2 0.59-1.73	2	0.1 0.00-0.34	34	2.9 1.76-3.96
Less than \$15,000	324	38,012	234	75.0 68.5-81.6	39	11.3 5.68-17.0	13	3.1 1.26-5.02	4	0.6 0.00-1.29			34	9.8 5.98-13.7
\$15,000- 24,999	620	67,697	457	75.5 71.4-79.6	79	11.6 8.68-14.6	23	3.0 1.57-4.51	9	0.9 0.30-1.60	1	0.2 0.00-0.47	51	8.7 5.84-11.6
\$25,000- 34,999	519	63,602	394	77.8 73.5-82.0	55	8.6 5.89-11.3	18	2.6 1.27-4.01	3	0.4 0.00-0.99			49	10.6 7.33-13.8
\$35,000- 49,999	704	88,562	545	78.0 74.3-81.7	75	9.4 7.12-11.7	41	5.1 3.37-6.93	3	0.3 0.00-0.64			40	7.2 4.32-10.0
\$50,000- 74,999	649	81,011	503	77.8 74.1-81.5	78	11.1 8.19-14.1	29	4.5 2.74-6.30	5	0.5 0.03-1.01	1	0.1 0.00-0.44	33	5.9 3.78-7.94
\$75,000+	580	74,582	452	79.7 76.2-83.2	69	10.5 7.96-13.0	29	4.4 2.72-6.06	8	1.2 0.33-2.09			22	4.2 2.24-6.20

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES
TABLE 5: FRUIT SERVINGS PER DAY (FRUTDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1581	235,240	1303	82.8	80.6-84.9	84	4.9	3.72-6.00	31	1.9	1.11-2.67	8	0.4	0.11-0.65	1	0.0	0.00-0.15	154	10.0	8.25-11.9
Non-Native	1535	227,276	1273	83.6	81.5-85.7	81	4.8	3.65-5.93	30	1.9	1.13-2.73	7	0.4	0.10-0.64	1	0.0	0.00-0.15	143	9.3	7.59-10.9
18-24	101	38,814	79	79.5	71.1-87.9	2	2.2	0.00-5.32	4	3.3	0.00-6.78							16	14.9	7.46-22.4
25-34	230	40,490	189	82.0	76.7-87.2	10	4.3	1.55-7.07	3	1.3	0.00-2.66							28	12.5	7.96-17.0
35-44	293	40,541	249	85.4	81.2-89.6	6	2.4	0.44-4.36				1	0.4	0.00-1.07				37	11.8	8.00-15.6
45-54	358	45,801	294	84.1	80.2-87.9	21	5.9	3.35-8.45	6	1.6	0.28-2.98	2	0.4	0.00-1.06				35	8.0	5.22-10.7
55-64	262	30,726	218	84.2	79.5-88.9	13	4.5	1.96-7.06	5	1.5	0.15-2.93	3	1.0	0.00-2.22				23	8.7	4.88-12.5
65+	330	38,087	267	81.0	76.5-85.5	32	9.9	6.44-13.3	13	3.7	1.57-5.89	2	0.6	0.00-1.51	1	0.3	0.00-0.95	15	4.4	2.16-6.74
Less Than H.S.	146	19,989	106	74.8	66.1-83.4	12	7.3	2.78-11.7	6	3.3	0.45-6.05							22	14.7	7.35-22.1
H.S. or G.E.D.	471	69,567	387	81.0	76.6-85.4	20	4.5	2.31-6.63	8	1.7	0.22-3.12							56	12.8	8.95-16.7
Some Post-H.S.	467	71,758	384	82.3	78.3-86.3	20	3.8	1.94-5.70	7	1.8	0.24-3.30	3	0.3	0.00-0.78				53	11.8	8.38-15.2
College Graduate	493	73,485	422	87.0	83.8-90.1	32	5.6	3.59-7.67	10	1.9	0.63-3.09	5	0.9	0.11-1.63	1	0.2	0.00-0.47	23	4.5	2.45-6.57
Less than \$15,000	89	12,386				3	2.6	0.00-5.64	3	3.3	0.00-7.20							16	18.5	8.69-28.3
\$15,000- 24,999	218	28,868	170	79.2	72.8-85.5	15	6.5	2.98-10.1	3	1.0	0.00-2.22	1	0.2	0.00-0.65				29	13.1	7.64-18.6
\$25,000- 34,999	235	36,571	182	78.4	72.3-84.5	13	5.3	1.92-8.66	3	0.7	0.00-1.57							37	15.6	10.2-20.9
\$35,000- 49,999	320	48,836	269	83.0	77.7-88.2	18	4.9	2.59-7.25	7	1.7	0.37-3.11	1	0.3	0.00-0.74				25	10.1	5.30-14.9
\$50,000- 74,999	291	42,147	249	86.0	81.7-90.2	9	2.6	0.85-4.45	6	2.3	0.39-4.31	2	0.5	0.00-1.15	1	0.3	0.00-0.86	24	8.3	4.87-11.7
\$75,000+	288	42,873	251	87.5	83.4-91.7	15	4.4	2.12-6.78	3	1.0	0.00-2.07	3	0.9	0.00-1.96				16	6.1	2.86-9.36

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 6: FRUIT SERVINGS PER DAY (FRUTDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	238,658	1626	71.2	68.9-73.4	395	16.8	14.9-18.7	153	6.5	5.36-7.68	33	1.1	0.69-1.51	2	0.1	0.00-0.21	99	4.3	3.27-5.35
Native	68	10,022							5	8.0	0.68-15.3	1	0.4	0.00-1.27				5	10.5	0.52-20.4
Non-Native	2220	226,792	1564	71.6	69.3-73.8	383	16.7	14.9-18.6	147	6.5	5.28-7.64	32	1.1	0.71-1.57	2	0.1	0.00-0.21	92	4.0	3.02-4.98
18-24	105	34,312	79	73.6	63.9-83.3	13	15.3	6.71-23.9	6	4.6	0.65-8.49							7	6.6	1.58-11.5
25-34	259	37,268	205	77.3	71.9-82.8	21	9.0	5.24-12.7	16	7.4	3.77-11.0	3	1.2	0.00-2.55	1	0.3	0.00-0.89	13	4.8	2.10-7.48
35-44	410	39,757	305	73.9	69.4-78.5	63	15.4	11.8-19.1	20	5.3	2.85-7.75	3	0.8	0.00-1.80				19	4.5	2.32-6.60
45-54	497	42,958	354	71.3	67.0-75.6	77	16.0	12.5-19.6	30	6.4	4.05-8.79	9	1.5	0.45-2.53				27	4.8	2.86-6.70
55-64	371	30,819	263	71.5	66.6-76.3	67	17.7	13.6-21.8	22	6.1	3.54-8.68	6	1.3	0.21-2.41	1	0.3	0.00-0.92	12	3.1	1.25-4.93
65+	636	51,343	399	62.8	58.7-66.9	146	24.1	20.4-27.8	58	8.7	6.34-11.0	12	1.6	0.67-2.47				21	2.9	1.58-4.16
Less Than H.S.	186	18,567	125	65.7	56.5-74.9	31	19.2	10.5-27.8	11	5.6	1.87-9.43	1	0.4	0.00-1.12				18	9.1	3.80-14.4
H.S. or G.E.D.	647	64,803	481	74.9	70.5-79.3	88	13.9	10.2-17.7	26	3.4	1.72-5.10	11	1.2	0.44-2.00				41	6.5	4.05-8.95
Some Post-H.S.	752	79,764	531	72.8	69.0-76.5	133	15.7	12.8-18.6	49	6.2	4.20-8.20	9	0.9	0.26-1.48	1	0.1	0.00-0.41	29	4.3	2.48-6.16
College Graduate	720	75,338	486	67.5	63.6-71.5	143	19.9	16.5-23.4	67	9.8	7.31-12.2	12	1.4	0.57-2.29	1	0.1	0.00-0.38	11	1.3	0.49-2.01
Less than \$15,000	235	25,626	167	74.8	66.5-83.0	36	15.6	7.58-23.5	10	3.0	0.97-5.13	4	0.9	0.00-1.92				18	5.7	2.73-8.61
\$15,000- 24,999	402	38,829	287	72.8	67.4-78.1	64	15.4	11.1-19.7	20	4.6	2.20-6.94	8	1.5	0.40-2.60	1	0.3	0.00-0.86	22	5.4	2.57-8.33
\$25,000- 34,999	284	27,031	212	76.8	71.4-82.3	42	13.0	8.72-17.3	15	5.3	2.32-8.20	3	1.0	0.00-2.30				12	3.8	1.54-6.12
\$35,000- 49,999	384	39,726	276	71.9	66.7-77.0	57	14.9	10.8-19.0	34	9.3	5.83-12.8	2	0.3	0.00-0.83				15	3.5	1.57-5.45
\$50,000- 74,999	358	38,864	254	69.0	63.1-74.8	69	20.3	14.9-25.7	23	6.9	3.85-9.89	3	0.6	0.00-1.27				9	3.2	1.00-5.46
\$75,000+	292	31,709	201	69.1	63.4-74.8	54	18.7	13.8-23.5	26	9.0	5.46-12.6	5	1.6	0.11-3.09				6	1.6	0.28-3.02

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 7: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	3894	474,482	3422	87.4 86.1-88.7	77	1.8 1.32-2.26	7	0.1 0.02-0.26	3	0.0 0.00-0.10	385	10.6 9.41-11.9
Male	1586	235,256	1353	85.2 83.1-87.3	23	1.4 0.80-2.10	3	0.1 0.00-0.26			207	13.3 11.2-15.3
Female	2308	239,227	2069	89.5 88.0-91.1	54	2.1 1.45-2.79	4	0.2 0.00-0.35	3	0.1 0.00-0.19	178	8.1 6.70-9.44
Native	103	16,502			2	0.6 0.00-1.57						
Non-Native	3757	454,320	3316	88.0 86.8-89.3	75	1.8 1.35-2.33	6	0.1 0.03-0.23	3	0.0 0.00-0.11	357	10.0 8.78-11.1
18-24	206	72,879	166	81.8 76.2-87.4	6	2.2 0.33-4.13					34	16.0 10.6-21.4
25-34	489	77,958	424	86.7 83.5-89.9	4	0.8 0.02-1.50	1	0.2 0.00-0.56	1	0.1 0.00-0.30	59	12.3 9.10-15.4
35-44	702	80,178	620	87.8 85.2-90.5	7	0.9 0.20-1.54	1	0.1 0.00-0.36			74	11.2 8.61-13.7
45-54	857	88,627	753	88.8 86.6-91.0	15	1.7 0.78-2.62	2	0.2 0.00-0.41	1	0.1 0.00-0.30	86	9.2 7.16-11.2
55-64	639	62,395	574	90.3 87.8-92.7	15	2.3 1.06-3.52	1	0.2 0.00-0.59	1	0.1 0.00-0.24	48	7.2 5.02-9.30
65+	964	89,463	851	88.6 86.4-90.7	29	2.9 1.77-4.01	2	0.2 0.00-0.41			82	8.4 6.47-10.3
Less Than H.S.	332	38,433	269	80.3 74.8-85.7	8	2.6 0.21-4.95	1	0.2 0.00-0.62			54	17.0 11.9-22.0
H.S. or G.E.D.	1121	134,952	952	83.7 80.9-86.5	22	2.1 1.11-3.15	2	0.1 0.00-0.27	2	0.1 0.00-0.23	143	14.0 11.3-16.6
Some Post-H.S.	1218	151,521	1082	88.1 85.7-90.4	18	1.1 0.55-1.65	1	0.0 0.00-0.15			117	10.8 8.48-13.1
College Graduate	1217	149,146	1113	91.8 90.1-93.5	29	2.0 1.20-2.76	3	0.3 0.00-0.54	1	0.1 0.00-0.18	71	5.9 4.41-7.39
Less than \$15,000	330	38,758	266	81.0 75.7-86.3	5	1.4 0.00-2.76	1	0.2 0.00-0.62			58	17.5 12.3-22.6
\$15,000- 24,999	614	67,199	516	84.1 80.5-87.6	14	2.1 0.65-3.63	1	0.1 0.00-0.38	1	0.1 0.00-0.21	82	13.6 10.3-16.9
\$25,000- 34,999	521	63,743	460	86.3 82.4-90.1	11	2.7 0.80-4.52			1	0.1 0.00-0.36	49	10.9 7.46-14.4
\$35,000- 49,999	706	88,820	631	88.2 85.0-91.4	9	0.9 0.25-1.55	2	0.3 0.00-0.74			64	10.6 7.45-13.7
\$50,000- 74,999	651	81,216	576	87.7 84.8-90.6	17	2.3 1.12-3.40					58	10.1 7.35-12.8
\$75,000+	579	74,533	542	93.1 90.6-95.6	8	1.2 0.32-2.00	1	0.1 0.00-0.27	1	0.1 0.00-0.33	27	5.5 3.12-7.86

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 8: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			> 0, <= 1		> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	235,256	1353	85.2	83.1-87.3	23	1.4	0.80-2.10	3	0.1	0.00-0.26	207	13.3	11.2-15.3
Non-Native	1538	227,071	1318	86.0	84.0-88.0	23	1.5	0.83-2.17	3	0.1	0.00-0.26	194	12.4	10.4-14.3
18-24	99	38,090	75	77.5	68.7-86.3	4	2.7	0.00-5.46				20	19.8	11.4-28.3
25-34	231	40,765	199	85.6	80.7-90.5							32	14.4	9.47-19.3
35-44	293	40,469	243	83.7	79.3-88.1	1	0.4	0.00-1.07				49	15.9	11.6-20.3
45-54	358	45,509	310	88.3	84.9-91.6	3	0.6	0.00-1.38	1	0.1	0.00-0.41	44	10.9	7.68-14.2
55-64	268	31,576	236	89.3	85.5-93.1	5	2.2	0.25-4.13	1	0.4	0.00-1.18	26	8.1	4.82-11.4
65+	330	38,066	283	86.7	82.9-90.5	10	3.3	1.24-5.40	1	0.2	0.00-0.62	36	9.8	6.50-13.1
Less Than H.S.	146	19,854	120	81.4	73.8-89.1	1	0.8	0.00-2.38	1	0.4	0.00-1.18	24	17.4	9.88-24.9
H.S. or G.E.D.	476	70,018	379	79.2	74.7-83.7	10	2.4	0.73-4.15	1	0.1	0.00-0.27	86	18.2	13.9-22.6
Some Post-H.S.	470	71,978	405	85.7	81.7-89.6	3	0.5	0.00-1.08				62	13.8	9.93-17.7
College Graduate	491	73,160	446	91.4	88.8-94.0	9	1.6	0.50-2.70	1	0.2	0.00-0.50	35	6.8	4.42-9.24
Less than \$15,000	93	12,596							1	0.6	0.00-1.88			
\$15,000- 24,999	215	28,427	170	82.3	76.9-87.7	4	1.6	0.00-3.33				41	16.1	10.9-21.2
\$25,000- 34,999	234	36,540	193	81.4	75.2-87.5	6	3.4	0.36-6.36				35	15.3	9.65-20.9
\$35,000- 49,999	322	49,132	282	85.8	80.6-90.9	3	0.8	0.00-1.77	1	0.3	0.00-0.77	36	13.1	8.04-18.2
\$50,000- 74,999	292	42,266	253	85.8	81.2-90.3	4	1.3	0.03-2.47				35	13.0	8.54-17.4
\$75,000+	287	42,743	264	91.4	87.5-95.3	4	1.2	0.00-2.38	1	0.1	0.00-0.44	18	7.3	3.53-11.1

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES
TABLE 9: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	239,227	2069	89.5	88.0-91.1	54	2.1	1.45-2.79	4	0.2	0.00-0.35	3	0.1	0.00-0.19	178	8.1	6.70-9.44
Native	69	10,134				2	1.1	0.00-2.59									
Non-Native	2219	227,249	1998	90.0	88.5-91.5	52	2.2	1.50-2.88	3	0.1	0.00-0.29	3	0.1	0.00-0.19	163	7.6	6.23-8.89
18-24	107	34,789	91	86.5	79.9-93.1	2	1.8	0.00-4.31							14	11.8	5.56-17.9
25-34	258	37,193	225	87.9	83.8-92.0	4	1.6	0.05-3.15	1	0.4	0.00-1.18	1	0.2	0.00-0.59	27	9.9	6.18-13.6
35-44	409	39,709	377	92.0	89.2-94.9	6	1.4	0.23-2.55	1	0.2	0.00-0.71				25	6.3	3.76-8.90
45-54	499	43,118	443	89.4	86.6-92.3	12	2.8	1.11-4.53	1	0.2	0.00-0.59	1	0.2	0.00-0.59	42	7.4	5.03-9.69
55-64	371	30,819	338	91.3	88.2-94.3	10	2.4	0.87-3.93				1	0.1	0.00-0.44	22	6.2	3.49-8.87
65+	634	51,397	568	90.0	87.4-92.5	19	2.6	1.39-3.75	1	0.1	0.00-0.41				46	7.3	5.05-9.63
Less Than H.S.	186	18,579	149	79.0	71.3-86.7	7	4.5	0.00-9.02							30	16.5	9.71-23.4
H.S. or G.E.D.	645	64,934	573	88.5	85.7-91.4	12	1.8	0.69-2.89	1	0.1	0.00-0.38	2	0.2	0.00-0.46	57	9.4	6.69-12.0
Some Post-H.S.	748	79,543	677	90.3	87.6-93.0	15	1.6	0.71-2.55	1	0.1	0.00-0.27				55	8.0	5.45-10.5
College Graduate	726	75,986	667	92.2	90.1-94.4	20	2.3	1.23-3.47	2	0.3	0.00-0.77	1	0.1	0.00-0.33	36	5.0	3.20-6.80
Less than \$15,000	237	26,161	198	85.5	80.1-90.9	5	2.0	0.00-4.07							34	12.4	7.41-17.5
\$15,000- 24,999	399	38,771	346	85.4	80.6-90.2	10	2.5	0.27-4.73	1	0.2	0.00-0.65	1	0.1	0.00-0.36	41	11.8	7.40-16.1
\$25,000- 34,999	287	27,203	267	92.9	89.5-96.2	5	1.7	0.04-3.42				1	0.3	0.00-0.80	14	5.1	2.22-8.06
\$35,000- 49,999	384	39,688	349	91.2	88.1-94.3	6	1.0	0.18-1.82	1	0.4	0.00-1.10				28	7.4	4.55-10.3
\$50,000- 74,999	359	38,949	323	89.7	86.3-93.2	13	3.4	1.42-5.30							23	6.9	3.98-9.82
\$75,000+	292	31,790	278	95.5	92.9-98.1	4	1.2	0.03-2.31				1	0.3	0.00-0.80	9	3.1	0.82-5.32

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 10: POTATO SERVINGS PER DAY (POTADAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	
TOTAL	3906	475,345	3565	92.1 91.2-93.1	30	0.7 0.43-0.93	3	0.0 0.00-0.10	2	0.1 0.00-0.17	2	0.1 0.00-0.20	306	7.0 6.10-7.98	
Male	1589	235,489	1448	91.7 90.1-93.2	21	1.0 0.57-1.47	2	0.1 0.00-0.17	2	0.2 0.00-0.41	116	7.1 5.58-8.56			
Female	2317	239,855	2117	92.6 91.4-93.8	9	0.3 0.11-0.59	1	0.0 0.00-0.06					190	7.0 5.85-8.17	
Native	103	16,502	95	93.3 87.9-98.6	2	1.7 0.00-4.17							6	5.0 0.28-9.80	
Non-Native	3771	455,402	3444	92.2 91.2-93.2	27	0.6 0.39-0.89	3	0.0 0.00-0.10	2	0.1 0.00-0.22	295	7.1 6.12-8.04			
18-24	206	72,879	186	91.3 87.4-95.2									20	8.7 4.80-12.6	
25-34	488	77,775	448	91.8 89.2-94.4	2	0.4 0.00-1.02							38	7.7 5.19-10.3	
35-44	701	79,962	644	92.3 90.3-94.4	4	0.6 0.00-1.16							53	7.1 5.14-9.10	
45-54	858	88,866	773	91.8 89.9-93.6	4	0.5 0.00-0.97	2	0.2 0.00-0.40	1	0.3 0.00-0.98	78	7.3 5.56-9.00			
55-64	642	62,569	583	92.0 89.8-94.1	7	1.3 0.32-2.20							52	6.8 4.79-8.71	
65+	974	90,312	900	93.8 92.4-95.3	13	1.4 0.62-2.14	1	0.1 0.00-0.21	1	0.1 0.00-0.27	59	4.6 3.34-5.88			
Less Than H.S.	336	38,869	314	92.7 88.8-96.5	2	0.6 0.00-1.37	1	0.1 0.00-0.46					19	6.6 2.80-10.4	
H.S. or G.E.D.	1121	134,679	1023	92.8 91.2-94.4	13	1.2 0.54-1.84	1	0.1 0.00-0.21	1	0.2 0.00-0.65	83	5.7 4.35-7.13			
Some Post-H.S.	1223	151,929	1111	91.3 89.4-93.2	11	0.7 0.27-1.13			1	0.0 0.00-0.15	100	7.9 6.08-9.80			
College Graduate	1219	149,241	1110	92.3 90.6-93.9	4	0.3 0.00-0.50	1	0.0 0.00-0.09					104	7.4 5.77-9.11	
Less than \$15,000	326	38,449	285	87.4 82.3-92.5			1	0.2 0.00-0.47					40	12.5 7.39-17.5	
\$15,000- 24,999	621	67,784	560	91.6 89.1-94.1	6	0.8 0.15-1.53	1	0.1 0.00-0.41					54	7.4 5.06-9.76	
\$25,000- 34,999	523	63,813	471	90.5 87.5-93.6	3	0.6 0.00-1.36			2	0.6 0.00-1.50	47	8.2 5.40-11.1			
\$35,000- 49,999	707	88,980	671	95.6 94.0-97.2	3	0.3 0.00-0.76							33	4.0 2.47-5.61	
\$50,000- 74,999	650	81,130	594	92.3 90.3-94.4	7	1.0 0.27-1.83	1	0.0 0.00-0.15					48	6.5 4.61-8.49	
\$75,000+	581	74,711	527	91.4 88.9-93.9	1	0.2 0.00-0.50							53	8.4 5.96-10.9	

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES
TABLE 11: POTATO SERVINGS PER DAY (POTADAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1589	235,489	1448	91.7	90.1-93.2	21	1.0	0.57-1.47	2	0.1	0.00-0.17	2	0.2	0.00-0.41	116	7.1	5.58-8.56
Non-Native	1543	227,525	1410	91.8	90.2-93.4	18	0.9	0.48-1.34	2	0.1	0.00-0.17	2	0.2	0.00-0.41	111	7.0	5.54-8.56
18-24	99	38,090	90	90.7	84.7-96.7										9	9.3	3.29-15.3
25-34	230	40,582	206	89.9	85.8-94.1	1	0.4	0.00-1.33							23	9.6	5.55-13.7
35-44	292	40,253	273	93.3	90.3-96.3	3	0.9	0.00-1.96							16	5.8	2.96-8.68
45-54	359	45,769	320	90.9	87.9-93.9	4	0.9	0.00-1.86	1	0.2	0.00-0.62	1	0.6	0.00-1.89	33	7.3	4.72-9.94
55-64	269	31,607	248	93.0	90.0-96.0	4	1.6	0.04-3.14							17	5.4	2.72-8.02
65+	333	38,407	304	92.5	89.7-95.3	9	2.4	0.82-4.08	1	0.2	0.00-0.47	1	0.2	0.00-0.62	18	4.7	2.42-6.96
Less Than H.S.	147	20,069	135	92.6	87.4-97.9	1	0.6	0.00-1.86	1	0.3	0.00-0.89				10	6.4	1.36-11.5
H.S. or G.E.D.	474	69,635	428	92.1	89.7-94.6	11	2.0	0.83-3.27	1	0.1	0.00-0.41	1	0.4	0.00-1.24	33	5.3	3.31-7.19
Some Post-H.S.	470	72,018	424	89.8	86.5-93.2	7	0.9	0.21-1.59				1	0.1	0.00-0.33	38	9.2	5.87-12.5
College Graduate	494	73,326	457	92.8	90.1-95.4	2	0.3	0.00-0.72							35	7.0	4.37-9.55
Less than \$15,000	90	12,380							1	0.5	0.00-1.45						
\$15,000- 24,999	218	28,668	188	90.1	86.3-93.8	5	1.8	0.18-3.32	1	0.3	0.00-1.01				24	7.8	4.49-11.2
\$25,000- 34,999	235	36,571	213	90.6	86.3-95.0	2	0.8	0.00-2.01				2	1.0	0.00-2.65	18	7.5	3.56-11.4
\$35,000- 49,999	323	49,292	307	95.6	93.2-97.9	2	0.5	0.00-1.22							14	3.9	1.67-6.17
\$50,000- 74,999	292	42,266	269	92.6	89.6-95.6	5	1.4	0.16-2.70							18	5.9	3.19-8.67
\$75,000+	288	42,873	264	91.2	87.5-94.9	1	0.3	0.00-0.86							23	8.5	4.80-12.1

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 12: POTATO SERVINGS PER DAY (POTADAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2317	239,855	2117	92.6	91.4-93.8	9	0.3	0.11-0.59	1	0.0	0.00-0.06	190	7.0	5.85-8.17
Native	69	10,134	66	95.8	90.4-0100							3	4.2	0.00-9.64
Non-Native	2228	227,878	2034	92.5	91.3-93.7	9	0.4	0.12-0.62	1	0.0	0.00-0.06	184	7.1	5.90-8.30
18-24	107	34,789	96	92.0	87.2-96.8							11	8.0	3.23-12.8
25-34	258	37,193	242	93.9	90.8-97.0	1	0.4	0.00-1.18				15	5.7	2.74-8.66
35-44	409	39,709	371	91.3	88.6-94.1	1	0.2	0.00-0.71				37	8.4	5.73-11.2
45-54	499	43,097	453	92.7	90.4-94.9				1	0.1	0.00-0.30	45	7.2	5.00-9.46
55-64	373	30,962	335	90.9	87.9-94.0	3	0.9	0.00-1.96				35	8.2	5.28-11.0
65+	641	51,904	596	94.9	93.3-96.4	4	0.6	0.00-1.18				41	4.5	3.10-6.00
Less Than H.S.	189	18,800	179	92.7	87.0-98.4	1	0.5	0.00-1.51				9	6.8	1.12-12.5
H.S. or G.E.D.	647	65,044	595	93.5	91.4-95.5	2	0.3	0.00-0.63				50	6.3	4.26-8.30
Some Post-H.S.	753	79,911	687	92.6	90.7-94.6	4	0.5	0.00-1.04				62	6.8	4.92-8.76
College Graduate	725	75,915	653	91.8	89.7-93.9	2	0.2	0.00-0.50	1	0.1	0.00-0.18	69	7.9	5.82-9.98
Less than \$15,000	236	26,069	210	90.8	86.4-95.1							26	9.3	4.88-13.6
\$15,000- 24,999	403	39,116	372	92.7	89.4-96.0	1	0.2	0.00-0.53				30	7.1	3.83-10.4
\$25,000- 34,999	288	27,242	258	90.4	86.3-94.5	1	0.3	0.00-1.04				29	9.2	5.19-13.3
\$35,000- 49,999	384	39,688	364	95.6	93.5-97.8	1	0.2	0.00-0.47				19	4.2	2.06-6.30
\$50,000- 74,999	358	38,864	325	92.0	89.2-94.9	2	0.6	0.00-1.51	1	0.1	0.00-0.33	30	7.2	4.48-9.96
\$75,000+	293	31,838	263	91.6	88.5-94.7							30	8.4	5.30-11.5

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 13: CARROT SERVINGS PER DAY (CRTSDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3858	471,059	3108	79.6	78.0-81.2	28	0.7	0.36-0.98	7	0.2	0.03-0.31	4	0.2	0.00-0.36	711	19.4	17.8-20.9
Male	1569	233,686	1200	75.8	73.3-78.4	5	0.2	0.01-0.45	4	0.2	0.00-0.40	3	0.3	0.00-0.65	357	23.5	21.0-26.0
Female	2289	237,373	1908	83.4	81.5-85.2	23	1.1	0.52-1.70	3	0.1	0.00-0.30	1	0.1	0.00-0.18	354	15.3	13.5-17.1
Non-Native	3726	451,368	3013	80.0	78.4-81.6	27	0.7	0.37-0.99	7	0.2	0.04-0.32	4	0.2	0.00-0.39	675	18.9	17.4-20.5
18-24	206	73,109	149	74.0	67.6-80.5	2	1.1	0.00-2.67				1	0.6	0.00-1.75	54	24.3	17.9-30.6
25-34	486	77,350	365	74.7	70.6-78.8	3	0.4	0.00-0.90	1	0.2	0.00-0.53	2	0.4	0.00-0.88	115	24.3	20.3-28.4
35-44	701	80,106	546	77.1	73.7-80.5	6	0.7	0.13-1.31	1	0.1	0.00-0.36				148	22.0	18.7-25.4
45-54	851	88,282	688	81.6	78.7-84.5	2	0.1	0.00-0.37	1	0.1	0.00-0.44				160	18.1	15.3-21.0
55-64	633	61,874	513	82.4	79.2-85.6	4	0.7	0.00-1.36	1	0.1	0.00-0.44				115	16.8	13.7-19.9
65+	945	87,442	823	87.9	85.7-90.1	11	1.1	0.41-1.71	3	0.4	0.00-0.84				108	10.6	8.52-12.8
Less Than H.S.	331	38,206	249	69.0	61.8-76.2	4	1.8	0.00-4.02	2	0.5	0.00-1.26				76	28.6	21.5-35.8
H.S. or G.E.D.	1104	133,294	865	77.7	74.7-80.7	7	0.4	0.10-0.80	1	0.1	0.00-0.21				231	21.8	18.8-24.8
Some Post-H.S.	1207	150,533	975	81.1	78.4-83.7	4	0.5	0.00-1.07	3	0.2	0.00-0.51	2	0.3	0.00-0.88	223	17.9	15.4-20.5
College Graduate	1209	148,399	1013	82.6	80.0-85.2	13	0.8	0.34-1.24	1	0.1	0.00-0.28	2	0.2	0.00-0.46	180	16.3	13.7-18.9
Less than \$15,000	316	37,614	237	75.0	68.6-81.3	4	1.8	0.00-4.11	1	0.2	0.00-0.62				74	23.0	16.9-29.1
\$15,000- 24,999	614	67,099	478	76.8	72.5-81.0	3	0.3	0.00-0.65	2	0.4	0.00-0.99				131	22.5	18.3-26.7
\$25,000- 34,999	517	63,332	417	77.8	72.8-82.9	3	0.4	0.00-0.84				1	0.2	0.00-0.65	96	21.6	16.5-26.6
\$35,000- 49,999	695	87,530	551	78.7	75.2-82.2	7	1.1	0.04-2.16	1	0.1	0.00-0.41				136	20.1	16.7-23.5
\$50,000- 74,999	648	80,944	532	81.8	78.6-85.0	2	0.3	0.00-0.80	1	0.1	0.00-0.36				113	17.7	14.5-21.0
\$75,000+	576	74,200	494	85.6	82.3-88.9	3	0.3	0.00-0.60	1	0.2	0.00-0.53	1	0.2	0.00-0.59	77	13.7	10.5-17.0

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 14: CARROT SERVINGS PER DAY (CRTSDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1569	233,686	1200	75.8	73.3-78.4	5	0.2	0.01-0.45	4	0.2	0.00-0.40	3	0.3	0.00-0.65	357	23.5	21.0-26.0
Non-Native	1523	225,721	1170	76.3	73.7-78.8	4	0.2	0.00-0.39	4	0.2	0.00-0.43	3	0.3	0.00-0.66	342	23.1	20.5-25.6
18-24	100	38,525	69	69.5	59.6-79.3							1	1.1	0.00-3.33	30	29.4	19.6-39.2
25-34	229	40,306	159	69.5	63.2-75.8	1	0.2	0.00-0.68	1	0.3	0.00-1.01	1	0.3	0.00-1.01	67	29.6	23.3-35.9
35-44	292	40,397	209	71.5	66.1-77.0	1	0.4	0.00-1.07							82	28.1	22.7-33.5
45-54	354	45,313	279	80.3	75.8-84.8				1	0.3	0.00-0.86				74	19.4	14.9-23.9
55-64	264	31,198	204	79.1	74.0-84.3	1	0.4	0.00-1.18							59	20.5	15.3-25.6
65+	323	37,166	277	86.7	82.9-90.5	2	0.5	0.00-1.20	2	0.5	0.00-1.30				42	12.3	8.59-16.0
Less Than H.S.	148	19,994				1	0.6	0.00-1.78	2	1.0	0.00-2.41						
H.S. or G.E.D.	466	69,199	345	74.0	69.4-78.7	1	0.1	0.00-0.38							120	25.8	21.2-30.5
Some Post-H.S.	463	71,169	352	76.6	72.2-81.1				2	0.4	0.00-0.91	2	0.7	0.00-1.86	107	22.3	18.0-26.7
College Graduate	488	72,883	397	80.2	76.0-84.4	3	0.4	0.00-1.00				1	0.2	0.00-0.56	87	19.2	15.0-23.4
Less than \$15,000	88	12,225							1	0.6	0.00-1.94						
\$15,000- 24,999	217	28,528	154	72.4	65.5-79.4				1	0.5	0.00-1.42				62	27.1	20.2-34.0
\$25,000- 34,999	233	36,348	175	72.4	64.6-80.2							1	0.4	0.00-1.12	57	27.2	19.4-35.0
\$35,000- 49,999	314	48,110	238	76.3	71.0-81.5				1	0.3	0.00-0.74				75	23.5	18.3-28.7
\$50,000- 74,999	290	42,081	226	78.5	73.5-83.4	2	0.6	0.00-1.52							62	20.9	16.0-25.8
\$75,000+	284	42,535	237	83.9	79.1-88.8	1	0.1	0.00-0.41	1	0.3	0.00-0.92				45	15.6	10.8-20.4

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES
TABLE 15: CARROT SERVINGS PER DAY (CRTSDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2289	237,373	1908	83.4	81.5-85.2	23	1.1	0.52-1.70	3	0.1	0.00-0.30	1	0.1	0.00-0.18	354	15.3	13.5-17.1
Non-Native	2203	225,647	1843	83.8	81.9-85.6	23	1.2	0.56-1.78	3	0.1	0.00-0.33	1	0.1	0.00-0.21	333	14.8	13.1-16.6
18-24	106	34,585	80	79.1	71.1-87.1	2	2.4	0.00-5.59							24	18.5	11.0-26.0
25-34	257	37,044	206	80.4	75.4-85.4	2	0.6	0.00-1.48				1	0.4	0.00-1.18	48	18.6	13.6-23.5
35-44	409	39,709	337	82.8	78.8-86.7	5	1.1	0.11-2.07	1	0.2	0.00-0.71				66	15.9	12.0-19.7
45-54	497	42,969	409	82.9	79.3-86.4	2	0.3	0.00-0.73							86	16.8	13.3-20.3
55-64	369	30,676	309	85.7	82.1-89.3	3	0.9	0.00-2.07	1	0.3	0.00-0.92				56	13.0	9.62-16.5
65+	622	50,275	546	88.8	86.1-91.5	9	1.5	0.51-2.47	1	0.3	0.00-0.83				66	9.4	6.93-11.9
Less Than H.S.	183	18,212	147	76.1	67.7-84.6	3	3.1	0.00-7.55							33	20.7	13.0-28.5
H.S. or G.E.D.	638	64,096	520	81.7	78.0-85.4	6	0.8	0.11-1.45	1	0.1	0.00-0.44				111	17.4	13.7-21.1
Some Post-H.S.	744	79,364	623	85.0	82.1-88.0	4	0.9	0.00-2.01	1	0.1	0.00-0.36				116	13.9	11.2-16.7
College Graduate	721	75,517	616	84.9	81.8-88.0	10	1.1	0.39-1.85	1	0.2	0.00-0.56	1	0.2	0.00-0.59	93	13.6	10.5-16.6
Less than \$15,000	228	25,389	174	80.6	74.5-86.7	4	2.7	0.00-6.09							50	16.7	11.4-22.0
\$15,000- 24,999	397	38,571	324	80.0	74.6-85.4	3	0.5	0.00-1.14	1	0.4	0.00-1.10				69	19.1	13.7-24.5
\$25,000- 34,999	284	26,984	242	85.1	80.2-90.0	3	0.9	0.00-1.95							39	14.0	9.12-18.8
\$35,000- 49,999	381	39,420	313	81.6	77.1-86.2	7	2.4	0.14-4.76							61	15.9	11.8-20.0
\$50,000- 74,999	358	38,864	306	85.4	81.4-89.5				1	0.3	0.00-0.74				51	14.3	10.3-18.3
\$75,000+	292	31,666	257	87.9	83.8-92.0	2	0.4	0.00-1.12				1	0.5	0.00-1.39	32	11.2	7.25-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		> 5		None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	3839	466,710	2666	69.6 67.9-71.4	797	20.1 18.7-21.6	186	5.0 4.15-5.83	75	2.2 1.51-2.93	10	0.3 0.03-0.47	105	2.7 2.09-3.39
Male	1561	231,508	1201	76.2 73.7-78.7	245	16.0 13.9-18.1	41	2.8 1.83-3.79	24	1.4 0.74-2.00	2	0.2 0.00-0.58	48	3.4 2.20-4.52
Female	2278	235,202	1465	63.2 60.7-65.6	552	24.2 22.1-26.3	145	7.1 5.76-8.50	51	3.1 1.82-4.32	8	0.3 0.06-0.50	57	2.1 1.49-2.75
Native	100	16,032					6	4.3 0.43-8.23	3	8.0 0.00-19.9	1	0.3 0.00-0.80	5	3.0 0.00-6.25
Non-Native	3709	447,299	2580	69.8 68.0-71.6	770	20.1 18.6-21.6	179	5.0 4.17-5.89	72	2.0 1.44-2.62	9	0.3 0.03-0.47	99	2.7 2.06-3.40
18-24	199	70,929	131	65.9 58.7-73.1	37	18.3 12.5-24.1	16	7.4 3.61-11.1	8	4.6 0.78-8.34	1	0.6 0.00-1.81	6	3.2 0.48-5.96
25-34	476	75,737	308	66.0 61.5-70.4	101	20.7 16.9-24.5	35	6.5 4.29-8.75	11	2.3 0.94-3.76			21	4.4 2.45-6.45
35-44	695	79,483	470	68.2 64.5-71.9	153	22.1 18.8-25.4	35	4.6 2.98-6.24	14	1.8 0.84-2.80	1	0.1 0.00-0.18	22	3.2 1.73-4.75
45-54	848	88,011	588	70.7 67.4-74.1	182	21.0 18.0-24.1	38	4.4 2.85-5.87	11	1.3 0.48-2.12	3	0.3 0.00-0.64	26	2.3 1.33-3.29
55-64	632	61,592	444	71.8 68.0-75.5	128	19.5 16.2-22.8	25	3.7 2.11-5.25	15	2.3 1.03-3.47	3	0.4 0.00-0.88	17	2.4 1.14-3.60
65+	954	88,276	700	74.6 71.7-77.5	192	19.2 16.5-21.8	36	3.6 2.39-4.89	14	1.4 0.59-2.27	2	0.2 0.00-0.48	10	1.0 0.35-1.57
Less Than H.S.	324	37,474	248	74.8 68.3-81.2	46	12.7 8.63-16.8	12	5.3 1.37-9.33	5	2.6 0.00-6.19			13	4.6 1.51-7.63
H.S. or G.E.D.	1104	132,463	834	74.9 71.6-78.2	184	17.1 14.3-20.0	42	3.7 2.44-5.02	18	2.2 0.53-3.87			26	2.0 1.15-2.83
Some Post-H.S.	1196	147,973	809	68.0 64.8-71.2	276	22.4 19.6-25.1	45	4.3 2.76-5.86	22	1.8 0.89-2.61	7	0.6 0.00-1.21	37	3.0 1.76-4.22
College Graduate	1208	148,174	768	65.2 62.1-68.2	291	22.6 19.9-25.2	87	6.7 5.19-8.25	30	2.6 1.55-3.71	3	0.2 0.00-0.45	29	2.7 1.47-3.93
Less than \$15,000	323	38,383	225	64.8 57.3-72.3	61	19.5 13.8-25.2	14	5.5 1.99-9.09	9	5.9 0.26-11.5	1	0.1 0.00-0.33	13	4.2 1.45-6.93
\$15,000- 24,999	605	65,366	427	71.5 67.1-75.9	110	18.0 14.3-21.8	37	6.7 4.05-9.27	9	1.0 0.29-1.77	2	0.2 0.00-0.41	20	2.6 1.35-3.81
\$25,000- 34,999	512	62,062	360	70.8 65.9-75.7	108	19.2 15.3-23.1	20	2.4 1.27-3.59	5	1.5 0.00-3.16	1	0.7 0.00-2.07	18	5.3 2.15-8.47
\$35,000- 49,999	698	87,637	472	67.4 63.3-71.5	154	21.5 17.9-25.1	36	6.1 3.77-8.35	15	2.2 0.99-3.35			21	2.9 1.54-4.20
\$50,000- 74,999	642	79,950	443	70.7 66.8-74.6	145	20.9 17.5-24.3	28	4.3 2.62-5.96	14	2.6 0.64-4.48			12	1.6 0.63-2.55
\$75,000+	579	74,443	401	70.0 65.8-74.2	123	21.2 17.4-24.9	28	4.8 2.68-6.96	14	2.1 0.86-3.26	1	0.2 0.00-0.50	12	1.8 0.72-2.84

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	231,508	1201	76.2	73.7-78.7	245	16.0	13.9-18.1	41	2.8	1.83-3.79	24	1.4	0.74-2.00	2	0.2	0.00-0.58	48	3.4	2.20-4.52
Non-Native	1515	223,340	1164	76.3	73.8-78.8	239	15.8	13.7-17.9	41	2.9	1.89-3.93	23	1.4	0.74-2.04	2	0.2	0.00-0.61	46	3.3	2.17-4.53
18-24	97	37,367	72	73.9	64.3-83.4	14	14.9	7.09-22.7	4	3.7	0.00-7.64	2	1.5	0.00-3.94	1	1.2	0.00-3.43	4	4.8	0.00-9.70
25-34	223	39,251	154	70.6	64.4-76.9	43	18.3	13.0-23.5	13	4.9	2.21-7.61	3	1.4	0.00-2.99				10	4.8	1.66-7.94
35-44	292	40,397	225	75.3	70.0-80.6	48	17.5	12.8-22.1	8	2.8	0.77-4.93	2	0.6	0.00-1.50				9	3.8	1.20-6.30
45-54	352	45,085	276	78.7	74.0-83.4	50	14.9	10.7-19.2	4	1.4	0.01-2.87	8	1.7	0.48-2.98				14	3.2	1.42-4.94
55-64	262	30,821	203	77.4	72.0-82.8	42	16.5	11.6-21.3	3	1.0	0.00-2.33	5	1.9	0.16-3.72	1	0.2	0.00-0.59	8	3.0	0.82-5.10
65+	328	37,807	265	81.4	77.0-85.8	47	14.1	10.1-18.0	9	2.8	0.96-4.72	4	1.1	0.00-2.18				3	0.6	0.00-1.40
Less Than H.S.	143	19,469	112	78.5	69.8-87.1	14	7.6	3.41-11.8	5	5.2	0.00-11.2	3	1.3	0.00-2.83				9	7.5	1.82-13.1
H.S. or G.E.D.	467	68,821	370	78.0	73.3-82.7	64	15.8	11.4-20.2	11	2.7	1.07-4.29	6	0.9	0.16-1.68				16	2.6	1.28-4.02
Some Post-H.S.	460	70,140	352	76.7	72.3-81.1	77	15.8	12.2-19.4	8	2.0	0.42-3.68	7	1.2	0.25-2.13	2	0.7	0.00-1.93	14	3.6	1.29-5.83
College Graduate	487	72,637	363	73.4	69.0-77.9	90	18.8	14.9-22.7	17	3.0	1.55-4.53	8	2.0	0.42-3.56				9	2.8	0.65-4.89
Less than \$15,000	92	12,695				9	10.1	2.01-18.2	4	3.3	0.00-6.64	3	2.8	0.00-6.16				6	8.0	0.84-15.1
\$15,000- 24,999	213	27,802	165	76.8	70.2-83.4	31	14.7	9.38-20.0	6	4.6	0.63-8.51	3	1.0	0.00-2.21	1	0.2	0.00-0.68	7	2.7	0.54-4.82
\$25,000- 34,999	226	35,018	175	75.9	68.8-83.0	35	13.6	8.74-18.4	4	1.0	0.00-2.12	2	1.8	0.00-4.37	1	1.2	0.00-3.65	9	6.5	1.41-11.6
\$35,000- 49,999	315	48,045	241	75.2	69.5-81.0	56	18.2	13.0-23.4	6	2.8	0.08-5.52	1	0.4	0.00-1.12				11	3.4	1.30-5.46
\$50,000- 74,999	289	41,950	226	78.9	73.9-83.9	39	13.6	9.34-17.9	9	3.4	1.17-5.59	7	1.8	0.37-3.27				8	2.3	0.65-3.95
\$75,000+	288	42,873	219	75.8	70.2-81.4	52	19.2	14.0-24.5	7	2.0	0.47-3.61	5	1.4	0.07-2.65				5	1.5	0.16-2.90

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2278	235,202	1465	63.2	60.7-65.6	552	24.2	22.1-26.3	145	7.1	5.76-8.50	51	3.1	1.84-4.30	8	0.3	0.06-0.50	57	2.1	1.49-2.75
Native	66	9,541							6	7.3	0.74-13.8				1	0.4	0.00-1.33	3	1.8	0.00-4.14
Non-Native	2194	223,959	1416	63.3	60.9-65.8	531	24.4	22.3-26.6	138	7.1	5.74-8.56	49	2.7	1.72-3.64	7	0.3	0.06-0.50	53	2.1	1.47-2.77
18-24	102	33,562				23	22.1	13.6-30.7		11.5	4.96-18.0	6	7.9	0.57-15.3				2	1.4	0.00-3.40
25-34	253	36,486	154	61.0	54.7-67.3	58	23.3	17.9-28.8	22	8.3	4.69-11.8	8	3.4	0.97-5.75				11	4.1	1.67-6.49
35-44	403	39,086	245	60.8	55.8-65.9	105	26.8	22.2-31.4	27	6.4	3.90-8.96	12	3.1	1.28-4.84	1	0.1	0.00-0.36	13	2.7	1.18-4.28
45-54	496	42,926	312	62.3	57.7-67.0	132	27.4	23.1-31.6	34	7.4	4.77-10.1	3	0.8	0.00-1.89	3	0.6	0.00-1.33	12	1.4	0.59-2.19
55-64	370	30,772	241	66.1	61.0-71.2	86	22.6	18.1-27.1	22	6.3	3.55-9.15	10	2.5	0.86-4.24	2	0.6	0.00-1.48	9	1.8	0.56-3.00
65+	626	50,468	435	69.5	65.6-73.4	145	23.0	19.5-26.6	27	4.2	2.55-5.93	10	1.7	0.48-2.94	2	0.3	0.00-0.87	7	1.2	0.29-2.09
Less Than H.S.	181	18,005	136	70.7	61.3-80.1	32	18.3	11.3-25.3	7	5.5	0.45-10.6	2	4.0	0.00-11.2				4	1.4	0.01-2.83
H.S. or G.E.D.	637	63,642	464	71.6	67.0-76.2	120	18.6	15.1-22.1	31	4.9	2.83-6.91	12	3.6	0.29-6.91				10	1.3	0.40-2.16
Some Post-H.S.	736	77,833	457	60.1	55.7-64.5	199	28.3	24.3-32.4	37	6.3	3.79-8.89	15	2.3	0.84-3.66	5	0.5	0.04-0.90	23	2.5	1.36-3.60
College Graduate	721	75,537	405	57.3	53.1-61.4	201	26.2	22.7-29.7	70	10.3	7.67-12.8	22	3.3	1.80-4.70	3	0.4	0.00-0.89	20	2.6	1.32-3.94
Less than \$15,000	231	25,688	155	59.3	50.0-68.7	52	24.2	16.7-31.6	10	6.7	1.66-11.7	6	7.4	0.00-15.5	1	0.2	0.00-0.50	7	2.3	0.32-4.32
\$15,000- 24,999	392	37,563	262	67.6	61.7-73.4	79	20.5	15.4-25.6	31	8.2	4.74-11.7	6	1.0	0.09-2.01	1	0.1	0.00-0.38	13	2.5	1.03-3.97
\$25,000- 34,999	286	27,044	185	64.3	57.8-70.8	73	26.5	20.5-32.5	16	4.2	1.99-6.45	3	1.2	0.00-2.86				9	3.7	0.91-6.55
\$35,000- 49,999	383	39,592	231	57.9	52.2-63.5	98	25.5	20.6-30.5	30	10.0	6.24-13.8	14	4.3	1.94-6.72				10	2.2	0.71-3.77
\$50,000- 74,999	353	38,000	217	61.6	55.8-67.5	106	28.9	23.7-34.1	19	5.3	2.78-7.84	7	3.4	0.00-7.05				4	0.8	0.00-1.63
\$75,000+	291	31,570	182	62.1	55.9-68.3	71	23.8	18.6-29.0	21	8.6	4.17-13.0	9	3.0	0.84-5.20	1	0.4	0.00-1.21	7	2.1	0.43-3.81

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

**TABLE 19: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		> 5		None	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	3938	479,319	200	5.3 4.49-6.17	629	17.9 16.4-19.4	887	22.9 21.4-24.5	1335	33.2 31.5-35.0	884	20.5 19.1-22.0	3	0.1 0.00-0.18
Male	1606	238,439	108	7.0 5.55-8.41	355	23.3 20.8-25.7	437	26.6 24.1-29.0	477	30.4 27.7-33.2	227	12.7 11.0-14.4	2	0.1 0.00-0.20
Female	2332	240,880	92	3.7 2.79-4.59	274	12.6 10.9-14.2	450	19.3 17.4-21.3	858	36.0 33.7-38.3	657	28.3 26.1-30.6	1	0.1 0.00-0.24
Native	105	16,963	7	6.8 1.17-12.4	21	16.5 8.59-24.3								
Non-Native	3799	458,696	193	5.3 4.46-6.18	598	17.8 16.3-19.4	851	22.7 21.1-24.3	1301	33.5 31.7-35.4	853	20.5 19.0-22.0	3	0.1 0.00-0.19
18-24	208	73,603	16	6.4 3.14-9.72	52	25.4 18.9-31.8	43	20.0 14.2-25.8	53	28.4 21.4-35.4	43	19.6 13.7-25.4	1	0.3 0.00-0.83
25-34	492	78,629	41	8.7 5.97-11.3	107	21.9 18.0-25.8	124	25.9 21.8-30.0	133	27.1 23.0-31.3	87	16.4 13.1-19.8		
35-44	705	80,442	44	6.1 4.22-8.02	134	19.8 16.6-23.0	192	27.8 24.2-31.3	212	30.1 26.5-33.8	123	16.2 13.4-19.0		
45-54	861	89,211	43	4.5 3.08-6.02	160	19.1 16.2-22.0	209	24.3 21.2-27.5	279	32.9 29.4-36.4	169	19.0 16.2-21.9	1	0.1 0.00-0.21
55-64	643	62,695	27	4.1 2.44-5.78	94	14.8 11.8-17.8	142	23.4 19.8-27.0	236	36.9 32.9-40.9	143	20.6 17.4-23.9	1	0.2 0.00-0.59
65+	992	91,757	28	2.6 1.55-3.67	74	7.7 5.85-9.53	168	16.4 13.9-18.9	412	43.0 39.6-46.4	310	30.3 27.2-33.4		
Less Than H.S.	343	39,360	15	4.3 1.97-6.71	53	15.6 10.9-20.3	88	25.9 20.2-31.6	125	36.7 29.8-43.5	62	17.5 12.2-22.9		
H.S. or G.E.D.	1137	137,047	78	7.3 5.47-9.19	199	18.8 15.9-21.7	271	24.2 21.2-27.2	380	33.1 29.7-36.4	207	16.4 13.8-19.0	2	0.2 0.00-0.51
Some Post-H.S.	1228	152,398	67	5.8 4.11-7.41	218	20.6 17.6-23.5	253	20.7 18.1-23.4	401	31.3 28.1-34.4	288	21.6 18.9-24.3	1	0.1 0.00-0.24
College Graduate	1223	149,889	40	3.3 2.20-4.48	158	14.9 12.4-17.4	273	23.3 20.5-26.1	425	34.3 31.3-37.3	327	24.2 21.5-26.8		
Less than \$15,000	335	39,469	25	6.9 3.64-10.1	61	20.3 14.2-26.5	66	20.5 14.7-26.3	99	25.5 19.5-31.4	83	26.3 19.4-33.2	1	0.5 0.00-1.54
\$15,000- 24,999	627	68,389	41	7.2 4.51-9.81	95	15.2 11.6-18.7	136	23.9 19.7-28.2	207	32.9 28.2-37.6	148	20.8 17.1-24.5		
\$25,000- 34,999	525	63,960	32	7.7 4.53-10.8	81	17.1 13.0-21.3	116	21.4 17.2-25.7	189	36.8 31.6-42.0	107	17.0 13.4-20.6		
\$35,000- 49,999	709	89,210	41	6.0 4.11-7.99	135	20.3 16.9-23.7	156	21.9 18.5-25.4	236	33.0 28.9-37.0	140	18.7 15.5-21.9	1	0.1 0.00-0.21
\$50,000- 74,999	652	81,411	26	4.6 2.64-6.48	113	19.4 16.0-22.9	163	25.1 21.5-28.7	218	31.8 27.9-35.7	132	19.1 15.7-22.5		
\$75,000+	581	74,711	17	3.0 1.46-4.48	88	17.7 13.8-21.6	135	21.9 18.3-25.4	208	36.3 31.9-40.7	133	21.1 17.5-24.7		

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 20: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	238,439	108	7.0	5.55-8.41	355	23.3	20.8-25.7	437	26.6	24.1-29.0	477	30.4	27.7-33.2	227	12.7	11.0-14.4	2	0.1	0.00-0.20
Non-Native	1557	229,842	103	6.8	5.38-8.24	344	23.5	20.9-26.0	423	26.5	24.1-29.0	463	30.2	27.5-32.9	222	12.9	11.1-14.7	2	0.1	0.00-0.20
18-24	101	38,814	9	7.3	2.33-12.2	31	32.1	22.3-42.0	20	17.5	9.97-25.1				11	8.4	3.24-13.5			
25-34	233	41,361	24	11.0	6.63-15.3	59	25.3	19.3-31.3	74	31.9	25.6-38.1	45	20.3	14.7-25.9	31	11.5	7.54-15.5			
35-44	294	40,613	25	8.5	5.19-11.9	79	25.7	20.5-30.9	94	32.6	26.9-38.3	70	24.4	19.2-29.6	26	8.8	5.43-12.1			
45-54	361	46,029	21	5.5	3.07-7.97	92	24.8	20.0-29.6	101	27.8	22.9-32.7	101	29.1	24.0-34.3	45	12.6	8.92-16.3	1	0.1	0.00-0.41
55-64	270	31,733	16	5.6	2.75-8.55	55	19.7	14.8-24.7	70	26.6	21.0-32.3	92	34.9	28.9-41.0	36	12.7	8.59-16.8	1	0.4	0.00-1.18
65+	340	39,107	13	3.8	1.67-5.91	37	10.6	7.18-14.1	77	22.0	17.4-26.7	136	41.1	35.6-46.7	77	22.4	17.8-27.1			
Less Than H.S.	150	20,274	9	6.1	1.97-10.2	32	19.4	12.0-26.9	42	27.4	18.8-35.9				20	10.7	5.75-15.6			
H.S. or G.E.D.	483	71,524	43	9.3	6.31-12.2	103	21.8	17.3-26.3	137	27.1	22.6-31.5	144	31.2	26.1-36.3	55	10.6	7.62-13.6	1	0.1	0.00-0.27
Some Post-H.S.	473	72,368	35	8.3	5.26-11.4	123	28.5	23.5-33.5	121	24.3	20.0-28.6	124	25.9	21.2-30.5	69	12.8	9.61-16.1	1	0.2	0.00-0.50
College Graduate	496	73,831	21	3.8	2.03-5.47	96	20.6	16.5-24.8	136	28.2	23.7-32.6	160	32.3	27.7-36.9	83	15.1	11.8-18.4			
Less than \$15,000	95	13,130	9	11.1	3.40-18.8				21	18.6	9.49-27.8				18	13.6	6.97-20.3			
\$15,000- 24,999	221	29,118	21	9.7	5.05-14.4	41	16.3	10.7-21.8	60	28.9	21.9-35.9	69	33.5	25.4-41.5	30	11.6	7.17-16.1			
\$25,000- 34,999	235	36,571	22	11.3	6.09-16.5	46	20.2	13.8-26.6	58	23.4	17.1-29.7	74	31.4	23.8-38.9	35	13.8	8.73-18.8			
\$35,000- 49,999	324	49,436	25	8.0	4.84-11.1	75	23.1	17.9-28.2	89	26.9	21.6-32.2	100	32.2	26.2-38.3	34	9.7	6.35-13.0	1	0.1	0.00-0.38
\$50,000- 74,999	293	42,462	15	4.8	2.30-7.36	75	27.5	21.9-33.1	87	29.0	23.5-34.5	78	26.4	21.0-31.9	38	12.2	8.40-16.0			
\$75,000+	288	42,873	10	3.6	1.28-5.90	67	25.5	19.4-31.6	78	25.4	20.1-30.7	94	33.3	27.1-39.4	39	12.2	8.43-16.0			

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 21: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2332	240,880	92	3.7	2.79-4.59	274	12.6	10.9-14.2	450	19.3	17.4-21.3	858	36.0	33.7-38.3	657	28.3	26.1-30.6	1	0.1	0.00-0.24
Native	70	10,182	2	1.6	0.00-3.92							14	15.5	6.25-24.8						
Non-Native	2242	228,855	90	3.8	2.86-4.78	254	12.2	10.5-13.9	428	18.9	16.9-20.9	838	36.9	34.5-39.3	631	28.1	25.9-30.4		0.1	0.00-0.27
18-24	107	34,789	7	5.5	1.24-9.74	21	17.8	10.2-25.5	23	22.7	13.9-31.6	23	21.3	12.9-29.8	32	32.0	22.0-42.0	1	0.6	0.00-1.75
25-34	259	37,268	17	6.1	3.17-9.01	48	18.1	13.2-22.9	50	19.3	14.2-24.3	88	34.7	28.6-40.8	56	21.8	16.5-27.2			
35-44	411	39,829	19	3.7	1.93-5.41	55	13.7	10.1-17.3	98	22.8	18.6-27.1	142	36.0	31.0-41.0	97	23.7	19.4-28.1			
45-54	500	43,182	22	3.5	1.96-5.06	68	13.0	9.89-16.1	108	20.7	16.9-24.4	178	36.9	32.3-41.5	124	25.9	21.6-30.1			
55-64	373	30,962	11	2.5	0.97-4.11	39	9.7	6.56-12.8	72	20.1	15.7-24.5	144	38.9	33.7-44.2	107	28.7	23.9-33.6			
65+	652	52,650	15	1.7	0.79-2.67	37	5.5	3.62-7.42	91	12.3	9.69-14.8	276	44.4	40.2-48.6	233	36.1	32.1-40.1			
Less Than H.S.	193	19,085	6	2.5	0.34-4.62	21	11.5	5.88-17.2	46	24.2	16.8-31.7	78	36.9	28.8-45.0	42	24.8	15.9-33.7			
H.S. or G.E.D.	654	65,523	35	5.2	3.02-7.44	96	15.6	12.2-19.1	134	21.0	17.0-24.9	236	35.1	30.8-39.5	152	22.7	18.5-26.9	1	0.3	0.00-0.92
Some Post-H.S.	755	80,029	32	3.4	2.05-4.83	95	13.4	10.3-16.5	132	17.5	14.2-20.8	277	36.1	32.0-40.3	219	29.5	25.4-33.6			
College Graduate	727	76,057	19	2.9	1.45-4.43	62	9.3	6.68-12.0	137	18.6	15.1-22.0	265	36.2	32.2-40.2	244	32.9	29.0-36.8			
Less than \$15,000	240	26,339	16	4.8	1.91-7.63	35	12.9	7.79-18.1	45	21.4	14.0-28.9	78	27.5	20.2-34.8	65	32.6	23.4-41.7	1	0.8	0.00-2.29
\$15,000- 24,999	406	39,271	20	5.3	2.25-8.25	54	14.4	9.76-19.0	76	20.3	14.9-25.6	138	32.5	27.0-38.1	118	27.6	22.2-33.0			
\$25,000- 34,999	290	27,388	10	2.9	0.90-4.82	35	13.1	8.48-17.7	58	18.8	13.3-24.3	115	44.0	37.2-50.7	72	21.3	16.3-26.3			
\$35,000- 49,999	385	39,774	16	3.7	1.77-5.57	60	16.8	12.5-21.1	67	15.8	11.9-19.6	136	33.9	28.7-39.1	106	29.9	24.5-35.2			
\$50,000- 74,999	359	38,949	11	4.3	1.32-7.20	38	10.6	7.14-14.1	76	20.8	16.3-25.4	140	37.7	32.0-43.3	94	26.6	21.2-32.1			
\$75,000+	293	31,838	7	2.1	0.43-3.85	21	7.2	4.10-10.3	57	17.1	12.8-21.5	114	40.4	34.3-46.6	94	33.1	27.0-39.2			

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

**TABLE 22: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3938	479,319	196	5.3	4.46-6.14	1478	39.9	38.0-41.8	1326	33.0	31.2-34.7	938	21.8	20.3-23.3
Male	1606	238,439	107	6.9	5.51-8.37	774	48.8	45.9-51.6	480	30.5	27.8-33.2	245	13.8	12.0-15.6
Female	2332	240,880	89	3.7	2.75-4.59	704	31.1	28.8-33.4	846	35.4	33.1-37.7	693	29.8	27.5-32.1
Native	105	16,963	7	6.8	1.17-12.4									
Non-Native	3799	458,696	189	5.3	4.42-6.14	1414	39.7	37.8-41.6	1291	33.2	31.4-35.0	905	21.8	20.3-23.3
18-24	208	73,603	17	6.7	3.38-10.0	95	45.4	38.0-52.7	50	27.2	20.3-34.2	46	20.7	14.7-26.7
25-34	492	78,629	41	8.7	5.97-11.3	226	46.8	42.1-51.4	133	27.0	22.9-31.2	92	17.5	14.1-21.0
35-44	705	80,442	42	5.8	3.96-7.68	321	46.8	42.9-50.8	212	30.3	26.7-33.9	130	17.0	14.2-19.9
45-54	861	89,211	44	4.6	3.13-6.11	356	42.0	38.4-45.7	283	33.2	29.8-36.7	178	20.1	17.2-23.0
55-64	643	62,695	27	4.2	2.51-5.93	228	36.8	32.7-40.9	234	36.8	32.8-40.8	154	22.2	18.8-25.5
65+	992	91,757	24	2.3	1.33-3.37	237	23.5	20.6-26.4	402	41.9	38.6-45.3	329	32.3	29.1-35.4
Less Than H.S.	343	39,360	13	4.0	1.72-6.38	140	40.3	33.8-46.9	122	36.6	29.7-43.5	68	19.0	13.6-24.5
H.S. or G.E.D.	1137	137,047	77	7.4	5.51-9.27	462	42.3	38.8-45.8	380	33.0	29.6-36.3	218	17.3	14.7-20.0
Some Post-H.S.	1228	152,398	68	5.8	4.19-7.49	460	40.6	37.2-43.9	394	30.5	27.4-33.6	306	23.1	20.3-25.9
College Graduate	1223	149,889	38	3.2	2.06-4.30	413	36.9	33.7-40.1	426	34.4	31.3-37.4	346	25.5	22.9-28.2
Less than \$15,000	335	39,469	25	7.3	3.91-10.7	127	40.8	33.6-48.1	93	24.0	18.1-29.9	90	27.9	21.0-34.8
\$15,000- 24,999	627	68,389	39	6.9	4.32-9.58	226	38.3	33.5-43.2	204	32.7	28.0-37.4	158	22.0	18.2-25.8
\$25,000- 34,999	525	63,960	31	7.6	4.47-10.7	193	38.0	32.9-43.2	186	35.5	30.4-40.7	115	18.8	15.0-22.6
\$35,000- 49,999	709	89,210	41	6.0	4.10-7.94	287	41.8	37.6-45.9	233	32.4	28.4-36.5	148	19.8	16.5-23.1
\$50,000- 74,999	652	81,411	26	4.6	2.64-6.48	269	43.5	39.3-47.7	214	31.3	27.4-35.2	143	20.6	17.2-24.1
\$75,000+	581	74,711	16	2.8	1.31-4.25	215	38.4	33.9-42.9	211	36.6	32.2-41.0	139	22.3	18.6-26.0

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 23: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	238,439	107	6.9	5.51-8.37	774	48.8	45.9-51.6	480	30.5	27.8-33.2	245	13.8	12.0-15.6
Non-Native	1557	229,842	102	6.8	5.34-8.20	750	48.9	46.1-51.8	465	30.2	27.5-32.9	240	14.1	12.2-16.0
18-24	101	38,814	9	7.3	2.33-12.2							12	9.5	3.96-15.1
25-34	233	41,361	24	11.0	6.63-15.3	130	55.8	49.1-62.6	47	21.0	15.4-26.6	32	12.2	8.05-16.4
35-44	294	40,613	24	8.2	4.89-11.4	172	57.9	52.0-63.9	71	24.6	19.4-29.8	27	9.3	5.83-12.8
45-54	361	46,029	22	5.7	3.19-8.13	186	50.8	45.2-56.3	104	29.8	24.7-35.0	49	13.7	9.94-17.5
55-64	270	31,733	16	5.8	2.87-8.83	121	44.6	38.3-50.9	94	35.9	29.8-42.0	39	13.7	9.48-17.9
65+	340	39,107	12	3.6	1.50-5.66	111	31.6	26.4-36.9	132	39.8	34.3-45.4	85	24.9	20.1-29.8
Less Than H.S.	150	20,274	9	6.1	1.97-10.2							24	12.8	7.42-18.2
H.S. or G.E.D.	483	71,524	42	9.1	6.22-12.1	236	47.9	42.6-53.2	146	31.3	26.2-36.3	59	11.7	8.55-14.8
Some Post-H.S.	473	72,368	36	8.5	5.41-11.6	240	52.1	46.9-57.3	123	25.2	20.7-29.8	74	14.2	10.7-17.6
College Graduate	496	73,831	20	3.6	1.87-5.25	223	47.2	42.3-52.1	165	33.3	28.7-38.0	88	15.9	12.6-19.3
Less than \$15,000	95	13,130	9	11.1	3.40-18.8							21	16.5	9.05-24.0
\$15,000- 24,999	221	29,118	19	9.2	4.59-13.9	101	44.7	36.9-52.5	70	34.2	26.1-42.2		11.9	7.40-16.4
\$25,000- 34,999	235	36,571	22	11.3	6.09-16.5	101	42.8	35.1-50.6	73	30.2	22.8-37.7	39	15.6	10.3-20.9
\$35,000- 49,999	324	49,436	26	8.1	4.95-11.2	162	49.4	43.2-55.6	97	31.4	25.4-37.4	39	11.1	7.58-14.6
\$50,000- 74,999	293	42,462	15	4.8	2.30-7.36	157	55.0	48.9-61.1	80	27.1	21.6-32.6	41	13.1	9.18-17.0
\$75,000+	288	42,873	9	3.3	1.02-5.48	141	49.6	43.2-56.1	97	33.7	27.6-39.8	41	13.4	9.20-17.6

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 24: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2332	240,880	89	3.7	2.75-4.59	704	31.1	28.8-33.4	846	35.4	33.1-37.7	693	29.8	27.5-32.1
Native	70	10,182	2	1.6	0.00-3.92									
Non-Native	2242	228,855	87	3.8	2.84-4.76	664	30.4	28.1-32.7	826	36.2	33.9-38.6	665	29.6	27.3-31.8
18-24	107	34,789	8	6.1	1.68-10.5				21	20.2	11.9-28.5			
25-34	259	37,268	17	6.1	3.17-9.01	96	36.7	30.6-42.9	86	33.7	27.7-39.8	60	23.4	18.0-28.9
35-44	411	39,829	18	3.4	1.74-5.12	149	35.5	30.6-40.4	141	36.1	31.1-41.1	103	24.9	20.5-29.3
45-54	500	43,182	22	3.5	1.96-5.06	170	32.7	28.3-37.1	179	36.8	32.2-41.4	129	26.9	22.7-31.2
55-64	373	30,962	11	2.5	0.97-4.11	107	28.9	23.9-33.8	140	37.7	32.5-42.9	115	30.9	25.9-35.9
65+	652	52,650	12	1.4	0.57-2.29	126	17.4	14.4-20.4	270	43.5	39.3-47.7	244	37.7	33.6-41.7
Less Than H.S.	193	19,085	4	1.9	0.00-3.85	67	34.3	26.0-42.6	78	38.1	29.9-46.4	44	25.7	16.8-34.6
H.S. or G.E.D.	654	65,523	35	5.5	3.21-7.75	226	36.1	31.5-40.8	234	34.8	30.5-39.2	159	23.5	19.3-27.7
Some Post-H.S.	755	80,029	32	3.4	2.05-4.83	220	30.2	26.2-34.2	271	35.2	31.1-39.4	232	31.1	27.0-35.2
College Graduate	727	76,057	18	2.8	1.34-4.28	190	26.9	23.0-30.9	261	35.4	31.4-39.4	258	34.8	30.9-38.8
Less than \$15,000	240	26,339	16	5.4	2.18-8.60	80	34.4	26.1-42.7	75	26.7	19.5-33.9	69	33.5	24.4-42.6
\$15,000- 24,999	406	39,271	20	5.3	2.25-8.25	125	33.6	27.5-39.8	134	31.6	26.1-37.1	127	29.5	24.1-34.9
\$25,000- 34,999	290	27,388	9	2.7	0.76-4.64	92	31.6	25.3-38.0	113	42.7	35.9-49.4	76	23.0	17.8-28.2
\$35,000- 49,999	385	39,774	15	3.4	1.59-5.27	125	32.2	27.1-37.4	136	33.7	28.5-38.9	109	30.7	25.3-36.1
\$50,000- 74,999	359	38,949	11	4.3	1.32-7.20	112	31.0	25.7-36.2	134	35.9	30.3-41.5	102	28.9	23.3-34.4
\$75,000+	293	31,838	7	2.1	0.43-3.85	74	23.1	18.2-28.1	114	40.4	34.2-46.6	98	34.3	28.1-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

**TABLE 25: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At Risk			Not At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3938	479,319	3000	78.2	76.7-79.7	938	21.8	20.3-23.3
Male	1606	238,439	1361	86.2	84.4-88.0	245	13.8	12.0-15.6
Female	2332	240,880	1639	70.2	67.9-72.5	693	29.8	27.5-32.1
Non-Native	3799	458,696	2894	78.2	76.7-79.7	905	21.8	20.3-23.3
18-24	208	73,603	162	79.3	73.3-85.3	46	20.7	14.7-26.7
25-34	492	78,629	400	82.5	79.0-85.9	92	17.5	14.1-21.0
35-44	705	80,442	575	83.0	80.1-85.8	130	17.0	14.2-19.9
45-54	861	89,211	683	79.9	77.0-82.8	178	20.1	17.2-23.0
55-64	643	62,695	489	77.8	74.5-81.2	154	22.2	18.8-25.5
65+	992	91,757	663	67.8	64.6-70.9	329	32.3	29.1-35.4
Less Than H.S.	343	39,360	275	80.9	75.5-86.4	68	19.0	13.6-24.5
H.S. or G.E.D.	1137	137,047	919	82.6	80.0-85.3	218	17.3	14.7-20.0
Some Post-H.S.	1228	152,398	922	76.9	74.1-79.7	306	23.1	20.3-25.9
College Graduate	1223	149,889	877	74.5	71.8-77.1	346	25.5	22.9-28.2
Less than \$15,000	335	39,469	245	72.1	65.2-79.0	90	27.9	21.0-34.8
\$15,000- 24,999	627	68,389	469	78.0	74.2-81.8	158	22.0	18.2-25.8
\$25,000- 34,999	525	63,960	410	81.2	77.4-85.0	115	18.8	15.0-22.6
\$35,000- 49,999	709	89,210	561	80.2	76.9-83.5	148	19.8	16.5-23.1
\$50,000- 74,999	652	81,411	509	79.4	75.9-82.8	143	20.6	17.2-24.1
\$75,000+	581	74,711	442	77.7	74.0-81.4	139	22.3	18.6-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 26: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At Risk			Not At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	238,439	1361	86.2	84.4-88.0	245	13.8	12.0-15.6
Non-Native	1557	229,842	1317	85.9	84.0-87.8	240	14.1	12.2-16.0
18-24	101	38,814	89	90.5	84.9-96.0	12	9.5	3.96-15.1
25-34	233	41,361	201	87.8	83.6-91.9	32	12.2	8.05-16.4
35-44	294	40,613	267	90.7	87.2-94.2	27	9.3	5.83-12.8
45-54	361	46,029	312	86.3	82.5-90.1	49	13.7	9.94-17.5
55-64	270	31,733	231	86.3	82.1-90.5	39	13.7	9.48-17.9
65+	340	39,107	255	75.1	70.2-79.9	85	24.9	20.1-29.8
Less Than H.S.	150	20,274	126	87.2	81.8-92.6	24	12.8	7.42-18.2
H.S. or G.E.D.	483	71,524	424	88.3	85.2-91.4	59	11.7	8.55-14.8
Some Post-H.S.	473	72,368	399	85.8	82.4-89.3	74	14.2	10.7-17.6
College Graduate	496	73,831	408	84.1	80.7-87.4	88	15.9	12.6-19.3
Less than \$15,000	95	13,130	74	83.5	76.0-90.9	21	16.5	9.05-24.0
\$15,000- 24,999	221	29,118	190	88.1	83.6-92.6	31	11.9	7.40-16.4
\$25,000- 34,999	235	36,571	196	84.4	79.1-89.7	39	15.6	10.3-20.9
\$35,000- 49,999	324	49,436	285	88.9	85.4-92.4	39	11.1	7.58-14.6
\$50,000- 74,999	293	42,462	252	86.9	83.0-90.8	41	13.1	9.18-17.0
\$75,000+	288	42,873	247	86.6	82.4-90.8	41	13.4	9.20-17.6

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 27: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2332	240,880	1639	70.2	67.9-72.5	693	29.8	27.5-32.1
Non-Native	2242	228,855	1577	70.4	68.2-72.7	665	29.6	27.3-31.8
25-34	259	37,268	199	76.5	71.1-82.0	60	23.4	18.0-28.9
35-44	411	39,829	308	75.1	70.7-79.5	103	24.9	20.5-29.3
45-54	500	43,182	371	73.0	68.8-77.3	129	26.9	22.7-31.2
55-64	373	30,962	258	69.1	64.1-74.1	115	30.9	25.9-35.9
65+	652	52,650	408	62.3	58.3-66.4	244	37.7	33.6-41.7
Less Than H.S.	193	19,085	149	74.3	65.4-83.2	44	25.7	16.8-34.6
H.S. or G.E.D.	654	65,523	495	76.5	72.3-80.7	159	23.5	19.3-27.7
Some Post-H.S.	755	80,029	523	68.9	64.8-73.0	232	31.1	27.0-35.2
College Graduate	727	76,057	469	65.2	61.2-69.1	258	34.8	30.9-38.8
Less than \$15,000	240	26,339	171	66.5	57.4-75.6	69	33.5	24.4-42.6
\$15,000- 24,999	406	39,271	279	70.5	65.1-75.9	127	29.5	24.1-34.9
\$25,000- 34,999	290	27,388	214	77.0	71.8-82.2	76	23.0	17.8-28.2
\$35,000- 49,999	385	39,774	276	69.3	64.0-74.7	109	30.7	25.3-36.1
\$50,000- 74,999	359	38,949	257	71.1	65.6-76.7	102	28.9	23.3-34.4
\$75,000+	293	31,838	195	65.7	59.5-71.9	98	34.3	28.1-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 18: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY. (_MODPAMN)	
1 MALES AND FEMALES	147
2 MALES ONLY	148
3 FEMALES ONLY	149
TOTAL MINUTES OF VIGROOUS PHYSICAL ACTIVITY. (_VIGPAMN)	
4 MALES AND FEMALES	150
5 MALES ONLY	151
6 FEMALES ONLY	152
3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY. (MODCAT_)	
7 MALES AND FEMALES	153
8 MALES ONLY	154
9 FEMALES ONLY	155
3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY. (VIGCAT_)	
10 MALES AND FEMALES	156
11 MALES ONLY	157
12 FEMALES ONLY	158
5 LEVEL PHYSICAL ACTIVITY CATEGORY. (PACAT_)	
13 MALES AND FEMALES	159
14 MALES ONLY	160
15 FEMALES ONLY	161

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

SECTION 18: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)	
16	MALES AND FEMALES	162
17	MALES ONLY	163
18	FEMALES ONLY	164
	ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)	
19	MALES AND FEMALES	165
20	MALES ONLY	166
21	FEMALES ONLY	167
	ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)	
22	MALES AND FEMALES	168
23	MALES ONLY	169
24	FEMALES ONLY	170
	ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)	
25	MALES AND FEMALES	171
26	MALES ONLY	172
27	FEMALES ONLY	173

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

**TABLE 1: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY. (_MODPAMN)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3729	455,030	861	21.8	20.3-23.4	2326	64.7	62.9-66.5	542	13.4	12.2-14.7
Male	1527	226,657	321	20.3	18.0-22.6	954	64.9	62.2-67.7	252	14.8	12.8-16.8
Female	2202	228,373	540	23.4	21.4-25.4	1372	64.5	62.2-66.8	290	12.1	10.6-13.6
Native	97	15,397	19	17.8	9.38-26.3						
Non-Native	3604	436,554	837	22.0	20.4-23.6	2257	65.0	63.2-66.9	510	13.0	11.7-14.2
18-24	196	69,356	31	14.8	9.26-20.2	147	76.4	69.9-82.9	18	8.8	4.68-13.0
25-34	473	75,412	116	23.9	19.9-27.9	312	66.8	62.3-71.2	45	9.3	6.59-12.0
35-44	686	78,536	156	22.0	18.7-25.3	460	68.2	64.5-71.8	70	9.9	7.52-12.2
45-54	829	86,123	192	22.9	19.8-26.0	553	67.5	64.0-70.9	84	9.6	7.42-11.8
55-64	611	59,605	129	20.8	17.3-24.2	380	61.4	57.2-65.6	102	17.9	14.5-21.3
65+	901	83,530	231	25.6	22.5-28.7	451	49.5	45.9-53.1	219	24.9	21.8-28.0
Less Than H.S.	313	36,663	57	20.3	13.7-26.9	132	40.9	33.9-47.9	124	38.8	31.9-45.7
H.S. or G.E.D.	1057	127,148	224	18.9	16.3-21.5	656	65.9	62.6-69.3	177	15.1	12.7-17.6
Some Post-H.S.	1164	144,733	282	21.9	19.2-24.7	757	68.1	65.1-71.2	125	9.9	8.04-11.8
College Graduate	1189	146,055	296	24.7	21.9-27.5	778	66.3	63.2-69.3	115	9.1	7.28-10.9
Less than \$15,000	315	37,138	69	16.7	12.3-21.1	153	60.8	54.1-67.6	93	22.4	17.1-27.7
\$15,000- 24,999	579	62,706	145	23.6	19.3-27.8	326	57.3	52.3-62.4	108	19.1	15.2-23.0
\$25,000- 34,999	500	60,514	116	24.2	19.2-29.2	311	62.2	56.8-67.6	73	13.7	10.3-17.0
\$35,000- 49,999	673	85,433	162	22.5	19.1-25.9	445	67.9	64.0-71.8	66	9.6	7.03-12.2
\$50,000- 74,999	634	79,558	146	22.6	19.1-26.1	429	69.2	65.3-73.0	59	8.2	6.05-10.4
\$75,000+	569	72,952	123	20.5	17.0-24.1	399	71.1	67.1-75.1	47	8.3	5.90-10.8

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 2: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY. (_MODPAMN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1527	226,657	321	20.3	18.0-22.6	954	64.9	62.2-67.7	252	14.8	12.8-16.8
Non-Native	1483	218,644	312	20.4	18.0-22.7	930	65.1	62.3-67.8	241	14.5	12.6-16.5
18-24	93	36,065	11	13.2	5.16-21.3	73	76.7	67.1-86.4	9	10.0	3.54-16.5
25-34	221	39,112	49	22.1	16.4-27.7	148	67.0	60.6-73.5	24	10.9	6.63-15.2
35-44	289	39,929	59	20.3	15.5-25.1	196	69.2	63.7-74.7	34	10.5	6.90-14.0
45-54	349	44,597	72	20.0	15.6-24.4	230	67.7	62.5-72.9	47	12.3	8.65-15.9
55-64	255	30,096	56	21.9	16.5-27.2	144	56.4	49.9-62.9	55	21.8	16.3-27.2
65+	314	36,207	73	24.5	19.4-29.6	159	50.2	44.3-56.0	82	25.3	20.3-30.4
H.S. or G.E.D.	444	65,999	81	16.5	12.8-20.3	274	66.2	61.3-71.2	89	17.2	13.4-21.1
Some Post-H.S.	454	68,792	87	17.8	14.1-21.6	316	71.8	67.3-76.3	51	10.4	7.40-13.4
College Graduate	484	72,137	125	25.6	21.3-29.8	306	64.0	59.3-68.8	53	10.4	7.39-13.3
Less than \$15,000	88	12,344	18	15.7	7.89-23.5				28	21.4	12.5-30.2
\$15,000- 24,999	202	26,358	40	18.7	12.4-25.1	110	55.5	47.3-63.7	52	25.8	18.8-32.8
\$25,000- 34,999	222	34,063	47	22.2	14.7-29.7	136	63.0	55.0-71.0	39	14.7	9.68-19.8
\$35,000- 49,999	309	47,537	65	19.3	14.7-23.9	203	68.1	62.4-73.8	41	12.6	8.43-16.7
\$50,000- 74,999	285	41,488	67	24.3	19.0-29.5	197	69.1	63.5-74.8	21	6.6	3.74-9.46
\$75,000+	283	42,153	57	19.5	14.6-24.5	191	69.0	63.1-74.8	35	11.5	7.66-15.3

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 3: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY. (_MODPAMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	228,373	540	23.4	21.4-25.4	1372	64.5	62.2-66.8	290	12.1	10.6-13.6
Non-Native	2121	217,910	525	23.6	21.6-25.7	1327	65.0	62.6-67.3	269	11.4	9.87-12.8
18-24	103	33,291	20	16.4	8.99-23.8	74	76.0	67.5-84.6	9	7.6	2.45-12.7
25-34	252	36,300	67	25.9	20.3-31.5	164	66.5	60.5-72.5	21	7.6	4.35-10.8
35-44	397	38,607	97	23.7	19.3-28.1	264	67.1	62.2-71.9	36	9.2	6.18-12.3
45-54	480	41,526	120	26.0	21.8-30.3	323	67.2	62.6-71.7	37	6.8	4.40-9.18
55-64	356	29,509	73	19.6	15.3-23.9	236	66.4	61.2-71.6	47	14.0	9.95-18.0
65+	587	47,323	158	26.4	22.6-30.3	292	49.0	44.6-53.4	137	24.6	20.7-28.5
Less Than H.S.	171	17,179	30	18.4	11.4-25.4	76	42.6	33.1-52.2	65	39.0	29.7-48.2
H.S. or G.E.D.	613	61,149	143	21.5	17.9-25.1	382	65.6	61.3-70.0	88	12.9	9.90-15.8
Some Post-H.S.	710	75,941	195	25.7	21.9-29.5	441	64.8	60.7-69.0	74	9.5	7.13-11.8
College Graduate	705	73,918	171	23.8	20.2-27.4	472	68.4	64.5-72.3	62	7.8	5.79-9.83
Less than \$15,000	227	24,794	51	17.3	11.9-22.6	111	59.8	51.6-68.1	65	22.9	16.4-29.5
\$15,000- 24,999	377	36,348	105	27.1	21.4-32.7	216	58.7	52.4-65.0	56	14.2	10.1-18.4
\$25,000- 34,999	278	26,451	69	26.6	20.4-32.9	175	61.1	54.4-67.8	34	12.3	8.09-16.5
\$35,000- 49,999	364	37,896	97	26.5	21.5-31.5	242	67.6	62.4-72.9	25	5.9	3.45-8.27
\$50,000- 74,999	349	38,070	79	20.8	16.3-25.2	232	69.2	64.0-74.4	38	10.0	6.70-13.3
\$75,000+	286	30,800	66	22.0	17.0-27.0	208	74.0	68.7-79.3	12	4.0	1.71-6.37

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

**TABLE 4: TOTAL MINUTES OF VIGROOUS PHYSICAL ACTIVITY. (_VIGPAMN)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3807	464,300	176	4.6	3.80-5.48	1521	45.3	43.4-47.2	2110	50.0	48.1-52.0
Male	1548	230,856	81	5.2	3.76-6.58	747	52.8	50.0-55.7	720	42.0	39.2-44.8
Female	2259	233,444	95	4.1	3.24-5.00	774	37.8	35.4-40.3	1390	58.0	55.5-60.5
Native	100	16,087	5	4.0	0.24-7.72						
Non-Native	3674	444,614	170	4.7	3.82-5.54	1477	45.3	43.4-47.3	2027	50.0	48.1-52.0
18-24	200	70,810	4	3.1	0.00-6.59	133	67.3	60.1-74.4	63	29.6	22.8-36.4
25-34	477	76,248	21	3.9	2.20-5.64	270	57.8	53.2-62.5	186	38.3	33.7-42.9
35-44	692	79,182	41	6.1	4.24-8.04	333	49.3	45.3-53.3	318	44.6	40.6-48.5
45-54	838	86,893	50	6.5	4.62-8.42	352	43.1	39.4-46.8	436	50.3	46.6-54.1
55-64	626	61,099	28	4.7	2.95-6.47	217	35.9	31.8-40.0	381	59.4	55.2-63.5
65+	939	87,428	30	3.2	2.01-4.45	205	22.1	19.2-25.0	704	74.7	71.6-77.7
Less Than H.S.	324	37,345	14	6.9	1.15-12.7	77	31.7	24.6-38.9	233	61.3	53.7-68.9
H.S. or G.E.D.	1098	133,144	42	3.4	2.28-4.44	383	41.9	38.2-45.7	673	54.7	51.0-58.4
Some Post-H.S.	1181	146,478	69	5.4	4.00-6.78	464	45.4	41.9-48.9	648	49.2	45.8-52.6
College Graduate	1197	146,707	51	4.5	3.15-5.85	595	51.8	48.5-55.0	551	43.7	40.5-47.0
Less than \$15,000	322	37,777	8	2.1	0.57-3.63	83	39.9	32.0-47.9	231	58.0	50.1-65.8
\$15,000- 24,999	596	64,914	27	4.7	2.55-6.87	185	36.3	31.3-41.4	384	59.0	53.9-64.1
\$25,000- 34,999	511	61,973	27	7.2	3.21-11.1	196	42.6	37.2-48.0	288	50.2	44.8-55.6
\$35,000- 49,999	691	87,369	35	4.6	2.99-6.13	286	46.1	41.7-50.4	370	49.4	45.1-53.6
\$50,000- 74,999	639	79,890	31	4.8	3.04-6.52	301	50.3	46.0-54.6	307	44.9	40.7-49.2
\$75,000+	568	73,006	33	5.6	3.64-7.56	309	56.3	51.7-60.8	226	38.1	33.7-42.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 5: TOTAL MINUTES OF VIGROOUS PHYSICAL ACTIVITY. (_VIGPAMN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1548	230,856	81	5.2	3.76-6.58	747	52.8	50.0-55.7	720	42.0	39.2-44.8
Non-Native	1500	222,319	78	5.2	3.74-6.64	727	52.8	49.8-55.7	695	42.0	39.2-44.9
18-24	98	37,656	3	5.2	0.00-11.4	74	75.0	65.5-84.6	21	19.8	11.6-28.0
25-34	225	39,984	9	3.6	1.21-5.91	146	65.3	58.8-71.8	70	31.1	24.8-37.5
35-44	288	39,856	20	6.6	3.70-9.50	164	57.4	51.4-63.4	104	36.0	30.1-41.8
45-54	349	44,662	22	6.8	3.95-9.75	178	51.0	45.4-56.7	149	42.1	36.5-47.7
55-64	262	30,852	11	4.1	1.67-6.49	97	38.1	31.8-44.4	154	57.8	51.5-64.2
65+	319	37,065	15	4.3	2.04-6.50	86	27.0	21.9-32.2	218	68.7	63.4-74.1
H.S. or G.E.D.	461	68,995	20	3.5	1.87-5.05	197	49.6	44.2-55.0	244	46.9	41.6-52.2
Some Post-H.S.	453	69,304	28	5.3	3.12-7.52	224	54.2	48.9-59.4	201	40.5	35.4-45.6
College Graduate	488	72,708	22	4.9	2.73-7.09	282	58.7	53.9-63.6	184	36.3	31.6-41.1
Less than \$15,000	91	12,749	2	1.2	0.00-2.86						
\$15,000- 24,999	209	27,431	12	5.9	1.86-9.94	74	43.5	35.2-51.9	123	50.5	42.4-58.7
\$25,000- 34,999	227	35,040	14	8.9	2.32-15.5	100	47.9	39.9-55.9	113	43.3	35.6-50.9
\$35,000- 49,999	313	48,288	16	4.4	2.24-6.66	148	51.8	45.6-58.0	149	43.7	37.7-49.8
\$50,000- 74,999	287	41,720	18	5.5	2.91-8.05	164	58.3	52.2-64.4	105	36.2	30.3-42.1
\$75,000+	283	42,224	14	4.9	2.29-7.51	169	60.7	54.4-67.1	100	34.4	28.2-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 6: TOTAL MINUTES OF VIGROOUS PHYSICAL ACTIVITY. (_VIGPAMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2259	233,444	95	4.1	3.24-5.00	774	37.8	35.4-40.3	1390	58.0	55.5-60.5
Native	65	9,306	3	3.8	0.00-8.13						
Non-Native	2174	222,295	92	4.2	3.27-5.07	750	37.9	35.4-40.4	1332	58.0	55.5-60.5
18-24	102	33,154	1	0.8	0.00-2.43						
25-34	252	36,263	12	4.3	1.78-6.84	124	49.5	43.1-56.0	116	46.1	39.7-52.6
35-44	404	39,326	21	5.7	3.19-8.13	169	41.0	36.0-46.1	214	53.3	48.2-58.5
45-54	489	42,231	28	6.2	3.76-8.58	174	34.8	30.3-39.3	287	59.0	54.3-63.8
55-64	364	30,247	17	5.4	2.79-7.93	120	33.7	28.5-38.9	227	60.9	55.6-66.3
65+	620	50,363	15	2.5	1.15-3.77	119	18.5	15.2-21.8	486	79.1	75.6-82.5
Less Than H.S.	182	17,937	3	1.6	0.00-3.54	35	25.4	15.8-35.0	144	73.0	63.4-82.6
H.S. or G.E.D.	637	64,148	22	3.2	1.81-4.67	186	33.6	28.8-38.6	429	63.1	58.2-68.0
Some Post-H.S.	728	77,174	41	5.4	3.69-7.21	240	37.5	33.1-42.0	447	57.0	52.5-61.5
College Graduate	709	74,000	29	4.1	2.49-5.71	313	44.9	40.7-49.1	367	51.0	46.7-55.2
Less than \$15,000	231	25,028	6	2.6	0.42-4.70	50	34.2	24.4-44.0	175	63.2	53.5-72.9
\$15,000- 24,999	387	37,483	15	3.8	1.56-6.10	111	31.0	25.0-37.0	261	65.1	59.0-71.3
\$25,000- 34,999	284	26,933	13	4.9	2.11-7.75	96	35.7	29.0-42.4	175	59.3	52.5-66.2
\$35,000- 49,999	378	39,080	19	4.7	2.51-6.87	138	39.0	33.3-44.6	221	56.3	50.7-62.0
\$50,000- 74,999	352	38,169	13	4.0	1.68-6.34	137	41.5	35.6-47.5	202	54.4	48.5-60.4
\$75,000+	285	30,782	19	6.6	3.56-9.56	140	50.1	43.8-56.4	126	43.3	37.1-49.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 7: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY. (MODCAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3729	455,030	1387	37.8	36.0-39.7	1800	48.7	46.8-50.7	542	13.4	12.2-14.7
Male	1527	226,657	552	35.8	33.0-38.6	723	49.4	46.5-52.3	252	14.8	12.8-16.8
Female	2202	228,373	835	39.9	37.4-42.4	1077	48.0	45.5-50.5	290	12.1	10.6-13.6
Non-Native	3604	436,554	1344	37.9	36.0-39.8	1750	49.1	47.2-51.1	510	13.0	11.7-14.2
18-24	196	69,356	89	43.7	36.2-51.3	89	47.4	39.7-55.1	18	8.8	4.68-13.0
25-34	473	75,412	187	39.3	34.7-43.9	241	51.4	46.6-56.2	45	9.3	6.59-12.0
35-44	686	78,536	272	39.0	35.1-42.9	344	51.2	47.2-55.2	70	9.9	7.52-12.2
45-54	829	86,123	319	38.6	35.0-42.3	426	51.7	48.0-55.5	84	9.6	7.42-11.8
55-64	611	59,605	221	36.0	31.9-40.1	288	46.1	41.8-50.3	102	17.9	14.5-21.3
65+	901	83,530	286	31.1	27.8-34.4	396	44.0	40.4-47.5	219	24.9	21.8-28.0
Less Than H.S.	313	36,663	73	24.2	17.7-30.6	116	37.0	29.9-44.0	124	38.8	31.9-45.7
H.S. or G.E.D.	1057	127,148	404	39.7	36.0-43.3	476	45.2	41.5-48.8	177	15.1	12.7-17.6
Some Post-H.S.	1164	144,733	428	37.9	34.5-41.3	611	52.2	48.7-55.6	125	9.9	8.04-11.8
College Graduate	1189	146,055	479	39.6	36.4-42.7	595	51.4	48.1-54.6	115	9.1	7.28-10.9
Less than \$15,000	315	37,138	103	41.9	34.1-49.6	119	35.7	28.6-42.8	93	22.4	17.1-27.7
\$15,000- 24,999	579	62,706	196	32.6	27.9-37.3	275	48.3	43.1-53.4	108	19.1	15.2-23.0
\$25,000- 34,999	500	60,514	173	31.5	26.7-36.3	254	54.8	49.5-60.2	73	13.7	10.3-17.0
\$35,000- 49,999	673	85,433	263	40.3	36.0-44.6	344	50.1	45.7-54.5	66	9.6	7.03-12.2
\$50,000- 74,999	634	79,558	244	39.1	34.9-43.4	331	52.6	48.3-56.9	59	8.2	6.05-10.4
\$75,000+	569	72,952	240	42.6	38.0-47.2	282	49.1	44.5-53.7	47	8.3	5.90-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 8: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY. (MODCAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1527	226,657	552	35.8	33.0-38.6	723	49.4	46.5-52.3	252	14.8	12.8-16.8
Non-Native	1483	218,644	536	35.9	33.1-38.7	706	49.5	46.6-52.5	241	14.5	12.6-16.5
18-24	93	36,065							9	10.0	3.54-16.5
25-34	221	39,112	86	38.0	31.3-44.8	111	51.1	44.1-58.0	24	10.9	6.63-15.2
35-44	289	39,929	109	36.7	30.9-42.6	146	52.8	46.7-58.9	34	10.5	6.90-14.0
45-54	349	44,597	128	36.7	31.2-42.2	174	51.0	45.4-56.7	47	12.3	8.65-15.9
55-64	255	30,096	84	32.1	26.1-38.2	116	46.1	39.6-52.6	55	21.8	16.3-27.2
65+	314	36,207	103	31.5	26.2-36.9	129	43.1	37.3-48.9	82	25.3	20.3-30.4
Less Than H.S.	142	19,484	29	21.4	12.7-30.2						
H.S. or G.E.D.	444	65,999	168	37.3	32.1-42.6	187	45.4	39.9-51.0	89	17.2	13.4-21.1
Some Post-H.S.	454	68,792	171	37.4	32.2-42.6	232	52.2	46.8-57.5	51	10.4	7.40-13.4
College Graduate	484	72,137	182	36.5	31.8-41.3	249	53.1	48.1-58.0	53	10.4	7.39-13.3
Less than \$15,000	88	12,344							28	21.4	12.5-30.2
\$15,000- 24,999	202	26,358	68	28.9	22.0-35.8	82	45.3	36.8-53.7	52	25.8	18.8-32.8
\$25,000- 34,999	222	34,063	64	24.8	18.5-31.1	119	60.4	52.9-68.0	39	14.7	9.68-19.8
\$35,000- 49,999	309	47,537	124	40.9	34.7-47.1	144	46.5	40.2-52.8	41	12.6	8.43-16.7
\$50,000- 74,999	285	41,488	110	38.6	32.5-44.7	154	54.8	48.6-61.0	21	6.6	3.74-9.46
\$75,000+	283	42,153	105	37.7	31.3-44.2	143	50.8	44.2-57.3	35	11.5	7.66-15.3

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 9: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY. (MODCAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	228,373	835	39.9	37.4-42.4	1077	48.0	45.5-50.5	290	12.1	10.6-13.6
Non-Native	2121	217,910	808	39.9	37.4-42.5	1044	48.7	46.2-51.2	269	11.4	9.87-12.8
18-24	103	33,291							9	7.6	2.45-12.7
25-34	252	36,300	101	40.7	34.3-47.1	130	51.7	45.3-58.2	21	7.6	4.35-10.8
35-44	397	38,607	163	41.3	36.1-46.4	198	49.5	44.3-54.7	36	9.2	6.18-12.3
45-54	480	41,526	191	40.7	35.9-45.5	252	52.5	47.7-57.4	37	6.8	4.40-9.18
55-64	356	29,509	137	40.0	34.5-45.4	172	46.1	40.6-51.5	47	14.0	9.95-18.0
65+	587	47,323	183	30.8	26.7-34.9	267	44.6	40.3-49.0	137	24.6	20.7-28.5
Less Than H.S.	171	17,179	44	27.3	17.9-36.7	62	33.7	25.3-42.1	65	39.0	29.7-48.2
H.S. or G.E.D.	613	61,149	236	42.2	37.3-47.2	289	44.9	40.1-49.7	88	12.9	9.90-15.8
Some Post-H.S.	710	75,941	257	38.4	33.9-42.8	379	52.1	47.6-56.7	74	9.5	7.13-11.8
College Graduate	705	73,918	297	42.5	38.3-46.7	346	49.7	45.4-53.9	62	7.8	5.79-9.83
Less than \$15,000	227	24,794	73	42.8	33.4-52.2	89	34.3	26.2-42.4	65	22.9	16.4-29.5
\$15,000- 24,999	377	36,348	128	35.3	29.0-41.6	193	50.4	44.0-56.9	56	14.2	10.1-18.4
\$25,000- 34,999	278	26,451	109	40.2	33.3-47.0	135	47.6	40.7-54.4	34	12.3	8.09-16.5
\$35,000- 49,999	364	37,896	139	39.5	33.8-45.3	200	54.6	48.8-60.4	25	5.9	3.45-8.27
\$50,000- 74,999	349	38,070	134	39.8	33.8-45.7	177	50.3	44.3-56.2	38	10.0	6.70-13.3
\$75,000+	286	30,800	135	49.2	42.9-55.5	139	46.8	40.5-53.0	12	4.0	1.71-6.37

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 10: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY. (VIGCAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3807	464,300	913	27.5	25.7-29.3	784	22.4	20.8-24.1	2110	50.0	48.1-52.0
Male	1548	230,856	438	31.4	28.6-34.2	390	26.6	24.0-29.3	720	42.0	39.2-44.8
Female	2259	233,444	475	23.7	21.4-26.0	394	18.3	16.3-20.2	1390	58.0	55.5-60.5
Native	100	16,087				15	14.4	6.56-22.3			
Non-Native	3674	444,614	883	27.3	25.5-29.1	764	22.7	21.0-24.4	2027	50.0	48.1-52.0
18-24	200	70,810	83	42.2	34.7-49.8	54	28.2	21.3-35.1	63	29.6	22.8-36.4
25-34	477	76,248	154	33.4	28.9-37.9	137	28.4	24.1-32.6	186	38.3	33.7-42.9
35-44	692	79,182	197	29.3	25.7-33.0	177	26.1	22.6-29.6	318	44.6	40.6-48.5
45-54	838	86,893	206	25.7	22.4-29.0	196	23.9	20.8-27.1	436	50.3	46.6-54.1
55-64	626	61,099	140	23.7	20.1-27.4	105	16.9	13.7-20.0	381	59.4	55.2-63.5
65+	939	87,428	125	13.5	11.1-15.9	110	11.9	9.61-14.1	704	74.7	71.6-77.7
Less Than H.S.	324	37,345	50	21.3	14.6-28.0	41	17.3	10.6-24.1	233	61.3	53.7-68.9
H.S. or G.E.D.	1098	133,144	231	25.5	22.1-29.0	194	19.7	16.7-22.8	673	54.7	51.0-58.4
Some Post-H.S.	1181	146,478	271	27.1	23.8-30.4	262	23.7	20.7-26.6	648	49.2	45.8-52.6
College Graduate	1197	146,707	360	31.4	28.4-34.4	286	24.9	22.0-27.7	551	43.7	40.5-47.0
Less than \$15,000	322	37,777	54	26.5	18.7-34.3	37	15.5	9.55-21.4	231	58.0	50.1-65.8
\$15,000- 24,999	596	64,914	111	21.8	17.2-26.3	101	19.3	15.2-23.4	384	59.0	53.9-64.1
\$25,000- 34,999	511	61,973	110	22.9	18.5-27.4	113	26.8	21.4-32.3	288	50.2	44.8-55.6
\$35,000- 49,999	691	87,369	169	29.4	25.2-33.7	152	21.2	17.8-24.6	370	49.4	45.1-53.6
\$50,000- 74,999	639	79,890	161	26.6	22.7-30.6	171	28.5	24.6-32.3	307	44.9	40.7-49.2
\$75,000+	568	73,006	206	37.4	32.8-41.9	136	24.5	20.5-28.5	226	38.1	33.7-42.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 11: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY. (VIGCAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1548	230,856	438	31.4	28.6-34.2	390	26.6	24.0-29.3	720	42.0	39.2-44.8
Non-Native	1500	222,319	424	31.0	28.2-33.8	381	26.9	24.2-29.6	695	42.0	39.2-44.9
18-24	98	37,656							21	19.8	11.6-28.0
25-34	225	39,984	79	36.4	29.7-43.1	76	32.5	26.1-38.9	70	31.1	24.8-37.5
35-44	288	39,856	90	32.2	26.4-37.9	94	31.8	26.2-37.4	104	36.0	30.1-41.8
45-54	349	44,662	103	30.5	25.3-35.8	97	27.3	22.4-32.3	149	42.1	36.5-47.7
55-64	262	30,852	62	24.6	19.0-30.2	46	17.5	12.7-22.4	154	57.8	51.5-64.2
65+	319	37,065	55	16.8	12.5-21.1	46	14.5	10.4-18.5	218	68.7	63.4-74.1
H.S. or G.E.D.	461	68,995	115	29.0	23.9-34.2	102	24.1	19.1-29.0	244	46.9	41.6-52.2
Some Post-H.S.	453	69,304	128	31.6	26.3-36.9	124	27.9	23.1-32.7	201	40.5	35.4-45.6
College Graduate	488	72,708	166	34.8	30.1-39.5	138	28.8	24.3-33.3	184	36.3	31.6-41.1
\$15,000- 24,999	209	27,431	44	26.6	18.4-34.7	42	22.9	15.9-29.9	123	50.5	42.4-58.7
\$25,000- 34,999	227	35,040	51	22.6	16.3-28.9	63	34.2	25.8-42.5	113	43.3	35.6-50.9
\$35,000- 49,999	313	48,288	98	36.7	30.3-43.1	66	19.6	14.9-24.3	149	43.7	37.7-49.8
\$50,000- 74,999	287	41,720	80	29.0	23.3-34.8	102	34.8	28.9-40.6	105	36.2	30.3-42.1
\$75,000+	283	42,224	109	38.9	32.5-45.3	74	26.8	20.9-32.6	100	34.4	28.2-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 12: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY. (VIGCAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2259	233,444	475	23.7	21.4-26.0	394	18.3	16.3-20.2	1390	58.0	55.5-60.5
Native	65	9,306				10	13.8	4.41-23.2			
Non-Native	2174	222,295	459	23.5	21.3-25.8	383	18.5	16.5-20.5	1332	58.0	55.5-60.5
18-24	102	33,154				24	21.6	13.3-29.8			
25-34	252	36,263	75	30.0	24.1-36.0	61	23.8	18.3-29.3	116	46.1	39.7-52.6
35-44	404	39,326	107	26.5	21.9-31.0	83	20.2	16.1-24.3	214	53.3	48.2-58.5
45-54	489	42,231	103	20.6	16.8-24.4	99	20.4	16.5-24.2	287	59.0	54.3-63.8
55-64	364	30,247	78	22.8	18.2-27.5	59	16.2	12.2-20.2	227	60.9	55.6-66.3
65+	620	50,363	70	11.0	8.31-13.7	64	9.9	7.39-12.5	486	79.1	75.6-82.5
Less Than H.S.	182	17,937	22	15.9	7.48-24.4	16	11.1	4.33-17.9	144	73.0	63.4-82.6
H.S. or G.E.D.	637	64,148	116	21.8	17.1-26.5	92	15.1	11.7-18.4	429	63.1	58.2-68.0
Some Post-H.S.	728	77,174	143	23.1	19.0-27.2	138	19.9	16.3-23.5	447	57.0	52.5-61.5
College Graduate	709	74,000	194	28.0	24.2-31.7	148	21.0	17.6-24.5	367	51.0	46.7-55.2
Less than \$15,000	231	25,028	35	24.7	14.9-34.5	21	12.1	6.01-18.1	175	63.2	53.5-72.9
\$15,000- 24,999	387	37,483	67	18.3	13.2-23.3	59	16.6	11.7-21.5	261	65.1	59.0-71.3
\$25,000- 34,999	284	26,933	59	23.3	17.2-29.5	50	17.3	12.2-22.4	175	59.3	52.5-66.2
\$35,000- 49,999	378	39,080	71	20.5	15.8-25.2	86	23.2	18.2-28.1	221	56.3	50.7-62.0
\$50,000- 74,999	352	38,169	81	24.0	18.6-29.3	69	21.6	16.7-26.5	202	54.4	48.5-60.4
\$75,000+	285	30,782	97	35.3	29.1-41.5	62	21.4	16.4-26.4	126	43.3	37.1-49.5

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 13: 5 LEVEL PHYSICAL ACTIVITY CATEGORY. (PACAT_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3705	453,771	576	17.7	16.1-19.3	337	10.4	9.16-11.7	811	20.2	18.8-21.7	1507	40.3	38.4-42.2	474	11.3	10.2-12.4
Male	1516	225,811	265	19.1	16.7-21.5	173	13.0	10.8-15.1	287	16.8	14.8-18.8	587	39.8	36.9-42.7	204	11.3	9.68-13.0
Female	2189	227,960	311	16.3	14.2-18.4	164	7.9	6.52-9.38	524	23.6	21.5-25.7	920	40.9	38.4-43.4	270	11.2	9.73-12.6
Native	99	16,155							20	14.5	7.34-21.6				20	20.0	10.4-29.5
Non-Native	3578	434,538	560	17.7	16.1-19.2	323	10.3	9.00-11.5	784	20.4	18.9-21.9	1463	40.8	38.9-42.7	448	10.9	9.76-12.0
18-24	199	70,403	53	27.5	20.6-34.3	30	15.0	9.38-20.6	36	15.6	10.4-20.8	68	37.1	29.6-44.5	12	4.8	1.95-7.75
25-34	471	75,143	99	21.4	17.4-25.4	55	12.5	9.22-15.7	88	18.0	14.5-21.6	195	41.2	36.5-45.9	34	6.9	4.55-9.25
35-44	685	78,439	126	18.7	15.6-21.9	71	10.9	8.34-13.5	146	20.3	17.1-23.5	282	41.7	37.8-45.7	60	8.3	6.17-10.5
45-54	822	85,387	128	15.8	13.1-18.6	78	10.3	7.95-12.7	191	23.1	19.9-26.3	356	42.7	39.0-46.4	69	8.0	5.98-10.0
55-64	608	59,430	89	15.7	12.5-18.9	51	8.7	6.21-11.1	132	20.4	17.0-23.8	245	39.2	35.1-43.4	91	16.0	12.8-19.3
65+	887	82,502	77	8.6	6.60-10.6	48	5.6	3.96-7.34	209	22.9	19.9-25.9	349	39.7	36.2-43.2	204	23.2	20.1-26.2
Less Than H.S.	305	35,910	25	11.5	5.73-17.3	25	10.6	5.73-15.6	48	13.2	8.91-17.5	99	33.7	26.5-40.8	108	31.0	24.8-37.1
H.S. or G.E.D.	1053	127,453	152	17.1	14.1-20.2	79	9.5	7.01-12.1	252	22.4	19.5-25.4	415	37.9	34.4-41.5	155	12.9	10.7-15.2
Some Post-H.S.	1157	144,528	163	17.0	14.1-19.9	108	10.5	8.15-12.9	265	21.0	18.3-23.6	508	42.7	39.2-46.1	113	8.8	7.07-10.6
College Graduate	1184	145,449	235	20.5	17.9-23.1	125	11.2	9.07-13.3	244	19.3	16.7-21.8	483	41.8	38.5-45.1	97	7.3	5.78-8.84
Less than \$15,000	315	37,730	40	19.6	12.3-26.9	14	6.9	2.30-11.6	63	21.6	15.4-27.8	113	32.6	25.7-39.5	85	19.2	14.5-23.9
\$15,000- 24,999	570	62,054	65	12.5	9.05-15.9	46	10.3	6.39-14.2	131	20.5	16.6-24.4	238	41.5	36.4-46.6	90	15.2	11.8-18.7
\$25,000- 34,999	502	61,107	66	13.3	9.76-16.8	44	10.0	6.68-13.3	107	17.9	14.2-21.7	217	46.9	41.4-52.5	68	11.9	8.88-14.9
\$35,000- 49,999	668	84,903	103	18.8	15.0-22.5	66	11.6	8.25-14.9	160	21.8	18.4-25.2	281	39.8	35.6-44.0	58	8.1	5.92-10.3
\$50,000- 74,999	630	79,066	105	18.0	14.4-21.6	56	8.8	6.50-11.2	139	21.3	17.9-24.8	276	44.1	39.8-48.4	54	7.7	5.55-9.79
\$75,000+	565	72,590	138	24.9	20.8-29.1	68	12.6	9.55-15.7	102	17.9	14.3-21.4	225	38.9	34.5-43.4	32	5.6	3.62-7.66

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 14: 5 LEVEL PHYSICAL ACTIVITY CATEGORY. (PACAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	225,811	265	19.1	16.7-21.5	173	13.0	10.8-15.1	287	16.8	14.8-18.8	587	39.8	36.9-42.7	204	11.3	9.68-13.0
Non-Native	1471	217,654	256	18.9	16.5-21.3	168	12.8	10.7-14.9	280	17.2	15.1-19.3	572	40.0	37.1-43.0	195	11.1	9.45-12.7
18-24	95	36,499	28	28.0	18.5-37.6	19	19.6	10.7-28.6	12	10.3	4.14-16.5				4	3.6	0.00-7.24
25-34	220	39,066	52	23.7	17.8-29.7	27	13.5	8.59-18.4	34	14.3	9.69-19.0	90	40.7	33.8-47.5	17	7.8	4.08-11.4
35-44	288	39,784	54	19.2	14.3-24.1	36	13.0	8.87-17.2	55	17.7	13.2-22.1	116	41.8	35.7-47.8	27	8.3	5.10-11.6
45-54	343	43,946	60	17.6	13.2-21.9	43	13.5	9.52-17.4	68	19.7	15.1-24.3	135	39.4	33.9-45.0	37	9.8	6.58-13.1
55-64	255	30,159	36	14.8	10.1-19.4	26	10.4	6.42-14.5	48	17.3	12.5-22.1	98	38.8	32.5-45.2	47	18.7	13.5-23.8
65+	309	35,706	34	10.6	7.05-14.1	21	6.9	3.81-9.93	69	21.4	16.6-26.2	114	39.5	33.7-45.3	71	21.6	16.8-26.4
Less Than H.S.	137	18,982	13	12.8	4.68-20.9	15	14.1	5.88-22.3	16	9.2	4.28-14.2				48	27.2	18.9-35.5
H.S. or G.E.D.	443	65,939	74	18.7	14.4-23.1	41	11.7	7.56-15.8	94	18.6	14.6-22.6	162	37.3	32.0-42.6	72	13.7	10.3-17.1
Some Post-H.S.	451	68,712	78	19.7	15.1-24.4	50	12.2	8.35-16.0	93	17.8	14.1-21.4	184	41.0	35.8-46.3	46	9.3	6.48-12.2
College Graduate	482	71,932	99	20.5	16.6-24.5	67	14.7	11.1-18.3	83	16.1	12.5-19.7	195	41.7	36.8-46.7	38	7.0	4.70-9.24
Less than \$15,000	88	12,407				5	9.1	0.07-18.1							25	18.3	10.1-26.4
\$15,000- 24,999	199	26,269	26	14.1	8.54-19.7	18	13.6	5.88-21.3	42	14.9	10.2-19.6	74	39.2	31.1-47.4	39	18.1	12.3-24.0
\$25,000- 34,999	225	34,609	29	11.8	7.27-16.4	22	11.0	6.14-15.9	35	12.6	8.09-17.1	104	52.5	44.6-60.5	35	12.0	7.76-16.3
\$35,000- 49,999	305	47,064	60	22.9	17.2-28.5	38	14.8	9.42-20.2	64	18.4	14.0-22.9	109	34.0	28.2-39.8	34	9.9	6.53-13.4
\$50,000- 74,999	283	41,273	49	18.3	13.2-23.4	31	11.0	7.23-14.9	61	20.5	15.5-25.4	123	44.0	37.8-50.2	19	6.1	3.35-8.95
\$75,000+	281	41,962	64	23.2	17.5-28.9	45	15.9	11.2-20.6	41	14.7	9.81-19.6	109	38.8	32.5-45.2	22	7.3	4.21-10.4

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 15: 5 LEVEL PHYSICAL ACTIVITY CATEGORY. (PACAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2189	227,960	311	16.3	14.2-18.4	164	7.9	6.52-9.38	524	23.6	21.5-25.7	920	40.9	38.4-43.4	270	11.2	9.73-12.6
Non-Native	2107	216,884	304	16.4	14.4-18.4	155	7.7	6.30-9.08	504	23.7	21.6-25.9	891	41.6	39.0-44.1	253	10.6	9.21-12.0
18-24	104	33,904	25	26.8	17.0-36.6	11	10.0	3.72-16.4	24	21.3	13.1-29.6				8	6.2	1.72-10.7
25-34	251	36,077	47	18.9	13.8-23.9	28	11.3	7.17-15.5	54	22.1	16.7-27.5	105	41.8	35.3-48.2	17	6.0	3.16-8.80
35-44	397	38,655	72	18.2	14.2-22.2	35	8.7	5.79-11.6	91	23.0	18.5-27.5	166	41.7	36.6-46.9	33	8.4	5.48-11.2
45-54	479	41,441	68	14.0	10.7-17.4	35	6.9	4.57-9.31	123	26.7	22.4-31.1	221	46.3	41.4-51.1	32	6.0	3.76-8.30
55-64	353	29,271	53	16.8	12.5-21.1	25	6.8	4.08-9.60	84	23.5	18.9-28.2	147	39.6	34.2-45.0	44	13.3	9.31-17.2
65+	578	46,797	43	7.1	4.80-9.42	27	4.7	2.88-6.56	140	24.0	20.2-27.8	235	39.8	35.4-44.1	133	24.4	20.4-28.3
Less Than H.S.	168	16,928	12	10.1	1.83-18.4	10	6.8	2.17-11.4	32	17.6	10.6-24.6	54	30.3	21.9-38.7	60	35.2	26.2-44.1
H.S. or G.E.D.	610	61,514	78	15.5	11.0-19.9	38	7.3	4.45-10.1	158	26.5	22.3-30.7	253	38.6	34.0-43.2	83	12.1	9.24-15.0
Some Post-H.S.	706	75,816	85	14.5	11.0-18.1	58	9.0	6.16-11.8	172	23.9	20.2-27.7	324	44.2	39.7-48.7	67	8.4	6.20-10.6
College Graduate	702	73,517	136	20.4	17.0-23.8	58	7.7	5.62-9.86	161	22.3	18.8-25.9	288	41.9	37.6-46.1	59	7.6	5.63-9.67
Less than \$15,000	227	25,323	26	18.5	9.33-27.7	9	5.9	0.61-11.2	47	23.4	15.8-31.0	85	32.5	24.4-40.6	60	19.7	13.9-25.5
\$15,000- 24,999	371	35,785	39	11.2	6.94-15.5	28	7.9	4.37-11.4	89	24.6	19.0-30.3	164	43.1	36.7-49.6	51	13.1	9.06-17.1
\$25,000- 34,999	277	26,499	37	15.1	9.72-20.5	22	8.6	4.48-12.7	72	24.9	19.0-30.9	113	39.6	33.0-46.3	33	11.7	7.61-15.8
\$35,000- 49,999	363	37,838	43	13.6	9.44-17.8	28	7.5	4.55-10.5	96	26.0	20.9-31.0	172	47.0	41.2-52.9	24	5.8	3.40-8.22
\$50,000- 74,999	347	37,793	56	17.8	12.7-22.8	25	6.5	3.87-9.05	78	22.3	17.5-27.1	153	44.2	38.2-50.2	35	9.3	6.11-12.5
\$75,000+	284	30,629	74	27.3	21.3-33.3	23	8.2	4.82-11.5	61	22.2	16.9-27.4	116	39.1	33.0-45.1	10	3.3	1.19-5.43

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 16: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3705	453,771	1724	48.4	46.5-50.3	1981	51.6	49.7-53.5
Male	1516	225,811	725	48.9	45.9-51.8	791	51.1	48.2-54.1
Female	2189	227,960	999	47.9	45.4-50.5	1190	52.1	49.5-54.6
Non-Native	3578	434,538	1667	48.3	46.4-50.3	1911	51.7	49.7-53.6
18-24	199	70,403	119	58.1	50.5-65.6	80	41.9	34.4-49.5
25-34	471	75,143	242	51.9	47.1-56.7	229	48.1	43.3-52.9
35-44	685	78,439	343	49.9	45.9-53.9	342	50.1	46.1-54.1
45-54	822	85,387	397	49.3	45.5-53.0	425	50.7	47.0-54.5
55-64	608	59,430	272	44.8	40.5-49.1	336	55.2	50.9-59.5
65+	887	82,502	334	37.2	33.7-40.6	553	62.8	59.4-66.3
Less Than H.S.	305	35,910	98	35.3	28.1-42.6	207	64.6	57.4-71.9
H.S. or G.E.D.	1053	127,453	483	49.1	45.4-52.8	570	50.9	47.2-54.6
Some Post-H.S.	1157	144,528	536	48.5	45.0-52.0	621	51.5	48.0-55.0
College Graduate	1184	145,449	604	50.9	47.6-54.2	580	49.1	45.8-52.4
Less than \$15,000	315	37,730	117	48.2	40.5-55.9	198	51.8	44.1-59.5
\$15,000- 24,999	570	62,054	242	43.3	38.1-48.5	328	56.7	51.5-61.9
\$25,000- 34,999	502	61,107	217	41.2	35.9-46.4	285	58.8	53.6-64.1
\$35,000- 49,999	668	84,903	329	52.1	47.7-56.5	339	47.9	43.5-52.3
\$50,000- 74,999	630	79,066	300	48.2	43.9-52.6	330	51.8	47.4-56.1
\$75,000+	565	72,590	308	55.4	50.8-60.0	257	44.6	40.0-49.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 17: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	225,811	725	48.9	45.9-51.8	791	51.1	48.2-54.1
Non-Native	1471	217,654	704	48.9	45.9-51.8	767	51.1	48.2-54.1
25-34	220	39,066	113	51.6	44.6-58.6	107	48.4	41.4-55.4
35-44	288	39,784	145	49.9	43.8-56.0	143	50.1	44.0-56.2
45-54	343	43,946	171	50.7	45.0-56.4	172	49.3	43.6-55.0
55-64	255	30,159	110	42.5	36.1-49.0	145	57.5	51.0-63.9
65+	309	35,706	124	38.8	33.1-44.6	185	61.1	55.4-66.9
H.S. or G.E.D.	443	65,939	209	49.0	43.5-54.5	234	51.0	45.5-56.5
Some Post-H.S.	451	68,712	221	49.6	44.3-55.0	230	50.3	45.0-55.7
College Graduate	482	71,932	249	51.3	46.3-56.3	233	48.7	43.7-53.7
\$15,000- 24,999	199	26,269	86	42.6	34.2-51.0	113	57.4	49.0-65.8
\$25,000- 34,999	225	34,609	86	35.4	28.1-42.8	139	64.5	57.2-71.9
\$35,000- 49,999	305	47,064	162	56.1	49.9-62.3	143	43.9	37.7-50.1
\$50,000- 74,999	283	41,273	141	49.8	43.6-56.1	142	50.2	43.9-56.4
\$75,000+	281	41,962	150	53.8	47.3-60.3	131	46.2	39.7-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 18: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2189	227,960	999	47.9	45.4-50.5	1190	52.1	49.5-54.6
Non-Native	2107	216,884	963	47.8	45.3-50.4	1144	52.2	49.6-54.7
25-34	251	36,077	129	52.3	45.8-58.8	122	47.7	41.2-54.2
35-44	397	38,655	198	49.9	44.7-55.1	199	50.1	44.9-55.3
45-54	479	41,441	226	47.7	42.9-52.6	253	52.3	47.4-57.1
55-64	353	29,271	162	47.1	41.6-52.7	191	52.9	47.3-58.4
65+	578	46,797	210	35.9	31.6-40.1	368	64.1	59.9-68.4
Less Than H.S.	168	16,928	54	34.5	24.8-44.2	114	65.5	55.8-75.2
H.S. or G.E.D.	610	61,514	274	49.3	44.3-54.2	336	50.8	45.8-55.7
Some Post-H.S.	706	75,816	315	47.4	42.9-52.0	391	52.6	48.0-57.1
College Graduate	702	73,517	355	50.5	46.2-54.8	347	49.5	45.2-53.8
Less than \$15,000	227	25,323	82	47.8	38.5-57.1	145	52.2	42.9-61.5
\$15,000- 24,999	371	35,785	156	43.8	37.3-50.3	215	56.2	49.7-62.7
\$25,000- 34,999	277	26,499	131	48.7	41.7-55.6	146	51.3	44.4-58.3
\$35,000- 49,999	363	37,838	167	47.1	41.3-52.9	196	52.9	47.1-58.7
\$50,000- 74,999	347	37,793	159	46.5	40.5-52.5	188	53.5	47.5-59.5
\$75,000+	284	30,629	158	57.6	51.4-63.8	126	42.4	36.2-48.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

**TABLE 19: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3807	464,300	913	27.5	25.7-29.3	2894	72.5	70.7-74.3
Male	1548	230,856	438	31.4	28.6-34.2	1110	68.6	65.8-71.4
Female	2259	233,444	475	23.7	21.4-26.0	1784	76.3	74.0-78.6
Non-Native	3674	444,614	883	27.3	25.5-29.1	2791	72.7	70.9-74.5
18-24	200	70,810	83	42.2	34.7-49.8	117	57.8	50.2-65.3
25-34	477	76,248	154	33.4	28.9-37.9	323	66.6	62.1-71.1
35-44	692	79,182	197	29.3	25.7-33.0	495	70.7	67.0-74.3
45-54	838	86,893	206	25.7	22.4-29.0	632	74.3	71.0-77.6
55-64	626	61,099	140	23.7	20.1-27.4	486	76.3	72.6-79.9
65+	939	87,428	125	13.5	11.1-15.9	814	86.5	84.1-88.9
Less Than H.S.	324	37,345	50	21.3	14.6-28.0	274	78.7	72.0-85.4
H.S. or G.E.D.	1098	133,144	231	25.5	22.1-29.0	867	74.4	71.0-77.9
Some Post-H.S.	1181	146,478	271	27.1	23.8-30.4	910	72.9	69.6-76.2
College Graduate	1197	146,707	360	31.4	28.4-34.4	837	68.6	65.6-71.6
Less than \$15,000	322	37,777	54	26.5	18.7-34.3	268	73.5	65.7-81.3
\$15,000- 24,999	596	64,914	111	21.8	17.2-26.3	485	78.2	73.7-82.8
\$25,000- 34,999	511	61,973	110	22.9	18.5-27.4	401	77.1	72.6-81.5
\$35,000- 49,999	691	87,369	169	29.4	25.2-33.7	522	70.5	66.3-74.8
\$50,000- 74,999	639	79,890	161	26.6	22.7-30.6	478	73.4	69.4-77.3
\$75,000+	568	73,006	206	37.4	32.8-41.9	362	62.6	58.1-67.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 20: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1548	230,856	438	31.4	28.6-34.2	1110	68.6	65.8-71.4
Non-Native	1500	222,319	424	31.0	28.2-33.8	1076	69.0	66.2-71.8
25-34	225	39,984	79	36.4	29.7-43.1	146	63.6	56.9-70.3
35-44	288	39,856	90	32.2	26.4-37.9	198	67.8	62.1-73.6
45-54	349	44,662	103	30.5	25.3-35.8	246	69.5	64.2-74.7
55-64	262	30,852	62	24.6	19.0-30.2	200	75.4	69.8-81.0
65+	319	37,065	55	16.8	12.5-21.1	264	83.2	78.9-87.5
H.S. or G.E.D.	461	68,995	115	29.0	23.9-34.2	346	71.0	65.8-76.1
Some Post-H.S.	453	69,304	128	31.6	26.3-36.9	325	68.4	63.1-73.7
College Graduate	488	72,708	166	34.8	30.1-39.5	322	65.2	60.5-69.9
\$15,000- 24,999	209	27,431	44	26.6	18.4-34.7	165	73.4	65.3-81.6
\$25,000- 34,999	227	35,040	51	22.6	16.3-28.9	176	77.4	71.1-83.7
\$35,000- 49,999	313	48,288	98	36.7	30.3-43.1	215	63.3	56.9-69.7
\$50,000- 74,999	287	41,720	80	29.0	23.3-34.8	207	71.0	65.2-76.7
\$75,000+	283	42,224	109	38.9	32.5-45.3	174	61.1	54.7-67.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 21: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2259	233,444	475	23.7	21.4-26.0	1784	76.3	74.0-78.6	
Non-Native	2174	222,295	459	23.5	21.3-25.8	1715	76.5	74.2-78.7	
25-34	252	36,263	75	30.0	24.1-36.0	177	69.9	64.0-75.9	
35-44	404	39,326	107	26.5	21.9-31.0	297	73.5	69.0-78.1	
45-54	489	42,231	103	20.6	16.8-24.4	386	79.4	75.6-83.2	
55-64	364	30,247	78	22.8	18.2-27.5	286	77.2	72.5-81.8	
65+	620	50,363	70	11.0	8.31-13.7	550	89.0	86.3-91.7	
Less Than H.S.	182	17,937	22	15.9	7.48-24.4	160	84.1	75.6-92.5	
H.S. or G.E.D.	637	64,148	116	21.8	17.1-26.5	521	78.2	73.5-82.9	
Some Post-H.S.	728	77,174	143	23.1	19.0-27.2	585	76.9	72.8-81.0	
College Graduate	709	74,000	194	28.0	24.2-31.7	515	72.0	68.3-75.8	
Less than \$15,000	231	25,028	35	24.7	14.9-34.5	196	75.3	65.5-85.1	
\$15,000- 24,999	387	37,483	67	18.3	13.2-23.3	320	81.7	76.7-86.8	
\$25,000- 34,999	284	26,933	59	23.3	17.2-29.5	225	76.7	70.5-82.8	
\$35,000- 49,999	378	39,080	71	20.5	15.8-25.2	307	79.5	74.8-84.2	
\$50,000- 74,999	352	38,169	81	24.0	18.6-29.3	271	76.0	70.7-81.4	
\$75,000+	285	30,782	97	35.3	29.1-41.5	188	64.7	58.5-70.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

**TABLE 22: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3705	453,771	1724	48.4	46.5-50.3	1507	40.3	38.4-42.2	474	11.3	10.2-12.4
Male	1516	225,811	725	48.9	45.9-51.8	587	39.8	36.9-42.7	204	11.3	9.68-13.0
Female	2189	227,960	999	47.9	45.4-50.5	920	40.9	38.4-43.4	270	11.2	9.73-12.6
Native	99	16,155							20	20.0	10.4-29.5
Non-Native	3578	434,538	1667	48.3	46.4-50.3	1463	40.8	38.9-42.7	448	10.9	9.76-12.0
18-24	199	70,403	119	58.1	50.5-65.6	68	37.1	29.6-44.5	12	4.8	1.95-7.75
25-34	471	75,143	242	51.9	47.1-56.7	195	41.2	36.5-45.9	34	6.9	4.55-9.25
35-44	685	78,439	343	49.9	45.9-53.9	282	41.7	37.8-45.7	60	8.3	6.17-10.5
45-54	822	85,387	397	49.3	45.5-53.0	356	42.7	39.0-46.4	69	8.0	5.98-10.0
55-64	608	59,430	272	44.8	40.5-49.1	245	39.2	35.1-43.4	91	16.0	12.8-19.3
65+	887	82,502	334	37.2	33.7-40.6	349	39.7	36.2-43.2	204	23.2	20.1-26.2
Less Than H.S.	305	35,910	98	35.3	28.1-42.6	99	33.7	26.5-40.8	108	31.0	24.8-37.1
H.S. or G.E.D.	1053	127,453	483	49.1	45.4-52.8	415	37.9	34.4-41.5	155	12.9	10.7-15.2
Some Post-H.S.	1157	144,528	536	48.5	45.0-52.0	508	42.7	39.2-46.1	113	8.8	7.07-10.6
College Graduate	1184	145,449	604	50.9	47.6-54.2	483	41.8	38.5-45.1	97	7.3	5.78-8.84
Less than \$15,000	315	37,730	117	48.2	40.5-55.9	113	32.6	25.7-39.5	85	19.2	14.5-23.9
\$15,000- 24,999	570	62,054	242	43.3	38.1-48.5	238	41.5	36.4-46.6	90	15.2	11.8-18.7
\$25,000- 34,999	502	61,107	217	41.2	35.9-46.4	217	46.9	41.4-52.5	68	11.9	8.88-14.9
\$35,000- 49,999	668	84,903	329	52.1	47.7-56.5	281	39.8	35.6-44.0	58	8.1	5.92-10.3
\$50,000- 74,999	630	79,066	300	48.2	43.9-52.6	276	44.1	39.8-48.4	54	7.7	5.55-9.79
\$75,000+	565	72,590	308	55.4	50.8-60.0	225	38.9	34.5-43.4	32	5.6	3.62-7.66

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 23: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	225,811	725	48.9	45.9-51.8	587	39.8	36.9-42.7	204	11.3	9.68-13.0
Non-Native	1471	217,654	704	48.9	45.9-51.8	572	40.0	37.1-43.0	195	11.1	9.45-12.7
18-24	95	36,499							4	3.6	0.00-7.24
25-34	220	39,066	113	51.6	44.6-58.6	90	40.7	33.8-47.5	17	7.8	4.08-11.4
35-44	288	39,784	145	49.9	43.8-56.0	116	41.8	35.7-47.8	27	8.3	5.10-11.6
45-54	343	43,946	171	50.7	45.0-56.4	135	39.4	33.9-45.0	37	9.8	6.58-13.1
55-64	255	30,159	110	42.5	36.1-49.0	98	38.8	32.5-45.2	47	18.7	13.5-23.8
65+	309	35,706	124	38.8	33.1-44.6	114	39.5	33.7-45.3	71	21.6	16.8-26.4
Less Than H.S.	137	18,982							48	27.2	18.9-35.5
H.S. or G.E.D.	443	65,939	209	49.0	43.5-54.5	162	37.3	32.0-42.6	72	13.7	10.3-17.1
Some Post-H.S.	451	68,712	221	49.6	44.3-55.0	184	41.0	35.8-46.3	46	9.3	6.48-12.2
College Graduate	482	71,932	249	51.3	46.3-56.3	195	41.7	36.8-46.7	38	7.0	4.70-9.24
Less than \$15,000	88	12,407							25	18.3	10.1-26.4
\$15,000- 24,999	199	26,269	86	42.6	34.2-51.0	74	39.2	31.1-47.4	39	18.1	12.3-24.0
\$25,000- 34,999	225	34,609	86	35.4	28.1-42.8	104	52.5	44.6-60.5	35	12.0	7.76-16.3
\$35,000- 49,999	305	47,064	162	56.1	49.9-62.3	109	34.0	28.2-39.8	34	9.9	6.53-13.4
\$50,000- 74,999	283	41,273	141	49.8	43.6-56.1	123	44.0	37.8-50.2	19	6.1	3.35-8.95
\$75,000+	281	41,962	150	53.8	47.3-60.3	109	38.8	32.5-45.2	22	7.3	4.21-10.4

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 24: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2189	227,960	999	47.9	45.4-50.5	920	40.9	38.4-43.4	270	11.2	9.73-12.6
Non-Native	2107	216,884	963	47.8	45.3-50.4	891	41.6	39.0-44.1	253	10.6	9.21-12.0
18-24	104	33,904							8	6.2	1.72-10.7
25-34	251	36,077	129	52.3	45.8-58.8	105	41.8	35.3-48.2	17	6.0	3.16-8.80
35-44	397	38,655	198	49.9	44.7-55.1	166	41.7	36.6-46.9	33	8.4	5.48-11.2
45-54	479	41,441	226	47.7	42.9-52.6	221	46.3	41.4-51.1	32	6.0	3.76-8.30
55-64	353	29,271	162	47.1	41.6-52.7	147	39.6	34.2-45.0	44	13.3	9.31-17.2
65+	578	46,797	210	35.9	31.6-40.1	235	39.8	35.4-44.1	133	24.4	20.4-28.3
Less Than H.S.	168	16,928	54	34.5	24.8-44.2	54	30.3	21.9-38.7	60	35.2	26.2-44.1
H.S. or G.E.D.	610	61,514	274	49.3	44.3-54.2	253	38.6	34.0-43.2	83	12.1	9.24-15.0
Some Post-H.S.	706	75,816	315	47.4	42.9-52.0	324	44.2	39.7-48.7	67	8.4	6.20-10.6
College Graduate	702	73,517	355	50.5	46.2-54.8	288	41.9	37.6-46.1	59	7.6	5.63-9.67
Less than \$15,000	227	25,323	82	47.8	38.5-57.1	85	32.5	24.4-40.6	60	19.7	13.9-25.5
\$15,000- 24,999	371	35,785	156	43.8	37.3-50.3	164	43.1	36.7-49.6	51	13.1	9.06-17.1
\$25,000- 34,999	277	26,499	131	48.7	41.7-55.6	113	39.6	33.0-46.3	33	11.7	7.61-15.8
\$35,000- 49,999	363	37,838	167	47.1	41.3-52.9	172	47.0	41.2-52.9	24	5.8	3.40-8.22
\$50,000- 74,999	347	37,793	159	46.5	40.5-52.5	153	44.2	38.2-50.2	35	9.3	6.11-12.5
\$75,000+	284	30,629	158	57.6	51.4-63.8	116	39.1	33.0-45.1	10	3.3	1.19-5.43

NOTE :

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

**TABLE 25: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3913	477,169	3585	92.7	91.9-93.6	328	7.3	6.41-8.13
Male	1587	236,601	1453	93.0	91.7-94.3	134	7.0	5.72-8.26
Female	2326	240,568	2132	92.5	91.3-93.6	194	7.5	6.36-8.72
Native	104	16,762	93	87.3	79.3-95.4	11	12.7	4.64-20.7
Non-Native	3776	456,982	3462	92.9	92.1-93.8	314	7.0	6.21-7.89
18-24	209	73,948	203	97.5	95.4-99.6	6	2.5	0.44-4.60
25-34	492	78,611	475	96.7	95.1-98.3	17	3.3	1.68-4.94
35-44	711	80,994	673	94.7	93.0-96.5	38	5.3	3.51-7.03
45-54	858	88,973	815	95.2	93.6-96.8	43	4.8	3.24-6.42
55-64	634	61,686	563	87.7	84.8-90.6	71	12.3	9.39-15.2
65+	972	90,166	821	84.5	82.1-87.0	151	15.4	13.0-17.9
Less Than H.S.	332	38,173	249	77.3	72.1-82.6	83	22.7	17.4-27.9
H.S. or G.E.D.	1119	134,980	1010	91.7	90.1-93.4	109	8.3	6.57-9.95
Some Post-H.S.	1230	152,953	1153	94.2	92.8-95.7	77	5.8	4.34-7.24
College Graduate	1225	150,436	1166	96.0	94.9-97.1	59	4.0	2.93-5.09
Less than \$15,000	331	39,015	266	85.4	81.3-89.5	65	14.6	10.5-18.7
\$15,000- 24,999	612	67,234	546	89.9	87.2-92.6	66	10.1	7.37-12.8
\$25,000- 34,999	524	63,828	477	92.1	89.7-94.5	47	7.9	5.54-10.3
\$35,000- 49,999	704	88,871	665	94.8	93.1-96.6	39	5.2	3.44-6.92
\$50,000- 74,999	651	81,548	617	95.3	93.7-97.0	34	4.7	2.99-6.33
\$75,000+	582	74,768	565	97.2	95.8-98.6	17	2.8	1.40-4.18

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 26: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1587	236,601	1453	93.0	91.7-94.3	134	7.0	5.72-8.26
Non-Native	1538	228,168	1410	93.2	91.9-94.5	128	6.8	5.54-8.08
18-24	101	38,887	100	98.9	96.7-100.0	1	1.1	0.00-3.30
25-34	232	41,270	224	96.2	93.6-98.8	8	3.8	1.17-6.39
35-44	297	40,974	281	94.9	92.3-97.5	16	5.1	2.47-7.73
45-54	359	45,834	336	93.9	91.3-96.5	23	6.1	3.48-8.74
55-64	262	30,915	224	85.0	80.4-89.7	38	15.0	10.3-19.6
65+	328	37,877	280	86.7	82.9-90.5	48	13.3	9.50-17.1
Less Than H.S.	144	19,663	104	78.9	71.9-85.9	40	21.1	14.1-28.1
H.S. or G.E.D.	469	69,906	425	92.0	89.5-94.5	44	8.0	5.45-10.5
Some Post-H.S.	473	72,466	445	94.3	92.0-96.6	28	5.7	3.37-7.95
College Graduate	497	74,125	475	96.3	94.7-97.9	22	3.7	2.07-5.29
Less than \$15,000	91	12,822	72	85.8	78.7-93.0	19	14.1	6.96-21.3
\$15,000- 24,999	211	28,218	186	89.8	85.5-94.1	25	10.2	5.88-14.5
\$25,000- 34,999	235	36,541	210	91.4	87.9-94.9	25	8.6	5.07-12.1
\$35,000- 49,999	321	49,287	299	93.6	90.9-96.4	22	6.3	3.57-9.13
\$50,000- 74,999	292	42,430	281	96.7	94.6-98.7	11	3.3	1.26-5.42
\$75,000+	289	42,954	276	95.9	93.6-98.2	13	4.1	1.79-6.41

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 27: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2326	240,568	2132	92.5	91.3-93.6	194	7.5	6.36-8.72
Non-Native	2238	228,814	2052	92.7	91.6-93.8	186	7.3	6.15-8.43
18-24	108	35,062	103	95.9	92.3-99.5	5	4.1	0.45-7.71
25-34	260	37,342	251	97.2	95.4-99.0	9	2.8	0.97-4.61
35-44	414	40,020	392	94.5	92.2-96.9	22	5.4	3.10-7.80
45-54	499	43,140	479	96.5	94.9-98.2	20	3.5	1.80-5.14
55-64	372	30,771	339	90.4	87.0-93.8	33	9.6	6.19-13.0
65+	644	52,289	541	83.0	79.7-86.3	103	17.0	13.7-20.3
Less Than H.S.	188	18,509	145	75.7	67.9-83.5	43	24.3	16.5-32.1
H.S. or G.E.D.	650	65,075	585	91.4	89.2-93.7	65	8.6	6.33-10.8
Some Post-H.S.	757	80,488	708	94.1	92.3-95.9	49	5.9	4.06-7.74
College Graduate	728	76,311	691	95.7	94.2-97.1	37	4.3	2.88-5.78
Less than \$15,000	240	26,193	194	85.2	80.2-90.1	46	14.8	9.86-19.8
\$15,000- 24,999	401	39,016	360	90.0	86.5-93.5	41	10.0	6.50-13.5
\$25,000- 34,999	289	27,287	267	92.9	89.9-96.0	22	7.1	3.98-10.1
\$35,000- 49,999	383	39,584	366	96.3	94.4-98.1	17	3.7	1.87-5.59
\$50,000- 74,999	359	39,118	336	93.9	91.3-96.6	23	6.1	3.44-8.74
\$75,000+	293	31,814	289	99.0	98.0-100.0	4	1.0	0.00-2.03

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005

SECTION 19: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	175
2	MALES ONLY	176
3	FEMALES ONLY	177
	ADULTS AGED 18-64 THAT HAVE EVER PARTICIPATED IN HIGH-RISK BEHAVIOR (_HIGHRSK)	
4	MALES AND FEMALES	178
5	MALES ONLY	179
6	FEMALES ONLY	180

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 19: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2816	371,676	702	26.1	24.2-28.1	2114	73.9	71.9-75.8
Male	1215	192,016	266	22.7	19.9-25.4	949	77.3	74.6-80.1
Female	1601	179,660	436	29.8	27.1-32.6	1165	70.2	67.4-72.9
Non-Native	2718	355,652	659	25.5	23.6-27.5	2059	74.4	72.5-76.4
18-24	198	70,359	55	24.7	18.3-31.1	143	75.3	68.9-81.7
25-34	473	75,589	216	44.5	39.8-49.2	257	55.5	50.8-60.2
35-44	687	78,547	220	31.5	27.8-35.2	467	68.5	64.8-72.2
45-54	841	87,074	144	16.7	13.9-19.4	697	83.3	80.6-86.1
55-64	617	60,106	67	11.3	8.61-14.0	550	88.7	86.0-91.4
Less Than H.S.	125	19,028	22	17.0	9.17-24.8	103	83.0	75.2-90.8
H.S. or G.E.D.	758	101,180	155	22.8	19.1-26.6	603	77.1	73.4-80.9
Some Post-H.S.	921	123,112	260	29.6	26.0-33.2	661	70.4	66.8-74.0
College Graduate	1010	128,089	264	26.7	23.6-29.8	746	73.3	70.2-76.4
Less than \$15,000	187	27,545	66	34.6	25.6-43.6	121	65.4	56.4-74.4
\$15,000- 24,999	356	43,851	96	31.6	25.2-38.1	260	68.3	61.9-74.8
\$25,000- 34,999	366	48,184	102	30.3	24.4-36.2	264	69.7	63.8-75.6
\$35,000- 49,999	558	72,819	129	24.6	20.5-28.6	429	75.4	71.4-79.5
\$50,000- 74,999	589	74,484	129	23.1	19.3-26.9	460	76.9	73.1-80.7
\$75,000+	515	67,389	136	26.3	22.1-30.4	379	73.7	69.6-77.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1215	192,016	266	22.7	19.9-25.4	949	77.3	74.6-80.1
Non-Native	1180	185,279	256	22.6	19.9-25.4	924	77.4	74.6-80.1
18-24	97	37,512	20	19.1	10.7-27.5	77	80.9	72.5-89.3
25-34	224	39,846	79	34.8	28.3-41.3	145	65.2	58.7-71.7
35-44	290	39,964	79	28.3	22.8-33.8	211	71.7	66.2-77.2
45-54	349	44,597	56	16.6	12.4-20.8	293	83.4	79.2-87.6
55-64	255	30,097	32	12.4	8.23-16.7	223	87.6	83.3-91.8
Less Than H.S.	61	10,717	7	9.3	1.81-16.7	54	90.7	83.3-98.2
H.S. or G.E.D.	355	56,238	74	22.1	17.0-27.2	281	77.9	72.8-83.0
Some Post-H.S.	394	62,486	97	26.0	20.9-31.1	297	74.0	68.9-79.1
College Graduate	404	62,380	88	22.1	17.6-26.6	316	77.9	73.4-82.4
\$25,000- 34,999	175	28,643	44	26.5	18.5-34.4	131	73.5	65.6-81.5
\$35,000- 49,999	243	39,433	56	24.5	18.5-30.4	187	75.5	69.6-81.5
\$50,000- 74,999	261	38,344	47	18.3	13.3-23.4	214	81.6	76.6-86.7
\$75,000+	252	38,804	57	23.1	17.5-28.7	195	76.9	71.3-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1601	179,660	436	29.8	27.1-32.6	1165	70.2	67.4-72.9
Non-Native	1538	170,373	403	28.7	26.0-31.5	1135	71.3	68.5-74.0
18-24	101	32,848	35	31.1	21.5-40.8	66	68.9	59.2-78.5
25-34	249	35,743	137	55.4	48.9-61.8	112	44.6	38.2-51.1
35-44	397	38,583	141	34.8	29.8-39.7	256	65.2	60.3-70.2
45-54	492	42,477	88	16.8	13.2-20.3	404	83.3	79.7-86.8
55-64	362	30,009	35	10.2	6.83-13.5	327	89.8	86.5-93.2
H.S. or G.E.D.	403	44,942	81	23.8	18.4-29.1	322	76.2	70.9-81.6
Some Post-H.S.	527	60,626	163	33.3	28.3-38.3	364	66.7	61.7-71.7
College Graduate	606	65,709	176	31.0	26.8-35.3	430	69.0	64.7-73.2
\$15,000- 24,999	221	24,475	62	33.9	25.7-42.1	159	66.1	57.9-74.3
\$25,000- 34,999	191	19,540	58	35.9	27.6-44.2	133	64.1	55.8-72.4
\$35,000- 49,999	315	33,386	73	24.7	19.4-30.0	242	75.3	70.0-80.6
\$50,000- 74,999	328	36,140	82	28.2	22.5-33.8	246	71.8	66.2-77.5
\$75,000+	263	28,586	79	30.6	24.6-36.6	184	69.4	63.4-75.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 4: ADULTS AGED 18-64 THAT HAVE EVER PARTICIPATED IN HIGH-RISK BEHAVIOR (_HIGHRSK)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2853	375,839	2809	97.4	96.4-98.4	44	2.6	1.60-3.64
Male	1229	193,481	1209	97.5	96.0-99.0	20	2.5	1.02-4.04
Female	1624	182,358	1600	97.3	95.9-98.7	24	2.7	1.31-4.09
Native	88	14,575	85	94.4	86.2-0100	3	5.6	0.00-13.8
Non-Native	2756	359,998	2715	97.5	96.5-98.5	41	2.5	1.48-3.52
18-24	199	70,666	184	90.9	86.0-95.8	15	9.1	4.16-14.0
25-34	478	76,350	471	98.5	97.3-99.7	7	1.5	0.32-2.68
35-44	697	79,698	686	98.8	98.0-99.6	11	1.2	0.39-1.95
45-54	847	87,722	840	99.0	98.1-99.8	7	1.0	0.21-1.85
55-64	632	61,402	628	99.3	98.6-0100	4	0.7	0.00-1.40
H.S. or G.E.D.	766	101,975	752	96.3	94.1-98.6	14	3.7	1.43-5.93
Some Post-H.S.	929	123,864	919	98.7	97.7-99.7	10	1.3	0.33-2.33
College Graduate	1030	130,482	1018	98.3	97.0-99.5	12	1.7	0.47-3.01
Less than \$15,000	188	27,609	180	95.1	90.5-99.8	8	4.8	0.19-9.51
\$15,000- 24,999	359	44,025	352	96.1	92.8-99.4	7	3.9	0.58-7.16
\$25,000- 34,999	368	48,400	359	94.9	90.1-99.7	9	5.1	0.35-9.87
\$35,000- 49,999	567	73,804	562	98.5	97.2-99.9	5	1.4	0.06-2.84
\$50,000- 74,999	595	75,141	591	99.6	99.1-0100	4	0.4	0.00-0.91
\$75,000+	524	68,477	518	98.0	95.9-0100	6	2.0	0.00-4.07

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 5: ADULTS AGED 18-64 THAT HAVE EVER PARTICIPATED IN HIGH-RISK BEHAVIOR (_HIGHRSK)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1229	193,481	1209	97.5	96.0-99.0	20	2.5	1.02-4.04
Non-Native	1195	186,928	1175	97.4	95.8-98.9	20	2.6	1.07-4.17
18-24	97	37,512	93	93.3	86.4-0100	4	6.8	0.00-13.6
25-34	225	39,938	218	97.1	94.9-99.4	7	2.9	0.64-5.10
35-44	292	40,253	290	99.3	98.2-0100	2	0.7	0.00-1.82
45-54	353	45,053	349	98.5	97.1-0100	4	1.4	0.00-2.94
55-64	262	30,726	259	99.1	98.0-0100	3	0.9	0.00-2.00
H.S. or G.E.D.	357	56,380	352	97.8	95.4-0100	5	2.2	0.00-4.58
Some Post-H.S.	396	62,612	389	97.6	95.7-99.6	7	2.4	0.42-4.30
College Graduate	414	63,577	409	98.7	97.3-0100	5	1.3	0.00-2.74
Less than \$15,000	57	9,875	57	100.0	0100-0100			
\$15,000- 24,999	137	19,503	134	96.4	91.8-0100	3	3.6	0.00-8.25
\$25,000- 34,999	176	28,760	171	94.3	87.0-0100	5	5.7	0.00-13.0
\$35,000- 49,999	244	39,457	240	98.3	96.7-0100	4	1.7	0.00-3.34
\$50,000- 74,999	263	38,618	261	99.5	98.8-0100	2	0.5	0.00-1.20
\$75,000+	259	39,603	255	97.0	93.5-0100	4	3.0	0.00-6.53

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 6: ADULTS AGED 18-64 THAT HAVE EVER PARTICIPATED IN HIGH-RISK BEHAVIOR (_HIGHRSK)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1624	182,358	1600	97.3	95.9-98.7	24	2.7	1.31-4.09	
Non-Native	1561	173,070	1540	97.6	96.4-98.9	21	2.4	1.10-3.64	
18-24	102	33,154	91	88.3	81.2-95.4	11	11.7	4.62-18.8	
25-34	253	36,412	253	100.0	0100-0100				
35-44	405	39,445	396	98.4	97.3-99.5	9	1.6	0.54-2.74	
45-54	494	42,670	491	99.4	98.7-0100	3	0.6	0.00-1.29	
55-64	370	30,676	369	99.5	98.6-0100	1	0.5	0.00-1.37	
Less Than H.S.	65	8,534	61	91.2	81.2-0100	4	8.8	0.00-18.8	
H.S. or G.E.D.	409	45,595	400	94.5	90.4-98.6	9	5.5	1.37-9.57	
Some Post-H.S.	533	61,253	530	99.7	99.4-0100	3	0.3	0.00-0.58	
College Graduate	616	66,905	609	97.8	95.8-99.9	7	2.2	0.10-4.22	
Less than \$15,000	131	17,735	123	92.4	85.3-99.6	8	7.5	0.42-14.7	
\$15,000- 24,999	222	24,522	218	95.9	91.3-0100	4	4.1	0.00-8.72	
\$25,000- 34,999	192	19,640	188	95.7	90.9-0100	4	4.3	0.00-9.13	
\$35,000- 49,999	323	34,347	322	98.8	96.5-0100	1	1.2	0.00-3.50	
\$50,000- 74,999	332	36,523	330	99.6	99.0-0100	2	0.4	0.00-0.96	
\$75,000+	265	28,873	263	99.4	98.6-0100	2	0.6	0.00-1.41	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2005**

End of Calculated Variable Data Report