

NORTH DAKOTA

2008 Module Variables Report

Behavioral Risk Factor Surveillance System

March 8, 2009



MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	4
2	MALES ONLY	5
3	FEMALES ONLY	6
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	7
5	MALES ONLY	8
6	FEMALES ONLY	9
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	10
8	MALES ONLY	11
9	FEMALES ONLY	12
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	13
11	MALES ONLY	14
12	FEMALES ONLY	15
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	16
14	MALES ONLY	17
15	FEMALES ONLY	18
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	19
17	MALES ONLY	20
18	FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	31
29 MALES ONLY	32
30 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	487	36,157	17	5.6	02.1-09.1	36	10.2	05.3-15.1	90	20.9	16.6-25.2	184	34.5	29.6-39.4	160	28.7	24.2-33.2
Male	215	19,301	7	6.3	00.2-12.4	10	5.5	01.6-09.4	46	23.4	16.9-29.9	90	38.5	31.2-45.8	62	26.2	19.9-32.5
Female	272	16,856	10	4.7	01.8-07.6	26	15.6	06.6-24.6	44	18.1	12.2-24.0	94	30.0	23.5-36.5	98	31.7	25.2-38.2
Non-Native	449	32,169	16	6.0	02.1-09.9	27	6.8	03.9-09.7	80	20.0	15.7-24.3	169	35.4	30.5-40.3	157	31.9	27.2-36.6
45-54	59	4,773				9	9.3	03.0-15.6									
55-64	125	9,086	3	2.2	00.0-04.9	6	4.4	00.9-07.9	26	21.1	13.3-28.9	83	66.5	57.5-75.5	7	5.7	01.4-10.0
65+	260	16,106	1	0.4	00.0-01.2	6	2.1	00.3-03.9	21	6.9	03.8-10.0	79	29.3	23.2-35.4	153	61.3	54.8-67.8
Less Than H.S.	64	4,598	1	1.3	00.0-03.8	5	6.9	00.8-13.0	8	12.5	03.3-21.7						
H.S. or G.E.D.	179	13,202	7	8.2	00.0-16.4	13	7.9	02.6-13.2	33	21.6	14.0-29.2	63	32.3	24.5-40.1	63	30.0	22.6-37.4
Some Post-H.S.	132	10,207	5	4.3	00.4-08.2				24	18.1	10.5-25.7				41	23.3	15.5-31.1
College Graduate	111	8,107	4	5.3	00.0-10.8	6	7.6	01.1-14.1	25	28.2	18.4-38.0	50	36.5	27.1-45.9	26	22.4	14.2-30.6
Less than \$15,000	69	4,995	2	2.7	00.0-06.8												
\$15,000- 24,999	104	6,521	5	5.7	00.6-10.8	8	7.5	01.8-13.2	20	20.0	11.0-29.0				40	35.8	25.8-45.8
\$25,000- 34,999	82	5,599	1	1.9	00.0-05.4	4	7.1	00.0-14.2	10	12.1	04.7-19.5						
\$35,000- 49,999	83	6,496	3	6.1	00.0-13.2	3	3.5	00.0-07.4									
\$75,000+	54	4,990	4	7.6	00.0-15.2	4	7.2	00.0-15.4							9	14.8	05.4-24.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	215	19,301	7	6.3	00.2-12.4	10	5.5	01.6-09.4	46	23.4	16.9-29.9	90	38.5	31.2-45.8	62	26.2	20.1-32.3
Non-Native	204	17,966	7	6.8	00.3-13.3	8	4.0	01.1-06.9	42	22.2	15.7-28.7	85	38.8	31.4-46.2	62	28.1	21.6-34.6
55-64	59	5,108	1	0.9	00.0-02.7	2	3.5	00.0-08.2							4	7.0	00.3-13.7
65+	103	8,118				2	1.9	00.0-04.4	8	7.4	02.3-12.5	35	32.9	23.3-42.5			
H.S. or G.E.D.	82	7,454				3	5.4	00.0-13.0							25	25.1	15.3-34.9
College Graduate	58	5,043	1	3.8	00.0-11.1	3	6.6	00.0-14.6									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	272	16,856	10	4.7	01.8-07.6	26	15.6	06.6-24.6	44	18.1	12.2-24.0	94	30.0	23.5-36.5	98	31.7	25.2-38.2
Non-Native	245	14,203	9	4.9	01.8-08.0	19	10.3	05.0-15.6	38	17.1	11.6-22.6	84	31.0	24.5-37.5	95	36.7	30.0-43.4
55-64	66	3,978	2	4.0	00.0-09.7	4	5.6	00.1-11.1							3	4.0	00.0-08.7
65+	157	7,989	1	0.7	00.0-02.1	4	2.4	00.0-04.8	13	6.4	02.9-09.9	44	25.7	18.4-33.0	95	64.8	57.0-72.6
H.S. or G.E.D.	97	5,748	3	3.6	00.0-07.7	10	11.2	03.9-18.5				30	28.7	18.9-38.5			
Some Post-H.S.	87	6,024	3	4.7	00.0-10.0				12	14.1	05.3-22.9						
College Graduate	53	3,064	3	7.7	00.0-16.1	3	9.3	00.0-19.9									
Less than \$15,000	54	3,913	1	2.4	00.0-07.1												
\$15,000- 24,999	65	3,409	4	9.4	00.4-18.4	6	10.0	01.2-18.8	11	13.8	05.2-22.4						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	37,107	155	32.6	27.5-37.7	347	67.4	62.3-72.5
Male	217	19,468	75	37.3	29.7-44.9	142	62.7	55.1-70.3
Female	285	17,639	80	27.3	21.0-33.6	205	72.7	66.4-79.0
Non-Native	462	32,967	142	33.2	27.9-38.5	320	66.8	61.5-72.1
55-64	125	9,086	39	32.3	23.3-41.3	86	67.7	58.7-76.7
65+	273	16,954	80	30.1	24.0-36.2	193	69.9	63.8-76.0
H.S. or G.E.D.	184	13,526	62	35.7	26.7-44.7	122	64.3	55.3-73.3
Some Post-H.S.	135	10,418	42	30.1	20.7-39.5	93	69.9	60.5-79.3
College Graduate	112	8,163				83	69.3	59.3-79.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	19,468	75	37.3	29.7-44.9	142	62.7	55.1-70.3
Non-Native	206	18,133	73	39.0	31.2-46.8	133	61.0	53.2-68.8
65+	105	8,284	36	36.1	26.1-46.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N		%	C.I. (95%)	
Female	285	17,639	80	27.3	20.8-33.8	205	72.7	66.2-79.2		
Non-Native	256	14,834	69	26.2	20.3-32.1	187	73.8	67.9-79.7		
65+	168	8,670	44	24.4	17.7-31.1	124	75.6	68.9-82.3		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	494	36,516	48	10.6	05.9-15.3	130	28.5	23.8-33.2	301	58.0	52.5-63.5	15	2.9	01.3-04.5
Male	212	19,063	23	8.9	05.2-12.6	72	35.2	27.9-42.5	109	53.1	45.5-60.7	8	2.8	00.8-04.8
Female	282	17,453	25	12.4	03.8-21.0	58	21.3	15.6-27.0	192	63.3	55.1-71.5	7	3.0	00.6-05.4
Non-Native	455	32,454	45	9.2	06.5-11.9	116	28.1	23.2-33.0	282	60.1	55.0-65.2	12	2.6	01.0-04.2
45-54	58	4,656	6	10.4	02.4-18.4							5	5.9	00.6-11.2
55-64	125	9,086	12	7.4	02.9-11.9	41	37.4	27.8-47.0	65	49.8	40.0-59.6	7	5.4	01.3-09.5
65+	268	16,582	22	7.5	04.2-10.8	60	25.3	19.4-31.2	185	66.7	60.4-73.0	1	0.5	00.0-01.5
Less Than H.S.	68	4,762	6	5.5	01.0-10.0							2	2.8	00.0-06.7
H.S. or G.E.D.	182	13,406	17	9.0	04.5-13.5	47	27.5	19.9-35.1	113	61.1	52.7-69.5	5	2.4	00.0-04.8
Some Post-H.S.	133	10,296				33	24.7	15.7-33.7				4	2.9	00.0-05.8
College Graduate	110	8,011	14	10.4	04.7-16.1							4	3.8	00.1-07.5
Less than \$15,000	72	5,196										4	4.8	00.0-09.9
\$15,000- 24,999	107	6,647	7	7.6	01.5-13.7	19	20.5	11.3-29.7				5	5.2	00.3-10.1
\$25,000- 34,999	80	5,446	9	10.7	03.4-18.0	18	21.4	12.0-30.8						
\$35,000- 49,999	84	6,552	6	7.7	01.2-14.2							1	1.1	00.0-03.3
\$75,000+	53	4,926	5	6.4	00.5-12.3							3	5.1	00.0-10.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	212	19,063	23	8.9	05.2-12.6	72	35.2	27.9-42.5	109	53.1	45.5-60.7	8	2.8	00.6-05.0
Non-Native	202	17,806	23	9.6	05.5-13.7	66	34.0	26.6-41.4	105	53.4	45.6-61.2	8	3.0	00.8-05.2
55-64	59	5,108	6	7.0	01.1-12.9							4	5.2	00.0-10.5
65+	103	8,099	11	9.5	03.8-15.2	31	31.3	21.7-40.9				1	0.9	00.0-02.7
H.S. or G.E.D.	82	7,487	9	9.0	02.9-15.1							2	1.2	00.0-02.8
College Graduate	57	4,947	8	11.2	03.0-19.4							2	2.9	00.0-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	282	17,453	25	12.4	03.8-21.0	58	21.3	15.6-27.0	192	63.3	55.1-71.5	7	3.0	00.6-05.4
Non-Native	253	14,648	22	8.7	04.8-12.6	50	21.1	15.4-26.8	177	68.1	61.6-74.6	4	2.0	00.0-04.0
55-64	66	3,978	6	8.0	00.6-15.4							3	5.6	00.0-11.9
65+	165	8,484	11	5.7	02.4-09.0	29	19.6	12.7-26.5	125	74.7	67.4-82.0			
H.S. or G.E.D.	100	5,918	8	9.0	02.5-15.5	22	23.7	14.1-33.3				3	4.0	00.0-08.9
Some Post-H.S.	89	6,176				15	15.0	06.0-24.0				1	1.0	00.0-03.0
College Graduate	53	3,064	6	9.0	01.6-16.4							2	5.2	00.0-12.5
Less than \$15,000	57	4,081										1	1.4	00.0-04.1
\$15,000- 24,999	69	3,646	5	9.1	00.7-17.5							2	4.4	00.0-11.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	491	36,235	309	59.5	53.8-65.2	95	19.3	15.2-23.4	28	6.1	03.4-08.8	10	2.4	00.8-04.0	47	12.4	07.1-17.7	2	0.3	00.0-00.7
Male	209	18,769	131	60.5	52.7-68.3	39	18.2	12.5-23.9	10	5.4	01.9-08.9	7	3.8	00.9-06.7	20	11.6	05.1-18.1	2	0.5	00.0-01.3
Female	282	17,466	178	58.4	50.2-66.6	56	20.5	14.6-26.4	18	6.9	02.8-11.0	3	0.9	00.0-02.1	27	13.3	04.9-21.7			
Non-Native	452	32,173	281	60.2	54.9-65.5	89	20.0	15.7-24.3	25	5.5	03.1-07.9	9	2.4	00.6-04.2	46	11.5	07.4-15.6	2	0.3	00.0-00.7
45-54	59	4,733							1	2.4	00.0-07.1				1	1.6	00.0-04.7			
55-64	123	8,818	87	72.5	64.1-80.9	20	14.8	08.1-21.5	6	4.7	00.6-08.8	3	2.7	00.0-05.8	7	5.3	01.2-09.4			
65+	265	16,428	158	58.0	51.5-64.5	54	21.6	16.1-27.1	16	5.6	02.7-08.5	6	2.6	00.4-04.8	30	12.0	07.7-16.3	1	0.2	00.0-00.6
Less Than H.S.	68	4,772				10	14.6	05.0-24.2	5	7.4	00.9-13.9	2	4.2	00.0-09.9	7	10.6	02.8-18.4	1	0.8	00.0-02.4
H.S. or G.E.D.	176	12,915	106	58.9	49.7-68.1	35	16.4	10.7-22.1	14	9.6	03.7-15.5	3	1.2	00.0-02.6	18	13.9	05.3-22.5			
Some Post-H.S.	135	10,418				24	18.7	10.3-27.1	5	1.7	00.1-03.3	1	0.9	00.0-02.7				1	0.6	00.0-01.8
College Graduate	111	8,088				26	27.6	18.0-37.2	4	5.6	00.0-11.3	4	5.2	00.0-10.7	12	9.8	03.9-15.7			
Less than \$15,000	71	5,099							2	6.4	00.0-17.4	1	1.1	00.0-03.5				1	0.7	00.0-02.1
\$15,000- 24,999	107	6,699	75	73.1	63.9-82.3	21	15.4	08.3-22.5	5	5.0	00.5-09.5				6	6.4	00.9-11.9			
\$25,000- 34,999	79	5,397							6	6.5	00.8-12.2	2	3.1	00.0-07.6	5	5.9	00.8-11.0			
\$35,000- 49,999	83	6,477				13	18.8	08.8-28.8	5	5.8	00.7-10.9	2	2.2	00.0-05.3	10	11.7	04.3-19.1	1	1.0	00.0-03.0
\$75,000+	53	4,811							4	8.4	00.2-16.6	3	8.1	00.0-17.3	5	8.6	01.0-16.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	209	18,769	131	60.5	52.7-68.3	39	18.2	12.5-23.9	10	5.4	01.9-08.9	7	3.8	00.9-06.7	20	11.6	05.1-18.1	2	0.5	00.0-01.3
Non-Native	199	17,511	124	60.0	52.0-68.0	37	17.7	12.0-23.4	10	5.8	02.1-09.5	6	3.5	00.6-06.4	20	12.5	05.6-19.4	2	0.6	00.0-01.4
55-64	57	4,840				9	14.7	05.1-24.3	3	5.5	00.0-12.0	2	3.7	00.0-08.8	3	3.7	00.0-08.0			
65+	100	7,931				20	20.2	11.8-28.6	5	5.4	00.7-10.1	4	4.2	00.0-08.5	12	12.7	05.8-19.6	1	0.5	00.0-01.5
H.S. or G.E.D.	78	7,127				12	11.9	04.8-19.0	6	7.7	01.2-14.2	1	0.8	00.0-02.4						
College Graduate	58	5,025							3	7.1	00.0-15.5	3	7.1	00.0-15.5	6	9.9	01.7-18.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	282	17,466	178	58.4	50.2-66.6	56	20.5	14.6-26.4	18	6.9	02.8-11.0	3	0.9	00.0-02.1	27	13.3	04.9-21.7
Non-Native	253	14,661	157	60.6	53.7-67.5	52	22.7	16.4-29.0	15	5.2	02.5-07.9	3	1.1	00.0-02.5	26	10.4	06.3-14.5
55-64	66	3,978				11	14.9	06.1-23.7	3	3.6	00.0-07.9	1	1.6	00.0-04.7	4	7.2	00.0-14.5
65+	165	8,497	100	58.8	50.6-67.0	34	22.9	15.6-30.2	11	5.8	02.3-09.3	2	1.2	00.0-02.8	18	11.3	06.2-16.4
H.S. or G.E.D.	98	5,788				23	21.9	13.1-30.7				2	1.7	00.0-04.1	8	9.2	02.9-15.5
Some Post-H.S.	90	6,234							5	2.9	00.2-05.6						
College Graduate	53	3,064							1	3.2	00.0-09.5	1	2.1	00.0-06.2	6	9.6	01.6-17.6
Less than \$15,000	57	4,095										1	1.4	00.0-04.1			
\$15,000- 24,999	68	3,587				12	14.3	06.1-22.5	3	4.7	00.0-10.0				5	8.4	00.8-16.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	492	36,279	105	25.3	19.8-30.8	102	21.6	16.9-26.3	69	13.5	10.2-16.8	110	20.3	16.4-24.2	52	9.0	06.3-11.7	54	10.2	07.3-13.1
Male	214	19,225	47	23.7	17.2-30.2	45	22.2	14.9-29.5	32	14.6	09.5-19.7	41	18.8	13.1-24.5	23	9.0	05.1-12.9	26	11.6	07.1-16.1
Female	278	17,054	58	27.2	18.4-36.0	57	20.9	15.2-26.6	37	12.3	08.2-16.4	69	22.0	16.5-27.5	29	9.0	05.3-12.7	28	8.7	05.4-12.0
Non-Native	454	32,478	98	24.3	19.6-29.0	96	21.9	17.2-26.6	67	14.6	11.1-18.1	97	19.7	15.6-23.8	45	8.5	05.8-11.2	51	10.9	07.8-14.0
45-54	60	4,811				10	15.9	06.1-25.7	8	13.1	04.1-22.1				7	7.6	01.9-13.3			
55-64	124	9,054	18	13.7	07.0-20.4	30	22.7	14.7-30.7	20	17.8	10.5-25.1	34	29.0	20.0-38.0	9	7.3	02.2-12.4	13	9.4	03.9-14.9
65+	266	16,550	59	25.6	19.5-31.7	50	18.6	13.7-23.5	36	12.7	08.4-17.0	60	20.9	15.6-26.2	34	12.3	08.0-16.6	27	9.8	06.1-13.5
Less Than H.S.	67	4,792							7	8.7	02.2-15.2				11	13.3	05.3-21.3	3	3.7	00.0-07.8
H.S. or G.E.D.	180	13,033	36	20.2	13.3-27.1	37	25.6	16.4-34.8	24	12.2	07.1-17.3	44	20.3	14.0-26.6	14	8.5	03.8-13.2	25	13.2	07.9-18.5
Some Post-H.S.	132	10,248				22	15.4	08.3-22.5	20	12.7	06.8-18.6	32	23.3	14.5-32.1	17	7.8	03.7-11.9	10	6.2	02.1-10.3
College Graduate	112	8,163	26	23.4	14.6-32.2	23	19.5	11.3-27.7	18	19.5	10.9-28.1	19	14.4	07.7-21.1	10	8.8	03.1-14.5	16	14.4	07.1-21.7
Less than \$15,000	67	4,611				8	7.9	01.6-14.2	5	5.6	00.1-11.1							6	5.0	00.7-09.3
\$15,000- 24,999	106	6,677	22	22.1	12.9-31.3	24	20.7	12.5-28.9	11	9.0	03.5-14.5				8	7.2	01.7-12.7	10	10.0	03.3-16.7
\$25,000- 34,999	81	5,556	17	19.2	10.4-28.0				9	10.3	03.4-17.2				10	10.1	03.6-16.6	7	8.0	01.9-14.1
\$35,000- 49,999	84	6,552				18	20.9	11.3-30.5	19	22.1	12.3-31.9	15	17.4	08.8-26.0	6	5.5	00.8-10.2	8	9.8	02.9-16.7
\$75,000+	54	4,990				8	11.4	03.2-19.6				8	14.0	04.6-23.4	4	6.6	00.0-13.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	214	19,225	47	23.7	17.2-30.2	45	22.2	14.9-29.5	32	14.6	09.5-19.7	41	18.8	13.1-24.5	23	9.0	05.1-12.9	26	11.6	07.1-16.1
Non-Native	203	17,889	45	23.9	17.2-30.6	42	21.2	13.9-28.5	30	14.9	09.6-20.2	39	19.0	13.1-24.9	22	8.9	05.0-12.8	25	12.2	07.5-16.9
55-64	59	5,108													4	6.1	00.0-12.6	6	10.5	02.1-18.9
65+	103	8,136	28	29.9	20.1-39.7	20	17.5	10.1-24.9	11	11.4	04.9-17.9	18	17.3	09.5-25.1	14	13.1	06.2-20.0	12	10.8	04.9-16.7
H.S. or G.E.D.	82	7,454	14	18.4	08.4-28.4				12	13.3	05.7-20.9	15	13.9	06.3-21.5	6	6.8	00.9-12.7	13	14.8	06.8-22.8
College Graduate	59	5,100										7	11.0	02.6-19.4	8	12.0	03.6-20.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	278	17,054	58	27.2	18.4-36.0	57	20.9	15.2-26.6	37	12.3	08.2-16.4	69	22.0	16.5-27.5	29	9.0	05.3-12.7	28	8.7	05.4-12.0
Non-Native	251	14,589	53	24.8	18.3-31.3	54	22.8	16.7-28.9	37	14.4	09.7-19.1	58	20.6	15.5-25.7	23	8.0	04.3-11.7	26	9.3	05.6-13.0
55-64	65	3,946	11	13.4	05.4-21.4										5	8.9	00.5-17.3	7	8.1	01.6-14.6
65+	163	8,413	31	21.5	14.4-28.6	30	19.7	12.8-26.6	25	14.0	08.5-19.5	42	24.4	17.5-31.3	20	11.5	06.2-16.8	15	8.9	04.4-13.4
H.S. or G.E.D.	98	5,578	22	22.5	13.7-31.3	15	16.0	07.8-24.2	12	10.8	04.7-16.9	29	28.9	19.3-38.5	8	10.7	03.1-18.3	12	11.1	04.8-17.4
Some Post-H.S.	88	6,160				16	16.9	07.1-26.7	12	10.7	03.8-17.6	19	16.5	07.7-25.3	14	10.1	03.8-16.4	7	6.6	01.3-11.9
College Graduate	53	3,064													2	3.5	00.0-08.4	7	10.7	02.5-18.9
Less than \$15,000	53	3,624				6	6.9	00.4-13.4	4	5.0	00.0-10.5							6	6.4	00.7-12.1
\$15,000- 24,999	68	3,603							7	9.1	02.2-16.0				4	6.2	00.0-13.5	6	9.9	02.1-17.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	468	34,595	227	51.3	45.6-57.0	161	30.7	26.0-35.4	9	1.7	00.5-02.9	10	1.8	00.6-03.0	33	9.3	04.4-14.2	28	5.2	03.0-07.4
Male	201	17,904	101	55.0	47.4-62.6	64	28.5	21.8-35.2	6	2.6	00.4-04.8	4	1.6	00.0-03.2	15	8.0	03.9-12.1	11	4.2	01.7-06.7
Female	267	16,691	126	47.4	39.4-55.4	97	33.0	26.3-39.7	3	0.6	00.0-01.4	6	2.0	00.2-03.8	18	10.6	01.8-19.4	17	6.3	03.0-09.6
Non-Native	430	30,590	209	51.4	45.9-56.9	153	32.7	27.8-37.6	6	1.5	00.1-02.9	7	1.6	00.4-02.8	28	7.0	04.3-09.7	27	5.8	03.4-08.2
45-54	58	4,682							3	2.7	00.0-05.8				5	9.6	01.0-18.2	1	1.6	00.0-04.7
55-64	121	8,716	60	49.9	40.1-59.7	50	41.5	31.9-51.1	1	0.5	00.0-01.5				6	5.2	00.7-09.7	4	2.9	00.0-06.0
65+	246	15,003	113	48.0	41.1-54.9	83	31.1	25.0-37.2	5	2.7	00.2-05.2	8	3.1	00.9-05.3	16	6.7	03.4-10.0	21	8.5	04.8-12.2
Less Than H.S.	56	3,922										5	8.1	01.0-15.2	5	7.6	00.3-14.9	7	12.1	03.3-20.9
H.S. or G.E.D.	175	12,796	87	55.3	46.5-64.1	58	28.4	21.0-35.8	2	0.6	00.0-01.6	4	1.7	00.0-03.5	12	7.5	03.0-12.0	12	6.5	02.6-10.4
Some Post-H.S.	128	9,852				50	33.8	23.8-43.8	4	2.0	00.0-04.2	1	1.0	00.0-03.0				5	2.9	00.0-06.0
College Graduate	108	7,982				40	34.1	24.3-43.9	3	3.7	00.0-07.8				10	10.5	03.8-17.2	4	2.7	00.0-05.4
Less than \$15,000	66	4,785							1	0.6	00.0-01.8	3	4.7	00.0-10.4				8	9.2	01.9-16.5
\$15,000- 24,999	98	6,001							3	2.5	00.0-05.4	3	3.3	00.0-07.0	8	11.0	03.2-18.8	4	4.2	00.0-08.5
\$25,000- 34,999	78	5,385										3	2.6	00.0-05.5	5	7.2	01.1-13.3	3	2.9	00.0-06.2
\$35,000- 49,999	78	6,002							2	2.7	00.0-06.6				6	7.5	01.2-13.8	4	5.3	00.2-10.4
\$75,000+	53	4,928													6	12.2	02.8-21.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	201	17,904	101	55.0	47.2-62.8	64	28.5	21.8-35.2	6	2.6	00.4-04.8	4	1.6	00.0-03.2	15	8.0	03.9-12.1	11	4.2	01.7-06.7
Non-Native	190	16,568	92	52.3	44.3-60.3	63	30.3	23.2-37.4	6	2.8	00.4-05.2	3	1.4	00.0-03.0	15	8.7	04.2-13.2	11	4.5	01.8-07.2
55-64	57	4,818							1	0.9	00.0-02.7				4	7.4	00.0-14.8	3	4.6	00.0-09.9
65+	93	7,139				26	25.7	16.5-34.9	4	5.2	00.1-10.3	2	1.8	00.0-04.3	6	7.0	01.3-12.7	7	6.5	01.4-11.6
H.S. or G.E.D.	78	7,048							1	0.6	00.0-01.8	1	0.9	00.0-02.7	5	7.4	00.9-13.9	5	5.5	00.4-10.6
College Graduate	58	5,022							3	5.9	00.0-12.6				7	13.2	03.4-23.0	2	1.8	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	267	16,691	126	47.4	39.4-55.4	97	33.0	26.3-39.7	3	0.6	00.0-01.4	6	2.0	00.2-03.8	18	10.6	01.8-19.4	17	6.3	03.0-09.6
Non-Native	240	14,022	117	50.4	43.1-57.7	90	35.6	29.1-42.1				4	1.8	00.0-03.6	13	5.0	02.3-07.7	16	7.2	03.5-10.9
55-64	64	3,898													2	2.5	00.0-06.0	1	0.8	00.0-02.4
65+	153	7,864	65	42.8	34.4-51.2	57	35.9	27.9-43.9	1	0.4	00.0-01.2	6	4.3	00.8-07.8	10	6.4	02.3-10.5	14	10.2	04.7-15.7
H.S. or G.E.D.	97	5,748				31	29.4	19.8-39.0	1	0.7	00.0-02.1	3	2.6	00.0-05.5	7	7.5	01.6-13.4	7	7.7	01.6-13.8
Some Post-H.S.	86	6,011							2	1.1	00.0-02.7							5	4.8	00.0-10.1
College Graduate	50	2,960													3	5.8	00.0-12.5	2	4.0	00.0-10.1
Less than \$15,000	54	3,903							1	0.7	00.0-02.3	2	3.3	00.0-08.2				4	4.0	00.0-08.3
\$15,000- 24,999	64	3,404				14	18.5	08.7-28.3	2	2.2	00.0-05.3	1	1.7	00.0-05.0	6	11.5	02.1-20.9	4	7.4	00.0-14.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	494	36,740	127	27.0	22.3-31.7	97	21.1	16.4-25.8	44	7.9	05.4-10.4	76	13.8	10.5-17.1	49	8.4	05.9-10.9	101	21.8	16.7-26.9
Male	213	19,274	58	29.1	22.2-36.0	48	23.6	16.5-30.7	18	7.8	04.1-11.5	31	12.9	08.2-17.6	19	7.5	04.0-11.0	39	19.1	13.2-25.0
Female	281	17,466	69	24.7	18.4-31.0	49	18.3	12.6-24.0	26	8.0	04.7-11.3	45	14.8	10.3-19.3	30	9.4	05.9-12.9	62	24.8	16.4-33.2
Non-Native	455	32,642	120	28.4	23.5-33.3	88	21.3	16.4-26.2	42	8.6	05.9-11.3	70	13.8	10.5-17.1	43	8.4	05.7-11.1	92	19.4	15.5-23.3
45-54	60	4,811				9	13.0	04.4-21.6	5	7.8	00.7-14.9	7	12.5	03.1-21.9	5	6.8	00.5-13.1			
55-64	125	9,086	34	29.8	20.6-39.0	21	17.9	10.1-25.7	17	13.4	06.9-19.9	19	16.5	09.2-23.8	10	5.9	02.0-09.8	24	16.5	09.4-23.6
65+	266	16,651	65	24.9	19.0-30.8	57	22.3	16.8-27.8	20	7.0	03.9-10.1	47	16.5	11.8-21.2	32	12.4	08.1-16.7	45	16.9	12.0-21.8
Less Than H.S.	67	4,827							8	11.0	03.2-18.8	8	12.6	03.6-21.6	11	14.8	06.2-23.4	12	18.9	08.9-28.9
H.S. or G.E.D.	182	13,441	48	26.2	18.8-33.6	28	18.7	09.9-27.5	14	6.8	03.1-10.5	29	15.2	09.5-20.9	19	9.0	04.7-13.3	44	24.1	16.7-31.5
Some Post-H.S.	133	10,296	30	27.4	17.4-37.4	26	18.0	10.6-25.4	16	9.0	04.1-13.9	24	14.8	08.3-21.3	13	8.1	03.2-13.0			
College Graduate	111	8,134	36	32.0	22.4-41.6	28	28.2	18.4-38.0	6	6.5	01.4-11.6	15	11.0	05.3-16.7	6	4.0	00.7-07.3	20	18.3	10.3-26.3
Less than \$15,000	73	5,279							5	4.0	00.1-07.9	11	13.1	04.1-22.1	13	15.4	05.8-25.0			
\$15,000- 24,999	107	6,720				22	18.4	10.8-26.0	12	9.5	03.8-15.2	17	16.6	08.6-24.6	10	8.5	02.8-14.2	17	18.2	09.4-27.0
\$25,000- 34,999	79	5,472	18	20.5	11.5-29.5				5	5.2	00.3-10.1	13	15.7	07.1-24.3	12	15.0	06.8-23.2	14	18.2	08.8-27.6
\$35,000- 49,999	83	6,489							8	8.8	02.7-14.9	13	15.7	07.5-23.9	6	6.7	01.2-12.2	19	20.7	11.5-29.9
\$75,000+	54	4,990							8	13.8	04.2-23.4	7	10.2	02.6-17.8	3	3.3	00.0-07.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	213	19,274	58	29.1	22.2-36.0	48	23.6	16.5-30.7	18	7.8	04.3-11.3	31	12.9	08.2-17.6	19	7.5	04.0-11.0	39	19.1	13.2-25.0
Non-Native	202	17,939	55	29.0	21.9-36.1	46	24.5	17.1-31.9	18	8.4	04.5-12.3	29	12.7	08.0-17.4	18	7.7	04.0-11.4	36	17.8	12.1-23.5
55-64	59	5,108							10	15.7	06.1-25.3	11	17.5	07.5-27.5	2	1.7	00.0-04.1	8	14.0	04.2-23.8
65+	102	8,154	27	28.2	18.6-37.8	29	26.9	18.1-35.7	5	5.2	00.5-09.9	14	12.3	05.8-18.8	12	11.9	05.2-18.6	15	15.5	07.9-23.1
H.S. or G.E.D.	83	7,565							7	6.8	01.3-12.3	12	13.0	05.4-20.6	8	8.0	02.1-13.9			
College Graduate	59	5,100							5	8.5	01.2-15.8	7	9.2	02.1-16.3	3	3.4	00.0-07.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	281	17,466	69	24.7	18.4-31.0	49	18.3	12.4-24.2	26	8.0	04.7-11.3	45	14.8	10.3-19.3	30	9.4	05.9-12.9	62	24.8	16.4-33.2
Non-Native	253	14,704	65	27.7	21.0-34.4	42	17.4	11.9-22.9	24	9.0	05.3-12.7	41	15.1	10.6-19.6	25	9.3	05.6-13.0	56	21.5	16.0-27.0
55-64	66	3,978							7	10.4	02.4-18.4				8	11.2	03.2-19.2	16	19.7	09.7-29.7
65+	164	8,497	38	21.6	14.9-28.3	28	18.0	11.5-24.5	15	8.8	04.3-13.3	33	20.5	13.8-27.2	20	12.9	07.2-18.6	30	18.2	11.9-24.5
H.S. or G.E.D.	99	5,876	25	22.7	13.9-31.5				7	6.7	01.6-11.8	17	18.0	09.6-26.4	11	10.4	04.3-16.5	26	24.9	15.5-34.3
Some Post-H.S.	89	6,176				15	14.9	05.7-24.1	12	9.0	03.3-14.7	15	13.2	05.4-21.0	9	7.6	01.5-13.7			
College Graduate	52	3,034							1	3.2	00.0-09.3	8	14.0	04.6-23.4	3	5.1	00.0-11.0			
Less than \$15,000	58	4,124							5	5.2	00.0-10.5				8	9.9	01.9-17.9			
\$15,000- 24,999	69	3,646							9	11.8	04.2-19.4	7	9.0	02.3-15.7	6	9.2	01.0-17.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	495	36,414	89	17.7	14.0-21.4	314	64.9	60.0-69.8	43	7.4	04.9-09.9	39	7.8	05.1-10.5	10	2.2	00.8-03.6
Male	214	19,188	35	16.9	11.2-22.6	142	67.1	60.0-74.2	15	5.5	02.6-08.4	16	7.4	03.5-11.3	6	3.1	00.6-05.6
Female	281	17,226	54	18.6	13.5-23.7	172	62.5	55.4-69.6	28	9.5	05.2-13.8	23	8.2	04.5-11.9	4	1.2	00.0-02.4
Non-Native	456	32,570	83	17.8	13.9-21.7	289	65.2	60.3-70.1	41	7.8	05.1-10.5	35	7.3	04.8-09.8	8	1.9	00.5-03.3
45-54	59	4,733							10	14.3	05.3-23.3	3	5.1	00.0-11.0	3	6.0	00.0-12.7
55-64	124	9,054	21	16.3	09.4-23.2	79	69.1	60.5-77.7	7	4.6	01.1-08.1	15	9.1	04.0-14.2	2	0.9	00.0-02.1
65+	270	16,794	49	18.4	13.3-23.5	182	68.3	62.2-74.4	22	6.4	03.5-09.3	13	5.0	02.1-07.9	4	1.9	00.0-03.9
Less Than H.S.	69	4,915	13	16.6	07.8-25.4				7	7.5	01.8-13.2	5	5.0	00.3-09.7			
H.S. or G.E.D.	179	12,918	34	20.2	13.1-27.3	108	61.0	52.6-69.4	19	9.0	04.7-13.3	13	7.1	03.0-11.2	5	2.8	00.1-05.5
Some Post-H.S.	134	10,375	20	12.1	06.2-18.0				10	6.9	01.0-12.8	11	8.8	02.9-14.7	5	4.3	00.4-08.2
College Graduate	112	8,163	22	21.6	13.2-30.0	73	63.6	53.6-73.6	7	5.5	01.2-09.8	10	9.3	03.0-15.6			
Less than \$15,000	70	4,868	9	7.9	02.0-13.8							7	8.9	01.6-16.2	2	2.5	00.0-06.2
\$15,000- 24,999	108	6,758	16	15.8	07.8-23.8				16	12.9	06.4-19.4	5	5.2	00.3-10.1	2	2.6	00.0-06.5
\$25,000- 34,999	82	5,599	17	19.0	10.4-27.6				6	6.8	01.3-12.3	6	7.0	00.9-13.1	2	3.2	00.0-07.5
\$35,000- 49,999	83	6,425	16	19.4	10.4-28.4				3	2.1	00.0-04.8	8	7.6	01.9-13.3	1	1.8	00.0-05.1
\$75,000+	54	4,990	9	14.9	05.3-24.5										1	1.7	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	214	19,188	35	16.9	11.2-22.6	142	67.1	60.0-74.2	15	5.5	02.6-08.4	16	7.4	03.5-11.3	6	3.1	00.6-05.6
Non-Native	203	17,852	33	16.1	10.8-21.4	137	69.4	62.5-76.3	15	5.9	02.8-09.0	14	6.4	02.9-09.9	4	2.2	00.0-04.4
55-64	59	5,108	7	11.4	03.0-19.8				4	4.4	00.0-08.9	7	9.6	02.0-17.2			
65+	104	8,209	18	17.7	09.9-25.5	76	71.9	62.7-81.1	4	3.6	00.0-07.3	4	4.5	00.0-09.0	2	2.3	00.0-05.4
H.S. or G.E.D.	80	7,285							6	5.9	00.8-11.0	3	4.1	00.0-08.8	3	3.8	00.0-08.3
College Graduate	59	5,100							4	6.0	00.1-11.9	6	11.1	02.1-20.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	281	17,226	54	18.6	13.5-23.7	172	62.5	55.4-69.6	28	9.5	05.2-13.8	23	8.2	04.5-11.9	4	1.2	00.0-02.4
Non-Native	253	14,717	50	19.9	14.6-25.2	152	60.2	53.3-67.1	26	10.0	05.3-14.7	21	8.5	04.6-12.4	4	1.4	00.0-03.0
55-64	65	3,946							3	4.9	00.0-10.8	8	8.5	02.4-14.6	2	2.0	00.0-04.9
65+	166	8,585	31	19.1	12.6-25.6	106	64.8	57.0-72.6	18	9.1	04.8-13.4	9	5.5	01.8-09.2	2	1.5	00.0-03.7
H.S. or G.E.D.	99	5,633	18	18.2	10.2-26.2				13	12.9	05.6-20.2	10	11.1	04.2-18.0	2	1.4	00.0-03.4
Some Post-H.S.	89	6,192	15	12.7	05.3-20.1				6	7.7	00.0-16.7	6	7.1	00.6-13.6	2	2.1	00.0-05.0
College Graduate	53	3,064							3	4.6	00.0-10.3	4	6.4	00.0-13.5			
Less than \$15,000	55	3,753	6	5.6	00.5-10.7							6	10.4	01.0-19.8	1	1.1	00.0-03.5
\$15,000- 24,999	69	3,646	11	16.5	06.5-26.5				9	13.3	04.3-22.3	2	2.9	00.0-07.2	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	494	36,699	100	19.2	15.3-23.1	394	80.8	76.9-84.7
Male	214	19,297	39	16.0	10.9-21.1	175	84.0	78.9-89.1
Female	280	17,402	61	22.9	16.6-29.2	219	77.1	70.8-83.4
Non-Native	454	32,559	91	19.0	15.1-22.9	363	81.0	77.1-84.9
55-64	123	8,952	26	18.3	11.0-25.6	97	81.7	74.4-89.0
65+	267	16,680	51	19.3	14.0-24.6	216	80.7	75.4-86.0
H.S. or G.E.D.	180	13,296	35	18.8	11.9-25.7	145	81.2	74.3-88.1
Some Post-H.S.	134	10,388	26	17.5	10.1-24.9	108	82.5	75.1-89.9
College Graduate	112	8,163	19	16.6	09.2-24.0	93	83.4	76.0-90.8
\$15,000- 24,999	106	6,684	28	26.3	16.9-35.7	78	73.7	64.3-83.1
\$25,000- 34,999	82	5,599	17	20.2	11.0-29.4	65	79.8	70.6-89.0
\$35,000- 49,999	82	6,456	10	14.3	05.3-23.3	72	85.7	76.7-94.7
\$75,000+	54	4,990	7	11.8	03.2-20.4	47	88.2	79.6-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	214	19,297	39	16.0	10.9-21.1	175	84.0	78.9-89.1		
Non-Native	203	17,961	39	17.2	11.7-22.7	164	82.8	77.3-88.3		
55-64	57	4,974	12	14.3	06.1-22.5	45	85.7	77.5-93.9		
65+	104	8,247	18	18.8	10.6-27.0	86	81.2	73.0-89.4		
H.S. or G.E.D.	80	7,393	10	9.8	03.5-16.1	70	90.2	83.9-96.5		
College Graduate	59	5,100	11	16.8	07.0-26.6	48	83.2	73.4-93.0		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	280	17,402	61	22.9	16.6-29.2	219	77.1	70.8-83.4		
Non-Native	251	14,597	52	21.2	15.5-26.9	199	78.8	73.1-84.5		
65+	163	8,433	33	19.8	13.1-26.5	130	80.2	73.5-86.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	500	36,966	286	56.9	51.4-62.4	214	43.1	37.6-48.6
Male	217	19,468	115	54.5	47.1-61.9	102	45.5	38.1-52.9
Female	283	17,498	171	59.6	51.4-67.8	112	40.4	32.2-48.6
Non-Native	460	32,826	265	58.8	53.7-63.9	195	41.2	36.1-46.3
55-64	125	9,086	72	59.1	49.7-68.5	53	40.9	31.5-50.3
65+	272	16,912	146	53.0	46.5-59.5	126	47.0	40.5-53.5
H.S. or G.E.D.	183	13,483	101	54.7	45.9-63.5	82	45.3	36.5-54.1
College Graduate	112	8,163				40	35.1	25.1-45.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	217	19,468	115	54.5	47.1-61.9	102	45.5	38.1-52.9		
Non-Native	206	18,133	107	53.9	46.3-61.5	99	46.1	38.5-53.7		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	283	17,498	171	59.6	51.4-67.8	112	40.4	32.2-48.6
Non-Native	254	14,693	158	64.9	58.4-71.4	96	35.1	28.6-41.6
65+	167	8,627	97	58.4	50.4-66.4	70	41.6	33.6-49.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008**

MODULE 13: ANXIETY AND DEPRESSION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)	
1	MALES AND FEMALES	36
2	MALES ONLY	37
3	FEMALES ONLY	38
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)	
4	MALES AND FEMALES	39
5	MALES ONLY	40
6	FEMALES ONLY	41
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
7	MALES AND FEMALES	42
8	MALES ONLY	43
9	FEMALES ONLY	44
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)	
10	MALES AND FEMALES	45
11	MALES ONLY	46
12	FEMALES ONLY	47
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)	
13	MALES AND FEMALES	48
14	MALES ONLY	49
15	FEMALES ONLY	50
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)	
16	MALES AND FEMALES	51
17	MALES ONLY	52
18	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008**

MODULE 13: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)	
19	MALES AND FEMALES	54
20	MALES ONLY	55
21	FEMALES ONLY	56
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE - BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)	
22	MALES AND FEMALES	57
23	MALES ONLY	58
24	FEMALES ONLY	59
	HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)	
25	MALES AND FEMALES	60
26	MALES ONLY	61
27	FEMALES ONLY	62
	HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)	
28	MALES AND FEMALES	63
29	MALES ONLY	64
30	FEMALES ONLY	65

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

**TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	465,318	902	20.2	18.6-21.8	196	3.7	02.9-04.5	163	3.4	02.6-04.2	162	3.4	02.6-04.2	3341	69.3	67.5-71.1
Male	1917	230,158	381	22.1	19.4-24.8	74	3.6	02.4-04.8	67	3.3	02.1-04.5	78	3.9	02.7-05.1	1317	67.1	64.2-70.0
Female	2847	235,159	521	18.4	16.4-20.4	122	3.8	02.8-04.8	96	3.4	02.4-04.4	84	2.9	02.1-03.7	2024	71.5	69.1-73.9
Native	120	20,790				5	4.0	00.0-09.1	10	4.4	01.3-07.5	13	7.9	02.8-13.0			
Non-Native	4607	441,730	876	19.9	18.3-21.5	189	3.7	02.9-04.5	151	3.3	02.5-04.1	148	3.2	02.4-04.0	3243	70.0	68.2-71.8
18-24	155	75,751	33	20.9	13.8-28.0	7	4.3	01.2-07.4	6	4.5	01.0-08.0	4	3.4	00.1-06.7	105	66.8	58.6-75.0
25-34	483	74,412	123	26.9	22.4-31.4	20	3.5	01.9-05.1	11	2.0	00.8-03.2	15	3.3	01.5-05.1	314	64.3	59.6-69.0
35-44	659	71,886	147	22.6	19.1-26.1	31	3.9	02.5-05.3	30	4.1	02.5-05.7	31	4.2	02.6-05.8	420	65.2	61.3-69.1
45-54	1037	88,991	208	20.3	17.6-23.0	41	3.5	02.3-04.7	39	3.3	02.1-04.5	35	3.4	02.2-04.6	714	69.6	66.7-72.5
55-64	959	65,353	170	16.3	13.8-18.8	32	3.0	01.8-04.2	29	3.1	01.9-04.3	27	2.9	01.7-04.1	701	74.7	71.8-77.6
65+	1430	86,285	216	15.0	13.0-17.0	62	4.1	02.9-05.3	46	3.0	02.0-04.0	50	3.3	02.3-04.3	1056	74.6	72.1-77.1
Less Than H.S.	343	33,096	66	21.7	14.8-28.6	23	5.8	02.1-09.5	19	3.7	01.7-05.7	15	3.0	01.2-04.8	220	65.8	58.2-73.4
H.S. or G.E.D.	1423	135,221	270	21.2	17.9-24.5	69	4.4	03.0-05.8	67	5.0	03.2-06.8	57	4.0	02.6-05.4	960	65.5	61.8-69.2
Some Post-H.S.	1486	152,049	295	20.1	17.2-23.0	62	4.1	02.7-05.5	54	3.3	02.1-04.5	57	4.0	02.4-05.6	1018	68.5	65.2-71.8
College Graduate	1505	144,643	271	19.1	16.7-21.5	41	2.2	01.4-03.0	23	1.8	00.6-03.0	33	2.3	01.1-03.5	1137	74.6	71.9-77.3
Less than \$15,000	345	28,027				19	3.3	01.5-05.1	32	7.8	04.5-11.1	23	8.9	04.0-13.8	201	56.4	46.6-66.2
\$15,000- 24,999	697	63,423	142	21.3	16.8-25.8	42	4.1	02.7-05.5	38	6.7	03.6-09.8	49	6.3	03.9-08.7	426	61.6	56.1-67.1
\$25,000- 34,999	577	52,036	120	21.0	16.1-25.9	32	5.7	03.0-08.4	24	4.0	01.6-06.4	22	6.6	02.3-10.9	379	62.7	56.8-68.6
\$35,000- 49,999	786	75,672	158	23.6	19.3-27.9	31	3.2	02.0-04.4	21	3.0	01.2-04.8	19	2.0	01.0-03.0	557	68.2	63.7-72.7
\$50,000- 74,999	819	86,417	167	21.0	17.7-24.3	32	3.5	02.3-04.7	16	2.4	00.6-04.2	16	1.9	00.9-02.9	588	71.2	67.5-74.9
\$75,000+	987	108,495	158	17.6	14.5-20.7	19	1.7	00.9-02.5	17	1.4	00.6-02.2	14	1.2	00.6-01.8	779	78.0	74.7-81.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 2: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1917	230,158	381	22.1	19.4-24.8	74	3.6	02.4-04.8	67	3.3	02.1-04.5	78	3.9	02.7-05.1	1317	67.1	64.2-70.0
Non-Native	1866	220,891	369	21.1	18.7-23.5	71	3.7	02.5-04.9	63	3.3	02.1-04.5	74	3.8	02.6-05.0	1289	68.1	65.4-70.8
18-24	75	39,038				4	4.7	00.0-09.4	3	4.7	00.0-10.0	2	4.0	00.0-09.5			
25-34	206	39,766	61	31.7	24.8-38.6	9	3.6	01.1-06.1	5	1.7	00.1-03.3	7	3.4	00.9-05.9	124	59.6	52.3-66.9
35-44	297	36,402	76	25.3	20.0-30.6	11	3.2	01.2-05.2	11	3.1	01.1-05.1	15	4.4	02.0-06.8	184	64.0	58.3-69.7
45-54	443	44,074	96	21.0	16.9-25.1	18	3.6	01.8-05.4	14	2.8	01.2-04.4	22	4.7	02.5-06.9	293	67.9	63.2-72.6
55-64	418	34,250	62	13.9	10.4-17.4	15	3.3	01.5-05.1	13	3.1	01.3-04.9	16	3.3	01.5-05.1	312	76.3	72.0-80.6
65+	471	35,955	68	14.5	11.0-18.0	17	3.4	01.6-05.2	20	4.5	02.3-06.7	16	3.3	01.5-05.1	350	74.3	70.0-78.6
Less Than H.S.	145	16,457	22	19.5	09.5-29.5	10	7.7	00.6-14.8	10	4.4	01.5-07.3	6	2.6	00.4-04.8			
H.S. or G.E.D.	603	74,110	131	24.0	18.7-29.3	22	3.4	01.4-05.4	27	4.2	02.2-06.2	30	4.3	02.5-06.1	393	64.1	58.4-69.8
Some Post-H.S.	531	66,553	114	23.1	18.0-28.2	26	4.7	02.3-07.1	20	3.2	01.2-05.2	24	4.8	01.9-07.7	347	64.3	58.6-70.0
College Graduate	637	72,949	114	19.9	16.0-23.8	16	2.0	01.0-03.0	10	2.4	00.2-04.6	18	2.9	00.7-05.1	479	72.9	68.4-77.4
Less than \$15,000	97	10,792				6	3.7	00.4-07.0	12	8.8	02.7-14.9	9	7.5	01.4-13.6			
\$15,000- 24,999	237	28,749	52	22.8	15.4-30.2	11	3.7	01.2-06.2	10	4.7	00.6-08.8	17	5.6	02.5-08.7	147	63.2	54.8-71.6
\$25,000- 34,999	218	26,499	44	21.3	13.5-29.1	15	5.2	02.1-08.3	9	3.4	01.0-05.8	14	11.0	03.0-19.0	136	59.1	49.5-68.7
\$35,000- 49,999	361	40,203	80	25.4	19.3-31.5	13	3.2	01.4-05.0	13	4.0	01.1-06.9	13	2.6	01.0-04.2	242	64.8	58.5-71.1
\$50,000- 74,999	403	48,621	88	22.3	17.6-27.0	13	2.8	01.2-04.4	8	3.0	00.0-06.1	11	2.6	00.8-04.4	283	69.3	63.8-74.8
\$75,000+	469	57,226	84	21.6	16.5-26.7	12	2.0	00.8-03.2	9	1.6	00.4-02.8	7	1.2	00.2-02.2	357	73.6	68.3-78.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 3: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	235,159	521	18.4	16.4-20.4	122	3.8	02.8-04.8	96	3.4	02.4-04.4	84	2.9	02.1-03.7	2024	71.5	69.1-73.9
Native	83	12,648	11	13.6	04.0-23.2	3	4.9	00.0-12.9	7	4.2	00.7-07.7	10	9.4	02.5-16.3			
Non-Native	2741	220,840	507	18.6	16.6-20.6	118	3.8	03.0-04.6	88	3.3	02.3-04.3	74	2.6	01.8-03.4	1954	71.8	69.4-74.2
18-24	80	36,714	17	16.8	08.8-24.8	3	3.8	00.0-08.1	3	4.3	00.0-09.0	2	2.9	00.0-06.8			
25-34	277	34,647	62	21.4	16.3-26.5	11	3.4	01.2-05.6	6	2.4	00.2-04.6	8	3.2	00.8-05.6	190	69.6	63.7-75.5
35-44	362	35,484	71	19.8	15.3-24.3	20	4.5	02.3-06.7	19	5.2	02.7-07.7	16	4.0	01.8-06.2	236	66.4	61.3-71.5
45-54	594	44,917	112	19.6	16.1-23.1	23	3.4	02.0-04.8	25	3.7	02.1-05.3	13	2.0	00.8-03.2	421	71.3	67.4-75.2
55-64	541	31,103	108	18.8	15.3-22.3	17	2.7	01.3-04.1	16	3.1	01.5-04.7	11	2.4	00.8-04.0	389	73.0	69.1-76.9
65+	959	50,330	148	15.4	12.9-17.9	45	4.6	03.2-06.0	26	2.0	01.2-02.8	34	3.2	02.0-04.4	706	74.8	71.9-77.7
Less Than H.S.	198	16,639	44	23.8	14.2-33.4	13	4.0	01.6-06.4	9	3.0	00.6-05.4	9	3.4	00.7-06.1			
H.S. or G.E.D.	820	61,111	139	17.8	14.1-21.5	47	5.5	03.3-07.7	40	5.9	03.2-08.6	27	3.7	01.5-05.9	567	67.2	62.5-71.9
Some Post-H.S.	955	85,495	181	17.8	14.7-20.9	36	3.7	01.9-05.5	34	3.5	01.9-05.1	33	3.3	01.7-04.9	671	71.7	67.8-75.6
College Graduate	868	71,694	157	18.3	15.4-21.2	25	2.4	01.4-03.4	13	1.3	00.5-02.1	15	1.7	00.7-02.7	658	76.3	73.0-79.6
Less than \$15,000	248	17,236	55	18.1	12.2-24.0	13	3.1	01.3-04.9	20	7.1	03.2-11.0	14	9.7	02.6-16.8	146	61.9	52.7-71.1
\$15,000- 24,999	460	34,674	90	20.1	14.6-25.6	31	4.3	02.5-06.1	28	8.4	03.7-13.1	32	6.9	03.4-10.4	279	60.3	53.2-67.4
\$25,000- 34,999	359	25,536	76	20.8	15.5-26.1	17	6.3	02.0-10.6	15	4.5	00.4-08.6	8	2.0	00.4-03.6	243	66.4	59.5-73.3
\$35,000- 49,999	425	35,468	78	21.6	15.7-27.5	18	3.2	01.6-04.8	8	1.9	00.5-03.3	6	1.2	00.2-02.2	315	72.1	65.8-78.4
\$50,000- 74,999	416	37,796	79	19.4	15.1-23.7	19	4.4	02.4-06.4	8	1.6	00.4-02.8	5	1.0	00.0-02.0	305	73.6	68.7-78.5
\$75,000+	518	51,269	74	13.1	10.0-16.2	7	1.3	00.3-02.3	8	1.3	00.3-02.3	7	1.3	00.3-02.3	422	83.1	79.6-86.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

**TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4880	475,347	772	15.9	14.5-17.3	146	3.2	02.4-04.0	98	1.6	01.2-02.0	75	1.2	00.8-01.6	3789	78.1	76.5-79.7
Male	1966	235,259	270	13.7	11.7-15.7	43	2.3	01.3-03.3	32	1.2	00.8-01.6	32	1.1	00.7-01.5	1589	81.7	79.5-83.9
Female	2914	240,089	502	18.0	15.8-20.2	103	4.1	02.9-05.3	66	1.9	01.3-02.5	43	1.3	00.9-01.7	2200	74.6	72.2-77.0
Native	127	21,586				11	5.8	00.5-11.1	6	2.8	00.4-05.2	2	0.8	00.0-02.0			
Non-Native	4714	450,304	745	15.3	13.9-16.7	135	3.1	02.3-03.9	91	1.5	01.1-01.9	73	1.2	00.8-01.6	3670	78.9	77.3-80.5
18-24	158	77,092	27	17.0	10.5-23.5	9	5.1	01.8-08.4	1	0.7	00.0-02.1				121	77.3	70.2-84.4
25-34	489	75,120	99	20.4	16.3-24.5	13	3.4	01.4-05.4	3	0.4	00.0-00.8	8	1.4	00.4-02.4	366	74.4	70.1-78.7
35-44	673	73,546	119	16.3	13.4-19.2	31	3.9	02.3-05.5	18	2.1	01.1-03.1	14	1.7	00.7-02.7	491	76.0	72.7-79.3
45-54	1046	89,738	185	16.9	14.5-19.3	32	2.7	01.7-03.7	28	2.4	01.4-03.4	25	2.0	01.2-02.8	776	76.0	73.3-78.7
55-64	980	66,636	153	13.8	11.6-16.0	24	2.4	01.4-03.4	22	2.2	01.2-03.2	14	1.4	00.6-02.2	767	80.2	77.7-82.7
65+	1488	90,320	185	11.7	09.9-13.5	36	2.1	01.3-02.9	25	1.6	00.8-02.4	13	0.6	00.2-01.0	1229	84.0	82.0-86.0
Less Than H.S.	360	34,366	49	15.4	08.5-22.3	14	3.3	01.3-05.3	17	3.3	01.5-05.1	6	0.7	00.1-01.3	274	77.3	70.2-84.4
H.S. or G.E.D.	1471	139,401	235	16.1	13.4-18.8	51	3.8	02.2-05.4	32	1.9	00.9-02.9	28	1.8	01.0-02.6	1125	76.4	73.3-79.5
Some Post-H.S.	1518	154,634	251	16.1	13.6-18.6	53	4.0	02.4-05.6	33	1.5	00.9-02.1	22	1.2	00.6-01.8	1159	77.2	74.3-80.1
College Graduate	1523	146,087	237	15.6	13.2-18.0	28	1.8	01.0-02.6	16	0.9	00.3-01.5	19	0.8	00.4-01.2	1223	80.8	78.4-83.2
Less than \$15,000	362	28,838	71	24.8	15.8-33.8	25	5.7	03.0-08.4	18	3.2	01.6-04.8	20	4.6	02.2-07.0	228	61.7	52.7-70.7
\$15,000- 24,999	722	65,647	136	19.1	14.4-23.8	36	4.8	02.8-06.8	16	1.7	00.7-02.7	27	3.2	01.8-04.6	507	71.3	66.2-76.4
\$25,000- 34,999	589	52,709	107	15.8	11.9-19.7	18	5.4	01.9-08.9	14	2.6	00.4-04.8	7	1.0	00.2-01.8	443	75.1	69.8-80.4
\$35,000- 49,999	802	77,703	119	15.1	11.6-18.6	24	2.9	01.5-04.3	14	1.0	00.4-01.6	5	0.3	00.0-00.7	640	80.6	76.9-84.3
\$50,000- 74,999	829	87,639	134	16.0	13.1-18.9	22	2.2	01.2-03.2	15	1.6	00.8-02.4	5	0.7	00.1-01.3	653	79.6	76.5-82.7
\$75,000+	995	109,324	133	13.4	10.7-16.1	10	1.2	00.2-02.2	7	0.6	00.0-01.2	4	0.4	00.0-00.8	841	84.4	81.5-87.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1966	235,259	270	13.7	11.7-15.7	43	2.3	01.3-03.3	32	1.2	00.8-01.6	32	1.1	00.7-01.5	1589	81.7	79.5-83.9
Non-Native	1910	224,873	260	13.2	11.4-15.0	41	2.3	01.3-03.3	31	1.2	00.8-01.6	32	1.2	00.8-01.6	1546	82.1	79.9-84.3
18-24	76	39,586	8	10.4	02.6-18.2	2	2.3	00.0-05.6							66	87.3	79.1-95.5
25-34	206	39,766	42	21.0	14.9-27.1	7	4.1	00.8-07.4				3	1.1	00.0-02.3	154	73.8	67.1-80.5
35-44	306	37,643	45	14.1	10.2-18.0	7	1.8	00.4-03.2	4	1.0	00.0-02.0	7	1.9	00.3-03.5	243	81.2	76.7-85.7
45-54	450	44,670	67	14.5	11.0-18.0	10	1.9	00.7-03.1	9	2.0	00.4-03.6	12	2.0	00.8-03.2	352	79.6	75.7-83.5
55-64	427	34,830	52	10.9	07.8-14.0	11	2.6	01.0-04.2	10	2.4	00.8-04.0	5	1.2	00.0-02.4	349	83.0	79.3-86.7
65+	494	38,090	55	10.7	07.8-13.6	6	1.0	00.2-01.8	8	1.5	00.3-02.7	5	0.7	00.0-01.5	420	86.1	83.0-89.2
Less Than H.S.	152	17,108	19	10.9	05.2-16.6	4	1.7	00.0-03.5	7	3.3	00.6-06.0				122	84.2	77.7-90.7
H.S. or G.E.D.	622	76,001	93	15.2	10.9-19.5	12	2.3	00.5-04.1	11	1.2	00.4-02.0	16	1.9	00.9-02.9	490	79.4	74.9-83.9
Some Post-H.S.	544	67,642	74	12.9	09.2-16.6	14	2.9	00.9-04.9	8	1.0	00.2-01.8	8	1.1	00.3-01.9	440	82.1	78.0-86.2
College Graduate	646	73,870	84	13.5	10.4-16.6	13	1.8	00.6-03.0	6	0.9	00.1-01.7	8	0.6	00.2-01.0	535	83.1	79.8-86.4
Less than \$15,000	102	11,081				5	3.0	00.1-05.9	5	2.5	00.1-04.9	10	7.4	01.9-12.9			
\$15,000- 24,999	246	29,570	46	14.5	09.4-19.6	8	4.1	00.6-07.6	5	1.6	00.2-03.0	8	2.4	00.4-04.4	179	77.5	71.2-83.8
\$25,000- 34,999	221	26,742	27	10.6	05.3-15.9	10	7.1	01.4-12.8	2	0.7	00.0-01.9	5	1.5	00.1-02.9	177	80.0	72.4-87.6
\$35,000- 49,999	369	41,182	51	15.0	09.9-20.1	8	1.8	00.4-03.2	6	0.9	00.1-01.7	5	0.6	00.0-01.2	299	81.6	76.3-86.9
\$50,000- 74,999	408	49,273	56	14.6	10.7-18.5	8	1.6	00.4-02.8	6	1.4	00.2-02.6	1	0.3	00.0-00.9	337	82.1	77.8-86.4
\$75,000+	477	58,069	50	10.3	07.4-13.2	3	0.4	00.0-00.8	5	1.0	00.0-02.0	2	0.3	00.0-00.7	417	88.0	84.9-91.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

**TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	240,089	502	18.0	15.8-20.2	103	4.1	02.9-05.3	66	1.9	01.3-02.5	43	1.3	00.9-01.7	2200	74.6	72.2-77.0
Native	87	12,986				9	8.7	00.3-17.1	5	3.4	00.1-06.7	2	1.4	00.0-03.6			
Non-Native	2804	225,431	485	17.4	15.4-19.4	94	3.9	02.7-05.1	60	1.9	01.3-02.5	41	1.3	00.9-01.7	2124	75.6	73.4-77.8
18-24	82	37,506				7	8.0	01.9-14.1	1	1.4	00.0-04.1						
25-34	283	35,354	57	19.8	14.7-24.9	6	2.5	00.3-04.7	3	0.9	00.0-01.9	5	1.7	00.1-03.3	212	75.1	69.6-80.6
35-44	367	35,903	74	18.7	14.6-22.8	24	6.0	03.5-08.5	14	3.2	01.4-05.0	7	1.5	00.1-02.9	248	70.5	65.6-75.4
45-54	596	45,068	118	19.2	15.9-22.5	22	3.6	02.0-05.2	19	2.7	01.5-03.9	13	2.0	00.8-03.2	424	72.5	68.8-76.2
55-64	553	31,806	101	17.0	13.9-20.1	13	2.3	00.9-03.7	12	1.9	00.7-03.1	9	1.8	00.6-03.0	418	77.1	73.4-80.8
65+	994	52,231	130	12.4	10.2-14.6	30	2.9	01.7-04.1	17	1.7	00.9-02.5	8	0.6	00.2-01.0	809	82.4	79.9-84.9
Less Than H.S.	208	17,258				10	4.8	01.3-08.3	10	3.4	01.0-05.8	6	1.5	00.3-02.7			
H.S. or G.E.D.	849	63,400	142	17.1	13.8-20.4	39	5.6	03.1-08.1	21	2.8	01.0-04.6	12	1.6	00.6-02.6	635	72.9	68.8-77.0
Some Post-H.S.	974	86,993	177	18.6	14.9-22.3	39	4.9	02.5-07.3	25	1.8	01.0-02.6	14	1.2	00.6-01.8	719	73.4	69.3-77.5
College Graduate	877	72,217	153	17.8	14.5-21.1	15	1.8	00.8-02.8	10	1.0	00.4-01.6	11	1.0	00.4-01.6	688	78.4	74.9-81.9
Less than \$15,000	260	17,757	47	21.7	12.5-30.9	20	7.3	03.2-11.4	13	3.7	01.5-05.9	10	2.9	00.9-04.9	170	64.4	55.0-73.8
\$15,000- 24,999	476	36,077	90	22.8	15.5-30.1	28	5.4	03.0-07.8	11	1.8	00.6-03.0	19	3.8	01.8-05.8	328	66.2	58.9-73.5
\$25,000- 34,999	368	25,968	80	21.2	15.5-26.9	8	3.6	00.0-07.7	12	4.6	00.5-08.7	2	0.6	00.0-01.6	266	69.9	63.0-76.8
\$35,000- 49,999	433	36,521	68	15.1	10.6-19.6	16	4.2	01.8-06.6	8	1.1	00.3-01.9				341	79.6	74.5-84.7
\$50,000- 74,999	421	38,366	78	17.7	13.6-21.8	14	3.0	01.4-04.6	9	1.8	00.6-03.0	4	1.2	00.0-02.4	316	76.3	71.8-80.8
\$75,000+	518	51,255	83	16.9	12.4-21.4	7	2.0	00.0-04.2	2	0.2	00.0-00.6	2	0.4	00.0-01.0	424	80.5	75.8-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4839	472,198	1184	24.9	23.1-26.7	446	9.4	08.2-10.6	299	6.6	05.6-07.6	363	6.7	05.7-07.7	2547	52.4	50.4-54.4
Male	1951	234,058	464	25.5	22.8-28.2	146	8.2	06.4-10.0	114	6.3	04.7-07.9	126	5.5	04.3-06.7	1101	54.5	51.6-57.4
Female	2888	238,140	720	24.2	22.0-26.4	300	10.6	09.0-12.2	185	6.9	05.5-08.3	237	8.0	06.6-09.4	1446	50.3	47.8-52.8
Native	124	21,293				13	6.4	02.1-10.7	14	11.2	01.4-21.0	14	7.4	02.7-12.1			
Non-Native	4679	447,638	1152	25.0	23.2-26.8	431	9.6	08.4-10.8	284	6.4	05.4-07.4	347	6.7	05.7-07.7	2465	52.4	50.4-54.4
18-24	157	76,740	38	26.0	18.4-33.6	19	12.3	06.8-17.8	12	7.9	03.2-12.6	7	4.5	01.0-08.0	81	49.3	40.9-57.7
25-34	485	74,686	107	24.2	19.9-28.5	38	7.7	05.0-10.4	37	7.6	05.1-10.1	47	8.8	06.3-11.3	256	51.7	46.8-56.6
35-44	670	73,256	170	25.9	22.4-29.4	75	10.2	07.8-12.6	42	5.9	03.9-07.9	48	6.1	04.3-07.9	335	51.8	47.7-55.9
45-54	1041	89,319	295	28.7	25.8-31.6	98	8.9	07.1-10.7	69	6.7	05.1-08.3	80	7.2	05.4-09.0	499	48.5	45.2-51.8
55-64	975	66,343	231	22.0	19.3-24.7	86	8.5	06.7-10.3	70	7.7	05.9-09.5	79	7.4	05.6-09.2	509	54.4	51.1-57.7
65+	1466	88,992	335	22.1	19.7-24.5	125	8.7	07.1-10.3	66	4.2	03.0-05.4	99	6.3	04.9-07.7	841	58.6	55.9-61.3
Less Than H.S.	352	33,792	69	20.3	13.8-26.8	36	10.8	05.9-15.7	24	9.2	02.5-15.9	37	7.5	04.6-10.4	186	52.2	44.0-60.4
H.S. or G.E.D.	1460	138,458	343	24.4	21.1-27.7	129	9.4	07.2-11.6	86	5.7	04.1-07.3	138	8.6	06.8-10.4	764	51.9	48.2-55.6
Some Post-H.S.	1502	153,301	356	24.1	20.8-27.4	155	9.9	07.7-12.1	108	7.9	05.9-09.9	105	6.9	04.9-08.9	778	51.2	47.5-54.9
College Graduate	1517	145,788	415	27.3	24.6-30.0	126	8.6	06.8-10.4	81	5.5	04.1-06.9	81	4.6	03.4-05.8	814	54.1	51.2-57.0
Less than \$15,000	353	28,462	69	13.1	09.2-17.0	20	4.0	02.0-06.0	38	9.6	05.7-13.5	54	15.0	09.3-20.7	172	58.3	49.9-66.7
\$15,000- 24,999	714	64,566	151	20.5	15.8-25.2	63	9.3	06.2-12.4	47	9.3	05.0-13.6	87	10.7	07.8-13.6	366	50.1	44.4-55.8
\$25,000- 34,999	586	52,618	135	25.6	20.1-31.1	74	10.1	07.4-12.8	38	8.0	04.1-11.9	42	6.3	04.1-08.5	297	50.0	44.1-55.9
\$35,000- 49,999	797	77,443	212	29.1	24.4-33.8	54	5.9	04.1-07.7	48	6.4	04.0-08.8	55	5.1	03.7-06.5	428	53.5	48.8-58.2
\$50,000- 74,999	821	87,020	219	28.5	24.6-32.4	87	12.8	09.7-15.9	48	5.5	03.7-07.3	42	5.5	03.7-07.3	425	47.7	43.6-51.8
\$75,000+	994	109,158	270	26.5	23.2-29.8	88	8.7	06.2-11.2	56	5.5	03.9-07.1	44	4.5	02.7-06.3	536	54.7	51.0-58.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 8: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1951	234,058	464	25.5	22.8-28.2	146	8.2	06.4-10.0	114	6.3	04.7-07.9	126	5.5	04.3-06.7	1101	54.5	51.6-57.4
Non-Native	1898	223,948	454	25.5	23.0-28.0	139	8.1	06.3-09.9	109	6.3	04.7-07.9	122	5.5	04.3-06.7	1074	54.5	51.6-57.4
18-24	76	39,586				9	11.5	04.1-18.9	5	7.2	00.9-13.5	2	3.0	00.0-07.3			
25-34	205	39,670	59	30.4	23.5-37.3	13	7.0	02.9-11.1	13	7.1	03.2-11.0	17	6.8	03.5-10.1	103	48.7	41.4-56.0
35-44	304	37,452	88	29.4	23.9-34.9	31	9.5	06.0-13.0	19	5.7	03.2-08.2	13	3.9	01.7-06.1	153	51.5	45.6-57.4
45-54	448	44,515	126	27.7	23.2-32.2	29	6.3	03.9-08.7	27	6.5	04.0-09.0	32	6.6	04.2-09.0	234	52.9	48.0-57.8
55-64	425	34,696	80	18.6	14.7-22.5	34	7.9	05.2-10.6	31	7.8	05.1-10.5	27	5.9	03.5-08.3	253	59.8	54.9-64.7
65+	486	37,465	90	18.1	14.4-21.8	30	7.0	04.5-09.5	18	3.5	01.7-05.3	34	6.3	04.1-08.5	314	65.2	60.7-69.7
Less Than H.S.	148	16,803				11	6.4	02.3-10.5	9	7.3	00.6-14.0	11	6.6	02.3-10.9			
H.S. or G.E.D.	618	75,654	147	26.2	21.1-31.3	42	7.6	04.7-10.5	36	5.1	03.3-06.9	53	6.9	04.7-09.1	340	54.1	48.6-59.6
Some Post-H.S.	535	66,960	122	23.8	18.9-28.7	48	10.0	06.1-13.9	36	8.1	04.6-11.6	25	4.5	01.8-07.2	304	53.6	47.9-59.3
College Graduate	648	74,004	165	26.8	22.7-30.9	45	7.5	05.0-10.0	33	5.8	03.4-08.2	36	4.5	02.7-06.3	369	55.4	50.9-59.9
Less than \$15,000	98	10,821	20	11.5	05.2-17.8	3	1.5	00.0-03.3	12	8.0	02.3-13.7	17	10.9	04.4-17.4			
\$15,000- 24,999	245	29,455	42	20.8	12.6-29.0	21	9.8	04.5-15.1	17	10.4	04.3-16.5	26	8.5	04.6-12.4	139	50.6	41.6-59.6
\$25,000- 34,999	223	26,890	51	25.7	17.1-34.3	17	6.0	02.7-09.3	15	8.7	02.2-15.2	16	5.4	02.5-08.3	124	54.2	44.8-63.6
\$35,000- 49,999	366	40,980	93	28.8	22.5-35.1	24	6.0	03.5-08.5	16	4.9	01.8-08.0	25	4.8	02.8-06.8	208	55.5	49.0-62.0
\$50,000- 74,999	402	48,749	103	29.3	23.6-35.0	41	12.8	08.1-17.5	24	5.4	03.0-07.8	15	4.3	01.8-06.8	219	48.2	42.3-54.1
\$75,000+	477	58,061	129	27.4	22.7-32.1	28	6.0	03.1-08.9	27	5.7	03.3-08.1	19	4.9	01.8-08.0	274	56.0	50.7-61.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 9: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2888	238,140	720	24.2	22.0-26.4	300	10.6	09.0-12.2	185	6.9	05.5-08.3	237	8.0	06.6-09.4	1446	50.3	47.8-52.8
Native	85	12,820				8	5.2	01.1-09.3				10	9.4	02.5-16.3			
Non-Native	2781	223,690	698	24.5	22.3-26.7	292	11.0	09.2-12.8	175	6.5	05.3-07.7	225	7.8	06.4-09.2	1391	50.3	47.8-52.8
18-24	81	37,154				10	13.0	05.2-20.8	7	8.8	01.7-15.9	5	6.2	00.9-11.5			
25-34	280	35,016	48	17.1	12.4-21.8	25	8.5	05.2-11.8	24	8.2	04.9-11.5	30	11.2	07.1-15.3	153	55.0	48.7-61.3
35-44	366	35,804	82	22.3	17.8-26.8	44	11.0	07.9-14.1	23	6.2	03.5-08.9	35	8.5	05.6-11.4	182	52.0	46.5-57.5
45-54	593	44,804	169	29.6	25.7-33.5	69	11.4	08.7-14.1	42	6.9	04.7-09.1	48	7.9	05.5-10.3	265	44.2	39.9-48.5
55-64	550	31,646	151	25.8	22.1-29.5	52	9.1	06.6-11.6	39	7.5	05.1-09.9	52	9.1	06.6-11.6	256	48.5	44.0-53.0
65+	980	51,527	245	25.0	22.1-27.9	95	10.0	08.0-12.0	48	4.7	03.3-06.1	65	6.4	04.6-08.2	527	53.8	50.5-57.1
Less Than H.S.	204	16,990	39	16.1	08.7-23.5	25	15.2	06.4-24.0				26	8.3	04.6-12.0			
H.S. or G.E.D.	842	62,804	196	22.3	18.6-26.0	87	11.5	08.4-14.6	50	6.5	04.1-08.9	85	10.6	07.9-13.3	424	49.2	44.7-53.7
Some Post-H.S.	967	86,341	234	24.3	20.0-28.6	107	9.8	07.4-12.2	72	7.8	05.6-10.0	80	8.8	06.3-11.3	474	49.3	44.6-54.0
College Graduate	869	71,784	250	27.8	24.3-31.3	81	9.7	07.0-12.4	48	5.1	03.5-06.7	45	4.7	03.1-06.3	445	52.8	48.9-56.7
Less than \$15,000	255	17,641	49	14.1	09.4-18.8	17	5.5	02.6-08.4	26	10.5	05.6-15.4	37	17.5	09.7-25.3	126	52.4	42.6-62.2
\$15,000- 24,999	469	35,111	109	20.3	15.0-25.6	42	8.9	05.0-12.8	30	8.5	02.6-14.4	61	12.6	08.3-16.9	227	49.8	42.4-57.2
\$25,000- 34,999	363	25,728	84	25.5	18.6-32.4	57	14.4	10.1-18.7	23	7.4	02.9-11.9	26	7.2	04.3-10.1	173	45.5	38.8-52.2
\$35,000- 49,999	431	36,463	119	29.5	22.2-36.8	30	5.7	03.3-08.1	32	8.1	04.4-11.8	30	5.5	03.3-07.7	220	51.3	44.4-58.2
\$50,000- 74,999	419	38,271	116	27.4	21.9-32.9	46	12.7	08.4-17.0	24	5.8	03.1-08.5	27	7.1	04.4-09.8	206	47.0	41.3-52.7
\$75,000+	517	51,096	141	25.5	21.0-30.0	60	11.8	07.9-15.7	29	5.3	03.1-07.5	25	4.0	02.2-05.8	262	53.3	47.8-58.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

**TABLE 10: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4810	469,751	1692	36.7	34.7-38.7	584	13.0	11.6-14.4	376	8.0	07.0-09.0	443	7.9	06.9-08.9	1715	34.5	32.7-36.3
Male	1945	233,627	673	37.3	34.4-40.2	218	11.9	09.9-13.9	125	6.4	05.0-07.8	141	5.9	04.7-07.1	788	38.5	35.8-41.2
Female	2865	236,124	1019	36.1	33.6-38.6	366	14.0	12.2-15.8	251	9.6	08.0-11.2	302	9.9	08.5-11.3	927	30.5	28.3-32.7
Native	123	20,095							21	11.9	04.8-19.0	9	3.8	00.9-06.7			
Non-Native	4652	446,438	1649	37.0	35.0-39.0	564	12.6	11.4-13.8	354	7.9	06.9-08.9	431	8.0	07.0-09.0	1654	34.4	32.6-36.2
18-24	157	76,036	55	39.5	31.1-47.9	23	14.5	08.2-20.8	15	8.7	04.4-13.0	12	6.3	02.6-10.0	52	31.1	23.5-38.7
25-34	486	74,689	174	37.2	32.5-41.9	74	15.3	11.8-18.8	52	10.4	07.5-13.3	50	8.8	06.3-11.3	136	28.4	24.1-32.7
35-44	671	73,355	244	36.9	33.0-40.8	119	17.7	14.6-20.8	66	9.6	07.2-12.0	56	7.0	05.0-09.0	186	28.7	25.0-32.4
45-54	1044	89,613	424	41.0	37.7-44.3	112	10.4	08.4-12.4	78	7.0	05.4-08.6	95	7.8	06.0-09.6	335	33.8	30.7-36.9
55-64	971	65,957	333	33.6	30.5-36.7	105	10.8	08.6-13.0	64	6.3	04.7-07.9	92	8.8	06.8-10.8	377	40.5	37.2-43.8
65+	1435	87,206	446	31.5	28.8-34.2	148	10.0	08.4-11.6	98	6.4	05.0-07.8	133	8.6	07.0-10.2	610	43.5	40.8-46.2
Less Than H.S.	349	33,672	108	36.5	28.3-44.7	39	11.5	04.8-18.2	30	8.8	04.1-13.5	43	10.9	06.6-15.2	129	32.3	25.2-39.4
H.S. or G.E.D.	1432	136,917	495	36.6	32.9-40.3	170	12.7	10.0-15.4	108	8.0	06.0-10.0	156	9.0	07.2-10.8	503	33.7	30.2-37.2
Some Post-H.S.	1508	153,026	513	34.7	31.2-38.2	210	14.3	11.9-16.7	126	8.9	06.9-10.9	146	8.5	06.5-10.5	513	33.5	30.2-36.8
College Graduate	1512	145,235	574	39.0	36.1-41.9	165	12.2	10.2-14.2	112	6.9	05.5-08.3	96	5.5	04.3-06.7	565	36.4	33.5-39.3
Less than \$15,000	354	28,549	97	27.0	19.0-35.0	41	13.9	04.9-22.9	43	9.9	06.2-13.6	60	15.3	10.0-20.6	113	34.0	25.0-43.0
\$15,000- 24,999	704	63,294	206	28.4	23.3-33.5	91	15.6	10.9-20.3	62	9.6	06.1-13.1	106	12.6	09.5-15.7	239	33.8	28.7-38.9
\$25,000- 34,999	574	51,957	192	35.3	29.4-41.2	88	15.4	11.3-19.5	49	9.9	06.2-13.6	52	7.4	05.0-09.8	193	31.9	26.6-37.2
\$35,000- 49,999	797	77,364	300	41.6	36.7-46.5	92	12.6	09.5-15.7	66	8.1	05.7-10.5	64	6.2	04.4-08.0	275	31.5	27.4-35.6
\$50,000- 74,999	824	87,285	338	42.9	38.8-47.0	97	12.0	09.5-14.5	58	7.5	05.3-09.7	51	5.9	04.1-07.7	280	31.7	28.0-35.4
\$75,000+	991	108,782	370	37.8	34.1-41.5	117	12.5	10.0-15.0	66	6.6	04.8-08.4	53	4.9	03.3-06.5	385	38.3	34.6-42.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 11: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1945	233,627	673	37.3	34.4-40.2	218	11.9	09.9-13.9	125	6.4	05.0-07.8	141	5.9	04.7-07.1	788	38.5	35.8-41.2
Non-Native	1892	223,517	656	37.5	34.6-40.4	211	11.4	09.6-13.2	119	6.5	05.1-07.9	140	6.1	04.9-07.3	766	38.4	35.7-41.1
18-24	76	39,586				11	12.9	04.3-21.5	5	6.0	00.7-11.3	2	2.8	00.0-06.5			
25-34	206	39,766	84	41.3	34.0-48.6	34	16.4	11.1-21.7	13	7.5	03.4-11.6	12	5.1	02.2-08.0	63	29.7	23.0-36.4
35-44	304	37,452	120	39.7	33.8-45.6	51	16.3	12.0-20.6	24	8.0	04.9-11.1	18	5.3	02.8-07.8	91	30.8	25.3-36.3
45-54	449	44,696	185	41.8	36.9-46.7	36	7.7	05.2-10.2	24	4.7	02.7-06.7	33	6.7	04.3-09.1	171	39.1	34.2-44.0
55-64	422	34,406	134	31.3	26.6-36.0	38	8.9	06.0-11.8	26	6.0	03.6-08.4	40	9.2	06.3-12.1	184	44.5	39.4-49.6
65+	481	37,047	120	27.3	22.8-31.8	48	9.3	06.6-12.0	32	6.5	04.1-08.9	36	7.1	04.7-09.5	245	49.7	44.8-54.6
Less Than H.S.	147	16,770				17	10.8	03.5-18.1	12	9.0	01.9-16.1	15	11.1	03.8-18.4			
H.S. or G.E.D.	609	74,964	214	38.5	33.0-44.0	70	13.1	08.6-17.6	44	6.8	04.4-09.2	49	5.7	03.9-07.5	232	35.8	30.5-41.1
Some Post-H.S.	543	67,623	183	36.1	30.6-41.6	72	13.0	09.5-16.5	35	7.2	04.3-10.1	35	5.4	03.2-07.6	218	38.3	32.8-43.8
College Graduate	644	73,632	234	38.6	34.1-43.1	59	9.8	07.1-12.5	34	4.8	02.8-06.8	42	5.6	03.6-07.6	275	41.2	36.7-45.7
Less than \$15,000	99	10,878							11	7.1	02.0-12.2	18	12.5	05.2-19.8			
\$15,000- 24,999	241	29,263	56	28.9	20.1-37.7	35	14.5	08.6-20.4	17	8.5	02.8-14.2	29	9.0	05.3-12.7	104	39.1	30.5-47.7
\$25,000- 34,999	220	26,715	67	37.1	27.3-46.9	31	12.8	07.1-18.5	14	7.0	02.5-11.5	16	5.1	02.4-07.8	92	38.0	29.0-47.0
\$35,000- 49,999	367	41,038	138	39.1	32.8-45.4	42	12.8	08.5-17.1	24	7.0	03.5-10.5	27	5.4	03.2-07.6	136	35.7	29.6-41.8
\$50,000- 74,999	404	48,961	171	44.9	39.0-50.8	44	11.7	08.0-15.4	25	6.6	03.9-09.3	19	4.2	02.0-06.4	145	32.6	27.3-37.9
\$75,000+	476	57,845	177	40.1	34.6-45.6	46	9.5	06.8-12.2	26	5.3	02.9-07.7	23	4.3	02.3-06.3	204	40.8	35.5-46.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

**TABLE 12: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	236,124	1019	36.1	33.6-38.6	366	14.0	12.2-15.8	251	9.6	08.0-11.2	302	9.9	08.5-11.3	927	30.5	28.3-32.7
Native	84	11,622										8	5.4	01.3-09.5			
Non-Native	2760	222,921	993	36.5	34.0-39.0	353	13.7	11.9-15.5	235	9.3	07.7-10.9	291	10.0	08.4-11.6	888	30.5	28.1-32.9
18-24	81	36,450				12	16.2	07.2-25.2	10	11.6	04.5-18.7	10	10.1	03.6-16.6	21	23.7	14.1-33.3
25-34	280	34,924	90	32.4	26.5-38.3	40	14.0	09.7-18.3	39	13.7	09.6-17.8	38	13.0	08.9-17.1	73	26.9	21.2-32.6
35-44	367	35,903	124	34.1	28.8-39.4	68	19.2	14.9-23.5	42	11.3	07.8-14.8	38	8.8	05.9-11.7	95	26.5	21.6-31.4
45-54	595	44,917	239	40.2	36.1-44.3	76	13.1	10.2-16.0	54	9.3	06.8-11.8	62	9.0	06.6-11.4	164	28.5	24.6-32.4
55-64	549	31,551	199	36.0	31.7-40.3	67	12.8	09.9-15.7	38	6.7	04.5-08.9	52	8.5	06.1-10.9	193	36.0	31.7-40.3
65+	954	50,160	326	34.6	31.3-37.9	100	10.5	08.3-12.7	66	6.3	04.7-07.9	97	9.8	07.8-11.8	365	38.9	35.6-42.2
Less Than H.S.	202	16,902							18	8.6	02.1-15.1	28	10.8	06.1-15.5	67	27.5	18.3-36.7
H.S. or G.E.D.	823	61,953	281	34.3	29.8-38.8	100	12.1	09.2-15.0	64	9.5	06.4-12.6	107	13.0	09.9-16.1	271	31.1	27.0-35.2
Some Post-H.S.	965	85,403	330	33.6	29.1-38.1	138	15.4	12.3-18.5	91	10.2	07.5-12.9	111	11.1	08.4-13.8	295	29.7	25.6-33.8
College Graduate	868	71,602	340	39.3	35.4-43.2	106	14.6	11.5-17.7	78	9.1	06.9-11.3	54	5.4	03.8-07.0	290	31.5	28.0-35.0
Less than \$15,000	255	17,671	72	30.4	20.4-40.4	32	10.5	06.2-14.8	32	11.6	06.5-16.7	42	16.9	09.6-24.2	77	30.5	21.3-39.7
\$15,000- 24,999	463	34,031	150	27.9	22.2-33.6	56	16.5	09.6-23.4	45	10.6	06.5-14.7	77	15.8	11.1-20.5	135	29.2	23.1-35.3
\$25,000- 34,999	354	25,242	125	33.5	27.4-39.6	57	18.2	12.1-24.3	35	12.9	06.8-19.0	36	9.9	06.0-13.8	101	25.5	20.2-30.8
\$35,000- 49,999	430	36,326	162	44.4	37.1-51.7	50	12.3	08.0-16.6	42	9.3	06.0-12.6	37	7.2	04.7-09.7	139	26.8	21.7-31.9
\$50,000- 74,999	420	38,324	167	40.4	34.5-46.3	53	12.3	09.0-15.6	33	8.6	05.5-11.7	32	8.1	05.2-11.0	135	30.5	25.2-35.8
\$75,000+	515	50,937	193	35.1	30.0-40.2	71	15.9	11.8-20.0	40	8.0	05.5-10.5	30	5.6	03.1-08.1	181	35.3	30.0-40.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION

TABLE 13. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION

TABLE 14. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION

TABLE 15. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 16. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4859	473,476	498	9.9	08.7-11.1	103	2.2	01.6-02.8	80	1.4	01.0-01.8	59	1.0	00.6-01.4	4119	85.4	84.0-86.8
Male	1955	234,177	164	8.6	07.0-10.2	27	1.2	00.6-01.8	21	0.9	00.5-01.3	27	1.1	00.7-01.5	1716	88.2	86.4-90.0
Female	2904	239,300	334	11.2	09.6-12.8	76	3.1	02.1-04.1	59	2.0	01.4-02.6	32	1.0	00.6-01.4	2403	82.7	80.9-84.5
Native	126	21,527	19	10.6	04.3-16.9	2	1.7	00.0-04.1	2	0.5	00.0-01.3	1	0.6	00.0-01.8	102	86.6	79.5-93.7
Non-Native	4696	448,705	478	10.0	08.8-11.2	101	2.2	01.6-02.8	78	1.5	01.1-01.9	57	1.0	00.6-01.4	3982	85.4	84.0-86.8
18-24	158	77,092	16	8.7	04.4-13.0	7	3.1	00.7-05.5	2	0.9	00.0-02.3	1	0.5	00.0-01.5	132	86.8	81.7-91.9
25-34	484	74,336	51	10.6	07.5-13.7	10	2.6	00.8-04.4	13	2.2	01.0-03.4	5	1.1	00.1-02.1	405	83.5	79.8-87.2
35-44	673	73,645	100	14.0	11.3-16.7	18	2.4	01.2-03.6	14	1.5	00.7-02.3	12	1.3	00.5-02.1	529	80.8	77.7-83.9
45-54	1044	89,733	119	10.5	08.5-12.5	37	2.9	01.9-03.9	17	1.5	00.7-02.3	13	0.9	00.3-01.5	858	84.1	81.7-86.5
55-64	978	66,480	93	8.7	06.9-10.5	13	1.0	00.4-01.6	12	1.1	00.5-01.7	17	2.0	01.0-03.0	843	87.1	84.9-89.3
65+	1476	89,296	117	7.6	06.0-09.2	17	1.2	00.6-01.8	22	1.2	00.6-01.8	10	0.6	00.2-01.0	1310	89.4	87.6-91.2
Less Than H.S.	356	34,058	27	7.7	03.8-11.6	10	1.7	00.5-02.9	13	3.1	01.1-05.1	7	1.0	00.2-01.8	299	86.4	81.7-91.1
H.S. or G.E.D.	1462	138,839	133	8.2	06.2-10.2	28	2.3	01.1-03.5	25	1.6	00.6-02.6	16	1.1	00.5-01.7	1260	86.8	84.4-89.2
Some Post-H.S.	1516	154,569	174	11.0	08.8-13.2	39	2.9	01.7-04.1	23	1.2	00.6-01.8	16	1.1	00.3-01.9	1264	83.9	81.4-86.4
College Graduate	1517	145,152	164	11.1	09.1-13.1	26	1.5	00.9-02.1	19	1.1	00.5-01.7	20	0.9	00.5-01.3	1288	85.4	83.2-87.6
Less than \$15,000	354	28,341	44	10.8	06.7-14.9	13	3.6	01.1-06.1	19	4.0	01.8-06.2	15	4.6	01.7-07.5	263	76.9	70.6-83.2
\$15,000- 24,999	722	65,611	79	11.7	08.0-15.4	21	3.2	01.4-05.0	16	2.1	00.9-03.3	23	2.4	01.2-03.6	583	80.5	76.2-84.8
\$25,000- 34,999	586	52,181	62	7.8	05.6-10.0	16	3.0	00.8-05.2	8	1.8	00.0-03.8	5	0.7	00.1-01.3	495	86.8	83.3-90.3
\$35,000- 49,999	800	77,524	76	9.1	06.7-11.5	18	2.1	00.9-03.3	8	0.8	00.2-01.4	5	0.5	00.1-00.9	693	87.6	85.1-90.1
\$50,000- 74,999	827	87,472	91	10.7	08.3-13.1	13	1.5	00.5-02.5	11	1.1	00.3-01.9	2	0.3	00.0-00.7	710	86.3	83.6-89.0
\$75,000+	995	109,338	90	9.4	07.0-11.8	14	1.1	00.5-01.7	10	0.9	00.3-01.5	2	0.1	00.0-00.3	879	88.5	86.1-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 17. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1955	234,177	164	8.6	07.0-10.2	27	1.2	00.6-01.8	21	0.9	00.5-01.3	27	1.1	00.7-01.5	1716	88.2	86.4-90.0
Non-Native	1899	223,792	156	8.6	07.0-10.2	27	1.3	00.7-01.9	21	0.9	00.5-01.3	27	1.1	00.5-01.7	1668	88.0	86.2-89.8
18-24	76	39,586	8	9.2	02.7-15.7	1	0.5	00.0-01.5							67	90.3	83.8-96.8
25-34	204	39,382	21	10.5	06.0-15.0	4	2.7	00.0-05.6	5	1.8	00.2-03.4	3	1.5	00.0-03.3	171	83.5	78.0-89.0
35-44	306	37,643	39	11.5	07.8-15.2	3	0.8	00.0-01.8	3	0.8	00.0-01.8	3	1.0	00.0-02.2	258	86.0	82.1-89.9
45-54	449	44,722	35	7.1	04.7-09.5	8	1.6	00.4-02.8	6	1.3	00.1-02.5	8	1.2	00.4-02.0	392	88.9	86.0-91.8
55-64	427	34,785	31	6.9	04.4-09.4	5	0.9	00.1-01.7	1	0.3	00.0-00.9	7	2.1	00.5-03.7	383	89.9	86.8-93.0
65+	486	37,385	29	6.5	04.0-09.0	6	1.0	00.2-01.8	6	0.9	00.1-01.7	6	0.9	00.1-01.7	439	90.7	88.0-93.4
Less Than H.S.	151	17,071	11	6.4	01.9-10.9	6	2.4	00.2-04.6	4	2.0	00.0-04.2	3	1.0	00.0-02.2	127	88.3	82.8-93.8
H.S. or G.E.D.	617	75,720	49	7.4	04.5-10.3	8	1.2	00.2-02.2	5	0.7	00.1-01.3	9	1.2	00.4-02.0	546	89.5	86.4-92.6
Some Post-H.S.	542	67,574	50	10.3	07.0-13.6	9	1.9	00.3-03.5	6	0.8	00.0-01.6	6	1.1	00.0-02.3	471	85.9	82.0-89.8
College Graduate	643	73,174	54	9.0	06.5-11.5	4	0.5	00.1-00.9	6	0.8	00.0-01.6	9	0.9	00.3-01.5	570	88.8	86.1-91.5
Less than \$15,000	97	10,657	13	11.6	03.2-20.0	4	2.5	00.0-05.2	6	3.5	00.4-06.6	7	7.8	00.7-14.9			
\$15,000- 24,999	246	29,615	25	11.2	05.1-17.3	6	2.4	00.0-04.8	5	2.0	00.0-04.0	7	2.1	00.3-03.9	203	82.2	75.5-88.9
\$25,000- 34,999	220	26,272	15	4.1	01.7-06.5	7	3.8	00.0-07.7	2	0.7	00.0-01.7	2	0.5	00.0-01.3	194	90.9	86.2-95.6
\$35,000- 49,999	369	41,120	34	8.6	05.5-11.7	4	0.8	00.0-01.8	1	0.1	00.0-00.3	5	0.9	00.1-01.7	325	89.5	86.2-92.8
\$50,000- 74,999	405	49,030	35	9.8	06.5-13.1	3	0.5	00.0-01.1	1	0.3	00.0-00.9	2	0.5	00.0-01.3	364	88.9	85.4-92.4
\$75,000+	478	58,099	30	7.7	04.4-11.0	2	0.4	00.0-01.0	3	0.6	00.0-01.4	1	0.1	00.0-00.3	442	91.3	88.0-94.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 18. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2904	239,300	334	11.2	09.6-12.8	76	3.1	02.1-04.1	59	2.0	01.4-02.6	32	1.0	00.6-01.4	2403	82.7	80.9-84.5
Native	86	12,928	12	11.6	03.0-20.2	2	2.8	00.0-06.7	2	0.9	00.0-02.3	1	1.0	00.0-03.0	69	83.7	73.9-93.5
Non-Native	2797	224,913	322	11.3	09.7-12.9	74	3.2	02.2-04.2	57	2.0	01.2-02.8	30	0.8	00.4-01.2	2314	82.7	80.9-84.5
18-24	82	37,506	8	8.2	02.3-14.1	6	5.9	01.0-10.8	2	1.9	00.0-04.8	1	0.9	00.0-02.7	65	83.1	75.1-91.1
25-34	280	34,954	30	10.7	06.6-14.8	6	2.5	00.5-04.5	8	2.6	00.6-04.6	2	0.7	00.0-01.7	234	83.5	78.6-88.4
35-44	367	36,002	61	16.6	12.7-20.5	15	4.2	01.8-06.6	11	2.3	00.9-03.7	9	1.6	00.4-02.8	271	75.3	70.6-80.0
45-54	595	45,011	84	13.9	11.0-16.8	29	4.2	02.6-05.8	11	1.8	00.6-03.0	5	0.7	00.1-01.3	466	79.5	76.2-82.8
55-64	551	31,694	62	10.8	08.1-13.5	8	1.1	00.3-01.9	11	2.1	00.9-03.3	10	2.0	00.8-03.2	460	84.1	81.0-87.2
65+	990	51,911	88	8.5	06.7-10.3	11	1.3	00.5-02.1	16	1.5	00.7-02.3	4	0.3	00.1-00.5	871	88.5	86.3-90.7
Less Than H.S.	205	16,987	16	9.1	02.4-15.8	4	0.9	00.0-01.9	9	4.2	01.1-07.3	4	1.1	00.0-02.3	172	84.6	77.2-92.0
H.S. or G.E.D.	845	63,118	84	9.1	06.9-11.3	20	3.7	01.3-06.1	20	2.7	00.7-04.7	7	0.9	00.1-01.7	714	83.5	80.0-87.0
Some Post-H.S.	974	86,995	124	11.5	09.0-14.0	30	3.7	01.9-05.5	17	1.4	00.6-02.2	10	1.0	00.0-02.0	793	82.4	79.3-85.5
College Graduate	874	71,978	110	13.3	10.4-16.2	22	2.5	01.3-03.7	13	1.4	00.6-02.2	11	0.9	00.3-01.5	718	81.9	78.8-85.0
Less than \$15,000	257	17,684	31	10.3	06.0-14.6	9	4.4	00.7-08.1	13	4.4	01.7-07.1	8	2.7	00.7-04.7	196	78.3	71.6-85.0
\$15,000- 24,999	476	35,996	54	12.1	07.4-16.8	15	3.9	01.2-06.6	11	2.2	00.6-03.8	16	2.7	01.3-04.1	380	79.0	73.5-84.5
\$25,000- 34,999	366	25,909	47	11.6	08.1-15.1	9	2.2	00.6-03.8	6	2.9	00.0-06.8	3	0.8	00.0-01.8	301	82.6	77.3-87.9
\$35,000- 49,999	431	36,404	42	9.6	06.3-12.9	14	3.5	01.3-05.7	7	1.5	00.3-02.7				368	85.4	81.3-89.5
\$50,000- 74,999	422	38,442	56	11.9	08.6-15.2	10	2.8	00.6-05.0	10	2.2	00.8-03.6				346	83.1	79.2-87.0
\$75,000+	517	51,239	60	11.3	08.0-14.6	12	1.9	00.7-03.1	7	1.2	00.2-02.2	1	0.2	00.0-00.6	437	85.4	81.9-88.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 19. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4863	474,232	386	8.6	07.4-09.8	121	3.0	02.0-04.0	82	1.6	01.2-02.0	106	1.8	01.4-02.2	4168	85.0	83.4-86.6
Male	1960	234,983	149	8.8	07.0-10.6	36	3.1	01.3-04.9	27	1.2	00.8-01.6	38	1.4	00.8-02.0	1710	85.5	83.1-87.9
Female	2903	239,249	237	8.5	06.9-10.1	85	2.8	02.0-03.6	55	2.0	01.2-02.8	68	2.1	01.5-02.7	2458	84.5	82.7-86.3
Native	126	21,527	13	10.2	02.0-18.4				4	1.2	00.0-02.6	4	2.1	00.0-04.5			
Non-Native	4701	449,503	371	8.6	07.4-09.8	113	2.6	01.8-03.4	78	1.6	01.2-02.0	100	1.7	01.3-02.1	4039	85.4	84.0-86.8
18-24	158	77,092	16	10.7	05.4-16.0	7	6.5	01.6-11.4	4	1.7	00.0-03.5	2	0.8	00.0-02.0	129	80.3	73.2-87.4
25-34	487	75,118	50	10.6	07.7-13.5	11	2.4	00.6-04.2	7	1.2	00.2-02.2	12	2.4	01.0-03.8	407	83.4	79.7-87.1
35-44	673	73,595	68	9.9	07.5-12.3	20	2.8	01.4-04.2	14	1.9	00.9-02.9	15	1.4	00.6-02.2	556	83.9	81.0-86.8
45-54	1045	89,672	104	9.2	07.4-11.0	33	2.8	01.8-03.8	21	1.9	01.1-02.7	31	2.6	01.6-03.6	856	83.4	81.0-85.8
55-64	980	66,601	67	6.2	04.6-07.8	24	2.1	01.1-03.1	18	1.9	00.9-02.9	21	1.7	00.9-02.5	850	88.0	85.8-90.2
65+	1474	89,259	81	5.6	04.2-07.0	25	1.5	00.9-02.1	18	1.1	00.5-01.7	24	1.5	00.9-02.1	1326	90.3	88.7-91.9
Less Than H.S.	360	34,345	26	7.5	04.0-11.0	11	4.5	00.2-08.8	8	1.3	00.3-02.3	9	1.9	00.5-03.3	306	84.8	79.1-90.5
H.S. or G.E.D.	1458	138,851	116	8.8	06.8-10.8	46	4.0	01.8-06.2	29	2.2	01.0-03.4	34	1.9	01.1-02.7	1233	83.2	80.3-86.1
Some Post-H.S.	1513	154,162	123	8.3	05.9-10.7	40	3.2	01.6-04.8	26	1.4	00.8-02.0	41	2.5	01.5-03.5	1283	84.6	81.9-87.3
College Graduate	1523	145,973	121	9.1	07.1-11.1	24	1.5	00.7-02.3	19	1.3	00.7-01.9	21	0.9	00.5-01.3	1338	87.2	85.0-89.4
Less than \$15,000	357	28,606	30	8.4	04.5-12.3	15	7.7	00.0-16.5	9	2.6	00.4-04.8	29	7.7	04.2-11.2	274	73.5	64.3-82.7
\$15,000- 24,999	716	65,193	60	8.3	05.4-11.2	23	3.8	01.4-06.2	18	2.0	01.0-03.0	22	2.2	01.0-03.4	593	83.6	79.7-87.5
\$25,000- 34,999	585	52,564	56	11.0	06.9-15.1	13	1.6	00.6-02.6	11	2.9	00.4-05.4	16	2.2	01.0-03.4	489	82.2	77.3-87.1
\$35,000- 49,999	799	77,271	60	8.2	05.3-11.1	20	2.2	01.0-03.4	14	1.3	00.5-02.1	12	1.3	00.5-02.1	693	87.0	83.7-90.3
\$50,000- 74,999	825	87,382	64	9.2	06.3-12.1	22	2.9	00.9-04.9	12	1.5	00.5-02.5	5	0.6	00.0-01.2	722	85.7	82.4-89.0
\$75,000+	997	109,383	74	8.0	05.8-10.2	16	1.8	00.4-03.2	12	1.0	00.4-01.6	8	0.7	00.1-01.3	887	88.5	86.0-91.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 20. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1960	234,983	149	8.8	07.0-10.6	36	3.1	01.3-04.9	27	1.2	00.6-01.8	38	1.4	00.8-02.0	1710	85.5	83.1-87.9
Non-Native	1905	224,635	146	8.7	06.9-10.5	33	2.6	01.2-04.0	27	1.2	00.6-01.8	38	1.5	00.9-02.1	1661	85.9	83.7-88.1
18-24	76	39,586	7	10.6	02.8-18.4	6	11.3	02.3-20.3									
25-34	207	40,102	31	14.1	09.2-19.0	2	1.2	00.0-03.0	1	0.7	00.0-02.1	3	1.4	00.0-03.2	170	82.5	77.0-88.0
35-44	306	37,643	31	10.1	06.6-13.6	3	0.8	00.0-01.8	5	1.4	00.2-02.6	4	0.8	00.0-01.6	263	86.9	83.0-90.8
45-54	448	44,567	39	8.2	05.5-10.9	13	2.7	01.1-04.3	8	1.5	00.3-02.7	16	3.1	01.3-04.9	372	84.5	81.0-88.0
55-64	428	34,875	19	4.3	02.3-06.3	6	1.5	00.3-02.7	7	2.0	00.4-03.6	8	1.5	00.3-02.7	388	90.5	87.6-93.4
65+	488	37,537	22	5.0	02.8-07.2	6	0.9	00.1-01.7	6	1.4	00.2-02.6	7	1.4	00.2-02.6	447	91.1	88.4-93.8
Less Than H.S.	151	17,049	9	8.4	02.1-14.7	4	7.1	00.0-15.5	3	1.4	00.0-03.2	3	2.0	00.0-04.4	132	81.1	71.1-91.1
H.S. or G.E.D.	617	75,905	51	8.3	05.8-10.8	12	3.1	00.0-06.6	11	1.4	00.4-02.4	16	1.8	00.8-02.8	527	85.5	81.2-89.8
Some Post-H.S.	544	67,635	39	9.1	05.0-13.2	15	5.0	01.5-08.5	6	0.8	00.0-01.6	12	1.9	00.7-03.1	472	83.3	78.2-88.4
College Graduate	646	73,756	50	9.3	06.4-12.2	5	0.6	00.0-01.2	7	1.2	00.2-02.2	7	0.6	00.2-01.0	577	88.3	85.2-91.4
Less than \$15,000	98	10,767	8	9.3	01.3-17.3				4	3.0	00.0-06.1	10	9.4	02.1-16.7			
\$15,000- 24,999	245	29,541	18	9.1	03.8-14.4	4	2.7	00.0-06.4	6	1.7	00.1-03.3	7	1.4	00.2-02.6	210	85.1	78.6-91.6
\$25,000- 34,999	223	26,890	19	12.4	05.0-19.8	4	1.4	00.0-03.0	1	0.4	00.0-01.2	9	2.9	00.7-05.1	190	82.9	75.3-90.5
\$35,000- 49,999	367	40,899	30	8.5	04.0-13.0	8	2.1	00.3-03.9	3	0.6	00.0-01.4	6	1.1	00.1-02.1	320	87.7	83.0-92.4
\$50,000- 74,999	406	49,106	38	10.7	06.6-14.8	7	2.6	00.0-05.5	5	1.5	00.0-03.1	1	0.1	00.0-00.3	355	85.0	80.1-89.9
\$75,000+	478	58,099	31	7.9	05.0-10.8	6	2.2	00.0-04.7	6	1.0	00.2-01.8	2	0.5	00.0-01.1	433	88.5	84.6-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 21. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2903	239,249	237	8.5	06.9-10.1	85	2.8	02.0-03.6	55	2.0	01.2-02.8	68	2.1	01.5-02.7	2458	84.5	82.7-86.3
Native	86	12,928	10	8.6	02.1-15.1	5	6.0	00.0-13.3	4	2.1	00.0-04.3	4	3.4	00.0-07.1			
Non-Native	2796	224,868	225	8.5	06.9-10.1	80	2.7	01.9-03.5	51	2.0	01.2-02.8	62	1.9	01.3-02.5	2378	84.9	83.1-86.7
18-24	82	37,506	9	10.8	03.5-18.1	1	1.4	00.0-04.1	4	3.5	00.0-07.2	2	1.6	00.0-04.0	66	82.6	74.0-91.2
25-34	280	35,016	19	6.5	03.4-09.6	9	3.8	00.7-06.9	6	1.7	00.3-03.1	9	3.6	01.2-06.0	237	84.4	79.5-89.3
35-44	367	35,953	37	9.7	06.6-12.8	17	4.9	02.5-07.3	9	2.5	00.9-04.1	11	2.1	00.7-03.5	293	80.8	76.5-85.1
45-54	597	45,105	65	10.3	07.8-12.8	20	2.9	01.5-04.3	13	2.3	00.9-03.7	15	2.2	01.0-03.4	484	82.3	79.2-85.4
55-64	552	31,726	48	8.3	05.9-10.7	18	2.8	01.4-04.2	11	1.7	00.5-02.9	13	2.0	00.8-03.2	462	85.2	82.1-88.3
65+	986	51,722	59	6.1	04.5-07.7	19	1.9	00.9-02.9	12	0.9	00.3-01.5	17	1.5	00.7-02.3	879	89.7	87.7-91.7
Less Than H.S.	209	17,296	17	6.6	02.9-10.3	7	2.0	00.4-03.6	5	1.1	00.1-02.1	6	1.9	00.1-03.7	174	88.4	83.7-93.1
H.S. or G.E.D.	841	62,946	65	9.5	06.4-12.6	34	5.0	02.8-07.2	18	3.1	00.9-05.3	18	2.0	00.8-03.2	706	80.4	76.3-84.5
Some Post-H.S.	969	86,527	84	7.7	05.3-10.1	25	1.8	01.0-02.6	20	1.9	00.9-02.9	29	3.0	01.6-04.4	811	85.6	82.7-88.5
College Graduate	877	72,217	71	8.9	06.2-11.6	19	2.4	00.8-04.0	12	1.4	00.6-02.2	14	1.2	00.4-02.0	761	86.0	82.9-89.1
Less than \$15,000	259	17,839	22	7.9	03.8-12.0	10	3.1	00.9-05.3	5	2.4	00.0-05.5	19	6.7	03.0-10.4	203	79.8	73.3-86.3
\$15,000- 24,999	471	35,652	42	7.7	05.0-10.4	19	4.6	01.5-07.7	12	2.3	00.7-03.9	15	3.0	01.0-05.0	383	82.4	77.7-87.1
\$25,000- 34,999	362	25,675	37	9.6	06.1-13.1	9	1.8	00.6-03.0	10	5.5	00.6-10.4	7	1.5	00.3-02.7	299	81.5	75.8-87.2
\$35,000- 49,999	432	36,372	30	7.8	04.1-11.5	12	2.3	00.9-03.7	11	2.1	00.7-03.5	6	1.5	00.1-02.9	373	86.2	81.9-90.5
\$50,000- 74,999	419	38,277	26	7.3	03.2-11.4	15	3.3	01.5-05.1	7	1.5	00.3-02.7	4	1.2	00.0-02.4	367	86.7	82.2-91.2
\$75,000+	519	51,285	43	8.1	04.8-11.4	10	1.4	00.4-02.4	6	1.0	00.2-01.8	6	1.0	00.2-01.8	454	88.4	84.9-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 22. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4814	468,389	193	4.3	03.5-05.1	55	1.1	00.7-01.5	51	0.9	00.5-01.3	37	0.5	00.3-00.7	4478	93.2	92.2-94.2
Male	1932	230,497	87	4.5	03.3-05.7	13	0.6	00.2-01.0	20	0.9	00.5-01.3	14	0.4	00.2-00.6	1798	93.5	92.1-94.9
Female	2882	237,892	106	4.0	02.8-05.2	42	1.6	01.0-02.2	31	0.9	00.5-01.3	23	0.5	00.3-00.7	2680	92.9	91.5-94.3
Native	124	21,344	7	2.5	00.3-04.7	3	0.7	00.0-01.7				2	0.8	00.0-02.0	112	96.0	93.3-98.7
Non-Native	4655	444,387	184	4.4	03.4-05.4	52	1.1	00.7-01.5	50	0.9	00.5-01.3	35	0.5	00.3-00.7	4334	93.1	92.1-94.1
18-24	153	74,542	8	5.9	01.8-10.0	2	0.8	00.0-02.0	1	0.5	00.0-01.5				142	92.8	88.5-97.1
25-34	483	74,419	17	3.8	01.8-05.8	9	1.9	00.5-03.3	8	1.6	00.4-02.8	3	0.5	00.0-01.1	446	92.3	89.8-94.8
35-44	665	72,938	27	4.2	02.6-05.8	8	0.9	00.3-01.5	6	0.8	00.2-01.4	6	0.6	00.2-01.0	618	93.6	91.6-95.6
45-54	1039	89,182	50	4.3	03.1-05.5	12	1.2	00.4-02.0	11	1.0	00.4-01.6	6	0.4	00.0-00.8	960	93.2	91.6-94.8
55-64	972	66,192	35	3.7	02.3-05.1	11	1.0	00.4-01.6	13	1.2	00.4-02.0	7	0.5	00.1-00.9	906	93.6	91.8-95.4
65+	1457	88,253	56	4.0	02.8-05.2	12	0.8	00.2-01.4	9	0.6	00.2-01.0	14	0.8	00.4-01.2	1366	93.8	92.4-95.2
Less Than H.S.	345	32,970	20	5.0	02.3-07.7	6	1.5	00.1-02.9	6	1.2	00.2-02.2	2	0.3	00.0-00.7	311	92.0	88.7-95.3
H.S. or G.E.D.	1448	136,413	51	3.9	02.3-05.5	23	1.5	00.7-02.3	19	1.2	00.6-01.8	10	0.5	00.1-00.9	1345	92.9	91.1-94.7
Some Post-H.S.	1498	153,328	63	5.0	03.0-07.0	22	1.5	00.7-02.3	18	1.1	00.5-01.7	15	0.6	00.2-01.0	1380	91.9	89.7-94.1
College Graduate	1515	145,326	59	3.6	02.6-04.6	4	0.2	00.0-00.4	8	0.5	00.1-00.9	10	0.4	00.2-00.6	1434	95.2	94.0-96.4
Less than \$15,000	349	27,987	23	4.6	02.4-06.8	9	3.4	00.5-06.3	9	2.3	00.5-04.1	10	2.1	00.5-03.7	298	87.5	83.2-91.8
\$15,000- 24,999	707	64,248	31	3.5	01.9-05.1	14	1.9	00.7-03.1	10	1.0	00.4-01.6	11	1.0	00.4-01.6	641	92.6	90.4-94.8
\$25,000- 34,999	581	51,456	27	6.5	02.6-10.4	4	0.6	00.0-01.2	8	1.0	00.2-01.8	7	0.6	00.0-01.2	535	91.3	87.4-95.2
\$35,000- 49,999	794	77,131	27	3.4	02.0-04.8	13	1.6	00.6-02.6	7	0.7	00.1-01.3	4	0.3	00.0-00.7	743	93.9	92.1-95.7
\$50,000- 74,999	820	86,914	38	5.3	03.1-07.5	4	0.5	00.0-01.1	5	0.8	00.0-01.6	2	0.2	00.0-00.6	771	93.1	90.7-95.5
\$75,000+	994	109,101	26	2.6	01.2-04.0	4	0.2	00.0-00.4	4	0.3	00.0-00.7	1	0.1	00.0-00.3	959	96.7	95.3-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 23. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1932	230,497	87	4.5	03.3-05.7	13	0.6	00.2-01.0	20	0.9	00.5-01.3	14	0.4	00.2-00.6	1798	93.5	92.1-94.9
Non-Native	1879	220,825	82	4.6	03.2-06.0	13	0.6	00.2-01.0	20	1.0	00.6-01.4	14	0.4	00.2-00.6	1750	93.4	92.0-94.8
18-24	72	37,301	2	3.7	00.0-08.8										70	96.3	91.2-0100
25-34	204	39,526	12	5.8	02.5-09.1	2	0.7	00.0-01.7	5	2.2	00.2-04.2				185	91.3	87.4-95.2
35-44	300	37,134	12	4.2	01.8-06.6	2	0.3	00.0-00.7	1	0.3	00.0-00.9	2	0.5	00.0-01.3	283	94.6	92.1-97.1
45-54	446	44,359	23	4.5	02.5-06.5	4	1.3	00.1-02.5	7	1.4	00.2-02.6	4	0.6	00.0-01.2	408	92.3	89.8-94.8
55-64	424	34,674	19	4.6	02.4-06.8	4	0.8	00.0-01.6	5	1.0	00.0-02.0	2	0.4	00.0-01.0	394	93.2	90.7-95.7
65+	479	36,830	19	4.4	02.2-06.6	1	0.3	00.0-00.9	1	0.3	00.0-00.9	6	1.0	00.2-01.8	452	94.1	91.7-96.5
Less Than H.S.	145	16,174	8	5.6	00.9-10.3	2	1.7	00.0-04.1	2	1.0	00.0-02.4	1	0.5	00.0-01.5	132	91.3	85.8-96.8
H.S. or G.E.D.	609	73,968	23	2.8	01.6-04.0	4	0.7	00.0-01.5	8	1.4	00.2-02.6	4	0.4	00.0-00.8	570	94.8	93.0-96.6
Some Post-H.S.	536	67,004	27	6.3	03.0-09.6	5	0.7	00.1-01.3	5	0.7	00.1-01.3	3	0.3	00.0-00.7	496	92.1	88.8-95.4
College Graduate	641	73,262	29	4.4	02.6-06.2	2	0.2	00.0-00.4	5	0.7	00.1-01.3	6	0.6	00.0-01.2	599	94.1	92.1-96.1
Less than \$15,000	92	10,226	10	5.9	01.6-10.2	1	0.6	00.0-01.8	4	4.3	00.0-09.0	5	3.1	00.2-06.0	72	86.1	78.3-93.9
\$15,000- 24,999	244	29,245	11	3.7	01.2-06.2	4	1.9	00.0-03.9	3	0.9	00.0-01.9	4	0.7	00.0-01.5	222	92.8	89.3-96.3
\$25,000- 34,999	218	25,707	12	7.6	01.1-14.1	2	0.5	00.0-01.3	3	1.1	00.0-02.5	2	0.5	00.0-01.3	199	90.3	83.6-97.0
\$35,000- 49,999	362	40,612	16	4.5	02.1-06.9	4	1.2	00.0-02.4	3	0.6	00.0-01.4	2	0.4	00.0-01.0	337	93.3	90.6-96.0
\$50,000- 74,999	404	48,931	20	5.4	02.9-07.9	1	0.1	00.0-00.3	4	1.2	00.0-02.6				379	93.3	90.4-96.2
\$75,000+	475	57,816	12	2.3	00.9-03.7				3	0.6	00.0-01.4	1	0.2	00.0-00.6	459	96.9	95.3-98.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 24. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2882	237,892	106	4.0	02.8-05.2	42	1.6	01.0-02.2	31	0.9	00.5-01.3	23	0.5	00.3-00.7	2680	92.9	91.5-94.3
Native	85	12,871	3	2.6	00.0-05.7	3	1.2	00.0-02.8				2	1.3	00.0-03.3	77	94.9	90.8-99.0
Non-Native	2776	223,562	102	4.1	02.9-05.3	39	1.6	01.0-02.2	30	0.9	00.5-01.3	21	0.5	00.3-00.7	2584	92.9	91.5-94.3
18-24	81	37,242	6	8.0	01.5-14.5	2	1.7	00.0-04.1	1	0.9	00.0-02.7				72	89.4	82.3-96.5
25-34	279	34,893	5	1.4	00.0-02.8	7	3.2	00.8-05.6	3	0.9	00.0-01.9	3	1.1	00.0-02.3	261	93.5	90.4-96.6
35-44	365	35,804	15	4.2	02.0-06.4	6	1.4	00.2-02.6	5	1.2	00.0-02.4	4	0.6	00.0-01.2	335	92.5	89.8-95.2
45-54	593	44,823	27	4.1	02.5-05.7	8	1.1	00.3-01.9	4	0.5	00.0-01.1	2	0.3	00.0-00.7	552	94.1	92.1-96.1
55-64	548	31,519	16	2.6	01.0-04.2	7	1.2	00.2-02.2	8	1.5	00.5-02.5	5	0.6	00.0-01.2	512	94.1	91.9-96.3
65+	978	51,423	37	3.7	02.3-05.1	11	1.2	00.4-02.0	8	0.8	00.2-01.4	8	0.7	00.1-01.3	914	93.6	91.8-95.4
Less Than H.S.	200	16,795	12	4.4	01.7-07.1	4	1.3	00.0-02.7	4	1.4	00.0-03.0	1	0.2	00.0-00.6	179	92.7	89.2-96.2
H.S. or G.E.D.	839	62,445	28	5.3	02.4-08.2	19	2.5	01.1-03.9	11	0.8	00.2-01.4	6	0.7	00.1-01.3	775	90.7	87.4-94.0
Some Post-H.S.	962	86,324	36	4.0	01.8-06.2	17	2.1	00.7-03.5	13	1.4	00.4-02.4	12	0.8	00.2-01.4	884	91.7	89.0-94.4
College Graduate	874	72,064	30	2.8	01.6-04.0	2	0.3	00.0-00.7	3	0.4	00.0-00.8	4	0.2	00.0-00.4	835	96.3	94.9-97.7
Less than \$15,000	257	17,761	13	3.9	01.5-06.3	8	5.0	00.7-09.3	5	1.2	00.2-02.2	5	1.6	00.0-03.2	226	88.3	83.0-93.6
\$15,000- 24,999	463	35,002	20	3.3	01.5-05.1	10	1.8	00.4-03.2	7	1.1	00.3-01.9	7	1.3	00.3-02.3	419	92.5	90.0-95.0
\$25,000- 34,999	363	25,749	15	5.3	01.0-09.6	2	0.7	00.0-01.7	5	0.9	00.1-01.7	5	0.8	00.0-01.6	336	92.2	87.7-96.7
\$35,000- 49,999	432	36,519	11	2.2	00.6-03.8	9	2.0	00.4-03.6	4	0.9	00.0-01.9	2	0.2	00.0-00.4	406	94.7	92.3-97.1
\$50,000- 74,999	416	37,983	18	5.2	01.3-09.1	3	1.0	00.0-02.2	1	0.3	00.0-00.9	2	0.5	00.0-01.3	392	93.0	88.9-97.1
\$75,000+	519	51,285	14	2.9	00.5-05.3	4	0.5	00.0-01.1	1	0.1	00.0-00.3				500	96.5	94.1-98.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 25. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	473,892	484	10.6	09.2-12.0	4384	89.4	88.0-90.8
Male	1954	233,878	122	7.8	05.8-09.8	1832	92.2	90.2-94.2
Female	2914	240,014	362	13.4	11.6-15.2	2552	86.6	84.8-88.4
Non-Native	4705	449,115	460	10.1	08.9-11.3	4245	89.9	88.7-91.1
18-24	157	76,269	22	14.8	08.3-21.3	135	85.2	78.7-91.7
25-34	488	75,141	77	15.9	12.4-19.4	411	84.1	80.6-87.6
35-44	673	73,630	85	10.4	08.0-12.8	588	89.6	87.2-92.0
45-54	1047	89,877	112	9.2	07.4-11.0	935	90.8	89.0-92.6
55-64	976	66,435	102	9.8	07.8-11.8	874	90.2	88.2-92.2
65+	1481	89,645	84	5.1	03.9-06.3	1397	94.9	93.7-96.1
Less Than H.S.	361	34,387	37	13.2	06.1-20.3	324	86.8	79.7-93.9
H.S. or G.E.D.	1467	139,270	109	9.5	06.6-12.4	1358	90.5	87.6-93.4
Some Post-H.S.	1516	153,847	188	12.3	10.1-14.5	1328	87.7	85.5-89.9
College Graduate	1515	145,485	150	9.4	07.6-11.2	1365	90.6	88.8-92.4
Less than \$15,000	356	28,626	61	21.2	12.2-30.2	295	78.8	69.8-87.8
\$15,000- 24,999	721	65,627	90	14.2	09.7-18.7	631	85.8	81.3-90.3
\$25,000- 34,999	591	52,873	72	13.0	08.9-17.1	519	87.0	82.9-91.1
\$35,000- 49,999	801	77,479	68	8.2	05.8-10.6	733	91.8	89.4-94.2
\$50,000- 74,999	823	87,149	75	9.5	07.0-12.0	748	90.5	88.0-93.0
\$75,000+	995	108,457	70	7.2	05.2-09.2	925	92.8	90.8-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 26. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1954	233,878	122	7.8	05.8-09.8	1832	92.2	90.2-94.2
Non-Native	1899	223,531	116	7.4	05.6-09.2	1783	92.6	90.8-94.4
18-24	75	38,763	8	13.2	04.0-22.4	67	86.8	77.6-96.0
25-34	206	39,910	24	12.9	07.6-18.2	182	87.1	81.8-92.4
35-44	305	37,579	19	5.4	02.9-07.9	286	94.6	92.1-97.1
45-54	449	44,696	26	5.3	03.1-07.5	423	94.7	92.5-96.9
55-64	425	34,741	30	7.4	04.7-10.1	395	92.6	89.9-95.3
65+	487	37,515	15	2.8	01.2-04.4	472	97.2	95.6-98.8
Less Than H.S.	150	17,062	7	6.2	00.0-12.7	143	93.8	87.3-0100
H.S. or G.E.D.	619	75,952	31	8.9	04.2-13.6	588	91.1	86.4-95.8
Some Post-H.S.	542	66,800	39	7.9	05.0-10.8	503	92.1	89.2-95.0
College Graduate	641	73,426	45	7.1	04.7-09.5	596	92.9	90.5-95.3
\$15,000- 24,999	247	29,737	18	7.6	02.9-12.3	229	92.4	87.7-97.1
\$25,000- 34,999	223	26,890	15	8.3	02.2-14.4	208	91.7	85.6-97.8
\$35,000- 49,999	367	40,899	20	6.5	03.0-10.0	347	93.5	90.0-97.0
\$50,000- 74,999	403	48,798	21	6.5	03.4-09.6	382	93.5	90.4-96.6
\$75,000+	476	57,172	16	4.1	01.9-06.3	460	95.9	93.7-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 27. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	240,014	362	13.4	11.6-15.2	2552	86.6	84.8-88.4
Non-Native	2806	225,585	344	12.7	10.9-14.5	2462	87.3	85.5-89.1
18-24	82	37,506	14	16.4	07.6-25.2	68	83.6	74.8-92.4
25-34	282	35,231	53	19.4	14.5-24.3	229	80.6	75.7-85.5
35-44	368	36,051	66	15.5	11.8-19.2	302	84.5	80.8-88.2
45-54	598	45,181	86	13.1	10.4-15.8	512	86.9	84.2-89.6
55-64	551	31,694	72	12.5	09.6-15.4	479	87.5	84.6-90.4
65+	994	52,130	69	6.8	05.0-08.6	925	93.2	91.4-95.0
H.S. or G.E.D.	848	63,318	78	10.3	07.4-13.2	770	89.7	86.8-92.6
Some Post-H.S.	974	87,047	149	15.8	12.7-18.9	825	84.2	81.1-87.3
College Graduate	874	72,060	105	11.7	09.0-14.4	769	88.3	85.6-91.0
Less than \$15,000	259	17,820	41	17.0	10.7-23.3	218	83.0	76.7-89.3
\$15,000- 24,999	474	35,890	72	19.7	12.6-26.8	402	80.3	73.2-87.4
\$25,000- 34,999	368	25,984	57	17.8	12.1-23.5	311	82.2	76.5-87.9
\$35,000- 49,999	434	36,580	48	10.1	07.0-13.2	386	89.9	86.8-93.0
\$50,000- 74,999	420	38,351	54	13.2	09.1-17.3	366	86.8	82.7-90.9
\$75,000+	519	51,285	54	10.5	07.0-14.0	465	89.5	86.0-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 28. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4865	474,583	780	15.0	13.6-16.4	4085	85.0	83.6-86.4
Male	1959	235,093	195	10.0	08.0-12.0	1764	90.0	88.0-92.0
Female	2906	239,490	585	19.9	17.9-21.9	2321	80.1	78.1-82.1
Non-Native	4703	449,844	750	14.6	13.2-16.0	3953	85.4	84.0-86.8
18-24	158	77,092	22	14.5	08.2-20.8	136	85.5	79.2-91.8
25-34	489	75,333	93	18.4	14.7-22.1	396	81.6	77.9-85.3
35-44	672	73,482	124	15.8	13.1-18.5	548	84.2	81.5-86.9
45-54	1043	89,606	211	18.0	15.6-20.4	832	82.0	79.6-84.4
55-64	976	66,378	163	14.2	12.0-16.4	813	85.8	83.6-88.0
65+	1481	89,797	165	9.8	08.2-11.4	1316	90.2	88.6-91.8
Less Than H.S.	361	34,442	53	16.0	08.9-23.1	308	84.0	76.9-91.1
H.S. or G.E.D.	1464	139,202	194	13.2	10.5-15.9	1270	86.8	84.1-89.5
Some Post-H.S.	1513	154,416	289	16.9	14.5-19.3	1224	83.1	80.7-85.5
College Graduate	1518	145,622	244	14.5	12.3-16.7	1274	85.5	83.3-87.7
Less than \$15,000	357	28,621	96	30.8	21.4-40.2	261	69.2	59.8-78.6
\$15,000- 24,999	718	65,498	134	18.2	13.5-22.9	584	81.8	77.1-86.5
\$25,000- 34,999	588	52,737	114	18.3	14.0-22.6	474	81.7	77.4-86.0
\$35,000- 49,999	800	77,463	120	12.6	10.1-15.1	680	87.4	84.9-89.9
\$50,000- 74,999	824	87,245	114	12.8	10.3-15.3	710	87.2	84.7-89.7
\$75,000+	996	109,280	139	12.5	10.1-14.9	857	87.5	85.1-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 29. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1959	235,093	195	10.0	08.0-12.0	1764	90.0	88.0-92.0
Non-Native	1904	224,745	189	9.6	07.8-11.4	1715	90.4	88.6-92.2
18-24	76	39,586	7	10.9	02.5-19.3	69	89.1	80.7-97.5
25-34	207	40,102	24	12.7	07.6-17.8	183	87.3	82.2-92.4
35-44	305	37,579	21	6.0	03.3-08.7	284	94.0	91.3-96.7
45-54	449	44,670	56	11.9	08.8-15.0	393	88.1	85.0-91.2
55-64	426	34,763	46	10.2	07.3-13.1	380	89.8	86.9-92.7
65+	489	37,718	40	7.7	05.3-10.1	449	92.3	89.9-94.7
Less Than H.S.	150	17,074	14	9.4	02.5-16.3	136	90.6	83.7-97.5
H.S. or G.E.D.	620	76,144	58	10.7	06.4-15.0	562	89.3	85.0-93.6
Some Post-H.S.	543	67,611	61	10.7	07.4-14.0	482	89.3	86.0-92.6
College Graduate	644	73,626	62	8.8	06.3-11.3	582	91.2	88.7-93.7
\$15,000- 24,999	248	29,804	34	11.9	06.8-17.0	214	88.1	83.0-93.2
\$25,000- 34,999	223	26,890	28	11.5	05.6-17.4	195	88.5	82.6-94.4
\$35,000- 49,999	367	40,920	32	8.6	05.3-11.9	335	91.4	88.1-94.7
\$50,000- 74,999	405	49,042	39	10.2	06.7-13.7	366	89.8	86.3-93.3
\$75,000+	477	57,995	29	5.4	03.2-07.6	448	94.6	92.4-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 13: ANXIETY AND DEPRESSION**

TABLE 30. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2906	239,490	585	19.9	17.9-21.9	2321	80.1	78.1-82.1
Non-Native	2799	225,099	561	19.5	17.5-21.5	2238	80.5	78.5-82.5
18-24	82	37,506	15	18.3	09.1-27.5	67	81.7	72.5-90.9
25-34	282	35,231	69	24.8	19.3-30.3	213	75.2	69.7-80.7
35-44	367	35,903	103	26.0	21.3-30.7	264	74.0	69.3-78.7
45-54	594	44,936	155	24.1	20.6-27.6	439	75.9	72.4-79.4
55-64	550	31,614	117	18.6	15.3-21.9	433	81.4	78.1-84.7
65+	992	52,079	125	11.3	09.3-13.3	867	88.7	86.7-90.7
H.S. or G.E.D.	844	63,058	136	16.2	12.7-19.7	708	83.8	80.3-87.3
Some Post-H.S.	970	86,804	228	21.7	18.4-25.0	742	78.3	75.0-81.6
College Graduate	874	71,997	182	20.3	17.0-23.6	692	79.7	76.4-83.0
Less than \$15,000	259	17,755	73	30.3	21.7-38.9	186	69.7	61.1-78.3
\$15,000- 24,999	470	35,695	100	23.4	16.3-30.5	370	76.6	69.5-83.7
\$25,000- 34,999	365	25,848	86	25.4	19.3-31.5	279	74.6	68.5-80.7
\$35,000- 49,999	433	36,542	88	17.0	12.9-21.1	345	83.0	78.9-87.1
\$50,000- 74,999	419	38,203	75	16.2	12.5-19.9	344	83.8	80.1-87.5
\$75,000+	519	51,285	110	20.6	16.1-25.1	409	79.4	74.9-83.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008**

MODULE 15: RANDOM CHILD SELECTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	67
2 MALES ONLY	68
3 FEMALES ONLY	69
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	70
5 MALES ONLY	71
6 FEMALES ONLY	72
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	73
8 MALES ONLY	74
9 FEMALES ONLY	75
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	76
11 MALES ONLY	77
12 FEMALES ONLY	78
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	79
14 MALES ONLY	80
15 FEMALES ONLY	81
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	82
17 MALES ONLY	83
18 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2006			2007		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1193	131,513	50	3.4	02.2-04.6	428	29.7	27.0-32.4	279	24.4	21.7-27.1	375	37.6	34.5-40.7	61	4.8	03.4-06.2
Male	481	51,483	25	4.4	02.4-06.4	174	30.1	25.8-34.4	103	22.2	17.9-26.5	147	36.5	31.4-41.6	32	6.8	04.3-09.3
Female	712	80,030	25	2.8	01.4-04.2	254	29.5	25.8-33.2	176	25.9	22.2-29.6	228	38.3	34.0-42.6	29	3.5	02.1-04.9
Native	53	7,491	2	2.1	00.0-05.0										2	3.4	00.0-08.3
Non-Native	1137	123,277	47	3.3	02.3-04.3	412	30.3	27.4-33.2	267	24.5	21.6-27.4	352	37.1	33.8-40.4	59	4.9	03.5-06.3
18-24	52	4,849							5	4.5	00.4-08.6				7	12.5	02.7-22.3
25-34	314	40,096				14	3.8	01.4-06.2	64	22.1	16.8-27.4	192	62.8	56.9-68.7	44	11.3	07.8-14.8
35-44	462	56,301	11	2.4	00.8-04.0	180	34.5	29.8-39.2	128	28.5	24.0-33.0	134	32.8	27.9-37.7	9	1.8	00.4-03.2
45-54	318	26,164	35	9.7	06.4-13.0	184	55.0	48.5-61.5	76	23.6	17.9-29.3	23	11.8	06.3-17.3			
H.S. or G.E.D.	247	27,527	13	4.0	01.6-06.4	105	33.3	27.0-39.6	47	21.7	15.4-28.0	69	36.7	29.4-44.0	13	4.2	01.7-06.7
Some Post-H.S.	423	45,347	24	5.2	02.7-07.7	163	33.6	28.5-38.7	97	24.4	19.7-29.1	126	34.3	29.0-39.6	13	2.5	00.9-04.1
College Graduate	485	54,171	12	1.8	00.6-03.0	148	24.7	20.6-28.8	125	26.5	22.0-31.0	168	40.1	35.0-45.2	32	6.8	04.3-09.3
\$15,000- 24,999	109	12,861	4	2.1	00.0-04.3	37	27.1	17.7-36.5	19	16.2	08.2-24.2				7	5.9	01.2-10.6
\$25,000- 34,999	114	12,933	2	1.1	00.0-02.7	38	27.6	18.8-36.4	25	21.1	12.9-29.3				8	6.4	01.7-11.1
\$35,000- 49,999	204	21,470	7	4.4	00.7-08.1	88	35.0	27.9-42.1	52	28.3	21.0-35.6	50	28.4	21.3-35.5	7	3.9	00.6-07.2
\$50,000- 74,999	291	31,833	12	2.9	01.1-04.7	90	23.6	18.7-28.5	86	33.8	27.3-40.3	91	35.1	28.8-41.4	12	4.7	02.0-07.4
\$75,000+	385	41,753	21	3.6	01.8-05.4	137	31.0	25.9-36.1	74	19.2	14.7-23.7	130	41.3	35.6-47.0	23	4.8	02.6-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2006			2007		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	481	51,483	25	4.4	02.4-06.4	174	30.1	25.8-34.4	103	22.2	17.9-26.5	147	36.5	31.4-41.6	32	6.8	04.3-09.3
Non-Native	465	49,332	25	4.6	02.4-06.8	166	29.5	25.2-33.8	103	23.1	18.8-27.4	140	36.1	31.0-41.2	31	6.8	04.3-09.3
25-34	112	13,577				4	2.9	00.0-06.2	16	13.9	06.6-21.2	70	64.9	55.1-74.7	22	18.2	10.4-26.0
35-44	190	23,047	5	3.1	00.0-06.2	68	31.2	24.3-38.1	51	28.0	20.9-35.1	59	34.5	27.1-41.9	7	3.2	00.7-05.7
45-54	134	11,305	17	11.3	05.6-17.0	76	54.0	44.2-63.8	30	22.9	14.9-30.9	11	11.8	04.0-19.6			
H.S. or G.E.D.	133	13,665	8	5.2	01.5-08.9	59	35.0	26.4-43.6	27	21.9	13.7-30.1	32	32.6	22.8-42.4	7	5.3	01.0-09.6
Some Post-H.S.	147	15,046	11	6.9	01.8-12.0	53	31.5	23.3-39.7	29	20.5	13.1-27.9	47	36.5	27.5-45.5	7	4.6	01.1-08.1
College Graduate	187	20,994	6	2.4	00.2-04.6	56	25.1	18.6-31.6	45	25.0	17.9-32.1	63	37.8	30.0-45.6	17	9.7	04.8-14.6
\$35,000- 49,999	83	8,441	4	7.1	00.0-15.1							17	22.1	12.1-32.1	3	5.3	00.0-11.4
\$50,000- 74,999	125	13,279	7	4.1	01.0-07.2	39	23.5	16.1-30.9	36	32.5	23.1-41.9	37	34.3	24.7-43.9	6	5.6	01.1-10.1
\$75,000+	174	18,854	12	4.7	01.8-07.6	57	31.0	23.4-38.6	35	19.5	12.8-26.2	57	38.6	30.2-47.0	13	6.2	02.5-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2006			2007		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	712	80,030	25	2.8	01.4-04.2	254	29.5	25.8-33.2	176	25.9	22.2-29.6	228	38.3	34.0-42.6	29	3.5	02.1-04.9
Non-Native	672	73,945	22	2.4	01.2-03.6	246	30.8	26.9-34.7	164	25.4	21.7-29.1	212	37.8	33.5-42.1	28	3.7	02.1-05.3
25-34	202	26,519				10	4.3	01.4-07.2	48	26.3	19.2-33.4	122	61.7	54.3-69.1	22	7.8	04.3-11.3
35-44	272	33,254	6	2.0	00.2-03.8	112	36.8	30.3-43.3	77	28.8	22.7-34.9	75	31.6	25.1-38.1	2	0.9	00.0-02.3
45-54	184	14,859	18	8.4	04.3-12.5	108	55.8	47.2-64.4	46	24.1	16.5-31.7	12	11.8	04.4-19.2			
H.S. or G.E.D.	114	13,862	5	2.9	00.2-05.6	46	31.7	22.5-40.9	20	21.4	11.8-31.0				6	3.2	00.5-05.9
Some Post-H.S.	276	30,301	13	4.3	01.4-07.2	110	34.7	28.4-41.0	68	26.3	20.2-32.4	79	33.1	26.4-39.8	6	1.5	00.1-02.9
College Graduate	298	33,176	6	1.5	00.1-02.9	92	24.4	19.3-29.5	80	27.5	21.6-33.4	105	41.6	35.1-48.1	15	5.0	02.3-07.7
\$15,000- 24,999	78	9,145	4	3.0	00.1-05.9										5	5.8	00.5-11.1
\$25,000- 34,999	71	8,285	1	1.0	00.0-03.0										2	2.1	00.0-05.0
\$35,000- 49,999	121	13,030	3	2.6	00.0-05.7	46	31.4	22.4-40.4	35	30.5	20.9-40.1	33	32.5	22.7-42.3	4	3.1	00.0-06.8
\$50,000- 74,999	166	18,554	5	2.0	00.2-03.8	51	23.6	16.9-30.3	50	34.7	26.1-43.3	54	35.8	27.6-44.0	6	4.0	00.5-07.5
\$75,000+	211	22,899	9	2.7	00.5-04.9	80	31.0	24.3-37.7	39	18.9	12.8-25.0	73	43.6	35.8-51.4	10	3.7	01.2-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1299	142,223	653	50.4	47.3-53.5	646	49.6	46.5-52.7
Male	532	56,563	272	50.9	46.0-55.8	260	49.1	44.2-54.0
Female	767	85,659	381	50.0	45.9-54.1	386	50.0	45.9-54.1
Non-Native	1231	132,382	617	50.1	47.0-53.2	614	49.9	46.8-53.0
25-34	349	43,630	190	53.7	47.8-59.6	159	46.3	40.4-52.2
35-44	495	60,107	242	49.4	44.5-54.3	253	50.6	45.7-55.5
45-54	337	27,834	162	47.6	41.3-53.9	175	52.4	46.1-58.7
H.S. or G.E.D.	277	30,869	150	52.0	45.1-58.9	127	48.0	41.1-54.9
Some Post-H.S.	457	48,823	217	48.7	43.4-54.0	240	51.3	46.0-56.6
College Graduate	520	57,125	262	49.8	44.9-54.7	258	50.2	45.3-55.1
\$35,000- 49,999	223	23,323	106	47.7	40.3-55.1	117	52.3	44.9-59.7
\$50,000- 74,999	308	33,292	142	45.4	39.1-51.7	166	54.6	48.3-60.9
\$75,000+	402	43,546	214	54.0	48.3-59.7	188	46.0	40.3-51.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	532	56,563	272	50.9	46.0-55.8	260	49.1	44.2-54.0
Non-Native	511	53,817	263	51.4	46.5-56.3	248	48.6	43.7-53.5
25-34	127	14,774	68	55.8	46.0-65.6	59	44.2	34.4-54.0
35-44	203	24,642	103	50.1	42.5-57.7	100	49.9	42.3-57.5
45-54	145	12,451	68	43.3	34.3-52.3	77	56.7	47.7-65.7
H.S. or G.E.D.	147	14,915	81	53.4	44.2-62.6	66	46.6	37.4-55.8
Some Post-H.S.	162	16,635	80	50.1	41.3-58.9	82	49.9	41.1-58.7
College Graduate	205	22,545	101	48.7	41.1-56.3	104	51.3	43.7-58.9
\$50,000- 74,999	137	14,251	65	42.9	33.7-52.1	72	57.1	47.9-66.3
\$75,000+	185	20,130	101	55.5	47.3-63.7	84	44.5	36.3-52.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	767	85,659	381	50.0	45.9-54.1	386	50.0	45.9-54.1
Non-Native	720	78,565	354	49.1	44.8-53.4	366	50.9	46.6-55.2
25-34	222	28,856	122	52.6	45.2-60.0	100	47.4	40.0-54.8
35-44	292	35,464	139	49.0	42.5-55.5	153	51.0	44.5-57.5
45-54	192	15,383	94	51.0	42.6-59.4	98	49.0	40.6-57.4
Some Post-H.S.	295	32,188	137	48.0	41.3-54.7	158	52.0	45.3-58.7
College Graduate	315	34,579	161	50.6	44.3-56.9	154	49.4	43.1-55.7
\$35,000- 49,999	127	13,686	58	45.7	35.7-55.7	69	54.3	44.3-64.3
\$50,000- 74,999	171	19,040	77	47.2	38.8-55.6	94	52.8	44.4-61.2
\$75,000+	217	23,416	113	52.7	45.1-60.3	104	47.3	39.7-54.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1297	141,803	29	2.3	01.3-03.3	1268	97.7	96.7-98.7
Male	533	56,390	12	1.6	00.6-02.6	521	98.4	97.4-99.4
Female	764	85,413	17	2.7	01.3-04.1	747	97.3	95.9-98.7
Native	62	8,829	2	2.3	00.0-06.0	60	97.7	94.0-0100
Non-Native	1233	132,509	27	2.3	01.3-03.3	1206	97.7	96.7-98.7
18-24	62	5,574	2	2.1	00.0-05.0	60	97.9	95.0-0100
25-34	350	43,755	5	1.3	00.1-02.5	345	98.7	97.5-99.9
35-44	495	59,940	11	2.6	01.0-04.2	484	97.4	95.8-99.0
45-54	336	27,773	9	2.9	00.9-04.9	327	97.1	95.1-99.1
H.S. or G.E.D.	276	30,786	6	1.5	00.1-02.9	270	98.5	97.1-99.9
Some Post-H.S.	457	48,657	13	3.4	01.4-05.4	444	96.6	94.6-98.6
College Graduate	520	57,016	8	1.5	00.3-02.7	512	98.5	97.3-99.7
\$15,000- 24,999	121	14,280	5	4.9	00.0-09.8	116	95.1	90.2-0100
\$25,000- 34,999	123	13,591	4	3.3	00.0-06.8	119	96.7	93.2-0100
\$35,000- 49,999	226	23,573	6	2.3	00.3-04.3	220	97.7	95.7-99.7
\$50,000- 74,999	308	33,292	6	2.3	00.3-04.3	302	97.7	95.7-99.7
\$75,000+	400	43,269	6	1.1	00.1-02.1	394	98.9	97.9-99.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	533	56,390	12	1.6	00.6-02.6	521	98.4	97.4-99.4
Non-Native	514	53,942	11	1.5	00.5-02.5	503	98.5	97.5-99.5
25-34	127	14,774				127	100.0	0100-0100
35-44	205	24,726	1	0.2	00.0-00.6	204	99.8	99.4-0100
45-54	145	12,451	8	5.4	01.3-09.5	137	94.6	90.5-98.7
H.S. or G.E.D.	147	14,915	4	1.3	00.0-02.7	143	98.7	97.3-0100
Some Post-H.S.	163	16,635	4	1.7	00.0-03.5	159	98.3	96.5-0100
College Graduate	205	22,372	4	1.8	00.0-03.8	201	98.2	96.2-0100
\$35,000- 49,999	97	9,679	3	1.7	00.0-03.7	94	98.3	96.3-0100
\$50,000- 74,999	137	14,251	4	2.8	00.0-05.7	133	97.2	94.3-0100
\$75,000+	184	19,915	3	1.2	00.0-02.6	181	98.8	97.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	764	85,413	17	2.7	01.3-04.1	747	97.3	95.9-98.7
Non-Native	719	78,567	16	2.8	01.4-04.2	703	97.2	95.8-98.6
25-34	223	28,981	5	2.0	00.0-04.0	218	98.0	96.0-0100
35-44	290	35,215	10	4.2	01.5-06.9	280	95.8	93.1-98.5
45-54	191	15,322	1	0.8	00.0-02.4	190	99.2	97.6-0100
H.S. or G.E.D.	129	15,870	2	1.6	00.0-04.0	127	98.4	96.0-0100
Some Post-H.S.	294	32,022	9	4.3	01.4-07.2	285	95.7	92.8-98.6
College Graduate	315	34,643	4	1.2	00.0-02.6	311	98.8	97.4-0100
\$15,000- 24,999	85	9,942	4	6.6	00.0-13.5	81	93.4	86.5-0100
\$25,000- 34,999	78	8,800	3	4.6	00.0-09.9	75	95.4	90.1-0100
\$35,000- 49,999	129	13,894	3	2.7	00.0-05.8	126	97.3	94.2-0100
\$50,000- 74,999	171	19,040	2	1.9	00.0-04.4	169	98.1	95.6-0100
\$75,000+	216	23,354	3	1.0	00.0-02.2	213	99.0	97.8-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1292	141,154	1176	89.1	86.9-91.3	10	1.0	00.2-01.8	6	0.5	00.1-00.9	3	0.4	00.0-01.0	66	6.3	04.5-08.1	31	2.6	01.6-03.6
Male	530	55,955	497	93.1	90.6-95.6	1	0.2	00.0-00.6	4	0.7	00.0-01.5	2	0.8	00.0-02.2	18	3.7	01.9-05.5	8	1.4	00.2-02.6
Female	762	85,199	679	86.5	83.4-89.6	9	1.4	00.2-02.6	2	0.4	00.0-01.0	1	0.2	00.0-00.6	48	8.0	05.5-10.5	23	3.4	01.8-05.0
Native	63	8,890	4	6.6	00.0-13.7	1	0.9	00.0-02.7							54	86.0	76.6-95.4	4	6.5	00.0-13.0
Non-Native	1228	131,921	1171	94.7	93.1-96.3	9	1.0	00.2-01.8	6	0.6	00.0-01.2	3	0.5	00.0-01.1	12	1.0	00.4-01.6	27	2.4	01.4-03.4
18-24	62	5,574				1	3.4	00.0-09.9										2	3.1	00.0-07.6
25-34	349	43,732	305	86.0	81.7-90.3	3	0.6	00.0-01.4	1	0.1	00.0-00.3				23	8.2	04.7-11.7	17	5.0	02.5-07.5
35-44	492	59,476	458	91.4	88.1-94.7	5	1.4	00.0-03.0	4	1.0	00.0-02.0	2	1.0	00.0-02.4	16	3.8	01.6-06.0	7	1.4	00.2-02.6
45-54	334	27,551	319	94.2	90.7-97.7	1	0.1	00.0-00.3	1	0.4	00.0-01.2	1	0.2	00.0-00.6	8	3.4	00.3-06.5	4	1.6	00.0-03.4
H.S. or G.E.D.	274	30,427	241	83.0	77.1-88.9	4	1.5	00.0-03.1				2	1.5	00.0-04.0	19	10.3	05.4-15.2	8	3.7	01.0-06.4
Some Post-H.S.	452	48,200	410	89.0	85.5-92.5	3	1.2	00.0-03.0	1	0.3	00.0-00.9				25	6.5	03.8-09.2	13	3.0	01.2-04.8
College Graduate	522	57,243	491	93.7	91.3-96.1	3	0.6	00.0-01.4	5	1.1	00.1-02.1				14	2.8	01.2-04.4	9	1.8	00.4-03.2
\$15,000- 24,999	120	14,152				2	1.8	00.0-04.5				2	4.1	00.0-10.0	20	20.8	11.2-30.4	5	5.1	00.4-09.8
\$25,000- 34,999	123	13,591	108	88.8	82.9-94.7	1	0.6	00.0-01.8	1	1.2	00.0-03.6				9	7.3	02.4-12.2	4	2.1	00.0-04.3
\$35,000- 49,999	226	23,618	207	91.0	86.7-95.3	4	1.9	00.0-03.9	1	0.2	00.0-00.6				12	6.3	02.6-10.0	2	0.7	00.0-01.7
\$50,000- 74,999	307	33,170	289	93.4	90.1-96.7	1	0.2	00.0-00.6							9	3.0	00.8-05.2	8	3.4	00.9-05.9
\$75,000+	398	42,910	386	96.8	94.6-99.0				4	1.3	00.0-02.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	6	1.7	00.1-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	530	55,955	497	93.1	90.6-95.6	1	0.2	00.0-00.6	4	0.7	00.0-01.5	2	0.8	00.0-02.2	18	3.7	01.9-05.5	8	1.4	00.2-02.6
Non-Native	512	53,629	493	96.1	93.9-98.3	1	0.2	00.0-00.6	4	0.8	00.0-01.6	2	0.9	00.0-02.5	5	0.9	00.1-01.7	7	1.2	00.2-02.2
25-34	128	14,940	119	93.8	89.5-98.1				1	0.4	00.0-01.2				5	3.2	00.3-06.1	3	2.6	00.0-05.7
35-44	203	24,367	191	92.8	88.3-97.3	1	0.5	00.0-01.5	3	1.4	00.0-03.2	1	1.7	00.0-04.8	5	2.8	00.3-05.3	2	0.9	00.0-02.3
45-54	143	12,209	139	97.6	95.1-0100							1	0.5	00.0-01.5	1	0.7	00.0-02.1	2	1.3	00.0-03.3
H.S. or G.E.D.	146	14,663	131	85.0	77.2-92.8	1	0.8	00.0-02.4				2	3.1	00.0-08.4	10	9.3	03.4-15.2	2	1.7	00.0-04.6
Some Post-H.S.	161	16,408	153	95.1	91.4-98.8				1	1.0	00.0-03.0				3	1.7	00.0-03.9	4	2.3	00.0-04.8
College Graduate	206	22,539	199	97.7	95.9-99.5				3	1.1	00.0-02.3				2	0.5	00.0-01.1	2	0.7	00.0-01.9
\$35,000- 49,999	97	9,724	93	95.7	91.4-0100	1	1.2	00.0-03.6	1	0.6	00.0-01.8				2	2.5	00.0-06.0			
\$50,000- 74,999	136	14,130	129	95.6	91.9-99.3										3	1.3	00.0-02.9	4	3.1	00.0-06.6
\$75,000+	182	19,556	175	96.8	94.3-99.3				2	1.0	00.0-02.4	1	0.3	00.0-00.9	1	0.3	00.0-00.9	3	1.7	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	762	85,199	679	86.5	83.6-89.4	9	1.4	00.2-02.6	2	0.4	00.0-01.0	1	0.2	00.0-00.6	48	8.0	05.5-10.5	23	3.4	01.8-05.0
Non-Native	716	78,292	678	93.7	91.5-95.9	8	1.5	00.1-02.9	2	0.5	00.0-01.1	1	0.2	00.0-00.6	7	1.0	00.2-01.8	20	3.2	01.6-04.8
25-34	221	28,792	186	82.0	76.1-87.9	3	0.9	00.0-02.1							18	10.8	05.7-15.9	14	6.3	02.8-09.8
35-44	289	35,109	267	90.4	85.9-94.9	4	2.1	00.0-04.6	1	0.7	00.0-02.1	1	0.5	00.0-01.5	11	4.5	01.4-07.6	5	1.8	00.0-03.6
45-54	191	15,342	180	91.5	85.4-97.6	1	0.3	00.0-00.9	1	0.7	00.0-02.1				7	5.6	00.1-11.1	2	1.8	00.0-04.3
H.S. or G.E.D.	128	15,764	110	81.0	72.2-89.8	3	2.2	00.0-04.9							9	11.1	03.3-18.9	6	5.6	00.9-10.3
Some Post-H.S.	291	31,792	257	85.9	80.8-91.0	3	1.8	00.0-04.3							22	8.9	05.0-12.8	9	3.4	00.9-05.9
College Graduate	316	34,704	292	91.2	87.5-94.9	3	0.9	00.0-02.1	2	1.0	00.0-02.6				12	4.3	01.8-06.8	7	2.5	00.3-04.7
\$15,000- 24,999	84	9,814				2	2.6	00.0-06.5				1	1.7	00.0-05.0				5	7.4	00.7-14.1
\$25,000- 34,999	78	8,800	68	88.5	81.2-95.8	1	0.9	00.0-02.7							6	7.8	01.3-14.3	3	2.8	00.0-05.9
\$35,000- 49,999	129	13,894	114	87.6	81.1-94.1	3	2.3	00.0-05.2							10	8.9	03.2-14.6	2	1.2	00.0-03.0
\$50,000- 74,999	171	19,040	160	91.7	86.6-96.8	1	0.4	00.0-01.2							6	4.2	00.7-07.7	4	3.7	00.0-07.4
\$75,000+	216	23,354	211	96.8	93.7-99.9				2	1.5	00.0-03.7							3	1.7	00.0-04.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1299	142,084	1209	94.5	93.1-95.9	30	2.0	01.2-02.8	8	0.5	00.1-00.9	36	2.1	01.3-02.9	7	0.5	00.1-00.9	9	0.5	00.1-00.9
Male	533	56,375	492	94.3	92.3-96.3	5	0.6	00.0-01.2	4	0.5	00.0-01.1	20	2.6	01.2-04.0	5	0.9	00.1-01.7	7	1.0	00.0-02.0
Female	766	85,709	717	94.6	92.8-96.4	25	2.9	01.5-04.3	4	0.5	00.0-01.1	16	1.8	00.6-03.0	2	0.2	00.0-00.4	2	0.2	00.0-00.4
Native	63	8,890				8	11.4	02.2-20.6	2	2.3	00.0-05.6	1	1.8	00.0-05.3	2	2.7	00.0-06.6	1	0.9	00.0-02.7
Non-Native	1231	132,243	1156	95.6	94.4-96.8	22	1.3	00.7-01.9	6	0.4	00.0-00.8	34	1.9	01.1-02.7	5	0.3	00.0-00.7	8	0.5	00.1-00.9
18-24	62	5,574													2	3.9	00.0-09.8	1	2.1	00.0-06.0
25-34	351	43,888	345	99.0	98.2-99.8				3	0.6	00.0-01.4				1	0.2	00.0-00.6	2	0.2	00.0-00.6
35-44	494	59,830	484	97.8	96.2-99.4	2	0.8	00.0-02.0	2	0.3	00.0-00.7				2	0.4	00.0-01.0	4	0.7	00.0-01.5
45-54	335	27,672	322	96.5	94.3-98.7	10	3.0	01.0-05.0	1	0.2	00.0-00.6				1	0.2	00.0-00.6	1	0.2	00.0-00.6
H.S. or G.E.D.	275	30,510	244	90.7	86.8-94.6	8	3.4	00.7-06.1	3	0.9	00.0-01.9	14	3.0	01.2-04.8	2	0.8	00.0-02.0	4	1.2	00.0-02.6
Some Post-H.S.	456	48,660	422	93.2	90.5-95.9	13	2.1	00.7-03.5	3	0.6	00.0-01.4	14	3.4	01.2-05.6	3	0.6	00.0-01.4	1	0.1	00.0-00.3
College Graduate	523	57,508	509	98.3	97.3-99.3	5	0.6	00.0-01.2	2	0.3	00.0-00.7	2	0.1	00.0-00.3	1	0.1	00.0-00.3	4	0.5	00.0-01.1
\$15,000- 24,999	122	14,318	105	90.2	85.1-95.3	10	6.3	02.0-10.6	1	0.6	00.0-01.8	3	0.9	00.0-01.9	3	2.1	00.0-04.6			
\$25,000- 34,999	124	13,778	110	92.3	87.8-96.8	5	2.7	00.2-05.2	2	1.9	00.0-04.6	4	1.4	00.0-02.8				3	1.7	00.0-03.7
\$35,000- 49,999	226	23,618	212	94.1	90.8-97.4	4	1.8	00.0-03.6	1	0.4	00.0-01.2	5	2.2	00.0-04.4				4	1.5	00.0-03.3
\$50,000- 74,999	308	33,342	297	97.7	96.1-99.3	4	0.7	00.0-01.5	1	0.2	00.0-00.6	3	0.6	00.0-01.2	2	0.6	00.0-01.6	1	0.2	00.0-00.6
\$75,000+	399	43,125	388	98.7	97.9-99.5	2	0.2	00.0-00.6	2	0.2	00.0-00.6	5	0.6	00.0-01.2	2	0.3	00.0-00.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	533	56,375	492	94.3	92.3-96.3	5	0.6	00.0-01.2	4	0.5	00.0-01.1	20	2.6	01.2-04.0	5	0.9	00.1-01.7	7	1.0	00.0-02.0
Non-Native	512	53,629	476	95.1	93.3-96.9	4	0.5	00.0-01.1	3	0.3	00.0-00.7	19	2.5	01.3-03.7	4	0.7	00.0-01.5	6	0.9	00.0-01.9
25-34	128	14,940	125	98.5	96.5-0100				1	0.8	00.0-02.4							2	0.7	00.0-01.7
35-44	203	24,367	198	97.6	95.2-0100				1	0.3	00.0-00.9				2	1.0	00.0-02.4	2	1.1	00.0-02.7
45-54	144	12,330	142	99.2	98.0-0100				1	0.5	00.0-01.5							1	0.3	00.0-00.9
H.S. or G.E.D.	146	14,663	125	88.7	83.4-94.0	2	0.8	00.0-02.0	2	1.2	00.0-03.0	11	5.1	01.6-08.6	2	1.7	00.0-04.1	4	2.5	00.0-05.4
Some Post-H.S.	162	16,491	152	94.6	90.9-98.3	1	0.3	00.0-00.9	1	0.5	00.0-01.5	5	2.9	00.0-05.8	2	1.3	00.0-03.3	1	0.3	00.0-00.9
College Graduate	207	22,754	201	98.2	96.6-99.8	2	0.6	00.0-01.6	1	0.2	00.0-00.6	1	0.3	00.0-00.9				2	0.7	00.0-01.9
\$35,000- 49,999	97	9,724	89	92.5	86.8-98.2				1	0.9	00.0-02.7	3	2.9	00.0-06.4				4	3.8	00.0-08.1
\$50,000- 74,999	137	14,251	130	96.6	93.9-99.3	2	0.7	00.0-01.7				2	0.8	00.0-02.0	2	1.5	00.0-03.9	1	0.4	00.0-01.2
\$75,000+	183	19,771	179	98.8	97.6-0100				2	0.5	00.0-01.3				2	0.7	00.0-01.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 15: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	766	85,709	717	94.6	92.8-96.4	25	2.9	01.5-04.3	4	0.5	00.0-01.1	16	1.8	00.6-03.0	2	0.2	00.0-00.4	2	0.2	00.0-00.4
Non-Native	719	78,615	680	95.9	94.3-97.5	18	1.9	00.9-02.9	3	0.4	00.0-01.0	15	1.5	00.5-02.5	1	0.1	00.0-00.3	2	0.2	00.0-00.4
25-34	223	28,948	220	99.3	98.5-0100				2	0.5	00.0-01.1				1	0.3	00.0-00.9			
35-44	291	35,463	286	98.0	95.8-0100	2	1.3	00.0-03.3	1	0.3	00.0-00.9							2	0.4	00.0-01.0
45-54	191	15,342	180	94.3	90.6-98.0	10	5.3	01.8-08.8							1	0.4	00.0-01.2			
H.S. or G.E.D.	129	15,848	119	92.6	87.1-98.1	6	5.8	00.5-11.1	1	0.5	00.0-01.5	3	1.1	00.0-02.5						
Some Post-H.S.	294	32,168	270	92.4	88.9-95.9	12	3.1	01.1-05.1	2	0.7	00.0-01.7	9	3.7	00.8-06.6	1	0.2	00.0-00.6			
College Graduate	316	34,754	308	98.4	97.2-99.6	3	0.5	00.0-01.1	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	0.2	00.0-00.6	2	0.4	00.0-01.0
\$15,000- 24,999	86	9,980	75	90.0	83.7-96.3	8	7.9	02.0-13.8	1	0.8	00.0-02.4				2	1.3	00.0-03.3			
\$25,000- 34,999	79	8,987	71	93.1	87.8-98.4	4	3.0	00.0-06.1	2	3.0	00.0-07.1	1	0.2	00.0-00.6				1	0.7	00.0-02.1
\$35,000- 49,999	129	13,894	123	95.2	91.1-99.3	4	3.1	00.0-06.2				2	1.7	00.0-04.4						
\$50,000- 74,999	171	19,090	167	98.5	96.9-0100	2	0.8	00.0-02.0	1	0.3	00.0-00.9	1	0.4	00.0-01.2						
\$75,000+	216	23,354	209	98.6	97.6-99.6	2	0.4	00.0-01.0				5	1.0	00.0-02.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008

MODULE 16: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	86
2	MALES ONLY	87
3	FEMALES ONLY	88
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	89
5	MALES ONLY	90
6	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 16: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1292	141,401	111	7.6	06.0-09.2	1181	92.4	90.8-94.0	
Male	529	56,038	37	6.0	03.8-08.2	492	94.0	91.8-96.2	
Female	763	85,363	74	8.6	06.4-10.8	689	91.4	89.2-93.6	
Native	62	8,731	10	12.6	04.2-21.0	52	87.4	79.0-95.8	
Non-Native	1225	131,720	101	7.3	05.7-08.9	1124	92.7	91.1-94.3	
18-24	60	5,335	7	10.3	02.1-18.5	53	89.7	81.5-97.9	
25-34	351	43,952	25	6.4	03.7-09.1	326	93.6	90.9-96.3	
35-44	491	59,419	41	7.7	05.0-10.4	450	92.3	89.6-95.0	
45-54	333	27,577	35	9.2	06.1-12.3	298	90.8	87.7-93.9	
H.S. or G.E.D.	273	30,346	23	7.0	03.9-10.1	250	93.0	89.9-96.1	
Some Post-H.S.	452	48,353	42	8.5	05.6-11.4	410	91.5	88.6-94.4	
College Graduate	522	57,296	41	7.0	04.6-09.4	481	93.0	90.6-95.4	
\$15,000- 24,999	121	14,265	14	7.4	03.3-11.5	107	92.6	88.5-96.7	
\$25,000- 34,999	124	13,778	12	10.1	04.2-16.0	112	89.9	84.0-95.8	
\$35,000- 49,999	224	23,298	17	7.1	03.2-11.0	207	92.9	89.0-96.8	
\$50,000- 74,999	307	33,239	17	4.6	02.2-07.0	290	95.4	93.0-97.8	
\$75,000+	398	43,042	36	7.4	04.9-09.9	362	92.6	90.1-95.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 16: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	529	56,038	37	6.0	03.8-08.2	492	94.0	91.8-96.2
Non-Native	509	53,451	34	5.7	03.5-07.9	475	94.3	92.1-96.5
25-34	127	14,888	8	5.8	01.5-10.1	119	94.2	89.9-98.5
35-44	202	24,284	11	4.3	01.6-07.0	191	95.7	93.0-98.4
45-54	143	12,289	12	8.0	03.1-12.9	131	92.0	87.1-96.9
H.S. or G.E.D.	145	14,579	13	8.0	03.5-12.5	132	92.0	87.5-96.5
Some Post-H.S.	159	16,238	10	5.3	01.6-09.0	149	94.7	91.0-98.4
College Graduate	207	22,754	12	4.9	02.0-07.8	195	95.1	92.2-98.0
\$35,000- 49,999	96	9,565	2	2.5	00.0-06.4	94	97.5	93.6-0100
\$50,000- 74,999	136	14,199	8	4.7	01.2-08.2	128	95.3	91.8-98.8
\$75,000+	182	19,688	16	7.2	03.5-10.9	166	92.8	89.1-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 16: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	763	85,363	74	8.6	06.4-10.8	689	91.4	89.2-93.6
Non-Native	716	78,269	67	8.4	06.0-10.8	649	91.6	89.2-94.0
25-34	224	29,064	17	6.6	03.3-09.9	207	93.4	90.1-96.7
35-44	289	35,135	30	10.1	06.0-14.2	259	89.9	85.8-94.0
45-54	190	15,288	23	10.1	05.8-14.4	167	89.9	85.6-94.2
H.S. or G.E.D.	128	15,767	10	6.1	02.0-10.2	118	93.9	89.8-98.0
Some Post-H.S.	293	32,115	32	10.0	06.1-13.9	261	90.0	86.1-93.9
College Graduate	315	34,543	29	8.5	05.0-12.0	286	91.5	88.0-95.0
\$15,000- 24,999	85	9,926	9	6.0	01.9-10.1	76	94.0	89.9-98.1
\$25,000- 34,999	79	8,987	8	10.8	03.2-18.4	71	89.2	81.6-96.8
\$35,000- 49,999	128	13,733	15	10.3	04.4-16.2	113	89.7	83.8-95.6
\$50,000- 74,999	171	19,040	9	4.5	01.2-07.8	162	95.5	92.2-98.8
\$75,000+	216	23,354	20	7.6	03.9-11.3	196	92.4	88.7-96.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 16: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	111	10,678	73	71.8	63.0-80.6	38	28.2	19.4-37.0
Non-Native	101	9,582	67	72.7	63.7-81.7	34	27.3	18.3-36.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 16: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008
MODULE 16: CHILDHOOD ASTHMA PREVALENCE

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2008**

End of Module Data Report