

NORTH DAKOTA

2009 Module Variables Report

Behavioral Risk Factor Surveillance System

March 10, 2010



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009

MODULE 2: DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	31
29	MALES ONLY	32
30	FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	458	35,607	6	1.2	00.2-02.2	34	12.8	07.7-17.9	82	20.5	16.0-25.0	192	39.5	34.4-44.6	144	26.0	21.7-30.3
Male	211	19,581	1	0.5	00.0-01.5	11	9.6	02.2-17.0	40	22.5	15.8-29.2	100	43.0	35.4-50.6	59	24.4	18.3-30.5
Female	247	16,026	5	2.1	00.1-04.1	23	16.6	09.7-23.5	42	18.0	12.3-23.7	92	35.2	28.5-41.9	85	28.0	22.1-33.9
Non-Native	418	31,748	6	1.4	00.2-02.6	29	10.9	06.6-15.2	70	18.5	14.2-22.8	178	41.4	36.1-46.7	135	27.8	23.3-32.3
45-54	73	6,250	3	4.0	00.0-08.5	8	11.5	03.9-19.1									
55-64	131	9,401				5	3.8	00.5-07.1	26	21.6	13.2-30.0	94	70.1	61.1-79.1	6	4.4	00.7-08.1
65+	221	14,931	3	1.2	00.0-02.6	3	1.7	00.0-03.7	11	5.3	02.2-08.4	67	32.7	25.8-39.6	137	59.0	51.7-66.3
H.S. or G.E.D.	170	13,615	3	1.6	00.0-03.6				26	17.8	10.7-24.9	68	33.7	25.5-41.9	59	28.7	21.1-36.3
Some Post-H.S.	138	10,539	2	1.3	00.0-03.1	11	9.9	04.0-15.8	29	24.2	15.8-32.6	67	47.9	38.7-57.1	29	16.6	10.3-22.9
College Graduate	101	8,152	1	1.0	00.0-02.8	8	11.2	03.8-18.6	22	24.0	14.2-33.8				30	22.3	14.5-30.1
\$15,000- 24,999	96	6,853	1	0.5	00.0-01.5				13	14.5	05.9-23.1						
\$25,000- 34,999	52	3,789	1	2.2	00.0-06.5	5	11.8	02.0-21.6									
\$35,000- 49,999	61	5,112				5	8.5	01.2-15.8									
\$50,000- 74,999	53	4,500	1	1.7	00.0-05.0	3	7.0	00.0-15.0									
\$75,000+	58	4,963	2	3.5	00.0-08.4				11	15.7	06.5-24.9				10	13.3	04.9-21.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	211	19,581	1	0.5	00.0-01.5	11	9.6	02.2-17.0	40	22.5	15.8-29.2	100	43.0	35.4-50.6	59	24.4	18.5-30.3
Non-Native	191	17,147	1	0.6	00.0-01.8	8	5.8	01.1-10.5	32	20.2	13.7-26.7	93	46.4	38.8-54.0	57	27.1	20.6-33.6
55-64	68	5,902				2	3.1	00.0-07.4							4	5.4	00.1-10.7
65+	94	7,803							8	7.7	02.2-13.2						
H.S. or G.E.D.	80	7,811	1	1.3	00.0-03.8				11	15.4	06.4-24.4						
Some Post-H.S.	57	5,251				2	3.7	00.0-08.8							8	12.3	03.9-20.7
College Graduate	52	4,738				2	3.7	00.0-08.8									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	247	16,026	5	2.1	00.1-04.1	23	16.6	09.7-23.5	42	18.0	12.3-23.7	92	35.2	28.5-41.9	85	28.0	22.1-33.9
Non-Native	227	14,601	5	2.3	00.1-04.5	21	17.0	09.7-24.3	38	16.6	11.3-21.9	85	35.5	28.4-42.6	78	28.6	22.3-34.9
55-64	63	3,499				3	5.1	00.0-10.8	14	17.5	08.3-26.7				2	2.8	00.0-06.7
65+	127	7,129	3	2.5	00.0-05.4	3	3.6	00.0-07.7	3	2.7	00.0-05.6	36	30.1	21.1-39.1	82	61.1	51.5-70.7
H.S. or G.E.D.	90	5,804	2	2.0	00.0-05.1												
Some Post-H.S.	81	5,288	2	2.7	00.0-06.4	9	16.0	06.0-26.0	16	19.6	10.4-28.8				21	20.9	11.9-29.9
\$15,000- 24,999	61	3,636	1	0.9	00.0-02.7				7	9.6	01.6-17.6						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	485	37,333	161	32.9	28.2-37.6	324	67.1	62.4-71.8
Male	219	20,101	76	33.9	26.8-41.0	143	66.1	59.0-73.2
Female	266	17,232	85	31.7	25.2-38.2	181	68.3	61.8-74.8
Non-Native	444	33,420	147	33.2	28.3-38.1	297	66.8	61.9-71.7
55-64	132	9,433	41	28.5	20.1-36.9	91	71.5	63.1-79.9
65+	245	16,534	80	34.4	27.7-41.1	165	65.6	58.9-72.3
H.S. or G.E.D.	182	14,376	59	30.8	23.0-38.6	123	69.2	61.4-77.0
Some Post-H.S.	146	11,040	49	35.7	27.1-44.3	97	64.3	55.7-72.9
College Graduate	103	8,211	28	27.1	17.5-36.7	75	72.9	63.3-82.5
\$15,000- 24,999	106	7,508	33	30.1	20.3-39.9	73	69.9	60.1-79.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	219	20,101	76	33.9	26.8-41.0	143	66.1	59.0-73.2	
Non-Native	198	17,613	70	36.0	28.7-43.3	128	64.0	56.7-71.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	266	17,232	85	31.7	25.2-38.2	181	68.3	61.8-74.8
Non-Native	246	15,807	77	30.1	23.6-36.6	169	69.9	63.4-76.4
65+	143	8,212	43	30.4	22.2-38.6	100	69.6	61.4-77.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	477	36,580	57	13.0	09.3-16.7	109	25.2	20.1-30.3	302	59.9	54.4-65.4	9	1.9	00.5-03.3
Male	211	19,369	23	10.5	06.2-14.8	53	29.2	21.0-37.4	132	59.0	51.0-67.0	3	1.4	00.0-03.0
Female	266	17,212	34	15.9	09.8-22.0	56	20.7	15.2-26.2	170	61.0	54.1-67.9	6	2.5	00.3-04.7
Non-Native	438	32,927	54	13.3	09.4-17.2	99	23.5	19.0-28.0	276	61.0	55.7-66.3	9	2.1	00.7-03.5
45-54	73	6,227				9	12.9	04.3-21.5				3	4.4	00.0-09.3
55-64	130	9,090	14	10.4	04.5-16.3	33	25.6	17.4-33.8	79	61.0	51.8-70.2	4	3.0	00.1-05.9
65+	241	16,321	20	8.2	04.5-11.9	58	25.8	19.7-31.9	161	65.2	58.5-71.9	2	0.9	00.0-02.3
Less Than H.S.	53	3,642	1	1.5	00.0-04.4									
H.S. or G.E.D.	178	13,985	23	14.6	07.5-21.7				112	55.4	45.6-65.2	3	2.1	00.0-04.6
Some Post-H.S.	146	11,040	18	12.3	06.4-18.2	30	20.7	13.4-28.0	95	64.9	56.5-73.3	3	2.1	00.0-04.5
College Graduate	100	7,913	15	16.5	08.3-24.7	27	25.6	16.2-35.0				3	2.0	00.0-04.4
Less than \$15,000	65	4,950										2	3.3	00.0-08.2
\$15,000- 24,999	105	7,465	11	9.0	03.5-14.5							1	1.0	00.0-03.0
\$25,000- 34,999	53	3,793	6	11.1	01.9-20.3									
\$35,000- 49,999	61	4,981	8	11.4	03.2-19.6	12	15.6	06.6-24.6				1	0.9	00.0-02.7
\$50,000- 74,999	54	4,574	3	3.5	00.0-07.8							1	1.5	00.0-04.4
\$75,000+	58	5,000										4	6.8	00.1-13.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	211	19,369	23	10.5	06.2-14.8	53	29.2	21.0-37.4	132	59.0	50.8-67.2	3	1.4	00.0-03.0
Non-Native	192	17,140	23	11.8	06.9-16.7	46	25.6	18.5-32.7	120	61.0	53.4-68.6	3	1.6	00.0-03.4
55-64	66	5,559	7	11.5	03.1-19.9							2	2.9	00.0-06.8
65+	98	8,129	9	7.9	02.6-13.2	24	25.9	16.5-35.3	64	64.8	54.8-74.8	1	1.3	00.0-03.8
H.S. or G.E.D.	80	7,677	10	10.3	03.6-17.0							1	1.4	00.0-04.1
Some Post-H.S.	58	5,337	7	11.8	03.0-20.6							1	1.7	00.0-05.0
College Graduate	50	4,467										1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	266	17,212	34	15.9	09.8-22.0	56	20.7	15.2-26.2	170	61.0	54.1-67.9	6	2.5	00.3-04.7
Non-Native	246	15,786	31	15.0	08.9-21.1	53	21.2	15.5-26.9	156	61.1	54.0-68.2	6	2.7	00.3-05.1
55-64	64	3,531	7	8.7	02.0-15.4							2	3.2	00.0-07.7
65+	143	8,192	11	8.4	03.5-13.3	34	25.6	17.4-33.8	97	65.5	56.9-74.1	1	0.5	00.0-01.5
H.S. or G.E.D.	98	6,309				21	20.2	11.2-29.2				2	3.1	00.0-07.4
Some Post-H.S.	88	5,703	11	12.7	04.9-20.5	16	18.5	09.5-27.5				2	2.5	00.0-06.0
College Graduate	50	3,446										2	2.6	00.0-06.3
\$15,000- 24,999	66	3,997	8	12.0	03.6-20.4	11	14.6	04.8-24.4				1	1.9	00.0-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	473	36,218	285	57.7	52.2-63.2	104	20.6	16.7-24.5	25	5.7	03.3-08.1	5	1.7	00.0-03.7	48	13.5	08.8-18.2	6	0.8	00.2-01.4
Male	213	19,531	130	59.3	51.3-67.3	46	19.0	13.5-24.5	8	3.7	01.2-06.2	5	3.2	00.0-06.9	23	14.6	07.2-22.0	1	0.2	00.0-00.6
Female	260	16,687	155	55.9	48.8-63.0	58	22.5	16.6-28.4	17	8.1	04.2-12.0				25	12.2	06.5-17.9	5	1.4	00.2-02.6
Non-Native	432	32,305	259	58.3	53.0-63.6	98	21.8	17.7-25.9	22	5.5	03.1-07.9	5	1.9	00.0-04.1	42	11.7	07.8-15.6	6	0.9	00.1-01.7
45-54	73	6,227							6	8.7	01.8-15.6				7	7.3	01.6-13.0			
55-64	132	9,433	79	61.1	51.9-70.3	32	21.8	14.4-29.2	8	5.7	01.6-09.8	2	1.2	00.0-03.0	8	8.8	02.5-15.1	3	1.3	00.0-02.9
65+	237	15,820	149	61.1	54.2-68.0	51	22.4	16.7-28.1	7	3.0	00.6-05.4	2	1.0	00.0-02.6	25	11.6	06.9-16.3	3	0.9	00.0-02.1
H.S. or G.E.D.	179	14,027	105	52.4	42.8-62.0	39	19.8	13.3-26.3	10	5.6	01.9-09.3	3	3.5	00.0-08.4				3	1.0	00.0-02.2
Some Post-H.S.	143	10,785	91	66.2	58.0-74.4	31	19.6	12.7-26.5	7	4.7	01.2-08.2				12	8.6	03.5-13.7	2	0.9	00.0-02.1
College Graduate	102	8,162				25	24.1	14.9-33.3	6	7.9	01.6-14.2	1	0.8	00.0-02.4	13	14.2	06.4-22.0			
Less than \$15,000	65	4,980							1	0.6	00.0-01.8	1	1.1	00.0-03.3				2	1.8	00.0-04.3
\$15,000- 24,999	102	7,178				18	15.0	07.7-22.3	6	7.3	01.4-13.2	2	6.3	00.0-15.5	8	9.8	02.5-17.1			
\$25,000- 34,999	53	3,804							3	5.4	00.0-11.9	1	1.2	00.0-03.6						
\$35,000- 49,999	63	5,240							2	2.7	00.0-06.4				2	1.7	00.0-04.1	1	0.6	00.0-01.8
\$50,000- 74,999	55	4,617							4	8.1	00.5-15.7	1	1.5	00.0-04.4						
\$75,000+	58	5,000							5	9.1	00.9-17.3							2	2.2	00.0-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	213	19,531	130	59.3	51.3-67.3	46	19.0	13.5-24.5	8	3.7	01.2-06.2	5	3.2	00.0-06.9	23	14.6	07.2-22.0	1	0.2	00.0-00.6
Non-Native	192	17,043	117	60.7	53.1-68.3	43	21.0	14.9-27.1	5	2.5	00.3-04.7	5	3.6	00.0-07.7	21	11.9	06.8-17.0	1	0.3	00.0-00.9
55-64	68	5,902							2	3.1	00.0-07.4	2	1.9	00.0-04.6	5	10.9	01.7-20.1	1	0.8	00.0-02.4
65+	98	7,948				20	20.4	12.2-28.6	2	1.6	00.0-04.0	2	2.0	00.0-04.9	13	14.3	06.7-21.9			
H.S. or G.E.D.	81	7,750				15	14.6	07.0-22.2	4	5.1	00.2-10.0	3	6.4	00.0-15.0						
Some Post-H.S.	58	5,337							1	1.7	00.0-05.0				4	7.1	00.2-14.0	1	0.9	00.0-02.7
College Graduate	52	4,716							3	5.0	00.0-10.9	1	1.5	00.0-04.4						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	16,687	155	55.9	48.8-63.0	58	22.5	16.6-28.4	17	8.1	04.0-12.2	25	12.2	06.5-17.9	5	1.4	00.2-02.6
Non-Native	240	15,262	142	55.6	48.3-62.9	55	22.7	16.8-28.6	17	8.8	04.5-13.1	21	11.4	05.5-17.3	5	1.5	00.1-02.9
55-64	64	3,531				12	15.5	06.7-24.3	6	10.0	02.0-18.0	3	5.5	00.0-12.0	2	2.3	00.0-05.4
65+	139	7,872	88	60.4	51.4-69.4	31	24.4	16.4-32.4	5	4.4	00.3-08.5	12	8.8	03.5-14.1	3	1.9	00.0-04.1
H.S. or G.E.D.	98	6,277							6	6.3	00.8-11.8				3	2.2	00.0-04.7
Some Post-H.S.	85	5,447				20	21.5	12.5-30.5	6	7.6	01.5-13.7	8	10.1	02.7-17.5	1	0.9	00.0-02.7
College Graduate	50	3,446										6	12.8	02.8-22.8			
\$15,000- 24,999	64	3,827				13	18.1	08.3-27.9	4	8.8	00.0-17.6	5	9.4	00.6-18.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	473	36,596	79	18.4	13.5-23.3	108	21.1	17.0-25.2	73	15.1	11.6-18.6	108	22.2	17.9-26.5	54	11.3	08.2-14.4	51	12.0	08.5-15.5
Male	213	19,671	44	23.0	15.2-30.8	47	20.6	14.7-26.5	30	13.6	08.7-18.5	42	20.1	14.0-26.2	27	12.2	07.5-16.9	23	10.5	06.2-14.8
Female	260	16,924	35	12.9	08.4-17.4	61	21.6	16.1-27.1	43	16.8	11.7-21.9	66	24.7	18.8-30.6	27	10.2	06.1-14.3	28	13.8	07.9-19.7
Non-Native	434	32,812	72	17.3	13.2-21.4	101	21.6	17.5-25.7	68	15.3	11.6-19.0	98	22.0	17.7-26.3	47	11.0	07.7-14.3	48	12.8	08.9-16.7
45-54	74	6,276	14	16.7	07.9-25.5				12	16.9	07.5-26.3	14	17.7	08.5-26.9	7	11.2	03.2-19.2	10	13.2	05.0-21.4
55-64	132	9,433	16	12.2	06.1-18.3	30	23.1	15.1-31.1	27	19.9	12.5-27.3	32	24.8	16.6-33.0	17	11.1	05.4-16.8	10	8.8	03.1-14.5
65+	233	15,797	42	18.6	13.1-24.1	55	22.0	16.3-27.7	31	14.0	08.9-19.1	56	24.1	18.0-30.2	24	10.1	06.0-14.2	25	11.3	06.8-15.8
Less Than H.S.	51	3,535	6	11.2	02.2-20.2										8	12.7	03.9-21.5	4	8.0	00.2-15.8
H.S. or G.E.D.	176	14,002	29	21.4	11.4-31.4	39	19.3	12.8-25.8	30	15.4	09.5-21.3	37	19.3	12.8-25.8	25	13.6	08.1-19.1	16	11.0	04.5-17.5
Some Post-H.S.	144	10,891	23	14.1	08.4-19.8	36	24.0	16.6-31.4	22	15.1	08.6-21.6	29	21.8	14.2-29.4	11	7.9	02.6-13.2	23	17.0	10.1-23.9
College Graduate	102	8,168	21	22.0	13.0-31.0	23	20.2	12.0-28.4	13	14.1	06.3-21.9	27	23.7	14.5-32.9	10	11.2	04.1-18.3	8	8.9	02.4-15.4
Less than \$15,000	63	4,970							9	9.2	02.3-16.1							6	11.0	01.6-20.4
\$15,000- 24,999	102	7,263	15	16.4	06.4-26.4	26	23.7	14.3-33.1	15	17.0	08.4-25.6	25	22.3	13.3-31.3	10	9.0	02.9-15.1	11	11.7	04.4-19.0
\$25,000- 34,999	53	3,793				10	13.2	04.8-21.6										4	6.0	00.0-12.5
\$35,000- 49,999	63	5,240	8	9.9	03.0-16.8										9	12.6	04.4-20.8	8	12.8	04.0-21.6
\$50,000- 74,999	54	4,574	7	12.8	03.6-22.0				10	16.2	06.4-26.0				6	11.1	02.5-19.7	2	3.3	00.0-07.8
\$75,000+	59	5,049							7	8.4	01.9-14.9	8	12.5	04.1-20.9	4	7.0	00.1-13.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	213	19,671	44	23.0	15.2-30.8	47	20.6	14.7-26.5	30	13.6	08.5-18.7	42	20.1	14.0-26.2	27	12.2	07.5-16.9	23	10.5	06.2-14.8
Non-Native	193	17,270	39	20.7	14.2-27.2	44	22.0	15.7-28.3	27	14.1	08.8-19.4	39	20.2	14.1-26.3	22	11.6	06.7-16.5	22	11.5	06.6-16.4
55-64	68	5,902	9	13.6	05.0-22.2				12	16.3	07.1-25.5				8	10.9	03.3-18.5	9	13.6	04.8-22.4
65+	96	7,893	24	25.0	16.0-34.0	22	21.0	12.8-29.2	10	12.2	04.8-19.6	20	21.4	12.6-30.2	10	9.1	03.4-14.8	10	11.3	04.2-18.4
H.S. or G.E.D.	81	7,864				15	16.4	08.0-24.8	14	15.8	07.2-24.4	16	17.9	08.9-26.9	14	15.6	07.2-24.0	6	5.3	00.6-10.0
Some Post-H.S.	57	5,230	10	15.1	05.9-24.3				5	7.6	00.2-15.0				5	10.2	00.8-19.6			
College Graduate	52	4,722													6	11.6	02.2-21.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	16,924	35	12.9	08.4-17.4	61	21.6	16.1-27.1	43	16.8	11.7-21.9	66	24.7	18.8-30.6	27	10.2	06.1-14.3	28	13.8	07.9-19.7
Non-Native	241	15,541	33	13.6	08.9-18.3	57	21.2	15.7-26.7	41	16.7	11.4-22.0	59	24.0	17.9-30.1	25	10.4	06.1-14.7	26	14.1	07.8-20.4
55-64	64	3,531	7	10.0	02.6-17.4							9	11.4	03.6-19.2	1	0.9	00.0-02.7			
65+	137	7,904	18	12.1	06.4-17.8	33	22.9	15.3-30.5	21	15.7	09.0-22.4	36	26.9	18.5-35.3	14	11.0	05.1-16.9	15	11.3	05.6-17.0
H.S. or G.E.D.	95	6,138	13	11.6	05.1-18.1	24	22.9	12.9-32.9	16	15.0	07.2-22.8	21	21.2	11.8-30.6	11	11.0	04.1-17.9			
Some Post-H.S.	87	5,660	13	13.1	05.8-20.4	23	24.4	15.0-33.8	17	22.0	12.0-32.0	15	17.8	08.8-26.8	6	5.9	00.6-11.2	13	16.8	07.8-25.8
College Graduate	50	3,446													3	4.6	00.0-09.9			
\$15,000- 24,999	64	3,912	9	12.3	03.9-20.7										7	11.6	02.2-21.0	6	10.2	01.6-18.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	460	35,301	218	48.8	43.5-54.1	167	35.2	30.3-40.1	10	2.0	00.6-03.4	5	1.2	00.0-02.4	36	8.4	05.1-11.7	24	4.5	02.5-06.5
Male	206	18,842	98	51.0	43.2-58.8	71	33.5	26.2-40.8	5	2.3	00.3-04.3	2	1.3	00.0-03.1	19	7.2	03.9-10.5	11	4.8	01.9-07.7
Female	254	16,459	120	46.2	39.1-53.3	96	37.2	30.5-43.9	5	1.7	00.0-03.5	3	1.0	00.0-02.2	17	9.7	03.8-15.6	13	4.2	01.7-06.7
Non-Native	422	31,591	202	48.8	43.5-54.1	154	35.6	30.5-40.7	8	1.9	00.5-03.3	4	0.8	00.0-01.8	31	7.9	04.6-11.2	23	4.9	02.7-07.1
45-54	72	6,188							1	1.9	00.0-05.6				8	11.1	02.5-19.7	2	2.8	00.0-06.7
55-64	130	9,181	63	51.2	41.8-60.6	55	40.6	31.2-50.0	2	0.8	00.0-02.0				7	4.4	01.1-07.7	3	3.0	00.0-06.3
65+	226	15,217	103	44.8	37.7-51.9	76	35.3	28.4-42.2	7	3.4	00.7-06.1	4	1.8	00.0-03.8	17	7.2	03.7-10.7	19	7.5	04.0-11.0
Less Than H.S.	50	3,407							3	5.7	00.0-12.2	2	3.8	00.0-09.3	5	7.3	00.8-13.8	8	13.8	04.0-23.6
H.S. or G.E.D.	165	12,959	79	48.0	38.2-57.8	52	28.9	20.9-36.9	6	3.4	00.5-06.3	3	2.2	00.0-04.9	16	12.6	05.2-20.0	9	4.9	01.6-08.2
Some Post-H.S.	146	11,040	74	52.3	43.3-61.3	58	39.5	30.7-48.3							9	5.1	01.6-08.6	5	3.1	00.0-06.2
College Graduate	99	7,894							1	1.1	00.0-03.3				6	6.3	01.0-11.6	2	1.7	00.0-04.2
Less than \$15,000	60	4,781							4	6.5	00.0-13.4	2	3.8	00.0-09.7				4	4.7	00.0-09.8
\$15,000- 24,999	98	6,647										2	1.8	00.0-04.5	9	7.9	02.6-13.2	7	6.2	01.3-11.1
\$25,000- 34,999	52	3,708													4	9.0	00.0-18.2	3	6.1	00.0-13.2
\$35,000- 49,999	61	5,057							2	1.5	00.0-03.7				4	5.1	00.0-10.4	1	2.1	00.0-06.2
\$50,000- 74,999	52	4,403													2	3.4	00.0-08.1			
\$75,000+	59	5,049							1	2.1	00.0-06.2	1	2.1	00.0-06.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	206	18,842	98	51.0	43.2-58.8	71	33.5	26.2-40.8	5	2.3	00.3-04.3	2	1.3	00.0-03.1	19	7.2	03.9-10.5	11	4.8	01.9-07.7
Non-Native	186	16,408	89	49.7	42.1-57.3	64	34.7	27.4-42.0	4	2.1	00.0-04.3	1	0.7	00.0-02.1	17	7.4	03.9-10.9	11	5.5	02.2-08.8
55-64	66	5,651							1	0.8	00.0-02.4				4	4.9	00.0-09.8	3	4.9	00.0-10.2
65+	93	7,706							4	5.0	00.1-09.9	1	1.4	00.0-04.1	10	8.5	03.0-14.0	6	5.8	00.9-10.7
H.S. or G.E.D.	75	7,105							3	3.7	00.0-08.0	2	3.5	00.0-08.2	8	7.4	01.9-12.9	5	5.8	00.5-11.1
Some Post-H.S.	58	5,337													4	6.3	00.0-12.6	2	2.7	00.0-06.6
College Graduate	50	4,512							1	1.9	00.0-05.6				3	6.1	00.0-12.8	1	2.0	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	254	16,459	120	46.2	39.1-53.3	96	37.2	30.3-44.1	5	1.7	00.0-03.5	3	1.0	00.0-02.2	17	9.7	03.8-15.6	13	4.2	01.7-06.7
Non-Native	236	15,183	113	47.8	40.5-55.1	90	36.7	29.8-43.6	4	1.6	00.0-03.4	3	1.1	00.0-02.5	14	8.5	02.8-14.2	12	4.3	01.6-07.0
55-64	64	3,531							1	0.9	00.0-02.7				3	3.7	00.0-08.0			
65+	133	7,511	63	47.0	37.8-56.2	44	33.9	25.1-42.7	3	1.8	00.0-04.0	3	2.1	00.0-04.6	7	5.9	01.0-10.8	13	9.2	03.9-14.5
H.S. or G.E.D.	90	5,854							3	3.1	00.0-07.2	1	0.5	00.0-01.5				4	3.8	00.0-07.7
Some Post-H.S.	88	5,703													5	4.0	00.3-07.7	3	3.5	00.0-08.2
\$15,000- 24,999	63	3,784										2	3.1	00.0-07.8	4	5.0	00.0-10.3	3	3.1	00.0-06.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	471	36,273	112	23.4	19.1-27.7	100	20.2	16.3-24.1	51	10.7	07.6-13.8	68	13.4	10.1-16.7	31	6.4	03.9-08.9	109	25.9	20.6-31.2
Male	211	19,345	53	23.3	17.2-29.4	46	20.9	15.0-26.8	23	10.4	05.9-14.9	28	12.9	08.0-17.8	15	6.7	03.0-10.4	46	25.7	17.7-33.7
Female	260	16,929	59	23.5	17.6-29.4	54	19.4	14.3-24.5	28	11.0	06.9-15.1	40	14.0	09.5-18.5	16	6.0	02.9-09.1	63	26.1	19.4-32.8
Non-Native	431	32,392	107	25.0	20.5-29.5	92	20.6	16.5-24.7	46	10.7	07.4-14.0	60	12.7	09.4-16.0	27	6.3	03.8-08.8	99	24.6	19.7-29.5
45-54	72	6,031							9	13.3	04.5-22.1	7	6.6	01.5-11.7	3	4.8	00.0-10.3			
55-64	128	9,215	31	25.4	17.0-33.8	24	17.3	10.4-24.2	18	14.6	07.5-21.7	22	18.2	10.6-25.8	4	2.7	00.0-05.4	29	21.7	13.9-29.5
65+	237	15,938	52	21.1	15.4-26.8	53	22.8	16.9-28.7	23	10.2	05.9-14.5	34	14.0	09.1-18.9	22	8.9	05.0-12.8	53	23.0	17.1-28.9
Less Than H.S.	51	3,492													6	7.6	01.3-13.9			
H.S. or G.E.D.	179	14,238	40	20.5	14.0-27.0	45	21.7	15.0-28.4	18	9.1	04.4-13.8	21	9.6	05.1-14.1	12	6.7	02.8-10.6			
Some Post-H.S.	139	10,493	33	22.9	15.3-30.5	29	21.7	14.1-29.3	14	9.9	04.6-15.2	23	15.8	09.3-22.3	7	6.8	01.5-12.1	33	22.9	15.3-30.5
College Graduate	102	8,050	28	29.6	19.6-39.6	21	19.0	11.0-27.0	11	11.5	04.2-18.8	13	13.0	05.4-20.6	6	4.7	00.6-08.8	23	22.1	13.3-30.9
Less than \$15,000	62	4,742				12	15.5	05.7-25.3	5	4.8	00.1-09.5	6	5.0	00.7-09.3	10	12.3	03.5-21.1			
\$15,000- 24,999	103	7,241	30	25.6	16.4-34.8	25	24.8	15.4-34.2	10	11.6	04.3-18.9	17	15.9	08.1-23.7	4	2.2	00.0-04.4			
\$25,000- 34,999	54	3,846				8	10.8	03.0-18.6				5	7.7	00.6-14.8						
\$35,000- 49,999	62	5,208							8	12.7	03.7-21.7				2	3.3	00.0-08.0			
\$50,000- 74,999	55	4,617							8	13.0	04.0-22.0				1	1.8	00.0-05.3			
\$75,000+	55	4,751							6	6.2	01.1-11.3	7	10.4	02.8-18.0	4	7.0	00.0-14.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	211	19,345	53	23.3	17.2-29.4	46	20.9	15.0-26.8	23	10.4	05.9-14.9	28	12.9	08.0-17.8	15	6.7	03.0-10.4	46	25.7	17.5-33.9
Non-Native	190	16,857	50	25.2	18.7-31.7	41	21.3	15.2-27.4	21	11.4	06.5-16.3	23	11.7	06.8-16.6	13	6.6	02.7-10.5	42	23.9	17.0-30.8
55-64	66	5,765				9	11.5	04.1-18.9	10	14.7	05.5-23.9				4	4.4	00.0-08.9			
65+	98	7,948	23	22.2	13.6-30.8	23	24.1	15.3-32.9	8	8.5	02.6-14.4	13	13.7	06.4-21.0	8	7.5	02.2-12.8	23	24.0	15.0-33.0
H.S. or G.E.D.	83	8,004				17	17.9	09.3-26.5	10	11.3	03.9-18.7	8	8.2	02.1-14.3	8	9.0	02.5-15.5			
Some Post-H.S.	54	4,955							3	3.8	00.0-08.5				3	7.8	00.0-17.0			
College Graduate	52	4,605													3	2.9	00.0-06.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	16,929	59	23.5	17.6-29.4	54	19.4	14.3-24.5	28	11.0	06.9-15.1	40	14.0	09.5-18.5	16	6.0	02.9-09.1	63	26.1	19.4-32.8
Non-Native	241	15,535	57	24.9	18.6-31.2	51	19.8	14.3-25.3	25	10.0	05.9-14.1	37	13.9	09.2-18.6	14	6.0	02.7-09.3	57	25.4	18.5-32.3
65+	139	7,990	29	20.0	12.9-27.1	30	21.5	13.9-29.1	15	11.9	05.8-18.0	21	14.3	07.8-20.8	14	10.3	04.6-16.0	30	22.0	14.6-29.4
H.S. or G.E.D.	96	6,234	17	14.6	07.3-21.9	28	26.6	16.6-36.6	8	6.3	01.6-11.0	13	11.5	04.8-18.2	4	3.8	00.0-07.7			
Some Post-H.S.	85	5,538				16	18.5	09.7-27.3	11	15.4	06.6-24.2	12	13.4	06.0-20.8	4	5.8	00.0-11.9	21	21.6	12.4-30.8
College Graduate	50	3,446				9	15.1	05.3-24.9	4	8.8	00.0-17.8				3	7.1	00.0-15.3			
\$15,000- 24,999	66	3,997							5	10.0	00.8-19.2				3	2.9	00.0-06.2	12	16.6	06.8-26.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	477	36,707	81	16.1	12.6-19.6	268	53.6	48.3-58.9	58	13.6	09.7-17.5	49	11.5	07.2-15.8	21	5.3	02.6-08.0
Male	212	19,507	32	14.0	09.3-18.7	117	52.7	44.9-60.5	26	13.3	08.0-18.6	27	14.4	07.1-21.7	10	5.7	01.4-10.0
Female	265	17,200	49	18.5	13.2-23.8	151	54.6	47.5-61.7	32	13.9	08.2-19.6	22	8.3	04.6-12.0	11	4.8	01.9-07.7
Non-Native	437	32,843	76	16.4	12.7-20.1	244	54.5	49.2-59.8	55	14.2	10.1-18.3	42	9.1	06.2-12.0	20	5.8	02.9-08.7
45-54	71	5,982	10	14.0	05.4-22.6				10	14.3	05.3-23.3	12	16.4	07.2-25.6	3	3.2	00.0-06.9
55-64	131	9,401	19	15.4	08.5-22.3	74	54.9	45.5-64.3	18	13.8	06.9-20.7	12	9.4	03.9-14.9	8	6.5	01.8-11.2
65+	241	16,235	47	18.9	13.6-24.2	145	60.5	53.8-67.2	24	10.8	06.3-15.3	17	5.9	03.0-08.8	8	4.0	01.1-06.9
Less Than H.S.	53	3,642										4	5.7	00.0-11.4	3	7.8	00.0-16.4
H.S. or G.E.D.	178	14,053	26	15.2	09.3-21.1	99	49.1	39.7-58.5	22	13.4	06.7-20.1	21	14.8	05.4-24.2	10	7.4	01.7-13.1
Some Post-H.S.	144	10,949	26	16.5	10.0-23.0	84	58.4	49.4-67.4	12	9.1	03.2-15.0	16	12.6	06.3-18.9	6	3.3	00.6-06.0
College Graduate	102	8,064	17	15.0	07.9-22.1				16	19.2	09.8-28.6	8	6.9	02.0-11.8	2	3.0	00.0-07.1
Less than \$15,000	65	5,038	8	10.9	02.1-19.7				8	10.4	02.4-18.4				1	2.8	00.0-08.3
\$15,000- 24,999	102	7,252	13	13.4	05.8-21.0				10	8.1	02.8-13.4	16	12.7	06.2-19.2	7	10.8	01.0-20.6
\$25,000- 34,999	54	3,846										5	10.7	01.5-19.9	2	3.6	00.0-08.5
\$35,000- 49,999	63	5,240										4	7.9	00.5-15.3	5	6.6	00.5-12.7
\$50,000- 74,999	54	4,519	8	14.6	05.0-24.2				4	7.8	00.4-15.2	4	8.5	00.1-16.9	2	4.1	00.0-09.8
\$75,000+	59	5,049										3	4.3	00.0-09.4	2	4.1	00.0-10.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	212	19,507	32	14.0	09.3-18.7	117	52.7	44.9-60.5	26	13.3	08.0-18.6	27	14.4	07.1-21.7	10	5.7	01.4-10.0
Non-Native	192	17,068	30	14.7	09.6-19.8	106	55.0	47.4-62.6	23	13.3	07.8-18.8	23	10.6	06.3-14.9	10	6.5	01.8-11.2
55-64	68	5,902	11	15.5	06.5-24.5				6	11.6	02.4-20.8	7	10.1	02.7-17.5	6	8.1	01.4-14.8
65+	98	8,022	16	17.2	09.4-25.0				14	14.5	06.9-22.1	8	5.8	01.7-09.9	2	2.7	00.0-06.4
H.S. or G.E.D.	80	7,713	15	18.2	09.0-27.4				9	10.2	03.1-17.3				5	8.5	00.0-17.5
Some Post-H.S.	57	5,288	6	8.4	01.5-15.3										2	2.6	00.0-06.3
College Graduate	52	4,618	9	15.3	05.5-25.1							6	9.9	01.9-17.9	2	5.3	00.0-12.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	265	17,200	49	18.5	13.2-23.8	151	54.6	47.5-61.7	32	13.9	08.2-19.6	22	8.3	04.6-12.0	11	4.8	01.9-07.7
Non-Native	245	15,775	46	18.3	13.0-23.6	138	54.1	46.8-61.4	32	15.1	09.0-21.2	19	7.6	03.9-11.3	10	4.9	01.6-08.2
55-64	63	3,499							12	17.5	07.7-27.3	5	8.3	00.9-15.7	2	3.7	00.0-08.8
65+	143	8,212	31	20.5	13.4-27.6	87	61.1	52.3-69.9	10	7.2	02.5-11.9	9	5.9	01.8-10.0	6	5.3	00.8-09.8
H.S. or G.E.D.	98	6,340	11	11.6	04.5-18.7							11	12.8	04.8-20.8	5	6.1	00.4-11.8
Some Post-H.S.	87	5,660							7	6.7	01.4-12.0	7	7.5	01.6-13.4	4	3.9	00.0-07.8
College Graduate	50	3,446	8	14.6	04.6-24.6							2	2.8	00.0-06.9			
\$15,000- 24,999	65	3,955							6	7.5	01.2-13.8	10	12.8	04.6-21.0	4	7.8	00.0-15.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	482	37,041	84	18.4	14.3-22.5	398	81.6	77.5-85.7	
Male	217	19,908	48	21.4	15.5-27.3	169	78.6	72.7-84.5	
Female	265	17,133	36	14.8	09.1-20.5	229	85.2	79.5-90.9	
Non-Native	441	33,128	71	17.5	13.2-21.8	370	82.5	78.2-86.8	
45-54	74	6,276	12	15.7	06.9-24.5	62	84.3	75.5-93.1	
55-64	131	9,401	26	20.0	12.4-27.6	105	80.0	72.4-87.6	
65+	244	16,384	42	19.0	13.5-24.5	202	81.0	75.5-86.5	
H.S. or G.E.D.	182	14,376	44	25.1	17.3-32.9	138	74.9	67.1-82.7	
Some Post-H.S.	145	11,008	16	12.4	05.9-18.9	129	87.6	81.1-94.1	
College Graduate	102	8,104	12	12.7	05.4-20.0	90	87.3	80.0-94.6	
\$15,000- 24,999	106	7,508	19	17.3	09.5-25.1	87	82.7	74.9-90.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	217	19,908	48	21.4	15.5-27.3	169	78.6	72.7-84.5	
Non-Native	196	17,420	38	19.8	13.7-25.9	158	80.2	74.1-86.3	
65+	100	8,129	22	23.5	14.5-32.5	78	76.5	67.5-85.5	
College Graduate	52	4,658	7	11.3	02.5-20.1	45	88.7	79.9-97.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	265	17,133	36	14.8	09.1-20.5	229	85.2	79.5-90.9	
Non-Native	245	15,708	33	14.9	08.8-21.0	212	85.1	79.0-91.2	
55-64	63	3,499	10	15.2	05.6-24.8	53	84.8	75.2-94.4	
65+	144	8,255	20	14.6	08.1-21.1	124	85.4	78.9-91.9	
Some Post-H.S.	87	5,671	8	9.1	02.6-15.6	79	90.9	84.4-97.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
TOTAL	485	37,322	284	57.3	52.0-62.6	201	42.7	37.4-48.0		
Male	218	20,047	126	56.0	48.2-63.8	92	44.0	36.2-51.8		
Female	267	17,275	158	58.9	52.0-65.8	109	41.1	34.2-48.0		
Non-Native	445	33,463	267	59.5	54.4-64.6	178	40.5	35.4-45.6		
55-64	132	9,433	84	63.2	54.2-72.2	48	36.8	27.8-45.8		
65+	245	16,524	130	53.6	46.7-60.5	115	46.4	39.5-53.3		
H.S. or G.E.D.	181	14,322	99	51.1	41.7-60.5	82	48.9	39.5-58.3		
Some Post-H.S.	146	11,040	94	65.1	56.5-73.7	52	34.9	26.3-43.5		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	218	20,047	126	56.0	48.2-63.8	92	44.0	36.2-51.8	
Non-Native	198	17,613	117	58.8	51.4-66.2	81	41.2	33.8-48.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	267	17,275	158	58.9	52.0-65.8	109	41.1	34.2-48.0
Non-Native	247	15,849	150	60.3	53.2-67.4	97	39.7	32.6-46.8
65+	144	8,255	73	50.0	41.0-59.0	71	50.0	41.0-59.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009**

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)	
1	MALES AND FEMALES	36
2	MALES ONLY	37
3	FEMALES ONLY	38
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)	
4	MALES AND FEMALES	39
5	MALES ONLY	40
6	FEMALES ONLY	41
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)	
7	MALES AND FEMALES	42
8	MALES ONLY	43
9	FEMALES ONLY	44
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)	
10	MALES AND FEMALES	45
11	MALES ONLY	46
12	FEMALES ONLY	47
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)	
13	MALES AND FEMALES	48
14	MALES ONLY	49
15	FEMALES ONLY	50
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)	
16	MALES AND FEMALES	51
17	MALES ONLY	52
18	FEMALES ONLY	53
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)	
19	MALES AND FEMALES	54

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
20	MALES ONLY	55
21	FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009**

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)	
22 MALES AND FEMALES	57
23 MALES ONLY	58
24 FEMALES ONLY	59
[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)	
25 MALES AND FEMALES	60
26 MALES ONLY	61
27 FEMALES ONLY	62
WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)	
28 MALES AND FEMALES	63
29 MALES ONLY	64
30 FEMALES ONLY	65

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 1: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1586	125,363	1088	66.3	63.2-69.4	498	33.7	30.6-36.8	
Male	644	65,284	424	62.6	57.5-67.7	220	37.4	32.3-42.5	
Female	942	60,079	664	70.3	66.8-73.8	278	29.7	26.2-33.2	
Non-Native	1512	117,649	1033	66.3	63.0-69.6	479	33.7	30.4-37.0	
45-54	247	22,388	172	70.2	63.9-76.5	75	29.8	23.5-36.1	
55-64	406	28,965	293	71.4	66.7-76.1	113	28.6	23.9-33.3	
65+	786	50,329	529	67.8	64.3-71.3	257	32.2	28.7-35.7	
H.S. or G.E.D.	572	43,265	398	66.7	61.6-71.8	174	33.3	28.2-38.4	
Some Post-H.S.	472	37,758	332	70.2	65.1-75.3	140	29.8	24.7-34.9	
College Graduate	372	30,477	255	67.6	62.3-72.9	117	32.4	27.1-37.7	
\$15,000- 24,999	301	20,200	202	62.9	55.6-70.2	99	37.1	29.8-44.4	
\$25,000- 34,999	200	14,748	135	69.8	62.5-77.1	65	30.2	22.9-37.5	
\$35,000- 49,999	247	20,561	174	69.2	62.5-75.9	73	30.8	24.1-37.5	
\$50,000- 74,999	215	19,232	152	66.4	57.4-75.4	63	33.6	24.6-42.6	
\$75,000+	229	21,213	164	70.9	64.6-77.2	65	29.1	22.8-35.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 2: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		N	%	C.I. (95%)	N	%	C.I. (95%)
Male	644	65,284	424	62.6	57.5-67.7	220	37.4	32.3-42.5	
Non-Native	611	61,091	399	62.4	57.1-67.7	212	37.6	32.3-42.9	
45-54	126	12,486	88	71.6	63.2-80.0	38	28.4	20.0-36.8	
55-64	191	16,083	129	66.9	59.8-74.0	62	33.1	26.0-40.2	
65+	249	20,714	162	65.8	59.5-72.1	87	34.2	27.9-40.5	
H.S. or G.E.D.	219	21,620	140	60.5	52.3-68.7	79	39.5	31.3-47.7	
Some Post-H.S.	187	19,702	134	71.2	63.2-79.2	53	28.8	20.8-36.8	
College Graduate	183	17,448	117	62.9	55.3-70.5	66	37.1	29.5-44.7	
\$35,000- 49,999	108	10,839	69	62.5	52.5-72.5	39	37.5	27.5-47.5	
\$75,000+	148	14,746	102	68.5	60.7-76.3	46	31.5	23.7-39.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 3: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	942	60,079	664	70.3	66.8-73.8	278	29.7	26.2-33.2
Non-Native	901	56,558	634	70.5	67.0-74.0	267	29.5	26.0-33.0
45-54	121	9,902	84	68.5	59.3-77.7	37	31.5	22.3-40.7
55-64	215	12,882	164	77.1	71.0-83.2	51	22.9	16.8-29.0
65+	537	29,615	367	69.2	65.1-73.3	170	30.8	26.7-34.9
H.S. or G.E.D.	353	21,645	258	72.8	67.7-77.9	95	27.2	22.1-32.3
Some Post-H.S.	285	18,056	198	69.1	62.8-75.4	87	30.9	24.6-37.2
College Graduate	189	13,030	138	73.8	66.7-80.9	51	26.2	19.1-33.3
\$15,000- 24,999	207	11,557	148	69.8	62.4-77.2	59	30.2	22.8-37.6
\$25,000- 34,999	129	7,850	88	70.9	62.7-79.1	41	29.1	20.9-37.3
\$35,000- 49,999	139	9,722	105	76.7	68.5-84.9	34	23.3	15.1-31.5
\$75,000+	81	6,467	62	76.5	66.7-86.3	19	23.5	13.7-33.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 4: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1598	125,913	1180	70.7	67.6-73.8	310	23.1	20.0-26.2	108	6.3	04.9-07.7
Male	646	65,420	441	65.3	60.2-70.4	152	27.2	22.1-32.3	53	7.5	05.3-09.7
Female	952	60,493	739	76.5	73.2-79.8	158	18.6	15.5-21.7	55	4.9	03.5-06.3
Non-Native	1524	118,200	1122	70.8	67.5-74.1	298	23.0	19.9-26.1	104	6.2	04.8-07.6
35-44	87	10,863							4	5.8	00.1-11.5
45-54	249	22,486	184	75.8	70.1-81.5	52	19.2	14.1-24.3	13	5.0	02.1-07.9
55-64	408	29,088	299	71.5	66.6-76.4	84	21.7	17.4-26.0	25	6.8	04.1-09.5
65+	794	50,657	601	75.6	72.5-78.7	130	16.9	14.2-19.6	63	7.6	05.6-09.6
Less Than H.S.	168	13,755							16	7.6	03.3-11.9
H.S. or G.E.D.	579	43,554	426	69.6	64.7-74.5	107	23.1	18.2-28.0	46	7.3	04.9-09.7
Some Post-H.S.	473	37,780	354	73.3	68.2-78.4	91	21.0	16.1-25.9	28	5.8	03.4-08.2
College Graduate	376	30,760	278	73.8	68.9-78.7	81	21.5	17.0-26.0	17	4.7	02.2-07.2
Less than \$15,000	147	9,811							13	9.6	03.3-15.9
\$15,000- 24,999	304	20,324	235	76.8	70.3-83.3	47	17.4	11.1-23.7	22	5.7	03.2-08.2
\$25,000- 34,999	201	14,780	150	73.1	65.8-80.4	36	18.4	11.9-24.9	15	8.5	04.0-13.0
\$35,000- 49,999	247	20,561	183	71.8	65.3-78.3	53	22.8	16.7-28.9	11	5.4	01.9-08.9
\$50,000- 74,999	217	19,380	149	64.3	55.5-73.1	53	29.0	20.0-38.0	15	6.8	03.3-10.3
\$75,000+	229	21,252	161	71.4	65.1-77.7	56	24.3	18.4-30.2	12	4.3	01.8-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 5: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	646	65,420	441	65.3	60.2-70.4	152	27.2	22.1-32.3	53	7.5	05.3-09.7
Non-Native	613	61,227	418	65.9	60.6-71.2	145	26.9	21.6-32.2	50	7.2	05.0-09.4
35-44	50	7,061							4	8.9	00.5-17.3
45-54	128	12,584	92	74.5	66.7-82.3	25	18.1	11.0-25.2	11	7.4	02.7-12.1
55-64	192	16,174	132	68.0	60.9-75.1	46	23.8	17.5-30.1	14	8.2	03.9-12.5
65+	248	20,661	171	71.1	65.2-77.0	54	20.2	15.1-25.3	23	8.7	05.0-12.4
Less Than H.S.	55	6,514							7	9.4	01.2-17.6
H.S. or G.E.D.	221	21,718	149	63.7	55.5-71.9	50	27.9	19.5-36.3	22	8.4	04.5-12.3
Some Post-H.S.	186	19,649	131	69.3	61.1-77.5	41	23.5	15.7-31.3	14	7.3	03.4-11.2
College Graduate	184	17,539	128	70.2	63.1-77.3	46	23.9	17.4-30.4	10	5.9	01.8-10.0
\$15,000- 24,999	95	8,692							8	6.1	01.6-10.6
\$25,000- 34,999	71	6,898							8	11.4	03.2-19.6
\$35,000- 49,999	108	10,839	76	68.3	58.5-78.1	25	23.4	14.6-32.2	7	8.3	02.2-14.4
\$50,000- 74,999	117	12,386							10	7.7	02.8-12.6
\$75,000+	148	14,784	104	70.7	62.9-78.5	35	24.2	16.8-31.6	9	5.1	01.8-08.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 6: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	952	60,493	739	76.5	73.2-79.8	158	18.6	15.5-21.7	55	4.9	03.5-06.3
Non-Native	911	56,973	704	76.1	72.8-79.4	153	18.7	15.6-21.8	54	5.2	03.8-06.6
45-54	121	9,902	92	77.4	69.4-85.4	27	20.7	13.1-28.3	2	2.0	00.0-04.7
55-64	216	12,914	167	75.8	69.5-82.1	38	19.1	13.2-25.0	11	5.1	02.0-08.2
65+	546	29,997	430	78.7	75.0-82.4	76	14.6	11.5-17.7	40	6.8	04.6-09.0
Less Than H.S.	113	7,241							9	6.1	01.8-10.4
H.S. or G.E.D.	358	21,836	277	75.4	70.3-80.5	57	18.4	13.7-23.1	24	6.2	03.7-08.7
Some Post-H.S.	287	18,130	223	77.6	72.1-83.1	50	18.2	12.9-23.5	14	4.1	01.7-06.5
College Graduate	192	13,221	150	78.5	72.0-85.0	35	18.4	12.3-24.5	7	3.1	00.7-05.5
Less than \$15,000	101	5,882							7	5.2	00.9-09.5
\$15,000- 24,999	209	11,632	166	80.7	75.0-86.4	29	13.8	08.7-18.9	14	5.4	02.5-08.3
\$25,000- 34,999	130	7,881	104	78.7	70.5-86.9	19	15.4	08.0-22.8	7	5.9	01.6-10.2
\$35,000- 49,999	139	9,722	107	75.8	67.4-84.2	28	22.1	13.7-30.5	4	2.1	00.0-04.3
\$50,000- 74,999	100	6,994							5	5.3	00.8-09.8
\$75,000+	81	6,467	57	73.0	63.0-83.0	21	24.4	14.8-34.0	3	2.6	00.0-05.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 7: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1594	125,601	632	42.1	39.0-45.2	344	24.2	21.3-27.1	618	33.7	31.0-36.4
Male	645	65,275	286	45.4	40.5-50.3	185	29.7	25.0-34.4	174	24.9	21.0-28.8
Female	949	60,326	346	38.5	35.0-42.0	159	18.2	15.1-21.3	444	43.3	39.8-46.8
Non-Native	1521	117,935	599	41.6	38.5-44.7	336	25.1	22.0-28.2	586	33.3	30.6-36.0
35-44	86	10,815				27	28.5	18.5-38.5	17	21.0	11.2-30.8
45-54	248	22,409	126	52.8	46.1-59.5	62	23.0	17.5-28.5	60	24.3	18.6-30.0
55-64	407	28,997	166	40.2	35.1-45.3	108	28.3	23.6-33.0	133	31.5	26.6-36.4
65+	793	50,561	269	35.4	31.7-39.1	130	17.8	14.9-20.7	394	46.8	43.1-50.5
H.S. or G.E.D.	579	43,554	227	42.0	37.1-46.9	91	17.6	13.5-21.7	261	40.4	35.7-45.1
Some Post-H.S.	471	37,593	207	46.9	41.4-52.4	98	22.9	18.0-27.8	166	30.2	25.5-34.9
College Graduate	374	30,591	152	42.4	36.9-47.9	118	32.4	27.1-37.7	104	25.1	20.4-29.8
Less than \$15,000	146	9,768	33	24.5	14.9-34.1						
\$15,000- 24,999	304	20,324	128	42.1	35.2-49.0	36	14.0	07.9-20.1	140	44.0	37.1-50.9
\$25,000- 34,999	201	14,780	82	43.2	35.0-51.4	46	22.5	15.4-29.6	73	34.3	26.9-41.7
\$35,000- 49,999	244	20,337	107	45.1	38.0-52.2	58	26.7	20.2-33.2	79	28.2	22.1-34.3
\$50,000- 74,999	217	19,380	97	49.4	41.0-57.8	66	29.4	22.3-36.5	54	21.2	15.3-27.1
\$75,000+	230	21,305	117	54.0	47.1-60.9	71	29.4	23.3-35.5	42	16.6	11.7-21.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 8: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	645	65,275	286	45.4	40.5-50.3	185	29.7	25.0-34.4	174	24.9	21.0-28.8
Non-Native	612	61,082	271	45.5	40.6-50.4	180	30.8	25.9-35.7	161	23.7	19.8-27.6
45-54	128	12,584	64	53.3	43.9-62.7	37	25.5	17.5-33.5	27	21.2	13.6-28.8
55-64	191	16,083	80	41.7	34.4-49.0	63	33.4	26.3-40.5	48	24.9	18.4-31.4
65+	248	20,607	102	41.2	34.7-47.7	60	25.1	19.2-31.0	86	33.7	27.4-40.0
H.S. or G.E.D.	221	21,718	97	45.3	37.5-53.1	50	23.6	16.3-30.9	74	31.1	23.8-38.4
Some Post-H.S.	186	19,596	98	53.5	44.7-62.3	47	25.6	17.6-33.6	41	20.8	13.9-27.7
College Graduate	183	17,448	74	40.7	33.1-48.3	69	38.0	30.4-45.6	40	21.3	15.0-27.6
\$35,000- 49,999	107	10,747							24	21.2	13.2-29.2
\$50,000- 74,999	117	12,386				41	31.0	21.4-40.6	21	15.2	08.7-21.7
\$75,000+	149	14,838	80	57.0	48.6-65.4	46	28.9	21.5-36.3	23	14.1	08.4-19.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 9: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	949	60,326	346	38.5	35.0-42.0	159	18.2	15.3-21.1	444	43.3	39.8-46.8
Non-Native	909	56,853	328	37.3	33.8-40.8	156	18.9	15.8-22.0	425	43.8	40.3-47.3
45-54	120	9,825	62	52.1	42.5-61.7	25	19.7	12.3-27.1	33	28.1	19.3-36.9
55-64	216	12,914	86	38.5	31.6-45.4	45	21.8	15.9-27.7	85	39.7	32.6-46.8
65+	545	29,954	167	31.5	27.2-35.8	70	12.7	09.8-15.6	308	55.8	51.3-60.3
H.S. or G.E.D.	358	21,836	130	38.8	33.1-44.5	41	11.6	07.9-15.3	187	49.6	43.9-55.3
Some Post-H.S.	285	17,998	109	39.6	33.1-46.1	51	20.0	14.7-25.3	125	40.5	34.2-46.8
College Graduate	191	13,143	78	44.7	36.7-52.7	49	25.1	18.4-31.8	64	30.3	23.2-37.4
\$15,000- 24,999	209	11,632	81	38.3	30.9-45.7	21	8.5	04.8-12.2	107	53.2	45.6-60.8
\$25,000- 34,999	130	7,881	54	44.0	34.4-53.6	25	18.9	11.6-26.2	51	37.1	27.9-46.3
\$35,000- 49,999	137	9,590	60	47.9	38.5-57.3	22	16.1	09.2-23.0	55	36.0	27.2-44.8
\$50,000- 74,999	100	6,994				25	26.5	16.9-36.1	33	31.8	22.0-41.6
\$75,000+	81	6,467							19	22.4	12.8-32.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 10: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1584	124,832	1105	71.0	68.3-73.7	479	29.0	26.3-31.7
Male	641	64,896	459	72.4	68.3-76.5	182	27.6	23.5-31.7
Female	943	59,935	646	69.5	66.2-72.8	297	30.5	27.2-33.8
Non-Native	1512	117,303	1054	71.2	68.5-73.9	458	28.8	26.1-31.5
45-54	247	22,262	180	71.7	65.4-78.0	67	28.3	22.0-34.6
55-64	404	28,873	285	70.2	65.3-75.1	119	29.8	24.9-34.7
65+	788	50,221	536	69.3	65.8-72.8	252	30.7	27.2-34.2
H.S. or G.E.D.	571	42,947	397	67.8	62.9-72.7	174	32.2	27.3-37.1
Some Post-H.S.	472	37,660	323	71.2	66.5-75.9	149	28.8	24.1-33.5
College Graduate	372	30,490	274	75.5	70.8-80.2	98	24.5	19.8-29.2
\$15,000- 24,999	299	19,973	203	69.8	63.7-75.9	96	30.2	24.1-36.3
\$25,000- 34,999	200	14,633	133	70.9	64.0-77.8	67	29.1	22.2-36.0
\$35,000- 49,999	246	20,497	175	71.4	64.9-77.9	71	28.6	22.1-35.1
\$50,000- 74,999	216	19,348	151	69.9	62.5-77.3	65	30.1	22.7-37.5
\$75,000+	229	21,165	176	76.5	70.6-82.4	53	23.5	17.6-29.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 11: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	641	64,896	459	72.4	68.3-76.5	182	27.6	23.5-31.7
Non-Native	609	60,810	436	72.8	68.7-76.9	173	27.2	23.1-31.3
45-54	127	12,437	92	71.1	62.5-79.7	35	28.9	20.3-37.5
55-64	189	15,991	137	71.1	64.2-78.0	52	28.9	22.0-35.8
65+	248	20,607	176	71.8	65.9-77.7	72	28.2	22.3-34.1
H.S. or G.E.D.	217	21,388	151	66.2	58.2-74.2	66	33.8	25.8-41.8
Some Post-H.S.	186	19,562	137	76.2	69.3-83.1	49	23.8	16.9-30.7
College Graduate	183	17,432	134	73.6	66.7-80.5	49	26.4	19.5-33.3
\$35,000- 49,999	108	10,839	75	67.3	57.3-77.3			
\$75,000+	148	14,698	112	75.1	67.8-82.4	36	24.9	17.6-32.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 12: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	943	59,935	646	69.5	66.2-72.8	297	30.5	27.2-33.8
Non-Native	903	56,492	618	69.4	65.9-72.9	285	30.6	27.1-34.1
45-54	120	9,825	88	72.4	63.6-81.2	32	27.6	18.8-36.4
55-64	215	12,882	148	69.1	62.4-75.8	67	30.9	24.2-37.6
65+	540	29,613	360	67.5	63.2-71.8	180	32.5	28.2-36.8
H.S. or G.E.D.	354	21,559	246	69.4	64.1-74.7	108	30.6	25.3-35.9
Some Post-H.S.	286	18,098	186	65.8	59.7-71.9	100	34.2	28.1-40.3
College Graduate	189	13,058	140	78.1	72.0-84.2	49	21.9	15.8-28.0
\$15,000- 24,999	206	11,419	140	68.8	61.7-75.9	66	31.2	24.1-38.3
\$25,000- 34,999	130	7,881	81	64.9	56.1-73.7	49	35.1	26.3-43.9
\$35,000- 49,999	138	9,658	100	75.9	68.5-83.3	38	24.1	16.7-31.5
\$50,000- 74,999	99	6,962	67	67.1	57.1-77.1	32	32.9	22.9-42.9
\$75,000+	81	6,467	64	79.8	70.6-89.0	17	20.2	11.0-29.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 13: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1590	125,230	906	58.0	54.9-61.1	684	42.0	38.9-45.1
Male	643	65,021	399	61.2	56.3-66.1	244	38.8	33.9-43.7
Female	947	60,210	507	54.6	50.9-58.3	440	45.4	41.7-49.1
Non-Native	1516	117,517	855	57.6	54.5-60.7	661	42.4	39.3-45.5
45-54	248	22,409	167	67.2	60.7-73.7	81	32.8	26.3-39.3
55-64	406	28,992	260	64.6	59.5-69.7	146	35.4	30.3-40.5
65+	792	50,539	394	50.9	47.2-54.6	398	49.1	45.4-52.8
H.S. or G.E.D.	577	43,425	319	55.2	50.3-60.1	258	44.8	39.9-49.7
Some Post-H.S.	471	37,564	282	62.7	57.6-67.8	189	37.3	32.2-42.4
College Graduate	373	30,478	220	59.7	54.2-65.2	153	40.3	34.8-45.8
\$15,000- 24,999	304	20,324	168	57.0	50.1-63.9	136	43.0	36.1-49.9
\$25,000- 34,999	201	14,780	116	57.5	49.5-65.5	85	42.5	34.5-50.5
\$35,000- 49,999	247	20,561	146	58.9	52.0-65.8	101	41.1	34.2-48.0
\$50,000- 74,999	217	19,380	134	66.9	59.8-74.0	83	33.1	26.0-40.2
\$75,000+	226	20,861	146	65.7	59.0-72.4	80	34.3	27.6-41.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 14: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		N	%	C.I. (95%)	N	%	C.I. (95%)
Male	643	65,021	399	61.2	56.3-66.1	244	38.8	33.9-43.7	
Non-Native	610	60,828	375	61.1	56.0-66.2	235	38.9	33.8-44.0	
45-54	128	12,584	89	68.3	59.5-77.1	39	31.7	22.9-40.5	
55-64	192	16,174	128	66.8	59.7-73.9	64	33.2	26.1-40.3	
65+	247	20,542	138	56.2	49.7-62.7	109	43.8	37.3-50.3	
H.S. or G.E.D.	220	21,632	124	55.5	47.5-63.5	96	44.5	36.5-52.5	
Some Post-H.S.	185	19,476	126	68.3	60.3-76.3	59	31.7	23.7-39.7	
College Graduate	183	17,399	117	63.3	55.7-70.9	66	36.7	29.1-44.3	
\$50,000- 74,999	117	12,386	82	74.0	65.2-82.8	35	26.0	17.2-34.8	
\$75,000+	146	14,471	97	65.5	57.3-73.7	49	34.5	26.3-42.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 15: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	947	60,210	507	54.6	50.9-58.3	440	45.4	41.7-49.1
Non-Native	906	56,689	480	53.9	50.2-57.6	426	46.1	42.4-49.8
45-54	120	9,825	78	65.7	56.5-74.9	42	34.3	25.1-43.5
55-64	214	12,817	132	61.9	54.8-69.0	82	38.1	31.0-45.2
65+	545	29,997	256	47.2	42.7-51.7	289	52.8	48.3-57.3
H.S. or G.E.D.	357	21,794	195	55.0	49.3-60.7	162	45.0	39.3-50.7
Some Post-H.S.	286	18,088	156	56.5	50.2-62.8	130	43.5	37.2-49.8
College Graduate	190	13,079	103	54.8	46.8-62.8	87	45.2	37.2-53.2
\$15,000- 24,999	209	11,632	113	54.4	46.8-62.0	96	45.6	38.0-53.2
\$25,000- 34,999	130	7,881	78	59.8	50.4-69.2	52	40.2	30.8-49.6
\$35,000- 49,999	139	9,722	79	57.3	48.1-66.5	60	42.7	33.5-51.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 16: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1584	124,871	1018	64.3	61.4-67.2	529	33.5	30.6-36.4	37	2.2	01.4-03.0
Male	642	64,951	406	62.2	57.3-67.1	218	35.3	30.4-40.2	18	2.5	01.3-03.7
Female	942	59,920	612	66.6	63.3-69.9	311	31.6	28.3-34.9	19	1.8	01.0-02.6
Non-Native	1510	117,158	964	64.5	61.4-67.6	509	33.2	30.3-36.1	37	2.3	01.5-03.1
45-54	248	22,388	166	67.2	60.9-73.5	79	31.5	25.2-37.8	3	1.2	00.0-02.8
55-64	405	28,916	263	65.2	60.1-70.3	138	33.5	28.6-38.4	4	1.3	00.0-02.7
65+	788	50,327	496	62.7	59.0-66.4	263	33.3	29.8-36.8	29	4.0	02.4-05.6
Less Than H.S.	164	13,465							7	3.9	00.6-07.2
H.S. or G.E.D.	574	43,194	381	64.4	59.5-69.3	181	33.5	28.6-38.4	12	2.1	00.9-03.3
Some Post-H.S.	469	37,430	302	65.8	60.7-70.9	158	32.7	27.6-37.8	9	1.6	00.4-02.8
College Graduate	375	30,717	228	62.0	56.5-67.5	138	35.8	30.5-41.1	9	2.3	00.7-03.9
Less than \$15,000	144	9,687				44	29.1	19.3-38.9	7	5.6	01.1-10.1
\$15,000- 24,999	299	20,026	199	68.2	61.9-74.5	96	30.5	24.2-36.8	4	1.3	00.0-02.9
\$25,000- 34,999	199	14,639	133	65.4	57.8-73.0	63	33.3	25.7-40.9	3	1.3	00.0-02.9
\$35,000- 49,999	246	20,466	168	66.6	59.7-73.5	77	33.0	26.3-39.7	1	0.3	00.0-00.9
\$50,000- 74,999	215	19,202	136	67.3	59.9-74.7	71	29.1	21.8-36.4	8	3.5	01.0-06.0
\$75,000+	229	21,165	139	61.0	54.1-67.9	84	36.6	29.9-43.3	6	2.4	00.4-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 17: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	642	64,951	406	62.2	57.3-67.1	218	35.3	30.4-40.2	18	2.5	01.3-03.7
Non-Native	609	60,758	383	62.9	58.0-67.8	208	34.4	29.5-39.3	18	2.7	01.3-04.1
45-54	127	12,486	83	65.9	57.1-74.7	42	32.5	23.7-41.3	2	1.6	00.0-04.0
55-64	191	16,083	127	65.6	58.5-72.7	60	32.1	25.0-39.2	4	2.3	00.0-04.7
65+	247	20,521	149	59.7	53.2-66.2	86	35.1	28.8-41.4	12	5.2	02.3-08.1
Less Than H.S.	54	6,407							3	4.6	00.0-10.5
H.S. or G.E.D.	220	21,620	134	59.0	51.0-67.0	80	38.6	30.8-46.4	6	2.4	00.4-04.4
Some Post-H.S.	184	19,384	116	63.7	55.5-71.9	64	34.6	26.6-42.6	4	1.7	00.0-03.5
College Graduate	184	17,539	121	65.3	57.9-72.7	58	31.9	24.6-39.2	5	2.8	00.3-05.3
\$15,000- 24,999	94	8,585							1	1.7	00.0-05.0
\$25,000- 34,999	70	6,800							1	1.0	00.0-03.0
\$50,000- 74,999	115	12,208	80	72.8	63.0-82.6	29	22.8	13.6-32.0	6	4.4	00.7-08.1
\$75,000+	148	14,698	88	58.5	50.1-66.9	54	38.1	29.7-46.5	6	3.5	00.8-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 18: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	942	59,920	612	66.6	63.3-69.9	311	31.6	28.3-34.9	19	1.8	01.0-02.6
Non-Native	901	56,400	581	66.3	63.0-69.6	301	31.8	28.5-35.1	19	1.9	00.9-02.9
45-54	121	9,902	83	68.9	59.9-77.9	37	30.3	21.3-39.3	1	0.8	00.0-02.4
55-64	214	12,833	136	64.7	57.8-71.6	78	35.3	28.4-42.2			
65+	541	29,806	347	64.8	60.5-69.1	177	32.0	27.9-36.1	17	3.2	01.6-04.8
Less Than H.S.	110	7,058	70	70.5	60.9-80.1	36	26.3	17.3-35.3	4	3.2	00.0-06.5
H.S. or G.E.D.	354	21,574	247	69.8	64.5-75.1	101	28.4	23.1-33.7	6	1.8	00.2-03.4
Some Post-H.S.	285	18,045	186	67.9	62.0-73.8	94	30.6	24.9-36.3	5	1.5	00.1-02.9
College Graduate	191	13,178	107	57.5	49.7-65.3	80	41.0	33.2-48.8	4	1.5	00.0-03.1
Less than \$15,000	98	5,758							3	2.9	00.0-06.6
\$15,000- 24,999	205	11,441	138	71.1	64.4-77.8	64	27.8	21.3-34.3	3	1.1	00.0-02.3
\$25,000- 34,999	129	7,839	91	69.9	61.1-78.7	36	28.5	19.9-37.1	2	1.6	00.0-04.0
\$35,000- 49,999	138	9,627	93	68.4	59.8-77.0	44	30.9	22.3-39.5	1	0.7	00.0-02.1
\$50,000- 74,999	100	6,994							2	2.0	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 19: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1595	125,155	394	27.0	24.3-29.7	833	53.1	50.0-56.2	368	19.9	17.7-22.1
Male	644	64,651	203	31.6	27.1-36.1	346	54.6	49.9-59.3	95	13.8	10.7-16.9
Female	951	60,503	191	22.1	19.0-25.2	487	51.6	47.9-55.3	273	26.3	23.2-29.4
Non-Native	1521	117,441	371	26.6	23.9-29.3	803	53.7	50.6-56.8	347	19.7	17.5-21.9
35-44	86	10,722							7	6.6	01.7-11.5
45-54	249	22,486	85	35.0	28.5-41.5	134	52.5	45.8-59.2	30	12.5	08.0-17.0
55-64	407	29,056	106	26.0	21.5-30.5	232	57.8	52.7-62.9	69	16.2	12.3-20.1
65+	794	50,647	151	19.6	16.7-22.5	391	50.2	46.5-53.9	252	30.2	26.9-33.5
Less Than H.S.	167	13,701							66	32.3	22.5-42.1
H.S. or G.E.D.	577	42,936	146	27.1	22.8-31.4	273	47.4	42.7-52.1	158	25.5	21.4-29.6
Some Post-H.S.	473	37,693	127	29.1	24.2-34.0	256	55.1	49.6-60.6	90	15.8	12.3-19.3
College Graduate	376	30,760	81	23.8	18.9-28.7	243	64.9	59.6-70.2	52	11.3	08.2-14.4
Less than \$15,000	145	9,736	40	27.0	17.6-36.4				52	32.6	23.2-42.0
\$15,000- 24,999	303	20,217	91	29.8	23.5-36.1	130	43.4	36.3-50.5	82	26.8	20.7-32.9
\$25,000- 34,999	201	14,780	40	23.3	15.7-30.9	112	56.2	48.0-64.4	49	20.5	14.6-26.4
\$35,000- 49,999	247	20,561	62	28.3	21.8-34.8	138	55.4	48.5-62.3	47	16.3	11.6-21.0
\$50,000- 74,999	217	19,380	57	32.7	23.9-41.5	131	56.9	48.3-65.5	29	10.5	06.6-14.4
\$75,000+	229	21,165	63	30.7	24.0-37.4	147	61.8	54.9-68.7	19	7.5	04.0-11.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 20: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	644	64,651	203	31.6	27.1-36.1	346	54.6	49.7-59.5	95	13.8	10.7-16.9
Non-Native	611	60,458	191	31.8	27.3-36.3	332	54.9	50.0-59.8	88	13.3	10.2-16.4
45-54	128	12,584	50	38.3	29.3-47.3	62	49.0	39.6-58.4	16	12.6	06.5-18.7
55-64	192	16,174	63	31.7	24.8-38.6	103	55.4	48.1-62.7	26	12.9	08.0-17.8
65+	248	20,607	59	22.9	17.4-28.4	141	57.7	51.2-64.2	48	19.3	14.2-24.4
H.S. or G.E.D.	220	21,143	69	30.7	23.6-37.8	110	50.4	42.8-58.0	41	18.9	12.2-25.6
Some Post-H.S.	186	19,562	69	34.7	26.7-42.7	95	54.7	46.1-63.3	22	10.6	05.5-15.7
College Graduate	184	17,539	50	28.9	21.8-36.0	117	62.7	55.3-70.1	17	8.3	04.4-12.2
\$25,000- 34,999	71	6,898							13	15.5	07.1-23.9
\$35,000- 49,999	108	10,839	35	32.3	22.7-41.9	60	56.7	46.7-66.7	13	11.0	05.1-16.9
\$50,000- 74,999	117	12,386							14	9.1	04.2-14.0
\$75,000+	148	14,698	43	31.8	23.6-40.0	93	61.6	53.2-70.0	12	6.6	02.7-10.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 21: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPCADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	951	60,503	191	22.1	19.0-25.2	487	51.6	47.9-55.3	273	26.3	23.2-29.4
Non-Native	910	56,983	180	21.1	18.2-24.0	471	52.4	48.7-56.1	259	26.5	23.4-29.6
45-54	121	9,902	35	30.7	21.7-39.7	72	57.0	47.4-66.6	14	12.3	05.6-19.0
55-64	215	12,882	43	18.9	13.4-24.4	129	60.8	53.7-67.9	43	20.3	14.2-26.4
65+	546	30,039	92	17.4	13.9-20.9	250	45.0	40.5-49.5	204	37.6	33.3-41.9
H.S. or G.E.D.	357	21,794	77	23.7	18.6-28.8	163	44.4	38.7-50.1	117	31.8	26.5-37.1
Some Post-H.S.	287	18,130	58	22.9	17.0-28.8	161	55.6	49.1-62.1	68	21.5	16.4-26.6
College Graduate	192	13,221	31	17.0	10.7-23.3	126	67.9	60.6-75.2	35	15.1	09.8-20.4
\$15,000- 24,999	209	11,632	54	26.2	19.5-32.9	90	41.8	34.2-49.4	65	32.0	24.9-39.1
\$25,000- 34,999	130	7,881	25	22.0	13.4-30.6	69	53.2	43.6-62.8	36	24.8	16.8-32.8
\$35,000- 49,999	139	9,722	27	23.8	15.0-32.6	78	54.0	44.6-63.4	34	22.2	14.9-29.5
\$50,000- 74,999	100	6,994	15	16.9	08.9-24.9	70	70.2	60.6-79.8	15	12.8	06.1-19.5
\$75,000+	81	6,467							7	9.6	02.0-17.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 22: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1590	125,371	1179	74.6	71.9-77.3	411	25.4	22.7-28.1	
Male	643	65,092	483	74.4	69.7-79.1	160	25.6	20.9-30.3	
Female	947	60,280	696	74.7	71.6-77.8	251	25.3	22.2-28.4	
Non-Native	1516	117,658	1125	75.0	72.1-77.9	391	25.0	22.1-27.9	
35-44	86	10,722	67	80.2	71.0-89.4	19	19.8	10.6-29.0	
45-54	249	22,486	200	82.5	77.6-87.4	49	17.5	12.6-22.4	
55-64	404	28,836	325	80.3	76.0-84.6	79	19.7	15.4-24.0	
65+	791	50,509	546	68.9	65.4-72.4	245	31.1	27.6-34.6	
H.S. or G.E.D.	576	43,395	414	72.0	67.5-76.5	162	28.0	23.5-32.5	
Some Post-H.S.	471	37,559	358	76.6	72.1-81.1	113	23.4	18.9-27.9	
College Graduate	375	30,695	297	79.9	75.4-84.4	78	20.1	15.6-24.6	
Less than \$15,000	146	9,778	108	75.8	66.8-84.8	38	24.2	15.2-33.2	
\$15,000- 24,999	302	20,174	212	68.8	62.3-75.3	90	31.2	24.7-37.7	
\$25,000- 34,999	197	14,578	137	70.8	63.7-77.9	60	29.2	22.1-36.3	
\$35,000- 49,999	247	20,561	193	76.9	70.6-83.2	54	23.1	16.8-29.4	
\$50,000- 74,999	217	19,380	179	84.4	79.1-89.7	38	15.6	10.3-20.9	
\$75,000+	227	21,009	180	80.1	74.6-85.6	47	19.9	14.4-25.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 23: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	643	65,092	483	74.4	69.7-79.1	160	25.6	20.9-30.3	
Non-Native	610	60,899	459	75.0	70.3-79.7	151	25.0	20.3-29.7	
45-54	128	12,584	104	84.2	77.9-90.5	24	15.8	09.5-22.1	
55-64	191	16,083	152	79.8	73.7-85.9	39	20.2	14.1-26.3	
65+	247	20,564	172	69.0	62.7-75.3	75	31.0	24.7-37.3	
H.S. or G.E.D.	221	21,718	152	69.3	61.9-76.7	69	30.7	23.3-38.1	
Some Post-H.S.	185	19,471	147	78.4	71.1-85.7	38	21.6	14.3-28.9	
College Graduate	184	17,539	153	83.4	77.7-89.1	31	16.6	10.9-22.3	
\$35,000- 49,999	108	10,839	83	73.3	63.7-82.9	25	26.7	17.1-36.3	
\$50,000- 74,999	117	12,386	97	85.4	78.5-92.3	20	14.6	07.7-21.5	
\$75,000+	147	14,606	120	81.4	74.7-88.1	27	18.6	11.9-25.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 24: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	947	60,280	696	74.7	71.6-77.8	251	25.3	22.2-28.4
Non-Native	906	56,759	666	75.0	71.9-78.1	240	25.0	21.9-28.1
45-54	121	9,902	96	80.3	72.9-87.7	25	19.7	12.3-27.1
55-64	213	12,753	173	80.9	75.0-86.8	40	19.1	13.2-25.0
65+	544	29,944	374	68.9	64.8-73.0	170	31.1	27.0-35.2
Less Than H.S.	113	7,294	78	74.0	65.0-83.0	35	26.0	17.0-35.0
H.S. or G.E.D.	355	21,677	262	74.7	69.8-79.6	93	25.3	20.4-30.2
Some Post-H.S.	286	18,088	211	74.6	69.1-80.1	75	25.4	19.9-30.9
College Graduate	191	13,156	144	75.3	68.4-82.2	47	24.7	17.8-31.6
Less than \$15,000	100	5,849	75	80.2	71.6-88.8	25	19.8	11.2-28.4
\$15,000- 24,999	209	11,632	150	71.1	64.0-78.2	59	28.9	21.8-36.0
\$25,000- 34,999	126	7,679	90	69.7	60.7-78.7	36	30.3	21.3-39.3
\$35,000- 49,999	139	9,722	110	80.8	73.4-88.2	29	19.2	11.8-26.6
\$50,000- 74,999	100	6,994	82	82.5	74.5-90.5	18	17.5	09.5-25.5
\$75,000+	80	6,403	60	77.3	67.9-86.7	20	22.7	13.3-32.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 25: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1594	125,666	1461	87.3	84.6-90.0	133	12.7	10.0-15.4
Male	645	65,226	565	83.0	78.5-87.5	80	17.0	12.5-21.5
Female	949	60,440	896	91.9	89.2-94.6	53	8.1	05.4-10.8
Non-Native	1521	117,984	1396	87.6	84.9-90.3	125	12.4	09.7-15.1
45-54	249	22,486	220	89.5	85.6-93.4	29	10.5	06.6-14.4
55-64	406	29,024	376	91.7	88.8-94.6	30	8.3	05.4-11.2
65+	793	50,615	765	96.3	94.9-97.7	28	3.7	02.3-05.1
H.S. or G.E.D.	578	43,522	536	88.8	84.7-92.9	42	11.2	07.1-15.3
Some Post-H.S.	471	37,618	430	86.0	80.7-91.3	41	14.0	08.7-19.3
College Graduate	376	30,760	342	88.6	84.7-92.5	34	11.4	07.5-15.3
\$15,000- 24,999	302	20,184	276	86.6	80.1-93.1	26	13.4	06.9-19.9
\$25,000- 34,999	200	14,737	186	88.5	81.6-95.4	14	11.5	04.6-18.4
\$35,000- 49,999	247	20,561	226	89.0	84.1-93.9	21	11.0	06.1-15.9
\$50,000- 74,999	217	19,380	201	86.9	77.7-96.1	16	13.1	03.9-22.3
\$75,000+	229	21,165	201	86.1	81.2-91.0	28	13.9	09.0-18.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 26: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	645	65,226	565	83.0	78.5-87.5	80	17.0	12.5-21.5
Non-Native	612	61,034	538	83.8	79.1-88.5	74	16.2	11.5-20.9
45-54	128	12,584	110	87.9	82.4-93.4	18	12.1	06.6-17.6
55-64	192	16,174	174	90.0	85.5-94.5	18	10.0	05.5-14.5
65+	248	20,607	235	95.2	92.5-97.9	13	4.8	02.1-07.5
H.S. or G.E.D.	221	21,718	197	84.9	77.6-92.2	24	15.1	07.8-22.4
Some Post-H.S.	186	19,562	164	80.3	71.1-89.5	22	19.7	10.5-28.9
College Graduate	184	17,539	160	86.1	80.6-91.6	24	13.9	08.4-19.4
\$35,000- 49,999	108	10,839	94	85.5	77.7-93.3	14	14.5	06.7-22.3
\$75,000+	148	14,698	126	84.7	78.6-90.8	22	15.3	09.2-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 27: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	949	60,440	896	91.9	89.2-94.6	53	8.1	05.4-10.8
Non-Native	909	56,951	858	91.6	88.9-94.3	51	8.4	05.7-11.1
45-54	121	9,902	110	91.5	86.2-96.8	11	8.5	03.2-13.8
55-64	214	12,849	202	93.9	90.2-97.6	12	6.1	02.4-09.8
65+	545	30,008	530	97.0	95.4-98.6	15	3.0	01.4-04.6
H.S. or G.E.D.	357	21,804	339	92.7	89.2-96.2	18	7.3	03.8-10.8
Some Post-H.S.	285	18,056	266	92.3	88.6-96.0	19	7.7	04.0-11.4
College Graduate	192	13,221	182	91.9	86.4-97.4	10	8.1	02.6-13.6
\$15,000- 24,999	208	11,600	195	92.5	88.2-96.8	13	7.5	03.2-11.8
\$25,000- 34,999	129	7,839	124	93.1	86.4-99.8	5	6.9	00.2-13.6
\$35,000- 49,999	139	9,722	132	93.0	87.5-98.5	7	7.0	01.5-12.5
\$50,000- 74,999	100	6,994	96	94.9	90.0-99.8	4	5.1	00.2-10.0
\$75,000+	81	6,467	75	89.3	81.1-97.5	6	10.7	02.5-18.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1586	124,988	1318	80.0	77.1-82.9	3	0.2	00.0-00.4	256	19.2	16.3-22.1	9	0.6	00.2-01.0
Male	637	64,565	521	76.7	71.6-81.8				109	22.3	17.2-27.4	7	1.0	00.2-01.8
Female	949	60,423	797	83.5	80.8-86.2	3	0.4	00.0-00.8	147	16.0	13.3-18.7	2	0.1	00.0-00.3
Non-Native	1515	117,457	1262	80.4	77.3-83.5	3	0.2	00.0-00.4	242	18.9	15.8-22.0	8	0.6	00.2-01.0
35-44	87	10,863				1	0.9	00.0-02.7						
45-54	251	22,613	204	82.0	76.9-87.1	1	0.3	00.0-00.9	43	16.2	11.3-21.1	3	1.5	00.0-03.3
55-64	407	29,043	352	85.5	81.8-89.2				53	13.8	10.1-17.5	2	0.6	00.0-01.4
65+	781	49,652	658	83.8	80.9-86.7	1	0.1	00.0-00.3	118	15.6	12.7-18.5	4	0.5	00.0-01.1
Less Than H.S.	166	13,638				1	0.3	00.0-00.9				1	0.3	00.0-00.9
H.S. or G.E.D.	578	43,493	477	79.2	74.9-83.5	1	0.2	00.0-00.6	98	20.2	15.9-24.5	2	0.3	00.0-00.7
Some Post-H.S.	467	37,309	404	83.8	79.1-88.5	1	0.2	00.0-00.6	60	15.7	11.0-20.4	2	0.4	00.0-01.0
College Graduate	373	30,484	308	82.2	77.7-86.7				61	16.3	12.0-20.6	4	1.4	00.0-02.8
Less than \$15,000	147	9,811							26	23.9	13.9-33.9	3	2.4	00.0-05.5
\$15,000- 24,999	301	20,142	240	80.1	74.8-85.4	1	0.5	00.0-01.5	59	19.2	14.1-24.3	1	0.2	00.0-00.6
\$25,000- 34,999	201	14,728	174	83.8	76.9-90.7				27	16.2	09.3-23.1			
\$35,000- 49,999	245	20,359	207	81.3	75.4-87.2				38	18.7	12.8-24.6			
\$50,000- 74,999	216	19,334	189	83.8	75.2-92.4				27	16.2	07.6-24.8			
\$75,000+	228	21,139	185	80.5	75.0-86.0	1	0.4	00.0-01.2	37	16.8	11.5-22.1	5	2.3	00.3-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	637	64,565	521	76.7	71.6-81.8	109	22.3	17.2-27.4	7	1.0	00.2-01.8	
Non-Native	606	60,522	500	77.3	72.0-82.6	100	21.8	16.5-27.1	6	1.0	00.2-01.8	
45-54	129	12,633	106	84.5	78.2-90.8	20	12.8	07.1-18.5	3	2.7	00.0-05.8	
55-64	191	16,129	163	84.0	78.3-89.7	26	14.9	09.4-20.4	2	1.1	00.0-02.7	
65+	239	19,803	204	83.7	78.4-89.0	33	15.6	10.5-20.7	2	0.8	00.0-02.0	
Less Than H.S.	53	6,354							1	0.7	00.0-02.1	
H.S. or G.E.D.	220	21,611	181	78.8	71.5-86.1	38	20.7	13.4-28.0	1	0.5	00.0-01.5	
Some Post-H.S.	183	19,337	154	79.5	71.3-87.7	28	20.0	11.8-28.2	1	0.5	00.0-01.5	
College Graduate	181	17,263	149	81.0	74.7-87.3	28	16.5	10.4-22.6	4	2.5	00.0-05.0	
\$15,000- 24,999	94	8,585	75	80.1	70.9-89.3	19	19.9	10.7-29.1				
\$35,000- 49,999	107	10,732	92	82.6	74.2-91.0	15	17.4	09.0-25.8				
\$75,000+	147	14,671	112	76.2	68.9-83.5	30	20.5	13.6-27.4	5	3.3	00.4-06.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	949	60,423	797	83.5	80.8-86.2	3	0.4	00.0-00.8	147	16.0	13.3-18.7	2	0.1	00.0-00.3
Non-Native	909	56,934	762	83.6	80.9-86.3	3	0.4	00.0-00.8	142	15.8	13.1-18.5	2	0.1	00.0-00.3
45-54	122	9,980	98	78.8	70.4-87.2	1	0.8	00.0-02.4	23	20.5	12.3-28.7			
55-64	216	12,914	189	87.5	82.8-92.2				27	12.5	07.8-17.2			
65+	542	29,849	454	83.9	80.6-87.2	1	0.1	00.0-00.3	85	15.7	12.4-19.0	2	0.3	00.0-00.7
Less Than H.S.	113	7,284	90	82.6	75.2-90.0	1	0.6	00.0-01.8	22	16.8	09.4-24.2			
H.S. or G.E.D.	358	21,882	296	79.6	74.7-84.5	1	0.4	00.0-01.2	60	19.7	14.8-24.6	1	0.2	00.0-00.6
Some Post-H.S.	284	17,972	250	88.4	84.3-92.5	1	0.4	00.0-01.2	32	10.9	07.0-14.8	1	0.2	00.0-00.6
College Graduate	192	13,221	159	83.9	77.8-90.0				33	16.1	10.0-22.2			
Less than \$15,000	101	5,882										1	0.7	00.0-02.1
\$15,000- 24,999	207	11,558	165	80.2	74.1-86.3	1	0.8	00.0-02.4	40	18.7	12.8-24.6	1	0.4	00.0-01.2
\$25,000- 34,999	131	7,959	117	88.5	82.4-94.6				14	11.5	05.4-17.6			
\$35,000- 49,999	138	9,627	115	79.9	71.7-88.1				23	20.1	11.9-28.3			
\$50,000- 74,999	100	6,994	87	86.9	79.8-94.0				13	13.1	06.0-20.2			
\$75,000+	81	6,467	73	90.4	83.7-97.1	1	1.2	00.0-03.6	7	8.4	02.1-14.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009**

MODULE 25: RANDOM CHILD SELECTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	67
2 MALES ONLY	68
3 FEMALES ONLY	69
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	70
5 MALES ONLY	71
6 FEMALES ONLY	72
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	73
8 MALES ONLY	74
9 FEMALES ONLY	75
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	76
11 MALES ONLY	77
12 FEMALES ONLY	78
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	79
14 MALES ONLY	80
15 FEMALES ONLY	81
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	82
17 MALES ONLY	83
18 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1991-1995			1996-2000			2001-2006			2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1134	132,606	386	28.1	25.2-31.0	289	23.8	21.1-26.5	338	35.4	32.1-38.7	68	6.8	04.8-08.8	53	5.8	04.0-07.6
Male	453	52,799	148	27.8	23.3-32.3	118	23.4	19.1-27.7	138	37.3	32.0-42.6	28	6.3	03.9-08.7	21	5.2	02.8-07.6
Female	681	79,807	238	28.3	24.6-32.0	171	24.1	20.6-27.6	200	34.2	30.1-38.3	40	7.2	04.5-09.9	32	6.2	03.8-08.6
Native	72	11,315										5	4.2	00.3-08.1	5	10.7	01.3-20.1
Non-Native	1057	120,129	364	28.5	25.6-31.4	268	24.0	21.3-26.7	314	34.9	31.6-38.2	63	7.1	04.9-09.3	48	5.4	03.8-07.0
18-24	59	5,267				7	10.6	02.6-18.6				4	8.6	00.0-17.2			
25-34	279	39,456	12	4.1	01.6-06.6	49	18.3	13.2-23.4	146	53.6	47.1-60.1	44	13.9	09.4-18.4	28	10.1	06.2-14.0
35-44	432	55,263	136	30.4	25.5-35.3	134	26.7	22.4-31.0	128	33.1	28.0-38.2	18	5.2	02.1-08.3	16	4.7	02.2-07.2
45-54	323	29,256	190	53.0	46.7-59.3	92	29.5	23.8-35.2	37	16.0	10.7-21.3	2	0.9	00.0-02.3	2	0.6	00.0-01.4
H.S. or G.E.D.	228	26,349	102	35.8	28.7-42.9	51	20.6	14.7-26.5	54	30.3	22.9-37.7	10	6.4	01.9-10.9	11	6.9	02.4-11.4
Some Post-H.S.	391	44,910	142	31.6	26.3-36.9	111	26.9	22.0-31.8	99	30.3	24.8-35.8	25	7.8	03.9-11.7	14	3.5	01.5-05.5
College Graduate	477	56,297	128	22.0	18.1-25.9	116	22.4	18.5-26.3	177	42.7	37.8-47.6	30	6.0	03.8-08.2	26	6.9	04.2-09.6
\$15,000- 24,999	98	11,801	35	28.9	18.9-38.9	27	23.8	14.6-33.0				7	9.5	01.9-17.1	3	6.2	00.0-13.8
\$25,000- 34,999	83	10,102	26	24.4	14.6-34.2							3	3.5	00.0-07.6	8	10.3	03.0-17.6
\$35,000- 49,999	184	23,445	58	25.5	18.6-32.4	56	27.3	20.0-34.6	48	30.9	22.9-38.9	14	11.4	04.1-18.7	8	4.9	01.4-08.4
\$50,000- 74,999	257	29,837	92	28.9	22.8-35.0	59	21.0	15.7-26.3	80	38.9	32.0-45.8	16	6.5	03.2-09.8	10	4.7	01.6-07.8
\$75,000+	381	42,967	126	28.4	23.5-33.3	108	27.4	22.5-32.3	115	35.5	30.0-41.0	16	3.4	01.6-05.2	16	5.3	02.6-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1991-1995			1996-2000			2001-2006			2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	453	52,799	148	27.8	23.3-32.3	118	23.4	19.3-27.5	138	37.3	32.0-42.6	28	6.3	03.9-08.7	21	5.2	02.8-07.6
Non-Native	431	48,896	140	27.4	22.9-31.9	113	23.8	19.5-28.1	132	37.5	32.2-42.8	27	6.4	03.9-08.9	19	4.8	02.4-07.2
25-34	90	12,755	1	1.3	00.0-03.8	11	13.3	05.3-21.3				15	13.8	06.5-21.1	11	10.9	04.0-17.8
35-44	165	21,625	36	25.2	17.6-32.8	54	26.3	19.4-33.2	57	37.6	29.4-45.8	11	6.0	02.3-09.7	7	4.9	01.2-08.6
45-54	154	14,864	79	45.0	36.0-54.0	49	31.4	23.0-39.8	22	20.7	12.1-29.3	2	1.8	00.0-04.3	2	1.1	00.0-02.7
H.S. or G.E.D.	114	12,877	52	36.9	26.9-46.9	26	20.4	12.2-28.6				6	6.2	01.3-11.1	5	6.2	00.5-11.9
Some Post-H.S.	150	16,960	51	32.4	23.6-41.2	43	25.8	18.4-33.2	39	30.2	21.4-39.0	9	6.2	01.9-10.5	8	5.5	01.4-09.6
College Graduate	178	21,516	40	18.9	12.8-25.0	46	23.4	16.5-30.3	71	46.1	38.1-54.1	13	6.9	03.0-10.8	8	4.7	01.4-08.0
\$35,000- 49,999	67	8,736				17	20.8	10.8-30.8				7	10.5	02.5-18.5	4	5.3	00.0-10.8
\$50,000- 74,999	106	12,311	36	28.4	19.2-37.6	27	21.9	13.5-30.3				7	7.5	01.8-13.2	5	5.5	00.6-10.4
\$75,000+	192	21,872	58	27.1	20.2-34.0	55	26.5	19.6-33.4	61	37.7	29.9-45.5	11	4.6	01.9-07.3	7	4.1	00.8-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1991-1995			1996-2000			2001-2006			2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	681	79,807	238	28.3	24.6-32.0	171	24.1	20.6-27.6	200	34.2	30.1-38.3	40	7.2	04.5-09.9	32	6.2	03.8-08.6
Native	53	8,188										4	3.6	00.0-07.3			
Non-Native	626	71,234	224	29.3	25.4-33.2	155	24.1	20.4-27.8	182	33.2	28.9-37.5	36	7.6	04.5-10.7	29	5.8	03.6-08.0
25-34	189	26,700	11	5.5	02.0-09.0	38	20.7	14.0-27.4	94	50.2	42.2-58.2	29	13.9	08.4-19.4	17	9.8	05.1-14.5
35-44	267	33,638	100	33.7	27.2-40.2	80	26.9	21.2-32.6	71	30.2	23.7-36.7	7	4.6	00.0-09.3	9	4.5	01.0-08.0
45-54	169	14,392	111	61.2	52.8-69.6	43	27.6	19.8-35.4	15	11.1	05.4-16.8						
H.S. or G.E.D.	114	13,473	50	34.9	24.9-44.9	25	20.9	12.5-29.3				4	6.7	00.0-14.0	6	7.4	00.3-14.5
Some Post-H.S.	241	27,951	91	31.2	24.7-37.7	68	27.5	20.8-34.2	60	30.3	23.4-37.2	16	8.7	02.8-14.6	6	2.3	00.3-04.3
College Graduate	299	34,781	88	23.9	18.8-29.0	70	21.8	16.9-26.7	106	40.6	34.3-46.9	17	5.4	02.7-08.1	18	8.3	04.4-12.2
\$15,000- 24,999	73	8,872										6	10.6	01.2-20.0	3	8.3	00.0-18.3
\$25,000- 34,999	56	6,858										2	2.5	00.0-06.0	3	4.9	00.0-10.8
\$35,000- 49,999	117	14,708	42	28.8	19.8-37.8	39	31.1	21.3-40.9	25	23.5	14.7-32.3				4	4.7	00.0-09.4
\$50,000- 74,999	151	17,526	56	29.2	21.2-37.2	32	20.4	13.3-27.5	49	40.5	31.5-49.5	9	5.9	01.6-10.2	5	4.1	00.2-08.0
\$75,000+	189	21,094	68	29.7	22.8-36.6	53	28.4	21.3-35.5	54	33.1	25.5-40.7	5	2.2	00.2-04.2	9	6.5	02.0-11.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	1228	141,949	621	50.5	47.4-53.6	607	49.5	46.4-52.6
Male	499	57,989	226	47.5	42.4-52.6	273	52.5	47.4-57.6
Female	729	83,960	395	52.6	48.5-56.7	334	47.4	43.3-51.5
Non-Native	1146	128,917	578	50.7	47.4-54.0	568	49.3	46.0-52.6
25-34	307	42,346	171	54.6	48.3-60.9	136	45.4	39.1-51.7
35-44	461	58,065	231	48.6	43.5-53.7	230	51.4	46.3-56.5
45-54	343	30,752	166	49.4	43.3-55.5	177	50.6	44.5-56.7
H.S. or G.E.D.	249	28,820	120	47.2	39.8-54.6	129	52.8	45.4-60.2
Some Post-H.S.	419	47,505	220	51.6	45.9-57.3	199	48.4	42.7-54.1
College Graduate	515	59,858	261	51.2	46.5-55.9	254	48.8	44.1-53.5
\$35,000- 49,999	197	24,659	107	53.9	45.7-62.1	90	46.1	37.9-54.3
\$50,000- 74,999	272	31,123	131	48.3	41.6-55.0	141	51.7	45.0-58.4
\$75,000+	411	46,108	195	47.2	41.9-52.5	216	52.8	47.5-58.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	499	57,989	226	47.5	42.4-52.6	273	52.5	47.4-57.6
Non-Native	473	53,599	213	47.1	42.0-52.2	260	52.9	47.8-58.0
35-44	177	22,946	80	45.9	37.9-53.9	97	54.1	46.1-62.1
45-54	164	15,749	73	46.7	37.7-55.7	91	53.3	44.3-62.3
Some Post-H.S.	161	18,131	75	47.3	38.5-56.1	86	52.7	43.9-61.5
College Graduate	196	23,361	86	45.0	37.4-52.6	110	55.0	47.4-62.6
\$75,000+	212	24,076	93	44.0	36.6-51.4	119	56.0	48.6-63.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	729	83,960	395	52.6	48.5-56.7	334	47.4	43.3-51.5
Non-Native	673	75,318	365	53.2	48.9-57.5	308	46.8	42.5-51.1
25-34	201	27,894	120	57.2	49.6-64.8	81	42.8	35.2-50.4
35-44	284	35,119	151	50.3	43.6-57.0	133	49.7	43.0-56.4
45-54	179	15,003	93	52.3	44.1-60.5	86	47.7	39.5-55.9
Some Post-H.S.	258	29,374	145	54.2	46.9-61.5	113	45.8	38.5-53.1
College Graduate	319	36,497	175	55.1	49.0-61.2	144	44.9	38.8-51.0
\$50,000- 74,999	161	18,411	82	49.9	41.1-58.7	79	50.1	41.3-58.9
\$75,000+	199	22,032	102	50.6	43.0-58.2	97	49.4	41.8-57.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1233	142,399	36	3.2	02.0-04.4	1197	96.8	95.6-98.0	
Male	501	58,198	17	3.5	01.7-05.3	484	96.5	94.7-98.3	
Female	732	84,201	19	3.1	01.5-04.7	713	96.9	95.3-98.5	
Native	77	11,870	4	4.2	00.0-08.5	73	95.8	91.5-0100	
Non-Native	1151	129,367	32	3.2	02.0-04.4	1119	96.8	95.6-98.0	
25-34	308	42,579	11	4.1	01.6-06.6	297	95.9	93.4-98.4	
35-44	460	57,842	10	2.1	00.7-03.5	450	97.9	96.5-99.3	
45-54	348	31,192	8	2.3	00.5-04.1	340	97.7	95.9-99.5	
H.S. or G.E.D.	251	29,184	8	3.1	00.7-05.5	243	96.9	94.5-99.3	
Some Post-H.S.	422	47,770	13	4.1	01.7-06.5	409	95.9	93.5-98.3	
College Graduate	515	59,678	12	2.5	00.9-04.1	503	97.5	95.9-99.1	
\$15,000- 24,999	105	12,491	7	8.9	02.2-15.6	98	91.1	84.4-97.8	
\$25,000- 34,999	95	11,597	3	4.8	00.0-10.1	92	95.2	89.9-0100	
\$35,000- 49,999	199	24,814	3	1.2	00.0-02.8	196	98.8	97.2-0100	
\$50,000- 74,999	272	31,123	4	1.3	00.0-02.7	268	98.7	97.3-0100	
\$75,000+	411	46,015	12	3.6	01.2-06.0	399	96.4	94.0-98.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	501	58,198	17	3.5	01.7-05.3	484	96.5	94.7-98.3	
Non-Native	475	53,808	15	3.2	01.4-05.0	460	96.8	95.0-98.6	
25-34	107	14,685	4	2.4	00.0-05.1	103	97.6	94.9-0100	
35-44	176	22,723	5	3.0	00.3-05.7	171	97.0	94.3-99.7	
45-54	166	15,948	4	2.7	00.0-05.4	162	97.3	94.6-0100	
H.S. or G.E.D.	128	14,728	5	4.6	00.3-08.9	123	95.4	91.1-99.7	
Some Post-H.S.	163	18,330	6	4.1	00.8-07.4	157	95.9	92.6-99.2	
College Graduate	195	23,138	4	1.7	00.0-03.7	191	98.3	96.3-0100	
\$35,000- 49,999	75	9,672				75	100.0	0100-0100	
\$50,000- 74,999	111	12,712	3	2.6	00.0-05.7	108	97.4	94.3-0100	
\$75,000+	211	23,852	5	2.6	00.2-05.0	206	97.4	95.0-99.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	732	84,201	19	3.1	01.5-04.7	713	96.9	95.3-98.5	
Native	54	8,257	2	2.4	00.0-05.9	52	97.6	94.1-0100	
Non-Native	676	75,559	17	3.1	01.3-04.9	659	96.9	95.1-98.7	
25-34	201	27,894	7	5.0	01.3-08.7	194	95.0	91.3-98.7	
35-44	284	35,119	5	1.5	00.0-03.3	279	98.5	96.7-0100	
45-54	182	15,244	4	2.0	00.0-04.0	178	98.0	96.0-0100	
H.S. or G.E.D.	123	14,456	3	1.7	00.0-03.9	120	98.3	96.1-0100	
Some Post-H.S.	259	29,440	7	4.0	00.9-07.1	252	96.0	92.9-99.1	
College Graduate	320	36,541	8	3.0	00.6-05.4	312	97.0	94.6-99.4	
\$15,000- 24,999	77	9,342	4	7.4	00.1-14.7	73	92.6	85.3-99.9	
\$25,000- 34,999	61	7,222	1	3.1	00.0-09.0	60	96.9	91.0-0100	
\$35,000- 49,999	124	15,142	3	2.0	00.0-04.5	121	98.0	95.5-0100	
\$50,000- 74,999	161	18,411	1	0.3	00.0-00.9	160	99.7	99.1-0100	
\$75,000+	200	22,163	7	4.7	00.6-08.8	193	95.3	91.2-99.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1226	141,360	1095	87.0	84.6-89.4	11	1.0	00.4-01.6	5	0.2	00.0-00.4	5	0.5	00.1-00.9	74	7.9	05.9-09.9	36	3.3	02.1-04.5
Male	498	57,653	451	89.2	85.9-92.5	4	1.1	00.0-02.3	3	0.3	00.0-00.7	3	0.7	00.0-01.5	23	5.9	03.4-08.4	14	2.9	01.1-04.7
Female	728	83,707	644	85.5	82.4-88.6	7	1.0	00.2-01.8	2	0.2	00.0-00.6	2	0.3	00.0-00.9	51	9.3	06.6-12.0	22	3.6	01.8-05.4
Native	76	11,730	8	9.6	02.2-17.0													8	10.6	02.8-18.4
Non-Native	1147	128,858	1086	94.4	92.8-96.0	11	1.1	00.3-01.9	5	0.3	00.1-00.5	5	0.5	00.0-01.1	13	1.3	00.5-02.1	27	2.4	01.4-03.4
18-24	65	6,384				3	7.1	00.0-15.1	1	1.4	00.0-04.1	2	3.7	00.0-09.2				4	7.9	00.0-16.9
25-34	307	42,439	268	83.5	78.4-88.6	2	0.5	00.0-01.3				1	0.3	00.0-00.9	25	10.9	06.6-15.2	11	4.7	01.6-07.8
35-44	459	57,694	423	91.1	88.0-94.2	2	0.6	00.0-01.4	1	0.1	00.0-00.3	2	0.5	00.0-01.3	21	5.4	02.7-08.1	10	2.3	00.7-03.9
45-54	344	30,596	314	89.6	85.7-93.5	3	1.1	00.0-02.5	3	0.7	00.0-01.5				14	6.0	02.7-09.3	10	2.6	00.8-04.4
H.S. or G.E.D.	248	28,817	223	87.3	81.8-92.8	2	1.1	00.0-02.7				3	1.6	00.0-03.6	14	7.9	03.2-12.6	6	2.1	00.1-04.1
Some Post-H.S.	422	47,770	370	83.8	79.3-88.3	4	0.9	00.0-01.9	2	0.3	00.0-00.7				33	10.9	07.0-14.8	13	4.1	01.6-06.6
College Graduate	511	59,007	474	92.2	89.5-94.9	3	0.7	00.0-01.5	3	0.3	00.0-00.7	2	0.4	00.0-01.0	14	3.5	01.5-05.5	15	2.9	01.1-04.7
\$15,000- 24,999	104	12,351				4	4.8	00.1-09.5										5	5.1	00.0-10.2
\$25,000- 34,999	95	11,597	82	82.7	73.3-92.1	4	3.9	00.0-08.0							7	10.5	02.5-18.5	2	2.9	00.0-07.2
\$35,000- 49,999	196	24,485	178	89.0	83.3-94.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6				10	6.2	01.7-10.7	6	4.4	00.5-08.3
\$50,000- 74,999	270	30,929	258	95.3	92.4-98.2										4	1.4	00.0-02.8	8	3.3	00.8-05.8
\$75,000+	409	45,552	388	94.4	91.7-97.1	1	0.4	00.0-01.2	4	0.6	00.0-01.2	3	0.9	00.0-01.9	7	2.3	00.3-04.3	6	1.4	00.0-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	498	57,653	451	89.2	85.9-92.5	4	1.1	00.0-02.3	3	0.3	00.0-00.7	3	0.7	00.0-01.5	23	5.9	03.4-08.4	14	2.9	01.1-04.7
Non-Native	474	53,653	449	95.2	93.2-97.2	4	1.2	00.0-02.4	3	0.3	00.0-00.7	3	0.7	00.0-01.5	4	0.8	00.0-01.6	11	1.8	00.6-03.0
25-34	107	14,685	96	86.8	79.0-94.6							1	1.0	00.0-03.0	6	7.4	01.5-13.3	4	4.8	00.0-10.3
35-44	174	22,487	158	90.8	85.7-95.9	1	0.7	00.0-02.1	1	0.2	00.0-00.6	1	0.4	00.0-01.2	10	6.2	01.9-10.5	3	1.6	00.0-03.8
45-54	165	15,639	155	93.7	89.4-98.0	1	1.0	00.0-03.0	2	0.6	00.0-01.6				1	1.1	00.0-03.3	6	3.6	00.7-06.5
H.S. or G.E.D.	127	14,647	117	91.4	85.7-97.1	1	1.4	00.0-04.1				1	1.2	00.0-03.4	5	3.9	00.2-07.6	3	2.1	00.0-04.6
Some Post-H.S.	163	18,330	145	83.9	76.5-91.3	1	0.9	00.0-02.7	1	0.3	00.0-00.9				11	10.4	04.1-16.7	5	4.5	00.0-09.2
College Graduate	193	22,674	180	94.3	91.0-97.6	2	1.1	00.0-02.7	2	0.4	00.0-01.0	2	1.0	00.0-02.4	1	0.7	00.0-02.1	6	2.4	00.4-04.4
\$35,000- 49,999	75	9,672	66	86.3	76.5-96.1				1	0.6	00.0-01.8				3	3.2	00.0-07.3	5	9.9	00.5-19.3
\$50,000- 74,999	110	12,631	104	94.9	90.8-99.0										2	2.2	00.0-05.3	4	2.8	00.1-05.5
\$75,000+	209	23,389	199	95.6	92.7-98.5	1	0.7	00.0-02.1	2	0.4	00.0-01.0	3	1.7	00.0-03.7	1	0.7	00.0-02.1	3	0.8	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	728	83,707	644	85.5	82.4-88.6	7	1.0	00.2-01.8	2	0.2	00.0-00.6	2	0.3	00.0-00.9	51	9.3	06.6-12.0	22	3.6	01.8-05.4
Native	53	8,117	6	9.7	00.5-18.9													6	11.5	01.5-21.5
Non-Native	673	75,205	637	93.9	91.7-96.1	7	1.1	00.3-01.9	2	0.3	00.0-00.7	2	0.4	00.0-01.0	9	1.7	00.5-02.9	16	2.8	01.2-04.4
25-34	200	27,754	172	81.7	75.2-88.2	2	0.8	00.0-02.0							19	12.8	06.9-18.7	7	4.7	01.0-08.4
35-44	285	35,207	265	91.3	87.2-95.4	1	0.5	00.0-01.5				1	0.6	00.0-01.8	11	4.9	01.6-08.2	7	2.7	00.5-04.9
45-54	179	14,957	159	85.4	78.9-91.9	2	1.2	00.0-03.0	1	0.7	00.0-02.1				13	11.1	05.0-17.2	4	1.7	00.0-03.5
H.S. or G.E.D.	121	14,170	106	83.1	73.9-92.3	1	0.8	00.0-02.4				2	2.0	00.0-05.1	9	11.9	03.5-20.3	3	2.1	00.0-05.0
Some Post-H.S.	259	29,440	225	83.6	77.9-89.3	3	0.9	00.0-02.1	1	0.3	00.0-00.9				22	11.2	06.1-16.3	8	3.9	01.0-06.8
College Graduate	318	36,333	294	90.8	86.9-94.7	1	0.5	00.0-01.5	1	0.3	00.0-00.9				13	5.2	02.1-08.3	9	3.2	00.8-05.6
\$15,000- 24,999	76	9,202				3	4.2	00.0-09.1										5	6.9	00.0-13.8
\$25,000- 34,999	61	7,222				2	2.7	00.0-07.0										1	3.2	00.0-09.3
\$35,000- 49,999	121	14,812	112	90.7	83.8-97.6	1	0.4	00.0-01.2						7	8.1	01.2-15.0		1	0.8	00.0-02.4
\$50,000- 74,999	160	18,299	154	95.6	91.7-99.5									2	0.8	00.0-02.0		4	3.6	00.0-07.3
\$75,000+	200	22,163	189	93.2	88.7-97.7				2	0.9	00.0-02.1			6	3.9	00.4-07.4		3	2.1	00.0-04.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1234	142,618	1139	93.4	91.6-95.2	30	2.3	0.1-0.3	12	0.8	0.2-0.1	31	1.5	0.0-0.2	9	0.7	0.0-0.1	13	1.4	0.0-0.2
Male	502	58,417	464	93.5	90.8-96.2	5	0.6	0.0-0.1	6	1.2	0.2-0.2	15	1.7	0.0-0.2	4	0.8	0.0-0.1	8	2.2	0.0-0.4
Female	732	84,201	675	93.3	91.3-95.3	25	3.4	0.1-0.5	6	0.5	0.1-0.0	16	1.3	0.0-0.1	5	0.6	0.0-0.1	5	0.8	0.0-0.1
Native	77	11,870				9	13.8	0.4-0.2	3	1.6	0.0-0.3	3	3.2	0.0-0.7	4	4.5	0.0-0.8	1	1.8	0.0-0.5
Non-Native	1152	129,586	1077	95.0	93.4-96.6	21	1.2	0.0-0.1	9	0.8	0.2-0.1	28	1.3	0.0-0.1	5	0.4	0.0-0.0	12	1.3	0.0-0.2
18-24	66	6,538							2	3.9	0.0-0.9				5	8.2	0.0-0.1			
25-34	308	42,579	303	98.4	97.0-99.8				1	0.3	0.0-0.0	1	0.4	0.0-0.1	2	0.7	0.0-0.1	1	0.2	0.0-0.0
35-44	462	58,153	447	96.4	94.2-98.6	5	1.5	0.0-0.3	2	0.3	0.0-0.0	1	0.1	0.0-0.0	1	0.2	0.0-0.0	6	1.5	0.0-0.2
45-54	347	31,100	326	94.1	91.4-96.8	13	4.1	0.1-0.6	4	1.1	0.0-0.2				1	0.2	0.0-0.0	3	0.5	0.0-0.1
H.S. or G.E.D.	250	29,092	216	85.5	79.2-91.8	11	4.8	0.1-0.8	7	2.4	0.4-0.4	9	2.1	0.0-0.3	1	0.2	0.0-0.0	6	5.0	0.0-0.1
Some Post-H.S.	423	47,858	395	94.9	92.7-97.1	10	2.1	0.0-0.3	1	0.2	0.0-0.0	13	1.9	0.0-0.3	2	0.4	0.0-0.1	2	0.4	0.0-0.1
College Graduate	516	59,902	498	97.8	96.6-99.0	6	0.8	0.0-0.1	4	0.6	0.0-0.1	3	0.3	0.0-0.0	1	0.2	0.0-0.0	4	0.4	0.0-0.0
\$15,000- 24,999	105	12,491	90	86.7	78.5-94.9	4	7.1	0.0-0.1	4	2.0	0.0-0.4	2	0.9	0.0-0.2	3	2.3	0.0-0.5	2	1.0	0.0-0.2
\$25,000- 34,999	95	11,597				5	4.4	0.0-0.8	1	0.9	0.0-0.2	1	1.5	0.0-0.4				4	8.6	0.0-0.1
\$35,000- 49,999	199	24,814	186	94.1	90.6-97.6	5	1.9	0.0-0.3	2	1.0	0.0-0.2	3	0.9	0.0-0.1	1	0.6	0.0-0.1	2	1.5	0.0-0.3
\$50,000- 74,999	271	31,030	267	99.3	98.5-100.0	2	0.4	0.0-0.1				2	0.4	0.0-0.1				2	0.2	0.0-0.0
\$75,000+	412	46,239	392	97.1	95.7-98.5	6	0.8	0.0-0.1	2	0.7	0.0-0.1	9	1.1	0.0-0.1	1	0.1	0.0-0.0	2	0.2	0.0-0.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	502	58,417	464	93.5	90.8-96.2	5	0.6	00.0-01.2	6	1.2	00.2-02.2	15	1.7	00.7-02.7	4	0.8	00.0-01.6	8	2.2	00.0-04.6
Non-Native	476	54,027	444	94.5	91.8-97.2	5	0.6	00.0-01.2	6	1.3	00.1-02.5	12	1.2	00.6-01.8	2	0.4	00.0-01.0	7	2.0	00.0-04.4
25-34	107	14,685	104	97.0	93.7-0100				1	0.9	00.0-02.7	1	1.2	00.0-03.4	1	0.9	00.0-02.7			
35-44	178	23,034	172	97.7	95.5-99.9				2	0.7	00.0-01.7	1	0.2	00.0-00.6				3	1.4	00.0-03.4
45-54	165	15,856	160	97.8	95.6-0100	2	0.7	00.0-01.7	1	0.9	00.0-02.7							2	0.7	00.0-01.7
H.S. or G.E.D.	127	14,636	116	88.6	79.4-97.8				2	2.1	00.0-05.0	4	2.2	00.0-04.7	1	0.4	00.0-01.2	4	6.7	00.0-15.5
Some Post-H.S.	164	18,418	151	94.6	91.5-97.7	3	1.2	00.0-02.6	1	0.6	00.0-01.8	7	2.7	00.3-05.1				2	1.0	00.0-02.4
College Graduate	196	23,361	187	97.2	95.2-99.2	2	0.6	00.0-01.4	3	1.3	00.0-02.9	2	0.5	00.0-01.1				2	0.4	00.0-01.0
\$35,000- 49,999	75	9,672	71	95.3	90.8-99.8	1	0.9	00.0-02.7	2	2.6	00.0-06.3							1	1.2	00.0-03.6
\$50,000- 74,999	110	12,620	108	99.1	97.9-0100							2	0.9	00.0-02.1						
\$75,000+	212	24,076	201	96.8	94.6-99.0	2	0.4	00.0-01.0	2	1.3	00.0-03.1	5	1.1	00.1-02.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 25: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	732	84,201	675	93.3	91.3-95.3	25	3.4	01.8-05.0	6	0.5	00.1-00.9	16	1.3	00.7-01.9	5	0.6	00.0-01.2	5	0.8	00.0-01.6
Native	54	8,257							3	2.2	00.0-04.9				2	3.1	00.0-07.4			
Non-Native	676	75,559	633	95.3	93.7-96.9	16	1.6	00.8-02.4	3	0.3	00.0-00.7	16	1.4	00.6-02.2	3	0.4	00.0-00.8	5	0.9	00.0-01.9
25-34	201	27,894	199	99.2	98.0-0100										1	0.5	00.0-01.5	1	0.3	00.0-00.9
35-44	284	35,119	275	95.5	92.2-98.8	5	2.6	00.0-05.3							1	0.4	00.0-01.2	3	1.5	00.0-03.5
45-54	182	15,244	166	90.2	85.1-95.3	11	7.6	02.7-12.5	3	1.4	00.0-03.2				1	0.4	00.0-01.2	1	0.4	00.0-01.2
H.S. or G.E.D.	123	14,456	100	82.4	74.0-90.8	11	9.6	02.7-16.5	5	2.7	00.2-05.2	5	1.9	00.1-03.7				2	3.4	00.0-08.1
Some Post-H.S.	259	29,440	244	95.2	92.5-97.9	7	2.7	00.5-04.9				6	1.5	00.3-02.7	2	0.7	00.0-01.7			
College Graduate	320	36,541	311	98.1	96.7-99.5	4	0.9	00.0-01.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.4	00.0-01.2	2	0.3	00.0-00.7
\$15,000- 24,999	77	9,342				4	9.5	00.0-19.3	3	2.2	00.0-04.9				3	3.1	00.0-06.8	1	0.9	00.0-02.7
\$25,000- 34,999	61	7,222	57	93.7	87.4-0100	3	4.9	00.0-10.6	1	1.4	00.0-04.1									
\$35,000- 49,999	124	15,142	115	93.3	88.4-98.2	4	2.5	00.0-05.2				3	1.4	00.0-03.2	1	0.9	00.0-02.7	1	1.8	00.0-05.3
\$50,000- 74,999	161	18,411	159	99.4	98.4-0100	2	0.6	00.0-01.6												
\$75,000+	200	22,163	191	97.4	95.6-99.2	4	1.1	00.0-02.3				4	1.2	00.0-02.4				1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009

MODULE 26: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	86
2	MALES ONLY	87
3	FEMALES ONLY	88
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	89
5	MALES ONLY	90
6	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1228	142,204	129	9.2	07.4-11.0	1099	90.8	89.0-92.6
Male	496	57,967	50	8.5	06.0-11.0	446	91.5	89.0-94.0
Female	732	84,237	79	9.7	07.3-12.1	653	90.3	87.9-92.7
Native	76	11,730	8	6.7	01.6-11.8	68	93.3	88.2-98.4
Non-Native	1147	129,312	121	9.5	07.5-11.5	1026	90.5	88.5-92.5
18-24	63	6,273	9	11.8	03.2-20.4	54	88.2	79.6-96.8
25-34	309	42,755	20	6.6	03.3-09.9	289	93.4	90.1-96.7
35-44	459	57,886	53	9.4	06.7-12.1	406	90.6	87.9-93.3
45-54	347	31,100	40	11.3	07.6-15.0	307	88.7	85.0-92.4
H.S. or G.E.D.	247	28,843	25	9.3	05.0-13.6	222	90.7	86.4-95.0
Some Post-H.S.	421	47,714	48	9.1	06.4-11.8	373	90.9	88.2-93.6
College Graduate	517	60,077	49	8.7	06.2-11.2	468	91.3	88.8-93.8
\$15,000- 24,999	104	12,434	12	6.8	02.7-10.9	92	93.2	89.1-97.3
\$25,000- 34,999	94	11,528	12	8.9	03.6-14.2	82	91.1	85.8-96.4
\$35,000- 49,999	200	24,990	28	10.2	06.1-14.3	172	89.8	85.7-93.9
\$50,000- 74,999	270	30,943	22	6.7	03.6-09.8	248	93.3	90.2-96.4
\$75,000+	410	46,090	43	10.5	07.2-13.8	367	89.5	86.2-92.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	496	57,967	50	8.5	06.0-11.0	446	91.5	89.0-94.0
Non-Native	470	53,577	47	8.5	05.8-11.2	423	91.5	88.8-94.2
25-34	107	14,685	4	3.2	00.0-06.7	103	96.8	93.3-0100
35-44	175	22,766	19	8.7	04.4-13.0	156	91.3	87.0-95.6
45-54	165	15,856	18	10.1	05.0-15.2	147	89.9	84.8-95.0
H.S. or G.E.D.	124	14,387	12	8.5	03.4-13.6	112	91.5	86.4-96.6
Some Post-H.S.	162	18,274	14	7.2	02.9-11.5	148	92.8	88.5-97.1
College Graduate	196	23,361	21	8.7	04.8-12.6	175	91.3	87.4-95.2
\$35,000- 49,999	75	9,672	9	9.9	03.0-16.8	66	90.1	83.2-97.0
\$50,000- 74,999	109	12,532	11	8.7	02.8-14.6	98	91.3	85.4-97.2
\$75,000+	210	23,927	19	8.3	04.4-12.2	191	91.7	87.8-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	732	84,237	79	9.7	07.3-12.1	653	90.3	87.9-92.7
Native	53	8,117	5	5.4	00.1-10.7	48	94.6	89.3-99.9
Non-Native	677	75,734	74	10.2	07.7-12.7	603	89.8	87.3-92.3
25-34	202	28,070	16	8.3	03.6-13.0	186	91.7	87.0-96.4
35-44	284	35,119	34	9.8	06.3-13.3	250	90.2	86.7-93.7
45-54	182	15,244	22	12.5	07.0-18.0	160	87.5	82.0-93.0
H.S. or G.E.D.	123	14,456	13	10.0	03.1-16.9	110	90.0	83.1-96.9
Some Post-H.S.	259	29,440	34	10.3	06.6-14.0	225	89.7	86.0-93.4
College Graduate	321	36,716	28	8.8	05.3-12.3	293	91.2	87.7-94.7
\$15,000- 24,999	77	9,342	6	4.4	00.7-08.1	71	95.6	91.9-99.3
\$25,000- 34,999	61	7,222	10	12.6	04.6-20.6	51	87.4	79.4-95.4
\$35,000- 49,999	125	15,317	19	10.5	05.4-15.6	106	89.5	84.4-94.6
\$50,000- 74,999	161	18,411	11	5.3	01.8-08.8	150	94.7	91.2-98.2
\$75,000+	200	22,163	24	12.8	07.5-18.1	176	87.2	81.9-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	123	12,383	85	65.5	55.7-75.3	38	34.5	24.7-44.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009
MODULE 26: CHILDHOOD ASTHMA PREVALENCE

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2009**

End of Module Data Report