

NORTH DAKOTA

2010 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 19, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4753	498,162	3949	86.9	85.7-88.1	804	13.1	11.9-14.3
Male	1842	248,843	1537	88.1	86.3-89.9	305	11.9	10.1-13.7
Female	2911	249,319	2412	85.8	84.0-87.6	499	14.2	12.4-16.0
Native	109	17,840				37	26.1	16.1-36.1
Non-Native	4567	470,515	3826	88.0	86.8-89.2	741	12.0	10.8-13.2
18-24	131	79,953	121	91.6	86.5-96.7	10	8.4	03.3-13.5
25-34	419	83,350	397	95.3	93.1-97.5	22	4.7	02.5-06.9
35-44	605	72,617	559	92.0	89.5-94.5	46	8.0	05.5-10.5
45-54	921	90,548	793	88.2	86.0-90.4	128	11.8	09.6-14.0
55-64	1093	72,853	901	82.5	80.0-85.0	192	17.5	15.0-20.0
65+	1534	96,186	1132	73.9	71.5-76.3	402	26.1	23.7-28.5
Less Than H.S.	331	34,196	223	73.7	66.8-80.6	108	26.3	19.4-33.2
H.S. or G.E.D.	1410	152,850	1103	85.0	82.6-87.4	307	15.0	12.6-17.4
Some Post-H.S.	1514	156,752	1271	85.8	83.3-88.3	243	14.2	11.7-16.7
College Graduate	1491	153,820	1347	93.1	91.9-94.3	144	6.9	05.7-08.1
Less than \$15,000	371	30,282	218	65.2	58.1-72.3	153	34.8	27.7-41.9
\$15,000- 24,999	646	55,058	475	78.6	74.7-82.5	171	21.4	17.5-25.3
\$25,000- 34,999	501	49,597	393	81.8	77.1-86.5	108	18.2	13.5-22.9
\$35,000- 49,999	698	71,409	599	88.4	85.5-91.3	99	11.6	08.7-14.5
\$50,000- 74,999	736	84,048	660	91.5	89.3-93.7	76	8.5	06.3-10.7
\$75,000+	1127	136,920	1061	94.9	93.1-96.7	66	5.1	03.3-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	248,843	1537	88.1	86.3-89.9	305	11.9	10.1-13.7
Non-Native	1756	233,390	1480	89.3	87.7-90.9	276	10.7	09.1-12.3
18-24	57	42,683	54	94.7	88.6-0100	3	5.3	00.0-11.4
25-34	163	44,359	157	96.2	93.1-99.3	6	3.8	00.7-06.9
35-44	254	37,133	237	92.4	88.3-96.5	17	7.6	03.5-11.7
45-54	395	45,105	342	89.4	86.3-92.5	53	10.6	07.5-13.7
55-64	461	37,814	369	80.0	76.1-83.9	92	20.0	16.1-23.9
65+	504	41,223	370	74.3	70.4-78.2	134	25.7	21.8-29.6
H.S. or G.E.D.	521	78,442	424	89.3	86.4-92.2	97	10.7	07.8-13.6
Some Post-H.S.	570	74,089	477	86.5	82.8-90.2	93	13.5	09.8-17.2
College Graduate	603	75,442	543	92.8	90.8-94.8	60	7.2	05.2-09.2
\$15,000- 24,999	191	23,801	130	77.4	70.3-84.5	61	22.6	15.5-29.7
\$25,000- 34,999	193	22,045	144	82.5	77.0-88.0	49	17.5	12.0-23.0
\$35,000- 49,999	285	36,121	242	89.9	86.6-93.2	43	10.1	06.8-13.4
\$50,000- 74,999	345	44,520	309	91.1	88.0-94.2	36	8.9	05.8-12.0
\$75,000+	526	76,217	490	94.1	91.0-97.2	36	5.9	02.8-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	249,319	2412	85.8	84.0-87.6	499	14.2	12.4-16.0
Non-Native	2811	237,125	2346	86.7	85.1-88.3	465	13.3	11.7-14.9
18-24	74	37,270	67	88.1	79.7-96.5	7	11.9	03.5-20.3
25-34	256	38,991	240	94.2	91.3-97.1	16	5.8	02.9-08.7
35-44	351	35,484	322	91.6	88.5-94.7	29	8.4	05.3-11.5
45-54	526	45,443	451	87.0	83.9-90.1	75	13.0	09.9-16.1
55-64	632	35,040	532	85.1	82.2-88.0	100	14.9	12.0-17.8
65+	1030	54,963	762	73.6	70.7-76.5	268	26.4	23.5-29.3
Less Than H.S.	185	13,565	131	75.9	68.8-83.0	54	24.1	17.0-31.2
H.S. or G.E.D.	889	74,408	679	80.4	76.9-83.9	210	19.6	16.1-23.1
Some Post-H.S.	944	82,663	794	85.1	81.6-88.6	150	14.9	11.4-18.4
College Graduate	888	78,378	804	93.3	91.7-94.9	84	6.7	05.1-08.3
Less than \$15,000	246	14,681	140	62.8	55.4-70.2	106	37.2	29.8-44.6
\$15,000- 24,999	455	31,258	345	79.4	74.9-83.9	110	20.6	16.1-25.1
\$25,000- 34,999	308	27,552	249	81.2	73.9-88.5	59	18.8	11.5-26.1
\$35,000- 49,999	413	35,288	357	86.8	81.9-91.7	56	13.2	08.3-18.1
\$50,000- 74,999	391	39,528	351	92.0	89.3-94.7	40	8.0	05.3-10.7
\$75,000+	601	60,702	571	95.9	94.3-97.5	30	4.1	02.5-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3160	395,314	2810	86.7	84.5-88.9	350	13.3	11.1-15.5
Male	1331	206,090	1163	84.5	81.0-88.0	168	15.5	12.0-19.0
Female	1829	189,225	1647	89.0	86.8-91.2	182	11.0	08.8-13.2
Non-Native	3030	371,739	2719	87.8	85.6-90.0	311	12.2	10.0-14.4
18-24	124	75,924	104	80.6	72.0-89.2	20	19.4	10.8-28.0
25-34	420	83,599	358	83.7	79.6-87.8	62	16.3	12.2-20.4
35-44	604	72,471	544	89.2	86.3-92.1	60	10.8	07.9-13.7
45-54	920	90,591	816	88.6	86.2-91.0	104	11.4	09.0-13.8
55-64	1092	72,730	988	91.3	89.5-93.1	104	8.7	06.9-10.5
H.S. or G.E.D.	815	114,864	677	80.8	75.9-85.7	138	19.2	14.3-24.1
Some Post-H.S.	1064	128,576	951	87.2	83.9-90.5	113	12.8	09.5-16.1
College Graduate	1166	131,739	1107	94.6	93.0-96.2	59	5.4	03.8-07.0
Less than \$15,000	184	21,100	119	64.7	55.1-74.3	65	35.3	25.7-44.9
\$15,000- 24,999	305	35,639	212	65.7	57.7-73.7	93	34.3	26.3-42.3
\$25,000- 34,999	295	36,393	244	81.3	74.6-88.0	51	18.7	12.0-25.4
\$35,000- 49,999	466	55,273	423	90.0	86.1-93.9	43	10.0	06.1-13.9
\$50,000- 74,999	592	73,626	558	91.0	86.5-95.5	34	9.0	04.5-13.5
\$75,000+	1004	127,062	974	95.0	91.7-98.3	30	5.0	01.7-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1331	206,090	1163	84.5	81.0-88.0	168	15.5	12.0-19.0
Non-Native	1269	192,423	1126	86.2	82.7-89.7	143	13.8	10.3-17.3
25-34	164	44,608	136	82.5	76.2-88.8	28	17.5	11.2-23.8
35-44	254	37,133	228	87.9	83.0-92.8	26	12.1	07.2-17.0
45-54	396	45,272	340	86.4	82.7-90.1	56	13.6	09.9-17.3
55-64	462	37,814	413	90.3	87.4-93.2	49	9.7	06.8-12.6
H.S. or G.E.D.	364	65,351	297	77.8	70.2-85.4	67	22.2	14.6-29.8
Some Post-H.S.	452	63,978	398	86.2	80.9-91.5	54	13.8	08.5-19.1
College Graduate	451	62,423	423	93.6	90.9-96.3	28	6.4	03.7-09.1
\$25,000- 34,999	123	16,308	98	82.7	74.9-90.5	25	17.3	09.5-25.1
\$35,000- 49,999	184	27,639	162	88.1	81.4-94.8	22	11.9	05.2-18.6
\$50,000- 74,999	268	37,970	255	91.3	83.9-98.7	13	8.7	01.3-16.1
\$75,000+	460	70,545	445	93.0	87.3-98.7	15	7.0	01.3-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1829	189,225	1647	89.0	86.8-91.2	182	11.0	08.8-13.2
Non-Native	1761	179,316	1593	89.5	87.3-91.7	168	10.5	08.3-12.7
18-24	69	34,661	58	85.9	77.5-94.3	11	14.1	05.7-22.5
25-34	256	38,991	222	85.1	80.2-90.0	34	14.9	10.0-19.8
35-44	350	35,338	316	90.6	87.5-93.7	34	9.4	06.3-12.5
45-54	524	45,319	476	90.8	88.1-93.5	48	9.2	06.5-11.9
55-64	630	34,916	575	92.5	90.5-94.5	55	7.5	05.5-09.5
H.S. or G.E.D.	451	49,512	380	84.6	79.5-89.7	71	15.4	10.3-20.5
Some Post-H.S.	612	64,598	553	88.1	84.2-92.0	59	11.9	08.0-15.8
College Graduate	715	69,316	684	95.6	93.8-97.4	31	4.4	02.6-06.2
\$15,000- 24,999	206	18,859	150	71.3	62.5-80.1	56	28.7	19.9-37.5
\$35,000- 49,999	282	27,635	261	92.0	88.3-95.7	21	8.0	04.3-11.7
\$50,000- 74,999	324	35,656	303	90.6	85.7-95.5	21	9.4	04.5-14.3
\$75,000+	544	56,517	529	97.5	96.1-98.9	15	2.5	01.1-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (__TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 5: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4755	498,571	3437	75.2	73.4-77.0	1318	24.8	23.0-26.6
Male	1845	249,343	1311	73.3	70.4-76.2	534	26.7	23.8-29.6
Female	2910	249,229	2126	77.2	75.2-79.2	784	22.8	20.8-24.8
Non-Native	4567	470,809	3314	75.6	73.8-77.4	1253	24.4	22.6-26.2
18-24	131	79,953	110	81.9	74.3-89.5	21	18.1	10.5-25.7
25-34	420	83,599	337	80.0	75.7-84.3	83	20.0	15.7-24.3
35-44	606	72,714	470	77.7	74.2-81.2	136	22.3	18.8-25.8
45-54	921	90,632	686	74.2	71.1-77.3	235	25.8	22.7-28.9
55-64	1093	72,845	781	72.2	69.3-75.1	312	27.8	24.9-30.7
65+	1535	96,204	1017	66.9	64.4-69.4	518	33.1	30.6-35.6
Less Than H.S.	331	34,214	180	55.7	45.9-65.5	151	44.3	34.5-54.1
H.S. or G.E.D.	1408	152,931	923	71.8	68.5-75.1	485	28.2	24.9-31.5
Some Post-H.S.	1515	156,903	1080	73.2	70.1-76.3	435	26.8	23.7-29.9
College Graduate	1494	153,979	1249	85.0	82.6-87.4	245	15.0	12.6-17.4
Less than \$15,000	373	30,384	225	64.9	57.8-72.0	148	35.1	28.0-42.2
\$15,000- 24,999	646	55,059	393	64.9	59.6-70.2	253	35.1	29.8-40.4
\$25,000- 34,999	501	49,597	321	65.6	59.5-71.7	180	34.4	28.3-40.5
\$35,000- 49,999	698	71,409	524	74.3	69.4-79.2	174	25.7	20.8-30.6
\$50,000- 74,999	735	83,965	570	80.0	76.7-83.3	165	20.0	16.7-23.3
\$75,000+	1130	137,351	942	85.4	83.0-87.8	188	14.6	12.2-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	249,343	1311	73.3	70.4-76.2	534	26.7	23.8-29.6
Non-Native	1758	233,806	1258	74.0	71.1-76.9	500	26.0	23.1-28.9
25-34	164	44,608	125	77.4	70.5-84.3	39	22.6	15.7-29.5
35-44	254	37,133	189	75.6	70.1-81.1	65	24.4	18.9-29.9
45-54	396	45,272	277	69.6	64.5-74.7	119	30.4	25.3-35.5
55-64	462	37,898	321	70.5	66.2-74.8	141	29.5	25.2-33.8
65+	504	41,223	347	69.1	64.8-73.4	157	30.9	26.6-35.2
H.S. or G.E.D.	523	78,775	341	72.0	66.5-77.5	182	28.0	22.5-33.5
Some Post-H.S.	571	74,256	394	71.6	66.7-76.5	177	28.4	23.5-33.3
College Graduate	603	75,442	495	81.8	77.9-85.7	108	18.2	14.3-22.1
\$15,000- 24,999	190	23,758	117	67.9	59.1-76.7	73	32.1	23.3-40.9
\$35,000- 49,999	285	36,121	207	71.2	63.4-79.0	78	28.8	21.0-36.6
\$50,000- 74,999	345	44,520	257	76.2	70.7-81.7	88	23.8	18.3-29.3
\$75,000+	527	76,466	418	82.7	79.2-86.2	109	17.3	13.8-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	249,229	2126	77.2	75.2-79.2	784	22.8	20.8-24.8
Non-Native	2809	237,004	2056	77.2	75.2-79.2	753	22.8	20.8-24.8
18-24	74	37,270	65	87.6	79.8-95.4	9	12.4	04.6-20.2
25-34	256	38,991	212	83.1	78.2-88.0	44	16.9	12.0-21.8
35-44	352	35,581	281	79.8	75.5-84.1	71	20.2	15.9-24.5
45-54	525	45,360	409	78.7	75.0-82.4	116	21.3	17.6-25.0
55-64	631	34,947	460	74.1	70.6-77.6	171	25.9	22.4-29.4
65+	1031	54,981	670	65.3	62.2-68.4	361	34.7	31.6-37.8
Less Than H.S.	185	13,583	101	60.6	51.6-69.6	84	39.4	30.4-48.4
H.S. or G.E.D.	885	74,156	582	71.6	67.7-75.5	303	28.4	24.5-32.3
Some Post-H.S.	944	82,647	686	74.7	70.8-78.6	258	25.3	21.4-29.2
College Graduate	891	78,537	754	88.1	85.9-90.3	137	11.9	09.7-14.1
Less than \$15,000	247	14,699	147	62.1	53.9-70.3	100	37.9	29.7-46.1
\$15,000- 24,999	456	31,300	276	62.6	56.3-68.9	180	37.4	31.1-43.7
\$25,000- 34,999	308	27,552	210	71.4	64.5-78.3	98	28.6	21.7-35.5
\$35,000- 49,999	413	35,288	317	77.4	71.5-83.3	96	22.6	16.7-28.5
\$50,000- 74,999	390	39,445	313	84.3	80.4-88.2	77	15.7	11.8-19.6
\$75,000+	603	60,885	524	88.7	86.2-91.2	79	11.3	08.8-13.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)	
7	MALES AND FEMALES	21
8	MALES ONLY	22
9	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4680	493,388	1982	54.8	52.8-56.8	2698	45.2	43.2-47.2
Male	1821	247,249	776	54.8	51.5-58.1	1045	45.2	41.9-48.5
Female	2859	246,139	1206	54.7	52.2-57.2	1653	45.3	42.8-47.8
Non-Native	4498	465,958	1929	55.8	53.8-57.8	2569	44.2	42.2-46.2
18-24	130	79,605	110	83.8	76.4-91.2	20	16.2	08.8-23.6
25-34	420	83,599	323	77.3	72.8-81.8	97	22.7	18.2-27.2
35-44	606	72,714	422	68.5	64.4-72.6	184	31.5	27.4-35.6
45-54	915	90,252	466	50.5	47.0-54.0	449	49.5	46.0-53.0
55-64	1089	72,474	380	35.0	31.9-38.1	709	65.0	61.9-68.1
65+	1474	92,327	259	18.4	16.2-20.6	1215	81.6	79.4-83.8
H.S. or G.E.D.	1381	151,337	420	47.7	43.2-52.2	961	52.3	47.8-56.8
Some Post-H.S.	1498	155,870	635	53.4	49.9-56.9	863	46.6	43.1-50.1
College Graduate	1485	153,298	877	67.9	65.2-70.6	608	32.1	29.4-34.8
Less than \$15,000	360	29,699	65	25.3	17.9-32.7	295	74.7	67.3-82.1
\$15,000- 24,999	631	54,195	168	42.3	35.8-48.8	463	57.7	51.2-64.2
\$25,000- 34,999	491	48,596	157	47.4	40.5-54.3	334	52.6	45.7-59.5
\$35,000- 49,999	692	70,930	267	49.2	43.9-54.5	425	50.8	45.5-56.1
\$50,000- 74,999	734	83,941	385	60.6	56.1-65.1	349	39.4	34.9-43.9
\$75,000+	1122	136,750	705	67.6	63.9-71.3	417	32.4	28.7-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	247,249	776	54.8	51.5-58.1	1045	45.2	41.9-48.5
Non-Native	1735	231,763	754	56.2	52.9-59.5	981	43.8	40.5-47.1
25-34	164	44,608	124	76.4	69.3-83.5	40	23.6	16.5-30.7
35-44	254	37,133	178	68.3	62.0-74.6	76	31.7	25.4-38.0
45-54	394	45,161	191	49.2	43.9-54.5	203	50.8	45.5-56.1
55-64	457	37,435	140	31.3	26.8-35.8	317	68.7	64.2-73.2
65+	488	39,787	91	18.9	15.2-22.6	397	81.1	77.4-84.8
H.S. or G.E.D.	517	78,250	177	50.2	43.3-57.1	340	49.8	42.9-56.7
Some Post-H.S.	564	73,730	245	53.9	48.4-59.4	319	46.1	40.6-51.6
College Graduate	600	75,147	331	65.5	61.4-69.6	269	34.5	30.4-38.6
\$35,000- 49,999	280	35,685	98	47.9	39.7-56.1	182	52.1	43.9-60.3
\$50,000- 74,999	345	44,520	167	56.7	49.6-63.8	178	43.3	36.2-50.4
\$75,000+	523	76,115	305	64.0	58.3-69.7	218	36.0	30.3-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	246,139	1206	54.7	52.2-57.2	1653	45.3	42.8-47.8
Non-Native	2763	234,195	1175	55.5	53.0-58.0	1588	44.5	42.0-47.0
18-24	73	36,922	62	87.5	80.2-94.8	11	12.5	05.2-19.8
25-34	256	38,991	199	78.4	73.1-83.7	57	21.6	16.3-26.9
35-44	352	35,581	244	68.7	63.6-73.8	108	31.3	26.2-36.4
45-54	521	45,091	275	51.7	47.0-56.4	246	48.3	43.6-53.0
55-64	632	35,040	240	38.9	34.8-43.0	392	61.1	57.0-65.2
65+	986	52,540	168	18.0	15.5-20.5	818	82.0	79.5-84.5
H.S. or G.E.D.	864	73,086	243	45.0	39.7-50.3	621	55.0	49.7-60.3
Some Post-H.S.	934	82,139	390	53.0	48.5-57.5	544	47.0	42.5-51.5
College Graduate	885	78,151	546	70.1	66.8-73.4	339	29.9	26.6-33.2
Less than \$15,000	235	14,065	38	20.7	13.4-28.0	197	79.3	72.0-86.6
\$15,000- 24,999	445	30,782	123	40.5	33.1-47.9	322	59.5	52.1-66.9
\$25,000- 34,999	301	26,776	96	50.5	41.9-59.1	205	49.5	40.9-58.1
\$35,000- 49,999	412	35,245	169	50.5	43.8-57.2	243	49.5	42.8-56.2
\$50,000- 74,999	389	39,421	218	65.1	59.6-70.6	171	34.9	29.4-40.4
\$75,000+	599	60,635	400	72.2	68.3-76.1	199	27.8	23.9-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1474	92,327	1169	81.2	79.0-83.4	305	18.8	16.6-21.0
Male	488	39,787	413	85.2	81.9-88.5	75	14.8	11.5-18.1
Female	986	52,540	756	78.1	75.4-80.8	230	21.9	19.2-24.6
Non-Native	1424	89,076	1137	81.5	79.3-83.7	287	18.5	16.3-20.7
65+	1474	92,327	1169	81.2	79.0-83.4	305	18.8	16.6-21.0
Less Than H.S.	194	12,014	116	62.5	55.1-69.9	78	37.5	30.1-44.9
H.S. or G.E.D.	554	34,133	418	77.3	73.6-81.0	136	22.7	19.0-26.4
Some Post-H.S.	418	25,186	349	85.0	81.5-88.5	69	15.0	11.5-18.5
College Graduate	305	20,847	284	93.6	90.7-96.5	21	6.4	03.5-09.3
Less than \$15,000	176	8,630	103	57.3	49.5-65.1	73	42.7	34.9-50.5
\$15,000- 24,999	321	18,361	247	77.6	72.7-82.5	74	22.4	17.5-27.3
\$25,000- 34,999	195	12,535	144	74.1	67.4-80.8	51	25.9	19.2-32.6
\$35,000- 49,999	222	15,022	192	86.7	81.8-91.6	30	13.3	08.4-18.2
\$50,000- 74,999	139	10,077	121	87.6	81.9-93.3	18	12.4	06.7-18.1
\$75,000+	116	9,132	112	96.3	92.6-0100	4	3.7	00.0-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	488	39,787	413	85.2	81.9-88.5	75	14.8	11.5-18.1
Non-Native	464	37,969	396	85.6	82.3-88.9	68	14.4	11.1-17.7
65+	488	39,787	413	85.2	81.9-88.5	75	14.8	11.5-18.1
H.S. or G.E.D.	154	12,608	124	80.4	73.7-87.1	30	19.6	12.9-26.3
Some Post-H.S.	111	8,819	101	91.5	86.0-97.0	10	8.5	03.0-14.0
College Graduate	147	12,577	136	93.1	89.0-97.2	11	6.9	02.8-11.0
\$15,000- 24,999	87	6,633	68	78.2	69.2-87.2	19	21.8	12.8-30.8
\$35,000- 49,999	97	8,088	85	86.0	78.4-93.6	12	14.0	06.4-21.6
\$50,000- 74,999	76	6,466	70	92.4	86.3-98.5	6	7.6	01.5-13.7
\$75,000+	65	5,752	62	95.3	89.6-0100	3	4.7	00.0-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	986	52,540	756	78.1	75.4-80.8	230	21.9	19.2-24.6
Non-Native	960	51,107	741	78.6	75.9-81.3	219	21.4	18.7-24.1
65+	986	52,540	756	78.1	75.4-80.8	230	21.9	19.2-24.6
Less Than H.S.	118	6,230	64	56.9	47.3-66.5	54	43.1	33.5-52.7
H.S. or G.E.D.	400	21,526	294	75.5	71.2-79.8	106	24.5	20.2-28.8
Some Post-H.S.	307	16,366	248	81.5	76.8-86.2	59	18.5	13.8-23.2
College Graduate	158	8,271	148	94.4	90.9-97.9	10	5.6	02.1-09.1
Less than \$15,000	141	6,448	82	57.2	48.4-66.0	59	42.8	34.0-51.6
\$15,000- 24,999	234	11,727	179	77.3	71.6-83.0	55	22.7	17.0-28.4
\$25,000- 34,999	128	6,988	93	72.8	64.6-81.0	35	27.2	19.0-35.4
\$35,000- 49,999	125	6,934	107	87.6	81.7-93.5	18	12.4	06.5-18.3
\$75,000+	51	3,380	50	98.1	94.4-0100	1	1.9	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4747	497,984	3393	72.6	70.8-74.4	1354	27.4	25.6-29.2
Male	1843	249,020	1297	70.8	67.7-73.9	546	29.2	26.1-32.3
Female	2904	248,964	2096	74.5	72.3-76.7	808	25.5	23.3-27.7
Non-Native	4559	470,221	3279	72.9	70.9-74.9	1280	27.1	25.1-29.1
18-24	131	79,953	101	76.6	68.4-84.8	30	23.4	15.2-31.6
25-34	419	83,412	292	68.3	63.2-73.4	127	31.7	26.6-36.8
35-44	606	72,714	463	76.5	73.0-80.0	143	23.5	20.0-27.0
45-54	920	90,611	675	73.1	70.0-76.2	245	26.9	23.8-30.0
55-64	1094	72,918	823	75.7	73.0-78.4	271	24.3	21.6-27.0
65+	1527	95,719	997	67.0	64.5-69.5	530	33.0	30.5-35.5
Less Than H.S.	329	34,120	149	45.8	36.2-55.4	180	54.2	44.6-63.8
H.S. or G.E.D.	1407	152,777	909	69.8	66.3-73.3	498	30.2	26.7-33.7
Some Post-H.S.	1513	156,795	1113	72.8	69.5-76.1	400	27.2	23.9-30.5
College Graduate	1492	153,809	1218	81.3	78.8-83.8	274	18.7	16.2-21.2
Less than \$15,000	373	30,366	159	50.6	43.0-58.2	214	49.4	41.8-57.0
\$15,000- 24,999	646	54,992	377	61.0	55.5-66.5	269	39.0	33.5-44.5
\$25,000- 34,999	499	49,459	326	63.1	56.6-69.6	173	36.9	30.4-43.4
\$35,000- 49,999	698	71,409	519	74.5	70.0-79.0	179	25.5	21.0-30.0
\$50,000- 74,999	735	83,986	556	73.1	69.0-77.2	179	26.9	22.8-31.0
\$75,000+	1130	137,351	984	85.7	83.0-88.4	146	14.3	11.6-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1843	249,020	1297	70.8	67.7-73.9	546	29.2	26.1-32.3
Non-Native	1756	233,482	1249	71.1	68.0-74.2	507	28.9	25.8-32.0
25-34	163	44,421	110	65.7	57.7-73.7	53	34.3	26.3-42.3
35-44	254	37,133	189	74.4	68.7-80.1	65	25.6	19.9-31.3
45-54	396	45,272	276	69.8	64.9-74.7	120	30.2	25.3-35.1
55-64	463	37,940	324	71.1	66.8-75.4	139	28.9	24.6-33.2
65+	502	41,044	346	69.4	65.1-73.7	156	30.6	26.3-34.9
H.S. or G.E.D.	523	78,630	345	71.0	65.3-76.7	178	29.0	23.3-34.7
Some Post-H.S.	571	74,256	415	71.3	66.0-76.6	156	28.7	23.4-34.0
College Graduate	602	75,314	467	77.3	73.2-81.4	135	22.7	18.6-26.8
\$15,000- 24,999	190	23,673	103	59.5	49.5-69.5	87	40.5	30.5-50.5
\$25,000- 34,999	192	21,993	122	61.8	52.0-71.6	70	38.2	28.4-48.0
\$35,000- 49,999	285	36,121	201	70.9	63.6-78.2	84	29.1	21.8-36.4
\$50,000- 74,999	345	44,520	246	71.8	65.9-77.7	99	28.2	22.3-34.1
\$75,000+	527	76,466	445	82.5	78.0-87.0	82	17.5	13.0-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2904	248,964	2096	74.5	72.3-76.7	808	25.5	23.3-27.7
Non-Native	2803	236,739	2030	74.6	72.4-76.8	773	25.4	23.2-27.6
18-24	74	37,270	57	79.0	69.6-88.4	17	21.0	11.6-30.4
25-34	256	38,991	182	71.3	65.4-77.2	74	28.7	22.8-34.6
35-44	352	35,581	274	78.7	74.2-83.2	78	21.3	16.8-25.8
45-54	524	45,339	399	76.3	72.4-80.2	125	23.7	19.8-27.6
55-64	631	34,978	499	80.8	77.7-83.9	132	19.2	16.1-22.3
65+	1025	54,675	651	65.2	62.1-68.3	374	34.8	31.7-37.9
Less Than H.S.	184	13,540	81	49.0	39.2-58.8	103	51.0	41.2-60.8
H.S. or G.E.D.	884	74,147	564	68.4	64.1-72.7	320	31.6	27.3-35.9
Some Post-H.S.	942	82,539	698	74.1	70.2-78.0	244	25.9	22.0-29.8
College Graduate	890	78,494	751	85.1	82.2-88.0	139	14.9	12.0-17.8
Less than \$15,000	247	14,681	106	49.9	41.5-58.3	141	50.1	41.7-58.5
\$15,000- 24,999	456	31,319	274	62.2	55.9-68.5	182	37.8	31.5-44.1
\$25,000- 34,999	307	27,466	204	64.2	55.8-72.6	103	35.8	27.4-44.2
\$35,000- 49,999	413	35,288	318	78.1	73.0-83.2	95	21.9	16.8-27.0
\$50,000- 74,999	390	39,466	310	74.7	68.8-80.6	80	25.3	19.4-31.2
\$75,000+	603	60,885	539	89.7	87.0-92.4	64	10.3	07.6-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 9: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	24
5	MALES ONLY	25
6	FEMALES ONLY	26
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	27
8	MALES ONLY	28
9	FEMALES ONLY	29

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4743	497,783	4248	89.4	87.8-91.0	495	10.6	09.0-12.2
Male	1841	248,965	1679	90.7	88.3-93.1	162	9.3	06.9-11.7
Female	2902	248,817	2569	88.1	86.3-89.9	333	11.9	10.1-13.7
Native	110	17,871	96	89.2	81.9-96.5	14	10.8	03.5-18.1
Non-Native	4555	470,020	4085	89.5	87.9-91.1	470	10.5	08.9-12.1
18-24	131	79,953	113	84.8	77.4-92.2	18	15.2	07.8-22.6
25-34	420	83,599	374	90.5	87.6-93.4	46	9.5	06.6-12.4
35-44	605	72,665	534	88.4	85.5-91.3	71	11.6	08.7-14.5
45-54	919	90,508	833	91.4	89.4-93.4	86	8.6	06.6-10.6
55-64	1091	72,655	974	89.7	87.7-91.7	117	10.3	08.3-12.3
65+	1528	95,808	1375	90.7	89.1-92.3	153	9.3	07.7-10.9
Less Than H.S.	327	33,979	298	85.7	75.7-95.7	29	14.3	04.3-24.3
H.S. or G.E.D.	1407	152,850	1257	88.7	85.6-91.8	150	11.3	08.2-14.4
Some Post-H.S.	1512	156,710	1345	89.2	86.8-91.6	167	10.8	08.4-13.2
College Graduate	1490	153,700	1342	91.1	89.3-92.9	148	8.9	07.1-10.7
Less than \$15,000	374	30,427	312	83.2	77.5-88.9	62	16.8	11.1-22.5
\$15,000- 24,999	645	55,004	567	88.2	84.7-91.7	78	11.8	08.3-15.3
\$25,000- 34,999	498	49,335	450	90.6	86.3-94.9	48	9.4	05.1-13.7
\$35,000- 49,999	694	71,171	626	90.7	88.0-93.4	68	9.3	06.6-12.0
\$50,000- 74,999	734	83,882	669	91.8	89.6-94.0	65	8.2	06.0-10.4
\$75,000+	1129	137,267	1022	90.2	87.5-92.9	107	9.8	07.1-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	248,965	1679	90.7	88.3-93.1	162	9.3	06.9-11.7
Non-Native	1754	233,428	1601	90.8	88.3-93.3	153	9.2	06.7-11.7
25-34	164	44,608	148	92.2	88.3-96.1	16	7.8	03.9-11.7
35-44	254	37,133	230	89.9	85.6-94.2	24	10.1	05.8-14.4
45-54	396	45,272	373	94.7	92.3-97.1	23	5.3	02.9-07.7
55-64	460	37,708	412	90.2	87.5-92.9	48	9.8	07.1-12.5
65+	502	41,035	458	92.0	89.6-94.4	44	8.0	05.6-10.4
H.S. or G.E.D.	523	78,732	466	88.8	84.1-93.5	57	11.2	06.5-15.9
Some Post-H.S.	569	74,109	519	90.8	87.1-94.5	50	9.2	05.5-12.9
College Graduate	601	75,254	555	93.5	91.3-95.7	46	6.5	04.3-08.7
Less than \$15,000	126	15,685	104	81.7	71.7-91.7	22	18.3	08.3-28.3
\$15,000- 24,999	190	23,737	172	92.8	88.9-96.7	18	7.2	03.3-11.1
\$25,000- 34,999	191	21,876	174	90.3	82.1-98.5	17	9.7	01.5-17.9
\$35,000- 49,999	284	36,017	256	91.4	87.9-94.9	28	8.6	05.1-12.1
\$50,000- 74,999	345	44,520	322	94.8	92.4-97.2	23	5.2	02.8-07.6
\$75,000+	526	76,382	482	91.6	88.1-95.1	44	8.4	04.9-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	248,817	2569	88.1	86.3-89.9	333	11.9	10.1-13.7
Non-Native	2801	236,592	2484	88.2	86.4-90.0	317	11.8	10.0-13.6
18-24	74	37,270	62	84.6	76.0-93.2	12	15.4	06.8-24.0
25-34	256	38,991	226	88.6	84.5-92.7	30	11.4	07.3-15.5
35-44	351	35,532	304	86.9	83.2-90.6	47	13.1	09.4-16.8
45-54	523	45,236	460	88.2	85.1-91.3	63	11.8	08.7-14.9
55-64	631	34,947	562	89.2	86.7-91.7	69	10.8	08.3-13.3
65+	1026	54,773	917	89.8	87.8-91.8	109	10.2	08.2-12.2
Less Than H.S.	181	13,347	161	83.0	73.2-92.8	20	17.0	07.2-26.8
H.S. or G.E.D.	884	74,118	791	88.6	84.9-92.3	93	11.4	07.7-15.1
Some Post-H.S.	943	82,601	826	87.8	85.1-90.5	117	12.2	09.5-14.9
College Graduate	889	78,446	787	88.7	86.2-91.2	102	11.3	08.8-13.8
Less than \$15,000	248	14,742	208	84.8	79.7-89.9	40	15.2	10.1-20.3
\$15,000- 24,999	455	31,267	395	84.8	79.5-90.1	60	15.2	09.9-20.5
\$25,000- 34,999	307	27,459	276	90.8	86.7-94.9	31	9.2	05.1-13.3
\$35,000- 49,999	410	35,154	370	90.0	85.9-94.1	40	10.0	05.9-14.1
\$50,000- 74,999	389	39,362	347	88.4	84.5-92.3	42	11.6	07.7-15.5
\$75,000+	603	60,885	540	88.3	84.2-92.4	63	11.7	07.6-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4720	494,098	4362	92.6	91.4-93.8	358	7.4	06.2-08.6
Male	1835	246,478	1730	94.4	92.6-96.2	105	5.6	03.8-07.4
Female	2885	247,620	2632	90.7	89.1-92.3	253	9.3	07.7-10.9
Native	109	17,778	98	91.5	84.8-98.2	11	8.5	01.8-15.2
Non-Native	4534	466,471	4194	92.7	91.5-93.9	340	7.3	06.1-08.5
18-24	130	78,177	117	90.1	84.2-96.0	13	9.9	04.0-15.8
25-34	418	83,121	390	94.3	92.1-96.5	28	5.7	03.5-07.9
35-44	602	72,423	551	91.7	89.2-94.2	51	8.3	05.8-10.8
45-54	916	90,301	855	93.5	91.7-95.3	61	6.5	04.7-08.3
55-64	1086	72,262	1001	92.7	91.1-94.3	85	7.3	05.7-08.9
65+	1519	95,219	1402	92.7	91.3-94.1	117	7.3	05.9-08.7
Less Than H.S.	324	32,117	303	91.7	87.0-96.4	21	8.3	03.6-13.0
H.S. or G.E.D.	1400	152,296	1292	91.7	88.8-94.6	108	8.3	05.4-11.2
Some Post-H.S.	1506	156,253	1377	92.1	90.3-93.9	129	7.9	06.1-09.7
College Graduate	1483	152,888	1384	94.0	92.6-95.4	99	6.0	04.6-07.4
Less than \$15,000	371	30,300	324	87.8	83.1-92.5	47	12.2	07.5-16.9
\$15,000- 24,999	642	54,747	584	91.6	88.7-94.5	58	8.4	05.5-11.3
\$25,000- 34,999	498	49,335	461	92.2	87.9-96.5	37	7.8	03.5-12.1
\$35,000- 49,999	691	70,921	640	93.7	91.7-95.7	51	6.3	04.3-08.3
\$50,000- 74,999	733	83,820	687	93.9	91.9-95.9	46	6.1	04.1-08.1
\$75,000+	1122	136,467	1052	93.8	91.8-95.8	70	6.2	04.2-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	246,478	1730	94.4	92.6-96.2	105	5.6	03.8-07.4
Non-Native	1748	230,940	1649	94.6	92.8-96.4	99	5.4	03.6-07.2
18-24	56	40,907	53	92.5	84.1-0100	3	7.5	00.0-15.9
25-34	163	44,235	154	96.1	93.4-98.8	9	3.9	01.2-06.6
35-44	253	37,085	240	94.0	90.3-97.7	13	6.0	02.3-09.7
45-54	396	45,272	380	96.1	93.9-98.3	16	3.9	01.7-06.1
55-64	459	37,624	427	93.6	91.4-95.8	32	6.4	04.2-08.6
65+	500	40,828	469	94.1	91.9-96.3	31	5.9	03.7-08.1
Less Than H.S.	145	18,856	139	96.3	92.8-99.8	6	3.7	00.2-07.2
H.S. or G.E.D.	520	78,477	483	92.1	87.6-96.6	37	7.9	03.4-12.4
Some Post-H.S.	568	74,025	532	94.5	92.0-97.0	36	5.5	03.0-08.0
College Graduate	600	74,881	574	96.3	94.7-97.9	26	3.7	02.1-05.3
Less than \$15,000	126	15,685	111	88.4	80.4-96.4	15	11.6	03.6-19.6
\$15,000- 24,999	189	23,634	178	95.6	92.3-98.9	11	4.4	01.1-07.7
\$25,000- 34,999	191	21,876	180	91.8	83.6-0100	11	8.2	00.0-16.4
\$35,000- 49,999	283	35,914	263	94.4	91.7-97.1	20	5.6	02.9-08.3
\$50,000- 74,999	345	44,520	331	96.5	94.5-98.5	14	3.5	01.5-05.5
\$75,000+	523	75,876	496	96.2	94.6-97.8	27	3.8	02.2-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2885	247,620	2632	90.7	89.1-92.3	253	9.3	07.7-10.9
Non-Native	2786	235,531	2545	90.9	89.3-92.5	241	9.1	07.5-10.7
18-24	74	37,270	64	87.4	79.4-95.4	10	12.6	04.6-20.6
25-34	255	38,886	236	92.4	88.9-95.9	19	7.6	04.1-11.1
35-44	349	35,338	311	89.4	86.1-92.7	38	10.6	07.3-13.9
45-54	520	45,029	475	90.9	88.0-93.8	45	9.1	06.2-12.0
55-64	627	34,638	574	91.7	89.3-94.1	53	8.3	05.9-10.7
65+	1019	54,391	933	91.6	89.8-93.4	86	8.4	06.6-10.2
Less Than H.S.	179	13,262	164	85.3	75.5-95.1	15	14.7	04.9-24.5
H.S. or G.E.D.	880	73,818	809	91.2	87.9-94.5	71	8.8	05.5-12.1
Some Post-H.S.	938	82,229	845	90.0	87.3-92.7	93	10.0	07.3-12.7
College Graduate	883	78,007	810	91.8	89.6-94.0	73	8.2	06.0-10.4
Less than \$15,000	245	14,615	213	87.1	82.2-92.0	32	12.9	08.0-17.8
\$15,000- 24,999	453	31,113	406	88.5	84.2-92.8	47	11.5	07.2-15.8
\$25,000- 34,999	307	27,459	281	92.6	88.9-96.3	26	7.4	03.7-11.1
\$35,000- 49,999	408	35,007	377	93.0	90.3-95.7	31	7.0	04.3-09.7
\$50,000- 74,999	388	39,300	356	90.9	87.4-94.4	32	9.1	05.6-12.6
\$75,000+	599	60,591	556	90.8	86.7-94.9	43	9.2	05.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4720	494,098	358	7.4	06.2-08.6	114	2.5	01.7-03.3	4248	90.1	88.7-91.5
Male	1835	246,478	105	5.6	03.8-07.4	51	2.8	01.6-04.0	1679	91.7	89.7-93.7
Female	2885	247,620	253	9.3	07.7-10.9	63	2.2	01.4-03.0	2569	88.5	86.7-90.3
Native	109	17,778	11	8.5	01.8-15.2	2	1.9	00.0-04.8	96	89.7	82.4-97.0
Non-Native	4534	466,471	340	7.3	06.1-08.5	109	2.5	01.7-03.3	4085	90.2	88.8-91.6
18-24	130	78,177	13	9.9	04.0-15.8	4	3.3	00.0-06.6	113	86.8	80.1-93.5
25-34	418	83,121	28	5.7	03.5-07.9	16	3.3	01.5-05.1	374	91.0	88.3-93.7
35-44	602	72,423	51	8.3	05.8-10.8	17	3.0	01.6-04.4	534	88.7	86.0-91.4
45-54	916	90,301	61	6.5	04.7-08.3	22	1.9	01.1-02.7	833	91.6	89.6-93.6
55-64	1086	72,262	85	7.3	05.7-08.9	27	2.4	01.4-03.4	974	90.2	88.4-92.0
65+	1519	95,219	117	7.3	05.9-08.7	27	1.4	00.8-02.0	1375	91.3	89.7-92.9
Less Than H.S.	324	32,117	21	8.3	03.6-13.0	5	1.0	00.0-02.0	298	90.7	85.8-95.6
H.S. or G.E.D.	1400	152,296	108	8.3	05.4-11.2	35	2.7	01.5-03.9	1257	89.0	85.9-92.1
Some Post-H.S.	1506	156,253	129	7.9	06.1-09.7	32	2.6	01.0-04.2	1345	89.5	87.1-91.9
College Graduate	1483	152,888	99	6.0	04.6-07.4	42	2.5	01.5-03.5	1342	91.5	89.9-93.1
Less than \$15,000	371	30,300	47	12.2	07.5-16.9	12	4.2	00.7-07.7	312	83.5	77.8-89.2
\$15,000- 24,999	642	54,747	58	8.4	05.5-11.3	17	2.9	00.7-05.1	567	88.7	85.2-92.2
\$25,000- 34,999	498	49,335	37	7.8	03.5-12.1	11	1.7	00.5-02.9	450	90.6	86.3-94.9
\$35,000- 49,999	691	70,921	51	6.3	04.3-08.3	14	2.6	00.6-04.6	626	91.0	88.3-93.7
\$50,000- 74,999	733	83,820	46	6.1	04.1-08.1	18	2.0	01.0-03.0	669	91.9	89.7-94.1
\$75,000+	1122	136,467	70	6.2	04.2-08.2	30	3.1	01.3-04.9	1022	90.7	88.2-93.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	246,478	105	5.6	03.8-07.4	51	2.8	01.6-04.0	1679	91.7	89.7-93.7
Non-Native	1748	230,940	99	5.4	03.6-07.2	48	2.8	01.6-04.0	1601	91.8	89.6-94.0
18-24	56	40,907	3	7.5	00.0-15.9	2	3.8	00.0-09.3	51	88.7	78.9-98.5
25-34	163	44,235	9	3.9	01.2-06.6	6	3.1	00.6-05.6	148	93.0	89.3-96.7
35-44	253	37,085	13	6.0	02.3-09.7	10	3.9	01.5-06.3	230	90.1	85.8-94.4
45-54	396	45,272	16	3.9	01.7-06.1	7	1.4	00.2-02.6	373	94.7	92.3-97.1
55-64	459	37,624	32	6.4	04.2-08.6	15	3.1	01.5-04.7	412	90.4	87.7-93.1
65+	500	40,828	31	5.9	03.7-08.1	11	1.6	00.6-02.6	458	92.5	90.1-94.9
Less Than H.S.	145	18,856	6	3.7	00.2-07.2	2	0.5	00.0-01.3	137	95.8	92.3-99.3
H.S. or G.E.D.	520	78,477	37	7.9	03.4-12.4	17	3.0	01.0-05.0	466	89.1	84.4-93.8
Some Post-H.S.	568	74,025	36	5.5	03.0-08.0	13	3.5	00.6-06.4	519	90.9	87.2-94.6
College Graduate	600	74,881	26	3.7	02.1-05.3	19	2.4	01.2-03.6	555	94.0	92.0-96.0
Less than \$15,000	126	15,685	15	11.6	03.6-19.6	7	6.7	00.0-13.4	104	81.7	71.7-91.7
\$15,000- 24,999	189	23,634	11	4.4	01.1-07.7	6	2.4	00.2-04.6	172	93.3	89.4-97.2
\$25,000- 34,999	191	21,876	11	8.2	00.0-16.4	6	1.4	00.2-02.6	174	90.3	82.1-98.5
\$35,000- 49,999	283	35,914	20	5.6	02.9-08.3	7	2.7	00.5-04.9	256	91.7	88.2-95.2
\$50,000- 74,999	345	44,520	14	3.5	01.5-05.5	9	1.7	00.5-02.9	322	94.8	92.4-97.2
\$75,000+	523	75,876	27	3.8	02.2-05.4	14	3.9	00.8-07.0	482	92.3	89.0-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2885	247,620	253	9.3	07.7-10.9	63	2.2	01.4-03.0	2569	88.5	86.7-90.3
Non-Native	2786	235,531	241	9.1	07.5-10.7	61	2.3	01.5-03.1	2484	88.6	86.8-90.4
18-24	74	37,270	10	12.6	04.6-20.6	2	2.8	00.0-06.7	62	84.6	76.0-93.2
25-34	255	38,886	19	7.6	04.1-11.1	10	3.5	01.3-05.7	226	88.9	84.8-93.0
35-44	349	35,338	38	10.6	07.3-13.9	7	2.1	00.5-03.7	304	87.3	83.8-90.8
45-54	520	45,029	45	9.1	06.2-12.0	15	2.3	01.1-03.5	460	88.6	85.5-91.7
55-64	627	34,638	53	8.3	05.9-10.7	12	1.6	00.6-02.6	562	90.0	87.6-92.4
65+	1019	54,391	86	8.4	06.6-10.2	16	1.2	00.6-01.8	917	90.4	88.4-92.4
Less Than H.S.	179	13,262	15	14.7	04.9-24.5	3	1.8	00.0-04.2	161	83.6	73.8-93.4
H.S. or G.E.D.	880	73,818	71	8.8	05.5-12.1	18	2.3	00.7-03.9	791	88.9	85.2-92.6
Some Post-H.S.	938	82,229	93	10.0	07.3-12.7	19	1.8	00.8-02.8	826	88.2	85.5-90.9
College Graduate	883	78,007	73	8.2	06.0-10.4	23	2.6	01.0-04.2	787	89.2	86.7-91.7
Less than \$15,000	245	14,615	32	12.9	08.0-17.8	5	1.5	00.1-02.9	208	85.5	80.6-90.4
\$15,000- 24,999	453	31,113	47	11.5	07.2-15.8	11	3.3	00.0-06.6	395	85.2	79.9-90.5
\$25,000- 34,999	307	27,459	26	7.4	03.7-11.1	5	1.8	00.0-03.6	276	90.8	86.7-94.9
\$35,000- 49,999	408	35,007	31	7.0	04.3-09.7	7	2.6	00.0-05.7	370	90.4	86.5-94.3
\$50,000- 74,999	388	39,300	32	9.1	05.6-12.6	9	2.3	00.5-04.1	347	88.5	84.6-92.4
\$75,000+	599	60,591	43	9.2	05.1-13.3	16	2.1	00.9-03.3	540	88.7	84.6-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	31
2	MALES ONLY	32
3	FEMALES ONLY	33
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	34
5	MALES ONLY	35
6	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	497,012	529	12.2	10.6-13.8	206	5.1	04.1-06.1	1382	24.1	22.5-25.7	2632	58.6	56.6-60.6
Male	1840	248,534	224	12.8	10.4-15.2	84	5.4	03.8-07.0	660	27.3	24.8-29.8	872	54.5	51.2-57.8
Female	2909	248,478	305	11.7	09.9-13.5	122	4.9	03.5-06.3	722	20.8	19.0-22.6	1760	62.6	60.2-65.0
Native	110	17,871				10	9.6	02.5-16.7	33	23.2	14.0-32.4			
Non-Native	4561	469,250	487	11.4	10.0-12.8	192	5.0	04.0-06.0	1325	24.2	22.6-25.8	2557	59.3	57.3-61.3
18-24	130	79,257	19	13.3	06.8-19.8	10	6.9	02.4-11.4	7	6.5	01.2-11.8	94	73.3	64.7-81.9
25-34	418	83,211	71	18.8	14.3-23.3	32	7.8	04.9-10.7	76	17.6	13.7-21.5	239	55.9	50.6-61.2
35-44	601	72,086	69	10.1	07.6-12.6	30	5.1	03.1-07.1	103	17.2	14.1-20.3	399	67.6	63.7-71.5
45-54	921	90,631	131	13.7	11.3-16.1	46	5.3	03.7-06.9	212	23.4	20.5-26.3	532	57.5	54.0-61.0
55-64	1095	72,979	134	11.9	09.7-14.1	38	2.9	01.9-03.9	392	37.2	34.1-40.3	531	47.9	44.8-51.0
65+	1534	96,192	103	6.3	04.9-07.7	48	2.9	02.1-03.7	578	39.9	37.2-42.6	805	50.8	48.1-53.5
Less Than H.S.	332	34,257				12	2.0	00.6-03.4	119	28.3	21.4-35.2	125	37.6	28.2-47.0
H.S. or G.E.D.	1411	153,140	205	15.4	12.7-18.1	71	6.6	04.2-09.0	454	24.3	21.2-27.4	681	53.8	49.7-57.9
Some Post-H.S.	1510	155,675	171	11.9	09.4-14.4	83	6.8	05.0-08.6	446	26.5	23.6-29.4	810	54.8	51.3-58.3
College Graduate	1489	153,397	77	5.0	03.6-06.4	40	2.8	01.6-04.0	360	20.4	18.0-22.8	1012	71.8	69.1-74.5
Less than \$15,000	374	30,427	82	26.1	19.2-33.0	18	3.8	01.3-06.3	101	23.1	17.2-29.0	173	47.1	39.5-54.7
\$15,000- 24,999	647	55,132	95	14.6	10.7-18.5	38	8.1	04.0-12.2	205	28.5	23.4-33.6	309	48.8	42.7-54.9
\$25,000- 34,999	501	49,597	71	15.8	11.3-20.3	28	8.1	03.4-12.8	150	23.6	18.7-28.5	252	52.5	45.8-59.2
\$35,000- 49,999	696	71,294	81	14.1	10.2-18.0	32	5.7	03.2-08.2	235	27.1	23.2-31.0	348	53.1	47.8-58.4
\$50,000- 74,999	734	83,255	73	10.6	07.9-13.3	30	5.2	03.0-07.4	203	22.8	19.5-26.1	428	61.5	57.0-66.0
\$75,000+	1124	136,419	72	7.5	05.1-09.9	46	4.3	02.9-05.7	305	22.6	19.9-25.3	701	65.6	62.1-69.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1840	248,534	224	12.8	10.4-15.2	84	5.4	03.8-07.0	660	27.3	24.8-29.8	872	54.5	51.2-57.8
Non-Native	1753	232,997	205	12.1	09.7-14.5	78	5.2	03.6-06.8	631	27.7	25.0-30.4	839	55.0	51.7-58.3
18-24	57	42,683	6	11.6	01.6-21.6	5	5.7	00.0-11.4	5	9.4	00.8-18.0			
25-34	163	44,359	32	21.2	13.9-28.5	15	9.0	04.3-13.7	25	15.3	09.6-21.0	91	54.6	46.4-62.8
35-44	251	36,699	25	8.0	04.7-11.3	15	6.4	03.1-09.7	38	15.8	10.9-20.7	173	69.8	63.7-75.9
45-54	395	45,188	54	13.5	09.8-17.2	24	6.2	03.5-08.9	95	24.2	19.7-28.7	222	56.0	50.7-61.3
55-64	463	37,940	65	13.3	10.0-16.6	11	1.8	00.6-03.0	205	44.3	39.4-49.2	182	40.6	35.9-45.3
65+	503	41,138	42	8.2	05.7-10.7	14	2.6	01.2-04.0	288	56.6	52.1-61.1	159	32.6	28.3-36.9
Less Than H.S.	146	20,631				5	1.8	00.0-03.6						
H.S. or G.E.D.	524	78,817	85	14.6	10.5-18.7	29	6.6	03.3-09.9	204	27.2	21.9-32.5	206	51.6	44.7-58.5
Some Post-H.S.	566	73,622	67	11.7	07.8-15.6	37	7.8	04.9-10.7	207	30.7	25.8-35.6	255	49.8	44.1-55.5
College Graduate	602	75,225	36	5.7	03.5-07.9	13	2.7	00.9-04.5	173	22.3	18.8-25.8	380	69.3	65.2-73.4
Less than \$15,000	126	15,685				3	2.8	00.0-06.9	43	25.1	15.5-34.7			
\$15,000- 24,999	191	23,801	30	12.3	06.6-18.0	13	10.0	01.4-18.6	85	38.4	28.4-48.4			
\$25,000- 34,999	193	22,045	26	12.7	07.0-18.4	7	3.3	00.6-06.0	71	27.6	20.2-35.0	89	56.4	46.8-66.0
\$35,000- 49,999	284	36,049	39	14.6	09.3-19.9	18	8.7	04.0-13.4	118	30.9	24.6-37.2	109	45.8	37.4-54.2
\$50,000- 74,999	345	44,520	30	8.4	04.7-12.1	15	5.6	02.1-09.1	116	25.5	20.4-30.6	184	60.5	53.8-67.2
\$75,000+	523	75,771	42	9.9	05.8-14.0	24	5.0	02.8-07.2	156	22.4	18.5-26.3	301	62.7	57.2-68.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2909	248,478	305	11.7	09.9-13.5	122	4.9	03.5-06.3	722	20.8	19.0-22.6	1760	62.6	60.2-65.0
Native	62	9,079				5	5.9	00.0-11.8						
Non-Native	2808	236,253	282	10.8	09.2-12.4	114	4.8	03.4-06.2	694	20.7	18.9-22.5	1718	63.6	61.2-66.0
18-24	73	36,574	13	15.2	07.0-23.4	5	8.3	01.0-15.6	2	3.1	00.0-07.8			
25-34	255	38,851	39	16.0	10.9-21.1	17	6.4	03.3-09.5	51	20.2	15.1-25.3	148	57.3	50.8-63.8
35-44	350	35,387	44	12.3	08.6-16.0	15	3.8	01.8-05.8	65	18.6	14.3-22.9	226	65.2	59.9-70.5
45-54	526	45,443	77	13.8	10.7-16.9	22	4.5	02.5-06.5	117	22.7	18.8-26.6	310	59.0	54.5-63.5
55-64	632	35,040	69	10.5	08.0-13.0	27	4.1	02.3-05.9	187	29.6	25.9-33.3	349	55.8	51.7-59.9
65+	1031	55,054	61	4.9	03.5-06.3	34	3.2	02.0-04.4	290	27.5	24.6-30.4	646	64.5	61.4-67.6
Less Than H.S.	186	13,626	40	26.2	17.4-35.0	7	2.4	00.6-04.2	44	20.2	13.7-26.7	95	51.2	41.6-60.8
H.S. or G.E.D.	887	74,323	120	16.3	12.6-20.0	42	6.5	03.2-09.8	250	21.1	18.0-24.2	475	56.1	51.2-61.0
Some Post-H.S.	944	82,053	104	12.1	08.8-15.4	46	5.9	03.7-08.1	239	22.7	19.2-26.2	555	59.3	55.0-63.6
College Graduate	887	78,172	41	4.3	02.7-05.9	27	2.8	01.6-04.0	187	18.6	15.7-21.5	632	74.3	71.0-77.6
Less than \$15,000	248	14,742	46	22.7	15.4-30.0	15	4.9	02.4-07.4	58	21.0	14.5-27.5	129	51.5	43.1-59.9
\$15,000- 24,999	456	31,331	65	16.4	11.3-21.5	25	6.7	03.4-10.0	120	20.9	16.4-25.4	246	55.9	49.2-62.6
\$25,000- 34,999	308	27,552	45	18.2	11.3-25.1	21	12.0	04.2-19.8	79	20.5	13.6-27.4	163	49.4	40.8-58.0
\$35,000- 49,999	412	35,245	42	13.7	08.0-19.4	14	2.6	01.0-04.2	117	23.1	18.4-27.8	239	60.7	54.2-67.2
\$50,000- 74,999	389	38,735	43	13.0	08.9-17.1	15	4.8	02.3-07.3	87	19.6	15.3-23.9	244	62.6	56.9-68.3
\$75,000+	601	60,648	30	4.4	02.6-06.2	22	3.5	01.9-05.1	149	22.8	19.1-26.5	400	69.3	65.0-73.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	497,012	4014	82.6	80.8-84.4	735	17.4	15.6-19.2
Male	1840	248,534	1532	81.8	79.1-84.5	308	18.2	15.5-20.9
Female	2909	248,478	2482	83.4	81.4-85.4	427	16.6	14.6-18.6
Non-Native	4561	469,250	3882	83.5	81.7-85.3	679	16.5	14.7-18.3
18-24	130	79,257	101	79.8	72.2-87.4	29	20.2	12.6-27.8
25-34	418	83,211	315	73.5	68.6-78.4	103	26.5	21.6-31.4
35-44	601	72,086	502	84.8	81.7-87.9	99	15.2	12.1-18.3
45-54	921	90,631	744	81.0	78.3-83.7	177	19.0	16.3-21.7
55-64	1095	72,979	923	85.1	82.7-87.5	172	14.9	12.5-17.3
65+	1534	96,192	1383	90.8	89.2-92.4	151	9.2	07.6-10.8
Less Than H.S.	332	34,257				88	34.1	24.1-44.1
H.S. or G.E.D.	1411	153,140	1135	78.0	74.5-81.5	276	22.0	18.5-25.5
Some Post-H.S.	1510	155,675	1256	81.3	78.4-84.2	254	18.7	15.8-21.6
College Graduate	1489	153,397	1372	92.3	90.7-93.9	117	7.7	06.1-09.3
Less than \$15,000	374	30,427	274	70.2	63.1-77.3	100	29.8	22.7-36.9
\$15,000- 24,999	647	55,132	514	77.2	71.9-82.5	133	22.8	17.5-28.1
\$25,000- 34,999	501	49,597	402	76.1	70.2-82.0	99	23.9	18.0-29.8
\$35,000- 49,999	696	71,294	583	80.2	75.9-84.5	113	19.8	15.5-24.1
\$50,000- 74,999	734	83,255	631	84.2	80.9-87.5	103	15.8	12.5-19.1
\$75,000+	1124	136,419	1006	88.2	85.5-90.9	118	11.8	09.1-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1840	248,534	1532	81.8	79.1-84.5	308	18.2	15.5-20.9
Non-Native	1753	232,997	1470	82.7	80.0-85.4	283	17.3	14.6-20.0
25-34	163	44,359	116	69.9	62.1-77.7	47	30.1	22.3-37.9
35-44	251	36,699	211	85.6	81.1-90.1	40	14.4	09.9-18.9
45-54	395	45,188	317	80.2	75.7-84.7	78	19.8	15.3-24.3
55-64	463	37,940	387	84.9	81.4-88.4	76	15.1	11.6-18.6
65+	503	41,138	447	89.2	86.5-91.9	56	10.8	08.1-13.5
H.S. or G.E.D.	524	78,817	410	78.8	73.7-83.9	114	21.2	16.1-26.3
Some Post-H.S.	566	73,622	462	80.5	76.0-85.0	104	19.5	15.0-24.0
College Graduate	602	75,225	553	91.6	88.9-94.3	49	8.4	05.7-11.1
\$15,000- 24,999	191	23,801	148	77.7	68.3-87.1	43	22.3	12.9-31.7
\$25,000- 34,999	193	22,045	160	84.0	77.7-90.3	33	16.0	09.7-22.3
\$35,000- 49,999	284	36,049	227	76.7	70.0-83.4	57	23.3	16.6-30.0
\$50,000- 74,999	345	44,520	300	86.0	81.1-90.9	45	14.0	09.1-18.9
\$75,000+	523	75,771	457	85.1	80.6-89.6	66	14.9	10.4-19.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2909	248,478	2482	83.4	81.4-85.4	427	16.6	14.6-18.6
Non-Native	2808	236,253	2412	84.3	82.3-86.3	396	15.7	13.7-17.7
25-34	255	38,851	199	77.6	72.1-83.1	56	22.4	16.9-27.9
35-44	350	35,387	291	83.9	79.8-88.0	59	16.1	12.0-20.2
45-54	526	45,443	427	81.7	78.2-85.2	99	18.3	14.8-21.8
55-64	632	35,040	536	85.4	82.5-88.3	96	14.6	11.7-17.5
65+	1031	55,054	936	91.9	90.1-93.7	95	8.1	06.3-09.9
Less Than H.S.	186	13,626	139	71.4	62.6-80.2	47	28.6	19.8-37.4
H.S. or G.E.D.	887	74,323	725	77.2	72.7-81.7	162	22.8	18.3-27.3
Some Post-H.S.	944	82,053	794	82.0	78.3-85.7	150	18.0	14.3-21.7
College Graduate	887	78,172	819	92.9	90.9-94.9	68	7.1	05.1-09.1
Less than \$15,000	248	14,742	187	72.5	65.1-79.9	61	27.5	20.1-34.9
\$15,000- 24,999	456	31,331	366	76.9	71.2-82.6	90	23.1	17.4-28.8
\$25,000- 34,999	308	27,552	242	69.8	61.0-78.6	66	30.2	21.4-39.0
\$35,000- 49,999	412	35,245	356	83.8	77.9-89.7	56	16.2	10.3-22.1
\$50,000- 74,999	389	38,735	331	82.2	77.5-86.9	58	17.8	13.1-22.5
\$75,000+	601	60,648	549	92.1	89.7-94.5	52	7.9	05.5-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	58
20	MALES ONLY	59
21	FEMALES ONLY	60
	ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	61
23	MALES ONLY	62
24	FEMALES ONLY	63
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	64
26	MALES ONLY	65
27	FEMALES ONLY	66
	REPORTED HEIGHT IN INCHES (HTIN3).	
28	MALES AND FEMALES	67
29	MALES ONLY	68
30	FEMALES ONLY	69
	REPORTED HEIGHT IN METERS (HTM3).	
31	MALES AND FEMALES	70
32	MALES ONLY	71
33	FEMALES ONLY	72
	REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34	MALES AND FEMALES	73
35	MALES ONLY	74
36	FEMALES ONLY	75
	BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37	MALES AND FEMALES	76
38	MALES ONLY	77
39	FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4711	491,524	4531	93.4	92.2-94.6	25	1.1	00.5-01.7	22	0.8	00.4-01.2	3	0.1	00.0-00.3	124	4.4	03.4-05.4	6	0.2	00.0-00.4
Male	1820	244,437	1737	92.8	90.8-94.8	12	1.1	00.3-01.9	9	0.9	00.1-01.7	2	0.1	00.0-00.3	57	4.7	03.1-06.3	3	0.3	00.0-00.7
Female	2891	247,087	2794	94.0	92.4-95.6	13	1.2	00.4-02.0	13	0.6	00.2-01.0	1	0.0	00.0-00.0	67	4.1	02.9-05.3	3	0.1	00.0-00.3
18-24	127	76,953	111	89.5	84.2-94.8	4	2.9	00.0-05.8							11	7.0	02.5-11.5	1	0.6	00.0-01.8
25-34	416	82,465	367	85.2	80.9-89.5	11	3.0	01.0-05.0	7	2.5	00.3-04.7	1	0.3	00.0-00.9	29	8.9	05.4-12.4	1	0.1	00.0-00.3
35-44	604	72,472	578	94.8	92.4-97.2	4	0.5	00.0-01.1	3	0.7	00.0-01.5	1	0.1	00.0-00.3	17	3.6	01.4-05.8	1	0.3	00.0-00.9
45-54	911	89,537	869	94.6	92.8-96.4	2	0.2	00.0-00.6	3	0.4	00.0-00.8				37	4.8	03.0-06.6			
55-64	1084	72,264	1060	97.6	96.4-98.8	3	0.2	00.0-00.4	5	0.7	00.0-01.5	1	0.1	00.0-00.3	14	1.2	00.4-02.0	1	0.1	00.0-00.3
65+	1521	95,301	1499	98.4	97.6-99.2	1	0.1	00.0-00.3	3	0.2	00.0-00.4				16	1.1	00.5-01.7	2	0.2	00.0-00.4
Less Than H.S.	324	33,047	302	88.1	81.2-95.0	2	0.3	00.0-00.9	2	1.1	00.0-02.7				17	10.3	03.4-17.2	1	0.1	00.0-00.3
H.S. or G.E.D.	1401	150,014	1338	91.9	89.4-94.4	5	1.0	00.0-02.2	4	0.5	00.0-01.1	2	0.2	00.0-00.6	49	6.2	03.8-08.6	3	0.2	00.0-00.4
Some Post-H.S.	1503	155,623	1454	93.5	91.3-95.7	14	2.3	00.9-03.7				1	0.0	00.0-00.0	33	3.8	02.2-05.4	1	0.3	00.0-00.9
College Graduate	1477	152,381	1431	96.0	94.4-97.6	4	0.2	00.0-00.4	16	1.7	00.5-02.9				25	1.9	01.1-02.7	1	0.1	00.0-00.3
Less than \$15,000	366	29,237	320	70.8	62.2-79.4	5	4.1	00.0-08.8	4	2.9	00.0-06.0				35	21.8	13.8-29.8	2	0.4	00.0-01.0
\$15,000- 24,999	645	54,705	606	89.1	85.2-93.0	8	3.1	00.6-05.6				1	0.1	00.0-00.3	29	7.5	04.4-10.6	1	0.2	00.0-00.6
\$25,000- 34,999	498	49,231	478	94.9	92.0-97.8	1	1.1	00.0-03.3	4	0.9	00.0-01.9	1	0.5	00.0-01.5	13	2.4	00.8-04.0	1	0.2	00.0-00.6
\$35,000- 49,999	695	71,019	678	93.3	89.4-97.2	2	0.5	00.0-01.1	1	1.1	00.0-03.1				13	4.5	01.2-07.8	1	0.7	00.0-02.1
\$50,000- 74,999	733	82,441	714	97.0	95.6-98.4	4	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	13	2.2	01.0-03.4			
\$75,000+	1120	136,464	1097	97.4	96.0-98.8	4	0.8	00.0-01.8	11	1.1	00.3-01.9				8	0.7	00.1-01.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	244,437	1737	92.8	90.8-94.8	12	1.1	00.3-01.9	9	0.9	00.1-01.7	2	0.1	00.0-00.3	57	4.7	03.1-06.3	3	0.3	00.0-00.7
18-24	55	40,552	49	91.6	84.3-98.9	2	2.9	00.0-07.0							3	4.3	00.0-10.0	1	1.2	00.0-03.6
25-34	161	43,613	140	83.5	76.6-90.4	4	2.1	00.0-04.3	3	3.1	00.0-07.0	1	0.6	00.0-01.8	13	10.7	04.8-16.6			
35-44	253	36,988	245	94.7	90.8-98.6				1	0.6	00.0-01.8				6	4.1	00.4-07.8	1	0.6	00.0-01.8
45-54	391	44,715	369	93.8	90.9-96.7	2	0.5	00.0-01.3	1	0.2	00.0-00.6				19	5.5	02.8-08.2			
55-64	457	37,456	446	97.4	95.6-99.2	3	0.4	00.0-01.0	2	1.0	00.0-02.4	1	0.2	00.0-00.6	5	1.0	00.0-02.0			
65+	495	40,586	480	97.1	95.5-98.7	1	0.2	00.0-00.6	2	0.4	00.0-01.0				11	2.0	00.8-03.2	1	0.3	00.0-00.9
Less Than H.S.	143	19,785				1	0.2	00.0-00.6												
H.S. or G.E.D.	519	76,754	484	89.2	84.9-93.5	2	1.5	00.0-03.7	3	0.9	00.0-02.1	2	0.4	00.0-01.0	27	7.8	04.1-11.5	1	0.1	00.0-00.3
Some Post-H.S.	565	73,493	543	94.1	91.2-97.0	7	1.7	00.3-03.1							14	3.5	01.3-05.7	1	0.6	00.0-01.8
College Graduate	592	74,251	577	96.6	94.2-99.0	2	0.1	00.0-00.3	6	2.1	00.0-04.3				6	0.9	00.1-01.7	1	0.3	00.0-00.9
Less than \$15,000	123	14,872				3	4.0	00.0-10.1	2	4.0	00.0-09.5									
\$15,000- 24,999	189	23,468	171	85.4	78.1-92.7	3	2.9	00.0-06.6							14	11.2	04.7-17.7	1	0.4	00.0-01.2
\$25,000- 34,999	191	21,741	183	95.4	91.7-99.1				1	0.4	00.0-01.2	1	1.1	00.0-03.3	6	3.0	00.1-05.9			
\$35,000- 49,999	284	36,036	278	92.9	86.6-99.2	1	0.5	00.0-01.5	1	2.1	00.0-06.0				3	3.1	00.0-07.4	1	1.3	00.0-03.8
\$50,000- 74,999	343	42,996	334	97.6	95.8-99.4	2	0.3	00.0-00.7				1	0.2	00.0-00.6	6	1.9	00.3-03.5			
\$75,000+	519	75,672	509	97.3	95.1-99.5	3	1.3	00.0-03.3	5	1.1	00.1-02.1				2	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2891	247,087	2794	94.0	92.4-95.6	13	1.2	00.4-02.0	13	0.6	00.2-01.0	1	0.0	00.0-00.0	67	4.1	02.9-05.3	3	0.1	00.0-00.3
18-24	72	36,400	62	87.1	79.5-94.7	2	2.9	00.0-06.8							8	10.0	03.1-16.9			
25-34	255	38,851	227	87.1	82.2-92.0	7	3.9	00.8-07.0	4	1.8	00.0-03.6				16	6.9	03.4-10.4	1	0.3	00.0-00.9
35-44	351	35,484	333	94.9	92.4-97.4	4	1.1	00.0-02.3	2	0.8	00.0-02.0	1	0.1	00.0-00.3	11	3.1	01.1-05.1			
45-54	520	44,822	500	95.4	93.2-97.6				2	0.5	00.0-01.1				18	4.1	01.9-06.3			
55-64	627	34,808	614	98.0	96.8-99.2				3	0.4	00.0-01.0				9	1.5	00.5-02.5	1	0.1	00.0-00.3
65+	1026	54,715	1019	99.3	98.7-99.9				1	0.1	00.0-00.3				5	0.5	00.1-00.9	1	0.1	00.0-00.3
Less Than H.S.	181	13,262	170	87.8	80.0-95.6	1	0.5	00.0-01.7	2	2.7	00.0-06.4				7	8.7	01.6-15.8	1	0.3	00.0-00.9
H.S. or G.E.D.	882	73,260	854	94.8	92.1-97.5	3	0.4	00.0-00.8	1	0.1	00.0-00.3				22	4.5	02.0-07.0	2	0.2	00.0-00.6
Some Post-H.S.	938	82,130	911	92.9	89.8-96.0	7	2.9	00.5-05.3				1	0.1	00.0-00.3	19	4.1	01.7-06.5			
College Graduate	885	78,130	854	95.5	93.7-97.3	2	0.3	00.0-00.7	10	1.3	00.3-02.3				19	2.9	01.3-04.5			
Less than \$15,000	243	14,366	223	78.6	68.8-88.4	2	4.3	00.0-11.4	2	1.8	00.0-04.7				14	14.6	06.6-22.6	2	0.8	00.0-02.0
\$15,000- 24,999	456	31,237	435	91.9	87.6-96.2	5	3.3	00.0-06.8				1	0.2	00.0-00.6	15	4.7	02.0-07.4			
\$25,000- 34,999	307	27,491	295	94.6	90.3-98.9	1	1.9	00.0-05.6	3	1.3	00.0-03.1				7	1.8	00.4-03.2	1	0.4	00.0-01.2
\$35,000- 49,999	411	34,983	400	93.7	88.8-98.6	1	0.4	00.0-01.2							10	5.9	01.0-10.8			
\$50,000- 74,999	390	39,445	380	96.3	93.9-98.7	2	0.9	00.0-02.1	1	0.2	00.0-00.6				7	2.6	00.6-04.6			
\$75,000+	601	60,793	588	97.6	96.2-99.0	1	0.1	00.0-00.3	6	1.0	00.2-01.8				6	1.3	00.1-02.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4711	491,524	4522	93.3	92.1-94.5	24	1.1	00.5-01.7	22	0.8	00.4-01.2	3	0.1	00.0-00.3	120	4.3	03.3-05.3	20	0.5	00.1-00.9
Male	1820	244,437	1731	92.7	90.7-94.7	12	1.1	00.3-01.9	9	0.9	00.1-01.7	2	0.1	00.0-00.3	56	4.6	03.0-06.2	10	0.7	00.1-01.3
Female	2891	247,087	2791	93.9	92.3-95.5	12	1.1	00.3-01.9	13	0.6	00.2-01.0	1	0.0	00.0-00.0	64	3.9	02.7-05.1	10	0.4	00.0-00.8
18-24	127	76,953	111	89.5	84.2-94.8	4	2.9	00.0-05.8							11	7.0	02.5-11.5	1	0.6	00.0-01.8
25-34	416	82,465	366	85.0	80.7-89.3	10	2.7	00.9-04.5	7	2.5	00.3-04.7	1	0.3	00.0-00.9	27	8.2	04.9-11.5	5	1.3	00.1-02.5
35-44	604	72,472	578	94.8	92.4-97.2	4	0.5	00.0-01.1	3	0.7	00.0-01.5	1	0.1	00.0-00.3	16	3.5	01.3-05.7	2	0.4	00.0-01.0
45-54	911	89,537	869	94.6	92.8-96.4	2	0.2	00.0-00.6	3	0.4	00.0-00.8				37	4.8	03.0-06.6			
55-64	1084	72,264	1057	97.3	96.1-98.5	3	0.2	00.0-00.4	5	0.7	00.0-01.5	1	0.1	00.0-00.3	13	1.2	00.4-02.0	5	0.5	00.1-00.9
65+	1521	95,301	1494	98.0	97.2-98.8	1	0.1	00.0-00.3	3	0.2	00.0-00.4				16	1.1	00.5-01.7	7	0.5	00.1-00.9
Less Than H.S.	324	33,047	301	88.0	81.1-94.9	2	0.3	00.0-00.9	2	1.1	00.0-02.7				17	10.3	03.4-17.2	2	0.3	00.0-00.7
H.S. or G.E.D.	1401	150,014	1334	91.7	89.2-94.2	5	1.0	00.0-02.2	4	0.5	00.0-01.1	2	0.2	00.0-00.6	47	5.8	03.6-08.0	9	0.8	00.2-01.4
Some Post-H.S.	1503	155,623	1452	93.4	91.2-95.6	13	2.2	00.8-03.6				1	0.0	00.0-00.0	32	3.8	02.2-05.4	5	0.6	00.0-01.2
College Graduate	1477	152,381	1429	95.9	94.3-97.5	4	0.2	00.0-00.4	16	1.7	00.5-02.9				24	1.9	01.1-02.7	4	0.3	00.0-00.7
Less than \$15,000	366	29,237	318	70.3	61.7-78.9	5	4.1	00.0-08.8	4	2.9	00.0-06.0				34	20.5	12.7-28.3	5	2.1	00.0-04.6
\$15,000- 24,999	645	54,705	603	88.8	84.9-92.7	8	3.1	00.6-05.6				1	0.1	00.0-00.3	28	7.1	04.0-10.2	5	0.9	00.0-01.9
\$25,000- 34,999	498	49,231	478	94.9	92.0-97.8	1	1.1	00.0-03.3	4	0.9	00.0-01.9	1	0.5	00.0-01.5	12	2.2	00.8-03.6	2	0.4	00.0-01.0
\$35,000- 49,999	695	71,019	678	93.3	89.4-97.2	2	0.5	00.0-01.1	1	1.1	00.0-03.1				13	4.5	01.2-07.8	1	0.7	00.0-02.1
\$50,000- 74,999	733	82,441	712	96.7	95.1-98.3	4	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	13	2.2	01.0-03.4	2	0.3	00.0-00.7
\$75,000+	1120	136,464	1096	97.4	96.0-98.8	4	0.8	00.0-01.8	11	1.1	00.3-01.9				8	0.7	00.1-01.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	244,437	1731	92.7	90.7-94.7	12	1.1	00.3-01.9	9	0.9	00.1-01.7	2	0.1	00.0-00.3	56	4.6	03.0-06.2	10	0.7	00.1-01.3
18-24	55	40,552	49	91.6	84.3-98.9	2	2.9	00.0-07.0							3	4.3	00.0-10.0	1	1.2	00.0-03.6
25-34	161	43,613	140	83.5	76.6-90.4	4	2.1	00.0-04.3	3	3.1	00.0-07.0	1	0.6	00.0-01.8	12	9.8	04.1-15.5	1	0.9	00.0-02.7
35-44	253	36,988	245	94.7	90.8-98.6				1	0.6	00.0-01.8				6	4.1	00.4-07.8	1	0.6	00.0-01.8
45-54	391	44,715	369	93.8	90.9-96.7	2	0.5	00.0-01.3	1	0.2	00.0-00.6				19	5.5	02.8-08.2			
55-64	457	37,456	443	96.7	94.7-98.7	3	0.4	00.0-01.0	2	1.0	00.0-02.4	1	0.2	00.0-00.6	5	1.0	00.0-02.0	3	0.7	00.0-01.5
65+	495	40,586	477	96.7	95.1-98.3	1	0.2	00.0-00.6	2	0.4	00.0-01.0				11	2.0	00.8-03.2	4	0.7	00.0-01.5
Less Than H.S.	143	19,785				1	0.2	00.0-00.6										1	0.2	00.0-00.6
H.S. or G.E.D.	519	76,754	481	88.8	84.5-93.1	2	1.5	00.0-03.7	3	0.9	00.0-02.1	2	0.4	00.0-01.0	26	7.3	03.8-10.8	5	1.0	00.0-02.0
Some Post-H.S.	565	73,493	542	94.0	91.1-96.9	7	1.7	00.3-03.1							14	3.5	01.3-05.7	2	0.8	00.0-02.2
College Graduate	592	74,251	576	96.5	94.1-98.9	2	0.1	00.0-00.3	6	2.1	00.0-04.3				6	0.9	00.1-01.7	2	0.3	00.0-00.9
Less than \$15,000	123	14,872				3	4.0	00.0-10.1	2	4.0	00.0-09.5							2	2.8	00.0-07.7
\$15,000- 24,999	189	23,468	169	84.9	77.6-92.2	3	2.9	00.0-06.6							14	11.2	04.7-17.7	3	1.0	00.0-02.2
\$25,000- 34,999	191	21,741	183	95.4	91.7-99.1				1	0.4	00.0-01.2	1	1.1	00.0-03.3	6	3.0	00.1-05.9			
\$35,000- 49,999	284	36,036	278	92.9	86.6-99.2	1	0.5	00.0-01.5	1	2.1	00.0-06.0				3	3.1	00.0-07.4	1	1.3	00.0-03.8
\$50,000- 74,999	343	42,996	333	97.4	95.6-99.2	2	0.3	00.0-00.7				1	0.2	00.0-00.6	6	1.9	00.3-03.5	1	0.2	00.0-00.6
\$75,000+	519	75,672	508	97.2	95.0-99.4	3	1.3	00.0-03.3	5	1.1	00.1-02.1				2	0.3	00.0-00.7	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2891	247,087	2791	93.9	92.3-95.5	12	1.1	00.3-01.9	13	0.6	00.2-01.0	1	0.0	00.0-00.0	64	3.9	02.7-05.1	10	0.4	00.0-00.8
18-24	72	36,400	62	87.1	79.5-94.7	2	2.9	00.0-06.8							8	10.0	03.1-16.9			
25-34	255	38,851	226	86.8	81.9-91.7	6	3.3	00.4-06.2	4	1.8	00.0-03.6				15	6.4	02.9-09.9	4	1.7	00.0-03.5
35-44	351	35,484	333	94.9	92.4-97.4	4	1.1	00.0-02.3	2	0.8	00.0-02.0	1	0.1	00.0-00.3	10	2.8	00.8-04.8	1	0.3	00.0-00.9
45-54	520	44,822	500	95.4	93.2-97.6				2	0.5	00.0-01.1				18	4.1	01.9-06.3			
55-64	627	34,808	614	98.0	96.8-99.2				3	0.4	00.0-01.0				8	1.4	00.4-02.4	2	0.2	00.0-00.6
65+	1026	54,715	1017	99.1	98.5-99.7				1	0.1	00.0-00.3				5	0.5	00.1-00.9	3	0.4	00.0-00.8
Less Than H.S.	181	13,262	170	87.8	80.0-95.6	1	0.5	00.0-01.7	2	2.7	00.0-06.4				7	8.7	01.6-15.8	1	0.3	00.0-00.9
H.S. or G.E.D.	882	73,260	853	94.6	91.9-97.3	3	0.4	00.0-00.8	1	0.1	00.0-00.3				21	4.2	01.7-06.7	4	0.6	00.0-01.4
Some Post-H.S.	938	82,130	910	92.9	89.8-96.0	6	2.6	00.4-04.8				1	0.1	00.0-00.3	18	4.0	01.6-06.4	3	0.4	00.0-01.0
College Graduate	885	78,130	853	95.3	93.5-97.1	2	0.3	00.0-00.7	10	1.3	00.3-02.3				18	2.8	01.2-04.4	2	0.2	00.0-00.6
Less than \$15,000	243	14,366	222	78.0	68.2-87.8	2	4.3	00.0-11.4	2	1.8	00.0-04.7				14	14.6	06.6-22.6	3	1.4	00.0-03.0
\$15,000- 24,999	456	31,237	434	91.8	87.5-96.1	5	3.3	00.0-06.8				1	0.2	00.0-00.6	14	4.0	01.5-06.5	2	0.8	00.0-02.2
\$25,000- 34,999	307	27,491	295	94.6	90.3-98.9	1	1.9	00.0-05.6	3	1.3	00.0-03.1				6	1.5	00.3-02.7	2	0.7	00.0-01.7
\$35,000- 49,999	411	34,983	400	93.7	88.8-98.6	1	0.4	00.0-01.2							10	5.9	01.0-10.8			
\$50,000- 74,999	390	39,445	379	96.0	93.5-98.5	2	0.9	00.0-02.1	1	0.2	00.0-00.6				7	2.6	00.6-04.6	1	0.4	00.0-01.2
\$75,000+	601	60,793	588	97.6	96.2-99.0	1	0.1	00.0-00.3	6	1.0	00.2-01.8				6	1.3	00.1-02.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4639	482,641	4461	93.8	92.6-95.0	24	1.1	00.5-01.7	22	0.8	00.4-01.2	3	0.1	00.0-00.3	110	3.7	02.7-04.7	19	0.5	00.1-00.9
Male	1796	240,089	1715	93.5	91.7-95.3	12	1.1	00.3-01.9	9	0.9	00.1-01.7	2	0.1	00.0-00.3	48	3.7	02.3-05.1	10	0.7	00.1-01.3
Female	2843	242,552	2746	94.1	92.5-95.7	12	1.1	00.3-01.9	13	0.6	00.2-01.0	1	0.0	00.0-00.0	62	3.7	02.5-04.9	9	0.4	00.0-00.8
18-24	121	74,274	108	91.2	86.5-95.9	4	3.0	00.1-05.9							8	5.2	01.5-08.9	1	0.6	00.0-01.8
25-34	408	80,794	360	85.3	81.0-89.6	10	2.8	00.8-04.8	7	2.6	00.4-04.8	1	0.3	00.0-00.9	25	7.7	04.4-11.0	5	1.3	00.1-02.5
35-44	598	71,445	574	95.6	93.6-97.6	4	0.5	00.0-01.1	3	0.7	00.0-01.5	1	0.1	00.0-00.3	15	2.8	01.2-04.4	1	0.3	00.0-00.9
45-54	904	88,719	864	94.9	93.1-96.7	2	0.3	00.0-00.7	3	0.4	00.0-00.8				35	4.5	02.9-06.1			
55-64	1076	71,696	1050	97.3	96.1-98.5	3	0.2	00.0-00.4	5	0.7	00.0-01.5	1	0.1	00.0-00.3	12	1.1	00.3-01.9	5	0.5	00.1-00.9
65+	1485	93,243	1459	98.1	97.3-98.9	1	0.1	00.0-00.3	3	0.2	00.0-00.4				15	1.1	00.5-01.7	7	0.5	00.1-00.9
Less Than H.S.	305	30,362	285	91.4	86.7-96.1	2	0.4	00.0-01.0	2	1.2	00.0-02.8				14	6.7	02.4-11.0	2	0.3	00.0-00.7
H.S. or G.E.D.	1377	147,631	1315	92.2	89.7-94.7	5	1.0	00.0-02.2	4	0.5	00.0-01.1	2	0.2	00.0-00.6	42	5.2	03.0-07.4	9	0.8	00.2-01.4
Some Post-H.S.	1482	152,955	1433	93.7	91.5-95.9	13	2.2	00.8-03.6				1	0.0	00.0-00.0	31	3.5	01.9-05.1	4	0.5	00.0-01.1
College Graduate	1469	151,232	1422	95.9	94.3-97.5	4	0.2	00.0-00.4	16	1.7	00.5-02.9				23	1.9	01.1-02.7	4	0.3	00.0-00.7
Less than \$15,000	349	27,699	303	70.9	62.3-79.5	5	4.4	00.0-09.3	4	3.0	00.0-06.3				32	19.5	11.7-27.3	5	2.2	00.0-04.9
\$15,000- 24,999	631	53,069	593	90.1	86.4-93.8	8	3.2	00.7-05.7				1	0.1	00.0-00.3	24	5.7	03.0-08.4	5	0.9	00.0-01.9
\$25,000- 34,999	487	48,266	470	95.3	92.4-98.2	1	1.1	00.0-03.3	4	0.9	00.0-02.1	1	0.5	00.0-01.5	10	2.0	00.6-03.4	1	0.2	00.0-00.6
\$35,000- 49,999	690	69,892	674	93.9	90.0-97.8	2	0.5	00.0-01.1	1	1.1	00.0-03.3				12	3.8	00.9-06.7	1	0.7	00.0-02.1
\$50,000- 74,999	726	81,671	705	96.7	95.1-98.3	4	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	13	2.2	00.8-03.6	2	0.3	00.0-00.7
\$75,000+	1114	135,854	1090	97.4	96.0-98.8	4	0.8	00.0-01.8	11	1.1	00.3-01.9				8	0.7	00.1-01.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1796	240,089	1715	93.5	91.7-95.3	12	1.1	00.3-01.9	9	0.9	00.1-01.7	2	0.1	00.0-00.3	48	3.7	02.3-05.1	10	0.7	00.1-01.3
18-24	53	39,527	49	94.0	88.1-99.9	2	3.0	00.0-07.1							1	1.8	00.0-05.3	1	1.2	00.0-03.6
25-34	156	42,432	136	83.9	76.8-91.0	4	2.2	00.0-04.6	3	3.2	00.0-07.1	1	0.6	00.0-01.8	11	9.2	03.7-14.7	1	0.9	00.0-02.7
35-44	251	36,301	244	96.1	93.2-99.0				1	0.6	00.0-01.8				5	2.7	00.2-05.2	1	0.6	00.0-01.8
45-54	387	44,187	367	94.4	91.7-97.1	2	0.5	00.0-01.3	1	0.3	00.0-00.9				17	4.8	02.3-07.3			
55-64	453	37,119	440	96.8	94.8-98.8	3	0.5	00.0-01.1	2	1.0	00.0-02.6	1	0.2	00.0-00.6	4	0.9	00.0-01.9	3	0.7	00.0-01.5
65+	488	39,997	471	96.8	95.2-98.4	1	0.2	00.0-00.6	2	0.4	00.0-01.0				10	1.8	00.6-03.0	4	0.7	00.0-01.5
Less Than H.S.	136	17,993	127	94.5	89.6-99.4	1	0.2	00.0-00.6							7	5.0	00.1-09.9	1	0.2	00.0-00.6
H.S. or G.E.D.	511	75,435	477	89.8	85.5-94.1	2	1.6	00.0-03.8	3	0.9	00.0-02.1	2	0.4	00.0-01.0	22	6.2	02.9-09.5	5	1.0	00.0-02.2
Some Post-H.S.	561	73,036	538	93.9	91.0-96.8	7	1.7	00.3-03.1							14	3.6	01.4-05.8	2	0.8	00.0-02.2
College Graduate	587	73,470	572	96.6	94.2-99.0	2	0.1	00.0-00.3	6	2.1	00.0-04.3				5	0.8	00.0-01.6	2	0.4	00.0-01.0
Less than \$15,000	118	13,878				3	4.3	00.0-11.0	2	4.3	00.0-10.2							2	3.0	00.0-08.3
\$15,000- 24,999	184	22,656	167	87.5	80.8-94.2	3	3.0	00.0-06.9							11	8.5	02.8-14.2	3	1.0	00.0-02.2
\$25,000- 34,999	188	21,535	182	95.9	92.2-99.6				1	0.4	00.0-01.2	1	1.2	00.0-03.4	4	2.5	00.0-05.2			
\$35,000- 49,999	282	35,578	276	92.9	86.6-99.2	1	0.5	00.0-01.5	1	2.1	00.0-06.2				3	3.2	00.0-07.5	1	1.3	00.0-03.8
\$50,000- 74,999	338	42,386	328	97.3	95.5-99.1	2	0.3	00.0-00.7				1	0.2	00.0-00.6	6	1.9	00.3-03.5	1	0.2	00.0-00.6
\$75,000+	517	75,476	506	97.2	95.0-99.4	3	1.3	00.0-03.3	5	1.1	00.1-02.1				2	0.3	00.0-00.7	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2843	242,552	2746	94.1	92.7-95.5	12	1.1	00.3-01.9	13	0.6	00.2-01.0	1	0.0	00.0-00.0	62	3.7	02.5-04.9	9	0.4	00.0-00.8
18-24	68	34,748	59	88.0	80.4-95.6	2	3.0	00.0-07.1							7	9.0	02.3-15.7			
25-34	252	38,362	224	87.0	82.1-91.9	6	3.4	00.3-06.5	4	1.8	00.0-03.6				14	6.1	02.6-09.6	4	1.7	00.0-03.5
35-44	347	35,144	330	95.1	92.6-97.6	4	1.1	00.0-02.3	2	0.8	00.0-02.0	1	0.1	00.0-00.3	10	2.8	00.8-04.8			
45-54	517	44,532	497	95.4	93.2-97.6				2	0.5	00.0-01.1				18	4.1	01.9-06.3			
55-64	623	34,577	610	97.9	96.7-99.1				3	0.4	00.0-01.0				8	1.4	00.4-02.4	2	0.2	00.0-00.6
65+	997	53,246	988	99.0	98.4-99.6				1	0.1	00.0-00.3				5	0.5	00.1-00.9	3	0.4	00.0-00.8
Less Than H.S.	169	12,369	158	86.9	78.7-95.1	1	0.6	00.0-01.8	2	2.9	00.0-06.8				7	9.3	01.7-16.9	1	0.4	00.0-01.2
H.S. or G.E.D.	866	72,196	838	94.7	92.0-97.4	3	0.4	00.0-00.8	1	0.1	00.0-00.3				20	4.1	01.6-06.6	4	0.7	00.0-01.5
Some Post-H.S.	921	79,920	895	93.5	90.4-96.6	6	2.7	00.3-05.1				1	0.1	00.0-00.3	17	3.4	01.2-05.6	2	0.3	00.0-00.9
College Graduate	882	77,762	850	95.3	93.5-97.1	2	0.3	00.0-00.7	10	1.3	00.3-02.3				18	2.8	01.2-04.4	2	0.2	00.0-00.6
Less than \$15,000	231	13,821				2	4.5	00.0-11.8	2	1.8	00.0-04.7				14	15.1	06.7-23.5	3	1.5	00.0-03.3
\$15,000- 24,999	447	30,413	426	92.0	87.7-96.3	5	3.3	00.0-06.8				1	0.2	00.0-00.6	13	3.7	01.3-06.1	2	0.8	00.0-02.2
\$25,000- 34,999	299	26,732	288	94.8	90.5-99.1	1	2.0	00.0-05.7	3	1.4	00.0-03.2				6	1.5	00.3-02.7	1	0.4	00.0-01.2
\$35,000- 49,999	408	34,314	398	95.1	90.8-99.4	1	0.4	00.0-01.2							9	4.5	00.4-08.6			
\$50,000- 74,999	388	39,286	377	96.0	93.5-98.5	2	0.9	00.0-02.1	1	0.2	00.0-00.6				7	2.6	00.6-04.6	1	0.4	00.0-01.2
\$75,000+	597	60,378	584	97.5	96.1-98.9	1	0.1	00.0-00.3	6	1.0	00.2-01.8				6	1.3	00.1-02.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4685	489,161	4461	92.6	91.4-93.8	224	7.4	06.2-08.6
Male	1807	242,639	1715	92.5	90.5-94.5	92	7.5	05.5-09.5
Female	2878	246,521	2746	92.6	91.0-94.2	132	7.4	05.8-09.0
18-24	127	76,953	108	88.0	82.5-93.5	19	12.0	06.5-17.5
25-34	416	82,356	360	83.7	79.4-88.0	56	16.3	12.0-20.6
35-44	603	71,930	574	95.0	93.0-97.0	29	5.0	03.0-07.0
45-54	910	89,453	864	94.1	92.3-95.9	46	5.9	04.1-07.7
55-64	1082	72,042	1050	96.9	95.7-98.1	32	3.1	01.9-04.3
65+	1500	93,957	1459	97.3	96.5-98.1	41	2.7	01.9-03.5
Less Than H.S.	316	32,318	285	85.9	78.8-93.0	31	14.1	07.0-21.2
H.S. or G.E.D.	1389	148,480	1315	91.7	89.2-94.2	74	8.3	05.8-10.8
Some Post-H.S.	1499	155,628	1433	92.1	89.7-94.5	66	7.9	05.5-10.3
College Graduate	1475	152,275	1422	95.3	93.7-96.9	53	4.7	03.1-06.3
Less than \$15,000	357	28,246	303	69.5	61.1-77.9	54	30.5	22.1-38.9
\$15,000- 24,999	638	53,808	593	88.8	84.9-92.7	45	11.2	07.3-15.1
\$25,000- 34,999	496	49,349	470	93.2	89.9-96.5	26	6.8	03.5-10.1
\$35,000- 49,999	695	71,175	674	92.3	88.2-96.4	21	7.7	03.6-11.8
\$50,000- 74,999	730	82,086	705	96.2	94.6-97.8	25	3.8	02.2-05.4
\$75,000+	1119	136,459	1090	96.9	95.5-98.3	29	3.1	01.7-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1807	242,639	1715	92.5	90.5-94.5	92	7.5	05.5-09.5
18-24	55	40,552	49	91.6	84.3-98.9	6	8.4	01.1-15.7
25-34	160	43,365	136	82.1	75.0-89.2	24	17.9	10.8-25.0
35-44	252	36,446	244	95.7	92.6-98.8	8	4.3	01.2-07.4
45-54	389	44,465	367	93.8	91.1-96.5	22	6.2	03.5-08.9
55-64	454	37,203	440	96.5	94.5-98.5	14	3.5	01.5-05.5
65+	489	40,082	471	96.6	95.0-98.2	18	3.4	01.8-05.0
H.S. or G.E.D.	513	75,599	477	89.6	85.3-93.9	36	10.4	06.1-14.7
Some Post-H.S.	564	73,553	538	93.3	90.4-96.2	26	6.7	03.8-09.6
College Graduate	591	74,206	572	95.6	93.1-98.1	19	4.4	01.9-06.9
\$15,000- 24,999	184	22,656	167	87.5	80.8-94.2	17	12.5	05.8-19.2
\$25,000- 34,999	191	21,947	182	94.1	89.8-98.4	9	5.9	01.6-10.2
\$35,000- 49,999	283	35,951	276	91.9	85.4-98.4	7	8.1	01.6-14.6
\$50,000- 74,999	340	42,641	328	96.7	94.7-98.7	12	3.3	01.3-05.3
\$75,000+	519	75,727	506	96.9	94.7-99.1	13	3.1	00.9-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2878	246,521	2746	92.6	91.0-94.2	132	7.4	05.8-09.0
18-24	72	36,400	59	84.0	75.6-92.4	13	16.0	07.6-24.4
25-34	256	38,991	224	85.6	80.5-90.7	32	14.4	09.3-19.5
35-44	351	35,484	330	94.2	91.7-96.7	21	5.8	03.3-08.3
45-54	521	44,988	497	94.4	92.0-96.8	24	5.6	03.2-08.0
55-64	628	34,839	610	97.2	95.8-98.6	18	2.8	01.4-04.2
65+	1011	53,875	988	97.9	96.9-98.9	23	2.1	01.1-03.1
Less Than H.S.	178	13,192	158	81.5	72.5-90.5	20	18.5	09.5-27.5
H.S. or G.E.D.	876	72,881	838	93.9	91.2-96.6	38	6.1	03.4-08.8
Some Post-H.S.	935	82,074	895	91.0	87.5-94.5	40	9.0	05.5-12.5
College Graduate	884	78,069	850	94.9	92.9-96.9	34	5.1	03.1-07.1
Less than \$15,000	237	14,057	210	75.8	66.0-85.6	27	24.2	14.4-34.0
\$15,000- 24,999	454	31,152	426	89.8	85.1-94.5	28	10.2	05.5-14.9
\$25,000- 34,999	305	27,402	288	92.4	87.5-97.3	17	7.6	02.7-12.5
\$35,000- 49,999	412	35,224	398	92.6	87.5-97.7	14	7.4	02.3-12.5
\$50,000- 74,999	390	39,445	377	95.6	93.1-98.1	13	4.4	01.9-06.9
\$75,000+	600	60,732	584	97.0	95.4-98.6	16	3.0	01.4-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4685	489,161	4461	92.6	91.4-93.8	24	1.1	00.5-01.7	136	4.5	03.5-05.5	18	0.5	00.1-00.9	46	1.3	00.7-01.9
Male	1807	242,639	1715	92.5	90.5-94.5	12	1.1	00.3-01.9	60	4.7	03.1-06.3	9	0.6	00.0-01.2	11	1.1	00.1-02.1
Female	2878	246,521	2746	92.6	91.0-94.2	12	1.1	00.3-01.9	76	4.3	03.1-05.5	9	0.4	00.2-00.6	35	1.6	00.8-02.4
18-24	127	76,953	108	88.0	82.5-93.5	4	2.9	00.0-05.8	8	5.0	01.5-08.5	1	0.6	00.0-01.8	6	3.5	00.4-06.6
25-34	416	82,356	360	83.7	79.4-88.0	10	2.7	00.9-04.5	33	10.4	06.5-14.3	5	1.3	00.1-02.5	8	1.9	00.5-03.3
35-44	603	71,930	574	95.0	93.0-97.0	4	0.5	00.0-01.1	19	3.5	01.7-05.3	1	0.3	00.0-00.9	5	0.7	00.1-01.3
45-54	910	89,453	864	94.1	92.3-95.9	2	0.2	00.0-00.6	38	4.8	03.0-06.6				6	0.8	00.2-01.4
55-64	1082	72,042	1050	96.9	95.7-98.1	3	0.2	00.0-00.4	18	2.0	01.0-03.0	5	0.5	00.1-00.9	6	0.5	00.1-00.9
65+	1500	93,957	1459	97.3	96.5-98.1	1	0.1	00.0-00.3	19	1.4	00.8-02.0	6	0.4	00.0-00.8	15	0.8	00.4-01.2
Less Than H.S.	316	32,318	285	85.9	78.8-93.0	2	0.4	00.0-01.0	16	7.4	03.1-11.7	2	0.3	00.0-00.7	11	6.1	00.0-12.2
H.S. or G.E.D.	1389	148,480	1315	91.7	89.2-94.2	5	1.0	00.0-02.2	49	6.0	03.8-08.2	8	0.8	00.2-01.4	12	0.6	00.2-01.0
Some Post-H.S.	1499	155,628	1433	92.1	89.7-94.5	13	2.2	00.8-03.6	32	3.5	01.9-05.1	4	0.5	00.0-01.1	17	1.7	00.5-02.9
College Graduate	1475	152,275	1422	95.3	93.7-96.9	4	0.2	00.0-00.4	39	3.5	02.1-04.9	4	0.3	00.0-00.7	6	0.7	00.1-01.3
Less than \$15,000	357	28,246	303	69.5	61.1-77.9	5	4.3	00.0-09.2	36	22.1	14.3-29.9	5	2.2	00.0-04.9	8	1.9	00.1-03.7
\$15,000- 24,999	638	53,808	593	88.8	84.9-92.7	8	3.1	00.6-05.6	26	5.9	03.2-08.6	4	0.7	00.0-01.5	7	1.4	00.2-02.6
\$25,000- 34,999	496	49,349	470	93.2	89.9-96.5	1	1.1	00.0-03.1	15	3.3	01.3-05.3	1	0.2	00.0-00.6	9	2.2	00.4-04.0
\$35,000- 49,999	695	71,175	674	92.3	88.2-96.4	2	0.5	00.0-01.1	13	4.8	01.3-08.3	1	0.7	00.0-02.1	5	1.8	00.0-03.6
\$50,000- 74,999	730	82,086	705	96.2	94.6-97.8	4	0.6	00.0-01.2	15	2.4	01.0-03.8	2	0.3	00.0-00.7	4	0.5	00.0-01.1
\$75,000+	1119	136,459	1090	96.9	95.5-98.3	4	0.8	00.0-01.8	19	1.8	01.0-02.6	1	0.1	00.0-00.3	5	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1807	242,639	1715	92.5	90.5-94.5	12	1.1	00.3-01.9	60	4.7	03.1-06.3	9	0.6	00.0-01.2	11	1.1	00.1-02.1
18-24	55	40,552	49	91.6	84.3-98.9	2	2.9	00.0-07.0	1	1.8	00.0-05.1	1	1.2	00.0-03.6	2	2.5	00.0-07.0
25-34	160	43,365	136	82.1	75.0-89.2	4	2.2	00.0-04.4	15	12.8	06.3-19.3	1	0.9	00.0-02.7	4	2.2	00.0-04.4
35-44	252	36,446	244	95.7	92.6-98.8				6	3.3	00.6-06.0	1	0.6	00.0-01.8	1	0.4	00.0-01.2
45-54	389	44,465	367	93.8	91.1-96.5	2	0.5	00.0-01.3	18	5.1	02.6-07.6				2	0.6	00.0-01.6
55-64	454	37,203	440	96.5	94.5-98.5	3	0.5	00.0-01.1	7	2.1	00.3-03.9	3	0.7	00.0-01.5	1	0.2	00.0-00.6
65+	489	40,082	471	96.6	95.0-98.2	1	0.2	00.0-00.6	13	2.5	01.1-03.9	3	0.5	00.0-01.1	1	0.2	00.0-00.6
Less Than H.S.	138	19,127				1	0.2	00.0-00.6	7	4.7	00.2-09.2	1	0.2	00.0-00.6	2	5.9	00.0-15.3
H.S. or G.E.D.	513	75,599	477	89.6	85.3-93.9	2	1.6	00.0-03.8	28	7.7	04.2-11.2	4	0.9	00.0-01.9	2	0.2	00.0-00.6
Some Post-H.S.	564	73,553	538	93.3	90.4-96.2	7	1.7	00.3-03.1	14	3.5	01.3-05.7	2	0.8	00.0-02.2	3	0.7	00.0-01.5
College Graduate	591	74,206	572	95.6	93.1-98.1	2	0.1	00.0-00.3	11	2.9	00.5-05.3	2	0.3	00.0-00.9	4	1.0	00.0-02.2
Less than \$15,000	120	14,189				3	4.2	00.0-10.7				2	2.9	00.0-08.0	2	2.2	00.0-05.3
\$15,000- 24,999	184	22,656	167	87.5	80.8-94.2	3	3.0	00.0-06.9	12	9.0	03.3-14.7	2	0.6	00.0-01.4			
\$25,000- 34,999	191	21,947	182	94.1	89.8-98.4				6	4.0	00.5-07.5				3	1.9	00.0-04.3
\$35,000- 49,999	283	35,951	276	91.9	85.4-98.4	1	0.5	00.0-01.5	4	5.2	00.0-10.9	1	1.3	00.0-03.8	1	1.0	00.0-03.0
\$50,000- 74,999	340	42,641	328	96.7	94.7-98.7	2	0.3	00.0-00.7	7	2.1	00.3-03.9	1	0.2	00.0-00.6	2	0.6	00.0-01.4
\$75,000+	519	75,727	506	96.9	94.7-99.1	3	1.3	00.0-03.3	7	1.3	00.1-02.5	1	0.1	00.0-00.3	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2878	246,521	2746	92.6	91.0-94.2	12	1.1	00.3-01.9	76	4.3	03.1-05.5	9	0.4	00.2-00.6	35	1.6	00.8-02.4
18-24	72	36,400	59	84.0	75.6-92.4	2	2.9	00.0-06.8	7	8.6	02.3-14.9				4	4.5	00.0-09.0
25-34	256	38,991	224	85.6	80.5-90.7	6	3.3	00.4-06.2	18	7.8	04.1-11.5	4	1.7	00.0-03.5	4	1.6	00.0-03.2
35-44	351	35,484	330	94.2	91.7-96.7	4	1.1	00.0-02.3	13	3.8	01.6-06.0				4	1.0	00.0-02.0
45-54	521	44,988	497	94.4	92.0-96.8				20	4.6	02.4-06.8				4	1.0	00.0-02.0
55-64	628	34,839	610	97.2	95.8-98.6				11	1.8	00.6-03.0	2	0.2	00.0-00.6	5	0.8	00.0-01.6
65+	1011	53,875	988	97.9	96.9-98.9				6	0.6	00.0-01.2	3	0.4	00.0-00.8	14	1.2	00.6-01.8
Less Than H.S.	178	13,192	158	81.5	72.5-90.5	1	0.6	00.0-01.8	9	11.4	03.6-19.2	1	0.4	00.0-01.2	9	6.2	00.5-11.9
H.S. or G.E.D.	876	72,881	838	93.9	91.2-96.6	3	0.4	00.0-00.8	21	4.2	01.7-06.7	4	0.6	00.0-01.4	10	0.9	00.3-01.5
Some Post-H.S.	935	82,074	895	91.0	87.5-94.5	6	2.6	00.4-04.8	18	3.4	01.2-05.6	2	0.3	00.0-00.9	14	2.6	00.6-04.6
College Graduate	884	78,069	850	94.9	92.9-96.9	2	0.3	00.0-00.7	28	4.2	02.4-06.0	2	0.2	00.0-00.6	2	0.4	00.0-01.0
Less than \$15,000	237	14,057	210	75.8	66.0-85.6	2	4.4	00.0-11.5	16	16.7	08.1-25.3	3	1.4	00.0-03.2	6	1.7	00.3-03.1
\$15,000- 24,999	454	31,152	426	89.8	85.1-94.5	5	3.3	00.0-06.8	14	3.7	01.3-06.1	2	0.8	00.0-02.2	7	2.4	00.2-04.6
\$25,000- 34,999	305	27,402	288	92.4	87.5-97.3	1	1.9	00.0-05.6	9	2.8	00.6-05.0	1	0.4	00.0-01.2	6	2.4	00.0-05.1
\$35,000- 49,999	412	35,224	398	92.6	87.5-97.7	1	0.4	00.0-01.2	9	4.4	00.3-08.5				4	2.6	00.0-05.7
\$50,000- 74,999	390	39,445	377	95.6	93.1-98.1	2	0.9	00.0-02.1	8	2.8	00.8-04.8	1	0.4	00.0-01.2	2	0.4	00.0-01.0
\$75,000+	600	60,732	584	97.0	95.4-98.6	1	0.1	00.0-00.3	12	2.3	00.9-03.7				3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4710	491,421	4691	99.5	99.1-99.9	19	0.5	00.1-00.9	
Male	1819	244,334	1810	99.4	98.8-0100	9	0.6	00.0-01.2	
Female	2891	247,087	2881	99.6	99.2-0100	10	0.4	00.0-00.8	
18-24	127	76,953	126	99.4	98.2-0100	1	0.6	00.0-01.8	
25-34	416	82,465	411	98.7	97.5-99.9	5	1.3	00.1-02.5	
35-44	604	72,472	602	99.6	99.0-0100	2	0.4	00.0-01.0	
45-54	911	89,537	911	100.0	0100-0100				
55-64	1084	72,264	1079	99.5	99.1-99.9	5	0.5	00.1-00.9	
65+	1520	95,198	1514	99.6	99.2-0100	6	0.4	00.0-00.8	
Less Than H.S.	324	33,047	322	99.7	99.3-0100	2	0.3	00.0-00.7	
H.S. or G.E.D.	1400	149,910	1392	99.3	98.7-99.9	8	0.7	00.1-01.3	
Some Post-H.S.	1503	155,623	1498	99.4	98.8-0100	5	0.6	00.0-01.2	
College Graduate	1477	152,381	1473	99.7	99.3-0100	4	0.3	00.0-00.7	
Less than \$15,000	366	29,237	361	97.9	95.4-0100	5	2.1	00.0-04.6	
\$15,000- 24,999	644	54,602	640	99.3	98.5-0100	4	0.7	00.0-01.5	
\$25,000- 34,999	498	49,231	496	99.6	99.0-0100	2	0.4	00.0-01.0	
\$35,000- 49,999	695	71,019	694	99.3	97.9-0100	1	0.7	00.0-02.1	
\$50,000- 74,999	733	82,441	731	99.7	99.3-0100	2	0.3	00.0-00.7	
\$75,000+	1120	136,464	1119	99.9	99.7-0100	1	0.1	00.0-00.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1819	244,334	1810	99.4	98.8-0100	9	0.6	00.0-01.2	
18-24	55	40,552	54	98.8	96.4-0100	1	1.2	00.0-03.6	
25-34	161	43,613	160	99.1	97.3-0100	1	0.9	00.0-02.7	
35-44	253	36,988	252	99.4	98.2-0100	1	0.6	00.0-01.8	
45-54	391	44,715	391	100.0	0100-0100				
55-64	457	37,456	454	99.3	98.5-0100	3	0.7	00.0-01.5	
65+	494	40,482	491	99.5	98.9-0100	3	0.5	00.0-01.1	
Less Than H.S.	143	19,785	142	99.8	99.4-0100	1	0.2	00.0-00.6	
H.S. or G.E.D.	518	76,650	514	99.2	98.2-0100	4	0.8	00.0-01.8	
Some Post-H.S.	565	73,493	563	99.2	97.8-0100	2	0.8	00.0-02.2	
College Graduate	592	74,251	590	99.7	99.1-0100	2	0.3	00.0-00.9	
Less than \$15,000	123	14,872	121	97.2	92.3-0100	2	2.8	00.0-07.7	
\$15,000- 24,999	188	23,364	186	99.5	98.7-0100	2	0.5	00.0-01.3	
\$25,000- 34,999	191	21,741	191	100.0	0100-0100				
\$35,000- 49,999	284	36,036	283	98.7	96.2-0100	1	1.3	00.0-03.8	
\$50,000- 74,999	343	42,996	342	99.8	99.4-0100	1	0.2	00.0-00.6	
\$75,000+	519	75,672	518	99.9	99.7-0100	1	0.1	00.0-00.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2891	247,087	2881	99.6	99.2-0100	10	0.4	00.0-00.8	
18-24	72	36,400	72	100.0	0100-0100				
25-34	255	38,851	251	98.3	96.5-0100	4	1.7	00.0-03.5	
35-44	351	35,484	350	99.7	99.1-0100	1	0.3	00.0-00.9	
45-54	520	44,822	520	100.0	0100-0100				
55-64	627	34,808	625	99.8	99.4-0100	2	0.2	00.0-00.6	
65+	1026	54,715	1023	99.6	99.2-0100	3	0.4	00.0-00.8	
Less Than H.S.	181	13,262	180	99.7	99.1-0100	1	0.3	00.0-00.9	
H.S. or G.E.D.	882	73,260	878	99.4	98.6-0100	4	0.6	00.0-01.4	
Some Post-H.S.	938	82,130	935	99.6	99.0-0100	3	0.4	00.0-01.0	
College Graduate	885	78,130	883	99.8	99.4-0100	2	0.2	00.0-00.6	
Less than \$15,000	243	14,366	240	98.6	97.0-0100	3	1.4	00.0-03.0	
\$15,000- 24,999	456	31,237	454	99.2	97.8-0100	2	0.8	00.0-02.2	
\$25,000- 34,999	307	27,491	305	99.3	98.3-0100	2	0.7	00.0-01.7	
\$35,000- 49,999	411	34,983	411	100.0	0100-0100				
\$50,000- 74,999	390	39,445	389	99.6	98.8-0100	1	0.4	00.0-01.2	
\$75,000+	601	60,793	601	100.0	0100-0100				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4710	491,421	4691	99.5	99.1-99.9	19	0.5	00.1-00.9
Male	1819	244,334	1810	99.4	98.8-0100	9	0.6	00.0-01.2
Female	2891	247,087	2881	99.6	99.2-0100	10	0.4	00.0-00.8
18-24	127	76,953	126	99.4	98.2-0100	1	0.6	00.0-01.8
25-34	416	82,465	411	98.7	97.5-99.9	5	1.3	00.1-02.5
35-44	604	72,472	602	99.6	99.0-0100	2	0.4	00.0-01.0
45-54	911	89,537	911	100.0	0100-0100			
55-64	1084	72,264	1079	99.5	99.1-99.9	5	0.5	00.1-00.9
65+	1520	95,198	1514	99.6	99.2-0100	6	0.4	00.0-00.8
Less Than H.S.	324	33,047	322	99.7	99.3-0100	2	0.3	00.0-00.7
H.S. or G.E.D.	1400	149,910	1392	99.3	98.7-99.9	8	0.7	00.1-01.3
Some Post-H.S.	1503	155,623	1498	99.4	98.8-0100	5	0.6	00.0-01.2
College Graduate	1477	152,381	1473	99.7	99.3-0100	4	0.3	00.0-00.7
Less than \$15,000	366	29,237	361	97.9	95.4-0100	5	2.1	00.0-04.6
\$15,000- 24,999	644	54,602	640	99.3	98.5-0100	4	0.7	00.0-01.5
\$25,000- 34,999	498	49,231	496	99.6	99.0-0100	2	0.4	00.0-01.0
\$35,000- 49,999	695	71,019	694	99.3	97.9-0100	1	0.7	00.0-02.1
\$50,000- 74,999	733	82,441	731	99.7	99.3-0100	2	0.3	00.0-00.7
\$75,000+	1120	136,464	1119	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	244,334	1810	99.4	98.8-0100	9	0.6	00.0-01.2
18-24	55	40,552	54	98.8	96.4-0100	1	1.2	00.0-03.6
25-34	161	43,613	160	99.1	97.3-0100	1	0.9	00.0-02.7
35-44	253	36,988	252	99.4	98.2-0100	1	0.6	00.0-01.8
45-54	391	44,715	391	100.0	0100-0100			
55-64	457	37,456	454	99.3	98.5-0100	3	0.7	00.0-01.5
65+	494	40,482	491	99.5	98.9-0100	3	0.5	00.0-01.1
Less Than H.S.	143	19,785	142	99.8	99.4-0100	1	0.2	00.0-00.6
H.S. or G.E.D.	518	76,650	514	99.2	98.2-0100	4	0.8	00.0-01.8
Some Post-H.S.	565	73,493	563	99.2	97.8-0100	2	0.8	00.0-02.2
College Graduate	592	74,251	590	99.7	99.1-0100	2	0.3	00.0-00.9
Less than \$15,000	123	14,872	121	97.2	92.3-0100	2	2.8	00.0-07.7
\$15,000- 24,999	188	23,364	186	99.5	98.7-0100	2	0.5	00.0-01.3
\$25,000- 34,999	191	21,741	191	100.0	0100-0100			
\$35,000- 49,999	284	36,036	283	98.7	96.2-0100	1	1.3	00.0-03.8
\$50,000- 74,999	343	42,996	342	99.8	99.4-0100	1	0.2	00.0-00.6
\$75,000+	519	75,672	518	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2891	247,087	2881	99.6	99.2-0100	10	0.4	00.0-00.8
18-24	72	36,400	72	100.0	0100-0100			
25-34	255	38,851	251	98.3	96.5-0100	4	1.7	00.0-03.5
35-44	351	35,484	350	99.7	99.1-0100	1	0.3	00.0-00.9
45-54	520	44,822	520	100.0	0100-0100			
55-64	627	34,808	625	99.8	99.4-0100	2	0.2	00.0-00.6
65+	1026	54,715	1023	99.6	99.2-0100	3	0.4	00.0-00.8
Less Than H.S.	181	13,262	180	99.7	99.1-0100	1	0.3	00.0-00.9
H.S. or G.E.D.	882	73,260	878	99.4	98.6-0100	4	0.6	00.0-01.4
Some Post-H.S.	938	82,130	935	99.6	99.0-0100	3	0.4	00.0-01.0
College Graduate	885	78,130	883	99.8	99.4-0100	2	0.2	00.0-00.6
Less than \$15,000	243	14,366	240	98.6	97.0-0100	3	1.4	00.0-03.0
\$15,000- 24,999	456	31,237	454	99.2	97.8-0100	2	0.8	00.0-02.2
\$25,000- 34,999	307	27,491	305	99.3	98.3-0100	2	0.7	00.0-01.7
\$35,000- 49,999	411	34,983	411	100.0	0100-0100			
\$50,000- 74,999	390	39,445	389	99.6	98.8-0100	1	0.4	00.0-01.2
\$75,000+	601	60,793	601	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4713	496,396	315	23.8	21.3-26.3	516	16.0	14.6-17.4	720	15.7	14.5-16.9	1112	18.3	17.1-19.5	938	12.0	11.0-13.0	1112	14.1	13.1-15.1
Male	1838	248,859	128	25.3	21.2-29.4	203	16.8	14.4-19.2	315	15.7	13.7-17.7	478	18.7	16.7-20.7	371	12.1	10.7-13.5	343	11.4	10.0-12.8
Female	2875	247,538	187	22.4	19.3-25.5	313	15.3	13.5-17.1	405	15.7	14.1-17.3	634	17.9	16.3-19.5	567	11.9	10.7-13.1	769	16.8	15.4-18.2
Native	110	17,871							23	15.2	08.3-22.1	30	15.3	08.6-22.0	8	3.5	01.0-06.0	9	2.9	00.9-04.9
Non-Native	4528	468,819	291	23.1	20.6-25.6	491	15.7	14.3-17.1	690	15.8	14.6-17.0	1069	18.6	17.4-19.8	916	12.4	11.4-13.4	1071	14.4	13.4-15.4
Less Than H.S.	328	33,948				17	10.6	05.1-16.1	23	7.5	04.2-10.8	35	9.6	05.9-13.3	42	7.5	04.8-10.2	192	35.4	28.0-42.8
H.S. or G.E.D.	1400	152,543	108	32.3	27.0-37.6	94	10.2	08.0-12.4	170	11.9	09.9-13.9	331	17.4	15.0-19.8	265	10.7	09.1-12.3	432	17.5	15.3-19.7
Some Post-H.S.	1501	156,346	98	22.6	18.3-26.9	158	15.3	12.8-17.8	261	18.1	15.7-20.5	389	20.5	18.1-22.9	308	12.3	10.7-13.9	287	11.2	09.6-12.8
College Graduate	1477	153,015	90	15.5	12.2-18.8	246	23.8	20.9-26.7	266	18.9	16.5-21.3	356	18.9	16.7-21.1	323	14.1	12.3-15.9	196	8.8	07.4-10.2
Less than \$15,000	373	30,396	25	24.8	16.0-33.6	24	14.3	07.8-20.8	27	8.2	04.9-11.5	76	17.2	12.5-21.9	64	9.6	06.7-12.5	157	26.0	21.1-30.9
\$15,000- 24,999	642	54,915	37	24.3	17.0-31.6	45	13.7	09.4-18.0	52	7.8	05.4-10.2	106	12.9	10.0-15.8	152	14.6	11.9-17.3	250	26.6	22.5-30.7
\$25,000- 34,999	495	49,275	37	28.1	19.9-36.3	40	12.1	08.2-16.0	54	10.5	07.6-13.4	114	17.2	13.5-20.9	95	11.2	08.7-13.7	155	20.9	17.0-24.8
\$35,000- 49,999	693	71,170	54	25.9	19.6-32.2	61	13.4	09.7-17.1	108	14.2	11.3-17.1	157	17.1	14.2-20.0	153	13.6	11.1-16.1	160	15.8	13.1-18.5
\$50,000- 74,999	733	83,809	61	21.3	15.6-27.0	116	20.9	17.2-24.6	124	17.2	14.1-20.3	204	21.0	17.9-24.1	150	12.8	10.4-15.2	78	6.8	05.2-08.4
\$75,000+	1126	137,051	56	16.8	11.9-21.7	195	21.5	18.6-24.4	287	24.9	22.0-27.8	349	23.2	20.5-25.9	178	9.9	08.3-11.5	61	3.8	02.8-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	248,859	128	25.3	21.2-29.4	203	16.8	14.4-19.2	315	15.7	13.7-17.7	478	18.7	16.7-20.7	371	12.1	10.7-13.5	343	11.4	10.0-12.8
Non-Native	1751	233,322	119	24.8	20.7-28.9	190	16.0	13.6-18.4	301	16.0	14.0-18.0	458	19.1	17.1-21.1	361	12.5	11.1-13.9	322	11.6	10.2-13.0
Less Than H.S.	146	20,631				12	14.8	06.0-23.6	10	5.4	01.7-09.1	22	11.4	05.5-17.3	17	5.8	02.5-09.1	76	28.3	18.9-37.7
H.S. or G.E.D.	522	78,691	51	37.1	29.1-45.1	46	12.2	08.5-15.9	83	12.4	09.3-15.5	144	17.9	14.4-21.4	90	8.9	06.7-11.1	108	11.6	09.1-14.1
Some Post-H.S.	569	74,172	37	22.1	15.4-28.8	67	17.4	13.3-21.5	109	18.3	14.8-21.8	169	21.6	18.1-25.1	122	13.4	10.9-15.9	65	7.2	05.2-09.2
College Graduate	599	75,126	31	13.7	08.8-18.6	78	21.5	17.0-26.0	113	19.5	16.0-23.0	142	18.7	15.6-21.8	142	16.0	13.3-18.7	93	10.7	08.5-12.9
Less than \$15,000	126	15,685							15	9.0	03.7-14.3	39	20.5	12.5-28.5	17	6.7	02.8-10.6	29	11.9	06.8-17.0
\$15,000- 24,999	191	23,801				15	15.4	07.6-23.2	18	8.0	03.9-12.1	32	12.1	07.2-17.0	52	14.8	09.9-19.7	60	20.0	14.1-25.9
\$25,000- 34,999	191	21,940				16	14.0	07.1-20.9	20	8.9	04.8-13.0	51	19.9	13.8-26.0	37	12.3	07.8-16.8	55	20.9	14.6-27.2
\$35,000- 49,999	284	36,037	24	27.3	17.7-36.9	27	14.6	08.5-20.7	44	12.8	08.7-16.9	62	15.2	11.1-19.3	52	12.2	08.5-15.9	75	17.9	13.4-22.4
\$50,000- 74,999	344	44,436	21	18.4	09.6-27.2	44	19.3	13.8-24.8	51	15.4	11.1-19.7	103	22.9	18.2-27.6	78	15.2	11.5-18.9	47	8.8	06.1-11.5
\$75,000+	526	76,382	26	18.4	11.1-25.7	72	19.4	15.1-23.7	144	25.2	20.9-29.5	155	22.0	18.3-25.7	95	11.0	08.6-13.4	34	4.1	02.7-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	247,538	187	22.4	19.3-25.5	313	15.3	13.5-17.1	405	15.7	14.1-17.3	634	17.9	16.3-19.5	567	11.9	10.7-13.1	769	16.8	15.4-18.2
Native	62	9,079										17	13.4	06.0-20.8	4	2.7	00.0-05.6	2	1.0	00.0-02.4
Non-Native	2777	235,498	172	21.4	18.3-24.5	301	15.3	13.5-17.1	389	15.7	14.1-17.3	611	18.1	16.5-19.7	555	12.3	11.1-13.5	749	17.2	15.8-18.6
Less Than H.S.	182	13,317				5	4.0	00.5-07.5	13	10.7	04.8-16.6	13	6.8	02.7-10.9	25	10.1	05.8-14.4	116	46.3	36.9-55.7
H.S. or G.E.D.	878	73,853	57	27.2	20.9-33.5	48	8.1	05.7-10.5	87	11.3	08.8-13.8	187	17.0	14.3-19.7	175	12.5	10.3-14.7	324	23.9	20.8-27.0
Some Post-H.S.	932	82,174	61	23.0	17.5-28.5	91	13.3	10.6-16.0	152	17.9	15.0-20.8	220	19.5	16.8-22.2	186	11.4	09.6-13.2	222	14.9	12.7-17.1
College Graduate	878	77,889	59	17.3	12.6-22.0	168	26.0	22.5-29.5	153	18.3	15.4-21.2	214	19.1	16.4-21.8	181	12.3	10.3-14.3	103	6.9	05.5-08.3
Less than \$15,000	247	14,711	11	16.2	06.8-25.6	12	9.2	03.3-15.1	12	7.2	02.7-11.7	37	13.7	09.0-18.4	47	12.7	08.6-16.8	128	40.9	33.5-48.3
\$15,000- 24,999	451	31,115	23	20.2	11.8-28.6	30	12.4	07.7-17.1	34	7.7	05.0-10.4	74	13.6	10.1-17.1	100	14.4	11.1-17.7	190	31.7	26.4-37.0
\$25,000- 34,999	304	27,336				24	10.5	06.0-15.0	34	11.9	07.6-16.2	63	15.1	10.8-19.4	58	10.3	07.2-13.4	100	20.9	16.0-25.8
\$35,000- 49,999	409	35,134	30	24.5	16.3-32.7	34	12.1	08.0-16.2	64	15.7	11.6-19.8	95	19.1	15.0-23.2	101	15.0	11.7-18.3	85	13.6	10.5-16.7
\$50,000- 74,999	389	39,373	40	24.5	17.4-31.6	72	22.8	17.9-27.7	73	19.3	15.0-23.6	101	18.8	14.9-22.7	72	10.0	07.5-12.5	31	4.6	02.8-06.4
\$75,000+	600	60,669	30	14.8	09.1-20.5	123	24.1	20.2-28.0	143	24.5	20.6-28.4	194	24.8	21.3-28.3	83	8.4	06.4-10.4	27	3.3	01.9-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4713	496,396	3174	80.6	79.4-81.8	1539	19.4	18.2-20.6
Male	1838	248,859	1334	83.4	81.8-85.0	504	16.6	15.0-18.2
Female	2875	247,538	1840	77.7	76.1-79.3	1035	22.3	20.7-23.9
Native	110	17,871	95	94.4	91.3-97.5	15	5.6	02.5-08.7
Non-Native	4528	468,819	3043	80.2	79.0-81.4	1485	19.8	18.6-21.0
Less Than H.S.	328	33,948	115	60.7	52.7-68.7	213	39.3	31.3-47.3
H.S. or G.E.D.	1400	152,543	821	76.7	74.2-79.2	579	23.3	20.8-25.8
Some Post-H.S.	1501	156,346	1068	83.3	81.5-85.1	433	16.7	14.9-18.5
College Graduate	1477	153,015	1168	86.2	84.6-87.8	309	13.8	12.2-15.4
Less than \$15,000	373	30,396	184	69.4	63.9-74.9	189	30.6	25.1-36.1
\$15,000- 24,999	642	54,915	307	65.1	60.4-69.8	335	34.9	30.2-39.6
\$25,000- 34,999	495	49,275	295	73.9	69.4-78.4	200	26.1	21.6-30.6
\$35,000- 49,999	693	71,170	467	78.4	75.1-81.7	226	21.6	18.3-24.9
\$50,000- 74,999	733	83,809	592	87.8	85.6-90.0	141	12.2	10.0-14.4
\$75,000+	1126	137,051	1005	93.1	91.7-94.5	121	6.9	05.5-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	248,859	1334	83.4	81.8-85.0	504	16.6	15.0-18.2
Non-Native	1751	233,322	1272	83.1	81.3-84.9	479	16.9	15.1-18.7
Less Than H.S.	146	20,631	63	69.1	59.1-79.1	83	30.9	20.9-40.9
H.S. or G.E.D.	522	78,691	365	83.6	80.5-86.7	157	16.4	13.3-19.5
Some Post-H.S.	569	74,172	453	87.5	85.0-90.0	116	12.5	10.0-15.0
College Graduate	599	75,126	452	83.3	80.6-86.0	147	16.7	14.0-19.4
Less than \$15,000	126	15,685	90	85.8	80.3-91.3	36	14.2	08.7-19.7
\$15,000- 24,999	191	23,801	99	70.5	63.1-77.9	92	29.5	22.1-36.9
\$25,000- 34,999	191	21,940	123	74.3	67.4-81.2	68	25.7	18.8-32.6
\$35,000- 49,999	284	36,037	184	76.7	71.6-81.8	100	23.3	18.2-28.4
\$50,000- 74,999	344	44,436	268	85.4	81.9-88.9	76	14.6	11.1-18.1
\$75,000+	526	76,382	460	92.4	90.4-94.4	66	7.6	05.6-09.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	247,538	1840	77.7	76.1-79.3	1035	22.3	20.7-23.9
Native	62	9,079	57	97.0	94.1-99.9	5	3.0	00.1-05.9
Non-Native	2777	235,498	1771	77.2	75.6-78.8	1006	22.8	21.2-24.4
Less Than H.S.	182	13,317	52	47.8	37.8-57.8	130	52.2	42.2-62.2
H.S. or G.E.D.	878	73,853	456	69.3	65.6-73.0	422	30.7	27.0-34.4
Some Post-H.S.	932	82,174	615	79.5	77.0-82.0	317	20.5	18.0-23.0
College Graduate	878	77,889	716	89.1	87.3-90.9	162	10.9	09.1-12.7
Less than \$15,000	247	14,711	94	52.0	43.8-60.2	153	48.0	39.8-56.2
\$15,000- 24,999	451	31,115	208	60.9	55.0-66.8	243	39.1	33.2-45.0
\$25,000- 34,999	304	27,336	172	73.5	67.8-79.2	132	26.5	20.8-32.2
\$35,000- 49,999	409	35,134	283	80.1	76.2-84.0	126	19.9	16.0-23.8
\$50,000- 74,999	389	39,373	324	90.6	88.1-93.1	65	9.4	06.9-11.9
\$75,000+	600	60,669	545	94.0	92.4-95.6	55	6.0	04.4-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	496,743	1	0.0	00.0-00.0	227	3.5	02.9-04.1	2276	39.9	37.9-41.9	1844	44.5	42.3-46.7	383	12.1	10.5-13.7
Male	1841	248,763				3	0.1	00.0-00.3	154	7.9	06.3-09.5	1304	68.0	64.9-71.1	380	24.1	21.2-27.0
Female	2890	247,979	1	0.0	00.0-00.0	224	7.0	05.6-08.4	2122	72.1	69.7-74.5	540	20.9	18.7-23.1	3	0.1	00.1-00.1
Native	109	17,819				2	0.7	00.0-01.9							5	4.8	00.1-09.5
Non-Native	4546	469,180	1	0.0	00.0-00.0	218	3.5	02.9-04.1	2197	40.2	38.2-42.2	1758	44.0	41.8-46.2	372	12.4	10.6-14.2
18-24	131	79,953				7	4.6	01.3-07.9	57	35.8	27.2-44.4	49	43.1	33.5-52.7	18	16.6	09.0-24.2
25-34	418	83,273				13	2.2	01.0-03.4	175	35.2	30.3-40.1	179	46.8	41.5-52.1	51	15.8	11.7-19.9
35-44	602	72,205				8	1.4	00.4-02.4	260	36.9	33.0-40.8	263	47.3	43.0-51.6	71	14.3	11.2-17.4
45-54	921	90,632				23	2.0	01.2-02.8	405	39.3	36.0-42.6	410	48.3	44.8-51.8	83	10.4	08.0-12.8
55-64	1088	72,594				41	2.9	01.9-03.9	522	42.0	38.9-45.1	424	42.7	39.6-45.8	101	12.4	10.0-14.8
65+	1526	95,710	1	0.0	00.0-00.0	132	7.2	05.8-08.6	825	48.1	45.4-50.8	509	39.6	36.9-42.3	59	5.0	03.6-06.4
Less Than H.S.	323	33,719				26	5.1	02.4-07.8	159	43.8	34.6-53.0	125	42.1	32.5-51.7	13	8.9	00.0-18.7
H.S. or G.E.D.	1406	152,623				100	5.8	04.0-07.6	707	39.0	35.1-42.9	503	43.2	38.7-47.7	96	12.0	08.9-15.1
Some Post-H.S.	1514	156,924				58	2.7	01.7-03.7	730	40.7	37.4-44.0	605	45.3	41.8-48.8	121	11.3	08.6-14.0
College Graduate	1483	153,072	1	0.0	00.0-00.0	42	1.7	01.1-02.3	677	39.3	36.2-42.4	610	45.4	42.3-48.5	153	13.6	11.2-16.0
Less than \$15,000	368	30,143				27	4.2	02.4-06.0	202	50.0	42.4-57.6	116	36.5	28.9-44.1	23	9.3	04.6-14.0
\$15,000- 24,999	645	55,027				46	6.3	03.4-09.2	351	44.0	38.3-49.7	219	41.1	35.2-47.0	29	8.7	04.2-13.2
\$25,000- 34,999	497	49,259				22	3.9	01.2-06.6	244	42.3	35.8-48.8	206	43.7	37.2-50.2	25	10.2	04.3-16.1
\$35,000- 49,999	694	70,996				31	3.6	01.8-05.4	336	40.7	35.6-45.8	276	44.5	39.2-49.8	51	11.3	07.4-15.2
\$50,000- 74,999	735	83,986				20	2.4	01.2-03.6	309	37.1	32.6-41.6	333	49.6	44.7-54.5	73	10.9	08.2-13.6
\$75,000+	1130	137,351				23	1.3	00.7-01.9	456	33.7	30.2-37.2	506	49.5	45.6-53.4	145	15.5	12.6-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	248,763	3	0.1	00.0-00.3	154	7.9	06.3-09.5	1304	68.0	64.9-71.1	380	24.1	21.2-27.0
Non-Native	1755	233,278	2	0.0	00.0-00.0	145	7.5	05.9-09.1	1239	67.6	64.3-70.9	369	24.9	21.8-28.0
18-24	57	42,683				5	5.8	00.3-11.3						
25-34	163	44,421	1	0.3	00.0-00.9	13	9.1	03.8-14.4	98	61.0	53.0-69.0	51	29.7	22.3-37.1
35-44	253	36,916				14	5.4	02.5-08.3	169	66.7	60.6-72.8	70	27.9	22.0-33.8
45-54	396	45,272				29	6.9	04.4-09.4	284	72.4	67.7-77.1	83	20.7	16.4-25.0
55-64	463	37,940	1	0.2	00.0-00.6	41	8.9	06.0-11.8	321	67.3	62.6-72.0	100	23.6	19.3-27.9
65+	502	41,068	1	0.1	00.0-00.3	51	11.1	08.2-14.0	392	77.2	73.3-81.1	58	11.6	08.7-14.5
H.S. or G.E.D.	522	78,579	2	0.2	00.0-00.6	48	7.4	04.5-10.3	377	69.2	62.9-75.5	95	23.2	17.3-29.1
Some Post-H.S.	571	74,256	1	0.1	00.0-00.3	26	3.5	02.1-04.9	425	72.6	67.3-77.9	119	23.9	18.6-29.2
College Graduate	601	75,161				45	7.4	05.0-09.8	403	64.9	60.2-69.6	153	27.8	23.3-32.3
Less than \$15,000	125	15,633	1	0.4	00.0-01.2							20	17.0	08.2-25.8
\$15,000- 24,999	191	23,801				15	7.6	02.7-12.5	147	72.3	62.3-82.3	29	20.0	10.4-29.6
\$25,000- 34,999	192	21,982	1	0.2	00.0-00.6	15	5.8	02.5-09.1						
\$35,000- 49,999	283	35,801				32	10.3	06.2-14.4	200	67.4	59.6-75.2	51	22.3	15.0-29.6
\$50,000- 74,999	345	44,520	1	0.3	00.0-00.9	19	5.6	02.9-08.3	252	73.5	67.8-79.2	73	20.6	15.5-25.7
\$75,000+	527	76,466				30	4.2	02.6-05.8	352	68.0	62.9-73.1	145	27.8	22.9-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2890	247,979	1	0.0	00.0-00.0	224	7.0	05.6-08.4	2122	72.1	69.7-74.5	540	20.9	18.7-23.1	3	0.1	00.1-00.1
Native	62	9,079				2	1.4	00.0-03.6									
Non-Native	2791	235,902	1	0.0	00.0-00.0	216	6.9	05.5-08.3	2052	72.5	70.1-74.9	519	20.6	18.4-22.8	3	0.1	00.1-00.1
18-24	74	37,270				7	9.8	02.7-16.9				15	20.1	10.5-29.7			
25-34	255	38,851				12	4.3	01.8-06.8	162	65.1	59.0-71.2	81	30.6	24.7-36.5			
35-44	349	35,289				8	3.0	00.8-05.2	246	69.9	64.8-75.0	94	27.0	22.1-31.9	1	0.1	00.0-00.3
45-54	525	45,360				23	4.1	02.3-05.9	376	71.7	67.6-75.8	126	24.2	20.3-28.1			
55-64	625	34,654				40	5.9	03.9-07.9	481	78.3	75.0-81.6	103	15.8	12.9-18.7	1	0.0	00.0-00.0
65+	1024	54,642	1	0.1	00.0-00.3	131	12.6	10.4-14.8	774	75.9	73.2-78.6	117	11.4	09.2-13.6	1	0.1	00.0-00.3
Less Than H.S.	178	13,191				26	13.1	06.6-19.6	125	69.7	60.5-78.9	27	17.3	09.5-25.1			
H.S. or G.E.D.	884	74,045				98	11.8	08.3-15.3	659	72.5	67.8-77.2	126	15.6	11.9-19.3	1	0.1	00.0-00.3
Some Post-H.S.	943	82,668				57	5.0	03.2-06.8	704	74.0	70.1-77.9	180	20.9	17.2-24.6	2	0.1	00.0-00.3
College Graduate	882	77,911	1	0.1	00.0-00.3	42	3.4	02.2-04.6	632	70.0	66.1-73.9	207	26.5	22.6-30.4			
Less than \$15,000	243	14,510				26	8.4	04.9-11.9	178	74.8	67.5-82.1	36	16.0	09.3-22.7	3	0.9	00.0-01.9
\$15,000- 24,999	454	31,226				46	11.0	06.1-15.9	336	71.7	65.4-78.0	72	17.2	12.3-22.1			
\$25,000- 34,999	305	27,277				21	6.8	02.1-11.5	229	71.7	63.5-79.9	55	21.5	13.9-29.1			
\$35,000- 49,999	411	35,195				31	7.3	03.6-11.0	304	71.6	65.5-77.7	76	21.1	15.6-26.6			
\$50,000- 74,999	390	39,466				19	4.7	02.5-06.9	290	72.7	67.0-78.4	81	22.6	17.1-28.1			
\$75,000+	603	60,885				23	3.0	01.6-04.4	426	70.8	66.5-75.1	154	26.2	22.1-30.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	496,743	1	0.0	00.0-00.0	227	3.5	02.9-04.1	2276	39.9	37.9-41.9	1844	44.5	42.3-46.7	383	12.1	10.5-13.7
Male	1841	248,763				3	0.1	00.0-00.3	154	7.9	06.3-09.5	1304	68.0	64.9-71.1	380	24.1	21.2-27.0
Female	2890	247,979	1	0.0	00.0-00.0	224	7.0	05.6-08.4	2122	72.1	69.7-74.5	540	20.9	18.7-23.1	3	0.1	00.1-00.1
Native	109	17,819				2	0.7	00.0-01.9							5	4.8	00.1-09.5
Non-Native	4546	469,180	1	0.0	00.0-00.0	218	3.5	02.9-04.1	2197	40.2	38.2-42.2	1758	44.0	41.8-46.2	372	12.4	10.6-14.2
18-24	131	79,953				7	4.6	01.3-07.9	57	35.8	27.2-44.4	49	43.1	33.5-52.7	18	16.6	09.0-24.2
25-34	418	83,273				13	2.2	01.0-03.4	175	35.2	30.3-40.1	179	46.8	41.5-52.1	51	15.8	11.7-19.9
35-44	602	72,205				8	1.4	00.4-02.4	260	36.9	33.0-40.8	263	47.3	43.0-51.6	71	14.3	11.2-17.4
45-54	921	90,632				23	2.0	01.2-02.8	405	39.3	36.0-42.6	410	48.3	44.8-51.8	83	10.4	08.0-12.8
55-64	1088	72,594				41	2.9	01.9-03.9	522	42.0	38.9-45.1	424	42.7	39.6-45.8	101	12.4	10.0-14.8
65+	1526	95,710	1	0.0	00.0-00.0	132	7.2	05.8-08.6	825	48.1	45.4-50.8	509	39.6	36.9-42.3	59	5.0	03.6-06.4
Less Than H.S.	323	33,719				26	5.1	02.4-07.8	159	43.8	34.6-53.0	125	42.1	32.5-51.7	13	8.9	00.0-18.7
H.S. or G.E.D.	1406	152,623				100	5.8	04.0-07.6	707	39.0	35.1-42.9	503	43.2	38.7-47.7	96	12.0	08.9-15.1
Some Post-H.S.	1514	156,924				58	2.7	01.7-03.7	730	40.7	37.4-44.0	605	45.3	41.8-48.8	121	11.3	08.6-14.0
College Graduate	1483	153,072	1	0.0	00.0-00.0	42	1.7	01.1-02.3	677	39.3	36.2-42.4	610	45.4	42.3-48.5	153	13.6	11.2-16.0
Less than \$15,000	368	30,143				27	4.2	02.4-06.0	202	50.0	42.4-57.6	116	36.5	28.9-44.1	23	9.3	04.6-14.0
\$15,000- 24,999	645	55,027				46	6.3	03.4-09.2	351	44.0	38.3-49.7	219	41.1	35.2-47.0	29	8.7	04.2-13.2
\$25,000- 34,999	497	49,259				22	3.9	01.2-06.6	244	42.3	35.8-48.8	206	43.7	37.2-50.2	25	10.2	04.3-16.1
\$35,000- 49,999	694	70,996				31	3.6	01.8-05.4	336	40.7	35.6-45.8	276	44.5	39.2-49.8	51	11.3	07.4-15.2
\$50,000- 74,999	735	83,986				20	2.4	01.2-03.6	309	37.1	32.6-41.6	333	49.6	44.7-54.5	73	10.9	08.2-13.6
\$75,000+	1130	137,351				23	1.3	00.7-01.9	456	33.7	30.2-37.2	506	49.5	45.6-53.4	145	15.5	12.6-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	248,763	3	0.1	00.0-00.3	154	7.9	06.3-09.5	1304	68.0	64.9-71.1	380	24.1	21.2-27.0
Non-Native	1755	233,278	2	0.0	00.0-00.0	145	7.5	05.9-09.1	1239	67.6	64.3-70.9	369	24.9	21.8-28.0
18-24	57	42,683				5	5.8	00.3-11.3						
25-34	163	44,421	1	0.3	00.0-00.9	13	9.1	03.8-14.4	98	61.0	53.0-69.0	51	29.7	22.3-37.1
35-44	253	36,916				14	5.4	02.5-08.3	169	66.7	60.6-72.8	70	27.9	22.0-33.8
45-54	396	45,272				29	6.9	04.4-09.4	284	72.4	67.7-77.1	83	20.7	16.4-25.0
55-64	463	37,940	1	0.2	00.0-00.6	41	8.9	06.0-11.8	321	67.3	62.6-72.0	100	23.6	19.3-27.9
65+	502	41,068	1	0.1	00.0-00.3	51	11.1	08.2-14.0	392	77.2	73.3-81.1	58	11.6	08.7-14.5
H.S. or G.E.D.	522	78,579	2	0.2	00.0-00.6	48	7.4	04.5-10.3	377	69.2	62.9-75.5	95	23.2	17.3-29.1
Some Post-H.S.	571	74,256	1	0.1	00.0-00.3	26	3.5	02.1-04.9	425	72.6	67.3-77.9	119	23.9	18.6-29.2
College Graduate	601	75,161				45	7.4	05.0-09.8	403	64.9	60.2-69.6	153	27.8	23.3-32.3
Less than \$15,000	125	15,633	1	0.4	00.0-01.2							20	17.0	08.2-25.8
\$15,000- 24,999	191	23,801				15	7.6	02.7-12.5	147	72.3	62.3-82.3	29	20.0	10.4-29.6
\$25,000- 34,999	192	21,982	1	0.2	00.0-00.6	15	5.8	02.5-09.1						
\$35,000- 49,999	283	35,801				32	10.3	06.2-14.4	200	67.4	59.6-75.2	51	22.3	15.0-29.6
\$50,000- 74,999	345	44,520	1	0.3	00.0-00.9	19	5.6	02.9-08.3	252	73.5	67.8-79.2	73	20.6	15.5-25.7
\$75,000+	527	76,466				30	4.2	02.6-05.8	352	68.0	62.9-73.1	145	27.8	22.9-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2890	247,979	1	0.0	00.0-00.0	224	7.0	05.6-08.4	2122	72.1	69.7-74.5	540	20.9	18.7-23.1	3	0.1	00.1-00.1
Native	62	9,079				2	1.4	00.0-03.6									
Non-Native	2791	235,902	1	0.0	00.0-00.0	216	6.9	05.5-08.3	2052	72.5	70.1-74.9	519	20.6	18.4-22.8	3	0.1	00.1-00.1
18-24	74	37,270				7	9.8	02.7-16.9				15	20.1	10.5-29.7			
25-34	255	38,851				12	4.3	01.8-06.8	162	65.1	59.0-71.2	81	30.6	24.7-36.5			
35-44	349	35,289				8	3.0	00.8-05.2	246	69.9	64.8-75.0	94	27.0	22.1-31.9	1	0.1	00.0-00.3
45-54	525	45,360				23	4.1	02.3-05.9	376	71.7	67.6-75.8	126	24.2	20.3-28.1			
55-64	625	34,654				40	5.9	03.9-07.9	481	78.3	75.0-81.6	103	15.8	12.9-18.7	1	0.0	00.0-00.0
65+	1024	54,642	1	0.1	00.0-00.3	131	12.6	10.4-14.8	774	75.9	73.2-78.6	117	11.4	09.2-13.6	1	0.1	00.0-00.3
Less Than H.S.	178	13,191				26	13.1	06.6-19.6	125	69.7	60.5-78.9	27	17.3	09.5-25.1			
H.S. or G.E.D.	884	74,045				98	11.8	08.3-15.3	659	72.5	67.8-77.2	126	15.6	11.9-19.3	1	0.1	00.0-00.3
Some Post-H.S.	943	82,668				57	5.0	03.2-06.8	704	74.0	70.1-77.9	180	20.9	17.2-24.6	2	0.1	00.0-00.3
College Graduate	882	77,911	1	0.1	00.0-00.3	42	3.4	02.2-04.6	632	70.0	66.1-73.9	207	26.5	22.6-30.4			
Less than \$15,000	243	14,510				26	8.4	04.9-11.9	178	74.8	67.5-82.1	36	16.0	09.3-22.7	3	0.9	00.0-01.9
\$15,000- 24,999	454	31,226				46	11.0	06.1-15.9	336	71.7	65.4-78.0	72	17.2	12.3-22.1			
\$25,000- 34,999	305	27,277				21	6.8	02.1-11.5	229	71.7	63.5-79.9	55	21.5	13.9-29.1			
\$35,000- 49,999	411	35,195				31	7.3	03.6-11.0	304	71.6	65.5-77.7	76	21.1	15.6-26.6			
\$50,000- 74,999	390	39,466				19	4.7	02.5-06.9	290	72.7	67.0-78.4	81	22.6	17.1-28.1			
\$75,000+	603	60,885				23	3.0	01.6-04.4	426	70.8	66.5-75.1	154	26.2	22.1-30.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4506	477,374	46	1.0	00.4-01.6	1385	28.6	26.6-30.6	2072	45.6	43.4-47.8	800	19.5	17.9-21.1	170	4.5	03.5-05.5	33	0.8	00.4-01.2
Male	1830	245,707	2	0.3	00.0-00.9	137	10.2	07.8-12.6	954	51.2	47.9-54.5	586	29.5	26.8-32.2	123	7.4	05.4-09.4	28	1.4	00.8-02.0
Female	2676	231,667	44	1.7	00.9-02.5	1248	48.2	45.5-50.9	1118	39.6	37.1-42.1	214	8.8	07.2-10.4	47	1.5	01.1-01.9	5	0.2	00.0-00.4
Native	107	17,249	2	4.6	00.0-12.8	22	19.2	09.2-29.2							8	5.0	01.1-08.9	2	1.5	00.0-03.7
Non-Native	4331	451,515	43	0.9	00.5-01.3	1343	28.9	26.9-30.9	1995	45.8	43.6-48.0	760	19.1	17.5-20.7	159	4.6	03.4-05.8	31	0.8	00.4-01.2
18-24	127	78,175	3	1.8	00.0-03.8	57	39.8	30.6-49.0	47	40.9	31.3-50.5	17	13.7	07.2-20.2	3	3.8	00.0-08.7			
25-34	397	78,549	6	1.9	00.0-03.9	120	26.0	21.5-30.5	176	45.8	40.3-51.3	72	19.6	15.3-23.9	20	6.0	03.3-08.7	3	0.7	00.0-01.5
35-44	582	70,504				161	25.2	21.7-28.7	256	44.1	39.8-48.4	130	23.7	20.0-27.4	26	5.2	03.0-07.4	9	1.7	00.5-02.9
45-54	879	86,770	2	0.2	00.0-00.6	240	24.5	21.6-27.4	405	46.4	42.9-49.9	181	22.7	19.6-25.8	40	4.7	03.1-06.3	11	1.6	00.6-02.6
55-64	1023	68,941	5	0.4	00.0-00.8	250	21.3	18.8-23.8	476	45.8	42.5-49.1	233	25.8	22.9-28.7	51	5.7	04.1-07.3	8	1.0	00.2-01.8
65+	1469	92,800	28	1.5	00.9-02.1	545	32.9	30.4-35.4	700	49.5	46.8-52.2	164	13.5	11.5-15.5	30	2.5	01.5-03.5	2	0.1	00.0-00.3
Less Than H.S.	315	32,079	4	0.7	00.0-01.5	100	29.7	21.7-37.7	142	41.4	32.0-50.8	57	19.7	12.4-27.0	12	8.5	00.0-18.7			
H.S. or G.E.D.	1328	146,760	22	2.2	00.6-03.8	411	28.7	24.8-32.6	612	45.6	41.1-50.1	215	17.3	14.2-20.4	56	5.2	03.4-07.0	12	1.1	00.5-01.7
Some Post-H.S.	1434	149,960	12	0.6	00.2-01.0	438	27.5	24.4-30.6	627	43.7	40.0-47.4	287	23.4	20.3-26.5	57	3.9	02.7-05.1	13	1.0	00.4-01.6
College Graduate	1425	148,232	8	0.3	00.1-00.5	436	29.5	26.4-32.6	687	48.2	44.9-51.5	241	17.6	15.2-20.0	45	3.7	02.3-05.1	8	0.6	00.2-01.0
Less than \$15,000	353	29,093	5	3.1	00.0-08.0	123	34.2	26.8-41.6	146	36.7	29.4-44.0	57	20.0	13.5-26.5	18	4.3	01.9-06.7	4	1.6	00.0-03.2
\$15,000- 24,999	620	52,806	14	2.1	00.1-04.1	212	35.1	28.8-41.4	264	37.6	32.1-43.1	100	19.4	14.7-24.1	25	4.9	01.8-08.0	5	0.8	00.0-01.6
\$25,000- 34,999	484	48,037	6	1.3	00.0-02.9	144	30.7	24.2-37.2	233	41.3	35.0-47.6	81	22.6	15.9-29.3	16	3.4	01.6-05.2	4	0.7	00.0-01.5
\$35,000- 49,999	667	68,977	2	0.4	00.0-01.0	185	27.1	22.2-32.0	335	47.1	41.6-52.6	121	21.0	16.7-25.3	20	3.8	01.8-05.8	4	0.7	00.0-01.5
\$50,000- 74,999	705	81,655	6	0.7	00.1-01.3	183	24.3	20.4-28.2	322	49.8	44.9-54.7	155	19.4	16.1-22.7	31	4.7	02.7-06.7	8	1.1	00.3-01.9
\$75,000+	1100	134,142	1	0.1	00.0-00.3	297	24.2	21.1-27.3	540	51.4	47.5-55.3	211	19.0	16.3-21.7	45	4.6	03.0-06.2	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	245,707	2	0.3	00.0-00.9	137	10.2	07.8-12.6	954	51.2	47.9-54.5	586	29.5	26.8-32.2	123	7.4	05.4-09.4	28	1.4	00.8-02.0
Non-Native	1748	231,238	1	0.0	00.0-00.0	131	10.3	07.8-12.8	914	51.6	48.3-54.9	560	29.1	26.4-31.8	116	7.5	05.5-09.5	26	1.4	00.8-02.0
18-24	56	42,210										11	17.1	07.3-26.9	3	7.0	00.0-15.8			
25-34	159	42,494	1	1.8	00.0-05.1	18	10.8	05.9-15.7	76	48.9	40.7-57.1	46	27.7	20.4-35.0	15	9.7	04.8-14.6	3	1.3	00.0-02.9
35-44	253	36,916				11	4.9	02.0-07.8	129	50.3	43.8-56.8	88	34.1	28.0-40.2	20	8.5	04.8-12.2	5	2.2	00.2-04.2
45-54	392	44,743				21	5.0	02.6-07.4	199	50.8	45.3-56.3	135	34.6	29.5-39.7	27	6.5	04.0-09.0	10	3.0	01.0-05.0
55-64	462	37,898				31	6.6	04.1-09.1	214	44.8	39.9-49.7	175	38.9	34.2-43.6	34	7.9	05.2-10.6	8	1.8	00.4-03.2
65+	501	40,983	1	0.3	00.0-00.9	41	8.5	06.0-11.0	305	60.4	55.9-64.9	128	25.6	21.5-29.7	24	5.0	03.0-07.0	2	0.3	00.0-00.7
Less Than H.S.	144	19,656				20	17.6	07.8-27.4												
H.S. or G.E.D.	519	77,360	2	1.1	00.0-03.1	38	13.6	07.9-19.3	279	51.5	44.4-58.6	151	23.9	18.8-29.0	38	8.0	04.9-11.1	11	1.9	00.7-03.1
Some Post-H.S.	565	73,394				37	6.8	03.7-09.9	260	46.4	40.7-52.1	216	38.7	33.2-44.2	42	6.6	04.4-08.8	10	1.6	00.4-02.8
College Graduate	600	75,058				42	8.1	05.0-11.2	338	56.8	52.1-61.5	178	27.5	23.4-31.6	35	6.3	03.9-08.7	7	1.2	00.2-02.2
Less than \$15,000	124	15,170	1	4.9	00.0-14.1										7	3.8	00.1-07.5	3	2.4	00.0-05.1
\$15,000- 24,999	190	23,717							96	40.1	30.3-49.9	59	30.2	21.2-39.2	11	7.7	01.0-14.4	2	0.8	00.0-02.2
\$25,000- 34,999	190	21,648	1	0.5	00.0-01.5	18	14.6	04.6-24.6	103	45.7	35.7-55.7				11	5.1	02.0-08.2	4	1.6	00.0-03.2
\$35,000- 49,999	283	35,793				16	8.5	02.4-14.6	154	50.6	42.4-58.8	97	34.5	26.9-42.1	13	5.6	02.3-08.9	3	0.9	00.0-02.1
\$50,000- 74,999	345	44,520				24	6.6	03.7-09.5	161	53.7	46.6-60.8	123	29.1	23.6-34.6	29	8.5	05.0-12.0	8	2.1	00.5-03.7
\$75,000+	527	76,466				26	5.3	02.8-07.8	291	58.6	53.1-64.1	164	27.6	22.9-32.3	40	7.2	04.7-09.7	6	1.2	00.2-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2676	231,667	44	1.7	00.9-02.5	1248	48.2	45.5-50.9	1118	39.6	37.1-42.1	214	8.8	07.2-10.4	47	1.5	01.1-01.9	5	0.2	00.0-00.4
Native	60	8,706	1	0.5	00.0-01.5										4	3.2	00.0-06.7			
Non-Native	2583	220,277	42	1.7	00.9-02.5	1212	48.5	45.8-51.2	1081	39.6	37.1-42.1	200	8.5	06.9-10.1	43	1.4	00.8-02.0	5	0.2	00.0-00.4
18-24	71	35,965	3	3.9	00.0-08.2							6	9.7	01.9-17.5						
25-34	238	36,054	5	2.1	00.1-04.1	102	44.0	37.3-50.7	100	42.1	35.4-48.8	26	10.1	06.2-14.0	5	1.7	00.1-03.3			
35-44	329	33,588				150	47.6	41.9-53.3	127	37.3	31.8-42.8	42	12.2	08.7-15.7	6	1.6	00.2-03.0	4	1.3	00.0-02.7
45-54	487	42,027	2	0.4	00.0-01.0	219	45.3	40.6-50.0	206	41.6	36.9-46.3	46	9.9	07.0-12.8	13	2.7	01.1-04.3	1	0.1	00.0-00.3
55-64	561	31,043	5	0.8	00.0-01.6	219	39.3	35.0-43.6	262	47.1	42.6-51.6	58	9.9	07.4-12.4	17	2.9	01.3-04.5			
65+	968	51,817	27	2.5	01.5-03.5	504	52.3	49.0-55.6	395	40.9	37.6-44.2	36	3.8	02.4-05.2	6	0.5	00.1-00.9			
Less Than H.S.	171	12,423	4	1.7	00.0-03.5	80	48.8	38.8-58.8	67	35.3	26.1-44.5	16	11.7	05.2-18.2	4	2.5	00.0-05.0			
H.S. or G.E.D.	809	69,400	20	3.5	01.1-05.9	373	45.5	40.2-50.8	333	39.0	33.9-44.1	64	9.9	06.4-13.4	18	2.0	01.0-03.0	1	0.1	00.0-00.3
Some Post-H.S.	869	76,566	12	1.1	00.3-01.9	401	47.3	42.6-52.0	367	41.1	36.6-45.6	71	8.7	05.8-11.6	15	1.3	00.5-02.1	3	0.4	00.0-01.0
College Graduate	825	73,174	8	0.6	00.0-01.2	394	51.5	47.2-55.8	349	39.3	35.2-43.4	63	7.5	05.5-09.5	10	1.1	00.3-01.9	1	0.1	00.0-00.3
Less than \$15,000	229	13,923	4	1.2	00.0-02.4	103	45.4	36.8-54.0	91	38.6	30.0-47.2	19	9.2	04.1-14.3	11	5.0	01.9-08.1	1	0.7	00.0-02.1
\$15,000- 24,999	430	29,089	14	3.7	00.2-07.2	190	46.5	39.4-53.6	168	35.6	29.5-41.7	41	10.7	06.4-15.0	14	2.7	01.1-04.3	3	0.8	00.0-01.8
\$25,000- 34,999	294	26,389	5	1.9	00.0-04.4	126	43.9	35.1-52.7	130	37.8	29.6-46.0	28	14.5	06.1-22.9	5	1.9	00.1-03.7			
\$35,000- 49,999	384	33,185	2	0.8	00.0-02.2	169	47.3	40.2-54.4	181	43.3	36.4-50.2	24	6.4	03.7-09.1	7	1.8	00.2-03.4	1	0.4	00.0-01.2
\$50,000- 74,999	360	37,135	6	1.6	00.2-03.0	159	45.5	39.0-52.0	161	45.1	38.6-51.6	32	7.7	04.8-10.6	2	0.2	00.0-00.4			
\$75,000+	573	57,676	1	0.2	00.0-00.6	271	49.2	44.1-54.3	249	41.9	36.8-47.0	47	7.6	05.4-09.8	5	1.1	00.1-02.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4494	476,574	36	0.7	00.3-01.1	1419	34.5	32.3-36.7	1727	36.9	34.9-38.9	873	18.4	16.8-20.0	439	9.5	08.1-10.9
Male	1828	245,552	6	0.7	00.0-01.5	393	28.1	24.6-31.6	849	41.3	38.2-44.4	413	20.9	18.5-23.3	167	9.0	07.0-11.0
Female	2666	231,022	30	0.8	00.4-01.2	1026	41.3	38.6-44.0	878	32.1	29.6-34.6	460	15.8	14.0-17.6	272	10.0	08.4-11.6
Native	106	17,198	2	4.6	00.0-12.8										20	14.6	06.8-22.4
Non-Native	4321	450,853	33	0.6	00.4-00.8	1380	34.9	32.7-37.1	1658	36.8	34.8-38.8	836	18.2	16.6-19.8	414	9.4	08.0-10.8
18-24	127	78,175	1	0.4	00.0-01.2	67	53.8	44.2-63.4	37	27.5	19.1-35.9	14	10.4	04.9-15.9	8	7.9	02.0-13.8
25-34	397	78,549	5	2.1	00.0-04.3	149	36.4	31.3-41.5	137	34.3	29.2-39.4	65	17.5	13.4-21.6	41	9.8	06.7-12.9
35-44	581	70,358				193	32.1	28.0-36.2	214	38.2	33.9-42.5	117	19.7	16.4-23.0	57	10.0	07.5-12.5
45-54	879	86,770	1	0.0	00.0-00.0	261	29.1	25.8-32.4	328	37.6	34.1-41.1	185	21.8	18.9-24.7	104	11.4	09.0-13.8
55-64	1023	68,941	2	0.1	00.0-00.3	237	21.4	18.9-23.9	425	42.4	39.1-45.7	226	23.7	20.8-26.6	133	12.4	10.2-14.6
65+	1459	92,208	25	1.4	00.8-02.0	502	33.2	30.7-35.7	573	41.0	38.3-43.7	264	18.0	15.8-20.2	95	6.5	05.1-07.9
Less Than H.S.	306	31,541	2	0.4	00.0-01.0	83	30.1	20.9-39.3	117	34.2	25.8-42.6	65	20.5	13.1-27.9	39	14.8	04.8-24.8
H.S. or G.E.D.	1325	146,498	15	1.4	00.2-02.6	404	36.2	31.5-40.9	498	34.2	30.1-38.3	262	17.7	15.0-20.4	146	10.5	08.1-12.9
Some Post-H.S.	1434	149,960	9	0.5	00.1-00.9	437	31.2	27.7-34.7	539	37.6	34.1-41.1	300	20.6	17.9-23.3	149	10.2	08.0-12.4
College Graduate	1425	148,232	10	0.4	00.0-00.8	495	37.2	33.9-40.5	571	39.3	36.2-42.4	244	16.4	14.0-18.8	105	6.7	05.3-08.1
Less than \$15,000	349	28,882	7	5.3	00.0-11.0	116	34.8	27.2-42.4	113	30.3	23.4-37.2	67	16.8	11.7-21.9	46	12.7	08.0-17.4
\$15,000- 24,999	619	52,763	10	0.8	00.2-01.4	189	34.5	28.0-41.0	227	34.4	28.9-39.9	112	17.7	13.6-21.8	81	12.6	08.7-16.5
\$25,000- 34,999	483	47,891	5	1.2	00.0-02.8	150	34.2	27.5-40.9	172	32.1	26.0-38.2	102	19.8	14.7-24.9	54	12.7	07.6-17.8
\$35,000- 49,999	666	68,874	1	0.1	00.0-00.3	185	30.2	24.9-35.5	273	37.8	32.7-42.9	158	25.1	20.4-29.8	49	6.8	04.6-09.0
\$50,000- 74,999	705	81,655	5	0.4	00.0-00.8	195	29.9	25.2-34.6	295	43.4	38.5-48.3	139	17.7	14.6-20.8	71	8.6	06.4-10.8
\$75,000+	1100	134,142	1	0.0	00.0-00.0	373	38.1	34.0-42.2	445	38.1	34.4-41.8	200	16.9	14.4-19.4	81	6.9	05.3-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	245,552	6	0.7	00.0-01.5	393	28.1	24.6-31.6	849	41.3	38.2-44.4	413	20.9	18.5-23.3	167	9.0	07.0-11.0
Non-Native	1747	231,134	5	0.4	00.0-00.8	379	28.6	25.1-32.1	813	41.6	38.3-44.9	393	20.5	18.1-22.9	157	8.9	06.9-10.9
18-24	56	42,210										7	10.9	02.9-18.9	3	7.0	00.0-15.8
25-34	159	42,494	3	3.2	00.0-07.1	48	30.4	23.0-37.8	58	35.3	27.5-43.1	33	21.4	14.7-28.1	17	9.8	05.1-14.5
35-44	253	36,916				52	21.0	15.5-26.5	124	48.5	42.0-55.0	54	20.5	15.2-25.8	23	10.0	05.9-14.1
45-54	392	44,743				77	20.5	16.0-25.0	174	43.0	37.7-48.3	97	25.7	21.0-30.4	44	10.7	07.4-14.0
55-64	462	37,898				69	14.6	11.3-17.9	224	47.4	42.5-52.3	120	27.2	22.9-31.5	49	10.8	07.9-13.7
65+	499	40,828	3	0.6	00.0-01.4	117	24.3	20.4-28.2	247	49.3	44.6-54.0	102	19.9	16.2-23.6	30	6.0	03.8-08.2
H.S. or G.E.D.	518	77,308	3	1.6	00.0-03.8	116	33.8	26.4-41.2	229	36.8	30.3-43.3	124	19.5	15.0-24.0	46	8.4	05.3-11.5
Some Post-H.S.	565	73,394	2	0.5	00.0-01.3	103	22.7	17.2-28.2	254	41.0	35.5-46.5	141	25.1	20.4-29.8	65	10.8	07.9-13.7
College Graduate	600	75,058	1	0.1	00.0-00.3	144	27.7	22.8-32.6	296	47.2	42.3-52.1	118	18.5	15.0-22.0	41	6.5	04.3-08.7
Less than \$15,000	123	15,118	3	9.0	00.0-19.4							29	18.5	10.3-26.7	15	11.8	04.0-19.6
\$15,000- 24,999	190	23,717							81	37.0	27.2-46.8	42	21.4	13.8-29.0	17	9.4	02.9-15.9
\$25,000- 34,999	190	21,648	1	0.5	00.0-01.5				82	38.0	28.2-47.8	43	22.2	14.0-30.4	18	7.9	04.0-11.8
\$35,000- 49,999	282	35,689	1	0.2	00.0-00.6	52	21.3	13.5-29.1	135	42.8	35.0-50.6	74	29.3	21.9-36.7	20	6.5	03.2-09.8
\$50,000- 74,999	345	44,520	1	0.1	00.0-00.3	66	25.0	17.7-32.3	163	45.4	38.1-52.7	80	19.9	15.2-24.6	35	9.6	06.1-13.1
\$75,000+	527	76,466				117	30.5	23.8-37.2	259	44.1	38.4-49.8	111	18.4	14.7-22.1	40	7.1	04.7-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2666	231,022	30	0.8	00.4-01.2	1026	41.3	38.6-44.0	878	32.1	29.6-34.6	460	15.8	14.0-17.6	272	10.0	08.4-11.6
Native	60	8,706	1	0.5	00.0-01.5										12	12.5	04.1-20.9
Non-Native	2574	219,718	28	0.8	00.4-01.2	1001	41.5	38.8-44.2	845	31.9	29.4-34.4	443	15.8	14.0-17.6	257	10.0	08.2-11.8
18-24	71	35,965	1	1.0	00.0-03.0							7	9.8	02.5-17.1	5	8.9	01.3-16.5
25-34	238	36,054	2	0.8	00.0-01.8	101	43.5	36.8-50.2	79	33.1	26.8-39.4	32	13.0	08.5-17.5	24	9.7	05.8-13.6
35-44	328	33,442				141	44.3	38.6-50.0	90	27.0	22.1-31.9	63	18.7	14.4-23.0	34	10.0	06.7-13.3
45-54	487	42,027	1	0.1	00.0-00.3	184	38.3	33.6-43.0	154	31.8	27.3-36.3	88	17.6	14.1-21.1	60	12.2	09.1-15.3
55-64	561	31,043	2	0.3	00.0-00.7	168	29.8	25.9-33.7	201	36.1	31.8-40.4	106	19.4	15.9-22.9	84	14.4	11.3-17.5
65+	960	51,379	22	2.0	01.0-03.0	385	40.2	36.9-43.5	326	34.4	31.3-37.5	162	16.5	14.0-19.0	65	6.8	05.0-08.6
Less Than H.S.	163	11,988	2	1.1	00.0-02.7	53	33.1	23.3-42.9	49	29.0	19.4-38.6	35	22.2	13.4-31.0	24	14.6	08.3-20.9
H.S. or G.E.D.	807	69,190	12	1.2	00.2-02.2	288	39.0	33.7-44.3	269	31.3	26.6-36.0	138	15.7	12.4-19.0	100	12.9	09.2-16.6
Some Post-H.S.	869	76,566	7	0.5	00.1-00.9	334	39.3	34.8-43.8	285	34.3	29.8-38.8	159	16.3	13.2-19.4	84	9.6	06.5-12.7
College Graduate	825	73,174	9	0.8	00.2-01.4	351	46.9	42.6-51.2	275	31.2	27.3-35.1	126	14.2	11.5-16.9	64	7.0	05.0-09.0
Less than \$15,000	226	13,764	4	1.2	00.0-02.4	86	38.5	29.9-47.1	67	31.7	23.1-40.3	38	15.0	09.3-20.7	31	13.7	08.6-18.8
\$15,000- 24,999	429	29,046	10	1.5	00.5-02.5	139	36.3	28.9-43.7	146	32.3	26.2-38.4	70	14.6	10.7-18.5	64	15.2	10.5-19.9
\$25,000- 34,999	293	26,243	4	1.8	00.0-04.3	104	36.4	28.0-44.8	90	27.2	19.9-34.5	59	17.9	11.4-24.4	36	16.8	08.4-25.2
\$35,000- 49,999	384	33,185				133	39.9	32.8-47.0	138	32.4	25.9-38.9	84	20.5	14.8-26.2	29	7.2	04.3-10.1
\$50,000- 74,999	360	37,135	4	0.7	00.0-01.5	129	35.8	29.7-41.9	132	41.1	34.4-47.8	59	15.1	10.8-19.4	36	7.3	04.6-10.0
\$75,000+	573	57,676	1	0.1	00.0-00.3	256	48.2	43.1-53.3	186	30.1	25.4-34.8	89	15.0	11.7-18.3	41	6.6	04.4-08.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4494	476,574	1455	35.2	33.0-37.4	1726	36.8	34.8-38.8	1313	27.9	26.1-29.7
Male	1828	245,552	399	28.8	25.3-32.3	849	41.3	38.2-44.4	580	29.9	27.0-32.8
Female	2666	231,022	1056	42.1	39.4-44.8	877	32.0	29.5-34.5	733	25.9	23.5-28.3
Non-Native	4321	450,853	1413	35.5	33.3-37.7	1658	36.8	34.8-38.8	1250	27.7	25.7-29.7
18-24	127	78,175	68	54.2	44.6-63.8	37	27.5	19.1-35.9	22	18.3	10.7-25.9
25-34	397	78,549	154	38.5	33.2-43.8	136	34.1	29.0-39.2	107	27.5	22.6-32.4
35-44	581	70,358	193	32.1	28.0-36.2	214	38.2	33.9-42.5	174	29.6	25.7-33.5
45-54	879	86,770	262	29.2	25.9-32.5	328	37.6	34.1-41.1	289	33.2	29.9-36.5
55-64	1023	68,941	239	21.6	19.1-24.1	425	42.4	39.1-45.7	359	36.1	33.0-39.2
65+	1459	92,208	527	34.5	32.0-37.0	573	41.0	38.3-43.7	359	24.5	22.1-26.9
Less Than H.S.	306	31,541	85	30.5	21.3-39.7	117	34.2	25.8-42.6			
H.S. or G.E.D.	1325	146,498	419	37.6	32.9-42.3	498	34.2	30.1-38.3	408	28.2	24.7-31.7
Some Post-H.S.	1434	149,960	446	31.6	28.1-35.1	538	37.5	34.0-41.0	450	30.9	27.6-34.2
College Graduate	1425	148,232	505	37.6	34.3-40.9	571	39.3	36.2-42.4	349	23.1	20.6-25.6
Less than \$15,000	349	28,882	123	40.1	32.1-48.1	113	30.3	23.4-37.2	113	29.6	22.9-36.3
\$15,000- 24,999	619	52,763	199	35.3	28.8-41.8	227	34.4	28.9-39.9	193	30.3	25.0-35.6
\$25,000- 34,999	483	47,891	155	35.3	28.6-42.0	172	32.1	26.0-38.2	156	32.6	26.1-39.1
\$35,000- 49,999	666	68,874	186	30.4	25.1-35.7	273	37.8	32.7-42.9	207	31.9	26.8-37.0
\$50,000- 74,999	705	81,655	200	30.3	25.6-35.0	294	43.3	38.4-48.2	211	26.4	22.7-30.1
\$75,000+	1100	134,142	374	38.1	34.0-42.2	445	38.1	34.4-41.8	281	23.8	20.9-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	245,552	399	28.8	25.3-32.3	849	41.3	38.2-44.4	580	29.9	27.0-32.8
Non-Native	1747	231,134	384	29.0	25.5-32.5	813	41.6	38.3-44.9	550	29.4	26.5-32.3
25-34	159	42,494	51	33.6	25.8-41.4	58	35.3	27.5-43.1	50	31.2	23.6-38.8
35-44	253	36,916	52	21.0	15.5-26.5	124	48.5	42.0-55.0	77	30.5	24.4-36.6
45-54	392	44,743	77	20.5	16.0-25.0	174	43.0	37.7-48.3	141	36.5	31.4-41.6
55-64	462	37,898	69	14.6	11.3-17.9	224	47.4	42.5-52.3	169	38.0	33.3-42.7
65+	499	40,828	120	24.8	20.7-28.9	247	49.3	44.6-54.0	132	25.8	21.7-29.9
H.S. or G.E.D.	518	77,308	119	35.4	28.0-42.8	229	36.8	30.3-43.3	170	27.9	22.6-33.2
Some Post-H.S.	565	73,394	105	23.1	17.6-28.6	254	41.0	35.5-46.5	206	35.9	30.8-41.0
College Graduate	600	75,058	145	27.8	22.9-32.7	296	47.2	42.3-52.1	159	25.0	21.1-28.9
\$15,000- 24,999	190	23,717				81	37.0	27.2-46.8	59	30.8	21.6-40.0
\$25,000- 34,999	190	21,648				82	38.0	28.2-47.8	61	30.0	21.2-38.8
\$35,000- 49,999	282	35,689	53	21.5	13.7-29.3	135	42.8	35.0-50.6	94	35.7	27.9-43.5
\$50,000- 74,999	345	44,520	67	25.1	17.8-32.4	163	45.4	38.1-52.7	115	29.5	23.8-35.2
\$75,000+	527	76,466	117	30.5	23.8-37.2	259	44.1	38.4-49.8	151	25.4	21.1-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2666	231,022	1056	42.1	39.4-44.8	877	32.0	29.5-34.5	733	25.9	23.5-28.3
Non-Native	2574	219,718	1029	42.3	39.6-45.0	845	31.9	29.4-34.4	700	25.8	23.4-28.2
18-24	71	35,965							12	18.7	08.7-28.7
25-34	238	36,054	103	44.2	37.5-50.9	78	32.7	26.4-39.0	57	23.1	17.4-28.8
35-44	328	33,442	141	44.3	38.6-50.0	90	27.0	22.1-31.9	97	28.7	23.6-33.8
45-54	487	42,027	185	38.4	33.7-43.1	154	31.8	27.3-36.3	148	29.8	25.5-34.1
55-64	561	31,043	170	30.1	26.2-34.0	201	36.1	31.8-40.4	190	33.8	29.5-38.1
65+	960	51,379	407	42.3	39.0-45.6	326	34.4	31.3-37.5	227	23.3	20.4-26.2
Less Than H.S.	163	11,988	55	34.2	24.4-44.0	49	29.0	19.4-38.6	59	36.8	27.0-46.6
H.S. or G.E.D.	807	69,190	300	40.1	34.8-45.4	269	31.3	26.6-36.0	238	28.6	23.9-33.3
Some Post-H.S.	869	76,566	341	39.8	35.3-44.3	284	34.1	29.6-38.6	244	26.1	22.0-30.2
College Graduate	825	73,174	360	47.7	43.4-52.0	275	31.2	27.3-35.1	190	21.2	17.9-24.5
Less than \$15,000	226	13,764	90	39.6	31.0-48.2	67	31.7	23.1-40.3	69	28.7	21.4-36.0
\$15,000- 24,999	429	29,046	149	37.8	30.4-45.2	146	32.3	26.2-38.4	134	29.8	23.9-35.7
\$25,000- 34,999	293	26,243	108	38.1	29.5-46.7	90	27.2	19.9-34.5	95	34.7	25.7-43.7
\$35,000- 49,999	384	33,185	133	39.9	32.8-47.0	138	32.4	25.9-38.9	113	27.7	21.6-33.8
\$50,000- 74,999	360	37,135	133	36.5	30.4-42.6	131	40.7	34.0-47.4	96	22.8	17.9-27.7
\$75,000+	573	57,676	257	48.3	43.2-53.4	186	30.1	25.4-34.8	130	21.6	17.7-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4494	476,574	1455	35.2	33.0-37.4	3039	64.8	62.6-67.0
Male	1828	245,552	399	28.8	25.3-32.3	1429	71.2	67.7-74.7
Female	2666	231,022	1056	42.1	39.4-44.8	1610	57.9	55.2-60.6
Non-Native	4321	450,853	1413	35.5	33.3-37.7	2908	64.5	62.3-66.7
18-24	127	78,175	68	54.2	44.6-63.8	59	45.8	36.2-55.4
25-34	397	78,549	154	38.5	33.2-43.8	243	61.5	56.2-66.8
35-44	581	70,358	193	32.1	28.0-36.2	388	67.9	63.8-72.0
45-54	879	86,770	262	29.2	25.9-32.5	617	70.8	67.5-74.1
55-64	1023	68,941	239	21.6	19.1-24.1	784	78.4	75.9-80.9
65+	1459	92,208	527	34.5	32.0-37.0	932	65.5	63.0-68.0
Less Than H.S.	306	31,541	85	30.5	21.3-39.7	221	69.5	60.3-78.7
H.S. or G.E.D.	1325	146,498	419	37.6	32.9-42.3	906	62.4	57.7-67.1
Some Post-H.S.	1434	149,960	446	31.6	28.1-35.1	988	68.4	64.9-71.9
College Graduate	1425	148,232	505	37.6	34.3-40.9	920	62.4	59.1-65.7
Less than \$15,000	349	28,882	123	40.1	32.1-48.1	226	59.9	51.9-67.9
\$15,000- 24,999	619	52,763	199	35.3	28.8-41.8	420	64.7	58.2-71.2
\$25,000- 34,999	483	47,891	155	35.3	28.6-42.0	328	64.7	58.0-71.4
\$35,000- 49,999	666	68,874	186	30.4	25.1-35.7	480	69.6	64.3-74.9
\$50,000- 74,999	705	81,655	200	30.3	25.6-35.0	505	69.7	65.0-74.4
\$75,000+	1100	134,142	374	38.1	34.0-42.2	726	61.9	57.8-66.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	245,552	399	28.8	25.3-32.3	1429	71.2	67.7-74.7
Non-Native	1747	231,134	384	29.0	25.5-32.5	1363	71.0	67.5-74.5
25-34	159	42,494	51	33.6	25.8-41.4	108	66.4	58.6-74.2
35-44	253	36,916	52	21.0	15.5-26.5	201	79.0	73.5-84.5
45-54	392	44,743	77	20.5	16.0-25.0	315	79.5	75.0-84.0
55-64	462	37,898	69	14.6	11.3-17.9	393	85.4	82.1-88.7
65+	499	40,828	120	24.8	20.7-28.9	379	75.2	71.1-79.3
H.S. or G.E.D.	518	77,308	119	35.4	28.0-42.8	399	64.6	57.2-72.0
Some Post-H.S.	565	73,394	105	23.1	17.6-28.6	460	76.9	71.4-82.4
College Graduate	600	75,058	145	27.8	22.9-32.7	455	72.2	67.3-77.1
\$35,000- 49,999	282	35,689	53	21.5	13.7-29.3	229	78.5	70.7-86.3
\$50,000- 74,999	345	44,520	67	25.1	17.8-32.4	278	74.9	67.6-82.2
\$75,000+	527	76,466	117	30.5	23.8-37.2	410	69.5	62.8-76.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2666	231,022	1056	42.1	39.4-44.8	1610	57.9	55.2-60.6
Non-Native	2574	219,718	1029	42.3	39.6-45.0	1545	57.7	55.0-60.4
25-34	238	36,054	103	44.2	37.5-50.9	135	55.8	49.1-62.5
35-44	328	33,442	141	44.3	38.6-50.0	187	55.7	50.0-61.4
45-54	487	42,027	185	38.4	33.7-43.1	302	61.6	56.9-66.3
55-64	561	31,043	170	30.1	26.2-34.0	391	69.9	66.0-73.8
65+	960	51,379	407	42.3	39.0-45.6	553	57.7	54.4-61.0
Less Than H.S.	163	11,988	55	34.2	24.4-44.0	108	65.8	56.0-75.6
H.S. or G.E.D.	807	69,190	300	40.1	34.8-45.4	507	59.9	54.6-65.2
Some Post-H.S.	869	76,566	341	39.8	35.3-44.3	528	60.2	55.7-64.7
College Graduate	825	73,174	360	47.7	43.4-52.0	465	52.3	48.0-56.6
Less than \$15,000	226	13,764	90	39.6	31.0-48.2	136	60.4	51.8-69.0
\$15,000- 24,999	429	29,046	149	37.8	30.4-45.2	280	62.2	54.8-69.6
\$25,000- 34,999	293	26,243	108	38.1	29.5-46.7	185	61.9	53.3-70.5
\$35,000- 49,999	384	33,185	133	39.9	32.8-47.0	251	60.1	53.0-67.2
\$50,000- 74,999	360	37,135	133	36.5	30.4-42.6	227	63.5	57.4-69.6
\$75,000+	573	57,676	257	48.3	43.2-53.4	316	51.7	46.6-56.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	87
2 MALES ONLY	88
3 FEMALES ONLY	89
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	90
5 MALES ONLY	91
6 FEMALES ONLY	92
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	93
8 MALES ONLY	94
9 FEMALES ONLY	95
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	96
11 MALES ONLY	97
12 FEMALES ONLY	98
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	99
14 MALES ONLY	100
15 FEMALES ONLY	101

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
16	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3) MALES ONLY	102
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	103

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4674	491,910	1700	40.3	38.1-42.5	458	10.9	09.5-12.3	133	2.8	02.2-03.4	208	3.6	03.0-04.2	2175	42.3	40.1-44.5
Male	1802	245,010	649	38.9	35.6-42.2	255	14.4	12.0-16.8	80	4.1	02.9-05.3	144	5.6	04.6-06.6	674	37.0	33.5-40.5
Female	2872	246,900	1051	41.6	39.1-44.1	203	7.5	06.3-08.7	53	1.6	01.2-02.0	64	1.7	01.3-02.1	1501	47.6	45.1-50.1
Native	109	17,747				4	4.0	00.0-08.1				1	0.4	00.0-01.2			
Non-Native	4491	464,613	1640	40.6	38.4-42.8	448	11.3	09.9-12.7	131	3.0	02.2-03.8	204	3.8	03.2-04.4	2068	41.4	39.2-43.6
18-24	131	79,953	59	41.7	32.5-50.9	10	7.5	02.2-12.8	2	1.9	00.0-04.6	1	0.1	00.0-00.3	59	48.7	39.3-58.1
25-34	415	82,694	205	48.7	43.4-54.0	50	13.3	09.4-17.2	7	1.8	00.4-03.2	7	2.0	00.4-03.6	146	34.2	29.1-39.3
35-44	601	72,037	314	51.9	47.6-56.2	79	13.6	10.7-16.5	10	1.8	00.6-03.0	12	2.3	00.9-03.7	186	30.4	26.5-34.3
45-54	907	89,090	402	45.1	41.6-48.6	114	13.3	10.8-15.8	31	3.8	02.4-05.2	29	3.4	02.0-04.8	331	34.4	31.1-37.7
55-64	1068	71,150	373	34.6	31.5-37.7	122	13.2	10.8-15.6	43	4.4	03.0-05.8	55	5.7	04.1-07.3	475	42.1	39.0-45.2
65+	1509	94,693	336	22.9	20.5-25.3	80	5.9	04.5-07.3	39	3.1	02.1-04.1	103	7.8	06.2-09.4	951	60.3	57.6-63.0
Less Than H.S.	321	33,652				15	7.6	01.7-13.5	5	1.7	00.1-03.3	13	3.0	01.0-05.0			
H.S. or G.E.D.	1383	150,628	410	32.2	28.3-36.1	119	8.9	06.5-11.3	30	1.9	01.1-02.7	61	3.4	02.4-04.4	763	53.6	49.3-57.9
Some Post-H.S.	1491	155,008	584	44.4	40.9-47.9	149	11.6	09.2-14.0	45	3.0	02.0-04.0	56	2.9	02.1-03.7	657	38.2	34.7-41.7
College Graduate	1472	152,078	637	47.1	44.0-50.2	174	12.9	10.7-15.1	53	3.9	02.1-05.7	78	4.8	03.6-06.0	530	31.2	28.5-33.9
Less than \$15,000	365	29,783	68	23.3	16.4-30.2	13	5.5	01.6-09.4	5	1.0	00.0-02.0	15	4.3	01.6-07.0	264	65.9	58.3-73.5
\$15,000- 24,999	637	54,642	176	34.4	28.3-40.5	37	6.5	03.8-09.2	8	1.2	00.0-02.4	26	2.7	01.5-03.9	390	55.2	49.1-61.3
\$25,000- 34,999	497	49,324	164	39.6	32.7-46.5	35	7.3	03.8-10.8	8	1.2	00.2-02.2	25	4.0	02.2-05.8	265	47.8	41.1-54.5
\$35,000- 49,999	683	70,290	257	38.9	33.8-44.0	63	9.8	06.9-12.7	26	3.1	01.7-04.5	27	3.6	02.0-05.2	310	44.5	39.0-50.0
\$50,000- 74,999	730	83,404	323	46.4	41.7-51.1	90	15.0	10.9-19.1	25	3.4	01.8-05.0	40	4.0	02.6-05.4	252	31.3	26.8-35.8
\$75,000+	1124	136,754	532	46.8	42.9-50.7	176	15.6	12.9-18.3	55	5.1	03.1-07.1	59	4.4	03.2-05.6	302	28.2	24.1-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	245,010	649	38.9	35.6-42.2	255	14.4	12.0-16.8	80	4.1	02.9-05.3	144	5.6	04.6-06.6	674	37.0	33.5-40.5
Non-Native	1717	229,660	620	38.9	35.6-42.2	249	15.0	12.5-17.5	79	4.3	02.9-05.7	140	5.8	04.6-07.0	629	35.9	32.4-39.4
18-24	57	42,683				7	10.8	02.0-19.6	2	3.6	00.0-08.9	1	0.2	00.0-00.6			
25-34	161	44,017	85	50.1	41.9-58.3	26	16.9	10.2-23.6	5	2.8	00.3-05.3	6	3.4	00.7-06.1	39	26.7	19.1-34.3
35-44	252	36,699	128	50.7	44.0-57.4	43	17.2	12.3-22.1	7	2.8	00.6-05.0	11	4.0	01.6-06.4	63	25.3	19.6-31.0
45-54	386	44,020	156	42.1	36.8-47.4	59	15.7	11.8-19.6	16	4.5	02.1-06.9	20	5.1	02.7-07.5	135	32.6	27.5-37.7
55-64	449	36,866	141	32.6	27.9-37.3	72	16.8	13.1-20.5	29	6.4	04.0-08.8	41	9.0	06.3-11.7	166	35.3	30.6-40.0
65+	491	40,282	115	24.7	20.6-28.8	48	9.3	06.6-12.0	21	4.5	02.5-06.5	64	12.6	09.7-15.5	243	48.9	44.2-53.6
Less Than H.S.	139	20,298				11	10.5	00.9-20.1	4	2.5	00.0-05.0	8	4.0	00.9-07.1			
H.S. or G.E.D.	507	76,899	161	32.4	26.3-38.5	68	12.0	07.7-16.3	20	2.8	01.2-04.4	41	4.8	03.0-06.6	217	48.0	40.7-55.3
Some Post-H.S.	560	73,089	216	43.5	37.8-49.2	87	16.7	12.2-21.2	29	4.3	02.5-06.1	36	4.4	02.8-06.0	192	31.0	25.7-36.3
College Graduate	594	74,484	234	43.2	38.3-48.1	89	15.7	12.2-19.2	27	5.5	02.2-08.8	59	8.1	05.7-10.5	185	27.5	23.4-31.6
Less than \$15,000	121	15,285				9	8.3	01.0-15.6	3	1.5	00.0-03.3	11	7.3	02.2-12.4			
\$15,000- 24,999	186	23,507				18	10.3	04.2-16.4	3	1.0	00.0-02.2	16	4.1	01.9-06.3			
\$25,000- 34,999	190	21,834				15	10.2	03.1-17.3	5	1.8	00.2-03.4	17	6.7	03.2-10.2			
\$35,000- 49,999	278	35,527	98	38.3	30.3-46.3	37	12.1	07.6-16.6	14	4.2	01.8-06.6	20	5.8	02.9-08.7	109	39.6	31.2-48.0
\$50,000- 74,999	340	43,908	129	41.4	34.5-48.3	59	19.5	12.6-26.4	19	5.1	02.2-08.0	27	5.8	03.4-08.2	106	28.2	21.3-35.1
\$75,000+	524	76,186	228	43.1	37.4-48.8	100	18.5	14.2-22.8	32	6.6	03.3-09.9	45	6.4	04.4-08.4	119	25.3	19.2-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2872	246,900	1051	41.6	39.1-44.1	203	7.5	06.3-08.7	53	1.6	01.2-02.0	64	1.7	01.3-02.1	1501	47.6	45.1-50.1
Native	61	8,955				1	2.1	00.0-06.2									
Non-Native	2774	234,952	1020	42.2	39.7-44.7	199	7.7	06.5-08.9	52	1.7	01.1-02.3	64	1.8	01.4-02.2	1439	46.7	44.2-49.2
18-24	74	37,270				3	3.7	00.0-08.0									
25-34	254	38,676	120	47.0	40.5-53.5	24	9.1	05.4-12.8	2	0.7	00.0-01.7	1	0.4	00.0-01.2	107	42.8	36.3-49.3
35-44	349	35,338	186	53.2	47.7-58.7	36	9.9	06.8-13.0	3	0.8	00.0-01.8	1	0.4	00.0-01.2	123	35.6	30.3-40.9
45-54	521	45,070	246	48.1	43.4-52.8	55	10.8	07.9-13.7	15	3.2	01.4-05.0	9	1.7	00.5-02.9	196	36.2	31.7-40.7
55-64	619	34,283	232	36.7	32.6-40.8	50	9.2	06.7-11.7	14	2.3	00.9-03.7	14	2.3	01.1-03.5	309	49.5	45.4-53.6
65+	1018	54,410	221	21.5	18.8-24.2	32	3.3	02.1-04.5	18	2.1	01.1-03.1	39	4.3	02.9-05.7	708	68.8	65.7-71.9
Less Than H.S.	182	13,354	31	20.2	11.8-28.6	4	3.3	00.0-06.8	1	0.6	00.0-01.8	5	1.5	00.0-03.1	141	74.4	65.6-83.2
H.S. or G.E.D.	876	73,729	249	31.9	27.0-36.8	51	5.7	03.9-07.5	10	0.9	00.3-01.5	20	2.0	01.0-03.0	546	59.5	54.6-64.4
Some Post-H.S.	931	81,919	368	45.2	40.7-49.7	62	7.1	04.9-09.3	16	1.8	00.8-02.8	20	1.5	00.9-02.1	465	44.6	40.1-49.1
College Graduate	878	77,594	403	51.0	46.9-55.1	85	10.2	07.7-12.7	26	2.4	01.4-03.4	19	1.6	00.8-02.4	345	34.8	31.1-38.5
Less than \$15,000	244	14,499	38	18.3	11.2-25.4	4	2.5	00.0-05.4	2	0.4	00.0-01.0	4	1.2	00.0-02.6	196	77.7	70.3-85.1
\$15,000- 24,999	451	31,135	125	32.4	25.1-39.7	19	3.7	01.9-05.5	5	1.4	00.0-03.2	10	1.6	00.4-02.8	292	60.9	53.8-68.0
\$25,000- 34,999	307	27,490	103	42.6	33.6-51.6	20	5.1	02.6-07.6	3	0.8	00.0-01.8	8	1.8	00.4-03.2	173	49.7	41.1-58.3
\$35,000- 49,999	405	34,763	159	39.6	32.9-46.3	26	7.5	03.8-11.2	12	2.1	00.9-03.3	7	1.5	00.3-02.7	201	49.4	42.5-56.3
\$50,000- 74,999	390	39,497	194	52.0	45.7-58.3	31	9.9	06.0-13.8	6	1.4	00.2-02.6	13	2.0	00.8-03.2	146	34.7	29.0-40.4
\$75,000+	600	60,568	304	51.4	46.3-56.5	76	11.9	09.2-14.6	23	3.1	01.7-04.5	14	1.8	00.8-02.8	183	31.8	26.7-36.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4690	492,136	4028	81.3	79.5-83.1	662	18.7	16.9-20.5
Male	1804	244,447	1421	75.9	73.0-78.8	383	24.1	21.2-27.0
Female	2886	247,689	2607	86.6	84.6-88.6	279	13.4	11.4-15.4
Native	108	17,663	82	76.7	66.7-86.7	26	23.3	13.3-33.3
Non-Native	4507	465,270	3882	81.4	79.6-83.2	625	18.6	16.8-20.4
18-24	131	79,953	98	77.9	70.5-85.3	33	22.1	14.7-29.5
25-34	417	82,977	298	69.7	64.6-74.8	119	30.3	25.2-35.4
35-44	594	70,861	451	75.2	71.5-78.9	143	24.8	21.1-28.5
45-54	904	88,765	732	80.2	77.3-83.1	172	19.8	16.9-22.7
55-64	1080	71,980	937	85.2	82.8-87.6	143	14.8	12.4-17.2
65+	1518	95,172	1469	96.3	95.3-97.3	49	3.7	02.7-04.7
Less Than H.S.	321	33,487	284	81.9	74.5-89.3	37	18.1	10.7-25.5
H.S. or G.E.D.	1388	150,502	1208	83.4	80.1-86.7	180	16.6	13.3-19.9
Some Post-H.S.	1500	155,649	1249	76.7	73.4-80.0	251	23.3	20.0-26.6
College Graduate	1475	152,051	1281	83.6	81.1-86.1	194	16.4	13.9-18.9
Less than \$15,000	360	28,849	323	85.0	78.9-91.1	37	15.0	08.9-21.1
\$15,000- 24,999	642	54,835	588	86.7	82.2-91.2	54	13.3	08.8-17.8
\$25,000- 34,999	497	49,337	442	84.3	78.8-89.8	55	15.7	10.2-21.2
\$35,000- 49,999	686	70,378	584	82.2	78.3-86.1	102	17.8	13.9-21.7
\$50,000- 74,999	731	83,561	596	75.0	70.3-79.7	135	25.0	20.3-29.7
\$75,000+	1120	136,213	878	75.5	72.0-79.0	242	24.5	21.0-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1804	244,447	1421	75.9	73.0-78.8	383	24.1	21.2-27.0
Non-Native	1720	229,620	1362	76.2	73.3-79.1	358	23.8	20.9-26.7
25-34	161	43,986	92	60.1	52.1-68.1	69	39.9	31.9-47.9
35-44	247	35,669	165	67.5	61.4-73.6	82	32.5	26.4-38.6
45-54	384	43,881	295	76.9	72.4-81.4	89	23.1	18.6-27.6
55-64	456	37,435	362	78.9	75.0-82.8	94	21.1	17.2-25.0
65+	492	40,310	458	93.3	90.9-95.7	34	6.7	04.3-09.1
H.S. or G.E.D.	508	76,606	415	81.1	75.6-86.6	93	18.9	13.4-24.4
Some Post-H.S.	563	73,474	406	66.6	61.1-72.1	157	33.4	27.9-38.9
College Graduate	591	73,964	481	79.2	75.3-83.1	110	20.8	16.9-24.7
\$15,000- 24,999	190	23,749	163	80.3	71.3-89.3	27	19.7	10.7-28.7
\$25,000- 34,999	192	21,941	160	83.4	76.0-90.8	32	16.6	09.2-24.0
\$35,000- 49,999	278	35,452	218	75.5	68.6-82.4	60	24.5	17.6-31.4
\$50,000- 74,999	341	44,131	261	70.7	63.4-78.0	80	29.3	22.0-36.6
\$75,000+	519	75,472	375	69.4	63.9-74.9	144	30.6	25.1-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2886	247,689	2607	86.6	84.6-88.6	279	13.4	11.4-15.4
Native	61	8,955	51	87.2	78.0-96.4	10	12.8	03.6-22.0
Non-Native	2787	235,650	2520	86.4	84.4-88.4	267	13.6	11.6-15.6
18-24	74	37,270	55	76.7	66.9-86.5	19	23.3	13.5-33.1
25-34	256	38,991	206	80.6	75.5-85.7	50	19.4	14.3-24.5
35-44	347	35,192	286	83.0	78.9-87.1	61	17.0	12.9-21.1
45-54	520	44,884	437	83.5	80.0-87.0	83	16.5	13.0-20.0
55-64	624	34,546	575	92.0	89.6-94.4	49	8.0	05.6-10.4
65+	1026	54,862	1011	98.6	97.8-99.4	15	1.4	00.6-02.2
Less Than H.S.	181	13,324	167	88.1	80.7-95.5	14	11.9	04.5-19.3
H.S. or G.E.D.	880	73,896	793	85.8	82.1-89.5	87	14.2	10.5-17.9
Some Post-H.S.	937	82,174	843	85.7	82.2-89.2	94	14.3	10.8-17.8
College Graduate	884	78,087	800	87.8	84.9-90.7	84	12.2	09.3-15.1
Less than \$15,000	243	14,471	230	91.5	85.8-97.2	13	8.5	02.8-14.2
\$15,000- 24,999	452	31,086	425	91.6	87.7-95.5	27	8.4	04.5-12.3
\$25,000- 34,999	305	27,396	282	85.1	77.3-92.9	23	14.9	07.1-22.7
\$35,000- 49,999	408	34,927	366	89.0	85.3-92.7	42	11.0	07.3-14.7
\$50,000- 74,999	390	39,430	335	79.9	74.2-85.6	55	20.1	14.4-25.8
\$75,000+	601	60,740	503	83.1	79.6-86.6	98	16.9	13.4-20.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4628	485,716	2119	48.6	46.4-50.8	228	5.7	04.7-06.7	94	2.3	01.7-02.9	9	0.4	00.0-00.8	3	0.1	00.0-00.3	2175	42.9	40.7-45.1
Male	1776	240,164	856	48.3	45.0-51.6	160	8.9	06.9-10.9	77	4.1	02.9-05.3	6	0.8	00.0-01.8	3	0.2	00.0-00.4	674	37.8	34.3-41.3
Female	2852	245,551	1263	48.9	46.4-51.4	68	2.6	01.8-03.4	17	0.6	00.2-01.0	3	0.1	00.1-00.1				1501	47.9	45.4-50.4
Native	107	17,590				7	7.2	01.1-13.3	3	1.7	00.0-03.9									
Non-Native	4447	458,575	2059	49.6	47.4-51.8	219	5.7	04.5-06.9	89	2.2	01.6-02.8	9	0.4	00.0-01.0	3	0.1	00.0-00.3	2068	41.9	39.7-44.1
18-24	130	79,006	63	43.8	34.4-53.2	5	4.8	00.1-09.5				2	1.9	00.0-04.8	1	0.1	00.0-00.3	59	49.3	39.7-58.9
25-34	413	81,512	227	54.2	48.9-59.5	25	7.0	04.3-09.7	14	3.9	01.7-06.1				1	0.3	00.0-00.9	146	34.7	29.6-39.8
35-44	596	71,553	360	60.3	56.0-64.6	31	4.7	02.9-06.5	17	4.0	01.8-06.2	1	0.1	00.0-00.3	1	0.3	00.0-00.9	186	30.6	26.7-34.5
45-54	898	87,513	485	54.9	51.4-58.4	58	7.5	05.5-09.5	22	2.4	01.4-03.4	2	0.2	00.0-00.6				331	35.0	31.7-38.3
55-64	1056	70,361	494	47.8	44.5-51.1	59	6.7	04.9-08.5	27	2.9	01.7-04.1	1	0.1	00.0-00.3				475	42.6	39.5-45.7
65+	1493	93,538	476	33.9	31.4-36.4	49	3.8	02.6-05.0	14	1.1	00.5-01.7	3	0.2	00.0-00.4				951	61.1	58.4-63.8
Less Than H.S.	315	32,134				8	2.8	00.3-05.3	7	2.9	00.5-05.3	2	0.2	00.0-00.6				219	63.3	53.3-73.3
H.S. or G.E.D.	1371	148,703	507	37.2	33.3-41.1	68	5.6	03.4-07.8	28	2.2	01.0-03.4	3	0.4	00.0-01.0	2	0.2	00.0-00.6	763	54.3	50.0-58.6
Some Post-H.S.	1476	153,424	711	52.3	48.8-55.8	74	6.1	04.3-07.9	31	2.2	01.4-03.0	2	0.7	00.0-02.1	1	0.1	00.0-00.3	657	38.6	35.1-42.1
College Graduate	1459	150,912	821	59.9	56.8-63.0	78	6.1	04.3-07.9	28	2.4	01.4-03.4	2	0.1	00.0-00.3				530	31.5	28.6-34.4
Less than \$15,000	360	29,259	73	23.0	16.5-29.5	10	3.8	01.1-06.5	10	4.1	00.2-08.0	3	2.0	00.0-05.1				264	67.1	59.5-74.7
\$15,000- 24,999	633	54,302	210	37.8	31.7-43.9	25	5.5	02.6-08.4	7	1.1	00.1-02.1	1	0.1	00.0-00.3				390	55.6	49.5-61.7
\$25,000- 34,999	493	49,010	200	47.3	40.4-54.2	15	2.4	01.0-03.8	10	1.8	00.4-03.2	2	0.3	00.0-00.7	1	0.2	00.0-00.6	265	48.1	41.4-54.8
\$35,000- 49,999	680	70,125	320	47.4	42.1-52.7	33	4.8	03.0-06.6	17	3.2	01.4-05.0							310	44.6	39.1-50.1
\$50,000- 74,999	726	82,874	405	57.7	52.8-62.6	48	8.0	04.3-11.7	20	2.7	01.5-03.9	1	0.1	00.0-00.3				252	31.5	27.0-36.0
\$75,000+	1112	134,355	694	59.0	54.9-63.1	86	8.4	06.0-10.8	26	2.7	01.5-03.9	2	0.9	00.0-02.5	2	0.3	00.0-00.7	302	28.7	24.6-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1776	240,164	856	48.3	45.0-51.6	160	8.9	06.9-10.9	77	4.1	02.9-05.3	6	0.8	00.0-01.8	3	0.2	00.0-00.4	674	37.8	34.3-41.3
Non-Native	1692	224,898	828	49.4	45.9-52.9	154	9.0	07.0-11.0	72	3.9	02.9-04.9	6	0.8	00.0-01.8	3	0.2	00.0-00.6	629	36.7	33.2-40.2
18-24	56	41,736				3	7.1	00.0-15.3				2	3.7	00.0-09.0	1	0.2	00.0-00.6			
25-34	159	42,836	87	54.1	45.9-62.3	20	11.2	06.3-16.1	12	6.7	02.8-10.6				1	0.6	00.0-01.8	39	27.4	19.6-35.2
35-44	250	36,482	154	61.1	54.6-67.6	17	5.8	03.1-08.5	14	6.8	02.9-10.7	1	0.2	00.0-00.6	1	0.6	00.0-01.8	63	25.5	19.8-31.2
45-54	379	42,712	191	51.6	46.1-57.1	37	10.8	07.3-14.3	15	3.8	01.8-05.8	1	0.3	00.0-00.9				135	33.6	28.5-38.7
55-64	445	36,572	211	48.8	43.9-53.7	45	10.6	07.5-13.7	22	4.9	02.7-07.1	1	0.1	00.0-00.3				166	35.6	30.9-40.3
65+	481	39,384	186	39.9	35.2-44.6	37	7.2	04.8-09.6	14	2.6	01.2-04.0	1	0.2	00.0-00.6				243	50.0	45.3-54.7
Less Than H.S.	134	18,852				5	3.8	00.0-08.1	5	4.0	00.3-07.7	1	0.2	00.0-00.6						
H.S. or G.E.D.	501	75,389	210	37.4	31.1-43.7	46	8.5	04.4-12.6	23	3.8	01.6-06.0	3	0.9	00.0-02.1	2	0.4	00.0-01.0	217	48.9	41.8-56.0
Some Post-H.S.	553	72,088	280	53.2	47.5-58.9	53	9.6	06.7-12.5	26	4.0	02.2-05.8	1	1.5	00.0-04.4	1	0.3	00.0-00.9	192	31.4	25.9-36.9
College Graduate	586	73,596	321	57.8	52.9-62.7	56	9.8	06.3-13.3	23	4.4	02.2-06.6	1	0.1	00.0-00.3				185	27.8	23.5-32.1
Less than \$15,000	117	14,833				7	5.5	00.8-10.2	8	7.7	00.0-15.5	2	3.7	00.0-09.8						
\$15,000- 24,999	185	23,259				19	11.3	04.6-18.0	5	2.2	00.0-04.4									
\$25,000- 34,999	188	21,627				9	3.7	01.2-06.2	8	3.8	00.9-06.7	2	0.6	00.0-01.4	1	0.4	00.0-01.2			
\$35,000- 49,999	277	35,455	131	47.5	39.3-55.7	23	7.3	04.0-10.6	14	5.5	02.0-09.0							109	39.7	31.3-48.1
\$50,000- 74,999	338	43,656	182	56.4	49.0-63.8	36	11.7	05.2-18.2	14	3.6	01.4-05.8							106	28.4	21.5-35.3
\$75,000+	515	74,090	309	55.6	49.5-61.7	59	11.6	07.9-15.3	24	4.7	02.7-06.7	2	1.6	00.0-04.3	2	0.6	00.0-01.4	119	26.0	19.7-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	245,551	1263	48.9	46.4-51.4	68	2.6	01.8-03.4	17	0.6	00.2-01.0	3	0.1	00.1-00.1	1501	47.9	45.4-50.4
Native	60	8,882				2	2.6	00.0-06.7									
Non-Native	2755	233,677	1231	49.8	47.3-52.3	65	2.6	01.8-03.4	17	0.6	00.2-01.0	3	0.1	00.1-00.1	1439	47.0	44.5-49.5
18-24	74	37,270				2	2.3	00.0-05.6									
25-34	254	38,676	140	54.2	47.7-60.7	5	2.4	00.2-04.6	2	0.7	00.0-01.7				107	42.8	36.3-49.3
35-44	346	35,071	206	59.5	54.2-64.8	14	3.5	01.5-05.5	3	1.1	00.0-02.3				123	35.9	30.6-41.2
45-54	519	44,801	294	58.0	53.5-62.5	21	4.3	02.3-06.3	7	1.0	00.2-01.8	1	0.2	00.0-00.6	196	36.5	32.0-41.0
55-64	611	33,790	283	46.7	42.6-50.8	14	2.5	01.1-03.9	5	0.7	00.1-01.3				309	50.2	45.9-54.5
65+	1012	54,154	290	29.5	26.4-32.6	12	1.3	00.5-02.1				2	0.1	00.0-00.3	708	69.1	66.0-72.2
Less Than H.S.	181	13,281	34	22.2	13.6-30.8	3	1.3	00.0-02.9	2	1.4	00.0-03.6	1	0.2	00.0-00.6	141	74.8	66.0-83.6
H.S. or G.E.D.	870	73,314	297	37.1	32.2-42.0	22	2.5	01.3-03.7	5	0.5	00.1-00.9				546	59.9	55.0-64.8
Some Post-H.S.	923	81,335	431	51.5	47.0-56.0	21	3.0	01.2-04.8	5	0.5	00.0-01.1	1	0.0	00.0-00.0	465	44.9	40.4-49.4
College Graduate	873	77,316	500	61.9	58.0-65.8	22	2.5	01.3-03.7	5	0.5	00.0-01.1	1	0.1	00.0-00.3	345	35.0	31.3-38.7
Less than \$15,000	243	14,426	41	19.1	11.8-26.4	3	2.1	00.0-04.8	2	0.5	00.0-01.3	1	0.2	00.0-00.6	196	78.1	70.7-85.5
\$15,000- 24,999	448	31,043	147	37.3	30.2-44.4	6	1.2	00.0-02.4	2	0.2	00.0-00.6	1	0.1	00.0-00.3	292	61.1	54.0-68.2
\$25,000- 34,999	305	27,383	124	48.5	39.7-57.3	6	1.3	00.1-02.5	2	0.3	00.0-00.7				173	49.9	41.3-58.5
\$35,000- 49,999	403	34,671	189	47.4	40.5-54.3	10	2.3	00.9-03.7	3	0.8	00.0-01.8				201	49.5	42.6-56.4
\$50,000- 74,999	388	39,218	223	59.2	53.1-65.3	12	3.9	00.8-07.0	6	1.7	00.3-03.1	1	0.2	00.0-00.6	146	34.9	29.2-40.6
\$75,000+	597	60,265	385	63.1	58.0-68.2	27	4.6	02.6-06.6	2	0.3	00.0-00.7				183	32.0	26.9-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	499,052	994	21.1	19.3-22.9	683	16.5	14.9-18.1	442	9.7	08.5-10.9	228	5.6	04.6-06.6	241	5.4	04.4-06.4	2175	41.7	39.5-43.9
Male	1846	249,385	309	17.9	15.4-20.4	307	16.9	14.7-19.1	240	11.7	09.9-13.5	160	8.5	06.5-10.5	156	8.6	06.6-10.6	674	36.4	33.1-39.7
Female	2917	249,667	685	24.3	22.1-26.5	376	16.1	14.1-18.1	202	7.7	06.3-09.1	68	2.6	01.8-03.4	85	2.2	01.6-02.8	1501	47.1	44.6-49.6
Native	110	17,871	11	11.6	02.8-20.4	11	10.6	03.0-18.2	6	4.7	00.4-09.0	7	7.1	01.0-13.2	6	3.3	00.6-06.0			
Non-Native	4575	471,290	973	21.6	19.8-23.4	657	16.8	15.2-18.4	429	9.9	08.7-11.1	219	5.6	04.6-06.6	229	5.4	04.4-06.4	2068	40.8	38.6-43.0
18-24	131	79,953	31	23.3	15.3-31.3	22	13.7	07.8-19.6	10	6.3	02.2-10.4	5	4.8	00.1-09.5	4	3.2	00.0-06.7	59	48.7	39.3-58.1
25-34	420	83,599	88	20.0	15.9-24.1	92	22.2	17.9-26.5	47	10.6	07.5-13.7	25	6.8	04.1-09.5	22	6.5	03.4-09.6	146	33.8	28.7-38.9
35-44	606	72,714	130	20.1	16.8-23.4	153	26.1	22.4-29.8	77	13.1	10.2-16.0	31	4.6	02.8-06.4	29	6.0	03.6-08.4	186	30.1	26.2-34.0
45-54	922	90,715	232	24.7	21.8-27.6	163	18.1	15.4-20.8	90	10.2	08.0-12.4	58	7.2	05.2-09.2	48	6.0	04.0-08.0	331	33.8	30.5-37.1
55-64	1095	72,979	245	21.9	19.4-24.4	140	13.4	11.2-15.6	109	10.7	08.7-12.7	59	6.5	04.7-08.3	67	6.4	04.8-08.0	475	41.1	38.0-44.2
65+	1539	96,436	260	17.1	15.1-19.1	110	7.8	06.2-09.4	106	7.9	06.3-09.5	49	3.7	02.7-04.7	63	4.2	03.0-05.4	951	59.2	56.5-61.9
Less Than H.S.	332	34,257	30	12.7	03.1-22.3	27	9.3	04.8-13.8	22	6.8	03.5-10.1	8	2.6	00.1-05.1	26	9.2	03.3-15.1	219	59.4	49.6-69.2
H.S. or G.E.D.	1413	153,225	227	15.9	13.0-18.8	168	12.9	10.4-15.4	112	7.4	05.6-09.2	68	5.4	03.2-07.6	75	5.7	03.7-07.7	763	52.7	48.4-57.0
Some Post-H.S.	1517	157,047	326	20.9	18.2-23.6	236	19.2	16.3-22.1	149	11.0	08.6-13.4	74	6.0	04.4-07.6	75	5.2	03.4-07.0	657	37.7	34.4-41.0
College Graduate	1494	153,979	411	28.4	25.5-31.3	251	19.0	16.5-21.5	159	11.3	09.3-13.3	78	6.0	04.2-07.8	65	4.5	03.3-05.7	530	30.9	28.2-33.6
Less than \$15,000	374	30,427	34	8.7	04.8-12.6	23	8.6	03.9-13.3	16	4.8	01.9-07.7	10	3.7	01.2-06.2	27	9.7	04.4-15.0	264	64.5	57.1-71.9
\$15,000- 24,999	648	55,162	116	17.8	13.5-22.1	58	14.3	08.8-19.8	36	5.0	03.0-07.0	25	5.4	02.5-08.3	23	2.7	01.3-04.1	390	54.7	48.6-60.8
\$25,000- 34,999	501	49,597	100	24.3	17.6-31.0	60	13.6	08.9-18.3	40	8.8	05.1-12.5	15	2.3	01.1-03.5	21	3.4	01.8-05.0	265	47.6	41.1-54.1
\$35,000- 49,999	698	71,409	150	21.7	17.4-26.0	101	15.0	11.5-18.5	69	9.8	07.1-12.5	33	4.7	02.9-06.5	35	4.9	02.9-06.9	310	43.8	38.5-49.1
\$50,000- 74,999	736	84,048	185	24.7	20.8-28.6	132	19.5	16.0-23.0	88	12.7	09.6-15.8	48	7.9	04.2-11.6	31	4.2	02.6-05.8	252	31.0	26.5-35.5
\$75,000+	1130	137,351	282	21.6	18.9-24.3	252	22.8	19.9-25.7	160	13.3	10.9-15.7	86	8.3	06.1-10.5	48	6.0	03.6-08.4	302	28.0	23.9-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1846	249,385	309	17.9	15.4-20.4	307	16.9	14.7-19.1	240	11.7	09.9-13.5	160	8.5	06.5-10.5	156	8.6	06.6-10.6	674	36.4	33.1-39.7
Non-Native	1759	233,848	302	18.4	15.7-21.1	296	17.2	15.0-19.4	230	11.9	10.1-13.7	154	8.6	06.6-10.6	148	8.6	06.6-10.6	629	35.3	32.0-38.6
18-24	57	42,683				6	7.5	01.4-13.6	5	5.5	00.2-10.8	3	6.9	00.0-14.9	4	6.0	00.0-12.7			
25-34	164	44,608	28	17.4	11.3-23.5	37	22.6	15.7-29.5	22	12.0	07.1-16.9	20	10.7	06.0-15.4	18	10.9	05.2-16.6	39	26.3	18.7-33.9
35-44	254	37,133	36	14.7	10.0-19.4	72	28.1	22.2-34.0	46	17.3	12.6-22.0	17	5.7	03.0-08.4	20	9.2	04.9-13.5	63	25.0	19.3-30.7
45-54	396	45,272	72	18.3	14.2-22.4	70	18.4	14.3-22.5	49	11.9	08.6-15.2	37	10.2	06.9-13.5	33	9.5	06.2-12.8	135	31.7	26.8-36.6
55-64	463	37,940	78	17.9	14.2-21.6	66	14.8	11.3-18.3	67	14.3	11.0-17.6	45	10.3	07.4-13.2	41	8.4	05.9-10.9	166	34.3	29.8-38.8
65+	504	41,223	81	17.2	13.7-20.7	55	10.7	08.0-13.4	50	10.1	07.4-12.8	37	6.9	04.7-09.1	38	7.2	04.8-09.6	243	47.8	43.3-52.3
Less Than H.S.	146	20,631				18	11.5	04.8-18.2	14	7.5	02.8-12.2	5	3.5	00.0-07.4	18	12.5	03.1-21.9			
H.S. or G.E.D.	524	78,817	74	14.4	10.1-18.7	74	13.1	09.4-16.8	62	8.3	05.9-10.7	46	8.2	04.3-12.1	51	9.2	05.7-12.7	217	46.8	39.7-53.9
Some Post-H.S.	571	74,256	97	17.4	13.1-21.7	100	19.9	15.6-24.2	83	14.3	10.6-18.0	53	9.3	06.4-12.2	46	8.6	05.1-12.1	192	30.5	25.2-35.8
College Graduate	603	75,442	125	22.9	18.6-27.2	115	19.5	16.0-23.0	81	13.9	10.6-17.2	56	9.6	06.3-12.9	41	6.9	04.5-09.3	185	27.2	23.1-31.3
Less than \$15,000	126	15,685	13	8.7	02.6-14.8	10	10.6	02.6-18.6	9	6.0	01.3-10.7	7	5.2	00.7-09.7	19	16.2	06.6-25.8			
\$15,000- 24,999	191	23,801	30	17.8	10.2-25.4	22	15.7	06.9-24.5	11	4.1	01.2-07.0	19	11.0	04.5-17.5	11	4.4	01.3-07.5			
\$25,000- 34,999	193	22,045	31	20.3	10.3-30.3	21	10.8	05.3-16.3	24	13.8	06.5-21.1	9	3.6	01.1-06.1	16	6.5	03.0-10.0			
\$35,000- 49,999	285	36,121	46	18.7	12.0-25.4	42	13.5	08.8-18.2	43	14.4	09.5-19.3	23	7.2	03.9-10.5	22	7.2	03.5-10.9	109	39.0	30.8-47.2
\$50,000- 74,999	345	44,520	65	19.8	14.7-24.9	62	20.8	15.3-26.3	55	14.7	10.4-19.0	36	11.4	04.9-17.9	21	5.5	03.0-08.0	106	27.8	20.9-34.7
\$75,000+	527	76,466	94	15.7	12.2-19.2	129	23.5	19.2-27.8	86	14.6	11.1-18.1	59	11.2	07.5-14.9	40	9.8	05.7-13.9	119	25.2	19.1-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	249,667	685	24.3	22.1-26.5	376	16.1	14.1-18.1	202	7.7	06.3-09.1	68	2.6	01.8-03.4	85	2.2	01.6-02.8	1501	47.1	44.6-49.6
Native	62	9,079	7	11.6	02.2-21.0	5	5.5	00.0-11.2	3	3.7	00.0-09.4	2	2.5	00.0-06.6	2	2.2	00.0-05.3			
Non-Native	2816	237,442	671	24.6	22.4-26.8	361	16.4	14.2-18.6	199	7.9	06.5-09.3	65	2.6	01.8-03.4	81	2.2	01.6-02.8	1439	46.2	43.7-48.7
18-24	74	37,270				16	20.8	11.0-30.6	5	7.2	00.9-13.5	2	2.3	00.0-05.6						
25-34	256	38,991	60	23.0	17.5-28.5	55	21.8	16.5-27.1	25	9.0	05.5-12.5	5	2.3	00.3-04.3	4	1.5	00.0-03.1	107	42.4	35.9-48.9
35-44	352	35,581	94	25.8	21.1-30.5	81	24.1	19.4-28.8	31	8.7	05.8-11.6	14	3.4	01.6-05.2	9	2.5	00.7-04.3	123	35.4	30.1-40.7
45-54	526	45,443	160	31.1	26.8-35.4	93	17.7	14.2-21.2	41	8.5	05.8-11.2	21	4.2	02.2-06.2	15	2.6	01.2-04.0	196	35.9	31.6-40.2
55-64	632	35,040	167	26.2	22.5-29.9	74	11.9	09.2-14.6	42	6.8	04.6-09.0	14	2.4	01.0-03.8	26	4.2	02.4-06.0	309	48.4	44.3-52.5
65+	1035	55,213	179	17.1	14.7-19.5	55	5.6	04.0-07.2	56	6.2	04.4-08.0	12	1.3	00.5-02.1	25	2.0	01.2-02.8	708	67.8	64.7-70.9
Less Than H.S.	186	13,626	17	9.8	03.9-15.7	9	6.0	00.5-11.5	8	5.9	01.0-10.8	3	1.3	00.0-02.9	8	4.2	00.9-07.5	141	72.9	64.1-81.7
H.S. or G.E.D.	889	74,408	153	17.5	13.6-21.4	94	12.7	09.2-16.2	50	6.4	04.0-08.8	22	2.5	01.3-03.7	24	2.0	01.2-02.8	546	59.0	54.1-63.9
Some Post-H.S.	946	82,791	229	24.0	20.3-27.7	136	18.6	14.7-22.5	66	8.1	05.6-10.6	21	3.0	01.2-04.8	29	2.3	01.3-03.3	465	44.1	39.6-48.6
College Graduate	891	78,537	286	33.7	29.6-37.8	136	18.5	15.2-21.8	78	8.7	06.3-11.1	22	2.4	01.2-03.6	24	2.2	01.2-03.2	345	34.4	30.7-38.1
Less than \$15,000	248	14,742	21	8.7	03.8-13.6	13	6.5	02.0-11.0	7	3.5	00.0-07.2	3	2.0	00.0-04.7	8	2.9	00.5-05.3	196	76.4	69.0-83.8
\$15,000- 24,999	457	31,361	86	17.9	13.2-22.6	36	13.3	06.2-20.4	25	5.7	03.0-08.4	6	1.2	00.0-02.4	12	1.3	00.5-02.1	292	60.5	53.4-67.6
\$25,000- 34,999	308	27,552	69	27.5	18.5-36.5	39	15.9	08.6-23.2	16	4.9	02.4-07.4	6	1.3	00.1-02.5	5	0.9	00.1-01.7	173	49.6	41.0-58.2
\$35,000- 49,999	413	35,288	104	24.9	19.2-30.6	59	16.6	11.3-21.9	26	5.1	02.9-07.3	10	2.3	00.9-03.7	13	2.5	00.9-04.1	201	48.6	41.9-55.3
\$50,000- 74,999	391	39,528	120	30.2	24.3-36.1	70	18.2	13.9-22.5	33	10.4	05.9-14.9	12	3.9	00.8-07.0	10	2.7	00.9-04.5	146	34.6	28.9-40.3
\$75,000+	603	60,885	188	28.9	24.8-33.0	123	22.0	17.9-26.1	74	11.5	08.6-14.4	27	4.6	02.6-06.6	8	1.3	00.3-02.3	183	31.6	26.5-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4628	485,716	4454	95.9	95.1-96.7	174	4.1	03.3-04.9
Male	1776	240,164	1690	94.9	93.5-96.3	86	5.1	03.7-06.5
Female	2852	245,551	2764	96.8	96.0-97.6	88	3.2	02.4-04.0
Native	107	17,590	102	97.0	94.1-99.9	5	3.0	00.1-05.9
Non-Native	4447	458,575	4281	95.9	95.1-96.7	166	4.1	03.3-04.9
18-24	130	79,006	125	96.9	93.6-0100	5	3.1	00.0-06.4
25-34	413	81,512	393	94.7	92.3-97.1	20	5.3	02.9-07.7
35-44	596	71,553	563	93.9	91.5-96.3	33	6.1	03.7-08.5
45-54	898	87,513	853	95.2	93.8-96.6	45	4.8	03.4-06.2
55-64	1056	70,361	1014	95.9	94.5-97.3	42	4.1	02.7-05.5
65+	1493	93,538	1464	98.0	97.2-98.8	29	2.0	01.2-02.8
Less Than H.S.	315	32,134	303	96.3	93.8-98.8	12	3.7	01.2-06.2
H.S. or G.E.D.	1371	148,703	1316	95.9	94.5-97.3	55	4.1	02.7-05.5
Some Post-H.S.	1476	153,424	1421	95.4	93.6-97.2	55	4.6	02.8-06.4
College Graduate	1459	150,912	1407	96.2	95.0-97.4	52	3.8	02.6-05.0
Less than \$15,000	360	29,259	344	92.9	87.8-98.0	16	7.1	02.0-12.2
\$15,000- 24,999	633	54,302	619	98.2	97.0-99.4	14	1.8	00.6-03.0
\$25,000- 34,999	493	49,010	474	97.0	95.4-98.6	19	3.0	01.4-04.6
\$35,000- 49,999	680	70,125	653	95.7	93.7-97.7	27	4.3	02.3-06.3
\$50,000- 74,999	726	82,874	693	95.3	93.3-97.3	33	4.7	02.7-06.7
\$75,000+	1112	134,355	1055	94.0	91.8-96.2	57	6.0	03.8-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1776	240,164	1690	94.9	93.5-96.3	86	5.1	03.7-06.5
Non-Native	1692	224,898	1611	95.0	93.4-96.6	81	5.0	03.4-06.6
18-24	56	41,736	53	96.1	90.6-0100	3	3.9	00.0-09.4
25-34	159	42,836	146	92.7	88.6-96.8	13	7.3	03.2-11.4
35-44	250	36,482	234	92.4	88.3-96.5	16	7.6	03.5-11.7
45-54	379	42,712	363	96.0	94.0-98.0	16	4.0	02.0-06.0
55-64	445	36,572	422	95.0	92.8-97.2	23	5.0	02.8-07.2
65+	481	39,384	466	97.2	95.6-98.8	15	2.8	01.2-04.4
Less Than H.S.	134	18,852	128	95.8	91.9-99.7	6	4.2	00.3-08.1
H.S. or G.E.D.	501	75,389	473	94.9	92.4-97.4	28	5.1	02.6-07.6
Some Post-H.S.	553	72,088	525	94.2	90.9-97.5	28	5.8	02.5-09.1
College Graduate	586	73,596	562	95.5	93.3-97.7	24	4.5	02.3-06.7
Less than \$15,000	117	14,833	107	88.7	79.1-98.3	10	11.3	01.7-20.9
\$15,000- 24,999	185	23,259	180	97.8	95.6-0100	5	2.2	00.0-04.4
\$25,000- 34,999	188	21,627	177	95.3	92.2-98.4	11	4.7	01.6-07.8
\$35,000- 49,999	277	35,455	263	94.5	91.0-98.0	14	5.5	02.0-09.0
\$50,000- 74,999	338	43,656	324	96.4	94.2-98.6	14	3.6	01.4-05.8
\$75,000+	515	74,090	487	93.1	89.6-96.6	28	6.9	03.4-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	245,551	2764	96.8	96.0-97.6	88	3.2	02.4-04.0
Native	60	8,882	58	97.4	93.3-0100	2	2.6	00.0-06.7
Non-Native	2755	233,677	2670	96.7	95.9-97.5	85	3.3	02.5-04.1
18-24	74	37,270	72	97.7	94.4-0100	2	2.3	00.0-05.6
25-34	254	38,676	247	96.9	94.5-99.3	7	3.1	00.7-05.5
35-44	346	35,071	329	95.4	93.2-97.6	17	4.6	02.4-06.8
45-54	519	44,801	490	94.5	92.3-96.7	29	5.5	03.3-07.7
55-64	611	33,790	592	96.8	95.4-98.2	19	3.2	01.8-04.6
65+	1012	54,154	998	98.6	97.8-99.4	14	1.4	00.6-02.2
Less Than H.S.	181	13,281	175	97.0	94.3-99.7	6	3.0	00.3-05.7
H.S. or G.E.D.	870	73,314	843	96.9	95.7-98.1	27	3.1	01.9-04.3
Some Post-H.S.	923	81,335	896	96.4	94.6-98.2	27	3.6	01.8-05.4
College Graduate	873	77,316	845	96.9	95.5-98.3	28	3.1	01.7-04.5
Less than \$15,000	243	14,426	237	97.2	94.3-0100	6	2.8	00.0-05.7
\$15,000- 24,999	448	31,043	439	98.5	97.3-99.7	9	1.5	00.3-02.7
\$25,000- 34,999	305	27,383	297	98.4	97.2-99.6	8	1.6	00.4-02.8
\$35,000- 49,999	403	34,671	390	96.9	95.1-98.7	13	3.1	01.3-04.9
\$50,000- 74,999	388	39,218	369	94.2	90.9-97.5	19	5.8	02.5-09.1
\$75,000+	597	60,265	568	95.1	93.1-97.1	29	4.9	02.9-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1776	240,164	1690	94.9	93.5-96.3	86	5.1	03.7-06.5
Non-Native	1692	224,898	1611	95.0	93.4-96.6	81	5.0	03.4-06.6
18-24	56	41,736	53	96.1	90.6-0100	3	3.9	00.0-09.4
25-34	159	42,836	146	92.7	88.6-96.8	13	7.3	03.2-11.4
35-44	250	36,482	234	92.4	88.3-96.5	16	7.6	03.5-11.7
45-54	379	42,712	363	96.0	94.0-98.0	16	4.0	02.0-06.0
55-64	445	36,572	422	95.0	92.8-97.2	23	5.0	02.8-07.2
65+	481	39,384	466	97.2	95.6-98.8	15	2.8	01.2-04.4
Less Than H.S.	134	18,852	128	95.8	91.9-99.7	6	4.2	00.3-08.1
H.S. or G.E.D.	501	75,389	473	94.9	92.4-97.4	28	5.1	02.6-07.6
Some Post-H.S.	553	72,088	525	94.2	90.9-97.5	28	5.8	02.5-09.1
College Graduate	586	73,596	562	95.5	93.3-97.7	24	4.5	02.3-06.7
Less than \$15,000	117	14,833	107	88.7	79.1-98.3	10	11.3	01.7-20.9
\$15,000- 24,999	185	23,259	180	97.8	95.6-0100	5	2.2	00.0-04.4
\$25,000- 34,999	188	21,627	177	95.3	92.2-98.4	11	4.7	01.6-07.8
\$35,000- 49,999	277	35,455	263	94.5	91.0-98.0	14	5.5	02.0-09.0
\$50,000- 74,999	338	43,656	324	96.4	94.2-98.6	14	3.6	01.4-05.8
\$75,000+	515	74,090	487	93.1	89.6-96.6	28	6.9	03.4-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	245,551	2764	96.8	96.0-97.6	88	3.2	02.4-04.0
Native	60	8,882	58	97.4	93.3-0100	2	2.6	00.0-06.7
Non-Native	2755	233,677	2670	96.7	95.9-97.5	85	3.3	02.5-04.1
18-24	74	37,270	72	97.7	94.4-0100	2	2.3	00.0-05.6
25-34	254	38,676	247	96.9	94.5-99.3	7	3.1	00.7-05.5
35-44	346	35,071	329	95.4	93.2-97.6	17	4.6	02.4-06.8
45-54	519	44,801	490	94.5	92.3-96.7	29	5.5	03.3-07.7
55-64	611	33,790	592	96.8	95.4-98.2	19	3.2	01.8-04.6
65+	1012	54,154	998	98.6	97.8-99.4	14	1.4	00.6-02.2
Less Than H.S.	181	13,281	175	97.0	94.3-99.7	6	3.0	00.3-05.7
H.S. or G.E.D.	870	73,314	843	96.9	95.7-98.1	27	3.1	01.9-04.3
Some Post-H.S.	923	81,335	896	96.4	94.6-98.2	27	3.6	01.8-05.4
College Graduate	873	77,316	845	96.9	95.5-98.3	28	3.1	01.7-04.5
Less than \$15,000	243	14,426	237	97.2	94.3-0100	6	2.8	00.0-05.7
\$15,000- 24,999	448	31,043	439	98.5	97.3-99.7	9	1.5	00.3-02.7
\$25,000- 34,999	305	27,383	297	98.4	97.2-99.6	8	1.6	00.4-02.8
\$35,000- 49,999	403	34,671	390	96.9	95.1-98.7	13	3.1	01.3-04.9
\$50,000- 74,999	388	39,218	369	94.2	90.9-97.5	19	5.8	02.5-09.1
\$75,000+	597	60,265	568	95.1	93.1-97.1	29	4.9	02.9-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)	
1	MALES AND FEMALES	105
2	MALES ONLY	106
3	FEMALES ONLY	107
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	108
5	MALES ONLY	109
6	FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1517	94,965	981	66.4	63.9-68.9	536	33.6	31.1-36.1
Male	496	40,513	326	67.3	63.0-71.6	170	32.7	28.4-37.0
Female	1021	54,452	655	65.8	62.7-68.9	366	34.2	31.1-37.3
Non-Native	1463	91,485	952	66.6	64.1-69.1	511	33.4	30.9-35.9
65+	1517	94,965	981	66.4	63.9-68.9	536	33.6	31.1-36.1
Less Than H.S.	208	13,043	120	62.3	55.2-69.4	88	37.7	30.6-44.8
H.S. or G.E.D.	569	34,910	369	65.7	61.4-70.0	200	34.3	30.0-38.6
Some Post-H.S.	429	25,761	277	65.7	60.8-70.6	152	34.3	29.4-39.2
College Graduate	306	20,888	213	71.4	66.1-76.7	93	28.6	23.3-33.9
Less than \$15,000	186	9,120	101	57.2	49.6-64.8	85	42.8	35.2-50.4
\$15,000- 24,999	328	18,783	203	64.4	58.7-70.1	125	35.6	29.9-41.3
\$25,000- 34,999	199	12,779	135	69.7	62.8-76.6	64	30.3	23.4-37.2
\$35,000- 49,999	224	15,272	159	69.6	63.1-76.1	65	30.4	23.9-36.9
\$50,000- 74,999	141	10,183	99	71.9	64.1-79.7	42	28.1	20.3-35.9
\$75,000+	119	9,297	75	62.2	53.0-71.4	44	37.8	28.6-47.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	496	40,513	326	67.3	63.0-71.6	170	32.7	28.4-37.0
Non-Native	471	38,643	311	67.4	62.9-71.9	160	32.6	28.1-37.1
65+	496	40,513	326	67.3	63.0-71.6	170	32.7	28.4-37.0
H.S. or G.E.D.	155	12,626	101	63.7	55.7-71.7	54	36.3	28.3-44.3
Some Post-H.S.	115	9,144	75	66.4	57.4-75.4	40	33.6	24.6-42.6
College Graduate	145	12,407	101	72.6	65.3-79.9	44	27.4	20.1-34.7
\$15,000- 24,999	90	6,884	64	71.7	61.7-81.7	26	28.3	18.3-38.3
\$35,000- 49,999	99	8,355	71	71.5	62.3-80.7	28	28.5	19.3-37.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1021	54,452	655	65.8	62.7-68.9	366	34.2	31.1-37.3
Non-Native	992	52,843	641	66.1	63.0-69.2	351	33.9	30.8-37.0
65+	1021	54,452	655	65.8	62.7-68.9	366	34.2	31.1-37.3
Less Than H.S.	128	6,863	72	60.4	51.4-69.4	56	39.6	30.6-48.6
H.S. or G.E.D.	414	22,284	268	66.8	61.9-71.7	146	33.2	28.3-38.1
Some Post-H.S.	314	16,617	202	65.3	59.6-71.0	112	34.7	29.0-40.4
College Graduate	161	8,481	112	69.7	62.1-77.3	49	30.3	22.7-37.9
Less than \$15,000	151	6,989	83	58.4	50.2-66.6	68	41.6	33.4-49.8
\$15,000- 24,999	238	11,898	139	60.2	53.5-66.9	99	39.8	33.1-46.5
\$25,000- 34,999	132	7,251	92	71.1	63.1-79.1	40	28.9	20.9-36.9
\$35,000- 49,999	125	6,916	88	67.2	58.2-76.2	37	32.8	23.8-41.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1462	91,258	1024	70.9	68.4-73.4	438	29.1	26.6-31.6
Male	463	37,986	318	69.9	65.6-74.2	145	30.1	25.8-34.4
Female	999	53,272	706	71.6	68.7-74.5	293	28.4	25.5-31.3
Non-Native	1412	88,061	997	71.4	68.9-73.9	415	28.6	26.1-31.1
65+	1462	91,258	1024	70.9	68.4-73.4	438	29.1	26.6-31.6
Less Than H.S.	197	12,340	137	72.2	65.5-78.9	60	27.8	21.1-34.5
H.S. or G.E.D.	554	33,902	382	69.8	65.7-73.9	172	30.2	26.1-34.3
Some Post-H.S.	415	24,914	299	72.6	67.9-77.3	116	27.4	22.7-32.1
College Graduate	292	19,800	205	70.6	65.1-76.1	87	29.4	23.9-34.9
Less than \$15,000	179	8,760	122	70.9	64.0-77.8	57	29.1	22.2-36.0
\$15,000- 24,999	321	18,403	238	74.1	68.8-79.4	83	25.9	20.6-31.2
\$25,000- 34,999	187	11,998	141	76.8	70.3-83.3	46	23.2	16.7-29.7
\$35,000- 49,999	218	14,838	152	70.7	64.2-77.2	66	29.3	22.8-35.8
\$50,000- 74,999	137	9,892	91	68.6	60.6-76.6	46	31.4	23.4-39.4
\$75,000+	116	9,039	76	65.2	56.2-74.2	40	34.8	25.8-43.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	463	37,986	318	69.9	65.6-74.2	145	30.1	25.8-34.4
Non-Native	441	36,356	308	70.7	66.4-75.0	133	29.3	25.0-33.6
65+	463	37,986	318	69.9	65.6-74.2	145	30.1	25.8-34.4
H.S. or G.E.D.	144	11,802	102	71.0	63.2-78.8	42	29.0	21.2-36.8
Some Post-H.S.	110	8,744	73	67.6	58.6-76.6	37	32.4	23.4-41.4
College Graduate	134	11,509	89	69.1	61.3-76.9	45	30.9	23.1-38.7
\$15,000- 24,999	85	6,602	61	73.3	63.3-83.3			
\$35,000- 49,999	93	7,922	67	73.3	64.1-82.5	26	26.7	17.5-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	999	53,272	706	71.6	68.7-74.5	293	28.4	25.5-31.3
Non-Native	971	51,705	689	71.9	69.0-74.8	282	28.1	25.2-31.0
65+	999	53,272	706	71.6	68.7-74.5	293	28.4	25.5-31.3
Less Than H.S.	123	6,563	83	70.1	61.7-78.5	40	29.9	21.5-38.3
H.S. or G.E.D.	410	22,100	280	69.2	64.5-73.9	130	30.8	26.1-35.5
Some Post-H.S.	305	16,170	226	75.4	70.3-80.5	79	24.6	19.5-29.7
College Graduate	158	8,292	116	72.5	64.9-80.1	42	27.5	19.9-35.1
Less than \$15,000	147	6,775	101	71.6	64.2-79.0	46	28.4	21.0-35.8
\$15,000- 24,999	236	11,800	177	74.5	68.2-80.8	59	25.5	19.2-31.8
\$25,000- 34,999	127	6,997	95	76.6	69.0-84.2	32	23.4	15.8-31.0
\$35,000- 49,999	125	6,916	85	67.6	58.6-76.6	40	32.4	23.4-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 16: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4663	488,147	4111	85.9	84.3-87.5	552	14.1	12.5-15.7
Male	1802	243,826	1437	78.3	75.6-81.0	365	21.7	19.0-24.4
Female	2861	244,321	2674	93.5	92.1-94.9	187	6.5	05.1-07.9
Native	103	16,068	89	89.4	82.7-96.1	14	10.6	03.9-17.3
Non-Native	4484	462,292	3961	86.1	84.5-87.7	523	13.9	12.3-15.5
18-24	128	78,648	109	83.9	76.8-91.0	19	16.1	09.0-23.2
25-34	409	81,400	351	82.7	78.2-87.2	58	17.3	12.8-21.8
35-44	599	71,676	517	85.5	82.4-88.6	82	14.5	11.4-17.6
45-54	892	87,617	756	84.4	81.9-86.9	136	15.6	13.1-18.1
55-64	1071	71,338	933	85.8	83.4-88.2	138	14.2	11.8-16.6
65+	1517	94,998	1403	92.1	90.5-93.7	114	7.9	06.3-09.5
Less Than H.S.	317	32,834	266	79.6	71.8-87.4	51	20.4	12.6-28.2
H.S. or G.E.D.	1374	148,486	1156	79.9	76.2-83.6	218	20.1	16.4-23.8
Some Post-H.S.	1491	154,401	1321	87.2	84.8-89.6	170	12.8	10.4-15.2
College Graduate	1474	151,882	1362	91.9	90.1-93.7	112	8.1	06.3-09.9
Less than \$15,000	360	29,200	316	80.0	72.4-87.6	44	20.0	12.4-27.6
\$15,000- 24,999	637	54,475	563	84.4	79.1-89.7	74	15.6	10.3-20.9
\$25,000- 34,999	491	48,883	416	81.8	76.3-87.3	75	18.2	12.7-23.7
\$35,000- 49,999	678	68,790	591	84.8	80.5-89.1	87	15.2	10.9-19.5
\$50,000- 74,999	726	82,967	639	85.2	81.1-89.3	87	14.8	10.7-18.9
\$75,000+	1119	136,238	1003	88.9	86.7-91.1	116	11.1	08.9-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	243,826	1437	78.3	75.6-81.0	365	21.7	19.0-24.4
Non-Native	1717	228,621	1372	78.6	75.7-81.5	345	21.4	18.5-24.3
25-34	158	43,178	115	72.4	64.8-80.0	43	27.6	20.0-35.2
35-44	250	36,338	194	78.0	72.3-83.7	56	22.0	16.3-27.7
45-54	381	43,602	289	76.5	72.0-81.0	92	23.5	19.0-28.0
55-64	453	37,014	355	78.6	74.5-82.7	98	21.4	17.3-25.5
65+	495	40,485	432	87.6	84.5-90.7	63	12.4	09.3-15.5
H.S. or G.E.D.	509	76,742	374	70.6	64.1-77.1	135	29.4	22.9-35.9
Some Post-H.S.	559	72,740	444	79.3	75.0-83.6	115	20.7	16.4-25.0
College Graduate	594	74,090	510	86.3	83.2-89.4	84	13.7	10.6-16.8
\$25,000- 34,999	191	21,857	143	75.2	66.6-83.8	48	24.8	16.2-33.4
\$35,000- 49,999	278	35,230	220	76.9	69.3-84.5	58	23.1	15.5-30.7
\$50,000- 74,999	343	44,187	272	76.5	69.4-83.6	71	23.5	16.4-30.6
\$75,000+	518	75,497	429	83.6	79.9-87.3	89	16.4	12.7-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2861	244,321	2674	93.5	92.1-94.9	187	6.5	05.1-07.9
Native	57	7,608	51	94.5	89.8-99.2	6	5.5	00.8-10.2
Non-Native	2767	233,672	2589	93.4	92.0-94.8	178	6.6	05.2-08.0
18-24	71	35,965	65	91.8	85.3-98.3	6	8.2	01.7-14.7
25-34	251	38,222	236	94.4	91.5-97.3	15	5.6	02.7-08.5
35-44	349	35,338	323	93.1	90.4-95.8	26	6.9	04.2-09.6
45-54	511	44,014	467	92.1	89.7-94.5	44	7.9	05.5-10.3
55-64	618	34,325	578	93.6	91.6-95.6	40	6.4	04.4-08.4
65+	1022	54,513	971	95.4	94.0-96.8	51	4.6	03.2-06.0
Less Than H.S.	179	12,819	159	86.9	80.8-93.0	20	13.1	07.0-19.2
H.S. or G.E.D.	865	71,744	782	89.8	86.7-92.9	83	10.2	07.1-13.3
Some Post-H.S.	932	81,661	877	94.3	92.3-96.3	55	5.7	03.7-07.7
College Graduate	880	77,792	852	97.2	95.8-98.6	28	2.8	01.4-04.2
Less than \$15,000	242	14,198	226	92.4	88.5-96.3	16	7.6	03.7-11.5
\$15,000- 24,999	449	30,866	416	94.1	91.7-96.5	33	5.9	03.5-08.3
\$25,000- 34,999	300	27,025	273	87.1	80.0-94.2	27	12.9	05.8-20.0
\$35,000- 49,999	400	33,560	371	93.0	90.1-95.9	29	7.0	04.1-09.9
\$50,000- 74,999	383	38,780	367	95.2	92.1-98.3	16	4.8	01.7-07.9
\$75,000+	601	60,741	574	95.5	93.5-97.5	27	4.5	02.5-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4663	488,147	3118	62.3	60.1-64.5	1545	37.7	35.5-39.9
Male	1802	243,826	961	50.2	46.9-53.5	841	49.8	46.5-53.1
Female	2861	244,321	2157	74.4	72.2-76.6	704	25.6	23.4-27.8
Non-Native	4484	462,292	3017	63.1	60.9-65.3	1467	36.9	34.7-39.1
18-24	128	78,648	76	55.7	46.1-65.3	52	44.3	34.7-53.9
25-34	409	81,400	257	59.1	53.6-64.6	152	40.9	35.4-46.4
35-44	599	71,676	376	61.5	57.2-65.8	223	38.5	34.2-42.8
45-54	892	87,617	551	60.7	57.2-64.2	341	39.3	35.8-42.8
55-64	1071	71,338	716	64.1	61.0-67.2	355	35.9	32.8-39.0
65+	1517	94,998	1103	70.7	68.2-73.2	414	29.3	26.8-31.8
Less Than H.S.	317	32,834	193	45.1	35.7-54.5	124	54.9	45.5-64.3
H.S. or G.E.D.	1374	148,486	879	56.6	52.1-61.1	495	43.4	38.9-47.9
Some Post-H.S.	1491	154,401	991	63.3	59.8-66.8	500	36.7	33.2-40.2
College Graduate	1474	151,882	1050	70.6	67.9-73.3	424	29.4	26.7-32.1
Less than \$15,000	360	29,200	255	61.4	53.2-69.6	105	38.6	30.4-46.8
\$15,000- 24,999	637	54,475	438	65.1	59.2-71.0	199	34.9	29.0-40.8
\$25,000- 34,999	491	48,883	303	62.0	55.7-68.3	188	38.0	31.7-44.3
\$35,000- 49,999	678	68,790	459	63.7	58.4-69.0	219	36.3	31.0-41.6
\$50,000- 74,999	726	82,967	460	58.7	53.6-63.8	266	41.3	36.2-46.4
\$75,000+	1119	136,238	747	64.1	60.4-67.8	372	35.9	32.2-39.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	243,826	961	50.2	46.9-53.5	841	49.8	46.5-53.1
Non-Native	1717	228,621	925	51.4	47.9-54.9	792	48.6	45.1-52.1
25-34	158	43,178	76	47.2	38.8-55.6	82	52.8	44.4-61.2
35-44	250	36,338	121	50.6	43.9-57.3	129	49.4	42.7-56.1
45-54	381	43,602	187	49.4	43.9-54.9	194	50.6	45.1-56.1
55-64	453	37,014	249	54.5	49.6-59.4	204	45.5	40.6-50.4
65+	495	40,485	296	59.9	55.4-64.4	199	40.1	35.6-44.6
H.S. or G.E.D.	509	76,742	249	43.6	36.7-50.5	260	56.4	49.5-63.3
Some Post-H.S.	559	72,740	284	49.5	43.8-55.2	275	50.5	44.8-56.2
College Graduate	594	74,090	360	62.3	57.8-66.8	234	37.7	33.2-42.2
\$25,000- 34,999	191	21,857	94	55.2	45.2-65.2	97	44.8	34.8-54.8
\$35,000- 49,999	278	35,230	154	52.8	44.6-61.0	124	47.2	39.0-55.4
\$50,000- 74,999	343	44,187	169	43.7	36.8-50.6	174	56.3	49.4-63.2
\$75,000+	518	75,497	279	53.6	47.7-59.5	239	46.4	40.5-52.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2861	244,321	2157	74.4	72.2-76.6	704	25.6	23.4-27.8
Non-Native	2767	233,672	2092	74.5	72.3-76.7	675	25.5	23.3-27.7
25-34	251	38,222	181	72.7	67.0-78.4	70	27.3	21.6-33.0
35-44	349	35,338	255	72.8	67.9-77.7	94	27.2	22.3-32.1
45-54	511	44,014	364	72.0	67.9-76.1	147	28.0	23.9-32.1
55-64	618	34,325	467	74.4	70.7-78.1	151	25.6	21.9-29.3
65+	1022	54,513	807	78.8	76.1-81.5	215	21.2	18.5-23.9
Less Than H.S.	179	12,819	127	64.5	54.5-74.5	52	35.5	25.5-45.5
H.S. or G.E.D.	865	71,744	630	70.5	66.0-75.0	235	29.5	25.0-34.0
Some Post-H.S.	932	81,661	707	75.6	71.9-79.3	225	24.4	20.7-28.1
College Graduate	880	77,792	690	78.5	75.2-81.8	190	21.5	18.2-24.8
Less than \$15,000	242	14,198	186	73.2	65.8-80.6	56	26.8	19.4-34.2
\$15,000- 24,999	449	30,866	335	76.3	71.4-81.2	114	23.7	18.8-28.6
\$25,000- 34,999	300	27,025	209	67.5	59.3-75.7	91	32.5	24.3-40.7
\$35,000- 49,999	400	33,560	305	75.2	69.7-80.7	95	24.8	19.3-30.3
\$50,000- 74,999	383	38,780	291	75.7	70.4-81.0	92	24.3	19.0-29.6
\$75,000+	601	60,741	468	77.2	73.1-81.3	133	22.8	18.7-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	119
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	120
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2302	149,682	1737	75.2	73.2-77.2	565	24.8	22.8-26.8
Non-Native	2235	144,732	1696	75.5	73.5-77.5	539	24.5	22.5-26.5
40-44	180	18,447	106	60.3	52.9-67.7	74	39.7	32.3-47.1
45-54	508	43,766	383	76.0	72.1-79.9	125	24.0	20.1-27.9
55-64	613	34,047	491	80.5	77.2-83.8	122	19.5	16.2-22.8
65+	1001	53,422	757	76.2	73.5-78.9	244	23.8	21.1-26.5
Less Than H.S.	156	9,050	92	59.3	50.7-67.9	64	40.7	32.1-49.3
H.S. or G.E.D.	743	46,100	553	74.9	71.6-78.2	190	25.1	21.8-28.4
Some Post-H.S.	761	51,033	595	76.2	72.7-79.7	166	23.8	20.3-27.3
College Graduate	638	43,291	495	77.8	74.3-81.3	143	22.2	18.7-25.7
Less than \$15,000	216	10,551	130	57.7	50.4-65.0	86	42.3	35.0-49.6
\$15,000- 24,999	386	20,245	278	70.9	65.8-76.0	108	29.1	24.0-34.2
\$25,000- 34,999	247	15,391	176	69.0	62.5-75.5	71	31.0	24.5-37.5
\$35,000- 49,999	332	21,217	262	78.0	73.1-82.9	70	22.0	17.1-26.9
\$50,000- 74,999	271	20,397	225	80.2	74.9-85.5	46	19.8	14.5-25.1
\$75,000+	443	36,821	357	78.9	74.6-83.2	86	21.1	16.8-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old
Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1904	111,753	1474	77.9	75.9-79.9	430	22.1	20.1-24.1
Non-Native	1853	108,623	1443	78.3	76.3-80.3	410	21.7	19.7-23.7
50-54	290	24,285	226	77.8	72.5-83.1	64	22.2	16.9-27.5
55-64	613	34,047	491	80.5	77.2-83.8	122	19.5	16.2-22.8
65+	1001	53,422	757	76.2	73.5-78.9	244	23.8	21.1-26.5
Less Than H.S.	144	7,786	89	62.8	54.4-71.2	55	37.2	28.8-45.6
H.S. or G.E.D.	658	37,970	500	76.8	73.3-80.3	158	23.2	19.7-26.7
Some Post-H.S.	611	36,589	501	81.2	77.7-84.7	110	18.8	15.3-22.3
College Graduate	487	29,200	382	79.4	75.5-83.3	105	20.6	16.7-24.5
Less than \$15,000	204	9,488	125	57.6	50.2-65.0	79	42.4	35.0-49.8
\$15,000- 24,999	352	17,846	261	73.7	68.4-79.0	91	26.3	21.0-31.6
\$25,000- 34,999	214	12,338	160	74.6	68.3-80.9	54	25.4	19.1-31.7
\$35,000- 49,999	270	16,030	224	84.0	79.3-88.7	46	16.0	11.3-20.7
\$50,000- 74,999	199	12,888	175	86.2	80.7-91.7	24	13.8	08.3-19.3
\$75,000+	301	22,030	248	81.7	76.8-86.6	53	18.3	13.4-23.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1953	186,438	1543	80.3	77.6-83.0	410	19.7	17.0-22.4
Native	50	7,150	41	90.2	82.9-97.5	9	9.8	02.5-17.1
Non-Native	1880	177,179	1488	80.0	77.3-82.7	392	20.0	17.3-22.7
25-34	244	37,033	220	90.0	85.9-94.1	24	10.0	05.9-14.1
35-44	302	30,429	271	91.0	87.7-94.3	31	9.0	05.7-12.3
45-54	362	31,137	305	84.4	80.3-88.5	57	15.6	11.5-19.7
55-64	412	22,689	349	86.7	83.4-90.0	63	13.3	10.0-16.6
65+	563	29,532	348	61.6	57.3-65.9	215	38.4	34.1-42.7
H.S. or G.E.D.	548	52,542	403	68.2	61.3-75.1	145	31.8	24.9-38.7
Some Post-H.S.	612	60,302	490	83.8	79.9-87.7	122	16.2	12.3-20.1
College Graduate	683	64,802	604	91.6	89.1-94.1	79	8.4	05.9-10.9
Less than \$15,000	140	9,079	81	66.8	57.2-76.4	59	33.2	23.6-42.8
\$15,000- 24,999	282	21,646	197	72.3	64.7-79.9	85	27.7	20.1-35.3
\$25,000- 34,999	201	20,908	146	75.1	65.7-84.5	55	24.9	15.5-34.3
\$35,000- 49,999	283	26,204	231	85.5	80.4-90.6	52	14.5	09.4-19.6
\$50,000- 74,999	286	31,212	251	85.8	79.9-91.7	35	14.2	08.3-20.1
\$75,000+	473	49,821	426	84.6	78.3-90.9	47	15.4	09.1-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y) MALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1383	131,165	783	53.9	51.0-56.8	600	46.1	43.2-49.0
Non-Native	1325	125,583	757	54.5	51.6-57.4	568	45.5	42.6-48.4
40-44	129	17,322	26	18.8	11.9-25.7	103	81.2	74.3-88.1
45-54	351	39,985	127	36.5	31.0-42.0	224	63.5	58.0-69.0
55-64	430	35,112	272	65.5	60.8-70.2	158	34.5	29.8-39.2
65+	473	38,745	358	77.0	73.1-80.9	115	23.0	19.1-26.9
H.S. or G.E.D.	387	35,614	205	49.1	43.6-54.6	182	50.9	45.4-56.4
Some Post-H.S.	433	41,867	240	53.4	48.3-58.5	193	46.6	41.5-51.7
College Graduate	454	44,520	273	57.3	52.4-62.2	181	42.7	37.8-47.6
\$15,000- 24,999	148	11,894	80	52.9	44.1-61.7	68	47.1	38.3-55.9
\$25,000- 34,999	153	12,768	80	48.7	40.3-57.1	73	51.3	42.9-59.7
\$35,000- 49,999	217	19,177	122	56.1	49.0-63.2	95	43.9	36.8-51.0
\$50,000- 74,999	263	25,851	169	60.1	53.6-66.6	94	39.9	33.4-46.4
\$75,000+	398	44,009	219	50.6	45.3-55.9	179	49.4	44.1-54.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDS2).	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBIDS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3031	211,444	557	18.1	16.5-19.7	2474	81.9	80.3-83.5
Male	1141	100,422	208	18.1	15.7-20.5	933	81.9	79.5-84.3
Female	1890	111,022	349	18.1	16.3-19.9	1541	81.9	80.1-83.7
Non-Native	2932	204,161	546	18.4	16.8-20.0	2386	81.6	80.0-83.2
50-54	505	49,313	69	13.1	10.0-16.2	436	86.9	83.8-90.0
55-64	1051	69,807	179	16.8	14.4-19.2	872	83.2	80.8-85.6
65+	1475	92,323	309	21.8	19.4-24.2	1166	78.2	75.8-80.6
Less Than H.S.	250	16,384	38	15.1	10.2-20.0	212	84.9	80.0-89.8
H.S. or G.E.D.	974	65,934	181	18.5	15.8-21.2	793	81.5	78.8-84.2
Some Post-H.S.	952	66,714	165	17.2	14.7-19.7	787	82.8	80.3-85.3
College Graduate	850	62,025	172	19.5	16.8-22.2	678	80.5	77.8-83.2
Less than \$15,000	283	15,103	49	16.7	11.6-21.8	234	83.3	78.2-88.4
\$15,000- 24,999	490	28,749	88	18.2	14.5-21.9	402	81.8	78.1-85.5
\$25,000- 34,999	349	23,343	60	16.3	12.2-20.4	289	83.7	79.6-87.8
\$35,000- 49,999	448	31,451	93	21.5	17.2-25.8	355	78.5	74.2-82.8
\$50,000- 74,999	422	33,277	88	20.4	16.3-24.5	334	79.6	75.5-83.7
\$75,000+	572	49,073	92	14.9	12.0-17.8	480	85.1	82.2-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1141	100,422	208	18.1	15.7-20.5	933	81.9	79.5-84.3
Non-Native	1095	96,437	202	18.3	15.9-20.7	893	81.7	79.3-84.1
50-54	216	25,029	25	11.8	07.1-16.5	191	88.2	83.5-92.9
55-64	441	35,961	78	17.4	13.7-21.1	363	82.6	78.9-86.3
65+	484	39,432	105	22.7	18.8-26.6	379	77.3	73.4-81.2
Less Than H.S.	106	8,600	13	11.5	04.6-18.4	93	88.5	81.6-95.4
H.S. or G.E.D.	326	28,578	63	19.4	14.9-23.9	263	80.6	76.1-85.1
Some Post-H.S.	341	29,980	58	17.3	13.0-21.6	283	82.7	78.4-87.0
College Graduate	366	33,025	73	19.3	15.2-23.4	293	80.7	76.6-84.8
\$15,000- 24,999	140	10,937	26	18.5	11.6-25.4	114	81.5	74.6-88.4
\$25,000- 34,999	139	11,271	21	15.2	08.9-21.5	118	84.8	78.5-91.1
\$35,000- 49,999	179	15,409	36	21.7	15.2-28.2	143	78.3	71.8-84.8
\$50,000- 74,999	224	20,491	45	20.1	14.6-25.6	179	79.9	74.4-85.4
\$75,000+	272	27,134	42	13.9	09.8-18.0	230	86.1	82.0-90.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFLDS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1890	111,022	349	18.1	16.3-19.9	1541	81.9	80.1-83.7
Non-Native	1837	107,725	344	18.5	16.5-20.5	1493	81.5	79.5-83.5
50-54	289	24,285	44	14.5	10.4-18.6	245	85.5	81.4-89.6
55-64	610	33,846	101	16.1	13.0-19.2	509	83.9	80.8-87.0
65+	991	52,891	204	21.1	18.4-23.8	787	78.9	76.2-81.6
Less Than H.S.	144	7,784	25	19.1	12.0-26.2	119	80.9	73.8-88.0
H.S. or G.E.D.	648	37,356	118	17.8	14.7-20.9	530	82.2	79.1-85.3
Some Post-H.S.	611	36,734	107	17.1	14.0-20.2	504	82.9	79.8-86.0
College Graduate	484	29,001	99	19.8	16.1-23.5	385	80.2	76.5-83.9
Less than \$15,000	203	9,407	33	15.1	10.0-20.2	170	84.9	79.8-90.0
\$15,000- 24,999	350	17,812	62	18.0	13.5-22.5	288	82.0	77.5-86.5
\$25,000- 34,999	210	12,071	39	17.4	11.9-22.9	171	82.6	77.1-88.1
\$35,000- 49,999	269	16,042	57	21.3	16.0-26.6	212	78.7	73.4-84.0
\$50,000- 74,999	198	12,786	43	20.9	15.0-26.8	155	79.1	73.2-85.0
\$75,000+	300	21,939	50	16.1	11.8-20.4	250	83.9	79.6-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3043	212,046	1903	61.1	59.1-63.1	1140	38.9	36.9-40.9
Male	1143	100,530	688	59.3	56.2-62.4	455	40.7	37.6-43.8
Female	1900	111,516	1215	62.8	60.4-65.2	685	37.2	34.8-39.6
Non-Native	2941	204,533	1861	61.9	59.9-63.9	1080	38.1	36.1-40.1
50-54	503	48,862	193	37.5	33.0-42.0	310	62.5	58.0-67.0
55-64	1049	69,596	646	61.7	58.6-64.8	403	38.3	35.2-41.4
65+	1491	93,589	1064	73.0	70.6-75.4	427	27.0	24.6-29.4
Less Than H.S.	246	16,195	125	50.7	43.6-57.8	121	49.3	42.2-56.4
H.S. or G.E.D.	979	66,068	573	56.8	53.3-60.3	406	43.2	39.7-46.7
Some Post-H.S.	957	66,816	622	62.4	58.9-65.9	335	37.6	34.1-41.1
College Graduate	855	62,520	579	67.0	63.5-70.5	276	33.0	29.5-36.5
Less than \$15,000	281	14,876	148	48.8	42.1-55.5	133	51.2	44.5-57.9
\$15,000- 24,999	490	28,643	294	57.9	52.8-63.0	196	42.1	37.0-47.2
\$25,000- 34,999	353	23,614	211	57.8	52.1-63.5	142	42.2	36.5-47.9
\$35,000- 49,999	448	31,513	294	64.9	60.0-69.8	154	35.1	30.2-40.0
\$50,000- 74,999	422	33,311	260	59.6	54.5-64.7	162	40.4	35.3-45.5
\$75,000+	574	49,250	371	62.7	58.4-67.0	203	37.3	33.0-41.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1143	100,530	688	59.3	56.2-62.4	455	40.7	37.6-43.8
Non-Native	1094	96,314	669	60.2	57.1-63.3	425	39.8	36.7-42.9
50-54	214	24,639	64	30.3	23.8-36.8	150	69.7	63.2-76.2
55-64	438	35,688	265	61.5	56.6-66.4	173	38.5	33.6-43.4
65+	491	40,203	359	75.1	71.2-79.0	132	24.9	21.0-28.8
H.S. or G.E.D.	328	28,611	179	52.5	46.6-58.4	149	47.5	41.6-53.4
Some Post-H.S.	340	29,763	194	57.0	51.3-62.7	146	43.0	37.3-48.7
College Graduate	371	33,504	261	69.0	63.9-74.1	110	31.0	25.9-36.1
\$15,000- 24,999	139	10,895	75	52.6	43.4-61.8	64	47.4	38.2-56.6
\$25,000- 34,999	139	11,291	74	52.7	43.9-61.5	65	47.3	38.5-56.1
\$35,000- 49,999	180	15,531	114	64.5	57.1-71.9	66	35.5	28.1-42.9
\$50,000- 74,999	225	20,587	134	57.6	50.5-64.7	91	42.4	35.3-49.5
\$75,000+	273	27,251	184	64.4	58.1-70.7	89	35.6	29.3-41.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1900	111,516	1215	62.8	60.4-65.2	685	37.2	34.8-39.6
Non-Native	1847	108,219	1192	63.4	61.0-65.8	655	36.6	34.2-39.0
50-54	289	24,222	129	45.0	38.7-51.3	160	55.0	48.7-61.3
55-64	611	33,908	381	62.0	57.9-66.1	230	38.0	33.9-42.1
65+	1000	53,386	705	71.5	68.6-74.4	295	28.5	25.6-31.4
Less Than H.S.	144	7,783	73	51.2	42.4-60.0	71	48.8	40.0-57.6
H.S. or G.E.D.	651	37,458	394	60.1	56.0-64.2	257	39.9	35.8-44.0
Some Post-H.S.	617	37,053	428	66.7	62.4-71.0	189	33.3	29.0-37.6
College Graduate	484	29,016	318	64.7	60.0-69.4	166	35.3	30.6-40.0
Less than \$15,000	204	9,463	112	52.7	45.3-60.1	92	47.3	39.9-54.7
\$15,000- 24,999	351	17,748	219	61.1	55.4-66.8	132	38.9	33.2-44.6
\$25,000- 34,999	214	12,323	137	62.6	55.3-69.9	77	37.4	30.1-44.7
\$35,000- 49,999	268	15,981	180	65.2	58.9-71.5	88	34.8	28.5-41.1
\$50,000- 74,999	197	12,724	126	63.0	55.7-70.3	71	37.0	29.7-44.3
\$75,000+	301	21,999	187	60.8	54.9-66.7	114	39.2	33.3-45.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 21: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2988	379,036	687	23.8	21.6-26.0	2301	76.2	74.0-78.4
Male	1240	195,998	275	21.1	18.2-24.0	965	78.9	76.0-81.8
Female	1748	183,037	412	26.7	23.8-29.6	1336	73.3	70.4-76.2
Non-Native	2869	357,789	643	23.2	21.0-25.4	2226	76.8	74.6-79.0
18-24	126	77,590	26	17.5	10.6-24.4	100	82.5	75.6-89.4
25-34	395	78,832	150	33.4	28.3-38.5	245	66.6	61.5-71.7
35-44	581	69,714	222	36.7	32.6-40.8	359	63.3	59.2-67.4
45-54	869	85,663	173	19.6	16.7-22.5	696	80.4	77.5-83.3
55-64	1017	67,236	116	11.6	09.4-13.8	901	88.4	86.2-90.6
Less Than H.S.	101	18,958	17	15.0	06.6-23.4	84	85.0	76.6-93.4
H.S. or G.E.D.	770	110,096	150	21.0	16.7-25.3	620	79.0	74.7-83.3
Some Post-H.S.	1006	124,050	239	26.0	22.3-29.7	767	74.0	70.3-77.7
College Graduate	1109	125,751	281	25.4	22.5-28.3	828	74.6	71.7-77.5
\$15,000- 24,999	288	33,725	73	27.5	19.5-35.5	215	72.5	64.5-80.5
\$25,000- 34,999	286	35,762	64	26.6	18.8-34.4	222	73.4	65.6-81.2
\$35,000- 49,999	432	50,912	98	28.6	22.1-35.1	334	71.4	64.9-77.9
\$50,000- 74,999	558	70,418	119	20.3	16.4-24.2	439	79.7	75.8-83.6
\$75,000+	965	123,405	236	25.3	21.8-28.8	729	74.7	71.2-78.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1240	195,998	275	21.1	18.2-24.0	965	78.9	76.0-81.8
Non-Native	1184	183,619	260	20.7	17.8-23.6	924	79.3	76.4-82.2
18-24	56	41,973	10	13.2	04.6-21.8	46	86.8	78.2-95.4
25-34	154	42,183	36	22.6	15.5-29.7	118	77.4	70.3-84.5
35-44	244	35,470	76	31.4	25.1-37.7	168	68.6	62.3-74.9
45-54	371	42,684	93	24.2	19.5-28.9	278	75.8	71.1-80.5
55-64	415	33,688	60	14.4	10.9-17.9	355	85.6	82.1-89.1
H.S. or G.E.D.	342	62,305	74	19.9	13.6-26.2	268	80.1	73.8-86.4
Some Post-H.S.	421	61,500	100	23.2	18.1-28.3	321	76.8	71.7-81.9
College Graduate	420	58,582	91	21.8	17.3-26.3	329	78.2	73.7-82.7
\$15,000- 24,999	91	15,980	19	15.9	06.5-25.3	72	84.1	74.7-93.5
\$35,000- 49,999	171	25,247	46	30.5	20.7-40.3	125	69.5	59.7-79.3
\$50,000- 74,999	250	36,295	46	15.7	10.8-20.6	204	84.3	79.4-89.2
\$75,000+	435	67,932	103	23.8	18.7-28.9	332	76.2	71.1-81.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1748	183,037	412	26.7	23.8-29.6	1336	73.3	70.4-76.2
Non-Native	1685	174,170	383	25.8	22.9-28.7	1302	74.2	71.3-77.1
25-34	241	36,649	114	45.9	39.2-52.6	127	54.1	47.4-60.8
35-44	337	34,244	146	42.2	36.7-47.7	191	57.8	52.3-63.3
45-54	498	42,979	80	15.1	11.8-18.4	418	84.9	81.6-88.2
55-64	602	33,548	56	8.8	06.4-11.2	546	91.2	88.8-93.6
H.S. or G.E.D.	428	47,791	76	22.4	16.5-28.3	352	77.6	71.7-83.5
Some Post-H.S.	585	62,550	139	28.7	23.2-34.2	446	71.3	65.8-76.8
College Graduate	689	67,169	190	28.6	24.7-32.5	499	71.4	67.5-75.3
\$35,000- 49,999	261	25,665	52	26.8	18.4-35.2	209	73.2	64.8-81.6
\$50,000- 74,999	308	34,122	73	25.3	19.2-31.4	235	74.7	68.6-80.8
\$75,000+	530	55,473	133	27.2	22.7-31.7	397	72.8	68.3-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2010**

End of Calculated Variable Data Report