# NORTH DAKOTA

2010 Module Variables Report

Behavioral Risk Factor Surveillance System

March 19, 2011

CENTERS FOR DISEASE
CONTROL AND PREVENTION

BRFSS

Behavioral Risk Factor Surveillance System

MODULE 2: DIABETES CONTENTS

* NOTE *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* *

MODULE 2: DIABETES CONTENTS

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	467	36,088	10	4.6	01.3-07.9	20	7.3	03.0-11.6	85	20.8	16.1-25.5	199	39.6	34.3-44.9	153	27.6	23.3-31.9
Male	222	21,162	6	6.0	00.9-11.1	9	5.6	00.3-10.9	42	21.9	15.2-28.6	98	41.6	34.2-49.0	67	24.9	19.2-30.6
Female	245	14,926	4	2.5	00.0-05.0	11	9.8	02.4-17.2	43	19.3	13.2-25.4	101	36.9	29.8-44.0	86	31.6	25.1-38.1
Non-Native	430	32,074	10	5.1	01.4-08.8	14	5.1	01.4-08.8	74	19.1	14.6-23.6	184	40.3	34.8-45.8	148	30.3	25.6-35.0
45-54	61	6,348	1	2.6	00.0-07.7	2	2.8	00.0-06.9									
55-64	140	9,642	1	0.9	00.0-02.7	3	1.8	00.0-04.0	20	15.1	08.4-21.8	107	76.6	69.0-84.2	9	5.6	01.7-09.5
65+	234	15,092	1	0.3	00.0-00.9	6	2.5	00.3-04.7	14	5.1	02.2-08.0	70	29.8	23.5-36.1	143	62.3	55.6-69.0
H.S. or G.E.D.	143	10,685	3	2.9	00.0-06.4				18	14.6	07.3-21.9	63	36.9	27.5-46.3	48	28.8	20.4-37.2
Some Post-H.S.	170	13,156	3	2.5	00.0-05.2	2	1.7	00.0-04.1	40	29.8	21.2-38.4	80	44.4	36.0-52.8	45	21.7	15.4-28.0
College Graduate	105	8,706	3	7.3	00.0-15.9	5	6.0	00.5-11.5	24	20.9	12.3-29.5				30	24.3	15.7-32.9
$15,000- 24,999	80	5,548	2	7.5	00.0-19.8	3	6.4	00.0-14.4									
$25,000- 34,999	65	4,244				3	4.9	00.0-10.6	8	13.6	04.0-23.2						
$35,000- 49,999	69	5,262				3	5.9	00.0-12.8	8	8.9	02.2-15.6						
$50,000- 74,999	63	6,155	1	2.3	00.0-06.8	1	2.0	00.0-05.9							8	8.9	02.2-15.6
$75,000+	56	5,349	4	10.0	00.6-19.4	1	2.7	00.0-08.0							9	13.0	04.6-21.4

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	222	21,162	6	6.0	00.7-11.3	9	5.6	00.3-10.9	42	21.9	15.2-28.6	98	41.6	34.2-49.0	67	24.9	19.2-30.6
Non-Native	200	18,546	6	6.8	00.9-12.7	6	3.0	00.5-05.5	35	20.1	13.4-26.8	89	42.6	35.0-50.2	64	27.6	21.3-33.9
55-64	66	5,599	1	1.5	00.0-04.4	2	1.5	00.0-03.7	9	14.7	05.5-23.9				4	5.3	00.0-10.6
65+	102	8,196				2	1.8	00.0-04.5	5	5.0	00.7-09.3	32	32.6	23.0-42.2	63	60.6	50.6-70.6
H.S. or G.E.D.	59	5,420	1	3.1	00.0-09.0												
Some Post-H.S.	84	7,718	2	3.0	00.0-07.1	1	1.3	00.0-03.8							19	18.8	10.6-27.0
College Graduate	54	5,805				3	5.7	00.0-12.6									

```
                                              NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                        Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-15 years old N	%	C.I. (95%)	16-30 years old N	%	C.I. (95%)	31-45 years old N	%	C.I. (95%)	46-60 years old N	%	C.I. (95%)	61+ years old N	%	C.I. (95%)
Female	245	14,926	4	2.5	00.0-05.0	11	9.8	02.4-17.2	43	19.3	13.2-25.4	101	36.9	29.8-44.0	86	31.6	25.1-38.1
Non-Native	230	13,528	4	2.8	00.0-05.7	8	8.0	00.4-15.6	39	17.8	12.1-23.5	95	37.3	30.0-44.6	84	34.1	27.2-41.0
55-64	74	4,043				1	2.3	00.0-06.8	11	15.6	06.6-24.6				5	6.1	00.2-12.0
65+	132	6,896	1	0.6	00.0-01.8	4	3.5	00.0-07.0	9	5.2	01.7-08.7	38	26.4	18.6-34.2	80	64.3	55.7-72.9
H.S. or G.E.D.	84	5,265	2	2.7	00.0-06.6				8	8.2	02.1-14.3						
Some Post-H.S.	86	5,439	1	1.8	00.0-05.3	1	2.3	00.0-06.8							26	25.8	16.0-35.6
College Graduate	51	2,901	1	4.8	00.0-13.8	2	6.5	00.0-15.1									
$15,000- 24,999	50	2,620	1	1.6	00.0-04.7												

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDENT NUMBER		Yes			No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	37,001	134	29.5	24.4-34.6	350	70.5	65.4-75.6
Male	226	21,566	61	26.9	20.2-33.6	165	73.1	66.4-79.8
Female	258	15,436	73	33.2	25.4-41.0	185	66.8	59.0-74.6
Non-Native	446	32,885	117	27.4	22.1-32.7	329	72.6	67.3-77.9
55-64	140	9,611	36	28.8	20.4-37.2	104	71.2	62.8-79.6
65+	251	16,037	66	25.7	19.8-31.6	185	74.3	68.4-80.2
Some Post-H.S.	174	13,346	50	30.8	22.8-38.8	124	69.2	61.2-77.2
College Graduate	106	8,809	32	28.3	18.7-37.9	74	71.7	62.1-81.3
$35,000- 49,999	69	5,262	12	17.1	07.5-26.7	57	82.9	73.3-92.5

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                       Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	226	21,566	61	26.9	20.2-33.6	165	73.1	66.4-79.8
Non-Native	203	18,847	50	24.7	17.8-31.6	153	75.3	68.4-82.2
65+	106	8,600	24	23.9	15.3-32.5	82	76.1	67.5-84.7
H.S. or G.E.D.	60	5,523	11	16.3	06.3-26.3	49	83.7	73.7-93.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	258	15,436	73	33.2	25.4-41.0	185	66.8	59.0-74.6
Non-Native	243	14,038	67	30.9	22.9-38.9	176	69.1	61.1-77.1
65+	145	7,437	42	27.8	20.0-35.6	103	72.2	64.4-80.0

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES
WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Never N	%	C.I. (95%)	< 1 time per Day N	%	C.I. (95%)	1-5 times per Day N	%	C.I. (95%)	> 5 times per Day N	%	C.I. (95%)
TOTAL	479	36,166	49	9.6	06.7-12.5	126	28.9	24.0-33.8	297	59.4	54.1-64.7	7	2.1	00.0-04.3
Male	221	20,681	27	10.5	06.4-14.6	77	36.1	28.8-43.4	116	51.6	44.2-59.0	1	1.7	00.0-05.0
Female	258	15,486	22	8.5	04.8-12.2	49	19.1	13.4-24.8	181	69.8	63.3-76.3	6	2.6	00.4-04.8
Non-Native	443	32,644	46	9.9	06.8-13.0	115	28.5	23.4-33.6	275	59.3	53.8-64.8	7	2.3	00.0-04.7
45-54	61	6,348	10	13.3	04.7-21.9							1	0.7	00.0-02.1
55-64	140	9,619	13	9.7	04.2-15.2	45	33.6	25.0-42.2	81	56.1	46.9-65.3	1	0.6	00.0-01.8
65+	247	15,736	19	6.6	03.5-09.7	61	31.3	24.6-38.0	165	61.4	54.5-68.3	2	0.7	00.0-01.7
Less Than H.S.	52	3,786	5	8.0	00.7-15.3									
H.S. or G.E.D.	150	10,515	18	10.5	05.4-15.6	40	29.2	20.6-37.8	92	60.3	50.9-69.7			
Some Post-H.S.	172	13,158	19	10.9	05.8-16.0	44	26.3	18.9-33.7	104	60.1	51.9-68.3	5	2.7	00.2-05.2
College Graduate	105	8,706	7	7.5	01.6-13.4							2	4.6	00.0-12.4
Less than $15,000	65	3,516	7	11.2	03.2-19.2							1	1.2	00.0-03.6
$15,000- 24,999	84	5,706	6	6.8	00.7-12.9									
$25,000- 34,999	66	4,275	9	12.8	03.4-22.2							2	3.7	00.0-08.8
$35,000- 49,999	66	4,971	7	12.4	03.0-21.8									
$50,000- 74,999	65	6,320	6	6.9	01.4-12.4							1	1.0	00.0-03.0
$75,000+	58	5,547	6	11.2	02.4-20.0									

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES
WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Never N	%	C.I. (95%)	< 1 time per Day N	%	C.I. (95%)	1-5 times per Day N	%	C.I. (95%)	> 5 times per Day N	%	C.I. (95%)
Male	221	20,681	27	10.5	06.4-14.6	77	36.1	28.8-43.4	116	51.6	44.2-59.0	1	1.7	00.0-05.0
Non-Native	200	18,556	25	10.8	06.3-15.3	70	36.5	28.9-44.1	104	50.8	42.8-58.8	1	1.9	00.0-05.6
55-64	65	5,514	7	12.2	03.4-21.0									
65+	103	8,342	10	7.6	02.9-12.3									
H.S. or G.E.D.	58	4,929	6	8.6	01.7-15.5									
Some Post-H.S.	83	7,573	13	13.8	06.0-21.6									
College Graduate	54	5,805	5	9.0	00.8-17.2							1	6.1	00.0-17.5

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Never N	%	C.I. (95%)	< 1 time per Day N	%	C.I. (95%)	1-5 times per Day N	%	C.I. (95%)	> 5 times per Day N	%	C.I. (95%)
Female	258	15,486	22	8.5	04.8-12.2	49	19.1	13.4-24.8	181	69.8	63.1-76.5	6	2.6	00.4-04.8
Non-Native	243	14,087	21	8.8	04.9-12.7	45	18.0	12.7-23.3	171	70.4	63.7-77.1	6	2.8	00.4-05.2
55-64	75	4,105	6	6.4	01.1-11.7							1	1.5	00.0-04.4
65+	144	7,394	9	5.5	01.8-09.2	23	18.1	10.8-25.4	110	74.9	67.1-82.7	2	1.4	00.0-03.4
H.S. or G.E.D.	92	5,586	12	12.1	04.7-19.5	17	18.4	08.6-28.2						
Some Post-H.S.	89	5,586	6	6.9	01.2-12.6	16	17.1	08.5-25.7				5	6.4	00.7-12.1
College Graduate	51	2,901	2	4.4	00.0-11.1							1	1.4	00.0-04.1
$15,000- 24,999	54	2,779	2	2.6	00.0-06.3									

March 19, 2011

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Times per Day N	%	C.I. (95%)	Times per Week N	%	C.I. (95%)	Times per Month N	%	C.I. (95%)	Times per Year N	%	C.I. (95%)	Never N	%	C.I. (95%)
TOTAL	474	36,308	269	57.0	51.5-62.5	108	21.4	17.1-25.7	30	6.6	03.7-09.5	12	4.2	00.9-07.5	55	10.7	07.8-13.6
Male	218	20,915	124	55.0	47.2-62.8	44	20.5	14.2-26.8	15	7.3	02.8-11.8	8	5.8	00.3-11.3	27	11.3	07.0-15.6
Female	256	15,393	145	59.7	52.6-66.8	64	22.7	17.0-28.4	15	5.6	02.7-08.5	4	2.1	00.0-04.3	28	9.9	06.2-13.6
Non-Native	438	32,337	248	57.4	51.9-62.9	97	20.8	16.3-25.3	30	7.4	04.3-10.5	11	3.1	01.1-05.1	52	11.3	08.2-14.4
45-54	61	6,348				11	16.0	06.2-25.8	5	8.3	00.7-15.9				3	3.3	00.0-07.4
55-64	139	9,600	82	62.0	53.2-70.8	25	16.8	10.3-23.3	11	6.2	02.3-10.1	1	0.9	00.0-02.7	20	14.1	07.8-20.4
65+	242	15,355	132	54.1	47.2-61.0	66	25.8	19.9-31.7	13	6.0	02.5-09.5	8	4.1	01.2-07.0	23	10.0	05.7-14.3
H.S. or G.E.D.	150	11,006				30	15.6	09.7-21.5	9	6.1	01.6-10.6	4	6.9	00.0-16.3	15	7.9	03.8-12.0
Some Post-H.S.	172	13,176	90	52.8	44.2-61.4	37	20.0	13.1-26.9	14	8.0	03.5-12.5	4	3.0	00.1-05.9	27	16.2	10.1-22.3
College Graduate	104	8,603				30	28.6	18.6-38.6	6	7.2	00.0-15.2	3	3.8	00.0-08.1	7	4.9	00.8-09.0
Less than $15,000	66	4,049				11	13.7	04.9-22.5	2	2.2	00.0-05.3				4	4.6	00.0-09.3
$15,000- 24,999	83	5,629							8	8.7	02.2-15.2				12	14.0	05.8-22.2
$25,000- 34,999	63	4,117							5	7.9	00.0-16.3	3	5.8	00.0-12.7	9	15.6	05.6-25.6
$35,000- 49,999	68	5,159										2	3.0	00.0-07.3	7	9.1	02.2-16.0
$50,000- 74,999	65	6,320							5	7.6	00.9-14.3	2	3.6	00.0-08.7	7	7.0	01.3-12.7
$75,000+	57	5,462							2	3.2	00.0-07.7	2	4.1	00.0-09.8			

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE
TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	218	20,915	124	55.0	47.2-62.8	44	20.5	14.2-26.8	15	7.3	02.8-11.8	8	5.8	00.3-11.3	27	11.3	07.0-15.6
Non-Native	197	18,342	114	57.3	49.5-65.1	35	18.4	12.1-24.7	15	8.4	03.3-13.5	7	3.7	01.0-06.4	26	12.2	07.5-16.9
55-64	65	5,556				12	17.4	08.2-26.6	4	4.9	00.0-10.2	1	1.5	00.0-04.4	8	13.3	04.3-22.3
65+	99	7,992				21	20.6	12.4-28.8	8	7.8	01.9-13.7	5	5.6	00.7-10.5	12	12.4	05.3-19.5
H.S. or G.E.D.	59	5,481				11	13.8	05.4-22.2	4	8.9	00.5-17.3				4	5.0	00.1-09.9
Some Post-H.S.	83	7,590				13	15.2	06.6-23.8	6	6.2	00.5-11.9	3	4.4	00.0-09.3	16	19.8	10.6-29.0
College Graduate	53	5,702										2	3.3	00.0-07.8	4	5.0	00.0-10.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Times per Day N	%	C.I. (95%)	Times per Week N	%	C.I. (95%)	Times per Month N	%	C.I. (95%)	Times per Year N	%	C.I. (95%)	Never N	%	C.I. (95%)
Female	256	15,393	145	59.7	52.8-66.6	64	22.7	17.0-28.4	15	5.6	02.7-08.5	4	2.1	00.0-04.3	28	9.9	06.2-13.6
Non-Native	241	13,995	134	57.5	50.2-64.8	62	24.0	17.9-30.1	15	6.2	02.9-09.5	4	2.3	00.0-04.8	26	10.0	06.1-13.9
55-64	74	4,043				13	16.0	07.4-24.6	7	8.0	01.9-14.1				12	15.3	07.1-23.5
65+	143	7,363	79	54.8	46.0-63.6	45	31.4	23.2-39.6	5	4.0	00.5-07.5	3	2.4	00.0-05.3	11	7.4	02.9-11.9
H.S. or G.E.D.	91	5,524				19	17.4	09.2-25.6	5	3.3	00.4-06.2	2	2.1	00.0-05.2	11	10.7	04.0-17.4
Some Post-H.S.	89	5,586							8	10.4	03.1-17.7	1	1.1	00.0-03.3	11	11.4	04.7-18.1
College Graduate	51	2,901							1	1.4	00.0-04.1	1	4.8	00.0-13.8	3	4.6	00.0-09.9
$15,000- 24,999	54	2,779							4	7.2	00.0-14.6				5	8.4	01.0-15.8

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
TOTAL	471	35,747	99	20.6	16.5-24.7	123	27.8	22.9-32.7	66	14.2	10.7-17.7	88	17.8	13.7-21.9	45	9.1	06.4-11.8	50	10.6	06.9-14.3
Male	221	20,831	54	22.2	16.5-27.9	66	32.6	25.2-40.0	29	13.1	08.4-17.8	30	14.7	08.8-20.6	23	8.8	05.1-12.5	19	8.6	04.7-12.5
Female	250	14,915	45	18.3	12.8-23.8	57	21.1	15.6-26.6	37	15.7	10.2-21.2	58	22.0	16.1-27.9	22	9.5	05.2-13.8	31	13.3	06.2-20.4
Non-Native	437	32,516	93	21.2	16.9-25.5	116	27.7	22.6-32.8	60	13.7	10.2-17.2	80	17.6	13.3-21.9	39	8.5	05.6-11.4	49	11.2	07.1-15.3
45-54	60	6,292										9	13.1	04.3-21.9	10	13.2	04.4-22.0	5	7.3	00.4-14.2
55-64	140	9,661	27	19.1	12.2-26.0	40	29.3	20.9-37.7	26	20.2	12.9-27.5	20	14.9	07.8-22.0	13	9.1	04.0-14.2	14	7.4	03.3-11.5
65+	241	15,540	49	20.9	15.2-26.6	60	25.2	19.3-31.1	31	12.7	08.2-17.2	52	20.0	14.5-25.5	20	8.5	04.8-12.2	29	12.7	07.8-17.6
Less Than H.S.	51	3,747	6	10.3	02.1-18.5										3	6.9	00.0-14.9			
H.S. or G.E.D.	145	10,122	31	20.9	13.5-28.3	31	19.4	11.8-27.0	22	15.4	08.9-21.9	27	16.9	10.2-23.6	16	11.5	05.6-17.4			
Some Post-H.S.	170	13,159	40	22.8	15.9-29.7	45	29.5	21.3-37.7	18	12.5	06.2-18.8	31	16.0	09.9-22.1	18	9.9	05.0-14.8	18	9.2	04.5-13.9
College Graduate	105	8,718	22	21.3	12.3-30.3				15	14.2	07.1-21.3	21	17.8	09.4-26.2	8	5.9	01.2-10.6	7	5.6	01.1-10.1
Less than $15,000	64	3,473							11	15.0	06.4-23.6							4	5.1	00.2-10.0
$15,000- 24,999	80	5,344							11	14.2	05.6-22.8				5	6.8	00.9-12.7	8	8.5	02.0-15.0
$25,000- 34,999	63	4,077							8	14.4	04.6-24.2	10	12.5	04.7-20.3	3	4.0	00.0-08.5			
$35,000- 49,999	69	5,262							7	10.3	02.9-17.7				6	8.1	01.0-15.2	7	10.5	02.3-18.7
$50,000- 74,999	64	6,277							8	11.4	03.6-19.2	9	14.0	04.4-23.6	6	8.8	01.4-16.2	4	4.5	00.0-09.4
$75,000+	57	5,504													5	8.8	01.0-16.6	4	5.4	00.0-11.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Male	221	20,831	54	22.2	16.5-27.9	66	32.6	25.2-40.0	29	13.1	08.4-17.8	30	14.7	08.8-20.6	23	8.8	05.1-12.5	19	8.6	04.7-12.5
Non-Native	200	18,697	51	23.5	17.4-29.6	60	31.5	23.9-39.1	26	13.3	08.2-18.4	26	14.7	08.4-21.0	19	8.1	04.2-12.0	18	8.9	04.6-13.2
55-64	65	5,556	14	20.5	10.5-30.5										8	10.6	03.2-18.0	5	6.8	00.9-12.7
65+	104	8,506	28	25.8	17.2-34.4	29	27.3	18.5-36.1	13	12.7	06.0-19.4	15	14.6	07.3-21.9	7	6.0	01.5-10.5	12	13.6	06.0-21.2
H.S. or G.E.D.	58	4,939													7	11.7	02.7-20.7	5	9.5	00.9-18.1
Some Post-H.S.	83	7,662	21	23.2	13.8-32.6				9	12.9	04.7-21.1	10	10.5	03.2-17.8	9	8.7	03.0-14.4	8	9.5	02.6-16.4
College Graduate	55	5,908							7	10.1	02.7-17.5				4	5.5	00.0-11.4	3	5.0	00.0-10.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Female	250	14,915	45	18.3	12.8-23.8	57	21.1	15.6-26.6	37	15.7	10.2-21.2	58	22.0	16.1-27.9	22	9.5	05.2-13.8	31	13.3	06.2-20.4
Non-Native	237	13,819	42	18.1	12.6-23.6	56	22.5	16.6-28.4	34	14.3	09.4-19.2	54	21.6	15.7-27.5	20	9.1	04.8-13.4	31	14.4	07.0-21.8
55-64	75	4,105	13	17.3	08.1-26.5							13	16.5	07.7-25.3	5	7.1	00.6-13.6	9	8.3	02.8-13.8
65+	137	7,033	21	15.0	08.7-21.3	31	22.7	15.3-30.1	18	12.6	06.9-18.3	37	26.5	18.5-34.5	13	11.5	05.2-17.8	17	11.7	06.0-17.4
H.S. or G.E.D.	87	5,183	18	20.7	10.7-30.7	18	16.5	08.3-24.7	12	13.2	05.6-20.8	17	16.2	08.2-24.2	9	11.4	04.0-18.8			
Some Post-H.S.	87	5,497	19	22.2	12.4-32.0	19	21.6	12.0-31.2	9	12.0	02.4-21.6				9	11.7	03.5-19.9	10	8.8	03.1-14.5
College Graduate	50	2,810													4	6.7	00.0-13.8	4	6.7	00.0-14.1
$15,000- 24,999	52	2,524																5	7.3	00.6-14.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS.   ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR   "A ONE C"? (CHKHEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-2 per yr N	%	C.I. (95%)	3-4 per yr N	%	C.I. (95%)	5-9 per yr N	%	C.I. (95%)	10 or more per yr N	%	C.I. (95%)	NONE N	%	C.I. (95%)	Never Heard of N	%	C.I. (95%)
TOTAL	467	35,806	241	50.8	45.3-56.3	156	32.3	27.2-37.4	17	3.0	01.4-04.6	6	1.3	00.1-02.5	38	11.2	06.5-15.9	9	1.4	00.4-02.4
Male	217	20,744	117	54.0	46.2-61.8	61	27.6	20.5-34.7	10	3.5	01.1-05.9	3	1.1	00.0-02.3	21	12.4	06.1-18.7	5	1.5	00.1-02.9
Female	250	15,062	124	46.4	39.0-53.8	95	38.7	31.4-46.0	7	2.2	00.4-04.0	3	1.7	00.0-03.7	17	9.7	02.6-16.8	4	1.3	00.0-02.7
Non-Native	433	32,164	225	51.4	45.7-57.1	145	32.8	27.5-38.1	15	3.0	01.4-04.6	5	1.2	00.2-02.2	35	10.2	05.9-14.5	8	1.4	00.4-02.4
45-54	59	5,986							3	2.6	00.0-05.5	1	0.9	00.0-02.7	5	8.6	00.8-16.4			
55-64	136	9,335	77	52.8	43.6-62.0	44	34.9	25.7-44.1	5	4.3	00.6-08.0				9	7.5	02.4-12.6	1	0.5	00.0-01.5
65+	240	15,480	116	49.3	42.4-56.2	86	34.5	28.0-41.0	7	2.2	00.4-04.0	4	2.1	00.1-04.1	19	8.9	04.6-13.2	8	3.0	00.8-05.2
H.S. or G.E.D.	144	10,435				51	32.1	22.9-41.3	4	2.5	00.0-05.0							2	1.1	00.0-02.7
Some Post-H.S.	171	13,227	89	54.7	46.3-63.1	46	26.4	19.0-33.8	11	4.5	01.8-07.2	5	2.9	00.4-05.4	16	10.1	04.8-15.4	4	1.3	00.1-02.5
College Graduate	104	8,605							1	1.7	00.0-05.0	1	1.1	00.0-03.3	3	4.7	00.0-10.4			
Less than $15,000	62	3,844							2	3.1	00.0-07.4							2	2.3	00.0-05.6
$15,000- 24,999	80	5,312							3	3.5	00.0-07.6				4	6.8	00.1-13.5	3	3.1	00.0-06.6
$25,000- 34,999	65	4,233							1	1.0	00.0-03.0	4	7.3	00.2-14.4						
$35,000- 49,999	67	5,159							4	6.7	00.0-13.8				6	11.5	02.5-20.5	1	1.0	00.0-03.0
$50,000- 74,999	65	6,320							2	1.2	00.0-02.8	1	1.3	00.0-03.8	5	6.6	00.5-12.7			
$75,000+	58	5,547							3	3.8	00.0-08.3	1	1.5	00.0-04.4	1	3.9	00.0-11.3			

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS.   ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR   "A ONE C"? (CHKHEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-2 per yr N	%	C.I. (95%)	3-4 per yr N	%	C.I. (95%)	5-9 per yr N	%	C.I. (95%)	10 or more per yr N	%	C.I. (95%)	NONE N	%	C.I. (95%)	Never Heard of N	%	C.I. (95%)
Male	217	20,744	117	54.0	46.2-61.8	61	27.6	20.5-34.7	10	3.5	01.1-05.9	3	1.1	00.0-02.3	21	12.4	06.1-18.7	5	1.5	00.1-02.9
Non-Native	197	18,454	108	55.2	47.2-63.2	56	28.9	21.5-36.3	8	3.4	00.9-05.9	3	1.2	00.0-02.6	18	9.8	05.1-14.5	4	1.4	00.0-03.0
55-64	64	5,430							4	6.2	00.3-12.1				7	11.2	03.2-19.2			
65+	101	8,309				32	30.7	21.3-40.1	3	1.6	00.0-03.6	2	2.0	00.0-04.7	9	9.7	03.2-16.2	5	3.8	00.3-07.3
H.S. or G.E.D.	56	5,085							3	4.3	00.0-09.2							1	1.0	00.0-03.0
Some Post-H.S.	84	7,718				19	20.5	11.5-29.5	5	4.0	00.3-07.7	3	2.9	00.0-06.2	10	13.5	05.5-21.5	2	1.1	00.0-02.7
College Graduate	54	5,797							1	2.5	00.0-07.4				3	7.0	00.0-15.2			

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS.   ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR   "A ONE C"? (CHKHEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	TOTAL	WEIGHTED	1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	15,062	124	46.4	39.0-53.8	95	38.7	31.4-46.0	7	2.2	00.4-04.0	3	1.7	00.0-03.7	17	9.7	02.6-16.8	4	1.3	00.0-02.7
Non-Native	236	13,710	117	46.3	38.7-53.9	89	38.0	30.7-45.3	7	2.4	00.4-04.4	2	1.2	00.0-02.8	17	10.6	03.0-18.2	4	1.4	00.0-02.8
55-64	72	3,904							1	1.6	00.0-04.7				2	2.4	00.0-05.9	1	1.2	00.0-03.6
65+	139	7,171	66	46.0	37.2-54.8	54	38.9	30.1-47.7	4	2.8	00.0-05.7	2	2.2	00.0-05.1	10	8.0	02.7-13.3	3	2.1	00.0-04.5
H.S. or G.E.D.	88	5,350							1	0.8	00.0-02.4							1	1.2	00.0-03.6
Some Post-H.S.	87	5,509							6	5.3	00.8-09.8	2	2.9	00.0-07.0	6	5.4	00.9-09.9	2	1.6	00.0-03.8
College Graduate	50	2,809										1	3.3	00.0-09.6						
$15,000- 24,999	52	2,687							1	3.2	00.0-09.3				1	3.2	00.0-09.3	1	1.6	00.0-04.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
TOTAL	476	36,671	116	28.5	23.0-34.0	104	22.4	17.9-26.9	61	11.9	08.8-15.0	61	12.5	09.0-16.0	39	6.7	04.5-08.9	95	18.1	14.2-22.0
Male	223	21,429	66	32.7	25.1-40.3	47	22.6	15.9-29.3	29	11.0	06.9-15.1	20	9.3	04.6-14.0	22	7.0	04.1-09.9	39	17.4	11.9-22.9
Female	253	15,242	50	22.5	15.1-29.9	57	22.1	16.4-27.8	32	13.2	08.1-18.3	41	16.9	11.4-22.4	17	6.3	03.0-09.6	56	19.0	13.9-24.1
Non-Native	439	32,646	105	27.1	21.8-32.4	98	23.0	18.3-27.7	56	11.6	08.5-14.7	54	12.1	08.4-15.8	36	7.0	04.6-09.4	90	19.1	15.0-23.2
45-54	61	6,348							5	10.0	00.8-19.2	6	8.2	01.1-15.3	6	7.4	00.9-13.9	11	13.5	04.9-22.1
55-64	140	9,661	38	28.2	19.6-36.8	34	24.3	16.7-31.9	20	15.5	08.8-22.2	14	9.8	04.5-15.1	9	5.3	01.8-08.8	25	17.0	10.1-23.9
65+	243	15,656	45	19.7	14.2-25.2	51	21.3	15.6-27.0	34	13.0	08.7-17.3	37	15.2	10.3-20.1	22	8.9	05.2-12.6	54	22.0	16.3-27.7
H.S. or G.E.D.	151	11,067				32	18.9	11.8-26.0	18	11.0	05.7-16.3	19	12.2	06.1-18.3	14	8.4	03.9-12.9	29	14.9	08.8-21.0
Some Post-H.S.	172	13,261	36	23.1	15.5-30.7	34	20.3	13.4-27.2	22	12.5	06.8-18.2	22	12.3	07.0-17.6	18	8.4	04.1-12.7	40	23.5	16.2-30.8
College Graduate	105	8,718							15	12.0	05.7-18.3	14	10.1	04.4-15.8	5	3.3	00.2-06.4	16	15.5	07.7-23.3
Less than $15,000	66	4,040				8	10.3	02.1-18.5	9	13.3	03.9-22.7	11	13.9	04.9-22.9	12	15.6	06.2-25.0			
$15,000- 24,999	82	5,624				17	18.4	09.2-27.6	10	10.6	03.5-17.7				8	9.1	02.6-15.6	10	12.4	03.8-21.0
$25,000- 34,999	62	4,068							11	16.7	06.9-26.5	5	7.6	00.7-14.5	1	1.4	00.0-04.1			
$35,000- 49,999	69	5,262	17	20.8	11.0-30.6				10	13.9	05.3-22.5	8	13.2	03.8-22.6	5	5.3	00.4-10.2			
$50,000- 74,999	65	6,320							5	5.9	00.6-11.2	7	10.6	02.8-18.4	7	9.4	02.0-16.8	11	16.3	06.5-26.1
$75,000+	58	5,547							8	13.2	04.0-22.4	5	5.8	00.5-11.1	2	2.3	00.0-05.6	8	14.3	04.5-24.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Male	223	21,429	66	32.7	25.1-40.3	47	22.6	15.9-29.3	29	11.0	07.1-14.9	20	9.3	04.6-14.0	22	7.0	04.1-09.9	39	17.4	11.9-22.9
Non-Native	200	18,711	58	30.4	23.0-37.8	43	23.4	16.3-30.5	27	11.7	07.2-16.2	16	9.0	03.9-14.1	19	7.0	03.7-10.3	37	18.6	12.7-24.5
55-64	65	5,556				14	18.6	09.2-28.0	11	17.4	07.8-27.0	6	9.8	02.2-17.4	7	7.6	01.9-13.3			
65+	104	8,506	27	24.8	16.2-33.4	18	18.1	10.3-25.9	15	12.9	06.4-19.4	13	12.6	05.7-19.5	10	9.1	03.6-14.6	21	22.4	13.6-31.2
H.S. or G.E.D.	60	5,523							8	11.5	03.5-19.5	8	11.1	02.9-19.3	8	10.8	03.2-18.4	6	9.5	01.5-17.5
Some Post-H.S.	83	7,676				18	22.4	12.4-32.4	10	10.9	04.2-17.6	4	4.5	00.0-09.0	9	7.9	02.6-13.2			
College Graduate	55	5,908							8	10.1	02.8-17.4	4	7.2	00.1-14.3	3	2.9	00.0-06.4			

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT TOTAL	NUMBER WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	253	15,242	50	22.5	15.1-29.9	57	22.1	16.4-27.8	32	13.2	08.1-18.3	41	16.9	11.4-22.4	17	6.3	03.0-09.6	56	19.0	13.9-24.1
Non-Native	239	13,935	47	22.8	15.0-30.6	55	22.6	16.7-28.5	29	11.5	07.0-16.0	38	16.3	11.0-21.6	17	6.9	03.2-10.6	53	19.8	14.3-25.3
55-64	75	4,105							9	12.8	04.6-21.0	8	9.8	03.1-16.5	2	2.3	00.0-05.6	15	16.9	08.5-25.3
65+	139	7,150	18	13.5	07.2-19.8	33	25.0	17.2-32.8	19	13.0	07.1-18.9	24	18.2	11.1-25.3	12	8.7	03.6-13.8	33	21.5	14.4-28.6
H.S. or G.E.D.	91	5,543				19	17.1	08.9-25.3	10	10.6	03.7-17.5	11	13.3	04.3-22.3	6	6.0	00.9-11.1	23	20.3	11.3-29.3
Some Post-H.S.	89	5,586	15	17.2	08.8-25.6	16	17.3	08.7-25.9	12	14.7	04.7-24.7				9	9.2	02.1-16.3	19	18.5	09.9-27.1
College Graduate	50	2,810										10	16.4	06.4-26.4	2	4.1	00.0-10.4	6	11.6	02.2-21.0
$15,000- 24,999	53	2,749													4	9.1	00.3-17.9	6	9.1	01.3-16.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	< 1 Month Ago N	%	C.I. (95%)	1 Month but < 12 Months N	%	C.I. (95%)	1+ Yrs but < 2 Years N	%	C.I. (95%)	2 or more Years N	%	C.I. (95%)	Never N	%	C.I. (95%)
TOTAL	479	36,628	56	12.1	08.8-15.4	292	57.7	52.2-63.2	64	14.7	10.4-19.0	57	12.6	09.1-16.1	10	2.9	00.9-04.9
Male	223	21,354	28	13.1	08.2-18.0	125	54.9	47.3-62.5	30	13.8	08.3-19.3	34	15.1	10.0-20.2	6	3.1	00.4-05.8
Female	256	15,274	28	10.6	06.3-14.9	167	61.7	54.1-69.3	34	15.9	08.6-23.2	23	9.2	05.1-13.3	4	2.5	00.0-05.4
Non-Native	441	32,511	52	12.6	09.1-16.1	267	56.7	51.0-62.4	59	15.1	10.4-19.8	55	13.7	10.0-17.4	8	1.9	00.5-03.3
45-54	61	6,348	9	15.1	05.5-24.7							9	14.0	04.6-23.4	1	1.8	00.0-05.1
55-64	140	9,642	9	7.7	02.2-13.2	91	66.3	57.7-74.9	18	11.4	05.9-16.9	20	13.5	07.4-19.6	2	1.1	00.0-02.7
65+	247	15,675	32	13.4	08.7-18.1	163	63.8	57.1-70.5	29	12.5	08.0-17.0	19	8.6	04.7-12.5	4	1.7	00.0-03.5
Less Than H.S.	52	3,701	5	6.1	00.6-11.6							5	8.1	00.8-15.4	1	1.6	00.0-04.7
H.S. or G.E.D.	151	11,025	17	12.1	06.0-18.2				23	17.9	07.9-27.9	15	10.3	04.6-16.0	2	2.5	00.0-06.4
Some Post-H.S.	171	13,155	17	10.2	04.7-15.7	103	57.8	49.2-66.4	21	13.6	07.7-19.5	26	15.3	09.2-21.4	4	3.2	00.0-06.9
College Graduate	105	8,748	17	17.5	09.5-25.5				14	9.8	04.3-15.3	11	13.4	05.2-21.6	3	3.4	00.0-07.5
Less than $15,000	66	3,973	4	4.3	00.0-08.6				7	11.2	02.6-19.8	8	12.1	03.5-20.7			
$15,000- 24,999	83	5,622	10	11.4	04.0-18.8							7	5.6	01.1-10.1	5	9.1	00.5-17.7
$25,000- 34,999	64	4,168	6	8.9	01.8-16.0				9	12.9	04.3-21.5				2	2.2	00.0-05.3
$35,000- 49,999	69	5,262	6	9.6	02.0-17.2							8	10.2	02.9-17.5			
$50,000- 74,999	64	6,235							6	9.7	01.9-17.5	9	16.0	06.0-26.0	1	3.5	00.0-10.2
$75,000+	57	5,485	8	14.9	04.9-24.9				4	5.3	00.0-10.6				2	4.2	00.0-10.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	< 1 Month Ago N	%	C.I. (95%)	1 Month but < 12 Months N	%	C.I. (95%)	1+ Yrs but < 2 Years N	%	C.I. (95%)	2 or more Years N	%	C.I. (95%)	Never N	%	C.I. (95%)
Male	223	21,354	28	13.1	08.2-18.0	125	54.9	47.3-62.5	30	13.8	08.3-19.3	34	15.1	10.0-20.2	6	3.1	00.4-05.8
Non-Native	200	18,635	25	13.9	08.4-19.4	109	53.0	45.2-60.8	28	14.1	08.4-19.8	33	16.6	10.9-22.3	5	2.4	00.2-04.6
55-64	66	5,599	5	9.4	00.8-18.0				7	9.8	02.4-17.2	9	13.9	05.1-22.7	2	1.9	00.0-04.6
65+	104	8,431	14	14.6	07.5-21.7				14	14.2	07.1-21.3	14	12.8	06.1-19.5	1	1.0	00.0-03.0
H.S. or G.E.D.	59	5,439										7	12.3	03.1-21.5	1	1.2	00.0-03.6
Some Post-H.S.	83	7,633	8	11.9	03.3-20.5				13	15.0	06.8-23.2	15	17.1	08.5-25.7	2	4.0	00.0-09.9
College Graduate	55	5,908	10	16.0	06.2-25.8				7	8.0	01.7-14.3				3	5.0	00.0-11.1

```
                                            NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
         Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES
TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	15,274	28	10.6	06.3-14.9	167	61.7	54.1-69.3	34	15.9	08.6-23.2	23	9.2	05.1-13.3	4	2.5	00.0-05.4
Non-Native	241	13,876	27	10.8	06.5-15.1	158	61.7	53.7-69.7	31	16.5	08.7-24.3	22	9.8	05.5-14.1	3	1.3	00.0-02.9
55-64	74	4,043	4	5.3	00.0-10.6				11	13.7	05.9-21.5	11	13.0	05.2-20.8			
65+	143	7,244	18	12.1	06.6-17.6	102	71.2	63.2-79.2	15	10.5	05.0-16.0	5	3.7	00.4-07.0	3	2.4	00.0-05.3
H.S. or G.E.D.	92	5,586	8	7.8	01.9-13.7							8	8.4	01.9-14.9	1	3.8	00.0-11.1
Some Post-H.S.	88	5,522	9	7.7	02.4-13.0				8	11.6	03.4-19.8	11	12.8	05.0-20.6	2	2.1	00.0-05.2
College Graduate	50	2,839										3	6.0	00.0-13.3			
$15,000- 24,999	54	2,779							6	8.1	01.6-14.6	4	5.0	00.0-10.1			

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	482	36,452	64	11.7	08.6-14.8	418	88.3	85.2-91.4
Male	225	21,488	36	13.3	08.8-17.8	189	86.7	82.2-91.2
Female	257	14,964	28	9.5	05.8-13.2	229	90.5	86.8-94.2
Non-Native	444	32,335	55	11.0	07.9-14.1	389	89.0	85.9-92.1
45-54	61	6,348	10	14.7	05.3-24.1	51	85.3	75.9-94.7
55-64	141	9,704	20	15.1	08.2-22.0	121	84.9	78.0-91.8
65+	249	15,917	33	10.9	07.0-14.8	216	89.1	85.2-93.0
H.S. or G.E.D.	151	10,588	19	11.6	05.9-17.3	132	88.4	82.7-94.1
Some Post-H.S.	173	13,303	23	12.3	06.8-17.8	150	87.7	82.2-93.2
College Graduate	106	8,809	12	8.2	03.1-13.3	94	91.8	86.7-96.9
$15,000- 24,999	83	5,629	15	14.8	07.0-22.6	68	85.2	77.4-93.0
$35,000- 49,999	69	5,262	5	7.5	00.8-14.2	64	92.5	85.8-99.2
$50,000- 74,999	65	6,320	5	6.8	00.0-13.7	60	93.2	86.3-0100
$75,000+	58	5,547	6	10.9	02.1-19.7	52	89.1	80.3-97.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	225	21,488	36	13.3	08.6-18.0	189	86.7	82.0-91.4
Non-Native	202	18,769	29	12.4	07.5-17.3	173	87.6	82.7-92.5
65+	105	8,523	10	7.9	02.8-13.0	95	92.1	87.0-97.2
H.S. or G.E.D.	60	5,523	12	16.1	06.3-25.9	48	83.9	74.1-93.7
Some Post-H.S.	85	7,760	13	15.8	07.2-24.4	72	84.2	75.6-92.8
College Graduate	55	5,908	5	4.5	00.4-08.6	50	95.5	91.4-99.6

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	257	14,964	28	9.5	05.8-13.2	229	90.5	86.8-94.2
Non-Native	242	13,566	26	9.1	05.4-12.8	216	90.9	87.2-94.6
55-64	75	4,105	3	4.5	00.0-10.0	72	95.5	90.0-0100
65+	144	7,394	23	14.3	08.4-20.2	121	85.7	79.8-91.6
H.S. or G.E.D.	91	5,064	7	6.7	01.6-11.8	84	93.3	88.2-98.4
Some Post-H.S.	88	5,543	10	7.5	02.8-12.2	78	92.5	87.8-97.2
$15,000- 24,999	54	2,779	9	15.0	05.0-25.0	45	85.0	75.0-95.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	484	37,052	264	56.0	50.7-61.3	220	44.0	38.7-49.3
Male	225	21,523	108	49.8	42.2-57.4	117	50.2	42.6-57.8
Female	259	15,528	156	64.7	58.0-71.4	103	35.3	28.6-42.0
Non-Native	446	32,935	250	58.6	53.3-63.9	196	41.4	36.1-46.7
55-64	141	9,704	75	51.4	42.2-60.6	66	48.6	39.4-57.8
65+	250	15,995	130	51.6	44.9-58.3	120	48.4	41.7-55.1
Some Post-H.S.	173	13,304	91	52.8	44.2-61.4	82	47.2	38.6-55.8

```
                                            NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                         Rows with less than 50 observations have been suppressed.
         Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 19, 2011

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT TOTAL	NUMBER WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	225	21,523	108	49.8	42.2-57.4	117	50.2	42.6-57.8
Non-Native	202	18,805	102	54.3	46.5-62.1	100	45.7	37.9-53.5
65+	105	8,558	44	43.8	33.8-53.8	61	56.2	46.2-66.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)
Female	259	15,528	156	64.7	58.0-71.4	103	35.3	28.6-42.0
Non-Native	244	14,130	148	64.2	57.3-71.1	96	35.8	28.9-42.7
65+	145	7,437	86	60.5	51.9-69.1	59	39.5	30.9-48.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

MODULE 5: EXCESS SUN EXPOSURE CONTENTS

* NOTE *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* *

March 19, 2011

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	One N	%	C.I. (95%)	Two N	%	C.I. (95%)	Three N	%	C.I. (95%)	Four N	%	C.I. (95%)	Five or More N	%	C.I. (95%)	None N	%	C.I. (95%)
TOTAL	4551	477,962	603	16.0	14.4-17.6	258	8.3	06.9-09.7	100	4.4	03.0-05.8	30	0.9	00.5-01.3	68	2.4	01.6-03.2	3492	67.9	65.7-70.1
Male	1760	238,897	248	16.4	13.9-18.9	133	10.5	08.1-12.9	48	5.7	03.3-08.1	11	0.7	00.1-01.3	34	3.1	01.5-04.7	1286	63.6	60.1-67.1
Female	2791	239,065	355	15.7	13.7-17.7	125	6.1	04.7-07.5	52	3.2	02.0-04.4	19	1.0	00.4-01.6	34	1.8	01.0-02.6	2206	72.2	69.7-74.7
Native	99	15,601	10	13.8	05.0-22.6	4	4.4	00.0-09.5	3	3.6	00.0-08.5				3	2.5	00.0-05.6			
Non-Native	4381	453,363	587	16.2	14.6-17.8	252	8.4	07.0-09.8	95	4.2	03.0-05.4	30	0.9	00.5-01.3	64	2.4	01.4-03.4	3353	67.8	65.6-70.0
18-24	127	78,300	24	17.7	10.6-24.8	16	13.3	06.8-19.8	14	12.8	05.9-19.7	2	1.1	00.0-02.7	6	5.1	00.6-09.6	65	50.1	40.5-59.7
25-34	398	78,688	98	23.3	18.8-27.8	50	13.2	09.5-16.9	23	5.9	03.4-08.4	8	1.8	00.4-03.2	13	3.5	01.5-05.5	206	52.4	46.9-57.9
35-44	587	70,296	141	23.8	20.1-27.5	61	11.1	08.4-13.8	27	4.7	02.9-06.5	10	1.7	00.7-02.7	15	2.7	01.3-04.1	333	56.1	51.8-60.4
45-54	877	86,490	154	17.1	14.4-19.8	73	8.6	06.6-10.6	20	2.4	01.2-03.6	4	0.4	00.0-00.8	15	1.8	00.8-02.8	611	69.7	66.4-73.0
55-64	1038	68,959	118	11.8	09.6-14.0	34	3.4	02.2-04.6	9	1.0	00.4-01.6	4	0.4	00.0-00.8	8	0.9	00.1-01.7	865	82.4	79.9-84.9
65+	1485	93,244	62	4.8	03.6-06.0	23	1.5	00.9-02.1	7	0.5	00.1-00.9	2	0.1	00.0-00.3	11	0.8	00.4-01.2	1380	92.4	90.8-94.0
Less Than H.S.	306	31,986	15	7.7	02.4-13.0	10	9.4	01.2-17.6	5	3.1	00.0-06.4	1	1.1	00.0-03.3	4	1.6	00.0-03.4	271	77.1	67.5-86.7
H.S. or G.E.D.	1339	145,616	133	12.8	09.9-15.7	65	8.0	05.3-10.7	28	6.0	02.7-09.3	6	0.5	00.1-00.9	20	3.0	00.8-05.2	1087	69.7	65.0-74.4
Some Post-H.S.	1457	151,316	205	17.7	14.6-20.8	94	9.1	06.7-11.5	37	3.5	02.1-04.9	9	0.6	00.2-01.0	31	3.2	01.6-04.8	1081	65.8	62.1-69.5
College Graduate	1442	148,501	250	19.4	16.9-21.9	86	7.5	05.7-09.3	30	4.1	02.1-06.1	14	1.4	00.4-02.4	13	1.2	00.4-02.0	1049	66.3	63.2-69.4
Less than $15,000	349	28,416	27	13.4	06.7-20.1	9	1.5	00.5-02.5	6	2.5	00.0-05.2	1	0.1	00.0-00.3	6	4.1	00.2-08.0	300	78.4	71.0-85.8
$15,000- 24,999	621	53,103	37	9.5	05.4-13.6	27	6.7	03.0-10.4	7	2.1	00.3-03.9	3	1.0	00.0-02.4	9	2.3	00.0-05.0	538	78.3	72.4-84.2
$25,000- 34,999	484	48,451	55	13.1	08.8-17.4	31	9.8	04.7-14.9	10	3.6	00.7-06.5	1	0.1	00.0-00.3	8	1.7	00.3-03.1	379	71.7	65.2-78.2
$35,000- 49,999	663	66,878	87	14.0	09.9-18.1	33	6.5	04.0-09.0	9	3.6	00.9-06.3	5	1.3	00.0-02.7	12	2.0	00.8-03.2	517	72.6	67.5-77.7
$50,000- 74,999	714	81,883	121	18.9	15.2-22.6	40	8.4	05.5-11.3	31	9.3	04.2-14.4	7	1.5	00.1-02.9	7	1.2	00.2-02.2	508	60.7	55.4-66.0
$75,000+	1099	134,128	214	21.9	18.6-25.2	90	9.6	07.1-12.1	31	5.1	02.4-07.8	12	1.0	00.4-01.6	18	2.6	01.2-04.0	734	59.7	55.6-63.8

NOTE:
    % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 5: EXCESS SUN EXPOSURE
TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	One N	%	C.I. (95%)	Two N	%	C.I. (95%)	Three N	%	C.I. (95%)	Four N	%	C.I. (95%)	Five or More N	%	C.I. (95%)	None N	%	C.I. (95%)
Male	1760	238,897	248	16.4	13.9-18.9	133	10.5	08.1-12.9	48	5.7	03.3-08.1	11	0.7	00.1-01.3	34	3.1	01.5-04.7	1286	63.6	60.1-67.1
Non-Native	1681	224,689	236	16.3	13.8-18.8	130	10.9	08.4-13.4	44	5.1	02.9-07.3	11	0.8	00.2-01.4	33	3.2	01.6-04.8	1227	63.8	60.3-67.3
18-24	57	42,683													3	6.1	00.0-13.4			
25-34	153	41,375	36	21.8	15.1-28.5	25	16.8	10.5-23.1	9	6.1	02.2-10.0	3	1.8	00.0-04.0	8	4.7	01.4-08.0	72	48.8	40.4-57.2
35-44	246	35,687	61	24.3	18.6-30.0	27	11.1	07.0-15.2	12	5.1	02.2-08.0	4	1.6	00.0-03.4	7	2.8	00.6-05.0	135	55.0	48.3-61.7
45-54	376	43,408	54	14.4	10.5-18.3	40	10.5	07.2-13.8	9	2.4	00.8-04.0	2	0.6	00.0-01.6	8	2.4	00.6-04.2	263	69.6	64.5-74.7
55-64	432	35,267	53	13.0	09.7-16.3	20	4.7	02.5-06.9	6	1.4	00.2-02.6	2	0.5	00.0-01.1	4	1.2	00.0-02.4	347	79.2	75.1-83.3
65+	489	40,036	28	6.3	03.9-08.7	12	2.2	00.8-03.6	4	0.8	00.0-01.6				4	0.7	00.0-01.5	441	90.0	87.3-92.7
Less Than H.S.	133	19,510	10	9.4	01.6-17.2				2	2.2	00.0-05.9				2	2.0	00.0-04.7			
H.S. or G.E.D.	500	75,658	52	11.3	07.4-15.2	34	9.1	04.8-13.4	14	8.8	02.7-14.9	3	0.6	00.0-01.4	10	4.1	00.2-08.0	387	66.0	58.6-73.4
Some Post-H.S.	545	71,416	92	22.0	16.5-27.5	54	13.2	08.7-17.7	21	4.8	02.4-07.2	3	0.8	00.0-01.8	14	3.6	01.2-06.0	361	55.6	49.7-61.5
College Graduate	580	72,074	94	18.1	14.4-21.8	38	8.4	05.7-11.1	11	4.1	00.8-07.4	5	1.0	00.0-02.2	8	1.7	00.5-02.9	424	66.6	61.7-71.5
Less than $15,000	113	14,530				3	1.3	00.0-02.9	1	2.6	00.0-07.5				4	6.6	00.0-14.0			
$15,000- 24,999	183	23,290	10	12.0	03.6-20.4	15	12.5	04.7-20.3	4	2.8	00.0-06.1				3	3.8	00.0-09.7			
$25,000- 34,999	189	21,646	20	12.7	06.2-19.2				5	2.9	00.0-05.8				3	2.1	00.0-04.6			
$35,000- 49,999	272	33,948	31	12.4	06.3-18.5	15	7.1	03.2-11.0	5	2.6	00.0-05.5	3	2.0	00.0-04.5	9	2.8	00.8-04.8	209	72.9	65.3-80.5
$50,000- 74,999	337	43,799	48	16.0	11.1-20.9	24	9.5	05.4-13.6	11	11.7	02.9-20.5	3	1.0	00.0-02.2	4	1.6	00.0-03.2	247	60.2	52.2-68.2
$75,000+	505	74,011	102	21.2	16.5-25.9	49	11.0	07.1-14.9	19	7.4	02.7-12.1	5	0.9	00.1-01.7	9	2.4	00.6-04.2	321	57.2	51.1-63.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

March 19, 2011

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	One N	%	C.I. (95%)	Two N	%	C.I. (95%)	Three N	%	C.I. (95%)	Four N	%	C.I. (95%)	Five or More N	%	C.I. (95%)	None N	%	C.I. (95%)
Female	2791	239,065	355	15.7	13.7-17.7	125	6.1	04.7-07.5	52	3.2	02.0-04.4	19	1.0	00.4-01.6	34	1.8	01.0-02.6	2206	72.2	69.7-74.7
Native	55	7,411	2	6.1	00.0-14.9	2	3.1	00.0-07.6	1	1.0	00.0-03.0				2	4.3	00.0-10.6			
Non-Native	2700	228,674	351	16.1	14.1-18.1	122	6.0	04.6-07.4	51	3.3	02.1-04.5	19	1.1	00.5-01.7	31	1.7	00.9-02.5	2126	71.8	69.3-74.3
18-24	70	35,617	11	16.6	07.2-26.0	7	9.3	02.4-16.2	6	7.4	01.5-13.3	2	2.4	00.0-05.7	3	3.9	00.0-08.4			
25-34	245	37,313	62	25.0	19.3-30.7	25	9.1	05.6-12.6	14	5.7	02.8-08.6	5	1.8	00.2-03.4	5	2.2	00.2-04.2	134	56.2	49.7-62.7
35-44	341	34,609	80	23.3	18.8-27.8	34	11.0	07.5-14.5	15	4.3	02.1-06.5	6	1.7	00.3-03.1	8	2.5	00.7-04.3	198	57.2	51.7-62.7
45-54	501	43,083	100	19.7	16.0-23.4	33	6.7	04.3-09.1	11	2.4	00.8-04.0	2	0.2	00.0-00.4	7	1.2	00.2-02.2	348	69.8	65.5-74.1
55-64	606	33,692	65	10.6	08.1-13.1	14	2.0	00.8-03.2	3	0.6	00.0-01.4	2	0.4	00.0-01.0	4	0.6	00.0-01.4	518	85.7	82.8-88.6
65+	996	53,209	34	3.6	02.2-05.0	11	1.0	00.4-01.6	3	0.3	00.0-00.7	2	0.2	00.0-00.4	7	0.8	00.2-01.4	939	94.1	92.5-95.7
Less Than H.S.	173	12,476	5	4.9	00.0-10.4	3	2.4	00.0-05.1	3	4.5	00.0-10.8	1	2.8	00.0-08.1	2	1.0	00.0-02.4	159	84.4	75.0-93.8
H.S. or G.E.D.	839	69,957	81	14.4	09.9-18.9	31	6.8	03.5-10.1	14	3.0	01.0-05.0	3	0.4	00.0-01.0	10	1.7	00.1-03.3	700	73.8	68.5-79.1
Some Post-H.S.	912	79,900	113	13.8	10.9-16.7	40	5.5	03.5-07.5	16	2.4	01.0-03.8	6	0.5	00.1-00.9	17	3.0	01.2-04.8	720	74.9	71.0-78.8
College Graduate	862	76,427	156	20.6	17.3-23.9	48	6.6	04.4-08.8	19	4.0	01.6-06.4	9	1.8	00.2-03.4	5	0.8	00.0-01.6	625	66.1	62.0-70.2
Less than $15,000	236	13,886	12	7.4	02.1-12.7	6	1.7	00.3-03.1	5	2.5	00.1-04.9	1	0.2	00.0-00.6	2	1.4	00.0-03.4	210	86.8	80.7-92.9
$15,000- 24,999	438	29,812	27	7.6	04.3-10.9	12	2.2	00.8-03.6	3	1.5	00.0-03.3	3	1.8	00.0-04.2	6	1.2	00.2-02.2	387	85.6	81.1-90.1
$25,000- 34,999	295	26,805	35	13.3	07.6-19.0	14	6.1	02.4-09.8	5	4.2	00.0-08.7	1	0.2	00.0-00.6	5	1.5	00.1-02.9	235	74.8	67.4-82.2
$35,000- 49,999	391	32,930	56	15.7	10.4-21.0	18	5.9	03.0-08.8	4	4.7	00.0-09.4	2	0.5	00.0-01.1	3	1.1	00.0-02.5	308	72.2	65.5-78.9
$50,000- 74,999	377	38,085	73	22.1	16.8-27.4	16	7.1	03.0-11.2	20	6.6	03.3-09.9	4	2.2	00.0-04.9	3	0.8	00.0-01.8	261	61.2	54.7-67.7
$75,000+	594	60,117	112	22.8	18.1-27.5	41	7.8	05.1-10.5	12	2.3	00.9-03.7	7	1.3	00.3-02.3	9	2.9	00.5-05.3	413	62.8	57.7-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

March 19, 2011

MODULE 23: RANDOM CHILD SELECTION CONTENTS

* NOTE *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* *

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1992 N	%	C.I. (95%)	1993-1997 N	%	C.I. (95%)	1998-2002 N	%	C.I. (95%)	2003-2007 N	%	C.I. (95%)	2008-2009 N	%	C.I. (95%)	2010 N	%	C.I. (95%)
TOTAL	1092	136,313	36	2.5	01.5-03.5	362	27.2	24.3-30.1	304	26.0	23.1-28.9	253	29.3	26.0-32.6	115	12.4	10.0-14.8	22	2.7	01.5-03.9
Male	423	50,793	17	3.0	01.4-04.6	133	26.3	21.6-31.0	120	26.1	21.4-30.8	99	29.0	23.7-34.3	46	13.2	09.1-17.3	8	2.3	00.5-04.1
Female	669	85,520	19	2.2	01.0-03.4	229	27.7	24.0-31.4	184	25.8	22.1-29.5	154	29.5	25.2-33.8	69	11.9	09.0-14.8	14	2.9	01.1-04.7
Non-Native	1039	127,370	36	2.6	01.6-03.6	345	27.3	24.4-30.2	291	26.9	24.0-29.8	239	28.6	25.3-31.9	107	11.8	09.4-14.2	21	2.8	01.4-04.2
18-24	54	6,695	3	4.5	00.0-10.2				3	3.4	00.0-07.5							2	4.4	00.0-11.1
25-34	274	41,750				25	8.3	04.6-12.0	64	21.2	15.9-26.5	106	42.3	35.6-49.0	65	22.5	16.8-28.2	14	5.7	02.4-09.0
35-44	447	58,807	11	1.8	00.6-03.0	142	28.5	24.0-33.0	160	32.5	27.8-37.2	103	27.8	22.9-32.7	28	8.2	04.9-11.5	3	1.2	00.0-02.6
45-54	251	23,322	15	5.6	02.7-08.5	143	52.5	45.2-59.8	61	25.2	18.9-31.5	26	14.1	08.2-20.0	4	1.7	00.0-03.5	2	0.9	00.0-02.3
55-64	52	4,710										7	11.8	02.6-21.0	3	5.2	00.0-11.1	1	1.5	00.0-04.4
H.S. or G.E.D.	242	28,281	7	3.2	00.7-05.7	92	32.6	25.9-39.3	74	29.2	22.5-35.9	39	20.6	14.1-27.1	23	10.5	06.0-15.0	7	3.9	00.6-07.2
Some Post-H.S.	344	45,408	14	2.9	01.1-04.7	125	30.4	24.9-35.9	91	24.4	19.3-29.5	71	27.0	21.3-32.7	37	12.8	08.5-17.1	6	2.5	00.3-04.7
College Graduate	468	56,999	15	2.0	01.0-03.0	131	21.7	17.8-25.6	129	26.1	21.8-30.4	131	33.9	28.8-39.0	53	13.9	10.0-17.8	9	2.5	00.7-04.3
$15,000- 24,999	78	10,338	3	3.5	00.0-07.8													1	0.7	00.0-02.1
$25,000- 34,999	89	11,540	4	3.6	00.0-07.5										7	9.3	01.7-16.9	3	5.5	00.0-12.4
$35,000- 49,999	145	17,902	9	5.3	01.6-09.0	46	25.0	17.6-32.4	38	24.2	16.6-31.8	32	28.4	19.6-37.2	16	13.3	06.4-20.2	4	3.7	00.0-07.4
$50,000- 74,999	223	28,674	7	2.3	00.5-04.1	66	21.5	15.8-27.2	58	27.5	20.6-34.4	64	35.2	27.8-42.6	27	12.8	07.7-17.9	1	0.8	00.0-02.4
$75,000+	453	52,955	12	1.7	00.5-02.9	164	31.9	27.2-36.6	127	26.0	21.7-30.3	99	27.2	22.3-32.1	42	10.4	07.1-13.7	9	2.7	00.7-04.7

```
                                           NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1992 N	%	C.I. (95%)	1993-1997 N	%	C.I. (95%)	1998-2002 N	%	C.I. (95%)	2003-2007 N	%	C.I. (95%)	2008-2009 N	%	C.I. (95%)	2010 N	%	C.I. (95%)
Male	423	50,793	17	3.0	01.4-04.6	133	26.3	21.6-31.0	120	26.1	21.4-30.8	99	29.0	23.7-34.3	46	13.2	09.1-17.3	8	2.3	00.5-04.1
Non-Native	404	47,236	17	3.2	01.6-04.8	127	26.3	21.6-31.0	116	27.2	22.3-32.1	94	28.4	23.1-33.7	43	12.4	08.5-16.3	7	2.4	00.4-04.4
25-34	91	13,276				6	6.7	00.2-13.2	22	20.2	11.8-28.6				23	21.7	12.7-30.7	3	4.0	00.0-09.3
35-44	169	21,786	4	1.6	00.0-03.2	37	19.3	12.8-25.8	67	34.7	26.9-42.5	41	27.0	19.4-34.6	18	15.7	08.3-23.1	2	1.7	00.0-04.1
45-54	115	11,043	7	6.0	01.3-10.7				26	23.9	14.5-33.3	15	14.7	07.4-22.0	1	0.7	00.0-02.1	2	2.0	00.0-04.9
H.S. or G.E.D.	99	10,570	3	3.9	00.0-08.6				29	27.2	17.4-37.0				10	11.8	03.8-19.8	2	1.3	00.0-03.3
Some Post-H.S.	136	16,566	6	3.3	00.6-06.0	43	28.9	20.1-37.7	38	26.5	18.5-34.5	29	25.0	16.6-33.4	17	14.1	07.2-21.0	3	2.1	00.0-04.6
College Graduate	169	20,332	8	2.7	00.7-04.7	44	18.2	12.5-23.9	49	27.2	19.8-34.6	47	33.6	25.4-41.8	18	14.9	07.6-22.2	3	3.4	00.0-07.3
$35,000- 49,999	50	6,612	4	7.3	00.0-14.9													2	3.3	00.0-08.2
$50,000- 74,999	88	10,642	4	3.5	00.0-07.0	24	17.4	10.1-24.7							9	14.2	05.0-23.4			
$75,000+	205	22,097	7	2.2	00.4-04.0	70	30.4	23.3-37.5	63	27.8	21.3-34.3	43	25.1	18.2-32.0	18	11.1	05.6-16.6	4	3.4	00.0-07.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1992 N	%	C.I. (95%)	1993-1997 N	%	C.I. (95%)	1998-2002 N	%	C.I. (95%)	2003-2007 N	%	C.I. (95%)	2008-2009 N	%	C.I. (95%)	2010 N	%	C.I. (95%)
Female	669	85,520	19	2.2	01.0-03.4	229	27.7	24.0-31.4	184	25.8	22.1-29.5	154	29.5	25.2-33.8	69	11.9	09.0-14.8	14	2.9	01.1-04.7
Non-Native	635	80,134	19	2.3	01.1-03.5	218	27.8	24.1-31.5	175	26.6	22.7-30.5	145	28.8	24.5-33.1	64	11.4	08.5-14.3	14	3.1	01.3-04.9
25-34	183	28,474				19	9.1	04.6-13.6	42	21.7	15.2-28.2	69	40.0	32.0-48.0	42	22.8	15.7-29.9	11	6.5	02.4-10.6
35-44	278	37,021	7	1.9	00.3-03.5	105	33.9	27.8-40.0	93	31.2	25.1-37.3	62	28.2	21.9-34.5	10	3.8	01.3-06.3	1	0.9	00.0-02.7
45-54	136	12,279	8	5.2	01.5-08.9	79	52.3	42.5-62.1	35	26.4	17.8-35.0	11	13.5	04.5-22.5	3	2.6	00.0-05.7			
H.S. or G.E.D.	143	17,712	4	2.8	00.0-05.7	53	31.0	22.6-39.4	45	30.4	21.6-39.2	23	20.7	12.3-29.1	13	9.7	04.2-15.2	5	5.4	00.3-10.5
Some Post-H.S.	208	28,842	8	2.7	00.5-04.9	82	31.3	24.4-38.2	53	23.2	16.7-29.7	42	28.2	20.6-35.8	20	12.0	06.3-17.7	3	2.7	00.0-05.8
College Graduate	299	36,668	7	1.6	00.4-02.8	87	23.6	18.5-28.7	80	25.5	20.0-31.0	84	34.0	27.7-40.3	35	13.4	08.7-18.1	6	2.0	00.2-03.8
$15,000- 24,999	57	7,273	3	5.0	00.0-11.1															
$25,000- 34,999	63	8,192	2	2.9	00.0-07.4													3	7.7	00.0-17.1
$35,000- 49,999	95	11,290	5	4.1	00.2-08.0	35	30.1	20.1-40.1	27	24.4	15.2-33.6				8	12.1	03.7-20.5	2	3.9	00.0-09.2
$50,000- 74,999	135	18,032	3	1.5	00.0-03.3	42	24.0	16.2-31.8	31	25.1	16.5-33.7	40	36.1	26.3-45.9	18	12.0	06.1-17.9	1	1.2	00.0-03.6
$75,000+	248	30,859	5	1.4	00.0-02.8	94	33.0	26.7-39.3	64	24.8	18.9-30.7	56	28.8	22.1-35.5	24	9.9	05.6-14.2	5	2.1	00.0-04.3

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
               Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Boy Male N	%	C.I. (95%)	Girl Female N	%	C.I. (95%)
TOTAL	1171	143,271	614	50.4	47.1-53.7	557	49.6	46.3-52.9
Male	463	54,545	240	48.9	43.6-54.2	223	51.1	45.8-56.4
Female	708	88,726	374	51.3	47.0-55.6	334	48.7	44.4-53.0
Non-Native	1113	133,839	584	50.7	47.4-54.0	529	49.3	46.0-52.6
25-34	291	43,214	159	54.8	48.3-61.3	132	45.2	38.7-51.7
35-44	476	61,721	248	50.3	45.2-55.4	228	49.7	44.6-54.8
45-54	269	24,735	142	46.3	39.4-53.2	127	53.7	46.8-60.6
H.S. or G.E.D.	264	30,042	131	49.7	42.6-56.8	133	50.3	43.2-57.4
Some Post-H.S.	373	48,044	203	50.5	44.6-56.4	170	49.5	43.6-55.4
College Graduate	492	59,178	251	49.9	44.8-55.0	241	50.1	45.0-55.2
$35,000- 49,999	156	18,876	80	48.7	39.7-57.7	76	51.3	42.3-60.3
$50,000- 74,999	238	30,267	125	50.9	43.5-58.3	113	49.1	41.7-56.5
$75,000+	472	54,611	239	47.2	42.1-52.3	233	52.8	47.7-57.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Boy Male N	%	C.I. (95%)	Girl Female N	%	C.I. (95%)
Male	463	54,545	240	48.9	43.6-54.2	223	51.1	45.8-56.4
Non-Native	441	50,716	230	50.2	44.9-55.5	211	49.8	44.5-55.1
35-44	183	23,298	98	51.8	43.6-60.0	85	48.2	40.0-56.4
45-54	124	11,806	63	43.8	33.8-53.8	61	56.2	46.2-66.2
Some Post-H.S.	151	18,199	77	47.3	38.3-56.3	74	52.7	43.7-61.7
College Graduate	177	21,045	85	45.9	37.5-54.3	92	54.1	45.7-62.5
$75,000+	215	23,211	114	49.1	41.7-56.5	101	50.9	43.5-58.3

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Boy Male N	%	C.I. (95%)	Girl Female N	%	C.I. (95%)
Female	708	88,726	374	51.3	47.0-55.6	334	48.7	44.4-53.0
Non-Native	672	83,123	354	51.0	46.7-55.3	318	49.0	44.7-53.3
25-34	190	29,040	106	56.2	48.2-64.2	84	43.8	35.8-51.8
35-44	293	38,423	150	49.3	42.8-55.8	143	50.7	44.2-57.2
45-54	145	12,929	79	48.7	39.3-58.1	66	51.3	41.9-60.7
H.S. or G.E.D.	151	18,380	68	46.0	36.6-55.4	83	54.0	44.6-63.4
Some Post-H.S.	222	29,845	126	52.5	44.7-60.3	96	47.5	39.7-55.3
College Graduate	315	38,133	166	52.1	45.8-58.4	149	47.9	41.6-54.2
$50,000- 74,999	141	18,738	77	53.2	43.6-62.8	64	46.8	37.2-56.4
$75,000+	257	31,400	125	45.8	38.9-52.7	132	54.2	47.3-61.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)
TOTAL	1172	143,494	19	1.9	00.9-02.9	1153	98.1	97.1-99.1
Male	465	54,875	9	2.1	00.7-03.5	456	97.9	96.5-99.3
Female	707	88,619	10	1.8	00.4-03.2	697	98.2	96.8-99.6
Non-Native	1117	134,323	15	1.5	00.7-02.3	1102	98.5	97.7-99.3
25-34	291	43,249	8	2.7	00.7-04.7	283	97.3	95.3-99.3
35-44	480	62,281	3	0.8	00.0-01.8	477	99.2	98.2-0100
45-54	269	24,635	3	1.1	00.0-02.3	266	98.9	97.7-0100
55-64	57	5,163				57	100.0	0100-0100
H.S. or G.E.D.	266	30,328	4	1.2	00.0-02.4	262	98.8	97.6-0100
Some Post-H.S.	371	47,797	9	3.2	01.0-05.4	362	96.8	94.6-99.0
College Graduate	494	59,411	4	0.7	00.1-01.3	490	99.3	98.7-99.9
$15,000- 24,999	83	10,648	3	4.7	00.0-10.2	80	95.3	89.8-0100
$25,000- 34,999	94	11,900	3	4.4	00.0-09.7	91	95.6	90.3-0100
$35,000- 49,999	156	18,876	2	1.3	00.0-03.1	154	98.7	96.9-0100
$50,000- 74,999	237	30,157	3	1.3	00.0-02.7	234	98.7	97.3-0100
$75,000+	474	54,949	4	0.7	00.0-01.5	470	99.3	98.5-0100

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	465	54,875	9	2.1	00.7-03.5	456	97.9	96.5-99.3
Non-Native	445	51,256	7	1.7	00.3-03.1	438	98.3	96.9-99.7
25-34	101	14,209	4	4.8	00.1-09.5	97	95.2	90.5-99.9
35-44	186	23,663	1	0.6	00.0-01.8	185	99.4	98.2-0100
45-54	124	11,798	3	2.2	00.0-04.7	121	97.8	95.3-0100
H.S. or G.E.D.	115	11,871	2	1.1	00.0-02.7	113	98.9	97.3-0100
Some Post-H.S.	150	18,122	5	4.5	00.6-08.4	145	95.5	91.6-99.4
College Graduate	178	21,243	2	0.9	00.0-02.1	176	99.1	97.9-0100
$35,000- 49,999	54	7,002	1	1.5	00.0-04.4	53	98.5	95.6-0100
$50,000- 74,999	97	11,529	2	2.5	00.0-05.8	95	97.5	94.2-0100
$75,000+	217	23,549	2	0.8	00.0-02.0	215	99.2	98.0-0100

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	707	88,619	10	1.8	00.4-03.2	697	98.2	96.8-99.6
Non-Native	672	83,068	8	1.4	00.4-02.4	664	98.6	97.6-99.6
25-34	190	29,040	4	1.7	00.0-03.5	186	98.3	96.5-0100
35-44	294	38,618	2	0.9	00.0-02.3	292	99.1	97.7-0100
45-54	145	12,837				145	100.0	0100-0100
H.S. or G.E.D.	151	18,456	2	1.2	00.0-03.0	149	98.8	97.0-0100
Some Post-H.S.	221	29,675	4	2.3	00.0-04.7	217	97.7	95.3-0100
College Graduate	316	38,168	2	0.6	00.0-01.4	314	99.4	98.6-0100
$15,000- 24,999	60	7,496	1	2.8	00.0-08.1	59	97.2	91.9-0100
$25,000- 34,999	65	8,184	1	3.1	00.0-09.0	64	96.9	91.0-0100
$35,000- 49,999	102	11,874	1	1.2	00.0-03.6	101	98.8	96.4-0100
$50,000- 74,999	140	18,628	1	0.6	00.0-01.8	139	99.4	98.2-0100
$75,000+	257	31,400	2	0.7	00.0-01.7	255	99.3	98.3-0100

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	White N	%	C.I. (95%)	Black or African American N	%	C.I. (95%)	Asian N	%	C.I. (95%)	Native Hawaiian or P.I. N	%	C.I. (95%)	Am. Indian or Alaskan Native N	%	C.I. (95%)	Other N	%	C.I. (95%)
TOTAL	1170	143,133	1045	86.9	84.4-89.4	19	2.2	01.0-03.4	12	1.0	00.4-01.6	2	0.1	00.0-00.3	63	6.8	04.8-08.8	29	3.0	01.6-04.4
Male	463	54,686	416	87.2	83.1-91.3	5	1.7	00.1-03.3	9	2.2	00.6-03.8	1	0.1	00.0-00.3	26	7.4	03.9-10.9	6	1.4	00.0-03.0
Female	707	88,448	629	86.8	83.7-89.9	14	2.6	01.2-04.0	3	0.3	00.0-00.7	1	0.1	00.0-00.3	37	6.4	03.9-08.9	23	3.9	02.1-05.7
Native	50	8,416	4	3.0	00.0-06.1															
Non-Native	1116	134,068	1040	92.6	90.8-94.4	19	2.4	01.2-03.6	12	1.1	00.3-01.9	2	0.1	00.0-00.3	18	1.4	00.6-02.2	25	2.5	01.3-03.7
18-24	59	6,992				3	7.9	00.0-17.7										4	8.0	00.0-16.4
25-34	288	42,839	248	83.1	77.6-88.6	6	2.2	00.4-04.0	3	1.0	00.0-02.4				23	9.9	05.4-14.4	8	3.8	00.9-06.7
35-44	479	62,079	446	92.7	90.0-95.4	5	1.4	00.0-02.8	4	1.1	00.0-02.3	2	0.2	00.0-00.6	18	3.8	01.6-06.0	4	0.9	00.0-01.9
45-54	270	24,740	244	88.1	82.6-93.6	3	2.6	00.0-05.5	3	1.0	00.0-02.2				12	5.7	01.4-10.0	8	2.6	00.6-04.6
55-64	58	5,310				1	2.8	00.0-08.1							1	0.7	00.0-02.1			
H.S. or G.E.D.	266	30,212	228	81.4	75.1-87.7	4	1.7	00.0-03.5	2	1.1	00.0-02.9				21	9.6	05.1-14.1	11	6.2	01.9-10.5
Some Post-H.S.	370	47,685	327	86.4	81.9-90.9	12	4.5	01.8-07.2	1	0.4	00.0-01.2	2	0.3	00.0-00.7	19	5.8	02.7-08.9	9	2.6	00.4-04.8
College Graduate	492	59,229	459	92.5	89.6-95.4	2	0.5	00.0-01.3	9	1.5	00.3-02.7				13	3.6	01.2-06.0	9	1.9	00.5-03.3
$15,000- 24,999	82	10,614				5	7.2	00.5-13.9				1	1.0	00.0-03.0	11	13.6	04.2-23.0			
$25,000- 34,999	96	12,152	82	85.5	77.5-93.5	2	2.5	00.0-05.8	1	0.9	00.0-02.7				7	5.7	01.0-10.4	4	5.4	00.0-11.1
$35,000- 49,999	154	18,578	139	91.5	86.6-96.4	3	2.5	00.0-05.8	1	0.3	00.0-00.9				8	4.5	01.0-08.0	3	1.2	00.0-02.6
$50,000- 74,999	236	30,010	216	91.3	87.0-95.6	3	1.6	00.0-03.4	2	1.2	00.0-03.2				10	3.3	00.9-05.7	5	2.5	00.0-05.4
$75,000+	474	54,914	451	94.4	91.9-96.9	2	0.8	00.0-02.0	6	1.2	00.0-02.4	1	0.1	00.0-00.3	8	2.2	00.4-04.0	6	1.3	00.1-02.5

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	White N	%	C.I. (95%)	Black or African American N	%	C.I. (95%)	Asian N	%	C.I. (95%)	Native Hawaiian or P.I. N	%	C.I. (95%)	Am. Indian or Alaskan Native N	%	C.I. (95%)	Other N	%	C.I. (95%)
Male	463	54,686	416	87.2	83.1-91.3	5	1.7	00.1-03.3	9	2.2	00.6-03.8	1	0.1	00.0-00.3	26	7.4	04.1-10.7	6	1.4	00.0-03.0
Non-Native	442	50,962	414	93.3	90.6-96.0	5	1.8	00.0-03.6	9	2.3	00.5-04.1	1	0.1	00.0-00.3	8	1.6	00.2-03.0	5	0.8	00.0-01.6
25-34	99	14,019	82	79.7	69.7-89.7	2	2.6	00.0-06.1	2	2.4	00.0-06.1				11	14.0	04.8-23.2	2	1.2	00.0-03.0
35-44	185	23,559	173	92.9	88.0-97.8				4	2.8	00.0-05.9	1	0.2	00.0-00.6	6	3.6	00.0-07.3	1	0.5	00.0-01.5
45-54	125	11,903	116	90.4	83.7-97.1	2	4.1	00.0-09.6	2	1.2	00.0-03.0				5	4.3	00.6-08.0			
H.S. or G.E.D.	116	11,976	99	83.4	75.4-91.4	2	2.3	00.0-05.8	2	2.9	00.0-07.2				12	10.6	04.1-17.1	1	0.9	00.0-02.7
Some Post-H.S.	148	17,863	132	85.8	78.7-92.9	3	3.6	00.0-07.7	1	1.1	00.0-03.1	1	0.3	00.0-00.9	7	5.8	01.3-10.3	4	3.5	00.0-07.8
College Graduate	177	21,209	168	94.0	89.1-98.9				6	3.1	00.0-06.2				2	2.5	00.0-06.4	1	0.3	00.0-00.9
$35,000- 49,999	53	6,924	50	95.1	88.6-0100				1	0.7	00.0-02.3				1	3.2	00.0-09.3	1	1.0	00.0-03.0
$50,000- 74,999	96	11,383	89	93.5	87.8-99.2				2	3.3	00.0-08.2				4	2.6	00.0-05.3	1	0.6	00.0-01.8
$75,000+	217	23,514	206	93.4	89.1-97.7	2	1.9	00.0-04.6	4	2.2	00.0-04.7	1	0.2	00.0-00.6	3	1.9	00.0-04.1	1	0.4	00.0-01.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	White N	%	C.I. (95%)	Black or African American N	%	C.I. (95%)	Asian N	%	C.I. (95%)	Native Hawaiian or P.I. N	%	C.I. (95%)	Am. Indian or Alaskan Native N	%	C.I. (95%)	Other N	%	C.I. (95%)
Female	707	88,448	629	86.8	83.7-89.9	14	2.6	01.2-04.0	3	0.3	00.0-00.7	1	0.1	00.0-00.3	37	6.4	03.9-08.9	23	3.9	02.1-05.7
Non-Native	674	83,106	626	92.1	89.7-94.5	14	2.7	01.1-04.3	3	0.3	00.0-00.7	1	0.1	00.0-00.3	10	1.2	00.4-02.0	20	3.5	01.7-05.3
25-34	189	28,820	166	84.7	78.2-91.2	4	2.0	00.0-04.0	1	0.4	00.0-01.2				12	7.9	02.8-13.0	6	5.1	01.0-09.2
35-44	294	38,520	273	92.5	89.0-96.0	5	2.3	00.1-04.5				1	0.3	00.0-00.9	12	3.9	01.4-06.4	3	1.1	00.0-02.5
45-54	145	12,837	128	86.0	77.8-94.2	1	1.2	00.0-03.6	1	0.8	00.0-02.4				7	6.9	00.0-14.3	8	5.1	01.4-08.8
H.S. or G.E.D.	150	18,236	129	80.1	71.5-88.7	2	1.3	00.0-03.1							9	8.9	02.6-15.2	10	9.7	02.8-16.6
Some Post-H.S.	222	29,822	195	86.7	81.0-92.4	9	5.0	01.5-08.5				1	0.4	00.0-01.2	12	5.8	01.5-10.1	5	2.2	00.0-04.4
College Graduate	315	38,021	291	91.6	87.9-95.3	2	0.8	00.0-02.0	3	0.7	00.0-01.5				11	4.2	01.3-07.1	8	2.7	00.7-04.7
$15,000- 24,999	60	7,496				4	7.4	00.0-15.2				1	1.4	00.0-04.1						
$25,000- 34,999	66	8,331	57	84.6	74.6-94.6	2	3.6	00.0-08.5	1	1.2	00.0-03.6				2	2.6	00.0-06.1	4	7.9	00.0-16.1
$35,000- 49,999	101	11,654	89	89.4	82.5-96.3	3	4.0	00.0-09.1							7	5.3	01.0-09.6	2	1.3	00.0-03.1
$50,000- 74,999	140	18,628	127	90.0	83.9-96.1	3	2.5	00.0-05.4							6	3.7	00.4-07.0	4	3.7	00.0-08.2
$75,000+	257	31,400	245	95.2	92.1-98.3				2	0.5	00.0-01.1				5	2.4	00.0-04.8	5	1.9	00.1-03.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Parent N	%	C.I. (95%)	Grandparent N	%	C.I. (95%)	Foster parent guardian N	%	C.I. (95%)	Sibling N	%	C.I. (95%)	Other relative N	%	C.I. (95%)	Not related N	%	C.I. (95%)
TOTAL	1178	143,837	1067	91.9	90.1-93.7	36	2.5	01.3-03.7	17	1.3	00.5-02.1	35	2.0	01.2-02.8	12	1.0	00.2-01.8	11	1.2	00.4-02.0
Male	467	55,130	419	91.1	88.2-94.0	9	1.6	00.4-02.8	7	1.3	00.1-02.5	17	2.5	01.1-03.9	6	0.9	00.1-01.7	9	2.5	00.5-04.5
Female	711	88,707	648	92.4	90.0-94.8	27	3.1	01.5-04.7	10	1.3	00.5-02.1	18	1.7	00.9-02.5	6	1.1	00.1-02.1	2	0.4	00.0-01.0
Native	50	8,416							2	3.0	00.0-08.1	2	2.1	00.0-05.0	3	7.9	00.0-17.9	2	3.1	00.0-07.8
Non-Native	1118	134,196	1027	93.5	91.9-95.1	28	1.8	01.0-02.6	15	1.2	00.6-01.8	32	2.0	01.2-02.8	8	0.5	00.1-00.9	8	1.0	00.2-01.8
18-24	60	7,054							1	1.0	00.0-03.0							2	1.5	00.0-03.7
25-34	290	42,986	275	95.8	93.3-98.3				3	1.0	00.0-02.2	5	0.9	00.1-01.7	3	0.6	00.0-01.4	4	1.7	00.0-03.7
35-44	480	62,226	475	98.7	97.5-99.9				2	0.5	00.0-01.3	1	0.2	00.0-00.6				2	0.6	00.0-01.6
45-54	272	24,989	250	89.9	84.8-95.0	11	5.7	01.4-10.0	4	1.4	00.0-03.0				4	0.9	00.0-01.9	3	2.2	00.0-04.7
55-64	59	5,372							5	9.8	00.6-19.0				1	1.2	00.0-03.6			
H.S. or G.E.D.	268	30,232	218	84.3	79.6-89.0	14	4.5	01.8-07.2	5	1.7	00.0-03.5	21	5.5	03.0-08.0	7	2.5	00.3-04.7	3	1.6	00.0-03.6
Some Post-H.S.	375	48,218	343	91.5	88.0-95.0	13	3.6	01.1-06.1	4	1.5	00.0-03.1	9	1.5	00.5-02.5	2	0.3	00.0-00.9	4	1.6	00.0-03.4
College Graduate	493	59,380	472	97.3	95.9-98.7	7	0.7	00.1-01.3	8	1.0	00.2-01.8	3	0.4	00.0-00.8	2	0.2	00.0-00.6	1	0.3	00.0-00.9
$15,000- 24,999	84	10,753	71	88.4	80.8-96.0	4	4.5	00.0-10.4	2	3.2	00.0-07.7	5	2.9	00.4-05.4	2	1.1	00.0-02.7			
$25,000- 34,999	96	12,152	82	88.5	81.1-95.9	4	1.6	00.0-03.2	2	0.6	00.0-01.4	6	4.6	00.7-08.5				2	4.7	00.0-11.2
$35,000- 49,999	153	18,405	143	94.5	90.8-98.2	2	0.6	00.0-01.4	5	3.2	00.3-06.1	1	0.6	00.0-01.8	2	1.1	00.0-02.7			
$50,000- 74,999	238	30,267	227	95.9	93.2-98.6	7	2.5	00.3-04.7	2	0.8	00.0-02.0							2	0.8	00.0-02.2
$75,000+	474	54,917	445	94.9	92.9-96.9	9	1.3	00.5-02.1	5	1.0	00.0-02.0	9	1.4	00.4-02.4	4	0.8	00.0-01.6	2	0.7	00.0-01.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Parent N	%	C.I. (95%)	Grandparent N	%	C.I. (95%)	Foster parent guardian N	%	C.I. (95%)	Sibling N	%	C.I. (95%)	Other relative N	%	C.I. (95%)	Not related N	%	C.I. (95%)
Male	467	55,130	419	91.1	88.2-94.0	9	1.6	00.4-02.8	7	1.3	00.1-02.5	17	2.5	01.1-03.9	6	0.9	00.1-01.7	9	2.5	00.5-04.5
Non-Native	443	51,092	402	91.8	88.9-94.7	8	1.6	00.2-03.0	5	0.9	00.0-01.9	16	2.5	01.1-03.9	5	0.9	00.0-01.9	7	2.3	00.3-04.3
25-34	102	14,313	92	91.3	85.0-97.6				2	1.8	00.0-04.9	2	1.4	00.0-03.4	3	1.8	00.0-04.0	3	3.7	00.0-08.8
35-44	185	23,559	181	97.0	94.1-99.9				1	0.9	00.0-02.7	1	0.4	00.0-01.2				2	1.7	00.0-04.1
45-54	125	11,990	117	93.2	87.9-98.5	3	2.7	00.0-05.8	1	0.6	00.0-01.8				2	0.6	00.0-01.6	2	3.0	00.0-07.1
H.S. or G.E.D.	117	12,045	96	86.4	80.1-92.7	3	1.8	00.0-04.0	3	1.4	00.0-03.2	8	3.9	01.2-06.6	5	4.1	00.2-08.0	2	2.3	00.0-05.8
Some Post-H.S.	151	18,235	132	87.0	80.5-93.5	5	3.4	00.1-06.7	2	2.4	00.0-05.7	7	3.0	00.6-05.4	1	0.1	00.0-00.3	4	4.2	00.0-08.7
College Graduate	177	21,212	173	98.8	97.4-0100	1	0.3	00.0-00.9	2	0.5	00.0-01.3	1	0.5	00.0-01.5						
$35,000- 49,999	53	6,898	52	99.0	97.0-0100				1	1.0	00.0-03.0									
$50,000- 74,999	97	11,529	93	96.2	91.7-0100	2	2.6	00.0-06.7	1	0.6	00.0-01.8							1	0.6	00.0-01.8
$75,000+	217	23,517	204	94.2	90.7-97.7	3	1.0	00.0-02.2	2	1.1	00.0-02.9	4	1.5	00.0-03.1	3	1.4	00.0-03.2	1	0.8	00.0-02.4

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 23: RANDOM CHILD SELECTION
TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Parent N	%	C.I. (95%)	Grandparent N	%	C.I. (95%)	Foster parent guardian N	%	C.I. (95%)	Sibling N	%	C.I. (95%)	Other relative N	%	C.I. (95%)	Not related N	%	C.I. (95%)
Female	711	88,707	648	92.4	90.0-94.8	27	3.1	01.5-04.7	10	1.3	00.5-02.1	18	1.7	00.9-02.5	6	1.1	00.1-02.1	2	0.4	00.0-01.0
Non-Native	675	83,104	625	94.5	92.9-96.1	20	1.9	00.9-02.9	10	1.4	00.4-02.4	16	1.7	00.9-02.5	3	0.3	00.0-00.7	1	0.2	00.0-00.6
25-34	188	28,673	183	98.1	96.1-0100				1	0.6	00.0-01.8	3	0.7	00.0-01.5				1	0.7	00.0-02.1
35-44	295	38,667	294	99.7	99.1-0100				1	0.3	00.0-00.9									
45-54	147	12,999	133	86.8	78.4-95.2	8	8.5	00.9-16.1	3	2.2	00.0-04.9				2	1.1	00.0-02.7	1	1.4	00.0-04.1
H.S. or G.E.D.	151	18,187	122	82.9	76.2-89.6	11	6.2	01.7-10.7	2	1.9	00.0-04.4	13	6.5	02.8-10.2	2	1.5	00.0-03.9	1	1.0	00.0-03.0
Some Post-H.S.	224	29,984	211	94.3	90.4-98.2	8	3.8	00.3-07.3	2	1.0	00.0-02.4	2	0.5	00.0-01.3	1	0.5	00.0-01.5			
College Graduate	316	38,168	299	96.5	94.5-98.5	6	1.0	00.2-01.8	6	1.3	00.1-02.5	2	0.3	00.0-00.7	2	0.4	00.0-01.0	1	0.5	00.0-01.5
$15,000- 24,999	61	7,531	53	89.6	80.6-98.6	3	5.5	00.0-13.5	1	1.7	00.0-05.0	3	2.4	00.0-05.1	1	0.8	00.0-02.4			
$25,000- 34,999	66	8,331	58	93.1	87.6-98.6	4	2.4	00.0-04.8	1	0.4	00.0-01.2	3	4.1	00.0-09.0						
$35,000- 49,999	100	11,507	91	91.8	86.1-97.5	2	0.9	00.0-02.3	4	4.5	00.0-09.0	1	1.0	00.0-03.0	2	1.8	00.0-04.3			
$50,000- 74,999	141	18,738	134	95.7	92.4-99.0	5	2.4	00.2-04.6	1	0.9	00.0-02.7							1	1.0	00.0-03.0
$75,000+	257	31,400	241	95.4	93.0-97.8	6	1.5	00.3-02.7	3	1.0	00.0-02.2	5	1.4	00.2-02.6	1	0.2	00.0-00.6	1	0.6	00.0-01.8

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

MODULE 24: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* *

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 24: CHILDHOOD ASTHMA PREVALENCE
TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents without children
Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	1167	142,173	124	9.8	07.8-11.8	1043	90.2	88.2-92.2
Male	462	54,048	46	8.4	05.5-11.3	416	91.6	88.7-94.5
Female	705	88,126	78	10.7	08.2-13.2	627	89.3	86.8-91.8
Non-Native	1108	132,606	116	9.7	07.7-11.7	992	90.3	88.3-92.3
18-24	58	6,598	6	10.3	01.7-18.9	52	89.7	81.1-98.3
25-34	289	42,800	31	11.4	07.1-15.7	258	88.6	84.3-92.9
35-44	476	61,566	50	9.0	06.1-11.9	426	91.0	88.1-93.9
45-54	271	24,850	24	7.7	04.6-10.8	247	92.3	89.2-95.4
55-64	57	5,248	10	13.5	04.9-22.1	47	86.5	77.9-95.1
H.S. or G.E.D.	262	29,398	34	15.4	09.7-21.1	228	84.6	78.9-90.3
Some Post-H.S.	373	47,933	43	11.0	07.5-14.5	330	89.0	85.5-92.5
College Graduate	492	59,153	40	6.2	04.0-08.4	452	93.8	91.6-96.0
$15,000- 24,999	85	10,787	10	6.7	02.2-11.2	75	93.3	88.8-97.8
$25,000- 34,999	96	12,152	15	17.1	08.1-26.1	81	82.9	73.9-91.9
$35,000- 49,999	152	18,257	11	5.9	02.2-09.6	141	94.1	90.4-97.8
$50,000- 74,999	237	30,212	30	10.7	06.0-15.4	207	89.3	84.6-94.0
$75,000+	470	54,292	40	8.3	05.6-11.0	430	91.7	89.0-94.4

```
                                       NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 19, 2011

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents without children
Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	462	54,048	46	8.4	05.5-11.3	416	91.6	88.7-94.5
Non-Native	439	50,083	43	8.7	05.8-11.6	396	91.3	88.4-94.2
25-34	102	14,274	10	8.9	03.0-14.8	92	91.1	85.2-97.0
35-44	184	23,209	17	8.6	03.7-13.5	167	91.4	86.5-96.3
45-54	124	11,851	12	6.8	02.9-10.7	112	93.2	89.3-97.1
H.S. or G.E.D.	114	11,482	15	13.1	04.7-21.5	99	86.9	78.5-95.3
Some Post-H.S.	149	17,949	16	10.3	04.8-15.8	133	89.7	84.2-95.2
College Graduate	178	21,246	11	4.3	01.6-07.0	167	95.7	93.0-98.4
$35,000- 49,999	53	6,898	3	3.7	00.0-08.0	50	96.3	92.0-0100
$50,000- 74,999	97	11,529	13	11.2	03.2-19.2	84	88.8	80.8-96.8
$75,000+	214	22,945	16	8.3	04.0-12.6	198	91.7	87.4-96.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 24: CHILDHOOD ASTHMA PREVALENCE
TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents without children
Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	705	88,126	78	10.7	08.2-13.2	627	89.3	86.8-91.8
Non-Native	669	82,523	73	10.3	07.8-12.8	596	89.7	87.2-92.2
25-34	187	28,526	21	12.7	07.0-18.4	166	87.3	81.6-93.0
35-44	292	38,357	33	9.3	05.8-12.8	259	90.7	87.2-94.2
45-54	147	12,999	12	8.5	03.6-13.4	135	91.5	86.6-96.4
H.S. or G.E.D.	148	17,916	19	16.9	09.1-24.7	129	83.1	75.3-90.9
Some Post-H.S.	224	29,984	27	11.3	06.8-15.8	197	88.7	84.2-93.2
College Graduate	314	37,907	29	7.3	04.4-10.2	285	92.7	89.8-95.6
$15,000- 24,999	61	7,531	5	5.2	00.3-10.1	56	94.8	89.9-99.7
$35,000- 49,999	99	11,360	8	7.2	01.9-12.5	91	92.8	87.5-98.1
$50,000- 74,999	140	18,683	17	10.5	04.8-16.2	123	89.5	83.8-95.2
$75,000+	256	31,348	24	8.3	04.8-11.8	232	91.7	88.2-95.2

```
NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 24: CHILDHOOD ASTHMA PREVALENCE
TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents with children, but they do not have asthma
Denominator excludes: Respondents without children
Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT TOTAL	NUMBER WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	119	13,315	77	68.3	58.7-77.9	42	31.7	22.1-41.3
Non-Native	111	12,247				39	33.1	23.1-43.1

March 19, 2011

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 24: CHILDHOOD ASTHMA PREVALENCE
TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents with children, but they do not have asthma
Denominator excludes: Respondents without children
Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
62 of 64   March 19, 2011

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents with children, but they do not have asthma
Denominator excludes: Respondents without children
Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

```
All of the Confidence Intervals for this table are too wide
                  (half-width greater than 10)
                    to print this table.
```

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

End of Module Data Report