

NORTH DAKOTA

2015 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 13, 2015



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 6: COGNITIVE DECLINE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1912	272,649	176	10.2	08.2-12.2	1736	89.8	87.8-91.8
Male	802	131,442	81	10.9	08.2-13.6	721	89.1	86.4-91.8
Female	1110	141,206	95	9.6	06.9-12.3	1015	90.4	87.7-93.1
45-54	364	82,464	28	9.3	05.2-13.4	336	90.7	86.6-94.8
55-64	609	88,216	43	7.5	04.6-10.4	566	92.5	89.6-95.4
65+	939	101,969	105	13.3	10.2-16.4	834	86.7	83.6-89.8
Less Than H.S.	125	28,875	22	21.9	11.1-32.7	103	78.1	67.3-88.9
H.S. or G.E.D.	558	70,667	58	11.0	07.5-14.5	500	89.0	85.5-92.5
Some Post-H.S.	623	104,531	46	7.3	04.8-09.8	577	92.7	90.2-95.2
College Graduate	602	68,327	49	8.9	06.0-11.8	553	91.1	88.2-94.0
Less than \$15,000	99	16,530	24	34.0	19.5-48.5	75	66.0	51.5-80.5
\$15,000- 24,999	223	31,961	26	10.4	05.5-15.3	197	89.6	84.7-94.5
\$25,000- 34,999	177	21,503	25	16.5	08.5-24.5	152	83.5	75.5-91.5
\$35,000- 49,999	253	31,865	20	8.0	03.9-12.1	233	92.0	87.9-96.1
\$50,000- 74,999	318	46,464	20	6.0	03.1-08.9	298	94.0	91.1-96.9
\$75,000+	571	85,166	30	4.4	02.6-06.2	541	95.6	93.8-97.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	802	131,442	81	10.9	08.2-13.6	721	89.1	86.4-91.8
45-54	181	41,140	16	11.0	05.5-16.5	165	89.0	83.5-94.5
55-64	268	44,249	20	7.2	03.1-11.3	248	92.8	88.7-96.9
65+	353	46,053	45	14.2	09.5-18.9	308	85.8	81.1-90.5
Less Than H.S.	63	16,045	10	14.3	04.7-23.9	53	85.7	76.1-95.3
H.S. or G.E.D.	225	33,420	24	12.2	06.3-18.1	201	87.8	81.9-93.7
Some Post-H.S.	245	47,885	22	9.4	04.9-13.9	223	90.6	86.1-95.1
College Graduate	269	34,093	25	10.0	05.3-14.7	244	90.0	85.3-94.7
\$15,000- 24,999	80	15,083	7	8.1	01.2-15.0	73	91.9	85.0-98.8
\$25,000- 34,999	63	8,814	13	20.3	08.9-31.7	50	79.7	68.3-91.1
\$35,000- 49,999	110	17,534	12	9.6	02.9-16.3	98	90.4	83.7-97.1
\$50,000- 74,999	154	24,166	14	9.0	03.9-14.1	140	91.0	85.9-96.1
\$75,000+	292	45,633	17	5.4	02.7-08.1	275	94.6	91.9-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1110	141,206	95	9.6	06.9-12.3	1015	90.4	87.7-93.1
45-54	183	41,324	12	7.6	01.5-13.7	171	92.4	86.3-98.5
55-64	341	43,967	23	7.8	03.5-12.1	318	92.2	87.9-96.5
65+	586	55,916	60	12.5	08.6-16.4	526	87.5	83.6-91.4
Less Than H.S.	62	12,830	12	31.4	12.4-50.4	50	68.6	49.6-87.6
H.S. or G.E.D.	333	37,247	34	10.0	05.9-14.1	299	90.0	85.9-94.1
Some Post-H.S.	378	56,647	24	5.5	02.8-08.2	354	94.5	91.8-97.2
College Graduate	333	34,233	24	7.9	04.4-11.4	309	92.1	88.6-95.6
Less than \$15,000	70	10,023	17	34.0	14.4-53.6	53	66.0	46.4-85.6
\$15,000- 24,999	143	16,878	19	12.5	05.4-19.6	124	87.5	80.4-94.6
\$25,000- 34,999	114	12,689	12	13.8	02.8-24.8	102	86.2	75.2-97.2
\$35,000- 49,999	143	14,331	8	6.0	01.3-10.7	135	94.0	89.3-98.7
\$50,000- 74,999	164	22,298	6	2.7	00.2-05.2	158	97.3	94.8-99.8
\$75,000+	279	39,533	13	3.3	01.3-05.3	266	96.7	94.7-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	174	27,392	11	11.5	02.3-20.7	7	3.7	00.8-06.6	33	21.5	12.9-30.1	22	12.6	05.2-20.0	101	50.8	40.4-61.2
Male	80	14,133	7	11.0	02.2-19.8	3	4.0	00.0-08.7	9	9.7	02.6-16.8	9	17.2	04.5-29.9	52	58.1	44.0-72.2
Female	94	13,259	4	11.9	00.0-28.4	4	3.3	00.0-07.0	24	34.1	19.2-49.0	13	7.6	02.7-12.5	49	43.1	28.6-57.6
65+	103	13,089	7	10.2	02.2-18.2	3	2.8	00.0-06.3	18	23.4	11.2-35.6	14	10.3	03.4-17.2	61	53.3	40.4-66.2
H.S. or G.E.D.	57	7,487	2	2.6	00.0-06.1	3	4.8	00.0-11.7	12	28.8	13.1-44.5	10	19.3	01.3-37.3	30	44.6	27.2-62.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	80	14,133	7	11.0	02.2-19.8	3	4.0	00.0-08.7	9	9.7	02.8-16.6	9	17.2	03.9-30.5	52	58.1	43.2-73.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	94	13,259	4	11.9	00.0-28.4	4	3.3	00.0-07.0	24	34.1	19.0-49.2	13	7.6	02.7-12.5	49	43.1	28.4-57.8
65+	59	6,675	2	4.2	00.0-10.3	3	5.5	00.0-12.6	13	37.6	18.6-56.6	9	9.0	02.1-15.9	32	43.7	26.8-60.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	175	27,786	6	8.8	00.0-17.6	5	2.1	00.1-04.1	37	19.2	11.6-26.8	33	22.2	13.0-31.4	94	47.6	37.8-57.4
Male	81	14,277	2	4.0	00.0-10.1	2	1.9	00.0-04.8	16	15.8	07.2-24.4	15	24.9	11.4-38.4	46	53.5	39.8-67.2
Female	94	13,509	4	13.9	00.0-30.2	3	2.3	00.0-05.0	21	22.9	10.4-35.4	18	19.5	07.5-31.5	48	41.4	27.3-55.5
65+	104	13,483	3	4.1	00.0-08.8	3	2.2	00.0-04.7	23	17.7	09.1-26.3	24	30.7	18.0-43.4	51	45.2	32.9-57.5
H.S. or G.E.D.	58	7,786	1	2.3	00.0-06.8	2	2.7	00.0-06.6	15	25.4	10.7-40.1	11	23.7	05.5-41.9	29	45.9	29.4-62.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	81	14,277	2	4.0	00.0-10.1	2	1.9	00.0-04.8	16	15.8	06.4-25.2	15	24.9	10.8-39.0	46	53.5	40.8-66.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	94	13,509	4	13.9	00.0-30.2	3	2.3	00.0-05.0	21	22.9	10.4-35.4	18	19.5	07.5-31.5	48	41.4	27.3-55.5
65+	59	6,925	2	6.0	00.0-14.2	2	3.2	00.0-07.5	15	21.7	08.4-35.0	12	29.5	10.7-48.3	28	39.7	23.6-55.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE

TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE

TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	174	27,408	14	15.2	05.6-24.8	10	7.5	01.6-13.4	30	16.8	09.9-23.7	25	12.2	06.5-17.9	95	48.3	38.1-58.5
Male	79	13,850	5	11.1	00.0-22.7	4	5.6	00.0-11.5	11	14.3	04.7-23.9	11	12.8	04.0-21.6	48	56.1	42.0-70.2
Female	95	13,558	9	19.4	03.1-35.7	6	9.4	00.0-19.6	19	19.4	09.6-29.2	14	11.5	04.2-18.8	47	40.3	26.0-54.6
65+	103	13,104	6	6.7	00.2-13.2	4	5.6	00.0-11.5	20	21.0	11.4-30.6	13	11.3	03.5-19.1	60	55.5	43.0-68.0
H.S. or G.E.D.	58	7,786	3	12.7	00.0-30.3	3	5.3	00.0-11.6	11	20.2	07.5-32.9	8	9.7	00.7-18.7	33	52.1	34.3-69.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	79	13,850	5	11.1	00.0-23.1	4	5.6	00.0-11.5	11	14.3	04.7-23.9	11	12.8	04.2-21.4	48	56.1	41.2-71.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	95	13,558	9	19.4	03.1-35.7	6	9.4	00.0-19.6	19	19.4	09.6-29.2	14	11.5	04.2-18.8	47	40.3	26.0-54.6
65+	60	6,974	4	9.7	00.0-20.9	2	3.9	00.0-09.4	15	29.8	14.5-45.1	7	9.4	00.2-18.6	32	47.2	29.8-64.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	176	27,835	68	37.8	28.0-47.6	108	62.2	52.4-72.0
Male	81	14,277	20	27.7	14.6-40.8	61	72.3	59.2-85.4
Female	95	13,558	48	48.4	33.5-63.3	47	51.6	36.7-66.5
65+	105	13,532	33	35.0	22.7-47.3	72	65.0	52.7-77.3
H.S. or G.E.D.	58	7,786	18	37.4	19.8-55.0	40	62.6	45.0-80.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	81	14,277	20	27.7	13.8-41.6	61	72.3	58.4-86.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 6: COGNITIVE DECLINE**

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	95	13,558	48	48.4	33.5-63.3	47	51.6	36.7-66.5
65+	60	6,974	23	45.4	27.6-63.2	37	54.6	36.8-72.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 25: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)	
1 MALES AND FEMALES	23
2 MALES ONLY	24
3 FEMALES ONLY	25
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)	
4 MALES AND FEMALES	26
5 MALES ONLY	27
6 FEMALES ONLY	28
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
7 MALES AND FEMALES	29
8 MALES ONLY	30
9 FEMALES ONLY	31
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)	
10 MALES AND FEMALES	32
11 MALES ONLY	33
12 FEMALES ONLY	34
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)	
13 MALES AND FEMALES	35
14 MALES ONLY	36
15 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 25: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)	
16	MALES AND FEMALES	38
17	MALES ONLY	39
18	FEMALES ONLY	40
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)	
19	MALES AND FEMALES	41
20	MALES ONLY	42
21	FEMALES ONLY	43
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE - BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)	
22	MALES AND FEMALES	44
23	MALES ONLY	45
24	FEMALES ONLY	46
	ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)	
25	MALES AND FEMALES	47
26	MALES ONLY	48
27	FEMALES ONLY	49
	HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)	
28	MALES AND FEMALES	50
29	MALES ONLY	51
30	FEMALES ONLY	52

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2473	493,855	423	21.0	18.8-23.2	110	5.4	04.0-06.8	81	4.5	03.1-05.9	79	4.3	03.1-05.5	1780	64.8	62.3-67.3
Male	1097	246,105	207	21.3	18.2-24.4	47	5.5	03.5-07.5	38	4.8	02.6-07.0	41	4.5	02.9-06.1	764	63.9	60.2-67.6
Female	1376	247,750	216	20.7	17.4-24.0	63	5.3	03.5-07.1	43	4.2	02.4-06.0	38	4.1	02.3-05.9	1016	65.7	62.0-69.4
18-24	118	69,866	37	32.3	23.3-41.3	9	8.1	02.8-13.4	6	7.7	01.0-14.4	8	6.2	01.7-10.7	58	45.7	36.1-55.3
25-34	231	86,190	75	30.3	24.0-36.6	13	5.2	02.1-08.3	8	3.6	00.9-06.3	13	7.2	03.1-11.3	122	53.6	46.5-60.7
35-44	255	72,539	51	20.9	14.8-27.0	14	6.4	02.7-10.1	10	6.2	01.7-10.7	9	4.1	01.2-07.0	171	62.4	55.1-69.7
45-54	356	80,960	59	16.7	12.4-21.0	19	5.5	02.6-08.4	17	3.6	01.4-05.8	6	2.1	00.3-03.9	255	72.1	66.8-77.4
55-64	598	84,937	95	17.0	13.3-20.7	25	5.5	02.6-08.4	23	5.1	02.4-07.8	20	3.6	01.8-05.4	435	68.8	63.9-73.7
65+	898	95,643	104	12.1	09.0-15.2	30	2.9	01.5-04.3	17	2.0	01.0-03.0	23	3.1	01.5-04.7	724	79.9	76.2-83.6
Less Than H.S.	135	40,581	32	25.9	16.3-35.5	7	7.9	01.6-14.2	7	8.0	00.6-15.4	10	10.0	03.5-16.5	79	48.2	37.2-59.2
H.S. or G.E.D.	696	128,219	119	21.8	17.3-26.3	38	5.2	03.0-07.4	31	6.4	03.5-09.3	25	4.6	02.2-07.0	483	61.9	56.8-67.0
Some Post-H.S.	812	194,471	134	20.4	16.7-24.1	42	7.0	04.5-09.5	22	3.5	01.1-05.9	30	4.6	02.6-06.6	584	64.5	60.0-69.0
College Graduate	824	129,707	138	19.7	16.2-23.2	23	2.6	01.4-03.8	20	2.8	01.2-04.4	14	1.8	00.8-02.8	629	73.1	69.2-77.0
Less than \$15,000	116	27,715	18	16.9	08.3-25.5	10	10.6	02.8-18.4	7	10.2	01.6-18.8	8	8.3	02.0-14.6	73	53.9	41.6-66.2
\$15,000- 24,999	256	50,024	64	33.6	24.6-42.6	13	4.1	01.4-06.8	12	6.5	02.0-11.0	14	4.7	01.6-07.8	153	51.0	42.2-59.8
\$25,000- 34,999	216	39,085	48	29.1	20.3-37.9	7	3.0	00.0-06.5	13	6.0	01.9-10.1	9	7.2	01.9-12.5	139	54.8	45.6-64.0
\$35,000- 49,999	318	59,985	58	20.6	14.3-26.9	13	7.2	02.3-12.1	9	2.0	00.0-04.0	11	6.7	02.0-11.4	227	63.4	55.6-71.2
\$50,000- 74,999	410	79,435	64	18.8	13.7-23.9	18	4.8	02.1-07.5	14	3.7	01.3-06.1	7	2.9	00.0-05.8	307	69.7	63.8-75.6
\$75,000+	832	174,605	136	18.9	15.4-22.4	27	3.9	02.1-05.7	16	3.5	01.0-06.0	17	2.3	00.9-03.7	636	71.4	67.3-75.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 2: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1097	246,105	207	21.3	18.2-24.4	47	5.5	03.5-07.5	38	4.8	02.6-07.0	41	4.5	02.9-06.1	764	63.9	60.2-67.6
18-24	64	35,912	18	27.6	15.8-39.4	6	10.3	02.1-18.5	2	7.3	00.0-17.7	5	7.2	00.7-13.7	33	47.5	34.2-60.8
25-34	131	46,908	43	31.9	23.5-40.3	7	5.0	01.1-08.9	5	4.5	00.6-08.4	6	4.7	00.8-08.6	70	53.9	44.7-63.1
35-44	118	35,810	29	22.6	14.6-30.6	6	6.7	01.2-12.2	5	5.0	00.1-09.9	6	6.1	00.8-11.4	72	59.6	49.6-69.6
45-54	174	39,930	27	15.5	09.6-21.4	8	4.0	01.1-06.9	11	5.4	01.7-09.1	3	2.4	00.0-05.1	125	72.8	65.5-80.1
55-64	262	42,315	39	15.7	10.2-21.2	12	6.6	02.1-11.1	11	6.4	01.7-11.1	13	5.2	02.3-08.1	187	66.1	58.7-73.5
65+	343	44,083	50	14.9	09.4-20.4	8	1.7	00.3-03.1	4	0.7	00.0-01.5	8	2.3	00.3-04.3	273	80.5	74.6-86.4
Less Than H.S.	72	22,599	21	28.9	16.0-41.8	2	4.5	00.0-11.4	3	6.7	00.0-14.5	7	11.6	02.4-20.8	39	48.2	34.1-62.3
H.S. or G.E.D.	316	68,631	59	21.3	15.4-27.2	16	4.7	02.0-07.4	16	6.5	02.8-10.2	10	3.8	01.1-06.5	215	63.6	56.9-70.3
Some Post-H.S.	334	90,989	63	20.2	14.9-25.5	19	8.2	04.1-12.3	9	4.0	00.0-08.3	16	4.8	02.1-07.5	227	62.9	56.0-69.8
College Graduate	373	63,258	64	20.5	15.2-25.8	10	2.9	00.9-04.9	10	3.4	00.7-06.1	8	2.4	00.4-04.4	281	70.8	64.9-76.7
\$15,000- 24,999	95	23,499	27	32.9	20.2-45.6	5	5.4	00.5-10.3	3	4.6	00.0-10.9	5	5.4	00.0-10.9	55	51.7	38.6-64.8
\$25,000- 34,999	84	19,023	25	36.5	22.6-50.4	2	0.4	00.0-01.0	6	8.0	00.4-15.6	5	9.3	00.7-17.9	46	45.7	32.2-59.2
\$35,000- 49,999	140	30,792	30	21.9	12.7-31.1	6	7.9	00.5-15.3	4	2.5	00.0-05.8	4	3.9	00.0-08.0	96	63.7	52.5-74.9
\$50,000- 74,999	210	43,293	42	22.1	15.0-29.2	11	6.3	02.0-10.6	7	3.3	00.6-06.0	4	1.3	00.0-02.7	146	67.1	59.3-74.9
\$75,000+	431	94,441	67	17.1	12.8-21.4	12	3.5	01.1-05.9	11	5.1	00.8-09.4	14	3.6	01.2-06.0	327	70.8	64.9-76.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2545	508,440	313	15.2	13.2-17.2	65	3.2	02.2-04.2	55	2.9	01.9-03.9	56	2.8	01.8-03.8	2056	75.9	73.5-78.3
Male	1133	255,204	113	13.9	11.0-16.8	19	2.0	00.8-03.2	18	2.1	00.9-03.3	22	2.2	01.2-03.2	961	79.8	76.5-83.1
Female	1412	253,236	200	16.6	13.7-19.5	46	4.5	02.7-06.3	37	3.6	02.0-05.2	34	3.5	01.9-05.1	1095	71.8	68.3-75.3
18-24	119	70,558	25	23.8	15.0-32.6	8	7.7	02.4-13.0	3	2.2	00.0-04.7	5	4.0	00.3-07.7	78	62.2	52.6-71.8
25-34	233	86,988	44	19.5	13.8-25.2	6	2.2	00.4-04.0	4	1.6	00.0-03.2	8	4.1	01.2-07.0	171	72.6	66.3-78.9
35-44	258	73,500	37	15.0	09.5-20.5	8	3.5	00.8-06.2	6	4.8	00.5-09.1	6	1.9	00.1-03.7	201	74.8	67.9-81.7
45-54	364	82,672	49	13.3	09.4-17.2	12	3.2	01.2-05.2	12	3.2	01.2-05.2	8	3.3	00.2-06.4	283	77.0	71.9-82.1
55-64	612	88,819	77	13.2	09.7-16.7	19	2.9	01.1-04.7	16	4.0	01.5-06.5	13	1.9	00.7-03.1	487	78.0	73.7-82.3
65+	938	101,553	78	9.2	06.5-11.9	12	1.3	00.3-02.3	14	1.7	00.5-02.9	16	2.2	00.8-03.6	818	85.6	82.5-88.7
Less Than H.S.	149	44,132	22	15.3	07.9-22.7	7	6.4	01.1-11.7	8	7.6	01.1-14.1	5	6.2	00.0-12.5	107	64.6	54.0-75.2
H.S. or G.E.D.	724	132,496	70	13.4	09.5-17.3	25	3.4	01.6-05.2	15	2.8	00.8-04.8	21	4.7	02.3-07.1	593	75.7	71.0-80.4
Some Post-H.S.	833	200,265	113	16.5	12.8-20.2	17	3.3	01.3-05.3	16	2.2	01.0-03.4	18	1.9	00.7-03.1	669	76.1	72.0-80.2
College Graduate	833	130,670	107	15.2	12.1-18.3	16	2.0	00.8-03.2	15	2.2	00.6-03.8	12	1.3	00.3-02.3	683	79.4	75.9-82.9
Less than \$15,000	130	29,684	17	15.3	06.1-24.5	8	8.6	01.5-15.7	8	6.1	01.4-10.8	7	8.9	00.5-17.3	90	61.1	49.1-73.1
\$15,000- 24,999	269	53,227	43	19.2	11.9-26.5	9	3.5	00.8-06.2	11	4.9	01.2-08.6	10	4.5	01.0-08.0	196	67.9	59.7-76.1
\$25,000- 34,999	224	39,803	33	20.9	12.9-28.9	6	3.9	00.0-08.0	9	4.4	00.9-07.9	8	5.2	00.9-09.5	168	65.6	56.6-74.6
\$35,000- 49,999	325	62,327	27	13.2	06.9-19.5	8	2.0	00.0-04.0	6	1.7	00.0-03.5	8	5.5	01.2-09.8	276	77.5	70.1-84.9
\$50,000- 74,999	417	80,832	46	15.5	10.4-20.6	7	1.7	00.1-03.3	7	2.2	00.2-04.2	5	0.6	00.0-01.2	352	80.0	74.7-85.3
\$75,000+	839	176,367	105	14.1	10.8-17.4	19	3.0	01.2-04.8	4	0.5	00.0-01.3	10	1.0	00.2-01.8	701	81.3	77.6-85.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1133	255,204	113	13.9	11.0-16.8	19	2.0	00.8-03.2	18	2.1	00.9-03.3	22	2.2	01.2-03.2	961	79.8	76.5-83.1
18-24	65	36,604	15	27.1	14.4-39.8	2	3.5	00.0-08.2				3	3.6	00.0-07.7	45	65.9	52.8-79.0
25-34	133	47,706	23	19.4	12.0-26.8	2	1.3	00.0-03.3	2	1.7	00.0-04.2	2	2.1	00.0-04.8	104	75.5	67.5-83.5
35-44	120	36,438	16	12.9	06.4-19.4	3	3.6	00.0-07.7	3	3.9	00.0-08.6	4	2.6	00.0-05.3	94	77.0	68.4-85.6
45-54	181	41,349	18	9.9	05.0-14.8	3	1.8	00.0-04.0	4	2.0	00.0-04.2	4	2.4	00.0-05.1	152	83.9	77.8-90.0
55-64	270	44,827	22	10.8	05.3-16.3	5	1.3	00.1-02.5	5	4.1	00.0-08.2	7	2.4	00.6-04.2	231	81.5	74.8-88.2
65+	356	46,572	18	5.5	01.8-09.2	4	1.1	00.0-02.5	4	1.2	00.0-02.6	2	0.5	00.0-01.3	328	91.7	87.4-96.0
Less Than H.S.	80	24,899	14	19.2	08.4-30.0	3	3.8	00.0-08.5	3	3.6	00.0-07.7	1	2.0	00.0-05.9	59	71.4	59.4-83.4
H.S. or G.E.D.	326	70,389	28	12.9	07.6-18.2	10	2.9	00.5-05.3	6	2.7	00.0-05.4	8	3.9	01.0-06.8	274	77.6	71.3-83.9
Some Post-H.S.	347	95,287	36	14.5	08.8-20.2	5	1.9	00.0-03.9	5	1.4	00.0-03.0	8	1.4	00.4-02.4	293	80.7	74.8-86.6
College Graduate	378	64,000	35	12.1	07.8-16.4	1	0.3	00.0-00.9	4	2.0	00.0-04.5	5	1.6	00.0-03.2	333	84.1	79.0-89.2
\$15,000- 24,999	99	24,689	13	17.9	07.5-28.3	2	2.0	00.0-05.1	5	6.9	00.0-13.8	3	3.4	00.0-07.7	76	69.9	57.9-81.9
\$25,000- 34,999	88	19,495	15	26.5	13.4-39.6	2	2.9	00.0-08.0	5	5.6	00.0-11.7	3	5.1	00.0-11.0	63	59.9	46.2-73.6
\$35,000- 49,999	145	32,974	10	11.1	03.1-19.1	4	2.6	00.0-05.9	2	1.8	00.0-04.9	1	1.6	00.0-04.7	128	82.9	73.7-92.1
\$50,000- 74,999	214	43,990	19	13.1	06.6-19.6	1	1.0	00.0-03.0	3	1.7	00.0-03.9	1	0.3	00.0-00.9	190	83.9	77.0-90.8
\$75,000+	435	95,760	42	13.6	08.5-18.7	6	1.4	00.0-02.8				6	1.0	00.2-01.8	381	84.1	79.0-89.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1412	253,236	200	16.6	13.7-19.5	46	4.5	02.7-06.3	37	3.6	02.0-05.2	34	3.5	01.9-05.1	1095	71.8	68.3-75.3
18-24	54	33,954	10	20.3	08.7-31.9	6	12.3	02.7-21.9	3	4.6	00.0-09.9	2	4.4	00.0-10.5	33	58.3	44.4-72.2
25-34	100	39,282	21	19.5	11.1-27.9	4	3.4	00.1-06.7	2	1.5	00.0-03.7	6	6.5	00.8-12.2	67	69.1	59.1-79.1
35-44	138	37,062	21	17.1	08.5-25.7	5	3.3	00.0-07.0	3	5.8	00.0-13.1	2	1.3	00.0-03.5	107	72.6	62.2-83.0
45-54	183	41,324	31	16.8	10.7-22.9	9	4.6	01.5-07.7	8	4.4	00.9-07.9	4	4.2	00.0-09.9	131	70.1	62.1-78.1
55-64	342	43,993	55	15.6	11.3-19.9	14	4.5	01.0-08.0	11	4.0	01.1-06.9	6	1.5	00.1-02.9	256	74.4	68.7-80.1
65+	582	54,982	60	12.3	08.4-16.2	8	1.5	00.3-02.7	10	2.2	00.4-04.0	14	3.6	01.2-06.0	490	80.4	75.7-85.1
Less Than H.S.	69	19,233	8	10.2	01.2-19.2	4	9.7	00.0-20.1	5	12.8	00.0-26.3	4	11.5	00.0-24.6	48	55.7	38.5-72.9
H.S. or G.E.D.	398	62,107	42	13.9	07.8-20.0	15	4.0	01.5-06.5	9	3.0	00.3-05.7	13	5.6	01.9-09.3	319	73.5	66.4-80.6
Some Post-H.S.	486	104,977	77	18.3	13.6-23.0	12	4.5	01.4-07.6	11	2.9	00.9-04.9	10	2.5	00.3-04.7	376	71.9	66.2-77.6
College Graduate	455	66,671	72	18.2	13.5-22.9	15	3.5	01.5-05.5	11	2.4	00.6-04.2	7	0.9	00.1-01.7	350	75.0	69.9-80.1
Less than \$15,000	86	17,834	12	18.9	05.6-32.2	5	7.5	00.0-15.5	6	6.8	00.5-13.1	4	9.0	00.0-21.7	59	57.8	41.9-73.7
\$15,000- 24,999	170	28,537	30	20.3	09.9-30.7	7	4.8	00.7-08.9	6	3.2	00.0-06.7	7	5.6	00.5-10.7	120	66.1	54.9-77.3
\$25,000- 34,999	136	20,307	18	15.6	06.6-24.6	4	4.9	00.0-11.4	4	3.2	00.0-06.9	5	5.2	00.0-11.5	105	71.1	59.5-82.7
\$35,000- 49,999	180	29,353	17	15.6	06.2-25.0	4	1.4	00.0-03.2	4	1.7	00.0-03.7	7	9.9	01.5-18.3	148	71.5	60.1-82.9
\$50,000- 74,999	203	36,843	27	18.3	10.5-26.1	6	2.5	00.1-04.9	4	2.9	00.0-06.0	4	0.9	00.0-01.9	162	75.4	67.0-83.8
\$75,000+	404	80,607	63	14.7	10.6-18.8	13	5.0	01.5-08.5	4	1.1	00.0-02.7	4	1.2	00.0-02.6	320	78.0	72.7-83.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2533	505,615	509	20.7	18.5-22.9	220	8.6	07.2-10.0	167	7.9	06.3-09.5	252	11.8	10.0-13.6	1385	51.0	48.5-53.5
Male	1131	253,954	219	20.6	17.7-23.5	86	8.0	05.8-10.2	69	7.2	04.8-09.6	103	9.9	07.5-12.3	654	54.3	50.6-58.0
Female	1402	251,661	290	20.9	17.8-24.0	134	9.2	07.2-11.2	98	8.5	06.1-10.9	149	13.8	11.1-16.5	731	47.6	43.9-51.3
18-24	119	70,558	35	27.4	19.0-35.8	10	9.0	03.5-14.5	16	17.7	09.3-26.1	17	13.9	07.2-20.6	41	32.0	23.2-40.8
25-34	235	87,456	58	24.4	18.1-30.7	21	9.1	05.2-13.0	11	4.9	02.0-07.8	34	15.6	10.3-20.9	111	46.0	38.9-53.1
35-44	256	72,939	55	20.0	14.7-25.3	23	9.5	05.4-13.6	16	7.0	02.7-11.3	20	9.8	05.3-14.3	142	53.7	46.6-60.8
45-54	362	81,783	68	17.6	13.3-21.9	30	8.5	05.2-11.8	25	7.4	04.5-10.3	45	12.9	08.6-17.2	194	53.6	47.7-59.5
55-64	611	88,501	133	20.4	16.3-24.5	49	7.3	05.1-09.5	40	6.7	04.3-09.1	64	12.8	09.1-16.5	325	52.8	47.7-57.9
65+	929	100,028	156	16.8	13.5-20.1	87	8.8	06.4-11.2	59	6.0	04.0-08.0	71	7.2	05.0-09.4	556	61.2	56.9-65.5
Less Than H.S.	143	43,109	24	17.8	09.8-25.8	19	10.4	04.5-16.3	14	12.2	04.9-19.5	19	19.1	09.9-28.3	67	40.5	30.1-50.9
H.S. or G.E.D.	722	131,954	116	17.3	13.6-21.0	67	8.8	06.1-11.5	51	8.4	05.1-11.7	86	14.1	10.6-17.6	402	51.3	46.4-56.2
Some Post-H.S.	831	199,501	170	21.4	17.7-25.1	74	8.7	06.2-11.2	59	7.9	05.0-10.8	83	11.6	08.7-14.5	445	50.4	45.9-54.9
College Graduate	831	130,174	199	24.3	20.6-28.0	60	7.7	05.3-10.1	43	5.9	03.7-08.1	63	7.4	05.2-09.6	466	54.7	50.4-59.0
Less than \$15,000	129	29,217	27	18.7	09.9-27.5	10	12.0	02.6-21.4	10	7.9	02.2-13.6	29	29.5	18.3-40.7	53	31.9	21.5-42.3
\$15,000- 24,999	272	53,341	52	17.7	11.6-23.8	22	8.3	03.8-12.8	25	12.3	05.2-19.4	34	15.1	09.0-21.2	139	46.6	38.2-55.0
\$25,000- 34,999	225	40,172	52	25.3	17.1-33.5	21	8.7	03.8-13.6	14	4.6	01.3-07.9	27	16.4	09.3-23.5	111	45.1	36.3-53.9
\$35,000- 49,999	322	61,503	51	18.4	11.3-25.5	36	10.1	05.6-14.6	22	5.6	02.7-08.5	41	15.4	09.3-21.5	172	50.5	42.3-58.7
\$50,000- 74,999	416	80,467	77	19.5	14.4-24.6	36	7.9	05.0-10.8	25	7.2	03.7-10.7	34	8.6	05.1-12.1	244	56.8	50.7-62.9
\$75,000+	840	176,386	194	23.5	20.0-27.0	65	7.6	05.4-09.8	48	7.7	04.6-10.8	59	7.2	05.0-09.4	474	54.0	49.7-58.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 8: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1131	253,954	219	20.6	17.7-23.5	86	8.0	06.0-10.0	69	7.2	04.8-09.6	103	9.9	07.5-12.3	654	54.3	50.6-58.0
18-24	65	36,604	19	26.2	15.2-37.2	6	10.3	02.1-18.5	8	16.6	04.6-28.6	6	8.4	01.5-15.3	26	38.5	25.8-51.2
25-34	135	48,174	33	23.2	15.8-30.6	12	10.0	04.3-15.7	5	4.4	00.7-08.1	16	11.7	05.8-17.6	69	50.7	41.7-59.7
35-44	118	35,876	28	22.7	14.3-31.1	10	9.5	03.6-15.4	10	8.1	03.0-13.2	8	9.2	02.5-15.9	62	50.6	40.4-60.8
45-54	182	41,507	44	22.9	16.2-29.6	10	5.8	02.1-09.5	9	4.7	01.4-08.0	18	10.2	05.1-15.3	101	56.4	48.4-64.4
55-64	269	44,463	46	16.1	10.6-21.6	19	5.4	02.9-07.9	17	7.1	03.4-10.8	29	13.7	07.8-19.6	158	57.7	50.1-65.3
65+	354	45,620	48	14.5	09.2-19.8	29	7.7	04.0-11.4	20	4.9	02.5-07.3	26	6.2	03.1-09.3	231	66.7	60.2-73.2
Less Than H.S.	77	24,365	15	20.5	09.3-31.7	11	14.8	05.2-24.4	8	10.9	02.7-19.1	9	13.3	03.7-22.9	34	40.5	27.2-53.8
H.S. or G.E.D.	328	70,494	54	18.2	12.9-23.5	30	7.6	04.3-10.9	22	8.6	04.5-12.7	43	14.5	09.6-19.4	179	51.0	44.3-57.7
Some Post-H.S.	346	94,781	62	20.3	15.0-25.6	26	8.2	04.5-11.9	20	6.7	02.2-11.2	29	8.0	04.5-11.5	209	56.7	49.8-63.6
College Graduate	378	63,686	88	23.8	18.5-29.1	19	5.6	02.7-08.5	19	5.2	02.5-07.9	22	6.4	03.1-09.7	230	59.1	53.0-65.2
\$15,000- 24,999	100	24,616	16	12.5	04.5-20.5	9	11.7	03.1-20.3	9	12.2	04.2-20.2	12	10.8	03.0-18.6	54	52.9	40.2-65.6
\$25,000- 34,999	89	19,865	20	30.8	17.7-43.9	7	8.8	01.0-16.6	4	2.3	00.0-04.8	10	10.6	02.8-18.4	48	47.5	34.2-60.8
\$35,000- 49,999	144	32,624	17	12.5	05.2-19.8	12	8.0	01.7-14.3	11	5.3	01.4-09.2	16	11.6	04.5-18.7	88	62.6	51.6-73.6
\$50,000- 74,999	213	43,624	33	15.9	09.6-22.2	16	5.7	02.4-09.0	14	8.1	02.8-13.4	16	7.6	03.3-11.9	134	62.8	54.8-70.8
\$75,000+	435	95,598	108	26.2	21.1-31.3	29	6.8	04.1-09.5	21	6.1	01.8-10.4	31	7.4	04.3-10.5	246	53.4	47.5-59.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 9: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1402	251,661	290	20.9	17.8-24.0	134	9.2	07.2-11.2	98	8.5	06.1-10.9	149	13.8	11.1-16.5	731	47.6	43.9-51.3
18-24	54	33,954	16	28.7	16.2-41.2	4	7.5	00.1-14.9	8	18.9	06.9-30.9	11	19.8	08.6-31.0	15	25.1	13.3-36.9
25-34	100	39,282	25	25.9	15.7-36.1	9	7.9	02.6-13.2	6	5.5	00.6-10.4	18	20.5	11.5-29.5	42	40.2	29.6-50.8
35-44	138	37,062	27	17.3	10.6-24.0	13	9.5	03.8-15.2	6	6.0	00.0-13.1	12	10.5	04.4-16.6	80	56.6	46.6-66.6
45-54	180	40,276	24	12.1	07.0-17.2	20	11.4	06.1-16.7	16	10.1	05.2-15.0	27	15.7	08.6-22.8	93	50.8	42.4-59.2
55-64	342	44,038	87	24.8	18.9-30.7	30	9.2	05.7-12.7	23	6.3	03.6-09.0	35	11.8	06.9-16.7	167	47.9	41.4-54.4
65+	575	54,408	108	18.8	14.5-23.1	58	9.7	06.6-12.8	39	6.9	04.0-09.8	45	8.1	05.0-11.2	325	56.5	51.0-62.0
Less Than H.S.	66	18,744	9	14.2	03.0-25.4	8	4.6	00.9-08.3	6	13.9	01.0-26.8	10	26.7	10.0-43.4	33	40.6	24.1-57.1
H.S. or G.E.D.	394	61,461	62	16.3	11.2-21.4	37	10.2	05.7-14.7	29	8.1	02.6-13.6	43	13.7	08.6-18.8	223	51.6	44.3-58.9
Some Post-H.S.	485	104,720	108	22.4	17.1-27.7	48	9.1	06.0-12.2	39	9.0	05.3-12.7	54	14.9	10.4-19.4	236	44.7	38.8-50.6
College Graduate	453	66,488	111	24.8	19.5-30.1	41	9.8	06.3-13.3	24	6.5	03.4-09.6	41	8.3	05.4-11.2	236	50.6	44.7-56.5
Less than \$15,000	87	18,014	18	17.5	06.5-28.5	6	10.9	00.0-23.1	6	4.6	00.3-08.9	20	28.6	14.1-43.1	37	38.4	23.9-52.9
\$15,000- 24,999	172	28,725	36	22.2	13.4-31.0	13	5.3	01.4-09.2	16	12.3	01.3-23.3	22	18.8	10.0-27.6	85	41.3	30.1-52.5
\$25,000- 34,999	136	20,307	32	19.9	10.5-29.3	14	8.5	03.0-14.0	10	6.8	00.7-12.9	17	22.0	10.6-33.4	63	42.7	31.1-54.3
\$35,000- 49,999	178	28,878	34	25.1	13.1-37.1	24	12.4	06.1-18.7	11	5.9	01.8-10.0	25	19.8	09.8-29.8	84	36.8	26.4-47.2
\$50,000- 74,999	203	36,843	44	23.8	15.6-32.0	20	10.5	05.2-15.8	11	6.2	01.9-10.5	18	9.8	03.9-15.7	110	49.7	40.5-58.9
\$75,000+	405	80,787	86	20.3	15.4-25.2	36	8.6	05.3-11.9	27	9.5	05.0-14.0	28	6.9	03.8-10.0	228	54.7	48.4-61.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 10: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2525	504,285	803	30.6	28.2-33.0	286	13.6	11.6-15.6	197	9.0	07.4-10.6	231	10.3	08.7-11.9	1008	36.5	34.0-39.0
Male	1124	253,378	354	29.6	26.3-32.9	126	14.5	11.6-17.4	86	7.9	05.9-09.9	81	7.2	05.2-09.2	477	40.8	37.1-44.5
Female	1401	250,907	449	31.7	28.2-35.2	160	12.6	10.1-15.1	111	10.1	07.7-12.5	150	13.4	10.9-15.9	531	32.2	28.9-35.5
18-24	119	70,558	40	31.3	22.5-40.1	19	20.3	11.7-28.9	18	13.9	07.4-20.4	8	7.9	02.6-13.2	34	26.7	18.3-35.1
25-34	231	85,776	73	31.1	24.4-37.8	29	13.7	08.8-18.6	23	9.8	05.7-13.9	31	13.9	09.0-18.8	75	31.5	25.0-38.0
35-44	257	73,151	86	33.7	26.8-40.6	40	13.8	09.3-18.3	22	9.4	05.3-13.5	25	10.4	06.1-14.7	84	32.7	26.0-39.4
45-54	363	82,304	122	31.3	26.0-36.6	42	12.4	08.3-16.5	24	7.2	04.3-10.1	36	11.1	06.8-15.4	139	37.9	32.2-43.6
55-64	612	88,819	200	31.6	27.1-36.1	56	11.2	07.3-15.1	53	10.2	06.9-13.5	48	8.7	06.0-11.4	255	38.2	33.5-42.9
65+	922	99,327	275	26.0	22.5-29.5	99	11.8	08.9-14.7	55	5.0	03.4-06.6	83	10.0	07.3-12.7	410	47.2	42.7-51.7
Less Than H.S.	142	42,775	41	25.9	16.3-35.5	19	15.6	08.2-23.0	11	9.6	02.9-16.3	24	20.0	11.2-28.8	47	28.9	19.3-38.5
H.S. or G.E.D.	720	131,860	220	31.0	26.3-35.7	84	12.4	09.1-15.7	61	9.7	06.6-12.8	72	10.1	07.2-13.0	283	36.7	32.0-41.4
Some Post-H.S.	828	198,555	258	28.9	25.0-32.8	104	16.0	12.3-19.7	68	8.7	06.2-11.2	71	9.3	06.6-12.0	327	37.0	32.7-41.3
College Graduate	829	130,217	283	34.6	30.5-38.7	79	10.5	07.8-13.2	57	8.4	05.9-10.9	63	8.8	06.3-11.3	347	37.8	33.7-41.9
Less than \$15,000	127	28,696	29	23.2	12.8-33.6	15	18.6	08.8-28.4	10	7.3	02.0-12.6	32	28.7	17.7-39.7	41	22.3	13.3-31.3
\$15,000- 24,999	268	52,475	78	25.8	18.0-33.6	25	9.5	04.8-14.2	33	13.3	07.8-18.8	27	12.4	06.7-18.1	105	39.0	30.6-47.4
\$25,000- 34,999	222	39,922	71	30.9	22.5-39.3	34	18.8	11.4-26.2	14	5.2	01.7-08.7	27	15.1	08.2-22.0	76	30.1	22.3-37.9
\$35,000- 49,999	320	61,009	118	33.6	26.0-41.2	32	15.2	08.3-22.1	31	13.6	07.7-19.5	34	9.1	05.0-13.2	105	28.5	21.1-35.9
\$50,000- 74,999	415	80,378	140	33.7	28.0-39.4	44	10.3	06.6-14.0	25	6.9	03.6-10.2	29	7.7	04.2-11.2	177	41.5	35.4-47.6
\$75,000+	839	176,346	282	32.3	28.4-36.2	93	13.1	09.8-16.4	55	6.9	04.7-09.1	51	7.8	05.3-10.3	358	39.9	35.8-44.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 11: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1124	253,378	354	29.6	26.3-32.9	126	14.5	11.4-17.6	86	7.9	05.9-09.9	81	7.2	05.2-09.2	477	40.8	37.1-44.5
18-24	65	36,604	23	30.0	18.4-41.6	12	24.7	11.8-37.6	4	4.9	00.0-09.8	3	5.6	00.0-11.9	23	34.7	22.2-47.2
25-34	134	47,818	39	26.9	19.1-34.7	21	18.2	10.9-25.5	13	8.0	03.5-12.5	8	6.3	01.8-10.8	53	40.6	31.6-49.6
35-44	119	36,088	40	31.5	22.3-40.7	18	14.5	07.8-21.2	13	10.3	04.2-16.4	8	8.0	02.1-13.9	40	35.7	25.5-45.9
45-54	181	41,349	68	36.1	28.5-43.7	15	8.4	03.9-12.9	9	4.8	01.3-08.3	16	9.8	04.5-15.1	73	40.8	32.8-48.8
55-64	270	44,827	83	28.9	22.4-35.4	23	11.2	04.9-17.5	27	13.9	07.8-20.0	21	8.1	04.4-11.8	116	37.9	30.6-45.2
65+	347	44,983	97	24.8	19.3-30.3	37	12.0	07.1-16.9	20	5.3	02.8-07.8	25	5.8	03.3-08.3	168	52.2	45.3-59.1
Less Than H.S.	73	23,488	26	29.8	17.6-42.0	11	17.8	07.0-28.6	6	6.7	01.0-12.4	11	16.7	06.3-27.1	19	29.0	15.7-42.3
H.S. or G.E.D.	327	70,476	94	27.1	21.4-32.8	46	15.7	10.4-21.0	30	11.2	06.5-15.9	24	6.6	03.5-09.7	133	39.4	32.9-45.9
Some Post-H.S.	347	95,251	105	27.8	22.1-33.5	41	16.8	10.7-22.9	26	6.6	03.7-09.5	26	5.5	02.8-08.2	149	43.3	36.6-50.0
College Graduate	375	63,536	129	35.4	29.5-41.3	28	8.7	05.0-12.4	24	6.5	03.6-09.4	20	7.1	03.4-10.8	174	42.3	36.2-48.4
\$15,000- 24,999	100	24,404	26	18.5	09.5-27.5	11	12.0	03.8-20.2	10	9.4	02.9-15.9	11	13.3	03.9-22.7	42	46.9	34.0-59.8
\$25,000- 34,999	86	19,615	26	31.6	18.5-44.7	19	26.4	14.1-38.7	6	5.6	00.1-11.1	8	9.4	01.8-17.0	27	27.1	15.7-38.5
\$35,000- 49,999	142	32,348	50	29.9	20.3-39.5	16	18.9	08.5-29.3	14	11.4	04.3-18.5	11	3.2	01.0-05.4	51	36.6	25.0-48.2
\$50,000- 74,999	213	43,927	68	30.8	23.4-38.2	23	10.9	05.4-16.4	16	7.2	02.9-11.5	12	6.2	01.9-10.5	94	44.9	36.7-53.1
\$75,000+	435	95,739	147	33.9	28.4-39.4	40	12.0	07.1-16.9	29	5.6	03.4-07.8	19	5.3	02.6-08.0	200	43.2	37.3-49.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 12: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1401	250,907	449	31.7	28.2-35.2	160	12.6	10.1-15.1	111	10.1	07.7-12.5	150	13.4	10.9-15.9	531	32.2	29.1-35.3
18-24	54	33,954	17	32.6	19.3-45.9	7	15.5	04.7-26.3	14	23.6	11.8-35.4	5	10.3	01.5-19.1	11	18.0	07.6-28.4
25-34	97	37,959	34	36.4	25.2-47.6	8	7.9	02.4-13.4	10	12.1	04.8-19.4	23	23.5	14.1-32.9	22	20.1	11.5-28.7
35-44	138	37,062	46	35.9	25.7-46.1	22	13.1	07.2-19.0	9	8.6	02.9-14.3	17	12.7	06.4-19.0	44	29.7	21.1-38.3
45-54	182	40,956	54	26.4	19.5-33.3	27	16.6	09.9-23.3	15	9.6	04.7-14.5	20	12.5	05.6-19.4	66	35.0	27.2-42.8
55-64	342	43,993	117	34.3	28.2-40.4	33	11.3	06.4-16.2	26	6.5	03.8-09.2	27	9.3	05.0-13.6	139	38.6	32.5-44.7
65+	575	54,343	178	27.1	22.6-31.6	62	11.7	08.2-15.2	35	4.8	03.0-06.6	58	13.5	09.2-17.8	242	43.0	37.3-48.7
Less Than H.S.	69	19,288	15	21.2	05.9-36.5	8	12.9	03.1-22.7	5	13.2	00.3-26.1	13	24.0	09.1-38.9	28	28.7	15.0-42.4
H.S. or G.E.D.	393	61,384	126	35.6	28.3-42.9	38	8.7	04.8-12.6	31	7.9	04.0-11.8	48	14.2	09.3-19.1	150	33.7	27.2-40.2
Some Post-H.S.	481	103,304	153	30.0	24.5-35.5	63	15.3	10.6-20.0	42	10.7	06.8-14.6	45	12.9	08.6-17.2	178	31.2	25.9-36.5
College Graduate	454	66,682	154	33.8	28.3-39.3	51	12.1	08.2-16.0	33	10.2	06.3-14.1	43	10.4	06.7-14.1	173	33.5	28.0-39.0
Less than \$15,000	85	17,430	17	20.9	07.0-34.8	9	15.0	03.6-26.4	7	5.5	00.8-10.2	23	31.3	16.4-46.2	29	27.4	14.3-40.5
\$15,000- 24,999	168	28,071	52	32.1	20.3-43.9	14	7.3	02.0-12.6	23	16.8	08.2-25.4	16	11.6	05.1-18.1	63	32.1	21.5-42.7
\$25,000- 34,999	136	20,307	45	30.2	19.8-40.6	15	11.4	03.4-19.4	8	4.7	00.2-09.2	19	20.6	09.8-31.4	49	33.1	22.3-43.9
\$35,000- 49,999	178	28,661	68	37.9	26.3-49.5	16	11.0	03.0-19.0	17	16.1	06.7-25.5	23	15.7	07.5-23.9	54	19.4	12.1-26.7
\$50,000- 74,999	202	36,451	72	37.2	28.4-46.0	21	9.6	04.7-14.5	9	6.5	01.6-11.4	17	9.4	03.5-15.3	83	37.3	28.5-46.1
\$75,000+	404	80,607	135	30.3	24.8-35.8	53	14.5	09.8-19.2	26	8.5	04.8-12.2	32	10.8	06.5-15.1	158	35.9	30.2-41.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 13. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2525	503,452	456	17.4	15.4-19.4	175	8.2	06.6-09.8	98	4.1	03.1-05.1	118	5.5	04.3-06.7	1678	64.8	62.3-67.3
Male	1127	253,507	206	16.8	14.1-19.5	70	7.0	04.6-09.4	40	3.6	02.2-05.0	42	3.9	02.5-05.3	769	68.6	65.1-72.1
Female	1398	249,945	250	18.0	15.3-20.7	105	9.4	07.0-11.8	58	4.6	03.0-06.2	76	7.2	05.0-09.4	909	60.9	57.2-64.6
18-24	118	70,134	25	19.2	11.8-26.6	10	11.5	04.2-18.8	3	3.1	00.0-06.8	5	3.9	00.4-07.4	75	62.1	52.5-71.7
25-34	235	87,456	46	18.0	12.7-23.3	14	6.0	02.9-09.1	14	5.4	02.3-08.5	20	9.5	05.2-13.8	141	61.1	54.2-68.0
35-44	254	72,048	50	18.6	12.9-24.3	16	8.8	03.9-13.7	12	4.1	01.6-06.6	12	4.9	01.8-08.0	164	63.5	56.4-70.6
45-54	363	82,265	67	17.2	12.9-21.5	30	8.7	05.4-12.0	11	3.0	01.0-05.0	21	7.0	03.3-10.7	234	64.0	58.3-69.7
55-64	607	87,685	129	19.5	15.8-23.2	37	7.5	04.6-10.4	24	5.0	02.3-07.7	24	3.8	02.0-05.6	393	64.2	59.3-69.1
65+	928	99,717	137	13.2	10.7-15.7	68	7.9	05.4-10.4	33	3.7	02.1-05.3	36	4.3	02.5-06.1	654	71.1	67.2-75.0
Less Than H.S.	145	42,799	33	17.8	09.8-25.8	9	7.3	01.6-13.0	5	6.7	00.4-13.0	14	10.9	03.6-18.2	84	57.2	46.4-68.0
H.S. or G.E.D.	717	131,107	107	13.3	10.2-16.4	55	8.0	05.1-10.9	36	5.6	03.2-08.0	42	7.8	05.1-10.5	477	65.4	60.7-70.1
Some Post-H.S.	828	198,669	146	17.5	14.2-20.8	71	11.0	07.7-14.3	36	3.5	02.1-04.9	31	3.8	02.2-05.4	544	64.2	59.9-68.5
College Graduate	829	130,000	170	21.2	17.7-24.7	40	4.5	02.7-06.3	21	2.6	01.2-04.0	30	4.2	02.2-06.2	568	67.5	63.4-71.6
Less than \$15,000	130	29,493	21	20.7	10.5-30.9	13	7.2	02.5-11.9	9	6.8	01.5-12.1	11	14.5	04.9-24.1	76	50.8	39.0-62.6
\$15,000- 24,999	267	52,353	50	16.5	10.8-22.2	24	13.8	06.7-20.9	9	1.8	00.2-03.4	25	10.9	05.6-16.2	159	57.0	48.4-65.6
\$25,000- 34,999	222	39,224	38	13.4	08.1-18.7	11	5.8	01.5-10.1	9	3.0	00.5-05.5	16	12.0	05.5-18.5	148	65.8	57.4-74.2
\$35,000- 49,999	320	61,373	52	12.9	08.2-17.6	13	4.4	01.1-07.7	15	4.5	01.8-07.2	16	5.6	01.9-09.3	224	72.6	65.7-79.5
\$50,000- 74,999	416	80,546	66	13.8	09.9-17.7	33	7.9	04.4-11.4	13	5.0	01.7-08.3	14	2.5	00.9-04.1	290	70.9	65.2-76.6
\$75,000+	834	175,216	178	21.7	18.2-25.2	58	9.3	06.2-12.4	23	2.5	01.3-03.7	19	2.7	01.3-04.1	556	63.7	59.4-68.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 14. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1127	253,507	206	16.8	14.1-19.5	70	7.0	04.6-09.4	40	3.6	02.2-05.0	42	3.9	02.5-05.3	769	68.6	65.1-72.1
18-24	64	36,180	10	13.7	04.9-22.5	4	10.3	00.0-21.3	1	2.3	00.0-06.6	2	2.2	00.0-05.5	47	71.5	58.6-84.4
25-34	135	48,174	30	23.1	15.5-30.7	8	5.4	01.5-09.3	5	3.5	00.4-06.6	7	5.5	01.2-09.8	85	62.5	53.7-71.3
35-44	118	35,823	23	17.0	09.7-24.3	7	6.4	01.5-11.3	4	3.3	00.0-06.8	5	4.6	00.1-09.1	79	68.7	59.3-78.1
45-54	181	41,309	32	14.8	09.5-20.1	13	6.7	02.8-10.6	6	3.0	00.5-05.5	8	4.9	01.2-08.6	122	70.5	63.2-77.8
55-64	268	44,592	56	18.9	13.2-24.6	12	5.3	01.6-09.0	11	5.7	01.4-10.0	11	3.7	01.3-06.1	178	66.4	59.1-73.7
65+	354	45,922	53	12.0	08.5-15.5	26	8.9	04.2-13.6	13	3.5	01.3-05.7	9	2.6	00.8-04.4	253	73.1	67.2-79.0
Less Than H.S.	78	24,123	16	16.4	07.0-25.8	3	3.5	00.0-08.8	3	4.9	00.0-10.8	5	6.3	00.0-12.6	51	68.9	56.6-81.2
H.S. or G.E.D.	325	70,195	43	12.6	08.3-16.9	21	6.1	03.0-09.2	18	7.0	03.1-10.9	15	4.9	02.2-07.6	228	69.4	63.1-75.7
Some Post-H.S.	346	94,925	61	16.2	11.5-20.9	31	10.7	05.6-15.8	12	2.3	00.9-03.7	13	3.1	01.1-05.1	229	67.6	61.1-74.1
College Graduate	376	63,635	86	22.6	17.3-27.9	15	3.9	01.5-06.3	7	1.4	00.0-02.8	9	3.2	00.5-05.9	259	68.9	63.0-74.8
\$15,000- 24,999	99	24,407	18	15.8	07.4-24.2	8	15.1	04.5-25.7	1	0.8	00.0-02.4	6	8.7	00.9-16.5	66	59.6	46.9-72.3
\$25,000- 34,999	87	19,456	14	12.3	04.3-20.3	4	5.7	00.0-12.0	4	1.9	00.0-04.3	7	10.4	02.2-18.6	58	69.7	57.7-81.7
\$35,000- 49,999	143	32,537	21	12.8	05.9-19.7	9	4.2	01.3-07.1	5	4.3	00.0-08.6	4	2.6	00.0-05.9	104	76.1	67.3-84.9
\$50,000- 74,999	214	43,990	33	11.9	07.2-16.6	17	6.7	02.6-10.8	8	5.0	00.5-09.5	5	1.3	00.0-02.7	151	75.1	68.0-82.2
\$75,000+	433	95,090	100	23.9	18.8-29.0	23	7.4	02.9-11.9	13	2.6	01.0-04.2	9	1.9	00.5-03.3	288	64.2	58.3-70.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

**TABLE 15. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR EATEN TOO MUCH? (ADEAT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1398	249,945	250	18.0	15.3-20.7	105	9.4	07.0-11.8	58	4.6	03.0-06.2	76	7.2	05.0-09.4	909	60.9	57.2-64.6
18-24	54	33,954	15	25.1	12.9-37.3	6	12.8	03.0-22.6	2	4.1	00.0-10.0	3	5.8	00.0-12.1	28	52.2	38.1-66.3
25-34	100	39,282	16	11.8	05.5-18.1	6	6.8	01.5-12.1	9	7.8	02.1-13.5	13	14.3	06.7-21.9	56	59.4	48.8-70.0
35-44	136	36,225	27	20.2	11.4-29.0	9	11.3	02.9-19.7	8	4.9	01.4-08.4	7	5.2	01.1-09.3	85	58.4	48.0-68.8
45-54	182	40,956	35	19.7	13.0-26.4	17	10.6	05.3-15.9	5	3.0	00.3-05.7	13	9.2	02.7-15.7	112	57.5	49.1-65.9
55-64	339	43,093	73	20.1	15.4-24.8	25	9.9	05.2-14.6	13	4.2	01.1-07.3	13	3.8	01.4-06.2	215	61.9	55.6-68.2
65+	574	53,795	84	14.2	10.7-17.7	42	7.0	04.3-09.7	20	3.8	01.6-06.0	27	5.7	03.0-08.4	401	69.3	64.4-74.2
Less Than H.S.	67	18,676	17	19.6	05.7-33.5	6	12.2	01.0-23.4	2	9.0	00.0-20.8	9	17.0	02.9-31.1	33	42.2	25.7-58.7
H.S. or G.E.D.	392	60,912	64	14.1	09.4-18.8	34	10.2	04.9-15.5	18	4.0	01.6-06.4	27	11.1	06.2-16.0	249	60.7	53.4-68.0
Some Post-H.S.	482	103,744	85	18.7	14.0-23.4	40	11.1	07.0-15.2	24	4.7	02.3-07.1	18	4.3	01.8-06.8	315	61.1	55.2-67.0
College Graduate	453	66,364	84	19.9	15.2-24.6	25	5.1	02.7-07.5	14	3.7	01.5-05.9	21	5.2	02.7-07.7	309	66.1	60.6-71.6
Less than \$15,000	86	17,642	13	27.5	12.6-42.4	10	8.5	02.2-14.8	7	6.3	00.8-11.8	6	14.2	00.3-28.1	50	43.5	28.4-58.6
\$15,000- 24,999	168	27,946	32	17.2	09.8-24.6	16	12.6	03.0-22.2	8	2.7	00.2-05.2	19	12.8	05.5-20.1	93	54.8	43.0-66.6
\$25,000- 34,999	135	19,769	24	14.5	07.2-21.8	7	5.9	00.0-11.8	5	4.1	00.0-08.4	9	13.6	03.6-23.6	90	62.0	50.2-73.8
\$35,000- 49,999	177	28,836	31	13.1	06.8-19.4	4	4.5	00.0-10.6	10	4.7	01.4-08.0	12	9.1	02.2-16.0	120	68.7	58.3-79.1
\$50,000- 74,999	202	36,556	33	16.0	09.5-22.5	16	9.4	03.5-15.3	5	5.0	00.0-10.1	9	3.8	00.9-06.7	139	65.8	57.0-74.6
\$75,000+	401	80,126	78	19.2	14.3-24.1	35	11.6	06.9-16.3	10	2.5	00.7-04.3	10	3.7	01.2-06.2	268	63.0	56.9-69.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 16. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2542	507,083	213	10.4	08.6-12.2	46	2.3	01.3-03.3	33	1.7	00.9-02.5	46	2.4	01.4-03.4	2204	83.1	80.9-85.3
Male	1132	254,652	74	8.0	05.6-10.4	14	1.4	00.4-02.4	12	1.5	00.5-02.5	12	1.3	00.3-02.3	1020	87.9	85.2-90.6
Female	1410	252,431	139	12.9	10.2-15.6	32	3.3	01.7-04.9	21	2.0	00.8-03.2	34	3.5	01.9-05.1	1184	78.3	75.0-81.6
18-24	117	69,431	20	20.3	11.7-28.9	6	6.0	01.3-10.7	1	0.8	00.0-02.4	5	4.6	00.5-08.7	85	68.3	58.7-77.9
25-34	235	87,456	25	9.1	05.4-12.8	2	0.7	00.0-01.7	4	1.9	00.0-03.9	7	3.8	00.9-06.7	197	84.5	79.4-89.6
35-44	257	73,151	31	13.1	07.8-18.4	10	3.8	01.3-06.3	4	2.2	00.0-04.7	4	1.4	00.0-03.0	208	79.5	73.4-85.6
45-54	364	82,463	36	10.0	06.5-13.5	5	1.2	00.0-02.4	7	3.1	00.0-06.2	7	1.6	00.2-03.0	309	84.1	79.4-88.8
55-64	612	88,880	55	9.2	06.3-12.1	10	2.1	00.3-03.9	5	1.5	00.0-03.3	13	2.2	00.6-03.8	529	85.0	81.1-88.9
65+	937	101,420	44	4.3	02.5-06.1	13	1.4	00.4-02.4	12	1.1	00.3-01.9	10	1.3	00.3-02.3	858	92.0	89.6-94.4
Less Than H.S.	149	44,019	15	10.8	04.3-17.3	4	4.4	00.0-09.1	3	3.7	00.0-09.0	5	5.2	00.1-10.3	122	75.9	66.3-85.5
H.S. or G.E.D.	725	131,991	58	10.6	06.9-14.3	14	2.7	00.5-04.9	7	1.7	00.1-03.3	18	3.6	01.6-05.6	628	81.4	76.9-85.9
Some Post-H.S.	830	199,521	66	10.8	07.5-14.1	14	2.0	00.8-03.2	14	1.5	00.5-02.5	12	1.6	00.4-02.8	724	84.0	80.3-87.7
College Graduate	832	130,676	74	9.6	07.1-12.1	14	1.8	00.6-03.0	8	1.4	00.0-02.8	11	1.4	00.4-02.4	725	85.8	82.9-88.7
Less than \$15,000	130	29,162	18	15.0	06.8-23.2	2	6.0	00.0-14.0	7	8.7	00.3-17.1	6	4.0	00.5-07.5	97	66.2	54.2-78.2
\$15,000- 24,999	270	53,373	28	14.9	07.6-22.2	7	2.5	00.3-04.7	3	1.6	00.0-04.3	8	4.2	00.5-07.9	224	76.8	68.8-84.8
\$25,000- 34,999	224	39,978	22	13.2	06.5-19.9	5	1.8	00.0-03.8	2	1.5	00.0-04.2	9	4.6	00.7-08.5	186	78.9	71.3-86.5
\$35,000- 49,999	322	61,646	24	9.0	04.3-13.7	4	1.4	00.0-03.2	4	1.5	00.0-03.5	6	3.6	00.0-07.3	284	84.6	78.3-90.9
\$50,000- 74,999	415	80,499	32	9.8	05.9-13.7	7	2.7	00.5-04.9	2	0.8	00.0-02.2	4	0.5	00.0-01.1	370	86.2	81.7-90.7
\$75,000+	841	176,333	63	8.5	05.6-11.4	12	1.7	00.5-02.9	7	0.8	00.0-01.6	8	1.6	00.2-03.0	751	87.4	84.1-90.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 17. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1132	254,652	74	8.0	05.6-10.4	14	1.4	00.4-02.4	12	1.5	00.5-02.5	12	1.3	00.3-02.3	1020	87.9	85.2-90.6
18-24	64	36,180	6	13.6	02.0-25.2	3	5.2	00.0-10.9	1	1.5	00.0-04.4	2	3.5	00.0-08.4	52	76.2	63.5-88.9
25-34	135	48,174	6	4.6	00.9-08.3				1	1.1	00.0-03.3	1	1.0	00.0-03.0	127	93.2	88.5-97.9
35-44	119	36,088	16	13.9	07.0-20.8	2	1.9	00.0-04.6	2	2.3	00.0-06.2	2	1.6	00.0-03.8	97	80.2	72.2-88.2
45-54	182	41,507	11	5.7	02.2-09.2	1	0.3	00.0-00.9	2	1.4	00.0-03.4	3	1.1	00.0-02.5	165	91.5	87.2-95.8
55-64	269	44,736	20	8.6	03.9-13.3	4	1.0	00.0-02.2	2	2.0	00.0-05.3	2	0.5	00.0-01.3	241	87.8	82.1-93.5
65+	355	46,258	13	3.5	00.6-06.4	4	0.8	00.0-01.8	4	0.7	00.0-01.5	2	0.4	00.0-01.0	332	94.6	91.5-97.7
Less Than H.S.	80	24,532	10	12.0	04.0-20.0	1	0.5	00.0-01.5				2	5.2	00.0-12.3	67	82.3	72.1-92.5
H.S. or G.E.D.	326	70,399	23	8.2	04.1-12.3	6	2.2	00.0-04.6	3	2.3	00.0-05.0	6	1.9	00.1-03.7	288	85.3	79.8-90.8
Some Post-H.S.	346	95,078	17	7.7	03.0-12.4	3	1.2	00.0-02.8	6	1.3	00.0-02.7	1	0.1	00.0-00.3	319	89.7	84.6-94.8
College Graduate	378	64,016	24	6.8	03.7-09.9	4	1.0	00.0-02.4	3	1.4	00.0-03.6	3	0.8	00.0-01.8	344	90.0	85.9-94.1
\$15,000- 24,999	100	24,755	10	13.3	04.3-22.3	1	0.6	00.0-01.8	2	3.3	00.0-09.0	1	2.0	00.0-05.9	86	80.8	70.2-91.4
\$25,000- 34,999	88	19,670	11	11.8	03.6-20.0	3	2.1	00.0-05.0	2	3.1	00.0-08.6	3	2.4	00.0-05.1	69	80.6	70.4-90.8
\$35,000- 49,999	143	32,589	7	6.3	00.0-12.8	3	2.3	00.0-05.6	1	1.7	00.0-05.0	1	0.2	00.0-00.6	131	89.5	81.9-97.1
\$50,000- 74,999	214	43,990	18	10.0	04.5-15.5	3	2.4	00.0-05.7				1	0.3	00.0-00.9	192	87.3	81.2-93.4
\$75,000+	436	95,546	17	5.4	01.3-09.5	1	0.2	00.0-00.6	3	0.4	00.0-01.0	4	1.3	00.0-03.1	411	92.7	88.2-97.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 18. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1410	252,431	139	12.9	10.2-15.6	32	3.3	01.7-04.9	21	2.0	00.8-03.2	34	3.5	01.9-05.1	1184	78.3	75.0-81.6
18-24	53	33,251	14	27.7	14.8-40.6	3	6.9	00.0-14.5				3	5.8	00.0-12.5	33	59.7	45.6-73.8
25-34	100	39,282	19	14.7	07.6-21.8	2	1.6	00.0-04.0	3	2.8	00.0-06.1	6	7.1	01.2-13.0	70	73.7	64.5-82.9
35-44	138	37,062	15	12.2	04.2-20.2	8	5.6	01.3-09.9	2	2.1	00.0-05.0	2	1.3	00.0-03.5	111	78.8	69.8-87.8
45-54	182	40,956	25	14.4	08.5-20.3	4	2.1	00.0-04.3	5	4.9	00.0-10.8	4	2.0	00.0-04.2	144	76.6	68.8-84.4
55-64	343	44,144	35	9.8	06.1-13.5	6	3.2	00.0-06.5	3	0.9	00.0-02.1	11	3.9	01.0-06.8	288	82.1	76.6-87.6
65+	582	55,162	31	4.9	02.7-07.1	9	1.9	00.3-03.5	8	1.4	00.2-02.6	8	2.0	00.2-03.8	526	89.7	86.4-93.0
Less Than H.S.	69	19,487	5	9.3	00.0-19.9	3	9.3	00.0-19.7	3	8.3	00.0-20.1	3	5.2	00.0-12.3	55	67.9	51.2-84.6
H.S. or G.E.D.	399	61,592	35	13.3	07.0-19.6	8	3.2	00.0-06.7	4	1.0	00.0-02.2	12	5.5	01.8-09.2	340	77.0	69.7-84.3
Some Post-H.S.	484	104,443	49	13.7	09.2-18.2	11	2.7	00.9-04.5	8	1.8	00.2-03.4	11	3.0	00.6-05.4	405	78.9	73.8-84.0
College Graduate	454	66,660	50	12.2	08.5-15.9	10	2.6	00.8-04.4	5	1.4	00.0-02.8	8	2.0	00.2-03.8	381	81.8	77.3-86.3
Less than \$15,000	86	17,311	12	16.2	05.0-27.4	1	5.9	00.0-16.9	6	12.8	00.0-26.1	5	5.2	00.1-10.3	62	59.9	43.8-76.0
\$15,000- 24,999	170	28,618	18	16.3	05.1-27.5	6	4.1	00.2-08.0	1	0.2	00.0-00.6	7	6.1	00.2-12.0	138	73.2	61.2-85.2
\$25,000- 34,999	136	20,307	11	14.5	04.3-24.7	2	1.5	00.0-04.0				6	6.8	00.0-13.9	117	77.2	65.8-88.6
\$35,000- 49,999	179	29,057	17	12.0	04.9-19.1	1	0.3	00.0-00.9	3	1.3	00.0-03.1	5	7.3	00.0-14.7	153	79.1	69.5-88.7
\$50,000- 74,999	201	36,509	14	9.6	03.7-15.5	4	2.9	00.0-05.8	2	1.8	00.0-04.9	3	0.7	00.0-01.7	178	85.0	78.1-91.9
\$75,000+	405	80,787	46	12.2	08.1-16.3	11	3.4	00.9-05.9	4	1.3	00.0-02.7	4	1.9	00.0-04.1	340	81.2	76.1-86.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 19. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2544	507,079	162	8.7	06.9-10.5	36	2.4	01.4-03.4	33	2.2	01.2-03.2	51	2.9	01.9-03.9	2262	83.9	81.7-86.1
Male	1134	254,717	71	7.5	05.5-09.5	13	1.9	00.7-03.1	10	2.1	00.3-03.9	17	1.7	00.7-02.7	1023	86.8	83.9-89.7
Female	1410	252,362	91	9.8	07.3-12.3	23	2.9	01.3-04.5	23	2.3	01.1-03.5	34	4.0	02.2-05.8	1239	80.9	77.6-84.2
18-24	117	69,431	15	14.7	07.6-21.8	6	5.9	01.2-10.6	4	5.5	00.0-11.4	3	3.6	00.0-07.5	89	70.3	60.9-79.7
25-34	235	87,456	22	9.1	05.2-13.0	5	3.1	00.4-05.8	9	3.7	01.2-06.2	7	3.4	00.7-06.1	192	80.7	75.0-86.4
35-44	257	73,151	20	10.2	05.1-15.3	3	1.6	00.0-03.4	5	2.3	00.1-04.5	8	4.1	01.0-07.2	221	81.8	75.7-87.9
45-54	364	82,463	26	8.8	04.9-12.7	8	3.2	00.8-05.6	3	1.0	00.0-02.2	10	2.5	00.9-04.1	317	84.5	79.8-89.2
55-64	611	88,774	35	6.8	03.9-09.7	5	0.5	00.1-00.9	8	1.1	00.3-01.9	11	3.1	00.7-05.5	552	88.5	84.8-92.2
65+	939	101,455	43	5.0	03.0-07.0	9	0.8	00.2-01.4	4	0.6	00.0-01.4	12	1.4	00.4-02.4	871	92.2	89.8-94.6
Less Than H.S.	149	43,898	17	16.1	07.3-24.9	2	1.6	00.0-04.1	4	3.9	00.0-08.0	5	4.9	00.0-10.2	121	73.4	63.4-83.4
H.S. or G.E.D.	722	131,483	37	7.0	04.1-09.9	14	3.2	00.8-05.6	10	1.7	00.5-02.9	17	3.7	01.7-05.7	644	84.4	80.3-88.5
Some Post-H.S.	833	200,032	51	8.2	05.5-10.9	13	2.8	01.2-04.4	10	2.7	00.5-04.9	17	2.6	01.0-04.2	742	83.6	79.9-87.3
College Graduate	834	130,789	57	8.6	06.1-11.1	7	1.1	00.1-02.1	9	1.4	00.4-02.4	12	1.8	00.4-03.2	749	87.1	84.0-90.2
Less than \$15,000	128	28,698	10	8.8	00.2-17.4	8	12.6	03.2-22.0	5	5.1	00.0-10.4	8	6.2	00.9-11.5	97	67.3	55.1-79.5
\$15,000- 24,999	272	53,452	25	13.8	06.7-20.9	4	1.6	00.0-03.6	4	2.5	00.0-05.2	10	6.9	02.2-11.6	229	75.2	67.0-83.4
\$25,000- 34,999	225	40,172	21	11.8	05.7-17.9	3	3.0	00.0-06.5	4	4.1	00.0-08.6	6	2.5	00.1-04.9	191	78.6	70.8-86.4
\$35,000- 49,999	323	61,617	11	5.4	01.5-09.3	5	3.0	00.0-06.1	4	1.6	00.0-03.6	6	3.6	00.1-07.1	297	86.4	80.3-92.5
\$50,000- 74,999	417	80,832	19	6.8	03.3-10.3	4	0.8	00.0-02.0	2	0.2	00.0-00.4	3	0.9	00.0-01.9	389	91.4	87.7-95.1
\$75,000+	841	176,333	56	8.0	05.5-10.5	9	1.9	00.5-03.3	9	2.6	00.2-05.0	8	1.1	00.1-02.1	759	86.3	82.8-89.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 20. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1134	254,717	71	7.5	05.5-09.5	13	1.9	00.7-03.1	10	2.1	00.3-03.9	17	1.7	00.7-02.7	1023	86.8	83.9-89.7
18-24	64	36,180	5	9.7	01.7-17.7	3	5.2	00.0-11.1	3	8.7	00.0-19.3				53	76.4	63.5-89.3
25-34	135	48,174	12	8.4	03.5-13.3	1	1.1	00.0-03.3	2	1.9	00.0-04.6				120	88.5	82.8-94.2
35-44	119	36,088	11	10.3	04.2-16.4	2	2.0	00.0-04.7	1	0.9	00.0-02.7	3	4.2	00.0-09.1	102	82.5	74.5-90.5
45-54	182	41,507	12	7.6	03.1-12.1	3	2.6	00.0-05.7	1	0.9	00.0-02.7	5	2.3	00.1-04.5	161	86.5	80.6-92.4
55-64	269	44,736	15	7.0	02.7-11.3	1	0.3	00.0-00.9	2	0.7	00.0-01.9	5	3.5	00.0-07.2	246	88.5	83.0-94.0
65+	357	46,323	15	3.2	01.2-05.2	3	0.8	00.0-01.8	1	0.3	00.0-00.9	4	0.8	00.0-01.6	334	94.9	92.5-97.3
Less Than H.S.	79	24,248	9	10.0	01.8-18.2	1	2.2	00.0-06.5	3	5.6	00.0-12.5	1	1.3	00.0-03.8	65	80.8	69.8-91.8
H.S. or G.E.D.	327	70,517	14	6.0	02.5-09.5	4	1.0	00.0-02.0	4	1.8	00.0-03.8	8	2.8	00.3-05.3	297	88.4	83.9-92.9
Some Post-H.S.	347	95,272	20	7.2	03.7-10.7	5	2.7	00.2-05.2	2	2.4	00.0-06.3	6	1.4	00.0-02.8	314	86.4	80.9-91.9
College Graduate	379	64,051	28	8.7	05.0-12.4	3	1.5	00.0-03.5	1	0.5	00.0-01.5	2	1.3	00.0-03.5	345	88.0	83.3-92.7
\$15,000- 24,999	101	24,794	10	14.9	04.7-25.1	1	0.5	00.0-01.5	2	3.8	00.0-08.9	4	5.1	00.0-11.4	84	75.8	64.0-87.6
\$25,000- 34,999	89	19,865	10	14.3	04.5-24.1	2	3.7	00.0-09.4				3	2.8	00.0-06.1	74	79.3	68.1-90.5
\$35,000- 49,999	144	32,624	6	7.4	00.7-14.1	1	0.3	00.0-00.9	1	1.7	00.0-04.8	1	0.2	00.0-00.6	135	90.4	83.1-97.7
\$50,000- 74,999	214	43,990	9	5.7	01.6-09.8	2	1.2	00.0-03.2				1	0.5	00.0-01.5	202	92.7	88.2-97.2
\$75,000+	436	95,546	25	5.7	03.2-08.2	3	1.3	00.0-02.9	5	3.6	00.0-07.7	2	0.3	00.0-00.7	401	89.1	84.2-94.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 21. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1410	252,362	91	9.8	07.3-12.3	23	2.9	01.3-04.5	23	2.3	01.1-03.5	34	4.0	02.2-05.8	1239	80.9	77.6-84.2
18-24	53	33,251	10	20.2	08.4-32.0	3	6.6	00.0-14.0	1	2.0	00.0-05.9	3	7.4	00.0-15.6	36	63.8	49.9-77.7
25-34	100	39,282	10	10.0	03.5-16.5	4	5.5	00.0-11.0	7	5.9	01.2-10.6	7	7.5	01.6-13.4	72	71.0	61.0-81.0
35-44	138	37,062	9	10.1	02.3-17.9	1	1.2	00.0-03.6	4	3.7	00.0-07.6	5	4.0	00.3-07.7	119	81.1	72.1-90.1
45-54	182	40,956	14	9.9	03.4-16.4	5	3.8	00.3-07.3	2	1.0	00.0-02.8	5	2.7	00.2-05.2	156	82.5	75.1-89.9
55-64	342	44,038	20	6.5	02.8-10.2	4	0.8	00.0-01.6	6	1.5	00.1-02.9	6	2.6	00.0-05.3	306	88.6	83.9-93.3
65+	582	55,132	28	6.4	03.1-09.7	6	0.9	00.0-01.9	3	0.9	00.0-02.3	8	1.9	00.3-03.5	537	89.9	86.2-93.6
Less Than H.S.	70	19,650	8	23.6	07.7-39.5	1	0.9	00.0-02.7	1	1.9	00.0-05.4	4	9.4	00.0-20.4	56	64.2	47.1-81.3
H.S. or G.E.D.	395	60,966	23	8.1	03.2-13.0	10	5.8	01.1-10.5	6	1.6	00.0-03.2	9	4.7	01.4-08.0	347	79.9	73.0-86.8
Some Post-H.S.	486	104,761	31	9.2	05.1-13.3	8	2.8	00.6-05.0	8	3.0	00.6-05.4	11	3.8	01.1-06.5	428	81.2	75.9-86.5
College Graduate	455	66,738	29	8.5	05.0-12.0	4	0.7	00.0-01.5	8	2.2	00.4-04.0	10	2.3	00.7-03.9	404	86.3	82.0-90.6
Less than \$15,000	85	17,131	5	9.7	00.0-22.6	4	8.9	00.0-20.5	4	7.3	00.0-15.7	7	8.4	00.6-16.2	65	65.7	49.2-82.2
\$15,000- 24,999	171	28,658	15	12.8	03.2-22.4	3	2.5	00.0-06.2	2	1.5	00.0-03.9	6	8.4	01.3-15.5	145	74.8	63.4-86.2
\$25,000- 34,999	136	20,307	11	9.3	01.9-16.7	1	2.4	00.0-06.9	4	8.2	00.0-16.8	3	2.2	00.0-05.3	117	78.0	66.6-89.4
\$35,000- 49,999	179	28,992	5	3.2	00.0-06.9	4	6.0	00.0-12.7	3	1.4	00.0-03.2	5	7.4	00.0-14.8	162	81.9	71.9-91.9
\$50,000- 74,999	203	36,843	10	8.1	02.0-14.2	2	0.3	00.0-00.9	2	0.4	00.0-01.0	2	1.3	00.0-03.1	187	89.9	83.6-96.2
\$75,000+	405	80,787	31	10.7	06.2-15.2	6	2.7	00.3-05.1	4	1.5	00.0-03.1	6	2.1	00.1-04.1	358	83.0	77.7-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 22. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2526	502,150	79	4.5	03.1-05.9	17	0.8	00.4-01.2	23	1.2	00.6-01.8	20	1.4	00.6-02.2	2387	92.1	90.5-93.7
Male	1120	252,184	30	3.3	01.9-04.7	11	1.4	00.4-02.4	11	1.2	00.2-02.2	7	0.9	00.1-01.7	1061	93.1	91.1-95.1
Female	1406	249,967	49	5.6	03.4-07.8	6	0.2	00.0-00.4	12	1.2	00.4-02.0	13	1.9	00.7-03.1	1326	91.0	88.5-93.5
18-24	117	69,431	10	9.2	03.5-14.9	3	2.2	00.0-04.7	1	1.0	00.0-03.0	3	3.3	00.0-07.0	100	84.2	77.1-91.3
25-34	235	87,456	11	5.2	02.1-08.3	2	0.5	00.0-01.3	4	1.9	00.0-03.9	1	0.7	00.0-02.1	217	91.8	87.9-95.7
35-44	254	71,957	8	5.1	00.6-09.6	3	1.3	00.0-02.9	4	2.3	00.0-04.7	3	1.0	00.0-02.4	236	90.2	85.1-95.3
45-54	360	80,466	10	2.3	00.7-03.9				4	1.3	00.0-02.7	3	1.3	00.0-02.9	343	95.1	92.6-97.6
55-64	610	87,939	20	2.7	01.1-04.3	4	0.5	00.0-01.1	5	0.7	00.0-01.5	7	1.9	00.0-03.9	574	94.2	91.7-96.7
65+	931	100,963	19	3.4	01.2-05.6	5	0.8	00.0-01.6	5	0.5	00.1-00.9	3	0.7	00.0-01.5	899	94.6	92.2-97.0
Less Than H.S.	145	41,814	9	9.6	02.9-16.3				6	5.1	00.2-10.0	4	5.6	00.0-11.5	126	79.6	70.4-88.8
H.S. or G.E.D.	719	130,967	28	6.0	02.9-09.1	7	1.6	00.2-03.0	3	0.5	00.0-01.1	8	2.4	00.4-04.4	673	89.5	85.8-93.2
Some Post-H.S.	827	198,201	19	3.5	01.5-05.5	4	0.5	00.0-01.1	5	0.5	00.0-01.1	6	0.6	00.0-01.2	793	95.0	92.8-97.2
College Graduate	829	130,291	23	2.8	01.2-04.4	6	0.8	00.0-01.8	9	1.9	00.3-03.5	2	0.3	00.0-00.9	789	94.1	91.7-96.5
Less than \$15,000	125	27,310	12	15.8	05.8-25.8	2	2.2	00.0-05.5	4	6.0	00.1-11.9	4	5.0	00.0-10.3	103	71.0	59.4-82.6
\$15,000- 24,999	271	53,335	11	7.0	01.1-12.9	2	1.3	00.0-03.5	4	2.2	00.0-05.1	5	2.5	00.0-05.2	249	86.9	79.8-94.0
\$25,000- 34,999	222	39,806	11	6.9	01.8-12.0				5	1.4	00.0-02.8	2	0.9	00.0-02.3	204	90.8	85.3-96.3
\$35,000- 49,999	323	61,635	7	1.7	00.0-03.9	4	1.2	00.0-03.0				3	1.4	00.0-03.6	309	95.7	92.2-99.2
\$50,000- 74,999	417	80,832	5	2.3	00.0-04.7	1	0.4	00.0-01.2	5	1.0	00.0-02.0				406	96.3	93.6-99.0
\$75,000+	837	175,492	18	2.6	01.0-04.2	8	1.0	00.2-01.8	3	0.8	00.0-01.8	3	0.7	00.0-01.5	805	94.9	92.7-97.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 23. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1120	252,184	30	3.3	01.9-04.7	11	1.4	00.4-02.4	11	1.2	00.2-02.2	7	0.9	00.1-01.7	1061	93.1	91.1-95.1
18-24	64	36,180	3	4.8	00.0-10.1	3	4.3	00.0-09.2	1	2.0	00.0-05.9				57	88.9	81.1-96.7
25-34	135	48,174	2	1.7	00.0-04.1	1	0.7	00.0-02.1	1	1.1	00.0-03.3				131	96.5	93.0-0100
35-44	117	35,334	4	4.4	00.0-08.9	3	2.7	00.0-05.6	1	2.1	00.0-06.0	1	0.7	00.0-02.1	108	90.1	83.6-96.6
45-54	179	40,716	3	1.9	00.0-04.3				2	0.7	00.0-01.7	2	1.8	00.0-04.5	172	95.6	91.9-99.3
55-64	268	44,496	9	3.3	00.8-05.8	2	0.6	00.0-01.6	3	1.1	00.0-02.7	2	2.1	00.0-05.4	252	92.9	88.4-97.4
65+	351	45,987	8	4.0	00.3-07.7	2	1.0	00.0-02.6	3	0.9	00.0-01.9	2	1.0	00.0-02.6	336	93.2	88.9-97.5
Less Than H.S.	77	24,185	4	7.5	00.0-15.1				3	6.4	00.0-13.7	1	2.2	00.0-06.5	69	83.8	73.0-94.6
H.S. or G.E.D.	324	69,837	10	4.2	01.3-07.1	5	2.7	00.2-05.2	2	0.5	00.0-01.1	2	1.3	00.0-03.5	305	91.3	87.0-95.6
Some Post-H.S.	343	93,980	8	2.8	00.4-05.2	3	0.9	00.0-01.9	3	0.4	00.0-00.8	3	0.6	00.0-01.2	326	95.4	92.9-97.9
College Graduate	374	63,553	8	1.6	00.2-03.0	3	1.4	00.0-03.2	3	1.4	00.0-03.8	1	0.5	00.0-01.5	359	95.1	92.0-98.2
\$15,000- 24,999	101	24,686	2	2.8	00.0-07.9	1	2.3	00.0-06.6	3	4.6	00.0-10.7	2	1.8	00.0-04.5	93	88.6	79.6-97.6
\$25,000- 34,999	86	19,499	5	9.8	01.2-18.4				3	2.4	00.0-05.1	1	1.4	00.0-03.9	77	86.5	77.3-95.7
\$35,000- 49,999	143	32,537	1	0.1	00.0-00.3	2	2.0	00.0-05.3							140	97.9	94.6-0100
\$50,000- 74,999	214	43,990	3	1.8	00.0-04.3	1	0.8	00.0-02.4	2	0.4	00.0-01.0				208	96.9	94.0-99.8
\$75,000+	433	95,143	10	1.8	00.6-03.0	6	1.7	00.3-03.1	1	0.8	00.0-02.2	1	0.2	00.0-00.6	415	95.6	93.2-98.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 24. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1406	249,967	49	5.6	03.4-07.8	6	0.2	00.0-00.4	12	1.2	00.4-02.0	13	1.9	00.7-03.1	1326	91.0	88.5-93.5
18-24	53	33,251	7	14.1	03.9-24.3							3	6.8	00.0-14.2	43	79.1	67.1-91.1
25-34	100	39,282	9	9.4	02.9-15.9	1	0.2	00.0-00.6	3	2.9	00.0-06.4	1	1.6	00.0-04.7	86	86.0	78.4-93.6
35-44	137	36,624	4	5.8	00.0-13.2				3	2.5	00.0-05.4	2	1.3	00.0-03.5	128	90.3	82.3-98.3
45-54	181	39,750	7	2.8	00.6-05.0				2	1.9	00.0-04.6	1	0.7	00.0-02.1	171	94.6	90.9-98.3
55-64	342	43,443	11	2.1	00.7-03.5	2	0.3	00.0-00.7	2	0.3	00.0-00.7	5	1.8	00.0-03.8	322	95.5	93.0-98.0
65+	580	54,976	11	2.9	00.7-05.1	3	0.7	00.0-01.5	2	0.2	00.0-00.4	1	0.4	00.0-01.2	563	95.8	93.3-98.3
Less Than H.S.	68	17,629	5	12.5	00.7-24.3				3	3.3	00.0-08.8	3	10.3	00.0-22.5	57	73.9	58.0-89.8
H.S. or G.E.D.	395	61,130	18	8.1	02.4-13.8	2	0.5	00.0-01.1	1	0.5	00.0-01.5	6	3.5	00.2-06.8	368	87.4	81.1-93.7
Some Post-H.S.	484	104,221	11	4.1	01.2-07.0	1	0.1	00.0-00.3	2	0.6	00.0-01.6	3	0.6	00.0-01.4	467	94.7	91.6-97.8
College Graduate	455	66,738	15	4.1	01.6-06.6	3	0.3	00.0-00.7	6	2.3	00.3-04.3	1	0.1	00.0-00.3	430	93.2	89.9-96.5
Less than \$15,000	85	16,106	8	17.4	03.5-31.3	1	0.9	00.0-02.7	3	7.0	00.0-15.0	3	5.1	00.0-11.4	70	69.5	54.4-84.6
\$15,000- 24,999	170	28,649	9	10.7	00.9-20.5	1	0.5	00.0-01.5	1	0.2	00.0-00.6	3	3.2	00.0-07.7	156	85.4	75.0-95.8
\$25,000- 34,999	136	20,307	6	4.2	00.0-09.7				2	0.4	00.0-01.0	1	0.4	00.0-01.2	127	94.9	89.2-0100
\$35,000- 49,999	180	29,098	6	3.4	00.0-07.9	2	0.4	00.0-01.0				3	2.9	00.0-07.2	169	93.2	86.9-99.5
\$50,000- 74,999	203	36,843	2	2.9	00.0-07.0				3	1.6	00.0-03.8				198	95.4	90.7-0100
\$75,000+	404	80,349	8	3.6	00.7-06.5	2	0.2	00.0-00.6	2	0.8	00.0-02.0	2	1.3	00.0-03.1	390	94.1	90.4-97.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 25. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2548	506,861	326	13.8	11.8-15.8	2222	86.2	84.2-88.2
Male	1135	254,582	91	8.7	06.7-10.7	1044	91.3	89.3-93.3
Female	1413	252,278	235	19.0	15.9-22.1	1178	81.0	77.9-84.1
18-24	117	69,431	11	9.1	03.8-14.4	106	90.9	85.6-96.2
25-34	233	86,610	28	14.2	08.7-19.7	205	85.8	80.3-91.3
35-44	255	72,690	40	16.6	10.9-22.3	215	83.4	77.7-89.1
45-54	363	82,284	59	17.0	12.3-21.7	304	83.0	78.3-87.7
55-64	613	88,971	97	17.0	13.1-20.9	516	83.0	79.1-86.9
65+	946	102,526	89	9.8	07.3-12.3	857	90.2	87.7-92.7
Less Than H.S.	152	44,442	23	17.2	09.0-25.4	129	82.8	74.6-91.0
H.S. or G.E.D.	725	131,554	85	12.7	09.2-16.2	640	87.3	83.8-90.8
Some Post-H.S.	832	199,613	102	13.3	10.2-16.4	730	86.7	83.6-89.8
College Graduate	833	130,374	115	14.7	11.6-17.8	718	85.3	82.2-88.4
Less than \$15,000	130	29,162	33	30.7	19.3-42.1	97	69.3	57.9-80.7
\$15,000- 24,999	273	53,175	49	18.1	11.4-24.8	224	81.9	75.2-88.6
\$25,000- 34,999	225	40,172	29	16.2	09.1-23.3	196	83.8	76.7-90.9
\$35,000- 49,999	323	61,683	35	12.2	05.9-18.5	288	87.8	81.5-94.1
\$50,000- 74,999	416	80,669	51	12.4	08.5-16.3	365	87.6	83.7-91.5
\$75,000+	840	176,179	91	10.6	08.1-13.1	749	89.4	86.9-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 26. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1135	254,582	91	8.7	06.7-10.7	1044	91.3	89.3-93.3
18-24	64	36,180	3	4.7	00.0-10.0	61	95.3	90.0-100.0
25-34	134	47,705	8	5.9	01.6-10.2	126	94.1	89.8-98.4
35-44	119	36,088	14	12.2	05.9-18.5	105	87.8	81.5-94.1
45-54	182	41,507	20	11.6	06.3-16.9	162	88.4	83.1-93.7
55-64	270	44,827	25	12.6	07.1-18.1	245	87.4	81.9-92.9
65+	358	46,566	20	5.9	03.0-08.8	338	94.1	91.2-97.0
Less Than H.S.	80	24,532	7	8.1	01.6-14.6	73	91.9	85.4-98.4
H.S. or G.E.D.	328	70,518	34	10.6	06.5-14.7	294	89.4	85.3-93.5
Some Post-H.S.	346	94,853	26	7.0	03.9-10.1	320	93.0	89.9-96.1
College Graduate	379	64,051	24	9.3	05.2-13.4	355	90.7	86.6-94.8
\$15,000- 24,999	101	24,450	13	13.2	05.8-20.6	88	86.8	79.4-94.2
\$25,000- 34,999	89	19,865	4	5.4	00.0-11.5	85	94.6	88.5-100.0
\$35,000- 49,999	144	32,624	10	5.1	01.2-09.0	134	94.9	91.0-98.8
\$50,000- 74,999	214	44,005	18	9.2	04.7-13.7	196	90.8	86.3-95.3
\$75,000+	436	95,546	19	4.3	02.1-06.5	417	95.7	93.5-97.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 27. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1413	252,278	235	19.0	15.9-22.1	1178	81.0	77.9-84.1
18-24	53	33,251	8	13.8	04.4-23.2	45	86.2	76.8-95.6
25-34	99	38,905	20	24.5	13.9-35.1	79	75.5	64.9-86.1
35-44	136	36,602	26	21.0	12.0-30.0	110	79.0	70.0-88.0
45-54	181	40,777	39	22.6	14.8-30.4	142	77.4	69.6-85.2
55-64	343	44,144	72	21.5	16.0-27.0	271	78.5	73.0-84.0
65+	588	55,959	69	13.1	09.2-17.0	519	86.9	83.0-90.8
Less Than H.S.	72	19,910	16	28.3	12.8-43.8	56	71.7	56.2-87.2
H.S. or G.E.D.	397	61,036	51	15.0	09.3-20.7	346	85.0	79.3-90.7
Some Post-H.S.	486	104,761	76	18.9	13.8-24.0	410	81.1	76.0-86.2
College Graduate	454	66,323	91	19.9	15.4-24.4	363	80.1	75.6-84.6
Less than \$15,000	86	17,311	21	29.4	14.1-44.7	65	70.6	55.3-85.9
\$15,000- 24,999	172	28,725	36	22.3	12.1-32.5	136	77.7	67.5-87.9
\$25,000- 34,999	136	20,307	25	26.7	15.1-38.3	111	73.3	61.7-84.9
\$35,000- 49,999	179	29,059	25	20.2	08.6-31.8	154	79.8	68.2-91.4
\$50,000- 74,999	202	36,664	33	16.2	09.3-23.1	169	83.8	76.9-90.7
\$75,000+	404	80,633	72	18.0	13.3-22.7	332	82.0	77.3-86.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 28. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2547	506,006	298	13.9	11.9-15.9	2249	86.1	84.1-88.1
Male	1136	254,135	91	9.5	07.0-12.0	1045	90.5	88.0-93.0
Female	1411	251,872	207	18.4	15.3-21.5	1204	81.6	78.5-84.7
18-24	117	69,431	20	19.7	11.3-28.1	97	80.3	71.9-88.7
25-34	235	87,174	46	22.6	16.3-28.9	189	77.4	71.1-83.7
35-44	254	72,167	40	15.2	10.3-20.1	214	84.8	79.9-89.7
45-54	361	81,726	43	11.7	08.0-15.4	318	88.3	84.6-92.0
55-64	610	88,342	72	10.5	07.8-13.2	538	89.5	86.8-92.2
65+	949	102,817	76	6.9	04.9-08.9	873	93.1	91.1-95.1
Less Than H.S.	153	44,481	20	13.2	05.9-20.5	133	86.8	79.5-94.1
H.S. or G.E.D.	725	131,738	78	12.8	09.5-16.1	647	87.2	83.9-90.5
Some Post-H.S.	831	198,761	98	14.7	11.0-18.4	733	85.3	81.6-89.0
College Graduate	832	130,149	102	14.1	11.0-17.2	730	85.9	82.8-89.0
Less than \$15,000	129	28,798	27	19.0	10.4-27.6	102	81.0	72.4-89.6
\$15,000- 24,999	273	53,175	40	15.2	09.7-20.7	233	84.8	79.3-90.3
\$25,000- 34,999	225	40,172	27	13.4	06.9-19.9	198	86.6	80.1-93.1
\$35,000- 49,999	321	61,125	33	16.0	08.7-23.3	288	84.0	76.7-91.3
\$50,000- 74,999	417	80,806	45	12.9	08.4-17.4	372	87.1	82.6-91.6
\$75,000+	840	176,179	88	12.6	09.3-15.9	752	87.4	84.1-90.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 29. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1136	254,135	91	9.5	07.0-12.0	1045	90.5	88.0-93.0
18-24	64	36,180	5	11.6	00.6-22.6	59	88.4	77.4-99.4
25-34	135	47,892	14	11.0	05.1-16.9	121	89.0	83.1-94.9
35-44	118	35,565	15	12.9	06.4-19.4	103	87.1	80.6-93.6
45-54	182	41,507	15	9.6	04.3-14.9	167	90.4	85.1-95.7
55-64	269	44,463	23	8.6	04.5-12.7	246	91.4	87.3-95.5
65+	360	46,819	19	4.9	02.4-07.4	341	95.1	92.6-97.6
Less Than H.S.	80	24,532	8	11.3	02.7-19.9	72	88.7	80.1-97.3
H.S. or G.E.D.	329	70,706	28	9.9	05.8-14.0	301	90.1	86.0-94.2
Some Post-H.S.	346	94,218	26	8.1	03.4-12.8	320	91.9	87.2-96.6
College Graduate	379	64,051	29	10.5	06.2-14.8	350	89.5	85.2-93.8
\$15,000- 24,999	101	24,450	12	11.2	04.1-18.3	89	88.8	81.7-95.9
\$25,000- 34,999	89	19,865	8	9.0	01.2-16.8	81	91.0	83.2-98.8
\$35,000- 49,999	144	32,624	10	8.8	02.3-15.3	134	91.2	84.7-97.7
\$50,000- 74,999	215	44,142	14	8.5	03.4-13.6	201	91.5	86.4-96.6
\$75,000+	436	95,546	30	9.3	04.8-13.8	406	90.7	86.2-95.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015
MODULE 25: ANXIETY AND DEPRESSION**

TABLE 30. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPULSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1411	251,872	207	18.4	15.3-21.5	1204	81.6	78.5-84.7
18-24	53	33,251	15	28.6	15.7-41.5	38	71.4	58.5-84.3
25-34	100	39,282	32	36.6	25.6-47.6	68	63.4	52.4-74.4
35-44	136	36,602	25	17.5	10.2-24.8	111	82.5	75.2-89.8
45-54	179	40,218	28	13.9	08.6-19.2	151	86.1	80.8-91.4
55-64	341	43,880	49	12.4	08.7-16.1	292	87.6	83.9-91.3
65+	589	55,998	57	8.6	05.9-11.3	532	91.4	88.7-94.1
Less Than H.S.	73	19,949	12	15.6	03.4-27.8	61	84.4	72.2-96.6
H.S. or G.E.D.	396	61,033	50	16.1	10.6-21.6	346	83.9	78.4-89.4
Some Post-H.S.	485	104,543	72	20.7	15.2-26.2	413	79.3	73.8-84.8
College Graduate	453	66,098	73	17.6	13.1-22.1	380	82.4	77.9-86.9
Less than \$15,000	86	17,311	20	20.6	09.2-32.0	66	79.4	68.0-90.8
\$15,000- 24,999	172	28,725	28	18.7	10.5-26.9	144	81.3	73.1-89.5
\$25,000- 34,999	136	20,307	19	17.7	07.7-27.7	117	82.3	72.3-92.3
\$35,000- 49,999	177	28,501	23	24.2	11.7-36.7	154	75.8	63.3-88.3
\$50,000- 74,999	202	36,664	31	18.2	10.8-25.6	171	81.8	74.4-89.2
\$75,000+	404	80,633	58	16.5	11.6-21.4	346	83.5	78.6-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2015**

End of Module Data Report