

# NORTH DAKOTA

## 2016 Core Variables Report

### Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5727	590,211	935	18.2	16.8-19.6	1998	34.8	33.2-36.4	1892	32.2	30.6-33.8	688	11.4	10.2-12.6	214	3.4	2.8- 4.0
Male	2630	302,441	429	18.8	16.8-20.8	867	32.7	30.5-34.9	913	34.4	32.2-36.6	332	11.0	9.6-12.4	89	3.1	2.3- 3.9
Female	3097	287,770	506	17.5	15.5-19.5	1131	37.0	34.6-39.4	979	30.0	27.8-32.2	356	11.7	9.9-13.5	125	3.7	2.9- 4.5
Native	164	24,190	18	13.3	5.5-21.1	38	20.4	13.3-27.5	58	39.8	30.2-49.4	39	22.3	14.5-30.1	11	4.3	1.4- 7.2
Non-Native	5484	557,834	904	18.4	17.0-19.8	1938	35.6	33.8-37.4	1802	31.8	30.2-33.4	642	10.9	9.7-12.1	198	3.3	2.7- 3.9
18-24	271	91,825	73	25.1	19.6-30.6	103	37.6	31.3-43.9	73	27.3	21.6-33.0	20	8.9	4.8-13.0	2	1.1	0.0- 2.7
25-34	600	111,161	137	22.5	19.0-26.0	236	36.4	32.3-40.5	176	31.0	26.9-35.1	41	7.9	5.4-10.4	10	2.2	0.8- 3.6
35-44	595	89,555	127	20.3	16.8-23.8	216	35.3	31.0-39.6	199	33.3	29.2-37.4	46	9.4	6.5-12.3	7	1.7	0.3- 3.1
45-54	800	82,171	137	16.6	13.7-19.5	306	36.1	32.4-39.8	259	33.7	30.0-37.4	73	9.9	7.4-12.4	25	3.7	2.1- 5.3
55-64	1354	96,281	204	13.5	11.5-15.5	497	35.8	32.9-38.7	435	32.0	29.3-34.7	159	13.6	11.4-15.8	59	5.2	3.8- 6.6
65+	2043	113,246	242	11.4	9.8-13.0	616	28.4	26.2-30.6	731	36.1	33.7-38.5	344	17.7	15.7-19.7	110	6.4	5.0- 7.8
Less Than H.S.	323	49,250	32	17.2	10.7-23.7	47	14.4	9.3-19.5	128	36.0	29.1-42.9	86	24.6	18.1-31.1	30	7.8	4.3-11.3
H.S. or G.E.D.	1646	157,959	210	16.4	13.9-18.9	483	30.3	27.4-33.2	625	36.0	33.1-38.9	260	13.8	11.6-16.0	68	3.4	2.4- 4.4
Some Post-H.S.	1877	234,880	254	14.1	12.1-16.1	690	37.6	34.9-40.3	631	33.3	30.6-36.0	220	11.0	9.2-12.8	82	3.9	2.9- 4.9
College Graduate	1866	147,104	439	26.9	24.4-29.4	773	41.7	39.0-44.4	504	25.2	22.8-27.6	118	4.9	3.7- 6.1	32	1.2	0.6- 1.8
Less than \$15,000	314	36,831	36	17.6	10.5-24.7	54	15.6	10.3-20.9	100	29.8	22.9-36.7	82	24.7	18.6-30.8	42	12.3	7.8-16.8
\$15,000- 24,999	622	64,504	53	10.1	6.8-13.4	159	26.9	21.8-32.0	227	35.0	29.7-40.3	139	22.1	17.4-26.8	44	5.9	3.7- 8.1
\$25,000- 34,999	532	56,149	61	13.5	9.6-17.4	151	28.5	23.2-33.8	216	41.6	35.9-47.3	83	13.7	9.8-17.6	21	2.6	1.4- 3.8
\$35,000- 49,999	803	80,626	102	13.1	10.0-16.2	283	38.8	34.1-43.5	279	31.9	27.6-36.2	104	12.1	9.2-15.0	35	4.1	2.3- 5.9
\$50,000- 74,999	938	95,144	166	19.8	16.3-23.3	373	39.1	35.2-43.0	296	30.7	27.0-34.4	82	7.7	5.7- 9.7	21	2.7	1.1- 4.3
\$75,000+	1825	188,286	402	22.9	20.5-25.3	783	41.5	38.8-44.2	513	28.7	26.2-31.2	101	5.6	4.2- 7.0	26	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	302,441	429	18.8	16.8-20.8	867	32.7	30.5-34.9	913	34.4	32.2-36.6	332	11.0	9.6-12.4	89	3.1	2.3- 3.9
Native	68	10,128	7	11.0	1.2-20.8	20	26.8	15.2-38.4	22	38.6	24.5-52.7	17	20.0	9.6-30.4	2	3.5	0.0- 8.4
Non-Native	2518	287,083	414	19.0	17.0-21.0	834	33.0	30.6-35.4	875	34.2	31.8-36.6	311	10.7	9.3-12.1	84	3.0	2.2- 3.8
18-24	171	49,584	52	30.2	22.9-37.5	60	33.0	25.6-40.4	47	29.7	22.3-37.1	11	6.1	2.4- 9.8	1	1.0	0.0- 3.0
25-34	336	60,331	79	24.5	19.4-29.6	134	36.5	31.0-42.0	102	31.8	26.3-37.3	19	6.3	3.6- 9.0	2	0.9	0.0- 2.1
35-44	284	47,036	58	19.1	14.2-24.0	82	29.6	23.7-35.5	115	39.2	32.9-45.5	27	10.7	6.6-14.8	2	1.4	0.0- 3.6
45-54	400	42,577	58	14.0	10.3-17.7	159	37.9	32.6-43.2	138	36.2	30.9-41.5	35	8.5	5.6-11.4	10	3.4	1.0- 5.8
55-64	658	49,069	88	12.0	9.5-14.5	224	33.4	29.5-37.3	227	33.7	29.8-37.6	89	15.0	11.9-18.1	30	5.8	3.6- 8.0
65+	761	51,837	90	10.9	8.5-13.3	200	25.0	21.5-28.5	277	37.0	33.1-40.9	151	20.3	17.0-23.6	43	6.7	4.5- 8.9
Less Than H.S.	162	26,685	22	21.1	12.5-29.7	23	16.4	9.0-23.8	57	35.5	26.7-44.3	45	20.1	13.6-26.6	15	6.9	2.8-11.0
H.S. or G.E.D.	817	91,387	114	17.3	14.0-20.6	235	30.2	26.3-34.1	313	37.3	33.2-41.4	128	12.3	9.9-14.7	27	2.9	1.5- 4.3
Some Post-H.S.	832	116,272	120	15.4	12.3-18.5	277	34.0	30.1-37.9	310	36.4	32.5-40.3	93	10.5	8.0-13.0	32	3.6	2.2- 5.0
College Graduate	812	67,509	173	25.7	22.0-29.4	328	39.9	36.0-43.8	232	26.6	23.1-30.1	66	6.8	4.8- 8.8	13	1.0	0.4- 1.6
Less than \$15,000	112	15,647	14	18.7	8.3-29.1	22	16.0	8.7-23.3	32	30.0	18.8-41.2	30	21.4	13.2-29.6	14	13.8	5.2-22.4
\$15,000- 24,999	243	29,721	25	13.8	7.7-19.9	54	24.4	17.5-31.3	90	36.6	29.2-44.0	58	19.7	14.0-25.4	16	5.5	2.4- 8.6
\$25,000- 34,999	223	29,033	35	18.1	11.6-24.6	49	23.2	16.3-30.1	97	44.4	36.2-52.6	34	11.9	7.2-16.6	8	2.4	0.6- 4.2
\$35,000- 49,999	395	43,787	42	10.8	6.9-14.7	139	38.7	32.6-44.8	134	32.1	26.4-37.8	62	15.3	11.0-19.6	18	3.1	1.5- 4.7
\$50,000- 74,999	468	53,801	71	18.3	13.6-23.0	170	36.7	31.2-42.2	160	32.7	27.6-37.8	56	8.9	6.2-11.6	11	3.3	0.9- 5.7
\$75,000+	959	103,562	198	22.9	19.6-26.2	373	36.9	33.2-40.6	312	33.0	29.5-36.5	61	6.1	4.1- 8.1	15	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3097	287,770	506	17.5	15.5-19.5	1131	37.0	34.6-39.4	979	30.0	27.8-32.2	356	11.7	9.9-13.5	125	3.7	2.9- 4.5
Native	96	14,062	11	14.8	3.4-26.2	18	15.7	6.9-24.5	36	40.7	27.6-53.8	22	23.9	12.7-35.1	9	4.8	1.1- 8.5
Non-Native	2966	270,750	490	17.6	15.6-19.6	1104	38.3	35.8-40.8	927	29.2	27.0-31.4	331	11.2	9.4-13.0	114	3.6	2.8- 4.4
18-24	100	42,241	21	19.1	11.3-26.9	43	42.9	32.7-53.1	26	24.5	15.7-33.3	9	12.1	4.7-19.5	1	1.3	0.0- 3.7
25-34	264	50,830	58	20.1	15.0-25.2	102	36.2	29.9-42.5	74	30.1	24.0-36.2	22	9.9	5.8-14.0	8	3.7	1.2- 6.2
35-44	311	42,519	69	21.5	16.4-26.6	134	41.7	35.6-47.8	84	26.8	21.3-32.3	19	8.0	4.1-11.9	5	2.0	0.2- 3.8
45-54	400	39,594	79	19.4	15.1-23.7	147	34.2	28.9-39.5	121	31.0	25.9-36.1	38	11.4	7.5-15.3	15	4.0	1.8- 6.2
55-64	696	47,213	116	15.0	12.1-17.9	273	38.2	34.1-42.3	208	30.1	26.2-34.0	70	12.1	9.2-15.0	29	4.6	2.8- 6.4
65+	1282	61,409	152	11.7	9.7-13.7	416	31.3	28.4-34.2	454	35.3	32.4-38.2	193	15.5	13.1-17.9	67	6.2	4.6- 7.8
Less Than H.S.	161	22,565	10	12.6	3.0-22.2	24	12.0	5.5-18.5	71	36.6	25.6-47.6	41	29.9	18.3-41.5	15	8.8	2.9-14.7
H.S. or G.E.D.	829	66,573	96	15.1	11.4-18.8	248	30.5	26.0-35.0	312	34.3	29.8-38.8	132	16.0	12.3-19.7	41	4.1	2.5- 5.7
Some Post-H.S.	1045	118,608	134	12.9	10.4-15.4	413	41.2	37.1-45.3	321	30.3	26.6-34.0	127	11.5	9.1-13.9	50	4.1	2.7- 5.5
College Graduate	1054	79,595	266	27.9	24.4-31.4	445	43.3	39.4-47.2	272	24.1	20.8-27.4	52	3.3	2.1- 4.5	19	1.4	0.6- 2.2
Less than \$15,000	202	21,184	22	16.7	7.1-26.3	32	15.3	8.0-22.6	68	29.7	21.3-38.1	52	27.2	18.6-35.8	28	11.1	6.4-15.8
\$15,000- 24,999	379	34,783	28	6.9	3.6-10.2	105	29.0	21.6-36.4	137	33.6	26.2-41.0	81	24.2	17.1-31.3	28	6.3	3.4- 9.2
\$25,000- 34,999	309	27,116	26	8.6	4.3-12.9	102	34.1	26.1-42.1	119	38.7	30.7-46.7	49	15.7	9.4-22.0	13	2.9	1.1- 4.7
\$35,000- 49,999	408	36,839	60	15.8	10.7-20.9	144	38.9	31.6-46.2	145	31.7	25.4-38.0	42	8.4	4.9-11.9	17	5.2	1.7- 8.7
\$50,000- 74,999	470	41,342	95	21.7	16.6-26.8	203	42.2	36.3-48.1	136	28.1	22.8-33.4	26	6.1	3.4- 8.8	10	2.0	0.4- 3.6
\$75,000+	866	84,724	204	22.9	19.6-26.2	410	47.1	43.0-51.2	201	23.5	20.0-27.0	40	5.1	2.9- 7.3	11	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5611	579,788	3689	66.2	64.6-67.8	646	11.9	10.7-13.1	562	10.3	9.1-11.5	406	7.1	6.1- 8.1	308	4.6	4.0- 5.2	
Male	2582	297,256	1775	68.8	66.6-71.0	289	12.0	10.4-13.6	229	8.7	7.3-10.1	156	6.3	5.1- 7.5	133	4.1	3.1- 5.1	
Female	3029	282,532	1914	63.4	61.0-65.8	357	11.7	10.1-13.3	333	12.0	10.2-13.8	250	7.9	6.5- 9.3	175	5.0	4.0- 6.0	
Native	157	23,040	86	56.5	46.7-66.3	11	8.5	2.8-14.2	20	13.7	6.1-21.3	23	11.6	5.7-17.5	17	9.8	4.1-15.5	
Non-Native	5382	549,047	3599	66.7	64.9-68.5	626	12.0	10.8-13.2	532	10.1	8.9-11.3	377	6.9	5.9- 7.9	288	4.3	3.7- 4.9	
18-24	268	90,567	174	64.0	57.7-70.3	39	13.8	9.3-18.3	35	13.4	8.9-17.9	15	6.9	3.4-10.4	5	1.9	0.1- 3.7	
25-34	594	110,042	412	68.4	64.3-72.5	84	13.8	10.9-16.7	56	9.5	7.0-12.0	27	5.2	3.0- 7.4	15	3.0	1.4- 4.6	
35-44	592	88,837	412	70.2	66.1-74.3	73	10.6	8.1-13.1	58	10.3	7.4-13.2	33	6.2	4.0- 8.4	16	2.7	1.1- 4.3	
45-54	796	81,607	535	66.0	62.3-69.7	105	12.7	10.2-15.2	72	9.6	7.2-12.0	48	6.9	4.7- 9.1	36	4.8	3.0- 6.6	
55-64	1334	94,705	899	66.9	64.0-69.8	144	10.5	8.7-12.3	111	8.1	6.5- 9.7	94	7.5	5.9- 9.1	86	7.0	5.4- 8.6	
65+	1965	108,199	1210	61.3	58.8-63.8	199	10.2	8.6-11.8	224	11.1	9.5-12.7	184	9.8	8.2-11.4	148	7.6	6.2- 9.0	
Less Than H.S.	295	45,555	156	58.2	50.6-65.8	34	11.1	5.8-16.4	37	11.4	6.7-16.1	41	14.0	8.1-19.9	27	5.2	2.8- 7.6	
H.S. or G.E.D.	1610	155,588	1062	67.6	64.5-70.7	143	9.3	7.5-11.1	162	9.9	7.7-12.1	127	7.1	5.5- 8.7	116	6.0	4.4- 7.6	
Some Post-H.S.	1845	231,943	1198	65.1	62.4-67.8	210	11.9	9.9-13.9	184	10.5	8.7-12.3	146	7.5	6.1- 8.9	107	5.1	3.9- 6.3	
College Graduate	1848	145,818	1264	68.9	66.4-71.4	258	14.9	12.9-16.9	179	10.0	8.2-11.8	90	4.2	3.2- 5.2	57	2.0	1.4- 2.6	
Less than \$15,000	300	35,050	139	49.2	41.4-57.0	30	8.6	4.3-12.9	40	14.0	8.5-19.5	49	15.6	10.3-20.9	42	12.6	7.7-17.5	
\$15,000- 24,999	602	62,957	321	55.0	49.3-60.7	62	11.0	7.1-14.9	81	13.4	9.5-17.3	66	11.9	7.8-16.0	72	8.7	6.2-11.2	
\$25,000- 34,999	518	54,696	313	57.8	51.9-63.7	58	13.6	9.1-18.1	64	13.9	9.6-18.2	47	8.6	5.3-11.9	36	6.1	3.6- 8.6	
\$35,000- 49,999	792	79,783	506	61.9	57.2-66.6	96	13.8	10.5-17.1	84	12.5	9.2-15.8	61	7.0	4.6- 9.4	45	4.8	3.0- 6.6	
\$50,000- 74,999	924	94,031	643	70.7	67.0-74.4	100	10.7	8.2-13.2	78	7.7	5.5- 9.9	60	7.0	4.8- 9.2	43	3.8	2.4- 5.2	
\$75,000+	1812	187,057	1335	74.3	71.9-76.7	232	13.0	11.0-15.0	138	7.3	5.7- 8.9	70	3.8	2.8- 4.8	37	1.6	1.0- 2.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2582	297,256	1775	68.8	66.6-71.0	289	12.0	10.4-13.6	229	8.7	7.3-10.1	156	6.3	5.1- 7.5	133	4.1	3.1- 5.1	
Native	65	9,761	42	65.6	52.1-79.1	5	9.3	1.1-17.5	8	9.5	2.2-16.8	3	2.9	0.0- 6.2	7	12.8	2.4-23.2	
Non-Native	2476	282,554	1706	69.0	66.6-71.4	278	12.1	10.5-13.7	218	8.7	7.3-10.1	150	6.4	5.2- 7.6	124	3.8	3.0- 4.6	
18-24	169	48,889	114	68.1	60.7-75.5	27	15.1	9.6-20.6	16	8.8	4.3-13.3	9	6.2	2.1-10.3	3	1.8	0.0- 4.0	
25-34	333	59,903	237	70.0	64.7-75.3	52	15.3	11.2-19.4	28	8.7	5.4-12.0	11	4.1	1.7- 6.5	5	2.0	0.2- 3.8	
35-44	282	46,652	199	71.0	65.1-76.9	34	11.3	7.4-15.2	24	7.7	4.4-11.0	20	7.7	4.2-11.2	5	2.3	0.0- 4.7	
45-54	400	42,520	287	71.1	66.0-76.2	44	11.0	7.7-14.3	34	9.0	5.9-12.1	18	4.9	2.4- 7.4	17	4.0	1.8- 6.2	
55-64	645	48,038	452	69.8	65.9-73.7	58	8.9	6.5-11.3	46	7.2	4.8- 9.6	41	6.8	4.6- 9.0	48	7.4	5.2- 9.6	
65+	734	49,320	473	63.0	59.1-66.9	73	9.8	7.4-12.2	79	10.7	8.2-13.2	55	8.6	6.1-11.1	54	7.9	5.5-10.3	
Less Than H.S.	153	25,528	93	71.1	63.3-78.9	14	7.2	2.9-11.5	16	8.2	4.1-12.3	15	8.6	3.7-13.5	15	4.9	1.8- 8.0	
H.S. or G.E.D.	802	90,024	556	70.3	66.4-74.2	73	10.1	7.6-12.6	67	7.7	5.3-10.1	51	6.0	4.0- 8.0	55	6.0	4.0- 8.0	
Some Post-H.S.	819	114,632	551	65.9	62.0-69.8	102	13.1	10.4-15.8	73	9.6	7.1-12.1	59	7.8	5.4-10.2	34	3.7	2.3- 5.1	
College Graduate	803	66,617	571	70.8	67.1-74.5	100	14.9	11.8-18.0	73	9.0	6.6-11.4	30	3.3	1.9- 4.7	29	2.2	1.4- 3.0	
Less than \$15,000	111	15,565	58	54.0	42.2-65.8	9	7.7	2.0-13.4	11	8.5	3.2-13.8	17	15.1	6.9-23.3	16	14.7	5.9-23.5	
\$15,000- 24,999	236	29,040	132	61.8	54.4-69.2	26	10.8	6.1-15.5	26	10.0	5.3-14.7	23	9.6	5.3-13.9	29	7.8	4.5-11.1	
\$25,000- 34,999	215	27,976	134	60.3	52.1-68.5	29	14.3	8.4-20.2	23	11.2	5.7-16.7	15	7.1	2.6-11.6	14	7.1	2.8-11.4	
\$35,000- 49,999	387	43,004	244	60.7	54.4-67.0	52	15.2	10.7-19.7	42	12.7	8.2-17.2	26	7.3	3.8-10.8	23	4.1	2.1- 6.1	
\$50,000- 74,999	459	52,869	324	70.8	65.7-75.9	40	10.2	6.7-13.7	37	7.3	4.6-10.0	33	7.6	4.5-10.7	25	4.2	2.2- 6.2	
\$75,000+	952	102,941	722	76.4	73.3-79.5	114	12.7	10.2-15.2	69	6.8	5.0- 8.6	31	3.1	1.7- 4.5	16	1.1	0.5- 1.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3029	282,532	1914	63.4	61.0-65.8	357	11.7	10.1-13.3	333	12.0	10.2-13.8	250	7.9	6.5- 9.3	175	5.0	4.0- 6.0
Native	92	13,279	44	49.8	36.5-63.1	6	7.9	0.0-15.9	12	16.9	5.1-28.7	20	17.9	8.3-27.5	10	7.5	1.6-13.4
Non-Native	2906	266,493	1853	64.2	61.7-66.7	348	11.8	10.2-13.4	314	11.6	9.8-13.4	227	7.4	6.0- 8.8	164	4.9	3.9- 5.9
18-24	99	41,677	60	59.1	48.7-69.5	12	12.3	5.2-19.4	19	18.8	10.8-26.8	6	7.7	1.6-13.8	2	2.0	0.0- 4.9
25-34	261	50,139	175	66.6	60.3-72.9	32	12.1	7.8-16.4	28	10.5	6.4-14.6	16	6.5	3.0-10.0	10	4.3	1.4- 7.2
35-44	310	42,186	213	69.3	63.4-75.2	39	9.9	6.6-13.2	34	13.1	8.4-17.8	13	4.5	2.0- 7.0	11	3.2	1.0- 5.4
45-54	396	39,088	248	60.5	55.0-66.0	61	14.6	10.7-18.5	38	10.2	6.9-13.5	30	9.0	5.5-12.5	19	5.8	3.1- 8.5
55-64	689	46,667	447	64.0	59.9-68.1	86	12.0	9.3-14.7	65	9.0	6.6-11.4	53	8.3	5.9-10.7	38	6.6	4.2- 9.0
65+	1231	58,879	737	59.9	56.8-63.0	126	10.6	8.6-12.6	145	11.4	9.4-13.4	129	10.8	8.8-12.8	94	7.3	5.7- 8.9
Less Than H.S.	142	20,027	63	41.8	29.5-54.1	20	16.1	5.7-26.5	21	15.5	6.3-24.7	26	21.0	9.8-32.2	12	5.6	1.9- 9.3
H.S. or G.E.D.	808	65,564	506	64.0	59.1-68.9	70	8.1	5.6-10.6	95	13.0	9.1-16.9	76	8.7	6.0-11.4	61	6.1	3.9- 8.3
Some Post-H.S.	1026	117,311	647	64.2	60.3-68.1	108	10.7	8.2-13.2	111	11.5	8.8-14.2	87	7.1	5.3- 8.9	73	6.5	4.7- 8.3
College Graduate	1045	79,200	693	67.3	63.6-71.0	158	14.9	12.2-17.6	106	11.0	8.5-13.5	60	5.0	3.4- 6.6	28	1.8	0.8- 2.8
Less than \$15,000	189	19,485	81	45.3	34.9-55.7	21	9.2	2.9-15.5	29	18.4	9.8-27.0	32	16.1	9.2-23.0	26	10.9	6.0-15.8
\$15,000- 24,999	366	33,917	189	49.2	41.2-57.2	36	11.1	5.2-17.0	55	16.3	10.4-22.2	43	13.9	7.4-20.4	43	9.5	5.8-13.2
\$25,000- 34,999	303	26,720	179	55.1	46.7-63.5	29	12.8	6.1-19.5	41	16.8	9.9-23.7	32	10.1	5.2-15.0	22	5.2	2.7- 7.7
\$35,000- 49,999	405	36,779	262	63.2	56.3-70.1	44	12.2	7.5-16.9	42	12.4	7.3-17.5	35	6.6	3.3- 9.9	22	5.6	2.5- 8.7
\$50,000- 74,999	465	41,162	319	70.6	65.3-75.9	60	11.4	7.9-14.9	41	8.2	4.9-11.5	27	6.3	3.4- 9.2	18	3.4	1.4- 5.4
\$75,000+	860	84,116	613	71.7	68.0-75.4	118	13.4	10.7-16.1	69	8.0	5.6-10.4	39	4.6	2.8- 6.4	21	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5653	581,409	4100	66.9	65.1-68.7	508	10.8	9.6-12.0	514	10.2	9.2-11.2	366	7.9	6.9- 8.9	165	4.2	3.4- 5.0
Male	2591	296,837	1996	72.2	70.0-74.4	200	9.3	7.7-10.9	177	7.7	6.3- 9.1	145	6.8	5.4- 8.2	73	4.0	2.8- 5.2
Female	3062	284,572	2104	61.4	58.9-63.9	308	12.4	10.6-14.2	337	12.8	11.0-14.6	221	9.1	7.5-10.7	92	4.3	3.1- 5.5
Native	160	23,463	95	60.1	50.5-69.7	21	10.9	5.8-16.0	23	17.3	9.5-25.1	13	6.2	1.3-11.1	8	5.6	0.9-10.3
Non-Native	5420	550,225	3958	67.3	65.5-69.1	482	10.8	9.6-12.0	483	9.8	8.8-10.8	344	7.9	6.9- 8.9	153	4.1	3.3- 4.9
18-24	268	90,723	141	51.5	45.0-58.0	43	16.7	11.8-21.6	35	12.0	8.1-15.9	34	12.8	8.5-17.1	15	7.0	3.5-10.5
25-34	594	109,524	373	62.1	57.8-66.4	69	11.4	8.7-14.1	72	12.5	9.6-15.4	56	9.5	7.0-12.0	24	4.6	2.6- 6.6
35-44	591	88,724	377	63.2	58.9-67.5	82	14.0	10.9-17.1	66	11.1	8.4-13.8	46	7.2	5.0- 9.4	20	4.6	2.4- 6.8
45-54	790	80,814	534	66.5	62.8-70.2	72	8.7	6.5-10.9	84	11.1	8.6-13.6	66	8.9	6.5-11.3	34	4.7	2.9- 6.5
55-64	1343	95,474	1004	74.3	71.8-76.8	104	8.0	6.4- 9.6	124	9.2	7.4-11.0	75	5.4	4.0- 6.8	36	3.2	2.0- 4.4
65+	2006	110,418	1624	80.9	78.9-82.9	134	6.8	5.4- 8.2	129	6.2	5.0- 7.4	84	4.3	3.1- 5.5	35	1.9	1.1- 2.7
Less Than H.S.	298	45,258	215	63.5	55.7-71.3	19	8.2	3.3-13.1	22	6.7	3.2-10.2	26	11.5	5.8-17.2	16	10.1	4.8-15.4
H.S. or G.E.D.	1622	155,675	1191	67.5	64.4-70.6	118	8.6	6.6-10.6	148	10.2	8.2-12.2	101	8.1	6.1-10.1	64	5.7	3.9- 7.5
Some Post-H.S.	1861	233,316	1333	66.5	63.8-69.2	173	11.5	9.3-13.7	165	10.1	8.3-11.9	129	8.0	6.4- 9.6	61	3.8	2.6- 5.0
College Graduate	1860	146,369	1350	67.9	65.2-70.6	198	12.8	10.8-14.8	179	11.5	9.5-13.5	110	6.5	4.9- 8.1	23	1.3	0.7- 1.9
Less than \$15,000	306	35,366	172	49.5	41.9-57.1	27	8.3	4.4-12.2	35	13.7	8.6-18.8	40	12.2	7.9-16.5	32	16.3	10.0-22.6
\$15,000- 24,999	612	63,612	391	53.6	47.9-59.3	52	14.0	9.1-18.9	70	11.7	8.2-15.2	59	13.8	9.1-18.5	40	6.9	4.2- 9.6
\$25,000- 34,999	522	54,989	369	61.5	55.6-67.4	37	9.8	5.5-14.1	51	12.1	8.4-15.8	46	11.7	7.8-15.6	19	5.0	2.1- 7.9
\$35,000- 49,999	792	79,288	571	64.3	59.6-69.0	61	10.8	7.7-13.9	80	12.7	9.2-16.2	58	8.8	6.1-11.5	22	3.3	1.5- 5.1
\$50,000- 74,999	930	94,185	700	72.6	68.9-76.3	83	9.5	7.1-11.9	84	10.5	7.8-13.2	46	4.7	2.9- 6.5	17	2.7	1.1- 4.3
\$75,000+	1821	187,852	1384	73.2	70.7-75.7	188	11.1	9.3-12.9	149	8.9	7.3-10.5	84	5.3	3.9- 6.7	16	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2591	296,837	1996	72.2	70.0-74.4	200	9.3	7.7-10.9	177	7.7	6.3- 9.1	145	6.8	5.4- 8.2	73	4.0	2.8- 5.2	
Native	68	10,083	46	67.3	54.2-80.4	12	17.3	7.1-27.5	8	11.0	1.8-20.2	1	2.4	0.0- 6.9	1	2.0	0.0- 5.9	
Non-Native	2482	281,814	1924	72.6	70.2-75.0	187	9.1	7.5-10.7	164	7.5	6.1- 8.9	138	6.7	5.3- 8.1	69	4.0	2.8- 5.2	
18-24	169	48,793	97	56.6	48.8-64.4	27	16.9	10.8-23.0	19	10.1	5.6-14.6	18	10.8	5.9-15.7	8	5.7	1.8- 9.6	
25-34	333	59,439	231	69.8	64.5-75.1	28	8.5	5.4-11.6	35	9.8	6.5-13.1	29	8.5	5.2-11.8	10	3.3	1.1- 5.5	
35-44	280	46,205	198	69.3	63.2-75.4	28	10.6	6.5-14.7	23	8.3	4.8-11.8	18	5.2	2.7- 7.7	13	6.6	2.9-10.3	
45-54	393	41,339	289	73.3	68.4-78.2	29	6.9	4.2- 9.6	30	7.2	4.5- 9.9	33	8.7	5.6-11.8	12	3.9	1.4- 6.4	
55-64	649	48,433	518	79.3	75.8-82.8	50	8.3	5.9-10.7	43	6.0	4.0- 8.0	22	3.4	1.8- 5.0	16	3.0	1.4- 4.6	
65+	749	50,793	651	85.2	82.1-88.3	37	4.7	3.1- 6.3	24	4.3	2.3- 6.3	24	3.7	1.9- 5.5	13	2.1	0.7- 3.5	
Less Than H.S.	152	24,445	116	70.8	61.6-80.0	9	7.2	1.9-12.5	6	4.6	0.7- 8.5	13	10.0	3.9-16.1	8	7.4	1.7-13.1	
H.S. or G.E.D.	802	89,666	616	70.6	66.5-74.7	55	8.9	6.4-11.4	53	7.9	5.5-10.3	46	7.1	4.7- 9.5	32	5.5	3.3- 7.7	
Some Post-H.S.	822	115,061	622	71.9	68.2-75.6	77	10.8	8.1-13.5	55	7.1	4.9- 9.3	47	6.6	4.4- 8.8	21	3.6	1.8- 5.4	
College Graduate	810	67,264	637	75.0	71.3-78.7	59	8.1	5.7-10.5	63	9.9	7.2-12.6	39	5.5	3.5- 7.5	12	1.5	0.5- 2.5	
Less than \$15,000	111	14,933	61	45.8	34.2-57.4	8	8.0	1.5-14.5	14	14.7	6.5-22.9	14	9.4	4.1-14.7	14	22.2	10.8-33.6	
\$15,000- 24,999	238	29,236	165	61.5	53.5-69.5	17	10.7	5.2-16.2	17	8.1	3.6-12.6	20	11.3	5.4-17.2	19	8.4	4.3-12.5	
\$25,000- 34,999	215	27,968	157	66.5	58.5-74.5	19	9.1	4.4-13.8	15	8.7	4.0-13.4	17	11.2	5.9-16.5	7	4.5	0.4- 8.6	
\$35,000- 49,999	387	42,689	294	69.1	62.8-75.4	26	9.9	5.6-14.2	29	8.6	5.1-12.1	28	9.7	5.4-14.0	10	2.7	0.7- 4.7	
\$50,000- 74,999	463	53,062	368	76.5	71.4-81.6	30	8.2	4.7-11.7	37	9.1	5.8-12.4	17	3.2	1.4- 5.0	11	3.1	0.9- 5.3	
\$75,000+	956	103,296	771	79.1	76.0-82.2	82	8.8	6.6-11.0	57	6.1	4.3- 7.9	41	4.9	3.1- 6.7	5	1.2	0.0- 2.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3062	284,572	2104	61.4	58.9-63.9	308	12.4	10.6-14.2	337	12.8	11.0-14.6	221	9.1	7.5-10.7	92	4.3	3.1- 5.5
Native	92	13,381	49	54.7	41.2-68.2	9	6.0	1.5-10.5	15	22.1	10.3-33.9	12	9.0	1.2-16.8	7	8.3	0.9-15.7
Non-Native	2938	268,411	2034	61.7	59.2-64.2	295	12.6	10.8-14.4	319	12.3	10.5-14.1	206	9.2	7.6-10.8	84	4.2	3.0- 5.4
18-24	99	41,930	44	45.7	35.3-56.1	16	16.5	8.5-24.5	16	14.3	7.4-21.2	16	15.1	7.7-22.5	7	8.5	2.4-14.6
25-34	261	50,085	142	52.8	46.1-59.5	41	14.8	10.1-19.5	37	15.7	10.8-20.6	27	10.6	6.5-14.7	14	6.1	2.8- 9.4
35-44	311	42,519	179	56.5	50.2-62.8	54	17.6	12.9-22.3	43	14.1	9.6-18.6	28	9.4	5.7-13.1	7	2.4	0.4- 4.4
45-54	397	39,474	245	59.5	54.0-65.0	43	10.6	7.3-13.9	54	15.3	11.0-19.6	33	9.1	5.6-12.6	22	5.4	2.9- 7.9
55-64	694	47,041	486	69.0	65.1-72.9	54	7.7	5.5- 9.9	81	12.4	9.7-15.1	53	7.5	5.3- 9.7	20	3.4	1.8- 5.0
65+	1257	59,625	973	77.2	74.5-79.9	97	8.6	6.6-10.6	105	7.8	6.2- 9.4	60	4.7	3.3- 6.1	22	1.6	0.8- 2.4
Less Than H.S.	146	20,813	99	55.0	42.3-67.7	10	9.4	0.8-18.0	16	9.1	3.0-15.2	13	13.2	3.2-23.2	8	13.3	3.9-22.7
H.S. or G.E.D.	820	66,009	575	63.1	58.2-68.0	63	8.2	5.7-10.7	95	13.5	10.0-17.0	55	9.4	6.1-12.7	32	5.8	3.1- 8.5
Some Post-H.S.	1039	118,255	711	61.2	57.1-65.3	96	12.3	9.2-15.4	110	13.1	10.2-16.0	82	9.5	7.1-11.9	40	4.0	2.2- 5.8
College Graduate	1050	79,105	713	61.9	58.0-65.8	139	16.8	13.7-19.9	116	12.8	9.9-15.7	71	7.3	5.1- 9.5	11	1.2	0.4- 2.0
Less than \$15,000	195	20,432	111	52.3	42.3-62.3	19	8.5	3.8-13.2	21	13.0	6.5-19.5	26	14.4	7.9-20.9	18	11.9	5.4-18.4
\$15,000- 24,999	374	34,376	226	46.8	39.0-54.6	35	16.9	9.3-24.5	53	14.8	9.5-20.1	39	15.8	8.9-22.7	21	5.6	2.3- 8.9
\$25,000- 34,999	307	27,020	212	56.3	47.9-64.7	18	10.5	3.4-17.6	36	15.7	9.6-21.8	29	12.1	6.4-17.8	12	5.4	1.1- 9.7
\$35,000- 49,999	405	36,599	277	58.8	51.5-66.1	35	11.9	7.2-16.6	51	17.4	11.1-23.7	30	7.8	4.3-11.3	12	4.1	1.0- 7.2
\$50,000- 74,999	467	41,124	332	67.5	61.8-73.2	53	11.2	7.9-14.5	47	12.3	7.8-16.8	29	6.7	3.6- 9.8	6	2.2	0.2- 4.2
\$75,000+	865	84,556	613	66.0	61.9-70.1	106	13.8	10.9-16.7	92	12.3	9.6-15.0	43	5.8	3.8- 7.8	11	2.2	0.4- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2734	298,468	1719	62.3	59.9-64.7	301	11.7	10.1-13.3	288	10.8	9.2-12.4	256	9.5	7.9-11.1	170	5.7	4.5- 6.9
Male	1146	141,270	714	62.8	59.3-66.3	123	11.6	9.2-14.0	113	10.1	7.9-12.3	111	9.2	7.0-11.4	85	6.3	4.7- 7.9
Female	1588	157,198	1005	61.9	58.6-65.2	178	11.7	9.5-13.9	175	11.4	9.0-13.8	145	9.9	7.7-12.1	85	5.1	3.5- 6.7
Native	96	13,954	50	51.7	38.6-64.8	8	8.2	2.1-14.3	16	19.6	9.0-30.2	12	10.2	2.4-18.0	10	10.3	2.1-18.5
Non-Native	2593	279,798	1639	62.8	60.3-65.3	289	11.8	10.0-13.6	267	10.4	8.8-12.0	239	9.5	7.9-11.1	159	5.5	4.5- 6.5
18-24	167	57,376	104	61.4	53.4-69.4	28	16.0	10.1-21.9	22	13.0	7.5-18.5	11	8.2	3.3-13.1	2	1.4	0.0- 3.4
25-34	298	56,572	189	63.5	57.6-69.4	41	11.5	7.8-15.2	28	10.0	6.3-13.7	23	8.1	4.8-11.4	17	6.8	3.3-10.3
35-44	299	44,810	193	63.8	57.7-69.9	36	11.4	7.5-15.3	41	13.1	8.8-17.4	20	8.5	4.6-12.4	9	3.1	0.9- 5.3
45-54	385	40,495	237	59.9	54.4-65.4	49	12.3	8.8-15.8	33	8.6	5.5-11.7	38	11.6	7.7-15.5	28	7.6	4.5-10.7
55-64	619	44,090	375	59.8	55.5-64.1	72	11.3	8.6-14.0	64	9.5	7.0-12.0	58	10.0	7.3-12.7	50	9.3	6.6-12.0
65+	941	52,700	605	64.3	60.8-67.8	72	6.9	5.1- 8.7	98	10.4	8.0-12.8	103	11.4	9.0-13.8	63	7.0	5.0- 9.0
Less Than H.S.	183	28,021	106	53.2	43.0-63.4	14	10.7	4.2-17.2	19	14.9	6.5-23.3	22	11.6	5.1-18.1	22	9.6	4.5-14.7
H.S. or G.E.D.	772	77,915	497	63.5	59.0-68.0	55	8.1	5.6-10.6	77	10.0	7.3-12.7	91	12.0	8.7-15.3	52	6.4	4.2- 8.6
Some Post-H.S.	916	120,890	579	62.4	58.5-66.3	90	10.7	8.0-13.4	99	11.1	8.6-13.6	84	9.4	7.0-11.8	64	6.4	4.6- 8.2
College Graduate	856	71,215	533	64.5	60.6-68.4	142	17.6	14.3-20.9	93	9.7	7.3-12.1	56	6.0	4.0- 8.0	32	2.2	1.2- 3.2
Less than \$15,000	205	25,202	90	43.1	33.9-52.3	10	6.9	1.8-12.0	29	12.8	7.3-18.3	38	20.7	13.3-28.1	38	16.6	10.3-22.9
\$15,000- 24,999	365	41,140	197	56.0	48.7-63.3	28	6.1	2.8- 9.4	49	17.4	11.1-23.7	51	11.9	8.0-15.8	40	8.6	5.3-11.9
\$25,000- 34,999	274	32,064	159	54.2	46.2-62.2	29	13.0	7.1-18.9	37	15.2	9.3-21.1	31	9.6	5.1-14.1	18	7.9	3.4-12.4
\$35,000- 49,999	393	44,792	253	64.8	58.5-71.1	45	12.7	8.2-17.2	42	10.5	6.6-14.4	33	7.6	4.3-10.9	20	4.4	2.0- 6.8
\$50,000- 74,999	421	43,856	283	66.0	60.1-71.9	52	14.9	10.2-19.6	32	6.2	3.5- 8.9	35	8.6	5.1-12.1	19	4.2	1.8- 6.6
\$75,000+	745	78,538	508	69.7	65.8-73.6	109	13.7	11.0-16.4	72	9.3	6.9-11.7	39	5.6	3.2- 8.0	17	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1146	141,270	714	62.8	59.3-66.3	123	11.6	9.2-14.0	113	10.1	7.9-12.3	111	9.2	7.0-11.4	85	6.3	4.7- 7.9
Non-Native	1085	133,168	674	62.7	59.2-66.2	119	11.9	9.4-14.4	103	9.8	7.6-12.0	109	9.5	7.3-11.7	80	6.1	4.5- 7.7
18-24	98	29,083	61	62.4	52.2-72.6	19	19.5	11.3-27.7	13	12.5	5.8-19.2	5	5.5	0.6-10.4			
25-34	153	28,336	97	64.0	55.8-72.2	20	10.6	5.9-15.3	18	11.6	6.3-16.9	11	8.1	3.2-13.0	7	5.6	1.3- 9.9
35-44	130	21,563	83	64.8	55.6-74.0	12	8.9	3.6-14.2	17	10.7	5.2-16.2	12	11.1	4.4-17.8	6	4.5	0.8- 8.2
45-54	170	18,629	106	60.6	52.2-69.0	21	13.7	7.8-19.6	16	9.0	4.3-13.7	13	8.3	3.6-13.0	14	8.3	3.2-13.4
55-64	275	20,466	166	60.7	54.2-67.2	29	9.3	5.8-12.8	23	7.1	4.0-10.2	26	9.4	5.5-13.3	31	13.4	8.7-18.1
65+	310	22,183	195	63.1	57.0-69.2	21	5.6	3.1- 8.1	26	8.8	5.1-12.5	42	13.3	9.0-17.6	26	9.1	5.4-12.8
Less Than H.S.	86	13,761	50	57.6	44.7-70.5	6	13.5	2.7-24.3	4	5.9	0.0-11.8	14	12.2	4.2-20.2	12	10.8	3.7-17.9
H.S. or G.E.D.	354	42,528	224	63.8	57.5-70.1	30	9.4	5.5-13.3	30	9.2	5.5-12.9	41	10.7	6.6-14.8	29	6.9	4.2- 9.6
Some Post-H.S.	376	56,028	242	65.2	59.5-70.9	38	10.0	6.3-13.7	37	10.1	6.4-13.8	31	7.9	4.8-11.0	28	6.7	4.0- 9.4
College Graduate	327	28,702	197	59.1	52.6-65.6	49	17.1	12.0-22.2	42	13.7	9.0-18.4	23	7.4	3.9-10.9	16	2.6	1.2- 4.0
Less than \$15,000	68	10,607	26	37.8	23.5-52.1	4	7.5	0.0-16.3	10	15.0	5.2-24.8	12	20.4	7.7-33.1	16	19.3	8.9-29.7
\$15,000- 24,999	137	17,135	71	53.7	43.1-64.3	10	9.1	2.2-16.0	13	11.9	5.0-18.8	23	14.3	7.4-21.2	20	10.9	5.2-16.6
\$25,000- 34,999	112	15,859	70	62.8	51.8-73.8	9	9.8	2.7-16.9	12	11.5	4.1-18.9	10	5.9	1.6-10.2	11	10.1	3.4-16.8
\$35,000- 49,999	182	22,596	117	64.4	55.8-73.0	20	12.9	6.8-19.0	20	9.4	4.7-14.1	16	9.5	3.6-15.4	9	3.7	1.0- 6.4
\$50,000- 74,999	200	24,523	132	64.2	55.8-72.6	23	16.0	8.7-23.3	14	6.7	2.4-11.0	19	8.5	4.0-13.0	12	4.7	1.6- 7.8
\$75,000+	351	38,209	233	68.4	62.7-74.1	49	12.9	9.0-16.8	39	10.7	7.0-14.4	22	6.3	3.4- 9.2	8	1.7	0.3- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1588	157,198	1005	61.9	58.6-65.2	178	11.7	9.5-13.9	175	11.4	9.0-13.8	145	9.9	7.7-12.1	85	5.1	3.5- 6.7
Native	60	8,885	29	49.3	31.9-66.7	5	7.8	0.4-15.2	8	18.8	4.9-32.7	12	16.0	3.8-28.2	6	8.2	0.0-18.0
Non-Native	1508	146,630	965	62.9	59.4-66.4	170	11.7	9.3-14.1	164	10.9	8.5-13.3	130	9.5	7.3-11.7	79	5.0	3.4- 6.6
18-24	69	28,293	43	60.4	48.1-72.7	9	12.4	4.4-20.4	9	13.4	4.6-22.2	6	11.0	2.6-19.4	2	2.7	0.0- 6.6
25-34	145	28,236	92	63.0	54.4-71.6	21	12.4	6.7-18.1	10	8.4	3.1-13.7	12	8.2	3.5-12.9	10	7.9	2.6-13.2
35-44	169	23,248	110	63.0	54.8-71.2	24	13.8	8.1-19.5	24	15.4	8.9-21.9	8	6.0	1.7-10.3	3	1.8	0.0- 4.3
45-54	215	21,867	131	59.4	52.0-66.8	28	11.1	6.8-15.4	17	8.2	3.9-12.5	25	14.4	8.5-20.3	14	7.0	3.1-10.9
55-64	344	23,624	209	59.1	53.2-65.0	43	13.1	9.0-17.2	41	11.6	7.9-15.3	32	10.6	6.7-14.5	19	5.6	2.9- 8.3
65+	631	30,517	410	65.1	60.8-69.4	51	7.8	5.4-10.2	72	11.6	8.7-14.5	61	10.0	7.3-12.7	37	5.5	3.5- 7.5
Less Than H.S.	97	14,259	56	48.9	33.6-64.2	8	8.0	1.3-14.7	15	23.6	8.9-38.3	8	11.0	1.0-21.0	10	8.5	1.1-15.9
H.S. or G.E.D.	418	35,387	273	63.2	56.5-69.9	25	6.5	3.4- 9.6	47	11.0	7.1-14.9	50	13.6	8.3-18.9	23	5.7	2.4- 9.0
Some Post-H.S.	540	64,863	337	59.9	54.4-65.4	52	11.4	7.5-15.3	62	12.0	8.5-15.5	53	10.7	7.2-14.2	36	6.0	3.6- 8.4
College Graduate	529	42,513	336	68.1	63.2-73.0	93	17.9	13.6-22.2	51	6.9	4.5- 9.3	33	5.1	2.9- 7.3	16	1.9	0.5- 3.3
Less than \$15,000	137	14,594	64	46.9	34.9-58.9	6	6.4	0.3-12.5	19	11.2	5.1-17.3	26	20.8	12.0-29.6	22	14.7	6.7-22.7
\$15,000- 24,999	228	24,005	126	57.6	47.6-67.6	18	4.0	1.6- 6.4	36	21.4	12.0-30.8	28	10.1	5.4-14.8	20	6.9	3.2-10.6
\$25,000- 34,999	162	16,205	89	45.9	34.5-57.3	20	16.2	6.8-25.6	25	18.8	9.8-27.8	21	13.3	5.7-20.9	7	5.8	0.0-12.1
\$35,000- 49,999	211	22,196	136	65.2	56.0-74.4	25	12.4	5.5-19.3	22	11.6	5.3-17.9	17	5.6	2.3- 8.9	11	5.2	1.3- 9.1
\$50,000- 74,999	221	19,333	151	68.4	60.8-76.0	29	13.6	8.3-18.9	18	5.5	2.8- 8.2	16	8.8	3.5-14.1	7	3.7	0.4- 7.0
\$75,000+	394	40,329	275	70.9	65.2-76.6	60	14.4	10.5-18.3	33	7.9	4.8-11.0	17	4.9	1.4- 8.4	9	1.8	0.0- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5733	590,043	5434	92.2	91.2-93.2	299	7.8	6.8- 8.8
Male	2631	301,968	2438	89.5	87.9-91.1	193	10.5	8.9-12.1
Female	3102	288,075	2996	95.1	93.9-96.3	106	4.9	3.7- 6.1
Native	166	24,305	150	84.7	77.1-92.3	16	15.3	7.7-22.9
Non-Native	5487	557,340	5210	92.6	91.6-93.6	277	7.4	6.4- 8.4
18-24	269	91,164	233	86.6	82.1-91.1	36	13.4	8.9-17.9
25-34	599	110,953	550	91.0	88.5-93.5	49	9.0	6.5-11.5
35-44	595	89,555	554	91.6	88.9-94.3	41	8.4	5.7-11.1
45-54	802	82,342	744	91.5	89.1-93.9	58	8.5	6.1-10.9
55-64	1354	96,289	1270	92.6	90.8-94.4	84	7.4	5.6- 9.2
65+	2048	113,493	2022	98.6	98.0-99.2	26	1.4	0.8- 2.0
Less Than H.S.	324	49,088	292	81.7	75.0-88.4	32	18.3	11.6-25.0
H.S. or G.E.D.	1647	157,721	1513	88.7	86.5-90.9	134	11.3	9.1-13.5
Some Post-H.S.	1879	235,023	1789	93.5	91.9-95.1	90	6.5	4.9- 8.1
College Graduate	1867	147,128	1824	97.3	96.3-98.3	43	2.7	1.7- 3.7
Less than \$15,000	315	36,908	267	78.9	72.2-85.6	48	21.1	14.4-27.8
\$15,000- 24,999	621	64,296	564	86.1	81.8-90.4	57	13.9	9.6-18.2
\$25,000- 34,999	530	55,997	491	89.8	86.3-93.3	39	10.2	6.7-13.7
\$35,000- 49,999	804	80,681	770	93.6	91.1-96.1	34	6.4	3.9- 8.9
\$50,000- 74,999	939	95,260	904	93.2	90.7-95.7	35	6.8	4.3- 9.3
\$75,000+	1827	188,352	1781	96.6	95.4-97.8	46	3.4	2.2- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2631	301,968	2438	89.5	87.9-91.1	193	10.5	8.9-12.1
Native	69	10,205	62	84.4	73.2-95.6	7	15.6	4.4-26.8
Non-Native	2517	286,322	2335	89.7	88.1-91.3	182	10.3	8.7-11.9
18-24	169	48,923	140	82.5	76.4-88.6	29	17.5	11.4-23.6
25-34	335	60,123	298	87.3	83.4-91.2	37	12.7	8.8-16.6
35-44	284	47,036	255	88.2	83.7-92.7	29	11.8	7.3-16.3
45-54	401	42,612	365	88.9	85.2-92.6	36	11.1	7.4-14.8
55-64	658	49,078	607	91.0	88.5-93.5	51	9.0	6.5-11.5
65+	763	51,978	754	98.8	97.8-99.8	9	1.2	0.2- 2.2
Less Than H.S.	163	26,523	141	78.3	69.7-86.9	22	21.7	13.1-30.3
H.S. or G.E.D.	818	91,123	728	85.3	82.2-88.4	90	14.7	11.6-17.8
Some Post-H.S.	832	116,284	775	91.1	88.6-93.6	57	8.9	6.4-11.4
College Graduate	811	67,449	787	96.5	94.7-98.3	24	3.5	1.7- 5.3
Less than \$15,000	113	15,724	86	67.6	55.8-79.4	27	32.4	20.6-44.2
\$15,000- 24,999	242	29,513	209	80.7	74.0-87.4	33	19.3	12.6-26.0
\$25,000- 34,999	221	28,881	195	87.3	82.2-92.4	26	12.7	7.6-17.8
\$35,000- 49,999	396	43,842	371	90.9	86.8-95.0	25	9.1	5.0-13.2
\$50,000- 74,999	467	53,734	443	90.5	86.4-94.6	24	9.5	5.4-13.6
\$75,000+	959	103,562	921	95.0	93.2-96.8	38	5.0	3.2- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3102	288,075	2996	95.1	93.9-96.3	106	4.9	3.7- 6.1
Native	97	14,100	88	84.9	74.3-95.5	9	15.1	4.5-25.7
Non-Native	2970	271,018	2875	95.6	94.4-96.8	95	4.4	3.2- 5.6
18-24	100	42,241	93	91.4	85.1-97.7	7	8.6	2.3-14.9
25-34	264	50,830	252	95.4	92.7-98.1	12	4.6	1.9- 7.3
35-44	311	42,519	299	95.5	92.6-98.4	12	4.5	1.6- 7.4
45-54	401	39,730	379	94.2	91.7-96.7	22	5.8	3.3- 8.3
55-64	696	47,211	663	94.4	92.2-96.6	33	5.6	3.4- 7.8
65+	1285	61,515	1268	98.4	97.6-99.2	17	1.6	0.8- 2.4
Less Than H.S.	161	22,565	151	85.7	75.5-95.9	10	14.3	4.1-24.5
H.S. or G.E.D.	829	66,598	785	93.4	91.2-95.6	44	6.6	4.4- 8.8
Some Post-H.S.	1047	118,739	1014	95.8	94.0-97.6	33	4.2	2.4- 6.0
College Graduate	1056	79,679	1037	98.1	96.9-99.3	19	1.9	0.7- 3.1
Less than \$15,000	202	21,184	181	87.2	80.1-94.3	21	12.8	5.7-19.9
\$15,000- 24,999	379	34,783	355	90.7	85.2-96.2	24	9.3	3.8-14.8
\$25,000- 34,999	309	27,116	296	92.4	87.7-97.1	13	7.6	2.9-12.3
\$35,000- 49,999	408	36,839	399	96.9	94.4-99.4	9	3.1	0.6- 5.6
\$50,000- 74,999	472	41,526	461	96.7	94.5-98.9	11	3.3	1.1- 5.5
\$75,000+	868	84,790	860	98.5	96.9- 100	8	1.5	0.0- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5695	585,022	4222	66.1	64.3-67.9	434	7.8	6.8- 8.8	1039	26.1	24.5-27.7
Male	2607	298,143	1700	56.7	54.3-59.1	223	8.4	7.0- 9.8	684	34.9	32.5-37.3
Female	3088	286,879	2522	75.8	73.4-78.2	211	7.2	5.8- 8.6	355	17.0	14.8-19.2
Native	165	24,066	92	48.1	38.3-57.9	24	15.3	8.4-22.2	49	36.6	27.0-46.2
Non-Native	5455	553,212	4079	66.9	65.1-68.7	404	7.5	6.5- 8.5	972	25.6	24.0-27.2
18-24	265	89,940	126	49.5	43.0-56.0	24	8.6	5.1-12.1	115	42.0	35.5-48.5
25-34	592	109,422	313	52.3	48.0-56.6	44	7.1	4.9- 9.3	235	40.6	36.3-44.9
35-44	591	88,849	371	60.4	55.9-64.9	44	7.7	5.3-10.1	176	31.8	27.5-36.1
45-54	797	81,912	577	72.0	68.5-75.5	56	6.9	4.9- 8.9	164	21.1	18.0-24.2
55-64	1346	95,754	1060	77.5	75.0-80.0	103	8.1	6.3- 9.9	183	14.4	12.2-16.6
65+	2040	113,169	1730	83.5	81.5-85.5	160	8.6	7.0-10.2	150	7.9	6.5- 9.3
Less Than H.S.	320	48,372	224	59.0	51.6-66.4	28	7.6	4.3-10.9	68	33.5	26.1-40.9
H.S. or G.E.D.	1639	156,999	1199	64.2	61.1-67.3	140	8.5	6.7-10.3	300	27.3	24.2-30.4
Some Post-H.S.	1865	232,194	1403	67.9	65.2-70.6	147	7.8	6.2- 9.4	315	24.4	21.7-27.1
College Graduate	1855	146,375	1383	67.4	64.7-70.1	117	7.3	5.7- 8.9	355	25.3	22.8-27.8
Less than \$15,000	311	36,548	232	67.0	59.7-74.3	21	7.1	3.6-10.6	58	26.0	18.9-33.1
\$15,000- 24,999	618	63,887	455	62.9	57.2-68.6	49	8.3	5.2-11.4	114	28.9	23.2-34.6
\$25,000- 34,999	525	55,147	381	59.5	53.4-65.6	47	10.0	5.9-14.1	97	30.5	24.8-36.2
\$35,000- 49,999	798	79,768	587	65.5	60.8-70.2	57	7.3	4.9- 9.7	154	27.2	22.7-31.7
\$50,000- 74,999	932	94,119	679	65.1	61.0-69.2	64	6.9	4.9- 8.9	189	28.0	24.1-31.9
\$75,000+	1816	187,122	1373	69.7	67.0-72.4	125	6.9	5.5- 8.3	318	23.4	20.9-25.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2607	298,143	1700	56.7	54.3-59.1	223	8.4	7.0- 9.8	684	34.9	32.5-37.3
Native	69	10,205	30	31.8	19.8-43.8	12	17.2	7.2-27.2	27	51.0	37.1-64.9
Non-Native	2496	283,012	1644	57.7	55.3-60.1	208	8.0	6.6- 9.4	644	34.3	31.9-36.7
18-24	165	47,699	66	39.8	32.0-47.6	17	9.3	4.8-13.8	82	50.8	42.8-58.8
25-34	331	59,105	127	36.5	31.0-42.0	22	6.7	3.8- 9.6	182	56.8	51.1-62.5
35-44	282	46,564	143	49.9	43.4-56.4	23	7.9	4.6-11.2	116	42.2	35.7-48.7
45-54	398	42,311	267	66.5	61.2-71.8	31	7.2	4.5- 9.9	100	26.3	21.4-31.2
55-64	654	48,787	486	72.6	68.7-76.5	57	9.4	6.9-11.9	111	18.0	14.5-21.5
65+	758	51,729	599	78.6	75.3-81.9	71	10.1	7.6-12.6	88	11.4	8.9-13.9
Less Than H.S.	160	25,883	94	46.6	37.4-55.8	17	8.8	4.1-13.5	49	44.6	35.0-54.2
H.S. or G.E.D.	813	90,728	522	55.9	51.6-60.2	81	9.2	6.8-11.6	210	34.9	30.8-39.0
Some Post-H.S.	822	113,964	536	58.0	53.9-62.1	77	8.6	6.2-11.0	209	33.4	29.3-37.5
College Graduate	805	66,979	542	59.2	55.1-63.3	47	6.7	4.3- 9.1	216	34.1	30.0-38.2
Less than \$15,000	112	15,692	65	50.8	39.0-62.6	12	11.6	4.7-18.5	35	37.6	26.0-49.2
\$15,000- 24,999	240	29,258	155	55.8	47.8-63.8	21	7.5	3.8-11.2	64	36.7	28.7-44.7
\$25,000- 34,999	219	28,187	131	48.9	40.7-57.1	25	10.6	4.9-16.3	63	40.4	32.2-48.6
\$35,000- 49,999	391	42,949	246	54.0	47.7-60.3	38	10.3	6.6-14.0	107	35.8	29.5-42.1
\$50,000- 74,999	464	52,976	298	54.7	49.0-60.4	30	6.2	3.7- 8.7	136	39.1	33.4-44.8
\$75,000+	952	102,563	662	62.2	58.3-66.1	72	7.4	5.4- 9.4	218	30.3	26.6-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3088	286,879	2522	75.8	73.4-78.2	211	7.2	5.8- 8.6	355	17.0	14.8-19.2
Native	96	13,861	62	60.1	47.0-73.2	12	13.9	4.3-23.5	22	26.0	14.4-37.6
Non-Native	2959	270,199	2435	76.6	74.2-79.0	196	6.8	5.4- 8.2	328	16.5	14.3-18.7
18-24	100	42,241	60	60.3	50.1-70.5	7	7.7	2.0-13.4	33	31.9	22.3-41.5
25-34	261	50,317	186	70.8	64.7-76.9	22	7.6	4.3-10.9	53	21.6	16.1-27.1
35-44	309	42,285	228	72.0	66.3-77.7	21	7.5	4.0-11.0	60	20.4	15.3-25.5
45-54	399	39,601	310	77.7	73.0-82.4	25	6.6	3.9- 9.3	64	15.7	11.8-19.6
55-64	692	46,966	574	82.5	79.2-85.8	46	6.8	4.6- 9.0	72	10.7	8.0-13.4
65+	1282	61,439	1131	87.7	85.5-89.9	89	7.4	5.6- 9.2	62	4.9	3.5- 6.3
Less Than H.S.	160	22,489	130	73.2	61.8-84.6	11	6.2	1.7-10.7	19	20.6	9.6-31.6
H.S. or G.E.D.	826	66,270	677	75.7	71.2-80.2	59	7.4	4.7-10.1	90	16.9	12.8-21.0
Some Post-H.S.	1043	118,230	867	77.3	73.6-81.0	70	7.0	4.8- 9.2	106	15.7	12.4-19.0
College Graduate	1050	79,396	841	74.4	70.7-78.1	70	7.7	5.5- 9.9	139	17.9	14.6-21.2
Less than \$15,000	199	20,855	167	79.1	70.5-87.7	9	3.7	0.4- 7.0	23	17.2	9.0-25.4
\$15,000- 24,999	378	34,629	300	68.9	60.9-76.9	28	8.9	4.2-13.6	50	22.2	14.6-29.8
\$25,000- 34,999	306	26,960	250	70.5	62.1-78.9	22	9.3	3.2-15.4	34	20.2	12.8-27.6
\$35,000- 49,999	407	36,819	341	78.9	72.8-85.0	19	3.9	1.7- 6.1	47	17.2	11.3-23.1
\$50,000- 74,999	468	41,143	381	78.5	73.2-83.8	34	7.8	4.7-10.9	53	13.7	9.0-18.4
\$75,000+	864	84,560	711	78.8	75.3-82.3	53	6.2	4.2- 8.2	100	15.1	12.0-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	590,229	324	8.2	7.2- 9.2	5405	91.8	90.8-92.8
Male	2630	302,201	153	8.1	6.7- 9.5	2477	91.9	90.5-93.3
Female	3099	288,027	171	8.3	6.7- 9.9	2928	91.7	90.1-93.3
Native	166	24,305	22	14.1	7.6-20.6	144	85.9	79.4-92.4
Non-Native	5485	557,617	295	7.8	6.8- 8.8	5190	92.2	91.2-93.2
18-24	271	91,825	25	10.1	6.0-14.2	246	89.9	85.8-94.0
25-34	599	110,953	56	11.1	8.2-14.0	543	88.9	86.0-91.8
35-44	594	89,319	50	10.1	7.2-13.0	544	89.9	87.0-92.8
45-54	802	82,342	62	8.7	6.3-11.1	740	91.3	88.9-93.7
55-64	1352	96,259	79	7.2	5.4- 9.0	1273	92.8	91.0-94.6
65+	2045	113,284	48	2.9	1.9- 3.9	1997	97.1	96.1-98.1
Less Than H.S.	323	49,361	37	19.0	12.5-25.5	286	81.0	74.5-87.5
H.S. or G.E.D.	1646	157,778	114	9.9	7.9-11.9	1532	90.1	88.1-92.1
Some Post-H.S.	1879	234,917	112	7.6	6.0- 9.2	1767	92.4	90.8-94.0
College Graduate	1865	147,090	60	3.6	2.4- 4.8	1805	96.4	95.2-97.6
Less than \$15,000	311	36,772	43	16.9	11.2-22.6	268	83.1	77.4-88.8
\$15,000- 24,999	619	64,106	63	15.7	11.2-20.2	556	84.3	79.8-88.8
\$25,000- 34,999	531	56,030	53	13.7	9.6-17.8	478	86.3	82.2-90.4
\$35,000- 49,999	803	80,627	51	9.0	6.1-11.9	752	91.0	88.1-93.9
\$50,000- 74,999	939	95,303	41	7.0	4.5- 9.5	898	93.0	90.5-95.5
\$75,000+	1826	188,306	47	3.4	2.2- 4.6	1779	96.6	95.4-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	302,201	153	8.1	6.7- 9.5	2477	91.9	90.5-93.3
Native	69	10,205	9	12.3	3.3-21.3	60	87.7	78.7-96.7
Non-Native	2516	286,556	141	7.9	6.5- 9.3	2375	92.1	90.7-93.5
18-24	171	49,584	14	8.7	4.2-13.2	157	91.3	86.8-95.8
25-34	335	60,123	27	9.7	6.0-13.4	308	90.3	86.6-94.0
35-44	283	46,800	26	11.0	6.7-15.3	257	89.0	84.7-93.3
45-54	401	42,612	29	8.7	5.4-12.0	372	91.3	88.0-94.6
55-64	658	49,114	36	7.1	4.7- 9.5	622	92.9	90.5-95.3
65+	761	51,751	21	3.6	2.0- 5.2	740	96.4	94.8-98.0
Less Than H.S.	164	26,868	24	20.1	12.1-28.1	140	79.9	71.9-87.9
H.S. or G.E.D.	816	91,151	61	10.0	7.3-12.7	755	90.0	87.3-92.7
Some Post-H.S.	831	116,084	43	6.6	4.4- 8.8	788	93.4	91.2-95.6
College Graduate	812	67,509	25	3.3	1.9- 4.7	787	96.7	95.3-98.1
Less than \$15,000	112	15,692	18	20.8	11.0-30.6	94	79.2	69.4-89.0
\$15,000- 24,999	241	29,365	34	17.7	11.4-24.0	207	82.3	76.0-88.6
\$25,000- 34,999	222	28,914	24	14.6	8.7-20.5	198	85.4	79.5-91.3
\$35,000- 49,999	395	43,788	26	8.1	4.6-11.6	369	91.9	88.4-95.4
\$50,000- 74,999	468	53,801	18	6.7	3.2-10.2	450	93.3	89.8-96.8
\$75,000+	959	103,562	20	2.7	1.3- 4.1	939	97.3	95.9-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3099	288,027	171	8.3	6.7- 9.9	2928	91.7	90.1-93.3
Native	97	14,100	13	15.3	6.3-24.3	84	84.7	75.7-93.7
Non-Native	2969	271,061	154	7.8	6.2- 9.4	2815	92.2	90.6-93.8
18-24	100	42,241	11	11.8	4.7-18.9	89	88.2	81.1-95.3
25-34	264	50,830	29	12.8	8.3-17.3	235	87.2	82.7-91.7
35-44	311	42,519	24	9.1	5.2-13.0	287	90.9	87.0-94.8
45-54	401	39,730	33	8.6	5.5-11.7	368	91.4	88.3-94.5
55-64	694	47,145	43	7.3	4.8- 9.8	651	92.7	90.2-95.2
65+	1284	61,533	27	2.3	1.3- 3.3	1257	97.7	96.7-98.7
Less Than H.S.	159	22,493	13	17.7	6.9-28.5	146	82.3	71.5-93.1
H.S. or G.E.D.	830	66,627	53	9.7	6.8-12.6	777	90.3	87.4-93.2
Some Post-H.S.	1048	118,833	69	8.6	6.1-11.1	979	91.4	88.9-93.9
College Graduate	1053	79,581	35	3.9	2.3- 5.5	1018	96.1	94.5-97.7
Less than \$15,000	199	21,080	25	14.0	7.1-20.9	174	86.0	79.1-92.9
\$15,000- 24,999	378	34,741	29	14.1	7.8-20.4	349	85.9	79.6-92.2
\$25,000- 34,999	309	27,116	29	12.8	7.1-18.5	280	87.2	81.5-92.9
\$35,000- 49,999	408	36,839	25	10.2	5.5-14.9	383	89.8	85.1-94.5
\$50,000- 74,999	471	41,502	23	7.3	4.0-10.6	448	92.7	89.4-96.0
\$75,000+	867	84,744	27	4.3	2.1- 6.5	840	95.7	93.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5702	586,924	3922	62.0	60.2-63.8	747	14.8	13.6-16.0	432	9.6	8.4-10.8	560	12.7	11.5-13.9	41	0.9	0.5- 1.3
Male	2615	299,997	1635	56.0	53.6-58.4	341	14.1	12.3-15.9	245	11.2	9.6-12.8	367	17.4	15.4-19.4	27	1.2	0.6- 1.8
Female	3087	286,927	2287	68.2	65.8-70.6	406	15.5	13.5-17.5	187	8.1	6.5- 9.7	193	7.8	6.4- 9.2	14	0.5	0.3- 0.7
Native	166	24,305	104	58.7	49.1-68.3	27	18.6	10.4-26.8	12	8.2	3.1-13.3	19	11.5	5.6-17.4	4	3.1	0.0- 6.4
Non-Native	5458	554,340	3766	62.1	60.3-63.9	710	14.7	13.3-16.1	414	9.7	8.5-10.9	533	12.7	11.5-13.9	35	0.7	0.3- 1.1
18-24	268	91,010	136	51.4	44.9-57.9	48	17.9	13.0-22.8	45	16.0	11.3-20.7	38	14.2	9.7-18.7	1	0.5	0.0- 1.5
25-34	594	110,248	283	48.9	44.6-53.2	105	16.9	13.8-20.0	73	11.3	8.8-13.8	122	21.1	17.6-24.6	11	1.7	0.5- 2.9
35-44	592	88,896	322	52.9	48.4-57.4	94	16.4	12.9-19.9	78	12.9	10.0-15.8	93	17.1	13.6-20.6	5	0.7	0.0- 1.5
45-54	800	82,152	502	63.5	59.8-67.2	133	16.6	13.7-19.5	64	7.8	5.8- 9.8	92	10.9	8.5-13.3	9	1.2	0.2- 2.2
55-64	1353	96,186	955	70.0	67.3-72.7	177	13.2	11.2-15.2	92	7.2	5.6- 8.8	120	8.9	7.1-10.7	9	0.7	0.1- 1.3
65+	2031	112,351	1683	82.5	80.5-84.5	182	9.4	7.8-11.0	76	3.8	2.8- 4.8	84	3.9	2.9- 4.9	6	0.3	0.0- 0.7
Less Than H.S.	320	48,706	217	59.4	52.0-66.8	41	14.0	8.5-19.5	22	10.0	5.1-14.9	34	14.6	9.1-20.1	6	2.0	0.0- 4.0
H.S. or G.E.D.	1637	156,509	1143	61.9	58.8-65.0	193	13.5	11.1-15.9	121	10.5	8.3-12.7	168	13.2	10.8-15.6	12	0.8	0.2- 1.4
Some Post-H.S.	1871	234,184	1306	63.0	60.1-65.9	244	15.1	12.9-17.3	134	8.6	6.8-10.4	178	12.7	10.7-14.7	9	0.7	0.1- 1.3
College Graduate	1858	146,442	1243	61.0	58.3-63.7	268	16.1	13.9-18.3	155	10.4	8.6-12.2	178	11.6	9.6-13.6	14	0.8	0.2- 1.4
Less than \$15,000	309	36,458	201	61.8	54.4-69.2	37	13.8	8.1-19.5	24	8.1	4.0-12.2	45	15.0	9.9-20.1	2	1.3	0.0- 3.3
\$15,000- 24,999	616	63,526	437	63.4	57.7-69.1	64	12.2	8.1-16.3	54	12.5	8.4-16.6	54	10.6	7.1-14.1	7	1.3	0.3- 2.3
\$25,000- 34,999	527	55,342	366	61.6	55.7-67.5	71	15.6	11.1-20.1	40	12.0	7.7-16.3	45	10.1	6.8-13.4	5	0.7	0.1- 1.3
\$35,000- 49,999	799	80,007	564	62.7	58.0-67.4	85	13.6	10.1-17.1	53	8.7	6.2-11.2	89	14.2	10.7-17.7	8	0.8	0.0- 1.6
\$50,000- 74,999	939	95,282	627	59.3	55.2-63.4	143	15.8	12.9-18.7	60	7.8	5.4-10.2	104	16.1	12.8-19.4	5	1.0	0.0- 2.0
\$75,000+	1821	187,912	1230	62.0	59.3-64.7	256	15.4	13.2-17.6	164	10.6	8.8-12.4	162	11.4	9.4-13.4	9	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2615	299,997	1635	56.0	53.6-58.4	341	14.1	12.3-15.9	245	11.2	9.6-12.8	367	17.4	15.4-19.4	27	1.2	0.6- 1.8
Native	69	10,205	41	55.4	41.5-69.3	11	16.1	6.1-26.1	7	11.0	2.6-19.4	9	14.0	3.8-24.2	1	3.6	0.0-10.5
Non-Native	2502	284,424	1567	56.0	53.6-58.4	325	14.1	12.3-15.9	235	11.3	9.7-12.9	351	17.5	15.5-19.5	24	1.1	0.5- 1.7
18-24	168	48,769	80	47.5	39.5-55.5	29	16.2	10.5-21.9	31	17.8	11.7-23.9	27	17.7	11.4-24.0	1	0.8	0.0- 2.4
25-34	333	59,777	126	39.5	33.8-45.2	60	15.9	11.8-20.0	48	13.3	9.6-17.0	93	29.2	23.9-34.5	6	2.1	0.3- 3.9
35-44	282	46,588	122	41.9	35.6-48.2	42	16.0	10.9-21.1	43	14.3	10.0-18.6	72	26.8	21.1-32.5	3	1.0	0.0- 2.2
45-54	400	42,492	233	58.9	53.6-64.2	66	16.4	12.5-20.3	40	9.7	6.6-12.8	53	12.8	9.3-16.3	8	2.2	0.4- 4.0
55-64	657	48,972	439	67.4	63.5-71.3	84	12.5	9.8-15.2	54	7.9	5.7-10.1	71	10.8	8.1-13.5	9	1.4	0.4- 2.4
65+	755	51,254	625	83.4	80.5-86.3	57	8.0	5.6-10.4	28	4.0	2.4- 5.6	45	4.6	3.0- 6.2			
Less Than H.S.	160	26,239	109	60.9	51.5-70.3	15	9.5	4.0-15.0	10	8.4	2.5-14.3	23	18.6	10.8-26.4	3	2.6	0.0- 5.9
H.S. or G.E.D.	812	90,291	511	55.8	51.5-60.1	99	13.0	10.1-15.9	76	11.8	8.9-14.7	115	18.1	14.6-21.6	11	1.2	0.4- 2.0
Some Post-H.S.	830	116,007	533	58.0	53.9-62.1	105	14.2	11.3-17.1	74	10.2	7.7-12.7	111	16.4	13.3-19.5	7	1.2	0.2- 2.2
College Graduate	806	66,871	476	50.7	46.6-54.8	122	17.5	14.4-20.6	85	13.1	10.2-16.0	117	17.9	14.6-21.2	6	0.7	0.0- 1.5
Less than \$15,000	113	15,724	62	53.7	42.1-65.3	15	12.5	5.1-19.9	10	9.1	1.8-16.4	24	21.7	12.3-31.1	2	3.1	0.0- 7.8
\$15,000- 24,999	239	28,805	151	57.5	49.5-65.5	24	11.0	6.1-15.9	30	14.1	8.4-19.8	31	16.4	9.7-23.1	3	1.0	0.0- 2.2
\$25,000- 34,999	219	28,325	144	62.8	54.8-70.8	24	12.0	6.5-17.5	21	12.3	6.8-17.8	26	11.7	6.6-16.8	4	1.1	0.0- 2.3
\$35,000- 49,999	392	43,259	249	54.5	48.2-60.8	47	14.1	9.6-18.6	29	10.5	6.4-14.6	61	19.6	14.3-24.9	6	1.3	0.0- 2.7
\$50,000- 74,999	467	53,756	290	53.5	47.8-59.2	62	13.7	10.0-17.4	36	9.0	5.7-12.3	75	22.3	17.2-27.4	4	1.6	0.0- 3.4
\$75,000+	956	103,367	597	56.6	52.7-60.5	136	15.3	12.6-18.0	101	12.3	9.6-15.0	115	14.8	12.1-17.5	7	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3087	286,927	2287	68.2	65.8-70.6	406	15.5	13.5-17.5	187	8.1	6.5- 9.7	193	7.8	6.4- 9.2	14	0.5	0.3- 0.7
Native	97	14,100	63	61.0	47.9-74.1	16	20.3	8.1-32.5	5	6.2	0.1-12.3	10	9.7	2.6-16.8	3	2.8	0.0- 5.9
Non-Native	2956	269,916	2199	68.6	66.1-71.1	385	15.3	13.3-17.3	179	8.1	6.5- 9.7	182	7.7	6.3- 9.1	11	0.3	0.1- 0.5
18-24	100	42,241	56	56.0	45.6-66.4	19	19.8	11.4-28.2	14	14.0	6.9-21.1	11	10.2	4.1-16.3			
25-34	261	50,470	157	60.1	53.6-66.6	45	18.2	13.1-23.3	25	9.0	5.5-12.5	29	11.5	7.2-15.8	5	1.3	0.1- 2.5
35-44	310	42,308	200	65.1	59.2-71.0	52	16.8	11.9-21.7	35	11.3	7.4-15.2	21	6.4	3.5- 9.3	2	0.4	0.0- 1.0
45-54	400	39,660	269	68.4	63.3-73.5	67	16.8	12.7-20.9	24	5.7	3.2- 8.2	39	8.9	5.8-12.0	1	0.2	0.0- 0.6
55-64	696	47,214	516	72.8	68.9-76.7	93	13.9	11.0-16.8	38	6.5	4.1- 8.9	49	6.9	4.7- 9.1			
65+	1276	61,097	1058	81.8	79.3-84.3	125	10.5	8.5-12.5	48	3.6	2.4- 4.8	39	3.4	2.2- 4.6	6	0.6	0.0- 1.2
Less Than H.S.	160	22,466	108	57.7	45.7-69.7	26	19.2	9.4-29.0	12	11.8	3.4-20.2	11	10.1	2.5-17.7	3	1.2	0.0- 2.6
H.S. or G.E.D.	825	66,218	632	70.3	65.6-75.0	94	14.1	10.2-18.0	45	8.6	5.5-11.7	53	6.6	4.4- 8.8	1	0.3	0.0- 0.9
Some Post-H.S.	1041	118,178	773	67.9	64.0-71.8	139	16.0	12.9-19.1	60	7.0	4.8- 9.2	67	9.0	6.5-11.5	2	0.1	0.0- 0.3
College Graduate	1052	79,571	767	69.7	66.2-73.2	146	14.9	12.2-17.6	70	8.1	5.7-10.5	61	6.4	4.4- 8.4	8	0.9	0.1- 1.7
Less than \$15,000	196	20,734	139	67.9	58.5-77.3	22	14.7	6.7-22.7	14	7.4	2.9-11.9	21	10.0	4.9-15.1			
\$15,000- 24,999	377	34,722	286	68.2	60.4-76.0	40	13.2	6.9-19.5	24	11.3	5.2-17.4	23	5.8	3.1- 8.5	4	1.5	0.0- 3.1
\$25,000- 34,999	308	27,017	222	60.3	51.9-68.7	47	19.4	12.3-26.5	19	11.7	5.0-18.4	19	8.4	3.9-12.9	1	0.2	0.0- 0.6
\$35,000- 49,999	407	36,747	315	72.2	65.5-78.9	38	13.1	7.4-18.8	24	6.6	3.7- 9.5	28	7.8	3.7-11.9	2	0.2	0.0- 0.6
\$50,000- 74,999	472	41,526	337	66.9	61.2-72.6	81	18.5	14.0-23.0	24	6.3	3.2- 9.4	29	8.1	4.8-11.4	1	0.2	0.0- 0.6
\$75,000+	865	84,545	633	68.7	64.8-72.6	120	15.4	12.5-18.3	63	8.4	6.0-10.8	47	7.3	4.6-10.0	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	589,974	4321	77.8	76.4-79.2	1408	22.2	20.8-23.6
Male	2627	301,913	2000	78.6	76.8-80.4	627	21.4	19.6-23.2
Female	3102	288,061	2321	77.0	75.0-79.0	781	23.0	21.0-25.0
Native	166	24,305	111	68.7	59.9-77.5	55	31.3	22.5-40.1
Non-Native	5485	557,768	4155	78.2	76.8-79.6	1330	21.8	20.4-23.2
18-24	270	91,538	237	85.7	80.8-90.6	33	14.3	9.4-19.2
25-34	600	111,161	505	82.9	79.6-86.2	95	17.1	13.8-20.4
35-44	595	89,555	509	84.4	81.1-87.7	86	15.6	12.3-18.9
45-54	801	82,167	637	79.1	76.0-82.2	164	20.9	17.8-24.0
55-64	1353	96,201	991	70.8	68.1-73.5	362	29.2	26.5-31.9
65+	2045	113,316	1394	66.4	64.0-68.8	651	33.6	31.2-36.0
Less Than H.S.	321	49,050	179	60.8	53.5-68.1	142	39.2	31.9-46.5
H.S. or G.E.D.	1647	157,858	1103	71.8	69.1-74.5	544	28.2	25.5-30.9
Some Post-H.S.	1879	234,869	1422	78.6	76.4-80.8	457	21.4	19.2-23.6
College Graduate	1867	147,140	1605	88.7	86.9-90.5	262	11.3	9.5-13.1
Less than \$15,000	314	36,778	184	61.1	53.7-68.5	130	38.9	31.5-46.3
\$15,000- 24,999	621	64,478	384	64.5	59.2-69.8	237	35.5	30.2-40.8
\$25,000- 34,999	529	55,833	368	75.0	70.5-79.5	161	25.0	20.5-29.5
\$35,000- 49,999	804	80,681	576	76.7	73.2-80.2	228	23.3	19.8-26.8
\$50,000- 74,999	940	95,327	745	80.2	77.1-83.3	195	19.8	16.7-22.9
\$75,000+	1826	188,303	1561	87.0	85.2-88.8	265	13.0	11.2-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	301,913	2000	78.6	76.8-80.4	627	21.4	19.6-23.2
Native	69	10,205	50	72.5	60.2-84.8	19	27.5	15.2-39.8
Non-Native	2515	286,764	1920	78.8	76.8-80.8	595	21.2	19.2-23.2
18-24	170	49,297	151	88.3	83.2-93.4	19	11.7	6.6-16.8
25-34	336	60,331	285	83.5	79.0-88.0	51	16.5	12.0-21.0
35-44	284	47,036	239	83.6	78.9-88.3	45	16.4	11.7-21.1
45-54	400	42,436	314	78.3	73.8-82.8	86	21.7	17.2-26.2
55-64	657	49,072	462	68.2	64.1-72.3	195	31.8	27.7-35.9
65+	760	51,733	531	68.3	64.6-72.0	229	31.7	28.0-35.4
Less Than H.S.	161	26,616	93	66.2	57.8-74.6	68	33.8	25.4-42.2
H.S. or G.E.D.	816	91,186	560	72.4	68.9-75.9	256	27.6	24.1-31.1
Some Post-H.S.	832	116,062	638	80.2	77.3-83.1	194	19.8	16.9-22.7
College Graduate	811	67,460	702	88.7	86.2-91.2	109	11.3	8.8-13.8
Less than \$15,000	113	15,724	77	69.7	58.7-80.7	36	30.3	19.3-41.3
\$15,000- 24,999	243	29,721	157	68.1	61.0-75.2	86	31.9	24.8-39.0
\$25,000- 34,999	220	28,717	157	75.9	69.2-82.6	63	24.1	17.4-30.8
\$35,000- 49,999	396	43,842	272	73.7	68.6-78.8	124	26.3	21.2-31.4
\$50,000- 74,999	468	53,801	358	78.1	73.6-82.6	110	21.9	17.4-26.4
\$75,000+	958	103,513	809	86.2	83.7-88.7	149	13.8	11.3-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3102	288,061	2321	77.0	75.0-79.0	781	23.0	21.0-25.0
Native	97	14,100	61	66.0	53.5-78.5	36	34.0	21.5-46.5
Non-Native	2970	271,004	2235	77.6	75.4-79.8	735	22.4	20.2-24.6
18-24	100	42,241	86	82.5	73.9-91.1	14	17.5	8.9-26.1
25-34	264	50,830	220	82.2	77.1-87.3	44	17.8	12.7-22.9
35-44	311	42,519	270	85.3	80.6-90.0	41	14.7	10.0-19.4
45-54	401	39,730	323	80.1	75.6-84.6	78	19.9	15.4-24.4
55-64	696	47,129	529	73.4	69.5-77.3	167	26.6	22.7-30.5
65+	1285	61,582	863	64.8	61.7-67.9	422	35.2	32.1-38.3
Less Than H.S.	160	22,435	86	54.4	42.4-66.4	74	45.6	33.6-57.6
H.S. or G.E.D.	831	66,672	543	71.0	66.9-75.1	288	29.0	24.9-33.1
Some Post-H.S.	1047	118,807	784	77.0	73.7-80.3	263	23.0	19.7-26.3
College Graduate	1056	79,679	903	88.6	86.2-91.0	153	11.4	9.0-13.8
Less than \$15,000	201	21,054	107	54.7	44.7-64.7	94	45.3	35.3-55.3
\$15,000- 24,999	378	34,757	227	61.4	53.8-69.0	151	38.6	31.0-46.2
\$25,000- 34,999	309	27,116	211	74.1	67.8-80.4	98	25.9	19.6-32.2
\$35,000- 49,999	408	36,839	304	80.4	75.7-85.1	104	19.6	14.9-24.3
\$50,000- 74,999	472	41,526	387	82.9	78.6-87.2	85	17.1	12.8-21.4
\$75,000+	868	84,790	752	87.9	85.2-90.6	116	12.1	9.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5700	587,530	1505	29.3	27.7-30.9	3997	66.9	65.3-68.5	198	3.8	3.0- 4.6
Male	2618	301,395	744	31.5	29.1-33.9	1784	64.9	62.5-67.3	90	3.6	2.8- 4.4
Female	3082	286,135	761	27.0	24.6-29.4	2213	69.0	66.6-71.4	108	4.0	2.8- 5.2
Native	164	24,100	52	31.6	22.8-40.4	99	59.1	49.5-68.7	13	9.3	3.2-15.4
Non-Native	5461	555,690	1429	29.1	27.5-30.7	3850	67.3	65.5-69.1	182	3.6	3.0- 4.2
18-24	270	91,538	84	32.3	26.2-38.4	176	63.6	57.3-69.9	10	4.1	1.4- 6.8
25-34	598	110,477	185	32.0	27.9-36.1	389	64.1	60.0-68.2	24	3.9	2.1- 5.7
35-44	593	89,280	191	35.1	30.8-39.4	388	61.8	57.3-66.3	14	3.1	1.3- 4.9
45-54	798	81,944	255	32.2	28.5-35.9	526	65.5	61.8-69.2	17	2.3	0.9- 3.7
55-64	1350	95,972	367	26.9	24.2-29.6	949	70.1	67.4-72.8	34	3.0	1.8- 4.2
65+	2027	112,177	407	19.5	17.5-21.5	1521	74.5	72.3-76.7	99	5.9	4.5- 7.3
Less Than H.S.	317	48,034	94	33.7	26.3-41.1	194	57.8	50.2-65.4	29	8.5	4.2-12.8
H.S. or G.E.D.	1636	157,150	456	30.9	28.0-33.8	1107	64.0	60.9-67.1	73	5.1	3.7- 6.5
Some Post-H.S.	1872	234,556	508	30.7	28.0-33.4	1304	66.1	63.4-68.8	60	3.1	2.1- 4.1
College Graduate	1862	146,886	445	24.0	21.6-26.4	1381	74.1	71.6-76.6	36	1.9	1.1- 2.7
Less than \$15,000	311	36,502	93	31.4	24.3-38.5	188	58.8	51.4-66.2	30	9.8	5.3-14.3
\$15,000- 24,999	619	64,077	171	29.0	23.9-34.1	414	63.9	58.4-69.4	34	7.0	3.9-10.1
\$25,000- 34,999	527	55,902	145	31.1	25.6-36.6	354	62.9	57.2-68.6	28	6.0	3.1- 8.9
\$35,000- 49,999	801	80,546	208	31.6	27.1-36.1	564	65.8	61.3-70.3	29	2.6	1.4- 3.8
\$50,000- 74,999	937	95,067	263	32.1	28.2-36.0	657	66.0	62.1-69.9	17	1.9	0.9- 2.9
\$75,000+	1826	188,248	450	26.4	23.9-28.9	1344	71.5	69.0-74.0	32	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2618	301,395	744	31.5	29.1-33.9	1784	64.9	62.5-67.3	90	3.6	2.8- 4.4
Native	69	10,205	22	36.7	22.8-50.6	44	59.8	45.9-73.7	3	3.5	0.0- 7.8
Non-Native	2508	286,356	705	31.0	28.6-33.4	1718	65.4	63.0-67.8	85	3.6	2.6- 4.6
18-24	170	49,297	55	34.2	26.6-41.8	108	61.6	53.8-69.4	7	4.2	1.1- 7.3
25-34	336	60,331	114	35.3	29.8-40.8	214	62.9	57.2-68.6	8	1.8	0.4- 3.2
35-44	283	46,919	98	37.7	31.4-44.0	176	58.3	51.8-64.8	9	4.0	1.5- 6.5
45-54	399	42,408	134	35.3	30.0-40.6	259	63.4	58.1-68.7	6	1.3	0.1- 2.5
55-64	653	48,712	185	28.1	24.2-32.0	448	68.4	64.5-72.3	20	3.4	1.8- 5.0
65+	756	51,510	149	18.4	15.3-21.5	567	74.8	71.3-78.3	40	6.8	4.4- 9.2
Less Than H.S.	160	26,451	42	31.5	22.3-40.7	102	61.6	52.4-70.8	16	6.9	3.2-10.6
H.S. or G.E.D.	813	91,074	237	31.6	27.7-35.5	538	62.9	58.8-67.0	38	5.5	3.5- 7.5
Some Post-H.S.	829	115,976	247	34.1	30.2-38.0	557	63.1	59.2-67.0	25	2.8	1.4- 4.2
College Graduate	810	67,394	217	27.1	23.4-30.8	582	71.9	68.2-75.6	11	1.0	0.4- 1.6
Less than \$15,000	112	15,623	32	29.0	17.6-40.4	67	59.6	47.8-71.4	13	11.4	4.1-18.7
\$15,000- 24,999	241	29,483	73	30.9	23.6-38.2	149	61.4	53.8-69.0	19	7.7	4.0-11.4
\$25,000- 34,999	220	28,875	52	27.9	20.3-35.5	156	67.0	59.0-75.0	12	5.2	1.7- 8.7
\$35,000- 49,999	394	43,723	106	32.3	26.2-38.4	268	64.3	58.2-70.4	20	3.4	1.6- 5.2
\$50,000- 74,999	466	53,638	156	38.7	33.0-44.4	302	59.6	53.9-65.3	8	1.7	0.3- 3.1
\$75,000+	958	103,459	264	29.4	25.9-32.9	684	69.0	65.5-72.5	10	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3082	286,135	761	27.0	24.6-29.4	2213	69.0	66.6-71.4	108	4.0	2.8- 5.2
Native	95	13,895	30	27.9	16.7-39.1	55	58.6	45.5-71.7	10	13.5	3.5-23.5
Non-Native	2953	269,334	724	27.0	24.6-29.4	2132	69.4	67.0-71.8	97	3.6	2.6- 4.6
18-24	100	42,241	29	30.1	20.3-39.9	68	65.9	55.9-75.9	3	4.0	0.0- 8.7
25-34	262	50,146	71	28.1	22.2-34.0	175	65.4	59.1-71.7	16	6.5	3.2- 9.8
35-44	310	42,361	93	32.2	26.3-38.1	212	65.6	59.5-71.7	5	2.2	0.2- 4.2
45-54	399	39,536	121	28.9	23.8-34.0	267	67.8	62.5-73.1	11	3.3	0.9- 5.7
55-64	697	47,260	182	25.6	21.9-29.3	501	71.9	68.0-75.8	14	2.5	0.9- 4.1
65+	1271	60,667	258	20.5	18.0-23.0	954	74.3	71.6-77.0	59	5.2	3.6- 6.8
Less Than H.S.	157	21,583	52	36.4	24.4-48.4	92	53.2	40.9-65.5	13	10.4	2.0-18.8
H.S. or G.E.D.	823	66,076	219	29.9	25.2-34.6	569	65.6	60.9-70.3	35	4.5	2.7- 6.3
Some Post-H.S.	1043	118,580	261	27.5	23.8-31.2	747	69.0	65.3-72.7	35	3.5	1.9- 5.1
College Graduate	1052	79,492	228	21.3	18.2-24.4	799	76.0	72.7-79.3	25	2.7	1.3- 4.1
Less than \$15,000	199	20,879	61	33.1	23.9-42.3	121	58.3	48.5-68.1	17	8.6	2.9-14.3
\$15,000- 24,999	378	34,594	98	27.4	20.1-34.7	265	66.1	58.3-73.9	15	6.5	1.4-11.6
\$25,000- 34,999	307	27,026	93	34.5	26.5-42.5	198	58.6	50.4-66.8	16	6.9	2.4-11.4
\$35,000- 49,999	407	36,823	102	30.8	23.9-37.7	296	67.5	60.6-74.4	9	1.7	0.3- 3.1
\$50,000- 74,999	471	41,430	107	23.5	18.4-28.6	355	74.4	69.1-79.7	9	2.1	0.3- 3.9
\$75,000+	868	84,790	186	22.7	19.2-26.2	660	74.6	70.9-78.3	22	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5721	588,412	326	4.3	3.7- 4.9	5395	95.7	95.1-96.3
Male	2627	301,049	203	5.4	4.6- 6.2	2424	94.6	93.8-95.4
Female	3094	287,363	123	3.2	2.4- 4.0	2971	96.8	96.0-97.6
Native	164	23,840	22	9.1	4.0-14.2	142	90.9	85.8-96.0
Non-Native	5478	556,207	302	4.1	3.5- 4.7	5176	95.9	95.3-96.5
18-24	269	91,221	4	1.8	0.0- 3.6	265	98.2	96.4- 100
25-34	599	110,897	3	0.8	0.0- 1.8	596	99.2	98.2- 100
35-44	594	89,058	6	1.0	0.0- 2.0	588	99.0	98.0- 100
45-54	798	81,727	22	3.0	1.6- 4.4	776	97.0	95.6-98.4
55-64	1353	96,096	84	6.9	5.3- 8.5	1269	93.1	91.5-94.7
65+	2042	113,167	206	11.2	9.6-12.8	1836	88.8	87.2-90.4
Less Than H.S.	325	49,433	38	9.5	5.8-13.2	287	90.5	86.8-94.2
H.S. or G.E.D.	1641	156,550	120	5.0	4.0- 6.0	1521	95.0	94.0-96.0
Some Post-H.S.	1875	234,382	102	4.0	3.0- 5.0	1773	96.0	95.0-97.0
College Graduate	1864	146,965	65	2.3	1.7- 2.9	1799	97.7	97.1-98.3
Less than \$15,000	309	35,521	35	9.6	5.1-14.1	274	90.4	85.9-94.9
\$15,000- 24,999	618	64,078	51	6.1	4.1- 8.1	567	93.9	91.9-95.9
\$25,000- 34,999	530	55,932	37	6.0	3.3- 8.7	493	94.0	91.3-96.7
\$35,000- 49,999	804	80,681	60	5.4	3.8- 7.0	744	94.6	93.0-96.2
\$50,000- 74,999	937	95,057	41	2.9	1.9- 3.9	896	97.1	96.1-98.1
\$75,000+	1826	188,308	57	2.1	1.5- 2.7	1769	97.9	97.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	301,049	203	5.4	4.6- 6.2	2424	94.6	93.8-95.4
Native	68	9,839	9	8.2	1.9-14.5	59	91.8	85.5-98.1
Non-Native	2515	285,802	192	5.3	4.3- 6.3	2323	94.7	93.7-95.7
18-24	169	48,980	3	2.1	0.0- 4.6	166	97.9	95.4- 100
25-34	335	60,067	1	0.4	0.0- 1.2	334	99.6	98.8- 100
35-44	283	46,539	3	0.9	0.0- 2.1	280	99.1	97.9- 100
45-54	399	42,343	14	3.2	1.4- 5.0	385	96.8	95.0-98.6
55-64	657	48,880	63	10.0	7.5-12.5	594	90.0	87.5-92.5
65+	763	52,022	119	15.6	12.7-18.5	644	84.4	81.5-87.3
Less Than H.S.	164	26,868	19	9.7	4.6-14.8	145	90.3	85.2-95.4
H.S. or G.E.D.	815	90,227	72	5.7	4.1- 7.3	743	94.3	92.7-95.9
Some Post-H.S.	829	115,856	68	5.2	3.8- 6.6	761	94.8	93.4-96.2
College Graduate	812	67,509	44	3.5	2.3- 4.7	768	96.5	95.3-97.7
Less than \$15,000	109	14,445	15	13.3	4.9-21.7	94	86.7	78.3-95.1
\$15,000- 24,999	242	29,608	29	7.2	4.3-10.1	213	92.8	89.9-95.7
\$25,000- 34,999	222	28,858	21	6.1	3.2- 9.0	201	93.9	91.0-96.8
\$35,000- 49,999	396	43,842	42	7.6	4.9-10.3	354	92.4	89.7-95.1
\$50,000- 74,999	467	53,768	32	4.2	2.4- 6.0	435	95.8	94.0-97.6
\$75,000+	959	103,562	46	3.2	2.2- 4.2	913	96.8	95.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3094	287,363	123	3.2	2.4- 4.0	2971	96.8	96.0-97.6
Native	96	14,000	13	9.8	2.4-17.2	83	90.2	82.8-97.6
Non-Native	2963	270,405	110	2.9	2.1- 3.7	2853	97.1	96.3-97.9
18-24	100	42,241	1	1.4	0.0- 4.1	99	98.6	95.9- 100
25-34	264	50,830	2	1.3	0.0- 3.3	262	98.7	96.7- 100
35-44	311	42,519	3	1.2	0.0- 2.8	308	98.8	97.2- 100
45-54	399	39,384	8	2.7	0.7- 4.7	391	97.3	95.3-99.3
55-64	696	47,215	21	3.7	1.9- 5.5	675	96.3	94.5-98.1
65+	1279	61,145	87	7.4	5.6- 9.2	1192	92.6	90.8-94.4
Less Than H.S.	161	22,565	19	9.4	4.1-14.7	142	90.6	85.3-95.9
H.S. or G.E.D.	826	66,323	48	4.1	2.7- 5.5	778	95.9	94.5-97.3
Some Post-H.S.	1046	118,526	34	2.8	1.4- 4.2	1012	97.2	95.8-98.6
College Graduate	1052	79,455	21	1.2	0.6- 1.8	1031	98.8	98.2-99.4
Less than \$15,000	200	21,076	20	7.0	2.3-11.7	180	93.0	88.3-97.7
\$15,000- 24,999	376	34,470	22	5.1	2.6- 7.6	354	94.9	92.4-97.4
\$25,000- 34,999	308	27,075	16	5.8	1.3-10.3	292	94.2	89.7-98.7
\$35,000- 49,999	408	36,839	18	2.9	1.3- 4.5	390	97.1	95.5-98.7
\$50,000- 74,999	470	41,289	9	1.2	0.4- 2.0	461	98.8	98.0-99.6
\$75,000+	867	84,745	11	0.9	0.1- 1.7	856	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5707	588,108	330	4.1	3.5- 4.7	5377	95.9	95.3-96.5
Male	2622	301,290	197	5.1	4.3- 5.9	2425	94.9	94.1-95.7
Female	3085	286,818	133	3.1	2.5- 3.7	2952	96.9	96.3-97.5
Native	165	24,103	15	5.0	1.9- 8.1	150	95.0	91.9-98.1
Non-Native	5462	555,607	313	4.1	3.5- 4.7	5149	95.9	95.3-96.5
18-24	271	91,825	2	1.0	0.0- 2.4	269	99.0	97.6- 100
25-34	600	111,161	3	0.6	0.0- 1.4	597	99.4	98.6- 100
35-44	594	89,058	1	0.1	0.0- 0.3	593	99.9	99.7- 100
45-54	797	81,421	23	3.3	1.7- 4.9	774	96.7	95.1-98.3
55-64	1347	95,612	75	6.0	4.6- 7.4	1272	94.0	92.6-95.4
65+	2032	112,785	225	12.3	10.5-14.1	1807	87.7	85.9-89.5
Less Than H.S.	320	48,945	37	9.1	5.6-12.6	283	90.9	87.4-94.4
H.S. or G.E.D.	1640	157,199	104	4.1	3.1- 5.1	1536	95.9	94.9-96.9
Some Post-H.S.	1866	233,808	109	4.0	3.0- 5.0	1757	96.0	95.0-97.0
College Graduate	1865	147,074	78	2.6	2.0- 3.2	1787	97.4	96.8-98.0
Less than \$15,000	310	35,935	21	6.1	2.4- 9.8	289	93.9	90.2-97.6
\$15,000- 24,999	616	63,948	53	6.2	4.2- 8.2	563	93.8	91.8-95.8
\$25,000- 34,999	530	56,047	37	5.8	3.4- 8.2	493	94.2	91.8-96.6
\$35,000- 49,999	800	80,310	54	4.1	2.9- 5.3	746	95.9	94.7-97.1
\$50,000- 74,999	939	95,266	54	3.8	2.6- 5.0	885	96.2	95.0-97.4
\$75,000+	1821	187,891	77	2.8	2.0- 3.6	1744	97.2	96.4-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2622	301,290	197	5.1	4.3- 5.9	2425	94.9	94.1-95.7
Native	68	10,004	7	5.2	0.7- 9.7	61	94.8	90.3-99.3
Non-Native	2509	285,847	188	5.1	4.1- 6.1	2321	94.9	93.9-95.9
18-24	171	49,584	2	1.9	0.0- 4.6	169	98.1	95.4- 100
25-34	336	60,331				336	100.0	100.0- 100
35-44	283	46,539				283	100.0	100.0- 100
45-54	400	42,410	15	3.9	1.7- 6.1	385	96.1	93.9-98.3
55-64	652	48,465	54	8.2	5.8-10.6	598	91.8	89.4-94.2
65+	759	51,744	126	16.9	13.8-20.0	633	83.1	80.0-86.2
Less Than H.S.	162	26,597	19	11.0	5.3-16.7	143	89.0	83.3-94.7
H.S. or G.E.D.	815	90,844	58	4.2	3.0- 5.4	757	95.8	94.6-97.0
Some Post-H.S.	827	115,792	66	5.1	3.7- 6.5	761	94.9	93.5-96.3
College Graduate	811	67,469	53	4.0	2.8- 5.2	758	96.0	94.8-97.2
Less than \$15,000	110	14,913	7	9.4	1.2-17.6	103	90.6	82.4-98.8
\$15,000- 24,999	240	29,596	18	4.6	2.1- 7.1	222	95.4	92.9-97.9
\$25,000- 34,999	223	29,033	21	7.6	3.5-11.7	202	92.4	88.3-96.5
\$35,000- 49,999	393	43,498	39	5.5	3.5- 7.5	354	94.5	92.5-96.5
\$50,000- 74,999	467	53,740	39	5.2	3.4- 7.0	428	94.8	93.0-96.6
\$75,000+	955	103,213	62	4.0	2.8- 5.2	893	96.0	94.8-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3085	286,818	133	3.1	2.5- 3.7	2952	96.9	96.3-97.5
Native	97	14,100	8	4.8	0.7- 8.9	89	95.2	91.1-99.3
Non-Native	2953	269,760	125	3.0	2.4- 3.6	2828	97.0	96.4-97.6
18-24	100	42,241				100	100.0	100.0- 100
25-34	264	50,830	3	1.4	0.0- 3.0	261	98.6	97.0- 100
35-44	311	42,519	1	0.3	0.0- 0.9	310	99.7	99.1- 100
45-54	397	39,011	8	2.7	0.7- 4.7	389	97.3	95.3-99.3
55-64	695	47,147	21	3.8	2.0- 5.6	674	96.2	94.4-98.0
65+	1273	61,041	99	8.4	6.6-10.2	1174	91.6	89.8-93.4
Less Than H.S.	158	22,347	18	6.8	3.1-10.5	140	93.2	89.5-96.9
H.S. or G.E.D.	825	66,355	46	4.0	2.6- 5.4	779	96.0	94.6-97.4
Some Post-H.S.	1039	118,016	43	3.0	1.8- 4.2	996	97.0	95.8-98.2
College Graduate	1054	79,605	25	1.4	0.8- 2.0	1029	98.6	98.0-99.2
Less than \$15,000	200	21,023	14	3.8	1.4- 6.2	186	96.2	93.8-98.6
\$15,000- 24,999	376	34,352	35	7.5	4.4-10.6	341	92.5	89.4-95.6
\$25,000- 34,999	307	27,014	16	3.9	1.4- 6.4	291	96.1	93.6-98.6
\$35,000- 49,999	407	36,813	15	2.5	0.9- 4.1	392	97.5	95.9-99.1
\$50,000- 74,999	472	41,526	15	2.0	0.8- 3.2	457	98.0	96.8-99.2
\$75,000+	866	84,677	15	1.3	0.5- 2.1	851	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5734	590,364	211	2.9	2.3- 3.5	5523	97.1	96.5-97.7
Male	2632	302,317	99	3.1	2.3- 3.9	2533	96.9	96.1-97.7
Female	3102	288,048	112	2.6	2.0- 3.2	2990	97.4	96.8-98.0
Native	166	24,305	11	2.7	0.7- 4.7	155	97.3	95.3-99.3
Non-Native	5488	557,661	199	2.9	2.3- 3.5	5289	97.1	96.5-97.7
18-24	271	91,825	2	0.9	0.0- 2.3	269	99.1	97.7- 100
25-34	600	111,161	4	1.1	0.1- 2.1	596	98.9	97.9-99.9
35-44	594	89,058	5	1.2	0.0- 2.4	589	98.8	97.6- 100
45-54	801	82,235	9	0.9	0.3- 1.5	792	99.1	98.5-99.7
55-64	1355	96,377	32	2.9	1.9- 3.9	1323	97.1	96.1-98.1
65+	2047	113,462	159	9.0	7.4-10.6	1888	91.0	89.4-92.6
Less Than H.S.	324	49,316	33	8.8	5.1-12.5	291	91.2	87.5-94.9
H.S. or G.E.D.	1647	157,516	77	3.2	2.4- 4.0	1570	96.8	96.0-97.6
Some Post-H.S.	1879	235,261	64	2.3	1.7- 2.9	1815	97.7	97.1-98.3
College Graduate	1868	147,189	37	1.3	0.7- 1.9	1831	98.7	98.1-99.3
Less than \$15,000	313	36,304	28	7.6	3.9-11.3	285	92.4	88.7-96.1
\$15,000- 24,999	621	64,436	49	6.0	3.8- 8.2	572	94.0	91.8-96.2
\$25,000- 34,999	530	56,008	24	3.1	1.7- 4.5	506	96.9	95.5-98.3
\$35,000- 49,999	802	80,618	27	2.3	1.1- 3.5	775	97.7	96.5-98.9
\$50,000- 74,999	940	95,327	23	1.6	0.8- 2.4	917	98.4	97.6-99.2
\$75,000+	1827	188,352	27	1.2	0.6- 1.8	1800	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2632	302,317	99	3.1	2.3- 3.9	2533	96.9	96.1-97.7
Native	69	10,205	1	0.6	0.0- 1.8	68	99.4	98.2- 100
Non-Native	2518	286,671	97	3.2	2.4- 4.0	2421	96.8	96.0-97.6
18-24	171	49,584	2	1.6	0.0- 4.0	169	98.4	96.0- 100
25-34	336	60,331	2	1.0	0.0- 2.4	334	99.0	97.6- 100
35-44	283	46,539	1	0.4	0.0- 1.2	282	99.6	98.8- 100
45-54	401	42,612	6	1.1	0.1- 2.1	395	98.9	97.9-99.9
55-64	659	49,146	20	3.7	1.9- 5.5	639	96.3	94.5-98.1
65+	761	51,888	68	10.4	7.7-13.1	693	89.6	86.9-92.3
Less Than H.S.	163	26,751	17	10.3	4.4-16.2	146	89.7	83.8-95.6
H.S. or G.E.D.	818	91,010	33	2.9	1.7- 4.1	785	97.1	95.9-98.3
Some Post-H.S.	832	116,458	31	2.6	1.6- 3.6	801	97.4	96.4-98.4
College Graduate	812	67,509	18	1.3	0.7- 1.9	794	98.7	98.1-99.3
Less than \$15,000	112	15,227	8	8.8	1.4-16.2	104	91.2	83.8-98.6
\$15,000- 24,999	242	29,653	23	7.2	3.7-10.7	219	92.8	89.3-96.3
\$25,000- 34,999	221	28,893	11	3.8	1.4- 6.2	210	96.2	93.8-98.6
\$35,000- 49,999	395	43,808	16	2.6	1.2- 4.0	379	97.4	96.0-98.8
\$50,000- 74,999	468	53,801	15	2.2	0.8- 3.6	453	97.8	96.4-99.2
\$75,000+	959	103,562	17	1.2	0.4- 2.0	942	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3102	288,048	112	2.6	2.0- 3.2	2990	97.4	96.8-98.0
Native	97	14,100	10	4.1	0.8- 7.4	87	95.9	92.6-99.2
Non-Native	2970	270,990	102	2.6	2.0- 3.2	2868	97.4	96.8-98.0
18-24	100	42,241				100	100.0	100.0- 100
25-34	264	50,830	2	1.1	0.0- 2.7	262	98.9	97.3- 100
35-44	311	42,519	4	2.1	0.0- 4.5	307	97.9	95.5- 100
45-54	400	39,623	3	0.7	0.0- 1.5	397	99.3	98.5- 100
55-64	696	47,231	12	2.0	0.8- 3.2	684	98.0	96.8-99.2
65+	1286	61,575	91	7.9	6.1- 9.7	1195	92.1	90.3-93.9
Less Than H.S.	161	22,565	16	7.0	2.3-11.7	145	93.0	88.3-97.7
H.S. or G.E.D.	829	66,505	44	3.7	2.3- 5.1	785	96.3	94.9-97.7
Some Post-H.S.	1047	118,804	33	2.0	1.0- 3.0	1014	98.0	97.0-99.0
College Graduate	1056	79,679	19	1.4	0.6- 2.2	1037	98.6	97.8-99.4
Less than \$15,000	201	21,077	20	6.7	3.4-10.0	181	93.3	90.0-96.6
\$15,000- 24,999	379	34,783	26	4.9	2.2- 7.6	353	95.1	92.4-97.8
\$25,000- 34,999	309	27,116	13	2.4	1.0- 3.8	296	97.6	96.2-99.0
\$35,000- 49,999	407	36,810	11	2.0	0.0- 4.0	396	98.0	96.0- 100
\$50,000- 74,999	472	41,526	8	0.8	0.2- 1.4	464	99.2	98.6-99.8
\$75,000+	868	84,790	10	1.2	0.4- 2.0	858	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5734	590,098	643	12.8	11.6-14.0	5091	87.2	86.0-88.4
Male	2630	301,919	258	11.5	9.9-13.1	2372	88.5	86.9-90.1
Female	3104	288,179	385	14.2	12.4-16.0	2719	85.8	84.0-87.6
Native	166	24,305	28	15.4	8.9-21.9	138	84.6	78.1-91.1
Non-Native	5488	557,395	607	12.8	11.6-14.0	4881	87.2	86.0-88.4
18-24	269	91,258	47	17.5	12.6-22.4	222	82.5	77.6-87.4
25-34	599	110,897	78	13.7	10.8-16.6	521	86.3	83.4-89.2
35-44	594	89,378	83	14.7	11.4-18.0	511	85.3	82.0-88.6
45-54	802	82,342	97	12.6	10.1-15.1	705	87.4	84.9-89.9
55-64	1355	96,342	133	9.5	7.7-11.3	1222	90.5	88.7-92.3
65+	2049	113,634	202	10.2	8.6-11.8	1847	89.8	88.2-91.4
Less Than H.S.	325	49,433	49	18.5	12.2-24.8	276	81.5	75.2-87.8
H.S. or G.E.D.	1649	158,076	181	13.5	11.1-15.9	1468	86.5	84.1-88.9
Some Post-H.S.	1880	234,800	215	12.7	10.7-14.7	1665	87.3	85.3-89.3
College Graduate	1864	146,706	196	10.3	8.5-12.1	1668	89.7	87.9-91.5
Less than \$15,000	313	36,580	64	20.8	14.7-26.9	249	79.2	73.1-85.3
\$15,000- 24,999	622	64,504	83	16.2	11.7-20.7	539	83.8	79.3-88.3
\$25,000- 34,999	531	55,910	55	12.5	8.2-16.8	476	87.5	83.2-91.8
\$35,000- 49,999	803	80,353	96	15.0	11.5-18.5	707	85.0	81.5-88.5
\$50,000- 74,999	939	95,150	102	12.4	9.5-15.3	837	87.6	84.7-90.5
\$75,000+	1825	188,286	180	10.4	8.6-12.2	1645	89.6	87.8-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	301,919	258	11.5	9.9-13.1	2372	88.5	86.9-90.1
Native	69	10,205	10	15.5	5.7-25.3	59	84.5	74.7-94.3
Non-Native	2516	286,273	245	11.5	9.7-13.3	2271	88.5	86.7-90.3
18-24	169	49,017	31	18.8	12.5-25.1	138	81.2	74.9-87.5
25-34	335	60,067	41	12.3	8.6-16.0	294	87.7	84.0-91.4
35-44	283	46,859	37	13.1	8.6-17.6	246	86.9	82.4-91.4
45-54	401	42,612	39	9.9	6.6-13.2	362	90.1	86.8-93.4
55-64	659	49,146	49	7.1	4.9- 9.3	610	92.9	90.7-95.1
65+	762	52,000	61	8.0	5.8-10.2	701	92.0	89.8-94.2
Less Than H.S.	164	26,868	17	11.3	5.0-17.6	147	88.7	82.4-95.0
H.S. or G.E.D.	819	91,468	90	13.4	10.3-16.5	729	86.6	83.5-89.7
Some Post-H.S.	832	115,967	79	11.5	8.8-14.2	753	88.5	85.8-91.2
College Graduate	808	67,027	71	8.7	6.3-11.1	737	91.3	88.9-93.7
Less than \$15,000	112	15,460	14	16.1	6.3-25.9	98	83.9	74.1-93.7
\$15,000- 24,999	243	29,721	25	13.5	7.4-19.6	218	86.5	80.4-92.6
\$25,000- 34,999	222	28,794	19	8.7	4.2-13.2	203	91.3	86.8-95.8
\$35,000- 49,999	395	43,514	44	14.0	9.3-18.7	351	86.0	81.3-90.7
\$50,000- 74,999	467	53,625	52	12.9	9.0-16.8	415	87.1	83.2-91.0
\$75,000+	957	103,496	84	10.0	7.6-12.4	873	90.0	87.6-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3104	288,179	385	14.2	12.4-16.0	2719	85.8	84.0-87.6
Native	97	14,100	18	15.3	6.5-24.1	79	84.7	75.9-93.5
Non-Native	2972	271,122	362	14.2	12.2-16.2	2610	85.8	83.8-87.8
18-24	100	42,241	16	16.0	8.2-23.8	84	84.0	76.2-91.8
25-34	264	50,830	37	15.4	10.5-20.3	227	84.6	79.7-89.5
35-44	311	42,519	46	16.4	11.5-21.3	265	83.6	78.7-88.5
45-54	401	39,730	58	15.5	11.4-19.6	343	84.5	80.4-88.6
55-64	696	47,196	84	12.1	9.4-14.8	612	87.9	85.2-90.6
65+	1287	61,634	141	12.0	9.8-14.2	1146	88.0	85.8-90.2
Less Than H.S.	161	22,565	32	27.1	15.9-38.3	129	72.9	61.7-84.1
H.S. or G.E.D.	830	66,608	91	13.6	10.1-17.1	739	86.4	82.9-89.9
Some Post-H.S.	1048	118,833	136	13.9	11.2-16.6	912	86.1	83.4-88.8
College Graduate	1056	79,679	125	11.7	9.3-14.1	931	88.3	85.9-90.7
Less than \$15,000	201	21,120	50	24.2	16.6-31.8	151	75.8	68.2-83.4
\$15,000- 24,999	379	34,783	58	18.4	11.7-25.1	321	81.6	74.9-88.3
\$25,000- 34,999	309	27,116	36	16.5	9.2-23.8	273	83.5	76.2-90.8
\$35,000- 49,999	408	36,839	52	16.1	10.6-21.6	356	83.9	78.4-89.4
\$50,000- 74,999	472	41,526	50	11.8	7.9-15.7	422	88.2	84.3-92.1
\$75,000+	868	84,790	96	10.8	8.3-13.3	772	89.2	86.7-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	629	73,628	478	72.0	67.3-76.7	151	28.0	23.3-32.7
Male	250	33,455	181	66.2	58.6-73.8	69	33.8	26.2-41.4
Female	379	40,172	297	76.8	70.9-82.7	82	23.2	17.3-29.1
Non-Native	594	69,584	451	72.2	67.3-77.1	143	27.8	22.9-32.7
25-34	77	14,870	50	63.0	51.4-74.6	27	37.0	25.4-48.6
35-44	79	12,564	57	72.4	61.6-83.2	22	27.6	16.8-38.4
45-54	96	10,226	72	74.8	65.0-84.6	24	25.2	15.4-35.0
55-64	131	9,122	104	79.6	72.0-87.2	27	20.4	12.8-28.0
65+	198	11,224	163	83.0	76.9-89.1	35	17.0	10.9-23.1
H.S. or G.E.D.	176	20,523	132	69.7	60.9-78.5	44	30.3	21.5-39.1
Some Post-H.S.	211	29,032	166	77.1	70.0-84.2	45	22.9	15.8-30.0
College Graduate	191	14,767	142	70.7	62.5-78.9	49	29.3	21.1-37.5
Less than \$15,000	64	7,597	56	85.0	71.5-98.5	8	15.0	1.5-28.5
\$15,000- 24,999	81	10,256	61	64.0	47.5-80.5	20	36.0	19.5-52.5
\$25,000- 34,999	55	6,988	45	76.5	61.4-91.6	10	23.5	8.4-38.6
\$35,000- 49,999	94	11,663	64	68.7	56.9-80.5	30	31.3	19.5-43.1
\$50,000- 74,999	100	11,376	75	68.7	56.7-80.7	25	31.3	19.3-43.3
\$75,000+	175	18,834	128	68.9	60.3-77.5	47	31.1	22.5-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	33,455	181	66.2	58.6-73.8	69	33.8	26.2-41.4
Non-Native	237	31,687	171	66.2	58.4-74.0	66	33.8	26.0-41.6
65+	60	4,074	49	83.8	73.2-94.4	11	16.2	5.6-26.8
H.S. or G.E.D.	86	11,587	63	65.8	53.1-78.5	23	34.2	21.5-46.9
Some Post-H.S.	77	13,045	53	69.7	57.5-81.9	24	30.3	18.1-42.5
College Graduate	69	5,699	54	75.7	63.0-88.4	15	24.3	11.6-37.0
\$50,000- 74,999	50	6,495	37	64.3	47.1-81.5	13	35.7	18.5-52.9
\$75,000+	82	10,212	61	72.0	60.0-84.0	21	28.0	16.0-40.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	379	40,172	297	76.8	70.9-82.7	82	23.2	17.3-29.1
Non-Native	357	37,897	280	77.2	71.1-83.3	77	22.8	16.7-28.9
45-54	58	6,173	45	78.6	66.8-90.4	13	21.4	9.6-33.2
55-64	83	5,695	68	84.2	76.0-92.4	15	15.8	7.6-24.0
65+	138	7,149	114	82.5	75.2-89.8	24	17.5	10.2-24.8
H.S. or G.E.D.	90	8,936	69	74.9	63.5-86.3	21	25.1	13.7-36.5
Some Post-H.S.	134	15,988	113	83.0	75.2-90.8	21	17.0	9.2-24.8
College Graduate	122	9,069	88	67.6	56.8-78.4	34	32.4	21.6-43.2
Less than \$15,000	50	5,108	45	91.6	83.4-99.8	5	8.4	0.2-16.6
\$15,000- 24,999	57	6,315	47	76.4	54.6-98.2	10	23.6	1.8-45.4
\$35,000- 49,999	52	5,949	37	72.6	57.7-87.5	15	27.4	12.5-42.3
\$50,000- 74,999	50	4,881	38	74.5	59.8-89.2	12	25.5	10.8-40.2
\$75,000+	93	8,622	67	65.3	52.8-77.8	26	34.7	22.2-47.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5735	590,890	418	4.7	4.1- 5.3	5317	95.3	94.7-95.9
Male	2632	302,701	181	4.6	3.8- 5.4	2451	95.4	94.6-96.2
Female	3103	288,188	237	4.9	4.1- 5.7	2866	95.1	94.3-95.9
Native	166	24,305	6	3.3	0.2- 6.4	160	96.7	93.6-99.8
Non-Native	5489	558,186	406	4.8	4.2- 5.4	5083	95.2	94.6-95.8
18-24	271	91,825	2	0.9	0.0- 2.1	269	99.1	97.9- 100
25-34	600	111,161	4	0.7	0.0- 1.5	596	99.3	98.5- 100
35-44	595	89,555	10	1.4	0.4- 2.4	585	98.6	97.6-99.6
45-54	802	82,342	27	3.4	2.0- 4.8	775	96.6	95.2-98.0
55-64	1355	96,288	79	5.9	4.3- 7.5	1276	94.1	92.5-95.7
65+	2046	113,472	293	14.5	12.7-16.3	1753	85.5	83.7-87.3
Less Than H.S.	325	49,433	34	7.9	4.6-11.2	291	92.1	88.8-95.4
H.S. or G.E.D.	1649	158,125	115	4.3	3.3- 5.3	1534	95.7	94.7-96.7
Some Post-H.S.	1881	235,326	138	4.5	3.7- 5.3	1743	95.5	94.7-96.3
College Graduate	1864	146,923	128	4.4	3.4- 5.4	1736	95.6	94.6-96.6
Less than \$15,000	314	36,873	23	5.8	2.3- 9.3	291	94.2	90.7-97.7
\$15,000- 24,999	620	64,390	59	6.3	4.1- 8.5	561	93.7	91.5-95.9
\$25,000- 34,999	532	56,149	40	3.9	2.5- 5.3	492	96.1	94.7-97.5
\$35,000- 49,999	804	80,681	62	4.9	3.3- 6.5	742	95.1	93.5-96.7
\$50,000- 74,999	940	95,327	69	5.1	3.7- 6.5	871	94.9	93.5-96.3
\$75,000+	1827	188,352	101	3.6	2.8- 4.4	1726	96.4	95.6-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2632	302,701	181	4.6	3.8- 5.4	2451	95.4	94.6-96.2
Native	69	10,205				69	100.0	100.0- 100
Non-Native	2518	287,056	178	4.7	3.9- 5.5	2340	95.3	94.5-96.1
18-24	171	49,584	1	1.1	0.0- 3.3	170	98.9	96.7- 100
25-34	336	60,331	1	0.4	0.0- 1.2	335	99.6	98.8- 100
35-44	284	47,036	3	1.0	0.0- 2.4	281	99.0	97.6- 100
45-54	401	42,612	7	1.7	0.3- 3.1	394	98.3	96.9-99.7
55-64	658	49,029	36	5.4	3.4- 7.4	622	94.6	92.6-96.6
65+	761	51,893	133	17.6	14.5-20.7	628	82.4	79.3-85.5
Less Than H.S.	164	26,868	20	9.9	4.6-15.2	144	90.1	84.8-95.4
H.S. or G.E.D.	819	91,473	51	3.9	2.7- 5.1	768	96.1	94.9-97.3
Some Post-H.S.	833	116,494	48	3.8	2.6- 5.0	785	96.2	95.0-97.4
College Graduate	809	67,278	59	4.4	3.2- 5.6	750	95.6	94.4-96.8
Less than \$15,000	113	15,724	6	6.3	0.0-13.2	107	93.7	86.8- 100
\$15,000- 24,999	241	29,607	22	5.6	2.9- 8.3	219	94.4	91.7-97.1
\$25,000- 34,999	223	29,033	18	4.1	1.9- 6.3	205	95.9	93.7-98.1
\$35,000- 49,999	396	43,842	32	5.1	3.1- 7.1	364	94.9	92.9-96.9
\$50,000- 74,999	468	53,801	37	5.9	3.7- 8.1	431	94.1	91.9-96.3
\$75,000+	959	103,562	51	3.3	2.3- 4.3	908	96.7	95.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	288,188	237	4.9	4.1- 5.7	2866	95.1	94.3-95.9
Native	97	14,100	6	5.7	0.4-11.0	91	94.3	89.0-99.6
Non-Native	2971	271,131	228	4.9	4.1- 5.7	2743	95.1	94.3-95.9
18-24	100	42,241	1	0.6	0.0- 1.8	99	99.4	98.2- 100
25-34	264	50,830	3	1.1	0.0- 2.3	261	98.9	97.7- 100
35-44	311	42,519	7	1.8	0.4- 3.2	304	98.2	96.8-99.6
45-54	401	39,730	20	5.1	2.7- 7.5	381	94.9	92.5-97.3
55-64	697	47,260	43	6.4	4.0- 8.8	654	93.6	91.2-96.0
65+	1285	61,579	160	11.9	9.9-13.9	1125	88.1	86.1-90.1
Less Than H.S.	161	22,565	14	5.5	1.8- 9.2	147	94.5	90.8-98.2
H.S. or G.E.D.	830	66,652	64	4.9	3.5- 6.3	766	95.1	93.7-96.5
Some Post-H.S.	1048	118,833	90	5.2	4.0- 6.4	958	94.8	93.6-96.0
College Graduate	1055	79,645	69	4.4	3.0- 5.8	986	95.6	94.2-97.0
Less than \$15,000	201	21,149	17	5.4	2.3- 8.5	184	94.6	91.5-97.7
\$15,000- 24,999	379	34,783	37	6.8	3.9- 9.7	342	93.2	90.3-96.1
\$25,000- 34,999	309	27,116	22	3.7	1.9- 5.5	287	96.3	94.5-98.1
\$35,000- 49,999	408	36,839	30	4.7	2.5- 6.9	378	95.3	93.1-97.5
\$50,000- 74,999	472	41,526	32	4.1	2.5- 5.7	440	95.9	94.3-97.5
\$75,000+	868	84,790	50	3.8	2.6- 5.0	818	96.2	95.0-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5734	590,702	555	6.7	5.9- 7.5	5179	93.3	92.5-94.1
Male	2631	302,556	231	5.7	4.9- 6.5	2400	94.3	93.5-95.1
Female	3103	288,146	324	7.7	6.5- 8.9	2779	92.3	91.1-93.5
Native	166	24,305	18	10.6	4.9-16.3	148	89.4	83.7-95.1
Non-Native	5489	558,103	535	6.6	5.8- 7.4	4954	93.4	92.6-94.2
18-24	271	91,825	3	1.3	0.0- 3.1	268	98.7	96.9- 100
25-34	600	111,161	10	1.9	0.5- 3.3	590	98.1	96.7-99.5
35-44	595	89,555	16	2.9	1.3- 4.5	579	97.1	95.5-98.7
45-54	802	82,342	40	5.1	3.3- 6.9	762	94.9	93.1-96.7
55-64	1352	96,063	104	7.8	6.2- 9.4	1248	92.2	90.6-93.8
65+	2048	113,509	376	18.8	16.8-20.8	1672	81.2	79.2-83.2
Less Than H.S.	324	49,329	39	9.9	5.6-14.2	285	90.1	85.8-94.4
H.S. or G.E.D.	1651	158,203	181	7.5	6.1- 8.9	1470	92.5	91.1-93.9
Some Post-H.S.	1879	235,143	171	6.1	4.9- 7.3	1708	93.9	92.7-95.1
College Graduate	1864	146,945	162	5.7	4.7- 6.7	1702	94.3	93.3-95.3
Less than \$15,000	314	36,862	39	10.5	6.4-14.6	275	89.5	85.4-93.6
\$15,000- 24,999	621	64,433	77	10.0	6.7-13.3	544	90.0	86.7-93.3
\$25,000- 34,999	531	56,033	62	7.4	5.0- 9.8	469	92.6	90.2-95.0
\$35,000- 49,999	804	80,681	84	6.5	4.7- 8.3	720	93.5	91.7-95.3
\$50,000- 74,999	940	95,327	87	6.4	4.8- 8.0	853	93.6	92.0-95.2
\$75,000+	1823	188,105	122	4.4	3.4- 5.4	1701	95.6	94.6-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2631	302,556	231	5.7	4.9- 6.5	2400	94.3	93.5-95.1
Native	69	10,205	6	8.2	1.5-14.9	63	91.8	85.1-98.5
Non-Native	2518	287,014	224	5.7	4.9- 6.5	2294	94.3	93.5-95.1
18-24	171	49,584	2	0.8	0.0- 2.0	169	99.2	98.0- 100
25-34	336	60,331	1	0.3	0.0- 0.9	335	99.7	99.1- 100
35-44	284	47,036	5	2.0	0.2- 3.8	279	98.0	96.2-99.8
45-54	401	42,612	10	2.7	0.9- 4.5	391	97.3	95.5-99.1
55-64	656	48,866	49	7.1	4.9- 9.3	607	92.9	90.7-95.1
65+	762	51,910	163	21.3	18.0-24.6	599	78.7	75.4-82.0
Less Than H.S.	163	26,764	24	9.7	5.4-14.0	139	90.3	86.0-94.6
H.S. or G.E.D.	820	91,531	76	6.2	4.6- 7.8	744	93.8	92.2-95.4
Some Post-H.S.	832	116,373	60	4.5	3.3- 5.7	772	95.5	94.3-96.7
College Graduate	809	67,300	70	5.5	3.9- 7.1	739	94.5	92.9-96.1
Less than \$15,000	112	15,679	14	8.5	3.4-13.6	98	91.5	86.4-96.6
\$15,000- 24,999	242	29,650	29	8.6	5.1-12.1	213	91.4	87.9-94.9
\$25,000- 34,999	222	28,917	27	7.5	4.2-10.8	195	92.5	89.2-95.8
\$35,000- 49,999	396	43,842	36	5.6	3.4- 7.8	360	94.4	92.2-96.6
\$50,000- 74,999	468	53,801	47	6.3	4.3- 8.3	421	93.7	91.7-95.7
\$75,000+	957	103,412	63	4.1	2.9- 5.3	894	95.9	94.7-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	288,146	324	7.7	6.5- 8.9	2779	92.3	91.1-93.5
Native	97	14,100	12	12.4	3.8-21.0	85	87.6	79.0-96.2
Non-Native	2971	271,088	311	7.5	6.3- 8.7	2660	92.5	91.3-93.7
18-24	100	42,241	1	1.9	0.0- 5.6	99	98.1	94.4- 100
25-34	264	50,830	9	3.8	0.9- 6.7	255	96.2	93.3-99.1
35-44	311	42,519	11	3.9	1.5- 6.3	300	96.1	93.7-98.5
45-54	401	39,730	30	7.6	4.7-10.5	371	92.4	89.5-95.3
55-64	696	47,197	55	8.4	6.0-10.8	641	91.6	89.2-94.0
65+	1286	61,599	213	16.7	14.3-19.1	1073	83.3	80.9-85.7
Less Than H.S.	161	22,565	15	10.1	2.1-18.1	146	89.9	81.9-97.9
H.S. or G.E.D.	831	66,672	105	9.2	7.0-11.4	726	90.8	88.6-93.0
Some Post-H.S.	1047	118,770	111	7.7	5.9- 9.5	936	92.3	90.5-94.1
College Graduate	1055	79,645	92	5.8	4.4- 7.2	963	94.2	92.8-95.6
Less than \$15,000	202	21,184	25	11.9	5.8-18.0	177	88.1	82.0-94.2
\$15,000- 24,999	379	34,783	48	11.1	5.8-16.4	331	88.9	83.6-94.2
\$25,000- 34,999	309	27,116	35	7.2	3.9-10.5	274	92.8	89.5-96.1
\$35,000- 49,999	408	36,839	48	7.7	5.0-10.4	360	92.3	89.6-95.0
\$50,000- 74,999	472	41,526	40	6.7	4.3- 9.1	432	93.3	90.9-95.7
\$75,000+	866	84,693	59	4.9	3.3- 6.5	807	95.1	93.5-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	589,621	327	5.0	4.2- 5.8	5393	95.0	94.2-95.8
Male	2628	302,256	132	4.6	3.6- 5.6	2496	95.4	94.4-96.4
Female	3092	287,365	195	5.5	4.3- 6.7	2897	94.5	93.3-95.7
Native	162	23,874	13	7.9	2.8-13.0	149	92.1	87.0-97.2
Non-Native	5479	557,423	311	4.9	4.1- 5.7	5168	95.1	94.3-95.9
18-24	270	91,602	8	3.7	1.0- 6.4	262	96.3	93.6-99.0
25-34	600	111,161	9	1.4	0.4- 2.4	591	98.6	97.6-99.6
35-44	595	89,555	16	3.6	1.6- 5.6	579	96.4	94.4-98.4
45-54	801	82,147	39	6.1	3.9- 8.3	762	93.9	91.7-96.1
55-64	1350	96,048	74	6.2	4.6- 7.8	1276	93.8	92.2-95.4
65+	2039	112,954	179	9.3	7.7-10.9	1860	90.7	89.1-92.3
Less Than H.S.	322	49,155	31	11.8	6.5-17.1	291	88.2	82.9-93.5
H.S. or G.E.D.	1645	157,692	118	5.8	4.4- 7.2	1527	94.2	92.8-95.6
Some Post-H.S.	1872	234,646	123	5.1	4.1- 6.1	1749	94.9	93.9-95.9
College Graduate	1865	147,046	54	1.9	1.3- 2.5	1811	98.1	97.5-98.7
Less than \$15,000	313	36,642	56	19.0	13.1-24.9	257	81.0	75.1-86.9
\$15,000- 24,999	620	64,384	62	8.6	5.3-11.9	558	91.4	88.1-94.7
\$25,000- 34,999	528	55,916	42	5.9	3.4- 8.4	486	94.1	91.6-96.6
\$35,000- 49,999	802	80,500	46	4.0	2.6- 5.4	756	96.0	94.6-97.4
\$50,000- 74,999	939	95,293	44	4.0	2.6- 5.4	895	96.0	94.6-97.4
\$75,000+	1822	188,062	46	2.1	1.3- 2.9	1776	97.9	97.1-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2628	302,256	132	4.6	3.6- 5.6	2496	95.4	94.4-96.4
Native	67	9,907	3	7.6	0.0-16.2	64	92.4	83.8- 100
Non-Native	2516	286,909	127	4.5	3.5- 5.5	2389	95.5	94.5-96.5
18-24	170	49,361	5	3.2	0.3- 6.1	165	96.8	93.9-99.7
25-34	336	60,331	4	0.9	0.0- 1.9	332	99.1	98.1- 100
35-44	284	47,036	11	5.3	1.8- 8.8	273	94.7	91.2-98.2
45-54	401	42,612	13	4.3	1.8- 6.8	388	95.7	93.2-98.2
55-64	656	48,997	28	4.8	2.8- 6.8	628	95.2	93.2-97.2
65+	760	51,702	71	9.9	7.4-12.4	689	90.1	87.6-92.6
Less Than H.S.	162	26,655	12	9.3	3.2-15.4	150	90.7	84.6-96.8
H.S. or G.E.D.	817	91,173	55	5.1	3.3- 6.9	762	94.9	93.1-96.7
Some Post-H.S.	832	116,455	45	4.6	3.0- 6.2	787	95.4	93.8-97.0
College Graduate	810	67,385	20	2.0	0.8- 3.2	790	98.0	96.8-99.2
Less than \$15,000	112	15,501	15	20.1	9.3-30.9	97	79.9	69.1-90.7
\$15,000- 24,999	242	29,637	13	3.8	1.4- 6.2	229	96.2	93.8-98.6
\$25,000- 34,999	221	28,898	17	4.7	2.0- 7.4	204	95.3	92.6-98.0
\$35,000- 49,999	395	43,752	22	3.9	1.9- 5.9	373	96.1	94.1-98.1
\$50,000- 74,999	467	53,768	30	5.3	2.9- 7.7	437	94.7	92.3-97.1
\$75,000+	957	103,452	26	2.4	1.2- 3.6	931	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3092	287,365	195	5.5	4.3- 6.7	2897	94.5	93.3-95.7
Native	95	13,967	10	8.1	2.0-14.2	85	91.9	85.8-98.0
Non-Native	2963	270,514	184	5.4	4.2- 6.6	2779	94.6	93.4-95.8
18-24	100	42,241	3	4.2	0.0- 9.1	97	95.8	90.9- 100
25-34	264	50,830	5	2.0	0.2- 3.8	259	98.0	96.2-99.8
35-44	311	42,519	5	1.7	0.1- 3.3	306	98.3	96.7-99.9
45-54	400	39,535	26	8.0	4.7-11.3	374	92.0	88.7-95.3
55-64	694	47,051	46	7.7	5.3-10.1	648	92.3	89.9-94.7
65+	1279	61,252	108	8.8	7.0-10.6	1171	91.2	89.4-93.0
Less Than H.S.	160	22,500	19	14.7	5.9-23.5	141	85.3	76.5-94.1
H.S. or G.E.D.	828	66,519	63	6.7	4.5- 8.9	765	93.3	91.1-95.5
Some Post-H.S.	1040	118,191	78	5.5	3.9- 7.1	962	94.5	92.9-96.1
College Graduate	1055	79,660	34	1.8	1.0- 2.6	1021	98.2	97.4-99.0
Less than \$15,000	201	21,141	41	18.1	11.6-24.6	160	81.9	75.4-88.4
\$15,000- 24,999	378	34,747	49	12.8	7.1-18.5	329	87.2	81.5-92.9
\$25,000- 34,999	307	27,018	25	7.1	2.6-11.6	282	92.9	88.4-97.4
\$35,000- 49,999	407	36,747	24	4.1	2.1- 6.1	383	95.9	93.9-97.9
\$50,000- 74,999	472	41,526	14	2.2	0.8- 3.6	458	97.8	96.4-99.2
\$75,000+	865	84,611	20	1.8	0.8- 2.8	845	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5722	588,834	1887	23.3	22.1-24.5	3835	76.7	75.5-77.9
Male	2633	302,583	707	20.1	18.5-21.7	1926	79.9	78.3-81.5
Female	3089	286,251	1180	26.7	24.7-28.7	1909	73.3	71.3-75.3
Native	165	24,137	65	29.3	21.3-37.3	100	70.7	62.7-78.7
Non-Native	5478	556,423	1795	22.9	21.7-24.1	3683	77.1	75.9-78.3
18-24	270	91,182	4	2.1	0.0- 4.3	266	97.9	95.7- 100
25-34	598	110,719	45	8.1	5.6-10.6	553	91.9	89.4-94.4
35-44	595	89,555	64	11.1	8.2-14.0	531	88.9	86.0-91.8
45-54	798	81,659	208	27.1	23.6-30.6	590	72.9	69.4-76.4
55-64	1353	96,152	491	37.7	34.8-40.6	862	62.3	59.4-65.2
65+	2043	113,360	1057	49.7	47.2-52.2	986	50.3	47.8-52.8
Less Than H.S.	325	49,433	142	31.2	24.9-37.5	183	68.8	62.5-75.1
H.S. or G.E.D.	1646	157,766	627	26.3	23.9-28.7	1019	73.7	71.3-76.1
Some Post-H.S.	1873	233,605	637	23.6	21.4-25.8	1236	76.4	74.2-78.6
College Graduate	1862	146,947	473	16.7	14.9-18.5	1389	83.3	81.5-85.1
Less than \$15,000	314	36,622	156	36.7	29.8-43.6	158	63.3	56.4-70.2
\$15,000- 24,999	618	63,349	281	34.2	29.3-39.1	337	65.8	60.9-70.7
\$25,000- 34,999	530	55,964	203	25.2	20.9-29.5	327	74.8	70.5-79.1
\$35,000- 49,999	800	80,424	292	24.4	21.1-27.7	508	75.6	72.3-78.9
\$50,000- 74,999	937	95,070	291	22.6	19.7-25.5	646	77.4	74.5-80.3
\$75,000+	1826	188,290	409	16.2	14.4-18.0	1417	83.8	82.0-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2633	302,583	707	20.1	18.5-21.7	1926	79.9	78.3-81.5
Native	68	10,037	22	25.2	14.2-36.2	46	74.8	63.8-85.8
Non-Native	2520	287,106	674	19.9	18.1-21.7	1846	80.1	78.3-81.9
18-24	171	49,584	1	1.1	0.0- 3.3	170	98.9	96.7- 100
25-34	335	60,226	21	6.8	3.9- 9.7	314	93.2	90.3-96.1
35-44	284	47,036	31	11.6	7.3-15.9	253	88.4	84.1-92.7
45-54	399	42,294	100	25.7	20.8-30.6	299	74.3	69.4-79.2
55-64	659	49,146	216	33.3	29.2-37.4	443	66.7	62.6-70.8
65+	764	52,080	334	44.1	40.2-48.0	430	55.9	52.0-59.8
Less Than H.S.	164	26,868	52	25.0	17.6-32.4	112	75.0	67.6-82.4
H.S. or G.E.D.	818	91,277	241	21.7	18.6-24.8	577	78.3	75.2-81.4
Some Post-H.S.	833	116,391	234	20.4	17.7-23.1	599	79.6	76.9-82.3
College Graduate	811	67,459	175	14.9	12.4-17.4	636	85.1	82.6-87.6
Less than \$15,000	113	15,724	38	29.4	18.8-40.0	75	70.6	60.0-81.2
\$15,000- 24,999	242	29,671	78	25.8	19.5-32.1	164	74.2	67.9-80.5
\$25,000- 34,999	222	28,928	73	21.9	16.2-27.6	149	78.1	72.4-83.8
\$35,000- 49,999	395	43,674	117	20.7	16.4-25.0	278	79.3	75.0-83.6
\$50,000- 74,999	467	53,652	131	20.8	16.7-24.9	336	79.2	75.1-83.3
\$75,000+	959	103,562	212	16.2	13.8-18.6	747	83.8	81.4-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3089	286,251	1180	26.7	24.7-28.7	1909	73.3	71.3-75.3
Native	97	14,100	43	32.2	20.8-43.6	54	67.8	56.4-79.2
Non-Native	2958	269,317	1121	26.2	24.2-28.2	1837	73.8	71.8-75.8
18-24	99	41,598	3	3.3	0.0- 7.4	96	96.7	92.6- 100
25-34	263	50,493	24	9.7	5.6-13.8	239	90.3	86.2-94.4
35-44	311	42,519	33	10.5	6.6-14.4	278	89.5	85.6-93.4
45-54	399	39,365	108	28.5	23.4-33.6	291	71.5	66.4-76.6
55-64	694	47,006	275	42.2	37.9-46.5	419	57.8	53.5-62.1
65+	1279	61,280	723	54.4	51.3-57.5	556	45.6	42.5-48.7
Less Than H.S.	161	22,565	90	38.5	27.7-49.3	71	61.5	50.7-72.3
H.S. or G.E.D.	828	66,489	386	32.5	28.6-36.4	442	67.5	63.6-71.4
Some Post-H.S.	1040	117,214	403	26.7	23.6-29.8	637	73.3	70.2-76.4
College Graduate	1051	79,488	298	18.2	15.7-20.7	753	81.8	79.3-84.3
Less than \$15,000	201	20,898	118	42.1	32.7-51.5	83	57.9	48.5-67.3
\$15,000- 24,999	376	33,678	203	41.6	34.2-49.0	173	58.4	51.0-65.8
\$25,000- 34,999	308	27,036	130	28.6	22.3-34.9	178	71.4	65.1-77.7
\$35,000- 49,999	405	36,750	175	28.8	23.3-34.3	230	71.2	65.7-76.7
\$50,000- 74,999	470	41,418	160	24.9	20.6-29.2	310	75.1	70.8-79.4
\$75,000+	867	84,727	197	16.3	13.8-18.8	670	83.7	81.2-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5724	589,043	742	15.0	13.6-16.4	4982	85.0	83.6-86.4
Male	2629	302,329	226	9.8	8.2-11.4	2403	90.2	88.6-91.8
Female	3095	286,715	516	20.3	18.1-22.5	2579	79.7	77.5-81.9
Native	165	24,082	27	17.5	10.1-24.9	138	82.5	75.1-89.9
Non-Native	5479	556,563	708	14.9	13.5-16.3	4771	85.1	83.7-86.5
18-24	269	91,194	42	17.5	12.4-22.6	227	82.5	77.4-87.6
25-34	595	110,279	87	16.1	12.8-19.4	508	83.9	80.6-87.2
35-44	595	89,555	88	16.0	12.7-19.3	507	84.0	80.7-87.3
45-54	800	82,118	129	18.2	15.1-21.3	671	81.8	78.7-84.9
55-64	1353	96,208	192	14.9	12.7-17.1	1161	85.1	82.9-87.3
65+	2046	113,443	201	9.3	7.9-10.7	1845	90.7	89.3-92.1
Less Than H.S.	323	49,269	47	24.2	16.8-31.6	276	75.8	68.4-83.2
H.S. or G.E.D.	1646	157,332	218	14.6	12.2-17.0	1428	85.4	83.0-87.8
Some Post-H.S.	1874	234,356	271	15.4	13.2-17.6	1603	84.6	82.4-86.8
College Graduate	1865	147,004	206	11.6	9.6-13.6	1659	88.4	86.4-90.4
Less than \$15,000	314	36,685	94	32.8	25.5-40.1	220	67.2	59.9-74.5
\$15,000- 24,999	617	63,582	128	23.3	18.2-28.4	489	76.7	71.6-81.8
\$25,000- 34,999	530	55,636	88	19.4	14.5-24.3	442	80.6	75.7-85.5
\$35,000- 49,999	803	80,596	113	16.7	13.0-20.4	690	83.3	79.6-87.0
\$50,000- 74,999	938	95,179	92	10.6	8.1-13.1	846	89.4	86.9-91.9
\$75,000+	1826	188,290	167	10.5	8.7-12.3	1659	89.5	87.7-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2629	302,329	226	9.8	8.2-11.4	2403	90.2	88.6-91.8
Native	68	9,982	3	4.2	0.0- 9.5	65	95.8	90.5- 100
Non-Native	2516	286,906	221	10.1	8.5-11.7	2295	89.9	88.3-91.5
18-24	170	49,361	18	11.3	6.2-16.4	152	88.7	83.6-93.8
25-34	334	60,156	30	9.0	5.7-12.3	304	91.0	87.7-94.3
35-44	284	47,036	30	12.1	7.6-16.6	254	87.9	83.4-92.4
45-54	400	42,536	40	11.5	7.8-15.2	360	88.5	84.8-92.2
55-64	658	49,074	56	9.2	6.7-11.7	602	90.8	88.3-93.3
65+	762	51,949	51	6.9	4.7- 9.1	711	93.1	90.9-95.3
Less Than H.S.	163	26,784	20	14.7	7.3-22.1	143	85.3	77.9-92.7
H.S. or G.E.D.	817	91,131	74	10.4	7.7-13.1	743	89.6	86.9-92.3
Some Post-H.S.	831	116,387	71	9.6	7.2-12.0	760	90.4	88.0-92.8
College Graduate	811	67,439	61	7.7	5.3-10.1	750	92.3	89.9-94.7
Less than \$15,000	112	15,501	32	29.4	18.4-40.4	80	70.6	59.6-81.6
\$15,000- 24,999	242	29,650	40	17.8	11.7-23.9	202	82.2	76.1-88.3
\$25,000- 34,999	222	28,928	26	11.6	6.5-16.7	196	88.4	83.3-93.5
\$35,000- 49,999	396	43,842	36	11.6	7.3-15.9	360	88.4	84.1-92.7
\$50,000- 74,999	466	53,654	28	7.3	4.2-10.4	438	92.7	89.6-95.8
\$75,000+	959	103,562	51	5.7	3.9- 7.5	908	94.3	92.5-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	286,715	516	20.3	18.1-22.5	2579	79.7	77.5-81.9
Native	97	14,100	24	26.9	15.1-38.7	73	73.1	61.3-84.9
Non-Native	2963	269,657	487	20.0	17.8-22.2	2476	80.0	77.8-82.2
18-24	99	41,833	24	24.8	15.6-34.0	75	75.2	66.0-84.4
25-34	261	50,123	57	24.7	18.8-30.6	204	75.3	69.4-81.2
35-44	311	42,519	58	20.2	15.1-25.3	253	79.8	74.7-84.9
45-54	400	39,582	89	25.3	20.2-30.4	311	74.7	69.6-79.8
55-64	695	47,135	136	20.9	17.4-24.4	559	79.1	75.6-82.6
65+	1284	61,494	150	11.3	9.3-13.3	1134	88.7	86.7-90.7
Less Than H.S.	160	22,484	27	35.5	23.0-48.0	133	64.5	52.0-77.0
H.S. or G.E.D.	829	66,201	144	20.4	16.5-24.3	685	79.6	75.7-83.5
Some Post-H.S.	1043	117,970	200	21.2	17.9-24.5	843	78.8	75.5-82.1
College Graduate	1054	79,565	145	14.9	12.0-17.8	909	85.1	82.2-88.0
Less than \$15,000	202	21,184	62	35.3	25.7-44.9	140	64.7	55.1-74.3
\$15,000- 24,999	375	33,932	88	28.2	20.4-36.0	287	71.8	64.0-79.6
\$25,000- 34,999	308	26,708	62	27.9	20.1-35.7	246	72.1	64.3-79.9
\$35,000- 49,999	407	36,754	77	22.7	16.8-28.6	330	77.3	71.4-83.2
\$50,000- 74,999	472	41,526	64	14.8	10.5-19.1	408	85.2	80.9-89.5
\$75,000+	867	84,727	116	16.4	13.1-19.7	751	83.6	80.3-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHKIDNY)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	590,228	195	2.5	2.1- 2.9	5534	97.5	97.1-97.9
Male	2633	302,747	81	2.3	1.7- 2.9	2552	97.7	97.1-98.3
Female	3096	287,480	114	2.7	2.1- 3.3	2982	97.3	96.7-97.9
Native	166	24,305	11	5.4	1.3- 9.5	155	94.6	90.5-98.7
Non-Native	5483	557,524	183	2.4	2.0- 2.8	5300	97.6	97.2-98.0
18-24	271	91,825	2	0.7	0.0- 1.7	269	99.3	98.3- 100
25-34	600	111,161	5	0.8	0.0- 1.6	595	99.2	98.4- 100
35-44	595	89,555	13	2.0	0.8- 3.2	582	98.0	96.8-99.2
45-54	800	81,933	9	1.2	0.4- 2.0	791	98.8	98.0-99.6
55-64	1353	96,223	39	2.9	1.7- 4.1	1314	97.1	95.9-98.3
65+	2045	113,316	127	6.6	5.2- 8.0	1918	93.4	92.0-94.8
Less Than H.S.	323	49,303	11	2.0	0.4- 3.6	312	98.0	96.4-99.6
H.S. or G.E.D.	1648	158,053	59	2.5	1.7- 3.3	1589	97.5	96.7-98.3
Some Post-H.S.	1875	234,723	68	2.7	1.9- 3.5	1807	97.3	96.5-98.1
College Graduate	1867	147,066	57	2.3	1.5- 3.1	1810	97.7	96.9-98.5
Less than \$15,000	312	36,452	26	5.8	3.1- 8.5	286	94.2	91.5-96.9
\$15,000- 24,999	620	64,397	30	3.4	1.8- 5.0	590	96.6	95.0-98.2
\$25,000- 34,999	532	56,149	24	2.8	1.4- 4.2	508	97.2	95.8-98.6
\$35,000- 49,999	802	80,589	27	2.6	1.2- 4.0	775	97.4	96.0-98.8
\$50,000- 74,999	939	95,291	24	2.0	1.0- 3.0	915	98.0	97.0-99.0
\$75,000+	1825	188,167	38	1.5	0.9- 2.1	1787	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2633	302,747	81	2.3	1.7- 2.9	2552	97.7	97.1-98.3
Native	69	10,205	3	2.7	0.0- 6.2	66	97.3	93.8- 100
Non-Native	2519	287,102	78	2.3	1.7- 2.9	2441	97.7	97.1-98.3
18-24	171	49,584	2	1.2	0.0- 3.0	169	98.8	97.0- 100
25-34	336	60,331	2	0.5	0.0- 1.1	334	99.5	98.9- 100
35-44	284	47,036	3	0.9	0.0- 2.1	281	99.1	97.9- 100
45-54	400	42,489	3	0.9	0.0- 2.1	397	99.1	97.9- 100
55-64	657	49,026	18	2.4	1.2- 3.6	639	97.6	96.4-98.8
65+	764	52,064	53	7.6	5.2-10.0	711	92.4	90.0-94.8
Less Than H.S.	163	26,780	4	1.0	0.0- 2.0	159	99.0	98.0- 100
H.S. or G.E.D.	819	91,499	28	2.3	1.3- 3.3	791	97.7	96.7-98.7
Some Post-H.S.	833	116,494	26	2.6	1.4- 3.8	807	97.4	96.2-98.6
College Graduate	811	67,386	23	2.1	1.1- 3.1	788	97.9	96.9-98.9
Less than \$15,000	112	15,636	11	5.4	1.7- 9.1	101	94.6	90.9-98.3
\$15,000- 24,999	242	29,655	10	3.2	0.8- 5.6	232	96.8	94.4-99.2
\$25,000- 34,999	223	29,033	6	1.6	0.2- 3.0	217	98.4	97.0-99.8
\$35,000- 49,999	395	43,811	14	3.3	0.9- 5.7	381	96.7	94.3-99.1
\$50,000- 74,999	468	53,801	20	2.9	1.3- 4.5	448	97.1	95.5-98.7
\$75,000+	958	103,439	18	1.5	0.7- 2.3	940	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3096	287,480	114	2.7	2.1- 3.3	2982	97.3	96.7-97.9
Native	97	14,100	8	7.4	0.9-13.9	89	92.6	86.1-99.1
Non-Native	2964	270,423	105	2.5	1.9- 3.1	2859	97.5	96.9-98.1
18-24	100	42,241				100	100.0	100.0- 100
25-34	264	50,830	3	1.2	0.0- 2.6	261	98.8	97.4- 100
35-44	311	42,519	10	3.3	1.1- 5.5	301	96.7	94.5-98.9
45-54	400	39,445	6	1.5	0.3- 2.7	394	98.5	97.3-99.7
55-64	696	47,197	21	3.4	1.6- 5.2	675	96.6	94.8-98.4
65+	1281	61,252	74	5.7	4.3- 7.1	1207	94.3	92.9-95.7
Less Than H.S.	160	22,523	7	3.1	0.0- 6.2	153	96.9	93.8- 100
H.S. or G.E.D.	829	66,554	31	2.8	1.6- 4.0	798	97.2	96.0-98.4
Some Post-H.S.	1042	118,229	42	2.7	1.7- 3.7	1000	97.3	96.3-98.3
College Graduate	1056	79,679	34	2.4	1.4- 3.4	1022	97.6	96.6-98.6
Less than \$15,000	200	20,816	15	6.1	2.2-10.0	185	93.9	90.0-97.8
\$15,000- 24,999	378	34,741	20	3.6	1.4- 5.8	358	96.4	94.2-98.6
\$25,000- 34,999	309	27,116	18	4.2	1.8- 6.6	291	95.8	93.4-98.2
\$35,000- 49,999	407	36,779	13	1.8	0.6- 3.0	394	98.2	97.0-99.4
\$50,000- 74,999	471	41,490	4	0.8	0.0- 1.8	467	99.2	98.2- 100
\$75,000+	867	84,727	20	1.6	0.8- 2.4	847	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5739	591,080	678	8.6	7.8-9.4	27	0.5	0.3-0.7	4955	89.8	88.8-90.8	79	1.0	0.6-1.4
Male	2636	303,010	332	9.5	8.3-10.7				2278	89.6	88.2-91.0	26	1.0	0.6-1.4
Female	3103	288,070	346	7.8	6.8-8.8	27	1.0	0.4-1.6	2677	90.1	88.9-91.3	53	1.1	0.7-1.5
Native	166	24,305	32	15.1	8.8-21.4	4	3.9	0.0-8.2	130	81.0	73.7-88.3			
Non-Native	5493	558,376	636	8.4	7.6-9.2	23	0.3	0.1-0.5	4756	90.2	89.4-91.0	78	1.1	0.7-1.5
18-24	271	91,825	4	1.4	0.0-2.8				267	98.6	97.2-100			
25-34	600	111,161	13	2.6	1.0-4.2	3	0.9	0.0-1.9	581	96.0	94.0-98.0	3	0.5	0.0-1.1
35-44	595	89,555	25	4.9	2.7-7.1	6	0.8	0.2-1.4	561	93.4	91.0-95.8	3	0.9	0.0-2.1
45-54	801	82,231	77	10.4	7.9-12.9	4	0.4	0.0-0.8	713	88.2	85.7-90.7	7	0.9	0.1-1.7
55-64	1355	96,343	173	12.8	10.8-14.8	7	0.4	0.0-0.8	1163	85.9	83.7-88.1	12	0.9	0.3-1.5
65+	2051	113,718	386	19.0	17.0-21.0	7	0.4	0.0-0.8	1607	78.0	75.8-80.2	51	2.6	1.8-3.4
Less Than H.S.	325	49,433	52	12.3	8.2-16.4	3	1.4	0.0-3.4	262	84.1	79.4-88.8	8	2.2	0.6-3.8
H.S. or G.E.D.	1651	158,203	222	9.1	7.7-10.5	5	0.3	0.0-0.7	1401	89.3	87.7-90.9	23	1.3	0.5-2.1
Some Post-H.S.	1880	235,219	229	9.4	8.0-10.8	5	0.3	0.0-0.7	1621	89.5	87.9-91.1	25	0.8	0.4-1.2
College Graduate	1867	147,143	171	5.6	4.6-6.6	14	0.6	0.2-1.0	1659	93.0	91.8-94.2	23	0.8	0.4-1.2
Less than \$15,000	314	36,797	61	13.8	9.3-18.3	3	2.5	0.0-5.4	242	80.7	75.0-86.4	8	3.0	0.1-5.9
\$15,000- 24,999	622	64,504	119	13.8	10.7-16.9	1	0.1	0.0-0.3	489	84.7	81.4-88.0	13	1.3	0.3-2.3
\$25,000- 34,999	532	56,149	79	8.8	6.4-11.2	1	0.2	0.0-0.6	444	90.1	87.6-92.6	8	0.9	0.1-1.7
\$35,000- 49,999	804	80,681	92	8.5	6.3-10.7	4	0.7	0.0-1.5	700	90.3	87.9-92.7	8	0.4	0.0-0.8
\$50,000- 74,999	940	95,327	95	7.0	5.4-8.6	2	0.2	0.0-0.4	836	92.1	90.3-93.9	7	0.7	0.1-1.3
\$75,000+	1825	188,244	163	7.3	5.9-8.7	10	0.3	0.1-0.5	1632	91.5	90.1-92.9	20	0.8	0.4-1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2636	303,010	332	9.5	8.3-10.7	2278	89.6	88.2-91.0	26	1.0	0.6- 1.4
Native	69	10,205	14	16.8	7.4-26.2	55	83.2	73.8-92.6			
Non-Native	2522	287,364	313	9.2	8.0-10.4	2183	89.8	88.4-91.2	26	1.0	0.4- 1.6
18-24	171	49,584	3	2.1	0.0- 4.6	168	97.9	95.4- 100			
25-34	336	60,331	5	1.7	0.1- 3.3	330	97.9	96.1-99.7	1	0.4	0.0- 1.2
35-44	284	47,036	15	5.6	2.7- 8.5	266	92.7	89.0-96.4	3	1.7	0.0- 4.1
45-54	401	42,612	49	12.3	8.6-16.0	349	86.9	83.2-90.6	3	0.8	0.0- 1.8
55-64	659	49,146	96	15.1	12.0-18.2	560	84.5	81.4-87.6	3	0.5	0.0- 1.1
65+	764	52,084	164	21.7	18.4-25.0	584	75.7	72.2-79.2	16	2.6	1.2- 4.0
Less Than H.S.	164	26,868	22	12.0	6.1-17.9	137	85.0	78.7-91.3	5	3.0	0.3- 5.7
H.S. or G.E.D.	820	91,531	107	9.1	7.1-11.1	706	89.7	87.3-92.1	7	1.3	0.1- 2.5
Some Post-H.S.	834	116,559	106	9.9	7.7-12.1	722	89.7	87.5-91.9	6	0.4	0.0- 0.8
College Graduate	811	67,463	94	8.0	6.2- 9.8	709	91.2	89.2-93.2	8	0.7	0.1- 1.3
Less than \$15,000	113	15,724	18	13.3	5.5-21.1	93	82.9	73.5-92.3	2	3.9	0.0-10.0
\$15,000- 24,999	243	29,721	41	12.7	8.2-17.2	196	85.2	80.5-89.9	6	2.1	0.3- 3.9
\$25,000- 34,999	223	29,033	31	9.4	5.7-13.1	190	90.1	86.2-94.0	2	0.5	0.0- 1.3
\$35,000- 49,999	396	43,842	44	9.4	6.1-12.7	350	90.3	87.0-93.6	2	0.3	0.0- 0.7
\$50,000- 74,999	468	53,801	60	8.6	6.1-11.1	405	90.6	87.9-93.3	3	0.8	0.0- 1.8
\$75,000+	958	103,516	119	9.7	7.7-11.7	832	89.9	87.9-91.9	7	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3103	288,070	346	7.8	6.8- 8.8	27	1.0	0.4- 1.6	2677	90.1	88.9-91.3	53	1.1	0.7- 1.5
Native	97	14,100	18	13.8	5.6-22.0	4	6.7	0.0-14.1	75	79.5	69.1-89.9			
Non-Native	2971	271,012	323	7.4	6.4- 8.4	23	0.7	0.3- 1.1	2573	90.7	89.5-91.9	52	1.1	0.7- 1.5
18-24	100	42,241	1	0.5	0.0- 1.5				99	99.5	98.5- 100			
25-34	264	50,830	8	3.6	0.9- 6.3	3	1.9	0.0- 4.1	251	93.8	90.3-97.3	2	0.7	0.0- 1.7
35-44	311	42,519	10	4.1	1.2- 7.0	6	1.6	0.2- 3.0	295	94.3	91.2-97.4			
45-54	400	39,620	28	8.4	5.1-11.7	4	0.9	0.0- 1.9	364	89.7	86.2-93.2	4	1.0	0.0- 2.2
55-64	696	47,197	77	10.4	7.9-12.9	7	0.8	0.2- 1.4	603	87.4	84.7-90.1	9	1.4	0.4- 2.4
65+	1287	61,634	222	16.7	14.3-19.1	7	0.8	0.0- 1.6	1023	79.9	77.4-82.4	35	2.6	1.6- 3.6
Less Than H.S.	161	22,565	30	12.7	6.8-18.6	3	3.1	0.0- 7.2	125	83.1	75.8-90.4	3	1.1	0.0- 2.5
H.S. or G.E.D.	831	66,672	115	9.1	7.1-11.1	5	0.8	0.0- 1.6	695	88.8	86.6-91.0	16	1.3	0.5- 2.1
Some Post-H.S.	1046	118,659	123	8.9	6.9-10.9	5	0.7	0.1- 1.3	899	89.3	87.1-91.5	19	1.2	0.6- 1.8
College Graduate	1056	79,679	77	3.6	2.6- 4.6	14	1.0	0.4- 1.6	950	94.6	93.4-95.8	15	0.8	0.2- 1.4
Less than \$15,000	201	21,073	43	14.3	9.0-19.6	3	4.3	0.0- 9.4	149	79.0	71.7-86.3	6	2.4	0.2- 4.6
\$15,000- 24,999	379	34,783	78	14.7	10.0-19.4	1	0.2	0.0- 0.6	293	84.4	79.7-89.1	7	0.7	0.1- 1.3
\$25,000- 34,999	309	27,116	48	8.2	5.5-10.9	1	0.4	0.0- 1.2	254	90.1	87.0-93.2	6	1.3	0.0- 2.7
\$35,000- 49,999	408	36,839	48	7.5	4.8-10.2	4	1.6	0.0- 3.2	350	90.4	87.3-93.5	6	0.5	0.1- 0.9
\$50,000- 74,999	472	41,526	35	5.1	3.1- 7.1	2	0.5	0.0- 1.1	431	94.0	91.8-96.2	4	0.5	0.0- 1.1
\$75,000+	867	84,727	44	4.5	2.7- 6.3	10	0.7	0.1- 1.3	800	93.6	91.6-95.6	13	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	49,767	23	7.9	4.2-11.6	50	12.9	9.0-16.8	114	19.9	16.0-23.8	285	38.6	34.1-43.1	183	20.7	17.4-24.0
Male	324	28,155	12	7.4	2.5-12.3	16	7.0	3.3-10.7	68	24.7	18.8-30.6	160	42.9	36.6-49.2	68	18.0	13.5-22.5
Female	331	21,613	11	8.5	3.0-14.0	34	20.6	13.2-28.0	46	13.7	9.2-18.2	125	33.0	26.7-39.3	115	24.2	19.1-29.3
Non-Native	614	45,404	22	8.1	4.2-12.0	44	11.6	7.7-15.5	104	19.5	15.4-23.6	268	39.0	34.3-43.7	176	21.8	18.3-25.3
45-54	77	8,585	2	2.6	0.0- 6.3	8	13.5	3.9-23.1	37	44.9	32.2-57.6	30	39.0	26.5-51.5			
55-64	171	12,198	2	1.5	0.0- 3.9	16	14.1	7.0-21.2	35	16.8	11.1-22.5	109	62.2	53.8-70.6	9	5.3	1.6- 9.0
65+	365	20,461	5	1.6	0.0- 3.2	13	3.8	1.6- 6.0	27	7.0	4.1- 9.9	146	40.4	34.5-46.3	174	47.2	41.1-53.3
H.S. or G.E.D.	213	13,946	5	4.9	0.0-10.2	14	10.5	4.6-16.4	32	18.0	11.3-24.7	97	41.6	33.8-49.4	65	24.9	18.6-31.2
Some Post-H.S.	228	22,001	10	9.2	3.5-14.9	20	14.9	8.2-21.6	42	19.9	13.4-26.4	92	37.4	30.0-44.8	64	18.5	13.4-23.6
College Graduate	166	8,069	6	7.0	1.3-12.7	9	6.5	2.2-10.8	32	23.8	15.6-32.0	81	47.1	38.3-55.9	38	15.7	10.4-21.0
Less than \$15,000	60	4,930	3	14.3	0.0-33.1	4	11.0	0.0-22.4	12	20.5	8.0-33.0	23	31.7	17.8-45.6	18	22.4	10.6-34.2
\$15,000- 24,999	111	8,498	1	2.8	0.0- 8.3	15	23.9	11.0-36.8	15	12.6	5.0-20.2	40	32.4	21.2-43.6	40	28.2	18.0-38.4
\$25,000- 34,999	78	4,928	1	2.4	0.0- 6.9	5	8.9	0.0-17.9	14	21.4	9.4-33.4	29	34.9	22.6-47.2	29	32.4	20.1-44.7
\$35,000- 49,999	87	6,656	2	4.2	0.0-10.9	6	11.9	1.1-22.7	13	21.8	9.8-33.8	42	44.7	31.6-57.8	24	17.4	9.2-25.6
\$50,000- 74,999	95	6,716	4	8.8	0.0-17.6	3	4.5	0.0-10.0	19	20.9	10.9-30.9	45	45.1	33.3-56.9	24	20.8	12.0-29.6
\$75,000+	161	13,690	11	12.4	4.4-20.4	9	8.8	2.5-15.1	35	26.5	17.7-35.3	80	41.0	32.0-50.0	26	11.3	6.6-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	324	28,155	12	7.4	2.5-12.3	16	7.0	3.3-10.7	68	24.7	18.8-30.6	160	42.9	36.6-49.2	68	18.0	13.5-22.5
Non-Native	305	25,947	11	7.1	2.0-12.2	15	7.0	3.3-10.7	61	23.5	17.4-29.6	152	43.3	36.8-49.8	66	19.2	14.3-24.1
55-64	94	7,275	2	2.5	0.0- 6.4	7	12.6	3.8-21.4	17	13.1	6.4-19.8	63	65.8	54.8-76.8	5	6.0	0.7-11.3
65+	158	10,916	4	2.5	0.0- 5.2	3	1.8	0.0- 3.8	11	6.5	2.4-10.6	77	46.8	38.0-55.6	63	42.5	33.5-51.5
H.S. or G.E.D.	106	8,231	3	4.6	0.0-11.5	5	9.3	0.7-17.9	19	22.7	12.7-32.7	56	46.2	35.2-57.2	23	17.2	9.9-24.5
Some Post-H.S.	106	11,520	5	7.6	0.9-14.3	6	7.3	1.6-13.0	24	24.9	14.9-34.9	45	41.0	30.4-51.6	26	19.2	11.8-26.6
College Graduate	91	5,270	2	3.4	0.0- 8.7	4	5.4	0.1-10.7	20	25.5	14.5-36.5	52	54.3	42.7-65.9	13	11.4	5.1-17.7
\$50,000- 74,999	60	4,618	1	4.1	0.0-11.9	1	1.0	0.0- 3.0	15	26.4	12.9-39.9	29	47.4	32.7-62.1	14	21.1	9.9-32.3
\$75,000+	117	9,906	5	6.5	0.0-13.4	6	6.6	1.1-12.1	24	29.1	18.1-40.1	63	46.0	35.2-56.8	19	11.8	6.1-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	331	21,613	11	8.5	3.0-14.0	34	20.6	13.2-28.0	46	13.7	9.2-18.2	125	33.0	26.7-39.3	115	24.2	19.1-29.3
Non-Native	309	19,456	11	9.5	3.6-15.4	29	17.8	10.7-24.9	43	14.1	9.4-18.8	116	33.3	26.8-39.8	110	25.3	20.0-30.6
55-64	77	4,923				9	16.5	4.9-28.1	18	22.3	12.1-32.5	46	56.9	43.8-70.0	4	4.3	0.0- 8.8
65+	207	9,545	1	0.5	0.0- 1.5	10	6.2	2.1-10.3	16	7.6	3.7-11.5	69	33.1	25.7-40.5	111	52.6	44.8-60.4
H.S. or G.E.D.	107	5,715	2	5.5	0.0-13.5	9	12.1	4.3-19.9	13	11.3	4.0-18.6	41	35.0	24.6-45.4	42	36.1	25.7-46.5
Some Post-H.S.	122	10,482	5	10.9	1.3-20.5	14	23.3	11.5-35.1	18	14.4	7.1-21.7	47	33.5	23.5-43.5	38	17.8	11.1-24.5
College Graduate	75	2,800	4	13.6	1.1-26.1	5	8.5	0.9-16.1	12	20.6	9.2-32.0	29	33.5	21.7-45.3	25	23.8	14.0-33.6
\$15,000- 24,999	71	4,794				10	28.7	9.5-47.9	9	15.5	3.5-27.5	25	29.0	15.3-42.7	27	26.9	14.6-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 7: ORAL HEALTH CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	588,495	3957	66.1	64.5-67.7	554	11.1	9.9-12.3	569	11.0	9.8-12.2	626	11.3	10.1-12.5	14	0.4	0.0- 0.8
Male	2626	301,274	1682	61.3	58.9-63.7	268	10.5	9.1-11.9	318	13.4	11.6-15.2	347	14.2	12.6-15.8	11	0.5	0.1- 0.9
Female	3094	287,221	2275	71.1	68.7-73.5	286	11.7	9.9-13.5	251	8.5	7.1- 9.9	279	8.3	6.9- 9.7	3	0.3	0.0- 0.7
Native	164	24,052	77	42.3	32.9-51.7	30	24.9	15.7-34.1	32	18.9	11.3-26.5	25	13.9	7.4-20.4			
Non-Native	5477	556,155	3828	67.1	65.3-68.9	519	10.6	9.4-11.8	526	10.7	9.5-11.9	590	11.2	10.0-12.4	14	0.4	0.0- 0.8
18-24	269	91,014	176	65.0	58.7-71.3	39	14.8	10.1-19.5	33	11.7	7.6-15.8	19	7.5	4.0-11.0	2	1.1	0.0- 2.7
25-34	597	110,502	370	61.6	57.3-65.9	72	11.7	9.0-14.4	86	14.0	11.1-16.9	64	11.9	9.0-14.8	5	0.7	0.0- 1.5
35-44	593	89,318	420	67.3	63.0-71.6	63	12.2	9.1-15.3	60	10.9	8.0-13.8	49	9.5	6.8-12.2	1	0.1	0.0- 0.3
45-54	802	82,342	570	68.6	64.9-72.3	62	7.6	5.4- 9.8	77	10.9	8.4-13.4	92	12.7	10.0-15.4	1	0.2	0.0- 0.6
55-64	1355	96,296	992	70.5	67.8-73.2	134	11.2	9.2-13.2	118	8.7	6.9-10.5	109	9.6	7.6-11.6	2	0.1	0.0- 0.3
65+	2039	112,840	1386	64.9	62.4-67.4	178	9.2	7.6-10.8	187	10.0	8.4-11.6	285	15.7	13.7-17.7	3	0.2	0.0- 0.4
Less Than H.S.	320	48,628	144	44.9	37.5-52.3	33	10.9	6.6-15.2	46	17.6	11.5-23.7	93	25.8	19.3-32.3	4	0.9	0.0- 1.9
H.S. or G.E.D.	1642	157,241	994	59.8	56.7-62.9	192	12.1	9.9-14.3	181	12.5	10.3-14.7	271	15.3	13.1-17.5	4	0.2	0.0- 0.4
Some Post-H.S.	1878	234,860	1317	67.4	64.7-70.1	196	12.4	10.2-14.6	193	10.2	8.4-12.0	169	9.4	7.8-11.0	3	0.6	0.0- 1.2
College Graduate	1866	146,795	1490	77.6	75.2-80.0	132	8.1	6.5- 9.7	149	8.7	7.1-10.3	92	5.4	4.2- 6.6	3	0.3	0.0- 0.7
Less than \$15,000	314	36,823	144	47.8	40.2-55.4	38	12.7	7.2-18.2	57	18.8	12.9-24.7	72	20.0	14.3-25.7	3	0.8	0.0- 1.8
\$15,000- 24,999	617	63,613	330	51.0	45.3-56.7	74	13.5	9.8-17.2	81	14.7	10.4-19.0	131	20.7	16.4-25.0	1	0.2	0.0- 0.6
\$25,000- 34,999	531	56,063	300	54.2	48.3-60.1	77	16.8	12.3-21.3	67	13.2	9.5-16.9	85	15.0	11.3-18.7	2	0.8	0.0- 2.0
\$35,000- 49,999	802	80,524	545	63.3	58.6-68.0	76	13.3	9.6-17.0	87	11.8	8.9-14.7	92	11.0	8.3-13.7	2	0.6	0.0- 1.6
\$50,000- 74,999	935	94,571	683	69.6	65.9-73.3	91	10.3	7.9-12.7	89	10.9	8.2-13.6	72	9.2	6.7-11.7			
\$75,000+	1825	188,200	1477	77.8	75.4-80.2	134	7.9	6.3- 9.5	121	7.9	6.3- 9.5	92	6.4	4.8- 8.0	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2626	301,274	1682	61.3	58.9-63.7	268	10.5	9.1-11.9	318	13.4	11.6-15.2	347	14.2	12.6-15.8	11	0.5	0.1- 0.9
Native	68	10,083	31	43.4	29.5-57.3	12	17.4	7.2-27.6	15	22.6	10.1-35.1	10	16.6	5.8-27.4			
Non-Native	2514	285,860	1621	61.8	59.4-64.2	253	10.4	8.8-12.0	299	13.2	11.4-15.0	330	14.1	12.3-15.9	11	0.6	0.2- 1.0
18-24	169	48,773	107	64.8	57.2-72.4	20	10.5	5.8-15.2	28	16.5	10.6-22.4	13	7.5	3.4-11.6	1	0.7	0.0- 2.1
25-34	335	60,087	184	53.8	48.1-59.5	43	12.2	8.5-15.9	53	15.7	11.6-19.8	51	17.1	12.6-21.6	4	1.2	0.0- 2.4
35-44	282	46,799	185	63.4	57.1-69.7	27	10.2	6.1-14.3	35	13.2	8.7-17.7	34	13.1	8.8-17.4	1	0.2	0.0- 0.6
45-54	401	42,612	264	63.0	57.7-68.3	30	6.9	4.4- 9.4	46	12.0	8.3-15.7	60	17.7	13.4-22.0	1	0.4	0.0- 1.2
55-64	658	49,036	433	62.8	58.7-66.9	75	12.7	9.8-15.6	80	12.2	9.5-14.9	68	12.1	9.2-15.0	2	0.3	0.0- 0.7
65+	760	51,749	494	61.7	57.8-65.6	72	10.0	7.5-12.5	74	10.7	8.2-13.2	118	17.3	14.2-20.4	2	0.4	0.0- 1.0
Less Than H.S.	162	26,298	73	43.2	34.0-52.4	19	11.1	5.8-16.4	23	18.5	10.5-26.5	44	25.9	18.1-33.7	3	1.3	0.0- 2.9
H.S. or G.E.D.	816	91,210	458	56.2	52.1-60.3	92	10.6	8.2-13.0	115	15.3	12.2-18.4	148	17.6	14.5-20.7	3	0.2	0.0- 0.6
Some Post-H.S.	831	116,078	551	64.1	60.2-68.0	87	11.4	8.7-14.1	96	12.0	9.3-14.7	95	11.9	9.4-14.4	2	0.6	0.0- 1.4
College Graduate	811	67,147	595	70.3	66.6-74.0	70	8.8	6.6-11.0	84	11.4	8.7-14.1	59	8.9	6.4-11.4	3	0.6	0.0- 1.2
Less than \$15,000	112	15,639	46	45.9	34.1-57.7	8	5.3	1.0- 9.6	28	25.3	14.7-35.9	28	22.4	13.8-31.0	2	1.1	0.0- 3.1
\$15,000- 24,999	241	29,236	107	45.2	37.4-53.0	34	13.3	8.4-18.2	34	15.2	9.3-21.1	65	25.9	19.2-32.6	1	0.4	0.0- 1.2
\$25,000- 34,999	222	28,947	109	50.1	41.9-58.3	32	13.5	8.2-18.8	37	16.9	11.0-22.8	42	17.9	12.0-23.8	2	1.6	0.0- 4.0
\$35,000- 49,999	394	43,686	248	61.0	54.9-67.1	40	11.3	7.2-15.4	45	11.3	7.4-15.2	59	15.2	10.7-19.7	2	1.2	0.0- 3.0
\$50,000- 74,999	465	53,139	303	61.8	56.3-67.3	49	10.3	7.2-13.4	59	14.9	10.6-19.2	54	13.1	9.2-17.0			
\$75,000+	958	103,500	720	71.3	67.8-74.8	84	9.2	7.0-11.4	84	10.5	8.0-13.0	69	8.9	6.7-11.1	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3094	287,221	2275	71.1	68.7-73.5	286	11.7	9.9-13.5	251	8.5	7.1- 9.9	279	8.3	6.9- 9.7	3	0.3	0.0- 0.7
Native	96	13,969	46	41.6	28.9-54.3	18	30.3	16.6-44.0	17	16.2	7.0-25.4	15	11.9	3.9-19.9			
Non-Native	2963	270,294	2207	72.7	70.3-75.1	266	10.9	9.1-12.7	227	8.1	6.7- 9.5	260	8.1	6.7- 9.5	3	0.3	0.0- 0.7
18-24	100	42,241	69	65.2	55.0-75.4	19	19.7	11.5-27.9	5	6.1	0.6-11.6	6	7.4	1.5-13.3	1	1.6	0.0- 4.5
25-34	262	50,415	186	70.8	64.7-76.9	29	11.1	7.0-15.2	33	12.0	7.9-16.1	13	5.8	2.5- 9.1	1	0.2	0.0- 0.6
35-44	311	42,519	235	71.6	65.7-77.5	36	14.4	9.7-19.1	25	8.4	4.7-12.1	15	5.6	2.5- 8.7			
45-54	401	39,730	306	74.6	69.7-79.5	32	8.3	5.2-11.4	31	9.6	6.1-13.1	32	7.5	4.8-10.2			
55-64	697	47,260	559	78.4	74.7-82.1	59	9.6	7.1-12.1	38	5.1	3.1- 7.1	41	6.9	4.5- 9.3			
65+	1279	61,091	892	67.6	64.7-70.5	106	8.6	6.8-10.4	113	9.4	7.4-11.4	167	14.3	11.9-16.7	1	0.1	0.0- 0.3
Less Than H.S.	158	22,330	71	47.0	35.0-59.0	14	10.5	3.4-17.6	23	16.4	7.0-25.8	49	25.6	15.2-36.0	1	0.5	0.0- 1.5
H.S. or G.E.D.	826	66,031	536	64.8	60.1-69.5	100	14.2	10.5-17.9	66	8.7	5.6-11.8	123	12.2	9.5-14.9	1	0.1	0.0- 0.3
Some Post-H.S.	1047	118,782	766	70.7	66.8-74.6	109	13.4	10.3-16.5	97	8.4	6.4-10.4	74	6.9	4.9- 8.9	1	0.6	0.0- 1.6
College Graduate	1055	79,649	895	83.8	80.9-86.7	62	7.4	5.0- 9.8	65	6.4	4.4- 8.4	33	2.4	1.4- 3.4			
Less than \$15,000	202	21,184	98	49.2	39.2-59.2	30	18.1	9.5-26.7	29	14.0	7.9-20.1	44	18.2	10.8-25.6	1	0.5	0.0- 1.5
\$15,000- 24,999	376	34,377	223	55.9	47.9-63.9	40	13.6	7.9-19.3	47	14.2	7.7-20.7	66	16.3	11.0-21.6			
\$25,000- 34,999	309	27,116	191	58.7	50.5-66.9	45	20.3	12.9-27.7	30	9.2	4.7-13.7	43	11.8	7.3-16.3			
\$35,000- 49,999	408	36,839	297	66.1	58.8-73.4	36	15.7	9.2-22.2	42	12.2	7.5-16.9	33	6.0	3.5- 8.5			
\$50,000- 74,999	470	41,431	380	79.6	75.1-84.1	42	10.4	6.9-13.9	30	5.8	3.4- 8.2	18	4.2	1.8- 6.6			
\$75,000+	867	84,700	757	85.7	82.6-88.8	50	6.3	4.3- 8.3	37	4.6	2.8- 6.4	23	3.4	1.4- 5.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5664	585,991	1919	28.9	27.3-30.5	737	9.2	8.4-10.0	345	4.5	3.9- 5.1	2663	57.3	55.7-58.9
Male	2611	300,966	937	30.4	28.2-32.6	311	8.8	7.6-10.0	126	3.9	3.1- 4.7	1237	56.9	54.5-59.3
Female	3053	285,025	982	27.3	25.1-29.5	426	9.7	8.5-10.9	219	5.2	4.2- 6.2	1426	57.8	55.4-60.2
Native	165	24,272	68	36.6	27.4-45.8	21	10.3	5.4-15.2	20	10.8	4.5-17.1	56	42.3	32.5-52.1
Non-Native	5421	553,468	1834	28.7	27.1-30.3	701	9.1	8.3- 9.9	321	4.3	3.7- 4.9	2565	57.9	56.1-59.7
18-24	271	91,825	35	13.4	8.7-18.1	2	0.8	0.0- 2.0				234	85.8	81.1-90.5
25-34	599	111,012	111	19.9	16.4-23.4	11	2.1	0.7- 3.5	5	1.1	0.1- 2.1	472	76.8	73.1-80.5
35-44	592	89,222	149	27.6	23.5-31.7	27	5.0	3.0- 7.0	6	1.7	0.3- 3.1	410	65.8	61.5-70.1
45-54	800	82,039	267	33.0	29.3-36.7	58	8.4	6.0-10.8	22	3.2	1.6- 4.8	453	55.3	51.4-59.2
55-64	1351	95,936	539	40.8	37.9-43.7	177	13.8	11.6-16.0	68	6.4	4.6- 8.2	567	39.0	36.1-41.9
65+	1986	109,775	796	38.4	35.9-40.9	458	23.7	21.5-25.9	239	13.6	11.6-15.6	493	24.3	22.1-26.5
Less Than H.S.	313	48,516	103	36.2	28.8-43.6	66	15.8	11.3-20.3	67	15.7	11.2-20.2	77	32.2	24.8-39.6
H.S. or G.E.D.	1619	156,038	604	33.2	30.3-36.1	292	12.4	10.6-14.2	154	5.9	4.7- 7.1	569	48.5	45.2-51.8
Some Post-H.S.	1860	233,752	671	29.0	26.6-31.4	242	9.0	7.6-10.4	100	3.7	2.9- 4.5	847	58.3	55.6-61.0
College Graduate	1860	146,798	538	21.8	19.6-24.0	135	4.0	3.2- 4.8	21	0.7	0.3- 1.1	1166	73.5	71.3-75.7
Less than \$15,000	303	36,156	91	29.7	22.6-36.8	75	18.4	13.1-23.7	54	13.3	8.8-17.8	83	38.5	30.7-46.3
\$15,000- 24,999	605	63,369	207	29.1	24.2-34.0	142	17.1	13.8-20.4	81	9.6	7.1-12.1	175	44.2	38.3-50.1
\$25,000- 34,999	517	55,100	181	29.1	24.0-34.2	93	11.7	8.8-14.6	54	8.0	5.3-10.7	189	51.3	45.4-57.2
\$35,000- 49,999	798	80,117	305	31.8	27.7-35.9	115	9.1	7.1-11.1	50	4.6	3.0- 6.2	328	54.4	49.9-58.9
\$50,000- 74,999	939	95,238	363	33.1	29.4-36.8	80	6.0	4.4- 7.6	28	1.9	1.1- 2.7	468	59.0	55.1-62.9
\$75,000+	1823	188,165	551	25.7	23.3-28.1	128	5.3	4.1- 6.5	23	1.0	0.6- 1.4	1121	67.9	65.4-70.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2611	300,966	937	30.4	28.2-32.6	311	8.8	7.6-10.0	126	3.9	3.1- 4.7	1237	56.9	54.5-59.3
Native	69	10,205	33	49.9	36.0-63.8	9	9.0	2.3-15.7	4	3.4	0.0- 6.9	23	37.8	24.3-51.3
Non-Native	2497	285,321	892	29.8	27.6-32.0	294	8.7	7.5- 9.9	122	4.0	3.2- 4.8	1189	57.5	55.1-59.9
18-24	171	49,584	20	10.3	5.6-15.0	2	1.6	0.0- 4.0				149	88.1	83.0-93.2
25-34	336	60,331	63	20.5	15.6-25.4	5	1.5	0.1- 2.9	3	1.1	0.0- 2.3	265	77.0	71.9-82.1
35-44	283	46,951	79	30.6	24.5-36.7	13	4.9	2.2- 7.6	1	0.5	0.0- 1.5	190	64.0	57.7-70.3
45-54	401	42,612	151	37.7	32.4-43.0	25	6.6	3.9- 9.3	9	2.9	0.7- 5.1	216	52.9	47.4-58.4
55-64	656	48,813	299	46.4	42.1-50.7	90	14.4	11.3-17.5	32	6.2	4.0- 8.4	235	33.0	29.1-36.9
65+	743	50,458	319	40.2	36.3-44.1	175	24.9	21.4-28.4	80	13.2	10.1-16.3	169	21.7	18.4-25.0
Less Than H.S.	159	26,340	52	31.5	23.1-39.9	27	14.5	8.2-20.8	30	14.3	8.8-19.8	50	39.7	30.1-49.3
H.S. or G.E.D.	810	90,733	313	33.7	29.8-37.6	139	12.1	9.7-14.5	47	4.1	2.7- 5.5	311	50.1	45.8-54.4
Some Post-H.S.	826	115,950	312	31.0	27.5-34.5	95	7.8	6.0- 9.6	37	3.2	2.0- 4.4	382	57.9	54.0-61.8
College Graduate	810	67,420	258	24.4	21.3-27.5	49	3.6	2.4- 4.8	10	0.8	0.2- 1.4	493	71.2	67.9-74.5
Less than \$15,000	109	15,373	39	28.2	18.0-38.4	19	14.1	6.1-22.1	14	11.3	4.8-17.8	37	46.4	34.4-58.4
\$15,000- 24,999	235	29,043	69	24.8	18.3-31.3	52	16.9	11.8-22.0	29	8.8	5.1-12.5	85	49.5	41.5-57.5
\$25,000- 34,999	218	28,643	86	32.7	25.3-40.1	30	8.4	4.9-11.9	18	7.5	3.8-11.2	84	51.4	43.2-59.6
\$35,000- 49,999	394	43,681	142	31.9	26.4-37.4	59	9.3	6.6-12.0	25	4.5	2.5- 6.5	168	54.3	48.2-60.4
\$50,000- 74,999	468	53,801	201	36.5	31.2-41.8	50	7.6	5.2-10.0	13	2.0	0.8- 3.2	204	53.9	48.4-59.4
\$75,000+	958	103,500	324	28.6	25.3-31.9	72	5.8	4.2- 7.4	13	1.0	0.4- 1.6	549	64.5	61.0-68.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3053	285,025	982	27.3	25.1-29.5	426	9.7	8.5-10.9	219	5.2	4.2- 6.2	1426	57.8	55.4-60.2
Native	96	14,066	35	27.0	15.8-38.2	12	11.2	4.1-18.3	16	16.1	6.1-26.1	33	45.6	32.3-58.9
Non-Native	2924	268,147	942	27.5	25.3-29.7	407	9.6	8.4-10.8	199	4.6	3.8- 5.4	1376	58.3	55.9-60.7
18-24	100	42,241	15	16.9	8.5-25.3							85	83.1	74.7-91.5
25-34	263	50,681	48	19.2	13.9-24.5	6	2.9	0.5- 5.3	2	1.2	0.0- 3.0	207	76.7	71.0-82.4
35-44	309	42,272	70	24.2	18.7-29.7	14	5.0	2.1- 7.9	5	3.0	0.3- 5.7	220	67.7	61.6-73.8
45-54	399	39,428	116	28.0	23.1-32.9	33	10.4	6.7-14.1	13	3.5	1.3- 5.7	237	58.0	52.5-63.5
55-64	695	47,122	240	35.0	30.9-39.1	87	13.2	10.3-16.1	36	6.6	4.1- 9.1	332	45.2	41.1-49.3
65+	1243	59,317	477	36.9	33.8-40.0	283	22.6	19.9-25.3	159	13.9	11.5-16.3	324	26.6	23.7-29.5
Less Than H.S.	154	22,176	51	41.9	29.6-54.2	39	17.3	10.4-24.2	37	17.3	9.9-24.7	27	23.4	12.4-34.4
H.S. or G.E.D.	809	65,305	291	32.5	28.2-36.8	153	12.9	10.4-15.4	107	8.4	6.4-10.4	258	46.2	41.1-51.3
Some Post-H.S.	1034	117,801	359	27.0	23.9-30.1	147	10.1	8.1-12.1	63	4.2	3.0- 5.4	465	58.8	55.1-62.5
College Graduate	1050	79,378	280	19.5	16.8-22.2	86	4.4	3.2- 5.6	11	0.6	0.0- 1.2	673	75.5	72.6-78.4
Less than \$15,000	194	20,782	52	30.9	21.3-40.5	56	21.6	14.7-28.5	40	14.8	8.5-21.1	46	32.8	22.6-43.0
\$15,000- 24,999	370	34,326	138	32.8	25.5-40.1	90	17.3	12.8-21.8	52	10.3	6.8-13.8	90	39.7	31.3-48.1
\$25,000- 34,999	299	26,457	95	25.1	18.6-31.6	63	15.1	10.4-19.8	36	8.5	4.4-12.6	105	51.3	42.9-59.7
\$35,000- 49,999	404	36,436	163	31.7	25.6-37.8	56	8.9	6.0-11.8	25	4.9	2.4- 7.4	160	54.5	47.4-61.6
\$50,000- 74,999	471	41,436	162	28.7	23.6-33.8	30	4.0	2.4- 5.6	15	1.8	0.8- 2.8	264	65.5	60.2-70.8
\$75,000+	865	84,666	227	22.1	18.8-25.4	56	4.8	3.2- 6.4	10	1.0	0.2- 1.8	572	72.0	68.5-75.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
INDICATE SEX OF RESPONDENT. (SEX)	
1 MALES AND FEMALES	89
WHAT IS YOUR AGE? (AGE)	
4 MALES AND FEMALES	92
5 MALES ONLY	93
6 FEMALES ONLY	94
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7 MALES AND FEMALES	95
8 MALES ONLY	96
9 FEMALES ONLY	97
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
10 MALES AND FEMALES	98
11 MALES ONLY	99
12 FEMALES ONLY	100
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13 MALES AND FEMALES	101
14 MALES ONLY	102
15 FEMALES ONLY	103
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	104
17 MALES ONLY	105
18 FEMALES ONLY	106
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	107
20 MALES ONLY	108
21 FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22	MALES AND FEMALES	110
23	MALES ONLY	111
24	FEMALES ONLY	112
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25	MALES AND FEMALES	113
26	MALES ONLY	114
27	FEMALES ONLY	115
	WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
28	MALES AND FEMALES	116
29	MALES ONLY	117
30	FEMALES ONLY	118
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31	MALES AND FEMALES	119
32	MALES ONLY	120
33	FEMALES ONLY	121
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34	MALES AND FEMALES	122
35	MALES ONLY	123
36	FEMALES ONLY	124
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37	MALES AND FEMALES	125
38	MALES ONLY	126
39	FEMALES ONLY	127
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40	MALES AND FEMALES	128
41	MALES ONLY	129
42	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	146
59 MALES ONLY	147
60 FEMALES ONLY	148
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
64 MALES AND FEMALES	152
65 MALES ONLY	153
66 FEMALES ONLY	154
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
67 MALES AND FEMALES	155

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
68 MALES ONLY	156
69 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
70 MALES AND FEMALES	158
71 MALES ONLY	159
72 FEMALES ONLY	160
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
73 MALES AND FEMALES	161
74 MALES ONLY	162
75 FEMALES ONLY	163
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
76 MALES AND FEMALES	164
77 MALES ONLY	165
78 FEMALES ONLY	166
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
79 MALES AND FEMALES	167
80 MALES ONLY	168
81 FEMALES ONLY	169



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: Indicate sex of respondent. (SEX)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5742	591,299	2637	51.3	49.5-53.1	3105	48.7	46.9-50.5
Native	166	24,305	69	42.0	32.6-51.4	97	58.0	48.6-67.4
Non-Native	5496	558,596	2523	51.5	49.7-53.3	2973	48.5	46.7-50.3
18-24	271	91,825	171	54.0	47.5-60.5	100	46.0	39.5-52.5
25-34	600	111,161	336	54.3	50.0-58.6	264	45.7	41.4-50.0
35-44	595	89,555	284	52.5	48.0-57.0	311	47.5	43.0-52.0
45-54	802	82,342	401	51.7	47.8-55.6	401	48.3	44.4-52.2
55-64	1356	96,405	659	51.0	48.1-53.9	697	49.0	46.1-51.9
65+	2052	113,764	765	45.8	43.3-48.3	1287	54.2	51.7-56.7
Less Than H.S.	325	49,433	164	54.4	47.0-61.8	161	45.6	38.2-53.0
H.S. or G.E.D.	1651	158,203	820	57.9	54.8-61.0	831	42.1	39.0-45.2
Some Post-H.S.	1882	235,392	834	49.5	46.6-52.4	1048	50.5	47.6-53.4
College Graduate	1868	147,189	812	45.9	43.2-48.6	1056	54.1	51.4-56.8
Less than \$15,000	315	36,908	113	42.6	35.2-50.0	202	57.4	50.0-64.8
\$15,000- 24,999	622	64,504	243	46.1	40.6-51.6	379	53.9	48.4-59.4
\$25,000- 34,999	532	56,149	223	51.7	45.8-57.6	309	48.3	42.4-54.2
\$35,000- 49,999	804	80,681	396	54.3	49.6-59.0	408	45.7	41.0-50.4
\$50,000- 74,999	940	95,327	468	56.4	52.5-60.3	472	43.6	39.7-47.5
\$75,000+	1827	188,352	959	55.0	52.3-57.7	868	45.0	42.3-47.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5676	585,052	271	15.7	13.9-17.5	600	19.0	17.6-20.4	595	15.3	14.1-16.5	802	14.1	13.1-15.1	1356	16.5	15.5-17.5	2052	19.4	18.4-20.4
Male	2616	300,839	171	16.5	14.1-18.9	336	20.1	18.1-22.1	284	15.6	13.8-17.4	401	14.2	12.6-15.8	659	16.3	14.9-17.7	765	17.3	15.9-18.7
Female	3060	284,214	100	14.9	12.2-17.6	264	17.9	15.7-20.1	311	15.0	13.2-16.8	401	14.0	12.4-15.6	697	16.6	15.2-18.0	1287	21.7	20.3-23.1
Native	165	24,200	12	18.1	8.7-27.5	30	28.7	19.5-37.9	23	15.2	8.3-22.1	31	13.4	8.1-18.7	38	14.8	9.1-20.5	31	9.8	5.5-14.1
Non-Native	5438	553,388	255	15.6	13.8-17.4	561	18.6	17.2-20.0	565	15.3	13.9-16.7	765	14.2	13.0-15.4	1299	16.5	15.5-17.5	1993	19.8	18.8-20.8
Less Than H.S.	323	49,367	28	26.7	18.5-34.9	26	15.7	10.0-21.4	9	5.2	1.7- 8.7	27	9.3	5.6-13.0	40	10.2	6.7-13.7	193	32.9	27.2-38.6
H.S. or G.E.D.	1633	156,575	104	20.3	16.8-23.8	141	16.3	13.8-18.8	121	12.4	10.2-14.6	201	12.1	10.3-13.9	394	17.4	15.4-19.4	672	21.4	19.4-23.4
Some Post-H.S.	1861	232,772	90	15.0	12.1-17.9	183	18.5	16.0-21.0	181	14.7	12.5-16.9	284	15.7	13.7-17.7	478	18.0	16.2-19.8	645	18.2	16.6-19.8
College Graduate	1847	145,618	49	8.2	6.0-10.4	250	23.9	21.4-26.4	284	22.9	20.4-25.4	289	15.3	13.5-17.1	443	15.2	13.6-16.8	532	14.4	13.0-15.8
Less than \$15,000	313	36,612	25	24.7	16.3-33.1	25	13.7	8.4-19.0	23	10.7	5.8-15.6	36	13.7	9.0-18.4	65	14.5	10.4-18.6	139	22.7	18.0-27.4
\$15,000- 24,999	619	64,273	39	23.0	16.7-29.3	46	15.1	11.0-19.2	31	8.0	5.1-10.9	55	9.2	6.5-11.9	90	11.6	8.9-14.3	358	33.0	28.7-37.3
\$25,000- 34,999	528	55,755	36	21.6	15.3-27.9	59	21.9	16.8-27.0	32	9.9	6.2-13.6	42	7.8	5.1-10.5	94	13.5	10.4-16.6	265	25.3	21.4-29.2
\$35,000- 49,999	798	80,373	50	20.7	15.6-25.8	76	16.6	12.9-20.3	70	14.1	10.8-17.4	94	11.9	9.4-14.4	167	14.9	12.4-17.4	341	21.8	18.9-24.7
\$50,000- 74,999	936	95,170	39	12.7	9.0-16.4	130	24.3	20.4-28.2	83	12.8	9.9-15.7	131	13.9	11.4-16.4	268	18.9	16.4-21.4	285	17.5	15.1-19.9
\$75,000+	1812	186,654	39	6.1	4.1- 8.1	220	20.8	18.3-23.3	322	24.8	22.3-27.3	374	19.7	17.7-21.7	534	19.5	17.7-21.3	323	9.2	8.0-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2616	300,839	171	16.5	14.1-18.9	336	20.1	18.1-22.1	284	15.6	13.8-17.4	401	14.2	12.6-15.8	659	16.3	14.9-17.7	765	17.3	15.9-18.7
Native	68	10,100	5	15.1	3.1-27.1	15	32.9	19.0-46.8	8	13.4	3.8-23.0	14	15.0	6.6-23.4	15	13.2	5.8-20.6	11	10.4	3.5-17.3
Non-Native	2508	285,997	162	16.5	14.1-18.9	315	19.6	17.6-21.6	272	15.8	13.8-17.8	383	14.2	12.6-15.8	630	16.2	14.8-17.6	746	17.7	16.3-19.1
Less Than H.S.	164	26,868	16	21.6	12.2-31.0	16	18.1	10.1-26.1	6	5.6	0.9-10.3	19	11.8	6.3-17.3	29	12.8	7.7-17.9	78	30.1	22.8-37.4
H.S. or G.E.D.	816	91,165	71	21.1	16.8-25.4	88	17.2	13.9-20.5	80	15.4	12.1-18.7	126	13.6	11.1-16.1	216	16.7	14.3-19.1	235	16.0	13.6-18.4
Some Post-H.S.	828	115,534	56	16.3	12.4-20.2	100	19.3	15.8-22.8	93	16.1	13.0-19.2	131	14.8	12.3-17.3	226	17.5	15.0-20.0	222	15.9	13.5-18.3
College Graduate	802	66,783	28	8.5	5.4-11.6	132	26.2	22.3-30.1	105	19.2	15.7-22.7	125	14.9	12.2-17.6	187	15.2	12.8-17.6	225	16.0	13.6-18.4
Less than \$15,000	112	15,534	15	30.1	17.6-42.6	10	12.6	4.8-20.4	11	12.5	4.3-20.7	11	9.8	3.5-16.1	32	17.7	10.6-24.8	33	17.4	10.5-24.3
\$15,000- 24,999	243	29,721	23	23.9	15.7-32.1	28	18.1	11.8-24.4	9	5.2	1.9- 8.5	30	11.2	6.9-15.5	45	13.2	8.9-17.5	108	28.5	22.4-34.6
\$25,000- 34,999	222	28,963	21	22.3	14.1-30.5	35	25.2	17.8-32.6	14	9.9	4.8-15.0	20	8.5	4.4-12.6	44	12.2	8.1-16.3	88	21.9	16.6-27.2
\$35,000- 49,999	393	43,689	32	20.8	14.5-27.1	39	16.0	11.1-20.9	38	14.5	9.8-19.2	56	12.7	9.0-16.4	82	15.1	11.6-18.6	146	20.9	17.0-24.8
\$50,000- 74,999	468	53,801	27	14.8	9.7-19.9	82	26.1	20.8-31.4	42	14.1	9.8-18.4	61	12.5	9.2-15.8	121	15.6	12.5-18.7	135	16.9	13.8-20.0
\$75,000+	952	102,954	30	7.9	5.0-10.8	121	20.0	16.7-23.3	152	23.2	19.7-26.7	198	19.5	16.8-22.2	275	19.3	16.8-21.8	176	10.1	8.3-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3060	284,214	100	14.9	12.2-17.6	264	17.9	15.7-20.1	311	15.0	13.2-16.8	401	14.0	12.4-15.6	697	16.6	15.2-18.0	1287	21.7	20.3-23.1
Native	97	14,100	7	20.2	6.7-33.7	15	25.6	13.6-37.6	15	16.6	7.2-26.0	17	12.3	5.6-19.0	23	15.9	7.9-23.9	20	9.4	4.1-14.7
Non-Native	2930	267,392	93	14.7	12.0-17.4	246	17.5	15.3-19.7	293	14.8	13.0-16.6	382	14.1	12.5-15.7	669	16.7	15.3-18.1	1247	22.1	20.7-23.5
Less Than H.S.	159	22,499	12	32.7	19.0-46.4	10	12.8	5.0-20.6	3	4.7	0.0-10.0	8	6.3	1.6-11.0	11	7.2	2.5-11.9	115	36.3	26.9-45.7
H.S. or G.E.D.	817	65,410	33	19.2	13.5-24.9	53	15.2	11.3-19.1	41	8.2	5.5-10.9	75	10.0	7.6-12.4	178	18.4	15.5-21.3	437	28.9	25.6-32.2
Some Post-H.S.	1033	117,238	34	13.7	9.6-17.8	83	17.6	14.1-21.1	88	13.2	10.5-15.9	153	16.5	13.8-19.2	252	18.4	15.9-20.9	423	20.5	18.1-22.9
College Graduate	1045	78,835	21	7.9	4.8-11.0	118	22.0	18.5-25.5	179	26.1	22.6-29.6	164	15.6	13.1-18.1	256	15.3	13.1-17.5	307	13.1	11.3-14.9
Less than \$15,000	201	21,078	10	20.7	9.5-31.9	15	14.5	7.2-21.8	12	9.4	3.3-15.5	25	16.6	9.7-23.5	33	12.1	7.4-16.8	106	26.6	19.9-33.3
\$15,000- 24,999	376	34,552	16	22.3	12.9-31.7	18	12.5	6.8-18.2	22	10.5	5.8-15.2	25	7.5	4.2-10.8	45	10.2	6.7-13.7	250	37.0	30.5-43.5
\$25,000- 34,999	306	26,792	15	20.8	11.6-30.0	24	18.3	11.2-25.4	18	9.9	4.6-15.2	22	7.1	3.6-10.6	50	14.9	10.2-19.6	177	29.0	23.3-34.7
\$35,000- 49,999	405	36,684	18	20.6	12.4-28.8	37	17.3	11.6-23.0	32	13.6	8.7-18.5	38	10.9	7.0-14.8	85	14.7	11.0-18.4	195	22.8	18.5-27.1
\$50,000- 74,999	468	41,368	12	10.1	4.6-15.6	48	22.0	16.3-27.7	41	11.0	7.7-14.3	70	15.6	11.7-19.5	147	23.2	19.1-27.3	150	18.2	14.9-21.5
\$75,000+	860	83,700	9	3.8	1.3- 6.3	99	21.8	17.9-25.7	170	26.7	23.0-30.4	176	19.9	16.8-23.0	259	19.7	17.2-22.2	147	8.1	6.5- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5699	587,076	42	1.3	0.9- 1.7	6	0.1	0.0- 0.3	2	0.2	0.0- 0.6	22	0.5	0.3- 0.7	1	0.1	0.0- 0.3	5626	97.7	97.1-98.3
Male	2616	300,525	26	1.6	1.0- 2.2	3	0.1	0.0- 0.3				13	0.6	0.2- 1.0				2574	97.6	96.8-98.4
Female	3083	286,550	16	1.0	0.2- 1.8	3	0.1	0.0- 0.3	2	0.4	0.0- 1.0	9	0.4	0.0- 0.8	1	0.2	0.0- 0.6	3052	97.8	96.8-98.8
18-24	269	91,372	5	2.3	0.1- 4.5				1	1.0	0.0- 3.0	4	1.2	0.0- 2.4	1	0.6	0.0- 1.8	258	95.0	91.7-98.3
25-34	595	110,258	12	2.4	1.0- 3.8				1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				581	97.1	95.5-98.7
35-44	592	89,053	5	0.8	0.0- 1.6	1	0.2	0.0- 0.6				5	0.9	0.1- 1.7				581	98.1	96.9-99.3
45-54	799	81,979	9	1.5	0.5- 2.5	1	0.3	0.0- 0.9				3	0.4	0.0- 0.8				786	97.8	96.6-99.0
55-64	1345	95,522	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6				4	0.5	0.0- 1.1				1335	99.0	98.2-99.8
65+	2036	112,946	7	0.6	0.0- 1.2	2	0.1	0.0- 0.3				5	0.3	0.1- 0.5				2022	99.0	98.4-99.6
Less Than H.S.	320	49,102	6	3.3	0.0- 6.6	2	0.8	0.0- 2.0	1	1.8	0.0- 5.3				1	1.1	0.0- 3.3	310	93.0	87.7-98.3
H.S. or G.E.D.	1631	156,150	13	1.5	0.5- 2.5	2	0.1	0.1- 0.1				8	0.7	0.1- 1.3				1608	97.8	96.8-98.8
Some Post-H.S.	1875	234,726	11	1.0	0.4- 1.6				1	0.1	0.0- 0.3	4	0.4	0.0- 0.8				1859	98.4	97.6-99.2
College Graduate	1858	146,115	12	1.0	0.4- 1.6	2	0.2	0.0- 0.4				10	0.8	0.2- 1.4				1834	98.1	97.3-98.9
Less than \$15,000	309	36,531	4	1.6	0.0- 3.4	2	1.1	0.0- 2.7				2	0.6	0.0- 1.6				301	96.6	94.2-99.0
\$15,000- 24,999	618	64,126	3	1.0	0.0- 2.2	1	0.1	0.0- 0.3	1	1.4	0.0- 4.1	5	0.6	0.0- 1.2				608	96.9	94.0-99.8
\$25,000- 34,999	526	55,618	2	0.7	0.0- 1.7				1	0.4	0.0- 1.2	2	1.2	0.0- 3.0				521	97.7	95.5-99.9
\$35,000- 49,999	800	80,430	8	1.5	0.3- 2.7							1	0.1	0.0- 0.3	1	0.7	0.0- 2.1	790	97.7	95.9-99.5
\$50,000- 74,999	939	95,214	11	1.8	0.6- 3.0	2	0.2	0.0- 0.6				2	0.5	0.0- 1.1				924	97.5	96.1-98.9
\$75,000+	1814	186,525	9	1.0	0.2- 1.8	1	0.0	0.0- 0.0				6	0.4	0.0- 0.8				1798	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2616	300,525	26	1.6	1.0- 2.2	3	0.1	0.0- 0.3	13	0.6	0.2- 1.0	2574	97.6	96.8-98.4
18-24	169	49,131	2	1.3	0.0- 3.1				4	2.2	0.0- 4.4	163	96.5	93.6-99.4
25-34	332	59,728	10	3.8	1.4- 6.2							322	96.2	93.8-98.6
35-44	283	46,889	2	0.7	0.0- 1.7	1	0.4	0.0- 1.2	4	1.1	0.1- 2.1	276	97.9	96.3-99.5
45-54	398	42,249	8	2.6	0.6- 4.6							390	97.4	95.4-99.4
55-64	651	48,435	1	0.2	0.0- 0.6	2	0.5	0.0- 1.1	2	0.3	0.0- 0.7	646	99.0	98.0- 100
65+	764	52,049	3	0.7	0.0- 1.5				3	0.4	0.0- 1.0	758	98.9	97.9-99.9
Less Than H.S.	163	26,787	3	2.3	0.0- 5.2	1	0.6	0.0- 1.8				159	97.2	94.1- 100
H.S. or G.E.D.	810	90,131	10	2.2	0.8- 3.6				4	0.6	0.0- 1.2	796	97.2	95.6-98.8
Some Post-H.S.	830	116,091	6	1.1	0.1- 2.1				1	0.4	0.0- 1.2	823	98.5	97.3-99.7
College Graduate	807	67,029	7	1.3	0.3- 2.3	2	0.4	0.0- 1.0	8	1.5	0.3- 2.7	790	96.8	95.2-98.4
Less than \$15,000	112	15,599	2	2.1	0.0- 5.0	1	1.0	0.0- 3.0	1	0.7	0.0- 2.1	108	96.3	92.6- 100
\$15,000- 24,999	241	29,597	1	0.8	0.0- 2.4				2	0.7	0.0- 1.7	238	98.5	96.7- 100
\$25,000- 34,999	220	28,594	1	0.8	0.0- 2.4				2	2.4	0.0- 5.7	217	96.8	93.1- 100
\$35,000- 49,999	394	43,676	6	2.5	0.3- 4.7							388	97.5	95.3-99.7
\$50,000- 74,999	467	53,688	8	2.8	0.8- 4.8	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2	457	96.5	94.3-98.7
\$75,000+	951	102,487	6	1.1	0.1- 2.1	1	0.1	0.0- 0.3	5	0.5	0.0- 1.1	939	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3083	286,550	16	1.0	0.2- 1.8	3	0.1	0.0- 0.3	2	0.4	0.0- 1.0	9	0.4	0.0- 0.8	1	0.2	0.0- 0.6	3052	97.8	96.8-98.8
18-24	100	42,241	3	3.4	0.0- 7.5				1	2.1	0.0- 6.2				1	1.3	0.0- 3.7	95	93.2	87.1-99.3
25-34	263	50,530	2	0.8	0.0- 1.8				1	0.4	0.0- 1.2	1	0.5	0.0- 1.5				259	98.3	96.5- 100
35-44	309	42,164	3	1.0	0.0- 2.2							1	0.7	0.0- 2.1				305	98.3	96.5- 100
45-54	401	39,730	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8				3	0.8	0.0- 1.6				396	98.2	96.6-99.8
55-64	694	47,087	3	0.4	0.0- 1.0							2	0.7	0.0- 1.7				689	98.9	97.7- 100
65+	1272	60,898	4	0.6	0.0- 1.2	2	0.2	0.0- 0.4				2	0.1	0.0- 0.3				1264	99.1	98.3-99.9
Less Than H.S.	157	22,315	3	4.6	0.0-11.3	1	1.1	0.0- 3.3	1	4.0	0.0-11.6				1	2.4	0.0- 6.9	151	87.9	77.3-98.5
H.S. or G.E.D.	821	66,019	3	0.5	0.0- 1.1	2	0.2	0.0- 0.4				4	0.8	0.0- 1.8				812	98.6	97.4-99.8
Some Post-H.S.	1045	118,635	5	0.9	0.0- 1.9				1	0.2	0.0- 0.6	3	0.5	0.0- 1.1				1036	98.4	97.2-99.6
College Graduate	1051	79,086	5	0.7	0.0- 1.5							2	0.2	0.0- 0.4				1044	99.1	98.3-99.9
Less than \$15,000	197	20,932	2	1.3	0.0- 3.3	1	1.2	0.0- 3.6				1	0.6	0.0- 1.8				193	96.9	93.8- 100
\$15,000- 24,999	377	34,529	2	1.2	0.0- 3.0	1	0.2	0.0- 0.6	1	2.6	0.0- 7.5	3	0.5	0.0- 1.1				370	95.5	90.2- 100
\$25,000- 34,999	306	27,023	1	0.5	0.0- 1.5				1	0.8	0.0- 2.4							304	98.7	96.7- 100
\$35,000- 49,999	406	36,754	2	0.4	0.0- 1.0							1	0.2	0.0- 0.6	1	1.4	0.0- 4.1	402	98.0	95.1- 100
\$50,000- 74,999	472	41,526	3	0.5	0.0- 1.3	1	0.1	0.0- 0.3				1	0.6	0.0- 1.8				467	98.7	97.1- 100
\$75,000+	863	84,039	3	1.0	0.0- 2.2							1	0.4	0.0- 1.2				859	98.7	97.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5684	584,535	5618	97.7	97.1-98.3	57	1.8	1.2- 2.4	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	6	0.2	0.0- 0.4
Male	2600	298,625	2565	97.5	96.5-98.5	30	2.2	1.2- 3.2	1	0.0	0.0- 0.0				4	0.3	0.0- 0.7
Female	3084	285,911	3053	98.0	97.2-98.8	27	1.5	0.7- 2.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3
18-24	269	91,363	258	94.8	91.7-97.9	9	4.1	1.4- 6.8	1	0.7	0.0- 2.1				1	0.4	0.0- 1.2
25-34	595	110,442	582	97.3	95.7-98.9	9	1.6	0.4- 2.8				1	0.3	0.0- 0.9	3	0.8	0.0- 1.6
35-44	587	88,409	576	97.3	95.5-99.1	10	2.6	0.8- 4.4							1	0.1	0.0- 0.3
45-54	795	81,213	785	98.5	97.5-99.5	9	1.4	0.4- 2.4	1	0.1	0.0- 0.3						
55-64	1342	95,023	1330	98.6	97.8-99.4	12	1.4	0.6- 2.2									
65+	2037	112,773	2028	99.5	99.1-99.9	8	0.4	0.0- 0.8							1	0.1	0.0- 0.3
Less Than H.S.	321	48,860	318	97.5	94.6- 100	3	2.5	0.0- 5.4									
H.S. or G.E.D.	1636	156,798	1616	97.1	95.7-98.5	19	2.7	1.3- 4.1							1	0.2	0.0- 0.6
Some Post-H.S.	1863	232,713	1842	97.9	96.9-98.9	17	1.4	0.6- 2.2	1	0.3	0.0- 0.9				3	0.4	0.0- 0.8
College Graduate	1849	145,181	1827	98.2	97.4-99.0	18	1.4	0.6- 2.2	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	2	0.1	0.0- 0.3
Less than \$15,000	308	35,912	298	94.0	89.7-98.3	10	6.0	1.7-10.3									
\$15,000- 24,999	616	63,785	604	96.0	93.1-98.9	8	2.0	0.2- 3.8	2	1.2	0.0- 3.2				2	0.8	0.0- 2.0
\$25,000- 34,999	531	56,134	523	96.9	94.4-99.4	8	3.1	0.6- 5.6									
\$35,000- 49,999	800	80,374	792	98.2	96.6-99.8	8	1.8	0.2- 3.4									
\$50,000- 74,999	934	94,544	927	98.8	97.6- 100	6	1.2	0.2- 2.2							1	0.1	0.0- 0.3
\$75,000+	1812	186,731	1794	98.1	97.1-99.1	14	1.3	0.5- 2.1				1	0.2	0.0- 0.6	3	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2600	298,625	2565	97.5	96.5-98.5	30	2.2	1.2- 3.2	1	0.0	0.0- 0.0	4	0.3	0.0- 0.7
18-24	169	49,122	161	93.6	89.1-98.1	7	5.8	1.5-10.1				1	0.7	0.0- 2.1
25-34	333	59,849	327	97.4	95.4-99.4	4	1.6	0.0- 3.2				2	0.9	0.0- 2.3
35-44	278	46,279	272	96.9	94.2-99.6	6	3.1	0.4- 5.8						
45-54	398	42,059	393	99.0	98.0- 100	4	0.8	0.0- 1.6	1	0.2	0.0- 0.6			
55-64	650	48,280	643	98.5	97.3-99.7	7	1.5	0.3- 2.7						
65+	756	51,518	753	99.6	99.2- 100	2	0.2	0.0- 0.6				1	0.1	0.0- 0.3
Less Than H.S.	162	26,665	159	95.4	89.9- 100	3	4.6	0.0-10.1						
H.S. or G.E.D.	810	90,473	796	96.1	93.9-98.3	13	3.5	1.3- 5.7				1	0.4	0.0- 1.2
Some Post-H.S.	823	114,822	815	98.5	97.3-99.7	6	1.0	0.0- 2.0				2	0.5	0.0- 1.1
College Graduate	799	66,176	789	98.5	97.3-99.7	8	1.3	0.3- 2.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less than \$15,000	110	15,254	103	88.9	79.9-97.9	7	11.1	2.1-20.1						
\$15,000- 24,999	240	29,275	234	95.7	91.8-99.6	4	3.2	0.0- 6.7	1	0.3	0.0- 0.9	1	0.8	0.0- 2.4
\$25,000- 34,999	223	29,033	219	96.5	92.8- 100	4	3.5	0.0- 7.2						
\$35,000- 49,999	393	43,569	390	98.8	97.0- 100	3	1.2	0.0- 3.0						
\$50,000- 74,999	463	53,153	459	98.5	96.7- 100	3	1.4	0.0- 3.2				1	0.1	0.0- 0.3
\$75,000+	949	102,643	940	98.2	96.6-99.8	7	1.2	0.0- 2.6				2	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	285,911	3053	98.0	97.2-98.8	27	1.5	0.7- 2.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3
18-24	100	42,241	97	96.3	92.2- 100	2	2.2	0.0- 5.3	1	1.5	0.0- 4.4						
25-34	262	50,593	255	97.2	95.0-99.4	5	1.6	0.0- 3.2				1	0.6	0.0- 1.8	1	0.6	0.0- 1.8
35-44	309	42,130	304	97.7	95.5-99.9	4	2.0	0.0- 4.0							1	0.2	0.0- 0.6
45-54	397	39,155	392	98.0	96.2-99.8	5	2.0	0.2- 3.8									
55-64	692	46,743	687	98.6	97.4-99.8	5	1.4	0.2- 2.6									
65+	1281	61,255	1275	99.5	99.1-99.9	6	0.5	0.1- 0.9									
Less Than H.S.	159	22,195	159	100.0	100.0- 100												
H.S. or G.E.D.	826	66,325	820	98.4	96.6- 100	6	1.6	0.0- 3.4									
Some Post-H.S.	1040	117,891	1027	97.4	95.8-99.0	11	1.8	0.6- 3.0	1	0.5	0.0- 1.5				1	0.2	0.0- 0.6
College Graduate	1050	79,005	1038	98.0	96.6-99.4	10	1.5	0.3- 2.7				1	0.4	0.0- 1.2	1	0.1	0.0- 0.3
Less than \$15,000	198	20,657	195	97.8	95.3- 100	3	2.2	0.0- 4.7									
\$15,000- 24,999	376	34,510	370	96.3	92.2- 100	4	1.0	0.0- 2.4	1	1.9	0.0- 5.4				1	0.8	0.0- 2.4
\$25,000- 34,999	308	27,101	304	97.3	93.6- 100	4	2.7	0.0- 6.4									
\$35,000- 49,999	407	36,805	402	97.5	95.0- 100	5	2.5	0.0- 5.0									
\$50,000- 74,999	471	41,391	468	99.1	97.9- 100	3	0.9	0.0- 2.1									
\$75,000+	863	84,088	854	98.0	96.6-99.4	7	1.5	0.3- 2.7				1	0.4	0.0- 1.2	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	54	11,055	35	60.2	43.3-77.1	4	11.4	0.0-23.2	14	25.2	10.5-39.9	1	3.2	0.0- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5719	587,506	3341	55.1	53.3-56.9	604	9.2	8.2-10.2	773	6.5	5.9- 7.1	59	1.2	0.8- 1.6	816	23.7	21.9-25.5	126	4.3	3.3- 5.3
Male	2624	300,482	1568	53.2	50.8-55.6	294	9.3	8.1-10.5	145	3.2	2.6- 3.8	27	0.9	0.5- 1.3	526	29.3	26.9-31.7	64	4.1	2.9- 5.3
Female	3095	287,024	1773	57.2	54.7-59.7	310	9.1	7.7-10.5	628	10.0	9.0-11.0	32	1.4	0.6- 2.2	290	17.8	15.4-20.2	62	4.5	3.1- 5.9
Native	164	23,628	55	33.0	24.0-42.0	36	15.4	9.1-21.7	13	4.6	1.7- 7.5	6	2.9	0.0- 6.0	41	33.3	23.5-43.1	13	10.8	4.5-17.1
Non-Native	5480	556,239	3247	56.1	54.3-57.9	559	8.9	7.9- 9.9	747	6.6	6.0- 7.2	52	1.1	0.7- 1.5	763	23.3	21.5-25.1	112	4.1	3.1- 5.1
18-24	265	89,843	24	11.4	6.9-15.9	2	0.9	0.0- 2.3				1	1.0	0.0- 3.0	208	74.3	68.2-80.4	30	12.4	7.9-16.9
25-34	598	110,923	317	53.1	48.8-57.4	29	4.8	3.0- 6.6	2	0.2	0.0- 0.4	8	1.4	0.4- 2.4	200	33.2	29.1-37.3	42	7.3	4.9- 9.7
35-44	594	89,408	429	71.6	67.5-75.7	52	9.1	6.4-11.8	4	0.5	0.0- 1.1	7	1.0	0.0- 2.0	83	14.0	10.9-17.1	19	3.7	1.9- 5.5
45-54	799	82,006	531	65.1	61.4-68.8	131	17.8	14.7-20.9	18	2.5	1.3- 3.7	17	2.2	1.0- 3.4	92	11.1	8.6-13.6	10	1.3	0.3- 2.3
55-64	1353	96,191	928	69.5	66.8-72.2	198	15.2	12.8-17.6	74	4.8	3.4- 6.2	8	0.6	0.0- 1.2	127	8.4	6.8-10.0	18	1.4	0.6- 2.2
65+	2050	113,518	1077	58.6	56.1-61.1	187	9.0	7.4-10.6	665	26.8	24.6-29.0	18	0.9	0.3- 1.5	96	4.4	3.4- 5.4	7	0.3	0.1- 0.5
Less Than H.S.	322	48,415	116	35.2	28.3-42.1	44	12.6	8.5-16.7	99	14.9	11.2-18.6	7	3.3	0.0- 7.0	48	28.1	20.7-35.5	8	5.9	1.6-10.2
H.S. or G.E.D.	1644	157,018	847	46.8	43.7-49.9	187	10.1	8.3-11.9	281	7.3	6.3- 8.3	22	1.2	0.6- 1.8	271	29.8	26.5-33.1	36	4.8	3.0- 6.6
Some Post-H.S.	1878	234,794	1106	56.5	53.6-59.4	213	9.5	7.9-11.1	255	6.4	5.4- 7.4	14	1.0	0.4- 1.6	241	22.0	19.3-24.7	49	4.6	3.2- 6.0
College Graduate	1862	146,510	1266	68.4	65.7-71.1	158	6.6	5.2- 8.0	133	3.0	2.4- 3.6	16	0.6	0.2- 1.0	256	18.5	16.0-21.0	33	2.9	1.7- 4.1
Less than \$15,000	312	35,705	32	10.5	6.0-15.0	86	23.9	18.0-29.8	82	14.5	10.6-18.4	13	4.1	1.6- 6.6	94	44.7	36.9-52.5	5	2.3	0.1- 4.5
\$15,000- 24,999	621	64,424	171	27.2	22.5-31.9	112	14.3	11.2-17.4	192	16.1	13.2-19.0	11	3.2	0.3- 6.1	122	33.2	27.5-38.9	13	6.0	2.3- 9.7
\$25,000- 34,999	530	55,777	209	40.4	34.7-46.1	70	10.4	7.5-13.3	116	9.6	7.4-11.8	6	0.6	0.0- 1.2	114	33.0	27.1-38.9	15	6.0	2.5- 9.5
\$35,000- 49,999	803	80,419	415	48.1	43.4-52.8	97	11.2	8.3-14.1	114	5.6	4.2- 7.0	10	1.4	0.2- 2.6	141	27.8	23.1-32.5	26	6.0	3.5- 8.5
\$50,000- 74,999	938	95,116	619	59.3	55.2-63.4	87	7.2	5.4- 9.0	61	3.1	2.1- 4.1	6	0.9	0.1- 1.7	144	25.2	21.1-29.3	21	4.3	2.1- 6.5
\$75,000+	1823	187,904	1523	80.0	77.5-82.5	83	4.7	3.5- 5.9	48	1.2	0.8- 1.6	10	0.5	0.1- 0.9	124	10.5	8.3-12.7	35	3.1	1.9- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2624	300,482	1568	53.2	50.8-55.6	294	9.3	8.1-10.5	145	3.2	2.6- 3.8	27	0.9	0.5- 1.3	526	29.3	26.9-31.7	64	4.1	2.9- 5.3
Native	68	9,839	26	37.2	23.7-50.7	13	12.8	4.8-20.8	1	1.2	0.0- 3.6	3	2.7	0.0- 6.0	18	32.9	19.4-46.4	7	13.2	3.2-23.2
Non-Native	2515	285,795	1519	53.7	51.3-56.1	277	9.2	8.0-10.4	142	3.3	2.7- 3.9	23	0.8	0.4- 1.2	498	29.2	26.8-31.6	56	3.8	2.6- 5.0
18-24	166	47,913	8	5.4	1.7- 9.1	1	0.5	0.0- 1.5							141	84.2	78.3-90.1	16	9.9	5.0-14.8
25-34	334	60,093	160	49.3	43.6-55.0	13	3.9	1.7- 6.1	1	0.1	0.0- 0.3	2	0.6	0.0- 1.4	139	40.0	34.3-45.7	19	6.1	3.4- 8.8
35-44	283	46,889	191	67.2	61.1-73.3	21	7.2	3.9-10.5	1	0.3	0.0- 0.9	3	0.6	0.0- 1.4	56	19.8	14.7-24.9	11	5.0	2.1- 7.9
45-54	400	42,496	250	60.3	54.8-65.8	73	20.0	15.3-24.7	7	2.2	0.4- 4.0	7	2.0	0.4- 3.6	55	13.4	9.7-17.1	8	2.2	0.6- 3.8
55-64	657	49,025	436	67.1	63.0-71.2	111	17.2	13.9-20.5	22	3.3	1.7- 4.9	5	1.1	0.1- 2.1	77	10.3	7.8-12.8	6	1.0	0.0- 2.0
65+	764	51,949	510	69.3	65.6-73.0	74	9.8	7.3-12.3	114	13.0	10.3-15.7	10	1.4	0.4- 2.4	52	6.0	4.2- 7.8	4	0.4	0.0- 0.8
Less Than H.S.	162	26,161	74	40.6	31.8-49.4	23	12.5	7.0-18.0	22	8.0	4.3-11.7	4	1.6	0.0- 3.2	33	30.9	21.3-40.5	6	6.5	1.4-11.6
H.S. or G.E.D.	815	90,463	429	44.3	40.2-48.4	115	11.4	9.0-13.8	48	2.5	1.7- 3.3	10	1.2	0.4- 2.0	189	35.3	31.0-39.6	24	5.3	2.9- 7.7
Some Post-H.S.	833	116,273	507	55.5	51.4-59.6	93	8.6	6.6-10.6	47	3.4	2.2- 4.6	8	0.9	0.1- 1.7	157	27.9	23.8-32.0	21	3.7	1.9- 5.5
College Graduate	808	67,097	554	66.1	62.0-70.2	62	6.3	4.3- 8.3	27	1.6	1.0- 2.2	5	0.3	0.0- 0.7	147	23.4	19.7-27.1	13	2.3	0.9- 3.7
Less than \$15,000	111	14,832	16	16.4	7.2-25.6	30	20.8	12.6-29.0	11	6.9	2.2-11.6	5	4.0	0.5- 7.5	48	50.9	39.3-62.5	1	1.0	0.0- 3.0
\$15,000- 24,999	243	29,721	83	29.7	23.0-36.4	49	15.6	10.7-20.5	36	9.0	5.7-12.3	6	2.5	0.3- 4.7	62	36.5	28.5-44.5	7	6.6	1.3-11.9
\$25,000- 34,999	221	28,661	97	39.8	32.0-47.6	33	10.2	6.1-14.3	15	2.8	1.2- 4.4	1	0.1	0.0- 0.3	69	43.4	35.0-51.8	6	3.6	0.5- 6.7
\$35,000- 49,999	395	43,580	188	41.5	35.6-47.4	53	12.1	8.4-15.8	37	4.2	2.6- 5.8	4	0.9	0.0- 1.9	99	34.5	28.2-40.8	14	6.8	3.1-10.5
\$50,000- 74,999	466	53,590	285	53.2	47.5-58.9	43	5.8	3.6- 8.0	16	2.1	0.7- 3.5	4	1.0	0.0- 2.2	104	33.3	27.6-39.0	14	4.5	1.8- 7.2
\$75,000+	957	103,353	768	75.4	71.9-78.9	54	5.4	3.8- 7.0	15	0.9	0.3- 1.5	6	0.4	0.0- 0.8	97	15.1	12.0-18.2	17	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	287,024	1773	57.2	54.7-59.7	310	9.1	7.7-10.5	628	10.0	9.0-11.0	32	1.4	0.6- 2.2	290	17.8	15.4-20.2	62	4.5	3.1- 5.9
Native	96	13,789	29	30.0	18.0-42.0	23	17.3	8.3-26.3	12	7.1	2.4-11.8	3	3.0	0.0- 7.7	23	33.6	20.1-47.1	6	9.0	1.2-16.8
Non-Native	2965	270,444	1728	58.6	56.1-61.1	282	8.6	7.2-10.0	605	10.1	9.1-11.1	29	1.4	0.6- 2.2	265	17.0	14.6-19.4	56	4.3	2.9- 5.7
18-24	99	41,930	16	18.3	9.9-26.7	1	1.4	0.0- 4.1				1	2.1	0.0- 6.2	67	63.0	52.6-73.4	14	15.2	7.6-22.8
25-34	264	50,830	157	57.6	51.1-64.1	16	5.9	3.0- 8.8	1	0.2	0.0- 0.6	6	2.3	0.1- 4.5	61	25.2	19.3-31.1	23	8.8	5.1-12.5
35-44	311	42,519	238	76.5	71.2-81.8	31	11.1	6.8-15.4	3	0.8	0.0- 1.8	4	1.6	0.0- 3.4	27	7.6	4.5-10.7	8	2.3	0.5- 4.1
45-54	399	39,510	281	70.2	64.9-75.5	58	15.5	11.2-19.8	11	2.8	0.8- 4.8	10	2.4	0.6- 4.2	37	8.7	5.6-11.8	2	0.4	0.0- 1.0
55-64	696	47,166	492	72.1	68.2-76.0	87	13.2	10.1-16.3	52	6.4	4.4- 8.4	3	0.2	0.0- 0.4	50	6.4	4.2- 8.6	12	1.8	0.6- 3.0
65+	1286	61,569	567	49.6	46.5-52.7	113	8.3	6.5-10.1	551	38.3	35.2-41.4	8	0.5	0.1- 0.9	44	3.0	2.0- 4.0	3	0.2	0.0- 0.4
Less Than H.S.	160	22,254	42	28.9	17.9-39.9	21	12.6	6.5-18.7	77	23.1	16.0-30.2	3	5.2	0.0-13.0	15	24.9	13.1-36.7	2	5.3	0.0-12.6
H.S. or G.E.D.	829	66,554	418	50.4	45.5-55.3	72	8.4	6.0-10.8	233	13.7	11.5-15.9	12	1.3	0.5- 2.1	82	22.2	17.3-27.1	12	4.1	1.4- 6.8
Some Post-H.S.	1045	118,521	599	57.6	53.5-61.7	120	10.4	8.0-12.8	208	9.3	7.7-10.9	6	1.1	0.1- 2.1	84	16.2	12.5-19.9	28	5.4	3.0- 7.8
College Graduate	1054	79,413	712	70.3	66.6-74.0	96	6.8	5.0- 8.6	106	4.2	3.2- 5.2	11	0.9	0.3- 1.5	109	14.4	11.1-17.7	20	3.4	1.6- 5.2
Less than \$15,000	201	20,873	16	6.3	2.4-10.2	56	26.1	18.1-34.1	71	19.9	14.0-25.8	8	4.2	0.7- 7.7	46	40.4	29.6-51.2	4	3.2	0.0- 6.5
\$15,000- 24,999	378	34,703	88	25.1	18.2-32.0	63	13.1	9.0-17.2	156	22.2	17.5-26.9	5	3.8	0.0- 9.1	60	30.3	22.5-38.1	6	5.4	0.5-10.3
\$25,000- 34,999	309	27,116	112	41.0	32.8-49.2	37	10.6	6.3-14.9	101	16.8	12.5-21.1	5	1.2	0.0- 2.4	45	22.0	14.7-29.3	9	8.4	2.1-14.7
\$35,000- 49,999	408	36,839	227	55.9	48.6-63.2	44	10.0	5.3-14.7	77	7.3	5.1- 9.5	6	1.9	0.0- 4.1	42	19.8	12.7-26.9	12	5.1	1.8- 8.4
\$50,000- 74,999	472	41,526	334	67.3	61.2-73.4	44	9.0	5.9-12.1	45	4.5	2.9- 6.1	2	0.7	0.0- 1.7	40	14.6	9.3-19.9	7	4.0	0.5- 7.5
\$75,000+	866	84,552	755	85.6	82.3-88.9	29	3.8	2.2- 5.4	33	1.6	0.8- 2.4	4	0.6	0.0- 1.4	27	4.9	2.4- 7.4	18	3.6	1.6- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5726	590,217	117	2.1	1.5- 2.7	208	6.3	5.1- 7.5	1651	26.8	25.2-28.4	1882	39.9	38.1-41.7	1868	24.9	23.5-26.3
Male	2630	302,468	59	2.4	1.6- 3.2	105	6.4	5.0- 7.8	820	30.3	28.1-32.5	834	38.5	36.1-40.9	812	22.3	20.5-24.1
Female	3096	287,749	58	1.7	1.1- 2.3	103	6.2	4.6- 7.8	831	23.2	21.2-25.2	1048	41.3	38.8-43.8	1056	27.7	25.7-29.7
Native	166	24,305	6	6.7	1.0-12.4	16	15.4	7.6-23.2	53	31.9	23.1-40.7	57	37.0	27.6-46.4	34	8.9	5.2-12.6
Non-Native	5481	557,613	107	1.8	1.4- 2.2	188	5.9	4.7- 7.1	1569	26.5	24.9-28.1	1804	40.2	38.4-42.0	1813	25.6	24.2-27.0
18-24	271	91,825	2	1.0	0.0- 2.6	26	13.4	8.3-18.5	104	34.6	28.7-40.5	90	38.1	31.8-44.4	49	13.0	9.3-16.7
25-34	600	111,161	3	0.9	0.0- 2.1	23	6.0	3.5- 8.5	141	23.0	19.5-26.5	183	38.7	34.4-43.0	250	31.3	27.6-35.0
35-44	595	89,555	1	0.4	0.0- 1.2	8	2.5	0.7- 4.3	121	21.7	18.0-25.4	181	38.1	33.6-42.6	284	37.3	33.2-41.4
45-54	801	82,283	3	0.5	0.0- 1.1	24	5.1	2.9- 7.3	201	23.0	19.9-26.1	284	44.3	40.4-48.2	289	27.1	24.0-30.2
55-64	1355	96,319	8	1.2	0.2- 2.2	32	4.0	2.4- 5.6	394	28.3	25.8-30.8	478	43.4	40.5-46.3	443	23.1	20.9-25.3
65+	2042	113,190	99	7.3	5.7- 8.9	94	7.1	5.5- 8.7	672	29.6	27.4-31.8	645	37.5	35.0-40.0	532	18.5	16.7-20.3
Less than \$15,000	314	36,816	23	5.6	2.7- 8.5	38	21.4	14.0-28.8	131	36.1	29.0-43.2	85	30.0	23.3-36.7	37	6.9	4.0- 9.8
\$15,000- 24,999	618	64,261	36	5.3	3.3- 7.3	50	14.3	9.4-19.2	251	35.3	30.2-40.4	194	35.2	29.7-40.7	87	10.0	7.1-12.9
\$25,000- 34,999	532	56,149	9	1.9	0.5- 3.3	25	5.7	3.0- 8.4	227	41.0	35.3-46.7	180	40.1	34.2-46.0	91	11.3	8.2-14.4
\$35,000- 49,999	803	80,634	10	1.0	0.2- 1.8	17	3.4	1.4- 5.4	280	30.0	25.9-34.1	284	46.3	41.6-51.0	212	19.2	15.9-22.5
\$50,000- 74,999	940	95,327	6	1.1	0.1- 2.1	19	4.5	2.3- 6.7	218	23.1	19.8-26.4	349	43.7	39.6-47.8	348	27.6	24.3-30.9
\$75,000+	1825	188,250	8	0.3	0.1- 0.5	23	2.5	1.3- 3.7	312	16.9	14.7-19.1	544	38.1	35.4-40.8	938	42.2	39.5-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	302,468	59	2.4	1.6- 3.2	105	6.4	5.0- 7.8	820	30.3	28.1-32.5	834	38.5	36.1-40.9	812	22.3	20.5-24.1
Native	69	10,205	3	11.3	0.0-23.1	3	5.2	0.0-11.1	29	43.7	29.8-57.6	24	32.8	20.3-45.3	10	7.0	1.9-12.1
Non-Native	2517	286,922	54	2.1	1.5- 2.7	101	6.6	5.2- 8.0	774	29.6	27.4-31.8	797	38.8	36.4-41.2	791	22.9	21.1-24.7
18-24	171	49,584	1	0.4	0.0- 1.2	15	11.3	5.8-16.8	71	38.8	31.2-46.4	56	38.1	30.3-45.9	28	11.4	7.1-15.7
25-34	336	60,331	3	1.7	0.0- 3.7	13	6.3	3.0- 9.6	88	26.0	21.1-30.9	100	37.0	31.3-42.7	132	29.0	24.3-33.7
35-44	284	47,036	1	0.8	0.0- 2.4	5	2.4	0.2- 4.6	80	29.9	24.0-35.8	93	39.6	33.1-46.1	105	27.2	22.1-32.3
45-54	401	42,612	2	0.8	0.0- 1.8	17	6.7	3.4-10.0	126	29.0	24.3-33.7	131	40.1	34.6-45.6	125	23.4	19.3-27.5
55-64	658	49,059	5	1.2	0.0- 2.4	24	5.8	3.3- 8.3	216	31.0	27.3-34.7	226	41.2	36.9-45.5	187	20.8	17.9-23.7
65+	760	51,728	47	9.4	6.7-12.1	31	6.2	3.8- 8.6	235	28.3	24.8-31.8	222	35.5	31.6-39.4	225	20.6	17.9-23.3
Less than \$15,000	112	15,632	10	8.0	2.1-13.9	13	20.6	9.2-32.0	45	37.6	26.2-49.0	25	22.8	13.8-31.8	19	11.0	4.9-17.1
\$15,000- 24,999	242	29,598	16	6.6	3.1-10.1	18	9.3	4.2-14.4	104	43.8	36.0-51.6	69	29.9	22.6-37.2	35	10.3	6.0-14.6
\$25,000- 34,999	223	29,033	5	2.3	0.1- 4.5	13	5.7	2.0- 9.4	96	39.5	31.7-47.3	81	43.4	35.2-51.6	28	9.1	5.0-13.2
\$35,000- 49,999	395	43,795	8	1.8	0.4- 3.2	11	3.8	1.3- 6.3	159	35.4	29.5-41.3	136	44.0	37.7-50.3	81	15.0	11.1-18.9
\$50,000- 74,999	468	53,801	5	1.8	0.0- 3.6	17	7.6	3.9-11.3	135	27.1	22.2-32.0	156	40.9	35.2-46.6	155	22.6	18.5-26.7
\$75,000+	958	103,488	6	0.4	0.0- 0.8	16	3.3	1.5- 5.1	208	22.0	18.9-25.1	289	38.9	35.0-42.8	439	35.3	32.0-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3096	287,749	58	1.7	1.1- 2.3	103	6.2	4.6- 7.8	831	23.2	21.2-25.2	1048	41.3	38.8-43.8	1056	27.7	25.7-29.7
Native	97	14,100	3	3.5	0.0- 7.8	13	22.8	10.5-35.1	24	23.4	12.2-34.6	33	40.1	27.0-53.2	24	10.3	5.2-15.4
Non-Native	2964	270,691	53	1.6	1.0- 2.2	87	5.3	3.7- 6.9	795	23.1	21.1-25.1	1007	41.5	39.0-44.0	1022	28.5	26.3-30.7
18-24	100	42,241	1	1.7	0.0- 5.0	11	15.7	7.1-24.3	33	29.8	20.6-39.0	34	38.0	27.8-48.2	21	14.8	8.5-21.1
25-34	264	50,830				10	5.7	2.2- 9.2	53	19.5	14.4-24.6	83	40.7	34.0-47.4	118	34.1	28.2-40.0
35-44	311	42,519				3	2.5	0.0- 5.2	41	12.7	8.8-16.6	88	36.4	30.1-42.7	179	48.4	42.1-54.7
45-54	400	39,671	1	0.2	0.0- 0.6	7	3.4	0.9- 5.9	75	16.5	12.6-20.4	153	48.8	43.1-54.5	164	31.1	26.4-35.8
55-64	697	47,260	3	1.3	0.0- 2.7	8	2.1	0.3- 3.9	178	25.5	22.0-29.0	252	45.6	41.3-49.9	256	25.4	22.3-28.5
65+	1282	61,461	52	5.5	3.7- 7.3	63	7.8	5.6-10.0	437	30.8	28.1-33.5	423	39.2	36.1-42.3	307	16.8	14.8-18.8
Less than \$15,000	202	21,184	13	3.8	1.4- 6.2	25	22.0	12.0-32.0	86	35.0	25.8-44.2	60	35.3	25.9-44.7	18	3.8	1.4- 6.2
\$15,000- 24,999	376	34,664	20	4.1	1.9- 6.3	32	18.5	10.5-26.5	147	28.0	21.9-34.1	125	39.7	31.9-47.5	52	9.6	5.9-13.3
\$25,000- 34,999	309	27,116	4	1.5	0.0- 3.1	12	5.7	1.4-10.0	131	42.6	34.4-50.8	99	36.6	28.4-44.8	63	13.6	8.9-18.3
\$35,000- 49,999	408	36,839	2	0.2	0.0- 0.4	6	2.9	0.0- 6.2	121	23.6	18.1-29.1	148	49.1	41.8-56.4	131	24.2	18.5-29.9
\$50,000- 74,999	472	41,526	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	83	18.0	13.3-22.7	193	47.3	41.4-53.2	193	34.0	28.7-39.3
\$75,000+	867	84,763	2	0.2	0.0- 0.4	7	1.5	0.0- 3.1	104	10.7	8.2-13.2	255	37.2	33.1-41.3	499	50.5	46.4-54.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5728	590,398	4532	67.8	66.0-69.6	1070	28.6	26.8-30.4	126	3.6	2.8- 4.4
Male	2635	302,924	2081	67.4	65.0-69.8	499	29.5	27.1-31.9	55	3.1	2.1- 4.1
Female	3093	287,474	2451	68.3	65.8-70.8	571	27.7	25.2-30.2	71	4.0	2.8- 5.2
18-24	271	91,825	53	18.9	14.0-23.8	181	68.4	62.5-74.3	37	12.7	8.6-16.8
25-34	600	111,161	363	58.1	53.8-62.4	221	39.9	35.6-44.2	16	2.1	0.9- 3.3
35-44	595	89,555	480	77.8	73.9-81.7	108	20.9	17.0-24.8	7	1.3	0.3- 2.3
45-54	802	82,342	676	81.3	78.0-84.6	111	16.7	13.6-19.8	15	2.0	0.8- 3.2
55-64	1354	96,275	1190	85.6	83.2-88.0	150	13.1	10.9-15.3	14	1.3	0.5- 2.1
65+	2045	113,419	1717	83.2	81.2-85.2	293	14.3	12.5-16.1	35	2.5	1.5- 3.5
Less Than H.S.	323	49,304	199	42.6	35.7-49.5	99	46.7	39.1-54.3	25	10.6	5.9-15.3
H.S. or G.E.D.	1647	158,010	1243	63.4	60.1-66.7	368	33.1	29.8-36.4	36	3.6	2.2- 5.0
Some Post-H.S.	1878	235,174	1492	69.1	66.2-72.0	354	27.9	25.0-30.8	32	3.0	1.8- 4.2
College Graduate	1868	147,189	1587	78.8	76.3-81.3	248	19.1	16.6-21.6	33	2.1	1.1- 3.1
Less than \$15,000	314	36,877	149	36.2	29.3-43.1	156	59.8	52.5-67.1	9	4.0	0.7- 7.3
\$15,000- 24,999	619	64,346	377	45.2	39.9-50.5	220	49.5	43.8-55.2	22	5.3	2.4- 8.2
\$25,000- 34,999	531	56,089	364	50.3	44.4-56.2	154	46.2	40.3-52.1	13	3.5	1.5- 5.5
\$35,000- 49,999	804	80,681	630	65.1	60.2-70.0	155	31.3	26.4-36.2	19	3.6	1.4- 5.8
\$50,000- 74,999	940	95,327	796	73.6	69.5-77.7	133	24.6	20.5-28.7	11	1.8	0.4- 3.2
\$75,000+	1827	188,352	1684	87.3	85.1-89.5	122	10.4	8.4-12.4	21	2.2	1.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2635	302,924	2081	67.4	65.0-69.8	499	29.5	27.1-31.9	55	3.1	2.1- 4.1
18-24	171	49,584	34	19.6	13.3-25.9	114	67.7	60.3-75.1	23	12.6	7.5-17.7
25-34	336	60,331	193	55.5	49.8-61.2	135	42.6	36.9-48.3	8	1.9	0.5- 3.3
35-44	284	47,036	224	77.6	72.1-83.1	58	21.9	16.4-27.4	2	0.6	0.0- 1.4
45-54	401	42,612	338	81.0	76.5-85.5	57	17.8	13.3-22.3	6	1.2	0.2- 2.2
55-64	659	49,146	580	84.5	81.2-87.8	73	14.5	11.2-17.8	6	0.9	0.1- 1.7
65+	764	52,098	696	89.4	86.7-92.1	59	9.0	6.5-11.5	9	1.6	0.4- 2.8
Less Than H.S.	164	26,868	109	51.3	41.9-60.7	46	39.1	29.7-48.5	9	9.6	2.9-16.3
H.S. or G.E.D.	819	91,499	630	63.7	59.4-68.0	173	33.3	29.0-37.6	16	3.0	1.4- 4.6
Some Post-H.S.	834	116,559	669	69.5	65.4-73.6	153	28.5	24.4-32.6	12	2.0	0.8- 3.2
College Graduate	812	67,509	668	74.9	71.0-78.8	126	22.2	18.5-25.9	18	2.9	1.3- 4.5
Less than \$15,000	113	15,724	55	38.5	27.5-49.5	52	54.4	42.8-66.0	6	7.1	0.0-14.2
\$15,000- 24,999	242	29,689	153	47.8	40.2-55.4	84	49.3	41.5-57.1	5	2.9	0.2- 5.6
\$25,000- 34,999	223	29,033	143	46.7	38.7-54.7	76	50.9	42.9-58.9	4	2.5	0.0- 5.0
\$35,000- 49,999	396	43,842	300	62.6	56.1-69.1	84	33.4	26.9-39.9	12	4.0	1.5- 6.5
\$50,000- 74,999	468	53,801	376	68.1	62.4-73.8	86	30.9	25.2-36.6	6	1.0	0.0- 2.0
\$75,000+	959	103,562	868	84.7	81.6-87.8	81	12.9	10.0-15.8	10	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3093	287,474	2451	68.3	65.8-70.8	571	27.7	25.2-30.2	71	4.0	2.8- 5.2
18-24	100	42,241	19	18.0	10.2-25.8	67	69.1	59.7-78.5	14	12.9	6.2-19.6
25-34	264	50,830	170	61.1	54.6-67.6	86	36.6	30.1-43.1	8	2.3	0.5- 4.1
35-44	311	42,519	256	78.0	72.5-83.5	50	19.9	14.4-25.4	5	2.1	0.1- 4.1
45-54	401	39,730	338	81.7	77.0-86.4	54	15.4	11.1-19.7	9	2.9	0.7- 5.1
55-64	695	47,129	610	86.7	83.8-89.6	77	11.6	8.9-14.3	8	1.7	0.3- 3.1
65+	1281	61,322	1021	77.9	75.2-80.6	234	18.8	16.3-21.3	26	3.2	1.8- 4.6
Less Than H.S.	159	22,436	90	32.3	23.1-41.5	53	55.9	44.7-67.1	16	11.9	5.0-18.8
H.S. or G.E.D.	828	66,511	613	63.0	57.9-68.1	195	32.7	27.6-37.8	20	4.4	2.0- 6.8
Some Post-H.S.	1044	118,615	823	68.7	64.4-73.0	201	27.2	23.1-31.3	20	4.0	1.8- 6.2
College Graduate	1056	79,679	919	82.2	78.7-85.7	122	16.4	13.1-19.7	15	1.4	0.4- 2.4
Less than \$15,000	201	21,153	94	34.5	25.7-43.3	104	63.8	54.8-72.8	3	1.7	0.0- 4.1
\$15,000- 24,999	377	34,657	224	43.0	35.6-50.4	136	49.6	41.8-57.4	17	7.4	2.7-12.1
\$25,000- 34,999	308	27,056	221	54.1	45.7-62.5	78	41.2	32.4-50.0	9	4.7	1.4- 8.0
\$35,000- 49,999	408	36,839	330	68.1	60.7-75.5	71	28.8	21.5-36.1	7	3.1	0.0- 6.4
\$50,000- 74,999	472	41,526	420	80.7	75.0-86.4	47	16.4	11.1-21.7	5	2.9	0.2- 5.6
\$75,000+	868	84,790	816	90.6	87.7-93.5	41	7.4	4.7-10.1	11	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	572,059	5546	97.2	96.6-97.8	44	1.3	0.9- 1.7	57	1.5	1.1- 1.9
Male	2580	292,838	2525	96.5	95.5-97.5	23	1.6	0.8- 2.4	32	1.9	1.1- 2.7
Female	3067	279,221	3021	98.0	97.4-98.6	21	0.9	0.5- 1.3	25	1.1	0.7- 1.5
Native	164	23,720	159	97.9	95.9-99.9	2	0.9	0.0- 2.3	3	1.1	0.0- 2.5
Non-Native	5405	540,281	5317	97.4	96.8-98.0	42	1.3	0.9- 1.7	46	1.3	0.9- 1.7
18-24	252	85,018	239	94.7	91.8-97.6	5	1.9	0.1- 3.7	8	3.4	1.0- 5.8
25-34	567	104,794	549	96.6	94.8-98.4	10	2.0	0.6- 3.4	8	1.4	0.4- 2.4
35-44	582	86,847	570	97.5	96.1-98.9	7	1.4	0.2- 2.6	5	1.1	0.1- 2.1
45-54	790	80,719	777	98.1	96.9-99.3	6	0.9	0.1- 1.7	7	0.9	0.1- 1.7
55-64	1346	95,224	1330	98.6	97.8-99.4	5	0.6	0.0- 1.2	11	0.7	0.3- 1.1
65+	2045	113,272	2024	98.5	97.7-99.3	11	0.8	0.2- 1.4	10	0.7	0.3- 1.1
Less Than H.S.	318	48,102	305	94.5	91.0-98.0	10	4.0	1.1- 6.9	3	1.5	0.0- 3.7
H.S. or G.E.D.	1628	153,360	1601	97.7	96.7-98.7	11	1.0	0.4- 1.6	16	1.3	0.5- 2.1
Some Post-H.S.	1852	227,647	1820	97.4	96.2-98.6	13	1.0	0.4- 1.6	19	1.7	0.7- 2.7
College Graduate	1833	141,867	1807	97.7	96.7-98.7	10	1.1	0.3- 1.9	16	1.3	0.5- 2.1
Less than \$15,000	312	36,529	303	94.7	90.8-98.6	6	2.9	0.4- 5.4	3	2.4	0.0- 5.5
\$15,000- 24,999	615	62,503	603	97.3	95.3-99.3	10	2.4	0.6- 4.2	2	0.3	0.0- 0.7
\$25,000- 34,999	524	54,388	511	95.1	92.2-98.0	5	2.1	0.1- 4.1	8	2.8	0.4- 5.2
\$35,000- 49,999	792	77,573	777	97.2	95.6-98.8	7	1.6	0.2- 3.0	8	1.2	0.2- 2.2
\$50,000- 74,999	920	91,715	909	98.0	96.6-99.4	3	0.5	0.0- 1.1	8	1.5	0.1- 2.9
\$75,000+	1797	182,847	1784	99.1	98.5-99.7	4	0.3	0.0- 0.7	9	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2580	292,838	2525	96.5	95.5-97.5	23	1.6	0.8- 2.4	32	1.9	1.1- 2.7
Native	69	10,205	67	97.9	95.0- 100				2	2.1	0.0- 5.0
Non-Native	2468	277,533	2420	96.6	95.4-97.8	23	1.7	0.9- 2.5	25	1.7	0.9- 2.5
18-24	162	46,865	149	90.4	85.3-95.5	5	3.4	0.5- 6.3	8	6.1	1.8-10.4
25-34	315	56,373	303	96.2	93.8-98.6	8	2.9	0.7- 5.1	4	0.9	0.0- 1.9
35-44	276	45,535	270	97.6	95.6-99.6	4	1.5	0.0- 3.1	2	0.8	0.0- 2.0
45-54	393	41,626	387	98.3	96.9-99.7	2	0.5	0.0- 1.1	4	1.2	0.0- 2.6
55-64	652	48,399	646	98.9	97.9-99.9	2	0.6	0.0- 1.4	4	0.5	0.0- 1.1
65+	762	51,882	754	98.6	97.6-99.6	2	0.3	0.0- 0.7	6	1.1	0.1- 2.1
Less Than H.S.	160	26,157	152	92.6	86.7-98.5	5	4.7	0.4- 9.0	3	2.8	0.0- 6.7
H.S. or G.E.D.	804	88,191	788	97.3	95.9-98.7	8	1.5	0.3- 2.7	8	1.2	0.2- 2.2
Some Post-H.S.	819	113,394	805	96.6	94.6-98.6	3	0.9	0.0- 1.9	11	2.5	0.9- 4.1
College Graduate	790	64,508	774	96.9	95.3-98.5	7	1.6	0.4- 2.8	9	1.5	0.3- 2.7
Less than \$15,000	110	15,345	105	90.2	81.4-99.0	2	4.0	0.0- 9.5	3	5.8	0.0-13.1
\$15,000- 24,999	241	29,198	235	96.3	93.0-99.6	5	3.3	0.0- 6.6	1	0.4	0.0- 1.2
\$25,000- 34,999	219	28,282	211	93.8	89.1-98.5	5	4.0	0.3- 7.7	3	2.1	0.0- 5.2
\$35,000- 49,999	388	42,091	377	96.3	93.8-98.8	4	2.0	0.0- 4.2	7	1.8	0.2- 3.4
\$50,000- 74,999	453	51,254	447	97.3	94.9-99.7	2	0.6	0.0- 1.4	4	2.1	0.0- 4.3
\$75,000+	942	100,587	936	99.1	98.1- 100	3	0.5	0.0- 1.1	3	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3067	279,221	3021	98.0	97.4-98.6	21	0.9	0.5- 1.3	25	1.1	0.7- 1.5
Native	95	13,514	92	98.0	95.6- 100	2	1.7	0.0- 4.1	1	0.4	0.0- 1.2
Non-Native	2937	262,748	2897	98.2	97.6-98.8	19	0.9	0.5- 1.3	21	0.9	0.5- 1.3
18-24	90	38,153	90	100.0	100.0- 100						
25-34	252	48,421	246	97.2	94.8-99.6	2	0.9	0.0- 2.3	4	1.9	0.0- 3.9
35-44	306	41,311	300	97.4	95.2-99.6	3	1.4	0.0- 3.0	3	1.3	0.0- 2.9
45-54	397	39,092	390	97.9	96.1-99.7	4	1.4	0.0- 3.0	3	0.7	0.0- 1.5
55-64	694	46,824	684	98.4	97.4-99.4	3	0.6	0.0- 1.2	7	1.0	0.2- 1.8
65+	1283	61,389	1270	98.5	97.5-99.5	9	1.1	0.1- 2.1	4	0.4	0.0- 0.8
Less Than H.S.	158	21,945	153	96.8	93.3- 100	5	3.2	0.0- 6.7			
H.S. or G.E.D.	824	65,169	813	98.2	97.0-99.4	3	0.3	0.0- 0.7	8	1.5	0.3- 2.7
Some Post-H.S.	1033	114,253	1015	98.1	97.1-99.1	10	1.1	0.3- 1.9	8	0.8	0.2- 1.4
College Graduate	1043	77,359	1033	98.3	97.1-99.5	3	0.6	0.0- 1.4	7	1.1	0.1- 2.1
Less than \$15,000	202	21,184	198	98.0	96.0- 100	4	2.0	0.0- 4.0			
\$15,000- 24,999	374	33,305	368	98.1	96.1- 100	5	1.7	0.0- 3.7	1	0.2	0.0- 0.6
\$25,000- 34,999	305	26,106	300	96.4	92.9-99.9				5	3.6	0.1- 7.1
\$35,000- 49,999	404	35,482	400	98.2	96.2- 100	3	1.2	0.0- 2.8	1	0.6	0.0- 1.8
\$50,000- 74,999	467	40,461	462	99.0	98.0- 100	1	0.3	0.0- 0.9	4	0.7	0.0- 1.5
\$75,000+	855	82,260	848	99.2	98.4- 100	1	0.1	0.0- 0.3	6	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5742	591,299	5536	95.7	94.9-96.5	68	1.4	1.0- 1.8	138	2.9	2.3- 3.5
Male	2637	303,056	2537	95.8	94.8-96.8	39	1.7	1.1- 2.3	61	2.5	1.7- 3.3
Female	3105	288,243	2999	95.6	94.4-96.8	29	1.2	0.6- 1.8	77	3.2	2.2- 4.2
Native	166	24,305	159	96.1	92.6-99.6	3	2.9	0.0- 6.2	4	1.0	0.0- 2.2
Non-Native	5496	558,596	5309	95.9	95.1-96.7	63	1.4	1.0- 1.8	124	2.7	2.1- 3.3
18-24	271	91,825	258	93.9	90.4-97.4	3	1.5	0.0- 3.3	10	4.5	1.6- 7.4
25-34	600	111,161	576	95.9	94.1-97.7	6	1.1	0.3- 1.9	18	3.0	1.4- 4.6
35-44	595	89,555	579	97.2	95.6-98.8	4	1.0	0.0- 2.0	12	1.9	0.7- 3.1
45-54	802	82,342	784	97.3	95.9-98.7	5	0.9	0.1- 1.7	13	1.8	0.6- 3.0
55-64	1356	96,405	1311	95.9	94.5-97.3	11	1.2	0.4- 2.0	34	3.0	1.8- 4.2
65+	2052	113,764	1972	95.3	94.1-96.5	39	2.7	1.7- 3.7	41	2.0	1.2- 2.8
Less Than H.S.	325	49,433	301	91.4	86.7-96.1	16	4.8	1.9- 7.7	8	3.8	0.1- 7.5
H.S. or G.E.D.	1651	158,203	1583	95.8	94.6-97.0	24	1.3	0.7- 1.9	44	2.8	1.8- 3.8
Some Post-H.S.	1882	235,392	1824	95.9	94.5-97.3	16	1.1	0.5- 1.7	42	3.0	1.8- 4.2
College Graduate	1868	147,189	1815	97.0	96.0-98.0	11	0.8	0.2- 1.4	42	2.3	1.5- 3.1
Less than \$15,000	315	36,908	299	93.8	89.9-97.7	11	4.9	1.2- 8.6	5	1.3	0.0- 2.7
\$15,000- 24,999	622	64,504	600	95.5	92.6-98.4	12	2.1	0.7- 3.5	10	2.3	0.0- 4.8
\$25,000- 34,999	532	56,149	513	94.5	91.6-97.4	6	1.5	0.1- 2.9	13	4.0	1.5- 6.5
\$35,000- 49,999	804	80,681	782	97.2	95.4-99.0	8	1.3	0.0- 2.7	14	1.6	0.6- 2.6
\$50,000- 74,999	940	95,327	922	97.9	96.7-99.1	3	0.3	0.0- 0.7	15	1.8	0.6- 3.0
\$75,000+	1827	188,352	1779	97.1	96.1-98.1	8	0.6	0.2- 1.0	40	2.3	1.5- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2637	303,056	2537	95.8	94.8-96.8	39	1.7	1.1- 2.3	61	2.5	1.7- 3.3
Native	69	10,205	66	95.0	89.3- 100	2	3.8	0.0- 8.9	1	1.2	0.0- 3.6
Non-Native	2523	287,410	2433	96.0	95.0-97.0	35	1.6	1.0- 2.2	55	2.4	1.6- 3.2
18-24	171	49,584	164	95.5	92.0-99.0	1	1.1	0.0- 3.3	6	3.4	0.5- 6.3
25-34	336	60,331	324	96.5	94.3-98.7	4	1.2	0.0- 2.4	8	2.3	0.5- 4.1
35-44	284	47,036	278	97.6	95.6-99.6	2	0.7	0.0- 1.7	4	1.7	0.0- 3.5
45-54	401	42,612	389	96.2	93.8-98.6	5	1.7	0.1- 3.3	7	2.2	0.4- 4.0
55-64	659	49,146	633	95.2	93.2-97.2	9	2.0	0.6- 3.4	17	2.9	1.3- 4.5
65+	765	52,130	732	94.4	92.2-96.6	18	3.5	1.5- 5.5	15	2.1	0.9- 3.3
Less Than H.S.	164	26,868	147	89.4	83.5-95.3	12	7.2	2.3-12.1	5	3.4	0.0- 6.9
H.S. or G.E.D.	820	91,531	792	97.0	95.6-98.4	9	0.9	0.1- 1.7	19	2.1	0.9- 3.3
Some Post-H.S.	834	116,559	807	96.1	94.5-97.7	9	1.1	0.3- 1.9	18	2.8	1.4- 4.2
College Graduate	812	67,509	786	96.5	94.9-98.1	8	1.3	0.3- 2.3	18	2.3	1.1- 3.5
Less than \$15,000	113	15,724	106	90.7	83.1-98.3	6	8.1	0.7-15.5	1	1.2	0.0- 3.6
\$15,000- 24,999	243	29,721	233	94.8	91.5-98.1	6	3.5	0.6- 6.4	4	1.7	0.0- 3.5
\$25,000- 34,999	223	29,033	212	95.1	91.6-98.6	4	1.5	0.0- 3.1	7	3.4	0.3- 6.5
\$35,000- 49,999	396	43,842	380	97.1	95.3-98.9	7	1.0	0.0- 2.0	9	1.9	0.3- 3.5
\$50,000- 74,999	468	53,801	458	97.7	96.1-99.3	3	0.6	0.0- 1.4	7	1.7	0.3- 3.1
\$75,000+	959	103,562	935	97.2	95.8-98.6	6	0.6	0.0- 1.2	18	2.2	1.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3105	288,243	2999	95.6	94.4-96.8	29	1.2	0.6- 1.8	77	3.2	2.2- 4.2
Native	97	14,100	93	96.9	92.4- 100	1	2.2	0.0- 6.5	3	0.9	0.0- 2.1
Non-Native	2973	271,185	2876	95.8	94.6-97.0	28	1.1	0.5- 1.7	69	3.1	1.9- 4.3
18-24	100	42,241	94	92.1	85.8-98.4	2	2.1	0.0- 5.0	4	5.8	0.1-11.5
25-34	264	50,830	252	95.2	92.3-98.1	2	0.9	0.0- 2.3	10	3.9	1.4- 6.4
35-44	311	42,519	301	96.7	94.3-99.1	2	1.3	0.0- 3.1	8	2.1	0.5- 3.7
45-54	401	39,730	395	98.5	97.1-99.9				6	1.5	0.1- 2.9
55-64	697	47,260	678	96.6	95.0-98.2	2	0.3	0.0- 0.7	17	3.1	1.5- 4.7
65+	1287	61,634	1240	96.0	94.8-97.2	21	2.1	1.1- 3.1	26	1.9	1.1- 2.7
Less Than H.S.	161	22,565	154	93.7	86.3- 100	4	2.1	0.0- 4.8	3	4.2	0.0-11.1
H.S. or G.E.D.	831	66,672	791	94.3	91.9-96.7	15	1.9	0.7- 3.1	25	3.8	1.8- 5.8
Some Post-H.S.	1048	118,833	1017	95.6	93.4-97.8	7	1.1	0.0- 2.3	24	3.3	1.5- 5.1
College Graduate	1056	79,679	1029	97.4	96.2-98.6	3	0.4	0.0- 1.0	24	2.3	1.1- 3.5
Less than \$15,000	202	21,184	193	96.1	92.8-99.4	5	2.5	0.0- 5.4	4	1.4	0.0- 3.0
\$15,000- 24,999	379	34,783	367	96.1	91.6- 100	6	1.0	0.2- 1.8	6	2.9	0.0- 7.4
\$25,000- 34,999	309	27,116	301	93.9	89.0-98.8	2	1.5	0.0- 3.9	6	4.6	0.3- 8.9
\$35,000- 49,999	408	36,839	402	97.3	94.2- 100	1	1.5	0.0- 4.4	5	1.1	0.0- 2.5
\$50,000- 74,999	472	41,526	464	98.1	96.1- 100				8	1.9	0.0- 3.9
\$75,000+	868	84,790	844	97.0	95.6-98.4	2	0.6	0.0- 1.4	22	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3056	209,565	98	2.1	1.5- 2.7	2958	97.9	97.3-98.5
Male	1187	92,058	49	2.2	1.4- 3.0	1138	97.8	97.0-98.6
Female	1869	117,507	49	2.1	1.3- 2.9	1820	97.9	97.1-98.7
Native	87	9,418	2	1.0	0.0- 2.4	85	99.0	97.6- 100
Non-Native	2936	197,854	96	2.2	1.6- 2.8	2840	97.8	97.2-98.4
25-34	134	17,097	2	1.5	0.0- 3.7	132	98.5	96.3- 100
35-44	216	25,493	3	1.7	0.0- 3.9	213	98.3	96.1- 100
45-54	383	32,194	12	2.2	0.8- 3.6	371	97.8	96.4-99.2
55-64	771	47,224	24	2.1	1.1- 3.1	747	97.9	96.9-98.9
65+	1479	73,261	55	2.7	1.9- 3.5	1424	97.3	96.5-98.1
Less Than H.S.	195	19,044	7	1.6	0.2- 3.0	188	98.4	97.0-99.8
H.S. or G.E.D.	931	57,659	22	2.2	1.0- 3.4	909	97.8	96.6-99.0
Some Post-H.S.	982	83,399	32	2.1	1.3- 2.9	950	97.9	97.1-98.7
College Graduate	939	48,936	37	2.4	1.6- 3.2	902	97.6	96.8-98.4
Less than \$15,000	189	14,583	4	1.6	0.0- 3.4	185	98.4	96.6- 100
\$15,000- 24,999	383	25,793	8	1.5	0.3- 2.7	375	98.5	97.3-99.7
\$25,000- 34,999	292	17,760	7	1.7	0.3- 3.1	285	98.3	96.9-99.7
\$35,000- 49,999	459	27,994	17	2.1	0.9- 3.3	442	97.9	96.7-99.1
\$50,000- 74,999	482	33,609	17	2.7	1.1- 4.3	465	97.3	95.7-98.9
\$75,000+	837	61,943	34	2.5	1.3- 3.7	803	97.5	96.3-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1187	92,058	49	2.2	1.4- 3.0	1138	97.8	97.0-98.6
Non-Native	1138	87,100	49	2.3	1.5- 3.1	1089	97.7	96.9-98.5
25-34	56	6,218				56	100.0	100.0- 100
35-44	85	10,831	1	0.7	0.0- 2.1	84	99.3	97.9- 100
45-54	164	14,020	5	2.0	0.0- 4.0	159	98.0	96.0- 100
55-64	354	22,262	13	2.3	0.9- 3.7	341	97.7	96.3-99.1
65+	491	29,830	30	4.0	2.4- 5.6	461	96.0	94.4-97.6
Less Than H.S.	82	9,269	2	1.2	0.0- 3.2	80	98.8	96.8- 100
H.S. or G.E.D.	365	27,331	12	1.8	0.6- 3.0	353	98.2	97.0-99.4
Some Post-H.S.	364	34,259	17	2.7	1.3- 4.1	347	97.3	95.9-98.7
College Graduate	372	20,867	18	2.5	1.1- 3.9	354	97.5	96.1-98.9
Less than \$15,000	51	4,710	1	2.1	0.0- 6.2	50	97.9	93.8- 100
\$15,000- 24,999	123	10,769	7	3.1	0.4- 5.8	116	96.9	94.2-99.6
\$25,000- 34,999	100	7,820	1	0.2	0.0- 0.6	99	99.8	99.4- 100
\$35,000- 49,999	195	13,144	11	3.2	1.0- 5.4	184	96.8	94.6-99.0
\$50,000- 74,999	215	16,392	6	1.6	0.0- 3.2	209	98.4	96.8- 100
\$75,000+	402	30,833	21	2.5	1.3- 3.7	381	97.5	96.3-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1869	117,507	49	2.1	1.3- 2.9	1820	97.9	97.1-98.7
Native	53	5,725	2	1.7	0.0- 4.1	51	98.3	95.9- 100
Non-Native	1798	110,754	47	2.1	1.3- 2.9	1751	97.9	97.1-98.7
25-34	78	10,880	2	2.3	0.0- 5.6	76	97.7	94.4- 100
35-44	131	14,662	2	2.5	0.0- 6.2	129	97.5	93.8- 100
45-54	219	18,174	7	2.4	0.4- 4.4	212	97.6	95.6-99.6
55-64	417	24,962	11	2.0	0.6- 3.4	406	98.0	96.6-99.4
65+	988	43,431	25	1.9	1.1- 2.7	963	98.1	97.3-98.9
Less Than H.S.	113	9,775	5	1.9	0.1- 3.7	108	98.1	96.3-99.9
H.S. or G.E.D.	566	30,328	10	2.6	0.4- 4.8	556	97.4	95.2-99.6
Some Post-H.S.	618	49,140	15	1.6	0.6- 2.6	603	98.4	97.4-99.4
College Graduate	567	28,069	19	2.3	1.1- 3.5	548	97.7	96.5-98.9
Less than \$15,000	138	9,873	3	1.4	0.0- 3.0	135	98.6	97.0- 100
\$15,000- 24,999	260	15,023	1	0.3	0.0- 0.9	259	99.7	99.1- 100
\$25,000- 34,999	192	9,939	6	2.8	0.3- 5.3	186	97.2	94.7-99.7
\$35,000- 49,999	264	14,850	6	1.2	0.2- 2.2	258	98.8	97.8-99.8
\$50,000- 74,999	267	17,217	11	3.8	0.9- 6.7	256	96.2	93.3-99.1
\$75,000+	435	31,110	13	2.5	0.5- 4.5	422	97.5	95.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	96	4,353	59	77.0	68.4-85.6	26	17.1	9.5-24.7	10	5.4	1.5- 9.3	1	0.5	0.0- 1.5
Non-Native	94	4,256	57	76.5	67.7-85.3	26	17.5	9.7-25.3	10	5.5	1.4- 9.6	1	0.5	0.0- 1.5
65+	55	2,010	33	75.3	64.1-86.5	15	17.7	8.1-27.3	6	6.0	0.9-11.1	1	1.0	0.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3059	209,669	2608	76.3	74.1-78.5	451	23.7	21.5-25.9
Male	1189	92,003	1038	78.0	74.5-81.5	151	22.0	18.5-25.5
Female	1870	117,667	1570	75.0	72.1-77.9	300	25.0	22.1-27.9
Native	87	9,418	63	50.8	36.9-64.7	24	49.2	35.3-63.1
Non-Native	2939	198,010	2524	77.9	75.7-80.1	415	22.1	19.9-24.3
25-34	134	17,097	125	85.2	76.2-94.2	9	14.8	5.8-23.8
35-44	216	25,493	196	79.7	71.5-87.9	20	20.3	12.1-28.5
45-54	385	32,452	354	85.0	79.9-90.1	31	15.0	9.9-20.1
55-64	771	47,091	694	81.4	77.5-85.3	77	18.6	14.7-22.5
65+	1481	73,366	1182	65.3	62.2-68.4	299	34.7	31.6-37.8
Less Than H.S.	196	19,104	133	58.2	49.2-67.2	63	41.8	32.8-50.8
H.S. or G.E.D.	930	57,439	757	69.5	65.2-73.8	173	30.5	26.2-34.8
Some Post-H.S.	984	83,735	850	79.1	75.4-82.8	134	20.9	17.2-24.6
College Graduate	940	48,865	863	87.1	84.0-90.2	77	12.9	9.8-16.0
Less than \$15,000	190	14,643	99	37.1	27.5-46.7	91	62.9	53.3-72.5
\$15,000- 24,999	383	25,793	270	52.8	45.7-59.9	113	47.2	40.1-54.3
\$25,000- 34,999	292	17,743	235	62.3	54.3-70.3	57	37.7	29.7-45.7
\$35,000- 49,999	460	27,983	419	82.3	76.6-88.0	41	17.7	12.0-23.4
\$50,000- 74,999	482	33,609	445	87.5	83.4-91.6	37	12.5	8.4-16.6
\$75,000+	838	61,978	810	93.3	90.6-96.0	28	6.7	4.0- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1189	92,003	1038	78.0	74.5-81.5	151	22.0	18.5-25.5
Non-Native	1142	87,324	1007	79.3	75.8-82.8	135	20.7	17.2-24.2
25-34	56	6,218	51	80.6	65.5-95.7	5	19.4	4.3-34.5
35-44	85	10,831	72	68.6	54.3-82.9	13	31.4	17.1-45.7
45-54	165	14,112	153	87.0	79.7-94.3	12	13.0	5.7-20.3
55-64	354	22,129	316	81.9	76.6-87.2	38	18.1	12.8-23.4
65+	493	29,942	415	71.0	65.5-76.5	78	29.0	23.5-34.5
Less Than H.S.	82	9,269	65	75.3	64.1-86.5	17	24.7	13.5-35.9
H.S. or G.E.D.	366	27,290	312	72.0	64.9-79.1	54	28.0	20.9-35.1
Some Post-H.S.	365	34,351	322	80.0	74.1-85.9	43	20.0	14.1-25.9
College Graduate	372	20,761	337	84.4	78.9-89.9	35	15.6	10.1-21.1
Less than \$15,000	51	4,710	24	41.1	21.5-60.7	27	58.9	39.3-78.5
\$15,000- 24,999	123	10,769	88	50.8	39.2-62.4	35	49.2	37.6-60.8
\$25,000- 34,999	101	7,878	78	60.6	48.3-72.9	23	39.4	27.1-51.7
\$35,000- 49,999	197	13,256	176	78.9	69.7-88.1	21	21.1	11.9-30.3
\$50,000- 74,999	215	16,392	199	86.9	80.4-93.4	16	13.1	6.6-19.6
\$75,000+	402	30,833	385	90.5	85.6-95.4	17	9.5	4.6-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1870	117,667	1570	75.0	72.1-77.9	300	25.0	22.1-27.9
Native	53	5,725	39	47.7	29.3-66.1	14	52.3	33.9-70.7
Non-Native	1797	110,687	1517	76.8	74.1-79.5	280	23.2	20.5-25.9
25-34	78	10,880	74	87.8	76.4-99.2	4	12.2	0.8-23.6
35-44	131	14,662	124	87.9	79.1-96.7	7	12.1	3.3-20.9
45-54	220	18,340	201	83.4	76.3-90.5	19	16.6	9.5-23.7
55-64	417	24,962	378	80.9	75.4-86.4	39	19.1	13.6-24.6
65+	988	43,424	767	61.4	57.5-65.3	221	38.6	34.7-42.5
Less Than H.S.	114	9,835	68	42.2	30.4-54.0	46	57.8	46.0-69.6
H.S. or G.E.D.	564	30,150	445	67.2	62.1-72.3	119	32.8	27.7-37.9
Some Post-H.S.	619	49,383	528	78.4	73.7-83.1	91	21.6	16.9-26.3
College Graduate	568	28,104	526	89.1	85.4-92.8	42	10.9	7.2-14.6
Less than \$15,000	139	9,933	75	35.2	24.8-45.6	64	64.8	54.4-75.2
\$15,000- 24,999	260	15,023	182	54.3	45.7-62.9	78	45.7	37.1-54.3
\$25,000- 34,999	191	9,865	157	63.7	53.1-74.3	34	36.3	25.7-46.9
\$35,000- 49,999	263	14,727	243	85.4	78.7-92.1	20	14.6	7.9-21.3
\$50,000- 74,999	267	17,217	246	88.1	82.8-93.4	21	11.9	6.6-17.2
\$75,000+	436	31,145	425	96.0	93.5-98.5	11	4.0	1.5- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5739	590,993	735	12.2	11.2-13.2	5004	87.8	86.8-88.8
Male	2634	302,750	671	20.8	19.0-22.6	1963	79.2	77.4-81.0
Female	3105	288,243	64	3.2	2.2- 4.2	3041	96.8	95.8-97.8
18-24	271	91,825	18	7.5	4.0-11.0	253	92.5	89.0-96.0
25-34	600	111,161	47	8.4	6.0-10.8	553	91.6	89.2-94.0
35-44	595	89,555	51	9.2	6.7-11.7	544	90.8	88.3-93.3
45-54	801	82,226	75	10.5	8.0-13.0	726	89.5	87.0-92.0
55-64	1356	96,405	123	10.5	8.5-12.5	1233	89.5	87.5-91.5
65+	2051	113,674	414	25.0	22.6-27.4	1637	75.0	72.6-77.4
Less Than H.S.	325	49,433	44	10.0	6.7-13.3	281	90.0	86.7-93.3
H.S. or G.E.D.	1651	158,203	221	14.0	11.6-16.4	1430	86.0	83.6-88.4
Some Post-H.S.	1882	235,392	259	12.8	11.0-14.6	1623	87.2	85.4-89.0
College Graduate	1866	146,983	208	10.0	8.4-11.6	1658	90.0	88.4-91.6
Less than \$15,000	315	36,908	34	9.8	6.1-13.5	281	90.2	86.5-93.9
\$15,000- 24,999	622	64,504	79	12.6	9.3-15.9	543	87.4	84.1-90.7
\$25,000- 34,999	531	56,059	82	15.8	11.5-20.1	449	84.2	79.9-88.5
\$35,000- 49,999	804	80,681	112	12.1	9.4-14.8	692	87.9	85.2-90.6
\$50,000- 74,999	939	95,211	127	13.6	10.9-16.3	812	86.4	83.7-89.1
\$75,000+	1827	188,352	224	11.3	9.7-12.9	1603	88.7	87.1-90.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2634	302,750	671	20.8	19.0-22.6	1963	79.2	77.4-81.0
18-24	171	49,584	13	9.3	4.4-14.2	158	90.7	85.8-95.6
25-34	336	60,331	36	11.8	8.1-15.5	300	88.2	84.5-91.9
35-44	284	47,036	35	12.6	8.5-16.7	249	87.4	83.3-91.5
45-54	400	42,496	65	18.3	13.8-22.8	335	81.7	77.2-86.2
55-64	659	49,146	110	18.5	15.2-21.8	549	81.5	78.2-84.8
65+	764	52,040	405	53.3	49.2-57.4	359	46.7	42.6-50.8
Less Than H.S.	164	26,868	42	17.5	11.6-23.4	122	82.5	76.6-88.4
H.S. or G.E.D.	820	91,531	206	20.5	17.4-23.6	614	79.5	76.4-82.6
Some Post-H.S.	834	116,559	237	23.2	20.1-26.3	597	76.8	73.7-79.9
College Graduate	810	67,303	183	18.1	15.2-21.0	627	81.9	79.0-84.8
Less than \$15,000	113	15,724	28	18.6	11.0-26.2	85	81.4	73.8-89.0
\$15,000- 24,999	243	29,721	75	25.1	18.6-31.6	168	74.9	68.4-81.4
\$25,000- 34,999	222	28,943	74	26.0	18.7-33.3	148	74.0	66.7-81.3
\$35,000- 49,999	396	43,842	109	21.4	16.7-26.1	287	78.6	73.9-83.3
\$50,000- 74,999	467	53,685	117	21.0	16.7-25.3	350	79.0	74.7-83.3
\$75,000+	959	103,562	201	17.7	15.0-20.4	758	82.3	79.6-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3105	288,243	64	3.2	2.2- 4.2	3041	96.8	95.8-97.8
18-24	100	42,241	5	5.4	0.7-10.1	95	94.6	89.9-99.3
25-34	264	50,830	11	4.4	1.7- 7.1	253	95.6	92.9-98.3
35-44	311	42,519	16	5.5	2.6- 8.4	295	94.5	91.6-97.4
45-54	401	39,730	10	2.2	0.8- 3.6	391	97.8	96.4-99.2
55-64	697	47,260	13	2.2	0.8- 3.6	684	97.8	96.4-99.2
65+	1287	61,634	9	1.0	0.2- 1.8	1278	99.0	98.2-99.8
Less Than H.S.	161	22,565	2	1.1	0.0- 2.7	159	98.9	97.3- 100
H.S. or G.E.D.	831	66,672	15	5.1	2.0- 8.2	816	94.9	91.8-98.0
Some Post-H.S.	1048	118,833	22	2.6	1.4- 3.8	1026	97.4	96.2-98.6
College Graduate	1056	79,679	25	3.2	1.8- 4.6	1031	96.8	95.4-98.2
Less than \$15,000	202	21,184	6	3.2	0.1- 6.3	196	96.8	93.7-99.9
\$15,000- 24,999	379	34,783	4	1.9	0.0- 4.6	375	98.1	95.4- 100
\$25,000- 34,999	309	27,116	8	4.8	1.1- 8.5	301	95.2	91.5-98.9
\$35,000- 49,999	408	36,839	3	1.1	0.0- 2.9	405	98.9	97.1- 100
\$50,000- 74,999	472	41,526	10	4.1	1.0- 7.2	462	95.9	92.8-99.0
\$75,000+	868	84,790	23	3.4	1.8- 5.0	845	96.6	95.0-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5715	588,058	3226	64.8	63.2-66.4	154	3.8	3.0- 4.6	301	5.0	4.2- 5.8	119	5.8	4.6- 7.0	1689	16.5	15.5-17.5	226	4.1	3.5- 4.7
Male	2624	301,047	1742	72.5	70.5-74.5	80	3.4	2.4- 4.4	5	0.1	0.0- 0.3	62	5.5	4.1- 6.9	636	14.8	13.4-16.2	99	3.7	2.9- 4.5
Female	3091	287,011	1484	56.7	54.3-59.1	74	4.1	2.9- 5.3	296	10.2	8.6-11.8	57	6.0	4.2- 7.8	1053	18.3	16.9-19.7	127	4.6	3.6- 5.6
Native	163	23,744	83	49.0	39.2-58.8	17	14.5	6.9-22.1	11	7.5	2.2-12.8	12	10.2	3.9-16.5	22	7.9	3.6-12.2	18	10.8	4.7-16.9
Non-Native	5473	556,015	3102	65.5	63.9-67.1	136	3.4	2.6- 4.2	287	5.0	4.2- 5.8	105	5.6	4.4- 6.8	1640	16.8	15.8-17.8	203	3.8	3.2- 4.4
18-24	271	91,825	173	61.3	55.0-67.6	18	7.3	3.8-10.8	3	1.8	0.0- 4.0	74	28.3	22.4-34.2				3	1.2	0.0- 2.6
25-34	598	110,705	490	81.4	77.9-84.9	25	4.1	2.3- 5.9	41	6.6	4.4- 8.8	29	5.3	3.3- 7.3	1	0.1	0.0- 0.3	12	2.6	1.0- 4.2
35-44	590	88,521	502	82.8	79.3-86.3	18	3.4	1.6- 5.2	38	7.0	4.6- 9.4	8	1.3	0.3- 2.3	3	0.8	0.0- 1.8	21	4.8	2.6- 7.0
45-54	796	81,615	679	84.3	81.4-87.2	32	4.1	2.5- 5.7	30	3.8	2.2- 5.4	5	0.7	0.0- 1.5	9	1.2	0.2- 2.2	41	5.8	3.8- 7.8
55-64	1354	96,279	972	70.0	67.3-72.7	44	3.5	2.3- 4.7	48	4.0	2.8- 5.2	1	0.0	0.0- 0.0	202	15.0	12.8-17.2	87	7.5	5.9- 9.1
65+	2044	113,183	376	19.0	17.0-21.0	16	1.0	0.4- 1.6	139	6.5	5.3- 7.7	1	0.0	0.0- 0.0	1453	70.0	67.6-72.4	59	3.5	2.5- 4.5
Less Than H.S.	322	48,774	106	44.0	36.6-51.4	17	7.4	2.9-11.9	23	5.6	1.9- 9.3	12	10.6	4.7-16.5	135	23.3	18.4-28.2	29	9.2	5.3-13.1
H.S. or G.E.D.	1648	157,659	831	61.2	58.3-64.1	62	5.5	3.7- 7.3	115	5.9	4.5- 7.3	26	4.4	2.6- 6.2	522	17.3	15.5-19.1	92	5.7	4.1- 7.3
Some Post-H.S.	1876	234,595	1067	65.4	62.7-68.1	46	2.9	1.9- 3.9	88	5.0	3.8- 6.2	42	6.2	4.2- 8.2	556	16.7	15.1-18.3	77	3.8	2.8- 4.8
College Graduate	1855	146,112	1218	74.8	72.4-77.2	29	2.1	1.1- 3.1	74	4.0	2.8- 5.2	39	4.9	3.3- 6.5	468	13.0	11.6-14.4	27	1.2	0.6- 1.8
Less than \$15,000	313	36,584	58	23.3	16.2-30.4	33	15.5	9.4-21.6	15	4.4	1.7- 7.1	21	15.0	8.5-21.5	118	20.5	16.0-25.0	68	21.3	15.4-27.2
\$15,000- 24,999	619	64,111	181	40.6	34.9-46.3	26	4.8	2.6- 7.0	40	6.4	3.3- 9.5	22	10.4	6.1-14.7	284	27.4	23.3-31.5	66	10.5	7.6-13.4
\$25,000- 34,999	528	55,620	226	56.5	50.8-62.2	17	4.8	1.9- 7.7	34	6.0	3.5- 8.5	9	4.4	1.3- 7.5	217	22.5	18.8-26.2	25	5.8	2.9- 8.7
\$35,000- 49,999	804	80,681	425	64.9	60.6-69.2	23	3.1	1.7- 4.5	38	5.4	3.2- 7.6	15	6.0	2.7- 9.3	285	18.5	16.0-21.0	18	2.1	1.1- 3.1
\$50,000- 74,999	937	94,781	615	75.1	72.0-78.2	16	2.2	0.8- 3.6	37	3.6	2.2- 5.0	13	3.1	1.3- 4.9	244	14.9	12.7-17.1	12	1.1	0.5- 1.7
\$75,000+	1819	187,504	1423	83.1	80.9-85.3	19	1.1	0.5- 1.7	74	4.5	3.3- 5.7	20	2.8	1.4- 4.2	273	8.0	6.8- 9.2	10	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2624	301,047	1742	72.5	70.5-74.5	80	3.4	2.4- 4.4	5	0.1	0.0- 0.3	62	5.5	4.1- 6.9	636	14.8	13.4-16.2	99	3.7	2.9- 4.5
Native	68	9,844	37	54.0	40.1-67.9	7	13.4	3.2-23.6	2	1.1	0.0- 2.7	5	13.2	2.4-24.0	10	9.8	3.1-16.5	7	8.4	1.5-15.3
Non-Native	2512	285,863	1676	73.2	71.0-75.4	73	3.1	2.3- 3.9	3	0.1	0.0- 0.3	56	5.3	3.9- 6.7	615	14.9	13.5-16.3	89	3.4	2.6- 4.2
18-24	171	49,584	123	70.4	63.0-77.8	7	4.0	0.9- 7.1				39	24.4	17.3-31.5				2	1.2	0.0- 3.0
25-34	334	59,875	300	89.4	85.9-92.9	12	2.9	1.1- 4.7				17	6.0	3.3- 8.7	1	0.1	0.0- 0.3	4	1.6	0.0- 3.2
35-44	279	46,002	253	88.7	84.2-93.2	13	5.2	2.3- 8.1				3	1.3	0.0- 2.9	1	0.6	0.0- 1.8	9	4.3	1.4- 7.2
45-54	399	42,391	358	90.0	86.7-93.3	17	3.9	1.9- 5.9	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9	4	0.8	0.0- 1.8	17	4.7	2.2- 7.2
55-64	659	49,146	499	73.6	69.7-77.5	24	3.9	2.1- 5.7				1	0.1	0.0- 0.3	87	14.2	11.3-17.1	48	8.3	5.8-10.8
65+	763	51,991	196	25.4	21.9-28.9	7	1.2	0.2- 2.2	3	0.5	0.0- 1.1				539	70.1	66.4-73.8	18	2.7	1.3- 4.1
Less Than H.S.	163	26,507	73	51.8	42.6-61.0	8	5.6	0.7-10.5	2	0.8	0.0- 1.8	8	11.5	3.9-19.1	57	22.7	16.2-29.2	15	7.6	3.3-11.9
H.S. or G.E.D.	817	90,987	526	71.4	67.7-75.1	35	4.9	3.1- 6.7	3	0.2	0.0- 0.4	15	4.3	2.1- 6.5	198	14.1	11.9-16.3	40	5.1	3.1- 7.1
Some Post-H.S.	832	116,177	577	75.4	72.1-78.7	24	2.7	1.5- 3.9				20	5.3	2.9- 7.7	183	13.7	11.5-15.9	28	2.8	1.6- 4.0
College Graduate	806	66,888	564	77.4	74.1-80.7	13	1.7	0.5- 2.9				19	5.2	2.8- 7.6	195	14.2	12.0-16.4	15	1.5	0.3- 2.7
Less than \$15,000	112	15,566	27	21.4	11.8-31.0	14	15.3	6.5-24.1	2	0.7	0.0- 1.7	13	23.7	12.3-35.1	32	18.9	11.6-26.2	24	19.9	10.9-28.9
\$15,000- 24,999	242	29,520	80	40.9	33.1-48.7	15	6.8	3.1-10.5	2	0.6	0.0- 1.4	13	11.8	5.5-18.1	98	26.5	20.6-32.4	34	13.6	8.5-18.7
\$25,000- 34,999	221	28,577	104	61.4	53.8-69.0	14	6.4	2.3-10.5				5	5.5	0.6-10.4	87	22.4	17.1-27.7	11	4.3	1.2- 7.4
\$35,000- 49,999	396	43,842	242	72.6	67.7-77.5	13	3.5	1.3- 5.7	1	0.2	0.0- 0.6	7	3.8	0.9- 6.7	123	17.6	14.1-21.1	10	2.2	0.6- 3.8
\$50,000- 74,999	465	53,255	339	83.0	79.7-86.3	7	1.3	0.1- 2.5				5	1.7	0.1- 3.3	106	12.9	10.2-15.6	8	1.1	0.3- 1.9
\$75,000+	956	103,313	804	88.6	86.2-91.0	13	1.3	0.5- 2.1				8	2.5	0.5- 4.5	128	7.5	6.1- 8.9	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3091	287,011	1484	56.7	54.3-59.1	74	4.1	2.9- 5.3	296	10.2	8.6-11.8	57	6.0	4.2- 7.8	1053	18.3	16.9-19.7	127	4.6	3.6- 5.6
Native	95	13,901	46	45.4	32.1-58.7	10	15.2	4.4-26.0	9	12.1	3.5-20.7	7	8.1	0.7-15.5	12	6.6	1.1-12.1	11	12.6	3.6-21.6
Non-Native	2961	270,152	1426	57.4	54.9-59.9	63	3.6	2.4- 4.8	284	10.1	8.5-11.7	49	5.9	4.1- 7.7	1025	18.8	17.4-20.2	114	4.2	3.2- 5.2
18-24	100	42,241	50	50.6	40.2-61.0	11	11.3	4.6-18.0	3	4.0	0.0- 8.7	35	33.0	23.4-42.6				1	1.2	0.0- 3.6
25-34	264	50,830	190	71.9	66.0-77.8	13	5.5	2.4- 8.6	41	14.3	9.8-18.8	12	4.5	1.8- 7.2				8	3.8	1.1- 6.5
35-44	311	42,519	249	76.5	70.8-82.2	5	1.5	0.1- 2.9	38	14.5	9.8-19.2	5	1.3	0.1- 2.5	2	0.9	0.0- 2.5	12	5.4	2.1- 8.7
45-54	397	39,224	321	78.2	73.3-83.1	15	4.3	1.9- 6.7	28	7.7	4.6-10.8	4	1.2	0.0- 2.6	5	1.7	0.1- 3.3	24	7.0	3.9-10.1
55-64	695	47,134	473	66.3	62.2-70.4	20	3.2	1.6- 4.8	48	8.1	5.7-10.5				115	15.8	12.7-18.9	39	6.6	4.4- 8.8
65+	1281	61,191	180	13.5	11.3-15.7	9	0.8	0.2- 1.4	136	11.5	9.3-13.7	1	0.1	0.0- 0.3	914	70.0	67.1-72.9	41	4.1	2.7- 5.5
Less Than H.S.	159	22,268	33	34.7	22.5-46.9	9	9.4	1.6-17.2	21	11.3	3.7-18.9	4	9.4	0.4-18.4	78	24.0	16.6-31.4	14	11.1	4.4-17.8
H.S. or G.E.D.	831	66,672	305	47.3	42.4-52.2	27	6.2	3.1- 9.3	112	13.8	10.7-16.9	11	4.5	1.8- 7.2	324	21.7	18.8-24.6	52	6.5	4.1- 8.9
Some Post-H.S.	1044	118,418	490	55.6	51.7-59.5	22	3.1	1.5- 4.7	88	9.9	7.5-12.3	22	7.1	4.0-10.2	373	19.6	17.2-22.0	49	4.7	3.1- 6.3
College Graduate	1049	79,224	654	72.6	69.3-75.9	16	2.4	0.8- 4.0	74	7.4	5.4- 9.4	20	4.7	2.5- 6.9	273	11.9	10.3-13.5	12	1.0	0.4- 1.6
Less than \$15,000	201	21,017	31	24.8	14.8-34.8	19	15.7	7.7-23.7	13	7.1	2.6-11.6	8	8.5	1.6-15.4	86	21.6	15.7-27.5	44	22.3	14.7-29.9
\$15,000- 24,999	377	34,591	101	40.3	32.3-48.3	11	3.2	0.8- 5.6	38	11.3	5.6-17.0	9	9.2	3.1-15.3	186	28.3	22.8-33.8	32	7.8	4.5-11.1
\$25,000- 34,999	307	27,043	122	51.3	43.1-59.5	3	3.1	0.0- 7.4	34	12.4	7.3-17.5	4	3.2	0.0- 6.7	130	22.6	17.5-27.7	14	7.4	2.3-12.5
\$35,000- 49,999	408	36,839	183	55.7	48.6-62.8	10	2.7	0.9- 4.5	37	11.5	7.0-16.0	8	8.7	2.6-14.8	162	19.5	15.6-23.4	8	1.9	0.3- 3.5
\$50,000- 74,999	472	41,526	276	65.0	59.5-70.5	9	3.3	0.8- 5.8	37	8.1	5.0-11.2	8	5.0	1.5- 8.5	138	17.5	14.2-20.8	4	1.2	0.0- 2.4
\$75,000+	863	84,191	619	76.3	72.8-79.8	6	0.8	0.0- 1.6	74	10.0	7.5-12.5	12	3.2	1.2- 5.2	145	8.7	7.1-10.3	7	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5664	580,558	473	12.8	11.4-14.2	445	11.2	10.0-12.4	233	6.1	5.1- 7.1	98	2.6	2.0- 3.2	39	0.9	0.5- 1.3	4376	66.3	64.5-68.1
Male	2594	297,593	231	11.8	10.2-13.4	205	10.0	8.4-11.6	100	5.2	4.0- 6.4	41	2.2	1.4- 3.0	23	1.3	0.7- 1.9	1994	69.6	67.2-72.0
Female	3070	282,965	242	13.9	11.9-15.9	240	12.6	10.8-14.4	133	7.0	5.6- 8.4	57	3.1	2.1- 4.1	16	0.6	0.2- 1.0	2382	62.8	60.3-65.3
Native	163	23,957	30	21.0	12.8-29.2	24	14.1	7.6-20.6	18	16.5	8.1-24.9	8	8.7	2.4-15.0	7	3.1	0.6- 5.6	76	36.6	27.6-45.6
Non-Native	5427	549,010	435	12.5	11.1-13.9	419	11.2	10.0-12.4	214	5.7	4.9- 6.5	89	2.4	1.8- 3.0	31	0.8	0.4- 1.2	4239	67.4	65.6-69.2
18-24	267	90,670	43	17.6	12.5-22.7	19	7.1	3.6-10.6	10	5.0	1.9- 8.1	1	0.4	0.0- 1.2	5	1.6	0.0- 3.2	189	68.4	62.1-74.7
25-34	588	108,659	114	21.0	17.3-24.7	121	20.6	17.1-24.1	61	9.5	7.0-12.0	30	5.4	3.2- 7.6	4	0.5	0.0- 1.1	258	43.1	38.8-47.4
35-44	578	86,654	93	17.8	14.3-21.3	176	28.4	24.3-32.5	109	17.7	14.4-21.0	47	8.5	6.0-11.0	18	2.9	1.5- 4.3	135	24.8	20.9-28.7
45-54	791	80,979	133	16.1	13.4-18.8	102	12.1	9.6-14.6	32	3.9	2.3- 5.5	16	1.7	0.7- 2.7	4	0.4	0.0- 0.8	504	65.8	62.1-69.5
55-64	1334	94,687	65	5.6	4.0- 7.2	18	1.5	0.7- 2.3	13	1.2	0.4- 2.0				7	0.6	0.2- 1.0	1231	91.2	89.4-93.0
65+	2045	113,348	22	1.3	0.7- 1.9	6	0.3	0.1- 0.5	3	0.2	0.0- 0.6	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	2009	97.7	96.9-98.5
Less Than H.S.	321	48,882	28	15.8	9.5-22.1	9	6.6	1.9-11.3	8	6.1	1.6-10.6	5	3.1	0.2- 6.0	3	1.5	0.0- 3.7	268	66.8	59.0-74.6
H.S. or G.E.D.	1628	154,680	113	11.8	9.4-14.2	89	8.6	6.6-10.6	45	4.6	3.0- 6.2	22	2.7	1.5- 3.9	12	1.2	0.4- 2.0	1347	71.2	68.1-74.3
Some Post-H.S.	1854	231,648	167	13.2	11.0-15.4	134	11.0	9.0-13.0	67	5.5	4.1- 6.9	35	2.6	1.6- 3.6	10	0.7	0.3- 1.1	1441	66.9	64.0-69.8
College Graduate	1847	144,425	165	12.4	10.4-14.4	212	15.9	13.7-18.1	113	8.7	6.9-10.5	36	2.5	1.7- 3.3	14	0.8	0.4- 1.2	1307	59.6	56.9-62.3
Less than \$15,000	314	36,783	24	12.6	7.1-18.1	12	4.5	1.6- 7.4	11	7.6	1.9-13.3	5	3.6	0.3- 6.9	3	1.9	0.0- 4.8	259	69.8	62.0-77.6
\$15,000- 24,999	622	64,504	39	12.3	7.8-16.8	27	7.4	4.3-10.5	8	1.4	0.2- 2.6	7	2.2	0.4- 4.0	2	0.5	0.0- 1.3	539	76.2	70.9-81.5
\$25,000- 34,999	530	55,679	41	12.5	8.0-17.0	22	7.1	3.8-10.4	16	5.8	2.7- 8.9	9	3.1	0.9- 5.3	3	1.1	0.0- 2.3	439	70.3	64.4-76.2
\$35,000- 49,999	803	80,611	45	10.1	6.6-13.6	47	9.5	6.4-12.6	24	4.7	2.5- 6.9	11	3.0	1.2- 4.8	7	0.8	0.0- 1.6	669	71.9	67.2-76.6
\$50,000- 74,999	938	94,955	74	11.8	8.9-14.7	60	9.1	6.6-11.6	42	5.6	3.8- 7.4	11	1.9	0.5- 3.3	7	1.1	0.1- 2.1	744	70.4	66.5-74.3
\$75,000+	1821	187,478	210	15.0	12.8-17.2	252	18.2	15.8-20.6	121	9.2	7.4-11.0	53	3.3	2.3- 4.3	15	1.0	0.4- 1.6	1170	53.4	50.7-56.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2594	297,593	231	11.8	10.2-13.4	205	10.0	8.4-11.6	100	5.2	4.0- 6.4	41	2.2	1.4- 3.0	23	1.3	0.7- 1.9	1994	69.6	67.2-72.0
Native	69	10,205	15	24.0	12.2-35.8	8	8.7	1.8-15.6	6	11.1	0.7-21.5	4	9.5	0.3-18.7	2	2.3	0.0- 5.6	34	44.5	30.8-58.2
Non-Native	2484	282,393	211	11.3	9.7-12.9	196	10.1	8.5-11.7	94	5.1	3.9- 6.3	36	2.0	1.2- 2.8	20	1.2	0.6- 1.8	1927	70.4	68.0-72.8
18-24	169	49,237	21	11.9	7.0-16.8	9	4.7	1.4- 8.0	6	4.6	0.7- 8.5	1	0.6	0.0- 1.8	4	2.5	0.0- 5.0	128	75.6	68.7-82.5
25-34	331	59,267	64	20.5	15.8-25.2	54	16.4	12.1-20.7	20	5.8	3.1- 8.5	12	4.6	1.9- 7.3	2	0.5	0.0- 1.1	179	52.3	46.4-58.2
35-44	274	45,214	45	17.2	12.3-22.1	72	24.0	18.5-29.5	44	15.6	10.7-20.5	17	6.1	3.0- 9.2	9	3.4	1.0- 5.8	87	33.8	27.5-40.1
45-54	397	42,084	55	13.2	9.5-16.9	55	13.2	9.5-16.9	17	3.5	1.7- 5.3	10	1.8	0.6- 3.0	3	0.7	0.0- 1.5	257	67.6	62.5-72.7
55-64	643	47,989	38	6.2	4.0- 8.4	11	1.9	0.7- 3.1	9	1.7	0.5- 2.9				4	0.7	0.0- 1.5	581	89.5	86.8-92.2
65+	762	51,949	7	1.3	0.3- 2.3	3	0.3	0.0- 0.7	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	748	97.7	96.3-99.1
Less Than H.S.	160	26,317	9	7.1	1.8-12.4	6	5.7	1.0-10.4	6	7.8	1.1-14.5	2	2.8	0.0- 6.5	2	2.4	0.0- 6.3	135	74.2	64.8-83.6
H.S. or G.E.D.	806	89,637	75	12.6	9.5-15.7	53	9.0	6.3-11.7	19	3.0	1.4- 4.6	14	3.0	1.2- 4.8	9	1.5	0.3- 2.7	636	70.9	66.8-75.0
Some Post-H.S.	820	115,061	77	12.7	9.8-15.6	65	10.2	7.7-12.7	33	5.4	3.4- 7.4	14	1.8	0.8- 2.8	7	1.1	0.1- 2.1	624	68.8	64.9-72.7
College Graduate	802	66,089	70	11.0	8.5-13.5	81	12.5	9.8-15.2	42	7.0	4.8- 9.2	11	1.7	0.7- 2.7	5	0.7	0.1- 1.3	593	67.1	63.2-71.0
Less than \$15,000	112	15,599	4	5.7	0.0-12.0	3	2.3	0.0- 5.2	4	4.3	0.0-10.8	1	2.3	0.0- 6.8	2	3.9	0.0-10.4	98	81.4	70.4-92.4
\$15,000- 24,999	243	29,721	14	9.1	4.2-14.0	12	6.1	2.0-10.2	4	1.5	0.0- 3.1	2	1.2	0.0- 2.8	2	1.1	0.0- 2.7	209	81.1	74.6-87.6
\$25,000- 34,999	222	28,891	21	11.8	6.5-17.1	7	5.8	1.3-10.3	3	2.9	0.0- 6.2	6	4.9	0.8- 9.0	2	1.4	0.0- 3.4	183	73.3	65.5-81.1
\$35,000- 49,999	396	43,842	20	7.7	4.2-11.2	20	7.2	3.7-10.7	9	3.1	0.6- 5.6	5	2.5	0.1- 4.9	2	0.5	0.0- 1.3	340	79.1	73.6-84.6
\$50,000- 74,999	467	53,596	39	11.4	7.5-15.3	30	9.2	5.7-12.7	18	5.2	2.7- 7.7	5	1.7	0.1- 3.3	4	1.3	0.0- 2.7	371	71.1	65.8-76.4
\$75,000+	955	103,056	123	16.8	13.7-19.9	122	15.7	12.8-18.6	58	8.1	5.7-10.5	21	2.3	1.1- 3.5	9	1.2	0.2- 2.2	622	55.9	52.0-59.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3070	282,965	242	13.9	11.9-15.9	240	12.6	10.8-14.4	133	7.0	5.6- 8.4	57	3.1	2.1- 4.1	16	0.6	0.2- 1.0	2382	62.8	60.3-65.3
Native	94	13,752	15	18.8	7.4-30.2	16	18.1	8.1-28.1	12	20.6	8.4-32.8	4	8.2	0.0-16.8	5	3.7	0.0- 7.4	42	30.7	19.5-41.9
Non-Native	2943	266,616	224	13.7	11.5-15.9	223	12.4	10.6-14.2	120	6.3	4.9- 7.7	53	2.8	2.0- 3.6	11	0.4	0.2- 0.6	2312	64.3	61.8-66.8
18-24	98	41,433	22	24.4	15.2-33.6	10	9.8	3.3-16.3	4	5.4	0.3-10.5				1	0.5	0.0- 1.5	61	59.8	49.4-70.2
25-34	257	49,392	50	21.6	15.9-27.3	67	25.6	19.9-31.3	41	13.9	9.4-18.4	18	6.2	3.1- 9.3	2	0.6	0.0- 1.4	79	32.1	25.8-38.4
35-44	304	41,440	48	18.5	13.2-23.8	104	33.2	27.3-39.1	65	20.0	15.1-24.9	30	11.1	6.8-15.4	9	2.3	0.7- 3.9	48	14.9	10.6-19.2
45-54	394	38,895	78	19.2	14.9-23.5	47	10.9	7.4-14.4	15	4.4	1.9- 6.9	6	1.6	0.0- 3.2	1	0.1	0.0- 0.3	247	63.8	58.3-69.3
55-64	691	46,698	27	4.9	2.7- 7.1	7	1.0	0.2- 1.8	4	0.8	0.0- 1.6				3	0.4	0.0- 1.0	650	92.8	90.4-95.2
65+	1283	61,399	15	1.4	0.6- 2.2	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	3	0.6	0.0- 1.2				1261	97.8	96.8-98.8
Less Than H.S.	161	22,565	19	26.0	14.6-37.4	3	7.6	0.0-16.4	2	4.1	0.0-10.0	3	3.5	0.0- 7.8	1	0.4	0.0- 1.2	133	58.3	46.0-70.6
H.S. or G.E.D.	822	65,043	38	10.7	6.8-14.6	36	7.9	5.0-10.8	26	6.8	3.7- 9.9	8	2.2	0.6- 3.8	3	0.8	0.0- 1.6	711	71.6	66.5-76.7
Some Post-H.S.	1034	116,586	90	13.8	10.5-17.1	69	11.8	8.9-14.7	34	5.5	3.5- 7.5	21	3.4	1.8- 5.0	3	0.3	0.0- 0.7	817	65.1	61.0-69.2
College Graduate	1045	78,336	95	13.5	10.6-16.4	131	18.8	15.7-21.9	71	10.2	7.7-12.7	25	3.2	1.8- 4.6	9	1.0	0.4- 1.6	714	53.3	49.4-57.2
Less than \$15,000	202	21,184	20	17.6	9.4-25.8	9	6.2	1.5-10.9	7	10.0	1.6-18.4	4	4.5	0.0- 9.4	1	0.5	0.0- 1.5	161	61.3	50.9-71.7
\$15,000- 24,999	379	34,783	25	15.0	8.1-21.9	15	8.5	3.8-13.2	4	1.3	0.0- 2.7	5	3.1	0.4- 5.8				330	72.1	64.3-79.9
\$25,000- 34,999	308	26,788	20	13.3	6.0-20.6	15	8.5	3.6-13.4	13	9.0	3.5-14.5	3	1.3	0.0- 2.7	1	0.8	0.0- 2.4	256	67.1	58.5-75.7
\$35,000- 49,999	407	36,769	25	13.0	6.9-19.1	27	12.2	6.9-17.5	15	6.7	3.2-10.2	6	3.5	0.6- 6.4	5	1.2	0.0- 2.4	329	63.4	56.0-70.8
\$50,000- 74,999	471	41,359	35	12.4	7.7-17.1	30	9.0	5.5-12.5	24	6.2	3.5- 8.9	6	2.2	0.0- 4.4	3	0.8	0.0- 1.8	373	69.5	63.6-75.4
\$75,000+	866	84,422	87	12.8	10.1-15.5	130	21.1	17.6-24.6	63	10.4	7.7-13.1	32	4.6	2.8- 6.4	6	0.7	0.1- 1.3	548	50.3	46.2-54.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5040	521,921	148	3.8	3.0- 4.6	167	3.3	2.5- 4.1	274	5.5	4.7- 6.3	348	6.9	5.9- 7.9	532	10.8	9.6-12.0	3571	69.8	68.0-71.6
Male	2402	275,684	63	3.5	2.5- 4.5	50	2.2	1.4- 3.0	100	4.6	3.4- 5.8	143	6.1	4.9- 7.3	223	10.5	8.9-12.1	1823	73.0	70.6-75.4
Female	2638	246,237	85	4.2	3.0- 5.4	117	4.4	3.2- 5.6	174	6.3	4.9- 7.7	205	7.8	6.0- 9.6	309	11.0	9.2-12.8	1748	66.3	63.8-68.8
Native	152	21,822	25	19.4	10.4-28.4	12	8.7	2.6-14.8	15	10.5	4.4-16.6	16	11.7	5.6-17.8	22	16.9	9.1-24.7	62	32.7	23.7-41.7
Non-Native	4830	493,989	120	3.1	2.3- 3.9	149	2.9	2.3- 3.5	253	5.2	4.4- 6.0	329	6.7	5.7- 7.7	503	10.5	9.3-11.7	3476	71.6	69.8-73.4
18-24	228	76,010	17	7.3	3.8-10.8	8	4.6	1.3- 7.9	19	8.8	4.9-12.7	20	10.7	5.8-15.6	36	15.8	10.7-20.9	128	52.8	45.7-59.9
25-34	556	102,220	14	2.7	1.3- 4.1	11	2.2	0.8- 3.6	22	4.7	2.5- 6.9	24	4.8	2.8- 6.8	59	11.9	9.0-14.8	426	73.6	69.5-77.7
35-44	561	84,291	17	3.7	1.5- 5.9	6	0.9	0.1- 1.7	13	2.6	1.0- 4.2	18	3.5	1.7- 5.3	32	6.5	4.0- 9.0	475	82.7	79.0-86.4
45-54	732	74,739	22	4.0	2.2- 5.8	14	2.7	1.1- 4.3	20	2.5	1.3- 3.7	35	5.4	3.4- 7.4	42	5.8	3.8- 7.8	599	79.6	76.1-83.1
55-64	1218	86,619	34	3.4	2.2- 4.6	31	2.8	1.6- 4.0	43	4.5	2.9- 6.1	47	4.1	2.7- 5.5	94	8.7	6.7-10.7	969	76.6	73.7-79.5
65+	1711	94,958	42	2.5	1.5- 3.5	97	6.3	4.9- 7.7	157	9.5	7.7-11.3	201	12.9	10.9-14.9	265	14.9	12.9-16.9	949	54.0	51.3-56.7
Less Than H.S.	264	40,993	27	11.3	6.0-16.6	34	12.9	7.0-18.8	38	11.2	6.7-15.7	48	19.5	12.4-26.6	34	10.4	6.1-14.7	83	34.7	27.1-42.3
H.S. or G.E.D.	1419	137,057	66	6.4	4.4- 8.4	65	3.3	2.3- 4.3	112	7.6	5.8- 9.4	139	8.9	6.9-10.9	227	16.8	14.1-19.5	810	57.0	53.7-60.3
Some Post-H.S.	1636	206,988	37	2.5	1.5- 3.5	48	2.8	1.8- 3.8	81	5.0	3.6- 6.4	113	5.9	4.3- 7.5	180	10.9	8.9-12.9	1177	72.8	70.1-75.5
College Graduate	1713	136,399	17	1.0	0.4- 1.6	20	0.9	0.3- 1.5	41	2.2	1.2- 3.2	46	2.5	1.5- 3.5	91	4.6	3.2- 6.0	1498	88.8	86.8-90.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2402	275,684	63	3.5	2.5- 4.5	50	2.2	1.4- 3.0	100	4.6	3.4- 5.8	143	6.1	4.9- 7.3	223	10.5	8.9-12.1	1823	73.0	70.6-75.4
Native	67	9,597	10	15.8	5.2-26.4	4	7.3	0.0-15.7	5	4.3	0.0- 8.6	5	11.6	1.6-21.6	11	19.1	7.7-30.5	32	41.9	28.4-55.4
Non-Native	2302	262,244	52	3.0	2.0- 4.0	44	2.0	1.2- 2.8	92	4.6	3.4- 5.8	136	5.9	4.7- 7.1	209	10.2	8.6-11.8	1769	74.3	71.9-76.7
18-24	148	43,428	10	6.8	2.5-11.1	5	4.0	0.3- 7.7	12	9.5	4.2-14.8	11	6.8	2.7-10.9	21	14.8	8.7-20.9	89	58.0	49.6-66.4
25-34	315	56,221	6	2.2	0.2- 4.2	4	1.2	0.0- 2.6	12	3.8	1.4- 6.2	16	5.7	3.0- 8.4	35	13.0	8.9-17.1	242	74.0	68.7-79.3
35-44	266	44,120	9	3.7	0.8- 6.6	2	0.6	0.0- 1.6	3	1.4	0.0- 3.0	6	2.0	0.2- 3.8	14	6.5	3.2- 9.8	232	85.6	80.7-90.5
45-54	376	39,701	9	3.2	0.8- 5.6	2	0.6	0.0- 1.4	8	2.0	0.4- 3.6	22	6.4	3.5- 9.3	20	6.2	3.3- 9.1	315	81.6	76.9-86.3
55-64	599	45,055	16	3.0	1.4- 4.6	16	3.1	1.3- 4.9	23	4.7	2.5- 6.9	22	4.0	2.2- 5.8	44	7.8	5.3-10.3	478	77.3	73.4-81.2
65+	686	46,137	12	1.9	0.5- 3.3	21	3.9	2.1- 5.7	42	6.5	4.3- 8.7	66	11.9	8.8-15.0	88	13.8	10.9-16.7	457	62.1	57.8-66.4
Less Than H.S.	138	22,884	13	11.3	4.2-18.4	10	8.2	1.9-14.5	11	5.8	1.9- 9.7	23	14.8	7.9-21.7	18	10.1	4.6-15.6	63	49.8	39.6-60.0
H.S. or G.E.D.	747	83,151	27	4.9	2.5- 7.3	18	2.1	0.9- 3.3	49	8.5	5.8-11.2	55	7.1	4.9- 9.3	96	13.8	10.7-16.9	502	63.6	59.3-67.9
Some Post-H.S.	756	106,599	11	1.6	0.6- 2.6	14	1.8	0.8- 2.8	23	3.0	1.4- 4.6	46	5.4	3.6- 7.2	81	11.8	8.9-14.7	581	76.5	72.8-80.2
College Graduate	757	62,713	11	1.8	0.6- 3.0	8	1.0	0.0- 2.0	17	2.0	0.6- 3.4	18	2.8	1.2- 4.4	28	4.2	2.2- 6.2	675	88.2	85.3-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2638	246,237	85	4.2	3.0- 5.4	117	4.4	3.2- 5.6	174	6.3	4.9- 7.7	205	7.8	6.0- 9.6	309	11.0	9.2-12.8	1748	66.3	63.8-68.8
Native	85	12,226	15	22.2	8.7-35.7	8	9.9	1.1-18.7	10	15.4	5.2-25.6	11	11.9	4.5-19.3	11	15.3	4.3-26.3	30	25.4	14.0-36.8
Non-Native	2528	231,745	68	3.2	2.2- 4.2	105	4.1	2.9- 5.3	161	5.8	4.6- 7.0	193	7.6	5.8- 9.4	294	10.8	9.0-12.6	1707	68.5	66.0-71.0
18-24	80	32,582	7	8.0	1.9-14.1	3	5.4	0.0-11.3	7	7.8	1.9-13.7	9	15.9	6.1-25.7	15	17.1	8.7-25.5	39	45.8	34.2-57.4
25-34	241	45,999	8	3.2	1.0- 5.4	7	3.5	0.8- 6.2	10	5.8	2.1- 9.5	8	3.6	1.1- 6.1	24	10.7	6.4-15.0	184	73.3	67.0-79.6
35-44	295	40,171	8	3.7	0.8- 6.6	4	1.2	0.0- 2.6	10	3.9	1.4- 6.4	12	5.1	1.8- 8.4	18	6.6	3.1-10.1	243	79.4	73.7-85.1
45-54	356	35,038	13	4.9	2.0- 7.8	12	5.1	2.0- 8.2	12	3.0	1.0- 5.0	13	4.3	1.8- 6.8	22	5.4	2.9- 7.9	284	77.3	72.0-82.6
55-64	619	41,563	18	3.7	1.7- 5.7	15	2.4	1.0- 3.8	20	4.3	1.9- 6.7	25	4.2	2.4- 6.0	50	9.6	6.7-12.5	491	75.8	71.7-79.9
65+	1025	48,821	30	3.0	1.8- 4.2	76	8.5	6.3-10.7	115	12.3	9.8-14.8	135	13.9	11.4-16.4	177	15.9	13.4-18.4	492	46.4	42.9-49.9
Less Than H.S.	126	18,109	14	11.4	3.4-19.4	24	18.8	8.4-29.2	27	18.0	9.2-26.8	25	25.4	12.5-38.3	16	10.8	3.9-17.7	20	15.6	6.0-25.2
H.S. or G.E.D.	672	53,907	39	8.6	5.1-12.1	47	5.2	3.2- 7.2	63	6.2	4.2- 8.2	84	11.8	8.3-15.3	131	21.4	16.7-26.1	308	46.8	41.5-52.1
Some Post-H.S.	880	100,389	26	3.5	1.9- 5.1	34	4.0	2.2- 5.8	58	7.2	4.8- 9.6	67	6.5	4.1- 8.9	99	9.9	7.2-12.6	596	68.9	64.8-73.0
College Graduate	956	73,686	6	0.3	0.1- 0.5	12	0.8	0.2- 1.4	24	2.4	1.0- 3.8	28	2.2	1.0- 3.4	63	5.0	3.2- 6.8	823	89.4	86.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5651	579,095	4513	85.7	84.7-86.7	1138	14.3	13.3-15.3
Male	2588	296,731	2068	84.9	83.5-86.3	520	15.1	13.7-16.5
Female	3063	282,364	2445	86.4	85.0-87.8	618	13.6	12.2-15.0
18-24	263	89,591	259	98.7	97.3- 100	4	1.3	0.0- 2.7
25-34	589	108,596	573	97.3	95.9-98.7	16	2.7	1.3- 4.1
35-44	582	87,286	565	96.2	94.2-98.2	17	3.8	1.8- 5.8
45-54	791	80,978	718	89.8	87.3-92.3	73	10.2	7.7-12.7
55-64	1331	94,361	1148	83.3	80.8-85.8	183	16.7	14.2-19.2
65+	2032	112,495	1198	54.8	52.3-57.3	834	45.2	42.7-47.7
Less Than H.S.	317	48,064	123	60.6	53.9-67.3	194	39.4	32.7-46.1
H.S. or G.E.D.	1618	153,401	1086	76.9	74.5-79.3	532	23.1	20.7-25.5
Some Post-H.S.	1852	231,575	1557	89.8	88.4-91.2	295	10.2	8.8-11.6
College Graduate	1850	145,132	1739	96.9	96.1-97.7	111	3.1	2.3- 3.9
Less than \$15,000	315	36,908	143	59.8	52.7-66.9	172	40.2	33.1-47.3
\$15,000- 24,999	621	64,478	347	67.5	63.0-72.0	274	32.5	28.0-37.0
\$25,000- 34,999	532	56,149	372	78.7	74.8-82.6	160	21.3	17.4-25.2
\$35,000- 49,999	803	80,587	641	87.2	84.8-89.6	162	12.8	10.4-15.2
\$50,000- 74,999	940	95,327	847	92.6	90.8-94.4	93	7.4	5.6- 9.2
\$75,000+	1827	188,352	1726	96.2	95.4-97.0	101	3.8	3.0- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2588	296,731	2068	84.9	83.5-86.3	520	15.1	13.7-16.5
18-24	167	48,824	163	97.6	95.1- 100	4	2.4	0.0- 4.9
25-34	329	58,848	321	97.9	96.3-99.5	8	2.1	0.5- 3.7
35-44	276	45,529	264	95.2	92.1-98.3	12	4.8	1.7- 7.9
45-54	398	42,188	351	88.0	84.5-91.5	47	12.0	8.5-15.5
55-64	642	47,935	511	76.8	73.1-80.5	131	23.2	19.5-26.9
65+	757	51,499	441	53.9	49.8-58.0	316	46.1	42.0-50.2
Less Than H.S.	159	26,034	73	63.4	55.2-71.6	86	36.6	28.4-44.8
H.S. or G.E.D.	801	88,896	554	77.3	74.2-80.4	247	22.7	19.6-25.8
Some Post-H.S.	820	115,144	690	89.5	87.5-91.5	130	10.5	8.5-12.5
College Graduate	802	66,169	748	96.1	94.9-97.3	54	3.9	2.7- 5.1
Less than \$15,000	113	15,724	54	58.4	47.2-69.6	59	41.6	30.4-52.8
\$15,000- 24,999	242	29,695	132	64.2	57.3-71.1	110	35.8	28.9-42.7
\$25,000- 34,999	223	29,033	149	78.1	72.6-83.6	74	21.9	16.4-27.4
\$35,000- 49,999	396	43,842	292	82.9	79.2-86.6	104	17.1	13.4-20.8
\$50,000- 74,999	468	53,801	404	90.2	87.5-92.9	64	9.8	7.1-12.5
\$75,000+	959	103,562	891	95.0	93.6-96.4	68	5.0	3.6- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3063	282,364	2445	86.4	85.0-87.8	618	13.6	12.2-15.0
18-24	96	40,767	96	100.0	100.0- 100			
25-34	260	49,748	252	96.7	94.2-99.2	8	3.3	0.8- 5.8
35-44	306	41,756	301	97.3	94.8-99.8	5	2.7	0.2- 5.2
45-54	393	38,790	367	91.7	88.4-95.0	26	8.3	5.0-11.6
55-64	689	46,426	637	90.0	87.1-92.9	52	10.0	7.1-12.9
65+	1275	60,996	757	55.5	52.4-58.6	518	44.5	41.4-47.6
Less Than H.S.	158	22,031	50	57.2	46.2-68.2	108	42.8	31.8-53.8
H.S. or G.E.D.	817	64,505	532	76.3	73.0-79.6	285	23.7	20.4-27.0
Some Post-H.S.	1032	116,431	867	90.1	88.3-91.9	165	9.9	8.1-11.7
College Graduate	1048	78,963	991	97.5	96.7-98.3	57	2.5	1.7- 3.3
Less than \$15,000	202	21,184	89	60.9	52.1-69.7	113	39.1	30.3-47.9
\$15,000- 24,999	379	34,783	215	70.3	64.4-76.2	164	29.7	23.8-35.6
\$25,000- 34,999	309	27,116	223	79.3	73.6-85.0	86	20.7	15.0-26.4
\$35,000- 49,999	407	36,745	349	92.3	89.8-94.8	58	7.7	5.2-10.2
\$50,000- 74,999	472	41,526	443	95.8	94.0-97.6	29	4.2	2.4- 6.0
\$75,000+	868	84,790	835	97.6	96.6-98.6	33	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5387	553,036	30	0.3	0.1- 0.5	1390	25.1	23.5-26.7	2494	45.8	44.0-47.6	1106	21.1	19.7-22.5	364	7.7	6.7- 8.7	3	0.1	0.0- 0.3
Male	2548	290,750	2	0.0	0.0- 0.0	175	8.6	7.0-10.2	1255	49.9	47.5-52.3	814	29.3	27.1-31.5	299	12.0	10.4-13.6	3	0.2	0.0- 0.4
Female	2839	262,286	28	0.6	0.4- 0.8	1215	43.3	40.8-45.8	1239	41.2	38.7-43.7	292	12.1	10.3-13.9	65	2.8	1.8- 3.8			
Native	156	22,844	2	0.4	0.0- 1.0	32	20.5	12.1-28.9	64	45.9	35.7-56.1	38	20.8	13.2-28.4	20	12.4	6.5-18.3			
Non-Native	5169	523,820	26	0.3	0.1- 0.5	1347	25.4	23.8-27.0	2398	45.7	43.9-47.5	1055	21.1	19.7-22.5	341	7.5	6.5- 8.5	2	0.0	0.0- 0.0
18-24	255	85,928				93	40.2	33.5-46.9	115	43.6	37.1-50.1	31	10.8	6.9-14.7	15	5.1	2.4- 7.8	1	0.3	0.0- 0.9
25-34	571	105,729	1	0.2	0.0- 0.6	128	22.2	18.5-25.9	259	44.9	40.4-49.4	125	22.8	19.1-26.5	57	9.8	7.3-12.3	1	0.2	0.0- 0.6
35-44	555	83,272				119	19.4	15.9-22.9	254	47.7	43.0-52.4	122	22.3	18.4-26.2	60	10.6	7.9-13.3			
45-54	741	75,799	3	0.4	0.0- 0.8	154	20.1	17.0-23.2	307	40.5	36.6-44.4	200	29.1	25.4-32.8	77	10.0	7.6-12.4			
55-64	1262	89,659	3	0.3	0.0- 0.7	257	19.7	17.2-22.2	599	47.3	44.2-50.4	321	25.9	23.2-28.6	81	6.8	5.2- 8.4	1	0.0	0.0- 0.0
65+	1966	109,133	23	0.8	0.4- 1.2	623	27.8	25.6-30.0	945	49.2	46.7-51.7	302	17.5	15.5-19.5	73	4.6	3.4- 5.8			
Less Than H.S.	300	46,685	2	0.4	0.0- 1.0	83	27.8	20.4-35.2	155	51.3	43.7-58.9	47	14.5	9.6-19.4	13	6.1	2.6- 9.6			
H.S. or G.E.D.	1549	146,986	15	0.3	0.1- 0.5	372	23.9	21.0-26.8	745	46.7	43.4-50.0	307	20.9	18.4-23.4	109	8.0	6.2- 9.8	1	0.2	0.0- 0.6
Some Post-H.S.	1763	219,596	8	0.3	0.1- 0.5	431	23.1	20.6-25.6	799	44.7	41.8-47.6	392	23.7	21.2-26.2	132	8.2	6.6- 9.8	1	0.0	0.0- 0.0
College Graduate	1765	139,195	5	0.2	0.0- 0.4	500	28.6	25.9-31.3	790	44.5	41.6-47.4	359	19.5	17.3-21.7	110	7.0	5.4- 8.6	1	0.1	0.0- 0.3
Less than \$15,000	308	36,378	5	0.6	0.0- 1.4	87	23.5	17.2-29.8	152	54.8	47.4-62.2	44	14.2	9.3-19.1	20	6.8	3.5-10.1			
\$15,000- 24,999	604	62,914	8	0.7	0.1- 1.3	179	29.2	23.7-34.7	271	43.3	37.8-48.8	101	18.7	14.4-23.0	44	8.0	5.1-10.9	1	0.1	0.0- 0.3
\$25,000- 34,999	506	52,328	1	0.0	0.0- 0.0	140	25.0	19.7-30.3	237	45.8	39.9-51.7	93	20.3	15.4-25.2	35	9.0	5.3-12.7			
\$35,000- 49,999	779	78,560	4	0.2	0.0- 0.4	182	23.0	18.7-27.3	362	44.0	39.3-48.7	187	26.3	22.2-30.4	44	6.5	4.1- 8.9			
\$50,000- 74,999	910	92,550	4	0.5	0.0- 1.1	205	22.1	18.6-25.6	427	46.8	42.7-50.9	211	23.3	20.0-26.6	62	7.1	4.9- 9.3	1	0.2	0.0- 0.6
\$75,000+	1763	182,677	4	0.1	0.0- 0.3	404	22.5	20.1-24.9	809	45.9	43.2-48.6	404	22.5	20.1-24.9	142	9.0	7.4-10.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2548	290,750	2	0.0	0.0- 0.0	175	8.6	7.0-10.2	1255	49.9	47.5-52.3	814	29.3	27.1-31.5	299	12.0	10.4-13.6	3	0.2	0.0- 0.4
Native	66	9,815				4	8.7	0.0-17.5	26	47.1	32.6-61.6	21	22.5	11.7-33.3	15	21.7	10.7-32.7			
Non-Native	2445	276,501	1	0.0	0.0- 0.0	170	8.7	7.1-10.3	1210	50.0	47.5-52.5	781	29.5	27.3-31.7	281	11.7	10.1-13.3	2	0.1	0.0- 0.3
18-24	164	47,631				37	22.6	15.9-29.3	88	56.2	48.2-64.2	25	13.3	8.2-18.4	13	7.5	3.4-11.6	1	0.5	0.0- 1.5
25-34	323	57,847				26	8.2	5.1-11.3	162	49.5	43.6-55.4	91	28.9	23.6-34.2	43	13.0	9.1-16.9	1	0.3	0.0- 0.9
35-44	271	44,542				8	2.7	0.7- 4.7	126	49.7	43.0-56.4	85	29.6	23.7-35.5	52	17.9	13.0-22.8			
45-54	391	41,118				16	4.2	1.8- 6.6	167	42.2	36.7-47.7	147	38.9	33.4-44.4	61	14.6	10.9-18.3			
55-64	635	47,414	1	0.1	0.0- 0.3	30	5.1	3.1- 7.1	307	48.1	43.8-52.4	228	35.4	31.3-39.5	68	11.1	8.4-13.8	1	0.1	0.0- 0.3
65+	751	50,998	1	0.1	0.0- 0.3	57	7.9	5.5-10.3	399	52.6	48.5-56.7	233	30.7	27.0-34.4	61	8.7	6.2-11.2			
Less Than H.S.	154	25,436				20	12.0	6.3-17.7	87	60.3	51.1-69.5	35	17.6	11.1-24.1	12	10.1	4.2-16.0			
H.S. or G.E.D.	793	87,696	2	0.1	0.0- 0.3	63	11.7	8.6-14.8	396	49.6	45.3-53.9	239	27.8	24.1-31.5	92	10.5	8.1-12.9	1	0.3	0.0- 0.9
Some Post-H.S.	804	111,934				45	7.2	4.7- 9.7	367	46.8	42.7-50.9	285	32.7	29.0-36.4	106	13.3	10.6-16.0	1	0.0	0.0- 0.0
College Graduate	792	65,282				47	5.8	3.8- 7.8	401	51.3	47.2-55.4	254	30.1	26.4-33.8	89	12.6	9.7-15.5	1	0.3	0.0- 0.9
Less than \$15,000	113	15,724	1	0.4	0.0- 1.2	15	12.6	5.7-19.5	68	64.9	54.5-75.3	19	15.0	7.4-22.6	10	7.1	2.0-12.2			
\$15,000- 24,999	242	29,601				28	13.2	8.1-18.3	120	50.2	42.4-58.0	60	23.2	16.7-29.7	33	13.3	8.2-18.4	1	0.1	0.0- 0.3
\$25,000- 34,999	215	27,407				21	15.2	8.1-22.3	110	51.6	43.2-60.0	57	20.8	14.7-26.9	27	12.4	6.9-17.9			
\$35,000- 49,999	395	43,670	1	0.1	0.0- 0.3	35	10.3	6.2-14.4	181	44.0	37.7-50.3	136	34.2	28.3-40.1	42	11.4	7.5-15.3			
\$50,000- 74,999	465	52,937				25	7.3	3.8-10.8	229	49.7	44.0-55.4	162	33.0	27.9-38.1	48	9.7	6.6-12.8	1	0.3	0.0- 0.9
\$75,000+	952	102,560				32	3.7	2.1- 5.3	464	49.6	45.9-53.3	331	32.6	29.1-36.1	125	14.1	11.4-16.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2839	262,286	28	0.6	0.4- 0.8	1215	43.3	40.8-45.8	1239	41.2	38.7-43.7	292	12.1	10.3-13.9	65	2.8	1.8- 3.8
Native	90	13,030	2	0.8	0.0- 2.0	28	29.3	16.4-42.2	38	44.9	31.0-58.8	17	19.6	9.0-30.2	5	5.3	0.0-11.0
Non-Native	2724	247,319	25	0.5	0.3- 0.7	1177	44.1	41.4-46.8	1188	40.9	38.4-43.4	274	11.7	9.9-13.5	60	2.7	1.7- 3.7
18-24	91	38,296				56	62.1	51.5-72.7	27	27.9	18.3-37.5	6	7.7	1.8-13.6	2	2.3	0.0- 5.4
25-34	248	47,883	1	0.3	0.0- 0.9	102	39.0	32.5-45.5	97	39.3	32.6-46.0	34	15.5	10.4-20.6	14	5.9	2.8- 9.0
35-44	284	38,730				111	38.5	32.2-44.8	128	45.5	39.0-52.0	37	14.0	9.3-18.7	8	2.1	0.5- 3.7
45-54	350	34,681	3	0.8	0.0- 1.8	138	38.9	33.0-44.8	140	38.4	32.7-44.1	53	17.3	12.6-22.0	16	4.6	2.1- 7.1
55-64	627	42,245	2	0.4	0.0- 1.0	227	36.0	31.7-40.3	292	46.5	42.0-51.0	93	15.2	11.9-18.5	13	1.9	0.7- 3.1
65+	1215	58,134	22	1.5	0.7- 2.3	566	45.2	41.9-48.5	546	46.3	43.0-49.6	69	6.0	4.4- 7.6	12	1.0	0.4- 1.6
Less Than H.S.	146	21,249	2	0.8	0.0- 2.0	63	46.7	34.2-59.2	68	40.4	28.6-52.2	12	10.9	3.6-18.2	1	1.2	0.0- 3.6
H.S. or G.E.D.	756	59,289	13	0.7	0.3- 1.1	309	42.0	36.9-47.1	349	42.3	37.4-47.2	68	10.7	7.6-13.8	17	4.2	1.7- 6.7
Some Post-H.S.	959	107,662	8	0.6	0.2- 1.0	386	39.6	35.5-43.7	432	42.5	38.4-46.6	107	14.3	11.2-17.4	26	2.9	1.5- 4.3
College Graduate	973	73,913	5	0.4	0.0- 0.8	453	48.8	44.7-52.9	389	38.5	34.6-42.4	105	10.2	7.8-12.6	21	2.1	1.1- 3.1
Less than \$15,000	195	20,654	4	0.8	0.0- 1.8	72	31.9	22.7-41.1	84	47.1	36.9-57.3	25	13.6	6.9-20.3	10	6.6	1.9-11.3
\$15,000- 24,999	362	33,313	8	1.2	0.0- 2.4	151	43.5	35.1-51.9	151	37.2	29.8-44.6	41	14.8	8.9-20.7	11	3.3	0.8- 5.8
\$25,000- 34,999	291	24,921	1	0.0	0.0- 0.0	119	35.7	27.7-43.7	127	39.4	31.4-47.4	36	19.7	12.1-27.3	8	5.2	0.1-10.3
\$35,000- 49,999	384	34,889	3	0.3	0.0- 0.7	147	38.9	31.5-46.3	181	44.0	36.7-51.3	51	16.5	10.8-22.2	2	0.3	0.0- 0.7
\$50,000- 74,999	445	39,613	4	1.2	0.0- 2.4	180	41.8	35.7-47.9	198	42.9	36.8-49.0	49	10.4	7.1-13.7	14	3.7	1.3- 6.1
\$75,000+	811	80,117	4	0.2	0.0- 0.4	372	46.6	42.3-50.9	345	41.2	37.1-45.3	73	9.6	7.1-12.1	17	2.4	1.0- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5593	573,157	269	3.7	3.1- 4.3	2348	36.9	35.3-38.5	2422	47.1	45.3-48.9	544	12.1	10.9-13.3	6	0.1	0.0- 0.3	4	0.2	0.0- 0.4
Male	2568	293,989	6	0.1	0.0- 0.3	229	9.2	7.8-10.6	1792	67.3	64.9-69.7	532	22.9	20.7-25.1	6	0.3	0.1- 0.5	3	0.2	0.0- 0.6
Female	3025	279,168	263	7.4	6.0- 8.8	2119	66.0	63.5-68.5	630	25.8	23.4-28.2	12	0.7	0.1- 1.3				1	0.2	0.0- 0.6
Native	158	23,030	7	1.6	0.2- 3.0	67	43.5	33.5-53.5	67	43.3	33.5-53.1	17	11.6	5.5-17.7						
Non-Native	5363	542,373	258	3.7	2.9- 4.5	2255	36.7	34.9-38.5	2323	47.2	45.4-49.0	518	12.0	10.8-13.2	5	0.1	0.0- 0.3	4	0.2	0.0- 0.4
18-24	263	89,591	6	3.7	0.8- 6.6	60	27.7	21.6-33.8	148	51.9	45.4-58.4	47	15.7	11.2-20.2				2	1.0	0.0- 2.4
25-34	580	106,819	8	1.6	0.4- 2.8	187	34.2	29.9-38.5	286	48.1	43.8-52.4	98	15.9	12.8-19.0				1	0.1	0.0- 0.3
35-44	576	86,504	13	2.5	0.9- 4.1	199	31.8	27.7-35.9	298	52.3	47.8-56.8	63	13.0	9.9-16.1	3	0.5	0.0- 1.1			
45-54	784	80,184	21	2.3	1.1- 3.5	298	37.1	33.4-40.8	375	49.6	45.7-53.5	88	10.8	8.4-13.2	2	0.3	0.0- 0.7			
55-64	1319	93,514	45	3.4	2.2- 4.6	539	40.5	37.6-43.4	596	44.7	41.8-47.6	138	11.3	9.3-13.3	1	0.2	0.0- 0.6			
65+	2015	111,513	174	7.8	6.4- 9.2	1038	47.0	44.5-49.5	697	38.7	36.2-41.2	105	6.5	5.1- 7.9				1	0.1	0.0- 0.3
Less Than H.S.	309	47,060	36	9.1	4.6-13.6	128	39.6	32.2-47.0	133	46.9	39.3-54.5	11	4.0	1.1- 6.9	1	0.3	0.0- 0.9			
H.S. or G.E.D.	1604	152,212	89	3.5	2.5- 4.5	679	36.1	33.0-39.2	693	48.6	45.5-51.7	142	11.7	9.5-13.9	1	0.1	0.0- 0.3			
Some Post-H.S.	1836	230,012	77	3.3	2.3- 4.3	796	36.8	34.1-39.5	769	45.9	43.0-48.8	192	13.6	11.4-15.8				2	0.4	0.0- 1.0
College Graduate	1832	143,162	65	2.5	1.7- 3.3	740	36.8	34.1-39.5	823	47.5	44.8-50.2	198	12.8	10.8-14.8	4	0.3	0.0- 0.7	2	0.2	0.0- 0.4
Less than \$15,000	313	36,495	35	8.1	4.4-11.8	149	42.7	35.3-50.1	110	40.6	33.2-48.0	17	7.8	3.5-12.1	2	0.8	0.0- 2.0			
\$15,000- 24,999	619	64,163	54	5.7	3.5- 7.9	298	39.4	33.9-44.9	219	44.5	38.8-50.2	48	10.3	6.8-13.8						
\$25,000- 34,999	527	55,473	31	3.3	1.7- 4.9	249	40.6	34.9-46.3	203	44.4	38.5-50.3	43	11.0	7.3-14.7				1	0.8	0.0- 2.4
\$35,000- 49,999	797	79,890	37	4.2	2.0- 6.4	334	36.4	31.9-40.9	354	48.0	43.3-52.7	71	11.1	8.2-14.0				1	0.2	0.0- 0.6
\$50,000- 74,999	935	94,817	33	2.3	1.3- 3.3	350	33.3	29.6-37.0	445	50.5	46.4-54.6	106	13.9	11.0-16.8				1	0.1	0.0- 0.3
\$75,000+	1817	187,201	35	1.8	1.0- 2.6	645	32.8	30.3-35.3	908	50.5	47.8-53.2	226	14.8	12.6-17.0	3	0.2	0.0- 0.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2568	293,989	6	0.1	0.0- 0.3	229	9.2	7.8-10.6	1792	67.3	64.9-69.7	532	22.9	20.9-24.9	6	0.3	0.1- 0.5	3	0.2	0.0- 0.6
Native	65	9,451				4	3.3	0.0- 6.8	44	68.4	55.1-81.7	17	28.3	15.2-41.4						
Non-Native	2462	279,409	6	0.1	0.0- 0.3	220	9.3	7.9-10.7	1722	67.4	65.0-69.8	506	22.7	20.5-24.9	5	0.2	0.0- 0.4	3	0.2	0.0- 0.6
18-24	167	48,824				10	6.7	2.4-11.0	112	65.4	57.8-73.0	44	26.9	19.6-34.2				1	0.9	0.0- 2.7
25-34	322	57,445				26	9.8	6.1-13.5	199	61.3	55.6-67.0	96	28.7	23.4-34.0				1	0.2	0.0- 0.6
35-44	275	45,402				24	8.3	4.8-11.8	186	66.6	60.5-72.7	62	24.2	18.5-29.9	3	0.9	0.0- 2.1			
45-54	395	41,747	2	0.4	0.0- 1.0	24	5.5	3.0- 8.0	280	73.2	68.5-77.9	87	20.4	16.1-24.7	2	0.5	0.0- 1.3			
55-64	639	47,704	2	0.4	0.0- 1.0	52	9.6	6.9-12.3	447	67.7	63.6-71.8	137	22.0	18.5-25.5	1	0.3	0.0- 0.9			
65+	753	51,227	2	0.1	0.0- 0.3	93	14.7	11.6-17.8	556	71.2	67.5-74.9	101	13.8	10.9-16.7				1	0.2	0.0- 0.6
Less Than H.S.	155	25,398	1	0.3	0.0- 0.9	27	18.2	10.8-25.6	115	73.4	65.0-81.8	11	7.5	2.4-12.6	1	0.6	0.0- 1.8			
H.S. or G.E.D.	797	88,327	2	0.1	0.0- 0.3	90	11.6	8.9-14.3	567	68.6	64.5-72.7	137	19.5	16.0-23.0	1	0.2	0.0- 0.6			
Some Post-H.S.	816	114,668	2	0.1	0.0- 0.3	64	7.1	5.1- 9.1	561	66.1	62.2-70.0	188	26.3	22.6-30.0				1	0.4	0.0- 1.2
College Graduate	794	65,107				47	6.0	4.0- 8.0	546	65.5	61.6-69.4	195	27.4	23.7-31.1	4	0.7	0.0- 1.5	2	0.3	0.0- 0.9
Less than \$15,000	112	15,361	2	0.8	0.0- 2.0	21	20.7	10.5-30.9	72	59.2	47.4-71.0	15	17.3	7.9-26.7	2	2.0	0.0- 4.7			
\$15,000- 24,999	241	29,456	1	0.1	0.0- 0.3	28	11.0	6.5-15.5	164	66.5	59.1-73.9	48	22.4	15.5-29.3						
\$25,000- 34,999	219	28,408	1	0.3	0.0- 0.9	32	14.0	8.5-19.5	144	63.5	55.5-71.5	41	20.7	14.0-27.4				1	1.5	0.0- 4.4
\$35,000- 49,999	394	43,586	1	0.2	0.0- 0.6	40	8.8	5.5-12.1	282	71.3	65.8-76.8	70	19.4	14.5-24.3				1	0.3	0.0- 0.9
\$50,000- 74,999	466	53,509				35	9.2	5.7-12.7	325	66.1	60.6-71.6	105	24.5	19.6-29.4				1	0.2	0.0- 0.6
\$75,000+	956	103,221				52	5.6	3.8- 7.4	681	68.5	65.0-72.0	220	25.7	22.4-29.0	3	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3025	279,168	263	7.4	6.0- 8.8	2119	66.0	63.5-68.5	630	25.8	23.4-28.2	12	0.7	0.1- 1.3	1	0.2	0.0- 0.6
Native	93	13,579	7	2.7	0.2- 5.2	63	71.5	59.3-83.7	23	25.8	13.8-37.8						
Non-Native	2901	262,964	252	7.5	6.1- 8.9	2035	65.7	63.2-68.2	601	25.8	23.4-28.2	12	0.8	0.2- 1.4	1	0.2	0.0- 0.6
18-24	96	40,767	6	8.2	1.9-14.5	50	52.8	42.2-63.4	36	35.6	25.6-45.6	3	2.3	0.0- 5.0	1	1.1	0.0- 3.3
25-34	258	49,374	8	3.4	0.9- 5.9	161	62.7	56.2-69.2	87	32.8	26.5-39.1	2	1.0	0.0- 2.4			
35-44	301	41,102	13	5.2	2.1- 8.3	175	57.8	51.5-64.1	112	36.5	30.4-42.6	1	0.5	0.0- 1.5			
45-54	389	38,438	19	4.3	2.1- 6.5	274	71.5	66.4-76.6	95	23.9	19.2-28.6	1	0.3	0.0- 0.9			
55-64	680	45,810	43	6.6	4.4- 8.8	487	72.7	69.0-76.4	149	20.7	17.4-24.0	1	0.1	0.0- 0.3			
65+	1262	60,286	172	14.2	11.8-16.6	945	74.4	71.7-77.1	141	11.0	9.0-13.0	4	0.4	0.0- 0.8			
Less Than H.S.	154	21,662	35	19.4	10.0-28.8	101	64.7	52.7-76.7	18	15.9	5.9-25.9						
H.S. or G.E.D.	807	63,886	87	8.3	5.9-10.7	589	69.9	65.4-74.4	126	21.0	16.7-25.3	5	0.9	0.0- 1.9			
Some Post-H.S.	1020	115,344	75	6.5	4.3- 8.7	732	66.4	62.3-70.5	208	25.9	22.0-29.8	4	0.9	0.0- 1.9	1	0.4	0.0- 1.2
College Graduate	1038	78,055	65	4.6	3.0- 6.2	693	62.5	58.6-66.4	277	32.4	28.7-36.1	3	0.5	0.0- 1.3			
Less than \$15,000	201	21,134	33	13.4	7.1-19.7	128	58.6	48.6-68.6	38	27.1	17.7-36.5	2	0.9	0.0- 2.1			
\$15,000- 24,999	378	34,706	53	10.5	6.4-14.6	270	63.6	55.6-71.6	55	25.9	18.1-33.7						
\$25,000- 34,999	308	27,065	30	6.4	3.3- 9.5	217	68.5	60.7-76.3	59	24.4	17.0-31.8	2	0.8	0.0- 2.0			
\$35,000- 49,999	403	36,304	36	9.1	4.6-13.6	294	69.6	62.7-76.5	72	20.0	14.1-25.9	1	1.3	0.0- 3.8			
\$50,000- 74,999	469	41,308	33	5.2	3.2- 7.2	315	64.4	58.5-70.3	120	30.3	24.6-36.0	1	0.0	0.0- 0.0			
\$75,000+	861	83,980	35	3.9	2.3- 5.5	593	66.3	62.4-70.2	227	28.4	24.7-32.1	6	1.4	0.2- 2.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	659	131,740	28	5.1	2.9- 7.3	631	94.9	92.7-97.1
Non-Native	617	121,933	27	5.1	2.9- 7.3	590	94.9	92.7-97.1
18-24	96	40,767	5	5.6	0.7-10.5	91	94.4	89.5-99.3
25-34	258	49,347	17	7.2	3.7-10.7	241	92.8	89.3-96.3
35-44	305	41,626	6	2.2	0.2- 4.2	299	97.8	95.8-99.8
H.S. or G.E.D.	122	26,384	4	4.6	0.0- 9.5	118	95.4	90.5- 100
Some Post-H.S.	199	50,837	9	5.4	1.7- 9.1	190	94.6	90.9-98.3
College Graduate	314	43,553	13	4.2	1.7- 6.7	301	95.8	93.3-98.3
\$15,000- 24,999	56	15,664				56	100.0	100.0- 100
\$25,000- 34,999	57	13,139	2	2.9	0.0- 7.2	55	97.1	92.8- 100
\$35,000- 49,999	85	18,584	8	13.2	3.8-22.6	77	86.8	77.4-96.2
\$50,000- 74,999	101	17,823	7	7.9	1.8-14.0	94	92.1	86.0-98.2
\$75,000+	278	43,790	8	3.4	0.9- 5.9	270	96.6	94.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5584	570,210	346	4.8	4.2- 5.4	5238	95.2	94.6-95.8
Male	2547	291,095	215	6.3	5.3- 7.3	2332	93.7	92.7-94.7
Female	3037	279,115	131	3.4	2.6- 4.2	2906	96.6	95.8-97.4
18-24	261	88,712	2	1.0	0.0- 2.6	259	99.0	97.4- 100
25-34	574	105,386	9	1.8	0.6- 3.0	565	98.2	97.0-99.4
35-44	574	86,173	14	3.3	1.3- 5.3	560	96.7	94.7-98.7
45-54	783	79,594	21	2.5	1.3- 3.7	762	97.5	96.3-98.7
55-64	1321	93,590	55	5.2	3.8- 6.6	1266	94.8	93.4-96.2
65+	2010	111,136	242	13.3	11.5-15.1	1768	86.7	84.9-88.5
Less Than H.S.	307	46,062	43	8.0	5.3-10.7	264	92.0	89.3-94.7
H.S. or G.E.D.	1599	151,266	113	5.7	4.3- 7.1	1486	94.3	92.9-95.7
Some Post-H.S.	1832	228,806	107	4.6	3.4- 5.8	1725	95.4	94.2-96.6
College Graduate	1833	143,219	79	3.2	2.2- 4.2	1754	96.8	95.8-97.8
Less than \$15,000	308	35,465	37	8.4	4.7-12.1	271	91.6	87.9-95.3
\$15,000- 24,999	612	62,964	61	7.3	5.1- 9.5	551	92.7	90.5-94.9
\$25,000- 34,999	525	55,351	47	7.6	4.7-10.5	478	92.4	89.5-95.3
\$35,000- 49,999	799	80,391	50	4.9	3.1- 6.7	749	95.1	93.3-96.9
\$50,000- 74,999	931	93,762	47	4.3	2.9- 5.7	884	95.7	94.3-97.1
\$75,000+	1812	186,555	56	2.1	1.5- 2.7	1756	97.9	97.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2547	291,095	215	6.3	5.3- 7.3	2332	93.7	92.7-94.7
18-24	166	48,508	1	0.7	0.0- 2.1	165	99.3	97.9- 100
25-34	317	56,492	6	1.8	0.2- 3.4	311	98.2	96.6-99.8
35-44	274	45,225	10	4.7	1.6- 7.8	264	95.3	92.2-98.4
45-54	391	41,000	13	3.1	1.3- 4.9	378	96.9	95.1-98.7
55-64	635	47,384	43	7.9	5.5-10.3	592	92.1	89.7-94.5
65+	746	50,683	140	18.7	15.6-21.8	606	81.3	78.2-84.4
Less Than H.S.	153	25,087	20	8.1	4.2-12.0	133	91.9	88.0-95.8
H.S. or G.E.D.	788	87,054	76	7.6	5.4- 9.8	712	92.4	90.2-94.6
Some Post-H.S.	809	113,621	65	5.8	4.2- 7.4	744	94.2	92.6-95.8
College Graduate	791	64,844	52	4.3	2.9- 5.7	739	95.7	94.3-97.1
Less than \$15,000	109	15,031	11	8.7	1.6-15.8	98	91.3	84.2-98.4
\$15,000- 24,999	235	28,508	32	9.8	5.9-13.7	203	90.2	86.3-94.1
\$25,000- 34,999	218	28,367	34	10.9	6.8-15.0	184	89.1	85.0-93.2
\$35,000- 49,999	395	43,822	36	6.6	3.9- 9.3	359	93.4	90.7-96.1
\$50,000- 74,999	461	52,689	41	6.8	4.3- 9.3	420	93.2	90.7-95.7
\$75,000+	950	102,451	39	2.6	1.8- 3.4	911	97.4	96.6-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3037	279,115	131	3.4	2.6- 4.2	2906	96.6	95.8-97.4
18-24	95	40,203	1	1.4	0.0- 4.1	94	98.6	95.9- 100
25-34	257	48,894	3	1.7	0.0- 3.7	254	98.3	96.3- 100
35-44	300	40,948	4	1.8	0.0- 3.8	296	98.2	96.2- 100
45-54	392	38,594	8	1.8	0.4- 3.2	384	98.2	96.8-99.6
55-64	686	46,206	12	2.4	0.8- 4.0	674	97.6	96.0-99.2
65+	1264	60,453	102	8.7	6.9-10.5	1162	91.3	89.5-93.1
Less Than H.S.	154	20,974	23	7.9	3.8-12.0	131	92.1	88.0-96.2
H.S. or G.E.D.	811	64,212	37	3.1	1.9- 4.3	774	96.9	95.7-98.1
Some Post-H.S.	1023	115,185	42	3.3	1.9- 4.7	981	96.7	95.3-98.1
College Graduate	1042	78,374	27	2.3	1.1- 3.5	1015	97.7	96.5-98.9
Less than \$15,000	199	20,434	26	8.2	4.1-12.3	173	91.8	87.7-95.9
\$15,000- 24,999	377	34,457	29	5.2	3.0- 7.4	348	94.8	92.6-97.0
\$25,000- 34,999	307	26,984	13	4.2	0.0- 8.5	294	95.8	91.5- 100
\$35,000- 49,999	404	36,569	14	2.9	0.7- 5.1	390	97.1	94.9-99.3
\$50,000- 74,999	470	41,073	6	1.2	0.2- 2.2	464	98.8	97.8-99.8
\$75,000+	862	84,104	17	1.6	0.6- 2.6	845	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5579	569,515	145	2.5	1.9- 3.1	5434	97.5	96.9-98.1
Male	2549	291,232	55	2.3	1.5- 3.1	2494	97.7	96.9-98.5
Female	3030	278,284	90	2.7	1.9- 3.5	2940	97.3	96.5-98.1
18-24	260	88,408	4	2.0	0.0- 4.0	256	98.0	96.0- 100
25-34	576	105,649	5	1.1	0.1- 2.1	571	98.9	97.9-99.9
35-44	574	86,239	4	1.2	0.0- 2.6	570	98.8	97.4- 100
45-54	781	79,253	21	3.8	2.0- 5.6	760	96.2	94.4-98.0
55-64	1320	93,292	24	2.5	1.5- 3.5	1296	97.5	96.5-98.5
65+	2007	111,057	87	4.5	3.5- 5.5	1920	95.5	94.5-96.5
Less Than H.S.	308	46,196	20	6.7	3.0-10.4	288	93.3	89.6-97.0
H.S. or G.E.D.	1593	150,503	43	2.9	1.7- 4.1	1550	97.1	95.9-98.3
Some Post-H.S.	1831	228,593	54	2.4	1.6- 3.2	1777	97.6	96.8-98.4
College Graduate	1834	143,365	27	0.9	0.5- 1.3	1807	99.1	98.7-99.5
Less than \$15,000	305	35,301	21	8.7	4.0-13.4	284	91.3	86.6-96.0
\$15,000- 24,999	610	62,824	29	4.9	2.4- 7.4	581	95.1	92.6-97.6
\$25,000- 34,999	524	55,054	23	3.6	1.8- 5.4	501	96.4	94.6-98.2
\$35,000- 49,999	797	80,063	23	2.8	1.4- 4.2	774	97.2	95.8-98.6
\$50,000- 74,999	931	93,948	14	1.4	0.4- 2.4	917	98.6	97.6-99.6
\$75,000+	1812	186,420	12	0.4	0.2- 0.6	1800	99.6	99.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2549	291,232	55	2.3	1.5- 3.1	2494	97.7	96.9-98.5	
18-24	166	48,508	2	1.8	0.0- 4.3	164	98.2	95.7- 100	
25-34	319	56,755	2	0.9	0.0- 2.1	317	99.1	97.9- 100	
35-44	275	45,402	2	1.6	0.0- 4.0	273	98.4	96.0- 100	
45-54	390	40,862	9	3.0	1.0- 5.0	381	97.0	95.0-99.0	
55-64	635	47,135	11	2.5	0.9- 4.1	624	97.5	95.9-99.1	
65+	746	50,768	29	4.3	2.5- 6.1	717	95.7	93.9-97.5	
Less Than H.S.	153	25,055	8	5.9	0.8-11.0	145	94.1	89.0-99.2	
H.S. or G.E.D.	787	86,876	17	2.8	1.2- 4.4	770	97.2	95.6-98.8	
Some Post-H.S.	809	113,613	22	2.0	1.0- 3.0	787	98.0	97.0-99.0	
College Graduate	794	65,199	7	0.7	0.1- 1.3	787	99.3	98.7-99.9	
Less than \$15,000	107	14,812	5	9.3	0.1-18.5	102	90.7	81.5-99.9	
\$15,000- 24,999	235	28,538	8	3.2	0.7- 5.7	227	96.8	94.3-99.3	
\$25,000- 34,999	219	28,420	10	4.3	1.2- 7.4	209	95.7	92.6-98.8	
\$35,000- 49,999	393	43,588	15	3.5	1.3- 5.7	378	96.5	94.3-98.7	
\$50,000- 74,999	464	53,099	8	1.5	0.3- 2.7	456	98.5	97.3-99.7	
\$75,000+	951	102,519	5	0.4	0.0- 0.8	946	99.6	99.2- 100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3030	278,284	90	2.7	1.9- 3.5	2940	97.3	96.5-98.1
18-24	94	39,899	2	2.3	0.0- 5.4	92	97.7	94.6- 100
25-34	257	48,894	3	1.3	0.0- 2.9	254	98.7	97.1- 100
35-44	299	40,836	2	0.7	0.0- 1.7	297	99.3	98.3- 100
45-54	391	38,391	12	4.8	2.1- 7.5	379	95.2	92.5-97.9
55-64	685	46,157	13	2.4	1.0- 3.8	672	97.6	96.2-99.0
65+	1261	60,289	58	4.7	3.3- 6.1	1203	95.3	93.9-96.7
Less Than H.S.	155	21,141	12	7.5	1.8-13.2	143	92.5	86.8-98.2
H.S. or G.E.D.	806	63,627	26	3.0	1.6- 4.4	780	97.0	95.6-98.4
Some Post-H.S.	1022	114,980	32	2.8	1.6- 4.0	990	97.2	96.0-98.4
College Graduate	1040	78,166	20	1.1	0.5- 1.7	1020	98.9	98.3-99.5
Less than \$15,000	198	20,489	16	8.2	3.5-12.9	182	91.8	87.1-96.5
\$15,000- 24,999	375	34,286	21	6.4	2.3-10.5	354	93.6	89.5-97.7
\$25,000- 34,999	305	26,634	13	2.9	0.9- 4.9	292	97.1	95.1-99.1
\$35,000- 49,999	404	36,475	8	2.0	0.4- 3.6	396	98.0	96.4-99.6
\$50,000- 74,999	467	40,849	6	1.4	0.0- 3.0	461	98.6	97.0- 100
\$75,000+	861	83,901	7	0.4	0.2- 0.6	854	99.6	99.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5566	568,025	331	7.8	6.8- 8.8	5235	92.2	91.2-93.2
Male	2545	290,744	137	6.4	5.0- 7.8	2408	93.6	92.2-95.0
Female	3021	277,281	194	9.2	7.4-11.0	2827	90.8	89.0-92.6
18-24	259	88,092	26	12.2	7.5-16.9	233	87.8	83.1-92.5
25-34	575	105,394	44	9.3	6.6-12.0	531	90.7	88.0-93.4
35-44	570	85,503	28	6.2	3.8- 8.6	542	93.8	91.4-96.2
45-54	782	79,391	48	7.0	4.8- 9.2	734	93.0	90.8-95.2
55-64	1320	93,575	68	6.3	4.7- 7.9	1252	93.7	92.1-95.3
65+	2001	110,639	115	6.2	4.8- 7.6	1886	93.8	92.4-95.2
Less Than H.S.	308	46,193	45	21.2	14.1-28.3	263	78.8	71.7-85.9
H.S. or G.E.D.	1591	150,069	120	9.6	7.4-11.8	1471	90.4	88.2-92.6
Some Post-H.S.	1825	227,978	110	6.7	5.1- 8.3	1715	93.3	91.7-94.9
College Graduate	1830	142,991	55	3.2	2.0- 4.4	1775	96.8	95.6-98.0
Less than \$15,000	308	35,562	65	24.2	17.5-30.9	243	75.8	69.1-82.5
\$15,000- 24,999	610	62,952	60	12.1	8.4-15.8	550	87.9	84.2-91.6
\$25,000- 34,999	526	55,291	53	10.8	7.3-14.3	473	89.2	85.7-92.7
\$35,000- 49,999	794	79,578	42	6.4	3.9- 8.9	752	93.6	91.1-96.1
\$50,000- 74,999	930	93,907	40	5.8	3.6- 8.0	890	94.2	92.0-96.4
\$75,000+	1810	186,140	34	2.8	1.6- 4.0	1776	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2545	290,744	137	6.4	5.0- 7.8	2408	93.6	92.2-95.0
18-24	165	48,193	12	8.3	3.6-13.0	153	91.7	87.0-96.4
25-34	319	56,755	13	4.6	2.1- 7.1	306	95.4	92.9-97.9
35-44	274	45,190	18	7.8	3.9-11.7	256	92.2	88.3-96.1
45-54	391	41,000	22	6.0	3.3- 8.7	369	94.0	91.3-96.7
55-64	634	47,369	32	6.4	4.0- 8.8	602	93.6	91.2-96.0
65+	744	50,510	39	5.9	3.7- 8.1	705	94.1	91.9-96.3
Less Than H.S.	153	25,053	20	15.6	8.0-23.2	133	84.4	76.8-92.0
H.S. or G.E.D.	787	86,624	57	9.3	6.6-12.0	730	90.7	88.0-93.4
Some Post-H.S.	807	113,447	34	4.0	2.4- 5.6	773	96.0	94.4-97.6
College Graduate	793	65,197	25	3.2	1.6- 4.8	768	96.8	95.2-98.4
Less than \$15,000	110	15,144	22	25.5	14.1-36.9	88	74.5	63.1-85.9
\$15,000- 24,999	236	28,564	24	9.8	5.3-14.3	212	90.2	85.7-94.7
\$25,000- 34,999	220	28,612	22	10.3	5.6-15.0	198	89.7	85.0-94.4
\$35,000- 49,999	394	43,744	23	7.0	3.5-10.5	371	93.0	89.5-96.5
\$50,000- 74,999	463	53,065	22	6.4	3.3- 9.5	441	93.6	90.5-96.7
\$75,000+	950	102,333	13	1.2	0.4- 2.0	937	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3021	277,281	194	9.2	7.4-11.0	2827	90.8	89.0-92.6
18-24	94	39,899	14	16.9	8.5-25.3	80	83.1	74.7-91.5
25-34	256	48,640	31	14.7	9.6-19.8	225	85.3	80.2-90.4
35-44	296	40,313	10	4.3	1.6- 7.0	286	95.7	93.0-98.4
45-54	391	38,391	26	8.0	4.7-11.3	365	92.0	88.7-95.3
55-64	686	46,206	36	6.1	3.9- 8.3	650	93.9	91.7-96.1
65+	1257	60,129	76	6.4	4.8- 8.0	1181	93.6	92.0-95.2
Less Than H.S.	155	21,141	25	27.9	15.7-40.1	130	72.1	59.9-84.3
H.S. or G.E.D.	804	63,445	63	10.1	7.0-13.2	741	89.9	86.8-93.0
Some Post-H.S.	1018	114,531	76	9.3	6.8-11.8	942	90.7	88.2-93.2
College Graduate	1037	77,794	30	3.2	1.6- 4.8	1007	96.8	95.2-98.4
Less than \$15,000	198	20,418	43	23.1	15.1-31.1	155	76.9	68.9-84.9
\$15,000- 24,999	374	34,388	36	14.0	8.3-19.7	338	86.0	80.3-91.7
\$25,000- 34,999	306	26,680	31	11.3	6.0-16.6	275	88.7	83.4-94.0
\$35,000- 49,999	400	35,834	19	5.7	2.4- 9.0	381	94.3	91.0-97.6
\$50,000- 74,999	467	40,841	18	5.0	2.3- 7.7	449	95.0	92.3-97.7
\$75,000+	860	83,807	21	4.8	2.3- 7.3	839	95.2	92.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5570	568,211	725	9.6	8.8-10.4	4845	90.4	89.6-91.2
Male	2546	290,671	246	7.5	6.3- 8.7	2300	92.5	91.3-93.7
Female	3024	277,541	479	11.9	10.5-13.3	2545	88.1	86.7-89.5
18-24	260	88,408	2	0.9	0.0- 2.3	258	99.1	97.7- 100
25-34	574	105,231	15	2.9	1.3- 4.5	559	97.1	95.5-98.7
35-44	570	85,518	16	3.1	1.3- 4.9	554	96.9	95.1-98.7
45-54	781	79,148	71	10.5	8.0-13.0	710	89.5	87.0-92.0
55-64	1322	93,626	173	15.3	12.9-17.7	1149	84.7	82.3-87.1
65+	2002	110,737	441	22.8	20.6-25.0	1561	77.2	75.0-79.4
Less Than H.S.	308	46,255	86	18.4	13.7-23.1	222	81.6	76.9-86.3
H.S. or G.E.D.	1595	150,550	247	11.1	9.3-12.9	1348	88.9	87.1-90.7
Some Post-H.S.	1826	227,808	254	10.2	8.8-11.6	1572	89.8	88.4-91.2
College Graduate	1829	142,804	136	4.5	3.7- 5.3	1693	95.5	94.7-96.3
Less than \$15,000	307	35,275	110	27.4	21.3-33.5	197	72.6	66.5-78.7
\$15,000- 24,999	613	63,021	174	20.7	17.0-24.4	439	79.3	75.6-83.0
\$25,000- 34,999	526	55,285	88	11.8	8.9-14.7	438	88.2	85.3-91.1
\$35,000- 49,999	790	79,232	108	8.7	6.7-10.7	682	91.3	89.3-93.3
\$50,000- 74,999	929	93,887	79	6.5	4.7- 8.3	850	93.5	91.7-95.3
\$75,000+	1809	186,078	67	2.9	2.1- 3.7	1742	97.1	96.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2546	290,671	246	7.5	6.3- 8.7	2300	92.5	91.3-93.7
18-24	166	48,508				166	100.0	100.0- 100
25-34	318	56,592	3	1.3	0.0- 2.9	315	98.7	97.1- 100
35-44	273	45,047	6	2.6	0.1- 5.1	267	97.4	94.9-99.9
45-54	390	40,757	27	7.5	4.4-10.6	363	92.5	89.4-95.6
55-64	637	47,513	82	15.1	11.8-18.4	555	84.9	81.6-88.2
65+	744	50,526	126	18.6	15.3-21.9	618	81.4	78.1-84.7
Less Than H.S.	154	25,204	29	13.9	8.2-19.6	125	86.1	80.4-91.8
H.S. or G.E.D.	788	86,878	83	7.9	5.7-10.1	705	92.1	89.9-94.3
Some Post-H.S.	805	113,024	82	7.7	5.9- 9.5	723	92.3	90.5-94.1
College Graduate	794	65,141	52	4.0	2.8- 5.2	742	96.0	94.8-97.2
Less than \$15,000	107	14,709	29	20.7	11.5-29.9	78	79.3	70.1-88.5
\$15,000- 24,999	236	28,564	52	18.5	12.8-24.2	184	81.5	75.8-87.2
\$25,000- 34,999	220	28,606	29	9.4	5.5-13.3	191	90.6	86.7-94.5
\$35,000- 49,999	393	43,573	50	8.0	5.5-10.5	343	92.0	89.5-94.5
\$50,000- 74,999	464	53,099	36	5.6	3.6- 7.6	428	94.4	92.4-96.4
\$75,000+	949	102,271	33	2.6	1.6- 3.6	916	97.4	96.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3024	277,541	479	11.9	10.5-13.3	2545	88.1	86.7-89.5
18-24	94	39,899	2	2.1	0.0- 5.0	92	97.9	95.0- 100
25-34	256	48,640	12	4.7	1.8- 7.6	244	95.3	92.4-98.2
35-44	297	40,471	10	3.5	1.0- 6.0	287	96.5	94.0-99.0
45-54	391	38,391	44	13.7	9.6-17.8	347	86.3	82.2-90.4
55-64	685	46,113	91	15.6	12.3-18.9	594	84.4	81.1-87.7
65+	1258	60,211	315	26.3	23.4-29.2	943	73.7	70.8-76.6
Less Than H.S.	154	21,051	57	23.8	16.0-31.6	97	76.2	68.4-84.0
H.S. or G.E.D.	807	63,672	164	15.3	12.2-18.4	643	84.7	81.6-87.8
Some Post-H.S.	1021	114,784	172	12.6	10.4-14.8	849	87.4	85.2-89.6
College Graduate	1035	77,663	84	4.9	3.7- 6.1	951	95.1	93.9-96.3
Less than \$15,000	200	20,566	81	32.2	24.0-40.4	119	67.8	59.6-76.0
\$15,000- 24,999	377	34,457	122	22.5	17.4-27.6	255	77.5	72.4-82.6
\$25,000- 34,999	306	26,680	59	14.4	9.9-18.9	247	85.6	81.1-90.1
\$35,000- 49,999	397	35,658	58	9.6	6.5-12.7	339	90.4	87.3-93.5
\$50,000- 74,999	465	40,788	43	7.7	5.0-10.4	422	92.3	89.6-95.0
\$75,000+	860	83,807	34	3.3	1.9- 4.7	826	96.7	95.3-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5576	568,067	156	2.4	2.0- 2.8	5420	97.6	97.2-98.0
Male	2547	290,239	64	2.2	1.6- 2.8	2483	97.8	97.2-98.4
Female	3029	277,828	92	2.5	1.7- 3.3	2937	97.5	96.7-98.3
18-24	260	88,408	2	1.1	0.0- 2.5	258	98.9	97.5- 100
25-34	573	104,995	4	1.0	0.0- 2.0	569	99.0	98.0- 100
35-44	569	85,156	8	1.6	0.4- 2.8	561	98.4	97.2-99.6
45-54	781	79,148	26	3.7	2.1- 5.3	755	96.3	94.7-97.9
55-64	1323	93,758	33	2.5	1.5- 3.5	1290	97.5	96.5-98.5
65+	2010	111,163	81	4.2	3.2- 5.2	1929	95.8	94.8-96.8
Less Than H.S.	307	45,894	17	4.9	1.8- 8.0	290	95.1	92.0-98.2
H.S. or G.E.D.	1598	150,721	47	2.6	1.6- 3.6	1551	97.4	96.4-98.4
Some Post-H.S.	1828	227,769	61	2.6	1.8- 3.4	1767	97.4	96.6-98.2
College Graduate	1830	142,824	31	0.9	0.5- 1.3	1799	99.1	98.7-99.5
Less than \$15,000	309	35,500	34	9.6	5.3-13.9	275	90.4	86.1-94.7
\$15,000- 24,999	613	63,021	43	5.3	3.3- 7.3	570	94.7	92.7-96.7
\$25,000- 34,999	526	55,239	17	2.4	1.0- 3.8	509	97.6	96.2-99.0
\$35,000- 49,999	793	79,395	20	1.9	0.9- 2.9	773	98.1	97.1-99.1
\$50,000- 74,999	927	93,289	12	0.9	0.3- 1.5	915	99.1	98.5-99.7
\$75,000+	1809	186,035	11	0.8	0.2- 1.4	1798	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2547	290,239	64	2.2	1.6- 2.8	2483	97.8	97.2-98.4	
18-24	166	48,508	1	1.1	0.0- 3.3	165	98.9	96.7- 100	
25-34	317	56,355	1	0.5	0.0- 1.5	316	99.5	98.5- 100	
35-44	272	44,685	4	1.4	0.0- 2.8	268	98.6	97.2- 100	
45-54	390	40,757	13	3.8	1.4- 6.2	377	96.2	93.8-98.6	
55-64	638	47,590	21	3.5	1.9- 5.1	617	96.5	94.9-98.1	
65+	747	50,721	23	3.4	2.0- 4.8	724	96.6	95.2-98.0	
Less Than H.S.	153	24,843	9	6.2	0.9-11.5	144	93.8	88.5-99.1	
H.S. or G.E.D.	789	86,939	24	2.5	1.3- 3.7	765	97.5	96.3-98.7	
Some Post-H.S.	806	112,933	20	1.9	0.9- 2.9	786	98.1	97.1-99.1	
College Graduate	793	65,036	11	0.8	0.2- 1.4	782	99.2	98.6-99.8	
Less than \$15,000	109	14,900	13	11.4	3.2-19.6	96	88.6	80.4-96.8	
\$15,000- 24,999	236	28,564	17	6.4	2.9- 9.9	219	93.6	90.1-97.1	
\$25,000- 34,999	220	28,559	10	2.9	0.9- 4.9	210	97.1	95.1-99.1	
\$35,000- 49,999	393	43,573	10	1.9	0.5- 3.3	383	98.1	96.7-99.5	
\$50,000- 74,999	462	52,501	6	0.8	0.2- 1.4	456	99.2	98.6-99.8	
\$75,000+	949	102,228	5	0.5	0.0- 1.1	944	99.5	98.9- 100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3029	277,828	92	2.5	1.7- 3.3	2937	97.5	96.7-98.3
18-24	94	39,899	1	1.0	0.0- 3.0	93	99.0	97.0- 100
25-34	256	48,640	3	1.5	0.0- 3.3	253	98.5	96.7- 100
35-44	297	40,471	4	1.9	0.0- 3.9	293	98.1	96.1- 100
45-54	391	38,391	13	3.6	1.4- 5.8	378	96.4	94.2-98.6
55-64	685	46,168	12	1.6	0.6- 2.6	673	98.4	97.4-99.4
65+	1263	60,442	58	4.8	3.4- 6.2	1205	95.2	93.8-96.6
Less Than H.S.	154	21,051	8	3.5	0.4- 6.6	146	96.5	93.4-99.6
H.S. or G.E.D.	809	63,782	23	2.8	1.2- 4.4	786	97.2	95.6-98.8
Some Post-H.S.	1022	114,836	41	3.3	2.1- 4.5	981	96.7	95.5-97.9
College Graduate	1037	77,788	20	1.0	0.4- 1.6	1017	99.0	98.4-99.6
Less than \$15,000	200	20,600	21	8.3	3.8-12.8	179	91.7	87.2-96.2
\$15,000- 24,999	377	34,457	26	4.3	2.3- 6.3	351	95.7	93.7-97.7
\$25,000- 34,999	306	26,680	7	1.9	0.1- 3.7	299	98.1	96.3-99.9
\$35,000- 49,999	400	35,821	10	1.9	0.5- 3.3	390	98.1	96.7-99.5
\$50,000- 74,999	465	40,788	6	1.0	0.0- 2.0	459	99.0	98.0- 100
\$75,000+	860	83,807	6	1.1	0.1- 2.1	854	98.9	97.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5563	567,047	274	4.9	4.1- 5.7	5289	95.1	94.3-95.9
Male	2539	289,603	81	3.2	2.4- 4.0	2458	96.8	96.0-97.6
Female	3024	277,445	193	6.7	5.5- 7.9	2831	93.3	92.1-94.5
18-24	259	87,979	6	2.8	0.4- 5.2	253	97.2	94.8-99.6
25-34	572	104,890	19	3.9	1.9- 5.9	553	96.1	94.1-98.1
35-44	569	85,347	21	4.8	2.4- 7.2	548	95.2	92.8-97.6
45-54	779	79,073	32	4.6	2.8- 6.4	747	95.4	93.6-97.2
55-64	1323	93,758	50	4.5	3.1- 5.9	1273	95.5	94.1-96.9
65+	2002	110,621	143	8.1	6.7- 9.5	1859	91.9	90.5-93.3
Less Than H.S.	305	45,973	34	11.4	6.7-16.1	271	88.6	83.9-93.3
H.S. or G.E.D.	1594	150,374	86	5.1	3.7- 6.5	1508	94.9	93.5-96.3
Some Post-H.S.	1825	227,231	113	5.5	4.3- 6.7	1712	94.5	93.3-95.7
College Graduate	1827	142,675	41	1.5	0.9- 2.1	1786	98.5	97.9-99.1
Less than \$15,000	308	35,471	57	16.7	11.6-21.8	251	83.3	78.2-88.4
\$15,000- 24,999	611	62,857	82	11.8	8.7-14.9	529	88.2	85.1-91.3
\$25,000- 34,999	524	54,731	31	5.6	2.9- 8.3	493	94.4	91.7-97.1
\$35,000- 49,999	790	79,124	21	2.6	1.2- 4.0	769	97.4	96.0-98.8
\$50,000- 74,999	927	93,594	30	3.3	1.9- 4.7	897	96.7	95.3-98.1
\$75,000+	1807	185,866	15	1.2	0.4- 2.0	1792	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2539	289,603	81	3.2	2.4- 4.0	2458	96.8	96.0-97.6
18-24	165	48,079	2	0.9	0.0- 2.3	163	99.1	97.7- 100
25-34	316	56,250	6	2.2	0.2- 4.2	310	97.8	95.8-99.8
35-44	273	45,047	10	4.6	1.5- 7.7	263	95.4	92.3-98.5
45-54	389	40,729	10	2.7	0.9- 4.5	379	97.3	95.5-99.1
55-64	638	47,590	22	3.8	2.0- 5.6	616	96.2	94.4-98.0
65+	742	50,345	29	4.8	2.8- 6.8	713	95.2	93.2-97.2
Less Than H.S.	152	24,986	9	6.0	1.3-10.7	143	94.0	89.3-98.7
H.S. or G.E.D.	787	86,822	28	3.8	2.0- 5.6	759	96.2	94.4-98.0
Some Post-H.S.	803	112,394	32	3.3	1.9- 4.7	771	96.7	95.3-98.1
College Graduate	792	64,976	12	1.1	0.5- 1.7	780	98.9	98.3-99.5
Less than \$15,000	109	14,900	17	14.3	6.1-22.5	92	85.7	77.5-93.9
\$15,000- 24,999	234	28,401	21	7.3	3.6-11.0	213	92.7	89.0-96.4
\$25,000- 34,999	218	28,051	8	4.4	0.9- 7.9	210	95.6	92.1-99.1
\$35,000- 49,999	392	43,504	10	2.3	0.5- 4.1	382	97.7	95.9-99.5
\$50,000- 74,999	462	52,835	14	2.8	1.0- 4.6	448	97.2	95.4-99.0
\$75,000+	948	102,123	5	0.5	0.0- 1.1	943	99.5	98.9- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3024	277,445	193	6.7	5.5- 7.9	2831	93.3	92.1-94.5
18-24	94	39,899	4	5.0	0.1- 9.9	90	95.0	90.1-99.9
25-34	256	48,640	13	5.9	2.6- 9.2	243	94.1	90.8-97.4
35-44	296	40,300	11	5.1	2.0- 8.2	285	94.9	91.8-98.0
45-54	390	38,344	22	6.7	3.6- 9.8	368	93.3	90.2-96.4
55-64	685	46,168	28	5.1	2.9- 7.3	657	94.9	92.7-97.1
65+	1260	60,276	114	10.9	8.7-13.1	1146	89.1	86.9-91.3
Less Than H.S.	153	20,987	25	17.9	9.1-26.7	128	82.1	73.3-90.9
H.S. or G.E.D.	807	63,552	58	6.9	4.5- 9.3	749	93.1	90.7-95.5
Some Post-H.S.	1022	114,836	81	7.8	5.6-10.0	941	92.2	90.0-94.4
College Graduate	1035	77,699	29	1.9	0.9- 2.9	1006	98.1	97.1-99.1
Less than \$15,000	199	20,571	40	18.5	11.8-25.2	159	81.5	74.8-88.2
\$15,000- 24,999	377	34,457	61	15.5	10.6-20.4	316	84.5	79.6-89.4
\$25,000- 34,999	306	26,680	23	6.9	2.6-11.2	283	93.1	88.8-97.4
\$35,000- 49,999	398	35,619	11	2.9	0.9- 4.9	387	97.1	95.1-99.1
\$50,000- 74,999	465	40,759	16	4.0	1.6- 6.4	449	96.0	93.6-98.4
\$75,000+	859	83,743	10	1.9	0.1- 3.7	849	98.1	96.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 9: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	167
2 MALES ONLY	168
3 FEMALES ONLY	169
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	170
5 MALES ONLY	171
6 FEMALES ONLY	172
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	173
8 MALES ONLY	174
9 FEMALES ONLY	175
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	176
11 MALES ONLY	177
12 FEMALES ONLY	178
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	179
14 MALES ONLY	180
15 FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5553	565,652	2464	44.6	42.8-46.4	3089	55.4	53.6-57.2
Male	2536	288,948	1333	50.5	48.1-52.9	1203	49.5	47.1-51.9
Female	3017	276,703	1131	38.5	36.1-40.9	1886	61.5	59.1-63.9
Native	152	21,430	107	71.2	62.2-80.2	45	28.8	19.8-37.8
Non-Native	5329	536,729	2324	43.5	41.7-45.3	3005	56.5	54.7-58.3
18-24	257	87,355	75	28.2	22.3-34.1	182	71.8	65.9-77.7
25-34	573	104,995	232	44.3	39.8-48.8	341	55.7	51.2-60.2
35-44	567	85,061	233	44.5	39.8-49.2	334	55.5	50.8-60.2
45-54	781	79,148	354	50.3	46.4-54.2	427	49.7	45.8-53.6
55-64	1318	93,264	609	50.0	47.1-52.9	709	50.0	47.1-52.9
65+	1999	110,628	942	50.1	47.6-52.6	1057	49.9	47.4-52.4
Less Than H.S.	304	45,942	161	55.9	48.3-63.5	143	44.1	36.5-51.7
H.S. or G.E.D.	1595	150,057	882	56.6	53.5-59.7	713	43.4	40.3-46.5
Some Post-H.S.	1816	226,391	859	45.7	42.8-48.6	957	54.3	51.4-57.2
College Graduate	1826	142,468	555	26.8	24.4-29.2	1271	73.2	70.8-75.6
Less than \$15,000	306	35,265	173	55.2	47.4-63.0	133	44.8	37.0-52.6
\$15,000- 24,999	611	62,732	308	49.5	43.8-55.2	303	50.5	44.8-56.2
\$25,000- 34,999	525	54,834	279	53.7	47.8-59.6	246	46.3	40.4-52.2
\$35,000- 49,999	789	79,123	374	45.1	40.4-49.8	415	54.9	50.2-59.6
\$50,000- 74,999	926	93,232	423	44.4	40.3-48.5	503	55.6	51.5-59.7
\$75,000+	1806	185,803	703	40.5	37.8-43.2	1103	59.5	56.8-62.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2536	288,948	1333	50.5	48.1-52.9	1203	49.5	47.1-51.9
Native	63	9,265	46	74.4	62.2-86.6	17	25.6	13.4-37.8
Non-Native	2434	275,061	1265	49.6	47.1-52.1	1169	50.4	47.9-52.9
18-24	164	47,948	54	31.6	24.2-39.0	110	68.4	61.0-75.8
25-34	317	56,355	135	47.3	41.4-53.2	182	52.7	46.8-58.6
35-44	271	44,761	129	51.1	44.4-57.8	142	48.9	42.2-55.6
45-54	390	40,757	193	53.7	48.2-59.2	197	46.3	40.8-51.8
55-64	635	47,234	333	55.7	51.4-60.0	302	44.3	40.0-48.6
65+	743	50,481	482	64.4	60.5-68.3	261	35.6	31.7-39.5
Less Than H.S.	152	24,983	98	61.5	51.9-71.1	54	38.5	28.9-48.1
H.S. or G.E.D.	788	86,494	508	62.6	58.3-66.9	280	37.4	33.1-41.7
Some Post-H.S.	802	112,355	425	49.3	45.2-53.4	377	50.7	46.6-54.8
College Graduate	789	64,693	298	32.1	28.4-35.8	491	67.9	64.2-71.6
Less than \$15,000	107	14,713	64	51.3	39.1-63.5	43	48.7	36.5-60.9
\$15,000- 24,999	234	28,276	135	53.7	45.7-61.7	99	46.3	38.3-54.3
\$25,000- 34,999	221	28,674	144	60.3	52.1-68.5	77	39.7	31.5-47.9
\$35,000- 49,999	393	43,573	216	52.4	46.1-58.7	177	47.6	41.3-53.9
\$50,000- 74,999	462	52,532	260	53.2	47.5-58.9	202	46.8	41.1-52.5
\$75,000+	947	102,060	428	45.2	41.5-48.9	519	54.8	51.1-58.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3017	276,703	1131	38.5	36.1-40.9	1886	61.5	59.1-63.9
Native	89	12,164	61	68.7	56.0-81.4	28	31.3	18.6-44.0
Non-Native	2895	261,668	1059	37.2	34.8-39.6	1836	62.8	60.4-65.2
18-24	93	39,407	21	24.1	14.7-33.5	72	75.9	66.5-85.3
25-34	256	48,640	97	40.7	34.0-47.4	159	59.3	52.6-66.0
35-44	296	40,300	104	37.2	30.9-43.5	192	62.8	56.5-69.1
45-54	391	38,391	161	46.6	40.9-52.3	230	53.4	47.7-59.1
55-64	683	46,030	276	44.1	39.8-48.4	407	55.9	51.6-60.2
65+	1256	60,147	460	38.1	35.0-41.2	796	61.9	58.8-65.0
Less Than H.S.	152	20,959	63	49.2	36.9-61.5	89	50.8	38.5-63.1
H.S. or G.E.D.	807	63,563	374	48.4	43.5-53.3	433	51.6	46.7-56.5
Some Post-H.S.	1014	114,036	434	42.1	38.2-46.0	580	57.9	54.0-61.8
College Graduate	1037	77,775	257	22.3	19.2-25.4	780	77.7	74.6-80.8
Less than \$15,000	199	20,552	109	58.0	48.0-68.0	90	42.0	32.0-52.0
\$15,000- 24,999	377	34,457	173	46.0	38.2-53.8	204	54.0	46.2-61.8
\$25,000- 34,999	304	26,159	135	46.5	38.3-54.7	169	53.5	45.3-61.7
\$35,000- 49,999	396	35,550	158	36.1	29.6-42.6	238	63.9	57.4-70.4
\$50,000- 74,999	464	40,700	163	33.0	27.7-38.3	301	67.0	61.7-72.3
\$75,000+	859	83,743	275	34.7	30.6-38.8	584	65.3	61.2-69.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2453	251,342	596	31.5	29.0-34.0	242	12.9	10.9-14.9	1615	55.6	53.1-58.1
Male	1326	145,077	346	31.4	28.3-34.5	127	12.9	10.4-15.4	853	55.7	52.4-59.0
Female	1127	106,265	250	31.6	27.7-35.5	115	12.9	9.8-16.0	762	55.5	51.4-59.6
Native	107	15,248	33	37.2	25.4-49.0	25	32.7	20.5-44.9	49	30.2	20.6-39.8
Non-Native	2313	232,544	554	31.1	28.6-33.6	211	11.5	9.5-13.5	1548	57.3	54.6-60.0
18-24	75	24,641	32	45.3	33.0-57.6	20	26.9	15.7-38.1	23	27.8	17.2-38.4
25-34	230	45,943	86	40.2	33.3-47.1	41	17.5	12.2-22.8	103	42.3	35.4-49.2
35-44	232	37,634	82	35.2	28.3-42.1	33	14.9	9.6-20.2	117	49.9	42.8-57.0
45-54	354	39,780	117	35.0	29.3-40.7	43	11.9	8.0-15.8	194	53.1	47.2-59.0
55-64	608	46,562	166	30.1	25.8-34.4	58	9.9	7.2-12.6	384	60.0	55.5-64.5
65+	936	55,130	108	14.1	11.4-16.8	46	5.1	3.3- 6.9	782	80.8	77.7-83.9
Less Than H.S.	160	25,331	56	48.5	38.5-58.5	17	12.9	4.7-21.1	87	38.6	29.6-47.6
H.S. or G.E.D.	878	84,443	258	37.0	32.7-41.3	95	15.1	11.6-18.6	525	48.0	43.9-52.1
Some Post-H.S.	854	102,989	204	28.3	24.6-32.0	78	11.4	8.7-14.1	572	60.3	56.2-64.4
College Graduate	554	38,140	77	17.0	12.9-21.1	52	12.3	8.6-16.0	425	70.7	65.8-75.6
Less than \$15,000	172	19,420	59	44.5	35.1-53.9	28	21.0	12.0-30.0	85	34.6	26.4-42.8
\$15,000- 24,999	306	30,969	88	36.6	29.2-44.0	40	17.7	10.6-24.8	178	45.7	38.3-53.1
\$25,000- 34,999	279	29,462	79	43.1	35.1-51.1	31	13.5	8.0-19.0	169	43.4	36.0-50.8
\$35,000- 49,999	373	35,588	99	34.6	28.1-41.1	30	10.8	6.3-15.3	244	54.6	47.9-61.3
\$50,000- 74,999	422	41,026	87	25.4	19.9-30.9	45	13.9	9.4-18.4	290	60.7	54.6-66.8
\$75,000+	700	74,855	140	22.9	19.0-26.8	48	9.0	6.3-11.7	512	68.1	63.6-72.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1326	145,077	346	31.4	28.3-34.5	127	12.9	10.4-15.4	853	55.7	52.4-59.0
Non-Native	1258	135,535	323	31.2	27.9-34.5	114	11.8	9.4-14.2	821	57.0	53.7-60.3
18-24	54	15,141	21	38.6	24.9-52.3	13	23.3	11.5-35.1	20	38.2	24.5-51.9
25-34	133	26,150	43	34.5	25.9-43.1	32	23.3	15.7-30.9	58	42.2	33.4-51.0
35-44	128	22,639	48	37.1	27.9-46.3	18	15.1	7.8-22.4	62	47.9	38.3-57.5
45-54	193	21,895	73	41.2	33.4-49.0	20	10.2	5.3-15.1	100	48.7	40.9-56.5
55-64	332	26,253	99	31.3	25.6-37.0	31	9.7	6.0-13.4	202	59.0	53.1-64.9
65+	479	32,410	61	15.6	11.7-19.5	13	2.8	1.0- 4.6	405	81.6	77.3-85.9
Less Than H.S.	97	15,025	36	45.4	33.6-57.2	7	9.0	1.4-16.6	54	45.6	34.2-57.0
H.S. or G.E.D.	505	53,778	163	37.8	32.5-43.1	54	15.8	11.3-20.3	288	46.4	41.1-51.7
Some Post-H.S.	423	55,165	97	25.5	20.4-30.6	38	11.8	7.9-15.7	288	62.7	57.2-68.2
College Graduate	297	20,773	50	21.0	14.7-27.3	28	11.3	6.6-16.0	219	67.7	60.8-74.6
Less than \$15,000	64	7,553	25	43.9	29.4-58.4	8	18.2	3.5-32.9	31	37.9	24.4-51.4
\$15,000- 24,999	134	15,153	48	43.3	32.9-53.7	16	12.0	5.5-18.5	70	44.7	34.5-54.9
\$25,000- 34,999	144	17,287	45	42.2	32.0-52.4	15	13.2	5.9-20.5	84	44.7	34.9-54.5
\$35,000- 49,999	215	22,748	67	39.2	30.6-47.8	15	11.5	5.2-17.8	133	49.3	40.9-57.7
\$50,000- 74,999	259	27,611	56	27.0	19.7-34.3	30	16.7	10.6-22.8	173	56.3	48.7-63.9
\$75,000+	425	45,804	87	21.5	16.8-26.2	34	10.2	6.5-13.9	304	68.2	62.9-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1127	106,265	250	31.6	27.7-35.5	115	12.9	9.8-16.0	762	55.5	51.4-59.6
Native	61	8,352	18	40.7	24.2-57.2	15	31.5	14.6-48.4	28	27.7	15.4-40.0
Non-Native	1055	97,009	231	31.1	27.0-35.2	97	11.1	8.2-14.0	727	57.8	53.5-62.1
25-34	97	19,792	43	47.6	36.8-58.4	9	9.9	3.2-16.6	45	42.5	31.9-53.1
35-44	104	14,994	34	32.4	22.4-42.4	15	14.8	7.0-22.6	55	52.9	42.3-63.5
45-54	161	17,885	44	27.5	19.7-35.3	23	13.9	7.8-20.0	94	58.6	50.0-67.2
55-64	276	20,309	67	28.5	22.0-35.0	27	10.2	6.1-14.3	182	61.3	54.6-68.0
65+	457	22,720	47	11.9	8.4-15.4	33	8.3	5.2-11.4	377	79.8	75.3-84.3
Less Than H.S.	63	10,306	20	53.0	35.4-70.6	10	18.7	2.4-35.0	33	28.3	15.8-40.8
H.S. or G.E.D.	373	30,665	95	35.6	28.3-42.9	41	13.7	8.0-19.4	237	50.7	43.6-57.8
Some Post-H.S.	431	47,824	107	31.4	25.7-37.1	40	11.0	7.1-14.9	284	57.6	51.7-63.5
College Graduate	257	17,367	27	12.2	7.1-17.3	24	13.5	7.2-19.8	206	74.3	67.0-81.6
Less than \$15,000	108	11,867	34	44.8	32.3-57.3	20	22.7	11.3-34.1	54	32.5	22.3-42.7
\$15,000- 24,999	172	15,816	40	30.2	20.0-40.4	24	23.1	11.1-35.1	108	46.7	35.9-57.5
\$25,000- 34,999	135	12,175	34	44.4	31.7-57.1	16	13.9	5.3-22.5	85	41.7	30.3-53.1
\$35,000- 49,999	158	12,840	32	26.5	16.9-36.1	15	9.6	4.1-15.1	111	63.9	54.1-73.7
\$50,000- 74,999	163	13,415	31	22.3	14.1-30.5	15	8.0	3.5-12.5	117	69.7	60.9-78.5
\$75,000+	275	29,050	53	25.2	17.9-32.5	14	7.1	3.0-11.2	208	67.7	60.3-75.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	836	111,470	421	52.5	48.2-56.8	415	47.5	43.2-51.8
Male	472	64,238	232	51.7	46.4-57.0	240	48.3	43.0-53.6
Female	364	47,232	189	53.4	46.5-60.3	175	46.6	39.7-53.5
Native	58	10,649	34	61.6	46.7-76.5	24	38.4	23.5-53.3
Non-Native	764	99,188	380	51.4	46.9-55.9	384	48.6	44.1-53.1
18-24	52	17,783	34	62.1	47.4-76.8	18	37.9	23.2-52.6
25-34	127	26,497	78	60.1	50.9-69.3	49	39.9	30.7-49.1
35-44	115	18,865	57	48.7	38.5-58.9	58	51.3	41.1-61.5
45-54	160	18,638	84	51.8	43.0-60.6	76	48.2	39.4-57.0
55-64	224	18,615	99	42.2	34.9-49.5	125	57.8	50.5-65.1
65+	152	10,419	67	44.8	35.6-54.0	85	55.2	46.0-64.4
Less Than H.S.	72	15,506	37	49.3	34.8-63.8	35	50.7	36.2-65.2
H.S. or G.E.D.	353	43,943	176	51.5	45.0-58.0	177	48.5	42.0-55.0
Some Post-H.S.	281	40,801	144	54.6	47.7-61.5	137	45.4	38.5-52.3
College Graduate	129	11,170	64	52.8	42.4-63.2	65	47.2	36.8-57.6
Less than \$15,000	86	12,645	44	52.0	39.3-64.7	42	48.0	35.3-60.7
\$15,000- 24,999	128	16,813	74	65.6	55.6-75.6	54	34.4	24.4-44.4
\$25,000- 34,999	110	16,664	58	54.2	42.6-65.8	52	45.8	34.2-57.4
\$35,000- 49,999	129	16,173	60	48.7	37.9-59.5	69	51.3	40.5-62.1
\$50,000- 74,999	132	16,131	68	49.7	39.3-60.1	64	50.3	39.9-60.7
\$75,000+	188	23,914	90	50.8	42.2-59.4	98	49.2	40.6-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	472	64,238	232	51.7	46.4-57.0	240	48.3	43.0-53.6
Non-Native	436	58,242	216	52.2	46.5-57.9	220	47.8	42.1-53.5
25-34	75	15,113	50	66.1	54.5-77.7	25	33.9	22.3-45.5
35-44	66	11,802	29	41.4	28.3-54.5	37	58.6	45.5-71.7
45-54	93	11,238	50	50.7	39.1-62.3	43	49.3	37.7-60.9
55-64	130	10,761	51	41.2	31.6-50.8	79	58.8	49.2-68.4
65+	73	5,891	29	36.7	24.2-49.2	44	63.3	50.8-75.8
H.S. or G.E.D.	217	28,829	107	53.6	45.8-61.4	110	46.4	38.6-54.2
Some Post-H.S.	134	20,521	66	51.6	41.8-61.4	68	48.4	38.6-58.2
College Graduate	78	6,714	38	50.5	37.0-64.0	40	49.5	36.0-63.0
\$15,000- 24,999	64	8,380	37	63.3	50.2-76.4	27	36.7	23.6-49.8
\$25,000- 34,999	60	9,568	31	57.0	42.5-71.5	29	43.0	28.5-57.5
\$35,000- 49,999	82	11,538	33	43.5	30.4-56.6	49	56.5	43.4-69.6
\$50,000- 74,999	86	12,068	41	48.7	36.0-61.4	45	51.3	38.6-64.0
\$75,000+	121	14,543	58	51.4	41.0-61.8	63	48.6	38.2-59.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	364	47,232	189	53.4	46.5-60.3	175	46.6	39.7-53.5
Non-Native	328	40,946	164	50.4	43.1-57.7	164	49.6	42.3-56.9
25-34	52	11,383	28	52.1	37.4-66.8	24	47.9	33.2-62.6
45-54	67	7,400	34	53.6	40.1-67.1	33	46.4	32.9-59.9
55-64	94	7,854	48	43.5	32.1-54.9	46	56.5	45.1-67.9
65+	79	4,528	38	55.4	43.2-67.6	41	44.6	32.4-56.8
H.S. or G.E.D.	136	15,114	69	47.6	36.0-59.2	67	52.4	40.8-64.0
Some Post-H.S.	147	20,280	78	57.7	48.1-67.3	69	42.3	32.7-51.9
College Graduate	51	4,456	26	56.1	39.6-72.6	25	43.9	27.4-60.4
Less than \$15,000	53	7,951	25	50.9	34.4-67.4	28	49.1	32.6-65.6
\$15,000- 24,999	64	8,433	37	67.9	52.8-83.0	27	32.1	17.0-47.2
\$25,000- 34,999	50	7,096	27	50.4	31.6-69.2	23	49.6	30.8-68.4
\$75,000+	67	9,371	32	49.8	34.7-64.9	35	50.2	35.1-65.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1609	139,359	175	17.6	14.9-20.3	203	16.7	14.2-19.2	153	11.4	9.4-13.4	1014	50.4	47.5-53.3	64	3.9	2.7- 5.1
Male	851	80,634	103	19.3	15.6-23.0	106	16.6	13.3-19.9	76	10.0	7.5-12.5	532	49.8	45.7-53.9	34	4.2	2.4- 6.0
Female	758	58,725	72	15.2	11.3-19.1	97	16.8	13.1-20.5	77	13.4	10.1-16.7	482	51.3	46.8-55.8	30	3.4	2.0- 4.8
Non-Native	1543	132,949	165	17.5	14.8-20.2	190	16.5	14.0-19.0	144	11.3	9.3-13.3	983	50.8	47.7-53.9	61	3.8	2.6- 5.0
25-34	103	19,446	43	43.4	33.2-53.6	32	31.1	21.7-40.5	15	14.4	7.3-21.5	12	10.6	4.5-16.7	1	0.6	0.0- 1.8
35-44	117	18,768	28	24.7	16.1-33.3	29	22.5	14.3-30.7	25	21.0	13.0-29.0	32	28.3	19.1-37.5	3	3.5	0.0- 7.6
45-54	193	21,081	27	13.9	8.2-19.6	36	18.9	12.6-25.2	27	14.8	9.1-20.5	96	48.9	41.1-56.7	7	3.4	0.7- 6.1
55-64	382	27,811	31	9.1	5.8-12.4	48	13.7	9.6-17.8	38	9.7	6.4-13.0	249	62.1	56.6-67.6	16	5.4	2.7- 8.1
65+	779	44,395	32	3.9	2.5- 5.3	53	8.0	5.6-10.4	44	6.4	4.2- 8.6	615	77.5	74.0-81.0	35	4.2	2.4- 6.0
Less Than H.S.	86	9,694	10	19.9	8.5-31.3	11	9.7	3.2-16.2	8	9.7	2.8-16.6	55	57.2	44.9-69.5	2	3.5	0.0- 8.4
H.S. or G.E.D.	521	40,267	52	17.4	12.3-22.5	69	18.4	13.7-23.1	47	10.7	7.4-14.0	331	48.5	43.2-53.8	22	5.0	2.5- 7.5
Some Post-H.S.	571	62,038	73	19.3	14.8-23.8	67	15.9	12.0-19.8	58	11.8	8.5-15.1	348	49.2	44.3-54.1	25	3.8	2.0- 5.6
College Graduate	425	26,969	40	13.3	9.0-17.6	56	18.7	13.6-23.8	40	12.4	8.3-16.5	274	53.1	47.2-59.0	15	2.6	1.2- 4.0
Less than \$15,000	85	6,715	8	12.9	3.7-22.1	14	20.3	9.5-31.1	8	7.4	1.5-13.3	53	54.7	41.8-67.6	2	4.7	0.0-11.4
\$15,000- 24,999	177	14,085	23	21.3	12.1-30.5	21	13.5	6.6-20.4	22	15.6	8.2-23.0	105	45.5	36.1-54.9	6	4.0	0.0- 8.5
\$25,000- 34,999	168	12,751	19	22.3	12.1-32.5	24	16.4	9.0-23.8	11	7.0	2.5-11.5	106	50.2	40.4-60.0	8	4.1	0.8- 7.4
\$35,000- 49,999	243	19,360	21	15.6	8.7-22.5	22	14.9	8.2-21.6	20	9.5	4.6-14.4	166	55.6	47.6-63.6	14	4.4	1.9- 6.9
\$50,000- 74,999	289	24,834	29	17.6	10.9-24.3	29	13.4	8.1-18.7	25	10.5	6.0-15.0	192	53.9	46.8-61.0	14	4.6	1.9- 7.3
\$75,000+	510	50,805	64	17.2	12.9-21.5	82	19.7	15.4-24.0	56	13.5	9.8-17.2	290	45.8	40.7-50.9	18	3.8	1.6- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	851	80,634	103	19.3	15.6-23.0	106	16.6	13.3-19.9	76	10.0	7.5-12.5	532	49.8	45.7-53.9	34	4.2	2.4- 6.0
Non-Native	819	77,087	97	19.4	15.5-23.3	102	16.4	13.1-19.7	72	10.0	7.5-12.5	515	50.1	46.0-54.2	33	4.2	2.4- 6.0
25-34	58	11,037	27	45.9	32.4-59.4	16	27.9	15.7-40.1	10	16.8	7.0-26.6	5	9.4	1.4-17.4			
35-44	62	10,837	17	27.6	15.6-39.6	17	24.6	13.2-36.0	9	13.8	4.8-22.8	16	27.9	15.0-40.8	3	6.1	0.0-13.4
45-54	100	10,657	16	15.7	7.9-23.5	16	17.8	9.0-26.6	13	14.1	6.5-21.7	53	50.2	39.4-61.0	2	2.3	0.0- 5.8
55-64	201	15,424	17	9.8	4.9-14.7	26	13.4	7.9-18.9	17	7.6	3.7-11.5	130	61.6	54.0-69.2	11	7.5	3.0-12.0
65+	404	26,381	14	3.4	1.4- 5.4	27	8.8	5.3-12.3	24	6.0	3.5- 8.5	323	78.8	74.1-83.5	16	3.0	1.4- 4.6
Less Than H.S.	54	6,851	9	26.6	11.5-41.7	6	9.7	1.5-17.9	4	7.4	0.0-15.0	34	54.4	39.1-69.7	1	2.0	0.0- 5.9
H.S. or G.E.D.	287	24,893	33	17.9	11.6-24.2	38	18.1	12.0-24.2	28	11.3	6.8-15.8	175	46.7	39.8-53.6	13	5.9	2.2- 9.6
Some Post-H.S.	287	34,494	38	20.9	14.6-27.2	37	16.7	11.0-22.4	24	8.9	5.0-12.8	177	49.4	42.5-56.3	11	4.1	1.4- 6.8
College Graduate	219	14,058	23	14.8	8.7-20.9	25	17.6	10.7-24.5	20	12.2	6.3-18.1	142	52.9	45.1-60.7	9	2.5	0.7- 4.3
\$15,000- 24,999	70	6,774	12	25.8	11.3-40.3	9	18.0	5.7-30.3	5	7.2	0.0-14.5	42	43.8	29.7-57.9	2	5.2	0.0-14.0
\$25,000- 34,999	84	7,719	13	28.9	14.8-43.0	11	14.6	5.4-23.8	1	1.2	0.0- 3.6	55	52.1	38.8-65.4	4	3.1	0.0- 7.0
\$35,000- 49,999	132	11,155	11	16.0	6.6-25.4	13	17.7	7.7-27.7	10	6.1	0.8-11.4	93	56.5	45.3-67.7	5	3.6	0.1- 7.1
\$50,000- 74,999	173	15,544	21	19.9	11.1-28.7	14	11.9	5.2-18.6	14	9.7	4.0-15.4	116	54.2	44.8-63.6	8	4.3	1.0- 7.6
\$75,000+	303	31,194	35	17.4	11.7-23.1	48	18.4	13.1-23.7	37	13.9	9.2-18.6	168	44.8	38.1-51.5	15	5.5	2.2- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	758	58,725	72	15.2	11.3-19.1	97	16.8	13.1-20.5	77	13.4	10.1-16.7	482	51.3	46.8-55.8	30	3.4	2.0- 4.8
Non-Native	724	55,862	68	15.0	10.9-19.1	88	16.6	12.9-20.3	72	13.2	9.9-16.5	468	51.8	47.3-56.3	28	3.4	1.8- 5.0
35-44	55	7,931	11	20.7	8.7-32.7	12	19.6	8.2-31.0	16	30.7	17.2-44.2	16	29.0	16.3-41.7			
45-54	93	10,424	11	12.2	3.8-20.6	20	20.1	10.9-29.3	14	15.6	7.4-23.8	43	47.7	36.1-59.3	5	4.5	0.2- 8.8
55-64	181	12,387	14	8.2	3.9-12.5	22	14.0	7.9-20.1	21	12.4	6.9-17.9	119	62.7	54.7-70.7	5	2.8	0.3- 5.3
65+	375	18,015	18	4.6	2.4- 6.8	26	6.8	4.1- 9.5	20	6.9	3.6-10.2	292	75.6	70.3-80.9	19	6.0	2.7- 9.3
H.S. or G.E.D.	234	15,374	19	16.4	8.0-24.8	31	18.9	11.5-26.3	19	9.8	4.7-14.9	156	51.4	42.8-60.0	9	3.4	0.9- 5.9
Some Post-H.S.	284	27,544	35	17.3	11.0-23.6	30	14.8	9.3-20.3	34	15.5	10.0-21.0	171	48.9	41.8-56.0	14	3.4	1.2- 5.6
College Graduate	206	12,911	17	11.6	5.3-17.9	31	20.0	12.6-27.4	20	12.6	6.5-18.7	132	53.2	44.6-61.8	6	2.6	0.2- 5.0
Less than \$15,000	54	3,856	5	10.9	0.5-21.3	8	19.3	5.4-33.2	5	6.5	0.0-13.2	34	55.1	38.4-71.8	2	8.3	0.0-19.5
\$15,000- 24,999	107	7,312	11	17.2	6.2-28.2	12	9.4	3.5-15.3	17	23.3	11.3-35.3	63	47.2	35.0-59.4	4	2.9	0.0- 6.0
\$25,000- 34,999	84	5,032	6	12.2	0.0-24.4	13	19.0	6.5-31.5	10	15.8	5.6-26.0	51	47.3	33.6-61.0	4	5.7	0.0-11.8
\$35,000- 49,999	111	8,204	10	15.0	5.2-24.8	9	11.1	3.5-18.7	10	14.0	5.0-23.0	73	54.3	42.5-66.1	9	5.5	1.6- 9.4
\$50,000- 74,999	116	9,290	8	13.6	3.8-23.4	15	15.9	7.5-24.3	11	11.9	4.8-19.0	76	53.3	42.3-64.3	6	5.3	0.6-10.0
\$75,000+	207	19,611	29	16.8	9.9-23.7	34	21.9	14.5-29.3	19	12.8	6.9-18.7	122	47.5	39.3-55.7	3	1.0	0.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5537	564,022	166	4.3	3.5- 5.1	106	2.9	2.3- 3.5	5265	92.9	91.9-93.9
Male	2526	287,905	157	7.9	6.5- 9.3	90	4.8	3.6- 6.0	2279	87.4	85.6-89.2
Female	3011	276,117	9	0.5	0.1- 0.9	16	0.8	0.2- 1.4	2986	98.6	98.0-99.2
Native	152	21,430	12	8.7	3.2-14.2	5	5.5	0.4-10.6	135	85.8	78.5-93.1
Non-Native	5314	535,086	154	4.1	3.3- 4.9	100	2.8	2.2- 3.4	5060	93.1	92.1-94.1
18-24	258	87,585	22	7.1	4.2-10.0	13	4.3	1.8- 6.8	223	88.6	84.7-92.5
25-34	573	104,995	29	4.9	2.9- 6.9	28	4.4	2.6- 6.2	516	90.7	88.2-93.2
35-44	565	84,700	32	6.3	3.9- 8.7	15	3.8	1.8- 5.8	518	90.0	87.1-92.9
45-54	777	78,773	37	4.9	3.1- 6.7	19	2.2	1.2- 3.2	721	92.9	90.9-94.9
55-64	1315	93,094	22	2.0	1.0- 3.0	18	1.8	0.8- 2.8	1275	96.1	94.7-97.5
65+	1991	109,746	24	1.5	0.7- 2.3	13	1.0	0.4- 1.6	1954	97.5	96.5-98.5
Less Than H.S.	301	45,453	14	6.9	3.0-10.8	10	4.7	1.4- 8.0	277	88.4	83.3-93.5
H.S. or G.E.D.	1581	149,002	60	5.9	4.1- 7.7	34	3.6	2.2- 5.0	1487	90.5	88.3-92.7
Some Post-H.S.	1814	225,934	55	3.8	2.6- 5.0	32	2.3	1.3- 3.3	1727	93.9	92.5-95.3
College Graduate	1829	142,800	37	2.4	1.4- 3.4	29	2.4	1.4- 3.4	1763	95.2	93.8-96.6
Less than \$15,000	306	35,323	9	4.9	0.8- 9.0	8	3.6	0.9- 6.3	289	91.5	86.6-96.4
\$15,000- 24,999	607	62,250	11	2.2	0.6- 3.8	8	2.1	0.3- 3.9	588	95.7	93.3-98.1
\$25,000- 34,999	523	54,635	11	2.4	0.6- 4.2	5	1.4	0.0- 2.8	507	96.2	94.0-98.4
\$35,000- 49,999	788	79,038	20	3.6	1.6- 5.6	13	2.2	0.6- 3.8	755	94.2	91.8-96.6
\$50,000- 74,999	924	93,100	35	5.8	3.6- 8.0	20	4.2	2.2- 6.2	869	90.0	87.3-92.7
\$75,000+	1802	185,285	66	4.5	3.3- 5.7	41	3.1	2.1- 4.1	1695	92.5	90.9-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2526	287,905	157	7.9	6.5- 9.3	90	4.8	3.6- 6.0	2279	87.4	85.6-89.2
Native	63	9,265	11	17.5	6.3-28.7	4	11.2	0.2-22.2	48	71.3	57.4-85.2
Non-Native	2424	273,952	146	7.7	6.3- 9.1	85	4.6	3.4- 5.8	2193	87.8	86.0-89.6
18-24	165	48,178	22	12.9	7.6-18.2	10	5.9	2.0- 9.8	133	81.2	74.9-87.5
25-34	317	56,355	27	8.5	5.2-11.8	24	7.0	4.1- 9.9	266	84.5	80.2-88.8
35-44	270	44,477	29	11.0	6.7-15.3	15	7.2	3.5-10.9	226	81.8	76.5-87.1
45-54	388	40,583	35	8.5	5.6-11.4	17	3.8	1.8- 5.8	336	87.7	84.2-91.2
55-64	632	47,121	21	3.5	1.9- 5.1	12	2.6	1.0- 4.2	599	93.9	91.5-96.3
65+	739	49,878	23	3.3	1.7- 4.9	12	2.0	0.6- 3.4	704	94.7	92.7-96.7
Less Than H.S.	148	24,466	13	11.7	4.8-18.6	9	8.4	2.5-14.3	126	79.9	71.5-88.3
H.S. or G.E.D.	781	85,892	58	9.9	7.0-12.8	27	5.0	2.8- 7.2	696	85.1	81.6-88.6
Some Post-H.S.	798	112,022	51	7.1	4.9- 9.3	28	4.2	2.4- 6.0	719	88.6	85.9-91.3
College Graduate	793	65,036	35	5.1	3.1- 7.1	25	3.9	2.1- 5.7	733	91.0	88.5-93.5
Less than \$15,000	109	14,900	7	10.5	1.1-19.9	4	4.8	0.0-10.3	98	84.8	74.4-95.2
\$15,000- 24,999	231	27,819	11	5.0	1.7- 8.3	6	3.6	0.0- 7.3	214	91.4	86.5-96.3
\$25,000- 34,999	220	28,536	11	4.5	1.4- 7.6	3	2.1	0.0- 4.6	206	93.3	89.4-97.2
\$35,000- 49,999	391	43,471	19	6.2	2.9- 9.5	11	3.6	0.9- 6.3	361	90.2	86.1-94.3
\$50,000- 74,999	460	52,376	35	10.3	6.8-13.8	19	6.9	3.6-10.2	406	82.8	78.1-87.5
\$75,000+	943	101,542	62	7.6	5.4- 9.8	39	5.4	3.6- 7.2	842	87.0	84.3-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3011	276,117	9	0.5	0.1- 0.9	16	0.8	0.2- 1.4	2986	98.6	98.0-99.2
Native	89	12,164	1	2.1	0.0- 6.2	1	1.1	0.0- 3.3	87	96.8	92.3- 100
Non-Native	2890	261,134	8	0.4	0.0- 0.8	15	0.8	0.2- 1.4	2867	98.7	98.1-99.3
18-24	93	39,407				3	2.4	0.0- 5.1	90	97.6	94.9- 100
25-34	256	48,640	2	0.8	0.0- 1.8	4	1.3	0.0- 2.7	250	97.9	96.1-99.7
35-44	295	40,223	3	1.0	0.0- 2.2				292	99.0	97.8- 100
45-54	389	38,189	2	1.0	0.0- 2.4	2	0.5	0.0- 1.3	385	98.5	96.9- 100
55-64	683	45,974	1	0.6	0.0- 1.6	6	1.1	0.1- 2.1	676	98.4	97.0-99.8
65+	1252	59,868	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1250	99.8	99.6- 100
Less Than H.S.	153	20,987	1	1.2	0.0- 3.6	1	0.4	0.0- 1.2	151	98.4	95.9- 100
H.S. or G.E.D.	800	63,110	2	0.6	0.0- 1.4	7	1.7	0.1- 3.3	791	97.8	96.0-99.6
Some Post-H.S.	1016	113,912	4	0.5	0.0- 1.1	4	0.4	0.0- 0.8	1008	99.1	98.5-99.7
College Graduate	1036	77,764	2	0.3	0.0- 0.7	4	1.0	0.0- 2.0	1030	98.7	97.5-99.9
Less than \$15,000	197	20,422	2	0.9	0.0- 2.3	4	2.7	0.0- 5.4	191	96.4	93.3-99.5
\$15,000- 24,999	376	34,431				2	0.8	0.0- 2.2	374	99.2	97.8- 100
\$25,000- 34,999	303	26,099				2	0.6	0.0- 1.4	301	99.4	98.6- 100
\$35,000- 49,999	397	35,567	1	0.5	0.0- 1.5	2	0.5	0.0- 1.3	394	99.1	97.9- 100
\$50,000- 74,999	464	40,724				1	0.8	0.0- 2.4	463	99.2	97.6- 100
\$75,000+	859	83,743	4	0.7	0.0- 1.5	2	0.2	0.0- 0.6	853	99.0	98.2-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 10: E-CIGARETTES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC "VAPING" PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5550	564,091	755	22.1	20.5-23.7	4795	77.9	76.3-79.5
Male	2535	288,518	417	24.6	22.2-27.0	2118	75.4	73.0-77.8
Female	3015	275,573	338	19.4	17.0-21.8	2677	80.6	78.2-83.0
Native	151	21,064	46	38.5	28.3-48.7	105	61.5	51.3-71.7
Non-Native	5326	535,330	697	21.4	19.8-23.0	4629	78.6	77.0-80.2
18-24	256	86,572	118	45.7	39.0-52.4	138	54.3	47.6-61.0
25-34	572	104,783	168	32.4	28.1-36.7	404	67.6	63.3-71.9
35-44	566	84,895	112	21.2	17.3-25.1	454	78.8	74.9-82.7
45-54	779	78,946	128	18.4	15.3-21.5	651	81.6	78.5-84.7
55-64	1318	93,391	146	14.0	11.6-16.4	1172	86.0	83.6-88.4
65+	2000	110,275	77	4.3	3.3- 5.3	1923	95.7	94.7-96.7
Less Than H.S.	303	45,689	62	36.2	28.2-44.2	241	63.8	55.8-71.8
H.S. or G.E.D.	1587	149,214	270	27.9	24.6-31.2	1317	72.1	68.8-75.4
Some Post-H.S.	1819	225,774	260	21.5	19.0-24.0	1559	78.5	76.0-81.0
College Graduate	1828	142,556	163	12.4	10.2-14.6	1665	87.6	85.4-89.8
Less than \$15,000	307	35,086	65	32.1	24.5-39.7	242	67.9	60.3-75.5
\$15,000- 24,999	608	62,463	92	24.8	19.3-30.3	516	75.2	69.7-80.7
\$25,000- 34,999	525	54,784	83	28.5	22.6-34.4	442	71.5	65.6-77.4
\$35,000- 49,999	790	78,546	108	23.0	18.5-27.5	682	77.0	72.5-81.5
\$50,000- 74,999	926	93,241	134	20.6	16.9-24.3	792	79.4	75.7-83.1
\$75,000+	1804	185,316	213	17.1	14.7-19.5	1591	82.9	80.5-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2535	288,518	417	24.6	22.2-27.0	2118	75.4	73.0-77.8
Native	62	8,900	18	35.1	20.6-49.6	44	64.9	50.4-79.4
Non-Native	2433	274,793	392	24.3	21.9-26.7	2041	75.7	73.3-78.1
18-24	164	47,812	84	50.3	42.3-58.3	80	49.7	41.7-57.7
25-34	317	56,355	95	33.3	27.6-39.0	222	66.7	61.0-72.4
35-44	271	44,671	64	24.8	18.9-30.7	207	75.2	69.3-81.1
45-54	390	40,757	64	18.3	13.8-22.8	326	81.7	77.2-86.2
55-64	634	47,246	79	15.8	12.5-19.1	555	84.2	80.9-87.5
65+	743	50,264	30	4.3	2.5- 6.1	713	95.7	93.9-97.5
Less Than H.S.	150	24,702	37	36.3	26.5-46.1	113	63.7	53.9-73.5
H.S. or G.E.D.	786	86,041	155	29.6	25.3-33.9	631	70.4	66.1-74.7
Some Post-H.S.	801	112,294	137	24.2	20.3-28.1	664	75.8	71.9-79.7
College Graduate	792	64,993	88	14.6	11.5-17.7	704	85.4	82.3-88.5
Less than \$15,000	108	14,534	23	29.1	17.7-40.5	85	70.9	59.5-82.3
\$15,000- 24,999	233	28,094	51	31.0	23.0-39.0	182	69.0	61.0-77.0
\$25,000- 34,999	221	28,674	41	28.2	20.4-36.0	180	71.8	64.0-79.6
\$35,000- 49,999	393	43,573	66	28.0	21.7-34.3	327	72.0	65.7-78.3
\$50,000- 74,999	462	52,532	86	26.5	21.0-32.0	376	73.5	68.0-79.0
\$75,000+	946	101,785	118	17.6	14.5-20.7	828	82.4	79.3-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC “VAPING” PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3015	275,573	338	19.4	17.0-21.8	2677	80.6	78.2-83.0
Native	89	12,164	28	41.0	27.1-54.9	61	59.0	45.1-72.9
Non-Native	2893	260,538	305	18.3	15.9-20.7	2588	81.7	79.3-84.1
18-24	92	38,760	34	39.9	29.1-50.7	58	60.1	49.3-70.9
25-34	255	48,428	73	31.5	25.2-37.8	182	68.5	62.2-74.8
35-44	295	40,223	48	17.2	12.3-22.1	247	82.8	77.9-87.7
45-54	389	38,189	64	18.5	13.8-23.2	325	81.5	76.8-86.2
55-64	684	46,145	67	12.1	9.2-15.0	617	87.9	85.0-90.8
65+	1257	60,011	47	4.2	2.8- 5.6	1210	95.8	94.4-97.2
Less Than H.S.	153	20,987	25	36.1	23.0-49.2	128	63.9	50.8-77.0
H.S. or G.E.D.	801	63,173	115	25.6	20.5-30.7	686	74.4	69.3-79.5
Some Post-H.S.	1018	113,481	123	18.9	15.4-22.4	895	81.1	77.6-84.6
College Graduate	1036	77,563	75	10.5	7.8-13.2	961	89.5	86.8-92.2
Less than \$15,000	199	20,552	42	34.2	24.2-44.2	157	65.8	55.8-75.8
\$15,000- 24,999	375	34,368	41	19.6	12.3-26.9	334	80.4	73.1-87.7
\$25,000- 34,999	304	26,110	42	28.8	20.4-37.2	262	71.2	62.8-79.6
\$35,000- 49,999	397	34,973	42	16.8	10.3-23.3	355	83.2	76.7-89.7
\$50,000- 74,999	464	40,710	48	13.0	8.9-17.1	416	87.0	82.9-91.1
\$75,000+	858	83,531	95	16.5	13.0-20.0	763	83.5	80.0-87.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC "VAPING" PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	752	124,183	26	4.0	2.2- 5.8	86	12.5	9.4-15.6	640	83.5	80.0-87.0
Male	415	70,882	14	4.7	2.2- 7.2	45	11.1	7.6-14.6	356	84.2	79.9-88.5
Female	337	53,302	12	3.1	1.1- 5.1	41	14.4	8.9-19.9	284	82.6	76.9-88.3
Non-Native	695	114,479	25	4.2	2.4- 6.0	82	13.0	9.7-16.3	588	82.8	79.1-86.5
18-24	118	39,530	6	4.4	0.9- 7.9	14	14.6	7.0-22.2	98	81.0	72.8-89.2
25-34	168	34,045	6	4.8	0.9- 8.7	23	12.5	7.4-17.6	139	82.8	76.7-88.9
35-44	112	17,970	7	5.4	1.3- 9.5	9	9.9	3.2-16.6	96	84.7	77.3-92.1
45-54	125	14,227				15	10.2	4.7-15.7	110	89.8	84.3-95.3
55-64	146	13,081	3	3.1	0.0- 6.6	21	15.7	8.8-22.6	122	81.2	73.9-88.5
65+	77	4,688	4	5.0	0.0-10.9	4	4.8	0.0-10.1	69	90.2	82.6-97.8
Less Than H.S.	62	16,537	4	6.5	0.0-13.2	8	18.7	5.0-32.4	50	74.8	60.5-89.1
H.S. or G.E.D.	266	41,166	10	4.7	1.8- 7.6	31	9.6	5.7-13.5	225	85.8	81.1-90.5
Some Post-H.S.	260	48,632	10	3.8	1.1- 6.5	34	13.7	8.8-18.6	216	82.5	77.0-88.0
College Graduate	164	17,849	2	0.7	0.0- 1.9	13	10.3	4.2-16.4	149	89.0	82.7-95.3
Less than \$15,000	63	10,980	1	0.2	0.0- 0.6	10	14.6	5.0-24.2	52	85.2	75.6-94.8
\$15,000- 24,999	92	15,470	3	3.2	0.0- 7.7	13	17.3	5.5-29.1	76	79.5	67.3-91.7
\$25,000- 34,999	82	15,460	2	3.2	0.0- 8.1	12	13.8	4.4-23.2	68	83.0	72.8-93.2
\$35,000- 49,999	108	18,092	4	5.0	0.1- 9.9	10	8.8	2.9-14.7	94	86.3	78.9-93.7
\$50,000- 74,999	134	19,221	6	6.5	0.6-12.4	18	14.2	6.9-21.5	110	79.4	70.6-88.2
\$75,000+	214	31,968	10	5.7	2.0- 9.4	13	4.9	2.0- 7.8	191	89.4	84.7-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	415	70,882	14	4.7	2.2- 7.2	45	11.1	7.6-14.6	356	84.2	79.9-88.5
Non-Native	391	66,829	14	5.0	2.3- 7.7	42	11.1	7.4-14.8	335	83.9	79.4-88.4
18-24	84	24,057	5	6.5	0.8-12.2	10	13.2	5.4-21.0	69	80.3	71.1-89.5
25-34	95	18,761	4	5.7	0.0-11.4	12	10.9	4.6-17.2	79	83.4	75.4-91.4
35-44	64	11,064	3	4.5	0.0- 9.6	6	10.1	1.9-18.3	55	85.4	76.0-94.8
45-54	62	7,279				7	10.1	2.3-17.9	55	89.9	82.1-97.7
55-64	79	7,482	1	2.3	0.0- 6.6	8	9.7	3.2-16.2	70	88.1	80.5-95.7
H.S. or G.E.D.	153	25,252	6	5.3	1.2- 9.4	17	8.8	4.3-13.3	130	86.0	80.1-91.9
Some Post-H.S.	137	27,192	4	3.4	0.0- 7.3	16	12.9	6.2-19.6	117	83.7	76.3-91.1
College Graduate	88	9,478	1	1.2	0.0- 3.6	10	15.5	5.3-25.7	77	83.3	72.9-93.7
\$15,000- 24,999	51	8,719	2	4.3	0.0-11.7	6	11.0	2.0-20.0	43	84.7	73.5-95.9
\$35,000- 49,999	66	12,203	3	5.9	0.0-12.6	7	11.2	2.8-19.6	56	82.9	72.7-93.1
\$50,000- 74,999	86	13,918	4	7.7	0.0-15.5	14	14.7	5.7-23.7	68	77.5	66.5-88.5
\$75,000+	118	17,963	4	4.5	0.2- 8.8	8	4.9	1.0- 8.8	106	90.6	84.9-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	337	53,302	12	3.1	1.1- 5.1	41	14.4	8.9-19.9	284	82.6	76.9-88.3
Non-Native	304	47,650	11	3.2	1.0- 5.4	40	15.5	9.4-21.6	253	81.3	75.0-87.6
25-34	73	15,283	2	3.5	0.0- 8.6	11	14.5	6.1-22.9	60	82.0	72.6-91.4
45-54	63	6,948				8	10.3	2.7-17.9	55	89.7	82.1-97.3
55-64	67	5,599	2	4.2	0.0- 9.9	13	23.7	11.4-36.0	52	72.1	59.2-85.0
H.S. or G.E.D.	113	15,914	4	3.7	0.0- 7.4	14	10.8	3.7-17.9	95	85.4	77.6-93.2
Some Post-H.S.	123	21,440	6	4.2	0.3- 8.1	18	14.7	7.1-22.3	99	81.0	72.6-89.4
College Graduate	76	8,370	1	0.2	0.0- 0.6	3	4.4	0.0- 9.3	72	95.4	90.3- 100
\$75,000+	96	14,005	6	7.3	1.0-13.6	5	5.0	0.5- 9.5	85	87.8	80.2-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	190
2	MALES ONLY	191
3	FEMALES ONLY	192
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	193
5	MALES ONLY	194
6	FEMALES ONLY	195
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	196
8	MALES ONLY	197
9	FEMALES ONLY	198
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	199
11	MALES ONLY	200
12	FEMALES ONLY	201

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5513	561,124	834	15.7	14.5-16.9	111	1.9	1.5- 2.3	1863	36.2	34.4-38.0	487	9.6	8.6-10.6	2218	36.6	35.0-38.2
Male	2510	286,030	464	18.2	16.2-20.2	68	2.3	1.7- 2.9	850	35.7	33.3-38.1	317	12.5	10.9-14.1	811	31.3	28.9-33.7
Female	3003	275,094	370	13.1	11.3-14.9	43	1.5	0.9- 2.1	1013	36.8	34.4-39.2	170	6.5	5.1- 7.9	1407	42.1	39.7-44.5
Native	150	20,702	17	10.8	4.7-16.9	2	2.5	0.0- 6.0	31	29.0	19.0-39.0	4	2.6	0.0- 5.5	96	55.1	44.9-65.3
Non-Native	5293	532,997	810	16.0	14.6-17.4	107	1.8	1.4- 2.2	1815	36.7	34.9-38.5	476	9.8	8.6-11.0	2085	35.6	33.8-37.4
18-24	256	86,572	36	13.2	8.9-17.5	3	1.4	0.0- 3.2	104	38.4	32.1-44.7	32	12.6	8.1-17.1	81	34.4	27.9-40.9
25-34	573	104,995	124	20.5	17.0-24.0	3	0.6	0.0- 1.4	240	41.6	37.3-45.9	58	10.3	7.6-13.0	148	26.9	23.0-30.8
35-44	562	83,838	104	18.1	14.4-21.8	11	2.4	0.8- 4.0	240	41.2	36.7-45.7	46	7.7	5.3-10.1	161	30.6	26.3-34.9
45-54	776	78,768	125	15.6	12.7-18.5	18	2.1	1.1- 3.1	333	43.3	39.4-47.2	67	9.1	6.7-11.5	233	29.8	26.3-33.3
55-64	1310	92,870	193	14.3	12.1-16.5	28	2.2	1.2- 3.2	435	32.5	29.8-35.2	135	10.4	8.4-12.4	519	40.6	37.7-43.5
65+	1980	109,046	248	12.9	11.1-14.7	47	2.6	1.6- 3.6	493	23.4	21.2-25.6	146	7.8	6.4- 9.2	1046	53.2	50.7-55.7
Less Than H.S.	300	45,120	27	7.3	3.8-10.8	4	0.9	0.0- 1.9	64	18.1	12.8-23.4	22	12.9	6.4-19.4	183	60.8	53.2-68.4
H.S. or G.E.D.	1573	148,312	206	14.6	12.2-17.0	39	2.3	1.5- 3.1	477	33.4	30.3-36.5	121	8.7	6.9-10.5	730	41.1	38.0-44.2
Some Post-H.S.	1809	224,749	264	15.9	13.7-18.1	35	2.2	1.2- 3.2	624	37.4	34.5-40.3	169	9.3	7.5-11.1	717	35.2	32.5-37.9
College Graduate	1819	142,149	336	19.4	17.2-21.6	32	1.3	0.7- 1.9	696	43.1	40.2-46.0	174	9.9	8.1-11.7	581	26.3	23.9-28.7
Less than \$15,000	304	34,752	25	10.4	5.5-15.3	2	0.4	0.0- 1.0	58	22.0	15.5-28.5	12	5.9	1.6-10.2	207	61.4	53.8-69.0
\$15,000- 24,999	599	61,666	50	9.4	6.1-12.7	11	2.6	0.2- 5.0	146	29.4	23.9-34.9	41	8.9	5.2-12.6	351	49.8	44.1-55.5
\$25,000- 34,999	520	54,535	58	11.2	7.5-14.9	8	0.8	0.0- 1.6	167	37.6	31.7-43.5	30	7.1	4.0-10.2	257	43.4	37.7-49.1
\$35,000- 49,999	786	78,268	112	15.6	11.9-19.3	19	2.3	1.1- 3.5	259	35.4	30.9-39.9	74	9.7	7.0-12.4	322	37.0	32.5-41.5
\$50,000- 74,999	925	92,880	159	18.2	14.9-21.5	23	2.4	1.2- 3.6	326	37.0	33.1-40.9	107	11.3	8.8-13.8	310	31.1	27.4-34.8
\$75,000+	1799	184,836	359	20.4	18.0-22.8	42	2.1	1.3- 2.9	737	41.9	39.2-44.6	194	11.0	9.2-12.8	467	24.5	22.1-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2510	286,030	464	18.2	16.2-20.2	68	2.3	1.7- 2.9	850	35.7	33.3-38.1	317	12.5	10.9-14.1	811	31.3	28.9-33.7
Native	61	8,538	8	10.4	2.6-18.2	1	2.2	0.0- 6.5	11	22.2	9.3-35.1	2	1.8	0.0- 4.3	39	63.4	49.3-77.5
Non-Native	2410	272,768	453	18.7	16.7-20.7	65	2.3	1.5- 3.1	830	36.4	34.0-38.8	310	12.8	11.2-14.4	752	29.8	27.4-32.2
18-24	164	47,812	26	14.9	9.2-20.6	1	0.5	0.0- 1.5	64	37.0	29.4-44.6	22	12.7	7.4-18.0	51	34.9	27.1-42.7
25-34	317	56,355	70	20.4	15.7-25.1	1	0.3	0.0- 0.9	131	40.4	34.5-46.3	43	14.3	10.2-18.4	72	24.7	19.4-30.0
35-44	267	43,614	60	23.6	17.7-29.5	7	3.7	0.8- 6.6	114	41.7	35.2-48.2	26	9.6	5.7-13.5	60	21.5	16.2-26.8
45-54	387	40,483	71	17.1	13.0-21.2	16	3.7	1.7- 5.7	163	42.4	36.9-47.9	41	11.2	7.7-14.7	96	25.6	20.7-30.5
55-64	629	46,921	107	16.2	13.1-19.3	15	2.5	1.1- 3.9	195	30.8	26.7-34.9	91	14.3	11.4-17.2	221	36.2	31.9-40.5
65+	731	49,501	128	17.4	14.3-20.5	28	3.8	2.2- 5.4	177	22.8	19.5-26.1	94	12.6	10.1-15.1	304	43.4	39.3-47.5
Less Than H.S.	147	24,134	18	9.5	4.4-14.6	3	1.3	0.0- 2.9	37	21.8	14.4-29.2	15	11.4	5.1-17.7	74	56.0	46.4-65.6
H.S. or G.E.D.	776	85,293	125	16.9	13.6-20.2	29	3.3	1.9- 4.7	255	33.7	29.6-37.8	85	10.7	8.2-13.2	282	35.4	31.3-39.5
Some Post-H.S.	797	111,675	138	18.1	14.8-21.4	17	2.1	0.9- 3.3	274	37.7	33.6-41.8	117	14.0	11.1-16.9	251	28.1	24.4-31.8
College Graduate	785	64,505	183	23.7	20.2-27.2	18	1.6	0.6- 2.6	283	40.1	36.0-44.2	99	12.7	10.0-15.4	202	22.0	18.7-25.3
Less than \$15,000	106	14,307	10	10.6	2.6-18.6	2	0.9	0.0- 2.3	26	25.7	15.7-35.7	7	5.5	0.8-10.2	61	57.3	45.5-69.1
\$15,000- 24,999	227	27,596	29	14.7	8.6-20.8	5	1.5	0.1- 2.9	54	28.8	21.2-36.4	27	10.8	6.3-15.3	112	44.2	36.2-52.2
\$25,000- 34,999	219	28,562	30	13.0	7.5-18.5	5	0.9	0.1- 1.7	76	38.6	30.6-46.6	22	10.4	5.3-15.5	86	37.1	29.1-45.1
\$35,000- 49,999	391	43,424	72	17.9	13.0-22.8	16	3.7	1.5- 5.9	126	34.6	28.5-40.7	51	12.9	8.8-17.0	126	30.9	25.2-36.6
\$50,000- 74,999	461	52,170	91	19.4	14.9-23.9	9	2.1	0.3- 3.9	146	34.3	28.8-39.8	71	15.2	11.1-19.3	144	29.0	23.9-34.1
\$75,000+	941	101,128	207	21.8	18.7-24.9	27	2.7	1.3- 4.1	372	40.9	37.2-44.6	123	12.9	10.4-15.4	212	21.7	18.6-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3003	275,094	370	13.1	11.3-14.9	43	1.5	0.9- 2.1	1013	36.8	34.4-39.2	170	6.5	5.1- 7.9	1407	42.1	39.7-44.5
Native	89	12,164	9	11.0	2.0-20.0	1	2.7	0.0- 8.0	20	33.8	19.9-47.7	2	3.2	0.0- 7.7	57	49.3	35.6-63.0
Non-Native	2883	260,229	357	13.2	11.4-15.0	42	1.4	0.8- 2.0	985	37.0	34.5-39.5	166	6.6	5.0- 8.2	1333	41.7	39.2-44.2
18-24	92	38,760	10	11.2	4.3-18.1	2	2.5	0.0- 6.0	40	40.1	29.7-50.5	10	12.4	4.6-20.2	30	33.8	23.4-44.2
25-34	256	48,640	54	20.7	15.2-26.2	2	1.0	0.0- 2.4	109	43.1	36.4-49.8	15	5.7	2.6- 8.8	76	29.5	23.4-35.6
35-44	295	40,223	44	12.1	8.4-15.8	4	1.0	0.0- 2.0	126	40.8	34.5-47.1	20	5.6	3.1- 8.1	101	40.4	33.9-46.9
45-54	389	38,285	54	14.1	10.2-18.0	2	0.5	0.0- 1.1	170	44.3	38.6-50.0	26	6.8	4.1- 9.5	137	34.3	29.0-39.6
55-64	681	45,949	86	12.5	9.8-15.2	13	2.0	0.8- 3.2	240	34.3	30.4-38.2	44	6.3	4.1- 8.5	298	45.0	40.7-49.3
65+	1249	59,545	120	9.2	7.4-11.0	19	1.7	0.9- 2.5	316	23.9	21.2-26.6	52	3.9	2.7- 5.1	742	61.4	58.3-64.5
Less Than H.S.	153	20,987	9	4.9	0.2- 9.6	1	0.5	0.0- 1.5	27	13.8	6.7-20.9	7	14.6	3.0-26.2	109	66.3	54.1-78.5
H.S. or G.E.D.	797	63,019	81	11.4	8.1-14.7	10	0.9	0.3- 1.5	222	32.9	28.0-37.8	36	5.9	3.4- 8.4	448	48.8	43.9-53.7
Some Post-H.S.	1012	113,074	126	13.7	10.8-16.6	18	2.3	0.7- 3.9	350	37.2	33.1-41.3	52	4.7	2.9- 6.5	466	42.1	38.2-46.0
College Graduate	1034	77,644	153	15.9	13.0-18.8	14	1.0	0.4- 1.6	413	45.6	41.7-49.5	75	7.6	5.4- 9.8	379	29.9	26.6-33.2
Less than \$15,000	198	20,445	15	10.2	4.1-16.3				32	19.4	11.0-27.8	5	6.1	0.0-12.6	146	64.3	54.3-74.3
\$15,000- 24,999	372	34,070	21	5.1	2.2- 8.0	6	3.6	0.0- 7.7	92	29.8	22.2-37.4	14	7.3	1.6-13.0	239	54.3	46.3-62.3
\$25,000- 34,999	301	25,973	28	9.1	4.2-14.0	3	0.8	0.0- 2.0	91	36.4	28.0-44.8	8	3.4	0.5- 6.3	171	50.3	41.9-58.7
\$35,000- 49,999	395	34,844	40	12.7	7.2-18.2	3	0.6	0.0- 1.4	133	36.4	29.3-43.5	23	5.7	2.2- 9.2	196	44.5	37.4-51.6
\$50,000- 74,999	464	40,710	68	16.6	11.9-21.3	14	2.8	1.2- 4.4	180	40.6	34.7-46.5	36	6.3	3.8- 8.8	166	33.7	28.2-39.2
\$75,000+	858	83,708	152	18.8	15.5-22.1	15	1.4	0.4- 2.4	365	43.1	39.0-47.2	71	8.7	6.2-11.2	255	28.0	24.3-31.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3260	350,983	1407	34.3	32.3-36.3	981	30.7	28.7-32.7	400	15.2	13.6-16.8	167	6.1	5.1-7.1	305	13.6	12.0-15.2
Male	1684	194,666	545	25.9	23.5-28.3	532	29.7	27.2-32.2	265	18.3	15.9-20.7	107	7.1	5.5-8.7	235	19.0	16.5-21.5
Female	1576	156,317	862	44.8	41.5-48.1	449	32.0	28.7-35.3	135	11.3	9.1-13.5	60	4.9	3.3-6.5	70	7.0	5.0-9.0
Native	53	9,211	12	16.8	6.4-27.2	12	24.8	8.9-40.7	7	8.7	1.3-16.1	7	18.4	5.1-31.7	15	31.3	16.0-46.6
Non-Native	3174	338,272	1381	34.9	32.9-36.9	961	30.9	28.7-33.1	389	15.4	13.6-17.2	159	5.8	4.8-6.8	284	13.0	11.4-14.6
18-24	172	54,731	27	18.3	11.8-24.8	52	32.9	25.3-40.5	39	20.8	14.5-27.1	13	6.1	2.6-9.6	41	21.9	15.4-28.4
25-34	423	76,455	122	27.7	23.2-32.2	124	30.5	25.6-35.4	74	17.7	13.8-21.6	37	8.5	5.8-11.2	66	15.5	11.8-19.2
35-44	396	57,580	108	25.9	21.2-30.6	133	30.5	25.6-35.4	60	17.5	13.0-22.0	31	7.4	4.7-10.1	64	18.7	14.2-23.2
45-54	539	54,715	190	35.0	30.5-39.5	173	30.8	26.5-35.1	77	13.9	10.6-17.2	35	7.3	4.8-9.8	64	13.0	9.7-16.3
55-64	784	54,625	333	39.7	36.0-43.4	272	35.0	31.3-38.7	95	13.0	10.3-15.7	38	4.7	3.1-6.3	46	7.6	5.2-10.0
65+	921	50,373	612	63.5	59.8-67.2	221	24.9	21.6-28.2	53	6.7	4.7-8.7	13	1.7	0.5-2.9	22	3.2	1.6-4.8
Less Than H.S.	112	15,572	51	31.5	21.7-41.3	31	27.9	17.3-38.5	11	13.4	5.2-21.6	3	3.3	0.0-8.0	16	24.0	12.6-35.4
H.S. or G.E.D.	836	86,758	329	29.8	26.1-33.5	237	27.1	23.2-31.0	99	15.3	12.0-18.6	60	9.2	6.5-11.9	111	18.6	15.1-22.1
Some Post-H.S.	1079	144,109	445	33.0	29.7-36.3	331	31.5	28.0-35.0	145	16.2	13.3-19.1	49	5.2	3.6-6.8	109	14.1	11.4-16.8
College Graduate	1228	104,201	578	40.3	37.0-43.6	381	33.1	29.8-36.4	145	14.0	11.5-16.5	55	5.3	3.7-6.9	69	7.4	5.4-9.4
Less than \$15,000	95	13,314	35	28.8	18.0-39.6	24	29.1	16.2-42.0	17	18.3	8.3-28.3	5	5.0	0.1-9.9	14	18.8	8.8-28.8
\$15,000- 24,999	243	29,727	114	33.6	26.0-41.2	62	29.8	21.6-38.0	22	10.1	4.8-15.4	14	8.8	3.7-13.9	31	17.8	11.3-24.3
\$25,000- 34,999	260	30,304	127	36.2	28.9-43.5	69	23.8	17.3-30.3	34	21.8	14.2-29.4	6	2.1	0.3-3.9	24	16.2	9.9-22.5
\$35,000- 49,999	461	49,163	210	36.7	30.8-42.6	126	26.9	21.4-32.4	50	13.0	8.9-17.1	24	5.5	2.8-8.2	51	18.0	12.7-23.3
\$50,000- 74,999	611	63,733	242	31.2	26.9-35.5	190	33.6	28.7-38.5	84	14.3	10.8-17.8	34	6.1	3.7-8.5	61	14.7	10.8-18.6
\$75,000+	1322	138,375	521	32.9	30.0-35.8	448	33.6	30.7-36.5	168	15.9	13.4-18.4	72	6.7	4.9-8.5	113	10.9	8.7-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	194,666	545	25.9	23.5-28.3	532	29.7	27.2-32.2	265	18.3	15.9-20.7	107	7.1	5.5- 8.7	235	19.0	16.5-21.5
Non-Native	1644	189,523	537	26.2	23.8-28.6	522	30.1	27.4-32.8	261	18.4	16.0-20.8	102	6.8	5.2- 8.4	222	18.5	16.0-21.0
18-24	112	30,682	8	7.7	2.4-13.0	28	26.6	17.8-35.4	31	26.9	18.3-35.5	12	9.4	3.9-14.9	33	29.5	20.5-38.5
25-34	244	42,337	52	20.9	15.4-26.4	66	27.0	21.1-32.9	52	21.9	16.2-27.6	24	9.4	5.5-13.3	50	20.8	15.3-26.3
35-44	205	33,915	36	17.5	11.6-23.4	65	28.2	21.5-34.9	40	21.4	14.9-27.9	13	6.1	2.8- 9.4	51	26.9	20.0-33.8
45-54	289	29,767	78	28.5	22.6-34.4	100	33.9	27.8-40.0	42	12.3	8.4-16.2	23	8.1	4.8-11.4	46	17.1	12.2-22.0
55-64	404	29,559	139	32.1	27.2-37.0	145	35.9	30.6-41.2	56	14.1	10.2-18.0	26	6.3	3.8- 8.8	38	11.7	8.0-15.4
65+	422	27,699	227	53.8	48.5-59.1	127	28.6	23.7-33.5	42	10.2	7.1-13.3	9	2.4	0.6- 4.2	17	5.0	2.5- 7.5
Less Than H.S.	71	10,216	28	33.2	20.9-45.5	20	26.4	14.1-38.7	11	20.4	8.6-32.2	1	1.0	0.0- 3.0	11	19.0	8.2-29.8
H.S. or G.E.D.	490	54,734	143	21.8	17.9-25.7	139	25.0	20.5-29.5	74	17.4	13.1-21.7	41	10.6	7.1-14.1	93	25.2	20.3-30.1
Some Post-H.S.	540	79,344	168	25.7	21.6-29.8	176	30.6	26.1-35.1	89	19.0	14.9-23.1	30	5.6	3.4- 7.8	77	19.1	14.8-23.4
College Graduate	580	50,082	204	29.1	25.0-33.2	196	34.2	29.7-38.7	91	17.7	13.8-21.6	35	7.0	4.5- 9.5	54	12.0	8.7-15.3
\$15,000- 24,999	113	15,153	42	27.4	18.4-36.4	27	22.0	12.6-31.4	12	9.8	3.5-16.1	9	12.2	4.2-20.2	23	28.6	17.8-39.4
\$25,000- 34,999	130	17,406	47	28.7	19.9-37.5	37	21.9	14.3-29.5	22	23.2	13.4-33.0	5	3.1	0.2- 6.0	19	23.2	13.8-32.6
\$35,000- 49,999	264	29,883	100	29.6	23.1-36.1	78	28.7	21.6-35.8	30	13.4	7.9-18.9	14	5.8	2.3- 9.3	42	22.5	15.6-29.4
\$50,000- 74,999	316	37,000	91	23.0	17.7-28.3	97	31.4	24.9-37.9	57	18.2	12.9-23.5	24	7.4	3.9-10.9	47	19.9	14.0-25.8
\$75,000+	723	78,447	215	24.3	20.8-27.8	251	32.8	28.9-36.7	117	19.6	15.9-23.3	48	7.6	5.2-10.0	92	15.7	12.4-19.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1576	156,317	862	44.8	41.5-48.1	449	32.0	28.7-35.3	135	11.3	9.1-13.5	60	4.9	3.3- 6.5	70	7.0	5.0- 9.0
Non-Native	1530	148,749	844	45.9	42.6-49.2	439	32.0	28.7-35.3	128	11.5	9.1-13.9	57	4.5	3.1- 5.9	62	6.0	4.0- 8.0
18-24	60	24,049	19	31.9	19.6-44.2	24	41.0	27.9-54.1	8	13.0	4.2-21.8	1	2.0	0.0- 5.9	8	12.2	3.6-20.8
25-34	179	34,118	70	36.3	28.7-43.9	58	34.9	27.1-42.7	22	12.6	7.3-17.9	13	7.3	3.2-11.4	16	8.9	4.0-13.8
35-44	191	23,665	72	37.9	30.3-45.5	68	33.9	26.6-41.2	20	12.0	6.5-17.5	18	9.3	4.4-14.2	13	6.9	3.0-10.8
45-54	250	24,948	112	42.8	35.9-49.7	73	27.1	21.0-33.2	35	15.8	10.3-21.3	12	6.2	2.3-10.1	18	8.1	4.2-12.0
55-64	380	25,066	194	48.8	43.1-54.5	127	33.9	28.6-39.2	39	11.7	7.8-15.6	12	2.8	1.0- 4.6	8	2.8	0.4- 5.2
65+	499	22,675	385	75.2	70.7-79.7	94	20.5	16.2-24.8	11	2.5	0.9- 4.1	4	0.9	0.0- 2.1	5	1.0	0.0- 2.0
H.S. or G.E.D.	346	32,025	186	43.6	36.3-50.9	98	30.7	23.4-38.0	25	11.7	6.2-17.2	19	6.6	2.7-10.5	18	7.4	3.7-11.1
Some Post-H.S.	539	64,764	277	41.9	36.4-47.4	155	32.7	27.2-38.2	56	12.7	8.8-16.6	19	4.8	2.3- 7.3	32	7.8	4.7-10.9
College Graduate	648	54,119	374	50.6	45.7-55.5	185	32.1	27.4-36.8	54	10.5	7.4-13.6	20	3.7	1.9- 5.5	15	3.1	1.1- 5.1
Less than \$15,000	50	7,209	21	28.7	13.8-43.6	12	32.4	12.6-52.2	5	10.4	0.2-20.6	3	5.1	0.0-11.8	9	23.4	7.7-39.1
\$15,000- 24,999	130	14,575	72	40.1	27.9-52.3	35	37.8	24.7-50.9	10	10.4	2.2-18.6	5	5.2	0.0-10.7	8	6.5	1.4-11.6
\$25,000- 34,999	130	12,898	80	46.3	34.0-58.6	32	26.3	15.1-37.5	12	19.9	7.6-32.2	1	0.7	0.0- 2.1	5	6.9	0.6-13.2
\$35,000- 49,999	197	19,280	110	47.6	37.2-58.0	48	24.1	15.7-32.5	20	12.3	6.0-18.6	10	5.0	0.3- 9.7	9	10.9	2.9-18.9
\$50,000- 74,999	295	26,733	151	42.6	35.5-49.7	93	36.6	29.0-44.2	27	9.0	5.1-12.9	10	4.4	1.5- 7.3	14	7.4	2.9-11.9
\$75,000+	599	59,928	306	44.2	39.5-48.9	197	34.5	29.8-39.2	51	11.0	7.7-14.3	24	5.5	3.1- 7.9	21	4.7	2.0- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days  
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3247	350,791	311	12.0	10.4-13.6	202	8.2	6.8- 9.6	107	4.2	3.2- 5.2	104	3.8	3.0- 4.6	241	11.1	9.5-12.7	2282	60.7	58.5-62.9
Male	1667	192,943	192	13.3	11.1-15.5	127	8.8	7.0-10.6	68	5.0	3.6- 6.4	69	5.1	3.7- 6.5	176	14.8	12.4-17.2	1035	53.0	50.1-55.9
Female	1580	157,848	119	10.4	8.0-12.8	75	7.5	5.3- 9.7	39	3.3	2.1- 4.5	35	2.1	1.1- 3.1	65	6.6	4.6- 8.6	1247	70.1	66.8-73.4
Native	52	9,115	10	21.2	7.3-35.1	5	8.4	0.6-16.2	3	7.1	0.0-16.3	2	2.9	0.0- 7.2	6	15.7	3.0-28.4	26	44.8	28.3-61.3
Non-Native	3163	338,285	298	11.8	10.2-13.4	194	8.1	6.7- 9.5	104	4.2	3.2- 5.2	102	3.8	2.8- 4.8	230	10.9	9.3-12.5	2235	61.1	58.7-63.5
18-24	174	56,584	27	15.4	9.7-21.1	23	14.1	8.2-20.0	13	6.2	2.7- 9.7	7	4.0	1.1- 6.9	36	19.6	13.3-25.9	68	40.7	32.9-48.5
25-34	418	75,547	78	18.8	14.7-22.9	36	8.2	5.5-10.9	24	6.1	3.6- 8.6	20	4.5	2.3- 6.7	47	11.8	8.3-15.3	213	50.6	45.3-55.9
35-44	392	57,072	42	10.7	7.2-14.2	36	8.9	5.8-12.0	10	3.4	1.0- 5.8	24	5.8	3.3- 8.3	44	13.6	9.7-17.5	236	57.6	52.1-63.1
45-54	535	54,463	70	12.5	9.4-15.6	37	8.0	5.3-10.7	19	3.3	1.7- 4.9	23	4.2	2.2- 6.2	45	8.9	6.2-11.6	341	63.0	58.3-67.7
55-64	780	54,350	68	8.5	6.3-10.7	43	5.5	3.7- 7.3	30	4.4	2.6- 6.2	23	2.9	1.5- 4.3	44	7.7	5.3-10.1	572	70.9	67.2-74.6
65+	923	50,270	25	3.3	1.7- 4.9	27	4.3	2.3- 6.3	9	1.1	0.3- 1.9	7	0.5	0.1- 0.9	23	3.6	1.8- 5.4	832	87.3	84.4-90.2
Less Than H.S.	109	16,655	10	10.0	3.1-16.9	5	8.8	0.0-19.2	2	2.2	0.0- 6.1	6	4.4	0.5- 8.3	17	30.3	17.2-43.4	69	44.4	32.2-56.6
H.S. or G.E.D.	821	85,009	89	13.2	9.9-16.5	50	7.6	5.2-10.0	34	5.2	3.2- 7.2	28	3.8	2.0- 5.6	83	15.0	11.7-18.3	537	55.2	50.7-59.7
Some Post-H.S.	1083	144,698	104	12.5	9.8-15.2	83	9.7	7.2-12.2	38	4.2	2.6- 5.8	38	4.0	2.4- 5.6	78	9.9	7.5-12.3	742	59.7	56.0-63.4
College Graduate	1229	104,085	108	10.7	8.5-12.9	64	6.5	4.7- 8.3	33	3.8	2.2- 5.4	32	3.3	1.9- 4.7	63	6.5	4.7- 8.3	929	69.1	65.8-72.4
Less than \$15,000	94	13,120	10	15.1	3.9-26.3	6	7.3	1.4-13.2	1	0.9	0.0- 2.7	2	1.2	0.0- 3.0	13	20.4	9.6-31.2	62	55.0	41.9-68.1
\$15,000- 24,999	244	30,511	14	9.7	4.0-15.4	13	9.5	2.4-16.6	10	5.4	1.5- 9.3	7	3.2	0.5- 5.9	22	13.7	7.6-19.8	178	58.5	49.5-67.5
\$25,000- 34,999	259	30,238	23	13.6	7.3-19.9	13	5.5	2.2- 8.8	8	5.6	1.5- 9.7	6	2.9	0.4- 5.4	17	10.3	5.2-15.4	192	62.2	54.2-70.2
\$35,000- 49,999	459	48,915	42	10.5	6.8-14.2	27	8.9	5.0-12.8	20	6.3	3.0- 9.6	10	2.1	0.1- 4.1	41	12.9	8.4-17.4	319	59.5	53.2-65.8
\$50,000- 74,999	606	63,196	73	14.1	10.4-17.8	44	8.5	5.6-11.4	22	5.1	2.6- 7.6	25	5.3	2.8- 7.8	45	10.7	7.2-14.2	397	56.3	51.2-61.4
\$75,000+	1316	137,722	135	12.5	10.1-14.9	85	7.6	5.8- 9.4	43	3.5	2.3- 4.7	50	4.3	2.9- 5.7	91	9.8	7.6-12.0	912	62.3	59.0-65.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1667	192,943	192	13.3	11.1-15.5	127	8.8	7.0-10.6	68	5.0	3.6- 6.4	69	5.1	3.7- 6.5	176	14.8	12.4-17.2	1035	53.0	50.1-55.9
Non-Native	1629	188,005	183	13.0	10.8-15.2	123	8.6	6.8-10.4	67	5.1	3.7- 6.5	68	5.2	3.8- 6.6	170	14.8	12.4-17.2	1018	53.4	50.5-56.3
18-24	112	30,925	20	17.9	10.5-25.3	16	13.8	7.1-20.5	9	7.9	2.6-13.2	6	6.2	1.3-11.1	28	24.9	16.5-33.3	33	29.3	20.3-38.3
25-34	239	41,473	47	19.0	13.7-24.3	19	7.8	4.3-11.3	17	7.3	3.8-10.8	18	7.0	3.7-10.3	35	15.9	10.8-21.0	103	43.0	36.3-49.7
35-44	201	33,365	25	11.1	6.0-16.2	20	9.2	4.9-13.5	6	3.4	0.7- 6.1	14	7.0	3.1-10.9	33	19.4	13.1-25.7	103	49.8	42.2-57.4
45-54	285	29,420	48	16.2	11.5-20.9	24	9.1	5.4-12.8	13	4.7	2.0- 7.4	16	5.1	2.4- 7.8	27	10.1	6.0-14.2	157	54.7	48.2-61.2
55-64	401	29,480	36	9.0	5.9-12.1	28	6.7	4.0- 9.4	15	3.9	1.7- 6.1	13	3.7	1.5- 5.9	36	11.7	7.8-15.6	273	64.9	59.6-70.2
65+	421	27,573	15	3.9	1.7- 6.1	20	6.0	3.1- 8.9	8	1.7	0.3- 3.1	2	0.3	0.0- 0.7	17	5.2	2.5- 7.9	359	83.0	78.5-87.5
Less Than H.S.	67	9,750	8	15.3	4.7-25.9	3	5.0	0.0-10.9	2	3.7	0.0-10.4	4	5.8	0.0-11.7	11	23.6	10.5-36.7	39	46.6	32.9-60.3
H.S. or G.E.D.	477	53,322	65	15.6	11.5-19.7	36	8.6	5.5-11.7	27	7.2	4.3-10.1	20	5.0	2.5- 7.5	63	19.0	14.3-23.7	266	44.7	39.4-50.0
Some Post-H.S.	542	79,650	55	12.1	8.8-15.4	50	10.0	6.9-13.1	22	4.8	2.4- 7.2	28	5.8	3.3- 8.3	58	14.1	10.4-17.8	329	53.3	48.2-58.4
College Graduate	578	49,930	64	12.6	9.3-15.9	38	7.8	5.1-10.5	17	3.2	1.4- 5.0	17	4.0	2.0- 6.0	44	9.9	6.8-13.0	398	62.4	57.7-67.1
\$15,000- 24,999	114	15,289	7	8.4	1.9-14.9	6	5.2	0.7- 9.7	7	7.4	0.9-13.9	4	4.7	0.0- 9.6	17	22.5	12.3-32.7	73	51.8	40.6-63.0
\$25,000- 34,999	129	17,341	15	14.1	6.1-22.1	8	6.8	1.5-12.1	6	8.2	1.3-15.1	6	5.0	0.7- 9.3	11	12.2	4.9-19.5	83	53.7	43.1-64.3
\$35,000- 49,999	260	29,582	29	12.2	7.3-17.1	18	10.3	5.0-15.6	16	7.0	3.1-10.9	6	2.6	0.0- 5.5	29	15.1	9.2-21.0	162	52.7	45.1-60.3
\$50,000- 74,999	311	36,398	47	17.1	11.8-22.4	24	7.3	4.0-10.6	11	4.8	1.7- 7.9	16	6.1	2.6- 9.6	38	16.9	11.0-22.8	175	47.7	40.8-54.6
\$75,000+	717	77,830	83	13.2	10.1-16.3	59	9.3	6.8-11.8	26	3.8	2.2- 5.4	32	5.6	3.4- 7.8	69	13.1	9.8-16.4	448	55.0	50.7-59.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1580	157,848	119	10.4	8.0-12.8	75	7.5	5.3- 9.7	39	3.3	2.1- 4.5	35	2.1	1.1- 3.1	65	6.6	4.6- 8.6	1247	70.1	66.8-73.4
Non-Native	1534	150,280	115	10.4	8.0-12.8	71	7.4	5.0- 9.8	37	3.1	1.9- 4.3	34	2.1	1.1- 3.1	60	6.1	4.1- 8.1	1217	70.9	67.6-74.2
18-24	62	25,659	7	12.4	3.6-21.2	7	14.3	3.9-24.7	4	4.2	0.1- 8.3	1	1.3	0.0- 3.8	8	13.3	4.1-22.5	35	54.4	41.3-67.5
25-34	179	34,074	31	18.5	12.0-25.0	17	8.6	4.3-12.9	7	4.6	1.3- 7.9	2	1.5	0.0- 3.7	12	6.9	2.6-11.2	110	60.0	52.2-67.8
35-44	191	23,707	17	10.0	5.3-14.7	16	8.4	4.3-12.5	4	3.4	0.0- 7.3	10	4.2	1.5- 6.9	11	5.4	2.1- 8.7	133	68.5	61.2-75.8
45-54	250	25,043	22	8.2	4.5-11.9	13	6.6	2.7-10.5	6	1.7	0.3- 3.1	7	3.2	0.7- 5.7	18	7.5	3.8-11.2	184	72.8	66.5-79.1
55-64	379	24,870	32	7.9	5.0-10.8	15	4.0	1.6- 6.4	15	5.0	2.3- 7.7	10	2.0	0.6- 3.4	8	3.0	0.5- 5.5	299	78.0	73.1-82.9
65+	502	22,697	10	2.6	0.6- 4.6	7	2.3	0.3- 4.3	1	0.2	0.0- 0.6	5	0.8	0.0- 1.6	6	1.6	0.2- 3.0	473	92.5	89.4-95.6
H.S. or G.E.D.	344	31,687	24	9.2	4.1-14.3	14	5.9	2.2- 9.6	7	1.9	0.3- 3.5	8	1.8	0.2- 3.4	20	8.4	4.3-12.5	271	72.8	65.9-79.7
Some Post-H.S.	541	65,047	49	13.1	8.8-17.4	33	9.3	5.4-13.2	16	3.6	1.2- 6.0	10	1.7	0.3- 3.1	20	4.8	2.3- 7.3	413	67.5	61.8-73.2
College Graduate	651	54,155	44	9.0	6.1-11.9	26	5.4	3.0- 7.8	16	4.3	1.9- 6.7	15	2.6	0.8- 4.4	19	3.4	1.6- 5.2	531	75.3	70.8-79.8
Less than \$15,000	51	7,239	5	13.5	0.0-28.6	3	7.2	0.0-15.2				1	0.8	0.0- 2.4	8	25.3	8.6-42.0	34	53.2	34.4-72.0
\$15,000- 24,999	130	15,222	7	11.0	1.8-20.2	7	13.9	0.8-27.0	3	3.4	0.0- 7.9	3	1.7	0.0- 4.2	5	4.7	0.0-10.0	105	65.3	51.2-79.4
\$25,000- 34,999	130	12,898	8	12.9	2.7-23.1	5	3.8	0.3- 7.3	2	2.0	0.0- 4.7				6	7.6	1.1-14.1	109	73.7	62.1-85.3
\$35,000- 49,999	199	19,332	13	7.8	1.9-13.7	9	6.7	1.0-12.4	4	5.2	0.0-10.7	4	1.2	0.0- 2.6	12	9.4	2.3-16.5	157	69.7	59.5-79.9
\$50,000- 74,999	295	26,798	26	10.0	5.5-14.5	20	10.1	5.0-15.2	11	5.5	1.6- 9.4	9	4.2	0.7- 7.7	7	2.2	0.4- 4.0	222	68.0	60.7-75.3
\$75,000+	599	59,892	52	11.7	8.2-15.2	26	5.4	3.0- 7.8	17	3.1	1.5- 4.7	18	2.8	1.2- 4.4	22	5.4	2.5- 8.3	464	71.7	67.0-76.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3209	347,530	802	19.7	17.9-21.5	833	21.4	19.6-23.2	511	16.4	14.8-18.0	234	7.5	6.3- 8.7	829	35.0	32.8-37.2
Male	1647	190,704	268	13.3	11.3-15.3	347	16.5	14.5-18.5	302	17.7	15.5-19.9	125	7.0	5.6- 8.4	605	45.6	42.7-48.5
Female	1562	156,827	534	27.4	24.5-30.3	486	27.3	24.4-30.2	209	14.9	12.5-17.3	109	8.2	6.2-10.2	224	22.2	19.1-25.3
Native	53	9,211	9	12.4	3.4-21.4	9	17.2	2.9-31.5	5	8.6	0.4-16.8	6	14.6	1.5-27.7	24	47.2	30.7-63.7
Non-Native	3124	334,919	785	19.9	18.1-21.7	816	21.4	19.6-23.2	504	16.7	14.9-18.5	225	7.4	6.2- 8.6	794	34.6	32.2-37.0
18-24	174	56,323	18	12.5	7.0-18.0	17	10.8	5.7-15.9	29	15.7	10.0-21.4	9	5.7	1.8- 9.6	101	55.3	47.3-63.3
25-34	414	75,291	60	15.0	11.3-18.7	71	17.0	13.1-20.9	63	14.6	10.9-18.3	35	8.9	5.8-12.0	185	44.5	39.4-49.6
35-44	388	56,171	55	14.3	10.4-18.2	82	18.3	14.2-22.4	78	20.4	15.9-24.9	28	8.1	5.0-11.2	145	38.9	33.4-44.4
45-54	529	53,698	101	19.2	15.5-22.9	134	25.0	20.9-29.1	86	16.7	13.0-20.4	38	6.7	4.3- 9.1	170	32.4	27.9-36.9
55-64	772	54,061	182	22.0	18.9-25.1	223	28.1	24.6-31.6	133	17.2	14.3-20.1	75	9.3	6.9-11.7	159	23.3	19.8-26.8
65+	907	49,481	376	38.0	34.5-41.5	297	31.3	28.0-34.6	122	15.0	12.3-17.7	47	6.2	4.2- 8.2	65	9.5	7.0-12.0
Less Than H.S.	104	15,713	28	15.2	8.1-22.3	18	13.9	6.1-21.7	16	13.9	6.1-21.7	9	6.5	1.6-11.4	33	50.5	37.4-63.6
H.S. or G.E.D.	811	84,635	198	18.8	15.7-21.9	196	18.8	15.5-22.1	107	13.7	10.6-16.8	67	7.9	5.5-10.3	243	40.7	36.2-45.2
Some Post-H.S.	1075	143,801	276	20.4	17.5-23.3	258	19.5	16.8-22.2	176	17.5	14.6-20.4	72	7.6	5.4- 9.8	293	35.1	31.4-38.8
College Graduate	1215	103,064	298	19.9	17.2-22.6	359	27.1	24.2-30.0	212	17.6	15.1-20.1	86	7.4	5.6- 9.2	260	28.0	24.7-31.3
Less than \$15,000	92	13,172	27	23.0	13.0-33.0	15	17.2	6.2-28.2	13	9.6	3.1-16.1	6	5.1	0.6- 9.6	31	45.1	32.0-58.2
\$15,000- 24,999	243	30,653	74	20.8	14.1-27.5	53	18.3	12.0-24.6	40	15.5	9.6-21.4	16	9.1	3.6-14.6	60	36.3	27.5-45.1
\$25,000- 34,999	258	30,273	85	25.1	18.6-31.6	67	17.8	12.5-23.1	37	17.9	11.0-24.8	13	5.5	2.0- 9.0	56	33.8	25.8-41.8
\$35,000- 49,999	449	48,070	124	21.5	16.6-26.4	113	20.7	16.0-25.4	68	16.3	11.6-21.0	29	6.7	3.0-10.4	115	34.8	28.7-40.9
\$50,000- 74,999	602	62,642	144	18.8	15.3-22.3	141	19.8	16.1-23.5	84	13.5	10.0-17.0	55	8.5	5.8-11.2	178	39.4	34.3-44.5
\$75,000+	1308	136,758	256	15.7	13.3-18.1	361	23.4	20.9-25.9	235	19.0	16.5-21.5	99	8.1	6.3- 9.9	357	33.7	30.6-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1647	190,704	268	13.3	11.3-15.3	347	16.5	14.5-18.5	302	17.7	15.5-19.9	125	7.0	5.6- 8.4	605	45.6	42.7-48.5
Non-Native	1608	185,661	262	13.4	11.4-15.4	343	16.8	14.8-18.8	300	17.9	15.5-20.3	122	6.9	5.5- 8.3	581	45.0	42.1-47.9
18-24	112	30,663	5	5.0	0.5- 9.5	6	6.0	1.1-10.9	19	16.8	9.5-24.1	4	2.6	0.0- 5.3	78	69.6	60.6-78.6
25-34	236	41,222	23	10.7	6.2-15.2	25	10.8	6.5-15.1	37	14.4	9.7-19.1	20	8.2	4.5-11.9	131	55.7	48.8-62.6
35-44	197	32,715	18	9.6	4.7-14.5	26	11.4	6.7-16.1	42	22.3	15.8-28.8	17	8.2	4.1-12.3	94	48.5	40.7-56.3
45-54	282	29,017	37	14.6	9.9-19.3	59	21.5	16.0-27.0	43	14.3	9.8-18.8	21	6.4	3.5- 9.3	122	43.2	36.7-49.7
55-64	396	29,188	67	15.3	11.6-19.0	99	24.5	19.8-29.2	74	17.9	13.8-22.0	32	8.0	4.9-11.1	124	34.3	29.0-39.6
65+	416	27,192	114	26.7	22.0-31.4	130	28.4	23.7-33.1	87	21.7	17.2-26.2	30	8.1	5.0-11.2	55	15.0	10.9-19.1
Less Than H.S.	66	9,073	14	17.1	7.1-27.1	9	9.8	2.7-16.9	13	19.1	8.5-29.7	6	9.0	1.4-16.6	24	45.0	30.9-59.1
H.S. or G.E.D.	469	52,679	73	11.1	8.2-14.0	88	13.5	10.2-16.8	75	15.4	11.5-19.3	36	7.7	4.8-10.6	197	52.3	46.8-57.8
Some Post-H.S.	538	79,315	95	14.8	11.5-18.1	107	16.5	13.0-20.0	96	17.6	13.7-21.5	32	5.0	3.0- 7.0	208	46.2	41.1-51.3
College Graduate	571	49,346	85	12.5	9.6-15.4	141	20.6	16.9-24.3	118	20.0	16.1-23.9	51	9.2	6.5-11.9	176	37.7	32.8-42.6
\$15,000- 24,999	115	15,393	17	9.8	4.5-15.1	21	11.3	5.6-17.0	28	23.9	14.3-33.5	8	8.1	2.0-14.2	41	46.8	35.6-58.0
\$25,000- 34,999	129	17,438	28	18.4	11.0-25.8	30	15.4	8.9-21.9	21	16.3	8.5-24.1	8	5.9	1.2-10.6	42	44.0	33.4-54.6
\$35,000- 49,999	254	28,866	55	16.7	11.6-21.8	52	17.8	11.9-23.7	43	16.4	10.5-22.3	13	3.9	1.4- 6.4	91	45.2	37.4-53.0
\$50,000- 74,999	306	35,778	49	13.8	9.5-18.1	56	14.4	9.9-18.9	46	14.2	9.3-19.1	26	7.1	3.8-10.4	129	50.5	43.6-57.4
\$75,000+	716	77,643	94	10.4	7.7-13.1	163	18.2	15.3-21.1	137	19.3	15.8-22.8	57	8.2	5.8-10.6	265	44.0	39.7-48.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1562	156,827	534	27.4	24.5-30.3	486	27.3	24.4-30.2	209	14.9	12.5-17.3	109	8.2	6.2-10.2	224	22.2	19.1-25.3
Non-Native	1516	149,259	523	28.0	25.1-30.9	473	27.1	24.2-30.0	204	15.3	12.8-17.8	103	7.9	5.9- 9.9	213	21.6	18.3-24.9
18-24	62	25,659	13	21.5	10.9-32.1	11	16.4	7.0-25.8	10	14.4	5.6-23.2	5	9.3	1.5-17.1	23	38.3	25.4-51.2
25-34	178	34,069	37	20.2	13.9-26.5	46	24.5	17.8-31.2	26	14.9	9.2-20.6	15	9.6	4.5-14.7	54	30.8	23.4-38.2
35-44	191	23,456	37	20.8	14.3-27.3	56	27.8	20.9-34.7	36	17.7	11.8-23.6	11	8.1	3.0-13.2	51	25.6	19.1-32.1
45-54	247	24,682	64	24.7	18.6-30.8	75	29.0	22.7-35.3	43	19.6	13.7-25.5	17	7.1	3.6-10.6	48	19.7	14.0-25.4
55-64	376	24,873	115	29.8	24.7-34.9	124	32.3	27.0-37.6	59	16.4	12.1-20.7	43	10.9	7.4-14.4	35	10.5	6.6-14.4
65+	491	22,290	262	51.7	46.6-56.8	167	34.8	29.9-39.7	35	6.9	4.4- 9.4	17	3.8	1.6- 6.0	10	2.8	0.8- 4.8
H.S. or G.E.D.	342	31,956	125	31.5	24.8-38.2	108	27.5	20.8-34.2	32	11.0	6.1-15.9	31	8.3	4.2-12.4	46	21.7	15.0-28.4
Some Post-H.S.	537	64,486	181	27.3	22.4-32.2	151	23.2	18.9-27.5	80	17.3	13.0-21.6	40	10.8	6.7-14.9	85	21.5	16.4-26.6
College Graduate	644	53,717	213	26.7	22.4-31.0	218	33.1	28.6-37.6	94	15.3	11.8-18.8	35	5.8	3.4- 8.2	84	19.0	14.9-23.1
Less than \$15,000	50	7,209	17	18.9	7.3-30.5	11	27.2	9.2-45.2	5	6.9	0.0-14.5	2	2.6	0.0- 6.5	15	44.3	25.3-63.3
\$15,000- 24,999	128	15,260	57	31.9	20.1-43.7	32	25.4	14.2-36.6	12	7.0	1.7-12.3	8	10.1	1.1-19.1	19	25.6	12.1-39.1
\$25,000- 34,999	129	12,835	57	34.1	22.7-45.5	37	21.0	12.4-29.6	16	20.1	7.8-32.4	5	4.8	0.0-10.1	14	20.0	9.2-30.8
\$35,000- 49,999	195	19,204	69	28.9	19.7-38.1	61	25.0	17.0-33.0	25	16.1	8.5-23.7	16	11.0	2.8-19.2	24	19.1	10.7-27.5
\$50,000- 74,999	296	26,864	95	25.5	19.8-31.2	85	26.9	20.6-33.2	38	12.5	7.6-17.4	29	10.4	5.7-15.1	49	24.7	17.4-32.0
\$75,000+	592	59,115	162	22.6	18.7-26.5	198	30.3	26.0-34.6	98	18.7	14.8-22.6	42	8.1	5.4-10.8	92	20.3	16.0-24.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 12: IMMUNIZATION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	203
2	MALES ONLY	204
3	FEMALES ONLY	205
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	206
5	MALES ONLY	207
6	FEMALES ONLY	208
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7	MALES AND FEMALES	209
8	MALES ONLY	210
9	FEMALES ONLY	211
	SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
10	MALES AND FEMALES	212
11	MALES ONLY	213
12	FEMALES ONLY	214

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5516	560,047	2628	42.0	40.2-43.8	2888	58.0	56.2-59.8
Male	2513	285,725	1030	35.8	33.4-38.2	1483	64.2	61.8-66.6
Female	3003	274,322	1598	48.3	45.8-50.8	1405	51.7	49.2-54.2
Native	149	20,874	71	43.7	33.7-53.7	78	56.3	46.3-66.3
Non-Native	5293	531,265	2528	42.1	40.3-43.9	2765	57.9	56.1-59.7
18-24	252	85,296	90	38.7	32.0-45.4	162	61.3	54.6-68.0
25-34	572	104,884	198	33.6	29.5-37.7	374	66.4	62.3-70.5
35-44	561	84,012	209	36.3	31.8-40.8	352	63.7	59.2-68.2
45-54	774	78,178	287	36.1	32.4-39.8	487	63.9	60.2-67.6
55-64	1310	92,866	620	45.4	42.5-48.3	690	54.6	51.7-57.5
65+	1989	109,631	1202	58.6	56.1-61.1	787	41.4	38.9-43.9
Less Than H.S.	299	44,947	128	38.2	30.6-45.8	171	61.8	54.2-69.4
H.S. or G.E.D.	1573	147,915	714	38.6	35.5-41.7	859	61.4	58.3-64.5
Some Post-H.S.	1808	223,909	804	39.2	36.5-41.9	1004	60.8	58.1-63.5
College Graduate	1824	142,443	972	50.7	47.8-53.6	852	49.3	46.4-52.2
Less than \$15,000	304	34,826	141	41.3	33.9-48.7	163	58.7	51.3-66.1
\$15,000- 24,999	600	61,521	294	42.4	36.7-48.1	306	57.6	51.9-63.3
\$25,000- 34,999	522	54,490	264	40.8	35.1-46.5	258	59.2	53.5-64.9
\$35,000- 49,999	787	78,272	381	41.4	36.7-46.1	406	58.6	53.9-63.3
\$50,000- 74,999	921	92,279	416	38.7	34.8-42.6	505	61.3	57.4-65.2
\$75,000+	1796	184,025	851	43.2	40.5-45.9	945	56.8	54.1-59.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	
Male	2513	285,725	1030	35.8	33.4-38.2	1483	64.2	61.8-66.6	
Native	60	8,710	27	47.5	32.6-62.4	33	52.5	37.6-67.4	
Non-Native	2412	271,979	992	35.8	33.4-38.2	1420	64.2	61.8-66.6	
18-24	161	47,024	49	32.0	24.2-39.8	112	68.0	60.2-75.8	
25-34	316	56,245	93	28.6	23.3-33.9	223	71.4	66.1-76.7	
35-44	269	44,133	85	29.4	23.5-35.3	184	70.6	64.7-76.5	
45-54	385	39,967	116	29.3	24.4-34.2	269	70.7	65.8-75.6	
55-64	628	46,843	261	39.8	35.5-44.1	367	60.2	55.9-64.5	
65+	737	49,890	424	55.9	51.8-60.0	313	44.1	40.0-48.2	
Less Than H.S.	146	23,960	49	29.2	20.4-38.0	97	70.8	62.0-79.6	
H.S. or G.E.D.	775	84,976	307	33.9	30.0-37.8	468	66.1	62.2-70.0	
Some Post-H.S.	796	111,418	293	33.2	29.3-37.1	503	66.8	62.9-70.7	
College Graduate	790	64,883	376	45.0	40.9-49.1	414	55.0	50.9-59.1	
Less than \$15,000	105	14,274	42	41.6	29.6-53.6	63	58.4	46.4-70.4	
\$15,000- 24,999	228	27,440	89	35.3	27.7-42.9	139	64.7	57.1-72.3	
\$25,000- 34,999	219	28,548	91	37.1	29.1-45.1	128	62.9	54.9-70.9	
\$35,000- 49,999	391	43,322	166	34.4	28.7-40.1	225	65.6	59.9-71.3	
\$50,000- 74,999	459	52,177	185	34.3	29.0-39.6	274	65.7	60.4-71.0	
\$75,000+	940	100,565	395	37.3	33.6-41.0	545	62.7	59.0-66.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3003	274,322	1598	48.3	45.8-50.8	1405	51.7	49.2-54.2
Native	89	12,164	44	40.9	27.8-54.0	45	59.1	46.0-72.2
Non-Native	2881	259,286	1536	48.7	46.2-51.2	1345	51.3	48.8-53.8
18-24	91	38,272	41	47.0	36.0-58.0	50	53.0	42.0-64.0
25-34	256	48,640	105	39.4	32.9-45.9	151	60.6	54.1-67.1
35-44	292	39,879	124	44.0	37.5-50.5	168	56.0	49.5-62.5
45-54	389	38,211	171	43.2	37.5-48.9	218	56.8	51.1-62.5
55-64	682	46,023	359	51.0	46.7-55.3	323	49.0	44.7-53.3
65+	1252	59,741	778	60.8	57.7-63.9	474	39.2	36.1-42.3
Less Than H.S.	153	20,987	79	48.4	36.1-60.7	74	51.6	39.3-63.9
H.S. or G.E.D.	798	62,940	407	44.8	39.9-49.7	391	55.2	50.3-60.1
Some Post-H.S.	1012	112,491	511	45.2	41.1-49.3	501	54.8	50.7-58.9
College Graduate	1034	77,561	596	55.4	51.5-59.3	438	44.6	40.7-48.5
Less than \$15,000	199	20,552	99	41.0	31.6-50.4	100	59.0	49.6-68.4
\$15,000- 24,999	372	34,082	205	48.2	40.2-56.2	167	51.8	43.8-59.8
\$25,000- 34,999	303	25,943	173	44.9	36.7-53.1	130	55.1	46.9-63.3
\$35,000- 49,999	396	34,949	215	50.1	42.8-57.4	181	49.9	42.6-57.2
\$50,000- 74,999	462	40,103	231	44.5	38.6-50.4	231	55.5	49.6-61.4
\$75,000+	856	83,459	456	50.4	46.3-54.5	400	49.6	45.5-53.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1794	155,185	10	1.1	0.1- 2.1	37	4.0	2.2- 5.8	1747	94.9	92.9-96.9
Male	710	67,385	6	1.4	0.2- 2.6	21	4.9	2.5- 7.3	683	93.7	91.0-96.4
Female	1084	87,800	4	0.8	0.0- 2.2	16	3.4	0.9- 5.9	1064	95.7	93.0-98.4
Non-Native	1731	148,373	9	1.1	0.1- 2.1	33	3.7	1.9- 5.5	1689	95.2	93.2-97.2
25-34	128	22,426	1	0.6	0.0- 1.8	3	2.8	0.0- 6.1	124	96.6	93.1- 100
35-44	148	21,627							148	100.0	100.0- 100
45-54	194	18,658				2	1.7	0.0- 4.4	192	98.3	95.6- 100
55-64	440	30,666	2	0.4	0.0- 1.0	9	2.4	0.8- 4.0	429	97.2	95.4-99.0
65+	823	43,447	4	0.6	0.0- 1.4	12	2.0	0.8- 3.2	807	97.4	96.0-98.8
Less Than H.S.	80	10,198	2	2.0	0.0- 4.7	3	16.3	0.0-33.7	75	81.7	64.3-99.1
H.S. or G.E.D.	493	37,009	2	0.5	0.0- 1.3	11	3.8	1.1- 6.5	480	95.7	93.0-98.4
Some Post-H.S.	548	58,571	4	1.8	0.0- 4.2	14	4.1	1.6- 6.6	530	94.0	90.7-97.3
College Graduate	669	49,041	2	0.5	0.0- 1.3	9	1.6	0.4- 2.8	658	97.9	96.5-99.3
Less than \$15,000	87	7,434	1	1.0	0.0- 3.0	2	4.7	0.0-11.6	84	94.2	87.1- 100
\$15,000- 24,999	205	18,217	1	0.1	0.0- 0.3	8	12.0	1.4-22.6	196	87.9	77.3-98.5
\$25,000- 34,999	186	13,685	5	5.8	0.1-11.5	2	1.6	0.0- 3.8	179	92.6	86.5-98.7
\$35,000- 49,999	268	21,617	1	2.9	0.0- 8.4	4	3.0	0.0- 6.5	263	94.1	87.6- 100
\$50,000- 74,999	310	26,882				10	4.8	0.9- 8.7	300	95.2	91.3-99.1
\$75,000+	574	54,023	2	0.3	0.0- 0.9	7	2.3	0.3- 4.3	565	97.3	95.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	710	67,385	6	1.4	0.2- 2.6	21	4.9	2.5- 7.3	683	93.7	91.0-96.4
Non-Native	690	64,682	5	1.4	0.0- 2.8	20	4.6	2.2- 7.0	665	94.1	91.4-96.8
25-34	57	9,736	1	1.5	0.0- 4.4	1	1.0	0.0- 3.0	55	97.5	94.0- 100
35-44	58	8,997							58	100.0	100.0- 100
45-54	79	7,898				1	1.0	0.0- 3.0	78	99.0	97.0- 100
55-64	189	13,775	1	0.6	0.0- 1.8	4	2.5	0.0- 5.0	184	96.9	94.2-99.6
65+	299	19,363	2	1.1	0.0- 2.5	6	2.3	0.3- 4.3	291	96.7	94.3-99.1
H.S. or G.E.D.	211	18,341	1	0.8	0.0- 2.4	7	6.0	1.1-10.9	203	93.2	88.1-98.3
Some Post-H.S.	201	24,802	2	1.6	0.0- 4.1	8	5.9	1.2-10.6	191	92.5	87.2-97.8
College Graduate	265	19,878	1	1.1	0.0- 3.3	5	2.2	0.2- 4.2	259	96.7	93.8-99.6
\$15,000- 24,999	63	6,714				5	10.5	0.3-20.7	58	89.5	79.3-99.7
\$25,000- 34,999	60	6,079	4	12.1	0.0-24.3	1	1.6	0.0- 4.7	55	86.3	74.0-98.6
\$35,000- 49,999	115	9,837				3	6.1	0.0-13.5	112	93.9	86.5- 100
\$50,000- 74,999	142	13,951				6	7.5	0.2-14.8	136	92.5	85.2-99.8
\$75,000+	270	25,056	1	0.6	0.0- 1.8	4	2.2	0.0- 4.7	265	97.2	94.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1084	87,800	4	0.8	0.0- 2.2	16	3.4	0.9- 5.9	1064	95.7	93.0-98.4
Non-Native	1041	83,692	4	0.9	0.0- 2.3	13	3.1	0.6- 5.6	1024	96.0	93.1-98.9
25-34	71	12,690				2	4.2	0.0-10.1	69	95.8	89.9- 100
35-44	90	12,630							90	100.0	100.0- 100
45-54	115	10,760				1	2.3	0.0- 6.8	114	97.7	93.2- 100
55-64	251	16,892	1	0.3	0.0- 0.9	5	2.4	0.2- 4.6	245	97.3	95.1-99.5
65+	524	24,084	2	0.3	0.0- 0.7	6	1.8	0.0- 3.6	516	97.9	96.1-99.7
H.S. or G.E.D.	282	18,668	1	0.1	0.0- 0.3	4	1.7	0.0- 3.5	277	98.2	96.4- 100
Some Post-H.S.	347	33,769	2	2.0	0.0- 5.5	6	2.9	0.2- 5.6	339	95.1	90.8-99.4
College Graduate	404	29,163	1	0.2	0.0- 0.6	4	1.1	0.0- 2.5	399	98.7	97.3- 100
Less than \$15,000	62	4,635				1	5.3	0.0-15.3	61	94.7	84.7- 100
\$15,000- 24,999	142	11,503	1	0.2	0.0- 0.6	3	12.8	0.0-28.3	138	87.0	71.5- 100
\$25,000- 34,999	126	7,605	1	0.7	0.0- 2.1	1	1.6	0.0- 4.7	124	97.7	94.2- 100
\$35,000- 49,999	153	11,780	1	5.3	0.0-15.3	1	0.3	0.0- 0.9	151	94.4	84.4- 100
\$50,000- 74,999	168	12,931				4	1.8	0.0- 3.8	164	98.2	96.2- 100
\$75,000+	304	28,967	1	0.2	0.0- 0.6	3	2.4	0.0- 5.1	300	97.4	94.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5246	519,321	2309	35.0	33.4-36.6	2937	65.0	63.4-66.6
Male	2360	261,480	939	34.6	32.2-37.0	1421	65.4	63.0-67.8
Female	2886	257,841	1370	35.3	32.9-37.7	1516	64.7	62.3-67.1
Native	141	19,115	58	31.9	22.7-41.1	83	68.1	58.9-77.3
Non-Native	5041	494,065	2220	35.0	33.2-36.8	2821	65.0	63.2-66.8
18-24	213	72,101	73	34.2	27.3-41.1	140	65.8	58.9-72.7
25-34	518	95,668	93	19.1	15.4-22.8	425	80.9	77.2-84.6
35-44	507	75,800	94	20.3	16.2-24.4	413	79.7	75.6-83.8
45-54	730	73,720	138	19.8	16.5-23.1	592	80.2	76.9-83.5
55-64	1273	89,811	389	30.1	27.4-32.8	884	69.9	67.2-72.6
65+	1950	107,274	1502	74.9	72.5-77.3	448	25.1	22.7-27.5
Less Than H.S.	280	39,772	160	41.8	34.2-49.4	120	58.2	50.6-65.8
H.S. or G.E.D.	1510	138,550	724	36.6	33.5-39.7	786	63.4	60.3-66.5
Some Post-H.S.	1729	209,657	756	35.9	33.2-38.6	973	64.1	61.4-66.8
College Graduate	1716	130,537	661	29.5	27.0-32.0	1055	70.5	68.0-73.0
Less than \$15,000	285	31,936	146	37.8	30.7-44.9	139	62.2	55.1-69.3
\$15,000- 24,999	583	58,526	343	48.7	42.8-54.6	240	51.3	45.4-57.2
\$25,000- 34,999	506	51,774	279	42.8	36.9-48.7	227	57.2	51.3-63.1
\$35,000- 49,999	755	73,645	366	38.6	34.1-43.1	389	61.4	56.9-65.9
\$50,000- 74,999	876	84,425	336	30.7	27.0-34.4	540	69.3	65.6-73.0
\$75,000+	1691	170,704	546	26.4	23.9-28.9	1145	73.6	71.1-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2360	261,480	939	34.6	32.2-37.0	1421	65.4	63.0-67.8
Native	58	8,119	22	29.7	17.0-42.4	36	70.3	57.6-83.0
Non-Native	2269	249,596	904	34.7	32.3-37.1	1365	65.3	62.9-67.7
18-24	134	38,740	53	41.2	32.4-50.0	81	58.8	50.0-67.6
25-34	286	50,878	50	19.2	14.1-24.3	236	80.8	75.7-85.9
35-44	242	39,450	48	21.6	15.7-27.5	194	78.4	72.5-84.3
45-54	360	37,343	80	22.0	17.3-26.7	280	78.0	73.3-82.7
55-64	605	45,124	176	28.2	24.3-32.1	429	71.8	67.9-75.7
65+	718	48,591	527	71.9	68.0-75.8	191	28.1	24.2-32.0
Less Than H.S.	132	20,181	59	34.2	25.0-43.4	73	65.8	56.6-75.0
H.S. or G.E.D.	732	78,025	299	35.2	31.1-39.3	433	64.8	60.7-68.9
Some Post-H.S.	752	103,097	297	36.6	32.5-40.7	455	63.4	59.3-67.5
College Graduate	738	59,688	279	30.1	26.4-33.8	459	69.9	66.2-73.6
Less than \$15,000	97	13,017	37	32.3	21.5-43.1	60	67.7	56.9-78.5
\$15,000- 24,999	219	25,942	104	42.3	34.1-50.5	115	57.7	49.5-65.9
\$25,000- 34,999	209	26,891	101	41.2	33.0-49.4	108	58.8	50.6-67.0
\$35,000- 49,999	371	40,258	165	40.2	33.9-46.5	206	59.8	53.5-66.1
\$50,000- 74,999	427	45,683	175	34.1	28.6-39.6	252	65.9	60.4-71.4
\$75,000+	883	93,268	291	28.2	24.7-31.7	592	71.8	68.3-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2886	257,841	1370	35.3	32.9-37.7	1516	64.7	62.3-67.1
Native	83	10,996	36	33.4	20.7-46.1	47	66.6	53.9-79.3
Non-Native	2772	244,469	1316	35.3	32.9-37.7	1456	64.7	62.3-67.1
18-24	79	33,361	20	26.2	15.8-36.6	59	73.8	63.4-84.2
25-34	232	44,790	43	18.9	13.4-24.4	189	81.1	75.6-86.6
35-44	265	36,350	46	18.8	13.3-24.3	219	81.2	75.7-86.7
45-54	370	36,377	58	17.5	12.8-22.2	312	82.5	77.8-87.2
55-64	668	44,688	213	32.0	28.1-35.9	455	68.0	64.1-71.9
65+	1232	58,683	975	77.4	74.7-80.1	257	22.6	19.9-25.3
Less Than H.S.	148	19,591	101	49.7	37.2-62.2	47	50.3	37.8-62.8
H.S. or G.E.D.	778	60,525	425	38.4	33.9-42.9	353	61.6	57.1-66.1
Some Post-H.S.	977	106,559	459	35.2	31.5-38.9	518	64.8	61.1-68.5
College Graduate	978	70,849	382	29.0	25.5-32.5	596	71.0	67.5-74.5
Less than \$15,000	188	18,920	109	41.6	32.2-51.0	79	58.4	49.0-67.8
\$15,000- 24,999	364	32,584	239	53.7	45.5-61.9	125	46.3	38.1-54.5
\$25,000- 34,999	297	24,883	178	44.4	36.2-52.6	119	55.6	47.4-63.8
\$35,000- 49,999	384	33,387	201	36.5	29.8-43.2	183	63.5	56.8-70.2
\$50,000- 74,999	449	38,742	161	26.6	21.7-31.5	288	73.4	68.5-78.3
\$75,000+	808	77,436	255	24.4	20.9-27.9	553	75.6	72.1-79.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes, received Tdap	
	TOTAL	WEIGHTED		%	C.I. (95%)
TOTAL	5252	533,716	1380	28.9	27.1-30.7
Male	2417	274,531	494	21.8	19.6-24.0
Female	2835	259,186	886	36.4	33.9-38.9
Native	142	19,779	43	30.9	21.5-40.3
Non-Native	5041	506,616	1327	28.9	27.1-30.7
18-24	242	81,871	93	39.1	32.4-45.8
25-34	545	99,566	215	38.1	33.8-42.4
35-44	533	79,923	192	34.1	29.6-38.6
45-54	740	74,286	193	23.2	19.9-26.5
55-64	1264	89,574	329	24.4	21.9-26.9
65+	1872	103,378	349	16.5	14.7-18.3
Less Than H.S.	283	42,576	33	17.5	10.2-24.8
H.S. or G.E.D.	1515	142,944	310	23.7	20.8-26.6
Some Post-H.S.	1711	212,034	421	27.6	24.9-30.3
College Graduate	1734	135,506	614	40.0	37.1-42.9
Less than \$15,000	292	33,941	47	20.2	13.7-26.7
\$15,000- 24,999	572	57,869	120	29.4	23.3-35.5
\$25,000- 34,999	496	52,062	113	26.4	20.9-31.9
\$35,000- 49,999	754	75,482	183	27.3	22.6-32.0
\$50,000- 74,999	885	89,064	240	29.0	25.1-32.9
\$75,000+	1709	174,363	575	34.5	31.8-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
590	11.3	10.1-12.5	1485	29.5	27.9-31.1	1797	30.3	28.7-31.9
322	13.3	11.5-15.1	852	35.6	33.2-38.0	749	29.3	27.1-31.5
268	9.3	7.7-10.9	633	23.0	20.8-25.2	1048	31.4	29.0-33.8
14	14.7	6.3-23.1	37	26.5	17.3-35.7	48	27.9	19.3-36.5
563	11.1	9.9-12.3	1429	29.5	27.9-31.1	1722	30.4	28.8-32.0
21	10.0	5.7-14.3	79	30.0	23.9-36.1	49	20.8	15.3-26.3
50	9.0	6.5-11.5	148	27.7	23.6-31.8	132	25.2	21.3-29.1
61	11.5	8.6-14.4	141	27.8	23.5-32.1	139	26.5	22.4-30.6
94	13.8	10.9-16.7	241	33.8	29.9-37.7	212	29.1	25.4-32.8
161	13.5	11.3-15.7	397	32.1	29.2-35.0	377	30.0	27.1-32.9
197	10.5	8.9-12.1	461	26.3	23.9-28.7	865	46.6	44.1-49.1
36	13.8	7.9-19.7	75	28.2	21.3-35.1	139	40.6	33.2-48.0
179	12.7	10.3-15.1	428	29.3	26.4-32.2	598	34.3	31.2-37.4
193	10.9	9.1-12.7	538	32.6	29.9-35.3	559	28.9	26.2-31.6
182	9.9	8.1-11.7	441	25.1	22.6-27.6	497	24.9	22.5-27.3
39	13.4	7.5-19.3	58	23.0	16.1-29.9	148	43.4	35.8-51.0
63	11.4	7.7-15.1	141	26.4	21.3-31.5	248	32.8	27.9-37.7
50	10.5	7.0-14.0	134	28.2	22.9-33.5	199	34.9	29.2-40.6
95	12.2	9.3-15.1	214	30.5	26.0-35.0	262	30.0	25.7-34.3
103	11.3	8.8-13.8	273	31.3	27.4-35.2	269	28.4	24.7-32.1
195	11.6	9.6-13.6	507	29.9	27.4-32.4	432	24.0	21.5-26.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	2417	274,531	494	21.8	19.6-24.0
Native	58	8,579	17	27.7	14.8-40.6
Non-Native	2320	261,136	468	21.5	19.3-23.7
18-24	155	45,399	52	33.1	25.3-40.9
25-34	301	53,645	88	27.6	22.3-32.9
35-44	255	41,801	57	19.8	14.7-24.9
45-54	372	38,681	78	18.6	14.3-22.9
55-64	611	45,500	117	18.1	14.8-21.4
65+	706	47,883	99	12.8	10.3-15.3
Less Than H.S.	141	23,147	12	9.2	3.3-15.1
H.S. or G.E.D.	751	82,039	132	20.2	16.5-23.9
Some Post-H.S.	763	106,964	137	20.5	16.8-24.2
College Graduate	757	62,015	212	30.9	27.0-34.8
Less than \$15,000	102	14,041	17	16.7	8.3-25.1
\$15,000- 24,999	219	26,430	40	24.3	16.5-32.1
\$25,000- 34,999	206	26,763	28	17.1	10.0-24.2
\$35,000- 49,999	382	42,361	69	21.1	15.6-26.6
\$50,000- 74,999	447	51,092	84	20.5	15.8-25.2
\$75,000+	897	95,390	234	25.4	22.1-28.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
322	13.3	11.5-15.1	852	35.6	33.2-38.0	749	29.3	27.1-31.5
8	16.9	5.5-28.3	15	29.8	14.9-44.7	18	25.5	13.3-37.7
307	13.1	11.3-14.9	824	35.8	33.4-38.2	721	29.6	27.2-32.0
15	11.7	5.8-17.6	59	36.5	28.5-44.5	29	18.8	12.3-25.3
30	10.1	6.4-13.8	103	34.8	28.9-40.7	80	27.5	22.0-33.0
40	16.1	11.2-21.0	85	35.6	28.9-42.3	73	28.6	22.5-34.7
48	14.0	10.1-17.9	139	37.0	31.5-42.5	107	30.4	25.1-35.7
93	16.5	13.2-19.8	221	34.8	30.7-38.9	180	30.6	26.5-34.7
95	12.5	9.8-15.2	237	34.6	30.5-38.7	275	40.1	36.0-44.2
23	17.4	9.0-25.8	45	35.6	26.0-45.2	61	37.8	28.2-47.4
104	13.3	10.4-16.2	263	36.2	31.9-40.5	252	30.3	26.4-34.2
103	13.5	10.6-16.4	305	38.9	34.8-43.0	218	27.2	23.5-30.9
92	11.6	8.9-14.3	236	28.9	25.2-32.6	217	28.6	24.9-32.3
12	11.9	3.3-20.5	27	31.1	19.3-42.9	46	40.3	28.3-52.3
33	16.1	9.6-22.6	58	27.9	20.5-35.3	88	31.8	24.7-38.9
25	10.3	5.8-14.8	75	36.2	28.2-44.2	78	36.4	28.2-44.6
52	14.2	9.9-18.5	135	36.6	30.3-42.9	126	28.1	22.6-33.6
63	13.1	9.4-16.8	171	38.0	32.3-43.7	129	28.4	23.3-33.5
120	14.1	11.2-17.0	326	35.5	31.8-39.2	217	24.9	21.6-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	2835	259,186	886	36.4	33.9-38.9
Native	84	11,200	26	33.4	20.1-46.7
Non-Native	2721	245,480	859	36.8	34.3-39.3
18-24	87	36,472	41	46.7	35.5-57.9
25-34	244	45,921	127	50.4	43.5-57.3
35-44	278	38,122	135	49.8	43.1-56.5
45-54	368	35,606	115	28.2	23.1-33.3
55-64	653	44,074	212	30.9	27.0-34.8
65+	1166	55,496	250	19.8	17.3-22.3
Less Than H.S.	142	19,429	21	27.3	14.2-40.4
H.S. or G.E.D.	764	60,905	178	28.4	23.7-33.1
Some Post-H.S.	948	105,070	284	34.9	30.8-39.0
College Graduate	977	73,491	402	47.6	43.5-51.7
Less than \$15,000	190	19,900	30	22.7	13.5-31.9
\$15,000- 24,999	353	31,439	80	33.7	25.1-42.3
\$25,000- 34,999	290	25,299	85	36.3	28.1-44.5
\$35,000- 49,999	372	33,121	114	35.1	27.5-42.7
\$50,000- 74,999	438	37,972	156	40.5	34.4-46.6
\$75,000+	812	78,973	341	45.5	41.2-49.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
268	9.3	7.7-10.9	633	23.0	20.8-25.2	1048	31.4	29.0-33.8
6	13.0	0.8-25.2	22	23.9	12.5-35.3	30	29.8	17.6-42.0
256	9.0	7.6-10.4	605	22.9	20.7-25.1	1001	31.3	28.9-33.7
6	8.0	1.7-14.3	20	21.9	12.9-30.9	20	23.4	14.0-32.8
20	7.7	4.2-11.2	45	19.3	13.8-24.8	52	22.5	16.6-28.4
21	6.4	3.5-9.3	56	19.4	14.3-24.5	66	24.3	18.6-30.0
46	13.6	9.3-17.9	102	30.4	24.9-35.9	105	27.8	22.7-32.9
68	10.4	7.9-12.9	176	29.3	25.2-33.4	197	29.3	25.4-33.2
102	8.8	7.0-10.6	224	19.2	16.7-21.7	590	52.3	49.0-55.6
13	9.6	1.8-17.4	30	19.2	10.2-28.2	78	43.9	31.9-55.9
75	11.9	8.4-15.4	165	20.0	16.1-23.9	346	39.8	34.9-44.7
90	8.2	6.2-10.2	233	26.2	22.5-29.9	341	30.7	27.0-34.4
90	8.5	6.3-10.7	205	22.0	18.7-25.3	280	21.8	18.9-24.7
27	14.4	6.6-22.2	31	17.2	9.6-24.8	102	45.7	35.7-55.7
30	7.4	3.5-11.3	83	25.2	18.5-31.9	160	33.7	27.0-40.4
25	10.8	5.3-16.3	59	19.7	13.0-26.4	121	33.3	25.5-41.1
43	9.7	6.0-13.4	79	22.7	16.6-28.8	136	32.4	25.5-39.3
40	8.8	5.7-11.9	102	22.2	17.3-27.1	140	28.5	23.4-33.6
75	8.5	6.1-10.9	181	23.0	19.5-26.5	215	23.0	19.5-26.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 13: FALLS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	216
2	MALES ONLY	217
3	FEMALES ONLY	218
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	219
5	MALES ONLY	220
6	FEMALES ONLY	221

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4100	283,030	636	15.4	14.0-16.8	296	7.2	6.2- 8.2	119	3.1	2.5- 3.7	40	1.0	0.6- 1.4	131	3.8	3.0- 4.6	2878	69.5	67.9-71.1
Male	1745	136,142	231	13.7	11.9-15.5	133	7.7	6.3- 9.1	52	3.0	2.0- 4.0	17	0.9	0.5- 1.3	73	5.0	3.6- 6.4	1239	69.7	67.2-72.2
Female	2355	146,888	405	17.0	15.2-18.8	163	6.7	5.5- 7.9	67	3.1	2.3- 3.9	23	1.0	0.6- 1.4	58	2.8	2.0- 3.6	1639	69.4	67.2-71.6
Native	86	7,606	10	16.2	5.8-26.6	10	12.1	2.9-21.3	6	8.8	0.8-16.8	4	5.8	0.0-11.9	2	3.5	0.0- 8.4	54	53.5	40.6-66.4
Non-Native	3961	271,213	616	15.4	14.0-16.8	282	7.0	6.0- 8.0	110	2.8	2.2- 3.4	35	0.8	0.4- 1.2	129	3.9	3.1- 4.7	2789	70.0	68.2-71.8
45-54	769	77,399	115	15.3	12.4-18.2	49	6.4	4.4- 8.4	26	3.1	1.7- 4.5	11	1.4	0.4- 2.4	42	5.9	3.9- 7.9	526	67.9	64.2-71.6
55-64	1303	92,491	203	15.5	13.3-17.7	100	8.2	6.4-10.0	43	3.9	2.5- 5.3	10	0.7	0.3- 1.1	52	4.4	3.0- 5.8	895	67.3	64.4-70.2
65+	1970	108,004	312	15.6	13.6-17.6	143	7.0	5.8- 8.2	50	2.4	1.6- 3.2	18	0.9	0.5- 1.3	37	2.0	1.2- 2.8	1410	72.0	69.6-74.4
Less Than H.S.	238	23,068	31	15.0	9.5-20.5	12	4.8	1.5- 8.1	8	4.0	0.9- 7.1	5	1.7	0.1- 3.3	8	4.4	0.9- 7.9	174	70.1	63.0-77.2
H.S. or G.E.D.	1228	77,265	163	13.4	11.2-15.6	93	7.5	5.7- 9.3	35	2.9	1.7- 4.1	7	0.7	0.1- 1.3	42	4.2	2.8- 5.6	888	71.4	68.5-74.3
Some Post-H.S.	1364	116,441	235	17.1	14.9-19.3	107	7.8	6.2- 9.4	37	2.9	1.9- 3.9	13	0.9	0.3- 1.5	55	4.5	3.1- 5.9	917	66.8	63.9-69.7
College Graduate	1260	65,538	205	15.0	12.8-17.2	84	6.6	5.0- 8.2	38	3.2	2.0- 4.4	15	1.2	0.6- 1.8	26	2.0	1.2- 2.8	892	72.0	69.3-74.7
Less than \$15,000	230	17,647	29	12.7	7.2-18.2	22	8.5	4.6-12.4	13	6.0	2.5- 9.5	2	1.4	0.0- 3.4	16	7.9	3.4-12.4	148	63.6	56.0-71.2
\$15,000- 24,999	486	32,929	79	17.7	13.4-22.0	49	9.9	6.6-13.2	15	2.9	0.9- 4.9	7	1.2	0.2- 2.2	22	5.4	2.9- 7.9	314	62.9	57.6-68.2
\$25,000- 34,999	397	25,738	61	14.5	10.4-18.6	24	6.0	3.3- 8.7	17	4.6	2.1- 7.1	5	1.6	0.0- 3.2	12	3.6	1.2- 6.0	278	69.7	64.2-75.2
\$35,000- 49,999	596	38,637	78	13.5	10.2-16.8	54	8.9	6.2-11.6	15	3.5	1.5- 5.5	6	1.1	0.1- 2.1	21	4.8	2.6- 7.0	422	68.3	63.8-72.8
\$50,000- 74,999	672	46,624	104	15.9	12.6-19.2	43	6.6	4.4- 8.8	16	2.5	1.1- 3.9	6	0.7	0.1- 1.3	23	4.2	2.2- 6.2	480	70.1	66.0-74.2
\$75,000+	1223	89,481	202	16.2	13.8-18.6	68	6.0	4.4- 7.6	27	2.1	1.3- 2.9	9	0.8	0.2- 1.4	29	2.5	1.5- 3.5	888	72.5	69.8-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	136,142	231	13.7	11.9-15.5	133	7.7	6.3- 9.1	52	3.0	2.0- 4.0	17	0.9	0.5- 1.3	73	5.0	3.6- 6.4	1239	69.7	67.2-72.2
Non-Native	1686	130,682	226	14.0	12.0-16.0	128	7.6	6.2- 9.0	49	2.9	1.9- 3.9	15	0.7	0.3- 1.1	72	5.1	3.7- 6.5	1196	69.6	67.1-72.1
45-54	381	39,435	57	15.1	11.2-19.0	27	7.5	4.6-10.4	13	3.6	1.4- 5.8	5	1.5	0.1- 2.9	25	7.7	4.4-11.0	254	64.7	59.2-70.2
55-64	623	46,500	72	12.7	9.8-15.6	50	8.4	5.9-10.9	17	2.7	1.3- 4.1	3	0.3	0.0- 0.7	32	5.6	3.4- 7.8	449	70.2	66.1-74.3
65+	725	48,795	101	13.8	10.9-16.7	54	7.2	5.0- 9.4	22	3.0	1.6- 4.4	8	0.9	0.3- 1.5	16	2.4	1.0- 3.8	524	72.7	69.0-76.4
Less Than H.S.	109	12,370	15	16.0	8.0-24.0	6	4.3	0.6- 8.0	3	3.1	0.0- 6.8	3	1.4	0.0- 3.0	5	5.4	0.0-10.9	77	69.7	59.9-79.5
H.S. or G.E.D.	549	39,977	56	11.3	8.4-14.2	44	8.0	5.5-10.5	15	2.6	1.0- 4.2	3	0.5	0.0- 1.1	23	5.0	2.8- 7.2	408	72.5	68.2-76.8
Some Post-H.S.	546	52,555	83	15.2	11.9-18.5	51	9.4	6.7-12.1	17	3.4	1.6- 5.2	3	0.7	0.0- 1.5	33	6.6	4.2- 9.0	359	64.8	60.3-69.3
College Graduate	536	30,839	76	13.2	10.1-16.3	32	5.8	3.4- 8.2	16	2.8	1.2- 4.4	8	1.6	0.4- 2.8	12	2.1	0.7- 3.5	392	74.4	70.3-78.5
Less than \$15,000	69	6,118	4	5.3	0.0-11.6	8	8.1	1.8-14.4	3	4.5	0.0-10.6				4	9.2	0.0-19.4	50	72.9	60.0-85.8
\$15,000- 24,999	170	14,353	33	20.6	13.3-27.9	19	9.8	5.1-14.5	4	3.4	0.0- 7.3	2	0.9	0.0- 2.1	10	6.4	1.9-10.9	102	59.0	50.4-67.6
\$25,000- 34,999	148	11,964	15	11.6	5.3-17.9	11	8.0	2.9-13.1	7	4.7	0.8- 8.6				4	3.2	0.0- 6.9	111	72.5	64.1-80.9
\$35,000- 49,999	282	21,042	35	11.4	7.3-15.5	28	10.1	6.0-14.2	11	5.0	1.9- 8.1	5	1.8	0.0- 3.6	12	5.3	2.2- 8.4	191	66.4	60.1-72.7
\$50,000- 74,999	311	23,486	46	15.3	10.4-20.2	18	6.1	3.0- 9.2	8	2.0	0.6- 3.4	2	0.4	0.0- 1.0	20	7.7	4.0-11.4	217	68.5	62.4-74.6
\$75,000+	640	49,166	82	13.5	10.6-16.4	39	6.9	4.5- 9.3	13	1.7	0.7- 2.7	7	1.2	0.2- 2.2	20	3.2	1.6- 4.8	479	73.5	69.6-77.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2355	146,888	405	17.0	15.2-18.8	163	6.7	5.5- 7.9	67	3.1	2.3- 3.9	23	1.0	0.6- 1.4	58	2.8	2.0- 3.6	1639	69.4	67.2-71.6
Native	53	4,572	9	22.8	7.9-37.7	7	13.4	0.1-26.7	4	10.7	0.0-22.5	2	3.5	0.0- 9.4	1	3.8	0.0-11.1	30	45.8	29.3-62.3
Non-Native	2275	140,531	390	16.7	14.9-18.5	154	6.5	5.3- 7.7	61	2.8	2.0- 3.6	20	0.9	0.5- 1.3	57	2.8	2.0- 3.6	1593	70.4	68.2-72.6
45-54	388	37,963	58	15.5	11.4-19.6	22	5.2	2.8- 7.6	13	2.6	1.0- 4.2	6	1.2	0.0- 2.4	17	4.1	2.1- 6.1	272	71.3	66.4-76.2
55-64	680	45,992	131	18.4	15.3-21.5	50	8.0	5.5-10.5	26	5.1	2.9- 7.3	7	1.0	0.2- 1.8	20	3.2	1.6- 4.8	446	64.3	60.2-68.4
65+	1245	59,209	211	17.1	14.6-19.6	89	6.9	5.3- 8.5	28	2.0	1.2- 2.8	10	0.9	0.1- 1.7	21	1.7	0.9- 2.5	886	71.3	68.4-74.2
Less Than H.S.	129	10,698	16	13.9	6.3-21.5	6	5.3	0.0-11.2	5	5.1	0.0-10.4	2	2.0	0.0- 4.9	3	3.1	0.0- 7.0	97	70.6	60.4-80.8
H.S. or G.E.D.	679	37,288	107	15.6	12.5-18.7	49	7.0	4.8- 9.2	20	3.1	1.5- 4.7	4	0.9	0.0- 1.9	19	3.2	1.6- 4.8	480	70.1	66.0-74.2
Some Post-H.S.	818	63,886	152	18.6	15.5-21.7	56	6.6	4.6- 8.6	20	2.5	1.3- 3.7	10	1.0	0.2- 1.8	22	2.9	1.5- 4.3	558	68.4	64.7-72.1
College Graduate	724	34,699	129	16.6	13.5-19.7	52	7.3	5.1- 9.5	22	3.5	1.7- 5.3	7	0.8	0.2- 1.4	14	2.0	0.8- 3.2	500	69.8	65.9-73.7
Less than \$15,000	161	11,529	25	16.6	9.2-24.0	14	8.7	3.8-13.6	10	6.7	2.2-11.2	2	2.1	0.0- 5.0	12	7.3	2.8-11.8	98	58.6	49.2-68.0
\$15,000- 24,999	316	18,576	46	15.5	10.4-20.6	30	9.9	5.4-14.4	11	2.6	0.8- 4.4	5	1.4	0.0- 2.8	12	4.7	1.6- 7.8	212	65.9	59.4-72.4
\$25,000- 34,999	249	13,775	46	17.1	11.4-22.8	13	4.2	1.5- 6.9	10	4.6	1.5- 7.7	5	3.0	0.0- 6.1	8	3.9	1.0- 6.8	167	67.2	60.1-74.3
\$35,000- 49,999	314	17,595	43	16.1	10.6-21.6	26	7.4	4.3-10.5	4	1.7	0.0- 3.7	1	0.2	0.0- 0.6	9	4.1	1.2- 7.0	231	70.5	64.0-77.0
\$50,000- 74,999	361	23,138	58	16.5	12.0-21.0	25	7.2	4.1-10.3	8	3.1	0.9- 5.3	4	1.0	0.0- 2.2	3	0.7	0.0- 1.5	263	71.6	66.1-77.1
\$75,000+	583	40,315	120	19.5	16.0-23.0	29	4.8	2.8- 6.8	14	2.5	0.9- 4.1	2	0.2	0.0- 0.6	9	1.7	0.5- 2.9	409	71.2	67.1-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1216	85,972	315	26.1	23.2-29.0	55	4.4	3.0- 5.8	19	1.9	0.9- 2.9	5	0.4	0.0- 0.8	7	0.8	0.2- 1.4	815	66.4	63.3-69.5
Male	505	41,243	117	23.0	18.7-27.3	21	4.7	2.5- 6.9	7	1.2	0.0- 2.4				2	0.7	0.0- 1.7	358	70.4	65.7-75.1
Female	711	44,729	198	28.9	24.8-33.0	34	4.2	2.6- 5.8	12	2.5	0.9- 4.1	5	0.8	0.0- 1.6	5	0.9	0.1- 1.7	457	62.7	58.4-67.0
Non-Native	1166	80,997	303	25.9	23.0-28.8	51	4.3	2.9- 5.7	14	1.3	0.5- 2.1	4	0.4	0.0- 0.8	7	0.9	0.1- 1.7	787	67.2	64.1-70.3
45-54	242	24,710	64	25.9	19.6-32.2	10	4.5	1.6- 7.4	8	3.3	0.9- 5.7	1	0.5	0.0- 1.5	3	1.5	0.0- 3.5	156	64.3	57.4-71.2
55-64	408	30,265	100	24.7	19.8-29.6	28	6.3	3.8- 8.8	5	2.0	0.2- 3.8	1	0.3	0.0- 0.9	3	0.7	0.0- 1.5	271	66.0	60.7-71.3
65+	555	30,073	149	27.4	23.1-31.7	17	2.6	1.0- 4.2	6	0.7	0.1- 1.3	3	0.4	0.0- 1.0	1	0.4	0.0- 1.2	379	68.5	64.0-73.0
Less Than H.S.	62	6,834	13	29.1	14.6-43.6	3	4.2	0.0- 9.3	2	4.4	0.0-10.5				1	1.7	0.0- 5.0	43	60.6	45.7-75.5
H.S. or G.E.D.	338	21,967	72	20.7	15.8-25.6	14	3.5	1.3- 5.7	1	0.6	0.0- 1.8	3	1.4	0.0- 3.0	2	0.4	0.0- 1.0	246	73.4	67.9-78.9
Some Post-H.S.	447	38,669	125	27.5	22.8-32.2	20	4.8	2.4- 7.2	10	2.4	0.8- 4.0	2	0.2	0.0- 0.4	3	1.1	0.0- 2.3	287	64.1	59.0-69.2
College Graduate	367	18,324	104	27.9	22.6-33.2	18	4.8	2.4- 7.2	6	1.5	0.1- 2.9				1	0.5	0.0- 1.5	238	65.4	59.9-70.9
Less than \$15,000	78	6,230	23	35.8	22.1-49.5	11	13.3	4.9-21.7	3	6.0	0.0-12.5				3	3.7	0.0- 8.2	38	41.2	28.5-53.9
\$15,000- 24,999	171	12,168	56	35.8	26.8-44.8	6	3.6	0.3- 6.9	6	3.5	0.2- 6.8	1	0.6	0.0- 1.8	2	1.5	0.0- 3.7	100	55.0	45.8-64.2
\$25,000- 34,999	119	7,809	23	14.5	8.0-21.0	8	7.3	1.6-13.0	2	1.5	0.0- 3.7	2	2.9	0.0- 6.8	1	2.6	0.0- 7.5	83	71.2	61.6-80.8
\$35,000- 49,999	174	12,257	41	23.4	15.8-31.0	9	4.9	1.0- 8.8	4	3.6	0.0- 7.5							120	68.1	59.7-76.5
\$50,000- 74,999	192	13,957	51	26.6	19.3-33.9	7	3.7	0.8- 6.6	1	0.7	0.0- 2.1	1	0.2	0.0- 0.6				132	68.8	61.2-76.4
\$75,000+	335	24,625	83	23.4	18.5-28.3	8	2.5	0.5- 4.5	2	0.7	0.0- 1.7				1	0.3	0.0- 0.9	241	73.1	67.8-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	505	41,243	117	23.0	18.7-27.3	21	4.7	2.5- 6.9	7	1.2	0.0- 2.4	2	0.7	0.0- 1.7	358	70.4	65.7-75.1
Non-Native	489	39,634	115	23.5	19.2-27.8	20	4.6	2.4- 6.8	5	0.8	0.0- 1.6	2	0.7	0.0- 1.9	347	70.4	65.7-75.1
45-54	127	13,933	25	21.2	13.2-29.2	3	3.2	0.0- 6.9	2	1.7	0.0- 4.2	1	1.4	0.0- 4.1	96	72.5	63.5-81.5
55-64	174	13,850	40	24.0	16.7-31.3	14	8.4	3.7-13.1	1	1.0	0.0- 3.0	1	0.6	0.0- 1.8	118	65.9	57.9-73.9
65+	200	13,237	52	24.2	17.5-30.9	4	2.4	0.0- 4.9	4	1.0	0.0- 2.0				140	72.4	65.5-79.3
H.S. or G.E.D.	141	10,982	21	14.5	8.0-21.0	5	3.5	0.0- 7.2							115	82.0	74.7-89.3
Some Post-H.S.	187	18,501	50	25.6	18.7-32.5	10	5.9	2.2- 9.6	5	2.4	0.0- 4.9	1	1.1	0.0- 3.3	121	65.0	57.6-72.4
College Graduate	144	7,890	39	26.5	18.5-34.5	4	2.8	0.1- 5.5	2	0.8	0.0- 2.0	1	1.1	0.0- 3.3	98	68.9	60.5-77.3
\$15,000- 24,999	68	5,884	24	36.2	22.7-49.7	2	3.6	0.0- 8.9	2	1.1	0.0- 2.7				40	59.1	45.4-72.8
\$35,000- 49,999	91	7,071	15	15.4	6.8-24.0	5	6.8	0.3-13.3	3	4.7	0.0-10.6				68	73.0	62.0-84.0
\$50,000- 74,999	94	7,388	26	29.9	19.1-40.7	2	1.7	0.0- 4.1							66	68.4	57.4-79.4
\$75,000+	161	13,023	33	19.0	12.5-25.5	5	3.5	0.2- 6.8				1	0.7	0.0- 2.1	122	76.8	69.7-83.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	711	44,729	198	28.9	24.8-33.0	34	4.2	2.6- 5.8	12	2.5	0.9- 4.1	5	0.8	0.0- 1.6	5	0.9	0.1- 1.7	457	62.7	58.4-67.0
Non-Native	677	41,364	188	28.3	24.2-32.4	31	4.0	2.4- 5.6	9	1.7	0.5- 2.9	4	0.8	0.0- 1.6	5	1.0	0.0- 2.0	440	64.2	59.9-68.5
45-54	115	10,777	39	32.1	22.5-41.7	7	6.1	1.4-10.8	6	5.4	1.1- 9.7	1	1.1	0.0- 3.3	2	1.6	0.0- 4.0	60	53.7	43.5-63.9
55-64	234	16,415	60	25.3	18.6-32.0	14	4.5	2.0- 7.0	4	2.8	0.0- 5.7	1	0.6	0.0- 1.8	2	0.7	0.0- 1.9	153	66.0	58.9-73.1
65+	355	16,836	97	29.9	24.0-35.8	13	2.8	1.2- 4.4	2	0.5	0.0- 1.3	3	0.8	0.0- 1.8	1	0.7	0.0- 2.1	239	65.3	59.4-71.2
H.S. or G.E.D.	197	10,986	51	26.9	19.5-34.3	9	3.6	1.1- 6.1	1	1.2	0.0- 3.6	3	2.7	0.0- 5.8	2	0.8	0.0- 2.0	131	64.8	56.8-72.8
Some Post-H.S.	260	20,168	75	29.3	23.0-35.6	10	3.8	1.3- 6.3	5	2.4	0.2- 4.6	2	0.3	0.0- 0.7	2	1.0	0.0- 2.4	166	63.2	56.5-69.9
College Graduate	223	10,433	65	28.9	22.0-35.8	14	6.3	2.8- 9.8	4	2.0	0.0- 4.2							140	62.8	55.4-70.2
Less than \$15,000	59	4,574	18	36.2	21.1-51.3	8	11.8	3.0-20.6	3	8.1	0.0-16.9				3	5.0	0.0-11.3	27	38.9	24.8-53.0
\$15,000- 24,999	103	6,283	32	35.5	23.3-47.7	4	3.5	0.0- 7.4	4	5.8	0.0-12.1	1	1.1	0.0- 3.3	2	2.8	0.0- 6.9	60	51.2	39.0-63.4
\$25,000- 34,999	82	4,520	17	17.7	8.7-26.7	4	4.8	0.0- 9.7				2	5.1	0.0-12.0				59	72.4	61.0-83.8
\$35,000- 49,999	83	5,187	26	34.4	21.5-47.3	4	2.1	0.0- 4.3	1	2.0	0.0- 5.9							52	61.5	48.4-74.6
\$50,000- 74,999	98	6,568	25	22.9	13.5-32.3	5	5.9	0.2-11.6	1	1.5	0.0- 4.4	1	0.4	0.0- 1.2				66	69.3	58.9-79.7
\$75,000+	174	11,602	50	28.3	20.7-35.9	3	1.3	0.0- 3.1	2	1.4	0.0- 3.6							119	69.0	61.4-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	223
2	MALES ONLY	224
3	FEMALES ONLY	225

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 14: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5486	556,428	4004	72.1	70.5-73.7	908	15.4	14.2-16.6	308	6.7	5.7- 7.7	128	2.7	2.1- 3.3	131	3.0	2.4- 3.6	7	0.1	0.1- 0.1
Male	2496	283,633	1592	64.6	62.2-67.0	516	18.9	16.9-20.9	206	8.5	7.1- 9.9	93	4.0	3.0- 5.0	87	3.9	2.9- 4.9	2	0.1	0.1- 0.1
Female	2990	272,795	2412	79.9	77.7-82.1	392	11.8	10.2-13.4	102	4.8	3.6- 6.0	35	1.5	0.9- 2.1	44	2.0	1.0- 3.0	5	0.1	0.1- 0.1
Native	145	20,466	112	74.7	65.7-83.7	16	12.1	5.2-19.0	8	5.6	1.5- 9.7	3	2.2	0.0- 5.1	5	5.0	0.1- 9.9	1	0.4	0.0- 1.2
Non-Native	5268	528,193	3839	71.9	70.3-73.5	883	15.6	14.4-16.8	295	6.8	5.8- 7.8	124	2.8	2.2- 3.4	121	2.8	2.2- 3.4	6	0.1	0.1- 0.1
18-24	251	85,035	163	67.5	61.4-73.6	53	18.3	13.6-23.0	21	8.5	4.6-12.4	9	3.3	1.1- 5.5	5	2.4	0.0- 4.9			
25-34	566	103,770	392	70.3	66.2-74.4	89	14.2	11.3-17.1	47	8.0	5.6-10.4	20	3.8	2.0- 5.6	18	3.6	1.8- 5.4			
35-44	559	83,614	408	73.3	69.2-77.4	80	12.6	9.5-15.7	42	8.0	5.5-10.5	9	1.7	0.5- 2.9	20	4.3	2.3- 6.3			
45-54	773	77,842	549	71.9	68.4-75.4	131	16.0	13.3-18.7	51	6.3	4.3- 8.3	21	3.0	1.6- 4.4	21	2.7	1.5- 3.9			
55-64	1305	92,551	931	71.3	68.6-74.0	235	17.0	14.8-19.2	64	5.2	3.8- 6.6	39	3.1	1.9- 4.3	35	3.2	2.0- 4.4	1	0.1	0.0- 0.3
65+	1973	108,268	1509	76.4	74.2-78.6	318	15.3	13.5-17.1	83	4.7	3.5- 5.9	27	1.4	0.8- 2.0	30	1.9	1.1- 2.7	6	0.3	0.1- 0.5
Less Than H.S.	292	44,206	191	59.9	52.1-67.7	42	15.3	10.0-20.6	26	10.8	5.3-16.3	10	2.7	0.7- 4.7	21	11.2	5.5-16.9	2	0.2	0.0- 0.4
H.S. or G.E.D.	1568	147,271	1062	68.2	65.3-71.1	291	17.0	14.6-19.4	112	8.0	6.2- 9.8	47	2.8	1.8- 3.8	54	3.8	2.6- 5.0	2	0.1	0.0- 0.3
Some Post-H.S.	1797	222,344	1308	72.3	69.8-74.8	296	15.3	13.3-17.3	110	7.0	5.4- 8.6	49	3.5	2.3- 4.7	34	1.9	1.1- 2.7			
College Graduate	1819	141,888	1436	79.7	77.3-82.1	278	14.0	12.0-16.0	58	3.5	2.5- 4.5	22	1.4	0.6- 2.2	22	1.3	0.7- 1.9	3	0.1	0.0- 0.3
Less than \$15,000	303	34,760	221	71.8	64.7-78.9	34	10.2	5.7-14.7	23	9.3	4.4-14.2	7	2.2	0.0- 4.4	15	6.1	2.2-10.0	3	0.5	0.0- 1.1
\$15,000- 24,999	596	61,039	427	69.3	63.8-74.8	100	16.0	11.9-20.1	35	7.1	4.4- 9.8	11	2.3	0.7- 3.9	22	5.2	1.9- 8.5	1	0.1	0.0- 0.3
\$25,000- 34,999	520	54,213	375	72.1	66.8-77.4	83	15.4	11.3-19.5	33	7.2	4.1-10.3	14	2.1	0.7- 3.5	15	3.1	0.9- 5.3			
\$35,000- 49,999	783	77,650	553	69.3	65.0-73.6	146	17.4	13.9-20.9	45	7.2	4.5- 9.9	21	3.7	1.7- 5.7	17	2.4	1.0- 3.8	1	0.0	0.0- 0.0
\$50,000- 74,999	918	92,110	653	68.1	64.2-72.0	167	17.6	14.5-20.7	53	7.3	4.9- 9.7	21	2.5	1.1- 3.9	24	4.5	2.5- 6.5			
\$75,000+	1788	182,984	1328	74.7	72.3-77.1	290	15.0	13.0-17.0	95	5.7	4.3- 7.1	47	3.2	2.2- 4.2	28	1.4	0.8- 2.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2496	283,633	1592	64.6	62.2-67.0	516	18.9	16.9-20.9	206	8.5	7.1- 9.9	93	4.0	3.0- 5.0	87	3.9	2.9- 4.9	2	0.1	0.1- 0.1
Native	59	8,523	46	75.3	61.8-88.8	8	16.9	4.4-29.4	2	4.4	0.0-10.5	1	1.2	0.0- 3.6	1	1.3	0.0- 3.8	1	0.9	0.0- 2.9
Non-Native	2397	270,213	1518	64.0	61.6-66.4	501	19.1	17.1-21.1	202	8.8	7.4-10.2	92	4.1	3.1- 5.1	83	3.9	2.9- 4.9	1	0.0	0.0- 0.0
18-24	161	46,982	97	62.0	54.2-69.8	38	21.9	15.4-28.4	14	8.4	3.9-12.9	8	5.2	1.5- 8.9	4	2.4	0.0- 5.1			
25-34	313	55,688	206	66.4	60.7-72.1	56	16.2	11.9-20.5	28	9.0	5.7-12.3	12	3.9	1.5- 6.3	11	4.5	1.8- 7.2			
35-44	268	43,869	170	64.5	58.2-70.8	46	15.9	11.0-20.8	31	11.1	7.0-15.2	8	3.0	0.8- 5.2	13	5.4	2.5- 8.3			
45-54	385	39,879	243	65.0	59.7-70.3	80	19.3	15.2-23.4	32	7.4	4.7-10.1	15	4.3	1.9- 6.7	15	4.0	1.8- 6.2			
55-64	623	46,475	366	59.8	55.5-64.1	145	21.5	18.0-25.0	51	8.4	5.9-10.9	33	5.3	3.3- 7.3	27	4.9	2.9- 6.9	1	0.2	0.0- 0.6
65+	729	49,117	495	68.6	64.7-72.5	150	19.5	16.4-22.6	50	7.3	5.1- 9.5	16	2.0	0.8- 3.2	17	2.5	0.9- 4.1	1	0.1	0.0- 0.3
Less Than H.S.	142	23,464	78	55.2	45.2-65.2	25	18.3	10.5-26.1	17	8.7	4.2-13.2	7	4.1	0.6- 7.6	15	13.6	6.2-21.0			
H.S. or G.E.D.	769	84,226	455	62.9	58.8-67.0	163	19.0	15.7-22.3	78	10.0	7.3-12.7	37	3.7	2.3- 5.1	35	4.3	2.7- 5.9	1	0.1	0.0- 0.3
Some Post-H.S.	792	111,012	484	62.7	58.8-66.6	174	19.9	16.8-23.0	71	9.1	6.7-11.5	38	5.5	3.5- 7.5	25	2.8	1.6- 4.0			
College Graduate	788	64,529	572	73.6	69.9-77.3	153	17.4	14.3-20.5	39	5.5	3.5- 7.5	11	1.5	0.5- 2.5	12	1.8	0.6- 3.0	1	0.1	0.0- 0.3
Less than \$15,000	105	14,274	70	70.9	59.7-82.1	15	10.7	2.9-18.5	10	7.4	2.3-12.5	2	2.2	0.0- 5.5	7	8.3	0.5-16.1	1	0.6	0.0- 1.8
\$15,000- 24,999	224	27,051	141	63.6	55.8-71.4	45	19.7	13.2-26.2	24	10.6	5.9-15.3	5	2.6	0.2- 5.0	8	3.2	0.5- 5.9	1	0.3	0.0- 0.9
\$25,000- 34,999	216	28,102	148	71.5	64.1-78.9	34	15.1	9.0-21.2	14	6.9	2.6-11.2	10	2.6	0.6- 4.6	10	3.9	1.0- 6.8			
\$35,000- 49,999	390	43,283	240	62.2	56.1-68.3	87	20.2	15.3-25.1	33	8.7	5.0-12.4	18	6.0	2.7- 9.3	12	2.8	0.6- 5.0			
\$50,000- 74,999	458	52,092	274	58.3	52.6-64.0	106	20.9	16.6-25.2	41	10.6	6.9-14.3	15	2.7	1.1- 4.3	22	7.5	4.2-10.8			
\$75,000+	936	100,013	604	65.4	61.7-69.1	197	19.3	16.4-22.2	74	8.2	6.0-10.4	39	4.7	2.9- 6.5	22	2.3	1.3- 3.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	272,795	2412	79.9	77.7-82.1	392	11.8	10.2-13.4	102	4.8	3.6- 6.0	35	1.5	0.9- 2.1	44	2.0	1.0- 3.0	5	0.1	0.1- 0.1
Native	86	11,943	66	74.3	62.3-86.3	8	8.6	1.3-15.9	6	6.5	1.0-12.0	2	2.9	0.0- 7.8	4	7.7	0.0-15.9			
Non-Native	2871	257,980	2321	80.2	78.0-82.4	382	12.0	10.4-13.6	93	4.7	3.3- 6.1	32	1.4	0.8- 2.0	38	1.7	0.9- 2.5	5	0.1	0.1- 0.1
18-24	90	38,053	66	74.3	64.7-83.9	15	13.7	6.8-20.6	7	8.7	2.2-15.2	1	0.9	0.0- 2.7	1	2.4	0.0- 6.9			
25-34	253	48,083	186	74.8	69.1-80.5	33	12.0	7.7-16.3	19	7.0	3.7-10.3	8	3.7	1.2- 6.2	7	2.5	0.5- 4.5			
35-44	291	39,745	238	83.1	78.2-88.0	34	9.0	5.7-12.3	11	4.6	1.5- 7.7	1	0.3	0.0- 0.9	7	3.1	0.4- 5.8			
45-54	388	37,963	306	79.2	74.7-83.7	51	12.6	8.9-16.3	19	5.3	2.8- 7.8	6	1.6	0.2- 3.0	6	1.3	0.1- 2.5			
55-64	682	46,076	565	82.9	79.8-86.0	90	12.5	9.8-15.2	13	2.0	0.8- 3.2	6	1.0	0.0- 2.0	8	1.6	0.2- 3.0			
65+	1244	59,151	1014	82.8	80.4-85.2	168	11.8	9.8-13.8	33	2.7	1.7- 3.7	11	0.9	0.3- 1.5	13	1.4	0.6- 2.2	5	0.4	0.0- 0.8
Less Than H.S.	150	20,742	113	65.1	52.6-77.6	17	11.9	4.8-19.0	9	13.1	2.9-23.3	3	1.2	0.0- 2.6	6	8.4	0.0-17.4	2	0.4	0.0- 1.0
H.S. or G.E.D.	799	63,045	607	75.3	71.2-79.4	128	14.4	11.1-17.7	34	5.3	3.1- 7.5	10	1.6	0.2- 3.0	19	3.2	1.4- 5.0	1	0.1	0.0- 0.3
Some Post-H.S.	1005	111,332	824	81.9	78.8-85.0	122	10.6	8.2-13.0	39	5.0	3.0- 7.0	11	1.6	0.6- 2.6	9	0.9	0.1- 1.7			
College Graduate	1031	77,359	864	84.8	82.1-87.5	125	11.2	8.7-13.7	19	1.8	0.8- 2.8	11	1.3	0.3- 2.3	10	0.8	0.2- 1.4	2	0.1	0.0- 0.3
Less than \$15,000	198	20,487	151	72.4	63.2-81.6	19	9.8	4.3-15.3	13	10.6	3.2-18.0	5	2.2	0.0- 5.1	8	4.7	1.2- 8.2	2	0.4	0.0- 1.0
\$15,000- 24,999	372	33,988	286	73.7	66.3-81.1	55	13.1	7.8-18.4	11	4.3	1.0- 7.6	6	2.1	0.0- 4.3	14	6.7	1.2-12.2			
\$25,000- 34,999	304	26,110	227	72.8	65.4-80.2	49	15.8	10.3-21.3	19	7.4	2.5-12.3	4	1.6	0.0- 3.4	5	2.3	0.0- 5.4			
\$35,000- 49,999	393	34,367	313	78.3	72.2-84.4	59	13.8	9.1-18.5	12	5.4	1.5- 9.3	3	0.7	0.0- 1.9	5	1.7	0.0- 3.5	1	0.1	0.0- 0.3
\$50,000- 74,999	460	40,018	379	80.9	76.0-85.8	61	13.3	9.2-17.4	12	3.0	1.2- 4.8	6	2.3	0.1- 4.5	2	0.6	0.0- 1.4			
\$75,000+	852	82,971	724	85.8	83.1-88.5	93	9.9	7.5-12.3	21	2.7	1.3- 4.1	8	1.3	0.3- 2.3	6	0.3	0.1- 0.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	227
2	MALES ONLY	228
3	FEMALES ONLY	229

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days  
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3276	351,794	98	3.4	2.6- 4.2	42	1.4	0.8- 2.0	9	0.4	0.0- 0.8	4	0.3	0.1- 0.5	15	0.9	0.3- 1.5	3108	93.6	92.4-94.8
Male	1686	193,908	71	4.6	3.4- 5.8	27	1.7	0.9- 2.5	5	0.3	0.0- 0.7	4	0.5	0.0- 1.1	11	0.9	0.3- 1.5	1568	92.1	90.5-93.7
Female	1590	157,886	27	1.9	1.1- 2.7	15	1.0	0.4- 1.6	4	0.6	0.0- 1.4				4	1.0	0.0- 2.2	1540	95.4	93.6-97.2
Native	51	9,253	5	4.9	0.2- 9.6				1	2.1	0.0- 6.2							45	93.1	87.0-99.2
Non-Native	3191	339,037	92	3.4	2.6- 4.2	42	1.4	0.8- 2.0	8	0.4	0.0- 0.8	4	0.3	0.0- 0.7	15	1.0	0.4- 1.6	3030	93.5	92.3-94.7
18-24	170	55,233	9	4.7	1.6- 7.8	4	1.9	0.0- 3.9	1	1.2	0.0- 3.6	1	0.7	0.0- 2.1	3	2.8	0.0- 6.3	152	88.7	83.2-94.2
25-34	420	75,806	12	2.8	1.2- 4.4	8	1.8	0.4- 3.2	2	0.5	0.0- 1.3				6	1.5	0.1- 2.9	392	93.4	90.9-95.9
35-44	398	57,989	22	5.3	2.9- 7.7	5	0.9	0.1- 1.7	2	0.5	0.0- 1.3	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6	366	92.3	89.6-95.0
45-54	539	54,304	22	3.8	2.0- 5.6	11	1.8	0.6- 3.0	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	502	94.0	91.8-96.2
55-64	787	54,890	23	2.9	1.5- 4.3	10	1.1	0.3- 1.9	2	0.2	0.0- 0.6				4	0.8	0.0- 1.6	748	94.9	93.1-96.7
65+	934	50,875	10	1.1	0.3- 1.9	3	0.5	0.0- 1.1										921	98.4	97.4-99.4
Less Than H.S.	115	17,288	2	1.1	0.0- 2.7	2	1.1	0.0- 2.7	1	3.8	0.0-10.9				3	8.2	0.0-18.6	107	85.9	73.9-97.9
H.S. or G.E.D.	840	86,507	21	2.6	1.2- 4.0	11	1.3	0.5- 2.1	4	0.6	0.0- 1.2	1	0.3	0.0- 0.9	4	1.1	0.0- 2.3	799	94.1	92.1-96.1
Some Post-H.S.	1080	143,218	39	3.9	2.3- 5.5	17	1.5	0.5- 2.5	2	0.1	0.0- 0.3	2	0.4	0.0- 1.0	5	0.4	0.0- 0.8	1015	93.7	91.9-95.5
College Graduate	1237	104,427	36	3.7	2.3- 5.1	12	1.3	0.5- 2.1	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6	3	0.3	0.0- 0.7	1183	94.3	92.5-96.1
Less than \$15,000	96	13,451	5	4.6	0.3- 8.9	2	2.2	0.0- 5.3							1	1.1	0.0- 3.3	88	92.1	86.4-97.8
\$15,000- 24,999	247	30,682	5	1.5	0.0- 3.3	5	2.0	0.0- 4.2	1	0.6	0.0- 1.8				2	4.1	0.0-10.2	234	91.7	85.2-98.2
\$25,000- 34,999	264	30,675	11	6.4	1.7-11.1	4	1.8	0.0- 3.8				1	0.8	0.0- 2.4	1	1.0	0.0- 3.0	247	90.1	84.6-95.6
\$35,000- 49,999	460	48,584	15	4.8	2.1- 7.5	5	1.4	0.0- 3.0	3	0.4	0.0- 1.0	1	0.8	0.0- 2.4	5	1.0	0.0- 2.0	431	91.5	88.0-95.0
\$50,000- 74,999	611	63,605	17	2.4	1.0- 3.8	11	1.4	0.4- 2.4	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	2	0.9	0.0- 2.1	579	94.8	92.6-97.0
\$75,000+	1319	137,260	41	3.3	2.1- 4.5	13	1.2	0.4- 2.0	4	0.7	0.0- 1.7	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	1257	94.4	92.6-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	193,908	71	4.6	3.4- 5.8	27	1.7	0.9- 2.5	5	0.3	0.0- 0.7	4	0.5	0.0- 1.1	11	0.9	0.3- 1.5	1568	92.1	90.5-93.7
Non-Native	1648	188,873	67	4.6	3.2- 6.0	27	1.7	0.9- 2.5	5	0.3	0.0- 0.7	4	0.5	0.0- 1.1	11	0.9	0.3- 1.5	1534	92.0	90.2-93.8
18-24	110	30,281	7	6.4	1.5-11.3	3	2.6	0.0- 5.5				1	1.4	0.0- 3.9	2	2.1	0.0- 5.0	97	87.5	80.8-94.2
25-34	241	41,780	9	3.8	1.3- 6.3	4	1.7	0.0- 3.5	1	0.4	0.0- 1.2				4	1.4	0.0- 3.0	223	92.6	89.1-96.1
35-44	208	34,498	16	7.1	3.4-10.8	2	0.6	0.0- 1.4	1	0.6	0.0- 1.8				2	1.2	0.0- 3.0	187	90.5	86.4-94.6
45-54	287	29,237	11	3.5	1.3- 5.7	8	2.9	0.7- 5.1	2	0.3	0.0- 0.9	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	264	92.9	89.8-96.0
55-64	403	29,471	20	5.1	2.7- 7.5	7	1.4	0.2- 2.6	1	0.2	0.0- 0.6				4	1.6	0.0- 3.2	371	91.7	88.8-94.6
65+	428	27,867	8	1.7	0.3- 3.1	3	0.9	0.0- 1.9										417	97.4	95.6-99.2
Less Than H.S.	71	10,223	2	1.8	0.0- 4.3	2	1.9	0.0- 4.6							1	1.5	0.0- 4.4	66	94.8	90.1-99.5
H.S. or G.E.D.	488	54,093	17	3.5	1.5- 5.5	5	1.0	0.0- 2.0	3	0.6	0.0- 1.4	1	0.4	0.0- 1.2	2	1.2	0.0- 2.8	460	93.3	90.6-96.0
Some Post-H.S.	538	78,997	30	6.0	3.5- 8.5	13	2.3	0.7- 3.9				2	0.6	0.0- 1.6	5	0.8	0.0- 1.6	488	90.3	87.2-93.4
College Graduate	585	50,240	22	4.2	2.2- 6.2	7	1.4	0.2- 2.6	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2	3	0.6	0.0- 1.4	550	93.0	90.5-95.5
\$15,000- 24,999	113	14,930	2	2.5	0.0- 6.0	2	1.6	0.0- 3.8										109	95.9	91.8- 100
\$25,000- 34,999	131	17,641	8	8.0	1.1-14.9	3	2.1	0.0- 4.8				1	1.4	0.0- 3.9	1	1.8	0.0- 5.3	118	86.8	78.6-95.0
\$35,000- 49,999	262	29,605	10	4.9	1.4- 8.4	3	1.5	0.0- 3.7	2	0.3	0.0- 0.9	1	1.4	0.0- 4.1	5	1.6	0.0- 3.2	241	90.2	85.3-95.1
\$50,000- 74,999	316	37,157	12	3.1	1.1- 5.1	7	1.9	0.3- 3.5	1	0.5	0.0- 1.5	1	0.2	0.0- 0.8	2	1.5	0.0- 3.7	293	92.7	89.4-96.0
\$75,000+	722	77,797	33	4.9	2.9- 6.9	9	1.5	0.3- 2.7	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	675	92.8	90.4-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1590	157,886	27	1.9	1.1- 2.7	15	1.0	0.4- 1.6	4	0.6	0.0- 1.4	4	1.0	0.0- 2.2	1540	95.4	93.6-97.2
Non-Native	1543	150,164	25	1.9	0.9- 2.9	15	1.1	0.5- 1.7	3	0.5	0.0- 1.3	4	1.0	0.0- 2.4	1496	95.5	93.5-97.5
18-24	60	24,952	2	2.7	0.0- 6.4	1	1.1	0.0- 3.3	1	2.6	0.0- 7.7	1	3.6	0.0-10.5	55	90.1	81.1-99.1
25-34	179	34,026	3	1.5	0.0- 3.1	4	2.0	0.0- 4.2	1	0.6	0.0- 1.8	2	1.6	0.0- 4.0	169	94.4	90.7-98.1
35-44	190	23,491	6	2.7	0.5- 4.9	3	1.4	0.0- 3.2	1	0.5	0.0- 1.5	1	0.6	0.0- 1.8	179	94.8	91.7-97.9
45-54	252	25,067	11	4.1	1.4- 6.8	3	0.6	0.0- 1.4							238	95.3	92.6-98.0
55-64	384	25,420	3	0.4	0.0- 1.0	3	0.7	0.0- 1.5	1	0.2	0.0- 0.6				377	98.6	97.6-99.6
65+	506	23,008	2	0.3	0.0- 0.7										504	99.7	99.3- 100
H.S. or G.E.D.	352	32,414	4	1.1	0.0- 2.3	6	1.8	0.0- 3.6	1	0.6	0.0- 1.8	2	0.9	0.0- 2.3	339	95.5	92.8-98.2
Some Post-H.S.	542	64,221	9	1.3	0.3- 2.3	4	0.6	0.0- 1.4	2	0.3	0.0- 0.7				527	97.8	96.4-99.2
College Graduate	652	54,186	14	3.3	1.1- 5.5	5	1.2	0.0- 2.4							633	95.5	93.1-97.9
Less than \$15,000	52	7,379	2	4.1	0.0- 9.8	1	2.4	0.0- 7.1							49	93.5	86.2- 100
\$15,000- 24,999	134	15,752	3	0.5	0.0- 1.1	3	2.5	0.0- 6.0	1	1.2	0.0- 3.6	2	8.1	0.0-19.3	125	87.7	76.1-99.3
\$25,000- 34,999	133	13,034	3	4.2	0.0- 9.9	1	1.3	0.0- 3.8							129	94.5	88.4- 100
\$35,000- 49,999	198	18,979	5	4.6	0.3- 8.9	2	1.2	0.0- 3.0	1	0.6	0.0- 1.8				190	93.6	88.7-98.5
\$50,000- 74,999	295	26,448	5	1.5	0.1- 2.9	4	0.8	0.0- 1.6							286	97.8	96.2-99.4
\$75,000+	597	59,463	8	1.3	0.3- 2.3	4	0.8	0.0- 1.8	2	1.2	0.0- 3.4	1	0.2	0.0- 0.6	582	96.5	94.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	231
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	232
3 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	233
4 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	234
5 NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP•UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST) FEMALES ONLY	235
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST) FEMALES ONLY	236
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	272,645	2424	60.7	58.0-63.4	566	39.3	36.6-42.0
Native	86	11,943	63	58.0	43.7-72.3	23	42.0	27.7-56.3
Non-Native	2871	257,830	2333	60.7	58.0-63.4	538	39.3	36.6-42.0
18-24	90	38,053	7	6.6	1.5-11.7	83	93.4	88.3-98.5
25-34	254	48,215	28	12.5	7.8-17.2	226	87.5	82.8-92.2
35-44	291	39,745	127	45.1	38.6-51.6	164	54.9	48.4-61.4
45-54	387	37,845	360	92.0	88.9-95.1	27	8.0	4.9-11.1
55-64	678	45,726	650	95.7	93.9-97.5	28	4.3	2.5- 6.1
65+	1248	59,337	1217	97.5	96.5-98.5	31	2.5	1.5- 3.5
Less Than H.S.	152	20,848	129	58.3	45.0-71.6	23	41.7	28.4-55.0
H.S. or G.E.D.	800	63,177	672	63.3	58.0-68.6	128	36.7	31.4-42.0
Some Post-H.S.	1002	111,050	837	63.6	59.1-68.1	165	36.4	31.9-40.9
College Graduate	1031	77,252	781	55.1	51.0-59.2	250	44.9	40.8-49.0
Less than \$15,000	198	20,487	159	62.8	52.0-73.6	39	37.2	26.4-48.0
\$15,000- 24,999	371	33,930	314	58.7	50.1-67.3	57	41.3	32.7-49.9
\$25,000- 34,999	304	26,110	252	59.9	51.1-68.7	52	40.1	31.3-48.9
\$35,000- 49,999	393	34,367	313	55.1	47.5-62.7	80	44.9	37.3-52.5
\$50,000- 74,999	461	40,086	375	65.0	58.7-71.3	86	35.0	28.7-41.3
\$75,000+	851	82,864	651	60.5	56.2-64.8	200	39.5	35.2-43.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2408	164,185	1446	57.7	55.2-60.2	411	17.6	15.6-19.6	179	7.5	6.1- 8.9	141	6.5	5.1- 7.9	231	10.6	9.0-12.2
Native	63	6,929	29	44.7	28.8-60.6	18	28.6	14.9-42.3	6	8.1	0.5-15.7				10	18.7	5.0-32.4
Non-Native	2318	155,213	1405	58.5	56.0-61.0	390	17.3	15.3-19.3	170	7.5	6.1- 8.9	137	6.6	5.2- 8.0	216	10.1	8.5-11.7
35-44	127	17,927	70	53.9	44.1-63.7	29	23.5	15.3-31.7	5	4.7	0.4- 9.0	11	9.8	3.7-15.9	12	8.2	3.3-13.1
45-54	359	34,771	215	61.1	55.4-66.8	62	15.8	11.9-19.7	24	5.6	3.1- 8.1	21	5.2	2.7- 7.7	37	12.2	8.1-16.3
55-64	647	43,535	410	60.4	56.1-64.7	107	18.2	14.7-21.7	46	7.5	5.0-10.0	34	5.6	3.4- 7.8	50	8.3	5.8-10.8
65+	1208	57,186	719	58.4	55.1-61.7	202	16.8	14.3-19.3	97	8.3	6.5-10.1	70	6.1	4.5- 7.7	120	10.4	8.2-12.6
Less Than H.S.	126	11,733	60	42.9	31.5-54.3	25	22.1	12.3-31.9	11	8.1	2.8-13.4	12	6.3	2.4-10.2	18	20.6	9.8-31.4
H.S. or G.E.D.	666	39,314	390	56.8	52.1-61.5	119	16.9	13.6-20.2	49	8.5	5.0-12.0	41	7.2	4.5- 9.9	67	10.5	7.8-13.2
Some Post-H.S.	831	70,285	505	58.9	54.8-63.0	128	16.0	13.1-18.9	69	8.2	6.0-10.4	46	6.9	4.5- 9.3	83	10.0	7.6-12.4
College Graduate	780	42,535	489	61.1	57.0-65.2	137	19.2	15.7-22.7	50	5.4	3.6- 7.2	41	5.3	3.3- 7.3	63	9.1	6.4-11.8
Less than \$15,000	155	12,379	69	35.5	26.5-44.5	27	17.3	10.2-24.4	17	14.3	6.7-21.9	8	5.6	0.3-10.9	34	27.3	17.1-37.5
\$15,000- 24,999	313	19,863	157	46.6	39.5-53.7	55	19.2	12.7-25.7	34	11.3	6.6-16.0	30	8.4	4.9-11.9	37	14.4	9.3-19.5
\$25,000- 34,999	250	15,534	139	53.2	45.0-61.4	49	19.9	13.6-26.2	20	7.5	3.4-11.6	16	5.9	2.6- 9.2	26	13.5	7.2-19.8
\$35,000- 49,999	312	18,875	201	66.1	59.6-72.6	39	11.8	7.3-16.3	19	4.5	2.1- 6.9	19	6.6	3.1-10.1	34	11.0	6.9-15.1
\$50,000- 74,999	374	26,012	238	58.6	52.3-64.9	65	20.5	15.2-25.8	30	9.2	4.5-13.9	14	3.6	1.4- 5.8	27	8.1	4.8-11.4
\$75,000+	651	50,127	423	63.0	58.5-67.5	115	18.3	14.8-21.8	37	5.2	3.2- 7.2	34	6.5	3.8- 9.2	42	6.9	4.5- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2982	271,728	2839	89.9	87.7-92.1	143	10.1	7.9-12.3
Native	86	11,943	79	91.2	82.8-99.6	7	8.8	0.4-17.2
Non-Native	2863	256,914	2728	89.7	87.5-91.9	135	10.3	8.1-12.5
18-24	89	37,733	46	53.0	42.0-64.0	43	47.0	36.0-58.0
25-34	253	47,940	234	92.4	88.9-95.9	19	7.6	4.1-11.1
35-44	291	39,745	284	97.2	94.8-99.6	7	2.8	0.4- 5.2
45-54	386	37,800	379	98.0	96.2-99.8	7	2.0	0.2- 3.8
55-64	678	45,726	671	98.6	97.4-99.8	7	1.4	0.2- 2.6
65+	1243	59,060	1187	94.5	92.9-96.1	56	5.5	3.9- 7.1
Less Than H.S.	152	20,848	130	80.2	68.8-91.6	22	19.8	8.4-31.2
H.S. or G.E.D.	796	62,787	748	88.2	84.1-92.3	48	11.8	7.7-15.9
Some Post-H.S.	999	110,844	954	89.4	85.9-92.9	45	10.6	7.1-14.1
College Graduate	1030	76,933	1002	94.6	92.2-97.0	28	5.4	3.0- 7.8
Less than \$15,000	197	20,471	181	89.4	82.7-96.1	16	10.6	3.9-17.3
\$15,000- 24,999	370	33,886	343	86.0	78.6-93.4	27	14.0	6.6-21.4
\$25,000- 34,999	303	26,033	284	86.6	79.5-93.7	19	13.4	6.3-20.5
\$35,000- 49,999	393	34,367	369	84.2	77.1-91.3	24	15.8	8.7-22.9
\$50,000- 74,999	460	39,811	449	94.1	90.2-98.0	11	5.9	2.0- 9.8
\$75,000+	849	82,478	834	96.9	95.1-98.7	15	3.1	1.3- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	242,556	721	33.4	30.9-35.9	528	21.2	19.0-23.4	405	14.5	12.7-16.3	299	8.6	7.2-10.0	857	22.2	20.4-24.0
Native	79	10,897	32	48.7	34.2-63.2	17	19.9	9.5-30.3	10	9.5	2.8-16.2	3	2.0	0.0- 4.7	17	19.9	8.5-31.3
Non-Native	2699	228,839	685	32.8	30.3-35.3	507	21.3	19.1-23.5	392	14.8	13.0-16.6	292	9.0	7.6-10.4	823	22.1	20.3-23.9
25-34	234	44,298	113	49.3	42.2-56.4	60	25.5	19.4-31.6	42	18.2	12.9-23.5	11	3.4	1.2- 5.6	8	3.5	0.8- 6.2
35-44	283	38,453	113	40.0	33.5-46.5	73	26.8	20.9-32.7	42	14.4	9.9-18.9	17	5.6	2.7- 8.5	38	13.2	8.7-17.7
45-54	379	37,038	135	34.3	29.0-39.6	80	21.7	17.0-26.4	60	14.6	10.7-18.5	33	8.2	5.1-11.3	71	21.2	16.3-26.1
55-64	669	45,029	189	26.5	22.8-30.2	146	22.8	19.3-26.3	102	15.1	12.0-18.2	59	8.7	6.3-11.1	173	26.9	23.0-30.8
65+	1164	54,569	133	12.0	9.8-14.2	154	13.5	11.1-15.9	153	13.6	11.2-16.0	172	14.2	11.8-16.6	552	46.7	43.4-50.0
Less Than H.S.	127	16,482	21	30.4	17.1-43.7	17	15.2	4.6-25.8	14	8.8	2.9-14.7	17	10.4	3.3-17.5	58	35.2	23.4-47.0
H.S. or G.E.D.	738	54,848	168	29.7	24.8-34.6	112	18.4	14.3-22.5	83	13.0	9.3-16.7	76	9.5	6.6-12.4	299	29.4	25.5-33.3
Some Post-H.S.	945	98,413	241	33.6	29.5-37.7	182	21.4	17.9-24.9	144	14.5	11.8-17.2	100	8.9	6.7-11.1	278	21.5	18.6-24.4
College Graduate	995	72,496	289	36.4	32.5-40.3	216	24.6	21.1-28.1	164	17.0	14.1-19.9	106	7.3	5.5- 9.1	220	14.7	12.3-17.1
Less than \$15,000	179	18,184	43	31.5	21.3-41.7	19	12.3	5.8-18.8	14	7.5	2.6-12.4	17	6.4	2.3-10.5	86	42.4	32.0-52.8
\$15,000- 24,999	338	28,859	56	28.0	20.0-36.0	52	18.2	10.9-25.5	45	14.4	9.1-19.7	38	8.9	4.6-13.2	147	30.6	24.3-36.9
\$25,000- 34,999	281	22,409	51	29.3	20.7-37.9	44	17.5	10.8-24.2	38	14.9	9.2-20.6	40	10.5	5.2-15.8	108	27.8	21.3-34.3
\$35,000- 49,999	368	28,867	78	32.1	24.7-39.5	67	20.6	14.9-26.3	44	10.4	6.5-14.3	42	9.3	5.0-13.6	137	27.5	22.0-33.0
\$50,000- 74,999	447	37,397	135	34.8	28.9-40.7	85	20.5	15.8-25.2	86	18.0	13.3-22.7	37	8.4	5.5-11.3	104	18.4	14.5-22.3
\$75,000+	830	79,563	275	38.0	33.9-42.1	201	25.9	22.2-29.6	133	16.3	13.4-19.2	78	8.3	5.9-10.7	143	11.5	9.3-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP-UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	238,068	628	35.7	33.0-38.4	1916	64.3	61.6-67.0
Native	71	9,553	31	53.5	38.4-68.6	40	46.5	31.4-61.6
Non-Native	2446	226,045	590	34.9	32.2-37.6	1856	65.1	62.4-67.8
18-24	87	36,663	27	32.4	21.8-43.0	60	67.6	57.0-78.2
25-34	239	45,656	160	68.9	62.6-75.2	79	31.1	24.8-37.4
35-44	252	34,799	135	54.4	47.5-61.3	117	45.6	38.7-52.5
45-54	316	30,959	102	31.9	26.0-37.8	214	68.1	62.2-74.0
55-64	559	37,283	132	24.6	20.5-28.7	427	75.4	71.3-79.5
65+	1058	49,768	67	6.2	4.6- 7.8	991	93.8	92.2-95.4
Less Than H.S.	136	19,222	19	31.2	17.5-44.9	117	68.8	55.1-82.5
H.S. or G.E.D.	694	55,723	117	27.9	22.8-33.0	577	72.1	67.0-77.2
Some Post-H.S.	835	95,298	220	37.6	33.1-42.1	615	62.4	57.9-66.9
College Graduate	874	67,508	271	40.6	36.3-44.9	603	59.4	55.1-63.7
Less than \$15,000	177	17,992	41	35.7	25.3-46.1	136	64.3	53.9-74.7
\$15,000- 24,999	320	30,019	48	28.4	19.6-37.2	272	71.6	62.8-80.4
\$25,000- 34,999	257	23,091	52	38.0	28.6-47.4	205	62.0	52.6-71.4
\$35,000- 49,999	342	30,662	69	25.8	18.7-32.9	273	74.2	67.1-81.3
\$50,000- 74,999	387	35,182	104	35.1	28.6-41.6	283	64.9	58.4-71.4
\$75,000+	730	72,097	264	47.2	42.7-51.7	466	52.8	48.3-57.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	600	81,229	187	36.0	30.9-41.1	103	19.8	15.3-24.3	104	15.6	12.1-19.1	50	6.9	4.5- 9.3	156	21.7	17.8-25.6
Non-Native	563	75,404	176	36.1	30.8-41.4	96	19.9	15.2-24.6	97	16.0	12.3-19.7	49	7.4	4.9- 9.9	145	20.5	16.6-24.4
25-34	153	29,855	56	37.6	29.2-46.0	28	18.5	11.8-25.2	28	16.7	10.4-23.0	11	6.5	2.4-10.6	30	20.7	13.4-28.0
35-44	131	18,457	44	33.7	24.7-42.7	20	16.0	8.9-23.1	31	20.7	13.4-28.0	9	8.2	2.5-13.9	27	21.4	13.4-29.4
45-54	95	9,048	28	28.7	18.5-38.9	16	16.5	8.5-24.5	14	11.6	4.9-18.3	13	14.3	5.9-22.7	24	28.9	17.9-39.9
55-64	129	8,910	36	26.4	18.0-34.8	23	18.6	11.0-26.2	17	15.6	8.2-23.0	9	5.2	0.9- 9.5	44	34.2	25.0-43.4
65+	61	2,664	5	7.7	0.8-14.6	8	10.3	2.7-17.9	12	19.9	9.1-30.7	7	14.6	3.6-25.6	29	47.5	33.4-61.6
H.S. or G.E.D.	113	15,071	46	44.4	33.0-55.8	19	19.5	9.9-29.1	13	10.5	3.8-17.2	11	6.0	2.1- 9.9	24	19.6	10.4-28.8
Some Post-H.S.	211	34,011	62	34.1	25.9-42.3	36	18.7	12.0-25.4	41	16.0	10.1-21.9	13	7.1	3.0-11.2	59	24.1	17.4-30.8
College Graduate	257	26,132	74	35.6	28.3-42.9	42	15.5	10.4-20.6	48	19.8	14.1-25.5	23	7.0	3.7-10.3	70	22.0	16.1-27.9
\$25,000- 34,999	52	8,782	16	33.3	17.6-49.0	13	26.0	10.7-41.3	7	15.2	1.1-29.3	4	3.9	0.0- 8.0	12	21.5	7.0-36.0
\$35,000- 49,999	67	7,481	19	47.1	30.2-64.0	8	11.0	2.8-19.2	8	7.4	1.7-13.1	7	10.4	0.2-20.6	25	24.0	12.4-35.6
\$50,000- 74,999	100	11,822	29	33.7	21.7-45.7	13	17.2	6.4-28.0	20	17.0	8.0-26.0	11	8.0	2.5-13.5	27	24.0	13.6-34.4
\$75,000+	249	31,892	72	29.5	22.8-36.2	48	20.0	13.7-26.3	50	18.5	13.2-23.8	21	9.1	4.6-13.6	58	22.9	16.6-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING  
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	265,243	925	22.4	20.6-24.2	2025	77.6	75.8-79.4
Native	83	11,452	22	14.5	6.9-22.1	61	85.5	77.9-93.1
Non-Native	2835	250,979	893	22.7	20.9-24.5	1942	77.3	75.5-79.1
18-24	85	36,012				85	100.0	100.0- 100
25-34	236	44,495	11	4.8	1.9- 7.7	225	95.2	92.3-98.1
35-44	285	38,946	39	13.9	9.4-18.4	246	86.1	81.6-90.6
45-54	385	37,711	104	28.4	23.3-33.5	281	71.6	66.5-76.7
55-64	676	45,324	222	33.7	29.6-37.8	454	66.3	62.2-70.4
65+	1241	59,030	537	42.6	39.5-45.7	704	57.4	54.3-60.5
Less Than H.S.	149	20,198	60	23.8	15.6-32.0	89	76.2	68.0-84.4
H.S. or G.E.D.	791	61,576	293	26.0	22.5-29.5	498	74.0	70.5-77.5
Some Post-H.S.	989	107,862	323	24.1	21.2-27.0	666	75.9	73.0-78.8
College Graduate	1016	75,290	246	16.4	14.0-18.8	770	83.6	81.2-86.0
Less than \$15,000	195	20,352	63	19.1	13.2-25.0	132	80.9	75.0-86.8
\$15,000- 24,999	369	33,738	144	27.4	21.5-33.3	225	72.6	66.7-78.5
\$25,000- 34,999	300	25,634	114	27.0	20.5-33.5	186	73.0	66.5-79.5
\$35,000- 49,999	383	31,883	127	26.0	20.5-31.5	256	74.0	68.5-79.5
\$50,000- 74,999	454	38,682	120	20.1	16.0-24.2	334	79.9	75.8-84.0
\$75,000+	841	80,889	210	18.4	15.7-21.1	631	81.6	78.9-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 17: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)	
1	MALES ONLY	239
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	240
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	241
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	242
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	243
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	152,811	1138	57.1	54.4-59.8	693	42.9	40.2-45.6
Non-Native	1770	147,054	1106	57.3	54.6-60.0	664	42.7	40.0-45.4
35-44	127	19,651	30	22.3	14.1-30.5	97	77.7	69.5-85.9
45-54	379	39,383	157	43.7	38.0-49.4	222	56.3	50.6-62.0
55-64	614	45,691	417	65.7	61.4-70.0	197	34.3	30.0-38.6
65+	711	48,087	534	74.1	70.4-77.8	177	25.9	22.2-29.6
Less Than H.S.	108	12,682	56	49.0	38.4-59.6	52	51.0	40.4-61.6
H.S. or G.E.D.	562	43,860	314	50.1	45.4-54.8	248	49.9	45.2-54.6
Some Post-H.S.	586	60,474	362	58.7	54.0-63.4	224	41.3	36.6-46.0
College Graduate	570	35,394	402	65.5	61.0-70.0	168	34.5	30.0-39.0
Less than \$15,000	72	7,098	30	35.8	23.1-48.5	42	64.2	51.5-76.9
\$15,000- 24,999	172	15,046	95	54.8	46.2-63.4	77	45.2	36.6-53.8
\$25,000- 34,999	148	12,449	89	55.8	46.6-65.0	59	44.2	35.0-53.4
\$35,000- 49,999	296	23,906	173	55.2	48.5-61.9	123	44.8	38.1-51.5
\$50,000- 74,999	323	26,074	207	58.6	52.1-65.1	116	41.4	34.9-47.9
\$75,000+	700	58,453	466	60.2	55.9-64.5	234	39.8	35.5-44.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	151,996	417	21.6	19.4-23.8	1403	78.4	76.2-80.6
Non-Native	1761	146,400	401	21.3	19.1-23.5	1360	78.7	76.5-80.9
35-44	127	19,659	14	10.2	4.1-16.3	113	89.8	83.7-95.9
45-54	374	39,058	58	17.4	12.9-21.9	316	82.6	78.1-87.1
55-64	609	45,290	146	23.5	19.8-27.2	463	76.5	72.8-80.2
65+	710	47,989	199	27.9	24.2-31.6	511	72.1	68.4-75.8
Less Than H.S.	107	12,633	23	19.2	11.2-27.2	84	80.8	72.8-88.8
H.S. or G.E.D.	564	43,971	104	17.5	14.2-20.8	460	82.5	79.2-85.8
Some Post-H.S.	578	59,850	121	21.7	17.8-25.6	457	78.3	74.4-82.2
College Graduate	566	35,141	167	27.3	23.4-31.2	399	72.7	68.8-76.6
Less than \$15,000	72	7,049	9	11.3	3.5-19.1	63	88.7	80.9-96.5
\$15,000- 24,999	173	15,064	33	18.4	11.7-25.1	140	81.6	74.9-88.3
\$25,000- 34,999	148	12,475	34	23.8	15.8-31.8	114	76.2	68.2-84.2
\$35,000- 49,999	291	23,590	53	19.9	14.0-25.8	238	80.1	74.2-86.0
\$50,000- 74,999	321	26,038	74	22.5	17.2-27.8	247	77.5	72.2-82.8
\$75,000+	691	57,715	184	23.2	19.7-26.7	507	76.8	73.3-80.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1813	151,161	1019	50.8	48.1-53.5	794	49.2	46.5-51.9
Non-Native	1752	145,403	995	51.3	48.6-54.0	757	48.7	46.0-51.4
35-44	126	19,420	16	12.5	5.8-19.2	110	87.5	80.8-94.2
45-54	378	39,251	129	35.8	30.3-41.3	249	64.2	58.7-69.7
55-64	601	44,714	368	58.9	54.4-63.4	233	41.1	36.6-45.6
65+	708	47,775	506	71.2	67.5-74.9	202	28.8	25.1-32.5
Less Than H.S.	108	12,586	55	49.6	39.0-60.2	53	50.4	39.8-61.0
H.S. or G.E.D.	554	43,024	290	46.5	41.8-51.2	264	53.5	48.8-58.2
Some Post-H.S.	578	59,915	319	51.1	46.4-55.8	259	48.9	44.2-53.6
College Graduate	568	35,235	350	55.6	50.9-60.3	218	44.4	39.7-49.1
Less than \$15,000	69	6,944	27	33.6	20.9-46.3	42	66.4	53.7-79.1
\$15,000- 24,999	171	14,825	90	51.2	42.6-59.8	81	48.8	40.2-57.4
\$25,000- 34,999	147	12,371	83	54.3	45.1-63.5	64	45.7	36.5-54.9
\$35,000- 49,999	293	23,711	155	49.9	43.0-56.8	138	50.1	43.2-57.0
\$50,000- 74,999	320	25,861	192	53.8	47.3-60.3	128	46.2	39.7-52.7
\$75,000+	695	57,797	401	50.1	45.8-54.4	294	49.9	45.6-54.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING  
TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1011	76,141	925	88.9	86.4-91.4	86	11.1	8.6-13.6
Non-Native	987	73,884	906	89.0	86.5-91.5	81	11.0	8.5-13.5
45-54	129	14,041	100	75.2	66.4-84.0	29	24.8	16.0-33.6
55-64	365	26,131	332	88.8	84.9-92.7	33	11.2	7.3-15.1
65+	501	33,550	480	95.3	92.9-97.7	21	4.7	2.3- 7.1
Less Than H.S.	54	6,139	45	79.8	66.7-92.9	9	20.2	7.1-33.3
H.S. or G.E.D.	288	19,889	250	83.9	78.6-89.2	38	16.1	10.8-21.4
Some Post-H.S.	315	30,166	287	88.3	84.0-92.6	28	11.7	7.4-16.0
College Graduate	349	19,545	338	97.6	96.0-99.2	11	2.4	0.8- 4.0
\$15,000- 24,999	89	7,519	71	73.2	61.2-85.2	18	26.8	14.8-38.8
\$25,000- 34,999	83	6,719	75	87.2	78.2-96.2	8	12.8	3.8-21.8
\$35,000- 49,999	154	11,741	140	89.7	83.8-95.6	14	10.3	4.4-16.2
\$50,000- 74,999	190	13,819	176	93.0	88.9-97.1	14	7.0	2.9-11.1
\$75,000+	400	28,804	374	90.4	86.5-94.3	26	9.6	5.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1067	79,553	584	52.8	49.3-56.3	171	16.4	13.9-18.9	97	9.3	7.1-11.5	94	9.6	7.4-11.8	121	11.8	9.4-14.2
Non-Native	1044	77,328	568	52.3	48.8-55.8	168	16.5	14.0-19.0	95	9.4	7.2-11.6	93	9.7	7.5-11.9	120	12.1	9.7-14.5
45-54	123	13,054	60	48.0	38.2-57.8	22	17.9	10.5-25.3	16	12.6	6.1-19.1	9	7.7	2.2-13.2	16	13.8	6.7-20.9
55-64	369	26,460	203	53.8	48.1-59.5	64	17.4	13.1-21.7	34	9.3	6.0-12.6	36	10.8	7.1-14.5	32	8.6	5.3-11.9
65+	556	37,096	317	56.3	51.6-61.0	78	14.1	11.0-17.2	46	7.6	5.2-10.0	47	9.6	6.7-12.5	68	12.4	9.3-15.5
Less Than H.S.	55	5,936	23	42.5	28.0-57.0	6	9.6	2.2-17.0	8	11.7	3.1-20.3	11	23.4	10.7-36.1	7	12.8	3.0-22.6
H.S. or G.E.D.	297	20,718	193	64.4	58.3-70.5	34	11.4	7.5-15.3	23	7.1	3.8-10.4	18	6.6	3.5- 9.7	29	10.6	6.7-14.5
Some Post-H.S.	327	30,869	175	51.1	45.0-57.2	63	19.4	14.7-24.1	30	10.5	6.2-14.8	24	7.3	4.2-10.4	35	11.7	7.6-15.8
College Graduate	383	21,630	191	47.5	42.0-53.0	67	19.0	14.5-23.5	36	9.1	6.0-12.2	40	11.7	8.0-15.4	49	12.8	9.1-16.5
\$15,000- 24,999	90	7,214	43	43.8	32.0-55.6	11	11.2	4.3-18.1	11	10.6	4.3-16.9	11	13.5	5.1-21.9	14	20.9	9.9-31.9
\$25,000- 34,999	84	6,614	44	51.1	38.8-63.4	12	14.5	5.7-23.3	9	11.7	2.9-20.5	8	8.6	2.5-14.7	11	14.1	4.9-23.3
\$35,000- 49,999	162	11,971	91	50.2	40.8-59.6	23	16.6	9.3-23.9	9	8.1	0.5-15.7	17	12.4	5.9-18.9	22	12.7	7.0-18.4
\$50,000- 74,999	196	14,440	117	60.0	52.2-67.8	33	14.7	9.6-19.8	18	9.2	4.5-13.9	14	6.5	2.8-10.2	14	9.5	4.0-15.0
\$75,000+	427	30,811	234	53.5	48.2-58.8	73	18.8	14.5-23.1	36	8.2	5.3-11.1	37	9.7	6.4-13.0	47	9.8	6.9-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.  
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1068	79,638	763	70.3	67.0-73.6	50	4.3	2.9-5.7	77	8.0	6.0-10.0	50	4.2	2.8-5.6	128	13.2	10.7-15.7
Non-Native	1046	77,490	749	70.5	67.2-73.8	48	4.2	2.8-5.6	76	8.1	6.1-10.1	50	4.3	2.9-5.7	123	12.8	10.3-15.3
45-54	122	13,006	75	61.6	52.0-71.2	6	4.4	0.5-8.3	14	11.4	5.5-17.3	1	1.5	0.0-4.4	26	21.1	13.1-29.1
55-64	367	26,188	281	74.6	69.5-79.7	8	2.9	0.5-5.3	35	10.3	6.8-13.8	7	1.9	0.3-3.5	36	10.2	6.7-13.7
65+	559	37,265	397	72.8	68.7-76.9	36	5.6	3.6-7.6	23	4.1	2.3-5.9	42	7.1	4.7-9.5	61	10.4	7.5-13.3
Less Than H.S.	56	6,059	38	67.7	54.2-81.2	3	1.8	0.0-4.0	3	5.0	0.0-10.5	5	10.5	1.3-19.7	7	15.1	4.1-26.1
H.S. or G.E.D.	299	20,872	220	72.0	66.1-77.9	14	4.1	1.7-6.5	11	4.9	1.8-8.0	15	4.1	1.9-6.3	39	14.9	10.0-19.8
Some Post-H.S.	327	30,858	234	69.5	63.6-75.4	16	5.1	2.4-7.8	23	7.7	4.4-11.0	13	3.6	1.4-5.8	41	14.1	9.4-18.8
College Graduate	383	21,587	268	70.3	65.2-75.4	17	4.0	1.8-6.2	40	12.4	8.5-16.3	17	3.5	1.7-5.3	41	9.8	6.5-13.1
\$15,000- 24,999	90	7,097	58	64.5	52.9-76.1	6	3.3	0.0-6.6	8	9.4	2.5-16.3	2	1.5	0.0-3.7	16	21.2	10.8-31.6
\$25,000- 34,999	88	7,066	65	75.8	65.6-86.0	5	4.2	0.3-8.1	2	3.3	0.0-8.2	3	3.3	0.0-7.2	13	13.4	5.2-21.6
\$35,000- 49,999	160	11,786	113	68.1	58.7-77.5	11	6.5	2.4-10.6	6	5.7	0.4-11.0	12	5.5	2.0-9.0	18	14.2	5.8-22.6
\$50,000- 74,999	195	14,392	141	69.1	61.3-76.9	10	5.2	1.5-8.9	13	7.4	3.1-11.7	13	7.7	3.2-12.2	18	10.6	4.9-16.3
\$75,000+	428	30,825	310	72.0	67.1-76.9	13	3.2	1.2-5.2	43	10.8	7.5-14.1	15	2.9	1.1-4.7	47	11.2	7.9-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 18: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	246
2 MALES ONLY	247
3 FEMALES ONLY	248
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	249
5 MALES ONLY	250
6 FEMALES ONLY	251
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	252
8 MALES ONLY	253
9 FEMALES ONLY	254
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10 MALES AND FEMALES	255
11 MALES ONLY	256
12 FEMALES ONLY	257
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	258
14 MALES ONLY	259
15 FEMALES ONLY	260



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3684	243,075	1233	29.6	28.0-31.2	2451	70.4	68.8-72.0
Male	1554	116,608	408	24.0	21.6-26.4	1146	76.0	73.6-78.4
Female	2130	126,467	825	34.8	32.4-37.2	1305	65.2	62.8-67.6
Native	73	6,133	23	30.3	17.6-43.0	50	69.7	57.0-82.4
Non-Native	3571	234,071	1202	29.8	28.0-31.6	2369	70.2	68.4-72.0
45-54	441	44,921	64	13.5	10.0-17.0	377	86.5	83.0-90.0
55-64	1291	91,122	351	26.1	23.6-28.6	940	73.9	71.4-76.4
65+	1952	107,033	818	39.4	36.9-41.9	1134	60.6	58.1-63.1
Less Than H.S.	226	21,681	74	27.8	21.3-34.3	152	72.2	65.7-78.7
H.S. or G.E.D.	1130	68,522	354	28.0	25.1-30.9	776	72.0	69.1-74.9
Some Post-H.S.	1225	99,186	408	29.4	26.7-32.1	817	70.6	67.9-73.3
College Graduate	1095	53,165	394	32.9	29.8-36.0	701	67.1	64.0-70.2
Less than \$15,000	211	15,820	54	21.0	14.7-27.3	157	79.0	72.7-85.3
\$15,000- 24,999	455	29,899	162	31.4	26.3-36.5	293	68.6	63.5-73.7
\$25,000- 34,999	375	23,645	131	30.2	24.9-35.5	244	69.8	64.5-75.1
\$35,000- 49,999	553	34,480	206	33.3	28.8-37.8	347	66.7	62.2-71.2
\$50,000- 74,999	616	41,783	229	32.8	28.7-36.9	387	67.2	63.1-71.3
\$75,000+	1036	70,909	301	26.4	23.5-29.3	735	73.6	70.7-76.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1554	116,608	408	24.0	21.6-26.4	1146	76.0	73.6-78.4
Non-Native	1508	112,478	404	24.6	22.2-27.0	1104	75.4	73.0-77.8
45-54	222	22,531	28	11.1	6.8-15.4	194	88.9	84.6-93.2
55-64	615	45,787	141	22.0	18.5-25.5	474	78.0	74.5-81.5
65+	717	48,290	239	32.0	28.1-35.9	478	68.0	64.1-71.9
Less Than H.S.	103	11,687	23	21.3	12.7-29.9	80	78.7	70.1-87.3
H.S. or G.E.D.	498	34,996	124	23.7	19.6-27.8	374	76.3	72.2-80.4
Some Post-H.S.	487	44,827	116	21.8	17.9-25.7	371	78.2	74.3-82.1
College Graduate	461	24,697	144	29.9	25.4-34.4	317	70.1	65.6-74.6
Less than \$15,000	64	5,744	13	19.6	8.0-31.2	51	80.4	68.8-92.0
\$15,000- 24,999	154	12,607	35	22.6	15.0-30.2	119	77.4	69.8-85.0
\$25,000- 34,999	138	10,825	37	23.4	15.8-31.0	101	76.6	69.0-84.2
\$35,000- 49,999	259	18,630	75	27.7	21.6-33.8	184	72.3	66.2-78.4
\$50,000- 74,999	286	20,846	87	25.8	20.5-31.1	199	74.2	68.9-79.5
\$75,000+	543	39,574	137	22.8	19.1-26.5	406	77.2	73.5-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2130	126,467	825	34.8	32.4-37.2	1305	65.2	62.8-67.6
Non-Native	2063	121,592	798	34.6	32.2-37.0	1265	65.4	63.0-67.8
45-54	219	22,389	36	16.0	10.7-21.3	183	84.0	78.7-89.3
55-64	676	45,335	210	30.2	26.3-34.1	466	69.8	65.9-73.7
65+	1235	58,742	579	45.6	42.5-48.7	656	54.4	51.3-57.5
Less Than H.S.	123	9,994	51	35.4	25.8-45.0	72	64.6	55.0-74.2
H.S. or G.E.D.	632	33,526	230	32.5	28.4-36.6	402	67.5	63.4-71.6
Some Post-H.S.	738	54,359	292	35.7	31.8-39.6	446	64.3	60.4-68.2
College Graduate	634	28,468	250	35.5	31.4-39.6	384	64.5	60.4-68.6
Less than \$15,000	147	10,076	41	21.8	14.5-29.1	106	78.2	70.9-85.5
\$15,000- 24,999	301	17,292	127	37.8	31.3-44.3	174	62.2	55.7-68.7
\$25,000- 34,999	237	12,820	94	36.0	28.7-43.3	143	64.0	56.7-71.3
\$35,000- 49,999	294	15,849	131	40.0	33.3-46.7	163	60.0	53.3-66.7
\$50,000- 74,999	330	20,938	142	39.8	33.7-45.9	188	60.2	54.1-66.3
\$75,000+	493	31,335	164	31.0	26.5-35.5	329	69.0	64.5-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1216	71,016	236	20.5	17.8-23.2	148	12.5	10.3-14.7	126	10.9	8.7-13.1	185	16.0	13.6-18.4	521	40.1	37.0-43.2
Male	403	27,686	83	22.4	17.7-27.1	48	11.2	7.9-14.5	40	10.8	7.3-14.3	61	15.5	11.4-19.6	171	40.1	34.8-45.4
Female	813	43,330	153	19.2	16.1-22.3	100	13.4	10.7-16.1	86	11.0	8.5-13.5	124	16.3	13.4-19.2	350	40.1	36.2-44.0
Non-Native	1186	68,762	224	19.9	17.2-22.6	146	12.5	10.3-14.7	121	10.6	8.4-12.8	180	15.9	13.4-18.4	515	41.0	37.9-44.1
45-54	64	6,078	22	38.6	25.3-51.9	8	12.1	3.7-20.5	9	10.5	2.5-18.5	10	16.0	6.0-26.0	15	22.8	11.4-34.2
55-64	349	23,599	69	19.6	14.9-24.3	35	9.9	6.6-13.2	42	12.7	8.8-16.6	59	18.1	13.4-22.8	144	39.7	34.0-45.4
65+	803	41,340	145	18.3	15.2-21.4	105	14.1	11.2-17.0	75	9.9	7.4-12.4	116	14.8	11.9-17.7	362	42.9	39.0-46.8
Less Than H.S.	73	5,956	16	21.7	10.5-32.9	12	19.4	8.6-30.2	8	13.7	3.3-24.1	11	14.9	5.7-24.1	26	30.3	18.7-41.9
H.S. or G.E.D.	349	18,979	80	24.3	19.0-29.6	43	13.0	8.9-17.1	30	8.3	5.0-11.6	56	17.1	12.6-21.6	140	37.2	31.5-42.9
Some Post-H.S.	402	28,704	71	18.0	13.7-22.3	52	12.0	8.7-15.3	46	12.3	8.6-16.0	55	15.7	11.4-20.0	178	42.1	36.8-47.4
College Graduate	390	17,264	69	20.2	15.5-24.9	39	10.0	6.7-13.3	42	10.4	7.1-13.7	63	15.6	11.7-19.5	177	43.7	38.2-49.2
Less than \$15,000	53	3,252	14	29.8	14.1-45.5	5	12.8	1.4-24.2	7	8.3	1.8-14.8	8	16.0	4.8-27.2	19	33.2	17.9-48.5
\$15,000- 24,999	160	9,331	35	22.5	14.7-30.3	26	18.0	10.7-25.3	15	10.5	3.8-17.2	17	12.2	5.5-18.9	67	36.9	28.1-45.7
\$25,000- 34,999	131	7,150	22	18.0	10.0-26.0	15	10.6	4.7-16.5	16	13.7	6.3-21.1	16	13.0	5.9-20.1	62	44.7	34.7-54.7
\$35,000- 49,999	204	11,424	37	18.7	12.4-25.0	19	10.4	5.3-15.5	24	14.2	7.7-20.7	29	14.3	8.6-20.0	95	42.4	34.6-50.2
\$50,000- 74,999	226	13,503	45	20.8	14.9-26.7	28	11.6	7.1-16.1	18	8.2	4.1-12.3	40	19.4	13.3-25.5	95	40.0	32.9-47.1
\$75,000+	299	18,613	57	20.6	15.1-26.1	35	11.1	7.4-14.8	35	11.6	7.7-15.5	52	16.8	12.1-21.5	120	39.9	33.6-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	27,686	83	22.4	17.7-27.1	48	11.2	7.9-14.5	40	10.8	7.3-14.3	61	15.5	11.4-19.6	171	40.1	34.8-45.4
Non-Native	399	27,339	81	21.8	17.1-26.5	48	11.4	8.1-14.7	40	10.9	7.4-14.4	59	15.3	11.2-19.4	171	40.6	35.3-45.9
55-64	141	10,078	30	22.8	15.0-30.6	16	11.9	6.0-17.8	16	12.4	6.3-18.5	23	16.9	9.8-24.0	56	35.9	27.5-44.3
65+	234	15,103	43	18.7	13.0-24.4	29	11.0	6.7-15.3	21	10.5	5.6-15.4	32	13.6	8.5-18.7	109	46.2	38.9-53.5
H.S. or G.E.D.	123	8,246	29	25.0	16.4-33.6	13	10.6	4.5-16.7	8	6.5	2.0-11.0	21	18.2	10.6-25.8	52	39.6	30.2-49.0
Some Post-H.S.	115	9,691	20	18.5	10.7-26.3	15	11.2	5.5-16.9	16	13.2	6.7-19.7	16	15.7	7.9-23.5	48	41.4	31.6-51.2
College Graduate	141	7,185	28	22.9	14.9-30.9	18	12.9	6.8-19.0	12	8.1	3.0-13.2	21	13.7	7.6-19.8	62	42.5	33.5-51.5
\$35,000- 49,999	74	5,113	14	20.7	10.1-31.3	11	14.4	5.8-23.0	11	18.2	7.2-29.2	10	15.4	5.4-25.4	28	31.2	19.8-42.6
\$50,000- 74,999	84	5,170	15	21.1	10.9-31.3	13	13.5	6.2-20.8	4	4.6	0.0- 9.3	12	13.9	6.1-21.7	40	46.8	35.2-58.4
\$75,000+	137	9,019	28	22.1	14.3-29.9	14	9.8	4.5-15.1	17	12.3	6.4-18.2	24	16.4	9.5-23.3	54	39.4	30.2-48.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	813	43,330	153	19.2	16.1-22.3	100	13.4	10.7-16.1	86	11.0	8.5-13.5	124	16.3	13.4-19.2	350	40.1	36.2-44.0
Non-Native	787	41,423	143	18.6	15.5-21.7	98	13.2	10.5-15.9	81	10.5	8.0-13.0	121	16.3	13.2-19.4	344	41.3	37.4-45.2
55-64	208	13,521	39	17.2	11.5-22.9	19	8.4	4.5-12.3	26	12.9	7.6-18.2	36	19.0	12.7-25.3	88	42.5	35.1-49.9
65+	569	26,237	102	18.1	14.6-21.6	76	15.9	12.2-19.6	54	9.6	6.7-12.5	84	15.4	12.1-18.7	253	41.0	36.5-45.5
Less Than H.S.	50	3,466	10	16.7	5.7-27.7	11	29.2	13.7-44.7	4	6.7	0.0-14.9	8	17.4	4.9-29.9	17	30.0	16.3-43.7
H.S. or G.E.D.	226	10,733	51	23.7	17.2-30.2	30	14.9	9.4-20.4	22	9.7	5.0-14.4	35	16.3	10.8-21.8	88	35.3	28.2-42.4
Some Post-H.S.	287	19,013	51	17.7	12.6-22.8	37	12.3	8.2-16.4	30	11.9	7.4-16.4	39	15.7	10.6-20.8	130	42.4	36.1-48.7
College Graduate	249	10,079	41	18.3	12.4-24.2	21	8.0	4.5-11.5	30	12.1	7.6-16.6	42	17.0	11.7-22.3	115	44.6	37.5-51.7
\$15,000- 24,999	125	6,479	26	21.6	12.8-30.4	23	22.7	13.3-32.1	11	8.3	1.8-14.8	13	10.7	4.0-17.4	52	36.7	26.9-46.5
\$25,000- 34,999	94	4,617	13	14.4	5.8-23.0	11	11.5	3.9-19.1	13	16.1	6.3-25.9	12	13.3	4.9-21.7	45	44.7	32.7-56.7
\$35,000- 49,999	130	6,311	23	17.1	9.5-24.7	8	7.1	0.8-13.4	13	10.9	3.5-18.3	19	13.3	6.8-19.8	67	51.5	41.1-61.9
\$50,000- 74,999	142	8,333	30	20.7	13.4-28.0	15	10.4	4.7-16.1	14	10.4	4.5-16.3	28	22.8	14.4-31.2	55	35.8	27.0-44.6
\$75,000+	162	9,594	29	19.2	11.8-26.6	21	12.3	7.0-17.6	18	11.0	5.9-16.1	28	17.2	10.7-23.7	66	40.3	31.9-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3672	242,011	2648	69.5	67.7-71.3	1024	30.5	28.7-32.3
Male	1550	115,929	1078	67.6	64.9-70.3	472	32.4	29.7-35.1
Female	2122	126,082	1570	71.3	68.9-73.7	552	28.7	26.3-31.1
Native	73	6,277	39	51.9	37.8-66.0	34	48.1	34.0-62.2
Non-Native	3557	232,729	2584	70.1	68.3-71.9	973	29.9	28.1-31.7
45-54	439	44,576	215	49.5	44.2-54.8	224	50.5	45.2-55.8
55-64	1283	90,507	883	68.3	65.4-71.2	400	31.7	28.8-34.6
65+	1950	106,928	1550	78.8	76.6-81.0	400	21.2	19.0-23.4
Less Than H.S.	228	21,877	158	65.3	58.0-72.6	70	34.7	27.4-42.0
H.S. or G.E.D.	1129	68,416	756	63.6	60.3-66.9	373	36.4	33.1-39.7
Some Post-H.S.	1213	98,079	891	71.4	68.5-74.3	322	28.6	25.7-31.5
College Graduate	1094	53,118	838	75.3	72.4-78.2	256	24.7	21.8-27.6
Less than \$15,000	209	15,681	124	54.0	45.6-62.4	85	46.0	37.6-54.4
\$15,000- 24,999	454	29,820	292	61.0	55.5-66.5	162	39.0	33.5-44.5
\$25,000- 34,999	373	23,328	266	69.4	63.7-75.1	107	30.6	24.9-36.3
\$35,000- 49,999	553	34,525	406	72.1	67.6-76.6	147	27.9	23.4-32.4
\$50,000- 74,999	616	41,789	462	73.0	68.9-77.1	154	27.0	22.9-31.1
\$75,000+	1031	70,502	768	72.0	68.9-75.1	263	28.0	24.9-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1550	115,929	1078	67.6	64.9-70.3	472	32.4	29.7-35.1
Non-Native	1503	111,741	1054	68.2	65.5-70.9	449	31.8	29.1-34.5
45-54	219	22,140	102	46.8	39.4-54.2	117	53.2	45.8-60.6
55-64	611	45,315	406	64.8	60.5-69.1	205	35.2	30.9-39.5
65+	720	48,475	570	79.7	76.4-83.0	150	20.3	17.0-23.6
Less Than H.S.	103	11,543	69	65.4	55.0-75.8	34	34.6	24.2-45.0
H.S. or G.E.D.	500	35,123	312	60.0	55.1-64.9	188	40.0	35.1-44.9
Some Post-H.S.	484	44,319	333	68.4	63.9-72.9	151	31.6	27.1-36.1
College Graduate	458	24,543	360	77.6	73.3-81.9	98	22.4	18.1-26.7
Less than \$15,000	64	5,744	36	56.4	42.1-70.7	28	43.6	29.3-57.9
\$15,000- 24,999	155	12,583	90	57.5	48.3-66.7	65	42.5	33.3-51.7
\$25,000- 34,999	136	10,508	93	66.8	57.8-75.8	43	33.2	24.2-42.2
\$35,000- 49,999	260	18,695	176	67.8	61.3-74.3	84	32.2	25.7-38.7
\$50,000- 74,999	287	20,940	200	68.5	62.4-74.6	87	31.5	25.4-37.6
\$75,000+	540	39,330	400	70.8	66.3-75.3	140	29.2	24.7-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2122	126,082	1570	71.3	68.9-73.7	552	28.7	26.3-31.1
Non-Native	2054	120,988	1530	71.8	69.4-74.2	524	28.2	25.8-30.6
45-54	220	22,436	113	52.3	44.9-59.7	107	47.7	40.3-55.1
55-64	672	45,192	477	71.8	67.9-75.7	195	28.2	24.3-32.1
65+	1230	58,453	980	78.2	75.5-80.9	250	21.8	19.1-24.5
Less Than H.S.	125	10,334	89	65.2	54.8-75.6	36	34.8	24.4-45.2
H.S. or G.E.D.	629	33,293	444	67.4	63.1-71.7	185	32.6	28.3-36.9
Some Post-H.S.	729	53,760	558	73.8	69.9-77.7	171	26.2	22.3-30.1
College Graduate	636	28,575	478	73.2	69.1-77.3	158	26.8	22.7-30.9
Less than \$15,000	145	9,937	88	52.6	42.4-62.8	57	47.4	37.2-57.6
\$15,000- 24,999	299	17,237	202	63.5	56.8-70.2	97	36.5	29.8-43.2
\$25,000- 34,999	237	12,820	173	71.4	64.3-78.5	64	28.6	21.5-35.7
\$35,000- 49,999	293	15,829	230	77.3	71.6-83.0	63	22.7	17.0-28.4
\$50,000- 74,999	329	20,849	262	77.6	72.1-83.1	67	22.4	16.9-27.9
\$75,000+	491	31,172	368	73.6	69.1-78.1	123	26.4	21.9-30.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2594	164,714	95	3.4	2.6- 4.2	2499	96.6	95.8-97.4
Male	1051	76,485	32	3.0	1.8- 4.2	1019	97.0	95.8-98.2
Female	1543	88,229	63	3.8	2.8- 4.8	1480	96.2	95.2-97.2
Non-Native	2535	160,051	91	3.3	2.5- 4.1	2444	96.7	95.9-97.5
45-54	214	21,978	8	3.6	0.9- 6.3	206	96.4	93.7-99.1
55-64	875	61,218	17	1.7	0.7- 2.7	858	98.3	97.3-99.3
65+	1505	81,518	70	4.6	3.4- 5.8	1435	95.4	94.2-96.6
Less Than H.S.	150	13,659	6	2.8	0.3- 5.3	144	97.2	94.7-99.7
H.S. or G.E.D.	736	42,400	27	3.5	1.9- 5.1	709	96.5	94.9-98.1
Some Post-H.S.	876	68,714	39	3.9	2.5- 5.3	837	96.1	94.7-97.5
College Graduate	827	39,550	23	2.6	1.4- 3.8	804	97.4	96.2-98.6
Less than \$15,000	115	7,903	8	6.4	1.3-11.5	107	93.6	88.5-98.7
\$15,000- 24,999	287	17,746	14	5.9	2.6- 9.2	273	94.1	90.8-97.4
\$25,000- 34,999	259	15,605	10	3.0	0.5- 5.5	249	97.0	94.5-99.5
\$35,000- 49,999	395	24,325	13	3.2	1.4- 5.0	382	96.8	95.0-98.6
\$50,000- 74,999	460	30,323	14	2.9	1.1- 4.7	446	97.1	95.3-98.9
\$75,000+	759	50,334	21	2.5	1.3- 3.7	738	97.5	96.3-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1051	76,485	32	3.0	1.8- 4.2	1019	97.0	95.8-98.2
Non-Native	1031	74,584	30	2.8	1.6- 4.0	1001	97.2	96.0-98.4
45-54	101	10,253	3	2.9	0.0- 6.6	98	97.1	93.4- 100
55-64	400	28,959	10	2.5	0.7- 4.3	390	97.5	95.7-99.3
65+	550	37,273	19	3.3	1.7- 4.9	531	96.7	95.1-98.3
Less Than H.S.	65	7,285	1	0.6	0.0- 1.8	64	99.4	98.2- 100
H.S. or G.E.D.	306	20,670	10	3.5	1.0- 6.0	296	96.5	94.0-99.0
Some Post-H.S.	323	29,451	13	3.8	1.6- 6.0	310	96.2	94.0-98.4
College Graduate	353	18,742	8	2.0	0.6- 3.4	345	98.0	96.6-99.4
\$15,000- 24,999	88	7,071	6	5.8	0.5-11.1	82	94.2	88.9-99.5
\$25,000- 34,999	88	6,571	1	2.7	0.0- 7.8	87	97.3	92.2- 100
\$35,000- 49,999	170	12,327	5	2.9	0.2- 5.6	165	97.1	94.4-99.8
\$50,000- 74,999	198	14,147	3	1.2	0.0- 2.6	195	98.8	97.4- 100
\$75,000+	394	27,513	13	3.0	1.2- 4.8	381	97.0	95.2-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1543	88,229	63	3.8	2.8- 4.8	1480	96.2	95.2-97.2
Non-Native	1504	85,467	61	3.6	2.6- 4.6	1443	96.4	95.4-97.4
45-54	113	11,725	5	4.2	0.3- 8.1	108	95.8	91.9-99.7
55-64	475	32,259	7	1.0	0.2- 1.8	468	99.0	98.2-99.8
65+	955	44,245	51	5.7	3.9- 7.5	904	94.3	92.5-96.1
Less Than H.S.	85	6,374	5	5.4	0.1-10.7	80	94.6	89.3-99.9
H.S. or G.E.D.	430	21,730	17	3.5	1.5- 5.5	413	96.5	94.5-98.5
Some Post-H.S.	553	39,263	26	4.0	2.2- 5.8	527	96.0	94.2-97.8
College Graduate	474	20,808	15	3.2	1.4- 5.0	459	96.8	95.0-98.6
Less than \$15,000	82	4,838	4	3.9	0.0- 8.0	78	96.1	92.0- 100
\$15,000- 24,999	199	10,675	8	5.9	1.6-10.2	191	94.1	89.8-98.4
\$25,000- 34,999	171	9,034	9	3.2	1.0- 5.4	162	96.8	94.6-99.0
\$35,000- 49,999	225	11,998	8	3.5	1.0- 6.0	217	96.5	94.0-99.0
\$50,000- 74,999	262	16,175	11	4.3	1.4- 7.2	251	95.7	92.8-98.6
\$75,000+	365	22,820	8	1.8	0.4- 3.2	357	98.2	96.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2615	165,938	513	20.5	18.7-22.3	356	13.7	12.1-15.3	401	16.1	14.5-17.7	594	22.5	20.7-24.3	536	19.1	17.3-20.9	215	8.1	6.9-9.3
Male	1066	77,540	220	21.2	18.5-23.9	149	14.0	11.6-16.4	172	16.1	13.6-18.6	239	22.7	19.8-25.6	198	17.4	14.9-19.9	88	8.6	6.6-10.6
Female	1549	88,397	293	20.0	17.6-22.4	207	13.5	11.5-15.5	229	16.2	14.0-18.4	355	22.3	19.9-24.7	338	20.5	18.1-22.9	127	7.6	6.0-9.2
Non-Native	2552	161,097	497	20.3	18.5-22.1	351	13.9	12.3-15.5	390	15.8	14.2-17.4	576	22.5	20.5-24.5	530	19.4	17.6-21.2	208	8.1	6.9-9.3
45-54	215	22,083	76	35.5	28.2-42.8	38	18.1	12.2-24.0	34	15.0	9.7-20.3	29	16.2	10.3-22.1	20	7.1	3.8-10.4	18	8.1	4.2-12.0
55-64	878	61,253	148	16.8	14.1-19.5	124	13.8	11.3-16.3	156	19.2	16.3-22.1	212	24.1	21.0-27.2	189	21.0	18.1-23.9	49	5.2	3.6-6.8
65+	1522	82,602	289	19.3	16.9-21.7	194	12.5	10.5-14.5	211	14.2	12.2-16.2	353	23.0	20.5-25.5	327	20.8	18.4-23.2	148	10.2	8.4-12.0
Less Than H.S.	152	13,587	28	19.4	11.8-27.0	19	12.9	6.6-19.2	29	19.8	12.0-27.6	31	19.4	12.3-26.5	25	17.4	10.3-24.5	20	11.1	6.0-16.2
H.S. or G.E.D.	745	42,899	157	21.7	18.4-25.0	103	13.7	11.0-16.4	114	15.8	12.9-18.7	158	21.4	18.1-24.7	144	19.2	16.1-22.3	69	8.2	6.0-10.4
Some Post-H.S.	881	69,350	167	20.1	17.0-23.2	116	13.5	11.0-16.0	135	16.0	13.3-18.7	213	24.0	20.9-27.1	177	18.2	15.5-20.9	73	8.2	6.2-10.2
College Graduate	834	39,833	160	20.3	17.2-23.4	118	14.5	11.8-17.2	123	15.6	12.9-18.3	192	22.2	19.1-25.3	189	21.0	18.1-23.9	52	6.3	4.3-8.3
Less than \$15,000	121	8,209	27	20.6	12.4-28.8	12	12.1	3.7-20.5	16	13.2	6.1-20.3	20	16.0	8.2-23.8	26	19.0	11.2-26.8	20	19.1	10.7-27.5
\$15,000- 24,999	289	17,982	44	14.5	9.6-19.4	43	16.0	10.7-21.3	41	15.0	9.7-20.3	72	23.2	17.5-28.9	58	19.3	14.0-24.6	31	12.0	7.1-16.9
\$25,000- 34,999	262	15,944	51	19.8	13.7-25.9	33	12.0	7.3-16.7	40	17.4	11.7-23.1	70	26.4	20.1-32.7	53	19.7	13.8-25.6	15	4.7	1.8-7.6
\$35,000- 49,999	402	24,792	78	20.1	15.4-24.8	52	12.3	8.8-15.8	56	15.7	11.4-20.0	100	24.7	19.6-29.8	82	20.1	15.4-24.8	34	7.1	4.4-9.8
\$50,000- 74,999	460	30,364	91	22.2	17.7-26.7	69	15.2	11.5-18.9	73	16.8	12.9-20.7	100	22.0	17.7-26.3	103	18.6	14.9-22.3	24	5.1	2.9-7.3
\$75,000+	767	50,696	175	23.9	20.4-27.4	102	13.3	10.6-16.0	122	15.9	13.0-18.8	167	22.1	18.8-25.4	146	17.6	14.7-20.5	55	7.2	5.2-9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1066	77,540	220	21.2	18.5-23.9	149	14.0	11.6-16.4	172	16.1	13.6-18.6	239	22.7	19.8-25.6	198	17.4	14.9-19.9	88	8.6	6.6-10.6
Non-Native	1042	75,397	214	20.9	18.2-23.6	146	14.2	11.8-16.6	167	15.9	13.4-18.4	234	22.8	19.9-25.7	197	17.7	15.2-20.2	84	8.5	6.5-10.5
45-54	102	10,358	34	32.1	21.7-42.5	17	18.6	9.6-27.6	15	15.5	7.1-23.9	13	14.9	6.7-23.1	13	9.9	4.2-15.6	10	9.0	3.1-14.9
55-64	405	29,303	72	17.6	13.5-21.7	61	15.4	11.5-19.3	66	17.2	13.1-21.3	91	23.2	18.7-27.7	86	19.6	15.5-23.7	29	7.0	4.3-9.7
65+	559	37,879	114	20.9	17.0-24.8	71	11.8	8.9-14.7	91	15.3	12.2-18.4	135	24.4	20.3-28.5	99	17.8	14.1-21.5	49	9.8	6.9-12.7
Less Than H.S.	67	7,365	12	18.8	8.2-29.4	11	16.1	6.1-26.1	6	9.7	0.9-18.5	15	21.9	11.1-32.7	14	24.0	12.4-35.6	9	9.5	2.8-16.2
H.S. or G.E.D.	309	20,923	73	23.3	18.2-28.4	35	12.6	8.5-16.7	50	15.4	11.1-19.7	66	22.7	17.4-28.0	59	17.4	12.9-21.9	26	8.7	5.2-12.2
Some Post-H.S.	330	30,075	69	22.0	16.9-27.1	51	14.4	10.3-18.5	62	18.9	14.4-23.4	74	22.4	17.5-27.3	48	13.6	9.7-17.5	26	8.6	5.1-12.1
College Graduate	358	18,962	65	18.0	13.7-22.3	52	14.4	10.3-18.5	54	15.0	11.1-18.9	84	23.6	18.9-28.3	77	21.2	16.5-25.9	26	7.7	4.6-10.8
\$15,000- 24,999	88	7,119	9	9.9	2.6-17.2	15	15.8	7.4-24.2	14	13.8	6.4-21.2	23	26.9	16.3-37.5	15	16.2	7.0-25.4	12	17.4	7.4-27.4
\$25,000- 34,999	91	6,938	19	20.5	11.3-29.7	10	11.4	3.6-19.2	17	17.0	8.8-25.2	26	29.0	18.4-39.6	12	15.1	5.7-24.5	7	7.0	1.1-12.9
\$35,000- 49,999	174	12,604	37	21.4	14.5-28.3	26	14.1	8.6-19.6	24	16.0	9.7-22.3	42	23.5	16.2-30.8	32	19.1	12.4-25.8	13	5.8	2.5-9.1
\$50,000- 74,999	198	14,189	48	28.6	21.2-36.0	31	15.8	10.1-21.5	31	16.8	10.7-22.9	40	20.1	13.8-26.4	40	15.4	10.5-20.3	8	3.4	1.0-5.8
\$75,000+	399	27,758	86	22.3	17.6-27.0	57	14.0	10.3-17.7	65	16.1	12.0-20.2	85	21.7	17.0-26.4	77	18.1	14.0-22.2	29	7.7	4.8-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1549	88,397	293	20.0	17.6-22.4	207	13.5	11.5-15.5	229	16.2	14.0-18.4	355	22.3	19.9-24.7	338	20.5	18.1-22.9	127	7.6	6.0- 9.2
Non-Native	1510	85,699	283	19.7	17.3-22.1	205	13.8	11.8-15.8	223	15.8	13.6-18.0	342	22.2	19.7-24.7	333	20.9	18.5-23.3	124	7.6	6.0- 9.2
45-54	113	11,725	42	38.6	28.4-48.8	21	17.5	9.7-25.3	19	14.6	7.7-21.5	16	17.3	9.1-25.5	7	4.5	1.0- 8.0	8	7.4	2.3-12.5
55-64	473	31,949	76	15.9	12.2-19.6	63	12.4	9.3-15.5	90	21.0	16.7-25.3	121	24.9	20.6-29.2	103	22.4	18.1-26.7	20	3.5	1.7- 5.3
65+	963	44,723	175	17.9	15.2-20.6	123	13.2	10.7-15.7	120	13.2	10.7-15.7	218	21.8	18.9-24.7	228	23.4	20.3-26.5	99	10.5	8.1-12.9
Less Than H.S.	85	6,221	16	20.0	8.8-31.2	8	9.1	2.6-15.6	23	31.9	19.4-44.4	16	16.3	7.5-25.1	11	9.7	3.6-15.8	11	13.0	5.2-20.8
H.S. or G.E.D.	436	21,976	84	20.2	15.7-24.7	68	14.8	11.1-18.5	64	16.2	12.1-20.3	92	20.2	15.9-24.5	85	20.9	16.4-25.4	43	7.7	5.2-10.2
Some Post-H.S.	551	39,275	98	18.6	14.7-22.5	65	12.8	9.5-16.1	73	13.7	10.4-17.0	139	25.3	21.2-29.4	129	21.7	17.8-25.6	47	7.9	5.4-10.4
College Graduate	476	20,871	95	22.3	17.8-26.8	66	14.6	10.9-18.3	69	16.2	12.3-20.1	108	20.9	16.8-25.0	112	20.9	17.0-24.8	26	5.1	2.9- 7.3
Less than \$15,000	86	5,102	18	21.9	11.5-32.3	10	12.2	3.6-20.8	13	16.7	6.9-26.5	15	14.6	6.0-23.2	18	17.6	9.0-26.2	12	17.0	7.0-27.0
\$15,000- 24,999	201	10,864	35	17.6	11.1-24.1	28	16.1	9.0-23.2	27	15.9	8.6-23.2	49	20.8	14.3-27.3	43	21.3	14.8-27.8	19	8.4	4.1-12.7
\$25,000- 34,999	171	9,005	32	19.3	11.1-27.5	23	12.5	7.0-18.0	23	17.7	9.9-25.5	44	24.3	16.9-31.7	41	23.2	15.6-30.8	8	3.0	0.6- 5.4
\$35,000- 49,999	228	12,188	41	18.8	12.5-25.1	26	10.4	5.9-14.9	32	15.3	9.6-21.0	58	25.9	18.6-33.2	50	21.1	14.6-27.6	21	8.6	4.5-12.7
\$50,000- 74,999	262	16,175	43	16.6	11.5-21.7	38	14.7	10.0-19.4	42	16.9	11.6-22.2	60	23.8	17.9-29.7	63	21.5	16.0-27.0	16	6.6	3.1-10.1
\$75,000+	368	22,937	89	25.9	20.6-31.2	45	12.4	8.5-16.3	57	15.8	11.7-19.9	82	22.5	17.6-27.4	69	17.0	12.7-21.3	26	6.5	3.8- 9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	262
2	MALES ONLY	263
3	FEMALES ONLY	264
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	265
5	MALES ONLY	266
6	FEMALES ONLY	267
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)	
7	MALES AND FEMALES	268
8	MALES ONLY	269
9	FEMALES ONLY	270



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5327	539,356	1084	27.7	25.9-29.5	4243	72.3	70.5-74.1
Male	2414	274,883	552	28.2	25.8-30.6	1862	71.8	69.4-74.2
Female	2913	264,472	532	27.1	24.7-29.5	2381	72.9	70.5-75.3
Native	141	19,785	66	52.7	42.3-63.1	75	47.3	36.9-57.7
Non-Native	5118	512,441	1000	26.6	24.8-28.4	4118	73.4	71.6-75.2
18-24	246	83,320	61	27.1	21.0-33.2	185	72.9	66.8-79.0
25-34	549	100,537	216	41.4	36.9-45.9	333	58.6	54.1-63.1
35-44	545	81,108	237	43.6	38.9-48.3	308	56.4	51.7-61.1
45-54	751	75,897	244	34.4	30.5-38.3	507	65.6	61.7-69.5
55-64	1269	89,376	186	15.9	13.5-18.3	1083	84.1	81.7-86.5
65+	1914	104,418	133	8.1	6.5- 9.7	1781	91.9	90.3-93.5
Less Than H.S.	285	43,087	38	22.8	15.4-30.2	247	77.2	69.8-84.6
H.S. or G.E.D.	1531	144,264	267	26.5	23.4-29.6	1264	73.5	70.4-76.6
Some Post-H.S.	1726	213,768	381	29.4	26.5-32.3	1345	70.6	67.7-73.5
College Graduate	1775	137,519	398	27.8	25.1-30.5	1377	72.2	69.5-74.9
Less than \$15,000	294	34,088	84	36.0	28.4-43.6	210	64.0	56.4-71.6
\$15,000- 24,999	580	59,681	110	29.1	23.4-34.8	470	70.9	65.2-76.6
\$25,000- 34,999	504	52,160	97	31.5	25.6-37.4	407	68.5	62.6-74.4
\$35,000- 49,999	762	75,462	139	27.0	22.3-31.7	623	73.0	68.3-77.7
\$50,000- 74,999	897	90,224	164	23.2	19.5-26.9	733	76.8	73.1-80.5
\$75,000+	1735	176,742	410	28.3	25.8-30.8	1325	71.7	69.2-74.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2414	274,883	552	28.2	25.8-30.6	1862	71.8	69.4-74.2
Native	57	8,080	24	52.6	37.5-67.7	33	47.4	32.3-62.5
Non-Native	2320	262,439	516	27.2	24.8-29.6	1804	72.8	70.4-75.2
18-24	158	46,155	36	24.4	17.1-31.7	122	75.6	68.3-82.9
25-34	309	54,998	109	39.4	33.3-45.5	200	60.6	54.5-66.7
35-44	262	42,756	90	36.6	30.1-43.1	172	63.4	56.9-69.9
45-54	374	38,749	125	36.2	30.7-41.7	249	63.8	58.3-69.3
55-64	601	44,469	112	20.5	16.8-24.2	489	79.5	75.8-83.2
65+	698	46,688	77	11.6	8.9-14.3	621	88.4	85.7-91.1
Less Than H.S.	137	22,771	25	22.8	13.8-31.8	112	77.2	68.2-86.2
H.S. or G.E.D.	753	82,530	163	28.6	24.5-32.7	590	71.4	67.3-75.5
Some Post-H.S.	753	106,635	187	29.9	25.8-34.0	566	70.1	66.0-74.2
College Graduate	766	62,545	177	26.6	22.7-30.5	589	73.4	69.5-77.3
Less than \$15,000	101	13,861	31	30.7	19.1-42.3	70	69.3	57.7-80.9
\$15,000- 24,999	220	26,676	54	31.4	23.2-39.6	166	68.6	60.4-76.8
\$25,000- 34,999	206	26,478	54	38.6	30.0-47.2	152	61.4	52.8-70.0
\$35,000- 49,999	380	42,518	79	27.3	21.4-33.2	301	72.7	66.8-78.6
\$50,000- 74,999	445	50,975	81	22.0	16.9-27.1	364	78.0	72.9-83.1
\$75,000+	909	97,073	223	28.6	25.1-32.1	686	71.4	67.9-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	264,472	532	27.1	24.7-29.5	2381	72.9	70.5-75.3
Native	84	11,706	42	52.8	38.7-66.9	42	47.2	33.1-61.3
Non-Native	2798	250,002	484	26.0	23.6-28.4	2314	74.0	71.6-76.4
18-24	88	37,166	25	30.3	19.9-40.7	63	69.7	59.3-80.1
25-34	240	45,539	107	43.8	36.9-50.7	133	56.2	49.3-63.1
35-44	283	38,351	147	51.5	45.0-58.0	136	48.5	42.0-55.0
45-54	377	37,148	119	32.5	27.0-38.0	258	67.5	62.0-73.0
55-64	668	44,907	74	11.4	8.7-14.1	594	88.6	85.9-91.3
65+	1216	57,730	56	5.2	3.6- 6.8	1160	94.8	93.2-96.4
Less Than H.S.	148	20,315	13	22.9	10.6-35.2	135	77.1	64.8-89.4
H.S. or G.E.D.	778	61,733	104	23.7	19.0-28.4	674	76.3	71.6-81.0
Some Post-H.S.	973	107,134	194	28.8	24.7-32.9	779	71.2	67.1-75.3
College Graduate	1009	74,974	221	28.8	25.1-32.5	788	71.2	67.5-74.9
Less than \$15,000	193	20,228	53	39.6	29.6-49.6	140	60.4	50.4-70.4
\$15,000- 24,999	360	33,005	56	27.2	19.2-35.2	304	72.8	64.8-80.8
\$25,000- 34,999	298	25,682	43	24.2	16.8-31.6	255	75.8	68.4-83.2
\$35,000- 49,999	382	32,944	60	26.5	19.1-33.9	322	73.5	66.1-80.9
\$50,000- 74,999	452	39,249	83	24.8	19.1-30.5	369	75.2	69.5-80.9
\$75,000+	826	79,669	187	28.0	24.1-31.9	639	72.0	68.1-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	840	112,396	28	1.9	1.1- 2.7	72	5.8	4.2- 7.4	100	8.9	6.7-11.1	190	20.1	17.0-23.2	320	43.0	38.9-47.1	130	20.3	16.6-24.0
Male	409	56,899	11	1.5	0.5- 2.5	34	5.5	3.3- 7.7	39	7.6	4.7-10.5	95	21.6	17.1-26.1	163	43.8	38.1-49.5	67	20.1	15.2-25.0
Female	431	55,497	17	2.4	1.0- 3.8	38	6.2	4.0- 8.4	61	10.1	7.2-13.0	95	18.7	14.6-22.8	157	42.2	36.3-48.1	63	20.4	14.9-25.9
Non-Native	784	104,421	26	2.0	1.0- 3.0	69	5.9	4.3- 7.5	98	9.4	7.2-11.6	184	20.5	17.4-23.6	293	42.3	38.0-46.6	114	19.9	16.0-23.8
25-34	176	32,836				1	0.2	0.0- 0.6	1	0.9	0.0- 2.7	36	20.8	14.3-27.3	105	58.7	50.9-66.5	33	19.3	13.0-25.6
35-44	197	29,163				9	5.0	1.7- 8.3	26	13.0	7.5-18.5	48	23.4	16.9-29.9	88	44.5	36.9-52.1	26	14.1	8.6-19.6
45-54	205	21,700	8	4.3	1.0- 7.6	37	15.8	10.5-21.1	32	15.3	9.8-20.8	52	23.9	17.4-30.4	48	25.1	18.2-32.0	28	15.6	9.7-21.5
55-64	140	10,916	10	6.5	2.0-11.0	16	10.7	5.2-16.2	26	16.1	9.4-22.8	34	24.3	16.5-32.1	35	27.3	18.9-35.7	19	15.1	8.2-22.0
65+	83	4,841	10	10.8	3.9-17.7	8	6.5	1.6-11.4	15	16.1	7.7-24.5	19	22.9	12.9-32.9	25	36.9	24.9-48.9	6	6.8	0.7-12.9
H.S. or G.E.D.	194	27,515	1	0.2	0.0- 0.6	11	3.6	1.1- 6.1	18	7.2	2.9-11.5	54	19.4	13.9-24.9	70	40.8	32.8-48.8	40	28.8	20.6-37.0
Some Post-H.S.	291	47,572	14	2.8	1.2- 4.4	30	7.0	4.3- 9.7	38	9.9	6.4-13.4	62	19.8	14.7-24.9	104	41.8	35.1-48.5	43	18.7	12.8-24.6
College Graduate	330	31,312	12	1.8	0.6- 3.0	30	6.9	4.4- 9.4	43	10.2	6.9-13.5	69	21.1	16.0-26.2	135	45.6	39.5-51.7	41	14.5	9.8-19.2
Less than \$15,000	57	7,930	4	6.4	0.0-13.8	3	4.4	0.0-10.1	7	19.3	4.8-33.8	14	15.2	6.6-23.8	18	33.6	19.3-47.9	11	21.1	9.1-33.1
\$15,000- 24,999	83	12,049	2	0.4	0.0- 1.0	9	5.0	1.3- 8.7	6	2.0	0.2- 3.8	14	10.8	4.7-16.9	34	52.6	38.5-66.7	18	29.3	16.2-42.4
\$25,000- 34,999	73	12,019	1	0.6	0.0- 1.8	3	3.8	0.0- 8.9	5	3.4	0.1- 6.7	12	13.6	5.2-22.0	35	54.2	40.9-67.5	17	24.3	12.9-35.7
\$35,000- 49,999	104	16,094	2	0.9	0.0- 2.5	10	5.9	2.0- 9.8	9	5.9	1.2-10.6	26	19.4	11.0-27.8	40	41.9	30.3-53.5	17	25.9	13.9-37.9
\$50,000- 74,999	140	17,558	8	3.6	0.9- 6.3	9	3.8	1.1- 6.5	22	10.9	5.2-16.6	34	25.7	16.7-34.7	49	36.8	27.0-46.6	18	19.1	9.7-28.5
\$75,000+	331	40,412	6	1.0	0.0- 2.0	30	6.1	3.7- 8.5	44	10.8	7.5-14.1	81	24.8	19.5-30.1	130	43.2	37.1-49.3	40	14.1	9.6-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	409	56,899	11	1.5	0.5- 2.5	34	5.5	3.3- 7.7	39	7.6	4.7-10.5	95	21.6	17.1-26.1	163	43.8	38.1-49.5	67	20.1	15.2-25.0
Non-Native	383	52,666	11	1.6	0.6- 2.6	31	5.1	2.9- 7.3	37	8.0	4.9-11.1	91	21.8	17.1-26.5	152	43.7	37.8-49.6	61	19.8	14.7-24.9
25-34	88	16,902							1	1.8	0.0- 5.3	26	30.0	19.6-40.4	47	51.8	40.6-63.0	14	16.4	8.0-24.8
35-44	65	11,549				3	4.7	0.0-10.0	9	13.7	3.5-23.9	15	23.6	12.4-34.8	28	42.3	29.4-55.2	10	15.7	6.3-25.1
45-54	100	11,134	2	1.8	0.0- 4.3	14	13.0	5.7-20.3	13	12.4	5.5-19.3	22	19.1	11.1-27.1	34	35.7	25.1-46.3	15	18.0	9.0-27.0
55-64	81	6,960	4	5.3	0.0-11.0	10	10.4	3.7-17.1	9	9.5	2.6-16.4	21	24.9	14.7-35.1	22	29.4	18.0-40.8	15	20.5	10.5-30.5
H.S. or G.E.D.	113	16,993				6	3.5	0.2- 6.8	11	8.3	1.8-14.8	29	17.7	10.8-24.6	38	39.2	28.8-49.6	29	31.3	20.9-41.7
Some Post-H.S.	140	24,365	7	2.8	0.6- 5.0	13	6.1	2.4- 9.8	12	6.3	2.2-10.4	30	22.3	14.7-29.9	61	46.6	37.2-56.0	17	15.9	8.5-23.3
College Graduate	139	12,655	4	1.2	0.0- 2.4	14	7.9	3.4-12.4	15	10.1	4.6-15.6	32	22.4	14.6-30.2	56	43.7	34.3-53.1	18	14.8	7.7-21.9
\$35,000- 49,999	55	8,608				4	3.5	0.0- 7.0	2	4.3	0.0-10.6	15	18.4	7.8-29.0	26	56.0	41.1-70.9	8	17.9	5.7-30.1
\$50,000- 74,999	68	9,276	4	3.2	0.0- 6.7	5	4.6	0.1- 9.1	12	13.2	4.2-22.2	21	36.1	21.8-50.4	20	28.3	15.8-40.8	6	14.7	2.7-26.7
\$75,000+	168	21,718	4	1.5	0.0- 3.1	13	4.8	1.9- 7.7	17	8.3	4.2-12.4	41	24.5	17.1-31.9	67	43.3	34.7-51.9	26	17.6	10.5-24.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	431	55,497	17	2.4	1.0-3.8	38	6.2	4.0-8.4	61	10.1	7.2-13.0	95	18.7	14.6-22.8	157	42.2	36.3-48.1	63	20.4	14.9-25.9
Non-Native	401	51,755	15	2.3	0.7-3.9	38	6.7	4.3-9.1	61	10.9	7.8-14.0	93	19.2	14.9-23.5	141	40.9	34.8-47.0	53	20.0	14.1-25.9
25-34	88	15,933				1	0.4	0.0-1.2				10	11.0	3.9-18.1	58	66.1	55.3-76.9	19	22.4	12.8-32.0
35-44	132	17,614				6	5.1	0.8-9.4	17	12.5	6.2-18.8	33	23.4	15.8-31.0	60	46.0	36.4-55.6	16	13.1	6.6-19.6
45-54	105	10,566	6	7.0	0.7-13.3	23	18.7	11.1-26.3	19	18.5	9.9-27.1	30	28.9	19.1-38.7	14	13.9	6.3-21.5	13	13.1	5.5-20.7
55-64	59	3,956	6	8.6	1.3-15.9	6	11.4	2.4-20.4	17	27.6	14.7-40.5	13	23.3	11.1-35.5	13	23.6	11.3-35.9	4	5.5	0.0-11.0
H.S. or G.E.D.	81	10,522	1	0.6	0.0-1.8	5	3.9	0.0-7.8	7	5.4	1.1-9.7	25	22.0	12.6-31.4	32	43.4	30.5-56.3	11	24.7	11.0-38.4
Some Post-H.S.	151	23,207	7	2.7	0.3-5.1	17	8.1	3.8-12.4	26	13.6	7.7-19.5	32	17.2	10.7-23.7	43	36.8	27.4-46.2	26	21.6	12.8-30.4
College Graduate	191	18,657	8	2.1	0.5-3.7	16	6.2	2.9-9.5	28	10.3	6.0-14.6	37	20.2	13.5-26.9	79	46.9	38.7-55.1	23	14.4	8.1-20.7
\$50,000- 74,999	72	8,281	4	4.0	0.1-7.9	4	3.0	0.1-5.9	10	8.3	2.0-14.6	13	14.1	6.1-22.1	29	46.4	31.7-61.1	12	24.2	9.5-38.9
\$75,000+	163	18,694	2	0.4	0.0-1.0	17	7.6	3.7-11.5	27	13.6	8.1-19.1	40	25.1	17.7-32.5	63	43.1	34.5-51.7	14	10.1	4.6-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5404	546,470	158	5.7	4.7- 6.7	5246	94.3	93.3-95.3
Male	2445	277,051	102	7.1	5.5- 8.7	2343	92.9	91.3-94.5
Female	2959	269,419	56	4.3	2.9- 5.7	2903	95.7	94.3-97.1
Native	140	19,424	10	10.4	3.7-17.1	130	89.6	82.9-96.3
Non-Native	5194	519,714	144	5.5	4.5- 6.5	5050	94.5	93.5-95.5
18-24	247	83,559	33	14.0	9.3-18.7	214	86.0	81.3-90.7
25-34	560	102,671	59	11.4	8.5-14.3	501	88.6	85.7-91.5
35-44	550	81,192	22	4.3	2.5- 6.1	528	95.7	93.9-97.5
45-54	758	76,513	19	2.8	1.4- 4.2	739	97.2	95.8-98.6
55-64	1285	90,751	15	1.7	0.7- 2.7	1270	98.3	97.3-99.3
65+	1948	106,722	9	0.4	0.0- 0.8	1939	99.6	99.2- 100
Less Than H.S.	289	43,256	14	9.7	4.4-15.0	275	90.3	85.0-95.6
H.S. or G.E.D.	1545	145,385	62	9.0	6.6-11.4	1483	91.0	88.6-93.4
Some Post-H.S.	1758	217,041	40	4.0	2.6- 5.4	1718	96.0	94.6-97.4
College Graduate	1802	140,070	42	3.6	2.2- 5.0	1760	96.4	95.0-97.8
Less than \$15,000	297	34,242	13	7.7	3.0-12.4	284	92.3	87.6-97.0
\$15,000- 24,999	589	60,253	21	7.5	4.0-11.0	568	92.5	89.0-96.0
\$25,000- 34,999	509	52,750	21	10.9	6.2-15.6	488	89.1	84.4-93.8
\$35,000- 49,999	771	76,154	31	7.1	4.2-10.0	740	92.9	90.0-95.8
\$50,000- 74,999	909	91,038	23	4.9	2.7- 7.1	886	95.1	92.9-97.3
\$75,000+	1765	180,065	39	3.4	2.2- 4.6	1726	96.6	95.4-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2445	277,051	102	7.1	5.5- 8.7	2343	92.9	91.3-94.5
Native	56	7,718	2	4.8	0.0-11.7	54	95.2	88.3- 100
Non-Native	2351	264,811	96	7.1	5.5- 8.7	2255	92.9	91.3-94.5
18-24	159	46,394	22	15.6	9.3-21.9	137	84.4	78.1-90.7
25-34	309	54,967	34	12.5	8.2-16.8	275	87.5	83.2-91.8
35-44	261	42,029	15	5.5	2.6- 8.4	246	94.5	91.6-97.4
45-54	377	39,008	14	4.3	1.9- 6.7	363	95.7	93.3-98.1
55-64	609	45,214	12	2.5	0.9- 4.1	597	97.5	95.9-99.1
65+	716	48,102	5	0.6	0.0- 1.2	711	99.4	98.8- 100
Less Than H.S.	140	22,911	9	12.5	4.5-20.5	131	87.5	79.5-95.5
H.S. or G.E.D.	759	83,038	42	9.7	6.6-12.8	717	90.3	87.2-93.4
Some Post-H.S.	764	107,200	25	5.4	3.2- 7.6	739	94.6	92.4-96.8
College Graduate	777	63,501	26	4.5	2.5- 6.5	751	95.5	93.5-97.5
Less than \$15,000	101	13,861	7	9.8	1.4-18.2	94	90.2	81.8-98.6
\$15,000- 24,999	224	27,033	13	11.9	5.2-18.6	211	88.1	81.4-94.8
\$25,000- 34,999	208	26,793	11	10.2	4.1-16.3	197	89.8	83.7-95.9
\$35,000- 49,999	384	42,393	24	10.1	5.8-14.4	360	89.9	85.6-94.2
\$50,000- 74,999	451	51,170	12	5.5	2.2- 8.8	439	94.5	91.2-97.8
\$75,000+	919	97,852	29	4.3	2.5- 6.1	890	95.7	93.9-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2959	269,419	56	4.3	2.9- 5.7	2903	95.7	94.3-97.1
Native	84	11,706	8	14.0	3.8-24.2	76	86.0	75.8-96.2
Non-Native	2843	254,902	48	3.9	2.5- 5.3	2795	96.1	94.7-97.5
18-24	88	37,166	11	11.9	5.0-18.8	77	88.1	81.2-95.0
25-34	251	47,705	25	10.2	6.1-14.3	226	89.8	85.7-93.9
35-44	289	39,163	7	3.0	0.6- 5.4	282	97.0	94.6-99.4
45-54	381	37,505	5	1.2	0.0- 2.4	376	98.8	97.6- 100
55-64	676	45,537	3	0.8	0.0- 2.0	673	99.2	98.0- 100
65+	1232	58,620	4	0.3	0.1- 0.5	1228	99.7	99.5-99.9
Less Than H.S.	149	20,345	5	6.6	0.3-12.9	144	93.4	87.1-99.7
H.S. or G.E.D.	786	62,347	20	8.1	4.2-12.0	766	91.9	88.0-95.8
Some Post-H.S.	994	109,841	15	2.6	1.0- 4.2	979	97.4	95.8-99.0
College Graduate	1025	76,569	16	2.9	1.1- 4.7	1009	97.1	95.3-98.9
Less than \$15,000	196	20,381	6	6.4	0.9-11.9	190	93.6	88.1-99.1
\$15,000- 24,999	365	33,220	8	3.9	0.8- 7.0	357	96.1	93.0-99.2
\$25,000- 34,999	301	25,958	10	11.6	4.3-18.9	291	88.4	81.1-95.7
\$35,000- 49,999	387	33,761	7	3.3	0.0- 6.6	380	96.7	93.4- 100
\$50,000- 74,999	458	39,868	11	4.1	1.4- 6.8	447	95.9	93.2-98.6
\$75,000+	846	82,214	10	2.4	0.6- 4.2	836	97.6	95.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2016**

End of Core Data Report