


NORTH DAKOTA

2019 Core Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5528	585,597	748	16.7	15.1-18.3	1993	36.6	34.8-38.4	1866	32.8	31.0-34.6	694	10.6	9.4-11.8	227	3.3	2.7- 3.9
Male	2599	300,418	384	17.9	15.7-20.1	878	35.1	32.6-37.6	890	33.1	30.6-35.6	340	11.0	9.4-12.6	107	2.9	2.1- 3.7
Female	2929	285,179	364	15.5	13.3-17.7	1115	38.2	35.5-40.9	976	32.5	30.0-35.0	354	10.1	8.5-11.7	120	3.7	2.7- 4.7
Native	192	25,115	33	18.1	10.5-25.7	40	23.4	14.2-32.6	61	30.9	22.1-39.7	41	21.4	13.0-29.8	17	6.2	2.3-10.1
Non-Native	5273	554,267	703	16.6	15.0-18.2	1938	37.3	35.3-39.3	1786	32.9	31.1-34.7	638	10.0	8.8-11.2	208	3.2	2.6- 3.8
18-24	279	83,458	62	22.3	16.4-28.2	118	40.2	33.5-46.9	82	29.7	23.2-36.2	17	7.8	3.7-11.9			
25-34	454	113,257	100	21.2	16.9-25.5	185	39.1	34.0-44.2	126	28.3	23.6-33.0	34	8.5	5.6-11.4	9	2.9	0.7- 5.1
35-44	546	94,044	87	15.7	12.2-19.2	232	38.8	33.9-43.7	185	38.0	32.9-43.1	36	6.3	3.6- 9.0	6	1.2	0.2- 2.2
45-54	656	80,070	120	20.2	16.1-24.3	254	35.7	31.2-40.2	192	29.9	25.6-34.2	66	9.8	6.9-12.7	24	4.3	2.1- 6.5
55-64	1235	93,644	141	11.3	9.1-13.5	467	37.1	33.8-40.4	424	34.6	31.3-37.9	143	11.8	9.4-14.2	60	5.3	3.7- 6.9
65+	2358	121,124	238	11.3	9.7-12.9	737	30.4	28.2-32.6	857	35.7	33.3-38.1	398	17.2	15.2-19.2	128	5.4	4.2- 6.6
Less Than H.S.	241	46,292	22	16.7	8.3-25.1	57	22.0	14.4-29.6	79	31.9	23.1-40.7	62	20.3	13.6-27.0	21	9.1	3.8-14.4
H.S. or G.E.D.	1516	154,771	174	16.1	13.2-19.0	439	32.2	28.9-35.5	568	34.7	31.4-38.0	249	13.0	10.8-15.2	86	4.0	2.8- 5.2
Some Post-H.S.	1761	227,794	221	15.8	13.4-18.2	631	37.0	33.9-40.1	628	34.7	31.6-37.8	209	9.7	7.7-11.7	72	2.8	2.0- 3.6
College Graduate	1989	154,468	327	18.7	16.3-21.1	856	44.8	41.9-47.7	588	28.6	25.9-31.3	170	6.4	5.0- 7.8	48	1.6	1.0- 2.2
Less than \$15,000	271	28,623	19	11.9	5.0-18.8	44	18.5	11.1-25.9	104	35.0	26.4-43.6	72	22.8	15.7-29.9	32	11.9	6.0-17.8
\$15,000- 24,999	563	54,828	49	12.0	6.9-17.1	148	28.9	22.8-35.0	195	33.1	27.0-39.2	120	18.5	13.8-23.2	51	7.5	4.8-10.2
\$25,000- 34,999	458	44,684	43	11.1	7.0-15.2	141	33.6	26.7-40.5	184	38.4	31.7-45.1	69	13.9	9.6-18.2	21	3.0	1.4- 4.6
\$35,000- 49,999	767	76,669	90	14.7	10.8-18.6	237	31.2	26.3-36.1	283	37.9	32.6-43.2	127	13.2	9.7-16.7	30	3.0	1.2- 4.8
\$50,000- 74,999	856	87,792	120	18.5	14.4-22.6	357	40.6	35.9-45.3	257	27.8	23.7-31.9	103	11.2	8.1-14.3	19	1.8	0.8- 2.8
\$75,000+	1807	214,750	327	20.6	18.1-23.1	792	41.7	38.6-44.8	548	31.0	28.1-33.9	113	5.3	3.7- 6.9	27	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2599	300,418	384	17.9	15.7-20.1	878	35.1	32.6-37.6	890	33.1	30.6-35.6	340	11.0	9.4-12.6	107	2.9	2.1- 3.7
Native	89	12,010	13	15.8	3.8-27.8	18	16.6	6.8-26.4	29	35.7	22.2-49.2	20	23.2	10.3-36.1	9	8.8	1.4-16.2
Non-Native	2474	284,468	365	18.0	15.8-20.2	847	35.9	33.4-38.4	852	33.1	30.6-35.6	312	10.2	8.6-11.8	98	2.7	1.9- 3.5
18-24	185	44,426	43	23.1	16.6-29.6	82	44.8	37.0-52.6	51	27.4	20.1-34.7	9	4.6	1.5- 7.7			
25-34	246	61,423	60	23.6	17.7-29.5	99	38.3	31.4-45.2	64	27.0	20.7-33.3	21	10.5	5.8-15.2	2	0.6	0.0- 1.8
35-44	274	49,561	48	16.1	11.0-21.2	105	35.8	28.7-42.9	99	39.7	32.6-46.8	19	7.0	3.1-10.9	3	1.4	0.0- 3.0
45-54	326	41,593	57	21.2	14.7-27.7	124	33.5	27.2-39.8	97	30.2	24.1-36.3	39	11.2	7.3-15.1	9	3.9	0.8- 7.0
55-64	575	47,653	59	11.0	7.7-14.3	195	32.7	28.0-37.4	213	38.4	33.5-43.3	77	12.5	9.2-15.8	31	5.5	3.0- 8.0
65+	993	55,762	117	12.2	9.7-14.7	273	26.5	23.2-29.8	366	36.3	32.8-39.8	175	18.5	15.6-21.4	62	6.4	4.4- 8.4
Less Than H.S.	124	24,483	9	11.6	2.4-20.8	30	27.3	16.3-38.3	41	34.0	22.8-45.2	35	21.0	12.2-29.8	9	6.1	1.0-11.2
H.S. or G.E.D.	761	88,003	101	18.4	14.5-22.3	225	34.2	29.7-38.7	277	32.9	28.6-37.2	119	11.4	8.7-14.1	39	3.1	1.7- 4.5
Some Post-H.S.	823	118,693	112	16.9	13.4-20.4	271	34.5	30.2-38.8	299	35.6	31.3-39.9	107	10.3	7.8-12.8	34	2.7	1.5- 3.9
College Graduate	879	67,875	160	21.0	17.5-24.5	345	39.8	35.7-43.9	272	29.5	25.6-33.4	77	7.7	5.3-10.1	25	2.0	1.0- 3.0
Less than \$15,000	106	11,681	7	9.1	1.5-16.7	18	17.4	7.6-27.2	38	38.5	26.0-51.0	28	18.1	9.5-26.7	15	16.9	6.1-27.7
\$15,000- 24,999	227	24,316	18	9.4	4.1-14.7	59	32.3	22.9-41.7	77	34.3	25.3-43.3	51	18.3	12.0-24.6	22	5.6	2.7- 8.5
\$25,000- 34,999	220	24,346	19	9.6	4.3-14.9	64	32.1	23.1-41.1	83	38.0	28.8-47.2	40	16.2	9.5-22.9	14	4.1	1.6- 6.6
\$35,000- 49,999	348	37,009	51	15.6	10.3-20.9	87	28.2	21.3-35.1	137	39.8	32.4-47.2	59	13.5	8.6-18.4	14	2.9	0.7- 5.1
\$50,000- 74,999	438	48,677	72	21.6	16.1-27.1	157	34.7	28.6-40.8	140	28.8	23.3-34.3	57	12.9	8.6-17.2	12	2.0	0.4- 3.6
\$75,000+	987	121,610	180	21.8	18.1-25.5	406	39.5	35.6-43.4	313	31.6	27.7-35.5	71	5.8	3.8- 7.8	17	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2929	285,179	364	15.5	13.3-17.7	1115	38.2	35.5-40.9	976	32.5	30.0-35.0	354	10.1	8.5-11.7	120	3.7	2.7- 4.7
Native	103	13,104	20	20.2	10.0-30.4	22	29.7	15.6-43.8	32	26.5	15.3-37.7	21	19.7	8.5-30.9	8	3.9	0.8- 7.0
Non-Native	2799	269,799	338	15.2	12.8-17.6	1091	38.8	36.1-41.5	934	32.6	29.9-35.3	326	9.7	7.9-11.5	110	3.6	2.4- 4.8
18-24	94	39,032	19	21.5	11.3-31.7	36	34.8	24.0-45.6	31	32.3	21.3-43.3	8	11.5	3.7-19.3			
25-34	208	51,834	40	18.3	12.4-24.2	86	40.0	32.2-47.8	62	30.0	22.7-37.3	13	6.2	2.7- 9.7	7	5.6	1.1-10.1
35-44	272	44,483	39	15.2	10.1-20.3	127	42.2	35.1-49.3	86	36.0	28.7-43.3	17	5.6	2.1- 9.1	3	1.0	0.0- 2.2
45-54	330	38,477	63	19.1	13.8-24.4	130	38.1	31.6-44.6	95	29.7	23.6-35.8	27	8.3	4.0-12.6	15	4.8	1.9- 7.7
55-64	660	45,991	82	11.6	8.7-14.5	272	41.6	36.9-46.3	211	30.6	26.3-34.9	66	11.0	7.9-14.1	29	5.2	3.0- 7.4
65+	1365	65,361	121	10.6	8.4-12.8	464	33.6	30.7-36.5	491	35.2	32.1-38.3	223	16.1	13.7-18.5	66	4.5	3.1- 5.9
Less Than H.S.	117	21,809	13	22.3	8.2-36.4	27	16.1	6.5-25.7	38	29.5	15.8-43.2	27	19.6	9.4-29.8	12	12.5	3.1-21.9
H.S. or G.E.D.	755	66,768	73	12.9	8.6-17.2	214	29.6	24.5-34.7	291	37.2	31.9-42.5	130	15.1	11.4-18.8	47	5.2	2.8- 7.6
Some Post-H.S.	938	109,101	109	14.6	11.3-17.9	360	39.7	35.0-44.4	329	33.8	29.3-38.3	102	9.0	6.3-11.7	38	3.0	1.6- 4.4
College Graduate	1110	86,592	167	16.9	13.8-20.0	511	48.6	44.3-52.9	316	27.9	24.0-31.8	93	5.3	3.7- 6.9	23	1.2	0.6- 1.8
Less than \$15,000	165	16,943	12	13.8	3.4-24.2	26	19.2	8.4-30.0	66	32.5	21.1-43.9	44	26.0	15.6-36.4	17	8.4	2.3-14.5
\$15,000- 24,999	336	30,512	31	14.1	5.9-22.3	89	26.2	18.2-34.2	118	32.1	23.9-40.3	69	18.7	12.0-25.4	29	8.9	4.4-13.4
\$25,000- 34,999	238	20,339	24	12.8	6.5-19.1	77	35.4	25.0-45.8	101	38.9	29.5-48.3	29	11.2	6.1-16.3	7	1.6	0.0- 3.2
\$35,000- 49,999	419	39,660	39	13.8	7.9-19.7	150	34.0	26.9-41.1	146	36.2	28.8-43.6	68	13.0	7.9-18.1	16	3.1	0.4- 5.8
\$50,000- 74,999	418	39,115	48	14.6	8.1-21.1	200	48.0	40.7-55.3	117	26.6	20.7-32.5	46	9.2	4.9-13.5	7	1.6	0.0- 3.2
\$75,000+	820	93,140	147	19.1	15.4-22.8	386	44.6	39.7-49.5	235	30.2	25.5-34.9	42	4.6	2.1- 7.1	10	1.5	0.0- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5454	580,451	3510	66.0	64.2-67.8	629	12.2	10.8-13.6	553	10.1	8.9-11.3	369	6.1	5.1- 7.1	393	5.5	4.7- 6.3
Male	2578	298,909	1750	70.2	67.8-72.6	281	11.8	10.0-13.6	223	8.4	6.8-10.0	135	4.3	3.3- 5.3	189	5.3	4.3- 6.3
Female	2876	281,543	1760	61.6	58.9-64.3	348	12.6	10.6-14.6	330	11.9	9.9-13.9	234	8.1	6.5- 9.7	204	5.8	4.6- 7.0
Native	190	24,986	114	64.5	55.3-73.7	10	5.0	0.1- 9.9	22	8.4	4.1-12.7	23	9.5	4.6-14.4	21	12.6	5.7-19.5
Non-Native	5204	549,630	3360	66.1	64.1-68.1	614	12.6	11.2-14.0	525	10.1	8.9-11.3	340	6.0	5.0- 7.0	365	5.2	4.4- 6.0
18-24	278	83,275	189	68.1	61.6-74.6	42	14.6	9.5-19.7	31	11.4	6.9-15.9	13	5.2	2.1- 8.3	3	0.8	0.0- 1.6
25-34	453	113,107	295	63.5	58.4-68.6	68	14.8	11.1-18.5	46	10.4	7.1-13.7	28	7.2	4.3-10.1	16	4.1	1.9- 6.3
35-44	539	93,226	375	70.5	65.8-75.2	67	12.7	9.4-16.0	59	10.8	7.5-14.1	22	4.1	2.1- 6.1	16	1.9	0.7- 3.1
45-54	653	79,816	418	65.8	61.3-70.3	88	11.9	9.0-14.8	70	9.7	7.2-12.2	35	4.0	2.4- 5.6	42	8.6	5.7-11.5
55-64	1226	92,932	782	64.7	61.4-68.0	143	11.1	8.9-13.3	127	9.5	7.5-11.5	70	5.6	4.0- 7.2	104	9.1	6.9-11.3
65+	2305	118,095	1451	64.7	62.3-67.1	221	8.9	7.5-10.3	220	8.9	7.5-10.3	201	9.2	7.6-10.8	212	8.3	6.9- 9.7
Less Than H.S.	231	45,135	137	60.1	50.7-69.5	19	11.5	4.2-18.8	18	8.3	2.6-14.0	27	8.6	3.9-13.3	30	11.5	6.4-16.6
H.S. or G.E.D.	1487	153,260	941	66.3	63.0-69.6	145	10.8	8.6-13.0	150	9.6	7.6-11.6	124	7.2	5.4- 9.0	127	6.1	4.5- 7.7
Some Post-H.S.	1744	226,495	1140	66.7	63.6-69.8	195	11.1	9.1-13.1	164	10.8	8.6-13.0	123	6.4	4.8- 8.0	122	5.0	3.8- 6.2
College Graduate	1973	153,515	1280	66.7	63.8-69.6	268	15.6	13.2-18.0	219	9.8	8.0-11.6	93	4.0	2.8- 5.2	113	3.9	2.9- 4.9
Less than \$15,000	261	27,848	111	46.8	37.4-56.2	32	13.8	6.7-20.9	27	7.0	3.7-10.3	45	16.2	9.7-22.7	46	16.2	9.7-22.7
\$15,000- 24,999	553	54,069	310	58.0	51.7-64.3	40	8.0	4.7-11.3	68	10.3	7.0-13.6	62	10.1	6.8-13.4	73	13.5	9.2-17.8
\$25,000- 34,999	449	43,915	268	57.2	50.1-64.3	53	12.0	7.7-16.3	51	18.3	11.6-25.0	37	6.3	3.6- 9.0	40	6.2	3.8- 8.6
\$35,000- 49,999	760	76,120	461	64.9	59.6-70.2	90	12.1	8.4-15.8	87	9.6	6.5-12.7	58	7.8	4.7-10.9	64	5.7	3.5- 7.9
\$50,000- 74,999	851	87,548	566	65.8	61.3-70.3	105	13.4	10.1-16.7	86	10.6	7.7-13.5	47	5.8	3.4- 8.2	47	4.4	2.8- 6.0
\$75,000+	1799	214,177	1285	71.7	68.8-74.6	227	13.5	11.1-15.9	153	8.8	6.8-10.8	67	3.6	2.2- 5.0	67	2.4	1.6- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2578	298,909	1750	70.2	67.8-72.6	281	11.8	10.0-13.6	223	8.4	7.0- 9.8	135	4.3	3.3- 5.3	189	5.3	4.3- 6.3
Native	88	11,982	48	59.6	45.5-73.7	6	7.0	0.0-16.4	10	7.5	1.4-13.6	11	12.4	4.2-20.6	13	13.5	4.5-22.5
Non-Native	2455	283,146	1677	70.7	68.3-73.1	272	12.1	10.3-13.9	211	8.3	6.7- 9.9	122	3.9	2.9- 4.9	173	4.9	3.9- 5.9
18-24	184	44,243	131	74.3	67.6-81.0	30	14.5	9.0-20.0	18	8.6	4.5-12.7	4	2.0	0.0- 4.2	1	0.6	0.0- 1.8
25-34	246	61,423	171	68.0	61.3-74.7	38	16.3	11.0-21.6	24	10.3	5.8-14.8	8	3.6	0.9- 6.3	5	1.9	0.1- 3.7
35-44	273	49,504	201	75.4	69.3-81.5	30	10.9	6.6-15.2	25	8.7	4.6-12.8	9	2.9	0.7- 5.1	8	2.1	0.3- 3.9
45-54	324	41,312	217	69.9	63.8-76.0	40	11.3	7.2-15.4	29	6.6	4.1- 9.1	15	3.7	1.5- 5.9	23	8.4	4.5-12.3
55-64	574	47,600	383	67.8	63.1-72.5	56	9.3	6.6-12.0	51	7.8	5.3-10.3	28	4.9	2.7- 7.1	56	10.2	6.9-13.5
65+	977	54,827	647	67.2	63.7-70.7	87	8.2	6.2-10.2	76	7.5	5.5- 9.5	71	8.1	5.9-10.3	96	9.0	7.0-11.0
Less Than H.S.	121	24,164	76	68.9	58.3-79.5	10	9.8	2.4-17.2	6	4.5	0.0- 9.2	13	5.1	2.0- 8.2	16	11.6	4.7-18.5
H.S. or G.E.D.	755	87,765	510	69.3	65.0-73.6	73	12.0	8.7-15.3	64	8.9	6.2-11.6	45	4.7	2.7- 6.7	63	5.2	3.4- 7.0
Some Post-H.S.	817	118,195	558	70.8	66.9-74.7	90	11.4	8.7-14.1	71	9.1	6.4-11.8	41	4.5	2.7- 6.3	57	4.3	2.9- 5.7
College Graduate	873	67,420	597	71.0	67.1-74.9	108	13.5	10.4-16.6	81	7.6	5.4- 9.8	34	3.0	1.6- 4.4	53	4.9	3.1- 6.7
Less than \$15,000	105	11,614	46	49.9	37.0-62.8	10	7.7	1.0-14.4	10	8.1	2.4-13.8	17	11.0	4.5-17.5	22	23.3	11.7-34.9
\$15,000- 24,999	225	24,130	125	64.7	56.3-73.1	15	7.0	2.3-11.7	25	8.0	3.7-12.3	26	9.9	5.4-14.4	34	10.4	5.7-15.1
\$25,000- 34,999	216	24,258	138	63.4	54.2-72.6	25	12.8	6.3-19.3	19	12.5	5.2-19.8	11	4.4	1.1- 7.7	23	6.9	3.6-10.2
\$35,000- 49,999	345	36,687	223	70.6	64.1-77.1	43	11.8	7.3-16.3	34	7.9	3.8-12.0	19	4.1	1.6- 6.6	26	5.5	2.6- 8.4
\$50,000- 74,999	435	48,493	300	68.7	62.8-74.6	51	12.3	8.2-16.4	38	10.7	6.4-15.0	19	3.4	1.4- 5.4	27	4.9	2.5- 7.3
\$75,000+	983	121,198	730	74.3	70.6-78.0	111	13.1	10.2-16.0	75	7.0	5.0- 9.0	31	3.3	1.7- 4.9	36	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2876	281,543	1760	61.6	58.9-64.3	348	12.6	10.6-14.6	330	11.9	9.9-13.9	234	8.1	6.5- 9.7	204	5.8	4.6- 7.0
Native	102	13,003	66	69.0	56.8-81.2	4	3.2	0.0- 6.7	12	9.2	3.1-15.3	12	6.9	1.6-12.2	8	11.8	1.8-21.8
Non-Native	2749	266,484	1683	61.2	58.3-64.1	342	13.2	11.2-15.2	314	12.0	10.0-14.0	218	8.1	6.5- 9.7	192	5.5	4.3- 6.7
18-24	94	39,032	58	61.1	49.5-72.7	12	14.7	5.7-23.7	13	14.5	6.3-22.7	9	8.8	2.7-14.9	2	1.0	0.0- 2.4
25-34	207	51,684	124	58.3	50.5-66.1	30	13.1	8.0-18.2	22	10.5	5.4-15.6	20	11.4	5.9-16.9	11	6.7	2.6-10.8
35-44	266	43,722	174	64.9	57.8-72.0	37	14.7	9.6-19.8	34	13.2	7.7-18.7	13	5.6	2.1- 9.1	8	1.6	0.4- 2.8
45-54	329	38,504	201	61.3	54.6-68.0	48	12.5	8.4-16.6	41	13.1	8.6-17.6	20	4.4	1.9- 6.9	19	8.7	4.2-13.2
55-64	652	45,332	399	61.4	56.9-65.9	87	13.0	9.9-16.1	76	11.3	8.4-14.2	42	6.4	4.0- 8.8	48	8.0	5.3-10.7
65+	1328	63,268	804	62.5	59.4-65.6	134	9.4	7.6-11.2	144	10.1	8.1-12.1	130	10.1	8.1-12.1	116	7.8	6.0- 9.6
Less Than H.S.	110	20,970	61	49.9	34.6-65.2	9	13.4	0.7-26.1	12	12.7	2.1-23.3	14	12.7	3.3-22.1	14	11.3	3.9-18.7
H.S. or G.E.D.	732	65,495	431	62.4	57.1-67.7	72	9.2	6.3-12.1	86	10.4	7.5-13.3	79	10.6	7.3-13.9	64	7.4	4.9- 9.9
Some Post-H.S.	927	108,300	582	62.3	57.6-67.0	105	10.8	7.9-13.7	93	12.7	9.2-16.2	82	8.3	5.6-11.0	65	5.9	3.7- 8.1
College Graduate	1100	86,096	683	63.3	59.2-67.4	160	17.2	13.9-20.5	138	11.6	8.9-14.3	59	4.8	3.0- 6.6	60	3.2	2.2- 4.2
Less than \$15,000	156	16,234	65	44.6	31.5-57.7	22	18.1	7.3-28.9	17	6.2	2.3-10.1	28	19.8	9.6-30.0	24	11.2	4.5-17.9
\$15,000- 24,999	328	29,939	185	52.6	43.4-61.8	25	8.9	4.2-13.6	43	12.2	7.3-17.1	36	10.2	5.5-14.9	39	16.1	9.2-23.0
\$25,000- 34,999	233	19,657	130	49.7	39.5-59.9	28	11.0	5.5-16.5	32	25.5	13.9-37.1	26	8.6	4.3-12.9	17	5.3	2.4- 8.2
\$35,000- 49,999	415	39,433	238	59.5	51.7-67.3	47	12.3	6.4-18.2	53	11.2	6.3-16.1	39	11.1	5.6-16.6	38	5.8	2.7- 8.9
\$50,000- 74,999	416	39,055	266	62.2	55.1-69.3	54	14.8	9.5-20.1	48	10.6	6.7-14.5	28	8.8	4.1-13.5	20	3.7	1.5- 5.9
\$75,000+	816	92,979	555	68.2	63.5-72.9	116	14.0	10.5-17.5	78	11.1	7.8-14.4	36	4.1	1.9- 6.3	31	2.6	1.2- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	N	None		1-2 days		3-7 days		8-29 days		30 days						
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5473	581,038	4020	65.5	63.5-67.5	459	9.0	7.8-10.2	433	10.4	9.2-11.6	365	10.1	8.7-11.5	196	4.9	3.9- 5.9	
Male	2581	299,086	2022	72.2	69.7-74.7	174	7.4	6.0- 8.8	159	8.3	6.7- 9.9	140	8.0	6.4- 9.6	86	4.1	2.9- 5.3	
Female	2892	281,952	1998	58.4	55.5-61.3	285	10.7	8.9-12.5	274	12.7	10.7-14.7	225	12.3	9.9-14.7	110	5.8	4.2- 7.4	
Native	190	25,172	128	65.2	55.6-74.8	15	7.7	2.8-12.6	11	6.1	0.8-11.4	21	11.2	4.7-17.7	15	9.7	3.6-15.8	
Non-Native	5222	549,868	3847	65.6	63.6-67.6	442	9.1	7.9-10.3	418	10.7	9.3-12.1	338	10.0	8.6-11.4	177	4.6	3.6- 5.6	
18-24	278	83,262	143	46.3	39.4-53.2	26	9.9	5.8-14.0	43	14.7	10.2-19.2	51	23.7	17.2-30.2	15	5.4	2.3- 8.5	
25-34	450	112,728	238	51.1	45.8-56.4	46	9.3	6.4-12.2	75	17.2	13.3-21.1	59	14.5	10.6-18.4	32	8.0	4.9-11.1	
35-44	542	93,259	351	66.1	61.2-71.0	55	8.7	6.0-11.4	73	13.2	9.7-16.7	40	7.4	4.9- 9.9	23	4.6	2.4- 6.8	
45-54	654	80,013	450	71.3	67.0-75.6	85	12.5	9.4-15.6	41	5.1	3.3- 6.9	44	5.6	3.6- 7.6	34	5.5	3.1- 7.9	
55-64	1225	92,721	905	71.9	68.8-75.0	113	9.3	7.3-11.3	93	8.3	6.3-10.3	72	6.5	4.7- 8.3	42	4.0	2.4- 5.6	
65+	2324	119,056	1933	83.3	81.5-85.1	134	5.9	4.7- 7.1	108	4.3	3.3- 5.3	99	4.3	3.3- 5.3	50	2.2	1.4- 3.0	
Less Than H.S.	237	46,037	182	67.6	58.2-77.0	8	2.7	0.2- 5.2	9	4.0	0.7- 7.3	19	16.0	7.6-24.4	19	9.6	4.3-14.9	
H.S. or G.E.D.	1492	152,907	1120	66.7	63.2-70.2	99	7.9	5.7-10.1	100	8.7	6.5-10.9	109	11.0	8.5-13.5	64	5.7	3.9- 7.5	
Some Post-H.S.	1744	225,988	1253	63.6	60.3-66.9	150	9.3	7.3-11.3	152	11.7	9.3-14.1	121	10.2	7.8-12.6	68	5.2	3.6- 6.8	
College Graduate	1980	153,964	1447	66.1	63.2-69.0	201	11.7	9.7-13.7	172	12.4	10.0-14.8	115	7.5	5.7- 9.3	45	2.3	1.3- 3.3	
Less than \$15,000	264	28,471	173	55.8	46.4-65.2	13	3.1	0.9- 5.3	23	7.2	2.7-11.7	23	15.7	7.7-23.7	32	18.2	10.2-26.2	
\$15,000- 24,999	553	54,054	390	61.9	55.4-68.4	43	8.5	4.8-12.2	43	9.6	5.7-13.5	44	12.6	8.1-17.1	33	7.4	4.3-10.5	
\$25,000- 34,999	451	44,029	339	66.9	59.8-74.0	30	8.2	3.9-12.5	37	13.1	7.4-18.8	29	8.1	3.6-12.6	16	3.6	1.2- 6.0	
\$35,000- 49,999	763	76,417	571	61.3	55.6-67.0	65	10.5	7.0-14.0	46	9.1	5.8-12.4	57	14.5	9.6-19.4	24	4.5	1.8- 7.2	
\$50,000- 74,999	852	87,258	627	65.3	60.6-70.0	75	9.2	6.5-11.9	71	12.0	8.9-15.1	52	9.1	6.0-12.2	27	4.4	2.2- 6.6	
\$75,000+	1795	214,007	1327	68.4	65.3-71.5	178	10.4	8.6-12.2	158	10.6	8.4-12.8	97	7.9	5.7-10.1	35	2.7	1.5- 3.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2581	299,086	2022	72.2	69.7-74.7	174	7.4	6.0- 8.8	159	8.3	6.7- 9.9	140	8.0	6.4- 9.6	86	4.1	2.9- 5.3			
Native	88	11,975	61	59.7	44.8-74.6	8	8.8	1.4-16.2	6	8.2	0.0-17.8	5	10.3	0.0-21.3	8	13.0	2.2-23.8			
Non-Native	2458	283,258	1932	72.8	70.3-75.3	164	7.3	5.9- 8.7	151	8.2	6.6- 9.8	134	8.0	6.4- 9.6	77	3.6	2.6- 4.6			
18-24	185	44,426	112	58.7	50.9-66.5	16	8.1	4.0-12.2	25	14.8	8.9-20.7	24	14.8	8.7-20.9	8	3.6	1.1- 6.1			
25-34	244	61,149	148	58.6	51.5-65.7	20	7.7	4.0-11.4	34	14.6	9.5-19.7	29	13.8	8.5-19.1	13	5.2	2.1- 8.3			
35-44	274	49,561	200	74.5	68.4-80.6	25	7.2	3.7-10.7	21	7.6	3.9-11.3	17	5.8	2.7- 8.9	11	4.9	1.8- 8.0			
45-54	323	41,338	252	78.8	73.3-84.3	31	10.4	6.5-14.3	13	2.2	0.8- 3.6	17	4.3	1.8- 6.8	10	4.2	1.1- 7.3			
55-64	572	47,359	454	77.2	72.9-81.5	37	7.2	4.7- 9.7	34	5.9	3.7- 8.1	30	5.8	3.3- 8.3	17	3.9	1.5- 6.3			
65+	983	55,253	856	86.9	84.4-89.4	45	4.6	3.0- 6.2	32	3.2	1.8- 4.6	23	2.9	1.5- 4.3	27	2.4	1.2- 3.6			
Less Than H.S.	122	24,365	99	76.3	65.7-86.9	3	3.3	0.0- 7.8	5	5.5	0.0-11.2	7	8.0	0.7-15.3	8	7.0	1.3-12.7			
H.S. or G.E.D.	755	87,596	587	70.9	66.4-75.4	49	7.0	4.6- 9.4	38	7.8	4.9-10.7	45	8.6	5.7-11.5	36	5.8	3.6- 8.0			
Some Post-H.S.	817	118,121	630	70.8	66.5-75.1	58	8.1	5.7-10.5	56	9.0	6.3-11.7	47	8.4	5.7-11.1	26	3.7	1.9- 5.5			
College Graduate	875	67,639	695	74.6	70.7-78.5	64	8.4	5.9-10.9	60	8.8	6.3-11.3	40	6.8	4.3- 9.3	16	1.4	0.4- 2.4			
Less than \$15,000	102	11,506	68	64.0	51.3-76.7	7	4.6	0.5- 8.7	6	5.7	0.4-11.0	6	7.5	0.2-14.8	15	18.2	6.8-29.6			
\$15,000- 24,999	224	24,093	163	70.7	62.7-78.7	15	6.8	2.3-11.3	16	6.6	2.5-10.7	18	9.3	4.2-14.4	12	6.6	2.3-10.9			
\$25,000- 34,999	220	24,346	177	73.4	64.4-82.4	9	5.2	1.1- 9.3	18	15.1	6.9-23.3	6	1.9	0.1- 3.7	10	4.3	1.0- 7.6			
\$35,000- 49,999	347	36,968	280	71.7	64.3-79.1	19	5.3	2.2- 8.4	19	8.2	3.7-12.7	19	11.7	5.4-18.0	10	3.2	0.7- 5.7			
\$50,000- 74,999	437	48,589	353	72.2	66.1-78.3	31	9.1	5.2-13.0	18	5.7	2.4- 9.0	24	9.6	5.3-13.9	11	3.5	1.0- 6.0			
\$75,000+	978	120,912	766	73.7	70.0-77.4	79	8.9	6.5-11.3	70	8.4	5.9-10.9	46	6.9	4.5- 9.3	17	2.1	0.9- 3.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2892	281,952	1998	58.4	55.5-61.3	285	10.7	8.9-12.5	274	12.7	10.7-14.7	225	12.3	9.9-14.7	110	5.8	4.2- 7.4
Native	102	13,196	67	70.2	58.8-81.6	7	6.7	0.6-12.8	5	4.3	0.0- 8.8	16	12.0	4.7-19.3	7	6.7	0.8-12.6
Non-Native	2764	266,609	1915	57.9	55.0-60.8	278	11.0	9.2-12.8	267	13.3	11.3-15.3	204	12.2	9.8-14.6	100	5.7	4.1- 7.3
18-24	93	38,836	31	32.0	20.8-43.2	10	12.0	4.4-19.6	18	14.6	7.5-21.7	27	33.9	22.5-45.3	7	7.5	1.4-13.6
25-34	206	51,579	90	42.1	34.3-49.9	26	11.2	6.7-15.7	41	20.2	13.9-26.5	30	15.3	9.2-21.4	19	11.3	5.8-16.8
35-44	268	43,698	151	56.6	49.3-63.9	30	10.4	6.1-14.7	52	19.5	13.4-25.6	23	9.3	5.0-13.6	12	4.3	1.6- 7.0
45-54	331	38,675	198	63.3	57.0-69.6	54	14.7	10.0-19.4	28	8.1	4.8-11.4	27	7.0	3.9-10.1	24	7.0	3.7-10.3
55-64	653	45,362	451	66.5	62.0-71.0	76	11.4	8.5-14.3	59	10.8	7.7-13.9	42	7.3	4.9- 9.7	25	4.0	2.0- 6.0
65+	1341	63,803	1077	80.2	77.7-82.7	89	7.0	5.4- 8.6	76	5.2	3.8- 6.6	76	5.6	4.0- 7.2	23	2.0	1.0- 3.0
Less Than H.S.	115	21,672	83	57.9	42.8-73.0	5	2.0	0.0- 4.0	4	2.4	0.0- 4.9	12	25.1	10.0-40.2	11	12.6	3.2-22.0
H.S. or G.E.D.	737	65,310	533	61.2	55.5-66.9	50	9.1	5.6-12.6	62	10.0	6.7-13.3	64	14.1	9.6-18.6	28	5.7	3.0- 8.4
Some Post-H.S.	927	107,866	623	55.8	50.9-60.7	92	10.6	7.5-13.7	96	14.6	11.1-18.1	74	12.2	8.5-15.9	42	6.8	4.1- 9.5
College Graduate	1105	86,325	752	59.4	55.1-63.7	137	14.4	11.3-17.5	112	15.3	11.8-18.8	75	7.9	5.5-10.3	29	3.0	1.6- 4.4
Less than \$15,000	162	16,965	105	50.3	37.8-62.8	6	2.2	0.0- 4.4	17	8.2	1.5-14.9	17	21.3	9.3-33.3	17	18.1	6.9-29.3
\$15,000- 24,999	329	29,961	227	54.8	45.6-64.0	28	9.9	4.4-15.4	27	11.9	5.8-18.0	26	15.3	8.2-22.4	21	8.0	3.7-12.3
\$25,000- 34,999	231	19,684	162	58.8	48.0-69.6	21	12.0	4.0-20.0	19	10.6	3.3-17.9	23	15.8	6.4-25.2	6	2.8	0.0- 5.9
\$35,000- 49,999	416	39,449	291	51.5	43.7-59.3	46	15.5	9.4-21.6	27	10.0	5.1-14.9	38	17.2	9.8-24.6	14	5.8	1.3-10.3
\$50,000- 74,999	415	38,669	274	56.8	49.5-64.1	44	9.3	5.6-13.0	53	19.9	14.0-25.8	28	8.4	3.7-13.1	16	5.7	2.0- 9.4
\$75,000+	817	93,094	561	61.5	56.4-66.6	99	12.3	9.4-15.2	88	13.6	10.1-17.1	51	9.2	5.3-13.1	18	3.5	1.3- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2638	297,547	1559	57.7	55.0-60.4	331	15.0	12.8-17.2	305	12.6	10.6-14.6	259	9.2	7.6-10.8	184	5.6	4.4- 6.8
Male	1116	135,086	668	59.8	55.9-63.7	140	15.4	12.3-18.5	131	11.9	9.4-14.4	96	8.1	5.9-10.3	81	4.9	3.5- 6.3
Female	1522	162,461	891	56.0	52.1-59.9	191	14.6	11.9-17.3	174	13.2	10.3-16.1	163	10.0	7.6-12.4	103	6.2	4.4- 8.0
Native	102	13,532	53	57.6	44.3-70.9	7	9.1	0.0-18.7	9	8.5	1.8-15.2	21	14.8	7.2-22.4	12	10.1	0.9-19.3
Non-Native	2506	280,563	1493	57.7	54.8-60.6	322	15.4	13.2-17.6	292	12.8	10.6-15.0	231	8.9	7.3-10.5	168	5.3	4.1- 6.5
18-24	164	51,386	95	51.3	42.3-60.3	29	19.6	12.5-26.7	25	19.7	11.9-27.5	14	8.7	3.6-13.8	1	0.6	0.0- 1.8
25-34	268	67,225	167	59.1	52.2-66.0	37	15.3	10.2-20.4	34	12.6	8.1-17.1	24	10.2	5.7-14.7	6	2.9	0.5- 5.3
35-44	280	46,278	178	62.6	55.7-69.5	45	17.7	12.0-23.4	24	8.7	4.6-12.8	22	7.0	3.7-10.3	11	3.9	1.4- 6.4
45-54	322	37,569	185	54.7	47.8-61.6	49	16.4	11.3-21.5	36	11.9	7.2-16.6	31	7.5	4.4-10.6	21	9.5	4.4-14.6
55-64	580	44,216	330	59.1	54.2-64.0	74	11.3	8.4-14.2	66	10.4	7.5-13.3	56	10.0	6.9-13.1	54	9.2	6.3-12.1
65+	1024	50,874	604	58.9	55.2-62.6	97	9.4	7.2-11.6	120	11.4	9.0-13.8	112	10.8	8.4-13.2	91	9.6	7.2-12.0
Less Than H.S.	113	22,367	61	49.2	35.9-62.5	10	8.9	2.2-15.6	13	18.0	5.1-30.9	13	10.0	3.3-16.7	16	13.9	5.9-21.9
H.S. or G.E.D.	710	76,980	419	60.0	54.9-65.1	53	8.6	5.5-11.7	80	11.8	8.3-15.3	92	12.8	9.3-16.3	66	6.8	4.4- 9.2
Some Post-H.S.	847	118,895	504	56.8	52.1-61.5	112	16.8	13.1-20.5	87	12.2	8.9-15.5	87	9.2	6.5-11.9	57	5.1	3.3- 6.9
College Graduate	960	78,227	570	59.1	54.8-63.4	154	20.1	16.2-24.0	125	12.7	9.8-15.6	66	5.4	3.6- 7.2	45	2.8	1.8- 3.8
Less than \$15,000	169	18,311	67	35.1	24.5-45.7	17	10.7	2.9-18.5	25	15.7	6.5-24.9	32	21.5	11.1-31.9	28	17.0	8.6-25.4
\$15,000- 24,999	304	31,737	146	44.8	36.8-52.8	27	12.5	6.4-18.6	37	11.1	6.4-15.8	57	18.2	12.3-24.1	37	13.5	7.6-19.4
\$25,000- 34,999	232	24,578	144	61.1	51.3-70.9	29	16.6	8.6-24.6	18	7.3	3.0-11.6	23	10.7	3.4-18.0	18	4.3	1.8- 6.8
\$35,000- 49,999	387	42,538	232	56.4	48.4-64.4	45	12.4	7.3-17.5	45	15.9	8.6-23.2	37	12.1	6.8-17.4	28	3.1	1.7- 4.5
\$50,000- 74,999	390	43,429	232	60.0	53.1-66.9	61	16.7	11.2-22.2	50	14.4	9.5-19.3	35	6.2	3.3- 9.1	12	2.8	0.6- 5.0
\$75,000+	780	98,570	508	62.9	58.2-67.6	119	17.4	13.7-21.1	91	13.3	9.6-17.0	38	4.2	2.4- 6.0	24	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1116	135,086	668	59.8	55.9-63.7	140	15.4	12.3-18.5	131	11.9	9.4-14.4	96	8.1	5.9-10.3	81	4.9	3.5- 6.3
Native	51	7,212	26	58.8	39.8-77.8	4	13.7	0.0-30.6	7	12.1	1.1-23.1	10	13.4	3.2-23.6	4	2.0	0.0- 4.0
Non-Native	1053	126,034	636	59.7	55.6-63.8	134	15.6	12.5-18.7	124	12.0	9.3-14.7	82	7.6	5.4- 9.8	77	5.1	3.5- 6.7
18-24	96	23,628	62	60.1	48.9-71.3	17	20.2	11.0-29.4	10	12.6	4.2-21.0	7	7.1	1.4-12.8			
25-34	130	33,181	86	61.8	52.2-71.4	18	17.5	9.7-25.3	18	13.5	7.0-20.0	8	7.2	2.1-12.3			
35-44	125	21,058	83	62.9	52.5-73.3	15	14.7	6.7-22.7	13	9.5	4.0-15.0	9	7.3	1.8-12.8	5	5.6	0.5-10.7
45-54	137	16,043	79	55.0	44.8-65.2	26	19.4	11.6-27.2	14	11.4	4.5-18.3	10	5.8	1.7- 9.9	8	8.4	1.1-15.7
55-64	236	19,680	133	59.0	51.2-66.8	25	9.8	5.1-14.5	25	9.5	5.2-13.8	26	11.5	6.4-16.6	27	10.2	5.7-14.7
65+	392	21,496	225	57.8	51.9-63.7	39	9.4	6.3-12.5	51	13.4	9.1-17.7	36	10.1	6.0-14.2	41	9.3	6.2-12.4
Less Than H.S.	57	10,394	31	48.3	31.1-65.5	5	13.9	1.0-26.8	6	14.0	0.0-28.3	7	12.1	1.7-22.5	8	11.7	1.1-22.3
H.S. or G.E.D.	319	39,551	187	61.2	54.1-68.3	27	11.9	6.6-17.2	36	10.0	5.9-14.1	39	12.0	7.3-16.7	30	4.8	2.6- 7.0
Some Post-H.S.	358	54,877	219	59.1	52.4-65.8	52	17.8	12.3-23.3	39	12.2	7.7-16.7	25	6.5	3.4- 9.6	23	4.5	2.1- 6.9
College Graduate	379	29,871	229	62.9	56.6-69.2	56	16.2	11.1-21.3	50	13.1	8.6-17.6	24	4.5	2.1- 6.9	20	3.3	1.5- 5.1
Less than \$15,000	63	6,681	24	39.4	23.1-55.7	6	7.4	0.9-13.9	8	13.7	1.9-25.5	11	19.4	6.3-32.5	14	20.2	5.7-34.7
\$15,000- 24,999	128	12,180	60	45.9	34.3-57.5	11	13.1	3.7-22.5	14	9.2	3.1-15.3	27	23.9	13.9-33.9	16	7.8	3.5-12.1
\$25,000- 34,999	98	11,883	59	56.7	42.6-70.8	13	24.8	10.9-38.7	7	8.4	1.0-15.8	6	3.1	0.0- 6.4	13	7.0	2.3-11.7
\$35,000- 49,999	156	17,331	97	56.9	45.1-68.7	22	11.4	5.1-17.7	16	16.9	5.9-27.9	10	11.8	3.4-20.2	11	3.0	0.8- 5.2
\$50,000- 74,999	176	21,971	108	64.0	54.8-73.2	22	12.1	5.8-18.4	22	12.9	6.8-19.0	15	7.0	1.7-12.3	9	4.1	0.8- 7.4
\$75,000+	382	50,145	247	64.3	58.0-70.6	57	17.8	12.5-23.1	53	13.0	8.7-17.3	17	3.5	1.1- 5.9	8	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1522	162,461	891	56.0	52.1-59.9	191	14.6	11.9-17.3	174	13.2	10.3-16.1	163	10.0	7.6-12.4	103	6.2	4.4- 8.0
Native	51	6,320	27	56.2	38.0-74.4	3	3.8	0.0- 9.7	2	4.3	0.0-11.2	11	16.4	5.2-27.6	8	19.4	1.6-37.2
Non-Native	1453	154,529	857	56.0	52.1-59.9	188	15.2	12.3-18.1	168	13.5	10.4-16.6	149	9.9	7.5-12.3	91	5.4	3.8- 7.0
18-24	68	27,758	33	43.8	30.3-57.3	12	19.2	8.6-29.8	15	25.8	13.3-38.3	7	10.1	2.3-17.9	1	1.1	0.0- 3.3
25-34	138	34,044	81	56.5	46.9-66.1	19	13.1	7.0-19.2	16	11.7	5.2-18.2	16	13.1	6.0-20.2	6	5.6	0.9-10.3
35-44	155	25,220	95	62.4	53.2-71.6	30	20.3	12.7-27.9	11	8.0	1.9-14.1	13	6.8	2.5-11.1	6	2.5	0.3- 4.7
45-54	185	21,525	106	54.5	45.3-63.7	23	14.2	7.5-20.9	22	12.3	6.0-18.6	21	8.7	4.2-13.2	13	10.3	3.0-17.6
55-64	344	24,536	197	59.2	52.9-65.5	49	12.5	8.8-16.2	41	11.1	7.4-14.8	30	8.8	5.3-12.3	27	8.5	4.8-12.2
65+	632	29,378	379	59.7	55.0-64.4	58	9.4	6.5-12.3	69	9.9	7.2-12.6	76	11.3	8.6-14.0	50	9.7	6.4-13.0
Less Than H.S.	56	11,972	30	49.9	29.7-70.1	5	4.5	0.0- 9.2	7	21.5	1.1-41.9	6	8.2	0.0-16.6	8	15.8	3.6-28.0
H.S. or G.E.D.	391	37,429	232	58.8	51.4-66.2	26	5.1	2.4- 7.8	44	13.6	7.7-19.5	53	13.6	8.3-18.9	36	8.9	4.8-13.0
Some Post-H.S.	489	64,018	285	54.7	48.0-61.4	60	16.0	10.7-21.3	48	12.2	7.5-16.9	62	11.5	7.0-16.0	34	5.6	2.9- 8.3
College Graduate	581	48,356	341	56.7	50.8-62.6	98	22.5	17.2-27.8	75	12.4	8.5-16.3	42	5.9	3.4- 8.4	25	2.4	1.2- 3.6
Less than \$15,000	106	11,629	43	32.7	19.0-46.4	11	12.6	1.0-24.2	17	16.9	4.2-29.6	21	22.6	8.3-36.9	14	15.1	4.7-25.5
\$15,000- 24,999	176	19,557	86	44.1	33.1-55.1	16	12.1	4.1-20.1	23	12.2	5.3-19.1	30	14.7	7.4-22.0	21	17.0	8.2-25.8
\$25,000- 34,999	134	12,694	85	65.2	51.9-78.5	16	8.9	2.2-15.6	11	6.2	1.5-10.9	17	17.9	5.0-30.8	5	1.8	0.0- 3.8
\$35,000- 49,999	231	25,208	135	56.1	45.3-66.9	23	13.0	5.6-20.4	29	15.3	5.7-24.9	27	12.4	5.7-19.1	17	3.2	1.2- 5.2
\$50,000- 74,999	214	21,458	124	55.9	46.3-65.5	39	21.5	12.9-30.1	28	15.9	8.1-23.7	20	5.4	2.7- 8.1	3	1.4	0.0- 3.8
\$75,000+	398	48,425	261	61.4	54.1-68.7	62	17.0	11.9-22.1	38	13.6	7.3-19.9	21	5.0	2.3- 7.7	16	2.9	0.7- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5511	582,690	5242	92.4	91.2-93.6	269	7.6	6.4- 8.8
Male	2594	299,333	2419	90.8	89.0-92.6	175	9.2	7.4-11.0
Female	2917	283,357	2823	94.0	92.4-95.6	94	6.0	4.4- 7.6
Native	193	25,304	176	85.0	76.8-93.2	17	15.0	6.8-23.2
Non-Native	5256	551,345	5012	92.8	91.6-94.0	244	7.2	6.0- 8.4
18-24	273	81,774	235	88.3	84.2-92.4	38	11.7	7.6-15.8
25-34	452	112,603	409	89.6	86.3-92.9	43	10.4	7.1-13.7
35-44	545	93,759	510	91.6	88.3-94.9	35	8.4	5.1-11.7
45-54	657	80,211	616	91.6	88.3-94.9	41	8.4	5.1-11.7
55-64	1232	93,566	1157	93.2	91.2-95.2	75	6.8	4.8- 8.8
65+	2352	120,777	2315	98.0	97.2-98.8	37	2.0	1.2- 2.8
Less Than H.S.	241	45,929	210	82.9	75.3-90.5	31	17.1	9.5-24.7
H.S. or G.E.D.	1505	153,795	1397	90.1	87.7-92.5	108	9.9	7.5-12.3
Some Post-H.S.	1757	226,456	1675	93.2	91.4-95.0	82	6.8	5.0- 8.6
College Graduate	1989	154,508	1945	96.5	95.1-97.9	44	3.5	2.1- 4.9
Less than \$15,000	272	28,499	244	85.9	79.6-92.2	28	14.1	7.8-20.4
\$15,000- 24,999	561	54,587	515	87.4	82.7-92.1	46	12.6	7.9-17.3
\$25,000- 34,999	456	44,436	423	86.9	82.0-91.8	33	13.1	8.2-18.0
\$35,000- 49,999	767	76,669	724	91.0	87.3-94.7	43	9.0	5.3-12.7
\$50,000- 74,999	856	87,792	821	93.5	90.8-96.2	35	6.5	3.8- 9.2
\$75,000+	1806	214,337	1763	96.2	94.6-97.8	43	3.8	2.2- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2594	299,333	2419	90.8	89.0-92.6	175	9.2	7.4-11.0
Native	89	12,010	79	78.3	64.2-92.4	10	21.7	7.6-35.8
Non-Native	2469	283,383	2309	91.4	89.6-93.2	160	8.6	6.8-10.4
18-24	180	43,229	150	84.7	78.8-90.6	30	15.3	9.4-21.2
25-34	246	61,531	221	89.1	84.6-93.6	25	10.9	6.4-15.4
35-44	274	49,561	251	90.5	85.6-95.4	23	9.5	4.6-14.4
45-54	326	41,593	296	88.6	82.9-94.3	30	11.4	5.7-17.1
55-64	574	47,627	529	92.4	89.7-95.1	45	7.6	4.9-10.3
65+	994	55,792	972	97.9	96.9-98.9	22	2.1	1.1- 3.1
Less Than H.S.	124	24,483	107	77.2	65.0-89.4	17	22.8	10.6-35.0
H.S. or G.E.D.	759	87,852	676	88.2	85.1-91.3	83	11.8	8.7-14.9
Some Post-H.S.	820	117,758	773	92.7	90.2-95.2	47	7.3	4.8- 9.8
College Graduate	879	67,875	854	96.4	94.8-98.0	25	3.6	2.0- 5.2
Less than \$15,000	106	11,789	93	81.7	70.7-92.7	13	18.3	7.3-29.3
\$15,000- 24,999	226	24,291	194	80.6	72.2-89.0	32	19.4	11.0-27.8
\$25,000- 34,999	218	24,083	195	83.6	76.3-90.9	23	16.4	9.1-23.7
\$35,000- 49,999	348	37,009	316	88.7	83.2-94.2	32	11.3	5.8-16.8
\$50,000- 74,999	438	48,677	413	92.3	88.4-96.2	25	7.7	3.8-11.6
\$75,000+	985	121,072	959	96.2	94.0-98.4	26	3.8	1.6- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	283,357	2823	94.0	92.4-95.6	94	6.0	4.4- 7.6
Native	104	13,294	97	91.1	82.7-99.5	7	8.9	0.5-17.3
Non-Native	2787	267,962	2703	94.2	92.6-95.8	84	5.8	4.2- 7.4
18-24	93	38,544	85	92.2	86.7-97.7	8	7.8	2.3-13.3
25-34	206	51,072	188	90.3	85.4-95.2	18	9.7	4.8-14.6
35-44	271	44,198	259	92.9	88.4-97.4	12	7.1	2.6-11.6
45-54	331	38,618	320	94.8	91.5-98.1	11	5.2	1.9- 8.5
55-64	658	45,939	628	94.2	91.3-97.1	30	5.8	2.9- 8.7
65+	1358	64,985	1343	98.1	96.9-99.3	15	1.9	0.7- 3.1
Less Than H.S.	117	21,446	103	89.3	82.4-96.2	14	10.7	3.8-17.6
H.S. or G.E.D.	746	65,943	721	92.6	88.9-96.3	25	7.4	3.7-11.1
Some Post-H.S.	937	108,698	902	93.7	91.2-96.2	35	6.3	3.8- 8.8
College Graduate	1110	86,633	1091	96.7	94.7-98.7	19	3.3	1.3- 5.3
Less than \$15,000	166	16,710	151	88.9	81.8-96.0	15	11.1	4.0-18.2
\$15,000- 24,999	335	30,296	321	92.9	88.4-97.4	14	7.1	2.6-11.6
\$25,000- 34,999	238	20,353	228	90.7	84.2-97.2	10	9.3	2.8-15.8
\$35,000- 49,999	419	39,660	408	93.2	88.3-98.1	11	6.8	1.9-11.7
\$50,000- 74,999	418	39,115	408	95.1	91.4-98.8	10	4.9	1.2- 8.6
\$75,000+	821	93,266	804	96.1	93.7-98.5	17	3.9	1.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5514	584,150	3974	62.8	60.8-64.8	398	6.7	5.7- 7.7	1142	30.5	28.5-32.5
Male	2593	299,538	1694	55.9	53.2-58.6	187	6.3	5.1- 7.5	712	37.8	35.3-40.3
Female	2921	284,611	2280	70.1	67.4-72.8	211	7.1	5.7- 8.5	430	22.8	20.1-25.5
Native	192	25,007	100	49.7	39.7-59.7	24	12.7	5.6-19.8	68	37.6	27.6-47.6
Non-Native	5260	553,101	3833	63.4	61.4-65.4	368	6.4	5.4- 7.4	1059	30.2	28.2-32.2
18-24	277	83,126	119	43.2	36.3-50.1	20	7.0	3.7-10.3	138	49.8	42.9-56.7
25-34	455	113,516	215	46.6	41.3-51.9	37	7.5	4.8-10.2	203	45.9	40.6-51.2
35-44	543	93,203	343	63.4	58.5-68.3	30	3.7	2.1- 5.3	170	33.0	28.1-37.9
45-54	656	80,140	450	66.0	61.3-70.7	39	5.6	3.2- 8.0	167	28.4	23.9-32.9
55-64	1231	93,285	910	73.4	70.3-76.5	93	7.2	5.4- 9.0	228	19.4	16.7-22.1
65+	2352	120,880	1937	80.9	78.7-83.1	179	8.3	6.7- 9.9	236	10.8	9.2-12.4
Less Than H.S.	239	45,479	165	54.4	44.8-64.0	20	6.9	2.8-11.0	54	38.8	29.0-48.6
H.S. or G.E.D.	1508	154,264	1018	56.6	52.9-60.3	121	7.8	5.8- 9.8	369	35.7	32.2-39.2
Some Post-H.S.	1758	227,778	1275	64.1	60.8-67.4	121	6.2	4.6- 7.8	362	29.7	26.6-32.8
College Graduate	1989	154,531	1502	69.6	66.7-72.5	134	6.3	4.9- 7.7	353	24.1	21.4-26.8
Less than \$15,000	271	29,058	176	51.7	42.7-60.7	26	11.2	4.9-17.5	69	37.1	28.1-46.1
\$15,000- 24,999	562	54,802	403	58.6	51.7-65.5	57	10.9	6.8-15.0	102	30.5	23.8-37.2
\$25,000- 34,999	457	44,382	327	60.7	53.8-67.6	40	9.4	5.1-13.7	90	29.9	23.2-36.6
\$35,000- 49,999	765	76,602	565	64.2	58.7-69.7	57	5.4	3.6- 7.2	143	30.4	24.9-35.9
\$50,000- 74,999	854	87,495	622	62.2	57.5-66.9	52	6.1	3.9- 8.3	180	31.7	27.0-36.4
\$75,000+	1805	214,732	1296	65.8	62.7-68.9	112	4.9	3.7- 6.1	397	29.3	26.2-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2593	299,538	1694	55.9	53.4-58.4	187	6.3	5.1- 7.5	712	37.8	35.3-40.3
Native	88	11,713	40	38.9	25.0-52.8	10	13.8	2.2-25.4	38	47.3	32.4-62.2
Non-Native	2469	283,885	1632	56.5	53.8-59.2	173	6.0	4.8- 7.2	664	37.5	34.8-40.2
18-24	184	44,129	75	44.7	36.7-52.7	12	5.5	2.2- 8.8	97	49.8	41.8-57.8
25-34	247	61,682	89	36.4	29.5-43.3	19	7.5	3.6-11.4	139	56.2	49.1-63.3
35-44	273	48,941	144	51.1	43.8-58.4	10	2.5	0.5- 4.5	119	46.4	39.1-53.7
45-54	326	41,593	205	58.6	51.5-65.7	17	6.0	2.1- 9.9	104	35.4	28.5-42.3
55-64	572	47,491	402	69.1	64.4-73.8	44	7.6	5.1-10.1	126	23.3	19.0-27.6
65+	991	55,702	779	77.4	74.1-80.7	85	8.3	6.3-10.3	127	14.3	11.6-17.0
Less Than H.S.	123	23,863	77	53.3	41.1-65.5	12	9.7	2.6-16.8	34	37.0	24.7-49.3
H.S. or G.E.D.	757	87,829	445	47.9	43.2-52.6	62	6.9	4.5- 9.3	250	45.2	40.5-49.9
Some Post-H.S.	822	118,606	537	57.5	53.0-62.0	56	5.6	3.6- 7.6	229	37.0	32.5-41.5
College Graduate	879	67,875	627	64.2	59.9-68.5	56	5.9	3.9- 7.9	196	29.9	25.8-34.0
Less than \$15,000	106	11,891	62	50.8	37.9-63.7	7	6.5	0.0-14.3	37	42.7	30.0-55.4
\$15,000- 24,999	226	24,291	134	45.7	36.5-54.9	29	11.9	5.8-18.0	63	42.5	32.9-52.1
\$25,000- 34,999	219	24,049	145	58.7	49.3-68.1	18	7.9	2.6-13.2	56	33.4	24.4-42.4
\$35,000- 49,999	346	36,941	237	56.0	48.4-63.6	27	5.7	3.2- 8.2	82	38.3	30.5-46.1
\$50,000- 74,999	438	48,677	287	54.4	48.1-60.7	28	6.3	3.0- 9.6	123	39.3	33.0-45.6
\$75,000+	985	121,501	658	58.6	54.5-62.7	57	4.5	2.9- 6.1	270	36.8	32.7-40.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2921	284,611	2280	70.1	67.4-72.8	211	7.1	5.7- 8.5	430	22.8	20.1-25.5
Native	104	13,294	60	59.2	45.5-72.9	14	11.7	3.1-20.3	30	29.1	16.2-42.0
Non-Native	2791	269,216	2201	70.7	67.8-73.6	195	6.9	5.5- 8.3	395	22.5	19.8-25.2
18-24	93	38,997	44	41.4	29.8-53.0	8	8.7	2.4-15.0	41	49.9	38.1-61.7
25-34	208	51,834	126	58.8	51.0-66.6	18	7.5	3.6-11.4	64	33.7	26.1-41.3
35-44	270	44,261	199	76.9	71.0-82.8	20	5.0	2.5- 7.5	51	18.1	12.6-23.6
45-54	330	38,547	245	74.1	68.4-79.8	22	5.2	2.7- 7.7	63	20.7	15.2-26.2
55-64	659	45,794	508	77.8	73.9-81.7	49	6.9	4.7- 9.1	102	15.3	12.0-18.6
65+	1361	65,178	1158	83.9	81.2-86.6	94	8.3	5.9-10.7	109	7.8	6.0- 9.6
Less Than H.S.	116	21,616	88	55.6	40.3-70.9	8	3.7	0.6- 6.8	20	40.7	25.2-56.2
H.S. or G.E.D.	751	66,435	573	68.0	62.5-73.5	59	8.9	5.6-12.2	119	23.1	17.8-28.4
Some Post-H.S.	936	109,172	738	71.2	66.5-75.9	65	7.0	4.6- 9.4	133	21.8	17.5-26.1
College Graduate	1110	86,656	875	73.9	70.0-77.8	78	6.5	4.5- 8.5	157	19.6	15.9-23.3
Less than \$15,000	165	17,168	114	52.3	39.8-64.8	19	14.4	5.2-23.6	32	33.3	20.6-46.0
\$15,000- 24,999	336	30,512	269	68.9	59.3-78.5	28	10.1	4.4-15.8	39	21.0	11.8-30.2
\$25,000- 34,999	238	20,333	182	63.1	52.7-73.5	22	11.1	4.2-18.0	34	25.8	16.0-35.6
\$35,000- 49,999	419	39,660	328	71.9	64.3-79.5	30	5.2	2.7- 7.7	61	23.0	15.4-30.6
\$50,000- 74,999	416	38,818	335	72.1	65.2-79.0	24	5.8	2.9- 8.7	57	22.2	15.5-28.9
\$75,000+	820	93,231	638	75.1	70.6-79.6	55	5.3	3.5- 7.1	127	19.6	15.3-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5519	583,958	328	9.2	7.8-10.6	5191	90.8	89.4-92.2
Male	2596	299,593	145	7.5	5.9- 9.1	2451	92.5	90.9-94.1
Female	2923	284,365	183	11.0	8.8-13.2	2740	89.0	86.8-91.2
Native	192	25,031	21	13.3	6.6-20.0	171	86.7	80.0-93.4
Non-Native	5266	552,924	300	9.0	7.6-10.4	4966	91.0	89.6-92.4
18-24	279	83,458	26	12.2	7.3-17.1	253	87.8	82.9-92.7
25-34	454	113,129	56	14.3	10.6-18.0	398	85.7	82.0-89.4
35-44	544	93,339	52	11.9	8.2-15.6	492	88.1	84.4-91.8
45-54	654	79,573	47	7.6	5.1-10.1	607	92.4	89.9-94.9
55-64	1231	93,402	77	7.1	5.1- 9.1	1154	92.9	90.9-94.9
65+	2357	121,057	70	3.0	2.2- 3.8	2287	97.0	96.2-97.8
Less Than H.S.	239	45,976	29	17.9	10.3-25.5	210	82.1	74.5-89.7
H.S. or G.E.D.	1514	154,653	111	10.4	8.0-12.8	1403	89.6	87.2-92.0
Some Post-H.S.	1758	226,827	117	9.5	7.3-11.7	1641	90.5	88.3-92.7
College Graduate	1988	154,405	70	5.0	3.6- 6.4	1918	95.0	93.6-96.4
Less than \$15,000	273	28,924	33	18.1	11.0-25.2	240	81.9	74.8-89.0
\$15,000- 24,999	562	54,766	61	16.4	11.3-21.5	501	83.6	78.5-88.7
\$25,000- 34,999	458	44,363	42	13.9	8.2-19.6	416	86.1	80.4-91.8
\$35,000- 49,999	766	76,237	55	13.1	8.8-17.4	711	86.9	82.6-91.2
\$50,000- 74,999	853	87,306	42	6.9	4.4- 9.4	811	93.1	90.6-95.6
\$75,000+	1807	214,750	51	4.5	2.9- 6.1	1756	95.5	93.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2596	299,593	145	7.5	5.9- 9.1	2451	92.5	90.9-94.1
Native	89	12,010	6	9.5	0.5-18.5	83	90.5	81.5-99.5
Non-Native	2471	283,643	135	7.4	5.8- 9.0	2336	92.6	91.0-94.2
18-24	185	44,426	9	5.6	1.3- 9.9	176	94.4	90.1-98.7
25-34	247	61,682	23	10.5	6.2-14.8	224	89.5	85.2-93.8
35-44	273	49,129	28	12.3	7.2-17.4	245	87.7	82.6-92.8
45-54	324	41,080	19	5.3	2.6- 8.0	305	94.7	92.0-97.4
55-64	574	47,546	36	7.7	4.8-10.6	538	92.3	89.4-95.2
65+	993	55,730	30	2.9	1.7- 4.1	963	97.1	95.9-98.3
Less Than H.S.	123	24,376	13	14.7	5.5-23.9	110	85.3	76.1-94.5
H.S. or G.E.D.	762	88,078	61	9.5	6.6-12.4	701	90.5	87.6-93.4
Some Post-H.S.	821	117,962	41	6.3	3.9- 8.7	780	93.7	91.3-96.1
College Graduate	878	67,813	29	4.2	2.2- 6.2	849	95.8	93.8-97.8
Less than \$15,000	107	11,940	15	20.2	9.0-31.4	92	79.8	68.6-91.0
\$15,000- 24,999	226	24,254	22	11.3	5.2-17.4	204	88.7	82.6-94.8
\$25,000- 34,999	220	24,346	22	15.7	8.1-23.3	198	84.3	76.7-91.9
\$35,000- 49,999	347	36,577	27	14.1	7.2-21.0	320	85.9	79.0-92.8
\$50,000- 74,999	437	48,378	17	4.0	1.6- 6.4	420	96.0	93.6-98.4
\$75,000+	987	121,610	26	3.0	1.6- 4.4	961	97.0	95.6-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	284,365	183	11.0	8.8-13.2	2740	89.0	86.8-91.2
Native	103	13,021	15	16.8	7.0-26.6	88	83.2	73.4-93.0
Non-Native	2795	269,281	165	10.6	8.4-12.8	2630	89.4	87.2-91.6
18-24	94	39,032	17	19.6	10.4-28.8	77	80.4	71.2-89.6
25-34	207	51,447	33	18.8	12.3-25.3	174	81.2	74.7-87.7
35-44	271	44,210	24	11.4	6.3-16.5	247	88.6	83.5-93.7
45-54	330	38,492	28	10.1	6.0-14.2	302	89.9	85.8-94.0
55-64	657	45,856	41	6.5	4.1- 8.9	616	93.5	91.1-95.9
65+	1364	65,328	40	3.1	1.9- 4.3	1324	96.9	95.7-98.1
Less Than H.S.	116	21,600	16	21.5	9.3-33.7	100	78.5	66.3-90.7
H.S. or G.E.D.	752	66,574	50	11.5	7.6-15.4	702	88.5	84.6-92.4
Some Post-H.S.	937	108,865	76	12.9	9.2-16.6	861	87.1	83.4-90.8
College Graduate	1110	86,592	41	5.6	3.4- 7.8	1069	94.4	92.2-96.6
Less than \$15,000	166	16,984	18	16.6	7.8-25.4	148	83.4	74.6-92.2
\$15,000- 24,999	336	30,512	39	20.5	12.7-28.3	297	79.5	71.7-87.3
\$25,000- 34,999	238	20,017	20	11.8	3.2-20.4	218	88.2	79.6-96.8
\$35,000- 49,999	419	39,660	28	12.2	6.5-17.9	391	87.8	82.1-93.5
\$50,000- 74,999	416	38,928	25	10.5	5.8-15.2	391	89.5	84.8-94.2
\$75,000+	820	93,140	25	6.4	3.1- 9.7	795	93.6	90.3-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5490	580,035	4313	72.1	70.3-73.9	517	11.7	10.3-13.1	337	8.2	7.0- 9.4	283	6.9	5.9- 7.9	40	1.1	0.7- 1.5
Male	2578	296,793	1896	66.2	63.7-68.7	277	12.8	10.8-14.8	194	10.2	8.4-12.0	184	9.4	7.8-11.0	27	1.4	0.6- 2.2
Female	2912	283,242	2417	78.3	75.8-80.8	240	10.5	8.5-12.5	143	6.1	4.7- 7.5	99	4.4	3.2- 5.6	13	0.7	0.3- 1.1
Native	191	24,353	148	70.7	60.9-80.5	16	8.0	2.1-13.9	14	10.8	3.9-17.7	12	10.3	3.2-17.4	1	0.2	0.0- 0.6
Non-Native	5240	549,994	4125	72.2	70.4-74.0	494	11.9	10.5-13.3	317	8.0	6.8- 9.2	267	6.8	5.8- 7.8	37	1.1	0.5- 1.7
18-24	270	80,581	166	63.8	57.1-70.5	45	17.5	12.0-23.0	41	13.1	8.8-17.4	14	4.2	1.7- 6.7	4	1.5	0.0- 3.1
25-34	450	112,215	272	62.0	56.9-67.1	66	13.4	9.9-16.9	56	12.5	9.0-16.0	50	11.1	7.8-14.4	6	1.1	0.1- 2.1
35-44	544	93,678	361	66.7	61.8-71.6	72	14.1	10.4-17.8	54	8.5	5.8-11.2	49	9.7	6.6-12.8	8	1.0	0.2- 1.8
45-54	649	79,415	461	69.1	64.4-73.8	85	12.8	9.7-15.9	53	8.1	5.6-10.6	43	7.6	4.9-10.3	7	2.4	0.0- 4.9
55-64	1230	93,400	961	77.7	74.8-80.6	125	9.8	7.8-11.8	60	5.1	3.5- 6.7	77	6.9	4.9- 8.9	7	0.4	0.0- 0.8
65+	2347	120,745	2092	88.7	87.1-90.3	124	5.2	4.0- 6.4	73	3.3	2.3- 4.3	50	2.4	1.6- 3.2	8	0.4	0.0- 0.8
Less Than H.S.	237	44,880	189	72.2	63.2-81.2	18	13.1	5.7-20.5	12	4.2	1.3- 7.1	15	8.1	2.8-13.4	3	2.5	0.0- 6.6
H.S. or G.E.D.	1501	152,820	1177	70.0	66.5-73.5	137	11.0	8.6-13.4	88	9.9	7.4-12.4	83	7.7	5.7- 9.7	16	1.5	0.5- 2.5
Some Post-H.S.	1752	226,272	1374	71.8	68.7-74.9	166	12.4	10.0-14.8	107	8.0	6.0-10.0	97	7.1	5.3- 8.9	8	0.6	0.0- 1.2
College Graduate	1982	154,298	1560	74.6	71.9-77.3	194	10.9	8.9-12.9	128	8.0	6.2- 9.8	87	5.6	4.2- 7.0	13	0.9	0.3- 1.5
Less than \$15,000	272	28,609	211	74.7	67.1-82.3	26	7.9	3.6-12.2	14	3.8	0.9- 6.7	18	11.3	5.4-17.2	3	2.3	0.0- 5.0
\$15,000- 24,999	554	53,149	453	74.6	68.1-81.1	43	12.5	6.8-18.2	34	7.7	4.4-11.0	21	4.7	2.0- 7.4	3	0.6	0.0- 1.4
\$25,000- 34,999	454	43,926	365	70.7	63.8-77.6	35	11.2	5.9-16.5	28	9.9	5.2-14.6	23	7.5	3.8-11.2	3	0.7	0.0- 1.7
\$35,000- 49,999	764	76,373	613	70.5	65.2-75.8	60	9.8	6.5-13.1	39	10.0	6.3-13.7	48	9.0	5.7-12.3	4	0.8	0.0- 2.0
\$50,000- 74,999	851	87,542	668	70.8	66.3-75.3	86	12.7	9.4-16.0	46	8.1	5.2-11.0	45	7.7	5.2-10.2	6	0.7	0.0- 1.5
\$75,000+	1803	214,454	1369	71.9	69.0-74.8	197	12.4	10.2-14.6	130	8.4	6.6-10.2	92	6.0	4.4- 7.6	15	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2578	296,793	1896	66.2	63.7-68.7	277	12.8	10.8-14.8	194	10.2	8.4-12.0	184	9.4	7.8-11.0	27	1.4	0.6- 2.2
Native	88	11,779	62	56.9	41.6-72.2	6	8.0	0.0-18.2	10	15.9	3.9-27.9	9	18.8	5.7-31.9	1	0.4	0.0- 1.2
Non-Native	2455	281,276	1812	66.5	64.0-69.0	266	13.1	11.1-15.1	181	10.0	8.2-11.8	172	9.0	7.4-10.6	24	1.5	0.7- 2.3
18-24	179	42,908	100	55.7	47.7-63.7	34	20.6	13.9-27.3	33	18.1	12.0-24.2	9	3.4	0.9- 5.9	3	2.1	0.0- 4.6
25-34	242	60,381	128	55.7	48.6-62.8	34	13.0	8.1-17.9	36	14.4	9.3-19.5	40	15.9	10.8-21.0	4	1.0	0.0- 2.0
35-44	273	49,297	156	59.0	51.9-66.1	44	15.9	10.6-21.2	30	10.1	5.8-14.4	37	13.6	8.7-18.5	6	1.4	0.0- 2.8
45-54	322	41,136	211	61.2	54.1-68.3	48	15.5	10.4-20.6	29	9.3	5.2-13.4	30	10.1	5.8-14.4	4	3.8	0.0- 8.5
55-64	573	47,471	429	74.8	70.5-79.1	64	9.7	7.0-12.4	30	5.6	3.2- 8.0	44	9.1	6.0-12.2	6	0.7	0.1- 1.3
65+	989	55,599	872	88.2	85.8-90.6	53	4.8	3.2- 6.4	36	4.1	2.5- 5.7	24	2.7	1.5- 3.9	4	0.2	0.0- 0.4
Less Than H.S.	121	23,694	96	68.5	56.0-81.0	11	14.9	5.1-24.7	4	3.1	0.0- 7.0	8	9.0	1.4-16.6	2	4.4	0.0-12.0
H.S. or G.E.D.	754	87,012	545	63.4	58.7-68.1	77	11.6	8.5-14.7	61	13.2	9.5-16.9	59	10.2	7.3-13.1	12	1.5	0.5- 2.5
Some Post-H.S.	815	117,095	588	65.6	61.3-69.9	91	14.1	10.8-17.4	70	10.3	7.4-13.2	61	9.0	6.5-11.5	5	0.9	0.0- 1.9
College Graduate	877	67,830	661	70.3	66.2-74.4	96	11.1	8.4-13.8	57	8.6	6.1-11.1	55	8.8	6.3-11.3	8	1.2	0.2- 2.2
Less than \$15,000	105	11,352	79	70.5	58.5-82.5	11	10.7	3.1-18.3	7	7.6	0.5-14.7	7	9.9	1.3-18.5	1	1.3	0.0- 3.8
\$15,000- 24,999	223	23,489	173	71.1	62.5-79.7	21	11.8	5.7-17.9	18	11.2	5.1-17.3	8	4.6	0.9- 8.3	3	1.3	0.0- 3.3
\$25,000- 34,999	218	23,790	165	64.6	55.0-74.2	22	14.6	6.6-22.6	15	11.7	5.2-18.2	14	8.5	3.0-14.0	2	0.6	0.0- 1.4
\$35,000- 49,999	347	36,828	266	63.6	55.8-71.4	29	10.8	5.5-16.1	19	11.4	5.9-16.9	29	12.6	7.3-17.9	4	1.6	0.0- 4.1
\$50,000- 74,999	434	48,449	313	64.7	58.4-71.0	54	14.8	9.9-19.7	28	8.0	4.3-11.7	35	11.7	7.4-16.0	4	0.8	0.0- 1.8
\$75,000+	984	121,272	708	66.2	62.1-70.3	109	12.0	9.3-14.7	88	11.0	8.3-13.7	68	8.7	6.2-11.2	11	2.1	0.3- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	283,242	2417	78.3	75.8-80.8	240	10.5	8.5-12.5	143	6.1	4.7- 7.5	99	4.4	3.2- 5.6	13	0.7	0.3- 1.1
Native	103	12,574	86	83.6	74.2-93.0	10	8.1	1.8-14.4	4	6.0	0.0-13.1	3	2.3	0.0- 5.0			
Non-Native	2785	268,717	2313	78.2	75.7-80.7	228	10.7	8.7-12.7	136	6.0	4.6- 7.4	95	4.4	3.2- 5.6	13	0.7	0.3- 1.1
18-24	91	37,673	66	72.9	62.3-83.5	11	13.8	5.0-22.6	8	7.3	1.6-13.0	5	5.1	0.4- 9.8	1	0.8	0.0- 2.4
25-34	208	51,834	144	69.4	62.1-76.7	32	13.9	8.6-19.2	20	10.2	5.1-15.3	10	5.4	1.5- 9.3	2	1.2	0.0- 2.8
35-44	271	44,381	205	75.2	68.7-81.7	28	12.2	6.7-17.7	24	6.8	3.7- 9.9	12	5.4	1.9- 8.9	2	0.5	0.0- 1.3
45-54	327	38,279	250	77.6	72.3-82.9	37	10.0	6.3-13.7	24	6.8	3.7- 9.9	13	4.9	2.0- 7.8	3	0.8	0.0- 2.0
55-64	657	45,929	532	80.7	77.0-84.4	61	9.9	7.2-12.6	30	4.6	2.6- 6.6	33	4.6	2.6- 6.6	1	0.2	0.0- 0.6
65+	1358	65,146	1220	89.2	87.0-91.4	71	5.6	4.0- 7.2	37	2.6	1.6- 3.6	26	2.1	0.9- 3.3	4	0.5	0.0- 1.1
Less Than H.S.	116	21,186	93	76.3	63.4-89.2	7	11.0	0.0-22.4	8	5.4	0.9- 9.9	7	7.1	0.0-14.2	1	0.2	0.0- 0.6
H.S. or G.E.D.	747	65,808	632	78.6	73.7-83.5	60	10.2	6.7-13.7	27	5.4	2.5- 8.3	24	4.4	1.9- 6.9	4	1.4	0.0- 3.0
Some Post-H.S.	937	109,177	786	78.5	74.4-82.6	75	10.6	7.5-13.7	37	5.6	3.1- 8.1	36	5.0	2.8- 7.2	3	0.3	0.0- 0.7
College Graduate	1105	86,468	899	78.0	74.5-81.5	98	10.7	8.0-13.4	71	7.6	5.4- 9.8	32	3.1	1.7- 4.5	5	0.7	0.0- 1.5
Less than \$15,000	167	17,257	132	77.5	67.7-87.3	15	6.0	1.1-10.9	7	1.3	0.1- 2.5	11	12.2	4.2-20.2	2	2.9	0.0- 7.0
\$15,000- 24,999	331	29,660	280	77.4	68.2-86.6	22	13.0	4.2-21.8	16	5.0	1.7- 8.3	13	4.7	0.8- 8.6			
\$25,000- 34,999	236	20,136	200	77.9	68.3-87.5	13	7.2	0.3-14.1	13	7.8	0.9-14.7	9	6.3	1.4-11.2	1	0.9	0.0- 2.7
\$35,000- 49,999	417	39,545	347	76.8	70.1-83.5	31	8.9	4.8-13.0	20	8.7	4.0-13.4	19	5.6	1.7- 9.5			
\$50,000- 74,999	417	39,093	355	78.3	71.8-84.8	32	10.0	5.5-14.5	18	8.2	3.3-13.1	10	2.8	0.6- 5.0	2	0.7	0.0- 1.9
\$75,000+	819	93,182	661	79.2	75.3-83.1	88	12.9	9.4-16.4	42	5.1	3.1- 7.1	24	2.5	1.1- 3.9	4	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5523	585,922	2336	29.8	28.2-31.4	36	1.1	0.7- 1.5	3079	68.1	66.5-69.7	72	1.1	0.7- 1.5
Male	2594	300,381	1103	32.2	29.8-34.6				1448	66.4	64.0-68.8	43	1.4	0.8- 2.0
Female	2929	285,541	1233	27.4	25.2-29.6	36	2.2	1.2- 3.2	1631	69.8	67.4-72.2	29	0.7	0.3- 1.1
Native	193	25,304	101	39.3	29.9-48.7	2	1.3	0.0- 3.1	89	59.2	49.6-68.8	1	0.2	0.0- 0.6
Non-Native	5267	554,402	2215	29.3	27.7-30.9	33	1.0	0.4- 1.6	2948	68.5	66.9-70.1	71	1.1	0.7- 1.5
18-24	278	83,301	20	6.5	3.4- 9.6	2	1.3	0.0- 3.1	256	92.2	88.7-95.7			
25-34	455	113,516	68	14.8	11.1-18.5	9	2.1	0.5- 3.7	373	81.8	77.7-85.9	5	1.3	0.0- 2.7
35-44	546	94,044	99	17.4	13.7-21.1	10	1.9	0.5- 3.3	432	79.7	75.8-83.6	5	1.0	0.0- 2.0
45-54	657	80,342	193	30.6	26.1-35.1	5	0.5	0.1- 0.9	452	68.1	63.6-72.6	7	0.8	0.0- 1.6
55-64	1236	93,769	514	39.7	36.4-43.0	4	0.2	0.0- 0.4	695	58.4	55.1-61.7	23	1.7	0.9- 2.5
65+	2351	120,950	1442	61.4	59.0-63.8	6	0.3	0.1- 0.5	871	36.9	34.5-39.3	32	1.4	0.8- 2.0
Less Than H.S.	241	46,388	119	31.0	23.6-38.4	2	0.8	0.0- 2.0	117	67.7	60.1-75.3	3	0.5	0.0- 1.1
H.S. or G.E.D.	1512	154,880	698	31.4	28.5-34.3	8	1.1	0.1- 2.1	789	66.4	63.3-69.5	17	1.1	0.3- 1.9
Some Post-H.S.	1760	227,804	791	31.4	28.7-34.1	11	0.9	0.1- 1.7	932	66.5	63.8-69.2	26	1.1	0.5- 1.7
College Graduate	1989	154,579	721	25.4	23.0-27.8	15	1.3	0.3- 2.3	1227	72.1	69.6-74.6	26	1.1	0.5- 1.7
Less than \$15,000	273	29,172	141	38.2	30.2-46.2	2	3.7	0.0- 8.8	126	57.1	48.5-65.7	4	1.0	0.0- 2.2
\$15,000- 24,999	560	54,733	294	35.2	29.5-40.9	3	0.3	0.0- 0.7	257	64.1	58.4-69.8	6	0.4	0.0- 0.8
\$25,000- 34,999	459	44,750	244	38.0	31.9-44.1	3	2.1	0.0- 4.6	207	58.3	51.8-64.8	5	1.6	0.0- 3.2
\$35,000- 49,999	767	76,669	381	32.9	28.4-37.4	4	1.1	0.0- 2.7	370	65.1	60.4-69.8	12	0.9	0.3- 1.5
\$50,000- 74,999	856	87,792	335	29.3	25.4-33.2	8	1.2	0.0- 2.4	501	68.6	64.7-72.5	12	0.9	0.3- 1.5
\$75,000+	1807	214,719	591	24.3	21.8-26.8	12	0.8	0.2- 1.4	1180	73.5	71.0-76.0	24	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2594	300,381	1103	32.2	29.8-34.6	1448	66.4	64.0-68.8	43	1.4	0.8- 2.0
Native	89	12,010	52	44.2	30.1-58.3	37	55.8	41.7-69.9			
Non-Native	2469	284,431	1037	31.6	29.2-34.0	1389	66.9	64.5-69.3	43	1.5	0.9- 2.1
18-24	184	44,269	15	7.7	3.6-11.8	169	92.3	88.2-96.4			
25-34	247	61,682	51	21.5	15.6-27.4	193	76.7	70.6-82.8	3	1.8	0.0- 4.0
35-44	274	49,561	66	21.3	15.8-26.8	204	77.1	71.4-82.8	4	1.6	0.0- 3.2
45-54	325	41,549	114	35.8	29.3-42.3	206	63.2	56.7-69.7	5	1.0	0.0- 2.0
55-64	575	47,653	270	45.7	40.8-50.6	292	52.4	47.5-57.3	13	1.9	0.7- 3.1
65+	989	55,667	587	58.8	55.1-62.5	384	39.3	35.6-43.0	18	2.0	0.8- 3.2
Less Than H.S.	124	24,483	61	33.5	23.3-43.7	62	66.0	55.8-76.2	1	0.5	0.0- 1.5
H.S. or G.E.D.	759	88,160	316	29.0	25.1-32.9	430	69.2	65.1-73.3	13	1.8	0.4- 3.2
Some Post-H.S.	821	118,513	376	34.9	30.8-39.0	430	63.5	59.4-67.6	15	1.5	0.3- 2.7
College Graduate	878	67,860	347	31.2	27.5-34.9	517	67.7	64.0-71.4	14	1.1	0.3- 1.9
Less than \$15,000	107	11,940	57	46.5	33.8-59.2	49	52.1	39.4-64.8	1	1.4	0.0- 4.1
\$15,000- 24,999	225	24,250	114	36.2	28.0-44.4	108	63.4	55.2-71.6	3	0.4	0.0- 1.0
\$25,000- 34,999	220	24,346	114	42.4	33.4-51.4	103	56.7	47.5-65.9	3	1.0	0.0- 2.4
\$35,000- 49,999	348	37,009	167	32.4	25.9-38.9	172	66.4	59.9-72.9	9	1.2	0.0- 2.4
\$50,000- 74,999	438	48,677	188	33.6	28.1-39.1	243	65.4	59.7-71.1	7	1.0	0.2- 1.8
\$75,000+	986	121,453	356	28.0	24.5-31.5	613	69.9	66.4-73.4	17	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2929	285,541	1233	27.4	25.2-29.6	36	2.2	1.2- 3.2	1631	69.8	67.6-72.0	29	0.7	0.3- 1.1
Native	104	13,294	49	34.8	22.1-47.5	2	2.5	0.0- 6.0	52	62.3	49.4-75.2	1	0.4	0.0- 1.2
Non-Native	2798	269,972	1178	26.9	24.7-29.1	33	2.2	1.2- 3.2	1559	70.2	67.8-72.6	28	0.7	0.3- 1.1
18-24	94	39,032	5	5.1	0.2-10.0	2	2.7	0.0- 6.6	87	92.1	85.8-98.4			
25-34	208	51,834	17	6.9	2.8-11.0	9	4.6	1.1- 8.1	180	87.8	82.5-93.1	2	0.7	0.0- 1.9
35-44	272	44,483	33	13.2	8.3-18.1	10	3.9	1.0- 6.8	228	82.7	77.2-88.2	1	0.3	0.0- 0.9
45-54	332	38,793	79	24.9	19.0-30.8	5	1.1	0.1- 2.1	246	73.3	67.4-79.2	2	0.6	0.0- 1.6
55-64	661	46,116	244	33.5	29.2-37.8	4	0.5	0.1- 0.9	403	64.6	60.3-68.9	10	1.5	0.5- 2.5
65+	1362	65,283	855	63.6	60.5-66.7	6	0.6	0.2- 1.0	487	34.8	31.7-37.9	14	1.0	0.4- 1.6
Less Than H.S.	117	21,905	58	28.2	17.4-39.0	2	1.7	0.0- 4.1	55	69.6	58.4-80.8	2	0.5	0.0- 1.3
H.S. or G.E.D.	753	66,719	382	34.5	29.8-39.2	8	2.5	0.1- 4.9	359	62.7	57.8-67.6	4	0.2	0.0- 0.4
Some Post-H.S.	939	109,291	415	27.7	24.2-31.2	11	1.9	0.3- 3.5	502	69.8	66.1-73.5	11	0.7	0.3- 1.1
College Graduate	1111	86,718	374	20.9	18.0-23.8	15	2.4	0.8- 4.0	710	75.5	72.2-78.8	12	1.2	0.2- 2.2
Less than \$15,000	166	17,232	84	32.4	22.8-42.0	2	6.3	0.0-14.9	77	60.6	49.2-72.0	3	0.7	0.0- 1.5
\$15,000- 24,999	335	30,483	180	34.4	26.8-42.0	3	0.5	0.0- 1.1	149	64.6	57.0-72.2	3	0.4	0.0- 1.0
\$25,000- 34,999	239	20,404	130	32.8	25.2-40.4	3	4.6	0.0- 9.9	104	60.3	51.3-69.3	2	2.3	0.0- 5.4
\$35,000- 49,999	419	39,660	214	33.4	27.1-39.7	4	2.2	0.0- 5.1	198	63.8	57.1-70.5	3	0.6	0.0- 1.4
\$50,000- 74,999	418	39,115	147	24.1	19.0-29.2	8	2.7	0.3- 5.1	258	72.6	67.1-78.1	5	0.6	0.0- 1.2
\$75,000+	821	93,266	235	19.3	15.8-22.8	12	1.9	0.5- 3.3	567	78.2	74.5-81.9	7	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2328	173,976	1981	75.8	72.9-78.7	347	24.2	21.3-27.1
Male	1101	96,384	897	71.0	66.9-75.1	204	29.0	24.9-33.1
Female	1227	77,593	1084	81.9	78.0-85.8	143	18.1	14.2-22.0
Native	101	9,934	79	72.0	58.7-85.3	22	28.0	14.7-41.3
Non-Native	2207	161,866	1887	76.1	73.2-79.0	320	23.9	21.0-26.8
25-34	68	16,823	22	31.5	18.8-44.2	46	68.5	55.8-81.2
35-44	98	16,241	48	44.8	33.2-56.4	50	55.2	43.6-66.8
45-54	190	24,267	138	73.5	65.9-81.1	52	26.5	18.9-34.1
55-64	514	37,247	448	87.3	83.8-90.8	66	12.7	9.2-16.2
65+	1438	73,983	1320	91.5	89.5-93.5	118	8.5	6.5-10.5
Less Than H.S.	118	14,261	104	75.9	62.6-89.2	14	24.1	10.8-37.4
H.S. or G.E.D.	698	48,606	602	75.8	70.3-81.3	96	24.2	18.7-29.7
Some Post-H.S.	788	71,365	666	75.7	71.0-80.4	122	24.3	19.6-29.0
College Graduate	717	38,945	604	76.6	71.7-81.5	113	23.4	18.5-28.3
Less than \$15,000	140	11,027	115	76.6	66.2-87.0	25	23.4	13.0-33.8
\$15,000- 24,999	294	19,270	259	82.0	74.2-89.8	35	18.0	10.2-25.8
\$25,000- 34,999	243	16,850	207	73.0	63.2-82.8	36	27.0	17.2-36.8
\$35,000- 49,999	380	25,167	341	80.1	72.7-87.5	39	19.9	12.5-27.3
\$50,000- 74,999	335	25,762	278	75.2	68.1-82.3	57	24.8	17.7-31.9
\$75,000+	590	51,942	482	70.4	64.5-76.3	108	29.6	23.7-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1101	96,384	897	71.0	66.9-75.1	204	29.0	24.9-33.1
Native	52	5,304	40	64.8	45.2-84.4	12	35.2	15.6-54.8
Non-Native	1035	89,682	847	71.4	67.3-75.5	188	28.6	24.5-32.7
25-34	51	13,244	13	26.7	12.8-40.6	38	73.3	59.4-87.2
35-44	66	10,540	27	34.2	20.9-47.5	39	65.8	52.5-79.1
45-54	113	14,732	84	73.3	63.3-83.3	29	26.7	16.7-36.7
55-64	270	21,793	240	90.6	86.5-94.7	30	9.4	5.3-13.5
65+	586	32,665	528	90.1	87.2-93.0	58	9.9	7.0-12.8
Less Than H.S.	61	8,204	54	81.2	66.1-96.3	7	18.8	3.7-33.9
H.S. or G.E.D.	316	25,562	255	67.2	59.2-75.2	61	32.8	24.8-40.8
Some Post-H.S.	375	41,343	307	71.3	64.6-78.0	68	28.7	22.0-35.4
College Graduate	346	21,021	278	70.7	63.4-78.0	68	29.3	22.0-36.6
Less than \$15,000	57	5,552	45	76.9	61.6-92.2	12	23.1	7.8-38.4
\$15,000- 24,999	114	8,774	95	77.2	63.9-90.5	19	22.8	9.5-36.1
\$25,000- 34,999	114	10,314	89	61.8	47.9-75.7	25	38.2	24.3-52.1
\$35,000- 49,999	166	11,926	146	79.0	68.0-90.0	20	21.0	10.0-32.0
\$50,000- 74,999	188	16,336	153	70.9	61.3-80.5	35	29.1	19.5-38.7
\$75,000+	356	34,059	283	68.4	61.3-75.5	73	31.6	24.5-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1227	77,593	1084	81.9	78.0-85.8	143	18.1	14.2-22.0
Non-Native	1172	72,184	1040	82.0	77.9-86.1	132	18.0	13.9-22.1
45-54	77	9,535	54	73.6	62.0-85.2	23	26.4	14.8-38.0
55-64	244	15,454	208	82.7	76.6-88.8	36	17.3	11.2-23.4
65+	852	41,318	792	92.6	90.2-95.0	60	7.4	5.0- 9.8
Less Than H.S.	57	6,057	50	68.7	46.4-91.0	7	31.3	9.0-53.6
H.S. or G.E.D.	382	23,043	347	85.3	78.4-92.2	35	14.7	7.8-21.6
Some Post-H.S.	413	30,023	359	81.9	75.8-88.0	54	18.1	12.0-24.2
College Graduate	371	17,924	326	83.7	77.6-89.8	45	16.3	10.2-22.4
Less than \$15,000	83	5,475	70	76.3	62.6-90.0	13	23.7	10.0-37.4
\$15,000- 24,999	180	10,496	164	86.1	77.3-94.9	16	13.9	5.1-22.7
\$25,000- 34,999	129	6,536	118	90.7	84.6-96.8	11	9.3	3.2-15.4
\$35,000- 49,999	214	13,241	195	81.0	70.8-91.2	19	19.0	8.8-29.2
\$50,000- 74,999	147	9,426	125	82.5	73.5-91.5	22	17.5	8.5-26.5
\$75,000+	234	17,883	199	74.2	63.2-85.2	35	25.8	14.8-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK2)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5208	526,502	305	11.9	10.3-13.5	3829	62.1	60.1-64.1	680	15.8	14.2-17.4	163	3.9	3.1- 4.7	231	6.4	5.4- 7.4
Male	2440	271,241	170	12.7	10.5-14.9	1736	60.2	57.5-62.9	321	15.4	13.4-17.4	78	4.0	2.8- 5.2	135	7.6	6.0- 9.2
Female	2768	255,260	135	11.0	8.6-13.4	2093	64.1	61.2-67.0	359	16.1	13.9-18.3	85	3.8	2.8- 4.8	96	5.0	3.6- 6.4
Native	176	21,912	13	16.0	6.4-25.6	128	58.3	47.5-69.1	22	15.0	7.2-22.8	4	2.3	0.0- 5.6	9	8.4	2.3-14.5
Non-Native	4974	498,786	290	11.8	10.2-13.4	3662	62.2	60.2-64.2	646	15.7	14.1-17.3	157	4.0	3.2- 4.8	219	6.3	5.3- 7.3
18-24	206	61,087	68	34.6	26.8-42.4	79	37.5	29.7-45.3	42	20.3	14.0-26.6	7	2.3	0.3- 4.3	10	5.2	1.5- 8.9
25-34	377	92,732	88	23.9	19.0-28.8	158	42.9	37.0-48.8	71	18.4	13.9-22.9	23	5.5	3.0- 8.0	37	9.2	6.1-12.3
35-44	503	86,761	48	10.9	7.4-14.4	267	52.7	47.2-58.2	110	20.3	16.0-24.6	32	5.9	3.5- 8.3	46	10.2	6.7-13.7
45-54	639	77,926	33	6.8	3.5-10.1	429	62.9	58.0-67.8	108	17.6	13.9-21.3	35	6.1	3.7- 8.5	34	6.6	4.1- 9.1
55-64	1193	89,748	30	2.8	1.6- 4.0	909	75.2	72.1-78.3	158	13.8	11.4-16.2	33	2.9	1.5- 4.3	63	5.4	3.8- 7.0
65+	2290	118,248	38	1.7	0.9- 2.5	1987	86.3	84.5-88.1	191	8.3	6.9- 9.7	33	1.4	0.8- 2.0	41	2.4	1.6- 3.2
Less Than H.S.	213	39,701	22	25.4	15.2-35.6	159	56.1	45.7-66.5	16	8.5	2.6-14.4	6	3.2	0.1- 6.3	10	6.8	1.7-11.9
H.S. or G.E.D.	1404	134,380	92	12.2	9.5-14.9	1038	62.6	58.9-66.3	163	13.8	11.1-16.5	36	3.6	2.0- 5.2	75	7.8	5.6-10.0
Some Post-H.S.	1675	207,386	111	11.4	8.9-13.9	1215	61.6	58.3-64.9	236	17.9	15.2-20.6	48	3.7	2.5- 4.9	65	5.4	3.6- 7.2
College Graduate	1899	143,499	78	8.4	6.2-10.6	1406	64.1	61.0-67.2	263	16.6	14.2-19.0	72	4.8	3.4- 6.2	80	6.1	4.5- 7.7
Less than \$15,000	252	26,880	24	20.5	11.5-29.5	181	60.8	51.4-70.2	28	8.5	4.2-12.8	10	3.9	0.8- 7.0	9	6.3	1.4-11.2
\$15,000- 24,999	512	45,152	34	18.6	11.2-26.0	399	63.0	55.6-70.4	48	10.8	6.3-15.3	12	2.9	0.7- 5.1	19	4.6	1.5- 7.7
\$25,000- 34,999	429	40,561	17	10.4	5.1-15.7	328	61.5	54.1-68.9	47	16.9	10.6-23.2	12	3.3	1.1- 5.5	25	8.0	4.1-11.9
\$35,000- 49,999	732	67,991	38	13.6	8.7-18.5	562	61.4	55.7-67.1	76	14.5	10.6-18.4	24	4.5	2.1- 6.9	32	6.0	3.3- 8.7
\$50,000- 74,999	815	79,434	54	9.7	6.6-12.8	595	63.0	58.1-67.9	110	16.2	12.5-19.9	21	3.3	1.5- 5.1	35	7.7	4.6-10.8
\$75,000+	1732	200,543	98	9.5	7.3-11.7	1205	61.2	57.9-64.5	276	18.5	16.0-21.0	69	5.0	3.4- 6.6	84	5.9	4.3- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2440	271,241	170	12.7	10.5-14.9	1736	60.2	57.5-62.9	321	15.4	13.4-17.4	78	4.0	2.8- 5.2	135	7.6	6.0- 9.2
Native	80	9,919	7	19.7	4.8-34.6	58	57.9	42.0-73.8	7	7.9	0.0-15.9	2	1.0	0.0- 2.6	6	13.5	1.9-25.1
Non-Native	2327	257,644	162	12.6	10.4-14.8	1659	60.3	57.6-63.0	305	15.6	13.4-17.8	75	4.1	2.9- 5.3	126	7.4	5.8- 9.0
18-24	139	33,303	44	33.5	24.7-42.3	52	36.3	27.5-45.1	28	20.4	13.1-27.7	7	4.3	0.8- 7.8	8	5.5	1.6- 9.4
25-34	213	51,541	45	21.3	15.0-27.6	88	41.3	33.7-48.9	41	19.4	13.3-25.5	15	6.8	3.1-10.5	24	11.1	6.6-15.6
35-44	257	46,648	28	13.1	7.4-18.8	136	51.4	43.8-59.0	50	19.0	13.3-24.7	13	4.0	1.1- 6.9	30	12.4	7.3-17.5
45-54	315	40,032	17	9.5	3.6-15.4	216	64.3	57.2-71.4	47	13.8	9.5-18.1	15	5.3	2.0- 8.6	20	7.0	3.1-10.9
55-64	551	45,243	15	3.3	1.3- 5.3	405	73.0	68.5-77.5	80	14.4	10.9-17.9	15	2.4	0.8- 4.0	36	7.0	4.3- 9.7
65+	965	54,474	21	1.7	0.9- 2.5	839	86.7	84.0-89.4	75	7.6	5.6- 9.6	13	1.4	0.4- 2.4	17	2.5	1.1- 3.9
Less Than H.S.	109	21,372	12	25.8	12.3-39.3	83	55.7	42.4-69.0	6	7.4	0.9-13.9	1	0.3	0.0- 0.9	7	10.7	1.9-19.5
H.S. or G.E.D.	704	77,913	64	14.9	11.0-18.8	479	56.7	51.6-61.8	86	13.9	10.4-17.4	22	4.5	2.1- 6.9	53	10.0	6.9-13.1
Some Post-H.S.	774	106,905	61	11.8	8.5-15.1	535	60.0	55.3-64.7	121	18.4	14.7-22.1	25	4.5	2.3- 6.7	32	5.4	3.2- 7.6
College Graduate	843	64,042	32	7.1	4.4- 9.8	634	66.9	62.6-71.2	106	15.0	11.7-18.3	29	3.8	2.0- 5.6	42	7.3	4.8- 9.8
Less than \$15,000	99	11,173	9	12.4	2.6-22.2	67	60.3	47.0-73.6	12	11.9	3.9-19.9	6	7.1	0.0-14.4	5	8.2	0.0-16.4
\$15,000- 24,999	205	20,991	18	20.2	10.2-30.2	151	59.4	49.0-69.8	21	12.1	5.6-18.6	4	2.3	0.0- 4.7	11	6.1	1.0-11.2
\$25,000- 34,999	204	21,533	11	14.3	5.9-22.7	152	58.8	48.6-69.0	23	15.3	7.5-23.1	5	2.8	0.0- 5.9	13	8.9	3.0-14.8
\$35,000- 49,999	332	34,582	20	13.9	7.2-20.6	245	60.2	52.2-68.2	31	11.7	6.6-16.8	16	6.1	2.2-10.0	20	8.2	3.7-12.7
\$50,000- 74,999	414	43,178	35	9.8	5.9-13.7	282	58.4	51.7-65.1	65	19.6	13.9-25.3	10	3.4	1.0- 5.8	22	8.8	4.7-12.9
\$75,000+	943	112,598	60	11.4	8.1-14.7	664	61.4	57.1-65.7	135	16.2	13.1-19.3	31	4.3	2.3- 6.3	53	6.8	4.6- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2768	255,260	135	11.0	8.6-13.4	2093	64.1	61.2-67.0	359	16.1	13.9-18.3	85	3.8	2.8- 4.8	96	5.0	3.6- 6.4
Native	96	11,993	6	12.9	0.4-25.4	70	58.6	43.7-73.5	15	20.9	8.6-33.2	2	3.3	0.0- 9.0	3	4.3	0.0- 9.8
Non-Native	2647	241,142	128	10.9	8.5-13.3	2003	64.3	61.4-67.2	341	15.9	13.7-18.1	82	3.8	2.6- 5.0	93	5.1	3.7- 6.5
18-24	67	27,783	24	35.8	22.3-49.3	27	39.1	25.4-52.8	14	20.2	9.4-31.0				2	4.9	0.0-11.6
25-34	164	41,191	43	27.1	19.3-34.9	70	44.9	35.9-53.9	30	17.2	10.5-23.9	8	3.9	0.8- 7.0	13	6.9	2.6-11.2
35-44	246	40,113	20	8.2	4.3-12.1	131	54.1	46.5-61.7	60	21.9	15.6-28.2	19	8.0	4.1-11.9	16	7.7	3.4-12.0
45-54	324	37,894	16	3.9	1.7- 6.1	213	61.4	54.7-68.1	61	21.5	15.6-27.4	20	7.0	3.5-10.5	14	6.2	2.9- 9.5
55-64	642	44,505	15	2.2	0.8- 3.6	504	77.4	73.3-81.5	78	13.1	9.8-16.4	18	3.3	1.1- 5.5	27	3.9	1.9- 5.9
65+	1325	63,775	17	1.7	0.5- 2.9	1148	85.9	83.5-88.3	116	8.8	7.0-10.6	20	1.3	0.7- 1.9	24	2.2	1.2- 3.2
Less Than H.S.	104	18,330	10	24.9	9.4-40.4	76	56.6	40.5-72.7	10	9.8	0.0-19.8	5	6.5	0.0-13.2	3	2.2	0.0- 5.3
H.S. or G.E.D.	700	56,466	28	8.5	4.6-12.4	559	70.7	65.2-76.2	77	13.6	9.5-17.7	14	2.3	0.5- 4.1	22	4.9	2.2- 7.6
Some Post-H.S.	901	100,481	50	11.1	7.4-14.8	680	63.3	58.4-68.2	115	17.3	13.4-21.2	23	2.8	1.4- 4.2	33	5.5	3.0- 8.0
College Graduate	1056	79,457	46	9.4	6.3-12.5	772	61.9	57.6-66.2	157	17.9	14.4-21.4	43	5.6	3.4- 7.8	38	5.2	3.0- 7.4
Less than \$15,000	153	15,707	15	26.2	13.1-39.3	114	61.2	48.1-74.3	16	6.0	1.7-10.3	4	1.6	0.0- 3.4	4	5.0	0.0-10.9
\$15,000- 24,999	307	24,161	16	17.1	6.1-28.1	248	66.2	55.2-77.2	27	9.8	3.7-15.9	8	3.6	0.1- 7.1	8	3.4	0.0- 7.3
\$25,000- 34,999	225	19,028	6	6.0	0.7-11.3	176	64.7	53.9-75.5	24	18.7	8.5-28.9	7	3.8	0.7- 6.9	12	6.9	2.0-11.8
\$35,000- 49,999	400	33,409	18	13.3	6.2-20.4	317	62.8	55.0-70.6	45	17.4	11.1-23.7	8	2.8	0.4- 5.2	12	3.8	1.1- 6.5
\$50,000- 74,999	401	36,256	19	9.7	4.8-14.6	313	68.3	61.0-75.6	45	12.2	7.7-16.7	11	3.3	0.8- 5.8	13	6.5	1.8-11.2
\$75,000+	789	87,945	38	7.0	4.3- 9.7	541	61.0	55.9-66.1	141	21.4	17.1-25.7	38	5.9	3.5- 8.3	31	4.6	2.6- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5170	517,403	1926	26.0	24.6-27.4	3244	74.0	72.6-75.4
Male	2401	262,832	876	26.1	23.9-28.3	1525	73.9	71.7-76.1
Female	2769	254,571	1050	25.8	23.6-28.0	1719	74.2	72.0-76.4
Native	178	21,414	59	24.5	17.1-31.9	119	75.5	68.1-82.9
Non-Native	4935	490,395	1847	26.0	24.4-27.6	3088	74.0	72.4-75.6
18-24	205	60,152	3	2.1	0.0- 4.6	202	97.9	95.4- 100
25-34	364	90,665	28	6.0	3.6- 8.4	336	94.0	91.6-96.4
35-44	493	84,167	79	14.0	10.5-17.5	414	86.0	82.5-89.5
45-54	616	74,247	175	28.3	24.0-32.6	441	71.7	67.4-76.0
55-64	1197	90,416	516	42.5	39.0-46.0	681	57.5	54.0-61.0
65+	2295	117,755	1125	48.0	45.5-50.5	1170	52.0	49.5-54.5
Less Than H.S.	214	35,607	79	25.1	18.0-32.2	135	74.9	67.8-82.0
H.S. or G.E.D.	1420	138,247	538	25.4	22.7-28.1	882	74.6	71.9-77.3
Some Post-H.S.	1627	200,780	607	25.5	23.0-28.0	1020	74.5	72.0-77.0
College Graduate	1892	141,251	699	27.6	25.1-30.1	1193	72.4	69.9-74.9
Less than \$15,000	244	23,300	109	37.8	28.8-46.8	135	62.2	53.2-71.2
\$15,000- 24,999	521	45,830	205	26.5	21.8-31.2	316	73.5	68.8-78.2
\$25,000- 34,999	438	40,184	172	26.9	21.6-32.2	266	73.1	67.8-78.4
\$35,000- 49,999	723	66,845	298	27.7	23.6-31.8	425	72.3	68.2-76.4
\$50,000- 74,999	794	78,431	298	27.8	23.9-31.7	496	72.2	68.3-76.1
\$75,000+	1697	194,284	581	24.0	21.6-26.4	1116	76.0	73.6-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2401	262,832	876	26.1	23.9-28.3	1525	73.9	71.7-76.1
Native	81	9,734	31	29.1	16.8-41.4	50	70.9	58.6-83.2
Non-Native	2286	249,309	831	25.9	23.7-28.1	1455	74.1	71.9-76.3
18-24	136	31,753	1	1.2	0.0- 3.6	135	98.8	96.4- 100
25-34	201	50,376	17	6.5	3.2- 9.8	184	93.5	90.2-96.8
35-44	243	43,293	45	16.4	11.1-21.7	198	83.6	78.3-88.9
45-54	305	37,441	99	31.3	25.0-37.6	206	68.7	62.4-75.0
55-64	557	45,774	252	44.5	39.4-49.6	305	55.5	50.4-60.6
65+	959	54,195	462	47.6	43.7-51.5	497	52.4	48.5-56.3
Less Than H.S.	109	18,652	36	23.7	14.7-32.7	73	76.3	67.3-85.3
H.S. or G.E.D.	694	76,289	244	23.0	19.5-26.5	450	77.0	73.5-80.5
Some Post-H.S.	752	104,133	277	26.5	23.0-30.0	475	73.5	70.0-77.0
College Graduate	835	62,653	317	30.3	26.4-34.2	518	69.7	65.8-73.6
Less than \$15,000	96	10,423	40	38.3	25.4-51.2	56	61.7	48.8-74.6
\$15,000- 24,999	204	19,594	76	26.1	19.0-33.2	128	73.9	66.8-81.0
\$25,000- 34,999	207	20,972	73	26.2	18.6-33.8	134	73.8	66.2-81.4
\$35,000- 49,999	326	31,869	133	27.2	21.3-33.1	193	72.8	66.9-78.7
\$50,000- 74,999	398	43,818	146	27.3	22.0-32.6	252	72.7	67.4-78.0
\$75,000+	920	107,842	327	25.0	21.9-28.1	593	75.0	71.9-78.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	254,571	1050	25.8	23.8-27.8	1719	74.2	72.2-76.2
Native	97	11,681	28	20.7	11.7-29.7	69	79.3	70.3-88.3
Non-Native	2649	241,086	1016	26.1	23.9-28.3	1633	73.9	71.7-76.1
18-24	69	28,400	2	3.1	0.0- 7.8	67	96.9	92.2- 100
25-34	163	40,289	11	5.3	2.0- 8.6	152	94.7	91.4-98.0
35-44	250	40,874	34	11.4	7.1-15.7	216	88.6	84.3-92.9
45-54	311	36,806	76	25.3	19.2-31.4	235	74.7	68.6-80.8
55-64	640	44,642	264	40.5	35.8-45.2	376	59.5	54.8-64.2
65+	1336	63,561	663	48.3	45.0-51.6	673	51.7	48.4-55.0
Less Than H.S.	105	16,955	43	26.7	15.7-37.7	62	73.3	62.3-84.3
H.S. or G.E.D.	726	61,958	294	28.3	24.0-32.6	432	71.7	67.4-76.0
Some Post-H.S.	875	96,647	330	24.4	21.1-27.7	545	75.6	72.3-78.9
College Graduate	1057	78,598	382	25.5	22.2-28.8	675	74.5	71.2-77.8
Less than \$15,000	148	12,877	69	37.5	25.2-49.8	79	62.5	50.2-74.8
\$15,000- 24,999	317	26,236	129	26.8	20.3-33.3	188	73.2	66.7-79.7
\$25,000- 34,999	231	19,212	99	27.6	20.5-34.7	132	72.4	65.3-79.5
\$35,000- 49,999	397	34,976	165	28.2	22.3-34.1	232	71.8	65.9-77.7
\$50,000- 74,999	396	34,613	152	28.5	22.8-34.2	244	71.5	65.8-77.2
\$75,000+	777	86,442	254	22.8	19.3-26.3	523	77.2	73.7-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1919	134,033	1285	60.1	57.2-63.0	634	39.9	37.0-42.8
Male	873	68,443	615	62.4	58.1-66.7	258	37.6	33.3-41.9
Female	1046	65,590	670	57.7	53.6-61.8	376	42.3	38.2-46.4
Native	59	5,247	35	58.2	42.7-73.7	24	41.8	26.3-57.3
Non-Native	1840	127,213	1240	60.4	57.3-63.5	600	39.6	36.5-42.7
35-44	79	11,758	24	24.5	13.7-35.3	55	75.5	64.7-86.3
45-54	175	21,048	82	44.9	35.7-54.1	93	55.1	45.9-64.3
55-64	515	38,378	330	63.8	58.7-68.9	185	36.2	31.1-41.3
65+	1119	56,169	842	74.9	71.8-78.0	277	25.1	22.0-28.2
Less Than H.S.	78	8,840	55	69.6	56.3-82.9	23	30.4	17.1-43.7
H.S. or G.E.D.	537	35,075	391	67.9	62.2-73.6	146	32.1	26.4-37.8
Some Post-H.S.	603	51,006	395	58.2	53.1-63.3	208	41.8	36.7-46.9
College Graduate	698	38,999	443	53.5	48.4-58.6	255	46.5	41.4-51.6
Less than \$15,000	107	8,696	79	73.6	62.4-84.8	28	26.4	15.2-37.6
\$15,000- 24,999	204	12,099	135	57.6	48.2-67.0	69	42.4	33.0-51.8
\$25,000- 34,999	172	10,796	116	65.0	54.8-75.2	56	35.0	24.8-45.2
\$35,000- 49,999	297	18,509	205	61.4	53.8-69.0	92	38.6	31.0-46.2
\$50,000- 74,999	298	21,828	196	58.3	50.7-65.9	102	41.7	34.1-49.3
\$75,000+	579	46,504	374	55.8	50.5-61.1	205	44.2	38.9-49.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	873	68,443	615	62.4	58.1-66.7	258	37.6	33.3-41.9
Non-Native	828	64,315	591	63.5	59.0-68.0	237	36.5	32.0-41.0
45-54	99	11,730	54	52.2	40.2-64.2	45	47.8	35.8-59.8
55-64	252	20,359	181	71.4	64.7-78.1	71	28.6	21.9-35.3
65+	459	25,580	361	78.6	73.9-83.3	98	21.4	16.7-26.1
H.S. or G.E.D.	243	17,542	171	62.4	54.0-70.8	72	37.6	29.2-46.0
Some Post-H.S.	276	27,542	189	60.3	52.9-67.7	87	39.7	32.3-47.1
College Graduate	317	18,960	229	61.6	54.2-69.0	88	38.4	31.0-45.8
\$15,000- 24,999	76	5,105	46	55.0	40.9-69.1	30	45.0	30.9-59.1
\$25,000- 34,999	73	5,491	54	69.6	52.9-86.3	19	30.4	13.7-47.1
\$35,000- 49,999	133	8,673	96	59.8	48.2-71.4	37	40.2	28.6-51.8
\$50,000- 74,999	146	11,949	106	62.1	50.9-73.3	40	37.9	26.7-49.1
\$75,000+	326	26,844	223	60.0	53.1-66.9	103	40.0	33.1-46.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1046	65,590	670	57.7	53.6-61.8	376	42.3	38.2-46.4
Non-Native	1012	62,899	649	57.4	53.3-61.5	363	42.6	38.5-46.7
45-54	76	9,318	28	35.8	22.1-49.5	48	64.2	50.5-77.9
55-64	263	18,019	149	55.3	47.9-62.7	114	44.7	37.3-52.1
65+	660	30,589	481	71.8	67.7-75.9	179	28.2	24.1-32.3
H.S. or G.E.D.	294	17,533	220	73.4	66.5-80.3	74	26.6	19.7-33.5
Some Post-H.S.	327	23,463	206	55.7	48.6-62.8	121	44.3	37.2-51.4
College Graduate	381	20,039	214	45.8	39.1-52.5	167	54.2	47.5-60.9
Less than \$15,000	68	4,804	52	77.4	64.1-90.7	16	22.6	9.3-35.9
\$15,000- 24,999	128	6,994	89	59.5	47.0-72.0	39	40.5	28.0-53.0
\$25,000- 34,999	99	5,305	62	60.3	48.3-72.3	37	39.7	27.7-51.7
\$35,000- 49,999	164	9,836	109	62.7	52.7-72.7	55	37.3	27.3-47.3
\$50,000- 74,999	152	9,879	90	53.7	43.3-64.1	62	46.3	35.9-56.7
\$75,000+	253	19,661	151	50.1	42.1-58.1	102	49.9	41.9-57.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	57
11	MALES ONLY	58
12	FEMALES ONLY	59
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	60
14	MALES ONLY	61
15	FEMALES ONLY	62
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	63
17	MALES ONLY	64
18	FEMALES ONLY	65
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	66
20	MALES ONLY	67
21	FEMALES ONLY	68
	(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5501	582,922	355	4.2	3.6- 4.8	5146	95.8	95.2-96.4
Male	2582	297,950	226	5.6	4.6- 6.6	2356	94.4	93.4-95.4
Female	2919	284,971	129	2.8	2.2- 3.4	2790	97.2	96.6-97.8
Native	191	25,055	23	10.2	4.5-15.9	168	89.8	84.1-95.5
Non-Native	5248	551,714	326	3.9	3.3- 4.5	4922	96.1	95.5-96.7
18-24	277	82,738	2	0.5	0.0- 1.3	275	99.5	98.7- 100
25-34	455	113,516	2	0.7	0.0- 1.7	453	99.3	98.3- 100
35-44	539	92,677	6	0.7	0.0- 1.5	533	99.3	98.5- 100
45-54	654	79,845	14	2.3	0.9- 3.7	640	97.7	96.3-99.1
55-64	1234	93,624	75	6.2	4.4- 8.0	1159	93.8	92.0-95.6
65+	2342	120,522	256	12.4	10.6-14.2	2086	87.6	85.8-89.4
Less Than H.S.	239	45,592	37	8.3	5.0-11.6	202	91.7	88.4-95.0
H.S. or G.E.D.	1507	154,128	110	4.9	3.7- 6.1	1397	95.1	93.9-96.3
Some Post-H.S.	1753	226,618	126	4.1	3.1- 5.1	1627	95.9	94.9-96.9
College Graduate	1981	154,311	81	2.4	1.8- 3.0	1900	97.6	97.0-98.2
Less than \$15,000	267	28,587	31	9.0	4.9-13.1	236	91.0	86.9-95.1
\$15,000- 24,999	556	54,430	53	6.2	4.0- 8.4	503	93.8	91.6-96.0
\$25,000- 34,999	454	44,289	29	4.3	2.1- 6.5	425	95.7	93.5-97.9
\$35,000- 49,999	767	76,669	70	5.6	4.0- 7.2	697	94.4	92.8-96.0
\$50,000- 74,999	853	87,592	57	4.9	3.3- 6.5	796	95.1	93.5-96.7
\$75,000+	1806	214,514	59	1.8	1.2- 2.4	1747	98.2	97.6-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2582	297,950	226	5.6	4.6- 6.6	2356	94.4	93.4-95.4
Native	87	11,761	15	16.8	5.8-27.8	72	83.2	72.2-94.2
Non-Native	2460	282,312	207	5.1	4.3- 5.9	2253	94.9	94.1-95.7
18-24	183	43,706	1	0.2	0.0- 0.6	182	99.8	99.4- 100
25-34	247	61,682	2	1.4	0.0- 3.4	245	98.6	96.6- 100
35-44	270	48,538	5	1.3	0.0- 2.9	265	98.7	97.1- 100
45-54	323	41,161	10	3.0	0.8- 5.2	313	97.0	94.8-99.2
55-64	573	47,508	57	9.2	6.3-12.1	516	90.8	87.9-93.7
65+	986	55,356	151	16.9	14.0-19.8	835	83.1	80.2-86.0
Less Than H.S.	122	23,767	25	12.8	6.9-18.7	97	87.2	81.3-93.1
H.S. or G.E.D.	758	87,726	67	5.2	3.6- 6.8	691	94.8	93.2-96.4
Some Post-H.S.	815	117,380	77	5.2	3.6- 6.8	738	94.8	93.2-96.4
College Graduate	875	67,712	57	4.2	2.8- 5.6	818	95.8	94.4-97.2
Less than \$15,000	104	11,599	18	12.8	5.0-20.6	86	87.2	79.4-95.0
\$15,000- 24,999	224	24,021	29	8.2	4.5-11.9	195	91.8	88.1-95.5
\$25,000- 34,999	217	23,961	17	4.7	2.0- 7.4	200	95.3	92.6-98.0
\$35,000- 49,999	348	37,009	44	7.0	4.5- 9.5	304	93.0	90.5-95.5
\$50,000- 74,999	436	48,493	44	7.6	4.9-10.3	392	92.4	89.7-95.1
\$75,000+	985	121,248	50	2.7	1.7- 3.7	935	97.3	96.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2919	284,971	129	2.8	2.2- 3.4	2790	97.2	96.6-97.8
Native	104	13,294	8	4.3	1.2- 7.4	96	95.7	92.6-98.8
Non-Native	2788	269,402	119	2.7	2.1- 3.3	2669	97.3	96.7-97.9
18-24	94	39,032	1	0.7	0.0- 2.1	93	99.3	97.9- 100
25-34	208	51,834				208	100.0	100.0- 100
35-44	269	44,139	1	0.1	0.0- 0.3	268	99.9	99.7- 100
45-54	331	38,684	4	1.5	0.0- 3.5	327	98.5	96.5- 100
55-64	661	46,116	18	3.2	1.4- 5.0	643	96.8	95.0-98.6
65+	1356	65,166	105	8.6	6.6-10.6	1251	91.4	89.4-93.4
Less Than H.S.	117	21,825	12	3.4	1.2- 5.6	105	96.6	94.4-98.8
H.S. or G.E.D.	749	66,402	43	4.4	2.4- 6.4	706	95.6	93.6-97.6
Some Post-H.S.	938	109,238	49	3.0	2.0- 4.0	889	97.0	96.0-98.0
College Graduate	1106	86,599	24	1.0	0.6- 1.4	1082	99.0	98.6-99.4
Less than \$15,000	163	16,988	13	6.4	2.1-10.7	150	93.6	89.3-97.9
\$15,000- 24,999	332	30,409	24	4.7	2.3- 7.1	308	95.3	92.9-97.7
\$25,000- 34,999	237	20,328	12	3.8	0.7- 6.9	225	96.2	93.1-99.3
\$35,000- 49,999	419	39,660	26	4.3	2.3- 6.3	393	95.7	93.7-97.7
\$50,000- 74,999	417	39,100	13	1.5	0.5- 2.5	404	98.5	97.5-99.5
\$75,000+	821	93,266	9	0.6	0.2- 1.0	812	99.4	99.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5483	583,494	309	3.4	3.0- 3.8	5174	96.6	96.2-97.0
Male	2574	298,905	184	4.3	3.5- 5.1	2390	95.7	94.9-96.5
Female	2909	284,589	125	2.4	1.8- 3.0	2784	97.6	97.0-98.2
Native	192	25,185	16	4.2	1.8- 6.6	176	95.8	93.4-98.2
Non-Native	5229	552,156	287	3.3	2.9- 3.7	4942	96.7	96.3-97.1
18-24	279	83,458				279	100.0	100.0- 100
25-34	455	113,516				455	100.0	100.0- 100
35-44	545	93,977	4	0.7	0.0- 1.5	541	99.3	98.5- 100
45-54	655	79,978	12	1.4	0.4- 2.4	643	98.6	97.6-99.6
55-64	1232	93,585	64	5.5	3.9- 7.1	1168	94.5	92.9-96.1
65+	2317	118,981	229	10.6	9.0-12.2	2088	89.4	87.8-91.0
Less Than H.S.	239	46,124	20	4.4	2.2- 6.6	219	95.6	93.4-97.8
H.S. or G.E.D.	1500	154,281	100	3.8	2.8- 4.8	1400	96.2	95.2-97.2
Some Post-H.S.	1744	226,804	103	3.3	2.5- 4.1	1641	96.7	95.9-97.5
College Graduate	1979	154,012	86	2.7	1.9- 3.5	1893	97.3	96.5-98.1
Less than \$15,000	271	29,122	22	4.7	2.3- 7.1	249	95.3	92.9-97.7
\$15,000- 24,999	555	54,460	57	7.0	4.8- 9.2	498	93.0	90.8-95.2
\$25,000- 34,999	455	44,447	24	2.9	1.5- 4.3	431	97.1	95.7-98.5
\$35,000- 49,999	756	76,123	51	4.2	2.8- 5.6	705	95.8	94.4-97.2
\$50,000- 74,999	849	87,200	43	3.3	2.1- 4.5	806	96.7	95.5-97.9
\$75,000+	1805	214,649	64	1.9	1.3- 2.5	1741	98.1	97.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2574	298,905	184	4.3	3.5- 5.1	2390	95.7	94.9-96.5
Native	89	12,010	10	5.4	1.5- 9.3	79	94.6	90.7-98.5
Non-Native	2450	283,018	169	4.2	3.4- 5.0	2281	95.8	95.0-96.6
18-24	185	44,426				185	100.0	100.0- 100
25-34	247	61,682				247	100.0	100.0- 100
35-44	274	49,561	2	0.7	0.0- 1.9	272	99.3	98.1- 100
45-54	324	41,304	8	1.7	0.3- 3.1	316	98.3	96.9-99.7
55-64	573	47,539	49	8.8	6.1-11.5	524	91.2	88.5-93.9
65+	971	54,393	125	13.9	11.2-16.6	846	86.1	83.4-88.8
Less Than H.S.	123	24,259	13	6.5	2.6-10.4	110	93.5	89.6-97.4
H.S. or G.E.D.	753	87,840	52	3.8	2.4- 5.2	701	96.2	94.8-97.6
Some Post-H.S.	813	117,903	59	4.1	2.9- 5.3	754	95.9	94.7-97.1
College Graduate	873	67,538	60	4.5	3.1- 5.9	813	95.5	94.1-96.9
Less than \$15,000	105	11,902	9	5.0	1.1- 8.9	96	95.0	91.1-98.9
\$15,000- 24,999	223	24,050	29	9.1	5.2-13.0	194	90.9	87.0-94.8
\$25,000- 34,999	217	24,110	13	3.0	1.0- 5.0	204	97.0	95.0-99.0
\$35,000- 49,999	340	36,687	34	5.9	3.4- 8.4	306	94.1	91.6-96.6
\$50,000- 74,999	433	48,255	28	4.0	2.2- 5.8	405	96.0	94.2-97.8
\$75,000+	985	121,422	48	2.7	1.7- 3.7	937	97.3	96.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2909	284,589	125	2.4	1.8- 3.0	2784	97.6	97.0-98.2
Native	103	13,175	6	3.0	0.5- 5.5	97	97.0	94.5-99.5
Non-Native	2779	269,138	118	2.4	1.8- 3.0	2661	97.6	97.0-98.2
18-24	94	39,032				94	100.0	100.0- 100
25-34	208	51,834				208	100.0	100.0- 100
35-44	271	44,416	2	0.7	0.0- 2.1	269	99.3	97.9- 100
45-54	331	38,674	4	1.2	0.0- 2.4	327	98.8	97.6- 100
55-64	659	46,046	15	2.1	0.9- 3.3	644	97.9	96.7-99.1
65+	1346	64,588	104	7.9	6.1- 9.7	1242	92.1	90.3-93.9
Less Than H.S.	116	21,865	7	2.1	0.3- 3.9	109	97.9	96.1-99.7
H.S. or G.E.D.	747	66,441	48	3.9	2.5- 5.3	699	96.1	94.7-97.5
Some Post-H.S.	931	108,901	44	2.4	1.6- 3.2	887	97.6	96.8-98.4
College Graduate	1106	86,474	26	1.4	0.6- 2.2	1080	98.6	97.8-99.4
Less than \$15,000	166	17,220	13	4.4	1.5- 7.3	153	95.6	92.7-98.5
\$15,000- 24,999	332	30,409	28	5.3	2.8- 7.8	304	94.7	92.2-97.2
\$25,000- 34,999	238	20,337	11	2.7	0.9- 4.5	227	97.3	95.5-99.1
\$35,000- 49,999	416	39,436	17	2.5	1.1- 3.9	399	97.5	96.1-98.9
\$50,000- 74,999	416	38,945	15	2.5	0.7- 4.3	401	97.5	95.7-99.3
\$75,000+	820	93,227	16	0.8	0.4- 1.2	804	99.2	98.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5522	585,683	209	2.5	2.1- 2.9	5313	97.5	97.1-97.9
Male	2593	300,272	120	2.9	2.1- 3.7	2473	97.1	96.3-97.9
Female	2929	285,411	89	2.0	1.4- 2.6	2840	98.0	97.4-98.6
Native	193	25,304	15	7.8	2.3-13.3	178	92.2	86.7-97.7
Non-Native	5267	554,227	190	2.2	1.8- 2.6	5077	97.8	97.4-98.2
18-24	279	83,458	2	0.6	0.0- 1.6	277	99.4	98.4- 100
25-34	455	113,516	2	0.6	0.0- 1.6	453	99.4	98.4- 100
35-44	545	93,911	3	0.6	0.0- 1.4	542	99.4	98.6- 100
45-54	657	80,323	11	1.4	0.4- 2.4	646	98.6	97.6-99.6
55-64	1233	93,549	37	3.3	2.1- 4.5	1196	96.7	95.5-97.9
65+	2353	120,926	154	7.1	5.7- 8.5	2199	92.9	91.5-94.3
Less Than H.S.	242	46,417	16	3.8	1.6- 6.0	226	96.2	94.0-98.4
H.S. or G.E.D.	1513	154,816	73	2.9	2.1- 3.7	1440	97.1	96.3-97.9
Some Post-H.S.	1760	227,737	70	2.2	1.4- 3.0	1690	97.8	97.0-98.6
College Graduate	1986	154,441	49	2.0	1.2- 2.8	1937	98.0	97.2-98.8
Less than \$15,000	272	29,104	26	6.5	3.2- 9.8	246	93.5	90.2-96.8
\$15,000- 24,999	560	54,668	37	4.0	2.4- 5.6	523	96.0	94.4-97.6
\$25,000- 34,999	458	44,728	28	3.9	2.1- 5.7	430	96.1	94.3-97.9
\$35,000- 49,999	765	76,601	35	2.8	1.4- 4.2	730	97.2	95.8-98.6
\$50,000- 74,999	854	87,604	23	1.8	0.8- 2.8	831	98.2	97.2-99.2
\$75,000+	1808	214,876	24	0.9	0.5- 1.3	1784	99.1	98.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2593	300,272	120	2.9	2.1- 3.7	2473	97.1	96.3-97.9
Native	89	12,010	10	10.8	1.6-20.0	79	89.2	80.0-98.4
Non-Native	2469	284,385	109	2.6	2.0- 3.2	2360	97.4	96.8-98.0
18-24	185	44,426	1	0.7	0.0- 2.1	184	99.3	97.9- 100
25-34	247	61,682	2	1.1	0.0- 2.9	245	98.9	97.1- 100
35-44	273	49,428	2	0.3	0.0- 0.7	271	99.7	99.3- 100
45-54	325	41,530	8	2.4	0.4- 4.4	317	97.6	95.6-99.6
55-64	573	47,560	24	4.6	2.6- 6.6	549	95.4	93.4-97.4
65+	990	55,646	83	7.9	5.9- 9.9	907	92.1	90.1-94.1
Less Than H.S.	124	24,483	8	3.9	1.0- 6.8	116	96.1	93.2-99.0
H.S. or G.E.D.	758	88,108	42	3.3	1.9- 4.7	716	96.7	95.3-98.1
Some Post-H.S.	822	118,560	40	2.7	1.5- 3.9	782	97.3	96.1-98.5
College Graduate	877	67,756	30	2.4	1.2- 3.6	847	97.6	96.4-98.8
Less than \$15,000	105	11,847	12	7.4	2.3-12.5	93	92.6	87.5-97.7
\$15,000- 24,999	227	24,316	20	4.6	2.1- 7.1	207	95.4	92.9-97.9
\$25,000- 34,999	219	24,324	13	3.2	1.0- 5.4	206	96.8	94.6-99.0
\$35,000- 49,999	346	36,941	23	3.4	1.6- 5.2	323	96.6	94.8-98.4
\$50,000- 74,999	436	48,488	16	2.3	0.9- 3.7	420	97.7	96.3-99.1
\$75,000+	987	121,610	18	1.3	0.5- 2.1	969	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2929	285,411	89	2.0	1.4- 2.6	2840	98.0	97.4-98.6
Native	104	13,294	5	5.1	0.0-11.4	99	94.9	88.6- 100
Non-Native	2798	269,842	81	1.8	1.2- 2.4	2717	98.2	97.6-98.8
18-24	94	39,032	1	0.5	0.0- 1.5	93	99.5	98.5- 100
25-34	208	51,834				208	100.0	100.0- 100
35-44	272	44,483	1	0.9	0.0- 2.7	271	99.1	97.3- 100
45-54	332	38,793	3	0.3	0.0- 0.7	329	99.7	99.3- 100
55-64	660	45,990	13	2.0	0.8- 3.2	647	98.0	96.8-99.2
65+	1363	65,280	71	6.4	4.6- 8.2	1292	93.6	91.8-95.4
Less Than H.S.	118	21,934	8	3.8	0.7- 6.9	110	96.2	93.1-99.3
H.S. or G.E.D.	755	66,708	31	2.4	1.4- 3.4	724	97.6	96.6-98.6
Some Post-H.S.	938	109,177	30	1.6	0.8- 2.4	908	98.4	97.6-99.2
College Graduate	1109	86,685	19	1.7	0.5- 2.9	1090	98.3	97.1-99.5
Less than \$15,000	167	17,257	14	5.8	1.5-10.1	153	94.2	89.9-98.5
\$15,000- 24,999	333	30,352	17	3.5	1.3- 5.7	316	96.5	94.3-98.7
\$25,000- 34,999	239	20,404	15	4.7	1.8- 7.6	224	95.3	92.4-98.2
\$35,000- 49,999	419	39,660	12	2.2	0.0- 4.4	407	97.8	95.6- 100
\$50,000- 74,999	418	39,115	7	1.1	0.3- 1.9	411	98.9	98.1-99.7
\$75,000+	821	93,266	6	0.5	0.1- 0.9	815	99.5	99.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5515	584,331	587	12.4	11.0-13.8	4928	87.6	86.2-89.0
Male	2586	299,487	256	11.3	9.5-13.1	2330	88.7	86.9-90.5
Female	2929	284,844	331	13.5	11.5-15.5	2598	86.5	84.5-88.5
Native	193	25,304	30	16.9	9.1-24.7	163	83.1	75.3-90.9
Non-Native	5260	552,875	548	12.1	10.7-13.5	4712	87.9	86.5-89.3
18-24	278	82,776	43	16.3	11.2-21.4	235	83.7	78.6-88.8
25-34	455	113,516	63	14.7	11.0-18.4	392	85.3	81.6-89.0
35-44	544	93,476	72	15.2	11.3-19.1	472	84.8	80.9-88.7
45-54	655	80,238	69	9.0	6.5-11.5	586	91.0	88.5-93.5
55-64	1233	93,574	111	9.3	7.1-11.5	1122	90.7	88.5-92.9
65+	2350	120,752	229	9.9	8.3-11.5	2121	90.1	88.5-91.7
Less Than H.S.	240	46,281	37	14.8	8.7-20.9	203	85.2	79.1-91.3
H.S. or G.E.D.	1514	154,895	174	14.5	12.0-17.0	1340	85.5	83.0-88.0
Some Post-H.S.	1757	226,624	168	11.3	8.9-13.7	1589	88.7	86.3-91.1
College Graduate	1983	154,259	205	10.9	8.9-12.9	1778	89.1	87.1-91.1
Less than \$15,000	272	29,124	36	15.6	8.9-22.3	236	84.4	77.7-91.1
\$15,000- 24,999	561	54,753	72	16.2	11.3-21.1	489	83.8	78.9-88.7
\$25,000- 34,999	459	44,750	51	12.5	7.6-17.4	408	87.5	82.6-92.4
\$35,000- 49,999	763	76,484	89	13.7	9.6-17.8	674	86.3	82.2-90.4
\$50,000- 74,999	852	87,535	77	9.3	6.6-12.0	775	90.7	88.0-93.4
\$75,000+	1803	213,523	168	10.3	8.3-12.3	1635	89.7	87.7-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2586	299,487	256	11.3	9.5-13.1	2330	88.7	86.9-90.5
Native	89	12,010	15	16.0	6.2-25.8	74	84.0	74.2-93.8
Non-Native	2462	283,600	236	10.9	9.1-12.7	2226	89.1	87.3-90.9
18-24	185	44,426	27	14.9	9.2-20.6	158	85.1	79.4-90.8
25-34	247	61,682	34	14.6	9.7-19.5	213	85.4	80.5-90.3
35-44	272	48,993	34	13.6	8.5-18.7	238	86.4	81.3-91.5
45-54	323	41,445	30	8.1	4.6-11.6	293	91.9	88.4-95.4
55-64	573	47,541	41	5.9	3.5- 8.3	532	94.1	91.7-96.5
65+	986	55,401	90	9.5	7.3-11.7	896	90.5	88.3-92.7
Less Than H.S.	122	24,347	16	10.4	3.5-17.3	106	89.6	82.7-96.5
H.S. or G.E.D.	758	88,061	82	14.6	11.1-18.1	676	85.4	81.9-88.9
Some Post-H.S.	821	118,124	75	9.6	6.9-12.3	746	90.4	87.7-93.1
College Graduate	873	67,590	80	9.4	6.9-11.9	793	90.6	88.1-93.1
Less than \$15,000	105	11,867	15	18.5	7.9-29.1	90	81.5	70.9-92.1
\$15,000- 24,999	226	24,268	28	13.3	7.0-19.6	198	86.7	80.4-93.0
\$25,000- 34,999	220	24,346	16	7.7	2.4-13.0	204	92.3	87.0-97.6
\$35,000- 49,999	345	36,873	37	12.2	6.5-17.9	308	87.8	82.1-93.5
\$50,000- 74,999	435	48,503	31	5.9	3.4- 8.4	404	94.1	91.6-96.6
\$75,000+	983	120,939	95	11.2	8.5-13.9	888	88.8	86.1-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2929	284,844	331	13.5	11.5-15.5	2598	86.5	84.5-88.5
Native	104	13,294	15	17.7	5.5-29.9	89	82.3	70.1-94.5
Non-Native	2798	269,274	312	13.2	11.2-15.2	2486	86.8	84.8-88.8
18-24	93	38,350	16	17.9	9.1-26.7	77	82.1	73.3-90.9
25-34	208	51,834	29	14.8	9.3-20.3	179	85.2	79.7-90.7
35-44	272	44,483	38	16.9	11.0-22.8	234	83.1	77.2-89.0
45-54	332	38,793	39	10.0	6.3-13.7	293	90.0	86.3-93.7
55-64	660	46,033	70	12.9	9.4-16.4	590	87.1	83.6-90.6
65+	1364	65,351	139	10.3	8.1-12.5	1225	89.7	87.5-91.9
Less Than H.S.	118	21,934	21	19.6	9.4-29.8	97	80.4	70.2-90.6
H.S. or G.E.D.	756	66,834	92	14.4	10.5-18.3	664	85.6	81.7-89.5
Some Post-H.S.	936	108,500	93	13.1	9.6-16.6	843	86.9	83.4-90.4
College Graduate	1110	86,669	125	12.1	9.4-14.8	985	87.9	85.2-90.6
Less than \$15,000	167	17,257	21	13.7	5.1-22.3	146	86.3	77.7-94.9
\$15,000- 24,999	335	30,485	44	18.5	11.2-25.8	291	81.5	74.2-88.8
\$25,000- 34,999	239	20,404	35	18.3	9.7-26.9	204	81.7	73.1-90.3
\$35,000- 49,999	418	39,611	52	15.0	9.1-20.9	366	85.0	79.1-90.9
\$50,000- 74,999	417	39,032	46	13.5	8.6-18.4	371	86.5	81.6-91.4
\$75,000+	820	92,584	73	9.1	6.6-11.6	747	90.9	88.4-93.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	567	69,726	404	67.9	62.4-73.4	163	32.1	26.6-37.6
Male	247	32,757	152	57.2	48.8-65.6	95	42.8	34.4-51.2
Female	320	36,969	252	77.4	70.3-84.5	68	22.6	15.5-29.7
Non-Native	530	64,311	377	68.1	62.4-73.8	153	31.9	26.2-37.6
25-34	60	16,137	39	66.1	53.2-79.0	21	33.9	21.0-46.8
35-44	71	14,034	47	61.6	47.3-75.9	24	38.4	24.1-52.7
45-54	66	6,761	49	74.2	60.3-88.1	17	25.8	11.9-39.7
55-64	109	8,685	81	76.2	66.4-86.0	28	23.8	14.0-33.6
65+	220	11,492	164	70.5	62.9-78.1	56	29.5	21.9-37.1
H.S. or G.E.D.	164	20,928	116	63.0	53.0-73.0	48	37.0	27.0-47.0
Some Post-H.S.	163	24,970	115	71.3	61.5-81.1	48	28.7	18.9-38.5
College Graduate	201	16,518	145	71.5	63.1-79.9	56	28.5	20.1-36.9
\$15,000- 24,999	72	8,877	49	64.8	48.5-81.1	23	35.2	18.9-51.5
\$35,000- 49,999	84	9,797	54	65.8	50.5-81.1	30	34.2	18.9-49.5
\$50,000- 74,999	75	7,925	59	83.0	72.2-93.8	16	17.0	6.2-27.8
\$75,000+	162	21,082	108	61.5	51.5-71.5	54	38.5	28.5-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	247	32,757	152	57.2	48.8-65.6	95	42.8	34.4-51.2
Non-Native	229	30,228	141	56.7	47.9-65.5	88	43.3	34.5-52.1
65+	86	5,046	58	69.5	58.7-80.3	28	30.5	19.7-41.3
H.S. or G.E.D.	79	12,600	47	53.5	40.0-67.0	32	46.5	33.0-60.0
Some Post-H.S.	73	11,082	50	65.6	50.5-80.7	23	34.4	19.3-49.5
College Graduate	77	6,070	45	59.1	44.6-73.6	32	40.9	26.4-55.4
\$75,000+	91	12,861	56	58.4	45.1-71.7	35	41.6	28.3-54.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	320	36,969	252	77.4	70.3-84.5	68	22.6	15.5-29.7
Non-Native	301	34,083	236	78.3	71.4-85.2	65	21.7	14.8-28.6
55-64	69	5,933	54	81.4	70.4-92.4	15	18.6	7.6-29.6
65+	134	6,446	106	71.4	60.6-82.2	28	28.6	17.8-39.4
H.S. or G.E.D.	85	8,327	69	77.4	64.1-90.7	16	22.6	9.3-35.9
Some Post-H.S.	90	13,888	65	75.8	63.3-88.3	25	24.2	11.7-36.7
College Graduate	124	10,448	100	78.7	68.3-89.1	24	21.3	10.9-31.7
\$35,000- 49,999	50	5,357	35	77.5	63.4-91.6	15	22.5	8.4-36.6
\$75,000+	71	8,220	52	66.3	51.0-81.6	19	33.7	18.4-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5515	584,920	512	5.6	5.0- 6.2	5003	94.4	93.8-95.0
Male	2591	299,969	252	5.3	4.5- 6.1	2339	94.7	93.9-95.5
Female	2924	284,951	260	5.9	4.9- 6.9	2664	94.1	93.1-95.1
Native	192	25,203	6	2.6	0.0- 5.5	186	97.4	94.5- 100
Non-Native	5262	553,651	502	5.7	5.1- 6.3	4760	94.3	93.7-94.9
18-24	279	83,458	2	1.1	0.0- 2.7	277	98.9	97.3- 100
25-34	454	113,108	3	0.6	0.0- 1.6	451	99.4	98.4- 100
35-44	546	94,044	8	0.8	0.2- 1.4	538	99.2	98.6-99.8
45-54	657	80,323	28	5.5	3.1- 7.9	629	94.5	92.1-96.9
55-64	1230	93,264	91	7.0	5.2- 8.8	1139	93.0	91.2-94.8
65+	2349	120,724	380	16.1	14.3-17.9	1969	83.9	82.1-85.7
Less Than H.S.	240	45,940	28	6.2	3.3- 9.1	212	93.8	90.9-96.7
H.S. or G.E.D.	1515	154,986	133	4.8	3.6- 6.0	1382	95.2	94.0-96.4
Some Post-H.S.	1754	227,406	153	5.7	4.5- 6.9	1601	94.3	93.1-95.5
College Graduate	1985	154,316	196	6.1	4.9- 7.3	1789	93.9	92.7-95.1
Less than \$15,000	272	28,720	20	5.2	2.1- 8.3	252	94.8	91.7-97.9
\$15,000- 24,999	560	54,480	57	6.0	4.0- 8.0	503	94.0	92.0-96.0
\$25,000- 34,999	458	44,706	39	4.2	2.6- 5.8	419	95.8	94.2-97.4
\$35,000- 49,999	764	76,520	89	6.1	4.5- 7.7	675	93.9	92.3-95.5
\$50,000- 74,999	854	87,693	75	6.0	4.0- 8.0	779	94.0	92.0-96.0
\$75,000+	1808	214,876	155	5.1	3.9- 6.3	1653	94.9	93.7-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2591	299,969	252	5.3	4.5- 6.1	2339	94.7	93.9-95.5
Native	88	11,909	3	3.7	0.0- 9.6	85	96.3	90.4- 100
Non-Native	2468	284,183	246	5.3	4.5- 6.1	2222	94.7	93.9-95.5
18-24	185	44,426				185	100.0	100.0- 100
25-34	247	61,682	2	0.2	0.0- 0.4	245	99.8	99.6- 100
35-44	274	49,561	1	0.1	0.0- 0.3	273	99.9	99.7- 100
45-54	325	41,530	8	2.3	0.5- 4.1	317	97.7	95.9-99.5
55-64	572	47,306	40	6.9	4.2- 9.6	532	93.1	90.4-95.8
65+	988	55,464	201	20.7	17.8-23.6	787	79.3	76.4-82.2
Less Than H.S.	123	24,415	17	8.7	3.8-13.6	106	91.3	86.4-96.2
H.S. or G.E.D.	762	88,248	64	3.8	2.8- 4.8	698	96.2	95.2-97.2
Some Post-H.S.	820	118,344	76	5.2	3.8- 6.6	744	94.8	93.4-96.2
College Graduate	874	67,598	94	6.1	4.5- 7.7	780	93.9	92.3-95.5
Less than \$15,000	106	11,872	9	7.1	0.6-13.6	97	92.9	86.4-99.4
\$15,000- 24,999	224	23,968	25	6.6	3.5- 9.7	199	93.4	90.3-96.5
\$25,000- 34,999	219	24,302	24	5.5	3.0- 8.0	195	94.5	92.0-97.0
\$35,000- 49,999	347	36,917	42	5.8	3.6- 8.0	305	94.2	92.0-96.4
\$50,000- 74,999	437	48,631	37	5.0	3.0- 7.0	400	95.0	93.0-97.0
\$75,000+	987	121,610	87	4.7	3.5- 5.9	900	95.3	94.1-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2924	284,951	260	5.9	4.9- 6.9	2664	94.1	93.1-95.1
Native	104	13,294	3	1.6	0.0- 3.6	101	98.4	96.4- 100
Non-Native	2794	269,468	256	6.1	4.9- 7.3	2538	93.9	92.7-95.1
18-24	94	39,032	2	2.2	0.0- 5.7	92	97.8	94.3- 100
25-34	207	51,426	1	1.0	0.0- 3.0	206	99.0	97.0- 100
35-44	272	44,483	7	1.7	0.3- 3.1	265	98.3	96.9-99.7
45-54	332	38,793	20	8.8	4.7-12.9	312	91.2	87.1-95.3
55-64	658	45,957	51	7.1	4.9- 9.3	607	92.9	90.7-95.1
65+	1361	65,260	179	12.2	10.2-14.2	1182	87.8	85.8-89.8
Less Than H.S.	117	21,526	11	3.4	1.0- 5.8	106	96.6	94.2-99.0
H.S. or G.E.D.	753	66,738	69	6.1	3.9- 8.3	684	93.9	91.7-96.1
Some Post-H.S.	934	109,061	77	6.2	4.2- 8.2	857	93.8	91.8-95.8
College Graduate	1111	86,718	102	6.1	4.5- 7.7	1009	93.9	92.3-95.5
Less than \$15,000	166	16,849	11	3.9	1.2- 6.6	155	96.1	93.4-98.8
\$15,000- 24,999	336	30,512	32	5.6	3.2- 8.0	304	94.4	92.0-96.8
\$25,000- 34,999	239	20,404	15	2.7	1.1- 4.3	224	97.3	95.7-98.9
\$35,000- 49,999	417	39,603	47	6.4	4.0- 8.8	370	93.6	91.2-96.0
\$50,000- 74,999	417	39,062	38	7.2	3.3-11.1	379	92.8	88.9-96.7
\$75,000+	821	93,266	68	5.7	3.7- 7.7	753	94.3	92.3-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5529	586,019	653	7.2	6.4- 8.0	4876	92.8	92.0-93.6
Male	2596	300,334	259	6.2	5.2- 7.2	2337	93.8	92.8-94.8
Female	2933	285,685	394	8.2	7.0- 9.4	2539	91.8	90.6-93.0
Native	193	25,304	19	7.8	2.9-12.7	174	92.2	87.3-97.1
Non-Native	5274	554,562	626	7.1	6.3- 7.9	4648	92.9	92.1-93.7
18-24	279	83,458	1	0.2	0.0- 0.6	278	99.8	99.4- 100
25-34	455	113,516	7	2.0	0.4- 3.6	448	98.0	96.4-99.6
35-44	546	94,044	11	2.2	0.6- 3.8	535	97.8	96.2-99.4
45-54	655	80,083	35	5.6	3.4- 7.8	620	94.4	92.2-96.6
55-64	1236	93,769	121	9.6	7.4-11.8	1115	90.4	88.2-92.6
65+	2358	121,149	478	20.1	18.1-22.1	1880	79.9	77.9-81.9
Less Than H.S.	242	46,417	34	8.3	4.8-11.8	208	91.7	88.2-95.2
H.S. or G.E.D.	1518	154,924	183	6.7	5.5- 7.9	1335	93.3	92.1-94.5
Some Post-H.S.	1761	227,929	231	7.8	6.4- 9.2	1530	92.2	90.8-93.6
College Graduate	1987	154,477	203	6.5	5.1- 7.9	1784	93.5	92.1-94.9
Less than \$15,000	274	29,197	37	10.5	5.6-15.4	237	89.5	84.6-94.4
\$15,000- 24,999	563	54,828	86	7.6	5.6- 9.6	477	92.4	90.4-94.4
\$25,000- 34,999	458	44,695	65	9.0	6.3-11.7	393	91.0	88.3-93.7
\$35,000- 49,999	766	76,631	115	9.2	7.0-11.4	651	90.8	88.6-93.0
\$50,000- 74,999	856	87,792	93	7.1	5.3- 8.9	763	92.9	91.1-94.7
\$75,000+	1807	214,674	152	5.3	4.1- 6.5	1655	94.7	93.5-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2596	300,334	259	6.2	5.2- 7.2	2337	93.8	92.8-94.8
Native	89	12,010	8	8.6	1.2-16.0	81	91.4	84.0-98.8
Non-Native	2472	284,447	249	6.1	5.1- 7.1	2223	93.9	92.9-94.9
18-24	185	44,426	1	0.3	0.0- 0.9	184	99.7	99.1- 100
25-34	247	61,682	5	2.4	0.0- 4.8	242	97.6	95.2- 100
35-44	274	49,561	2	1.2	0.0- 2.8	272	98.8	97.2- 100
45-54	323	41,290	7	2.5	0.3- 4.7	316	97.5	95.3-99.7
55-64	575	47,653	45	8.3	5.4-11.2	530	91.7	88.8-94.6
65+	992	55,722	199	20.8	17.7-23.9	793	79.2	76.1-82.3
Less Than H.S.	124	24,483	16	8.1	3.4-12.8	108	91.9	87.2-96.6
H.S. or G.E.D.	762	88,090	77	5.4	4.0- 6.8	685	94.6	93.2-96.0
Some Post-H.S.	822	118,638	86	6.7	4.7- 8.7	736	93.3	91.3-95.3
College Graduate	876	67,759	79	6.0	4.2- 7.8	797	94.0	92.2-95.8
Less than \$15,000	107	11,940	11	8.6	1.5-15.7	96	91.4	84.3-98.5
\$15,000- 24,999	227	24,316	30	5.7	3.3- 8.1	197	94.3	91.9-96.7
\$25,000- 34,999	219	24,291	23	7.6	3.7-11.5	196	92.4	88.5-96.3
\$35,000- 49,999	347	36,970	42	7.3	4.8- 9.8	305	92.7	90.2-95.2
\$50,000- 74,999	438	48,677	47	7.1	4.6- 9.6	391	92.9	90.4-95.4
\$75,000+	986	121,409	77	5.3	3.5- 7.1	909	94.7	92.9-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	285,685	394	8.2	7.0- 9.4	2539	91.8	90.6-93.0
Native	104	13,294	11	7.2	0.7-13.7	93	92.8	86.3-99.3
Non-Native	2802	270,115	377	8.1	6.9- 9.3	2425	91.9	90.7-93.1
18-24	94	39,032				94	100.0	100.0- 100
25-34	208	51,834	2	1.5	0.0- 3.5	206	98.5	96.5- 100
35-44	272	44,483	9	3.3	0.6- 6.0	263	96.7	94.0-99.4
45-54	332	38,793	28	8.9	5.2-12.6	304	91.1	87.4-94.8
55-64	661	46,116	76	10.9	8.0-13.8	585	89.1	86.2-92.0
65+	1366	65,427	279	19.5	17.1-21.9	1087	80.5	78.1-82.9
Less Than H.S.	118	21,934	18	8.5	3.2-13.8	100	91.5	86.2-96.8
H.S. or G.E.D.	756	66,834	106	8.5	6.3-10.7	650	91.5	89.3-93.7
Some Post-H.S.	939	109,291	145	9.0	7.2-10.8	794	91.0	89.2-92.8
College Graduate	1111	86,718	124	6.8	5.0- 8.6	987	93.2	91.4-95.0
Less than \$15,000	167	17,257	26	11.8	5.1-18.5	141	88.2	81.5-94.9
\$15,000- 24,999	336	30,512	56	9.0	5.9-12.1	280	91.0	87.9-94.1
\$25,000- 34,999	239	20,404	42	10.6	6.5-14.7	197	89.4	85.3-93.5
\$35,000- 49,999	419	39,660	73	11.0	7.5-14.5	346	89.0	85.5-92.5
\$50,000- 74,999	418	39,115	46	7.1	4.4- 9.8	372	92.9	90.2-95.6
\$75,000+	821	93,266	75	5.1	3.5- 6.7	746	94.9	93.3-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5499	584,229	388	5.1	4.3- 5.9	5111	94.9	94.1-95.7
Male	2582	299,289	170	4.9	3.9- 5.9	2412	95.1	94.1-96.1
Female	2917	284,940	218	5.3	4.3- 6.3	2699	94.7	93.7-95.7
Native	191	25,195	26	10.3	5.0-15.6	165	89.7	84.4-95.0
Non-Native	5247	552,953	359	4.9	4.3- 5.5	4888	95.1	94.5-95.7
18-24	279	83,458	1	0.2	0.0- 0.6	278	99.8	99.4- 100
25-34	455	113,516	6	1.1	0.1- 2.1	449	98.9	97.9-99.9
35-44	546	94,044	12	2.4	0.8- 4.0	534	97.6	96.0-99.2
45-54	656	80,212	32	5.8	3.4- 8.2	624	94.2	91.8-96.6
55-64	1228	93,278	79	8.5	6.3-10.7	1149	91.5	89.3-93.7
65+	2335	119,722	258	11.3	9.7-12.9	2077	88.7	87.1-90.3
Less Than H.S.	239	46,066	29	9.6	5.3-13.9	210	90.4	86.1-94.7
H.S. or G.E.D.	1506	154,255	132	6.0	4.6- 7.4	1374	94.0	92.6-95.4
Some Post-H.S.	1752	227,389	133	5.2	4.0- 6.4	1619	94.8	93.6-96.0
College Graduate	1981	154,247	94	2.7	1.9- 3.5	1887	97.3	96.5-98.1
Less than \$15,000	270	29,014	47	15.8	9.9-21.7	223	84.2	78.3-90.1
\$15,000- 24,999	558	54,441	84	11.3	8.0-14.6	474	88.7	85.4-92.0
\$25,000- 34,999	457	44,524	37	5.6	3.2- 8.0	420	94.4	92.0-96.8
\$35,000- 49,999	762	76,333	70	6.3	4.3- 8.3	692	93.7	91.7-95.7
\$50,000- 74,999	851	87,495	46	3.8	2.4- 5.2	805	96.2	94.8-97.6
\$75,000+	1806	214,747	53	2.5	1.5- 3.5	1753	97.5	96.5-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2582	299,289	170	4.9	3.9- 5.9	2412	95.1	94.1-96.1
Native	89	12,010	10	8.7	1.4-16.0	79	91.3	84.0-98.6
Non-Native	2459	283,473	158	4.8	3.8- 5.8	2301	95.2	94.2-96.2
18-24	185	44,426	1	0.4	0.0- 1.2	184	99.6	98.8- 100
25-34	247	61,682	3	1.1	0.0- 2.5	244	98.9	97.5- 100
35-44	274	49,561	7	2.4	0.2- 4.6	267	97.6	95.4-99.8
45-54	324	41,419	13	5.6	2.1- 9.1	311	94.4	90.9-97.9
55-64	570	47,303	39	9.0	5.7-12.3	531	91.0	87.7-94.3
65+	982	54,898	107	11.2	8.8-13.6	875	88.8	86.4-91.2
Less Than H.S.	121	24,132	13	9.3	3.0-15.6	108	90.7	84.4-97.0
H.S. or G.E.D.	756	87,812	60	5.2	3.6- 6.8	696	94.8	93.2-96.4
Some Post-H.S.	817	118,297	64	5.2	3.4- 7.0	753	94.8	93.0-96.6
College Graduate	876	67,683	33	2.7	1.3- 4.1	843	97.3	95.9-98.7
Less than \$15,000	106	11,889	19	20.5	9.5-31.5	87	79.5	68.5-90.5
\$15,000- 24,999	223	24,023	32	10.6	6.1-15.1	191	89.4	84.9-93.9
\$25,000- 34,999	219	24,204	18	5.4	2.3- 8.5	201	94.6	91.5-97.7
\$35,000- 49,999	345	36,725	29	5.2	2.5- 7.9	316	94.8	92.1-97.5
\$50,000- 74,999	436	48,506	26	4.0	2.0- 6.0	410	96.0	94.0-98.0
\$75,000+	985	121,482	29	2.9	1.5- 4.3	956	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	284,940	218	5.3	4.3- 6.3	2699	94.7	93.7-95.7
Native	102	13,185	16	11.8	4.0-19.6	86	88.2	80.4-96.0
Non-Native	2788	269,480	201	5.0	4.0- 6.0	2587	95.0	94.0-96.0
18-24	94	39,032				94	100.0	100.0- 100
25-34	208	51,834	3	1.2	0.0- 2.6	205	98.8	97.4- 100
35-44	272	44,483	5	2.5	0.1- 4.9	267	97.5	95.1-99.9
45-54	332	38,793	19	6.0	2.7- 9.3	313	94.0	90.7-97.3
55-64	658	45,974	40	7.9	5.2-10.6	618	92.1	89.4-94.8
65+	1353	64,824	151	11.4	9.2-13.6	1202	88.6	86.4-90.8
Less Than H.S.	118	21,934	16	10.0	3.9-16.1	102	90.0	83.9-96.1
H.S. or G.E.D.	750	66,443	72	7.1	4.9- 9.3	678	92.9	90.7-95.1
Some Post-H.S.	935	109,092	69	5.3	3.7- 6.9	866	94.7	93.1-96.3
College Graduate	1105	86,564	61	2.8	1.8- 3.8	1044	97.2	96.2-98.2
Less than \$15,000	164	17,125	28	12.5	6.4-18.6	136	87.5	81.4-93.6
\$15,000- 24,999	335	30,418	52	11.8	7.1-16.5	283	88.2	83.5-92.9
\$25,000- 34,999	238	20,321	19	5.9	2.0- 9.8	219	94.1	90.2-98.0
\$35,000- 49,999	417	39,609	41	7.3	4.2-10.4	376	92.7	89.6-95.8
\$50,000- 74,999	415	38,989	20	3.6	1.6- 5.6	395	96.4	94.4-98.4
\$75,000+	821	93,266	24	2.1	0.9- 3.3	797	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5511	583,473	827	17.9	16.3-19.5	4684	82.1	80.5-83.7
Male	2589	298,902	267	12.5	10.7-14.3	2322	87.5	85.7-89.3
Female	2922	284,571	560	23.6	21.1-26.1	2362	76.4	73.9-78.9
Native	192	25,276	28	15.4	8.1-22.7	164	84.6	77.3-91.9
Non-Native	5257	552,044	791	18.0	16.4-19.6	4466	82.0	80.4-83.6
18-24	276	82,183	63	25.7	19.4-32.0	213	74.3	68.0-80.6
25-34	452	113,185	90	22.2	17.7-26.7	362	77.8	73.3-82.3
35-44	545	93,731	93	16.6	12.9-20.3	452	83.4	79.7-87.1
45-54	656	80,121	108	15.8	12.5-19.1	548	84.2	80.9-87.5
55-64	1231	93,406	197	16.8	14.3-19.3	1034	83.2	80.7-85.7
65+	2351	120,847	276	11.9	10.3-13.5	2075	88.1	86.5-89.7
Less Than H.S.	239	45,911	35	19.6	12.0-27.2	204	80.4	72.8-88.0
H.S. or G.E.D.	1513	154,282	200	17.7	14.8-20.6	1313	82.3	79.4-85.2
Some Post-H.S.	1752	226,563	285	18.6	15.9-21.3	1467	81.4	78.7-84.1
College Graduate	1986	154,444	306	16.7	14.3-19.1	1680	83.3	80.9-85.7
Less than \$15,000	271	28,949	64	31.1	22.3-39.9	207	68.9	60.1-77.7
\$15,000- 24,999	561	54,219	114	24.3	18.8-29.8	447	75.7	70.2-81.2
\$25,000- 34,999	455	44,317	69	17.7	11.6-23.8	386	82.3	76.2-88.4
\$35,000- 49,999	765	76,581	121	21.2	16.1-26.3	644	78.8	73.7-83.9
\$50,000- 74,999	855	87,548	120	17.1	13.4-20.8	735	82.9	79.2-86.6
\$75,000+	1804	214,529	231	14.0	11.8-16.2	1573	86.0	83.8-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2589	298,902	267	12.5	10.7-14.3	2322	87.5	85.7-89.3
Native	88	11,982	12	20.7	8.2-33.2	76	79.3	66.8-91.8
Non-Native	2466	283,043	253	12.1	10.3-13.9	2213	87.9	86.1-89.7
18-24	183	43,745	28	15.5	9.6-21.4	155	84.5	78.6-90.4
25-34	245	61,416	32	16.4	10.7-22.1	213	83.6	77.9-89.3
35-44	273	49,248	39	13.8	8.9-18.7	234	86.2	81.3-91.1
45-54	324	41,328	35	10.1	6.2-14.0	289	89.9	86.0-93.8
55-64	573	47,510	52	10.0	6.9-13.1	521	90.0	86.9-93.1
65+	991	55,655	81	8.7	6.5-10.9	910	91.3	89.1-93.5
Less Than H.S.	122	24,102	14	15.9	6.9-24.9	108	84.1	75.1-93.1
H.S. or G.E.D.	759	87,532	74	12.8	9.5-16.1	685	87.2	83.9-90.5
Some Post-H.S.	819	118,113	89	12.7	9.6-15.8	730	87.3	84.2-90.4
College Graduate	877	67,790	89	10.5	7.8-13.2	788	89.5	86.8-92.2
Less than \$15,000	106	11,872	19	23.6	11.6-35.6	87	76.4	64.4-88.4
\$15,000- 24,999	227	24,316	36	19.4	12.3-26.5	191	80.6	73.5-87.7
\$25,000- 34,999	217	23,968	21	11.1	4.6-17.6	196	88.9	82.4-95.4
\$35,000- 49,999	347	36,968	37	14.9	8.8-21.0	310	85.1	79.0-91.2
\$50,000- 74,999	437	48,432	43	11.7	7.4-16.0	394	88.3	84.0-92.6
\$75,000+	984	121,308	91	10.9	8.2-13.6	893	89.1	86.4-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2922	284,571	560	23.6	21.1-26.1	2362	76.4	73.9-78.9
Native	104	13,294	16	10.6	3.7-17.5	88	89.4	82.5-96.3
Non-Native	2791	269,002	538	24.2	21.7-26.7	2253	75.8	73.3-78.3
18-24	93	38,438	35	37.2	26.0-48.4	58	62.8	51.6-74.0
25-34	207	51,770	58	29.0	21.7-36.3	149	71.0	63.7-78.3
35-44	272	44,483	54	19.8	13.9-25.7	218	80.2	74.3-86.1
45-54	332	38,793	73	21.8	16.3-27.3	259	78.2	72.7-83.7
55-64	658	45,896	145	23.9	19.8-28.0	513	76.1	72.0-80.2
65+	1360	65,192	195	14.6	12.2-17.0	1165	85.4	83.0-87.8
Less Than H.S.	117	21,809	21	23.7	11.0-36.4	96	76.3	63.6-89.0
H.S. or G.E.D.	754	66,750	126	24.0	19.1-28.9	628	76.0	71.1-80.9
Some Post-H.S.	933	108,450	196	25.1	20.8-29.4	737	74.9	70.6-79.2
College Graduate	1109	86,654	217	21.6	18.1-25.1	892	78.4	74.9-81.9
Less than \$15,000	165	17,077	45	36.3	24.0-48.6	120	63.7	51.4-76.0
\$15,000- 24,999	334	29,903	78	28.4	20.4-36.4	256	71.6	63.6-79.6
\$25,000- 34,999	238	20,349	48	25.5	15.3-35.7	190	74.5	64.3-84.7
\$35,000- 49,999	418	39,613	84	27.0	19.2-34.8	334	73.0	65.2-80.8
\$50,000- 74,999	418	39,115	77	23.7	17.2-30.2	341	76.3	69.8-82.8
\$75,000+	820	93,222	140	18.1	14.4-21.8	680	81.9	78.2-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5511	584,312	218	2.7	2.1- 3.3	5293	97.3	96.7-97.9
Male	2592	299,737	95	2.3	1.7- 2.9	2497	97.7	97.1-98.3
Female	2919	284,574	123	3.2	2.4- 4.0	2796	96.8	96.0-97.6
Native	193	25,304	9	4.8	1.5- 8.1	184	95.2	91.9-98.5
Non-Native	5256	552,855	208	2.7	2.1- 3.3	5048	97.3	96.7-97.9
18-24	279	83,458	4	1.1	0.0- 2.3	275	98.9	97.7- 100
25-34	453	112,922	7	1.3	0.1- 2.5	446	98.7	97.5-99.9
35-44	546	94,044	1	0.2	0.0- 0.6	545	99.8	99.4- 100
45-54	657	80,323	12	2.4	0.8- 4.0	645	97.6	96.0-99.2
55-64	1232	93,370	50	3.9	2.7- 5.1	1182	96.1	94.9-97.3
65+	2344	120,194	144	6.6	5.2- 8.0	2200	93.4	92.0-94.8
Less Than H.S.	237	45,623	15	4.6	1.7- 7.5	222	95.4	92.5-98.3
H.S. or G.E.D.	1515	154,729	56	2.5	1.7- 3.3	1459	97.5	96.7-98.3
Some Post-H.S.	1754	227,406	73	2.8	2.0- 3.6	1681	97.2	96.4-98.0
College Graduate	1984	154,281	73	2.3	1.5- 3.1	1911	97.7	96.9-98.5
Less than \$15,000	271	28,611	17	5.1	2.0- 8.2	254	94.9	91.8-98.0
\$15,000- 24,999	560	54,722	37	4.6	2.6- 6.6	523	95.4	93.4-97.4
\$25,000- 34,999	458	44,704	25	3.9	1.9- 5.9	433	96.1	94.1-98.1
\$35,000- 49,999	765	76,457	31	2.4	1.0- 3.8	734	97.6	96.2-99.0
\$50,000- 74,999	854	87,689	30	2.2	1.2- 3.2	824	97.8	96.8-98.8
\$75,000+	1804	214,478	49	2.0	1.2- 2.8	1755	98.0	97.2-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	299,737	95	2.3	1.7- 2.9	2497	97.7	97.1-98.3
Native	89	12,010	5	3.8	0.5- 7.1	84	96.2	92.9-99.5
Non-Native	2468	283,850	90	2.3	1.7- 2.9	2378	97.7	97.1-98.3
18-24	185	44,426	1	0.3	0.0- 0.9	184	99.7	99.1- 100
25-34	246	61,497	4	1.2	0.0- 2.6	242	98.8	97.4- 100
35-44	274	49,561	1	0.4	0.0- 1.2	273	99.6	98.8- 100
45-54	325	41,530	5	1.7	0.1- 3.3	320	98.3	96.7-99.9
55-64	572	47,273	20	3.3	1.7- 4.9	552	96.7	95.1-98.3
65+	990	55,451	64	6.7	4.7- 8.7	926	93.3	91.3-95.3
Less Than H.S.	122	24,204	10	3.7	1.0- 6.4	112	96.3	93.6-99.0
H.S. or G.E.D.	762	88,126	24	1.9	0.9- 2.9	738	98.1	97.1-99.1
Some Post-H.S.	821	118,384	32	2.7	1.5- 3.9	789	97.3	96.1-98.5
College Graduate	875	67,659	29	1.8	1.0- 2.6	846	98.2	97.4-99.0
Less than \$15,000	106	11,821	8	4.8	0.9- 8.7	98	95.2	91.3-99.1
\$15,000- 24,999	227	24,316	18	5.4	2.5- 8.3	209	94.6	91.7-97.5
\$25,000- 34,999	220	24,346	12	3.3	0.9- 5.7	208	96.7	94.3-99.1
\$35,000- 49,999	348	37,009	10	1.4	0.4- 2.4	338	98.6	97.6-99.6
\$50,000- 74,999	436	48,574	16	2.5	1.1- 3.9	420	97.5	96.1-98.9
\$75,000+	984	121,251	23	1.5	0.5- 2.5	961	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2919	284,574	123	3.2	2.4- 4.0	2796	96.8	96.0-97.6
Native	104	13,294	4	5.8	0.1-11.5	100	94.2	88.5-99.9
Non-Native	2788	269,005	118	3.1	2.3- 3.9	2670	96.9	96.1-97.7
18-24	94	39,032	3	2.0	0.0- 4.5	91	98.0	95.5- 100
25-34	207	51,426	3	1.4	0.0- 3.0	204	98.6	97.0- 100
35-44	272	44,483				272	100.0	100.0- 100
45-54	332	38,793	7	3.2	0.5- 5.9	325	96.8	94.1-99.5
55-64	660	46,097	30	4.6	2.6- 6.6	630	95.4	93.4-97.4
65+	1354	64,743	80	6.5	4.7- 8.3	1274	93.5	91.7-95.3
Less Than H.S.	115	21,419	5	5.5	0.0-11.0	110	94.5	89.0- 100
H.S. or G.E.D.	753	66,603	32	3.3	1.7- 4.9	721	96.7	95.1-98.3
Some Post-H.S.	933	109,022	41	3.0	1.8- 4.2	892	97.0	95.8-98.2
College Graduate	1109	86,623	44	2.7	1.5- 3.9	1065	97.3	96.1-98.5
Less than \$15,000	165	16,790	9	5.4	1.1- 9.7	156	94.6	90.3-98.9
\$15,000- 24,999	333	30,405	19	4.0	1.6- 6.4	314	96.0	93.6-98.4
\$25,000- 34,999	238	20,358	13	4.7	1.4- 8.0	225	95.3	92.0-98.6
\$35,000- 49,999	417	39,448	21	3.4	0.9- 5.9	396	96.6	94.1-99.1
\$50,000- 74,999	418	39,115	14	1.9	0.3- 3.5	404	98.1	96.5-99.7
\$75,000+	820	93,227	26	2.5	1.1- 3.9	794	97.5	96.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 31: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5528	585,917	714	8.9	8.1-9.7	55	1.3	0.9-1.7	4638	88.2	87.2-89.2	121	1.6	1.2-2.0
Male	2597	300,295	340	9.4	8.0-10.8				2203	89.1	87.7-90.5	54	1.5	0.9-2.1
Female	2931	285,622	374	8.4	7.2-9.6	55	2.6	1.6-3.6	2435	87.3	85.7-88.9	67	1.7	1.1-2.3
Native	192	25,267	57	23.3	15.1-31.5	1	1.0	0.0-3.0	131	73.7	65.3-82.1	3	2.1	0.0-4.5
Non-Native	5274	554,497	654	8.3	7.5-9.1	53	1.2	0.8-1.6	4452	88.9	87.9-89.9	115	1.6	1.2-2.0
18-24	279	83,458	1	0.5	0.0-1.5	1	0.2	0.0-0.6	276	98.9	97.5-100	1	0.4	0.0-1.2
25-34	455	113,516	8	2.3	0.5-4.1	7	2.3	0.3-4.3	436	94.4	91.7-97.1	4	0.9	0.0-1.9
35-44	545	93,926	22	2.4	1.2-3.6	13	2.8	1.0-4.6	507	94.0	91.8-96.2	3	0.8	0.0-1.6
45-54	656	80,128	56	9.9	6.8-13.0	11	1.2	0.4-2.0	581	87.6	84.3-90.9	8	1.3	0.3-2.3
55-64	1235	93,732	175	15.3	12.8-17.8	9	0.4	0.0-0.8	1019	81.7	79.0-84.4	32	2.5	1.5-3.5
65+	2358	121,158	452	20.3	18.3-22.3	14	0.4	0.2-0.6	1819	76.1	73.9-78.3	73	3.2	2.2-4.2
Less Than H.S.	242	46,417	53	13.6	9.1-18.1	1	0.9	0.0-2.7	184	84.8	79.9-89.7	4	0.8	0.0-1.6
H.S. or G.E.D.	1517	155,064	198	8.2	6.8-9.6	22	1.9	0.7-3.1	1261	88.3	86.3-90.3	36	1.5	0.7-2.3
Some Post-H.S.	1760	227,670	253	10.0	8.4-11.6	14	1.1	0.3-1.9	1449	86.9	84.9-88.9	44	2.0	1.2-2.8
College Graduate	1988	154,494	207	6.5	5.3-7.7	18	1.0	0.4-1.6	1726	91.1	89.5-92.7	37	1.4	0.8-2.0
Less than \$15,000	273	29,002	61	17.5	11.6-23.4	5	1.9	0.0-4.6	197	77.2	70.5-83.9	10	3.4	0.9-5.9
\$15,000- 24,999	563	54,828	111	14.6	10.7-18.5	5	0.3	0.1-0.5	437	83.4	79.3-87.5	10	1.7	0.1-3.3
\$25,000- 34,999	459	44,750	67	12.0	8.1-15.9	3	2.1	0.0-5.0	383	85.2	80.5-89.9	6	0.7	0.1-1.3
\$35,000- 49,999	767	76,669	122	10.7	8.2-13.2	5	0.6	0.0-1.4	616	86.6	83.9-89.3	24	2.1	1.1-3.1
\$50,000- 74,999	856	87,792	95	7.8	5.8-9.8	8	1.1	0.1-2.1	732	89.3	86.9-91.7	21	1.8	0.8-2.8
\$75,000+	1806	214,813	146	5.3	4.1-6.5	17	1.4	0.4-2.4	1611	92.0	90.4-93.6	32	1.3	0.7-1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2597	300,295	340	9.4	8.0-10.8	2203	89.1	87.7-90.5	54	1.5	0.9- 2.1
Native	89	12,010	32	30.4	17.5-43.3	56	67.7	54.6-80.8	1	1.9	0.0- 5.6
Non-Native	2473	284,408	306	8.5	7.3- 9.7	2115	89.9	88.5-91.3	52	1.5	0.9- 2.1
18-24	185	44,426	1	0.9	0.0- 2.7	183	98.3	95.9- 100	1	0.8	0.0- 2.4
25-34	247	61,682	5	2.9	0.2- 5.6	240	96.5	93.8-99.2	2	0.6	0.0- 1.6
35-44	273	49,443	14	2.4	0.8- 4.0	257	96.5	94.3-98.7	2	1.1	0.0- 2.7
45-54	324	41,335	32	10.9	6.6-15.2	287	87.9	83.6-92.2	5	1.2	0.0- 2.4
55-64	575	47,653	96	17.5	13.6-21.4	464	79.9	75.8-84.0	15	2.6	1.0- 4.2
65+	993	55,757	192	21.4	18.3-24.5	772	75.8	72.5-79.1	29	2.9	1.5- 4.3
Less Than H.S.	124	24,483	30	15.6	8.9-22.3	93	84.0	77.3-90.7	1	0.4	0.0- 1.2
H.S. or G.E.D.	762	88,256	92	7.5	5.5- 9.5	654	91.4	89.4-93.4	16	1.1	0.5- 1.7
Some Post-H.S.	821	118,379	122	11.0	8.6-13.4	680	87.1	84.6-89.6	19	2.0	1.0- 3.0
College Graduate	878	67,812	94	6.9	5.1- 8.7	766	91.4	89.4-93.4	18	1.7	0.5- 2.9
Less than \$15,000	106	11,745	26	24.3	13.3-35.3	78	72.4	61.0-83.8	2	3.3	0.0- 7.8
\$15,000- 24,999	227	24,316	46	13.6	8.9-18.3	176	84.2	78.7-89.7	5	2.2	0.0- 5.1
\$25,000- 34,999	220	24,346	32	13.2	7.3-19.1	187	86.7	80.8-92.6	1	0.1	0.0- 0.3
\$35,000- 49,999	348	37,009	58	11.1	7.4-14.8	280	87.0	83.1-90.9	10	1.9	0.5- 3.3
\$50,000- 74,999	438	48,677	53	8.2	5.5-10.9	376	90.2	87.1-93.3	9	1.6	0.2- 3.0
\$75,000+	987	121,610	95	6.4	4.8- 8.0	871	92.2	90.4-94.0	21	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 33: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2931	285,622	374	8.4	7.2- 9.6	55	2.6	1.6- 3.6	2435	87.3	85.7-88.9	67	1.7	1.1- 2.3
Native	103	13,257	25	16.7	6.5-26.9	1	1.8	0.0- 5.3	75	79.2	68.4-90.0	2	2.2	0.0- 5.3
Non-Native	2801	270,089	348	8.0	6.8- 9.2	53	2.5	1.5- 3.5	2337	87.9	86.3-89.5	63	1.6	1.0- 2.2
18-24	94	39,032				1	0.5	0.0- 1.5	93	99.5	98.5- 100			
25-34	208	51,834	3	1.6	0.0- 3.6	7	5.1	1.0- 9.2	196	92.0	87.3-96.7	2	1.3	0.0- 3.1
35-44	272	44,483	8	2.4	0.4- 4.4	13	6.0	2.5- 9.5	250	91.2	87.1-95.3	1	0.4	0.0- 1.2
45-54	332	38,793	24	8.7	4.2-13.2	11	2.5	0.9- 4.1	294	87.4	82.5-92.3	3	1.4	0.0- 3.0
55-64	660	46,079	79	13.0	9.9-16.1	9	0.9	0.3- 1.5	555	83.6	80.1-87.1	17	2.5	1.1- 3.9
65+	1365	65,401	260	19.3	16.8-21.8	14	0.8	0.4- 1.2	1047	76.3	73.6-79.0	44	3.6	2.2- 5.0
Less Than H.S.	118	21,934	23	11.4	5.3-17.5	1	1.9	0.0- 5.4	91	85.6	78.3-92.9	3	1.2	0.0- 2.6
H.S. or G.E.D.	755	66,808	106	9.2	7.0-11.4	22	4.5	1.8- 7.2	607	84.3	80.8-87.8	20	2.1	0.7- 3.5
Some Post-H.S.	939	109,291	131	9.0	6.8-11.2	14	2.2	0.6- 3.8	769	86.8	84.1-89.5	25	2.0	1.0- 3.0
College Graduate	1110	86,682	113	6.2	4.6- 7.8	18	1.8	0.6- 3.0	960	90.8	88.6-93.0	19	1.2	0.4- 2.0
Less than \$15,000	167	17,257	35	12.8	6.9-18.7	5	3.2	0.0- 7.9	119	80.4	72.6-88.2	8	3.5	0.6- 6.4
\$15,000- 24,999	336	30,512	65	15.5	9.6-21.4	5	0.5	0.0- 1.1	261	82.8	76.7-88.9	5	1.2	0.0- 2.6
\$25,000- 34,999	239	20,404	35	10.6	6.1-15.1	3	4.7	0.0-11.2	196	83.3	75.9-90.7	5	1.3	0.0- 2.7
\$35,000- 49,999	419	39,660	64	10.4	7.1-13.7	5	1.2	0.0- 2.8	336	86.2	82.3-90.1	14	2.2	0.6- 3.8
\$50,000- 74,999	418	39,115	42	7.4	4.7-10.1	8	2.4	0.2- 4.6	356	88.2	84.5-91.9	12	2.0	0.6- 3.4
\$75,000+	819	93,203	51	3.8	2.4- 5.2	17	3.3	1.3- 5.3	740	91.8	89.3-94.3	11	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	676	49,608	21	5.9	2.6- 9.2	37	7.6	4.5-10.7	120	23.1	18.4-27.8	298	42.6	37.5-47.7	200	20.7	17.4-24.0
Male	331	27,336	9	6.1	1.0-11.2	21	7.8	3.5-12.1	68	24.2	17.9-30.5	152	43.5	36.4-50.6	81	18.4	13.7-23.1
Female	345	22,272	12	5.6	1.7- 9.5	16	7.4	2.9-11.9	52	21.8	14.5-29.1	146	41.6	34.5-48.7	119	23.6	18.5-28.7
Native	55	5,703	3	12.6	0.0-29.3	4	8.0	0.0-16.4	17	31.5	10.5-52.5	26	40.7	21.7-59.7	5	7.3	0.0-16.3
Non-Native	618	43,628	18	5.0	1.9- 8.1	33	7.6	4.3-10.9	103	22.2	17.5-26.9	272	43.2	38.1-48.3	192	22.0	18.5-25.5
45-54	56	7,907	3	3.2	0.0- 7.1	6	9.3	1.1-17.5	19	44.6	27.7-61.5	28	42.9	26.8-59.0			
55-64	170	13,803	5	2.1	0.1- 4.1	8	4.8	1.3- 8.3	42	26.3	18.3-34.3	105	62.9	54.3-71.5	10	3.9	1.0- 6.8
65+	419	22,595	6	2.4	0.0- 4.9	11	2.7	0.7- 4.7	47	11.5	7.8-15.2	165	40.2	34.3-46.1	190	43.2	37.3-49.1
H.S. or G.E.D.	184	12,076	6	6.5	0.0-13.4	11	6.7	1.8-11.6	26	16.3	9.4-23.2	84	48.3	39.1-57.5	57	22.2	15.9-28.5
Some Post-H.S.	244	21,906	7	5.9	0.2-11.6	12	7.0	2.1-11.9	47	25.1	17.1-33.1	113	44.0	35.6-52.4	65	18.0	12.9-23.1
College Graduate	200	9,849	6	4.7	0.4- 9.0	10	10.7	2.1-19.3	40	29.1	19.9-38.3	84	36.3	27.9-44.7	60	19.2	13.7-24.7
Less than \$15,000	56	4,768	3	7.8	0.0-18.6	5	9.3	0.3-18.3	9	22.2	4.8-39.6	23	35.3	17.7-52.9	16	25.4	10.1-40.7
\$15,000- 24,999	106	7,846	3	5.9	0.0-13.2	3	3.4	0.0- 7.3	21	32.2	16.9-47.5	43	37.1	24.6-49.6	36	21.4	12.8-30.0
\$25,000- 34,999	62	5,036	2	9.4	0.0-23.9	3	6.1	0.0-13.5	9	21.3	5.8-36.8	27	41.8	24.9-58.7	21	21.4	10.2-32.6
\$35,000- 49,999	115	7,730	4	7.2	0.0-16.0	4	3.8	0.0- 8.7	14	10.3	3.6-17.0	64	60.8	49.2-72.4	29	17.9	10.6-25.2
\$50,000- 74,999	93	6,795	2	2.9	0.0- 7.0	3	2.8	0.0- 6.5	22	33.8	20.5-47.1	47	46.7	33.8-59.6	19	13.8	6.9-20.7
\$75,000+	145	11,248	3	2.2	0.0- 5.1	14	16.2	5.8-26.6	33	25.0	16.2-33.8	60	38.8	28.4-49.2	35	17.8	10.9-24.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 35: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	331	27,336	9	6.1	1.0-11.2	21	7.8	3.5-12.1	68	24.2	17.9-30.5	152	43.5	36.4-50.6	81	18.4	13.9-22.9
Non-Native	298	23,545	6	4.0	0.0- 8.3	18	7.9	3.0-12.8	58	24.1	17.6-30.6	138	43.6	36.3-50.9	78	20.3	15.2-25.4
55-64	93	7,938	3	2.2	0.0- 4.9	3	3.6	0.0- 7.9	25	29.9	18.5-41.3	57	60.3	48.1-72.5	5	4.1	0.0- 8.8
65+	186	11,503	1	0.9	0.0- 2.7	6	2.6	0.4- 4.8	26	13.9	8.0-19.8	77	41.6	33.0-50.2	76	41.0	32.4-49.6
H.S. or G.E.D.	90	6,517	3	6.9	0.0-16.9	5	7.5	0.0-15.7	15	20.5	9.5-31.5	48	48.4	35.5-61.3	19	16.7	8.5-24.9
Some Post-H.S.	119	12,574	4	8.6	0.0-18.2	9	8.8	1.2-16.4	24	22.6	12.8-32.4	52	42.2	30.8-53.6	30	17.8	10.7-24.9
College Graduate	93	4,643	1	0.6	0.0- 1.8	4	5.1	0.0-11.2	24	37.2	24.3-50.1	39	37.9	25.9-49.9	25	19.2	11.2-27.2
\$35,000- 49,999	58	4,098	2	10.8	0.0-26.5	2	1.7	0.0- 4.1	7	8.6	1.2-16.0	35	60.9	44.2-77.6	12	18.0	7.2-28.8
\$50,000- 74,999	52	3,935				2	2.1	0.0- 5.0	15	36.9	19.3-54.5	27	50.1	32.5-67.7	8	10.9	2.7-19.1
\$75,000+	94	7,661	1	0.4	0.0- 1.2	9	14.2	2.2-26.2	23	28.2	16.6-39.8	39	39.5	26.8-52.2	22	17.6	9.0-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 36: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	345	22,272	12	5.6	1.7- 9.5	16	7.4	2.9-11.9	52	21.8	14.5-29.1	146	41.6	34.5-48.7	119	23.6	18.7-28.5
Non-Native	320	20,083	12	6.2	1.9-10.5	15	7.2	2.5-11.9	45	19.9	13.2-26.6	134	42.6	35.3-49.9	114	24.1	19.2-29.0
55-64	77	5,864	2	2.0	0.0- 4.9	5	6.5	0.6-12.4	17	21.5	11.1-31.9	48	66.4	54.6-78.2	5	3.6	0.3- 6.9
65+	233	11,092	5	4.0	0.0- 8.9	5	2.9	0.0- 6.0	21	9.0	4.5-13.5	88	38.7	30.9-46.5	114	45.5	37.7-53.3
H.S. or G.E.D.	94	5,559	3	6.0	0.0-15.0	6	5.9	1.0-10.8	11	11.3	3.7-18.9	36	48.3	35.6-61.0	38	28.5	18.7-38.3
Some Post-H.S.	125	9,332	3	2.3	0.0- 4.8	3	4.6	0.0- 9.9	23	28.4	15.3-41.5	61	46.6	34.4-58.8	35	18.2	11.3-25.1
College Graduate	107	5,206	5	8.4	0.4-16.4	6	15.8	1.1-30.5	16	21.9	9.2-34.6	45	34.8	23.2-46.4	35	19.2	11.6-26.8
\$15,000- 24,999	63	4,655	2	7.6	0.0-19.0	1	2.0	0.0- 5.9	14	42.5	21.1-63.9	24	27.3	12.8-41.8	22	20.6	9.6-31.6
\$35,000- 49,999	57	3,632	2	3.2	0.0- 7.9	2	6.3	0.0-16.1	7	12.1	0.9-23.3	29	60.5	44.8-76.2	17	17.8	8.4-27.2
\$75,000+	51	3,587	2	6.0	0.0-15.0	5	20.4	0.2-40.6	10	18.1	5.4-30.8	21	37.2	19.2-55.2	13	18.3	7.1-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 7: ARTHRITIS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	
1 MALES AND FEMALES	85
2 MALES ONLY	86
3 FEMALES ONLY	87
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)	
4 MALES AND FEMALES	88
5 MALES ONLY	89
6 FEMALES ONLY	90
HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)	
7 MALES AND FEMALES	91
8 MALES ONLY	92
9 FEMALES ONLY	93
ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
10 MALES AND FEMALES	94
11 MALES ONLY	95
12 FEMALES ONLY	96
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
13 MALES AND FEMALES	97
14 MALES ONLY	98
15 FEMALES ONLY	99
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
16 MALES AND FEMALES	100
17 MALES ONLY	101
18 FEMALES ONLY	102

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

**TABLE 1: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5511	585,032	1987	25.4	23.8-27.0	3524	74.6	73.0-76.2
Male	2587	299,887	801	22.6	20.6-24.6	1786	77.4	75.4-79.4
Female	2924	285,145	1186	28.3	26.1-30.5	1738	71.7	69.5-73.9
Native	193	25,304	73	27.8	19.6-36.0	120	72.2	64.0-80.4
Non-Native	5257	553,750	1892	25.2	23.6-26.8	3365	74.8	73.2-76.4
18-24	279	83,458	17	5.2	2.3- 8.1	262	94.8	91.9-97.7
25-34	453	113,358	39	9.6	6.5-12.7	414	90.4	87.3-93.5
35-44	545	93,977	95	17.6	13.5-21.7	450	82.4	78.3-86.5
45-54	653	80,032	173	25.0	21.1-28.9	480	75.0	71.1-78.9
55-64	1231	93,413	500	40.6	37.3-43.9	731	59.4	56.1-62.7
65+	2350	120,795	1163	48.9	46.4-51.4	1187	51.1	48.6-53.6
Less Than H.S.	242	46,417	103	27.7	20.6-34.8	139	72.3	65.2-79.4
H.S. or G.E.D.	1513	154,885	578	25.6	22.9-28.3	935	74.4	71.7-77.1
Some Post-H.S.	1750	227,330	657	27.8	25.1-30.5	1093	72.2	69.5-74.9
College Graduate	1985	154,129	646	21.3	19.1-23.5	1339	78.7	76.5-80.9
Less than \$15,000	273	29,023	131	38.4	30.0-46.8	142	61.6	53.2-70.0
\$15,000- 24,999	560	54,631	249	28.5	23.6-33.4	311	71.5	66.6-76.4
\$25,000- 34,999	458	44,714	188	28.9	23.4-34.4	270	71.1	65.6-76.6
\$35,000- 49,999	762	76,371	293	25.1	21.2-29.0	469	74.9	71.0-78.8
\$50,000- 74,999	856	87,792	304	28.8	24.7-32.9	552	71.2	67.1-75.3
\$75,000+	1803	214,548	527	20.2	18.0-22.4	1276	79.8	77.6-82.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 2: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2587	299,887	801	22.6	20.6-24.6	1786	77.4	75.4-79.4
Native	89	12,010	31	26.0	14.2-37.8	58	74.0	62.2-85.8
Non-Native	2463	284,000	759	22.4	20.4-24.4	1704	77.6	75.6-79.6
18-24	185	44,426	9	3.2	0.8- 5.6	176	96.8	94.4-99.2
25-34	245	61,524	20	9.3	5.2-13.4	225	90.7	86.6-94.8
35-44	273	49,494	47	16.8	11.1-22.5	226	83.2	77.5-88.9
45-54	324	41,489	75	22.5	17.0-28.0	249	77.5	72.0-83.0
55-64	572	47,441	221	39.5	34.6-44.4	351	60.5	55.6-65.4
65+	988	55,514	429	43.9	40.2-47.6	559	56.1	52.4-59.8
Less Than H.S.	124	24,483	47	28.0	18.0-38.0	77	72.0	62.0-82.0
H.S. or G.E.D.	758	88,076	229	20.6	17.3-23.9	529	79.4	76.1-82.7
Some Post-H.S.	817	118,298	269	25.0	21.5-28.5	548	75.0	71.5-78.5
College Graduate	876	67,666	255	19.8	16.9-22.7	621	80.2	77.3-83.1
Less than \$15,000	107	11,940	43	35.0	22.8-47.2	64	65.0	52.8-77.2
\$15,000- 24,999	224	24,119	83	25.1	17.8-32.4	141	74.9	67.6-82.2
\$25,000- 34,999	219	24,310	74	24.1	17.2-31.0	145	75.9	69.0-82.8
\$35,000- 49,999	344	36,772	118	23.2	17.5-28.9	226	76.8	71.1-82.5
\$50,000- 74,999	438	48,677	141	27.0	21.7-32.3	297	73.0	67.7-78.3
\$75,000+	985	121,464	270	20.0	17.1-22.9	715	80.0	77.1-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 3: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2924	285,145	1186	28.3	26.1-30.5	1738	71.7	69.5-73.9
Native	104	13,294	42	29.5	18.1-40.9	62	70.5	59.1-81.9
Non-Native	2794	269,750	1133	28.2	26.0-30.4	1661	71.8	69.6-74.0
18-24	94	39,032	8	7.5	1.6-13.4	86	92.5	86.6-98.4
25-34	208	51,834	19	9.9	5.2-14.6	189	90.1	85.4-94.8
35-44	272	44,483	48	18.4	12.3-24.5	224	81.6	75.5-87.7
45-54	329	38,543	98	27.6	21.9-33.3	231	72.4	66.7-78.1
55-64	659	45,972	279	41.7	37.0-46.4	380	58.3	53.6-63.0
65+	1362	65,281	734	53.2	49.9-56.5	628	46.8	43.5-50.1
Less Than H.S.	118	21,934	56	27.3	17.3-37.3	62	72.7	62.7-82.7
H.S. or G.E.D.	755	66,809	349	32.3	27.8-36.8	406	67.7	63.2-72.2
Some Post-H.S.	933	109,032	388	30.8	26.7-34.9	545	69.2	65.1-73.3
College Graduate	1109	86,462	391	22.4	19.5-25.3	718	77.6	74.7-80.5
Less than \$15,000	166	17,082	88	40.8	29.0-52.6	78	59.2	47.4-71.0
\$15,000- 24,999	336	30,512	166	31.1	24.2-38.0	170	68.9	62.0-75.8
\$25,000- 34,999	239	20,404	114	34.6	25.8-43.4	125	65.4	56.6-74.2
\$35,000- 49,999	418	39,598	175	26.9	21.4-32.4	243	73.1	67.6-78.6
\$50,000- 74,999	418	39,115	163	31.1	24.8-37.4	255	68.9	62.6-75.2
\$75,000+	818	93,084	257	20.4	17.1-23.7	561	79.6	76.3-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1955	145,875	1300	64.5	61.4-67.6	655	35.5	32.4-38.6
Male	786	66,432	479	59.4	54.7-64.1	307	40.6	35.9-45.3
Female	1169	79,443	821	68.7	64.6-72.8	348	31.3	27.2-35.4
Native	73	7,038	50	65.2	49.3-81.1	23	34.8	18.9-50.7
Non-Native	1860	136,993	1234	64.6	61.5-67.7	626	35.4	32.3-38.5
35-44	93	15,887	56	54.6	41.1-68.1	37	45.4	31.9-58.9
45-54	168	19,370	109	63.7	54.9-72.5	59	36.3	27.5-45.1
55-64	492	37,111	326	66.9	61.8-72.0	166	33.1	28.0-38.2
65+	1146	58,327	779	69.1	65.8-72.4	367	30.9	27.6-34.2
Less Than H.S.	101	12,743	68	68.4	56.2-80.6	33	31.6	19.4-43.8
H.S. or G.E.D.	567	38,304	358	60.0	54.3-65.7	209	40.0	34.3-45.7
Some Post-H.S.	649	62,323	422	62.8	57.5-68.1	227	37.2	31.9-42.5
College Graduate	635	32,266	450	71.4	66.5-76.3	185	28.6	23.7-33.5
Less than \$15,000	128	11,002	89	74.3	63.9-84.7	39	25.7	15.3-36.1
\$15,000- 24,999	249	15,561	163	64.0	55.2-72.8	86	36.0	27.2-44.8
\$25,000- 34,999	185	12,617	119	64.6	54.2-75.0	66	35.4	25.0-45.8
\$35,000- 49,999	288	18,831	213	72.8	64.8-80.8	75	27.2	19.2-35.2
\$50,000- 74,999	300	25,109	196	61.5	53.3-69.7	104	38.5	30.3-46.7
\$75,000+	514	41,655	336	62.8	57.1-68.5	178	37.2	31.5-42.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	786	66,432	479	59.4	54.7-64.1	307	40.6	35.9-45.3
Non-Native	744	62,139	450	59.1	54.2-64.0	294	40.9	36.0-45.8
45-54	71	8,788	40	54.8	40.5-69.1	31	45.2	30.9-59.5
55-64	219	18,609	135	60.5	52.5-68.5	84	39.5	31.5-47.5
65+	421	24,012	263	64.5	59.2-69.8	158	35.5	30.2-40.8
H.S. or G.E.D.	222	17,099	138	59.6	51.0-68.2	84	40.4	31.8-49.0
Some Post-H.S.	268	29,432	152	56.3	48.7-63.9	116	43.7	36.1-51.3
College Graduate	250	13,119	161	62.5	54.7-70.3	89	37.5	29.7-45.3
\$15,000- 24,999	83	6,058	49	54.6	39.1-70.1	34	45.4	29.9-60.9
\$25,000- 34,999	74	5,860	45	64.1	50.4-77.8	29	35.9	22.2-49.6
\$35,000- 49,999	116	8,423	78	66.9	53.6-80.2	38	33.1	19.8-46.4
\$50,000- 74,999	139	13,066	84	57.0	46.0-68.0	55	43.0	32.0-54.0
\$75,000+	263	23,175	152	55.0	46.8-63.2	111	45.0	36.8-53.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1169	79,443	821	68.7	64.6-72.8	348	31.3	27.2-35.4
Non-Native	1116	74,854	784	69.2	65.1-73.3	332	30.8	26.7-34.9
45-54	97	10,582	69	71.1	60.3-81.9	28	28.9	18.1-39.7
55-64	273	18,502	191	73.3	67.4-79.2	82	26.7	20.8-32.6
65+	725	34,315	516	72.3	68.0-76.6	209	27.7	23.4-32.0
Less Than H.S.	56	5,998	40	70.4	55.5-85.3	16	29.6	14.7-44.5
H.S. or G.E.D.	345	21,205	220	60.4	52.8-68.0	125	39.6	32.0-47.2
Some Post-H.S.	381	32,891	270	68.6	61.3-75.9	111	31.4	24.1-38.7
College Graduate	385	19,147	289	77.4	71.7-83.1	96	22.6	16.9-28.3
Less than \$15,000	86	6,890	59	76.5	64.5-88.5	27	23.5	11.5-35.5
\$15,000- 24,999	166	9,502	114	70.0	59.8-80.2	52	30.0	19.8-40.2
\$25,000- 34,999	111	6,757	74	65.1	49.6-80.6	37	34.9	19.4-50.4
\$35,000- 49,999	172	10,408	135	77.5	68.3-86.7	37	22.5	13.3-31.7
\$50,000- 74,999	161	12,042	112	66.4	53.9-78.9	49	33.6	21.1-46.1
\$75,000+	251	18,480	184	72.6	65.2-80.0	67	27.4	20.0-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 7. HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1980	147,622	256	12.4	10.2-14.6	1724	87.6	85.4-89.8
Male	798	67,457	83	10.4	7.3-13.5	715	89.6	86.5-92.7
Female	1182	80,165	173	14.2	11.3-17.1	1009	85.8	82.9-88.7
Native	73	7,038	15	25.3	11.0-39.6	58	74.7	60.4-89.0
Non-Native	1886	138,819	239	11.9	9.7-14.1	1647	88.1	85.9-90.3
35-44	94	16,186	12	9.4	2.9-15.9	82	90.6	84.1-97.1
45-54	172	19,780	25	12.8	6.3-19.3	147	87.2	80.7-93.7
55-64	497	37,480	44	9.0	5.7-12.3	453	91.0	87.7-94.3
65+	1161	58,996	166	14.0	11.5-16.5	995	86.0	83.5-88.5
Less Than H.S.	103	12,858	12	13.7	3.9-23.5	91	86.3	76.5-96.1
H.S. or G.E.D.	577	39,477	64	10.6	7.3-13.9	513	89.4	86.1-92.7
Some Post-H.S.	651	62,284	72	11.3	8.0-14.6	579	88.7	85.4-92.0
College Graduate	646	32,765	108	16.4	12.3-20.5	538	83.6	79.5-87.7
Less than \$15,000	131	11,151	19	21.8	8.9-34.7	112	78.2	65.3-91.1
\$15,000- 24,999	249	15,561	34	12.8	7.7-17.9	215	87.2	82.1-92.3
\$25,000- 34,999	187	12,733	27	9.7	5.4-14.0	160	90.3	86.0-94.6
\$35,000- 49,999	293	19,182	45	16.6	10.1-23.1	248	83.4	76.9-89.9
\$50,000- 74,999	303	25,246	39	12.5	7.6-17.4	264	87.5	82.6-92.4
\$75,000+	524	42,847	60	10.7	7.2-14.2	464	89.3	85.8-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 8: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	798	67,457	83	10.4	7.3-13.5	715	89.6	86.5-92.7
Non-Native	757	63,243	75	9.0	6.1-11.9	682	91.0	88.1-93.9
45-54	75	9,320	10	12.5	1.9-23.1	65	87.5	76.9-98.1
55-64	219	18,618	11	6.6	1.5-11.7	208	93.4	88.3-98.5
65+	429	24,391	50	10.1	7.0-13.2	379	89.9	86.8-93.0
H.S. or G.E.D.	229	18,107	22	10.6	4.5-16.7	207	89.4	83.3-95.5
Some Post-H.S.	266	29,086	17	6.3	2.8- 9.8	249	93.7	90.2-97.2
College Graduate	255	13,367	38	15.8	9.5-22.1	217	84.2	77.9-90.5
\$15,000- 24,999	83	6,058	13	12.6	4.8-20.4	70	87.4	79.6-95.2
\$25,000- 34,999	74	5,860	7	5.5	0.0-11.0	67	94.5	89.0- 100
\$35,000- 49,999	118	8,528	12	10.0	2.0-18.0	106	90.0	82.0-98.0
\$50,000- 74,999	140	13,084	15	12.5	5.1-19.9	125	87.5	80.1-94.9
\$75,000+	268	23,887	27	9.1	4.4-13.8	241	90.9	86.2-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 9: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1182	80,165	173	14.2	11.3-17.1	1009	85.8	82.9-88.7
Non-Native	1129	75,576	164	14.3	11.4-17.2	965	85.7	82.8-88.6
45-54	97	10,460	15	13.0	5.4-20.6	82	87.0	79.4-94.6
55-64	278	18,861	33	11.4	7.1-15.7	245	88.6	84.3-92.9
65+	732	34,606	116	16.8	13.3-20.3	616	83.2	79.7-86.7
Less Than H.S.	56	5,998	6	10.4	0.4-20.4	50	89.6	79.6-99.6
H.S. or G.E.D.	348	21,370	42	10.7	7.0-14.4	306	89.3	85.6-93.0
Some Post-H.S.	385	33,198	55	15.7	10.4-21.0	330	84.3	79.0-89.6
College Graduate	391	19,398	70	16.9	11.6-22.2	321	83.1	77.8-88.4
Less than \$15,000	88	6,971	13	19.8	4.3-35.3	75	80.2	64.7-95.7
\$15,000- 24,999	166	9,502	21	12.9	6.4-19.4	145	87.1	80.6-93.6
\$25,000- 34,999	113	6,873	20	13.2	6.5-19.9	93	86.8	80.1-93.5
\$35,000- 49,999	175	10,653	33	21.9	12.7-31.1	142	78.1	68.9-87.3
\$50,000- 74,999	163	12,162	24	12.4	6.1-18.7	139	87.6	81.3-93.9
\$75,000+	256	18,959	33	12.6	7.3-17.9	223	87.4	82.1-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 10: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1972	147,597	735	36.0	33.1-38.9	1237	64.0	61.1-66.9
Male	795	67,332	295	34.3	29.8-38.8	500	65.7	61.2-70.2
Female	1177	80,266	440	37.3	33.4-41.2	737	62.7	58.8-66.6
Native	73	7,038	40	51.0	34.9-67.1	33	49.0	32.9-65.1
Non-Native	1877	138,715	687	35.4	32.3-38.5	1190	64.6	61.5-67.7
35-44	94	16,316	32	33.0	21.0-45.0	62	67.0	55.0-79.0
45-54	173	19,969	62	36.8	28.0-45.6	111	63.2	54.4-72.0
55-64	496	37,550	186	37.3	32.0-42.6	310	62.7	57.4-68.0
65+	1153	58,582	437	36.5	33.0-40.0	716	63.5	60.0-67.0
Less Than H.S.	102	12,751	38	45.8	32.9-58.7	64	54.2	41.3-67.1
H.S. or G.E.D.	572	39,371	213	38.7	33.0-44.4	359	61.3	55.6-67.0
Some Post-H.S.	652	62,770	246	34.0	29.3-38.7	406	66.0	61.3-70.7
College Graduate	643	32,467	237	32.4	27.7-37.1	406	67.6	62.9-72.3
Less than \$15,000	130	11,112	71	56.6	43.5-69.7	59	43.4	30.3-56.5
\$15,000- 24,999	245	15,393	117	55.2	46.6-63.8	128	44.8	36.2-53.4
\$25,000- 34,999	185	12,679	73	38.3	28.7-47.9	112	61.7	52.1-71.3
\$35,000- 49,999	293	19,182	115	36.4	29.0-43.8	178	63.6	56.2-71.0
\$50,000- 74,999	301	25,008	101	28.4	21.5-35.3	200	71.6	64.7-78.5
\$75,000+	526	43,166	160	28.5	23.4-33.6	366	71.5	66.4-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 11: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	795	67,332	295	34.3	29.8-38.8	500	65.7	61.2-70.2
Non-Native	753	63,038	273	33.5	29.0-38.0	480	66.5	62.0-71.0
45-54	75	9,320	25	33.7	20.2-47.2	50	66.3	52.8-79.8
55-64	218	18,474	83	38.3	30.1-46.5	135	61.7	53.5-69.9
65+	426	24,092	163	35.2	29.9-40.5	263	64.8	59.5-70.1
H.S. or G.E.D.	228	18,044	91	37.5	29.1-45.9	137	62.5	54.1-70.9
Some Post-H.S.	266	29,232	99	29.7	23.2-36.2	167	70.3	63.8-76.8
College Graduate	254	13,265	86	32.1	24.8-39.4	168	67.9	60.6-75.2
\$15,000- 24,999	83	6,058	42	54.6	39.3-69.9	41	45.4	30.1-60.7
\$25,000- 34,999	72	5,625	33	44.1	29.2-59.0	39	55.9	41.0-70.8
\$35,000- 49,999	118	8,528	47	36.0	23.8-48.2	71	64.0	51.8-76.2
\$50,000- 74,999	140	13,062	40	24.0	15.2-32.8	100	76.0	67.2-84.8
\$75,000+	269	24,154	83	25.9	19.0-32.8	186	74.1	67.2-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 12: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1177	80,266	440	37.3	33.4-41.2	737	62.7	58.8-66.6
Non-Native	1124	75,677	414	36.9	32.8-41.0	710	63.1	59.0-67.2
45-54	98	10,649	37	39.5	28.1-50.9	61	60.5	49.1-71.9
55-64	278	19,076	103	36.2	29.3-43.1	175	63.8	56.9-70.7
65+	727	34,490	274	37.4	32.9-41.9	453	62.6	58.1-67.1
Less Than H.S.	56	5,998	19	40.1	24.2-56.0	37	59.9	44.0-75.8
H.S. or G.E.D.	344	21,328	122	39.7	32.1-47.3	222	60.3	52.7-67.9
Some Post-H.S.	386	33,537	147	37.7	30.8-44.6	239	62.3	55.4-69.2
College Graduate	389	19,201	151	32.6	26.3-38.9	238	67.4	61.1-73.7
Less than \$15,000	87	6,932	44	47.7	30.8-64.6	43	52.3	35.4-69.2
\$15,000- 24,999	162	9,334	75	55.6	45.4-65.8	87	44.4	34.2-54.6
\$25,000- 34,999	113	7,054	40	33.6	21.4-45.8	73	66.4	54.2-78.6
\$35,000- 49,999	175	10,653	68	36.7	27.3-46.1	107	63.3	53.9-72.7
\$50,000- 74,999	161	11,946	61	33.1	22.5-43.7	100	66.9	56.3-77.5
\$75,000+	257	19,012	77	31.7	23.9-39.5	180	68.3	60.5-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 13: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1969	147,242	532	29.3	26.4-32.2	1437	70.7	67.8-73.6
Male	793	67,063	229	30.1	25.6-34.6	564	69.9	65.4-74.4
Female	1176	80,179	303	28.6	24.9-32.3	873	71.4	67.7-75.1
Native	71	6,913	27	37.0	22.1-51.9	44	63.0	48.1-77.9
Non-Native	1876	138,484	499	29.0	26.1-31.9	1377	71.0	68.1-73.9
35-44	95	16,504	30	33.8	21.6-46.0	65	66.2	54.0-78.4
45-54	173	19,969	65	35.9	27.3-44.5	108	64.1	55.5-72.7
55-64	496	37,644	163	35.4	30.1-40.7	333	64.6	59.3-69.9
65+	1150	58,318	258	22.4	19.5-25.3	892	77.6	74.7-80.5
Less Than H.S.	101	12,718	34	38.7	25.8-51.6	67	61.3	48.4-74.2
H.S. or G.E.D.	571	39,202	175	34.5	28.8-40.2	396	65.5	59.8-71.2
Some Post-H.S.	650	62,355	181	27.2	22.9-31.5	469	72.8	68.5-77.1
College Graduate	644	32,728	141	23.2	18.5-27.9	503	76.8	72.1-81.5
Less than \$15,000	130	10,988	51	42.5	29.6-55.4	79	57.5	44.6-70.4
\$15,000- 24,999	247	15,115	86	43.2	34.4-52.0	161	56.8	48.0-65.6
\$25,000- 34,999	186	12,830	54	32.6	23.2-42.0	132	67.4	58.0-76.8
\$35,000- 49,999	291	19,122	84	27.7	20.8-34.6	207	72.3	65.4-79.2
\$50,000- 74,999	302	25,196	77	30.2	22.6-37.8	225	69.8	62.2-77.4
\$75,000+	527	43,273	117	21.7	17.0-26.4	410	78.3	73.6-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 14: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	793	67,063	229	30.1	25.6-34.6	564	69.9	65.4-74.4
Non-Native	752	62,864	216	30.3	25.8-34.8	536	69.7	65.2-74.2
45-54	75	9,320	28	34.3	21.0-47.6	47	65.7	52.4-79.0
55-64	219	18,631	74	35.9	27.9-43.9	145	64.1	56.1-72.1
65+	424	24,039	105	24.4	19.5-29.3	319	75.6	70.7-80.5
H.S. or G.E.D.	227	17,886	77	34.7	26.3-43.1	150	65.3	56.9-73.7
Some Post-H.S.	266	29,022	77	27.3	20.8-33.8	189	72.7	66.2-79.2
College Graduate	253	13,331	58	23.5	16.6-30.4	195	76.5	69.6-83.4
\$15,000- 24,999	81	5,613	36	44.5	29.8-59.2	45	55.5	40.8-70.2
\$25,000- 34,999	73	5,846	29	46.9	32.0-61.8	44	53.1	38.2-68.0
\$35,000- 49,999	117	8,507	29	26.3	15.1-37.5	88	73.7	62.5-84.9
\$50,000- 74,999	141	13,164	36	29.8	19.2-40.4	105	70.2	59.6-80.8
\$75,000+	270	24,260	64	20.7	14.4-27.0	206	79.3	73.0-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 15: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1176	80,179	303	28.6	24.9-32.3	873	71.4	67.7-75.1
Non-Native	1124	75,620	283	28.0	24.1-31.9	841	72.0	68.1-75.9
45-54	98	10,649	37	37.4	26.0-48.8	61	62.6	51.2-74.0
55-64	277	19,013	89	34.9	28.0-41.8	188	65.1	58.2-72.0
65+	726	34,279	153	21.0	17.3-24.7	573	79.0	75.3-82.7
Less Than H.S.	55	5,931	17	33.6	18.5-48.7	38	66.4	51.3-81.5
H.S. or G.E.D.	344	21,316	98	34.3	26.7-41.9	246	65.7	58.1-73.3
Some Post-H.S.	384	33,333	104	27.0	21.1-32.9	280	73.0	67.1-78.9
College Graduate	391	19,398	83	22.9	16.4-29.4	308	77.1	70.6-83.6
Less than \$15,000	88	6,971	29	30.4	16.5-44.3	59	69.6	55.7-83.5
\$15,000- 24,999	166	9,502	50	42.4	31.4-53.4	116	57.6	46.6-68.6
\$25,000- 34,999	113	6,984	25	20.6	11.2-30.0	88	79.4	70.0-88.8
\$35,000- 49,999	174	10,615	55	28.8	20.4-37.2	119	71.2	62.8-79.6
\$50,000- 74,999	161	12,032	41	30.6	19.6-41.6	120	69.4	58.4-80.4
\$75,000+	257	19,012	53	22.9	15.8-30.0	204	77.1	70.0-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1952	146,358	154	7.7	6.1- 9.3	664	34.4	31.5-37.3
Male	790	67,053	73	9.9	7.0-12.8	295	37.0	32.3-41.7
Female	1162	79,304	81	5.8	4.2- 7.4	369	32.2	28.3-36.1
Native	72	6,716	5	6.5	0.4-12.6	12	13.8	2.8-24.8
Non-Native	1859	137,889	147	7.8	6.2- 9.4	645	35.3	32.2-38.4
35-44	94	16,387	9	8.4	1.3-15.5	27	28.8	16.6-41.0
45-54	172	19,913	17	10.3	4.6-16.0	44	21.9	14.8-29.0
55-64	494	37,380	32	6.4	3.9- 8.9	199	41.7	36.4-47.0
65+	1137	57,820	92	8.4	6.4-10.4	370	32.5	29.2-35.8
Less Than H.S.	101	12,682	14	9.6	3.7-15.5	16	12.5	3.9-21.1
H.S. or G.E.D.	562	38,871	37	6.2	3.8- 8.6	152	29.0	23.5-34.5
Some Post-H.S.	646	62,066	47	8.2	5.3-11.1	236	38.3	33.0-43.6
College Graduate	640	32,500	56	7.8	5.4-10.2	259	42.0	36.9-47.1
Less than \$15,000	130	11,124	7	4.0	0.5- 7.5	17	12.1	4.8-19.4
\$15,000- 24,999	246	15,403	13	5.5	1.8- 9.2	63	21.8	14.7-28.9
\$25,000- 34,999	185	12,720	15	7.2	2.9-11.5	52	34.7	23.9-45.5
\$35,000- 49,999	287	18,881	18	5.8	2.1- 9.5	95	29.9	22.8-37.0
\$50,000- 74,999	299	24,694	24	9.7	4.8-14.6	119	43.0	34.8-51.2
\$75,000+	521	42,885	47	8.9	5.4-12.4	212	40.8	35.1-46.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
743	36.9	33.8-40.0	303	16.6	14.2-19.0	88	4.4	3.0- 5.8
291	34.5	30.0-39.0	105	14.6	11.3-17.9	26	3.9	1.9- 5.9
452	38.9	34.8-43.0	198	18.4	15.3-21.5	62	4.8	3.0- 6.6
25	39.7	23.4-56.0	24	34.9	19.6-50.2	6	5.0	0.5- 9.5
712	36.8	33.7-39.9	273	15.6	13.2-18.0	82	4.4	3.0- 5.8
34	41.4	28.3-54.5	21	17.7	8.5-26.9	3	3.7	0.0- 9.2
54	37.8	28.8-46.8	46	24.6	17.2-32.0	11	5.4	1.9- 8.9
165	29.5	24.6-34.4	76	17.7	13.2-22.2	22	4.7	2.2- 7.2
475	41.9	38.4-45.4	150	13.1	10.6-15.6	50	4.0	2.6- 5.4
41	43.1	30.2-56.0	20	23.1	12.5-33.7	10	11.7	3.1-20.3
235	38.5	33.0-44.0	105	20.2	15.5-24.9	33	6.1	3.0- 9.2
246	36.5	31.4-41.6	92	14.2	10.7-17.7	25	2.7	1.5- 3.9
220	33.4	28.3-38.5	85	14.1	10.2-18.0	20	2.7	1.1- 4.3
55	48.4	35.1-61.7	34	25.9	14.9-36.9	17	9.6	2.7-16.5
102	36.6	28.6-44.6	44	21.6	14.2-29.0	24	14.6	6.8-22.4
82	38.0	28.6-47.4	28	16.7	9.4-24.0	8	3.3	0.8- 5.8
117	42.6	34.4-50.8	45	16.0	9.7-22.3	12	5.7	1.2-10.2
106	30.9	24.0-37.8	44	15.0	9.7-20.3	6	1.3	0.1- 2.5
180	33.7	28.0-39.4	71	14.8	10.7-18.9	11	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	790	67,053	73	9.9	7.0-12.8	295	37.0	32.3-41.7
Non-Native	749	63,082	69	10.0	6.9-13.1	285	37.6	32.9-42.3
45-54	75	9,320	10	16.0	5.4-26.6	19	21.3	10.5-32.1
55-64	218	18,505	16	6.8	2.9-10.7	96	44.1	35.9-52.3
65+	422	24,104	41	11.1	7.2-15.0	151	35.2	29.7-40.7
H.S. or G.E.D.	223	17,783	16	7.1	3.0-11.2	67	31.6	23.4-39.8
Some Post-H.S.	267	29,176	27	13.4	7.7-19.1	110	42.7	35.1-50.3
College Graduate	252	13,198	24	7.4	4.3-10.5	108	41.9	34.1-49.7
\$15,000- 24,999	82	6,042	4	5.5	0.0-12.4	25	29.0	14.9-43.1
\$25,000- 34,999	73	5,819	8	10.6	2.2-19.0	17	27.1	13.8-40.4
\$35,000- 49,999	117	8,485	10	8.8	2.1-15.5	42	31.1	19.5-42.7
\$50,000- 74,999	139	12,741	14	13.3	5.3-21.3	62	41.2	30.2-52.2
\$75,000+	267	24,030	28	10.7	5.2-16.2	113	44.1	35.9-52.3

Data was weighted using _LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
291	34.5	30.0-39.0	105	14.6	11.3-17.9	26	3.9	1.9- 5.9
276	34.4	29.7-39.1	95	13.9	10.6-17.2	24	4.0	1.8- 6.2
22	34.9	21.0-48.8	19	21.9	11.1-32.7	5	5.9	0.6-11.2
68	27.0	19.9-34.1	31	17.7	10.4-25.0	7	4.4	0.1- 8.7
176	40.6	35.1-46.1	42	10.6	6.9-14.3	12	2.5	0.9- 4.1
99	39.4	31.0-47.8	34	17.9	10.8-25.0	7	3.9	0.0- 7.8
89	29.3	22.6-36.0	33	12.2	7.3-17.1	8	2.4	0.6- 4.2
83	34.4	26.6-42.2	31	13.7	7.6-19.8	6	2.6	0.1- 5.1
35	36.3	22.2-50.4	10	16.9	5.3-28.5	8	12.3	0.9-23.7
34	40.5	26.2-54.8	12	19.1	6.9-31.3	2	2.6	0.0- 6.1
45	40.4	27.1-53.7	16	12.5	5.2-19.8	4	7.2	0.0-16.0
45	28.6	19.4-37.8	18	16.9	8.5-25.3			
86	30.8	23.2-38.4	35	12.3	7.0-17.6	5	2.1	0.1- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1162	79,304	81	5.8	4.2- 7.4	369	32.2	28.3-36.1
Non-Native	1110	74,806	78	5.9	4.3- 7.5	360	33.3	29.2-37.4
45-54	97	10,593	7	5.3	0.4-10.2	25	22.3	13.3-31.3
55-64	276	18,874	16	6.0	2.5- 9.5	103	39.3	32.2-46.4
65+	715	33,717	51	6.5	4.5- 8.5	219	30.6	26.3-34.9
Less Than H.S.	54	5,823	8	12.4	3.0-21.8	6	6.4	0.9-11.9
H.S. or G.E.D.	339	21,088	21	5.4	2.5- 8.3	85	26.8	19.7-33.9
Some Post-H.S.	379	32,890	20	3.7	1.7- 5.7	126	34.5	27.4-41.6
College Graduate	388	19,302	32	8.1	4.8-11.4	151	42.0	35.1-48.9
Less than \$15,000	87	6,944	5	4.6	0.0- 9.5	14	15.8	5.6-26.0
\$15,000- 24,999	164	9,361	9	5.4	1.3- 9.5	38	17.2	10.7-23.7
\$25,000- 34,999	112	6,901	7	4.3	0.8- 7.8	35	41.1	25.8-56.4
\$35,000- 49,999	170	10,396	8	3.4	0.0- 7.1	53	28.9	20.3-37.5
\$50,000- 74,999	160	11,954	10	5.8	1.1-10.5	57	45.0	32.7-57.3
\$75,000+	254	18,855	19	6.6	3.1-10.1	99	36.5	28.9-44.1

Data was weighted using _LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
452	38.9	34.8-43.0	198	18.4	15.3-21.5	62	4.8	3.0- 6.6
436	38.9	34.6-43.2	178	17.1	14.0-20.2	58	4.8	3.0- 6.6
32	40.4	28.6-52.2	27	27.0	16.8-37.2	6	5.0	0.1- 9.9
97	32.0	25.3-38.7	45	17.7	12.2-23.2	15	5.0	2.3- 7.7
299	42.8	38.1-47.5	108	15.0	11.7-18.3	38	5.1	3.1- 7.1
22	41.7	25.8-57.6	13	29.3	13.8-44.8	5	10.1	0.3-19.9
136	37.7	30.4-45.0	71	22.1	15.8-28.4	26	8.0	3.3-12.7
157	42.9	35.5-50.3	59	16.0	10.9-21.1	17	2.9	1.3- 4.5
137	32.7	26.0-39.4	54	14.3	9.2-19.4	14	2.8	1.0- 4.6
32	46.1	28.7-63.5	25	26.8	13.5-40.1	11	6.6	1.7-11.5
67	36.7	27.1-46.3	34	24.5	15.1-33.9	16	16.1	5.5-26.7
48	36.0	23.7-48.3	16	14.7	6.3-23.1	6	4.0	0.3- 7.7
72	44.3	34.1-54.5	29	18.9	9.3-28.5	8	4.5	0.8- 8.2
61	33.5	23.1-43.9	26	13.0	6.7-19.3	6	2.8	0.3- 5.3
94	37.3	28.9-45.7	36	18.0	11.3-24.7	6	1.5	0.1- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	107
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4 MALES AND FEMALES	110
5 MALES ONLY	111
6 FEMALES ONLY	112
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
7 MALES AND FEMALES	113
8 MALES ONLY	114
9 FEMALES ONLY	115
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	116
11 MALES ONLY	117
12 FEMALES ONLY	118
ARE YOU: (MARITAL STATUS) (MARITAL)	
13 MALES AND FEMALES	119
14 MALES ONLY	120
15 FEMALES ONLY	121
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
16 MALES AND FEMALES	122
17 MALES ONLY	123
18 FEMALES ONLY	124
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
19 MALES AND FEMALES	125
20 MALES ONLY	126
21 FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	128
23 MALES ONLY	129
24 FEMALES ONLY	130
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	131
26 MALES ONLY	132
27 FEMALES ONLY	133
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	134
29 MALES ONLY	135
30 FEMALES ONLY	136
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	137
32 MALES ONLY	138
33 FEMALES ONLY	139
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	140
35 MALES ONLY	141
36 FEMALES ONLY	142
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	143
38 MALES ONLY	144
39 FEMALES ONLY	145
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	146
41 MALES ONLY	147
42 FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43	MALES AND FEMALES	149
44	MALES ONLY	150
45	FEMALES ONLY	151
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46	MALES AND FEMALES	152
47	MALES ONLY	153
48	FEMALES ONLY	154
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
49	MALES AND FEMALES	155
50	MALES ONLY	156
51	FEMALES ONLY	157
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
52	MALES AND FEMALES	158
53	MALES ONLY	159
54	FEMALES ONLY	160
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
55	MALES AND FEMALES	161
56	MALES ONLY	162
57	FEMALES ONLY	163
	ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
58	MALES AND FEMALES	164
59	MALES ONLY	165
60	FEMALES ONLY	166
	ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
64	MALES AND FEMALES	170
65	MALES ONLY	171
66	FEMALES ONLY	172
	DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
67	MALES AND FEMALES	173

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
68	MALES ONLY	174
69	FEMALES ONLY	175
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
70	MALES AND FEMALES	176
71	MALES ONLY	177
72	FEMALES ONLY	178
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
73	MALES AND FEMALES	179
74	MALES ONLY	180
75	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5534	586,392	279	14.2	12.4-16.0	455	19.4	17.6-21.2	546	16.0	14.4-17.6	658	13.7	12.5-14.9	1236	16.0	14.8-17.2	2360	20.7	19.7-21.7
Male	2601	300,707	185	14.8	12.6-17.0	247	20.5	18.0-23.0	274	16.5	14.3-18.7	326	13.8	12.0-15.6	575	15.8	14.2-17.4	994	18.6	17.2-20.0
Female	2933	285,685	94	13.7	11.0-16.4	208	18.1	15.6-20.6	272	15.6	13.4-17.8	332	13.6	11.8-15.4	661	16.1	14.5-17.7	1366	22.9	21.3-24.5
Native	193	25,304	15	15.7	7.5-23.9	30	28.4	18.8-38.0	21	13.7	6.8-20.6	28	11.4	5.3-17.5	48	16.3	10.0-22.6	51	14.4	8.7-20.1
Non-Native	5278	554,872	264	14.3	12.5-16.1	422	19.0	17.2-20.8	522	16.2	14.6-17.8	612	13.5	12.3-14.7	1176	16.0	14.8-17.2	2282	20.9	19.9-21.9
Less Than H.S.	242	46,417	20	26.6	16.4-36.8	16	13.1	6.6-19.6	14	11.0	4.7-17.3	18	11.8	5.5-18.1	37	11.1	6.8-15.4	137	26.5	20.4-32.6
H.S. or G.E.D.	1519	155,126	114	18.4	15.1-21.7	135	23.8	20.3-27.3	93	10.4	8.0-12.8	134	9.9	7.9-11.9	328	15.1	13.1-17.1	715	22.5	20.3-24.7
Some Post-H.S.	1762	227,983	110	15.8	12.9-18.7	123	16.2	13.3-19.1	153	15.2	12.7-17.7	219	15.0	12.8-17.2	422	18.0	16.0-20.0	735	19.9	18.1-21.7
College Graduate	1990	154,594	34	4.1	2.7- 5.5	180	21.5	18.6-24.4	285	24.6	21.7-27.5	281	16.0	14.0-18.0	446	15.5	13.7-17.3	764	18.2	16.6-19.8
Less than \$15,000	274	29,197	14	20.5	10.7-30.3	14	12.3	5.4-19.2	15	9.3	3.8-14.8	30	12.1	7.0-17.2	56	16.9	11.2-22.6	145	28.8	22.1-35.5
\$15,000- 24,999	563	54,828	42	24.6	17.5-31.7	47	20.7	15.0-26.4	19	5.8	2.1- 9.5	34	8.7	5.0-12.4	80	11.1	8.2-14.0	341	29.0	24.5-33.5
\$25,000- 34,999	459	44,750	24	16.2	9.9-22.5	37	22.1	15.2-29.0	24	9.2	4.7-13.7	35	9.7	6.0-13.4	76	12.6	9.1-16.1	263	30.1	25.2-35.0
\$35,000- 49,999	767	76,669	40	17.4	11.9-22.9	59	20.0	14.9-25.1	37	9.2	5.7-12.7	56	8.9	6.2-11.6	154	15.9	12.8-19.0	421	28.5	24.8-32.2
\$50,000- 74,999	856	87,792	29	8.1	4.6-11.6	80	21.5	17.0-26.0	94	16.8	13.3-20.3	91	12.9	9.8-16.0	242	21.4	18.1-24.7	320	19.3	16.6-22.0
\$75,000+	1808	214,876	74	9.0	6.6-11.4	171	20.1	17.2-23.0	310	25.4	22.5-28.3	320	17.9	15.5-20.3	479	16.7	14.9-18.5	454	11.0	9.8-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2601	300,707	185	14.8	12.6-17.0	247	20.5	18.0-23.0	274	16.5	14.3-18.7	326	13.8	12.0-15.6	575	15.8	14.2-17.4	994	18.6	17.2-20.0
Native	89	12,010	9	17.9	6.3-29.5	12	32.0	16.5-47.5	9	12.0	2.8-21.2	11	8.5	2.2-14.8	24	17.7	8.5-26.9	24	11.8	5.7-17.9
Non-Native	2476	284,757	176	14.8	12.6-17.0	233	20.2	17.7-22.7	262	16.7	14.5-18.9	303	13.7	11.9-15.5	547	15.9	14.3-17.5	955	18.8	17.4-20.2
Less Than H.S.	124	24,483	10	16.5	6.5-26.5	6	10.1	2.3-17.9	11	18.2	7.6-28.8	9	14.5	4.1-24.9	24	13.8	7.1-20.5	64	27.0	18.8-35.2
H.S. or G.E.D.	763	88,292	83	20.3	16.2-24.4	83	25.9	21.0-30.8	64	12.6	9.3-15.9	69	9.2	6.8-11.6	184	15.3	12.8-17.8	280	16.7	14.3-19.1
Some Post-H.S.	823	118,693	73	16.2	12.7-19.7	74	18.9	14.8-23.0	81	16.4	12.7-20.1	108	14.4	11.5-17.3	190	16.9	14.2-19.6	297	17.3	14.9-19.7
College Graduate	879	67,875	18	4.4	2.4- 6.4	83	20.2	16.1-24.3	118	21.4	17.5-25.3	135	18.1	15.0-21.2	177	15.8	13.3-18.3	348	20.2	17.7-22.7
Less than \$15,000	107	11,940	3	5.7	0.0-12.2	6	13.8	3.0-24.6	8	12.2	2.6-21.8	17	18.2	8.4-28.0	30	22.8	12.6-33.0	43	27.3	17.3-37.3
\$15,000- 24,999	227	24,316	25	24.7	15.9-33.5	22	22.4	13.8-31.0	8	6.8	0.0-13.9	12	5.9	1.6-10.2	45	14.0	9.1-18.9	115	26.2	19.9-32.5
\$25,000- 34,999	220	24,346	19	21.7	12.7-30.7	20	23.7	14.3-33.1	15	8.5	3.2-13.8	20	10.3	5.2-15.4	32	10.0	5.9-14.1	114	25.9	19.6-32.2
\$35,000- 49,999	348	37,009	29	20.5	13.2-27.8	31	20.3	13.4-27.2	12	8.3	3.0-13.6	26	8.2	4.3-12.1	65	15.1	10.6-19.6	185	27.6	22.3-32.9
\$50,000- 74,999	438	48,677	21	7.8	4.3-11.3	46	22.0	15.9-28.1	45	15.8	10.7-20.9	49	15.2	10.5-19.9	110	19.5	15.4-23.6	167	19.7	16.0-23.4
\$75,000+	987	121,610	56	10.7	8.0-13.4	102	20.6	16.7-24.5	167	24.3	20.6-28.0	162	16.7	13.6-19.8	246	16.5	14.1-18.9	254	11.2	9.4-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	285,685	94	13.7	11.0-16.4	208	18.1	15.6-20.6	272	15.6	13.4-17.8	332	13.6	11.8-15.4	661	16.1	14.5-17.7	1366	22.9	21.3-24.5
Native	104	13,294	6	13.7	1.7-25.7	18	25.1	13.7-36.5	12	15.3	5.3-25.3	17	14.1	4.3-23.9	24	15.0	6.2-23.8	27	16.7	7.7-25.7
Non-Native	2802	270,115	88	13.8	10.9-16.7	189	17.8	15.3-20.3	260	15.7	13.5-17.9	309	13.4	11.6-15.2	629	16.1	14.5-17.7	1327	23.2	21.6-24.8
Less Than H.S.	118	21,934	10	37.8	21.3-54.3	10	16.4	5.8-27.0	3	2.9	0.0- 6.2	9	8.7	2.2-15.2	13	8.2	3.1-13.3	73	25.9	16.9-34.9
H.S. or G.E.D.	756	66,834	31	15.9	10.6-21.2	52	21.0	15.5-26.5	29	7.3	4.2-10.4	65	10.7	7.8-13.6	144	14.8	12.1-17.5	435	30.3	26.4-34.2
Some Post-H.S.	939	109,291	37	15.4	10.7-20.1	49	13.4	9.5-17.3	72	13.8	10.3-17.3	111	15.6	12.5-18.7	232	19.1	16.2-22.0	438	22.7	20.0-25.4
College Graduate	1111	86,718	16	3.8	1.8- 5.8	97	22.6	18.5-26.7	167	27.2	23.1-31.3	146	14.4	11.7-17.1	269	15.3	13.1-17.5	416	16.7	14.7-18.7
Less than \$15,000	167	17,257	11	30.8	16.7-44.9	8	11.3	2.5-20.1	7	7.3	1.0-13.6	13	7.9	3.0-12.8	26	12.8	6.9-18.7	102	29.9	21.1-38.7
\$15,000- 24,999	336	30,512	17	24.5	13.9-35.1	25	19.4	12.0-26.8	11	5.0	1.1- 8.9	22	10.9	5.2-16.6	35	8.9	5.4-12.4	226	31.3	24.8-37.8
\$25,000- 34,999	239	20,404	5	9.7	1.3-18.1	17	20.1	10.1-30.1	9	10.0	2.4-17.6	15	9.1	3.8-14.4	44	15.8	10.1-21.5	149	35.3	27.5-43.1
\$35,000- 49,999	419	39,660	11	14.6	6.4-22.8	28	19.8	12.5-27.1	25	10.0	5.5-14.5	30	9.6	5.5-13.7	89	16.7	12.4-21.0	236	29.3	24.0-34.6
\$50,000- 74,999	418	39,115	8	8.4	1.5-15.3	34	20.8	14.1-27.5	49	18.2	12.9-23.5	42	9.9	6.2-13.6	132	23.8	18.5-29.1	153	18.8	14.9-22.7
\$75,000+	821	93,266	18	6.7	2.8-10.6	69	19.4	14.9-23.9	143	26.7	22.2-31.2	158	19.5	16.0-23.0	233	16.9	14.2-19.6	200	10.8	8.8-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5500	582,930	44	2.4	1.6- 3.2	7	0.4	0.0- 0.8	3	0.2	0.0- 0.4	20	0.7	0.3- 1.1	2	0.1	0.0- 0.3	5424	96.2	95.2-97.2
Male	2577	298,314	24	2.4	1.2- 3.6	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6	8	0.5	0.1- 0.9				2539	96.5	95.1-97.9
Female	2923	284,616	20	2.4	1.0- 3.8	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	12	1.0	0.4- 1.6	2	0.2	0.0- 0.6	2885	95.8	94.2-97.4
18-24	279	83,458	9	5.2	1.3- 9.1	1	0.5	0.0- 1.5				1	0.8	0.0- 2.4	1	0.6	0.0- 1.8	267	93.0	88.7-97.3
25-34	453	112,793	11	3.8	1.4- 6.2	2	1.1	0.0- 2.7	1	0.3	0.0- 0.9	5	0.7	0.0- 1.5				434	94.0	91.1-96.9
35-44	545	94,000	8	2.5	0.7- 4.3				1	0.4	0.0- 1.2	2	0.6	0.0- 1.6	1	0.0	0.0- 0.0	533	96.5	94.3-98.7
45-54	645	78,679	7	2.4	0.0- 4.9	3	0.9	0.0- 2.1				7	2.0	0.4- 3.6				628	94.7	91.4-98.0
55-64	1230	93,408	5	0.7	0.0- 1.5	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	3	0.5	0.0- 1.1				1220	98.4	97.4-99.4
65+	2348	120,593	4	0.4	0.0- 0.8							2	0.3	0.0- 0.7				2342	99.4	98.8- 100
Less Than H.S.	241	46,326	11	11.0	3.6-18.4	2	2.8	0.0- 6.7	1	0.5	0.0- 1.5	2	1.3	0.0- 3.1				225	84.4	76.2-92.6
H.S. or G.E.D.	1513	154,436	12	2.7	1.1- 4.3				2	0.4	0.0- 1.0	5	0.7	0.0- 1.5				1494	96.1	94.3-97.9
Some Post-H.S.	1753	226,853	14	1.5	0.5- 2.5	3	0.4	0.0- 1.0				7	0.8	0.0- 1.6	1	0.2	0.0- 0.6	1728	97.0	95.6-98.4
College Graduate	1979	153,814	7	0.8	0.0- 1.6	2	0.2	0.0- 0.4				6	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1963	98.5	97.7-99.3
Less than \$15,000	273	29,023	6	6.0	0.3-11.7	1	1.6	0.0- 4.7				3	1.4	0.0- 3.2				263	90.9	84.4-97.4
\$15,000- 24,999	561	54,662	3	0.6	0.0- 1.4	1	0.8	0.0- 2.4	1	0.6	0.0- 1.8	4	1.8	0.0- 3.8				552	96.2	93.3-99.1
\$25,000- 34,999	458	44,659	3	2.3	0.0- 4.8							1	0.5	0.0- 1.5				454	97.2	94.5-99.9
\$35,000- 49,999	763	76,198	5	2.7	0.0- 5.6				1	0.5	0.0- 1.5	5	1.6	0.0- 3.4				752	95.3	91.8-98.8
\$50,000- 74,999	854	87,669	7	1.7	0.3- 3.1	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	3	0.8	0.0- 1.8	1	0.0	0.0- 0.0	841	97.1	95.3-98.9
\$75,000+	1800	214,011	18	3.2	1.4- 5.0	3	0.5	0.0- 1.3				3	0.3	0.0- 0.7				1776	95.9	93.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2577	298,314	24	2.4	1.2- 3.6	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6	8	0.5	0.1- 0.9	2539	96.5	95.1-97.9
18-24	185	44,426	3	2.0	0.0- 4.4	1	0.9	0.0- 2.7							181	97.1	94.2- 100
25-34	246	61,325	8	5.1	1.6- 8.6				1	0.5	0.0- 1.5				237	94.4	90.7-98.1
35-44	273	49,517	6	3.1	0.6- 5.6				1	0.7	0.0- 2.1	1	0.8	0.0- 2.4	265	95.4	92.3-98.5
45-54	316	40,255	5	3.4	0.0- 8.1	3	1.8	0.0- 4.3				4	1.7	0.0- 3.7	304	93.0	87.5-98.5
55-64	572	47,457	2	0.4	0.0- 1.0							1	0.2	0.0- 0.6	569	99.4	98.6- 100
65+	985	55,334										2	0.6	0.0- 1.4	983	99.4	98.6- 100
Less Than H.S.	124	24,483	5	7.5	0.0-15.5	1	1.9	0.0- 5.6				1	0.9	0.0- 2.7	117	89.7	80.9-98.5
H.S. or G.E.D.	759	88,006	7	2.7	0.7- 4.7				2	0.8	0.0- 1.8	2	0.5	0.0- 1.3	748	96.0	93.6-98.4
Some Post-H.S.	817	117,749	8	1.8	0.4- 3.2	2	0.4	0.0- 1.2				3	0.5	0.0- 1.1	804	97.3	95.5-99.1
College Graduate	870	67,290	4	1.2	0.0- 2.4	1	0.3	0.0- 0.9				2	0.4	0.0- 1.0	863	98.2	96.8-99.6
Less than \$15,000	107	11,940	2	4.1	0.0-10.2	1	3.9	0.0-11.3				3	3.5	0.0- 7.6	101	88.5	78.5-98.5
\$15,000- 24,999	225	24,151	1	0.4	0.0- 1.2				1	1.4	0.0- 4.1	2	1.0	0.0- 2.4	221	97.3	94.2- 100
\$25,000- 34,999	219	24,255	2	3.1	0.0- 7.4										217	96.9	92.6- 100
\$35,000- 49,999	344	36,537	2	1.9	0.0- 4.8				1	1.0	0.0- 2.8				341	97.1	93.8- 100
\$50,000- 74,999	436	48,554	5	2.2	0.0- 4.6	1	0.2	0.0- 0.6				2	1.0	0.0- 2.6	428	96.6	93.9-99.3
\$75,000+	981	121,174	10	2.9	0.7- 5.1	1	0.1	0.0- 0.3				1	0.3	0.0- 0.9	969	96.7	94.5-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	284,616	20	2.4	1.0- 3.8	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	12	1.0	0.4- 1.6	2	0.2	0.0- 0.6	2885	95.8	94.2-97.4
18-24	94	39,032	6	8.8	1.0-16.6							1	1.6	0.0- 4.7	1	1.3	0.0- 3.7	86	88.3	79.7-96.9
25-34	207	51,468	3	2.4	0.0- 5.3	2	2.5	0.0- 6.0				5	1.5	0.0- 3.1				197	93.6	88.9-98.3
35-44	272	44,483	2	1.7	0.0- 4.1							1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	268	97.7	95.2- 100
45-54	329	38,424	2	1.3	0.0- 3.7							3	2.2	0.0- 4.7				324	96.5	93.2-99.8
55-64	658	45,951	3	1.1	0.0- 2.5	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5	2	0.7	0.0- 1.7				651	97.5	95.5-99.5
65+	1363	65,259	4	0.7	0.0- 1.5													1359	99.3	98.5- 100
Less Than H.S.	117	21,843	6	14.9	2.2-27.6	1	3.8	0.0-11.1	1	1.1	0.0- 3.3	1	1.8	0.0- 5.1				108	78.3	64.2-92.4
H.S. or G.E.D.	754	66,429	5	2.7	0.2- 5.2							3	1.0	0.0- 2.2				746	96.3	93.4-99.2
Some Post-H.S.	936	109,104	6	1.3	0.0- 2.7	1	0.4	0.0- 1.2				4	1.1	0.0- 2.5	1	0.4	0.0- 1.2	924	96.7	94.5-98.9
College Graduate	1109	86,524	3	0.5	0.0- 1.3	1	0.1	0.0- 0.3				4	0.6	0.0- 1.2	1	0.0	0.0- 0.0	1100	98.8	97.8-99.8
Less than \$15,000	166	17,082	4	7.4	0.0-15.8													162	92.6	84.2- 100
\$15,000- 24,999	336	30,512	2	0.8	0.0- 2.2	1	1.5	0.0- 4.4				2	2.4	0.0- 5.7				331	95.3	90.8-99.8
\$25,000- 34,999	239	20,404	1	1.3	0.0- 3.8							1	1.1	0.0- 3.3				237	97.6	94.3- 100
\$35,000- 49,999	419	39,660	3	3.4	0.0- 8.5							5	3.0	0.0- 6.3				411	93.7	87.8-99.6
\$50,000- 74,999	418	39,115	2	1.0	0.0- 2.4				1	0.6	0.0- 1.8	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	413	97.7	95.5-99.9
\$75,000+	819	92,837	8	3.7	0.8- 6.6	2	1.0	0.0- 2.8				2	0.4	0.0- 1.0				807	95.0	91.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5479	580,667	5065	87.7	86.1-89.3	52	2.7	1.7- 3.7	196	4.4	3.6- 5.2	42	1.8	1.0- 2.6	9	0.3	0.1- 0.5	115	3.0	2.2- 3.8
Male	2573	297,657	2362	87.9	85.9-89.9	32	3.0	1.8- 4.2	91	4.2	3.0- 5.4	20	1.7	0.7- 2.7	4	0.2	0.0- 0.6	64	3.0	2.0- 4.0
Female	2906	283,010	2703	87.5	85.1-89.9	20	2.4	1.0- 3.8	105	4.7	3.5- 5.9	22	1.9	0.9- 2.9	5	0.4	0.0- 0.8	51	3.1	1.7- 4.5
18-24	279	83,458	225	77.1	70.6-83.6	12	6.1	2.0-10.2	15	4.8	2.1- 7.5	7	4.0	0.7- 7.3	1	0.3	0.0- 0.9	19	7.7	3.4-12.0
25-34	452	112,717	375	82.3	78.2-86.4	12	4.0	1.6- 6.4	32	6.8	4.1- 9.5	14	3.3	1.5- 5.1	1	0.2	0.0- 0.6	18	3.3	1.5- 5.1
35-44	543	93,339	488	89.0	85.5-92.5	12	2.9	1.1- 4.7	21	3.7	1.7- 5.7	7	2.2	0.0- 4.4	2	0.2	0.0- 0.6	13	2.0	0.6- 3.4
45-54	642	78,247	578	87.6	83.7-91.5	7	2.6	0.1- 5.1	29	3.7	1.7- 5.7	5	0.9	0.0- 1.9	1	0.6	0.0- 1.8	22	4.6	2.2- 7.0
55-64	1224	92,888	1148	92.6	90.4-94.8	8	1.2	0.2- 2.2	48	4.4	2.6- 6.2	5	0.4	0.0- 0.8	1	0.3	0.0- 0.9	14	1.0	0.4- 1.6
65+	2339	120,018	2251	95.5	94.1-96.9	1	0.0	0.0- 0.0	51	3.0	1.8- 4.2	4	0.2	0.0- 0.4	3	0.3	0.0- 0.7	29	0.9	0.5- 1.3
Less Than H.S.	238	45,696	194	66.2	56.2-76.2	4	8.2	0.6-15.8	23	10.9	5.6-16.2	3	5.2	0.0-10.9	3	2.2	0.0- 4.7	11	7.3	1.6-13.0
H.S. or G.E.D.	1512	154,192	1391	88.6	86.1-91.1	14	2.4	1.0- 3.8	57	4.6	3.0- 6.2	9	1.0	0.2- 1.8	1	0.1	0.0- 0.3	40	3.3	1.9- 4.7
Some Post-H.S.	1747	226,079	1627	88.9	86.5-91.3	16	2.4	1.2- 3.6	60	4.4	3.0- 5.8	7	1.0	0.2- 1.8	2	0.2	0.0- 0.6	35	3.2	1.8- 4.6
College Graduate	1970	153,430	1844	91.6	89.6-93.6	17	1.7	0.9- 2.5	55	2.5	1.5- 3.5	22	2.7	1.5- 3.9	3	0.1	0.0- 0.3	29	1.3	0.5- 2.1
Less than \$15,000	272	28,973	217	69.9	61.1-78.7	5	4.8	0.3- 9.3	31	14.2	8.3-20.1	2	2.5	0.0- 7.0	2	2.5	0.0- 6.0	15	5.9	1.0-10.8
\$15,000- 24,999	556	53,743	485	76.2	69.5-82.9	6	4.0	0.0- 8.5	38	9.5	5.6-13.4	11	6.0	1.7-10.3	1	0.5	0.0- 1.5	15	3.8	1.3- 6.3
\$25,000- 34,999	456	44,520	415	82.5	76.4-88.6	5	2.9	0.2- 5.6	22	6.1	2.8- 9.4	6	3.6	0.5- 6.7	1	0.3	0.0- 0.9	7	4.6	0.5- 8.7
\$35,000- 49,999	760	76,002	707	89.0	84.9-93.1	10	4.5	1.4- 7.6	27	3.9	1.9- 5.9	1	0.6	0.0- 1.8				15	2.1	0.1- 4.1
\$50,000- 74,999	851	87,187	802	90.8	87.3-94.3	4	0.8	0.0- 1.8	23	3.5	1.5- 5.5	5	1.4	0.2- 2.6	1	0.3	0.0- 0.9	16	3.1	0.4- 5.8
\$75,000+	1800	214,400	1722	93.3	91.1-95.5	6	1.4	0.2- 2.6	29	1.7	0.9- 2.5	8	0.8	0.0- 1.8	2	0.2	0.0- 0.4	33	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2573	297,657	2362	87.9	85.9-89.9	32	3.0	1.8- 4.2	91	4.2	3.0- 5.4	20	1.7	0.7- 2.7	4	0.2	0.0- 0.6	64	3.0	2.0- 4.0
18-24	185	44,426	153	81.5	74.8-88.2	8	6.0	1.5-10.5	9	4.8	1.5- 8.1	5	3.9	0.4- 7.4				10	3.8	1.1- 6.5
25-34	245	61,238	210	83.2	77.7-88.7	6	3.2	0.7- 5.7	13	7.0	2.9-11.1	6	2.3	0.3- 4.3				10	4.3	1.4- 7.2
35-44	271	48,856	243	88.9	83.8-94.0	6	2.8	0.1- 5.5	9	3.0	0.6- 5.4	2	2.0	0.0- 5.5	2	0.4	0.0- 1.0	9	2.9	0.5- 5.3
45-54	317	40,602	280	84.9	78.6-91.2	6	4.8	0.0- 9.7	12	2.6	0.8- 4.4	4	1.7	0.0- 3.5	1	1.2	0.0- 3.6	14	4.8	1.7- 7.9
55-64	571	47,352	529	92.1	89.2-95.0	5	1.9	0.1- 3.7	24	4.5	2.1- 6.9	3	0.4	0.0- 0.8				10	1.2	0.4- 2.0
65+	984	55,183	947	96.2	94.8-97.6	1	0.1	0.0- 0.3	24	2.6	1.4- 3.8				1	0.0	0.0- 0.0	11	1.1	0.3- 1.9
Less Than H.S.	123	24,323	101	70.1	57.6-82.6	2	7.1	0.0-16.3	9	8.6	1.9-15.3	2	5.9	0.0-13.9	1	1.9	0.0- 5.6	8	6.4	1.1-11.7
H.S. or G.E.D.	760	87,832	689	88.6	85.5-91.7	11	3.2	1.2- 5.2	32	4.4	2.4- 6.4	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	25	3.2	1.6- 4.8
Some Post-H.S.	817	117,656	756	88.6	85.5-91.7	11	2.8	1.0- 4.6	28	4.3	2.3- 6.3	5	1.3	0.1- 2.5				17	3.0	1.2- 4.8
College Graduate	867	67,162	811	92.3	89.8-94.8	8	1.7	0.5- 2.9	21	2.1	0.9- 3.3	11	2.3	0.7- 3.9	2	0.1	0.0- 0.3	14	1.5	0.3- 2.7
Less than \$15,000	107	11,940	80	63.8	50.7-76.9	3	7.2	0.0-15.6	15	18.2	7.4-29.0				1	3.9	0.0-11.3	8	6.9	1.8-12.0
\$15,000- 24,999	227	24,316	193	75.5	66.1-84.9	3	2.3	0.0- 5.4	18	10.3	5.0-15.6	6	8.6	0.2-17.0				7	3.3	0.0- 7.0
\$25,000- 34,999	218	24,230	195	82.5	74.5-90.5	3	2.5	0.0- 5.6	11	5.0	0.7- 9.3	4	5.0	0.1- 9.9	1	0.5	0.0- 1.5	4	4.5	0.0- 9.6
\$35,000- 49,999	344	36,537	321	87.3	80.8-93.8	8	7.8	2.1-13.5	9	2.7	0.2- 5.2	1	1.2	0.0- 3.6				5	1.0	0.0- 2.2
\$50,000- 74,999	435	48,112	409	92.7	89.4-96.0	3	1.4	0.0- 3.0	11	3.0	0.6- 5.4	2	0.9	0.0- 2.1				10	2.0	0.4- 3.6
\$75,000+	981	121,243	931	93.2	90.7-95.7	4	1.4	0.0- 3.2	17	1.9	0.5- 3.3	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	23	3.0	1.4- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2906	283,010	2703	87.5	85.1-89.9	20	2.4	1.0- 3.8	105	4.7	3.5- 5.9	22	1.9	0.9- 2.9	5	0.4	0.0- 0.8	51	3.1	1.7- 4.5
18-24	94	39,032	72	72.0	60.6-83.4	4	6.3	0.0-13.4	6	4.7	0.2- 9.2	2	4.1	0.0- 9.8	1	0.7	0.0- 2.1	9	12.2	3.6-20.8
25-34	207	51,479	165	81.3	75.2-87.4	6	5.0	0.7- 9.3	19	6.6	3.3- 9.9	8	4.5	1.4- 7.6	1	0.5	0.0- 1.5	8	2.1	0.3- 3.9
35-44	272	44,483	245	89.0	84.5-93.5	6	3.1	0.6- 5.6	12	4.6	1.5- 7.7	5	2.4	0.0- 4.8				4	0.9	0.0- 1.9
45-54	325	37,645	298	90.4	85.5-95.3	1	0.1	0.0- 0.3	17	5.0	1.3- 8.7	1	0.1	0.0- 0.3				8	4.3	0.8- 7.8
55-64	653	45,536	619	93.2	90.1-96.3	3	0.6	0.0- 1.4	24	4.4	1.9- 6.9	2	0.5	0.0- 1.3	1	0.6	0.0- 1.6	4	0.8	0.0- 1.8
65+	1355	64,835	1304	95.0	92.8-97.2				27	3.4	1.4- 5.4	4	0.3	0.0- 0.7	2	0.5	0.0- 1.3	18	0.8	0.4- 1.2
Less Than H.S.	115	21,373	93	61.7	46.0-77.4	2	9.6	0.0-22.1	14	13.6	5.0-22.2	1	4.3	0.0-12.5	2	2.4	0.0- 5.7	3	8.4	0.0-19.2
H.S. or G.E.D.	752	66,360	702	88.6	84.7-92.5	3	1.4	0.0- 3.0	25	4.8	2.3- 7.3	7	1.6	0.2- 3.0				15	3.5	1.0- 6.0
Some Post-H.S.	930	108,422	871	89.2	85.7-92.7	5	1.9	0.1- 3.7	32	4.4	2.4- 6.4	2	0.7	0.0- 1.9	2	0.5	0.0- 1.1	18	3.3	0.9- 5.7
College Graduate	1103	86,268	1033	91.1	88.4-93.8	9	1.7	0.5- 2.9	34	2.9	1.5- 4.3	11	3.1	1.1- 5.1	1	0.0	0.0- 0.0	15	1.2	0.4- 2.0
Less than \$15,000	165	17,033	137	74.3	62.5-86.1	2	3.2	0.0- 7.7	16	11.4	4.9-17.9	2	4.3	0.0-11.9	1	1.6	0.0- 4.5	7	5.3	0.0-12.9
\$15,000- 24,999	329	29,427	292	76.8	67.4-86.2	3	5.4	0.0-13.2	20	8.9	3.4-14.4	5	3.9	0.2- 7.6	1	0.9	0.0- 2.7	8	4.2	0.5- 7.9
\$25,000- 34,999	238	20,290	220	82.6	73.4-91.8	2	3.3	0.0- 7.8	11	7.4	2.3-12.5	2	2.0	0.0- 5.3				3	4.7	0.0-11.4
\$35,000- 49,999	416	39,465	386	90.5	85.4-95.6	2	1.4	0.0- 3.9	18	5.0	1.9- 8.1							10	3.1	0.0- 6.4
\$50,000- 74,999	416	39,075	393	88.5	81.8-95.2	1	0.2	0.0- 0.6	12	4.1	0.8- 7.4	3	2.1	0.0- 4.5	1	0.6	0.0- 1.8	6	4.4	0.0-10.1
\$75,000+	819	93,157	791	93.4	89.9-96.9	2	1.3	0.0- 3.3	12	1.3	0.3- 2.3	3	1.4	0.0- 3.4	1	0.3	0.0- 0.9	10	2.4	0.4- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		N	Black or African American		N	Am. Indian or Alaskan Native		N	Other	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	59	7,468	36	45.3	24.1-66.5	1	0.9	0.0- 2.7	16	23.2	6.9-39.5	6	30.7	4.2-57.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5509	583,485	3137	55.4	53.4-57.4	565	9.3	8.3-10.3	765	6.0	5.4- 6.6	49	1.3	0.7- 1.9	868	24.3	22.5-26.1	125	3.6	2.8- 4.4
Male	2592	299,153	1470	53.2	50.7-55.7	280	10.1	8.5-11.7	169	2.9	2.3- 3.5	29	1.6	0.8- 2.4	565	27.9	25.4-30.4	79	4.3	3.1- 5.5
Female	2917	284,332	1667	57.7	54.8-60.6	285	8.6	7.0-10.2	596	9.2	8.2-10.2	20	1.1	0.5- 1.7	303	20.5	17.8-23.2	46	3.0	1.8- 4.2
Native	192	24,792	55	21.4	14.3-28.5	44	14.6	8.9-20.3	24	10.6	4.1-17.1	6	6.7	0.6-12.8	57	43.4	33.2-53.6	6	3.2	0.1- 6.3
Non-Native	5263	553,483	3049	56.8	54.8-58.8	512	9.0	7.8-10.2	736	5.8	5.2- 6.4	43	1.1	0.7- 1.5	806	23.6	21.6-25.6	117	3.7	2.9- 4.5
18-24	278	83,173	18	7.7	3.4-12.0	2	1.1	0.0- 2.7	1	0.6	0.0- 1.8	2	1.0	0.0- 2.4	229	81.0	75.3-86.7	26	8.6	5.1-12.1
25-34	454	113,003	217	49.6	44.3-54.9	24	6.8	3.9- 9.7	1	0.1	0.0- 0.3	3	0.7	0.0- 1.5	176	35.1	30.2-40.0	33	7.6	4.9-10.3
35-44	545	93,918	386	72.7	68.2-77.2	46	8.6	5.5-11.7	4	0.3	0.0- 0.7	9	2.3	0.5- 4.1	80	13.5	10.2-16.8	20	2.5	1.1- 3.9
45-54	648	79,003	437	69.6	65.1-74.1	85	14.3	11.0-17.6	19	2.1	0.9- 3.3	10	2.4	0.4- 4.4	84	10.2	7.5-12.9	13	1.5	0.5- 2.5
55-64	1233	93,675	842	69.4	66.1-72.7	172	15.0	12.5-17.5	59	4.8	3.0- 6.6	15	1.7	0.7- 2.7	132	8.2	6.4-10.0	13	0.9	0.3- 1.5
65+	2351	120,712	1237	60.1	57.7-62.5	236	10.3	8.7-11.9	681	23.1	21.1-25.1	10	0.4	0.2- 0.6	167	5.2	4.2- 6.2	20	1.0	0.4- 1.6
Less Than H.S.	242	46,417	82	36.9	27.9-45.9	32	10.4	5.7-15.1	68	10.2	7.1-13.3	2	1.0	0.0- 2.6	48	35.8	26.0-45.6	10	5.7	2.0- 9.4
H.S. or G.E.D.	1514	154,747	729	46.8	43.3-50.3	180	10.0	8.0-12.0	257	6.5	5.3- 7.7	19	2.1	0.9- 3.3	289	29.8	26.3-33.3	40	4.9	2.9- 6.9
Some Post-H.S.	1757	226,989	993	54.8	51.5-58.1	205	10.9	8.9-12.9	255	6.2	5.0- 7.4	16	1.3	0.3- 2.3	253	23.9	20.8-27.0	35	2.8	1.6- 4.0
College Graduate	1983	154,094	1325	70.7	68.0-73.4	147	6.1	4.7- 7.5	184	3.9	3.1- 4.7	12	0.6	0.2- 1.0	276	15.8	13.4-18.2	39	2.9	1.7- 4.1
Less than \$15,000	272	28,953	22	9.1	4.6-13.6	65	20.2	13.5-26.9	83	15.1	10.6-19.6	10	6.0	1.5-10.5	83	42.8	33.4-52.2	9	6.7	1.2-12.2
\$15,000- 24,999	562	54,791	127	24.5	18.4-30.6	102	15.3	11.0-19.6	158	12.0	9.5-14.5	10	2.7	0.0- 5.4	137	37.3	30.6-44.0	28	8.3	4.8-11.8
\$25,000- 34,999	459	44,750	158	35.2	28.9-41.5	85	17.3	11.8-22.8	107	10.3	7.8-12.8	4	1.9	0.0- 4.3	98	30.9	24.2-37.6	7	4.4	0.9- 7.9
\$35,000- 49,999	764	76,547	388	48.8	43.3-54.3	87	11.4	8.1-14.7	138	8.3	6.1-10.5	3	0.6	0.0- 1.4	138	28.9	23.4-34.4	10	2.0	0.2- 3.8
\$50,000- 74,999	855	87,756	556	63.5	58.8-68.2	77	7.1	4.9- 9.3	68	3.6	2.0- 5.2	3	0.3	0.0- 0.7	133	22.8	18.1-27.5	18	2.7	1.1- 4.3
\$75,000+	1808	214,876	1453	75.4	72.5-78.3	95	5.9	4.3- 7.5	56	1.2	0.8- 1.6	10	0.9	0.3- 1.5	151	13.6	11.1-16.1	43	3.1	1.9- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Never married			Unmarried couple					
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2592	299,153	1470	53.2	50.7-55.7	280	10.1	8.5-11.7	169	2.9	2.3- 3.5	29	1.6	0.8- 2.4	565	27.9	25.4-30.4	79	4.3	3.1- 5.5
Native	88	11,498	24	19.0	9.0-29.0	23	19.5	9.1-29.9	8	6.7	0.8-12.6	1	2.9	0.0- 8.4	28	47.0	32.3-61.7	4	5.0	0.0-10.9
Non-Native	2474	284,335	1428	54.5	51.8-57.2	250	9.6	8.0-11.2	160	2.8	2.2- 3.4	28	1.5	0.7- 2.3	534	27.3	24.8-29.8	74	4.3	3.1- 5.5
18-24	184	44,141	10	5.5	2.0- 9.0	1	0.7	0.0- 2.1	1	1.1	0.0- 3.3	2	1.8	0.0- 4.3	153	82.0	75.7-88.3	17	8.9	4.4-13.4
25-34	246	61,169	100	42.6	35.5-49.7	13	7.0	3.1-10.9	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	107	40.0	33.1-46.9	24	9.9	5.8-14.0
35-44	274	49,561	176	68.5	61.8-75.2	23	8.7	4.4-13.0	3	0.4	0.0- 0.8	7	3.8	0.7- 6.9	51	15.9	11.0-20.8	14	2.8	1.0- 4.6
45-54	320	40,940	197	65.1	58.6-71.6	50	17.0	11.9-22.1	4	1.1	0.0- 2.3	3	1.0	0.0- 2.4	59	14.3	9.8-18.8	7	1.5	0.3- 2.7
55-64	575	47,653	373	68.1	63.4-72.8	86	15.9	12.2-19.6	17	2.1	0.7- 3.5	10	2.3	0.5- 4.1	82	10.7	7.8-13.6	7	0.8	0.0- 1.6
65+	993	55,688	614	67.6	64.1-71.1	107	11.9	9.2-14.6	143	11.6	9.2-14.0	6	0.6	0.0- 1.2	113	7.4	5.6- 9.2	10	0.9	0.3- 1.5
Less Than H.S.	124	24,483	48	41.5	29.5-53.5	25	15.8	8.0-23.6	17	5.3	2.4- 8.2				27	30.8	19.2-42.4	7	6.6	1.3-11.9
H.S. or G.E.D.	762	88,145	353	43.7	39.0-48.4	106	10.9	8.2-13.6	46	2.3	1.5- 3.1	13	2.6	0.8- 4.4	217	36.0	31.3-40.7	27	4.6	2.4- 6.8
Some Post-H.S.	822	118,180	468	53.5	49.0-58.0	89	10.3	7.8-12.8	60	3.2	2.0- 4.4	9	1.5	0.3- 2.7	173	27.7	23.6-31.8	23	3.9	1.9- 5.9
College Graduate	877	67,676	597	69.4	65.5-73.3	59	6.6	4.4- 8.8	46	2.4	1.4- 3.4	7	1.0	0.0- 2.0	147	17.2	13.9-20.5	21	3.4	1.6- 5.2
Less than \$15,000	107	11,940	5	4.1	0.4- 7.8	23	24.8	13.2-36.4	20	12.3	5.6-19.0	5	10.6	1.0-20.2	51	43.4	30.9-55.9	3	4.8	0.0-10.5
\$15,000- 24,999	227	24,316	65	27.3	18.7-35.9	46	14.5	9.0-20.0	25	5.0	2.6- 7.4	3	0.5	0.0- 1.1	77	42.3	32.9-51.7	11	10.4	4.3-16.5
\$25,000- 34,999	220	24,346	67	30.9	22.5-39.3	47	16.6	9.7-23.5	31	5.6	3.2- 8.0	2	2.1	0.0- 5.8	67	38.3	29.1-47.5	6	6.5	0.8-12.2
\$35,000- 49,999	348	37,009	175	45.2	37.8-52.6	42	11.6	7.1-16.1	29	4.2	1.5- 6.9	2	1.1	0.0- 2.7	91	34.8	27.2-42.4	9	3.0	0.5- 5.5
\$50,000- 74,999	438	48,677	276	59.8	53.5-66.1	39	7.9	4.8-11.0	18	1.9	0.7- 3.1	3	0.6	0.0- 1.4	88	25.9	20.0-31.8	14	3.9	1.4- 6.4
\$75,000+	987	121,610	733	69.3	65.4-73.2	68	7.3	5.1- 9.5	28	1.1	0.7- 1.5	10	1.5	0.3- 2.7	116	16.7	13.4-20.0	32	4.1	2.3- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	284,332	1667	57.7	54.8-60.6	285	8.6	7.0-10.2	596	9.2	8.2-10.2	20	1.1	0.5- 1.7	303	20.5	17.8-23.2	46	3.0	1.8- 4.2
Native	104	13,294	31	23.5	13.5-33.5	21	10.5	5.2-15.8	16	13.9	3.3-24.5	5	10.0	0.0-20.0	29	40.4	26.5-54.3	2	1.6	0.0- 4.1
Non-Native	2789	269,148	1621	59.3	56.4-62.2	262	8.5	6.9-10.1	576	9.0	8.0-10.0	15	0.6	0.2- 1.0	272	19.6	16.7-22.5	43	3.0	1.8- 4.2
18-24	94	39,032	8	10.3	2.1-18.5	1	1.5	0.0- 4.4							76	80.0	70.2-89.8	9	8.2	2.5-13.9
25-34	208	51,834	117	57.9	50.1-65.7	11	6.6	2.3-10.9				2	1.2	0.0- 3.0	69	29.4	22.3-36.5	9	4.9	1.4- 8.4
35-44	271	44,357	210	77.4	71.1-83.7	23	8.5	3.8-13.2	1	0.3	0.0- 0.9	2	0.7	0.0- 2.1	29	10.8	6.3-15.3	6	2.3	0.1- 4.5
45-54	328	38,063	240	74.5	68.4-80.6	35	11.4	6.9-15.9	15	3.2	1.0- 5.4	7	3.8	0.0- 7.7	25	5.7	3.0- 8.4	6	1.4	0.0- 2.8
55-64	658	46,022	469	70.8	66.3-75.3	86	14.0	10.5-17.5	42	7.5	4.2-10.8	5	1.1	0.1- 2.1	50	5.6	3.6- 7.6	6	1.0	0.0- 2.0
65+	1358	65,024	623	53.7	50.4-57.0	129	8.9	7.1-10.7	538	32.9	30.0-35.8	4	0.2	0.0- 0.4	54	3.3	2.1- 4.5	10	1.0	0.0- 2.0
Less Than H.S.	118	21,934	34	31.7	18.2-45.2	7	4.3	0.2- 8.4	51	15.6	9.5-21.7	2	2.2	0.0- 5.7	21	41.4	25.9-56.9	3	4.7	0.0-10.0
H.S. or G.E.D.	752	66,602	376	50.9	45.4-56.4	74	8.7	5.8-11.6	211	12.0	9.6-14.4	6	1.4	0.0- 2.8	72	21.6	16.3-26.9	13	5.3	2.0- 8.6
Some Post-H.S.	935	108,810	525	56.1	51.2-61.0	116	11.6	8.5-14.7	195	9.5	7.5-11.5	7	1.2	0.0- 2.6	80	19.9	15.2-24.6	12	1.6	0.4- 2.8
College Graduate	1106	86,419	728	71.7	68.0-75.4	88	5.7	4.1- 7.3	138	5.0	3.8- 6.2	5	0.3	0.0- 0.7	129	14.8	11.5-18.1	18	2.5	0.9- 4.1
Less than \$15,000	165	17,013	17	12.6	5.3-19.9	42	17.0	9.6-24.4	63	17.1	11.0-23.2	5	2.8	0.0- 5.7	32	42.3	29.2-55.4	6	8.1	0.0-16.7
\$15,000- 24,999	335	30,475	62	22.3	14.1-30.5	56	16.0	9.7-22.3	133	17.5	13.2-21.8	7	4.4	0.0- 9.1	60	33.3	24.1-42.5	17	6.5	2.4-10.6
\$25,000- 34,999	239	20,404	91	40.3	30.7-49.9	38	18.0	9.2-26.8	76	16.0	10.9-21.1	2	1.7	0.0- 4.4	31	22.1	13.1-31.1	1	1.9	0.0- 5.6
\$35,000- 49,999	416	39,538	213	52.1	44.3-59.9	45	11.2	6.5-15.9	109	12.1	9.0-15.2	1	0.1	0.0- 0.3	47	23.5	15.5-31.5	1	1.1	0.0- 3.3
\$50,000- 74,999	417	39,080	280	68.1	60.5-75.7	38	5.9	3.4- 8.4	50	5.7	2.8- 8.6				45	19.0	11.4-26.6	4	1.3	0.0- 3.1
\$75,000+	821	93,266	720	83.3	78.8-87.8	27	4.0	2.0- 6.0	28	1.4	0.6- 2.2				35	9.6	5.5-13.7	11	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5513	584,120	2	0.2	0.0- 0.6	93	2.2	1.6- 2.8	147	5.6	4.2- 7.0	1519	26.6	25.0-28.2	1762	39.0	37.0-41.0	1990	26.5	24.9-28.1
Male	2589	299,342	1	0.3	0.0- 0.9	48	2.5	1.5- 3.5	75	5.4	3.8- 7.0	763	29.5	27.1-31.9	823	39.7	37.2-42.2	879	22.7	20.7-24.7
Female	2924	284,778	1	0.1	0.0- 0.3	45	1.9	1.1- 2.7	72	5.8	3.8- 7.8	756	23.5	21.1-25.9	939	38.4	35.7-41.1	1111	30.5	28.1-32.9
Native	192	25,276				11	6.3	2.0-10.6	12	13.4	5.2-21.6	56	26.3	18.1-34.5	59	38.8	28.8-48.8	54	15.2	9.3-21.1
Non-Native	5267	553,631	2	0.2	0.0- 0.6	79	2.0	1.4- 2.6	135	5.3	3.9- 6.7	1452	26.6	24.8-28.4	1684	39.0	37.0-41.0	1915	27.0	25.4-28.6
18-24	278	83,173							20	14.8	8.3-21.3	114	34.3	28.0-40.6	110	43.3	36.4-50.2	34	7.5	4.8-10.2
25-34	454	113,257				5	1.5	0.1- 2.9	11	3.8	1.4- 6.2	135	32.5	27.6-37.4	123	32.7	27.4-38.0	180	29.4	25.1-33.7
35-44	545	93,793				7	2.4	0.4- 4.4	7	3.1	0.6- 5.6	93	17.1	13.4-20.8	153	36.8	31.7-41.9	285	40.6	35.7-45.5
45-54	652	79,633	1	1.2	0.0- 3.6	6	2.1	0.1- 4.1	11	3.6	1.1- 6.1	134	19.2	15.7-22.7	219	42.8	37.9-47.7	281	31.1	27.2-35.0
55-64	1233	93,529	1	0.3	0.0- 0.9	7	0.7	0.1- 1.3	29	4.6	2.6- 6.6	328	25.0	22.3-27.7	422	43.8	40.3-47.3	446	25.7	23.0-28.4
65+	2351	120,736				68	5.3	3.9- 6.7	69	4.8	3.6- 6.0	715	29.0	26.8-31.2	735	37.5	35.0-40.0	764	23.4	21.6-25.2
Less than \$15,000	272	29,078				26	12.1	6.4-17.8	27	12.8	7.1-18.5	124	33.9	25.7-42.1	74	36.5	27.3-45.7	21	4.7	2.0- 7.4
\$15,000- 24,999	560	54,411				20	4.8	2.1- 7.5	37	11.5	5.6-17.4	215	36.4	30.3-42.5	188	34.9	28.6-41.2	100	12.5	9.0-16.0
\$25,000- 34,999	459	44,750	1	0.6	0.0- 1.8	11	2.5	0.9- 4.1	16	4.5	1.6- 7.4	169	33.8	27.5-40.1	165	45.4	38.3-52.5	97	13.2	9.5-16.9
\$35,000- 49,999	766	76,632				9	2.5	0.3- 4.7	10	4.8	1.1- 8.5	255	34.4	29.3-39.5	268	41.5	36.2-46.8	224	16.8	13.7-19.9
\$50,000- 74,999	854	87,649				3	0.6	0.0- 1.4	18	5.5	2.2- 8.8	184	22.4	18.5-26.3	291	43.4	38.7-48.1	358	28.2	24.3-32.1
\$75,000+	1808	214,876	1	0.4	0.0- 1.2	5	0.3	0.1- 0.5	15	3.2	1.2- 5.2	300	18.0	15.5-20.5	528	37.2	34.1-40.3	959	40.8	37.9-43.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2589	299,342	1	0.3	0.0- 0.9	48	2.5	1.5- 3.5	75	5.4	3.8- 7.0	763	29.5	27.1-31.9	823	39.7	37.2-42.2	879	22.7	20.7-24.7
Native	88	11,982				4	4.2	0.0- 8.7	5	13.2	0.9-25.5	31	28.7	16.5-40.9	27	42.1	27.2-57.0	21	11.8	4.7-18.9
Non-Native	2471	284,102	1	0.3	0.0- 0.9	43	2.4	1.4- 3.4	70	5.1	3.5- 6.7	726	29.6	27.2-32.0	786	39.5	36.8-42.2	845	23.1	21.1-25.1
18-24	184	44,141							10	9.1	3.2-15.0	83	40.6	33.0-48.2	73	43.5	35.7-51.3	18	6.7	3.6- 9.8
25-34	246	61,423				1	0.4	0.0- 1.2	5	3.6	0.5- 6.7	83	37.2	30.3-44.1	74	36.5	29.4-43.6	83	22.3	17.2-27.4
35-44	274	49,561				5	3.6	0.1- 7.1	6	5.4	0.9- 9.9	64	22.5	16.6-28.4	81	39.2	31.9-46.5	118	29.3	23.4-35.2
45-54	321	41,015	1	2.3	0.0- 6.8	3	2.6	0.0- 5.7	5	3.8	0.0- 7.9	69	19.9	14.8-25.0	108	41.6	34.7-48.5	135	29.9	24.4-35.4
55-64	575	47,653				6	1.2	0.2- 2.2	18	5.9	2.8- 9.0	184	28.3	24.0-32.6	190	42.1	37.0-47.2	177	22.5	19.0-26.0
65+	989	55,550				33	6.9	4.4- 9.4	31	5.0	3.0- 7.0	280	26.5	23.4-29.6	297	36.9	33.2-40.6	348	24.7	22.0-27.4
Less than \$15,000	107	11,940				10	13.6	4.0-23.2	12	16.8	6.0-27.6	54	40.7	28.5-52.9	22	25.5	14.1-36.9	9	3.5	0.6- 6.4
\$15,000- 24,999	225	24,029				11	6.1	1.6-10.6	19	14.0	5.4-22.6	95	35.8	27.2-44.4	65	32.0	23.4-40.6	35	12.3	7.0-17.6
\$25,000- 34,999	220	24,346				9	3.9	1.2- 6.6	9	5.9	1.0-10.8	79	36.3	27.3-45.3	83	45.1	35.7-54.5	40	8.7	4.8-12.6
\$35,000- 49,999	347	36,971				6	3.4	0.0- 6.9	4	4.9	0.0-10.0	139	39.2	31.9-46.5	107	36.6	29.2-44.0	91	15.8	11.5-20.1
\$50,000- 74,999	437	48,628				3	1.1	0.0- 2.3	12	5.6	1.7- 9.5	117	27.6	22.1-33.1	156	46.0	39.7-52.3	149	19.6	15.5-23.7
\$75,000+	987	121,610	1	0.8	0.0- 2.4	4	0.5	0.1- 0.9	8	2.1	0.3- 3.9	193	22.9	19.4-26.4	296	39.0	34.9-43.1	485	34.7	31.2-38.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2924	284,778	1	0.1	0.0- 0.3	45	1.9	1.1- 2.7	72	5.8	3.8- 7.8	756	23.5	21.1-25.9	939	38.4	35.7-41.1	1111	30.5	28.1-32.9
Native	104	13,294				7	8.2	1.1-15.3	7	13.6	2.2-25.0	25	24.1	12.7-35.5	32	35.9	22.6-49.2	33	18.2	9.2-27.2
Non-Native	2796	269,529	1	0.1	0.0- 0.3	36	1.5	0.9- 2.1	65	5.4	3.2- 7.6	726	23.4	21.0-25.8	898	38.5	35.6-41.4	1070	31.1	28.7-33.5
18-24	94	39,032							10	21.3	9.7-32.9	31	27.2	17.6-36.8	37	43.1	31.5-54.7	16	8.5	4.0-13.0
25-34	208	51,834				4	2.9	0.2- 5.6	6	4.0	0.3- 7.7	52	27.0	19.9-34.1	49	28.2	20.6-35.8	97	37.8	30.5-45.1
35-44	271	44,232				2	1.0	0.0- 2.4	1	0.5	0.0- 1.5	29	11.1	6.4-15.8	72	34.2	26.9-41.5	167	53.3	45.9-60.7
45-54	331	38,618				3	1.6	0.0- 3.8	6	3.4	0.5- 6.3	65	18.6	13.7-23.5	111	44.2	37.3-51.1	146	32.3	26.6-38.0
55-64	658	45,876	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6	11	3.2	1.2- 5.2	144	21.5	17.8-25.2	232	45.6	40.7-50.5	269	29.0	25.1-32.9
65+	1362	65,186				35	4.0	2.4- 5.6	38	4.7	2.9- 6.5	435	31.1	28.2-34.0	438	38.0	34.9-41.1	416	22.2	19.8-24.6
Less than \$15,000	165	17,138				16	11.0	4.1-17.9	15	10.1	4.4-15.8	70	29.3	18.3-40.3	52	44.1	31.4-56.8	12	5.6	1.5- 9.7
\$15,000- 24,999	335	30,382				9	3.7	0.2- 7.2	18	9.6	1.8-17.4	120	36.9	28.3-45.5	123	37.1	28.3-45.9	65	12.7	8.0-17.4
\$25,000- 34,999	239	20,404	1	1.3	0.0- 3.8	2	0.8	0.0- 2.0	7	2.8	0.4- 5.2	90	30.8	22.6-39.0	82	45.8	35.6-56.0	57	18.4	11.5-25.3
\$35,000- 49,999	419	39,660				3	1.6	0.0- 3.8	6	4.8	0.0-10.1	116	29.9	22.8-37.0	161	46.0	38.4-53.6	133	17.8	13.3-22.3
\$50,000- 74,999	417	39,021							6	5.3	0.0-11.2	67	15.8	10.7-20.9	135	40.0	32.9-47.1	209	38.9	32.2-45.6
\$75,000+	821	93,266				1	0.1	0.0- 0.3	7	4.7	1.0- 8.4	107	11.7	8.6-14.8	232	34.9	30.2-39.6	474	48.6	43.7-53.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5516	585,059	4323	66.8	64.8-68.8	990	27.3	25.3-29.3	203	5.9	4.9- 6.9
Male	2593	299,846	1988	65.1	62.6-67.6	494	28.5	26.0-31.0	111	6.4	5.0- 7.8
Female	2923	285,214	2335	68.6	65.7-71.5	496	26.0	23.3-28.7	92	5.4	3.8- 7.0
Native	193	25,304	116	42.8	33.4-52.2	64	45.2	35.0-55.4	13	12.1	4.5-19.7
Non-Native	5267	554,057	4161	67.8	65.8-69.8	916	26.5	24.5-28.5	190	5.7	4.7- 6.7
18-24	279	83,458	36	13.0	8.3-17.7	165	61.0	54.3-67.7	78	26.0	20.1-31.9
25-34	455	113,516	231	50.8	45.5-56.1	199	45.0	39.7-50.3	25	4.2	2.2- 6.2
35-44	545	93,926	437	81.5	77.6-85.4	97	16.8	13.1-20.5	11	1.7	0.3- 3.1
45-54	652	79,693	539	80.3	76.4-84.2	92	16.5	12.8-20.2	21	3.1	1.3- 4.9
55-64	1232	93,641	1075	83.8	80.9-86.7	143	15.0	12.1-17.9	14	1.2	0.4- 2.0
65+	2353	120,826	2005	85.5	83.5-87.5	294	12.0	10.2-13.8	54	2.5	1.5- 3.5
Less Than H.S.	242	46,417	153	50.1	40.7-59.5	70	35.5	26.1-44.9	19	14.3	7.0-21.6
H.S. or G.E.D.	1513	154,706	1086	59.4	55.7-63.1	350	31.7	28.2-35.2	77	8.9	6.5-11.3
Some Post-H.S.	1761	227,964	1384	66.5	63.2-69.8	313	28.7	25.4-32.0	64	4.8	3.2- 6.4
College Graduate	1986	154,292	1692	80.1	77.6-82.6	252	18.0	15.5-20.5	42	1.9	1.1- 2.7
Less than \$15,000	273	29,159	119	28.9	22.0-35.8	133	57.9	49.3-66.5	21	13.2	5.9-20.5
\$15,000- 24,999	563	54,828	346	41.3	35.2-47.4	190	51.4	44.9-57.9	27	7.3	4.0-10.6
\$25,000- 34,999	459	44,750	330	53.6	46.5-60.7	112	39.9	32.8-47.0	17	6.5	2.6-10.4
\$35,000- 49,999	766	76,489	607	64.6	58.9-70.3	135	29.9	24.4-35.4	24	5.5	2.6- 8.4
\$50,000- 74,999	856	87,792	729	75.2	70.5-79.9	111	22.1	17.4-26.8	16	2.7	1.1- 4.3
\$75,000+	1807	214,855	1612	82.1	79.4-84.8	155	14.0	11.6-16.4	40	3.9	2.3- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2593	299,846	1988	65.1	62.6-67.6	494	28.5	26.0-31.0	111	6.4	5.0- 7.8
Native	89	12,010	57	45.3	31.2-59.4	26	44.4	29.5-59.3	6	10.3	0.9-19.7
Non-Native	2473	284,375	1904	65.8	63.3-68.3	464	27.9	25.4-30.4	105	6.3	4.9- 7.7
18-24	185	44,426	26	14.7	9.0-20.4	106	56.7	48.9-64.5	53	28.6	21.3-35.9
25-34	247	61,682	111	45.7	38.6-52.8	121	49.6	42.5-56.7	15	4.8	2.1- 7.5
35-44	274	49,561	216	80.1	74.6-85.6	52	19.1	13.6-24.6	6	0.8	0.0- 1.6
45-54	320	40,900	253	77.1	71.4-82.8	54	18.6	13.3-23.9	13	4.3	1.4- 7.2
55-64	574	47,588	499	84.2	80.1-88.3	71	15.1	11.2-19.0	4	0.7	0.0- 1.5
65+	993	55,688	883	88.2	85.5-90.9	90	9.8	7.3-12.3	20	2.0	0.8- 3.2
Less Than H.S.	124	24,483	82	57.0	45.0-69.0	36	34.4	23.0-45.8	6	8.6	1.0-16.2
H.S. or G.E.D.	761	88,046	540	58.6	53.9-63.3	171	30.6	26.1-35.1	50	10.8	7.7-13.9
Some Post-H.S.	823	118,693	629	65.1	60.8-69.4	162	30.0	25.7-34.3	32	4.9	2.9- 6.9
College Graduate	878	67,739	733	76.7	72.8-80.6	123	21.1	17.4-24.8	22	2.2	1.0- 3.4
Less than \$15,000	107	11,940	43	27.1	17.3-36.9	54	61.4	49.4-73.4	10	11.5	2.5-20.5
\$15,000- 24,999	227	24,316	132	40.2	31.4-49.0	82	50.2	40.8-59.6	13	9.5	3.6-15.4
\$25,000- 34,999	220	24,346	155	49.7	40.3-59.1	56	42.4	32.8-52.0	9	7.9	2.0-13.8
\$35,000- 49,999	347	36,828	267	61.4	53.6-69.2	60	28.5	21.2-35.8	20	10.2	4.5-15.9
\$50,000- 74,999	438	48,677	359	73.9	68.0-79.8	70	23.5	17.8-29.2	9	2.7	0.7- 4.7
\$75,000+	987	121,610	844	77.9	74.2-81.6	115	18.0	14.7-21.3	28	4.1	2.3- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	285,214	2335	68.6	65.7-71.5	496	26.0	23.3-28.7	92	5.4	3.8- 7.0
Native	104	13,294	59	40.4	27.9-52.9	38	45.9	32.0-59.8	7	13.7	1.9-25.5
Non-Native	2794	269,682	2257	70.0	67.1-72.9	452	25.0	22.1-27.9	85	5.1	3.5- 6.7
18-24	94	39,032	10	11.0	3.6-18.4	59	66.0	55.0-77.0	25	22.9	13.5-32.3
25-34	208	51,834	120	56.8	49.0-64.6	78	39.6	31.8-47.4	10	3.6	0.9- 6.3
35-44	271	44,365	221	83.1	77.8-88.4	45	14.2	9.5-18.9	5	2.6	0.0- 5.5
45-54	332	38,793	286	83.7	78.2-89.2	38	14.3	9.0-19.6	8	2.0	0.4- 3.6
55-64	658	46,053	576	83.4	79.3-87.5	72	14.9	10.8-19.0	10	1.7	0.5- 2.9
65+	1360	65,138	1122	83.2	80.5-85.9	204	13.9	11.5-16.3	34	3.0	1.6- 4.4
Less Than H.S.	118	21,934	71	42.4	28.5-56.3	34	36.9	21.8-52.0	13	20.7	8.4-33.0
H.S. or G.E.D.	752	66,660	546	60.3	54.6-66.0	179	33.3	27.8-38.8	27	6.4	3.1- 9.7
Some Post-H.S.	938	109,272	755	67.9	62.8-73.0	151	27.4	22.5-32.3	32	4.7	2.5- 6.9
College Graduate	1108	86,553	959	82.8	79.3-86.3	129	15.5	12.2-18.8	20	1.7	0.5- 2.9
Less than \$15,000	166	17,219	76	30.2	20.8-39.6	79	55.4	43.2-67.6	11	14.4	4.0-24.8
\$15,000- 24,999	336	30,512	214	42.2	33.8-50.6	108	52.3	43.5-61.1	14	5.4	1.5- 9.3
\$25,000- 34,999	239	20,404	175	58.2	47.8-68.6	56	36.9	26.3-47.5	8	4.9	0.2- 9.6
\$35,000- 49,999	419	39,660	340	67.7	59.5-75.9	75	31.2	23.0-39.4	4	1.1	0.0- 2.3
\$50,000- 74,999	418	39,115	370	76.9	69.1-84.7	41	20.3	12.5-28.1	7	2.8	0.3- 5.3
\$75,000+	820	93,245	768	87.5	83.4-91.6	40	8.8	5.5-12.1	12	3.7	1.0- 6.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5434	564,810	5234	95.0	94.0-96.0	127	3.3	2.5- 4.1	73	1.7	1.1- 2.3
Male	2550	289,580	2452	94.8	93.4-96.2	61	3.2	2.2- 4.2	37	2.0	1.2- 2.8
Female	2884	275,230	2782	95.1	93.7-96.5	66	3.5	2.1- 4.9	36	1.4	0.8- 2.0
Native	189	24,118	178	93.2	87.1-99.3	8	5.3	0.0-11.2	3	1.5	0.0- 3.3
Non-Native	5183	534,874	5013	95.4	94.4-96.4	116	3.2	2.4- 4.0	54	1.4	0.8- 2.0
18-24	266	79,301	243	90.5	86.0-95.0	16	8.0	3.7-12.3	7	1.5	0.1- 2.9
25-34	424	105,336	401	93.9	91.4-96.4	13	3.3	1.3- 5.3	10	2.7	0.9- 4.5
35-44	527	89,885	512	95.8	93.4-98.2	10	3.0	1.0- 5.0	5	1.2	0.0- 2.4
45-54	643	77,568	617	95.5	93.5-97.5	9	1.3	0.3- 2.3	17	3.3	1.7- 4.9
55-64	1220	91,934	1186	96.9	95.7-98.1	20	2.3	1.1- 3.5	14	0.8	0.4- 1.2
65+	2354	120,787	2275	96.4	95.4-97.4	59	2.6	1.8- 3.4	20	1.0	0.6- 1.4
Less Than H.S.	239	45,085	226	92.3	86.4-98.2	12	7.5	1.8-13.2	1	0.2	0.0- 0.6
H.S. or G.E.D.	1495	150,238	1430	94.5	92.7-96.3	45	3.8	2.4- 5.2	20	1.7	0.7- 2.7
Some Post-H.S.	1733	219,651	1676	95.4	93.8-97.0	37	3.1	1.7- 4.5	20	1.5	0.7- 2.3
College Graduate	1946	147,563	1892	96.3	94.9-97.7	32	1.9	0.9- 2.9	22	1.7	0.7- 2.7
Less than \$15,000	268	27,713	255	94.9	91.0-98.8	10	3.9	0.4- 7.4	3	1.2	0.0- 3.0
\$15,000- 24,999	559	53,649	538	94.0	90.5-97.5	19	5.5	2.0- 9.0	2	0.5	0.0- 1.3
\$25,000- 34,999	456	43,718	443	98.4	97.4-99.4	11	1.4	0.4- 2.4	2	0.3	0.0- 0.7
\$35,000- 49,999	758	75,353	742	97.5	95.7-99.3	15	2.2	0.6- 3.8	1	0.3	0.0- 0.9
\$50,000- 74,999	835	83,408	815	96.9	95.1-98.7	13	1.7	0.5- 2.9	7	1.4	0.0- 2.8
\$75,000+	1761	205,529	1716	95.9	94.3-97.5	24	2.7	1.1- 4.3	21	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2550	289,580	2452	94.8	93.4-96.2	61	3.2	2.2- 4.2	37	2.0	1.2- 2.8
Native	87	11,438	83	96.6	92.9- 100	4	3.4	0.0- 7.1			
Non-Native	2428	274,599	2347	95.2	93.8-96.6	56	3.2	2.0- 4.4	25	1.6	0.8- 2.4
18-24	177	42,341	165	92.7	88.2-97.2	8	5.1	1.2- 9.0	4	2.1	0.0- 4.3
25-34	234	58,206	223	94.0	90.3-97.7	7	3.3	0.8- 5.8	4	2.7	0.2- 5.2
35-44	261	46,631	253	95.1	91.4-98.8	6	3.9	0.6- 7.2	2	1.0	0.0- 2.8
45-54	317	39,884	299	93.8	90.7-96.9	5	1.4	0.0- 2.8	13	4.8	2.1- 7.5
55-64	569	46,918	553	96.6	94.6-98.6	10	2.5	0.7- 4.3	6	0.8	0.0- 1.6
65+	992	55,600	959	96.2	94.6-97.8	25	2.9	1.5- 4.3	8	0.9	0.3- 1.5
Less Than H.S.	123	23,863	117	94.4	88.7- 100	5	5.1	0.0-10.8	1	0.4	0.0- 1.2
H.S. or G.E.D.	752	86,533	724	94.6	92.2-97.0	21	3.5	1.7- 5.3	7	1.9	0.3- 3.5
Some Post-H.S.	807	113,794	773	94.4	92.0-96.8	22	3.6	1.6- 5.6	12	1.9	0.5- 3.3
College Graduate	856	64,025	832	97.1	95.7-98.5	13	1.3	0.5- 2.1	11	1.5	0.5- 2.5
Less than \$15,000	105	11,599	100	91.6	83.2- 100	4	6.4	0.0-14.2	1	2.0	0.0- 5.9
\$15,000- 24,999	225	23,744	215	91.3	84.6-98.0	9	7.8	1.3-14.3	1	0.9	0.0- 2.7
\$25,000- 34,999	218	23,576	211	98.0	96.4-99.6	6	1.7	0.1- 3.3	1	0.3	0.0- 0.9
\$35,000- 49,999	345	36,193	338	96.8	93.7-99.9	7	3.2	0.1- 6.3			
\$50,000- 74,999	425	45,894	414	96.6	93.9-99.3	8	2.1	0.3- 3.9	3	1.3	0.0- 3.5
\$75,000+	964	117,574	938	96.7	94.9-98.5	13	1.8	0.4- 3.2	13	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2884	275,230	2782	95.1	93.7-96.5	66	3.5	2.1- 4.9	36	1.4	0.8- 2.0
Native	102	12,680	95	90.1	79.1- 100	4	7.1	0.0-17.7	3	2.9	0.0- 6.4
Non-Native	2755	260,275	2666	95.6	94.2-97.0	60	3.2	1.8- 4.6	29	1.2	0.6- 1.8
18-24	89	36,959	78	88.0	80.0-96.0	8	11.2	3.2-19.2	3	0.8	0.0- 1.8
25-34	190	47,130	178	93.9	90.2-97.6	6	3.4	0.5- 6.3	6	2.7	0.3- 5.1
35-44	266	43,253	259	96.5	93.8-99.2	4	2.1	0.0- 4.3	3	1.4	0.0- 3.2
45-54	326	37,683	318	97.2	95.0-99.4	4	1.1	0.0- 2.3	4	1.7	0.0- 3.5
55-64	651	45,017	633	97.2	95.4-99.0	10	2.1	0.5- 3.7	8	0.8	0.2- 1.4
65+	1362	65,187	1316	96.6	95.4-97.8	34	2.4	1.6- 3.2	12	1.1	0.3- 1.9
Less Than H.S.	116	21,222	109	89.8	79.4- 100	7	10.2	0.0-20.6			
H.S. or G.E.D.	743	63,706	706	94.5	92.0-97.0	24	4.2	1.8- 6.6	13	1.4	0.4- 2.4
Some Post-H.S.	926	105,857	903	96.5	94.5-98.5	15	2.5	0.5- 4.5	8	1.0	0.2- 1.8
College Graduate	1090	83,538	1060	95.7	93.5-97.9	19	2.4	0.8- 4.0	11	1.9	0.5- 3.3
Less than \$15,000	163	16,114	155	97.2	95.0-99.4	6	2.2	0.2- 4.2	2	0.6	0.0- 1.6
\$15,000- 24,999	334	29,905	323	96.1	92.8-99.4	10	3.7	0.4- 7.0	1	0.2	0.0- 0.6
\$25,000- 34,999	238	20,142	232	98.8	97.8-99.8	5	1.0	0.0- 2.0	1	0.2	0.0- 0.6
\$35,000- 49,999	413	39,159	404	98.2	96.6-99.8	8	1.3	0.1- 2.5	1	0.5	0.0- 1.5
\$50,000- 74,999	410	37,514	401	97.4	95.2-99.6	5	1.1	0.0- 2.5	4	1.4	0.0- 3.0
\$75,000+	797	87,955	778	94.9	91.8-98.0	11	4.0	1.1- 6.9	8	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5534	586,392	5321	94.9	93.9-95.9	93	2.1	1.5- 2.7	120	3.0	2.2- 3.8
Male	2601	300,707	2491	94.6	93.2-96.0	52	2.5	1.5- 3.5	58	2.9	1.9- 3.9
Female	2933	285,685	2830	95.3	93.7-96.9	41	1.7	0.7- 2.7	62	3.1	1.9- 4.3
Native	193	25,304	182	90.5	83.2-97.8	9	8.4	1.1-15.7	2	1.2	0.0- 2.8
Non-Native	5278	554,872	5094	95.4	94.4-96.4	82	1.8	1.2- 2.4	102	2.8	2.0- 3.6
18-24	279	83,458	260	92.2	87.7-96.7	10	4.2	1.1- 7.3	9	3.6	0.3- 6.9
25-34	455	113,516	429	94.2	91.8-96.6	8	1.7	0.5- 2.9	18	4.1	1.9- 6.3
35-44	546	94,044	532	96.4	94.2-98.6	6	1.8	0.0- 3.6	8	1.9	0.5- 3.3
45-54	658	80,386	624	92.9	90.2-95.6	7	1.4	0.0- 2.8	27	5.7	3.2- 8.2
55-64	1236	93,769	1203	97.3	96.1-98.5	12	1.2	0.2- 2.2	21	1.5	0.7- 2.3
65+	2360	121,219	2273	95.9	94.7-97.1	50	2.6	1.4- 3.8	37	1.5	0.9- 2.1
Less Than H.S.	242	46,417	219	85.4	77.8-93.0	19	10.5	4.4-16.6	4	4.0	0.0- 9.3
H.S. or G.E.D.	1519	155,126	1444	94.2	92.4-96.0	32	2.1	1.1- 3.1	43	3.6	2.0- 5.2
Some Post-H.S.	1762	227,983	1709	96.4	95.0-97.8	23	1.1	0.3- 1.9	30	2.5	1.3- 3.7
College Graduate	1990	154,594	1940	97.1	96.1-98.1	17	0.9	0.3- 1.5	33	1.9	0.9- 2.9
Less than \$15,000	274	29,197	253	90.3	84.6-96.0	17	6.7	2.2-11.2	4	3.0	0.0- 6.9
\$15,000- 24,999	563	54,828	545	94.4	89.7-99.1	12	2.1	0.5- 3.7	6	3.6	0.0- 8.1
\$25,000- 34,999	459	44,750	447	97.4	95.0-99.8	7	1.9	0.0- 4.1	5	0.7	0.0- 1.5
\$35,000- 49,999	767	76,669	756	97.8	96.2-99.4	4	0.5	0.0- 1.1	7	1.8	0.2- 3.4
\$50,000- 74,999	856	87,792	841	97.9	96.5-99.3	3	0.4	0.0- 0.8	12	1.7	0.3- 3.1
\$75,000+	1808	214,876	1772	97.3	95.9-98.7	14	1.2	0.2- 2.2	22	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2601	300,707	2491	94.6	93.2-96.0	52	2.5	1.5- 3.5	58	2.9	1.9- 3.9
Native	89	12,010	85	95.6	89.5- 100	4	4.4	0.0-10.5			
Non-Native	2476	284,757	2382	95.0	93.6-96.4	48	2.5	1.5- 3.5	46	2.6	1.6- 3.6
18-24	185	44,426	174	94.2	90.5-97.9	6	3.3	0.2- 6.4	5	2.5	0.1- 4.9
25-34	247	61,682	232	93.6	90.1-97.1	6	2.6	0.4- 4.8	9	3.8	1.1- 6.5
35-44	274	49,561	266	96.1	92.8-99.4	4	2.3	0.0- 5.0	4	1.6	0.0- 3.6
45-54	326	41,593	301	90.5	86.4-94.6	6	2.5	0.0- 5.0	19	7.0	3.5-10.5
55-64	575	47,653	558	96.6	94.4-98.8	7	1.5	0.0- 3.1	10	1.9	0.5- 3.3
65+	994	55,792	960	96.1	94.5-97.7	23	2.9	1.5- 4.3	11	0.9	0.3- 1.5
Less Than H.S.	124	24,483	109	87.7	80.1-95.3	13	11.4	4.0-18.8	2	0.9	0.0- 2.1
H.S. or G.E.D.	763	88,292	726	94.2	92.0-96.4	19	2.5	1.1- 3.9	18	3.3	1.5- 5.1
Some Post-H.S.	823	118,693	795	95.7	93.7-97.7	14	1.6	0.4- 2.8	14	2.7	1.1- 4.3
College Graduate	879	67,875	855	96.7	95.1-98.3	6	1.0	0.0- 2.0	18	2.3	1.1- 3.5
Less than \$15,000	107	11,940	96	86.1	75.9-96.3	10	12.4	2.6-22.2	1	1.5	0.0- 4.4
\$15,000- 24,999	227	24,316	219	96.0	92.5-99.5	6	2.8	0.0- 5.9	2	1.2	0.0- 3.0
\$25,000- 34,999	220	24,346	212	95.9	91.8- 100	5	3.1	0.0- 7.0	3	1.0	0.0- 2.4
\$35,000- 49,999	348	37,009	342	97.2	94.5-99.9	2	0.3	0.0- 0.7	4	2.4	0.0- 5.1
\$50,000- 74,999	438	48,677	427	97.4	95.0-99.8	2	0.3	0.0- 0.7	9	2.4	0.0- 4.8
\$75,000+	987	121,610	962	97.3	95.9-98.7	10	0.9	0.1- 1.7	15	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	285,685	2830	95.3	93.7-96.9	41	1.7	0.7- 2.7	62	3.1	1.9- 4.3
Native	104	13,294	97	85.8	73.5-98.1	5	12.0	0.0-24.2	2	2.2	0.0- 5.3
Non-Native	2802	270,115	2712	95.9	94.3-97.5	34	1.1	0.3- 1.9	56	3.0	1.6- 4.4
18-24	94	39,032	86	89.8	81.4-98.2	4	5.3	0.0-11.2	4	4.9	0.0-11.4
25-34	208	51,834	197	95.0	91.7-98.3	2	0.5	0.0- 1.3	9	4.4	1.1- 7.7
35-44	272	44,483	266	96.7	94.0-99.4	2	1.2	0.0- 3.0	4	2.1	0.0- 4.3
45-54	332	38,793	323	95.5	92.0-99.0	1	0.2	0.0- 0.6	8	4.4	0.9- 7.9
55-64	661	46,116	645	97.9	96.7-99.1	5	0.9	0.1- 1.7	11	1.2	0.4- 2.0
65+	1366	65,427	1313	95.7	93.9-97.5	27	2.3	0.7- 3.9	26	2.0	1.0- 3.0
Less Than H.S.	118	21,934	110	82.9	69.2-96.6	6	9.6	0.0-19.6	2	7.6	0.0-18.6
H.S. or G.E.D.	756	66,834	718	94.2	91.3-97.1	13	1.6	0.0- 3.2	25	4.2	1.7- 6.7
Some Post-H.S.	939	109,291	914	97.1	95.5-98.7	9	0.6	0.0- 1.2	16	2.2	0.8- 3.6
College Graduate	1111	86,718	1085	97.5	96.1-98.9	11	0.9	0.1- 1.7	15	1.6	0.2- 3.0
Less than \$15,000	167	17,257	157	93.3	86.6- 100	7	2.7	0.0- 5.4	3	4.1	0.0-10.2
\$15,000- 24,999	336	30,512	326	93.1	85.3- 100	6	1.5	0.0- 3.1	4	5.4	0.0-13.2
\$25,000- 34,999	239	20,404	235	99.1	98.1- 100	2	0.5	0.0- 1.3	2	0.4	0.0- 1.0
\$35,000- 49,999	419	39,660	414	98.3	96.5- 100	2	0.6	0.0- 1.6	3	1.1	0.0- 2.7
\$50,000- 74,999	418	39,115	414	98.6	97.2- 100	1	0.5	0.0- 1.5	3	0.9	0.0- 2.1
\$75,000+	821	93,266	810	97.2	94.8-99.6	4	1.5	0.0- 3.7	7	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3083	185,791	505	15.3	13.7-16.9	2578	84.7	83.1-86.3
Male	1210	74,972	222	17.2	14.7-19.7	988	82.8	80.3-85.3
Female	1873	110,820	283	14.0	11.8-16.2	1590	86.0	83.8-88.2
Native	89	8,478	13	17.6	5.1-30.1	76	82.4	69.9-94.9
Non-Native	2959	175,336	481	14.9	13.3-16.5	2478	85.1	83.5-86.7
25-34	76	10,485	9	12.8	3.8-21.8	67	87.2	78.2-96.2
35-44	183	19,133	35	16.8	10.9-22.7	148	83.2	77.3-89.1
45-54	266	22,864	48	18.2	12.7-23.7	218	81.8	76.3-87.3
55-64	755	46,491	142	18.2	14.7-21.7	613	81.8	78.3-85.3
65+	1775	79,967	270	13.7	11.7-15.7	1505	86.3	84.3-88.3
Less Than H.S.	155	17,240	12	8.6	2.9-14.3	143	91.4	85.7-97.1
H.S. or G.E.D.	885	47,212	133	14.0	11.3-16.7	752	86.0	83.3-88.7
Some Post-H.S.	956	70,411	153	16.3	13.4-19.2	803	83.7	80.8-86.6
College Graduate	1079	50,436	204	17.2	14.5-19.9	875	82.8	80.1-85.5
Less than \$15,000	168	9,166	15	8.8	3.5-14.1	153	91.2	85.9-96.5
\$15,000- 24,999	340	17,132	40	10.4	5.5-15.3	300	89.6	84.7-94.5
\$25,000- 34,999	299	16,413	48	13.2	8.9-17.5	251	86.8	82.5-91.1
\$35,000- 49,999	465	25,716	67	12.9	9.4-16.4	398	87.1	83.6-90.6
\$50,000- 74,999	463	29,201	82	16.0	11.3-20.7	381	84.0	79.3-88.7
\$75,000+	846	59,667	157	16.7	13.8-19.6	689	83.3	80.4-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1210	74,972	222	17.2	14.7-19.7	988	82.8	80.3-85.3
Non-Native	1156	70,629	209	16.7	14.2-19.2	947	83.3	80.8-85.8
35-44	63	6,068	12	15.8	6.2-25.4	51	84.2	74.6-93.8
45-54	118	10,004	25	20.6	12.4-28.8	93	79.4	71.2-87.6
55-64	313	19,934	67	20.9	15.6-26.2	246	79.1	73.8-84.4
65+	671	32,193	116	16.2	12.9-19.5	555	83.8	80.5-87.1
Less Than H.S.	65	6,864	6	14.8	2.6-27.0	59	85.2	73.0-97.4
H.S. or G.E.D.	366	21,333	52	13.7	9.6-17.8	314	86.3	82.2-90.4
Some Post-H.S.	354	26,718	63	16.9	12.4-21.4	291	83.1	78.6-87.6
College Graduate	422	19,881	100	21.9	17.2-26.6	322	78.1	73.4-82.8
Less than \$15,000	56	3,457	4	11.4	0.0-22.8	52	88.6	77.2- 100
\$15,000- 24,999	119	6,514	13	12.5	1.9-23.1	106	87.5	76.9-98.1
\$25,000- 34,999	121	6,779	18	11.9	5.6-18.2	103	88.1	81.8-94.4
\$35,000- 49,999	189	10,337	33	17.6	10.9-24.3	156	82.4	75.7-89.1
\$50,000- 74,999	200	12,632	44	17.9	11.8-24.0	156	82.1	76.0-88.2
\$75,000+	393	26,959	85	19.1	14.6-23.6	308	80.9	76.4-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1873	110,820	283	14.0	11.8-16.2	1590	86.0	83.8-88.2
Native	53	5,183	8	18.2	0.2-36.2	45	81.8	63.8-99.8
Non-Native	1803	104,707	272	13.8	11.8-15.8	1531	86.2	84.2-88.2
35-44	120	13,066	23	17.3	9.9-24.7	97	82.7	75.3-90.1
45-54	148	12,859	23	16.3	9.0-23.6	125	83.7	76.4-91.0
55-64	442	26,557	75	16.1	11.4-20.8	367	83.9	79.2-88.6
65+	1104	47,774	154	12.1	9.9-14.3	950	87.9	85.7-90.1
Less Than H.S.	90	10,376	6	4.4	0.7- 8.1	84	95.6	91.9-99.3
H.S. or G.E.D.	519	25,879	81	14.1	10.6-17.6	438	85.9	82.4-89.4
Some Post-H.S.	602	43,693	90	15.9	11.8-20.0	512	84.1	80.0-88.2
College Graduate	657	30,555	104	14.1	11.0-17.2	553	85.9	82.8-89.0
Less than \$15,000	112	5,709	11	7.3	2.4-12.2	101	92.7	87.8-97.6
\$15,000- 24,999	221	10,619	27	9.1	5.0-13.2	194	90.9	86.8-95.0
\$25,000- 34,999	178	9,634	30	14.2	8.1-20.3	148	85.8	79.7-91.9
\$35,000- 49,999	276	15,379	34	9.8	6.1-13.5	242	90.2	86.5-93.9
\$50,000- 74,999	263	16,570	38	14.6	7.5-21.7	225	85.4	78.3-92.5
\$75,000+	453	32,708	72	14.7	10.6-18.8	381	85.3	81.2-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	500	28,196	353	86.1	83.4-88.8	100	10.2	7.7-12.7	41	3.1	1.9- 4.3	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3
Male	221	12,861	156	86.8	82.9-90.7	42	9.2	5.9-12.5	20	3.6	1.8- 5.4	3	0.4	0.0- 1.0			
Female	279	15,334	197	85.6	81.7-89.5	58	11.1	7.4-14.8	21	2.8	1.2- 4.4	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3
Non-Native	476	25,971	332	85.3	82.4-88.2	98	10.9	8.4-13.4	41	3.4	2.2- 4.6	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3
55-64	139	8,275	103	85.1	79.2-91.0	25	11.4	6.1-16.7	10	3.2	0.7- 5.7	1	0.2	0.0- 0.6			
65+	268	10,914	176	82.7	78.6-86.8	65	13.1	9.4-16.8	24	3.8	2.0- 5.6	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
H.S. or G.E.D.	131	6,531	85	79.8	72.9-86.7	32	15.5	9.4-21.6	12	3.9	1.4- 6.4	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9
Some Post-H.S.	152	11,421	109	87.1	82.4-91.8	33	10.2	5.9-14.5	9	2.6	0.6- 4.6	1	0.2	0.0- 0.6			
College Graduate	202	8,554	145	87.2	83.1-91.3	34	8.1	4.6-11.6	20	3.9	1.9- 5.9	3	0.7	0.0- 1.7			
\$35,000- 49,999	66	3,304	44	82.0	73.0-91.0	16	14.5	6.3-22.7	6	3.5	0.4- 6.6						
\$50,000- 74,999	82	4,673	59	88.4	81.9-94.9	10	6.3	1.2-11.4	13	5.3	1.8- 8.8						
\$75,000+	157	9,970	117	87.3	82.6-92.0	27	9.7	5.4-14.0	11	2.5	0.9- 4.1	2	0.5	0.0- 1.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	221	12,861	156	86.8	82.9-90.7	42	9.2	5.9-12.5	20	3.6	1.8- 5.4	3	0.4	0.0- 1.0
Non-Native	208	11,730	144	85.9	81.8-90.0	41	9.8	6.3-13.3	20	3.9	1.9- 5.9	3	0.5	0.0- 1.1
55-64	66	4,120	49	87.9	80.8-95.0	12	9.5	3.0-16.0	4	2.2	0.0- 4.4	1	0.4	0.0- 1.2
65+	116	5,211	78	84.0	78.1-89.9	26	11.6	6.3-16.9	11	4.3	1.6- 7.0	1	0.1	0.0- 0.3
H.S. or G.E.D.	52	2,926	34	77.4	65.8-89.0	13	18.4	7.6-29.2	5	4.2	0.0- 8.5			
Some Post-H.S.	63	4,525	47	89.6	83.7-95.5	11	7.5	2.4-12.6	4	2.6	0.1- 5.1	1	0.4	0.0- 1.2
College Graduate	99	4,288	68	86.7	81.2-92.2	18	7.3	3.4-11.2	11	5.1	1.8- 8.4	2	0.9	0.0- 2.3
\$75,000+	85	5,152	61	85.5	78.6-92.4	16	10.6	4.5-16.7	6	3.0	0.5- 5.5	2	0.9	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	279	15,334	197	85.6	81.7-89.5	58	11.1	7.6-14.6	21	2.8	1.2- 4.4	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3
Non-Native	268	14,242	188	84.8	80.7-88.9	57	11.8	8.1-15.5	21	3.0	1.4- 4.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
55-64	73	4,155	54	82.5	73.1-91.9	13	13.2	4.6-21.8	6	4.3	0.0- 8.8						
65+	152	5,704	98	81.4	75.7-87.1	39	14.4	9.3-19.5	13	3.5	1.3- 5.7	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9
H.S. or G.E.D.	79	3,605	51	81.7	73.9-89.5	19	13.1	6.2-20.0	7	3.7	0.8- 6.6	1	1.0	0.0- 3.0	1	0.5	0.0- 1.5
Some Post-H.S.	89	6,896	62	85.5	78.8-92.2	22	12.0	5.7-18.3	5	2.5	0.0- 5.2						
College Graduate	103	4,266	77	87.7	81.6-93.8	16	9.0	3.3-14.7	9	2.8	0.6- 5.0	1	0.5	0.0- 1.5			
\$75,000+	72	4,818	56	89.3	83.0-95.6	11	8.8	2.9-14.7	5	1.9	0.1- 3.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5499	583,067	4499	84.4	83.0-85.8	562	9.6	8.6-10.6	60	1.3	0.7- 1.9	27	0.8	0.4- 1.2	9	0.3	0.1- 0.5	4	0.1	0.0- 0.3	338	3.5	2.9- 4.1
Male	2581	298,533	2090	83.3	81.3-85.3	299	11.2	9.6-12.8	22	1.0	0.4- 1.6	17	0.9	0.1- 1.7	6	0.4	0.0- 1.0	2	0.1	0.0- 0.3	145	3.0	2.4- 3.6
Female	2918	284,533	2409	85.6	83.8-87.4	263	8.0	6.6- 9.4	38	1.6	0.8- 2.4	10	0.6	0.2- 1.0	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	193	4.0	3.2- 4.8
Native	192	25,209	152	81.1	73.3-88.9	13	5.4	1.9- 8.9	2	0.9	0.0- 2.5										25	12.6	5.5-19.1
Non-Native	5250	552,611	4304	84.6	83.2-86.0	544	9.8	8.6-11.0	56	1.3	0.7- 1.9	27	0.8	0.4- 1.2	9	0.3	0.0- 0.7	4	0.1	0.0- 0.3	306	3.0	2.6- 3.4
18-24	279	83,458	258	91.9	88.0-95.8	15	5.0	2.1- 7.9	2	1.4	0.0- 3.6	1	0.4	0.0- 1.2							3	1.3	0.0- 3.6
25-34	453	112,787	394	88.4	85.1-91.7	47	9.0	6.1-11.9	6	1.5	0.1- 2.9	2	0.3	0.0- 0.7							4	0.9	0.0- 1.8
35-44	544	93,794	436	81.8	77.7-85.9	67	11.4	8.1-14.7	17	2.2	1.0- 3.4	12	2.3	0.7- 3.9	4	1.5	0.0- 3.3	1	0.2	0.0- 0.6	7	0.7	0.1- 1.1
45-54	650	79,396	544	83.8	80.1-87.5	62	9.6	6.9-12.3	15	2.1	0.7- 3.5	5	1.7	0.0- 4.1	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	21	2.5	1.3- 3.7
55-64	1226	93,216	1004	83.0	80.5-85.5	140	11.6	9.4-13.8	11	0.7	0.3- 1.1	4	0.3	0.0- 0.7	2	0.2	0.0- 0.4				65	4.2	3.0- 5.4
65+	2347	120,415	1863	79.1	77.1-81.1	231	10.6	9.0-12.2	9	0.2	0.0- 0.4	3	0.1	0.0- 0.3	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	238	9.7	8.3-11.1
Less Than H.S.	241	46,311	175	75.8	67.6-84.0	11	4.9	0.4- 9.4	2	2.3	0.0- 6.2	3	3.9	0.0- 8.6	2	1.6	0.0- 4.1	1	0.6	0.0- 1.8	47	10.9	6.4-15.4
H.S. or G.E.D.	1514	154,559	1208	82.9	80.4-85.4	142	11.0	8.6-13.4	12	1.0	0.2- 1.8	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	147	4.7	3.7- 5.7
Some Post-H.S.	1754	227,100	1440	85.6	83.6-87.6	188	9.6	7.8-11.4	21	1.4	0.6- 2.2	10	0.6	0.2- 1.0	2	0.2	0.0- 0.6				93	2.6	2.0- 3.2
College Graduate	1975	153,534	1666	87.1	85.3-88.9	219	9.4	7.8-11.0	24	1.0	0.4- 1.6	11	0.6	0.2- 1.0	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	50	1.4	0.8- 2.2
Less than \$15,000	274	29,197	189	80.6	74.7-86.5	5	2.5	0.0- 5.2	2	1.0	0.0- 2.6							2	1.1	0.0- 2.9	76	14.8	10.1-19.5
\$15,000- 24,999	562	54,456	459	85.4	80.7-90.1	36	8.5	4.0-13.0													67	6.1	4.3- 7.9
\$25,000- 34,999	457	44,704	380	87.8	84.3-91.3	39	7.1	4.2-10.0	4	1.1	0.0- 2.5	1	0.1	0.0- 0.3							33	3.9	2.3- 5.5
\$35,000- 49,999	764	76,213	641	87.3	84.2-90.4	77	8.3	5.9-10.7	8	0.7	0.1- 1.3	2	0.8	0.0- 2.4							36	2.9	1.7- 4.1
\$50,000- 74,999	856	87,792	714	84.7	81.6-87.8	99	11.2	8.5-13.9	8	0.8	0.0- 1.6	2	0.3	0.0- 0.7	2	0.1	0.0- 0.3				31	2.8	1.4- 4.2
\$75,000+	1803	214,311	1494	83.2	80.8-85.6	233	11.8	9.8-13.8	30	2.3	1.1- 3.5	21	1.6	0.6- 2.6	3	0.4	0.0- 0.8	2	0.2	0.0- 0.4	20	0.6	0.4- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2581	298,533	2090	83.3	81.3-85.3	299	11.2	9.6-12.8	22	1.0	0.4- 1.6	17	0.9	0.1- 1.7	6	0.4	0.0- 1.0	2	0.1	0.0- 0.3	145	3.0	2.4- 3.6
Native	88	11,916	71	82.0	71.6-92.4	8	7.3	1.2-13.4													9	10.7	1.9-19.5
Non-Native	2463	283,647	1994	83.3	81.3-85.3	289	11.4	9.6-13.2	22	1.0	0.4- 1.6	17	1.0	0.2- 1.8	6	0.5	0.0- 1.1	2	0.1	0.0- 0.3	133	2.7	2.1- 3.3
18-24	185	44,426	170	92.2	87.9-96.5	12	6.3	2.2-10.4	1	0.6	0.0- 1.8										2	0.8	0.0- 2.4
25-34	246	61,325	206	83.9	78.6-89.2	33	12.8	8.1-17.5	3	2.0	0.0- 4.4	1	0.0	0.0- 0.0							3	1.4	0.0- 3.0
35-44	272	49,311	224	83.3	77.4-89.2	31	10.1	5.4-14.8	5	1.2	0.0- 2.6	6	2.5	0.0- 5.2	2	2.1	0.0- 5.0	1	0.3	0.0- 0.9	3	0.5	0.0- 1.1
45-54	320	40,785	260	79.7	73.6-85.8	35	12.3	8.0-16.6	5	1.3	0.0- 2.7	4	3.2	0.0- 7.7	2	0.3	0.0- 0.9	1	0.4	0.0- 1.2	13	2.7	0.9- 4.4
55-64	571	47,350	460	82.7	79.2-86.2	63	12.0	8.7-15.3	5	0.6	0.0- 1.2	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6				39	4.2	2.6- 5.8
65+	987	55,337	770	78.8	75.9-81.7	125	12.8	10.3-15.3	3	0.1	0.0- 0.3	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3				85	7.9	5.9- 9.9
Less Than H.S.	123	24,377	89	71.9	60.1-83.7	8	8.2	0.2-16.2	1	0.6	0.0- 1.8	3	7.3	0.0-16.1	2	3.0	0.0- 7.9				20	9.0	4.1-13.9
H.S. or G.E.D.	762	88,215	609	82.4	78.9-85.9	73	12.0	8.7-15.3	7	1.2	0.0- 2.4	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	69	3.9	2.7- 5.1
Some Post-H.S.	817	117,910	668	84.8	81.9-87.7	101	11.4	8.9-13.9	7	1.1	0.0- 2.3	6	0.4	0.0- 0.8	2	0.4	0.0- 1.0				33	1.8	1.0- 2.6
College Graduate	872	67,280	718	86.2	83.5-88.9	116	10.6	8.2-13.0	7	0.7	0.1- 1.3	6	0.6	0.0- 1.2	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	23	1.7	0.7- 2.7
Less than \$15,000	107	11,940	72	78.0	68.0-88.0	4	5.8	0.0-12.1													31	16.2	7.8-24.6
\$15,000- 24,999	227	24,316	179	82.3	73.9-90.7	19	12.1	3.7-20.5													29	5.6	3.2- 8.0
\$25,000- 34,999	219	24,318	183	88.2	83.1-93.3	18	7.1	2.8-11.4	2	1.2	0.0- 3.4	1	0.2	0.0- 0.6							15	3.3	1.3- 5.3
\$35,000- 49,999	347	36,652	291	85.9	80.6-91.2	31	8.6	4.7-12.5	3	1.0	0.0- 2.4	2	1.7	0.0- 5.0							20	2.8	1.4- 4.2
\$50,000- 74,999	438	48,677	352	82.7	78.2-87.2	61	12.7	8.6-16.8	4	0.3	0.1- 0.5	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				19	3.8	1.6- 6.0
\$75,000+	983	121,196	798	81.8	78.5-85.1	141	13.4	10.7-16.1	12	1.8	0.4- 3.2	13	1.6	0.0- 3.2	2	0.4	0.0- 1.0	2	0.3	0.0- 0.7	15	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2918	284,533	2409	85.6	83.8-87.4	263	8.0	6.6- 9.4	38	1.6	0.8- 2.4	10	0.6	0.2- 1.0	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	193	4.0	3.2- 4.8
Native	104	13,294	81	80.3	68.9-91.7	5	3.8	0.1- 7.5	2	1.7	0.0- 4.6										16	14.3	3.5-25.1
Non-Native	2787	268,964	2310	86.1	84.3-87.9	255	8.1	6.7- 9.5	34	1.5	0.7- 2.3	10	0.6	0.2- 1.0	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	173	3.4	2.8- 4.0
18-24	94	39,032	88	91.6	84.5-98.7	3	3.4	0.0- 7.5	1	2.4	0.0- 6.9	1	0.8	0.0- 2.4							1	1.8	0.0- 5.4
25-34	207	51,462	188	93.8	90.7-96.9	14	4.6	1.9- 7.3	3	0.9	0.0- 1.9	1	0.5	0.0- 1.5							1	0.3	0.0- 0.0
35-44	272	44,483	212	80.1	74.6-85.6	36	12.8	8.3-17.3	12	3.2	1.2- 5.2	6	2.0	0.2- 3.8	2	1.0	0.0- 2.6				4	1.0	0.0- 2.2
45-54	330	38,611	284	88.1	84.0-92.2	27	6.7	3.4-10.0	10	2.8	0.6- 5.0	1	0.1	0.0- 0.3							8	2.3	0.5- 4.1
55-64	655	45,867	544	83.4	80.1-86.7	77	11.2	8.5-13.9	6	0.8	0.0- 1.6	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				26	4.1	2.3- 5.9
65+	1360	65,079	1093	79.3	76.8-81.8	106	8.7	6.7-10.7	6	0.3	0.1- 0.5							2	0.5	0.0- 1.3	153	11.2	9.2-13.3
Less Than H.S.	118	21,934	86	80.2	69.4-91.0	3	1.3	0.0- 3.1	1	4.2	0.0-12.2							1	1.2	0.0- 3.6	27	13.1	5.5-20.7
H.S. or G.E.D.	752	66,343	599	83.5	79.8-87.2	69	9.8	6.5-13.1	5	0.6	0.0- 1.2	1	0.4	0.0- 1.2							78	5.6	4.2- 7.0
Some Post-H.S.	937	109,190	772	86.4	83.9-88.9	87	7.7	5.7- 9.7	14	1.8	0.8- 2.8	4	0.8	0.0- 1.6							60	3.4	2.4- 4.4
College Graduate	1103	86,254	948	87.8	85.3-90.3	103	8.5	6.3-10.7	17	1.3	0.5- 2.1	5	0.6	0.0- 1.2	3	0.5	0.0- 1.3				27	1.2	0.6- 1.9
Less than \$15,000	167	17,257	117	82.4	75.5-89.3	1	0.2	0.0- 0.6	2	1.7	0.0- 4.2							2	1.9	0.0- 5.0	45	13.8	8.3-19.3
\$15,000- 24,999	335	30,140	280	87.9	83.0-92.8	17	5.6	1.3- 9.9													38	6.5	4.0- 9.0
\$25,000- 34,999	238	20,386	197	87.4	82.7-92.1	21	7.1	3.4-10.8	2	0.9	0.0- 2.3										18	4.6	2.2- 7.0
\$35,000- 49,999	417	39,562	350	88.6	85.3-91.9	46	8.0	5.3-10.7	5	0.4	0.0- 0.8										16	3.0	1.4- 4.6
\$50,000- 74,999	418	39,115	362	87.2	82.9-91.5	38	9.4	5.7-13.1	4	1.5	0.0- 3.3	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				12	1.6	0.6- 2.6
\$75,000+	820	93,115	696	85.0	81.5-88.5	92	9.7	7.2-12.2	18	3.1	0.9- 5.3	8	1.5	0.3- 2.7	1	0.4	0.0- 1.2				5	0.3	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5515	584,170	727	11.8	10.6-13.0	4788	88.2	87.0-89.4
Male	2591	299,218	668	21.0	19.0-23.0	1923	79.0	77.0-81.0
Female	2924	284,952	59	2.3	1.3- 3.3	2865	97.7	96.7-98.7
Native	192	25,203	26	11.4	5.5-17.3	166	88.6	82.7-94.5
Non-Native	5266	553,465	691	11.8	10.6-13.0	4575	88.2	87.0-89.4
18-24	278	83,232	16	5.8	2.7- 8.9	262	94.2	91.1-97.3
25-34	453	113,080	38	9.3	6.2-12.4	415	90.7	87.6-93.8
35-44	545	93,899	44	10.1	6.8-13.4	501	89.9	86.6-93.2
45-54	652	79,630	63	11.6	8.5-14.7	589	88.4	85.3-91.5
55-64	1233	93,470	92	9.3	7.1-11.5	1141	90.7	88.5-92.9
65+	2354	120,859	474	21.9	19.7-24.1	1880	78.1	75.9-80.3
Less Than H.S.	241	46,330	32	8.0	4.7-11.3	209	92.0	88.7-95.3
H.S. or G.E.D.	1513	154,128	209	12.4	10.2-14.6	1304	87.6	85.4-89.8
Some Post-H.S.	1759	227,788	262	14.1	11.9-16.3	1497	85.9	83.7-88.1
College Graduate	1987	154,298	222	9.2	7.6-10.8	1765	90.8	89.2-92.4
Less than \$15,000	273	29,128	20	9.7	3.8-15.6	253	90.3	84.4-96.2
\$15,000- 24,999	562	54,727	73	10.1	7.0-13.2	489	89.9	86.8-93.0
\$25,000- 34,999	459	44,750	86	19.0	13.3-24.7	373	81.0	75.3-86.7
\$35,000- 49,999	767	76,669	122	13.9	10.6-17.2	645	86.1	82.8-89.4
\$50,000- 74,999	856	87,792	135	14.2	11.3-17.1	721	85.8	82.9-88.7
\$75,000+	1806	214,767	222	11.0	9.0-13.0	1584	89.0	87.0-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2591	299,218	668	21.0	19.0-23.0	1923	79.0	77.0-81.0
Native	88	11,909	22	19.8	9.0-30.6	66	80.2	69.4-91.0
Non-Native	2471	283,821	639	21.0	19.0-23.0	1832	79.0	77.0-81.0
18-24	184	44,200	13	7.4	3.1-11.7	171	92.6	88.3-96.9
25-34	245	61,246	35	16.0	10.7-21.3	210	84.0	78.7-89.3
35-44	273	49,416	39	18.0	12.1-23.9	234	82.0	76.1-87.9
45-54	321	41,011	57	20.1	14.6-25.6	264	79.9	74.4-85.4
55-64	574	47,552	75	15.4	11.7-19.1	499	84.6	80.9-88.3
65+	994	55,792	449	45.3	41.6-49.0	545	54.7	51.0-58.4
Less Than H.S.	124	24,483	32	15.2	8.9-21.5	92	84.8	78.5-91.1
H.S. or G.E.D.	760	87,505	196	20.6	16.9-24.3	564	79.4	75.7-83.1
Some Post-H.S.	822	118,592	235	23.7	20.2-27.2	587	76.3	72.8-79.8
College Graduate	876	67,579	204	19.1	15.8-22.4	672	80.9	77.6-84.2
Less than \$15,000	107	11,940	15	12.3	5.0-19.6	92	87.7	80.4-95.0
\$15,000- 24,999	226	24,216	65	20.8	14.3-27.3	161	79.2	72.7-85.7
\$25,000- 34,999	220	24,346	80	29.9	21.5-38.3	140	70.1	61.7-78.5
\$35,000- 49,999	348	37,009	113	26.8	20.3-33.3	235	73.2	66.7-79.7
\$50,000- 74,999	438	48,677	131	24.5	19.4-29.6	307	75.5	70.4-80.6
\$75,000+	986	121,588	204	18.3	15.2-21.4	782	81.7	78.6-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2924	284,952	59	2.3	1.3- 3.3	2865	97.7	96.7-98.7
Native	104	13,294	4	4.0	0.0- 8.9	100	96.0	91.1- 100
Non-Native	2795	269,645	52	2.1	1.1- 3.1	2743	97.9	96.9-98.9
18-24	94	39,032	3	4.0	0.0- 8.7	91	96.0	91.3- 100
25-34	208	51,834	3	1.5	0.0- 3.7	205	98.5	96.3- 100
35-44	272	44,483	5	1.2	0.0- 2.4	267	98.8	97.6- 100
45-54	331	38,618	6	2.5	0.3- 4.7	325	97.5	95.3-99.7
55-64	659	45,918	17	2.9	1.1- 4.7	642	97.1	95.3-98.9
65+	1360	65,067	25	1.8	1.0- 2.6	1335	98.2	97.4-99.0
Less Than H.S.	117	21,847				117	100.0	100.0- 100
H.S. or G.E.D.	753	66,623	13	1.6	0.6- 2.6	740	98.4	97.4-99.4
Some Post-H.S.	937	109,196	27	3.7	1.5- 5.9	910	96.3	94.1-98.5
College Graduate	1111	86,718	18	1.5	0.7- 2.3	1093	98.5	97.7-99.3
Less than \$15,000	166	17,188	5	8.0	0.0-16.8	161	92.0	83.2- 100
\$15,000- 24,999	336	30,512	8	1.6	0.2- 3.0	328	98.4	97.0-99.8
\$25,000- 34,999	239	20,404	6	6.1	0.0-13.0	233	93.9	87.0- 100
\$35,000- 49,999	419	39,660	9	1.9	0.5- 3.3	410	98.1	96.7-99.5
\$50,000- 74,999	418	39,115	4	1.3	0.0- 2.9	414	98.7	97.1- 100
\$75,000+	820	93,178	18	1.5	0.7- 2.3	802	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5494	582,662	2919	66.5	64.7-68.3	121	3.0	2.2- 3.8	206	4.3	3.5- 5.1	101	5.2	4.0- 6.4	1953	17.7	16.7-18.7	194	3.2	2.6- 3.8
Male	2582	298,918	1586	74.0	71.8-76.2	65	3.6	2.6- 4.6	2	0.2	0.0- 0.4	47	3.8	2.6- 5.0	789	15.4	14.0-16.8	93	3.1	2.3- 3.9
Female	2912	283,744	1333	58.7	56.0-61.4	56	2.4	1.4- 3.4	204	8.8	7.2-10.4	54	6.6	4.4- 8.8	1164	20.2	18.6-21.8	101	3.4	2.4- 4.4
Native	193	25,304	101	55.4	45.6-65.2	14	9.8	4.1-15.5	7	3.9	0.4- 7.4	6	5.5	0.0-11.4	41	15.2	8.9-21.5	24	10.1	4.4-15.8
Non-Native	5245	551,853	2794	67.2	65.4-69.0	106	2.7	1.9- 3.5	196	4.3	3.5- 5.1	94	5.2	4.0- 6.4	1891	17.7	16.7-18.7	164	2.8	2.2- 3.4
18-24	276	83,069	179	60.5	53.6-67.4	17	6.3	3.0- 9.6	4	1.7	0.0- 3.5	75	31.1	24.4-37.8				1	0.4	0.0- 1.2
25-34	452	112,889	377	83.1	79.2-87.0	22	4.2	2.2- 6.2	32	7.9	5.0-10.8	14	3.1	1.3- 4.9				7	1.8	0.4- 3.2
35-44	544	93,648	483	90.7	88.0-93.4	5	0.7	0.0- 1.5	40	6.1	3.9- 8.3	5	0.8	0.0- 1.6	2	0.3	0.0- 0.7	9	1.5	0.3- 2.7
45-54	650	79,394	558	84.6	81.1-88.1	16	3.1	1.3- 4.9	22	3.7	1.7- 5.7	1	0.0	0.0- 0.0	13	2.2	0.8- 3.6	40	6.3	3.9- 8.7
55-64	1229	93,267	849	70.3	67.2-73.4	41	3.5	2.1- 4.9	34	2.8	1.6- 4.0	3	0.2	0.0- 0.4	220	16.2	13.7-18.7	82	7.1	5.3- 8.9
65+	2343	120,394	473	21.5	19.5-23.5	20	1.1	0.5- 1.7	74	3.1	2.3- 3.9	3	0.1	0.1- 0.1	1718	71.5	69.1-73.9	55	2.8	1.8- 3.8
Less Than H.S.	240	46,241	74	49.1	39.7-58.5	12	6.3	2.2-10.4	11	4.1	1.4- 6.8	9	11.9	4.1-19.7	107	21.5	16.0-27.0	27	7.2	3.9-10.5
H.S. or G.E.D.	1502	153,433	714	63.8	60.5-67.1	42	4.5	2.7- 6.3	67	5.0	3.2- 6.8	22	3.6	1.8- 5.4	575	18.8	16.8-20.8	82	4.2	3.0- 5.4
Some Post-H.S.	1757	227,634	953	66.8	63.9-69.7	35	2.3	1.3- 3.3	64	4.2	2.8- 5.6	43	6.5	4.3- 8.7	604	17.0	15.2-18.8	58	3.2	2.2- 4.2
College Graduate	1980	153,910	1169	74.3	71.9-76.7	31	1.5	0.9- 2.1	64	4.0	2.8- 5.2	26	2.7	1.5- 3.9	663	16.5	14.9-18.1	27	1.0	0.6- 1.4
Less than \$15,000	271	28,885	47	25.6	17.4-33.8	23	12.5	5.6-19.4	10	3.5	0.6- 6.4	9	13.0	4.6-21.4	128	26.8	20.3-33.3	54	18.5	12.4-24.6
\$15,000- 24,999	562	54,791	166	43.4	36.5-50.3	33	10.3	6.2-14.4	20	4.0	1.6- 6.4	19	8.9	4.8-13.0	276	24.5	20.4-28.6	48	8.9	5.6-12.2
\$25,000- 34,999	459	44,750	207	62.9	56.6-69.2	5	1.5	0.0- 3.1	13	4.2	0.7- 7.7	4	3.3	0.0- 7.0	207	23.8	19.5-28.1	23	4.3	2.1- 6.5
\$35,000- 49,999	764	76,538	347	63.6	58.7-68.5	15	2.5	0.7- 4.3	27	4.8	2.3- 7.3	13	4.6	1.7- 7.5	342	22.6	19.5-25.7	20	1.9	0.9- 2.9
\$50,000- 74,999	854	87,706	524	73.2	69.3-77.1	14	2.2	0.8- 3.6	31	4.1	2.1- 6.1	7	2.6	0.0- 5.3	270	17.3	14.8-19.8	8	0.7	0.1- 1.3
\$75,000+	1805	214,788	1314	83.0	80.8-85.2	12	0.8	0.2- 1.4	59	3.7	2.3- 5.1	20	2.2	0.8- 3.6	391	9.8	8.6-11.0	9	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2582	298,918	1586	74.0	71.8-76.2	65	3.6	2.6- 4.6	2	0.2	0.0- 0.4	47	3.8	2.6- 5.0	789	15.4	14.0-16.8	93	3.1	2.3- 3.9
Native	89	12,010	46	59.6	45.9-73.3	5	10.2	0.8-19.6				4	4.1	0.0- 9.0	20	16.4	7.2-25.6	14	9.7	3.6-15.8
Non-Native	2462	283,483	1520	74.6	72.4-76.8	60	3.4	2.4- 4.4	2	0.2	0.0- 0.4	43	3.9	2.7- 5.1	759	15.3	13.9-16.7	78	2.7	1.9- 3.5
18-24	182	44,037	131	69.4	62.0-76.8	13	8.5	3.8-13.2				38	22.1	15.4-28.8						
25-34	245	61,320	226	92.7	89.2-96.2	12	4.2	1.5- 6.9				5	2.2	0.2- 4.2				2	1.0	0.0- 2.4
35-44	273	49,416	259	95.5	92.8-98.2	3	1.0	0.0- 2.4	1	0.2	0.0- 0.6	2	0.7	0.0- 1.9	2	0.5	0.0- 1.3	6	2.1	0.1- 4.1
45-54	321	41,077	285	87.0	82.3-91.7	6	2.9	0.2- 5.6	1	0.9	0.0- 2.7				7	2.2	0.4- 4.0	22	7.0	3.7-10.3
55-64	573	47,543	420	75.1	70.8-79.4	22	4.3	2.1- 6.5							95	14.9	11.4-18.4	36	5.6	3.4- 7.8
65+	988	55,524	265	27.2	23.9-30.5	9	1.2	0.2- 2.2				2	0.1	0.0- 0.3	685	67.8	64.3-71.3	27	3.6	2.0- 5.2
Less Than H.S.	124	24,483	51	58.7	47.5-69.9	9	9.9	2.6-17.2				3	4.0	0.0- 8.7	49	22.0	14.6-29.4	12	5.3	1.6- 9.0
H.S. or G.E.D.	755	87,474	451	74.3	70.6-78.0	26	4.4	2.2- 6.6				14	3.8	1.6- 6.0	221	13.8	11.6-16.0	43	3.7	2.3- 5.1
Some Post-H.S.	821	118,577	508	74.2	70.7-77.7	16	2.6	1.2- 4.0	2	0.4	0.0- 1.0	22	4.7	2.5- 6.9	245	14.9	12.5-17.3	28	3.2	1.8- 4.6
College Graduate	873	67,326	570	79.2	76.3-82.1	13	1.6	0.6- 2.6				7	1.9	0.3- 3.5	273	16.0	13.6-18.4	10	1.3	0.5- 2.1
Less than \$15,000	106	11,789	23	29.5	17.0-42.0	12	18.1	6.5-29.7				1	1.9	0.0- 5.6	42	26.4	16.2-36.6	28	24.1	14.1-34.1
\$15,000- 24,999	227	24,316	80	46.9	37.5-56.3	21	15.1	7.7-22.5				8	7.9	2.4-13.4	95	22.7	16.6-28.8	23	7.4	3.9-10.9
\$25,000- 34,999	220	24,346	106	67.3	59.5-75.1	3	2.2	0.0- 4.9				2	3.0	0.0- 7.1	94	21.5	15.8-27.2	15	5.9	2.4- 9.4
\$35,000- 49,999	345	36,878	174	68.6	62.3-74.9	8	2.9	0.2- 5.6				6	5.0	0.9- 9.1	146	21.1	16.6-25.6	11	2.4	0.6- 4.2
\$50,000- 74,999	437	48,626	293	79.5	75.4-83.6	9	2.5	0.5- 4.5	1	0.7	0.0- 2.1	2	0.6	0.0- 1.6	129	16.3	12.8-19.8	3	0.4	0.0- 0.8
\$75,000+	986	121,558	776	88.2	86.0-90.4	6	1.0	0.0- 2.0				12	1.7	0.5- 2.9	189	8.6	7.0-10.2	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	283,744	1333	58.7	56.0-61.4	56	2.4	1.4- 3.4	204	8.8	7.2-10.4	54	6.6	4.4- 8.8	1164	20.2	18.6-21.8	101	3.4	2.4- 4.4
Native	104	13,294	55	51.7	38.0-65.4	9	9.5	2.4-16.6	7	7.4	0.9-13.9	2	6.7	0.0-17.1	21	14.2	5.4-23.0	10	10.5	1.1-19.9
Non-Native	2783	268,370	1274	59.4	56.7-62.1	46	2.0	1.2- 2.8	194	8.7	6.9-10.5	51	6.7	4.5- 8.9	1132	20.4	18.8-22.0	86	2.8	2.0- 3.6
18-24	94	39,032	48	50.6	38.8-62.4	4	3.8	0.0- 7.9	4	3.7	0.0- 7.4	37	41.2	29.6-52.8				1	0.8	0.0- 2.4
25-34	207	51,569	151	71.6	64.3-78.9	10	4.2	1.3- 7.1	32	17.3	11.0-23.6	9	4.1	1.0- 7.2				5	2.8	0.3- 5.3
35-44	271	44,232	224	85.4	80.7-90.1	2	0.3	0.0- 0.7	39	12.6	8.1-17.1	3	0.9	0.0- 2.1				3	0.7	0.0- 1.7
45-54	329	38,317	273	82.1	76.6-87.6	10	3.4	1.0- 5.8	21	6.7	3.2-10.2	1	0.1	0.0- 0.3	6	2.3	0.3- 4.3	18	5.5	1.8- 9.2
55-64	656	45,724	429	65.2	60.7-69.7	19	2.6	1.0- 4.2	34	5.6	3.4- 7.8	3	0.3	0.0- 0.7	125	17.5	14.2-20.8	46	8.7	6.0-11.4
65+	1355	64,870	208	16.5	14.0-19.0	11	0.9	0.3- 1.5	74	5.8	4.2- 7.4	1	0.0	0.0- 0.0	1033	74.6	71.7-77.5	28	2.1	1.1- 3.1
Less Than H.S.	116	21,758	23	38.2	22.9-53.5	3	2.2	0.0- 4.9	11	8.6	2.5-14.7	6	20.8	5.9-35.7	58	20.9	13.1-28.7	15	9.4	3.3-15.5
H.S. or G.E.D.	747	65,958	263	49.9	44.4-55.4	16	4.6	1.7- 7.5	67	11.7	8.0-15.4	8	3.3	0.6- 6.0	354	25.5	22.0-29.0	39	5.0	2.8- 7.2
Some Post-H.S.	936	109,058	445	58.7	54.0-63.4	19	2.0	0.8- 3.2	62	8.4	5.5-11.3	21	8.5	4.8-12.2	359	19.4	16.9-21.9	30	3.1	1.5- 4.7
College Graduate	1107	86,584	599	70.5	67.2-73.8	18	1.4	0.6- 2.2	64	7.1	4.9- 9.3	19	3.3	1.5- 5.1	390	16.8	14.6-19.0	17	0.9	0.3- 1.5
Less than \$15,000	165	17,096	24	23.0	12.0-34.0	11	8.7	0.5-16.9	10	6.0	1.1-10.9	8	20.6	7.5-33.7	86	27.1	18.7-35.5	26	14.7	7.1-22.3
\$15,000- 24,999	335	30,475	86	40.5	30.9-50.1	12	6.4	2.3-10.5	20	7.2	2.9-11.5	11	9.8	3.7-15.9	181	25.9	20.2-31.6	25	10.2	4.7-15.7
\$25,000- 34,999	239	20,404	101	57.5	47.9-67.1	2	0.6	0.0- 1.4	13	9.2	1.9-16.5	2	3.7	0.0-10.2	113	26.6	19.9-33.3	8	2.5	0.5- 4.5
\$35,000- 49,999	419	39,660	173	59.0	51.7-66.3	7	2.1	0.0- 4.6	27	9.3	4.6-14.0	7	4.3	0.4- 8.2	196	23.9	19.2-28.6	9	1.5	0.5- 2.5
\$50,000- 74,999	417	39,080	231	65.3	58.4-72.2	5	1.7	0.0- 3.7	30	8.4	4.7-12.1	5	5.0	0.0-10.9	141	18.6	14.7-22.5	5	1.0	0.0- 2.0
\$75,000+	819	93,230	538	76.3	72.2-80.4	6	0.5	0.1- 0.9	59	8.6	5.7-11.5	8	3.0	0.3- 5.7	202	11.4	9.4-13.4	6	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5494	581,176	415	12.6	11.2-14.0	402	13.0	11.6-14.4	189	5.1	4.3- 5.9	72	2.2	1.6- 2.8	55	1.7	1.1- 2.3	4361	65.3	63.3-67.3
Male	2576	296,952	206	11.9	9.9-13.9	207	13.8	11.6-16.0	82	4.5	3.3- 5.7	31	2.0	1.0- 3.0	22	1.0	0.6- 1.4	2028	66.8	64.1-69.5
Female	2918	284,224	209	13.4	11.2-15.6	195	12.3	10.3-14.3	107	5.8	4.4- 7.2	41	2.5	1.5- 3.5	33	2.4	1.2- 3.6	2333	63.7	60.8-66.6
Native	190	24,561	25	9.1	4.2-14.0	21	16.7	8.5-24.9	17	10.3	4.4-16.2	9	5.8	0.0-11.9	10	6.5	2.0-11.0	108	51.5	41.5-61.5
Non-Native	5247	551,226	386	12.7	11.1-14.3	379	13.0	11.4-14.6	170	4.9	4.1- 5.7	62	2.0	1.4- 2.6	45	1.5	0.9- 2.1	4205	65.9	63.9-67.9
18-24	276	83,165	48	17.8	12.5-23.1	24	9.2	4.9-13.5	9	2.8	0.8- 4.8	1	0.9	0.0- 2.7	3	1.6	0.0- 4.0	191	67.8	61.1-74.5
25-34	449	111,734	73	17.6	13.5-21.7	96	22.4	18.1-26.7	36	7.3	4.8- 9.8	20	4.3	2.1- 6.5	12	2.7	0.7- 4.7	212	45.7	40.4-51.0
35-44	542	93,343	79	17.9	13.6-22.2	165	31.9	27.0-36.8	96	15.4	11.9-18.9	36	6.3	3.8- 8.8	30	4.1	2.5- 5.7	136	24.4	20.1-28.7
45-54	643	78,776	137	21.1	17.0-25.2	83	13.2	9.7-16.7	34	5.2	3.2- 7.2	11	1.9	0.3- 3.5	5	0.8	0.0- 1.6	373	57.8	52.9-62.7
55-64	1232	93,368	55	4.6	3.2- 6.0	26	2.5	1.3- 3.7	11	0.8	0.2- 1.4	3	0.1	0.0- 0.3	4	0.7	0.0- 1.5	1133	91.3	89.3-93.3
65+	2352	120,791	23	1.0	0.4- 1.6	8	0.6	0.2- 1.0	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	2316	98.0	97.2-98.8
Less Than H.S.	242	46,417	16	12.7	5.4-20.0	15	15.2	7.2-23.2	6	3.5	0.4- 6.6	4	3.8	0.0- 7.9	8	5.3	0.8- 9.8	193	59.5	49.7-69.3
H.S. or G.E.D.	1506	153,397	99	12.8	9.9-15.7	93	12.5	9.8-15.2	39	4.5	2.7- 6.3	19	2.2	1.0- 3.4	9	1.1	0.1- 2.1	1247	66.7	63.0-70.4
Some Post-H.S.	1753	226,088	130	12.4	10.0-14.8	105	10.4	8.2-12.6	47	3.8	2.6- 5.0	22	2.1	1.1- 3.1	16	1.3	0.5- 2.1	1433	70.0	66.9-73.1
College Graduate	1976	153,412	168	12.5	10.3-14.7	189	16.9	14.4-19.4	97	8.3	6.3-10.3	27	2.0	1.0- 3.0	22	1.7	0.9- 2.5	1473	58.5	55.4-61.6
Less than \$15,000	274	29,197	13	10.3	3.4-17.2	7	3.6	0.3- 6.9	5	3.0	0.0- 6.1	2	1.4	0.0- 3.8	3	2.1	0.0- 4.5	244	79.6	71.6-87.6
\$15,000- 24,999	562	54,456	31	9.8	5.7-13.9	20	9.9	4.8-15.0	9	2.9	0.4- 5.4	8	2.5	0.1- 4.9	2	0.8	0.0- 2.2	492	74.1	67.6-80.6
\$25,000- 34,999	459	44,750	31	11.2	6.5-15.9	21	9.2	4.7-13.7	6	2.2	0.0- 4.4	2	0.6	0.0- 1.6	5	2.3	0.0- 5.2	394	74.5	68.0-81.0
\$35,000- 49,999	767	76,669	44	11.9	8.0-15.8	24	6.4	3.3- 9.5	19	4.1	1.7- 6.5	5	1.6	0.0- 3.4	10	2.8	0.6- 5.0	665	73.2	67.9-78.5
\$50,000- 74,999	856	87,792	56	10.5	7.2-13.8	79	15.2	11.3-19.1	27	5.5	3.3- 7.7	15	2.8	1.0- 4.6	8	1.3	0.3- 2.3	671	64.7	59.8-69.6
\$75,000+	1804	214,407	201	16.0	13.3-18.7	214	18.9	16.2-21.6	108	7.7	5.9- 9.5	32	2.7	1.5- 3.9	22	1.8	0.8- 2.8	1227	52.9	49.8-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2576	296,952	206	11.9	9.9-13.9	207	13.8	11.6-16.0	82	4.5	3.3- 5.7	31	2.0	1.0- 3.0	22	1.0	0.6- 1.4	2028	66.8	64.1-69.5
Native	88	11,381	13	9.5	2.6-16.4	7	12.0	1.6-22.4	5	9.2	0.6-17.8	4	4.0	0.0- 8.9	2	1.0	0.0- 2.4	57	64.3	50.6-78.0
Non-Native	2458	282,457	190	11.8	9.8-13.8	199	14.0	11.8-16.2	76	4.2	3.0- 5.4	27	2.0	1.0- 3.0	20	1.0	0.4- 1.6	1946	67.0	64.3-69.7
18-24	183	44,168	25	13.1	7.8-18.4	15	8.7	4.0-13.4	8	3.9	1.2- 6.6							135	74.3	67.4-81.2
25-34	243	60,306	34	15.2	9.9-20.5	48	22.0	15.9-28.1	11	4.6	1.7- 7.5	7	3.0	0.5- 5.5	3	1.2	0.0- 2.6	140	54.1	47.0-61.2
35-44	270	48,860	40	18.2	12.3-24.1	75	31.2	24.1-38.3	42	13.3	8.6-18.0	15	5.9	2.4- 9.4	15	3.7	1.5- 5.9	83	27.8	21.5-34.1
45-54	316	40,467	62	19.8	13.7-25.9	49	16.4	11.1-21.7	18	5.5	2.8- 8.2	8	3.2	0.1- 6.3	1	0.1	0.0- 0.3	178	55.0	47.9-62.1
55-64	574	47,573	31	5.3	2.9- 7.7	15	3.3	1.3- 5.3	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	3	0.8	0.0- 2.0	521	90.1	87.0-93.2
65+	990	55,578	14	1.5	0.5- 2.5	5	0.8	0.0- 1.6										971	97.7	96.3-99.1
Less Than H.S.	124	24,483	11	13.0	4.0-22.0	10	18.1	7.1-29.1	2	3.5	0.0- 8.2	2	3.4	0.0- 8.5	2	1.5	0.0- 3.7	97	60.5	48.2-72.8
H.S. or G.E.D.	758	87,472	50	11.0	7.7-14.3	60	15.5	11.6-19.4	23	4.8	2.6- 7.0	10	1.7	0.5- 2.9	2	0.5	0.0- 1.1	613	66.5	61.6-71.4
Some Post-H.S.	817	117,144	66	12.2	8.9-15.5	59	10.7	7.8-13.6	21	3.6	1.8- 5.4	13	2.6	1.0- 4.2	4	0.4	0.0- 0.8	654	70.4	66.1-74.7
College Graduate	869	66,898	77	11.3	8.4-14.2	78	15.5	12.0-19.0	36	6.2	3.8- 8.6	6	1.0	0.0- 2.0	14	2.6	1.0- 4.2	658	63.4	59.1-67.7
Less than \$15,000	107	11,940	7	7.1	0.8-13.4	3	3.0	0.0- 6.3	2	4.7	0.0-11.8							95	85.2	75.8-94.6
\$15,000- 24,999	227	24,316	8	3.0	0.3- 5.7	7	10.4	1.6-19.2	5	2.7	0.2- 5.2	2	2.5	0.0- 6.0	1	0.3	0.0- 0.9	204	81.2	71.8-90.6
\$25,000- 34,999	220	24,346	13	7.8	3.1-12.5	14	11.3	4.6-18.0	1	0.4	0.0- 1.2	2	1.1	0.0- 2.9	2	0.3	0.0- 0.7	188	79.2	71.4-87.0
\$35,000- 49,999	348	37,009	17	11.1	5.8-16.4	10	6.1	1.4-10.8	7	2.5	0.3- 4.7	1	1.4	0.0- 3.9	1	0.7	0.0- 2.1	312	78.3	71.2-85.4
\$50,000- 74,999	438	48,677	33	12.9	8.0-17.8	41	14.6	9.9-19.3	12	4.2	1.5- 6.9	8	2.6	0.1- 5.1	4	1.0	0.0- 2.2	340	64.6	58.1-71.1
\$75,000+	984	121,177	111	15.4	11.9-18.9	114	17.9	14.4-21.4	52	7.1	4.9- 9.3	15	2.3	0.9- 3.7	13	1.7	0.7- 2.7	679	55.6	51.3-59.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2918	284,224	209	13.4	11.2-15.6	195	12.3	10.3-14.3	107	5.8	4.4- 7.2	41	2.5	1.5- 3.5	33	2.4	1.2- 3.6	2333	63.7	60.8-66.6
Native	102	13,180	12	8.8	2.1-15.5	14	20.8	8.6-33.0	12	11.4	3.6-19.2	5	7.3	0.0-17.5	8	11.3	3.1-19.5	51	40.5	27.4-53.6
Non-Native	2789	268,769	196	13.7	11.3-16.1	180	11.9	9.7-14.1	94	5.5	4.1- 6.9	35	2.1	1.3- 2.9	25	2.0	1.0- 3.0	2259	64.8	61.9-67.7
18-24	93	38,997	23	23.1	13.5-32.7	9	9.7	2.4-17.0	1	1.5	0.0- 4.4	1	1.8	0.0- 5.3	3	3.4	0.0- 8.1	56	60.5	48.9-72.1
25-34	206	51,428	39	20.5	14.0-27.0	48	22.8	16.3-29.3	25	10.5	6.0-15.0	13	5.8	2.1- 9.5	9	4.6	0.9- 8.3	72	35.9	28.3-43.5
35-44	272	44,483	39	17.6	11.3-23.9	90	32.6	25.7-39.5	54	17.7	12.4-23.0	21	6.8	3.5-10.1	15	4.5	2.0- 7.0	53	20.8	14.9-26.7
45-54	327	38,309	75	22.4	17.1-27.7	34	9.9	5.6-14.2	16	4.8	2.3- 7.3	3	0.5	0.0- 1.1	4	1.5	0.1- 2.9	195	60.9	54.4-67.4
55-64	658	45,794	24	3.8	2.0- 5.6	11	1.6	0.6- 2.6	8	1.3	0.3- 2.3	2	0.2	0.0- 0.4	1	0.5	0.0- 1.5	612	92.5	90.1-94.9
65+	1362	65,212	9	0.6	0.2- 1.0	3	0.4	0.0- 1.0	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	1	0.4	0.0- 1.2	1345	98.2	97.0-99.4
Less Than H.S.	118	21,934	5	12.4	0.8-24.0	5	12.0	0.4-23.6	4	3.5	0.0- 7.4	2	4.2	0.0-10.7	6	9.6	0.4-18.8	96	58.3	43.2-73.4
H.S. or G.E.D.	748	65,924	49	15.2	10.3-20.1	33	8.5	5.0-12.0	16	4.2	1.7- 6.7	9	2.9	0.5- 5.3	7	2.0	0.0- 4.2	634	67.1	61.2-73.0
Some Post-H.S.	936	108,944	64	12.6	9.1-16.1	46	10.1	6.8-13.4	26	4.1	2.3- 5.9	9	1.6	0.2- 3.0	12	2.2	0.6- 3.8	779	69.5	64.8-74.2
College Graduate	1107	86,515	91	13.4	10.3-16.5	111	18.0	14.5-21.5	61	9.8	6.9-12.7	21	2.8	1.2- 4.4	8	1.1	0.3- 1.9	815	54.8	50.5-59.1
Less than \$15,000	167	17,257	6	12.6	2.0-23.2	4	4.0	0.0- 8.9	3	1.8	0.0- 4.0	2	2.4	0.0- 6.5	3	3.5	0.0- 7.6	149	75.7	63.9-87.5
\$15,000- 24,999	335	30,140	23	15.3	8.2-22.4	13	9.5	3.6-15.4	4	3.2	0.0- 7.3	6	2.6	0.0- 5.7	1	1.2	0.0- 3.6	288	68.3	59.3-77.3
\$25,000- 34,999	239	20,404	18	15.2	7.0-23.4	7	6.7	0.8-12.6	5	4.4	0.1- 8.7	3	4.8	0.0-11.3	3	4.8	0.0-11.3	206	68.9	58.3-79.5
\$35,000- 49,999	419	39,660	27	12.6	6.9-18.3	14	6.7	2.2-11.2	12	5.7	1.8- 9.6	4	1.8	0.0- 4.3	9	4.8	1.1- 8.5	353	68.5	60.9-76.1
\$50,000- 74,999	418	39,115	23	7.4	3.5-11.3	38	15.9	9.2-22.6	15	7.0	3.3-10.7	7	3.1	0.6- 5.6	4	1.7	0.0- 3.5	331	64.8	57.4-72.2
\$75,000+	820	93,231	90	16.9	12.6-21.2	100	20.2	16.1-24.3	56	8.3	5.8-10.8	17	3.1	1.3- 4.9	9	2.0	0.0- 4.2	548	49.4	44.5-54.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	508,112	122	2.7	1.9- 3.5	152	3.0	2.2- 3.8	239	4.6	3.8- 5.4	324	6.2	5.2- 7.2	459	8.8	7.6-10.0	3431	74.7	72.9-76.5
Male	2327	267,898	50	2.0	1.2- 2.8	57	2.5	1.7- 3.3	99	3.6	2.6- 4.6	128	5.5	4.1- 6.9	220	9.1	7.5-10.7	1773	77.4	75.0-79.8
Female	2400	240,214	72	3.6	2.2- 5.0	95	3.6	2.4- 4.8	140	5.8	4.4- 7.2	196	6.9	5.1- 8.7	239	8.5	6.9-10.1	1658	71.6	68.9-74.3
Native	167	21,034	17	11.7	5.0-18.4	14	7.9	2.6-13.2	23	16.2	8.2-24.2	15	8.2	2.9-13.5	22	13.0	6.1-19.9	76	43.1	32.7-53.5
Non-Native	4525	483,842	104	2.4	1.6- 3.2	137	2.8	2.0- 3.6	216	4.2	3.4- 5.0	303	6.0	4.8- 7.2	434	8.6	7.4- 9.8	3331	76.0	74.2-77.8
18-24	223	66,470	7	5.2	1.3- 9.1	7	3.8	0.7- 6.9	16	6.4	3.1- 9.7	26	13.8	7.9-19.7	24	10.9	6.4-15.4	143	59.8	52.2-67.4
25-34	408	102,196	9	2.1	0.5- 3.7	5	1.4	0.0- 2.8	25	6.3	3.8- 8.8	22	4.8	2.6- 7.0	37	9.7	6.4-13.0	310	75.7	71.0-80.4
35-44	499	86,384	8	1.5	0.3- 2.7	7	1.7	0.1- 3.3	6	1.2	0.0- 2.4	13	2.5	0.3- 4.7	24	4.8	2.4- 7.2	441	88.4	84.7-92.1
45-54	566	69,259	17	2.5	1.1- 3.9	13	2.6	0.8- 4.4	17	4.2	1.5- 6.9	17	2.6	1.2- 4.0	35	6.3	3.9- 8.7	467	81.8	77.7-85.9
55-64	1087	83,564	34	3.1	1.7- 4.5	22	2.8	1.4- 4.2	37	3.1	1.9- 4.3	43	4.2	2.8- 5.6	76	6.8	5.0- 8.6	875	80.0	77.1-82.9
65+	1944	100,240	47	2.7	1.7- 3.7	98	5.7	4.3- 7.1	138	6.3	5.1- 7.5	203	9.6	8.0-11.2	263	13.5	11.7-15.3	1195	62.3	59.8-64.8
Less Than H.S.	199	38,937	24	9.2	4.7-13.7	29	9.4	4.9-13.9	27	9.2	4.7-13.7	30	13.5	5.7-21.3	28	8.7	4.6-12.8	61	50.0	39.6-60.4
H.S. or G.E.D.	1247	129,464	59	4.4	2.6- 6.2	65	3.2	2.0- 4.4	97	7.8	5.6-10.0	118	7.5	5.5- 9.5	169	11.7	9.3-14.1	739	65.4	61.7-69.1
Some Post-H.S.	1514	199,739	27	2.1	0.9- 3.3	47	3.3	1.9- 4.7	73	3.4	2.2- 4.6	115	6.1	4.5- 7.7	165	10.2	8.0-12.4	1087	75.0	71.9-78.1
College Graduate	1759	139,256	10	0.3	0.1- 0.5	11	0.7	0.1- 1.3	41	2.0	1.0- 3.0	59	2.9	1.9- 3.9	97	4.2	3.0- 5.4	1541	89.9	87.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2327	267,898	50	2.0	1.2- 2.8	57	2.5	1.7- 3.3	99	3.6	2.6- 4.6	128	5.5	4.1- 6.9	220	9.1	7.5-10.7	1773	77.4	75.0-79.8
Native	79	10,206	8	12.6	1.8-23.4	7	8.8	0.4-17.2	9	13.6	4.2-23.0	9	10.9	2.7-19.1	11	11.9	2.1-21.7	35	42.2	26.9-57.5
Non-Native	2228	255,747	42	1.6	1.0- 2.2	50	2.2	1.4- 3.0	90	3.2	2.2- 4.2	117	5.2	3.8- 6.6	207	9.0	7.4-10.6	1722	78.7	76.3-81.1
18-24	153	36,411	1	0.8	0.0- 2.4	2	1.0	0.0- 2.4	8	4.1	1.0- 7.2	17	12.4	6.5-18.3	19	14.5	8.0-21.0	106	67.2	58.8-75.6
25-34	227	56,112	3	1.7	0.0- 3.7	3	1.3	0.0- 2.9	11	4.9	1.8- 8.0	11	4.8	1.9- 7.7	20	10.3	5.6-15.0	179	77.0	70.7-83.3
35-44	255	45,530	4	1.4	0.0- 3.2	4	1.8	0.0- 4.0	2	0.6	0.0- 1.4	6	3.1	0.0- 6.8	15	4.5	1.6- 7.4	224	88.6	83.3-93.9
45-54	286	36,837	10	2.7	0.9- 4.5	7	3.2	0.3- 6.1	5	2.3	0.0- 4.8	7	1.6	0.2- 3.0	20	6.8	3.5-10.1	237	83.4	78.1-88.7
55-64	528	43,709	19	3.4	1.2- 5.6	11	2.9	0.7- 5.1	25	3.9	2.1- 5.7	20	3.9	1.9- 5.9	32	5.6	3.2- 8.0	421	80.4	76.1-84.7
65+	878	49,299	13	1.9	0.5- 3.3	30	4.7	2.5- 6.9	48	5.3	3.5- 7.1	67	7.7	5.5- 9.9	114	12.8	10.1-15.5	606	67.7	63.8-71.6
Less Than H.S.	108	21,254	10	8.1	2.2-14.0	12	9.0	2.5-15.5	17	10.9	4.2-17.6	13	11.7	2.3-21.1	18	11.3	4.6-18.0	38	49.1	36.0-62.2
H.S. or G.E.D.	677	78,069	29	3.0	1.4- 4.6	25	3.2	1.6- 4.8	42	4.8	2.6- 7.0	53	6.2	4.0- 8.4	79	11.3	8.0-14.6	449	71.4	66.9-75.9
Some Post-H.S.	729	105,070	7	1.0	0.2- 1.8	15	1.9	0.7- 3.1	26	2.2	1.2- 3.2	39	5.1	3.1- 7.1	83	10.4	7.5-13.3	559	79.3	75.6-83.0
College Graduate	809	63,131	4	0.4	0.0- 0.8	5	0.3	0.0- 0.7	13	1.5	0.3- 2.7	22	3.1	1.3- 4.9	40	3.4	2.0- 4.8	725	91.3	88.8-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2400	240,214	72	3.6	2.2- 5.0	95	3.6	2.4- 4.8	140	5.8	4.4- 7.2	196	6.9	5.1- 8.7	239	8.5	6.9-10.1	1658	71.6	68.9-74.3
Native	88	10,828	9	11.0	3.0-19.0	7	7.0	0.7-13.3	14	18.6	6.1-31.1	6	5.6	0.0-12.3	11	13.9	4.5-23.3	41	43.9	29.8-58.0
Non-Native	2297	228,095	62	3.2	1.8- 4.6	87	3.4	2.2- 4.6	126	5.2	3.8- 6.6	186	6.9	5.1- 8.7	227	8.2	6.6- 9.8	1609	73.1	70.2-76.0
18-24	70	30,059	6	10.5	2.3-18.7	5	7.2	0.5-13.9	8	9.3	2.6-16.0	9	15.6	5.0-26.2	5	6.6	0.5-12.7	37	50.8	37.1-64.5
25-34	181	46,084	6	2.7	0.2- 5.2	2	1.5	0.0- 3.9	14	8.0	3.7-12.3	11	4.8	1.5- 8.1	17	8.9	4.0-13.8	131	74.0	66.7-81.3
35-44	244	40,854	4	1.5	0.0- 3.1	3	1.6	0.0- 3.8	4	1.8	0.0- 4.2	7	1.9	0.1- 3.7	9	5.0	0.9- 9.1	217	88.1	82.6-93.6
45-54	280	32,422	7	2.3	0.3- 4.3	6	1.9	0.1- 3.7	12	6.4	1.7-11.1	10	3.9	1.4- 6.4	15	5.7	2.4- 9.0	230	79.9	73.6-86.2
55-64	559	39,855	15	2.9	1.1- 4.7	11	2.7	0.9- 4.5	12	2.3	0.7- 3.9	23	4.5	2.3- 6.7	44	8.1	5.4-10.8	454	79.6	75.5-83.7
65+	1066	50,942	34	3.4	1.8- 5.0	68	6.7	4.7- 8.7	90	7.2	5.4- 9.0	136	11.5	9.3-13.7	149	14.1	11.6-16.6	589	57.0	53.5-60.5
Less Than H.S.	91	17,683	14	10.6	3.3-17.9	17	9.9	4.0-15.8	10	7.1	1.4-12.8	17	15.7	2.6-28.8	10	5.7	1.2-10.2	23	51.1	34.4-67.8
H.S. or G.E.D.	570	51,395	30	6.5	2.8-10.2	40	3.3	1.7- 4.9	55	12.3	8.0-16.6	65	9.6	5.9-13.3	90	12.2	8.9-15.5	290	56.2	49.9-62.5
Some Post-H.S.	785	94,669	20	3.3	1.1- 5.5	32	4.7	2.2- 7.2	47	4.8	2.4- 7.2	76	7.1	4.6- 9.6	82	9.9	6.6-13.2	528	70.2	65.3-75.1
College Graduate	950	76,125	6	0.3	0.1- 0.5	6	1.0	0.2- 1.8	28	2.3	0.9- 3.7	37	2.7	1.5- 3.9	57	4.9	2.9- 6.9	816	88.8	86.1-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 49: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5207	551,801	33	0.5	0.3- 0.7	1271	23.7	21.9-25.5	2374	44.4	42.4-46.4	1114	21.9	20.3-23.5	406	9.1	7.9-10.3	9	0.4	0.0- 0.8
Male	2536	292,050	2	0.1	0.0- 0.3	185	8.6	7.0-10.2	1187	46.5	43.8-49.2	835	31.2	28.8-33.6	322	13.4	11.6-15.2	5	0.2	0.0- 0.4
Female	2671	259,751	31	1.0	0.4- 1.6	1086	40.6	37.7-43.5	1187	42.1	39.2-45.0	279	11.3	9.3-13.3	84	4.2	2.8- 5.6	4	0.6	0.0- 1.6
Native	181	23,730	1	0.1	0.0- 0.3	28	16.9	9.3-24.5	79	44.7	34.3-55.1	50	25.9	17.7-34.1	23	12.4	5.7-19.1			
Non-Native	4979	523,830	31	0.6	0.4- 0.8	1230	24.0	22.2-25.8	2274	44.5	42.5-46.5	1053	21.5	19.9-23.1	382	9.0	7.8-10.2	9	0.4	0.0- 0.8
18-24	269	80,492	3	1.2	0.0- 2.6	79	35.3	28.4-42.2	122	44.0	37.1-50.9	48	13.7	9.4-18.0	16	4.2	1.8- 6.6	1	1.5	0.0- 4.4
25-34	428	106,512	2	0.5	0.0- 1.3	100	24.2	19.5-28.9	187	43.1	37.8-48.4	98	22.0	17.5-26.5	39	9.9	6.6-13.2	2	0.3	0.0- 0.7
35-44	522	89,116	1	0.0	0.0- 0.0	87	15.1	11.6-18.6	221	42.7	37.4-48.0	138	26.9	22.2-31.6	74	15.1	11.2-19.0	1	0.1	0.0- 0.3
45-54	603	73,886				123	19.5	15.8-23.2	249	41.4	36.3-46.5	165	27.9	23.4-32.4	65	10.8	7.9-13.7	1	0.3	0.0- 0.9
55-64	1152	87,609	4	0.3	0.0- 0.7	231	20.0	17.1-22.9	564	47.9	44.4-51.4	251	22.3	19.4-25.2	99	9.3	7.1-11.5	3	0.3	0.0- 0.7
65+	2233	114,187	23	1.0	0.6- 1.4	651	27.1	24.9-29.3	1031	46.6	44.1-49.1	414	19.3	17.3-21.3	113	5.8	4.4- 7.2	1	0.0	0.0- 0.0
Less Than H.S.	233	44,516	5	0.9	0.1- 1.7	71	25.3	16.9-33.7	90	39.6	30.4-48.8	41	18.4	11.5-25.3	25	13.1	6.8-19.4	1	2.7	0.0- 8.0
H.S. or G.E.D.	1407	142,880	17	1.1	0.3- 1.9	348	23.0	19.9-26.1	652	46.1	42.4-49.8	284	20.7	17.8-23.6	106	9.1	6.9-11.3			
Some Post-H.S.	1677	217,710	7	0.3	0.0- 0.7	391	23.2	20.3-26.1	766	43.9	40.6-47.2	364	22.6	19.9-25.3	146	9.8	7.8-11.8	3	0.2	0.0- 0.4
College Graduate	1878	145,500	4	0.3	0.0- 0.7	458	24.4	21.7-27.1	862	45.3	42.2-48.4	420	22.7	20.2-25.2	129	6.9	5.3- 8.5	5	0.4	0.0- 0.8
Less than \$15,000	262	27,674	8	3.4	0.3- 6.5	80	30.8	21.6-40.0	119	42.6	33.6-51.6	35	11.4	6.7-16.1	20	11.9	5.4-18.4			
\$15,000- 24,999	539	51,902	6	1.1	0.0- 2.5	178	30.9	24.8-37.0	227	41.0	34.3-47.7	89	16.9	12.2-21.6	36	7.6	4.5-10.7	3	2.6	0.0- 7.1
\$25,000- 34,999	436	42,352	2	0.2	0.0- 0.4	97	20.4	14.7-26.1	219	49.7	42.6-56.8	88	21.9	15.8-28.0	30	7.8	4.3-11.3			
\$35,000- 49,999	730	72,504	2	0.1	0.0- 0.3	179	27.0	21.9-32.1	331	40.9	35.6-46.2	161	23.9	19.2-28.6	57	8.0	5.3-10.7			
\$50,000- 74,999	824	85,669	3	0.2	0.0- 0.4	162	20.8	16.5-25.1	404	47.1	42.4-51.8	185	23.2	19.1-27.3	68	8.5	6.0-11.0	2	0.2	0.0- 0.4
\$75,000+	1757	207,955	2	0.3	0.0- 0.7	351	19.3	16.8-21.8	763	42.9	39.8-46.0	472	26.1	23.4-28.8	169	11.4	9.2-13.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2536	292,050	2	0.1	0.0- 0.3	185	8.6	7.0-10.2	1187	46.5	43.8-49.2	835	31.2	28.8-33.6	322	13.4	11.6-15.2	5	0.2	0.0- 0.4
Native	86	11,030	1	0.3	0.0- 0.9	5	11.9	1.9-21.9	32	33.0	18.9-47.1	31	33.7	20.4-47.0	17	21.1	8.8-33.4			
Non-Native	2423	278,379	1	0.1	0.0- 0.3	179	8.5	6.9-10.1	1139	47.0	44.3-49.7	795	31.0	28.5-33.5	304	13.2	11.4-15.0	5	0.2	0.0- 0.4
18-24	179	43,185				33	21.4	14.3-28.5	89	52.8	44.8-60.8	42	19.3	13.2-25.4	15	6.5	3.2- 9.8			
25-34	240	59,500	1	0.4	0.0- 1.2	25	11.1	6.6-15.6	116	47.2	40.1-54.3	70	28.7	22.2-35.2	28	12.6	7.9-17.3			
35-44	267	48,355				8	2.2	0.4- 4.0	97	38.7	31.4-46.0	106	38.0	30.9-45.1	56	21.1	15.0-27.2			
45-54	309	39,627				16	4.7	2.2- 7.2	123	41.0	33.9-48.1	120	38.3	31.4-45.2	49	15.5	10.6-20.4	1	0.6	0.0- 1.8
55-64	565	46,480				21	3.5	1.5- 5.5	270	48.0	42.9-53.1	191	32.9	28.2-37.6	80	15.1	11.4-18.8	3	0.5	0.0- 1.1
65+	976	54,903	1	0.1	0.0- 0.3	82	8.3	6.1-10.5	492	50.5	46.8-54.2	306	30.9	27.4-34.4	94	10.2	7.8-12.6	1	0.1	0.0- 0.3
Less Than H.S.	122	24,298				17	15.2	6.2-24.2	56	44.7	32.5-56.9	30	23.9	14.1-33.7	19	16.2	7.6-24.8			
H.S. or G.E.D.	738	84,989	2	0.3	0.0- 0.9	72	10.4	7.3-13.5	356	49.2	44.3-54.1	223	27.9	23.6-32.2	85	12.1	9.0-15.2			
Some Post-H.S.	812	116,073				48	7.5	5.0-10.0	380	46.7	42.2-51.2	265	30.9	26.8-35.0	116	14.6	11.5-17.7	3	0.3	0.0- 0.7
College Graduate	855	65,666				47	5.4	3.4- 7.4	391	43.7	39.4-48.0	313	38.4	34.1-42.7	102	12.3	9.4-15.2	2	0.2	0.0- 0.4
Less than \$15,000	104	11,366	1	2.3	0.0- 6.8	18	15.7	6.5-24.9	55	49.5	36.6-62.4	20	14.5	6.9-22.1	10	18.0	5.7-30.3			
\$15,000- 24,999	222	23,972				30	15.6	8.3-22.9	109	50.0	40.6-59.4	55	21.8	14.4-29.2	26	12.1	6.4-17.8	2	0.5	0.0- 1.3
\$25,000- 34,999	216	23,664	1	0.1	0.0- 0.3	22	9.7	4.8-14.6	110	56.0	46.8-65.2	56	22.5	15.1-29.9	27	11.7	6.2-17.2			
\$35,000- 49,999	346	36,637				29	14.4	7.9-20.9	163	40.3	33.0-47.6	115	35.8	28.4-43.2	39	9.5	5.6-13.4			
\$50,000- 74,999	433	48,150				24	7.9	4.2-11.6	210	46.6	40.3-52.9	142	32.2	26.1-38.3	56	13.2	9.1-17.3	1	0.1	0.0- 0.3
\$75,000+	979	120,625				40	4.1	2.3- 5.9	405	42.3	38.2-46.4	390	37.5	33.6-41.4	144	16.2	13.1-19.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2671	259,751	31	1.0	0.4- 1.6	1086	40.6	37.7-43.5	1187	42.1	39.2-45.0	279	11.3	9.3-13.3	84	4.2	2.8- 5.6	4	0.6	0.0- 1.6
Native	95	12,700				23	21.3	10.1-32.5	47	54.8	40.9-68.7	19	19.1	9.5-28.7	6	4.8	0.0-10.5			
Non-Native	2556	245,451	30	1.1	0.5- 1.7	1051	41.6	38.7-44.5	1135	41.6	38.7-44.5	258	10.9	8.9-12.9	78	4.2	2.8- 5.6	4	0.7	0.0- 1.7
18-24	90	37,306	3	2.6	0.0- 5.5	46	51.4	39.4-63.4	33	34.0	22.8-45.2	6	7.3	1.2-13.4	1	1.5	0.0- 4.4	1	3.3	0.0- 9.6
25-34	188	47,012	1	0.6	0.0- 1.8	75	40.7	32.5-48.9	71	37.8	29.8-45.8	28	13.6	7.9-19.3	11	6.5	1.8-11.2	2	0.8	0.0- 2.0
35-44	255	40,761	1	0.1	0.0- 0.3	79	30.5	23.6-37.4	124	47.5	40.1-54.9	32	13.6	7.9-19.3	18	8.0	3.3-12.7	1	0.3	0.0- 0.9
45-54	294	34,258				107	36.6	29.9-43.3	126	42.0	34.9-49.1	45	16.0	10.7-21.3	16	5.4	2.3- 8.5			
55-64	587	41,129	4	0.7	0.1- 1.3	210	38.5	33.6-43.4	294	47.8	42.7-52.9	60	10.2	7.3-13.1	19	2.8	1.0- 4.6			
65+	1257	59,284	22	1.9	1.1- 2.7	569	44.6	41.3-47.9	539	43.0	39.7-46.3	108	8.6	6.8-10.4	19	1.8	0.6- 3.0			
Less Than H.S.	111	20,218	5	1.9	0.1- 3.7	54	37.4	22.9-51.9	34	33.4	19.5-47.3	11	11.9	3.1-20.7	6	9.5	0.5-18.5	1	6.0	0.0-17.2
H.S. or G.E.D.	669	57,891	15	2.2	0.6- 3.8	276	41.5	35.6-47.4	296	41.6	35.9-47.3	61	10.1	6.8-13.4	21	4.7	1.8- 7.6			
Some Post-H.S.	865	101,637	7	0.6	0.0- 1.2	343	41.2	36.3-46.1	386	40.6	35.9-45.3	99	13.2	9.7-16.7	30	4.4	2.2- 6.6			
College Graduate	1023	79,835	4	0.6	0.0- 1.4	411	40.1	35.8-44.4	471	46.6	42.3-50.9	107	9.7	7.2-12.2	27	2.4	1.2- 3.6	3	0.6	0.0- 1.4
Less than \$15,000	158	16,307	7	4.1	0.0- 8.2	62	41.4	28.3-54.5	64	37.8	25.5-50.1	15	9.2	3.3-15.1	10	7.5	1.2-13.8			
\$15,000- 24,999	317	27,930	6	2.1	0.0- 4.6	148	44.0	34.6-53.4	118	33.2	24.4-42.0	34	12.8	6.7-18.9	10	3.7	0.4- 7.0	1	4.3	0.0-12.5
\$25,000- 34,999	220	18,688	1	0.3	0.0- 0.9	75	34.0	23.6-44.4	109	41.8	31.8-51.8	32	21.0	11.0-31.0	3	2.9	0.0- 6.4			
\$35,000- 49,999	384	35,867	2	0.2	0.0- 0.6	150	40.0	32.4-47.6	168	41.6	34.0-49.2	46	11.8	6.9-16.7	18	6.4	2.3-10.5			
\$50,000- 74,999	391	37,518	3	0.4	0.0- 0.8	138	37.4	29.8-45.0	194	47.7	40.3-55.1	43	11.7	6.8-16.6	12	2.4	0.4- 4.4	1	0.3	0.0- 0.9
\$75,000+	778	87,330	2	0.7	0.0- 1.7	311	40.4	35.3-45.5	358	43.7	38.6-48.8	82	10.4	7.5-13.3	25	4.8	2.1- 7.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5423	574,565	247	3.2	2.6- 3.8	2262	37.7	35.7-39.7	2378	47.3	45.3-49.3	524	11.3	10.1-12.5	7	0.1	0.0- 0.3	5	0.3	0.0- 0.7
Male	2557	294,842	5	0.2	0.0- 0.4	210	8.0	6.4- 9.6	1815	69.9	67.5-72.3	519	21.6	19.4-23.8	7	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Female	2866	279,723	242	6.4	5.2- 7.6	2052	69.0	66.3-71.7	563	23.5	21.0-26.0	5	0.5	0.0- 1.3				4	0.6	0.0- 1.4
Native	187	24,252	4	1.6	0.0- 3.2	85	45.6	35.6-55.6	85	47.3	37.1-57.5	13	5.6	1.7- 9.5						
Non-Native	5183	545,272	239	3.3	2.7- 3.9	2159	37.4	35.4-39.4	2269	47.3	45.3-49.3	504	11.5	10.3-12.7	7	0.1	0.0- 0.3	5	0.4	0.0- 0.8
18-24	276	83,071	4	1.7	0.1- 3.3	70	32.4	25.5-39.3	148	49.7	42.8-56.6	52	14.6	10.3-18.9				2	1.7	0.0- 4.6
25-34	443	110,198	8	1.7	0.1- 3.3	148	34.0	28.9-39.1	225	51.3	46.0-56.6	60	12.6	9.3-15.9				2	0.3	0.0- 0.7
35-44	540	93,093	7	2.3	0.3- 4.3	184	33.5	28.6-38.4	258	48.8	43.5-54.1	86	14.8	11.3-18.3	5	0.6	0.0- 1.2			
45-54	630	77,332	13	1.9	0.7- 3.1	242	38.3	33.4-43.2	295	47.8	42.9-52.7	78	11.4	8.5-14.3	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9
55-64	1210	91,593	40	3.7	2.3- 5.1	502	39.6	36.3-42.9	554	47.4	43.9-50.9	113	9.3	7.3-11.3	1	0.0	0.0- 0.0			
65+	2324	119,277	175	6.8	5.6- 8.0	1116	46.2	43.7-48.7	898	40.4	38.0-42.8	135	6.6	5.2- 8.0						
Less Than H.S.	239	46,257	19	4.0	1.8- 6.2	105	39.7	30.5-48.9	100	44.7	35.3-54.1	14	8.9	3.4-14.4				1	2.6	0.0- 7.7
H.S. or G.E.D.	1485	151,441	84	4.4	2.8- 6.0	617	36.1	32.6-39.6	668	48.9	45.2-52.6	113	10.2	8.0-12.4	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7
Some Post-H.S.	1735	224,247	87	3.2	2.2- 4.2	717	36.6	33.5-39.7	774	49.2	45.9-52.5	157	10.9	8.9-12.9						
College Graduate	1951	151,113	56	1.7	1.1- 2.3	818	40.3	37.4-43.2	831	43.7	40.8-46.6	238	13.7	11.5-15.9	6	0.4	0.0- 0.8	2	0.2	0.0- 0.6
Less than \$15,000	268	28,474	24	5.4	2.7- 8.1	139	49.8	40.6-59.0	91	41.3	32.3-50.3	14	3.5	1.3- 5.7						
\$15,000- 24,999	559	54,502	46	5.8	3.4- 8.2	282	47.0	40.3-53.7	192	36.1	30.0-42.2	38	8.9	5.4-12.4				1	2.2	0.0- 6.5
\$25,000- 34,999	457	44,450	22	3.3	1.3- 5.3	195	37.8	31.1-44.5	214	50.6	43.7-57.5	24	7.4	3.9-10.9	1	0.4	0.0- 1.2	1	0.5	0.0- 1.5
\$35,000- 49,999	762	75,911	47	4.7	2.5- 6.9	323	37.4	32.1-42.7	328	47.7	42.2-53.2	64	10.2	7.1-13.3						
\$50,000- 74,999	849	87,220	25	2.1	0.9- 3.3	328	35.6	31.1-40.1	413	50.8	46.1-55.5	82	11.3	8.4-14.2				1	0.2	0.0- 0.6
\$75,000+	1800	214,336	30	1.7	0.7- 2.7	642	33.9	30.8-37.0	864	48.7	45.6-51.8	258	15.5	13.1-17.9	6	0.3	0.1- 0.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2557	294,842	5	0.2	0.0- 0.4	210	8.0	6.4- 9.6	1815	69.9	67.5-72.3	519	21.6	19.4-23.8	7	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Native	87	11,253				6	7.3	0.0-14.6	68	80.6	70.0-91.2	13	12.1	3.7-20.5						
Non-Native	2441	280,457	5	0.2	0.0- 0.4	202	8.1	6.5- 9.7	1727	69.4	66.9-71.9	499	21.9	19.7-24.1	7	0.3	0.1- 0.5	1	0.1	0.0- 0.3
18-24	182	44,039				10	5.3	1.6- 9.0	120	68.9	61.6-76.2	51	25.4	18.7-32.1				1	0.5	0.0- 1.5
25-34	241	59,647	1	0.4	0.0- 1.2	12	5.7	2.2- 9.2	169	71.2	64.7-77.7	59	22.7	16.8-28.6						
35-44	270	48,859				13	7.6	3.1-12.1	166	63.0	55.9-70.1	86	28.3	22.0-34.6	5	1.1	0.1- 2.1			
45-54	312	40,117	1	0.2	0.0- 0.6	25	11.7	5.8-17.6	208	65.9	59.0-72.8	77	21.7	16.2-27.2	1	0.4	0.0- 1.2			
55-64	568	46,948	2	0.3	0.0- 0.7	42	7.4	4.9- 9.9	411	74.1	69.8-78.4	112	18.1	14.4-21.8	1	0.0	0.0- 0.0			
65+	984	55,232	1	0.1	0.0- 0.3	108	10.9	8.4-13.4	741	74.8	71.5-78.1	134	14.2	11.5-16.9						
Less Than H.S.	123	24,416				22	20.5	9.9-31.1	88	66.4	54.6-78.2	13	13.1	5.5-20.7						
H.S. or G.E.D.	749	86,256	1	0.3	0.0- 0.9	68	8.2	5.7-10.7	565	73.2	68.9-77.5	113	17.9	14.2-21.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6
Some Post-H.S.	816	117,134	3	0.1	0.0- 0.3	67	7.2	5.0- 9.4	589	71.8	67.9-75.7	157	20.9	17.4-24.4						
College Graduate	861	66,081	1	0.1	0.0- 0.3	52	4.7	3.1- 6.3	568	63.7	59.4-68.0	234	30.6	26.5-34.7	6	0.8	0.0- 1.6			
Less than \$15,000	105	11,544	1	2.2	0.0- 6.5	15	12.3	4.7-19.9	75	76.8	67.0-86.6	14	8.6	3.1-14.1						
\$15,000- 24,999	224	24,013	1	0.1	0.0- 0.3	31	11.3	4.8-17.8	155	68.5	59.5-77.5	37	20.0	12.4-27.6						
\$25,000- 34,999	220	24,346				18	7.9	3.2-12.6	177	77.9	70.5-85.3	24	13.5	7.2-19.8	1	0.7	0.0- 2.1			
\$35,000- 49,999	348	37,009	1	0.1	0.0- 0.3	43	10.8	6.1-15.5	240	68.2	61.3-75.1	64	20.8	14.9-26.7						
\$50,000- 74,999	437	48,480				26	7.0	3.7-10.3	328	72.3	66.6-78.0	82	20.3	15.2-25.4				1	0.4	0.0- 1.2
\$75,000+	984	121,427	2	0.2	0.0- 0.4	58	6.7	4.2- 9.2	664	66.5	62.6-70.4	254	26.2	22.7-29.7	6	0.4	0.0- 0.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2866	279,723	242	6.4	5.2- 7.6	2052	69.0	66.3-71.7	563	23.5	21.0-26.0	5	0.5	0.0- 1.3	4	0.6	0.0- 1.4
Native	100	12,999	4	2.9	0.0- 6.0	79	78.7	66.7-90.7	17	18.4	6.6-30.2						
Non-Native	2742	264,815	234	6.5	5.1- 7.9	1957	68.4	65.7-71.1	542	23.8	21.3-26.3	5	0.5	0.0- 1.3	4	0.7	0.0- 1.7
18-24	94	39,032	4	3.5	0.0- 7.0	60	63.0	51.6-74.4	28	28.0	17.8-38.2	1	2.4	0.0- 6.9	1	3.1	0.0- 9.0
25-34	202	50,551	7	3.3	0.0- 6.6	136	67.5	59.9-75.1	56	27.9	20.6-35.2	1	0.6	0.0- 1.8	2	0.7	0.0- 1.7
35-44	270	44,233	7	4.9	1.0- 8.8	171	62.1	55.0-69.2	92	33.1	26.4-39.8						
45-54	318	37,216	12	3.7	1.3- 6.1	217	67.0	60.7-73.3	87	28.3	22.2-34.4	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8
55-64	642	44,645	38	7.3	4.6-10.0	460	73.5	69.4-77.6	143	19.2	15.7-22.7	1	0.1	0.0- 0.3			
65+	1340	64,045	174	12.7	10.5-14.9	1008	76.6	74.1-79.1	157	10.7	8.9-12.5	1	0.1	0.0- 0.3			
Less Than H.S.	116	21,841	19	8.6	3.7-13.5	83	61.1	46.2-76.0	12	20.5	8.0-33.0	1	4.2	0.0-12.2	1	5.6	0.0-16.0
H.S. or G.E.D.	736	65,185	83	9.7	6.4-13.0	549	73.2	68.1-78.3	103	16.8	12.5-21.1				1	0.3	0.0- 0.9
Some Post-H.S.	919	107,114	84	6.6	4.4- 8.8	650	68.8	64.3-73.3	185	24.6	20.3-28.9						
College Graduate	1090	85,032	55	3.0	1.8- 4.2	766	67.9	63.8-72.0	263	28.1	24.2-32.0	4	0.6	0.0- 1.4	2	0.4	0.0- 1.0
Less than \$15,000	163	16,931	23	7.5	3.6-11.4	124	75.4	64.4-86.4	16	17.1	6.3-27.9						
\$15,000- 24,999	335	30,489	45	10.2	6.1-14.3	251	75.2	66.8-83.6	37	10.6	5.9-15.3	1	0.1	0.0- 0.3	1	4.0	0.0-11.4
\$25,000- 34,999	237	20,105	22	7.3	3.2-11.4	177	74.0	65.8-82.2	37	17.5	10.4-24.6				1	1.1	0.0- 3.3
\$35,000- 49,999	414	38,902	46	9.0	4.9-13.1	280	62.8	55.2-70.4	88	28.2	20.8-35.6						
\$50,000- 74,999	412	38,740	25	4.8	2.4- 7.2	302	71.4	64.9-77.9	85	23.9	17.6-30.2						
\$75,000+	816	92,909	28	3.8	1.6- 6.0	584	69.3	64.6-74.0	200	25.3	21.0-29.6	4	1.5	0.0- 3.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 55: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	697	148,329	18	2.5	1.1- 3.9	679	97.5	96.1-98.9
Non-Native	656	140,521	18	2.7	1.1- 4.3	638	97.3	95.7-98.9
18-24	94	39,032	6	4.6	0.7- 8.5	88	95.4	91.5-99.3
25-34	203	50,816	6	3.0	0.5- 5.5	197	97.0	94.5-99.5
35-44	268	43,824	5	0.6	0.0- 1.2	263	99.4	98.8- 100
45-54	132	14,657	1	0.9	0.0- 2.7	131	99.1	97.3- 100
H.S. or G.E.D.	135	32,089	6	5.5	0.8-10.2	129	94.5	89.8-99.2
Some Post-H.S.	189	50,930	3	1.7	0.0- 3.9	186	98.3	96.1- 100
College Graduate	346	52,146	9	2.1	0.5- 3.7	337	97.9	96.3-99.5
\$15,000- 24,999	57	15,441	3	5.1	0.0-11.8	54	94.9	88.2- 100
\$35,000- 49,999	76	18,591	3	4.7	0.0-10.8	73	95.3	89.2- 100
\$50,000- 74,999	106	19,565	5	6.1	0.2-12.0	101	93.9	88.0-99.8
\$75,000+	302	57,492	6	1.1	0.1- 2.1	296	98.9	97.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 56: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5446	576,895	634	8.2	7.2- 9.2	4812	91.8	90.8-92.8
Male	2555	294,826	374	10.8	9.2-12.4	2181	89.2	87.6-90.8
Female	2891	282,070	260	5.5	4.5- 6.5	2631	94.5	93.5-95.5
Native	187	24,252	23	12.6	5.7-19.5	164	87.4	80.5-94.3
Non-Native	5201	546,933	600	8.0	7.0- 9.0	4601	92.0	91.0-93.0
18-24	276	83,071	1	0.5	0.0- 1.5	275	99.5	98.5- 100
25-34	445	110,702	16	4.6	2.2- 7.0	429	95.4	93.0-97.8
35-44	538	92,681	14	3.5	1.3- 5.7	524	96.5	94.3-98.7
45-54	644	78,920	38	6.3	3.9- 8.7	606	93.7	91.3-96.1
55-64	1216	92,078	100	9.9	7.7-12.1	1116	90.1	87.9-92.3
65+	2327	119,444	465	20.6	18.6-22.6	1862	79.4	77.4-81.4
Less Than H.S.	240	46,277	50	14.6	9.1-20.1	190	85.4	79.9-90.9
H.S. or G.E.D.	1491	152,225	204	9.1	7.3-10.9	1287	90.9	89.1-92.7
Some Post-H.S.	1736	224,273	212	8.3	6.7- 9.9	1524	91.7	90.1-93.3
College Graduate	1962	152,134	166	5.1	4.1- 6.1	1796	94.9	93.9-95.9
Less than \$15,000	270	28,900	54	17.8	11.3-24.3	216	82.2	75.7-88.7
\$15,000- 24,999	559	54,513	84	10.0	6.9-13.1	475	90.0	86.9-93.1
\$25,000- 34,999	457	44,628	58	8.5	5.4-11.6	399	91.5	88.4-94.6
\$35,000- 49,999	764	75,998	121	10.3	7.6-13.0	643	89.7	87.0-92.4
\$50,000- 74,999	849	87,172	92	9.1	6.6-11.6	757	90.9	88.4-93.4
\$75,000+	1796	213,668	131	5.3	4.1- 6.5	1665	94.7	93.5-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 57: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2555	294,826	374	10.8	9.2-12.4	2181	89.2	87.6-90.8
Native	87	11,253	17	22.7	9.8-35.6	70	77.3	64.4-90.2
Non-Native	2435	279,946	352	10.3	8.9-11.7	2083	89.7	88.3-91.1
18-24	182	44,039	1	0.9	0.0- 2.7	181	99.1	97.3- 100
25-34	242	59,886	11	6.2	2.5- 9.9	231	93.8	90.1-97.5
35-44	268	48,448	11	4.9	1.4- 8.4	257	95.1	91.6-98.6
45-54	318	40,785	25	7.8	3.9-11.7	293	92.2	88.3-96.1
55-64	568	46,905	68	14.6	10.7-18.5	500	85.4	81.5-89.3
65+	977	54,764	258	27.9	24.4-31.4	719	72.1	68.6-75.6
Less Than H.S.	122	24,342	31	19.8	11.0-28.6	91	80.2	71.4-89.0
H.S. or G.E.D.	747	86,271	117	10.9	8.4-13.4	630	89.1	86.6-91.6
Some Post-H.S.	809	116,464	124	10.6	8.2-13.0	685	89.4	87.0-91.8
College Graduate	866	66,488	100	7.6	5.6- 9.6	766	92.4	90.4-94.4
Less than \$15,000	106	11,918	21	17.8	8.8-26.8	85	82.2	73.2-91.2
\$15,000- 24,999	223	24,001	36	12.0	7.1-16.9	187	88.0	83.1-92.9
\$25,000- 34,999	219	24,302	37	11.8	6.5-17.1	182	88.2	82.9-93.5
\$35,000- 49,999	348	37,009	76	15.0	9.9-20.1	272	85.0	79.9-90.1
\$50,000- 74,999	435	48,311	60	11.4	7.5-15.3	375	88.6	84.7-92.5
\$75,000+	980	120,691	109	8.3	6.1-10.5	871	91.7	89.5-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 58: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2891	282,070	260	5.5	4.5- 6.5	2631	94.5	93.5-95.5
Native	100	12,999	6	3.9	0.0- 8.4	94	96.1	91.6- 100
Non-Native	2766	266,986	248	5.5	4.5- 6.5	2518	94.5	93.5-95.5
18-24	94	39,032				94	100.0	100.0- 100
25-34	203	50,816	5	2.7	0.0- 5.4	198	97.3	94.6- 100
35-44	270	44,233	3	1.9	0.0- 4.3	267	98.1	95.7- 100
45-54	326	38,135	13	4.6	1.9- 7.3	313	95.4	92.7-98.1
55-64	648	45,173	32	4.9	2.9- 6.9	616	95.1	93.1-97.1
65+	1350	64,680	207	14.4	12.2-16.6	1143	85.6	83.4-87.8
Less Than H.S.	118	21,934	19	8.9	3.4-14.4	99	91.1	85.6-96.6
H.S. or G.E.D.	744	65,954	87	6.8	4.6- 9.0	657	93.2	91.0-95.4
Some Post-H.S.	927	107,809	88	5.9	4.1- 7.7	839	94.1	92.3-95.9
College Graduate	1096	85,646	66	3.1	2.1- 4.1	1030	96.9	95.9-97.9
Less than \$15,000	164	16,981	33	17.8	9.0-26.6	131	82.2	73.4-91.0
\$15,000- 24,999	336	30,512	48	8.5	4.6-12.4	288	91.5	87.6-95.4
\$25,000- 34,999	238	20,325	21	4.7	2.2- 7.2	217	95.3	92.8-97.8
\$35,000- 49,999	416	38,989	45	5.9	3.5- 8.3	371	94.1	91.7-96.5
\$50,000- 74,999	414	38,861	32	6.2	3.5- 8.9	382	93.8	91.1-96.5
\$75,000+	816	92,977	22	1.4	0.6- 2.2	794	98.6	97.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

**TABLE 59: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5462	577,743	227	3.3	2.7- 3.9	5235	96.7	96.1-97.3
Male	2563	295,447	101	2.8	2.0- 3.6	2462	97.2	96.4-98.0
Female	2899	282,296	126	3.9	2.9- 4.9	2773	96.1	95.1-97.1
Native	186	24,182	17	11.2	3.8-18.6	169	88.8	81.4-96.2
Non-Native	5220	547,944	206	2.9	2.3- 3.5	5014	97.1	96.5-97.7
18-24	276	83,071	5	1.9	0.1- 3.7	271	98.1	96.3-99.9
25-34	445	110,702	8	2.2	0.6- 3.8	437	97.8	96.2-99.4
35-44	539	92,779	7	1.1	0.1- 2.1	532	98.9	97.9-99.9
45-54	644	78,917	21	5.2	2.7- 7.7	623	94.8	92.3-97.3
55-64	1218	92,177	39	3.2	2.0- 4.4	1179	96.8	95.6-98.0
65+	2340	120,098	147	5.9	4.7- 7.1	2193	94.1	92.9-95.3
Less Than H.S.	241	46,350	20	6.4	2.9- 9.9	221	93.6	90.1-97.1
H.S. or G.E.D.	1492	152,321	83	4.1	2.7- 5.5	1409	95.9	94.5-97.3
Some Post-H.S.	1744	224,694	79	3.3	2.3- 4.3	1665	96.7	95.7-97.7
College Graduate	1968	152,371	43	1.5	0.9- 2.1	1925	98.5	97.9-99.1
Less than \$15,000	272	28,982	35	9.6	4.9-14.3	237	90.4	85.7-95.1
\$15,000- 24,999	563	54,828	36	7.0	3.7-10.3	527	93.0	89.7-96.3
\$25,000- 34,999	457	44,628	27	6.0	2.9- 9.1	430	94.0	90.9-97.1
\$35,000- 49,999	763	75,953	26	1.6	0.8- 2.4	737	98.4	97.6-99.2
\$50,000- 74,999	852	87,350	21	1.7	0.9- 2.5	831	98.3	97.5-99.1
\$75,000+	1802	213,997	35	1.2	0.6- 1.8	1767	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 60: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2563	295,447	101	2.8	2.0- 3.6	2462	97.2	96.4-98.0
Native	86	11,183	8	10.1	0.1-20.1	78	89.9	79.9-99.9
Non-Native	2446	280,731	93	2.5	1.7- 3.3	2353	97.5	96.7-98.3
18-24	182	44,039	3	2.0	0.0- 4.4	179	98.0	95.6- 100
25-34	242	59,886	4	1.9	0.0- 4.1	238	98.1	95.9- 100
35-44	269	48,545	2	0.5	0.0- 1.3	267	99.5	98.7- 100
45-54	317	40,736	5	2.3	0.0- 4.8	312	97.7	95.2- 100
55-64	568	46,922	24	3.7	1.9- 5.5	544	96.3	94.5-98.1
65+	985	55,318	63	6.0	4.2- 7.8	922	94.0	92.2-95.8
Less Than H.S.	124	24,483	9	5.1	0.8- 9.4	115	94.9	90.6-99.2
H.S. or G.E.D.	747	86,335	36	2.9	1.5- 4.3	711	97.1	95.7-98.5
Some Post-H.S.	815	116,820	37	3.1	1.7- 4.5	778	96.9	95.5-98.3
College Graduate	867	66,597	18	1.0	0.4- 1.6	849	99.0	98.4-99.6
Less than \$15,000	106	11,899	14	11.9	2.7-21.1	92	88.1	78.9-97.3
\$15,000- 24,999	227	24,316	10	3.6	0.7- 6.5	217	96.4	93.5-99.3
\$25,000- 34,999	219	24,302	14	6.9	2.2-11.6	205	93.1	88.4-97.8
\$35,000- 49,999	347	36,963	15	2.0	0.6- 3.4	332	98.0	96.6-99.4
\$50,000- 74,999	437	48,480	11	1.5	0.3- 2.7	426	98.5	97.3-99.7
\$75,000+	983	120,871	24	1.2	0.6- 1.8	959	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 61: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2899	282,296	126	3.9	2.9- 4.9	2773	96.1	95.1-97.1
Native	100	12,999	9	12.1	1.5-22.7	91	87.9	77.3-98.5
Non-Native	2774	267,213	113	3.4	2.6- 4.2	2661	96.6	95.8-97.4
18-24	94	39,032	2	1.7	0.0- 4.1	92	98.3	95.9- 100
25-34	203	50,816	4	2.5	0.0- 5.0	199	97.5	95.0- 100
35-44	270	44,233	5	1.8	0.0- 3.6	265	98.2	96.4- 100
45-54	327	38,181	16	8.2	3.5-12.9	311	91.8	87.1-96.5
55-64	650	45,255	15	2.7	1.1- 4.3	635	97.3	95.7-98.9
65+	1355	64,779	84	5.9	4.5- 7.3	1271	94.1	92.7-95.5
Less Than H.S.	117	21,867	11	7.9	2.2-13.6	106	92.1	86.4-97.8
H.S. or G.E.D.	745	65,986	47	5.7	3.3- 8.1	698	94.3	91.9-96.7
Some Post-H.S.	929	107,874	42	3.6	2.0- 5.2	887	96.4	94.8-98.0
College Graduate	1101	85,774	25	1.8	0.8- 2.8	1076	98.2	97.2-99.2
Less than \$15,000	166	17,082	21	7.9	3.6-12.2	145	92.1	87.8-96.4
\$15,000- 24,999	336	30,512	26	9.6	4.1-15.1	310	90.4	84.9-95.9
\$25,000- 34,999	238	20,325	13	5.0	1.3- 8.7	225	95.0	91.3-98.7
\$35,000- 49,999	416	38,989	11	1.2	0.4- 2.0	405	98.8	98.0-99.6
\$50,000- 74,999	415	38,869	10	1.9	0.5- 3.3	405	98.1	96.7-99.5
\$75,000+	819	93,126	11	1.1	0.1- 2.1	808	98.9	97.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 62: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5441	574,214	435	10.1	8.7-11.5	5006	89.9	88.5-91.3
Male	2553	294,045	181	8.3	6.7- 9.9	2372	91.7	90.1-93.3
Female	2888	280,168	254	12.0	9.8-14.2	2634	88.0	85.8-90.2
Native	185	24,145	30	23.8	14.4-33.2	155	76.2	66.8-85.6
Non-Native	5197	544,211	401	9.5	8.1-10.9	4796	90.5	89.1-91.9
18-24	275	82,144	40	17.4	11.5-23.3	235	82.6	76.7-88.5
25-34	440	109,269	43	11.2	7.7-14.7	397	88.8	85.3-92.3
35-44	538	92,494	39	6.5	4.1- 8.9	499	93.5	91.1-95.9
45-54	644	78,856	46	7.5	5.0-10.0	598	92.5	90.0-95.0
55-64	1211	91,627	93	10.1	7.7-12.5	1118	89.9	87.5-92.3
65+	2333	119,823	174	8.5	6.9-10.1	2159	91.5	89.9-93.1
Less Than H.S.	240	45,383	49	26.1	17.5-34.7	191	73.9	65.3-82.5
H.S. or G.E.D.	1484	151,739	146	12.2	9.7-14.7	1338	87.8	85.3-90.3
Some Post-H.S.	1736	223,073	139	8.8	6.8-10.8	1597	91.2	89.2-93.2
College Graduate	1963	151,963	100	5.1	3.7- 6.5	1863	94.9	93.5-96.3
Less than \$15,000	266	28,097	65	32.2	23.6-40.8	201	67.8	59.2-76.4
\$15,000- 24,999	561	54,726	63	15.4	9.9-20.9	498	84.6	79.1-90.1
\$25,000- 34,999	455	43,971	41	10.9	6.0-15.8	414	89.1	84.2-94.0
\$35,000- 49,999	762	75,694	46	9.3	5.2-13.4	716	90.7	86.6-94.8
\$50,000- 74,999	851	87,297	52	9.2	6.3-12.1	799	90.8	87.9-93.7
\$75,000+	1798	212,832	80	4.7	3.3- 6.1	1718	95.3	93.9-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 63: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2553	294,045	181	8.3	6.7- 9.9	2372	91.7	90.1-93.3
Native	86	11,183	13	22.4	9.5-35.3	73	77.6	64.7-90.5
Non-Native	2433	279,089	167	7.8	6.2- 9.4	2266	92.2	90.6-93.8
18-24	182	44,039	21	10.9	6.2-15.6	161	89.1	84.4-93.8
25-34	238	59,000	20	10.2	5.7-14.7	218	89.8	85.3-94.3
35-44	269	48,545	15	4.6	1.9- 7.3	254	95.4	92.7-98.1
45-54	317	40,675	18	6.3	2.8- 9.8	299	93.7	90.2-97.2
55-64	563	46,507	41	10.2	6.7-13.7	522	89.8	86.3-93.3
65+	984	55,279	66	7.2	5.0- 9.4	918	92.8	90.6-95.0
Less Than H.S.	123	24,376	19	15.3	7.7-22.9	104	84.7	77.1-92.3
H.S. or G.E.D.	746	86,307	67	10.9	7.8-14.0	679	89.1	86.0-92.2
Some Post-H.S.	809	115,842	57	6.8	4.4- 9.2	752	93.2	90.8-95.6
College Graduate	864	66,259	37	4.8	2.8- 6.8	827	95.2	93.2-97.2
Less than \$15,000	103	11,612	25	32.2	19.5-44.9	78	67.8	55.1-80.5
\$15,000- 24,999	226	24,238	28	13.6	7.7-19.5	198	86.4	80.5-92.3
\$25,000- 34,999	219	23,798	20	8.6	3.7-13.5	199	91.4	86.5-96.3
\$35,000- 49,999	347	36,844	19	6.7	2.6-10.8	328	93.3	89.2-97.4
\$50,000- 74,999	436	48,427	24	8.8	4.9-12.7	412	91.2	87.3-95.1
\$75,000+	981	120,670	39	4.1	2.5- 5.7	942	95.9	94.3-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 64: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2888	280,168	254	12.0	9.8-14.2	2634	88.0	85.8-90.2
Native	99	12,962	17	25.1	11.6-38.6	82	74.9	61.4-88.4
Non-Native	2764	265,122	234	11.3	9.1-13.5	2530	88.7	86.5-90.9
18-24	93	38,105	19	24.9	14.1-35.7	74	75.1	64.3-85.9
25-34	202	50,269	23	12.3	6.6-18.0	179	87.7	82.0-93.4
35-44	269	43,949	24	8.6	4.7-12.5	245	91.4	87.5-95.3
45-54	327	38,181	28	8.9	5.0-12.8	299	91.1	87.2-95.0
55-64	648	45,121	52	10.0	6.9-13.1	596	90.0	86.9-93.1
65+	1349	64,544	108	9.5	7.1-11.9	1241	90.5	88.1-92.9
Less Than H.S.	117	21,007	30	38.7	23.8-53.6	87	61.3	46.4-76.2
H.S. or G.E.D.	738	65,431	79	13.9	9.6-18.2	659	86.1	81.8-90.4
Some Post-H.S.	927	107,231	82	10.9	7.8-14.0	845	89.1	86.0-92.2
College Graduate	1099	85,704	63	5.4	3.6-7.2	1036	94.6	92.8-96.4
Less than \$15,000	163	16,485	40	32.2	20.6-43.8	123	67.8	56.2-79.4
\$15,000- 24,999	335	30,489	35	16.9	8.5-25.3	300	83.1	74.7-91.5
\$25,000- 34,999	236	20,174	21	13.8	5.0-22.6	215	86.2	77.4-95.0
\$35,000- 49,999	415	38,850	27	11.7	4.8-18.6	388	88.3	81.4-95.2
\$50,000- 74,999	415	38,869	28	9.6	4.9-14.3	387	90.4	85.7-95.1
\$75,000+	817	92,162	41	5.5	3.1-7.9	776	94.5	92.1-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 65: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5442	576,459	851	10.8	9.8-11.8	4591	89.2	88.2-90.2
Male	2558	295,059	319	8.8	7.4-10.2	2239	91.2	89.8-92.6
Female	2884	281,400	532	13.0	11.4-14.6	2352	87.0	85.4-88.6
Native	186	24,182	57	27.5	18.5-36.5	129	72.5	63.5-81.5
Non-Native	5197	546,420	782	10.0	9.0-11.0	4415	90.0	89.0-91.0
18-24	276	83,071	3	1.6	0.0- 4.0	273	98.4	96.0- 100
25-34	442	110,402	16	4.2	2.0- 6.4	426	95.8	93.6-98.0
35-44	537	92,469	30	4.8	2.6- 7.0	507	95.2	93.0-97.4
45-54	645	78,999	69	12.1	8.8-15.4	576	87.9	84.6-91.2
55-64	1210	91,645	183	15.4	12.9-17.9	1027	84.6	82.1-87.1
65+	2332	119,873	550	23.7	21.5-25.9	1782	76.3	74.1-78.5
Less Than H.S.	240	46,089	65	20.7	14.0-27.4	175	79.3	72.6-86.0
H.S. or G.E.D.	1488	152,116	279	12.0	10.0-14.0	1209	88.0	86.0-90.0
Some Post-H.S.	1739	224,540	288	11.1	9.3-12.9	1451	88.9	87.1-90.7
College Graduate	1957	151,657	218	6.4	5.2- 7.6	1739	93.6	92.4-94.8
Less than \$15,000	270	28,838	108	29.7	22.3-37.1	162	70.3	62.9-77.7
\$15,000- 24,999	554	54,344	159	20.8	16.3-25.3	395	79.2	74.7-83.7
\$25,000- 34,999	458	44,671	78	11.2	8.1-14.3	380	88.8	85.7-91.9
\$35,000- 49,999	762	75,813	151	12.6	9.9-15.3	611	87.4	84.7-90.1
\$50,000- 74,999	849	86,985	100	8.0	6.0-10.0	749	92.0	90.0-94.0
\$75,000+	1799	213,740	126	5.1	3.7- 6.5	1673	94.9	93.5-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 66: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2558	295,059	319	8.8	7.4-10.2	2239	91.2	89.8-92.6
Native	86	11,183	20	23.8	11.5-36.1	66	76.2	63.9-88.5
Non-Native	2438	280,103	296	8.1	6.9- 9.3	2142	91.9	90.7-93.1
18-24	182	44,039	1	0.5	0.0- 1.5	181	99.5	98.5- 100
25-34	240	59,806	6	3.2	0.5- 5.9	234	96.8	94.1-99.5
35-44	268	48,350	12	4.3	1.6- 7.0	256	95.7	93.0-98.4
45-54	318	40,818	27	9.0	5.1-12.9	291	91.0	87.1-94.9
55-64	564	46,652	79	15.1	11.2-19.0	485	84.9	81.0-88.8
65+	986	55,395	194	19.8	16.9-22.7	792	80.2	77.3-83.1
Less Than H.S.	124	24,483	33	18.8	10.8-26.8	91	81.2	73.2-89.2
H.S. or G.E.D.	747	86,487	105	8.6	6.4-10.8	642	91.4	89.2-93.6
Some Post-H.S.	814	116,734	104	8.8	6.6-11.0	710	91.2	89.0-93.4
College Graduate	862	66,094	77	5.4	3.8- 7.0	785	94.6	93.0-96.2
Less than \$15,000	105	11,785	37	31.1	19.1-43.1	68	68.9	56.9-80.9
\$15,000- 24,999	225	24,237	53	15.2	9.9-20.5	172	84.8	79.5-90.1
\$25,000- 34,999	220	24,346	32	9.5	5.2-13.8	188	90.5	86.2-94.8
\$35,000- 49,999	348	37,009	60	11.6	7.7-15.5	288	88.4	84.5-92.3
\$50,000- 74,999	436	48,394	49	8.4	5.5-11.3	387	91.6	88.7-94.5
\$75,000+	981	120,639	57	3.5	2.3- 4.7	924	96.5	95.3-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 67: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2884	281,400	532	13.0	11.4-14.6	2352	87.0	85.4-88.6
Native	100	12,999	37	30.6	17.9-43.3	63	69.4	56.7-82.1
Non-Native	2759	266,317	486	12.0	10.4-13.6	2273	88.0	86.4-89.6
18-24	94	39,032	2	2.8	0.0- 7.5	92	97.2	92.5- 100
25-34	202	50,597	10	5.3	1.8- 8.8	192	94.7	91.2-98.2
35-44	269	44,119	18	5.5	2.6- 8.4	251	94.5	91.6-97.4
45-54	327	38,181	42	15.4	10.1-20.7	285	84.6	79.3-89.9
55-64	646	44,992	104	15.6	12.3-18.9	542	84.4	81.1-87.7
65+	1346	64,478	356	27.1	24.0-30.2	990	72.9	69.8-76.0
Less Than H.S.	116	21,606	32	22.8	11.8-33.8	84	77.2	66.2-88.2
H.S. or G.E.D.	741	65,629	174	16.5	13.0-20.0	567	83.5	80.0-87.0
Some Post-H.S.	925	107,806	184	13.5	11.0-16.0	741	86.5	84.0-89.0
College Graduate	1095	85,563	141	7.2	5.6- 8.8	954	92.8	91.2-94.4
Less than \$15,000	165	17,052	71	28.7	19.3-38.1	94	71.3	61.9-80.7
\$15,000- 24,999	329	30,107	106	25.2	18.1-32.3	223	74.8	67.7-81.9
\$25,000- 34,999	238	20,325	46	13.3	8.6-18.0	192	86.7	82.0-91.4
\$35,000- 49,999	414	38,804	91	13.5	9.8-17.2	323	86.5	82.8-90.2
\$50,000- 74,999	413	38,591	51	7.5	4.8-10.2	362	92.5	89.8-95.2
\$75,000+	818	93,101	69	7.3	4.6-10.0	749	92.7	90.0-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 68: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5457	577,528	184	2.8	2.2- 3.4	5273	97.2	96.6-97.8
Male	2560	295,288	87	2.5	1.7- 3.3	2473	97.5	96.7-98.3
Female	2897	282,240	97	3.1	2.1- 4.1	2800	96.9	95.9-97.9
Native	184	24,095	16	6.0	2.3- 9.7	168	94.0	90.3-97.7
Non-Native	5214	547,575	164	2.7	2.1- 3.3	5050	97.3	96.7-97.9
18-24	276	83,071	2	1.6	0.0- 4.0	274	98.4	96.0- 100
25-34	443	110,622	6	1.8	0.2- 3.4	437	98.2	96.6-99.8
35-44	539	92,779	7	0.9	0.1- 1.7	532	99.1	98.3-99.9
45-54	643	78,912	22	4.0	1.8- 6.2	621	96.0	93.8-98.2
55-64	1216	92,048	51	4.4	3.0- 5.8	1165	95.6	94.2-97.0
65+	2340	120,096	96	4.1	3.1- 5.1	2244	95.9	94.9-96.9
Less Than H.S.	241	46,340	23	9.4	4.1-14.7	218	90.6	85.3-95.9
H.S. or G.E.D.	1491	152,390	66	3.5	2.3- 4.7	1425	96.5	95.3-97.7
Some Post-H.S.	1743	224,695	49	1.9	1.3- 2.5	1694	98.1	97.5-98.7
College Graduate	1964	152,047	45	1.5	0.9- 2.1	1919	98.5	97.9-99.1
Less than \$15,000	270	28,837	32	10.9	5.8-16.0	238	89.1	84.0-94.2
\$15,000- 24,999	560	54,653	38	6.7	3.8- 9.6	522	93.3	90.4-96.2
\$25,000- 34,999	457	44,629	18	1.7	0.7- 2.7	439	98.3	97.3-99.3
\$35,000- 49,999	763	75,953	26	2.5	1.3- 3.7	737	97.5	96.3-98.7
\$50,000- 74,999	851	87,297	11	1.2	0.4- 2.0	840	98.8	98.0-99.6
\$75,000+	1802	213,987	29	1.6	0.6- 2.6	1773	98.4	97.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 69: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2560	295,288	87	2.5	1.7- 3.3	2473	97.5	96.7-98.3
Native	86	11,183	5	5.3	0.0-11.0	81	94.7	89.0- 100
Non-Native	2440	280,332	82	2.4	1.6- 3.2	2358	97.6	96.8-98.4
18-24	182	44,039				182	100.0	100.0- 100
25-34	240	59,806	2	1.2	0.0- 3.0	238	98.8	97.0- 100
35-44	269	48,545	4	1.3	0.0- 2.9	265	98.7	97.1- 100
45-54	318	40,818	9	3.4	0.5- 6.3	309	96.6	93.7-99.5
55-64	565	46,710	24	4.4	2.2- 6.6	541	95.6	93.4-97.8
65+	986	55,370	48	4.7	3.1- 6.3	938	95.3	93.7-96.9
Less Than H.S.	124	24,483	11	8.3	2.4-14.2	113	91.7	85.8-97.6
H.S. or G.E.D.	747	86,435	32	2.4	1.2- 3.6	715	97.6	96.4-98.8
Some Post-H.S.	815	116,820	23	1.9	0.9- 2.9	792	98.1	97.1-99.1
College Graduate	863	66,290	21	1.6	0.6- 2.6	842	98.4	97.4-99.4
Less than \$15,000	105	11,785	18	17.2	7.0-27.4	87	82.8	72.6-93.0
\$15,000- 24,999	226	24,262	18	6.5	2.6-10.4	208	93.5	89.6-97.4
\$25,000- 34,999	220	24,346	11	1.5	0.5- 2.5	209	98.5	97.5-99.5
\$35,000- 49,999	347	36,963	13	2.6	0.8- 4.4	334	97.4	95.6-99.2
\$50,000- 74,999	436	48,427	9	1.7	0.3- 3.1	427	98.3	96.9-99.7
\$75,000+	982	120,835	12	0.8	0.0- 1.6	970	99.2	98.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2897	282,240	97	3.1	2.1- 4.1	2800	96.9	95.9-97.9
Native	98	12,912	11	6.6	1.9-11.3	87	93.4	88.7-98.1
Non-Native	2774	267,243	82	2.9	1.9- 3.9	2692	97.1	96.1-98.1
18-24	94	39,032	2	3.3	0.0- 8.2	92	96.7	91.8- 100
25-34	203	50,816	4	2.5	0.0- 5.0	199	97.5	95.0- 100
35-44	270	44,233	3	0.5	0.0- 1.1	267	99.5	98.9- 100
45-54	325	38,095	13	4.8	1.9- 7.7	312	95.2	92.3-98.1
55-64	651	45,338	27	4.4	2.6- 6.2	624	95.6	93.8-97.4
65+	1354	64,726	48	3.5	2.1- 4.9	1306	96.5	95.1-97.9
Less Than H.S.	117	21,857	12	10.6	1.6-19.6	105	89.4	80.4-98.4
H.S. or G.E.D.	744	65,955	34	4.9	2.4- 7.4	710	95.1	92.6-97.6
Some Post-H.S.	928	107,875	26	1.8	1.0- 2.6	902	98.2	97.4-99.0
College Graduate	1101	85,757	24	1.4	0.6- 2.2	1077	98.6	97.8-99.4
Less than \$15,000	165	17,052	14	6.5	1.8-11.2	151	93.5	88.8-98.2
\$15,000- 24,999	334	30,391	20	6.9	2.4-11.4	314	93.1	88.6-97.6
\$25,000- 34,999	237	20,283	7	2.0	0.2- 3.8	230	98.0	96.2-99.8
\$35,000- 49,999	416	38,989	13	2.3	0.7- 3.9	403	97.7	96.1-99.3
\$50,000- 74,999	415	38,869	2	0.5	0.0- 1.3	413	99.5	98.7- 100
\$75,000+	820	93,153	17	2.6	0.4- 4.8	803	97.4	95.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5453	577,248	317	5.4	4.4- 6.4	5136	94.6	93.6-95.6
Male	2559	295,247	119	4.2	3.2- 5.2	2440	95.8	94.8-96.8
Female	2894	282,001	198	6.8	5.2- 8.4	2696	93.2	91.6-94.8
Native	185	24,139	26	12.4	5.9-18.9	159	87.6	81.1-94.1
Non-Native	5211	547,415	288	5.1	4.1- 6.1	4923	94.9	93.9-95.9
18-24	276	83,071	13	5.7	2.2- 9.2	263	94.3	90.8-97.8
25-34	443	110,622	22	5.1	2.7- 7.5	421	94.9	92.5-97.3
35-44	539	92,779	16	2.8	1.2- 4.4	523	97.2	95.6-98.8
45-54	643	78,881	38	6.8	4.1- 9.5	605	93.2	90.5-95.9
55-64	1215	91,948	52	4.3	2.9- 5.7	1163	95.7	94.3-97.1
65+	2337	119,947	176	7.6	6.2- 9.0	2161	92.4	91.0-93.8
Less Than H.S.	241	46,340	37	14.3	8.0-20.6	204	85.7	79.4-92.0
H.S. or G.E.D.	1493	152,431	102	6.2	4.4- 8.0	1391	93.8	92.0-95.6
Some Post-H.S.	1738	224,419	102	4.9	3.5- 6.3	1636	95.1	93.7-96.5
College Graduate	1963	152,001	75	2.7	1.9- 3.5	1888	97.3	96.5-98.1
Less than \$15,000	270	28,848	55	17.5	11.4-23.6	215	82.5	76.4-88.6
\$15,000- 24,999	559	54,632	73	13.0	8.9-17.1	486	87.0	82.9-91.1
\$25,000- 34,999	454	44,485	27	7.7	3.4-12.0	427	92.3	88.0-96.6
\$35,000- 49,999	764	75,998	41	6.1	2.8- 9.4	723	93.9	90.6-97.2
\$50,000- 74,999	851	87,304	22	1.7	0.9- 2.5	829	98.3	97.5-99.1
\$75,000+	1801	213,912	35	1.7	0.9- 2.5	1766	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2559	295,247	119	4.2	3.2- 5.2	2440	95.8	94.8-96.8
Native	86	11,183	13	10.4	3.5-17.3	73	89.6	82.7-96.5
Non-Native	2439	280,290	105	3.9	2.9- 4.9	2334	96.1	95.1-97.1
18-24	182	44,039	6	4.2	0.7- 7.7	176	95.8	92.3-99.3
25-34	240	59,806	8	3.2	0.8- 5.6	232	96.8	94.4-99.2
35-44	269	48,545	8	3.2	0.8- 5.6	261	96.8	94.4-99.2
45-54	317	40,742	13	4.4	1.7- 7.1	304	95.6	92.9-98.3
55-64	565	46,749	27	4.3	2.3- 6.3	538	95.7	93.7-97.7
65+	986	55,365	57	5.7	3.9- 7.5	929	94.3	92.5-96.1
Less Than H.S.	124	24,483	15	10.2	3.9-16.5	109	89.8	83.5-96.1
H.S. or G.E.D.	749	86,523	40	4.3	2.5- 6.1	709	95.7	93.9-97.5
Some Post-H.S.	814	116,780	41	4.3	2.5- 6.1	773	95.7	93.9-97.5
College Graduate	861	66,200	23	1.6	0.8- 2.4	838	98.4	97.6-99.2
Less than \$15,000	105	11,785	21	16.6	7.6-25.6	84	83.4	74.4-92.4
\$15,000- 24,999	225	24,222	28	10.4	5.5-15.3	197	89.6	84.7-94.5
\$25,000- 34,999	219	24,331	13	7.8	2.3-13.3	206	92.2	86.7-97.7
\$35,000- 49,999	348	37,009	15	4.3	1.2- 7.4	333	95.7	92.6-98.8
\$50,000- 74,999	436	48,435	12	1.8	0.6- 3.0	424	98.2	97.0-99.4
\$75,000+	981	120,759	14	1.4	0.4- 2.4	967	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2894	282,001	198	6.8	5.2- 8.4	2696	93.2	91.6-94.8
Native	99	12,956	13	14.1	3.9-24.3	86	85.9	75.7-96.1
Non-Native	2772	267,124	183	6.4	5.0- 7.8	2589	93.6	92.2-95.0
18-24	94	39,032	7	7.5	1.2-13.8	87	92.5	86.2-98.8
25-34	203	50,816	14	7.4	3.1-11.7	189	92.6	88.3-96.9
35-44	270	44,233	8	2.4	0.4- 4.4	262	97.6	95.6-99.6
45-54	326	38,139	25	9.4	4.9-13.9	301	90.6	86.1-95.1
55-64	650	45,199	25	4.3	2.3- 6.3	625	95.7	93.7-97.7
65+	1351	64,582	119	9.2	7.2-11.2	1232	90.8	88.8-92.8
Less Than H.S.	117	21,857	22	18.9	7.9-29.9	95	81.1	70.1-92.1
H.S. or G.E.D.	744	65,908	62	8.8	5.7-11.9	682	91.2	88.1-94.3
Some Post-H.S.	924	107,639	61	5.6	3.4- 7.8	863	94.4	92.2-96.6
College Graduate	1102	85,801	52	3.6	2.2- 5.0	1050	96.4	95.0-97.8
Less than \$15,000	165	17,063	34	18.1	9.9-26.3	131	81.9	73.7-90.1
\$15,000- 24,999	334	30,410	45	15.1	8.8-21.4	289	84.9	78.6-91.2
\$25,000- 34,999	235	20,154	14	7.7	0.8-14.6	221	92.3	85.4-99.2
\$35,000- 49,999	416	38,989	26	7.9	2.0-13.8	390	92.1	86.2-98.0
\$50,000- 74,999	415	38,869	10	1.6	0.4- 2.8	405	98.4	97.2-99.6
\$75,000+	820	93,153	21	2.1	0.9- 3.3	799	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	179
2 MALES ONLY	180
3 FEMALES ONLY	181
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	182
5 MALES ONLY	183
6 FEMALES ONLY	184
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	185
8 MALES ONLY	186
9 FEMALES ONLY	187
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	188
11 MALES ONLY	189
12 FEMALES ONLY	190
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	191
14 MALES ONLY	192
15 FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5431	574,856	2229	39.8	37.8-41.8	3202	60.2	58.2-62.2
Male	2545	293,459	1224	44.9	42.4-47.4	1321	55.1	52.6-57.6
Female	2886	281,397	1005	34.6	31.9-37.3	1881	65.4	62.7-68.1
Native	185	24,139	120	61.7	51.5-71.9	65	38.3	28.1-48.5
Non-Native	5189	545,067	2080	38.7	36.7-40.7	3109	61.3	59.3-63.3
18-24	276	83,071	62	22.7	17.0-28.4	214	77.3	71.6-83.0
25-34	441	109,832	165	39.7	34.4-45.0	276	60.3	55.0-65.6
35-44	536	92,232	214	43.2	38.1-48.3	322	56.8	51.7-61.9
45-54	640	78,533	236	38.2	33.5-42.9	404	61.8	57.1-66.5
55-64	1212	91,727	480	43.4	39.9-46.9	732	56.6	53.1-60.1
65+	2326	119,461	1072	47.6	45.1-50.1	1254	52.4	49.9-54.9
Less Than H.S.	240	46,253	127	46.4	37.2-55.6	113	53.6	44.4-62.8
H.S. or G.E.D.	1482	151,179	706	48.6	44.9-52.3	776	51.4	47.7-55.1
Some Post-H.S.	1734	223,529	764	41.6	38.5-44.7	970	58.4	55.3-61.5
College Graduate	1958	151,908	625	26.6	24.1-29.1	1333	73.4	70.9-75.9
Less than \$15,000	269	28,752	153	55.2	46.0-64.4	116	44.8	35.6-54.0
\$15,000- 24,999	557	54,271	271	42.7	36.4-49.0	286	57.3	51.0-63.6
\$25,000- 34,999	455	44,583	216	46.2	39.3-53.1	239	53.8	46.9-60.7
\$35,000- 49,999	761	75,547	350	44.3	39.0-49.6	411	55.7	50.4-61.0
\$50,000- 74,999	850	87,237	371	43.1	38.4-47.8	479	56.9	52.2-61.6
\$75,000+	1798	213,223	613	34.6	31.5-37.7	1185	65.4	62.3-68.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2545	293,459	1224	44.9	42.4-47.4	1321	55.1	52.6-57.6
Native	86	11,183	53	62.4	48.1-76.7	33	37.6	23.3-51.9
Non-Native	2426	278,572	1151	44.0	41.3-46.7	1275	56.0	53.3-58.7
18-24	182	44,039	44	22.9	16.2-29.6	138	77.1	70.4-83.8
25-34	238	59,016	101	46.5	39.2-53.8	137	53.5	46.2-60.8
35-44	267	48,254	130	50.3	42.9-57.7	137	49.7	42.3-57.1
45-54	315	40,496	113	38.0	31.3-44.7	202	62.0	55.3-68.7
55-64	565	46,749	244	44.9	39.8-50.0	321	55.1	50.0-60.2
65+	978	54,905	592	61.1	57.4-64.8	386	38.9	35.2-42.6
Less Than H.S.	124	24,483	77	53.7	41.5-65.9	47	46.3	34.1-58.5
H.S. or G.E.D.	742	85,674	415	52.5	47.6-57.4	327	47.5	42.6-52.4
Some Post-H.S.	809	115,942	404	45.0	40.5-49.5	405	55.0	50.5-59.5
College Graduate	860	66,169	323	31.6	27.7-35.5	537	68.4	64.5-72.3
Less than \$15,000	104	11,757	70	64.3	51.4-77.2	34	35.7	22.8-48.6
\$15,000- 24,999	225	24,241	128	48.7	39.3-58.1	97	51.3	41.9-60.7
\$25,000- 34,999	218	24,300	125	53.2	43.8-62.6	93	46.8	37.4-56.2
\$35,000- 49,999	345	36,558	187	45.7	38.3-53.1	158	54.3	46.9-61.7
\$50,000- 74,999	436	48,409	220	48.6	42.3-54.9	216	51.4	45.1-57.7
\$75,000+	978	120,071	384	39.3	35.2-43.4	594	60.7	56.6-64.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2886	281,397	1005	34.6	31.9-37.3	1881	65.4	62.7-68.1
Native	99	12,956	67	61.1	46.8-75.4	32	38.9	24.6-53.2
Non-Native	2763	266,495	929	33.1	30.4-35.8	1834	66.9	64.2-69.6
18-24	94	39,032	18	22.4	12.6-32.2	76	77.6	67.8-87.4
25-34	203	50,816	64	31.8	24.4-39.2	139	68.2	60.8-75.6
35-44	269	43,977	84	35.4	28.1-42.7	185	64.6	57.3-71.9
45-54	325	38,037	123	38.5	32.0-45.0	202	61.5	55.0-68.0
55-64	647	44,978	236	41.9	37.0-46.8	411	58.1	53.2-63.0
65+	1348	64,557	480	36.1	32.8-39.4	868	63.9	60.6-67.2
Less Than H.S.	116	21,770	50	38.3	24.8-51.8	66	61.7	48.2-75.2
H.S. or G.E.D.	740	65,505	291	43.5	38.0-49.0	449	56.5	51.0-62.0
Some Post-H.S.	925	107,587	360	38.0	33.5-42.5	565	62.0	57.5-66.5
College Graduate	1098	85,739	302	22.7	19.2-26.2	796	77.3	73.8-80.8
Less than \$15,000	165	16,995	83	48.8	36.3-61.3	82	51.2	38.7-63.7
\$15,000- 24,999	332	30,030	143	37.9	29.5-46.3	189	62.1	53.7-70.5
\$25,000- 34,999	237	20,283	91	37.9	27.9-47.9	146	62.1	52.1-72.1
\$35,000- 49,999	416	38,989	163	43.1	35.5-50.7	253	56.9	49.3-64.5
\$50,000- 74,999	414	38,828	151	36.4	29.5-43.3	263	63.6	56.7-70.5
\$75,000+	820	93,153	229	28.6	24.1-33.1	591	71.4	66.9-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2225	228,569	539	31.0	28.1-33.9	188	11.8	9.6-14.0	1498	57.2	54.3-60.1
Male	1222	131,359	272	28.2	24.5-31.9	94	12.1	9.4-14.8	856	59.7	55.8-63.6
Female	1003	97,210	267	34.9	30.2-39.6	94	11.3	8.2-14.4	642	53.8	49.1-58.5
Native	120	14,900	40	42.6	30.3-54.9	20	14.2	6.6-21.8	60	43.1	31.1-55.1
Non-Native	2076	210,410	487	30.1	27.2-33.0	166	11.6	9.4-13.8	1423	58.3	55.2-61.4
18-24	62	18,831	20	38.3	23.8-52.8	20	29.6	16.9-42.3	22	32.1	19.2-45.0
25-34	164	43,287	60	38.7	30.3-47.1	28	16.0	9.7-22.3	76	45.3	36.7-53.9
35-44	214	39,833	69	31.7	24.1-39.3	31	14.8	9.5-20.1	114	53.5	45.5-61.5
45-54	235	30,003	87	36.3	28.9-43.7	24	10.4	4.9-15.9	124	53.2	45.6-60.8
55-64	479	39,789	146	35.1	29.6-40.6	39	6.9	4.4- 9.4	294	58.0	52.5-63.5
65+	1071	56,826	157	16.7	13.8-19.6	46	4.6	3.0- 6.2	868	78.7	75.6-81.8
Less Than H.S.	127	21,483	42	40.1	28.3-51.9	17	19.5	9.3-29.7	68	40.4	29.4-51.4
H.S. or G.E.D.	705	73,158	195	33.3	28.2-38.4	63	12.9	9.2-16.6	447	53.7	48.4-59.0
Some Post-H.S.	764	93,000	212	34.0	29.1-38.9	53	8.6	5.7-11.5	499	57.5	52.6-62.4
College Graduate	622	40,246	89	15.1	11.4-18.8	54	12.7	8.6-16.8	479	72.3	67.2-77.4
Less than \$15,000	153	15,865	58	43.7	32.7-54.7	17	11.7	5.4-18.0	78	44.6	34.0-55.2
\$15,000- 24,999	271	23,197	94	41.0	32.4-49.6	28	17.4	9.8-25.0	149	41.7	33.7-49.7
\$25,000- 34,999	216	20,603	59	39.2	28.8-49.6	12	6.4	1.7-11.1	145	54.4	44.2-64.6
\$35,000- 49,999	350	33,491	74	29.6	22.0-37.2	19	8.2	3.1-13.3	257	62.3	54.3-70.3
\$50,000- 74,999	371	37,641	75	26.7	20.0-33.4	35	12.8	7.3-18.3	261	60.5	53.2-67.8
\$75,000+	611	73,446	111	25.1	20.0-30.2	58	12.1	8.4-15.8	442	62.9	57.4-68.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1222	131,359	272	28.2	24.5-31.9	94	12.1	9.4-14.8	856	59.7	55.8-63.6
Native	53	6,980	18	46.7	28.1-65.3	7	14.0	2.6-25.4	28	39.3	21.9-56.7
Non-Native	1149	122,207	249	27.3	23.6-31.0	86	12.1	9.2-15.0	814	60.6	56.7-64.5
25-34	100	27,114	39	41.5	30.7-52.3	16	13.6	6.5-20.7	45	44.9	34.1-55.7
35-44	130	24,248	42	29.4	20.0-38.8	21	18.4	10.6-26.2	67	52.2	41.8-62.6
45-54	113	15,403	38	33.0	22.6-43.4	8	10.2	1.4-19.0	67	56.7	45.3-68.1
55-64	244	20,975	71	31.1	23.8-38.4	18	7.0	3.3-10.7	155	61.8	54.4-69.2
65+	591	33,530	72	14.0	10.3-17.7	15	3.1	1.1- 5.1	504	82.9	79.0-86.8
Less Than H.S.	77	13,139	19	28.0	14.5-41.5	10	22.6	9.1-36.1	48	49.5	35.0-64.0
H.S. or G.E.D.	414	44,657	112	33.0	26.7-39.3	38	12.6	8.1-17.1	264	54.4	47.9-60.9
Some Post-H.S.	404	52,151	98	29.0	22.9-35.1	24	8.7	4.8-12.6	282	62.3	55.8-68.8
College Graduate	322	20,850	42	15.5	10.0-21.0	21	12.3	6.6-18.0	259	72.1	65.0-79.2
Less than \$15,000	70	7,565	26	39.7	24.8-54.6	6	8.3	1.4-15.2	38	52.0	36.7-67.3
\$15,000- 24,999	128	11,813	38	36.8	24.6-49.0	14	18.6	8.4-28.8	76	44.6	33.2-56.0
\$25,000- 34,999	125	12,919	32	30.9	19.1-42.7	4	4.6	0.0-10.3	89	64.5	52.3-76.7
\$35,000- 49,999	187	16,698	41	37.6	26.4-48.8	8	5.2	0.1-10.3	138	57.1	46.1-68.1
\$50,000- 74,999	220	23,526	45	22.4	15.1-29.7	20	16.3	8.5-24.1	155	61.3	52.3-70.3
\$75,000+	383	46,837	66	23.1	17.2-29.0	33	12.4	7.9-16.9	284	64.5	57.8-71.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1003	97,210	267	34.9	30.2-39.6	94	11.3	8.2-14.4	642	53.8	49.1-58.5
Native	67	7,920	22	39.1	22.8-55.4	13	14.4	4.4-24.4	32	46.5	30.2-62.8
Non-Native	927	88,203	238	33.9	29.0-38.8	80	11.0	7.5-14.5	609	55.1	50.2-60.0
25-34	64	16,173	21	34.0	20.5-47.5	12	20.1	8.1-32.1	31	45.8	31.7-59.9
35-44	84	15,584	27	35.3	22.2-48.4	10	9.1	3.0-15.2	47	55.6	42.5-68.7
45-54	122	14,601	49	39.8	29.4-50.2	16	10.7	4.4-17.0	57	49.6	39.0-60.2
55-64	235	18,814	75	39.5	31.3-47.7	21	6.7	3.2-10.2	139	53.8	45.6-62.0
65+	480	23,296	85	20.5	15.6-25.4	31	6.9	4.2- 9.6	364	72.6	67.3-77.9
Less Than H.S.	50	8,344	23	59.3	40.7-77.9	7	14.6	0.0-29.9	20	26.1	11.6-40.6
H.S. or G.E.D.	291	28,501	83	33.9	25.7-42.1	25	13.4	6.5-20.3	183	52.7	44.1-61.3
Some Post-H.S.	360	40,849	114	40.3	32.7-47.9	29	8.3	4.2-12.4	217	51.3	43.9-58.7
College Graduate	300	19,396	47	14.6	9.3-19.9	33	13.0	7.1-18.9	220	72.4	65.1-79.7
Less than \$15,000	83	8,300	32	47.4	32.1-62.7	11	14.8	4.8-24.8	40	37.8	23.7-51.9
\$15,000- 24,999	143	11,383	56	45.3	32.8-57.8	14	16.1	4.9-27.3	73	38.6	27.2-50.0
\$25,000- 34,999	91	7,684	27	53.0	36.5-69.5	8	9.4	1.0-17.8	56	37.6	23.5-51.7
\$35,000- 49,999	163	16,793	33	21.6	12.4-30.8	11	11.1	2.5-19.7	119	67.4	56.2-78.6
\$50,000- 74,999	151	14,115	30	33.9	21.6-46.2	15	7.0	1.9-12.1	106	59.1	46.9-71.3
\$75,000+	228	26,609	45	28.5	18.9-38.1	25	11.5	5.2-17.8	158	60.0	50.2-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	726	97,560	377	55.1	50.2-60.0	349	44.9	40.0-49.8
Male	365	52,676	176	52.3	45.6-59.0	189	47.7	41.0-54.4
Female	361	44,884	201	58.3	50.9-65.7	160	41.7	34.3-49.1
Native	60	8,471	36	57.2	40.7-73.7	24	42.8	26.3-59.3
Non-Native	652	87,478	335	55.0	49.7-60.3	317	45.0	39.7-50.3
25-34	88	23,693	60	71.1	60.7-81.5	28	28.9	18.5-39.3
35-44	99	18,237	56	58.9	47.1-70.7	43	41.1	29.3-52.9
45-54	111	14,027	48	40.8	29.6-52.0	63	59.2	48.0-70.4
55-64	185	16,699	96	50.0	41.0-59.0	89	50.0	41.0-59.0
65+	203	12,111	98	49.5	40.9-58.1	105	50.5	41.9-59.1
Less Than H.S.	59	12,805	32	56.6	40.3-72.9	27	43.4	27.1-59.7
H.S. or G.E.D.	258	33,857	142	59.8	52.0-67.6	116	40.2	32.4-48.0
Some Post-H.S.	265	39,563	132	52.6	44.6-60.6	133	47.4	39.4-55.4
College Graduate	142	10,888	71	50.1	39.1-61.1	71	49.9	38.9-60.9
Less than \$15,000	75	8,788	41	54.4	39.5-69.3	34	45.6	30.7-60.5
\$15,000- 24,999	122	13,533	61	52.2	39.5-64.9	61	47.8	35.1-60.5
\$25,000- 34,999	71	9,387	39	63.4	47.7-79.1	32	36.6	20.9-52.3
\$35,000- 49,999	93	12,639	55	63.6	50.5-76.7	38	36.4	23.3-49.5
\$50,000- 74,999	110	14,874	57	50.8	38.1-63.5	53	49.2	36.5-61.9
\$75,000+	168	26,986	83	55.3	45.5-65.1	85	44.7	34.9-54.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	365	52,676	176	52.3	45.6-59.0	189	47.7	41.0-54.4
Non-Native	334	47,873	160	51.9	45.0-58.8	174	48.1	41.2-55.0
25-34	55	14,934	36	66.5	52.6-80.4	19	33.5	19.6-47.4
35-44	62	11,325	35	56.7	42.2-71.2	27	43.3	28.8-57.8
55-64	89	8,006	43	46.8	34.3-59.3	46	53.2	40.7-65.7
65+	87	5,721	33	43.1	30.2-56.0	54	56.9	44.0-69.8
H.S. or G.E.D.	150	20,367	78	57.1	47.1-67.1	72	42.9	32.9-52.9
Some Post-H.S.	122	19,685	53	48.4	37.2-59.6	69	51.6	40.4-62.8
College Graduate	62	5,536	27	40.1	25.0-55.2	35	59.9	44.8-75.0
\$15,000- 24,999	52	6,541	24	55.6	37.8-73.4	28	44.4	26.6-62.2
\$50,000- 74,999	65	9,105	29	48.1	32.6-63.6	36	51.9	36.4-67.4
\$75,000+	98	16,348	47	50.9	38.7-63.1	51	49.1	36.9-61.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	361	44,884	201	58.3	50.9-65.7	160	41.7	34.3-49.1
Non-Native	318	39,605	175	58.9	50.9-66.9	143	41.1	33.1-49.1
45-54	65	7,364	31	48.3	33.6-63.0	34	51.7	37.0-66.4
55-64	96	8,692	53	53.0	39.9-66.1	43	47.0	33.9-60.1
65+	116	6,390	65	55.2	43.6-66.8	51	44.8	33.2-56.4
H.S. or G.E.D.	108	13,491	64	63.8	51.1-76.5	44	36.2	23.5-48.9
Some Post-H.S.	143	19,878	79	56.9	45.1-68.7	64	43.1	31.3-54.9
College Graduate	80	5,351	44	60.4	45.9-74.9	36	39.6	25.1-54.1
\$15,000- 24,999	70	6,992	37	48.9	31.5-66.3	33	51.1	33.7-68.5
\$75,000+	70	10,638	36	62.0	46.7-77.3	34	38.0	22.7-53.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1492	130,344	131	15.8	12.7-18.9	182	18.7	15.4-22.0	146	12.1	9.6-14.6	1030	53.2	49.5-56.9	3	0.3	0.0- 0.7
Male	850	78,018	83	17.7	13.6-21.8	110	17.9	13.8-22.0	77	11.9	8.6-15.2	577	52.1	47.4-56.8	3	0.4	0.0- 1.0
Female	642	52,326	48	12.9	8.2-17.6	72	19.9	14.4-25.4	69	12.4	8.5-16.3	453	54.8	48.9-60.7			
Native	60	6,428	16	33.4	16.2-50.6	12	16.0	5.4-26.6	8	19.4	3.5-35.3	24	31.2	14.7-47.7			
Non-Native	1417	122,266	114	14.8	11.7-17.9	168	18.7	15.4-22.0	135	11.8	9.3-14.3	997	54.4	50.7-58.1	3	0.3	0.0- 0.7
25-34	76	19,594	26	32.7	21.1-44.3	29	44.4	31.7-57.1	15	18.0	8.4-27.6	6	4.8	0.0- 9.7			
35-44	114	21,324	21	24.7	14.7-34.7	22	16.8	8.4-25.2	22	19.6	10.8-28.4	49	38.9	28.5-49.3			
45-54	124	15,977	14	14.6	6.4-22.8	25	18.2	10.4-26.0	13	10.3	3.8-16.8	71	55.6	45.2-66.0	1	1.4	0.0- 4.1
55-64	293	23,005	22	6.5	3.2- 9.8	37	13.5	8.8-18.2	32	13.7	8.2-19.2	202	66.3	59.4-73.2			
65+	863	44,407	35	3.5	2.1- 4.9	61	8.1	5.9-10.3	63	7.1	4.9- 9.3	702	81.0	77.9-84.1	2	0.3	0.0- 0.7
Less Than H.S.	67	8,518	6	9.1	1.1-17.1	8	20.7	5.0-36.4	8	15.8	3.3-28.3	45	54.4	38.3-70.5			
H.S. or G.E.D.	445	39,185	45	19.5	13.2-25.8	64	22.0	15.9-28.1	48	12.1	8.0-16.2	286	45.7	39.4-52.0	2	0.7	0.0- 1.9
Some Post-H.S.	498	53,351	44	16.9	11.6-22.2	67	19.8	14.3-25.3	51	11.5	7.4-15.6	336	51.9	45.8-58.0			
College Graduate	477	29,054	36	10.8	6.1-15.5	43	11.7	7.0-16.4	39	12.3	7.2-17.4	358	65.0	58.3-71.7	1	0.2	0.0- 0.6
Less than \$15,000	78	7,076	12	25.6	10.3-40.9	9	10.5	2.5-18.5	12	22.0	7.1-36.9	45	41.9	27.2-56.6			
\$15,000- 24,999	148	9,632	13	7.4	2.7-12.1	24	28.9	17.5-40.3	7	6.2	0.5-11.9	104	57.5	46.3-68.7			
\$25,000- 34,999	143	11,115	13	17.1	6.7-27.5	18	20.9	9.9-31.9	18	15.0	5.4-24.6	93	46.4	35.0-57.8	1	0.7	0.0- 2.1
\$35,000- 49,999	257	20,853	24	19.8	10.8-28.8	29	20.3	11.5-29.1	26	12.7	6.2-19.2	178	47.2	38.4-56.0			
\$50,000- 74,999	261	22,767	24	15.6	8.5-22.7	33	16.2	9.5-22.9	28	12.6	6.1-19.1	176	55.7	47.3-64.1			
\$75,000+	440	46,086	32	14.5	9.2-19.8	53	17.9	12.2-23.6	41	11.7	7.4-16.0	313	55.4	48.7-62.1	1	0.5	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	850	78,018	83	17.7	13.6-21.8	110	17.9	13.8-22.0	77	11.9	8.6-15.2	577	52.1	47.4-56.8	3	0.4	0.0- 1.0
Non-Native	808	73,668	74	17.4	13.1-21.7	102	17.5	13.4-21.6	71	11.3	8.0-14.6	558	53.4	48.5-58.3	3	0.5	0.0- 1.1
35-44	67	12,652	11	21.3	9.1-33.5	13	19.0	7.0-31.0	12	18.9	6.9-30.9	31	40.8	26.9-54.7			
45-54	67	8,740	7	11.6	2.4-20.8	16	20.9	9.7-32.1	6	11.2	1.4-21.0	37	53.7	39.6-67.8	1	2.5	0.0- 7.4
55-64	154	12,883	11	6.5	2.0-11.0	20	13.5	7.0-20.0	19	14.7	6.9-22.5	104	65.3	55.9-74.7			
65+	499	27,501	21	3.7	1.9- 5.5	43	9.9	6.8-13.0	30	6.3	3.6- 9.0	403	79.6	75.3-83.9	2	0.5	0.0- 1.1
H.S. or G.E.D.	262	24,175	36	23.5	15.3-31.7	42	20.1	12.8-27.4	26	11.4	5.9-16.9	156	43.9	35.9-51.9	2	1.2	0.0- 3.0
Some Post-H.S.	281	32,380	25	17.9	10.8-25.0	40	19.7	12.8-26.6	33	13.8	7.9-19.7	183	48.6	40.8-56.4			
College Graduate	257	15,009	19	12.8	6.1-19.5	22	9.9	5.2-14.6	13	6.7	2.2-11.2	202	70.2	62.2-78.2	1	0.4	0.0- 1.2
\$15,000- 24,999	75	5,242	5	6.7	0.0-13.8	14	31.8	17.1-46.5	3	5.7	0.0-13.3	53	55.7	41.2-70.2			
\$25,000- 34,999	87	8,226	12	22.5	8.8-36.2	13	23.1	9.0-37.2	12	18.0	5.5-30.5	49	35.5	23.0-48.0	1	0.9	0.0- 2.7
\$35,000- 49,999	138	9,540	11	14.8	4.4-25.2	18	21.9	9.9-33.9	11	8.3	2.2-14.4	98	54.9	42.7-67.1			
\$50,000- 74,999	155	14,421	16	18.0	8.8-27.2	21	17.4	9.0-25.8	18	12.3	4.1-20.5	100	52.4	41.6-63.2			
\$75,000+	282	30,114	25	19.0	11.6-26.4	31	13.6	7.5-19.7	21	10.7	5.4-16.0	204	56.0	47.8-64.2	1	0.7	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	642	52,326	48	12.9	8.2-17.6	72	19.9	14.4-25.4	69	12.4	8.5-16.3	453	54.8	49.1-60.5
Non-Native	609	48,598	40	11.0	6.5-15.5	66	20.5	14.8-26.2	64	12.5	8.4-16.6	439	56.0	49.9-62.1
45-54	57	7,237	7	18.2	4.3-32.1	9	14.9	4.1-25.7	7	9.1	1.5-16.7	34	57.9	42.4-73.4
55-64	139	10,122	11	6.4	1.7-11.1	17	13.5	6.4-20.6	13	12.4	4.8-20.0	98	67.6	57.8-77.4
65+	364	16,906	14	3.2	1.4- 5.0	18	5.1	2.6- 7.6	33	8.5	5.2-11.8	299	83.3	78.8-87.8
H.S. or G.E.D.	183	15,010	9	13.0	3.2-22.8	22	25.2	14.6-35.8	22	13.2	6.7-19.7	130	48.6	38.2-59.0
Some Post-H.S.	217	20,971	19	15.2	7.4-23.0	27	20.0	10.8-29.2	18	7.8	2.3-13.3	153	56.9	47.1-66.7
College Graduate	220	14,045	17	8.7	2.2-15.2	21	13.7	5.5-21.9	26	18.2	9.0-27.4	156	59.4	48.6-70.2
\$15,000- 24,999	73	4,391	8	8.2	1.9-14.5	10	25.4	7.2-43.6	4	6.7	0.0-15.3	51	59.7	42.5-76.9
\$25,000- 34,999	56	2,889	1	1.9	0.0- 5.6	5	14.4	1.3-27.5	6	6.3	0.6-12.0	44	77.4	63.5-91.3
\$35,000- 49,999	119	11,313	13	24.0	10.1-37.9	11	18.9	6.2-31.6	15	16.5	5.7-27.3	80	40.6	28.4-52.8
\$50,000- 74,999	106	8,346	8	11.5	1.1-21.9	12	14.0	3.2-24.8	10	13.1	2.7-23.5	76	61.4	47.5-75.3
\$75,000+	158	15,971	7	5.9	0.4-11.4	22	26.2	14.8-37.6	20	13.5	6.2-20.8	109	54.4	43.0-65.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5445	576,154	164	3.7	2.9- 4.5	101	2.9	2.1- 3.7	5180	93.3	92.3-94.3
Male	2554	294,524	155	7.0	5.6- 8.4	83	4.8	3.6- 6.0	2316	88.2	86.4-90.0
Female	2891	281,630	9	0.4	0.0- 0.8	18	1.0	0.4- 1.6	2864	98.6	97.8-99.4
Native	185	24,139	7	2.9	0.2- 5.6	10	6.1	1.2-11.0	168	91.0	85.5-96.5
Non-Native	5203	546,442	154	3.7	2.9- 4.5	90	2.8	2.0- 3.6	4959	93.5	92.5-94.5
18-24	276	83,071	18	4.5	2.3- 6.7	15	4.6	2.2- 7.0	243	90.9	87.6-94.2
25-34	441	110,048	25	5.0	2.8- 7.2	23	6.1	3.4- 8.8	393	88.9	85.6-92.2
35-44	539	92,779	23	4.5	2.3- 6.7	17	2.6	1.0- 4.2	499	92.9	90.4-95.4
45-54	638	78,355	20	2.6	1.2- 4.0	13	2.2	0.6- 3.8	605	95.2	93.0-97.4
55-64	1213	91,899	36	3.3	1.9- 4.7	14	1.3	0.5- 2.1	1163	95.4	93.8-97.0
65+	2338	120,002	42	2.6	1.6- 3.6	19	0.9	0.5- 1.3	2277	96.5	95.5-97.5
Less Than H.S.	240	46,312	17	5.7	2.8- 8.6	5	2.2	0.0- 4.6	218	92.2	88.5-95.9
H.S. or G.E.D.	1488	151,607	58	4.8	3.2- 6.4	36	3.7	2.1- 5.3	1394	91.5	89.3-93.7
Some Post-H.S.	1741	224,379	53	3.7	2.5- 4.9	43	4.0	2.6- 5.4	1645	92.3	90.5-94.1
College Graduate	1958	151,800	36	2.2	1.2- 3.2	17	0.9	0.3- 1.5	1905	96.8	95.8-97.8
Less than \$15,000	270	28,839	8	3.3	0.4- 6.2	12	6.8	1.9-11.7	250	89.8	84.3-95.3
\$15,000- 24,999	561	54,697	9	2.2	0.6- 3.8	11	1.7	0.5- 2.9	541	96.2	94.2-98.2
\$25,000- 34,999	456	44,614	16	4.6	2.1- 7.1	2	0.2	0.0- 0.4	438	95.2	92.7-97.7
\$35,000- 49,999	764	75,998	20	3.3	1.1- 5.5	9	2.2	0.2- 4.2	735	94.5	91.6-97.4
\$50,000- 74,999	852	87,350	32	5.4	3.2- 7.6	11	2.2	0.6- 3.8	809	92.3	89.8-94.8
\$75,000+	1799	213,535	66	3.9	2.7- 5.1	44	3.8	2.4- 5.2	1689	92.3	90.5-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2554	294,524	155	7.0	5.6- 8.4	83	4.8	3.6- 6.0	2316	88.2	86.4-90.0
Native	86	11,183	5	3.8	0.0- 8.5	7	11.4	1.4-21.4	74	84.9	74.1-95.7
Non-Native	2435	279,714	147	7.0	5.6- 8.4	75	4.6	3.4- 5.8	2213	88.5	86.7-90.3
18-24	182	44,039	18	8.5	4.4-12.6	13	7.3	3.4-11.2	151	84.2	78.7-89.7
25-34	239	59,497	24	9.0	5.1-12.9	19	9.1	4.8-13.4	196	81.8	76.3-87.3
35-44	269	48,545	23	8.5	4.4-12.6	15	4.5	1.8- 7.2	231	87.0	82.1-91.9
45-54	315	40,419	19	4.7	2.3- 7.1	11	4.0	0.9- 7.1	285	91.3	87.4-95.2
55-64	565	46,749	34	5.7	3.5- 7.9	11	2.1	0.7- 3.5	520	92.3	89.8-94.8
65+	984	55,275	37	5.0	3.2- 6.8	14	1.3	0.5- 2.1	933	93.7	91.7-95.7
Less Than H.S.	124	24,483	14	8.0	3.5-12.5	3	3.3	0.0- 7.6	107	88.7	82.6-94.8
H.S. or G.E.D.	746	86,029	56	8.3	5.8-10.8	28	4.6	2.4- 6.8	662	87.1	83.8-90.4
Some Post-H.S.	814	116,643	51	7.0	4.6- 9.4	39	7.1	4.6- 9.6	724	85.9	82.6-89.2
College Graduate	859	66,108	34	5.0	2.8- 7.2	13	1.7	0.5- 2.9	812	93.4	91.0-95.8
Less than \$15,000	104	11,757	5	4.4	0.0- 9.3	9	14.3	3.7-24.9	90	81.4	70.0-92.8
\$15,000- 24,999	226	24,262	8	4.4	0.9- 7.9	7	2.5	0.1- 4.9	211	93.0	88.7-97.3
\$25,000- 34,999	219	24,331	15	7.9	3.2-12.6	2	0.3	0.0- 0.7	202	91.8	87.1-96.5
\$35,000- 49,999	348	37,009	17	6.6	2.3-10.9	7	2.5	0.1- 4.9	324	90.9	86.2-95.6
\$50,000- 74,999	437	48,480	31	9.3	5.8-12.8	8	3.0	0.3- 5.7	398	87.7	83.4-92.0
\$75,000+	980	120,451	66	6.8	4.6- 9.0	42	6.5	4.1- 8.9	872	86.6	83.7-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2891	281,630	9	0.4	0.0- 0.8	18	1.0	0.4- 1.6	2864	98.6	97.8-99.4
Native	99	12,956	2	2.1	0.0- 5.0	3	1.6	0.0- 3.6	94	96.3	92.8-99.8
Non-Native	2768	266,728	7	0.3	0.1- 0.5	15	1.0	0.4- 1.6	2746	98.7	97.9-99.5
18-24	94	39,032				2	1.6	0.0- 3.8	92	98.4	96.2- 100
25-34	202	50,551	1	0.2	0.0- 0.6	4	2.5	0.0- 5.2	197	97.3	94.4- 100
35-44	270	44,233				2	0.6	0.0- 1.4	268	99.4	98.6- 100
45-54	323	37,936	1	0.4	0.0- 1.2	2	0.3	0.0- 0.7	320	99.3	98.5- 100
55-64	648	45,150	2	0.8	0.0- 2.0	3	0.5	0.0- 1.1	643	98.7	97.3- 100
65+	1354	64,727	5	0.6	0.0- 1.4	5	0.5	0.0- 1.1	1344	98.9	97.9-99.9
Less Than H.S.	116	21,829	3	3.0	0.0- 6.5	2	0.8	0.0- 2.2	111	96.1	92.4-99.8
H.S. or G.E.D.	742	65,579	2	0.3	0.0- 0.7	8	2.4	0.0- 4.8	732	97.3	94.9-99.7
Some Post-H.S.	927	107,736	2	0.1	0.0- 0.3	4	0.7	0.0- 1.5	921	99.2	98.4- 100
College Graduate	1099	85,692	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8	1093	99.5	99.1-99.9
Less than \$15,000	166	17,082	3	2.6	0.0- 6.1	3	1.7	0.0- 4.1	160	95.7	91.6-99.8
\$15,000- 24,999	335	30,435	1	0.4	0.0- 1.2	4	1.0	0.0- 2.2	330	98.7	97.3- 100
\$25,000- 34,999	237	20,283	1	0.6	0.0- 1.8				236	99.4	98.2- 100
\$35,000- 49,999	416	38,989	3	0.2	0.0- 0.6	2	1.8	0.0- 4.9	411	97.9	94.8- 100
\$50,000- 74,999	415	38,869	1	0.6	0.0- 1.8	3	1.2	0.0- 2.8	411	98.2	96.2- 100
\$75,000+	819	93,085				2	0.3	0.0- 0.9	817	99.7	99.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	195
2	MALES ONLY	196
3	FEMALES ONLY	197
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4	MALES AND FEMALES	198
5	MALES ONLY	199
6	FEMALES ONLY	200
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	201
8	MALES ONLY	202
9	FEMALES ONLY	203
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	204
11	MALES ONLY	205
12	FEMALES ONLY	206

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5398	571,490	619	11.9	10.7-13.1	113	1.7	1.3- 2.1	1848	37.5	35.5-39.5	476	10.0	8.8-11.2	2342	38.8	36.8-40.8
Male	2532	292,241	364	15.1	13.1-17.1	72	2.2	1.4- 3.0	854	36.3	33.8-38.8	336	13.7	11.7-15.7	906	32.7	30.2-35.2
Female	2866	279,249	255	8.6	7.2-10.0	41	1.2	0.8- 1.6	994	38.9	36.2-41.6	140	6.1	4.5- 7.7	1436	45.2	42.5-47.9
Native	181	23,275	5	1.5	0.1- 2.9	4	2.1	0.0- 4.6	39	20.4	12.8-28.0	7	4.4	0.5- 8.3	126	71.6	63.0-80.2
Non-Native	5160	542,626	605	12.4	11.2-13.6	109	1.7	1.3- 2.1	1796	38.3	36.3-40.3	461	10.2	8.8-11.6	2189	37.4	35.4-39.4
18-24	274	82,633	32	10.3	6.4-14.2	3	0.9	0.0- 1.9	119	41.4	34.5-48.3	24	8.5	4.6-12.4	96	38.9	32.0-45.8
25-34	437	108,986	57	11.6	8.3-14.9	3	0.4	0.0- 1.2	196	44.5	39.2-49.8	46	11.0	7.5-14.5	135	32.5	27.4-37.6
35-44	535	92,310	85	15.9	12.2-19.6	7	1.8	0.4- 3.2	232	44.3	39.2-49.4	36	8.8	5.5-12.1	175	29.3	24.6-34.0
45-54	634	77,860	83	10.9	8.2-13.6	11	1.9	0.5- 3.3	253	39.4	34.7-44.1	64	12.8	8.9-16.7	223	35.0	30.3-39.7
55-64	1202	90,768	153	13.9	11.4-16.4	25	2.3	1.1- 3.5	424	32.4	29.3-35.5	119	11.0	8.6-13.4	481	40.4	36.9-43.9
65+	2316	118,933	209	9.6	8.0-11.2	64	2.6	1.8- 3.4	624	26.0	23.8-28.2	187	8.6	7.2-10.0	1232	53.2	50.7-55.7
Less Than H.S.	234	45,336	14	5.4	1.9- 8.9	5	1.1	0.0- 2.3	39	17.9	10.3-25.5	22	15.0	7.2-22.8	154	60.7	51.1-70.3
H.S. or G.E.D.	1480	151,016	136	9.4	7.4-11.4	34	1.8	1.0- 2.6	438	34.3	30.8-37.8	108	7.6	5.6- 9.6	764	46.9	43.4-50.4
Some Post-H.S.	1727	222,802	203	12.9	10.7-15.1	34	1.8	1.0- 2.6	588	39.5	36.2-42.8	168	11.0	9.0-13.0	734	34.8	31.9-37.7
College Graduate	1940	150,409	263	15.1	12.9-17.3	40	1.6	1.0- 2.2	777	43.7	40.6-46.8	177	9.6	7.6-11.6	683	30.0	27.3-32.7
Less than \$15,000	265	28,412	14	5.9	2.0- 9.8	4	0.8	0.0- 1.6	34	22.0	12.8-31.2	17	7.1	2.6-11.6	196	64.2	54.8-73.6
\$15,000- 24,999	555	54,075	41	7.2	4.1-10.3	7	1.7	0.3- 3.1	135	28.6	22.1-35.1	39	6.1	3.6- 8.6	333	56.4	49.7-63.1
\$25,000- 34,999	454	44,458	54	12.4	7.5-17.3	17	2.6	1.2- 4.0	140	35.6	28.9-42.3	27	7.6	3.3-11.9	216	41.7	35.0-48.4
\$35,000- 49,999	761	75,737	86	11.1	8.2-14.0	17	1.8	0.4- 3.2	233	33.1	27.8-38.4	64	12.6	8.3-16.9	361	41.4	36.1-46.7
\$50,000- 74,999	845	86,222	97	12.4	9.3-15.5	21	2.6	1.0- 4.2	330	39.3	34.6-44.0	93	13.2	9.7-16.7	304	32.5	28.0-37.0
\$75,000+	1788	212,391	270	15.3	13.1-17.5	28	1.3	0.7- 1.9	768	45.5	42.4-48.6	191	11.0	8.8-13.2	531	26.9	24.0-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2532	292,241	364	15.1	13.1-17.1	72	2.2	1.4-3.0	854	36.3	33.8-38.8	336	13.7	11.7-15.7	906	32.7	30.2-35.2
Native	84	10,696	3	1.4	0.0-3.2	4	4.7	0.0-10.2	22	17.5	8.5-26.5	5	5.6	0.0-11.9	50	70.9	59.1-82.7
Non-Native	2414	277,771	353	15.6	13.6-17.6	68	2.1	1.3-2.9	822	37.1	34.4-39.8	326	14.0	12.0-16.0	845	31.2	28.7-33.7
18-24	180	43,601	27	15.4	9.5-21.3	3	1.7	0.0-3.7	75	39.2	31.6-46.8	20	10.9	6.0-15.8	55	32.9	25.3-40.5
25-34	238	59,441	42	15.9	10.8-21.0	3	0.8	0.0-2.2	100	41.8	34.7-48.9	35	14.6	9.5-19.7	58	26.9	20.4-33.4
35-44	267	48,216	47	18.1	12.6-23.6	3	1.8	0.0-4.0	116	43.5	36.2-50.8	21	10.1	5.2-15.0	80	26.6	20.1-33.1
45-54	314	40,312	50	13.1	9.0-17.2	7	2.1	0.3-3.9	114	37.2	30.5-43.9	45	17.3	11.0-23.6	98	30.3	24.0-36.6
55-64	558	45,850	93	17.2	13.5-20.9	16	2.9	1.3-4.5	175	29.8	25.3-34.3	83	16.2	12.3-20.1	191	33.9	29.0-38.8
65+	975	54,821	105	11.2	8.8-13.6	40	3.9	2.5-5.3	274	26.5	23.2-29.8	132	13.6	11.1-16.1	424	44.8	41.1-48.5
Less Than H.S.	120	24,007	11	9.1	2.8-15.4	2	0.6	0.0-1.6	20	18.4	8.8-28.0	13	16.3	5.7-26.9	74	55.5	43.2-67.8
H.S. or G.E.D.	743	85,956	88	11.5	8.4-14.6	25	2.3	1.1-3.5	225	35.9	31.2-40.6	86	10.8	7.9-13.7	319	39.4	34.7-44.1
Some Post-H.S.	805	115,430	128	16.8	13.5-20.1	26	2.6	1.2-4.0	265	36.7	32.4-41.0	117	15.7	12.4-19.0	269	28.2	24.3-32.1
College Graduate	853	65,586	134	19.1	15.6-22.6	19	1.8	0.8-2.8	341	42.3	38.0-46.6	119	13.4	10.5-16.3	240	23.4	19.9-26.9
Less than \$15,000	101	11,373	5	5.2	0.0-11.1	2	1.3	0.0-3.1	8	8.9	0.5-17.3	10	6.8	1.5-12.1	76	77.9	67.1-88.7
\$15,000- 24,999	223	23,890	24	12.8	6.3-19.3	3	1.6	0.0-3.6	53	25.2	17.4-33.0	29	11.8	6.3-17.3	114	48.6	39.2-58.0
\$25,000- 34,999	217	24,175	29	13.9	7.2-20.6	12	3.4	1.2-5.6	64	34.7	25.5-43.9	16	7.9	2.2-13.6	96	40.1	31.1-49.1
\$35,000- 49,999	348	37,009	52	15.4	10.3-20.5	14	3.0	0.5-5.5	106	32.5	25.2-39.8	46	15.5	9.8-21.2	130	33.6	26.3-40.9
\$50,000- 74,999	434	48,159	64	14.5	10.2-18.8	16	4.0	1.5-6.5	151	34.9	28.8-41.0	68	19.2	13.7-24.7	135	27.3	22.0-32.6
\$75,000+	972	119,522	165	18.2	15.1-21.3	19	1.4	0.6-2.2	401	44.2	40.1-48.3	139	14.1	11.0-17.2	248	22.1	18.8-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2866	279,249	255	8.6	7.2-10.0	41	1.2	0.8- 1.6	994	38.9	36.2-41.6	140	6.1	4.5- 7.7	1436	45.2	42.5-47.9
Native	97	12,580	2	1.6	0.0- 3.8				17	22.9	11.3-34.5	2	3.3	0.0- 8.2	76	72.2	59.9-84.5
Non-Native	2746	264,854	252	9.0	7.4-10.6	41	1.2	0.6- 1.8	974	39.7	36.8-42.6	135	6.2	4.6- 7.8	1344	43.9	41.0-46.8
18-24	94	39,032	5	4.6	0.1- 9.1				44	43.9	32.3-55.5	4	5.9	0.0-12.2	41	45.6	33.8-57.4
25-34	199	49,545	15	6.4	2.7-10.1				96	47.6	39.6-55.6	11	6.6	2.1-11.1	77	39.3	31.5-47.1
35-44	268	44,094	38	13.4	8.5-18.3	4	1.8	0.0- 3.6	116	45.1	37.8-52.4	15	7.4	2.9-11.9	95	32.2	25.5-38.9
45-54	320	37,548	33	8.5	5.2-11.8	4	1.8	0.0- 3.8	139	41.8	35.1-48.5	19	8.0	3.9-12.1	125	40.0	33.3-46.7
55-64	644	44,918	60	10.4	7.3-13.5	9	1.8	0.2- 3.4	249	35.1	30.6-39.6	36	5.7	3.5- 7.9	290	46.9	42.2-51.6
65+	1341	64,112	104	8.1	6.3- 9.9	24	1.5	0.9- 2.1	350	25.6	22.9-28.3	55	4.3	2.9- 5.7	808	60.5	57.4-63.6
Less Than H.S.	114	21,328	3	1.1	0.0- 2.5	3	1.5	0.0- 3.9	19	17.3	5.0-29.6	9	13.5	1.7-25.3	80	66.5	51.6-81.4
H.S. or G.E.D.	737	65,060	48	6.6	4.2- 9.0	9	1.1	0.3- 1.9	213	32.2	26.7-37.7	22	3.3	1.1- 5.5	445	56.9	51.4-62.4
Some Post-H.S.	922	107,372	75	8.6	5.9-11.3	8	1.0	0.2- 1.8	323	42.5	37.6-47.4	51	6.0	3.8- 8.2	465	42.0	37.3-46.7
College Graduate	1087	84,823	129	12.1	9.4-14.8	21	1.4	0.6- 2.2	436	44.7	40.4-49.0	58	6.7	4.3- 9.1	443	35.1	31.2-39.0
Less than \$15,000	164	17,039	9	6.4	1.3-11.5	2	0.4	0.0- 1.0	26	30.8	17.7-43.9	7	7.2	0.7-13.7	120	55.1	42.4-67.8
\$15,000- 24,999	332	30,185	17	2.8	1.0- 4.6	4	1.8	0.0- 3.8	82	31.2	21.4-41.0	10	1.6	0.4- 2.8	219	62.6	53.0-72.2
\$25,000- 34,999	237	20,283	25	10.6	3.5-17.7	5	1.7	0.1- 3.3	76	36.8	27.0-46.6	11	7.3	0.4-14.2	120	43.6	34.0-53.2
\$35,000- 49,999	413	38,728	34	6.9	4.0- 9.8	3	0.7	0.0- 1.7	127	33.6	26.0-41.2	18	9.9	3.2-16.6	231	48.9	41.3-56.5
\$50,000- 74,999	411	38,063	33	9.7	5.0-14.4	5	0.9	0.0- 2.3	179	44.8	37.7-51.9	25	5.6	2.7- 8.5	169	38.9	31.6-46.2
\$75,000+	816	92,870	105	11.5	8.8-14.2	9	1.2	0.2- 2.2	367	47.2	42.3-52.1	52	7.1	4.4- 9.8	283	33.0	28.1-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
TOTAL	278	47,477	278	100.0	100.0- 100
Male	212	33,680	212	100.0	100.0- 100
Female	66	13,797	66	100.0	100.0- 100
Non-Native	253	44,034	253	100.0	100.0- 100
18-24	58	15,569	58	100.0	100.0- 100
25-34	57	14,239	57	100.0	100.0- 100
55-64	50	4,652	50	100.0	100.0- 100
H.S. or G.E.D.	93	15,718	93	100.0	100.0- 100
Some Post-H.S.	96	19,577	96	100.0	100.0- 100
College Graduate	77	8,848	77	100.0	100.0- 100
\$50,000- 74,999	58	9,872	58	100.0	100.0- 100
\$75,000+	99	16,258	99	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
Male	212	33,680	212	100.0	100.0- 100
Non-Native	195	31,718	195	100.0	100.0- 100
H.S. or G.E.D.	72	11,033	72	100.0	100.0- 100
Some Post-H.S.	78	15,491	78	100.0	100.0- 100
College Graduate	55	5,661	55	100.0	100.0- 100
\$75,000+	82	13,272	82	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
Female	66	13,797	66	100.0	100.0- 100
Non-Native	58	12,315	58	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3017	344,503	296	12.6	10.8-14.4	160	7.0	5.6- 8.4	86	3.6	2.6- 4.6	67	2.9	2.1- 3.7	217	10.4	8.6-12.2	2191	63.5	61.0-66.0
Male	1604	194,161	173	13.2	10.8-15.6	102	8.1	6.1-10.1	62	4.9	3.3- 6.5	46	3.7	2.3- 5.1	167	13.7	11.3-16.1	1054	56.5	53.2-59.8
Female	1413	150,342	123	11.8	9.1-14.5	58	5.6	3.8- 7.4	24	1.8	1.0- 2.6	21	1.9	0.7- 3.1	50	6.3	3.9- 8.7	1137	72.6	68.9-76.3
Native	54	6,331	7	20.6	5.3-35.9	6	11.0	0.6-21.4	2	5.2	0.0-12.3	4	4.8	0.0-10.1	11	26.3	10.8-41.8	24	32.1	16.8-47.4
Non-Native	2933	334,686	285	12.3	10.5-14.1	152	6.9	5.5- 8.3	84	3.6	2.6- 4.6	63	2.9	1.9- 3.9	202	10.1	8.3-11.9	2147	64.2	61.7-66.7
18-24	175	49,424	30	17.9	10.8-25.0	22	12.3	7.0-17.6	13	5.3	2.2- 8.4	11	5.3	2.0- 8.6	35	19.6	13.1-26.1	64	39.6	30.8-48.4
25-34	298	72,647	46	14.9	10.4-19.4	32	8.8	5.5-12.1	12	3.4	1.2- 5.6	11	3.4	1.2- 5.6	42	13.4	8.7-18.1	155	56.1	49.6-62.6
35-44	355	64,590	64	17.3	12.6-22.0	22	5.6	2.9- 8.3	16	5.0	2.3- 7.7	13	3.6	1.2- 6.0	26	8.7	4.8-12.6	214	59.9	53.6-66.2
45-54	405	49,630	42	10.2	6.7-13.7	24	7.6	3.1-12.1	15	4.0	1.6- 6.4	9	2.3	0.5- 4.1	38	9.8	6.1-13.5	277	66.1	60.0-72.2
55-64	712	53,302	65	8.9	6.4-11.4	38	6.3	3.9- 8.7	13	2.0	0.8- 3.2	15	1.9	0.7- 3.1	46	8.3	5.6-11.0	535	72.8	68.7-76.9
65+	1072	54,910	49	4.7	3.1- 6.3	22	2.0	1.0- 3.0	17	1.9	0.9- 2.9	8	0.8	0.0- 1.6	30	3.0	1.6- 4.4	946	87.6	85.1-90.1
Less Than H.S.	78	17,458	10	14.9	2.2-27.6	4	10.5	0.0-22.7	3	4.3	0.0- 9.8				12	21.2	7.9-34.5	49	49.1	32.4-65.8
H.S. or G.E.D.	701	78,184	75	12.9	9.4-16.4	40	8.6	5.5-11.7	24	4.8	2.4- 7.2	14	2.2	0.6- 3.8	56	9.9	6.8-13.0	492	61.6	56.5-66.7
Some Post-H.S.	978	142,989	105	13.2	10.3-16.1	59	6.5	4.5- 8.5	33	3.8	2.2- 5.4	24	3.5	1.9- 5.1	75	11.4	8.5-14.3	682	61.6	57.5-65.7
College Graduate	1250	104,646	105	11.0	8.5-13.5	56	6.1	4.1- 8.1	26	2.3	1.3- 3.3	29	3.1	1.5- 4.7	74	7.9	5.7-10.1	960	69.6	66.1-73.1
Less than \$15,000	66	9,576	10	19.5	2.8-36.2	1	0.7	0.0- 2.1	2	0.9	0.0- 2.3				12	23.8	9.5-38.1	41	55.1	36.9-73.3
\$15,000- 24,999	217	22,998	14	7.2	2.7-11.7	12	9.5	3.4-15.6	6	3.1	0.0- 6.2	7	3.8	0.5- 7.1	17	7.4	2.5-12.3	161	69.0	59.8-78.2
\$25,000- 34,999	232	25,587	22	11.6	5.3-17.9	14	6.3	2.2-10.4	11	5.3	1.4- 9.2	4	0.8	0.0- 1.6	16	11.9	4.3-19.5	165	64.1	54.7-73.5
\$35,000- 49,999	398	44,276	30	12.9	6.6-19.2	20	6.5	3.0-10.0	10	3.0	0.6- 5.4	8	4.2	0.9- 7.5	31	13.0	7.5-18.5	299	60.3	52.7-67.9
\$50,000- 74,999	533	56,672	41	11.1	7.0-15.2	28	7.1	4.0-10.2	13	2.5	0.7- 4.3	13	3.9	1.5- 6.3	48	12.2	8.1-16.3	390	63.3	57.4-69.2
\$75,000+	1251	154,544	151	14.1	11.6-16.6	65	6.6	4.4- 8.8	37	4.3	2.7- 5.9	30	2.6	1.4- 3.8	80	8.7	6.3-11.1	888	63.7	60.0-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1604	194,161	173	13.2	10.8-15.6	102	8.1	6.1-10.1	62	4.9	3.3- 6.5	46	3.7	2.3- 5.1	167	13.7	11.3-16.1	1054	56.5	53.2-59.8
Non-Native	1547	188,511	169	13.1	10.7-15.5	96	8.0	6.0-10.0	61	5.0	3.4- 6.6	44	3.7	2.3- 5.1	154	13.1	10.7-15.5	1023	57.1	53.8-60.4
18-24	123	28,880	20	16.1	9.0-23.2	17	15.0	7.9-22.1	12	8.5	3.4-13.6	8	6.0	1.7-10.3	31	28.2	19.4-37.0	35	26.3	17.9-34.7
25-34	178	42,876	27	14.4	8.7-20.1	21	9.2	4.9-13.5	8	4.2	0.9- 7.5	8	4.2	1.1- 7.3	33	16.7	10.4-23.0	81	51.4	43.0-59.8
35-44	186	35,216	35	20.2	13.1-27.3	16	7.5	3.2-11.8	14	8.2	3.5-12.9	7	4.2	0.5- 7.9	18	9.9	4.4-15.4	96	49.9	41.3-58.5
45-54	213	27,642	22	10.4	5.5-15.3	14	9.1	1.8-16.4	7	3.2	0.5- 5.9	7	3.1	0.2- 6.0	29	11.3	6.2-16.4	134	62.9	54.3-71.5
55-64	362	29,834	39	10.2	6.3-14.1	16	5.2	2.3- 8.1	10	3.0	0.8- 5.2	10	2.9	0.9- 4.9	33	11.7	7.4-16.0	254	67.1	61.2-73.0
65+	542	29,713	30	5.8	3.4- 8.2	18	2.7	1.3- 4.1	11	2.4	0.8- 4.0	6	1.3	0.1- 2.5	23	3.6	1.8- 5.4	454	84.2	80.5-87.9
H.S. or G.E.D.	417	50,921	56	15.2	10.5-19.9	26	8.9	5.0-12.8	17	6.1	2.8- 9.4	11	3.1	0.7- 5.5	51	12.3	8.2-16.4	256	54.4	48.1-60.7
Some Post-H.S.	526	81,918	57	12.8	9.1-16.5	41	8.4	5.5-11.3	24	5.2	2.8- 7.6	20	4.8	2.4- 7.2	59	15.9	11.6-20.2	325	52.9	47.4-58.4
College Graduate	609	49,878	53	11.5	7.8-15.2	33	6.7	4.0- 9.4	18	3.1	1.5- 4.7	15	3.2	1.2- 5.2	50	10.8	7.3-14.3	440	64.6	59.5-69.7
\$15,000- 24,999	105	11,760	9	8.5	2.0-15.0	8	13.5	3.7-23.3	5	4.4	0.0- 9.3	4	3.9	0.0- 8.4	15	12.7	4.3-21.1	64	57.0	44.5-69.5
\$25,000- 34,999	118	14,304	12	15.4	5.4-25.4	7	5.2	0.1-10.3	8	7.3	0.8-13.8	2	0.9	0.0- 2.3	12	15.1	4.5-25.7	77	56.0	43.1-68.9
\$35,000- 49,999	217	24,570	12	7.7	2.2-13.2	13	7.9	2.8-13.0	7	4.4	0.5- 8.3	6	4.7	0.4- 9.0	24	17.2	9.6-24.8	155	58.1	48.7-67.5
\$50,000- 74,999	295	34,596	27	11.3	6.4-16.2	19	7.5	3.2-11.8	10	3.5	1.0- 6.0	8	4.2	1.1- 7.3	38	16.2	10.3-22.1	193	57.3	49.7-64.9
\$75,000+	720	92,488	96	16.2	12.5-19.9	47	8.4	5.3-11.5	29	5.7	3.3- 8.1	22	3.3	1.5- 5.1	60	10.7	7.6-13.8	466	55.7	50.8-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1413	150,342	123	11.8	9.1-14.5	58	5.6	3.8- 7.4	24	1.8	1.0- 2.6	21	1.9	0.7- 3.1	50	6.3	3.9- 8.7	1137	72.6	68.9-76.3
Non-Native	1386	146,175	116	11.2	8.5-13.9	56	5.5	3.7- 7.3	23	1.8	1.0- 2.6	19	1.8	0.6- 3.0	48	6.2	3.8- 8.6	1124	73.5	69.8-77.2
18-24	52	20,544	10	20.5	7.0-34.0	5	8.4	0.4-16.4	1	1.0	0.0- 3.0	3	4.3	0.0- 9.4	4	7.5	0.1-14.9	29	58.3	42.6-74.0
25-34	120	29,772	19	15.7	8.3-23.1	11	8.1	3.0-13.2	4	2.2	0.0- 4.6	3	2.3	0.0- 5.0	9	8.7	2.0-15.4	74	63.0	53.0-73.0
35-44	169	29,374	29	13.8	8.1-19.5	6	3.2	0.1- 6.3	2	1.1	0.0- 2.7	6	2.9	0.0- 5.8	8	7.2	1.5-12.9	118	71.8	63.6-80.0
45-54	192	21,987	20	10.0	5.1-14.9	10	5.7	1.6- 9.8	8	5.0	1.1- 8.9	2	1.2	0.0- 3.0	9	7.8	2.1-13.5	143	70.1	61.9-78.3
55-64	350	23,468	26	7.2	4.1-10.3	22	7.8	4.1-11.5	3	0.6	0.0- 1.4	5	0.6	0.0- 1.2	13	3.9	1.0- 6.8	281	80.0	74.7-85.3
65+	530	25,197	19	3.5	1.5- 5.5	4	1.1	0.0- 2.3	6	1.3	0.1- 2.5	2	0.3	0.0- 0.7	7	2.2	0.0- 4.6	492	91.6	88.3-94.9
H.S. or G.E.D.	284	27,262	19	8.5	3.6-13.4	14	8.1	3.2-13.0	7	2.5	0.3- 4.7	3	0.6	0.0- 1.4	5	5.3	0.0-10.6	236	75.1	67.1-83.1
Some Post-H.S.	452	61,071	48	13.8	8.9-18.7	18	3.9	1.7- 6.1	9	1.9	0.3- 3.5	4	1.7	0.0- 3.5	16	5.4	2.1- 8.7	357	73.3	67.2-79.4
College Graduate	641	54,769	52	10.5	7.0-14.0	23	5.4	2.7- 8.1	8	1.7	0.3- 3.1	14	3.1	0.9- 5.3	24	5.2	2.7- 7.7	520	74.2	69.1-79.3
\$15,000- 24,999	112	11,238	5	5.9	0.0-12.4	4	5.3	0.0-11.4	1	1.8	0.0- 5.3	3	3.6	0.0- 8.5	2	1.9	0.0- 5.2	97	81.6	70.4-92.8
\$25,000- 34,999	114	11,284	10	6.9	1.0-12.8	7	7.8	0.7-14.9	3	2.6	0.0- 5.9	2	0.6	0.0- 1.4	4	7.9	0.0-18.9	88	74.2	61.1-87.3
\$35,000- 49,999	181	19,706	18	19.4	7.4-31.4	7	4.8	0.3- 9.3	3	1.3	0.0- 3.1	2	3.5	0.0- 8.4	7	7.9	0.3-15.5	144	63.0	50.1-75.9
\$50,000- 74,999	238	22,076	14	10.8	3.9-17.7	9	6.4	1.5-11.3	3	0.9	0.0- 2.1	5	3.5	0.0- 7.2	10	5.8	1.5-10.1	197	72.6	64.0-81.2
\$75,000+	531	62,056	55	11.0	7.5-14.5	18	3.9	1.7- 6.1	8	2.2	0.4- 4.0	8	1.5	0.1- 2.9	20	5.6	2.3- 8.9	422	75.7	70.6-80.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having not consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2963	337,670	836	20.8	18.8-22.8	727	21.7	19.5-23.9	475	16.9	14.9-18.9	241	8.2	6.8- 9.6	684	32.4	29.9-34.9
Male	1562	188,600	308	15.1	12.9-17.3	329	16.8	14.4-19.2	274	17.7	15.2-20.2	142	8.5	6.7-10.3	509	42.0	38.7-45.3
Female	1401	149,071	528	28.1	24.8-31.4	398	27.8	24.3-31.3	201	15.8	12.9-18.7	99	7.9	5.9- 9.9	175	20.4	16.9-23.9
Non-Native	2884	328,698	818	21.0	19.0-23.0	715	21.8	19.6-24.0	465	17.1	15.1-19.1	237	8.3	6.9- 9.7	649	31.7	29.2-34.2
18-24	168	48,597	15	7.5	3.4-11.6	24	16.9	9.3-24.5	21	13.0	6.9-19.1	7	4.1	1.0- 7.2	101	58.6	49.8-67.4
25-34	292	71,232	42	16.2	11.1-21.3	53	19.1	13.8-24.4	46	16.5	11.4-21.6	22	8.0	4.3-11.7	129	40.3	33.8-46.8
35-44	346	62,688	62	17.9	13.0-22.8	61	17.3	12.4-22.2	68	19.3	14.2-24.4	35	10.4	6.5-14.3	120	35.1	29.0-41.2
45-54	397	48,397	82	19.4	14.9-23.9	104	23.6	18.5-28.7	73	20.0	14.9-25.1	37	9.3	6.0-12.6	101	27.6	21.7-33.5
55-64	702	52,683	186	24.3	20.4-28.2	186	26.5	22.6-30.4	118	16.6	13.3-19.9	69	9.6	7.1-12.1	143	22.9	19.0-26.8
65+	1058	54,073	449	40.3	36.8-43.8	299	27.9	24.6-31.2	149	15.3	12.6-18.0	71	7.4	5.4- 9.4	90	9.1	6.9-11.3
Less Than H.S.	71	16,274	26	21.9	9.7-34.1	7	15.8	0.5-31.1	11	11.7	2.3-21.1	6	3.7	0.6- 6.8	21	46.9	29.3-64.5
H.S. or G.E.D.	690	76,297	207	22.3	18.2-26.4	145	18.7	14.6-22.8	103	15.2	11.5-18.9	54	8.7	5.8-11.6	181	35.0	29.9-40.1
Some Post-H.S.	966	141,246	236	18.2	15.3-21.1	236	20.7	17.4-24.0	161	18.0	14.7-21.3	83	8.2	6.0-10.4	250	34.9	30.8-39.0
College Graduate	1227	102,676	364	22.9	20.0-25.8	337	26.0	22.7-29.3	198	17.4	14.5-20.3	97	8.7	6.5-10.9	231	25.0	21.5-28.5
Less than \$15,000	61	8,812	19	26.2	10.7-41.7	7	12.1	0.0-25.4	15	20.4	4.3-36.5	3	3.6	0.0- 8.1	17	37.8	18.6-57.0
\$15,000- 24,999	209	21,809	60	19.4	12.3-26.5	54	24.6	13.2-36.0	38	22.7	13.1-32.3	11	6.4	1.9-10.9	46	27.0	18.0-36.0
\$25,000- 34,999	231	24,973	70	22.0	14.6-29.4	54	23.3	14.7-31.9	30	13.8	7.7-19.9	20	8.8	3.7-13.9	57	32.1	22.5-41.7
\$35,000- 49,999	396	43,142	126	25.8	19.3-32.3	103	18.8	13.3-24.3	46	9.8	6.1-13.5	39	10.9	6.4-15.4	82	34.8	27.0-42.6
\$50,000- 74,999	529	56,742	159	22.9	18.4-27.4	117	17.2	13.1-21.3	84	17.8	13.1-22.5	43	8.6	5.1-12.1	126	33.5	27.6-39.4
\$75,000+	1230	152,141	284	16.8	14.3-19.3	330	24.8	21.7-27.9	208	18.0	15.1-20.9	105	8.1	6.1-10.1	303	32.3	28.6-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1562	188,600	308	15.1	12.9-17.3	329	16.8	14.4-19.2	274	17.7	15.2-20.2	142	8.5	6.7-10.3	509	42.0	38.7-45.3
Non-Native	1509	183,694	296	15.0	12.8-17.2	320	17.0	14.6-19.4	267	17.9	15.4-20.4	139	8.6	6.8-10.4	487	41.5	38.2-44.8
18-24	116	27,660	8	4.8	1.3- 8.3	12	8.4	3.1-13.7	11	9.9	4.0-15.8	5	4.6	0.3- 8.9	80	72.2	63.6-80.8
25-34	173	42,061	17	11.5	5.8-17.2	23	15.9	9.4-22.4	30	18.6	11.9-25.3	10	6.1	2.0-10.2	93	47.9	39.5-56.3
35-44	178	33,330	19	11.3	5.4-17.2	22	10.6	5.5-15.7	35	18.6	11.9-25.3	17	11.2	5.5-16.9	85	48.2	39.2-57.2
45-54	207	26,980	35	16.1	10.4-21.8	45	19.3	12.6-26.0	36	20.5	13.2-27.8	20	9.0	4.5-13.5	71	35.1	26.3-43.9
55-64	355	29,440	68	18.7	13.8-23.6	79	21.5	16.6-26.4	65	17.4	12.7-22.1	41	11.0	7.1-14.9	102	31.5	25.6-37.4
65+	533	29,129	161	29.8	25.1-34.5	148	26.1	21.8-30.4	97	20.4	16.1-24.7	49	9.5	6.4-12.6	78	14.3	10.8-17.8
H.S. or G.E.D.	406	49,279	78	15.4	11.3-19.5	76	15.3	11.0-19.6	67	16.0	11.1-20.9	35	9.4	5.5-13.3	150	43.8	37.3-50.3
Some Post-H.S.	515	80,391	79	11.0	7.9-14.1	106	15.5	11.8-19.2	92	19.0	14.7-23.3	49	8.4	5.5-11.3	189	46.1	40.6-51.6
College Graduate	594	48,313	136	18.6	14.9-22.3	142	21.8	17.7-25.9	107	17.6	13.7-21.5	53	8.4	5.7-11.1	156	33.6	28.5-38.7
\$15,000- 24,999	99	10,915	20	18.1	8.7-27.5	15	14.4	5.0-23.8	21	17.4	8.2-26.6	8	11.4	2.8-20.0	35	38.7	25.8-51.6
\$25,000- 34,999	118	14,052	19	7.5	3.0-12.0	28	21.7	10.7-32.7	19	19.0	9.2-28.8	12	9.5	2.8-16.2	40	42.3	29.2-55.4
\$35,000- 49,999	215	23,855	56	23.6	15.4-31.8	52	14.2	9.3-19.1	24	11.3	5.6-17.0	22	10.3	4.8-15.8	61	40.6	31.2-50.0
\$50,000- 74,999	291	34,237	63	17.1	11.6-22.6	51	12.0	7.1-16.9	51	21.6	14.5-28.7	30	7.5	4.0-11.0	96	41.8	34.0-49.6
\$75,000+	698	89,924	121	13.0	10.1-15.9	158	19.2	15.5-22.9	125	17.1	13.4-20.8	60	8.0	5.3-10.7	234	42.7	37.8-47.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1401	149,071	528	28.1	24.8-31.4	398	27.8	24.3-31.3	201	15.8	12.9-18.7	99	7.9	5.9- 9.9	175	20.4	16.9-23.9
Non-Native	1375	145,004	522	28.6	25.3-31.9	395	28.0	24.3-31.7	198	16.2	13.3-19.1	98	7.9	5.9- 9.9	162	19.3	15.8-22.8
18-24	52	20,938	7	11.0	2.6-19.4	12	28.0	12.7-43.3	10	17.0	5.6-28.4	2	3.4	0.0- 8.1	21	40.5	24.8-56.2
25-34	119	29,171	25	22.9	13.9-31.9	30	23.7	14.9-32.5	16	13.4	6.0-20.8	12	10.7	4.0-17.4	36	29.2	19.8-38.6
35-44	168	29,358	43	25.2	17.4-33.0	39	25.0	16.8-33.2	33	20.1	12.5-27.7	18	9.4	4.5-14.3	35	20.2	12.8-27.6
45-54	190	21,417	47	23.6	16.3-30.9	59	29.0	21.2-36.8	37	19.4	12.7-26.1	17	9.8	4.7-14.9	30	18.1	11.0-25.2
55-64	347	23,243	118	31.5	25.6-37.4	107	32.9	26.8-39.0	53	15.7	11.0-20.4	28	7.8	4.3-11.3	41	12.1	7.8-16.4
65+	525	24,944	288	52.5	47.2-57.8	151	30.1	25.2-35.0	52	9.5	6.6-12.4	22	5.0	2.8- 7.2	12	3.0	0.6- 5.4
H.S. or G.E.D.	284	27,019	129	35.0	26.8-43.2	69	25.0	17.0-33.0	36	13.7	7.6-19.8	19	7.2	2.7-11.7	31	19.1	11.5-26.7
Some Post-H.S.	451	60,855	157	27.8	22.3-33.3	130	27.6	21.7-33.5	69	16.7	11.4-22.0	34	7.8	4.5-11.1	61	20.1	14.4-25.8
College Graduate	633	54,364	228	26.7	22.2-31.2	195	29.7	24.8-34.6	91	17.3	12.8-21.8	44	9.0	5.7-12.3	75	17.3	12.8-21.8
\$15,000- 24,999	110	10,893	40	20.7	10.1-31.3	39	34.8	15.6-54.0	17	28.0	11.3-44.7	3	1.4	0.0- 3.2	11	15.2	5.0-25.4
\$25,000- 34,999	113	10,921	51	40.7	26.4-55.0	26	25.3	11.8-38.8	11	7.2	1.5-12.9	8	7.8	0.2-15.4	17	19.0	6.3-31.7
\$35,000- 49,999	181	19,287	70	28.5	18.1-38.9	51	24.5	14.3-34.7	22	7.8	3.5-12.1	17	11.7	4.6-18.8	21	27.5	14.4-40.6
\$50,000- 74,999	238	22,506	96	31.7	23.9-39.5	66	25.1	17.8-32.4	33	12.0	7.1-16.9	13	10.4	3.3-17.5	30	20.8	12.4-29.2
\$75,000+	532	62,217	163	22.3	17.8-26.8	172	32.8	27.3-38.3	83	19.3	14.4-24.2	45	8.4	5.5-11.3	69	17.2	12.5-21.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	209
2 MALES ONLY	210
3 FEMALES ONLY	211
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	212
5 MALES ONLY	213
6 FEMALES ONLY	214
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	215
8 MALES ONLY	216
9 FEMALES ONLY	217
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	218
11 MALES ONLY	219
12 FEMALES ONLY	220
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	221
14 MALES ONLY	222
15 FEMALES ONLY	223
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	224
17 MALES ONLY	225
18 FEMALES ONLY	226

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	227
20 MALES ONLY	228
21 FEMALES ONLY	229
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	230
23 MALES ONLY	231
24 FEMALES ONLY	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5419	572,663	3836	72.0	70.2-73.8	1583	28.0	26.2-29.8
Male	2544	293,530	1805	72.2	69.8-74.6	739	27.8	25.4-30.2
Female	2875	279,134	2031	71.7	69.2-74.2	844	28.3	25.8-30.8
Native	184	23,866	104	50.5	40.3-60.7	80	49.5	39.3-59.7
Non-Native	5178	543,209	3694	73.0	71.2-74.8	1484	27.0	25.2-28.8
18-24	276	83,071	211	76.4	70.7-82.1	65	23.6	17.9-29.3
25-34	437	108,978	339	76.3	71.6-81.0	98	23.7	19.0-28.4
35-44	532	91,654	391	73.4	68.7-78.1	141	26.6	21.9-31.3
45-54	638	77,971	448	68.6	63.9-73.3	190	31.4	26.7-36.1
55-64	1209	91,472	860	68.8	65.5-72.1	349	31.2	27.9-34.5
65+	2327	119,517	1587	68.4	66.0-70.8	740	31.6	29.2-34.0
Less Than H.S.	235	45,532	125	58.2	49.0-67.4	110	41.8	32.6-51.0
H.S. or G.E.D.	1484	151,173	918	65.0	61.7-68.3	566	35.0	31.7-38.3
Some Post-H.S.	1736	223,504	1209	72.3	69.4-75.2	527	27.7	24.8-30.6
College Graduate	1948	150,598	1574	82.9	80.7-85.1	374	17.1	14.9-19.3
Less than \$15,000	266	28,387	157	60.9	52.3-69.5	109	39.1	30.5-47.7
\$15,000- 24,999	557	54,396	331	61.3	54.8-67.8	226	38.7	32.2-45.2
\$25,000- 34,999	455	44,578	287	60.7	54.0-67.4	168	39.3	32.6-46.0
\$35,000- 49,999	762	75,691	520	71.0	66.3-75.7	242	29.0	24.3-33.7
\$50,000- 74,999	848	86,345	630	75.4	71.5-79.3	218	24.6	20.7-28.5
\$75,000+	1793	212,847	1429	80.8	78.3-83.3	364	19.2	16.7-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2544	293,530	1805	72.2	69.8-74.6	739	27.8	25.4-30.2
Native	86	11,183	51	59.0	44.5-73.5	35	41.0	26.5-55.5
Non-Native	2424	278,574	1730	72.7	70.3-75.1	694	27.3	24.9-29.7
18-24	182	44,039	140	76.3	69.6-83.0	42	23.7	17.0-30.4
25-34	238	59,352	188	79.4	73.7-85.1	50	20.6	14.9-26.3
35-44	266	48,016	196	73.2	66.1-80.3	70	26.8	19.7-33.9
45-54	314	40,308	213	65.0	57.9-72.1	101	35.0	27.9-42.1
55-64	564	46,642	378	66.6	61.7-71.5	186	33.4	28.5-38.3
65+	980	55,172	690	70.4	67.1-73.7	290	29.6	26.3-32.9
Less Than H.S.	122	24,347	67	54.3	42.1-66.5	55	45.7	33.5-57.9
H.S. or G.E.D.	743	85,708	458	67.0	62.7-71.3	285	33.0	28.7-37.3
Some Post-H.S.	812	116,332	573	73.5	69.6-77.4	239	26.5	22.6-30.4
College Graduate	856	65,882	701	83.7	80.6-86.8	155	16.3	13.2-19.4
Less than \$15,000	104	11,757	65	57.6	44.7-70.5	39	42.4	29.5-55.3
\$15,000- 24,999	225	24,233	143	63.5	54.1-72.9	82	36.5	27.1-45.9
\$25,000- 34,999	219	24,331	135	64.3	55.5-73.1	84	35.7	26.9-44.5
\$35,000- 49,999	346	36,701	231	69.4	62.5-76.3	115	30.6	23.7-37.5
\$50,000- 74,999	437	48,480	305	71.6	65.9-77.3	132	28.4	22.7-34.1
\$75,000+	976	120,093	774	80.1	76.8-83.4	202	19.9	16.6-23.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	279,134	2031	71.7	69.2-74.2	844	28.3	25.8-30.8
Native	98	12,683	53	42.9	29.4-56.4	45	57.1	43.6-70.6
Non-Native	2754	264,635	1964	73.2	70.7-75.7	790	26.8	24.3-29.3
18-24	94	39,032	71	76.6	67.2-86.0	23	23.4	14.0-32.8
25-34	199	49,626	151	72.7	65.1-80.3	48	27.3	19.7-34.9
35-44	266	43,637	195	73.6	67.1-80.1	71	26.4	19.9-32.9
45-54	324	37,663	235	72.4	66.3-78.5	89	27.6	21.5-33.7
55-64	645	44,830	482	71.2	66.7-75.7	163	28.8	24.3-33.3
65+	1347	64,345	897	66.7	63.6-69.8	450	33.3	30.2-36.4
Less Than H.S.	113	21,185	58	62.6	49.1-76.1	55	37.4	23.9-50.9
H.S. or G.E.D.	741	65,466	460	62.4	57.1-67.7	281	37.6	32.3-42.9
Some Post-H.S.	924	107,171	636	70.9	66.6-75.2	288	29.1	24.8-33.4
College Graduate	1092	84,716	873	82.2	79.1-85.3	219	17.8	14.7-20.9
Less than \$15,000	162	16,630	92	63.2	51.6-74.8	70	36.8	25.2-48.4
\$15,000- 24,999	332	30,163	188	59.5	50.7-68.3	144	40.5	31.7-49.3
\$25,000- 34,999	236	20,246	152	56.4	46.2-66.6	84	43.6	33.4-53.8
\$35,000- 49,999	416	38,989	289	72.5	66.0-79.0	127	27.5	21.0-34.0
\$50,000- 74,999	411	37,865	325	80.4	74.9-85.9	86	19.6	14.1-25.1
\$75,000+	817	92,754	655	81.7	78.0-85.4	162	18.3	14.6-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3401	367,200	619	25.5	23.1-27.9	2029	50.9	48.5-53.3	137	4.6	3.6- 5.6	52	1.6	1.0- 2.2	67	2.1	1.3- 2.9	497	15.4	13.6-17.2
Male	1594	187,813	335	27.0	23.9-30.1	842	43.5	40.4-46.6	107	6.9	5.3- 8.5	25	1.7	0.7- 2.7	49	3.1	1.9- 4.3	236	17.9	15.4-20.4
Female	1807	179,387	284	24.0	20.5-27.5	1187	58.6	54.9-62.3	30	2.2	1.2- 3.2	27	1.5	0.7- 2.3	18	0.9	0.1- 1.7	261	12.8	10.6-15.0
Native	93	10,582	17	31.6	16.9-46.3	64	59.4	44.9-73.9	5	4.2	0.0- 8.7	1	1.1	0.0- 3.3				6	3.7	0.2- 7.2
Non-Native	3281	353,787	600	25.5	23.1-27.9	1948	50.4	47.9-52.9	130	4.6	3.6- 5.6	51	1.6	1.0- 2.2	66	2.1	1.3- 2.9	486	15.8	14.0-17.6
18-24	197	59,565	87	48.6	40.2-57.0	48	26.2	18.6-33.8	11	5.0	2.1- 7.9	2	0.8	0.0- 2.0	2	0.9	0.0- 2.1	47	18.6	12.9-24.3
25-34	303	73,405	98	32.6	26.5-38.7	125	42.2	35.9-48.5	21	5.8	2.9- 8.7	5	2.2	0.2- 4.2	4	2.1	0.1- 4.1	50	15.1	10.8-19.4
35-44	348	59,029	87	27.3	21.6-33.0	168	46.3	40.0-52.6	24	5.3	2.8- 7.8	4	1.0	0.0- 2.2	4	2.2	0.0- 4.6	61	17.9	13.0-22.8
45-54	404	47,221	62	15.7	11.4-20.0	246	59.2	53.3-65.1	15	3.8	1.6- 6.0	5	1.6	0.0- 3.2	9	2.2	0.6- 3.8	67	17.6	13.1-22.1
55-64	778	56,909	103	14.4	11.3-17.5	500	63.3	59.2-67.4	33	5.0	3.0- 7.0	21	2.9	1.3- 4.5	20	2.4	1.2- 3.6	101	11.9	9.2-14.6
65+	1371	71,071	182	12.9	10.7-15.1	942	68.7	65.8-71.6	33	2.7	1.7- 3.7	15	1.0	0.4- 1.6	28	2.6	1.4- 3.8	171	12.3	10.1-14.5
Less Than H.S.	108	24,252	22	35.7	21.2-50.2	68	53.5	39.4-67.6	1	1.0	0.0- 3.0	1	0.3	0.0- 0.9	3	1.5	0.0- 3.3	13	8.0	2.3-13.7
H.S. or G.E.D.	797	86,202	108	20.6	16.1-25.1	518	54.4	49.5-59.3	27	4.7	2.5- 6.9	15	2.9	1.1- 4.7	22	2.7	1.1- 4.3	107	14.7	11.2-18.2
Some Post-H.S.	1064	143,143	181	25.4	21.5-29.3	630	50.4	46.3-54.5	49	4.8	3.0- 6.6	10	1.3	0.3- 2.3	17	2.0	0.8- 3.2	177	16.1	13.2-19.0
College Graduate	1425	112,921	307	27.2	23.9-30.5	808	48.1	44.6-51.6	59	4.9	3.3- 6.5	26	1.2	0.6- 1.8	25	1.8	0.8- 2.8	200	16.8	14.1-19.5
Less than \$15,000	134	15,248	16	27.5	13.4-41.6	106	66.4	52.5-80.3	1	1.3	0.0- 3.8	2	1.0	0.0- 2.6	1	0.5	0.0- 1.5	8	3.4	0.9- 5.9
\$15,000- 24,999	277	28,637	37	20.8	12.8-28.8	180	61.0	52.0-70.0	6	4.3	0.2- 8.4	3	0.4	0.0- 1.0	3	0.8	0.0- 1.8	48	12.8	8.3-17.3
\$25,000- 34,999	248	23,175	37	24.5	15.1-33.9	168	54.7	45.1-64.3	9	2.9	0.2- 5.6	3	1.2	0.0- 2.8	7	3.2	0.5- 5.9	24	13.5	6.1-20.9
\$35,000- 49,999	457	48,731	77	28.8	21.4-36.2	295	54.6	47.3-61.9	8	1.9	0.1- 3.7	7	1.4	0.0- 2.8	6	1.1	0.0- 2.5	64	12.1	8.0-16.2
\$50,000- 74,999	578	58,948	111	25.6	19.9-31.3	339	47.5	41.8-53.2	26	4.9	2.5- 7.3	14	3.2	1.0- 5.4	10	2.7	0.3- 5.1	78	16.1	11.8-20.4
\$75,000+	1293	154,001	281	26.7	23.2-30.2	678	46.7	43.0-50.4	75	5.7	4.1- 7.3	18	1.4	0.6- 2.2	31	2.4	1.2- 3.6	210	17.1	14.4-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1594	187,813	335	27.0	23.9-30.1	842	43.5	40.4-46.6	107	6.9	5.3- 8.5	25	1.7	0.7- 2.7	49	3.1	1.9- 4.3	236	17.9	15.4-20.4
Non-Native	1529	179,563	321	26.5	23.4-29.6	803	43.1	39.8-46.4	102	6.9	5.1- 8.7	24	1.7	0.7- 2.7	48	3.3	2.1- 4.5	231	18.5	15.8-21.2
18-24	129	31,085	55	43.4	34.0-52.8	23	18.3	10.9-25.7	9	7.1	2.4-11.8	2	1.5	0.0- 3.9	2	1.7	0.0- 4.1	38	28.0	19.6-36.4
25-34	169	41,812	55	31.6	23.8-39.4	54	33.8	25.8-41.8	15	6.7	2.6-10.8	4	3.0	0.1- 5.9	4	3.6	0.1- 7.1	37	21.3	14.4-28.2
35-44	176	31,071	49	32.7	24.3-41.1	68	36.9	28.7-45.1	19	8.9	4.2-13.6	3	1.1	0.0- 2.9	2	2.2	0.0- 5.1	35	18.2	11.7-24.7
45-54	188	22,608	38	20.5	13.4-27.6	99	50.4	41.8-59.0	12	6.2	2.1-10.3	2	0.7	0.0- 1.9	6	3.0	0.5- 5.5	31	19.2	12.1-26.3
55-64	339	27,605	56	16.8	12.1-21.5	200	58.9	52.6-65.2	23	7.7	4.2-11.2	9	2.3	0.5- 4.1	14	3.7	1.5- 5.9	37	10.6	6.7-14.5
65+	593	33,632	82	13.3	10.2-16.4	398	67.4	62.9-71.9	29	4.9	2.9- 6.9	5	0.8	0.0- 1.6	21	4.3	2.1- 6.5	58	9.2	6.5-11.9
Less Than H.S.	58	11,667	11	32.0	14.9-49.1	38	53.3	36.8-69.8							3	3.1	0.0- 6.6	6	11.6	1.2-22.0
H.S. or G.E.D.	391	49,749	69	24.1	18.2-30.0	220	44.1	37.8-50.4	21	6.1	3.0- 9.2	9	3.5	1.0- 6.0	16	4.0	1.3- 6.7	56	18.2	12.9-23.5
Some Post-H.S.	507	76,332	91	24.6	19.5-29.7	264	44.6	39.1-50.1	43	8.2	5.3-11.1	5	1.1	0.0- 2.3	13	2.5	0.7- 4.3	91	19.0	14.5-23.5
College Graduate	633	49,663	164	32.5	27.6-37.4	316	38.3	33.6-43.0	42	7.2	4.7- 9.7	11	1.1	0.3- 1.9	17	3.3	1.3- 5.3	83	17.6	13.3-21.9
Less than \$15,000	57	6,289	6	16.1	1.2-31.0	44	75.6	59.9-91.3				1	1.8	0.0- 5.3	1	1.1	0.0- 3.3	5	5.3	0.0-10.6
\$15,000- 24,999	117	12,923	18	20.0	9.8-30.2	71	56.8	44.6-69.0	3	5.6	0.0-12.7	2	0.3	0.0- 0.7	3	1.8	0.0- 4.0	20	15.6	7.8-23.4
\$25,000- 34,999	112	13,448	19	27.9	15.2-40.6	74	48.7	35.6-61.8	6	3.6	0.0- 7.9	1	1.1	0.0- 3.3	4	4.2	0.0- 8.7	8	14.5	3.1-25.9
\$35,000- 49,999	206	22,852	36	31.7	21.5-41.9	125	45.4	35.8-55.0	6	3.6	0.0- 7.3	5	1.8	0.0- 3.8	4	2.0	0.0- 4.7	30	15.4	8.3-22.5
\$50,000- 74,999	277	31,204	67	27.2	20.1-34.3	139	42.0	34.4-49.6	20	5.6	2.7- 8.5	5	3.1	0.0- 6.4	9	4.8	0.5- 9.1	37	17.3	11.2-23.4
\$75,000+	698	85,639	171	28.8	24.3-33.3	322	39.3	34.6-44.0	62	8.6	5.9-11.3	9	1.3	0.1- 2.5	22	3.1	1.3- 4.9	112	18.9	15.0-22.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1807	179,387	284	24.0	20.5-27.5	1187	58.6	54.9-62.3	30	2.2	1.2- 3.2	27	1.5	0.7- 2.3	18	0.9	0.1- 1.7	261	12.8	10.6-15.0
Non-Native	1752	174,224	279	24.5	20.8-28.2	1145	58.0	54.3-61.7	28	2.1	1.1- 3.1	27	1.5	0.7- 2.3	18	1.0	0.2- 1.8	255	13.0	10.8-15.2
18-24	68	28,480	32	54.3	40.4-68.2	25	34.8	21.5-48.1	2	2.6	0.0- 6.1							9	8.3	1.8-14.8
25-34	134	31,593	43	34.0	24.6-43.4	71	53.2	43.4-63.0	6	4.6	0.7- 8.5	1	1.1	0.0- 3.3				13	7.0	2.9-11.1
35-44	172	27,958	38	21.3	14.0-28.6	100	56.8	47.8-65.8	5	1.4	0.0- 2.8	1	0.8	0.0- 2.4	2	2.2	0.0- 6.1	26	17.5	10.4-24.6
45-54	216	24,613	24	11.2	6.3-16.1	147	67.3	59.9-74.7	3	1.5	0.0- 3.7	3	2.4	0.0- 5.1	3	1.4	0.0- 3.4	36	16.1	10.4-21.8
55-64	439	29,304	47	12.1	8.2-16.0	300	67.5	62.0-73.0	10	2.5	0.3- 4.7	12	3.5	1.0- 6.0	6	1.2	0.2- 2.2	64	13.2	9.5-16.9
65+	778	37,439	100	12.4	9.7-15.1	544	69.9	66.0-73.8	4	0.6	0.0- 1.4	10	1.1	0.3- 1.9	7	1.0	0.2- 1.8	113	15.0	11.9-18.1
Less Than H.S.	50	12,586	11	39.1	16.4-61.8	30	53.7	31.4-76.0	1	2.0	0.0- 5.9	1	0.6	0.0- 1.8				7	4.7	0.6- 8.8
H.S. or G.E.D.	406	36,454	39	15.9	8.8-23.0	298	68.4	60.8-76.0	6	2.8	0.0- 5.7	6	2.2	0.0- 4.4	6	0.9	0.1- 1.7	51	9.8	6.1-13.5
Some Post-H.S.	557	66,811	90	26.2	20.1-32.3	366	57.1	51.0-63.2	6	1.0	0.0- 2.0	5	1.5	0.1- 2.9	4	1.4	0.0- 3.2	86	12.8	9.1-16.5
College Graduate	792	63,259	143	23.1	18.6-27.6	492	55.7	50.6-60.8	17	3.1	0.9- 5.3	15	1.2	0.2- 2.2	8	0.6	0.2- 1.0	117	16.2	12.5-19.9
Less than \$15,000	77	8,959	10	35.5	15.1-55.9	62	59.9	40.1-79.7	1	2.2	0.0- 6.5	1	0.4	0.0- 1.2				3	2.0	0.0- 4.4
\$15,000- 24,999	160	15,714	19	21.4	9.2-33.6	109	64.4	51.7-77.1	3	3.2	0.0- 7.9	1	0.5	0.0- 1.5				28	10.4	5.5-15.3
\$25,000- 34,999	136	9,727	18	19.8	5.9-33.7	94	63.0	49.5-76.5	3	1.9	0.0- 4.4	2	1.2	0.0- 3.4	3	1.9	0.0- 4.3	16	12.2	4.4-20.0
\$35,000- 49,999	251	25,880	41	26.3	15.3-37.3	170	62.8	52.2-73.4	2	0.3	0.0- 0.7	2	1.0	0.0- 2.8	2	0.4	0.0- 1.0	34	9.2	4.9-13.5
\$50,000- 74,999	301	27,745	44	23.7	14.7-32.7	200	53.7	44.9-62.5	6	4.2	0.1- 8.3	9	3.3	0.6- 6.0	1	0.3	0.0- 0.9	41	14.8	8.5-21.1
\$75,000+	595	68,362	110	24.2	18.7-29.7	356	56.0	50.1-61.9	13	2.0	0.6- 3.4	9	1.5	0.1- 2.9	9	1.4	0.0- 3.0	98	14.9	11.2-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3765	405,066	1551	41.9	39.5-44.3	1007	25.3	23.3-27.3	614	17.0	15.2-18.8	159	4.5	3.5- 5.5	434	11.3	9.9-12.7
Male	1771	208,103	656	37.9	35.0-40.8	468	25.1	22.4-27.8	318	19.3	16.8-21.8	94	5.0	3.6- 6.4	235	12.6	10.4-14.8
Female	1994	196,963	895	46.1	42.8-49.4	539	25.5	22.6-28.4	296	14.5	12.1-16.9	65	3.9	2.3- 5.5	199	9.9	7.9-11.9
Native	102	11,689	36	42.3	29.0-55.6	26	19.2	10.0-28.4	16	11.0	3.6-18.4	8	8.2	1.3-15.1	16	19.2	7.2-31.2
Non-Native	3626	389,714	1504	42.1	39.7-44.5	970	25.4	23.2-27.6	590	17.2	15.4-19.0	150	4.4	3.4- 5.4	412	10.9	9.5-12.3
18-24	206	62,590	93	43.1	35.1-51.1	47	25.7	18.3-33.1	31	13.2	8.1-18.3	11	6.3	2.2-10.4	24	11.7	6.4-17.0
25-34	337	82,691	151	42.2	36.3-48.1	74	24.0	18.7-29.3	64	19.2	14.3-24.1	19	5.3	2.6- 8.0	29	9.3	5.8-12.8
35-44	382	66,281	190	48.2	42.1-54.3	76	20.0	15.1-24.9	66	19.4	14.3-24.5	16	4.2	1.8- 6.6	34	8.1	4.8-11.4
45-54	443	52,652	183	39.6	34.1-45.1	107	24.8	19.9-29.7	90	20.2	15.7-24.7	12	3.1	1.1- 5.1	51	12.3	8.4-16.2
55-64	846	61,115	354	42.7	38.6-46.8	217	24.3	20.8-27.8	140	16.4	13.5-19.3	39	4.0	2.6- 5.4	96	12.7	10.0-15.4
65+	1551	79,738	580	36.4	33.5-39.3	486	32.0	29.1-34.9	223	14.0	12.0-16.0	62	3.7	2.5- 4.9	200	13.9	11.7-16.1
Less Than H.S.	115	25,313	38	29.2	16.9-41.5	48	44.0	30.7-57.3	11	9.5	1.7-17.3	5	3.8	0.0- 7.9	13	13.5	4.1-22.9
H.S. or G.E.D.	893	95,868	340	40.0	35.3-44.7	254	28.0	23.9-32.1	161	17.2	13.9-20.5	33	3.9	1.9- 5.9	105	10.8	8.1-13.5
Some Post-H.S.	1191	159,329	457	38.1	34.4-41.8	328	24.6	21.3-27.9	205	19.4	16.3-22.5	53	5.0	3.0- 7.0	148	12.9	10.4-15.4
College Graduate	1556	123,447	713	50.8	47.5-54.1	372	20.2	17.7-22.7	236	15.2	12.8-17.6	68	4.5	3.1- 5.9	167	9.2	7.2-11.2
Less than \$15,000	147	16,749	52	39.6	27.1-52.1	49	30.9	19.5-42.3	21	12.8	4.2-21.4	10	7.6	0.0-15.6	15	9.1	1.8-16.4
\$15,000- 24,999	320	32,587	114	36.5	27.9-45.1	96	28.6	21.0-36.2	56	14.6	9.3-19.9	16	7.1	2.0-12.2	38	13.2	7.9-18.5
\$25,000- 34,999	281	26,366	109	34.3	26.3-42.3	82	27.3	19.9-34.7	40	17.0	9.9-24.1	15	5.0	1.5- 8.5	35	16.5	8.7-24.3
\$35,000- 49,999	510	53,104	195	39.4	32.7-46.1	141	26.0	20.5-31.5	85	17.5	12.2-22.8	14	4.1	1.0- 7.2	75	12.9	8.8-17.0
\$50,000- 74,999	625	64,491	238	40.6	35.1-46.1	178	26.2	21.1-31.3	108	18.4	14.1-22.7	25	2.7	1.3- 4.1	76	12.1	8.8-15.4
\$75,000+	1420	170,508	657	46.2	42.7-49.7	320	22.1	19.0-25.2	235	17.2	14.5-19.9	68	4.9	3.3- 6.5	140	9.6	7.4-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1771	208,103	656	37.9	35.0-40.8	468	25.1	22.4-27.8	318	19.3	16.8-21.8	94	5.0	3.6- 6.4	235	12.6	10.4-14.8
Non-Native	1699	199,309	633	38.1	35.0-41.2	452	25.5	22.8-28.2	305	19.5	16.8-22.2	86	4.8	3.4- 6.2	223	12.2	10.2-14.2
18-24	135	32,673	55	36.7	28.1-45.3	32	26.6	18.2-35.0	24	19.0	11.4-26.6	8	6.2	1.9-10.5	16	11.6	5.7-17.5
25-34	188	47,106	81	39.3	31.5-47.1	39	23.3	16.4-30.2	43	23.1	16.2-30.0	9	4.8	1.3- 8.3	16	9.6	4.5-14.7
35-44	190	34,457	82	43.7	35.3-52.1	39	20.3	13.8-26.8	38	20.2	13.3-27.1	11	6.4	2.1-10.7	20	9.3	4.2-14.4
45-54	212	26,059	82	38.8	31.0-46.6	49	22.7	15.8-29.6	46	21.6	14.9-28.3	7	3.4	0.5- 6.3	28	13.5	8.0-19.0
55-64	369	29,883	140	37.9	31.8-44.0	90	25.3	19.6-31.0	72	18.3	13.8-22.8	22	4.7	2.5- 6.9	45	13.8	9.5-18.1
65+	677	37,925	216	31.5	27.2-35.8	219	32.1	27.8-36.4	95	13.4	10.3-16.5	37	4.5	2.9- 6.1	110	18.5	14.6-22.4
Less Than H.S.	63	12,718	17	24.5	12.2-36.8	26	37.0	22.3-51.7	6	15.6	1.3-29.9	5	7.6	0.0-15.6	9	15.3	3.9-26.7
H.S. or G.E.D.	446	55,988	157	38.7	32.6-44.8	123	26.7	21.2-32.2	88	19.5	14.6-24.4	20	4.1	1.7- 6.5	58	11.1	7.4-14.8
Some Post-H.S.	563	84,086	178	32.0	27.1-36.9	162	26.2	21.5-30.9	108	21.4	16.9-25.9	34	5.2	2.8- 7.6	81	15.1	11.4-18.8
College Graduate	693	54,623	301	49.0	44.1-53.9	156	19.3	15.8-22.8	115	17.0	13.3-20.7	35	5.1	2.7- 7.5	86	9.6	7.1-12.1
Less than \$15,000	62	6,545	17	33.1	16.8-49.4	24	39.2	22.1-56.3	8	15.8	1.7-29.9	7	6.5	0.4-12.6	6	5.3	0.6-10.0
\$15,000- 24,999	137	14,838	35	26.1	16.3-35.9	41	33.7	21.9-45.5	26	14.3	7.2-21.4	12	10.0	3.1-16.9	23	15.9	7.9-23.9
\$25,000- 34,999	132	15,100	43	29.8	18.8-40.8	45	27.6	17.0-38.2	19	20.0	9.0-31.0	6	4.7	0.0- 9.6	19	17.9	7.7-28.1
\$35,000- 49,999	225	25,128	80	37.2	28.2-46.2	64	27.5	19.3-35.7	38	18.3	10.3-26.3	7	4.0	0.0- 8.1	36	13.0	7.3-18.7
\$50,000- 74,999	302	34,359	101	34.8	27.7-41.9	88	27.7	21.0-34.4	61	22.4	15.7-29.1	12	2.0	0.6- 3.4	40	13.1	8.0-18.2
\$75,000+	768	95,422	326	42.5	38.0-47.0	163	20.8	17.1-24.5	141	19.5	15.8-23.2	43	5.6	3.2- 8.0	95	11.6	8.7-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1994	196,963	895	46.1	42.8-49.4	539	25.5	22.6-28.4	296	14.5	12.1-16.9	65	3.9	2.3- 5.5	199	9.9	7.9-11.9
Native	53	5,441	21	46.6	28.4-64.8	17	24.8	10.3-39.3	7	5.7	0.8-10.6	1	1.5	0.0- 4.4	7	21.4	4.9-37.9
Non-Native	1927	190,404	871	46.2	42.7-49.7	518	25.3	22.2-28.4	285	14.8	12.4-17.2	64	4.0	2.4- 5.6	189	9.6	7.4-11.8
18-24	71	29,917	38	50.2	36.5-63.9	15	24.6	12.3-36.9	7	6.8	0.9-12.7	3	6.4	0.0-13.5	8	11.9	2.9-20.9
25-34	149	35,585	70	45.9	36.7-55.1	35	25.1	17.1-33.1	21	14.0	7.3-20.7	10	6.1	1.8-10.4	13	9.0	3.9-14.1
35-44	192	31,824	108	53.1	44.3-61.9	37	19.7	12.6-26.8	28	18.6	11.2-26.0	5	1.8	0.2- 3.4	14	6.8	2.7-10.9
45-54	231	26,593	101	40.4	32.8-48.0	58	26.8	19.7-33.9	44	18.8	12.5-25.1	5	2.8	0.0- 5.7	23	11.1	5.8-16.4
55-64	477	31,232	214	47.2	41.7-52.7	127	23.2	18.9-27.5	68	14.6	10.7-18.5	17	3.4	1.6- 5.2	51	11.6	8.1-15.1
65+	874	41,812	364	40.8	36.9-44.7	267	31.9	28.0-35.8	128	14.5	11.8-17.2	25	3.1	1.5- 4.7	90	9.8	7.6-12.0
Less Than H.S.	52	12,595	21	33.9	12.7-55.1	22	51.1	29.1-73.1	5	3.2	0.1- 6.3				4	11.8	0.0-26.7
H.S. or G.E.D.	447	39,879	183	41.9	34.6-49.2	131	29.8	23.1-36.5	73	14.1	9.6-18.6	13	3.7	0.4- 7.0	47	10.4	6.3-14.5
Some Post-H.S.	628	75,242	279	44.9	39.2-50.6	166	22.8	18.3-27.3	97	17.3	12.8-21.8	19	4.7	1.8- 7.6	67	10.4	7.1-13.7
College Graduate	863	68,824	412	52.3	47.6-57.0	216	20.9	17.2-24.6	121	13.8	10.5-17.1	33	4.0	2.2- 5.8	81	9.0	6.3-11.7
Less than \$15,000	85	10,204	35	43.7	26.1-61.3	25	25.6	10.9-40.3	13	10.9	0.3-21.5	3	8.3	0.0-20.8	9	11.5	0.0-23.1
\$15,000- 24,999	183	17,750	79	45.1	32.4-57.8	55	24.3	14.7-33.9	30	14.9	7.3-22.5	4	4.6	0.0-11.9	15	11.0	4.1-17.9
\$25,000- 34,999	149	11,266	66	40.5	28.7-52.3	37	26.7	16.1-37.3	21	12.9	6.0-19.8	9	5.4	0.1-10.7	16	14.5	2.5-26.5
\$35,000- 49,999	285	27,976	115	41.4	31.6-51.2	77	24.6	17.2-32.0	47	16.9	10.0-23.8	7	4.3	0.0- 9.0	39	12.9	7.0-18.8
\$50,000- 74,999	323	30,132	137	47.2	38.8-55.6	90	24.5	16.5-32.5	47	13.8	8.7-18.9	13	3.6	1.2- 6.0	36	10.9	6.4-15.4
\$75,000+	652	75,086	331	51.0	45.5-56.5	157	23.7	18.8-28.6	94	14.2	10.3-18.1	25	4.1	1.9- 6.3	45	7.0	3.9-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3690	399,068	1665	39.1	36.9-41.3	486	13.1	11.5-14.7	29	0.7	0.3- 1.1	927	30.3	28.1-32.5	397	11.9	10.3-13.5	186	4.9	3.9- 5.9
Male	1739	205,405	659	33.1	30.2-36.0	218	11.8	9.8-13.8	11	0.5	0.1- 0.9	472	31.6	28.7-34.5	257	16.0	13.6-18.4	122	7.1	5.5- 8.7
Female	1951	193,663	1006	45.5	42.2-48.8	268	14.6	11.9-17.3	18	0.9	0.3- 1.5	455	28.8	25.5-32.1	140	7.6	5.6- 9.6	64	2.6	1.6- 3.6
Native	100	11,814	40	31.1	19.3-42.9	4	2.4	0.0- 5.1				29	30.8	18.8-42.8	22	26.9	14.0-39.8	5	8.9	0.3-17.5
Non-Native	3553	383,516	1608	39.4	37.0-41.8	477	13.4	11.6-15.2	29	0.7	0.3- 1.1	892	30.4	28.0-32.8	368	11.3	9.7-12.9	179	4.8	3.8- 5.8
18-24	206	62,746	49	22.3	15.8-28.8	25	14.5	8.0-21.0	1	0.5	0.0- 1.5	86	45.2	37.2-53.2	36	14.7	9.2-20.2	9	2.9	0.9- 4.9
25-34	335	81,918	129	37.9	32.0-43.8	36	10.9	7.2-14.6	2	0.7	0.0- 1.7	109	33.4	27.5-39.3	44	12.4	8.5-16.3	15	4.7	2.2- 7.2
35-44	381	65,415	158	39.7	33.8-45.6	53	12.4	8.7-16.1	2	0.6	0.0- 1.4	99	28.9	23.2-34.6	47	13.4	9.1-17.7	22	5.1	2.6- 7.6
45-54	436	51,696	191	40.3	34.8-45.8	65	16.0	11.7-20.3	2	0.4	0.0- 1.0	114	28.5	23.4-33.6	43	9.3	6.2-12.4	21	5.5	2.8- 8.2
55-64	825	59,567	366	43.3	39.2-47.4	121	13.9	11.2-16.6	13	1.5	0.5- 2.5	190	23.1	19.6-26.6	94	12.5	9.6-15.4	41	5.7	3.7- 7.7
65+	1507	77,725	772	49.5	46.4-52.6	186	12.5	10.5-14.5	9	0.5	0.1- 0.9	329	22.8	20.3-25.3	133	9.1	7.3-10.9	78	5.6	4.0- 7.2
Less Than H.S.	112	25,202	52	37.7	25.5-49.9	17	20.2	7.7-32.7				20	21.9	9.4-34.4	20	18.5	8.5-28.5	3	1.8	0.0- 4.2
H.S. or G.E.D.	866	94,217	401	35.4	31.1-39.7	83	8.8	6.4-11.2	2	0.2	0.0- 0.4	213	33.9	29.2-38.6	111	14.7	11.4-18.0	56	7.1	4.7- 9.5
Some Post-H.S.	1163	155,836	511	39.3	35.6-43.0	142	12.4	9.9-14.9	7	0.5	0.0- 1.1	296	30.2	26.5-33.9	137	12.1	9.6-14.6	70	5.6	4.0- 7.2
College Graduate	1539	122,703	696	41.9	38.6-45.2	243	16.1	13.6-18.6	20	1.5	0.7- 2.3	395	29.2	26.1-32.3	128	8.3	6.3-10.3	57	3.1	1.9- 4.3
Less than \$15,000	142	15,960	82	37.9	26.3-49.5	11	15.8	3.8-27.8				27	25.8	13.5-38.1	20	18.2	7.8-28.6	2	2.2	0.0- 5.5
\$15,000- 24,999	314	32,429	142	37.9	29.9-45.9	34	8.6	4.7-12.5	2	0.2	0.0- 0.4	80	35.6	26.4-44.8	39	13.4	7.7-19.1	17	4.4	1.5- 7.3
\$25,000- 34,999	276	26,166	136	41.2	32.6-49.8	38	12.3	7.0-17.6				61	31.7	22.9-40.5	27	8.6	4.5-12.7	14	6.2	2.1-10.3
\$35,000- 49,999	498	51,205	237	41.1	34.6-47.6	68	11.7	6.8-16.6	3	0.3	0.0- 0.7	118	32.5	25.6-39.4	53	10.5	6.8-14.2	19	3.9	1.5- 6.3
\$50,000- 74,999	614	63,764	278	38.7	33.4-44.0	85	13.7	9.2-18.2	6	1.3	0.0- 2.7	148	29.2	23.9-34.5	64	12.0	8.3-15.7	33	5.0	2.8- 7.2
\$75,000+	1401	168,758	563	37.0	33.7-40.3	208	14.5	12.1-16.9	12	0.7	0.3- 1.1	382	30.4	27.1-33.7	152	11.9	9.4-14.4	84	5.6	4.0- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	205,405	659	33.1	30.2-36.0	218	11.8	9.8-13.8	11	0.5	0.1- 0.9	472	31.6	28.7-34.5	257	16.0	13.6-18.4	122	7.1	5.5- 8.7
Native	50	6,558	18	26.9	11.4-42.4	1	2.0	0.0- 5.9				14	29.4	13.1-45.7	15	32.8	14.0-51.6	2	8.9	0.0-21.4
Non-Native	1666	196,226	630	33.4	30.5-36.3	213	11.9	9.9-13.9	11	0.5	0.1- 0.9	456	32.0	28.9-35.1	238	15.2	12.8-17.6	118	7.0	5.4- 8.6
18-24	135	32,829	27	22.3	14.1-30.5	15	9.3	4.4-14.2				56	45.3	36.1-54.5	28	17.6	11.1-24.1	9	5.5	1.8- 9.2
25-34	186	46,635	52	29.8	22.4-37.2	22	11.5	6.4-16.6				66	35.4	27.8-43.0	33	16.6	10.5-22.7	13	6.8	2.7-10.9
35-44	189	33,728	62	34.3	26.3-42.3	28	12.6	7.7-17.5	2	1.1	0.0- 2.7	46	26.6	19.0-34.2	35	18.6	12.1-25.1	16	6.8	2.7-10.9
45-54	210	25,829	74	29.6	22.3-36.9	25	13.4	7.7-19.1	2	0.9	0.0- 2.1	65	34.3	26.5-42.1	29	13.3	8.0-18.6	15	8.6	3.7-13.5
55-64	357	28,963	141	37.4	31.3-43.5	45	11.8	7.9-15.7	4	1.0	0.0- 2.2	92	24.8	19.5-30.1	53	16.9	11.8-22.0	22	8.0	4.3-11.7
65+	662	37,421	303	44.7	40.0-49.4	83	12.4	9.5-15.3	3	0.2	0.0- 0.4	147	23.0	19.1-26.9	79	12.5	9.4-15.6	47	7.2	4.8- 9.6
Less Than H.S.	60	12,607	27	49.0	33.1-64.9	8	6.8	1.7-11.9				10	16.9	4.6-29.2	14	26.5	12.4-40.6	1	0.8	0.0- 2.4
H.S. or G.E.D.	435	55,341	172	30.5	25.0-36.0	33	7.7	4.4-11.0				116	35.3	29.2-41.4	77	17.5	13.0-22.0	37	9.0	5.3-12.7
Some Post-H.S.	549	82,374	200	33.2	28.1-38.3	58	10.2	7.1-13.3	1	0.1	0.0- 0.3	148	31.2	26.1-36.3	94	16.9	13.0-20.8	48	8.3	5.6-11.0
College Graduate	689	54,395	257	31.8	27.5-36.1	119	19.5	15.6-23.4	10	1.7	0.5- 2.9	196	31.6	26.9-36.3	71	10.7	7.8-13.6	36	4.7	2.7- 6.7
Less than \$15,000	59	6,182	32	43.1	26.0-60.2	5	8.8	0.0-17.6				12	23.2	7.7-38.7	10	24.8	9.1-40.5			
\$15,000- 24,999	134	14,917	47	28.5	18.3-38.7	15	12.3	5.0-19.6				42	39.2	27.4-51.0	21	13.2	5.9-20.5	9	6.7	0.8-12.6
\$25,000- 34,999	129	14,907	60	35.1	23.5-46.7	12	9.9	2.1-17.7				32	36.1	23.4-48.8	18	11.6	4.7-18.5	7	7.3	1.2-13.4
\$35,000- 49,999	222	24,517	95	37.1	27.9-46.3	28	10.7	5.0-16.4	2	0.3	0.0- 0.7	51	28.7	19.9-37.5	35	16.5	10.0-23.0	11	6.8	2.1-11.5
\$50,000- 74,999	299	34,050	118	32.8	25.9-39.7	33	11.5	6.8-16.2	2	0.3	0.0- 0.7	73	28.8	21.7-35.9	48	18.6	12.3-24.9	25	8.0	4.3-11.7
\$75,000+	759	94,643	256	31.9	27.6-36.2	111	12.9	10.0-15.8	6	0.8	0.0- 1.6	220	31.6	27.1-36.1	107	15.7	12.2-19.2	59	7.1	4.7- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1951	193,663	1006	45.5	42.2-48.8	268	14.6	11.9-17.3	18	0.9	0.3- 1.5	455	28.8	25.5-32.1	140	7.6	5.6- 9.6	64	2.6	1.6- 3.6
Native	50	5,256	22	36.3	18.7-53.9	3	2.8	0.0- 6.3				15	32.4	15.0-49.8	7	19.6	3.1-36.1	3	8.8	0.0-20.0
Non-Native	1887	187,290	978	45.8	42.3-49.3	264	15.0	12.3-17.7	18	0.9	0.3- 1.5	436	28.6	25.3-31.9	130	7.2	5.2- 9.2	61	2.4	1.6- 3.2
18-24	71	29,917	22	22.3	12.1-32.5	10	20.3	8.0-32.6	1	1.0	0.0- 3.0	30	45.0	31.3-58.7	8	11.5	2.5-20.5			
25-34	149	35,283	77	48.7	39.5-57.9	14	10.2	4.5-15.9	2	1.5	0.0- 3.9	43	30.8	22.0-39.6	11	6.9	2.4-11.4	2	1.9	0.0- 4.6
35-44	192	31,687	96	45.4	36.8-54.0	25	12.2	6.7-17.7				53	31.3	23.1-39.5	12	7.9	2.8-13.0	6	3.2	0.3- 6.1
45-54	226	25,867	117	51.0	43.0-59.0	40	18.7	12.2-25.2				49	22.7	16.2-29.2	14	5.4	2.1- 8.7	6	2.3	0.1- 4.5
55-64	468	30,603	225	48.9	43.4-54.4	76	15.8	11.9-19.7	9	2.0	0.6- 3.4	98	21.5	16.8-26.2	41	8.3	5.4-11.2	19	3.5	1.7- 5.3
65+	845	40,305	469	53.8	49.7-57.9	103	12.6	9.9-15.3	6	0.8	0.0- 1.6	182	22.6	19.3-25.9	54	6.0	4.2- 7.8	31	4.1	2.1- 6.1
Less Than H.S.	52	12,595	25	26.4	11.5-41.3	9	33.6	11.5-55.7				10	26.9	5.3-48.5	6	10.5	0.0-24.4	2	2.7	0.0- 7.0
H.S. or G.E.D.	431	38,876	229	42.5	35.6-49.4	50	10.3	6.8-13.8	2	0.4	0.0- 1.0	97	31.8	24.2-39.4	34	10.6	5.5-15.7	19	4.4	1.7- 7.1
Some Post-H.S.	614	73,463	311	46.1	40.4-51.8	84	14.8	10.5-19.1	6	1.0	0.0- 2.2	148	29.0	23.5-34.5	43	6.7	3.8- 9.6	22	2.4	1.0- 3.8
College Graduate	850	68,307	439	49.9	45.0-54.8	124	13.4	10.3-16.5	10	1.3	0.3- 2.3	199	27.3	22.8-31.8	57	6.4	4.0- 8.8	21	1.8	0.6- 3.0
Less than \$15,000	83	9,778	50	34.7	19.8-49.6	6	20.2	2.2-38.2				15	27.5	9.9-45.1	10	14.0	0.5-27.5	2	3.6	0.0- 9.1
\$15,000- 24,999	180	17,512	95	45.8	33.5-58.1	19	5.3	2.2- 8.4	2	0.3	0.0- 0.9	38	32.5	18.6-46.4	18	13.6	5.0-22.2	8	2.4	0.4- 4.4
\$25,000- 34,999	147	11,259	76	49.3	37.0-61.6	26	15.5	8.6-22.4				29	25.8	14.2-37.4	9	4.7	1.0- 8.4	7	4.7	0.0-10.0
\$35,000- 49,999	276	26,688	142	44.7	35.3-54.1	40	12.7	5.1-20.3	1	0.2	0.0- 0.6	67	36.0	26.0-46.0	18	5.1	1.4- 8.8	8	1.2	0.2- 2.2
\$50,000- 74,999	315	29,714	160	45.5	37.3-53.7	52	16.2	8.6-23.8	4	2.5	0.0- 5.4	75	29.7	21.9-37.5	16	4.5	1.6- 7.4	8	1.6	0.2- 3.0
\$75,000+	642	74,116	307	43.4	37.9-48.9	97	16.4	12.3-20.5	6	0.6	0.2- 1.0	162	28.9	23.6-34.2	45	7.2	3.7-10.7	25	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1690	196,837	433	28.9	25.8-32.0	520	27.3	24.2-30.4	116	8.4	6.4-10.4	40	2.6	1.0- 4.2	98	3.7	2.7- 4.7	483	29.0	25.9-32.1
Male	836	101,426	220	30.7	26.4-35.0	219	24.1	20.4-27.8	84	12.6	9.5-15.7	16	1.7	0.5- 2.9	69	5.5	3.7- 7.3	228	25.4	21.5-29.3
Female	854	95,411	213	27.1	22.6-31.6	301	30.6	25.7-35.5	32	4.0	2.0- 6.0	24	3.7	1.0- 6.4	29	1.8	1.0- 2.6	255	32.9	27.8-38.0
Non-Native	1635	190,920	422	29.2	26.1-32.3	506	27.5	24.4-30.6	108	8.0	6.0-10.0	39	2.7	1.1- 4.3	96	3.6	2.6- 4.6	464	29.0	25.7-32.3
18-24	127	41,083	42	30.3	21.1-39.5	27	21.3	12.1-30.5	19	13.6	7.3-19.9	4	5.7	0.0-12.0	2	1.1	0.0- 2.7	33	28.0	18.4-37.6
25-34	167	40,357	52	30.5	22.7-38.3	35	19.4	12.7-26.1	15	9.9	4.6-15.2	2	0.9	0.0- 2.1	4	1.8	0.0- 4.0	59	37.4	29.0-45.8
35-44	188	32,376	56	34.3	26.1-42.5	58	30.0	22.4-37.6	19	8.2	4.1-12.3	1	0.3	0.0- 0.9	6	3.7	0.4- 7.0	48	23.6	16.3-30.9
45-54	201	23,849	58	31.5	23.5-39.5	54	29.8	22.0-37.6	9	4.3	1.2- 7.4	8	3.8	0.9- 6.7	12	4.0	1.5- 6.5	60	26.8	19.7-33.9
55-64	379	26,994	90	24.5	19.0-30.0	123	34.0	28.1-39.9	23	4.7	2.5- 6.9	11	3.2	0.8- 5.6	25	5.4	3.0- 7.8	107	28.1	22.6-33.6
65+	628	32,178	135	21.7	17.8-25.6	223	34.4	29.9-38.9	31	6.4	4.0- 8.8	14	1.9	0.7- 3.1	49	7.8	5.3-10.3	176	27.7	23.4-32.0
H.S. or G.E.D.	324	38,931	84	25.8	19.3-32.3	107	28.4	21.7-35.1	19	10.0	5.1-14.9	7	2.7	0.2- 5.2	23	4.5	2.1- 6.9	84	28.7	21.3-36.1
Some Post-H.S.	506	75,599	126	30.1	24.4-35.8	165	27.4	22.3-32.5	35	7.4	4.3-10.5	14	2.6	0.8- 4.4	22	3.1	1.3- 4.9	144	29.4	23.9-34.9
College Graduate	815	69,300	212	30.3	25.8-34.8	233	26.2	22.3-30.1	60	8.8	6.1-11.5	18	1.4	0.6- 2.2	52	4.5	2.9- 6.1	240	28.7	24.4-33.0
\$15,000- 24,999	125	15,598	27	22.9	12.5-33.3	47	29.3	17.1-41.5	6	7.9	0.1-15.7	4	9.9	0.0-24.0	6	2.3	0.0- 4.8	35	27.7	15.7-39.7
\$25,000- 34,999	110	10,811	33	41.3	26.8-55.8	32	18.2	9.6-26.8	10	8.0	0.4-15.6	1	4.3	0.0-12.5	9	6.4	1.3-11.5	25	21.8	10.6-33.0
\$35,000- 49,999	210	23,858	58	32.6	22.4-42.8	57	15.5	9.8-21.2	14	7.6	2.7-12.5	7	1.8	0.0- 3.6	12	3.6	1.4- 5.8	62	39.0	27.8-50.2
\$50,000- 74,999	274	31,216	57	22.8	15.5-30.1	94	35.7	27.1-44.3	14	8.1	3.2-13.0	10	3.5	0.8- 6.2	23	5.5	2.2- 8.8	76	24.4	17.5-31.3
\$75,000+	718	86,916	190	26.9	22.6-31.2	216	29.1	24.4-33.8	62	10.2	7.1-13.3	15	1.7	0.5- 2.9	31	3.1	1.5- 4.7	204	29.0	24.3-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	836	101,426	220	30.7	26.4-35.0	219	24.1	20.4-27.8	84	12.6	9.5-15.7	16	1.7	0.5- 2.9	69	5.5	3.7- 7.3	228	25.4	21.5-29.3
Non-Native	802	97,432	213	31.1	26.6-35.6	214	24.7	20.8-28.6	77	11.9	8.8-15.0	15	1.7	0.3- 3.1	67	5.2	3.6- 6.8	216	25.4	21.5-29.3
18-24	86	22,120	32	37.9	26.3-49.5	15	14.7	7.3-22.1	18	23.3	13.3-33.3	2	3.7	0.0- 8.8	2	2.0	0.0- 4.9	17	18.4	9.8-27.0
25-34	100	23,946	37	35.0	24.6-45.4	19	20.2	11.2-29.2	8	9.5	2.2-16.8	1	0.8	0.0- 2.4	4	3.1	0.0- 6.6	31	31.3	21.1-41.5
35-44	88	14,671	26	31.8	20.0-43.6	20	23.6	12.6-34.6	14	14.4	6.2-22.6				4	5.9	0.0-12.4	24	24.3	13.7-34.9
45-54	101	11,849	26	31.2	20.0-42.4	27	30.0	19.0-41.0	7	5.7	0.6-10.8	5	2.9	0.2- 5.6	10	6.1	2.0-10.2	26	24.0	14.2-33.8
55-64	162	12,226	35	23.1	15.3-30.9	58	38.2	29.4-47.0	12	6.7	2.8-10.6	2	1.1	0.0- 2.7	14	7.1	3.0-11.2	41	23.8	16.2-31.4
65+	299	16,615	64	19.3	14.0-24.6	80	28.3	21.8-34.8	25	10.5	6.2-14.8	6	1.3	0.1- 2.5	35	11.5	7.2-15.8	89	29.2	22.9-35.5
H.S. or G.E.D.	179	24,078	45	26.7	18.5-34.9	49	27.6	19.0-36.2	17	14.2	7.1-21.3	3	2.0	0.0- 4.9	18	6.0	2.5- 9.5	47	23.5	15.5-31.5
Some Post-H.S.	248	40,101	57	28.9	21.5-36.3	77	24.8	18.3-31.3	29	12.6	7.1-18.1	7	2.4	0.0- 4.9	11	4.2	1.1- 7.3	67	27.1	20.0-34.2
College Graduate	386	31,944	110	32.2	26.1-38.3	88	22.4	17.1-27.7	37	11.7	7.4-16.0	6	0.8	0.0- 1.6	39	7.3	4.6-10.0	106	25.6	20.1-31.1
\$15,000- 24,999	59	7,766	15	29.2	14.1-44.3	17	25.3	11.0-39.6	6	15.8	1.1-30.5	1	0.4	0.0- 1.2	3	1.5	0.0- 3.3	17	27.7	12.6-42.8
\$25,000- 34,999	59	7,016	18	42.9	23.9-61.9	15	13.9	4.3-23.5	8	11.0	0.0-22.4	1	6.7	0.0-19.2	5	7.9	0.5-15.3	12	17.7	5.0-30.4
\$35,000- 49,999	96	12,335	35	44.2	29.7-58.7	18	14.7	6.1-23.3	8	10.2	2.0-18.4	2	0.5	0.0- 1.3	9	4.5	1.2- 7.8	24	25.8	13.8-37.8
\$50,000- 74,999	142	15,909	26	21.3	12.1-30.5	50	36.5	25.7-47.3	10	9.1	2.4-15.8	4	2.4	0.0- 5.3	14	7.5	1.8-13.2	38	23.2	14.6-31.8
\$75,000+	387	48,080	106	28.2	22.3-34.1	96	24.3	18.8-29.8	45	14.5	9.6-19.4	6	1.3	0.0- 2.9	27	5.1	2.6- 7.6	107	26.5	20.8-32.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	854	95,411	213	27.1	22.6-31.6	301	30.6	25.7-35.5	32	4.0	2.0- 6.0	24	3.7	1.0- 6.4	29	1.8	1.0- 2.6	255	32.9	27.8-38.0
Non-Native	833	93,487	209	27.3	22.6-32.0	292	30.4	25.5-35.3	31	4.0	2.0- 6.0	24	3.7	1.0- 6.4	29	1.9	1.1- 2.7	248	32.7	27.6-37.8
25-34	67	16,411	15	24.0	12.0-36.0	16	18.3	8.7-27.9	7	10.5	2.5-18.5	1	1.0	0.0- 3.0				28	46.2	32.3-60.1
35-44	100	17,706	30	36.3	24.9-47.7	38	35.3	24.5-46.1	5	3.0	0.1- 5.9	1	0.5	0.0- 1.5	2	1.8	0.0- 4.3	24	23.0	12.8-33.2
45-54	100	12,000	32	31.7	20.1-43.3	27	29.5	18.5-40.5	2	2.8	0.0- 6.9	3	4.6	0.0- 9.9	2	2.0	0.0- 4.7	34	29.5	19.1-39.9
55-64	217	14,768	55	25.7	18.3-33.1	65	30.5	22.7-38.3	11	3.1	0.9- 5.3	9	5.0	1.1- 8.9	11	4.0	1.3- 6.7	66	31.7	24.1-39.3
65+	329	15,563	71	24.3	18.6-30.0	143	41.0	34.7-47.3	6	2.1	0.3- 3.9	8	2.6	0.4- 4.8	14	3.8	1.6- 6.0	87	26.2	20.7-31.7
H.S. or G.E.D.	145	14,854	39	24.4	14.2-34.6	58	29.6	19.2-40.0	2	3.1	0.0- 8.4	4	3.7	0.0- 8.4	5	2.1	0.0- 4.3	37	37.1	23.4-50.8
Some Post-H.S.	258	35,498	69	31.4	23.0-39.8	88	30.4	22.4-38.4	6	1.6	0.0- 3.2	7	2.8	0.4- 5.2	11	1.9	0.5- 3.3	77	31.9	23.5-40.3
College Graduate	429	37,355	102	28.7	22.4-35.0	145	29.5	23.6-35.4	23	6.3	3.0- 9.6	12	2.0	0.6- 3.4	13	2.0	0.6- 3.4	134	31.5	25.2-37.8
\$15,000- 24,999	66	7,832	12	16.5	3.6-29.4	30	33.3	13.7-52.9				3	19.3	0.0-45.0	3	3.1	0.0- 8.0	18	27.8	9.4-46.2
\$25,000- 34,999	51	3,794	15	38.5	17.3-59.7	17	26.2	9.9-42.5	2	2.4	0.0- 5.7				4	3.5	0.0- 7.4	13	29.4	9.4-49.4
\$35,000- 49,999	114	11,523	23	20.2	8.4-32.0	39	16.3	8.9-23.7	6	4.8	0.0- 9.7	5	3.1	0.0- 6.4	3	2.5	0.0- 5.6	38	53.0	37.3-68.7
\$50,000- 74,999	132	15,308	31	24.4	13.0-35.8	44	34.8	21.1-48.5	4	7.1	0.0-14.5	6	4.7	0.0- 9.6	9	3.4	0.7- 6.1	38	25.6	14.8-36.4
\$75,000+	331	38,836	84	25.2	18.7-31.7	120	35.1	27.5-42.7	17	4.8	1.7- 7.9	9	2.2	0.2- 4.2	4	0.7	0.0- 1.5	97	32.0	24.6-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2310	252,087	1032	45.9	43.0-48.8	435	17.2	14.8-19.6	544	24.3	21.8-26.8	85	3.5	2.5- 4.5	214	9.1	7.3-10.9
Male	1093	128,827	451	41.9	38.0-45.8	190	15.8	12.9-18.7	302	28.6	25.1-32.1	46	3.9	2.3- 5.5	104	9.9	7.4-12.4
Female	1217	123,260	581	50.1	45.6-54.6	245	18.7	15.2-22.2	242	19.9	16.6-23.2	39	3.0	1.8- 4.2	110	8.3	5.9-10.7
Native	57	6,195	28	46.1	28.7-63.5	10	22.0	6.5-37.5	7	12.4	0.4-24.4	1	2.1	0.0- 6.2	11	17.4	4.1-30.7
Non-Native	2224	243,185	993	46.0	42.9-49.1	419	17.0	14.6-19.4	530	24.6	22.1-27.1	81	3.5	2.5- 4.5	201	9.0	7.2-10.8
18-24	142	44,732	63	46.1	36.3-55.9	20	16.1	8.1-24.1	37	24.2	16.4-32.0	6	3.4	0.5- 6.3	16	10.2	4.5-15.9
25-34	210	49,631	99	50.8	43.0-58.6	27	12.3	7.4-17.2	63	26.8	20.1-33.5	6	2.9	0.4- 5.4	15	7.3	3.0-11.6
35-44	238	41,201	119	48.2	40.6-55.8	39	17.4	11.5-23.3	60	24.3	17.8-30.8	5	1.7	0.0- 3.5	15	8.4	3.7-13.1
45-54	264	31,059	124	42.6	35.3-49.9	41	18.3	12.2-24.4	61	24.7	18.4-31.0	15	6.4	2.7-10.1	23	8.0	4.3-11.7
55-64	557	39,406	256	45.4	40.3-50.5	95	15.9	12.2-19.6	136	24.9	20.6-29.2	20	3.7	1.9- 5.5	50	10.1	6.8-13.4
65+	899	46,057	371	40.8	36.9-44.7	213	23.8	20.5-27.1	187	21.2	18.1-24.3	33	3.6	2.2- 5.0	95	10.6	8.1-13.1
Less Than H.S.	62	15,877	19	36.7	18.3-55.1	20	29.1	11.7-46.5	10	18.5	5.6-31.4	2	1.4	0.0- 3.4	11	14.2	2.8-25.6
H.S. or G.E.D.	491	54,218	190	43.0	36.7-49.3	110	18.3	13.6-23.0	116	25.3	19.8-30.8	19	2.8	1.2- 4.4	56	10.6	6.7-14.5
Some Post-H.S.	696	95,340	301	44.0	38.9-49.1	140	18.7	14.8-22.6	166	24.6	20.3-28.9	21	3.4	1.6- 5.2	68	9.3	6.4-12.2
College Graduate	1054	85,709	520	51.9	47.8-56.0	163	12.4	9.9-14.9	250	24.3	20.8-27.8	42	4.3	2.5- 6.1	79	7.1	4.9- 9.3
Less than \$15,000	69	8,823	24	42.3	23.9-60.7	21	22.6	8.1-37.1	14	27.1	10.4-43.8	3	2.4	0.0- 5.7	7	5.6	0.5-10.7
\$15,000- 24,999	185	18,882	62	43.6	31.1-56.1	46	19.3	11.1-27.5	45	18.7	11.4-26.0	8	3.7	0.4- 7.0	24	14.7	5.7-23.7
\$25,000- 34,999	153	14,878	59	35.1	23.7-46.5	41	26.1	16.1-36.1	32	23.5	12.9-34.1	8	6.6	0.5-12.7	13	8.7	0.9-16.5
\$35,000- 49,999	299	30,351	137	49.7	40.7-58.7	59	17.6	11.3-23.9	71	20.8	14.1-27.5	8	2.5	0.5- 4.5	24	9.4	3.1-15.7
\$50,000- 74,999	391	40,562	176	43.2	36.1-50.3	78	19.7	13.2-26.2	87	24.2	18.3-30.1	15	3.0	1.0- 5.0	35	10.0	5.9-14.1
\$75,000+	939	111,404	461	49.7	45.4-54.0	139	14.1	10.8-17.4	230	25.1	21.4-28.8	29	2.7	1.5- 3.9	80	8.4	6.0-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1093	128,827	451	41.9	38.0-45.8	190	15.8	12.9-18.7	302	28.6	25.1-32.1	46	3.9	2.3- 5.5	104	9.9	7.4-12.4
Non-Native	1043	123,043	431	41.9	37.8-46.0	184	15.7	12.8-18.6	289	28.6	24.9-32.3	42	3.8	2.2- 5.4	97	10.0	7.3-12.7
18-24	96	24,103	42	42.3	31.3-53.3	11	11.5	4.4-18.6	26	27.9	17.9-37.9	5	4.8	0.3- 9.3	12	13.5	5.3-21.7
25-34	123	29,181	56	48.2	38.2-58.2	13	10.6	4.3-16.9	41	29.8	21.0-38.6	5	4.4	0.3- 8.5	8	7.1	1.2-13.0
35-44	112	20,097	46	40.3	29.5-51.1	15	15.8	7.6-24.0	40	33.1	22.9-43.3	3	1.5	0.0- 3.5	8	9.3	2.2-16.4
45-54	129	15,229	54	36.6	27.0-46.2	24	21.7	12.7-30.7	30	25.1	15.9-34.3	8	6.0	1.1-10.9	13	10.6	4.5-16.7
55-64	239	18,189	98	40.3	32.9-47.7	44	16.9	11.4-22.4	66	29.5	22.6-36.4	9	3.9	1.0- 6.8	22	9.3	4.8-13.8
65+	394	22,028	155	39.4	33.5-45.3	83	22.4	17.1-27.7	99	25.0	19.9-30.1	16	3.0	1.2- 4.8	41	10.1	6.4-13.8
H.S. or G.E.D.	246	31,611	91	40.8	32.6-49.0	51	18.2	11.7-24.7	68	27.1	19.8-34.4	9	2.8	0.4- 5.2	27	11.1	5.6-16.6
Some Post-H.S.	333	50,275	135	39.8	32.9-46.7	61	16.9	11.8-22.0	92	28.8	22.5-35.1	14	4.9	1.8- 8.0	31	9.6	5.3-13.9
College Graduate	479	39,707	216	47.6	41.9-53.3	68	11.7	8.4-15.0	136	30.3	25.0-35.6	20	3.4	1.4- 5.4	39	7.0	4.3- 9.7
\$15,000- 24,999	78	8,781	22	41.6	25.5-57.7	17	17.3	6.1-28.5	21	19.4	9.4-29.4	6	7.3	0.2-14.4	12	14.4	4.6-24.2
\$25,000- 34,999	74	8,748	30	35.8	19.7-51.9	22	28.9	14.4-43.4	12	21.5	7.4-35.6	3	4.8	0.0-12.6	7	9.1	0.0-20.9
\$35,000- 49,999	130	14,667	55	40.4	28.4-52.4	24	18.0	8.8-27.2	39	30.8	19.4-42.2	4	3.1	0.0- 6.6	8	7.7	0.0-17.5
\$50,000- 74,999	192	20,609	77	37.8	28.8-46.8	40	19.9	12.5-27.3	49	27.7	19.1-36.3	11	4.0	0.9- 7.1	15	10.6	4.5-16.7
\$75,000+	498	62,823	225	45.5	39.8-51.2	62	11.2	7.7-14.7	148	30.6	25.3-35.9	13	2.7	0.7- 4.7	50	10.0	6.5-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1217	123,260	581	50.1	45.6-54.6	245	18.7	15.2-22.2	242	19.9	16.6-23.2	39	3.0	1.8- 4.2	110	8.3	5.9-10.7
Non-Native	1181	120,142	562	50.2	45.7-54.7	235	18.4	14.7-22.1	241	20.4	16.9-23.9	39	3.1	1.9- 4.3	104	7.9	5.5-10.3
25-34	87	20,450	43	54.6	42.4-66.8	14	14.6	6.4-22.8	22	22.4	12.2-32.6	1	0.7	0.0- 2.1	7	7.7	1.0-14.4
35-44	126	21,104	73	55.8	45.2-66.4	24	18.9	10.5-27.3	20	15.9	8.5-23.3	2	1.9	0.0- 4.8	7	7.5	1.2-13.8
45-54	135	15,830	70	48.4	37.8-59.0	17	15.0	6.8-23.2	31	24.3	15.5-33.1	7	6.8	1.3-12.3	10	5.5	1.4- 9.6
55-64	318	21,217	158	49.8	43.1-56.5	51	15.0	10.1-19.9	70	20.9	15.6-26.2	11	3.6	1.2- 6.0	28	10.8	6.1-15.5
65+	505	24,029	216	42.2	37.1-47.3	130	25.1	20.8-29.4	88	17.6	13.5-21.7	17	4.1	1.9- 6.3	54	11.0	7.7-14.3
H.S. or G.E.D.	245	22,608	99	46.2	36.2-56.2	59	18.5	12.0-25.0	48	22.7	14.3-31.1	10	2.7	0.9- 4.5	29	9.8	4.3-15.3
Some Post-H.S.	363	45,065	166	48.7	41.3-56.1	79	20.8	14.9-26.7	74	19.8	14.1-25.5	7	1.7	0.1- 3.3	37	9.0	4.7-13.3
College Graduate	575	46,002	304	55.6	49.9-61.3	95	13.0	9.5-16.5	114	19.0	14.5-23.5	22	5.2	2.5- 7.9	40	7.2	4.1-10.3
\$15,000- 24,999	107	10,102	40	45.3	26.3-64.3	29	21.0	8.8-33.2	24	18.1	7.9-28.3	2	0.7	0.0- 1.9	12	15.0	0.5-29.5
\$25,000- 34,999	79	6,130	29	34.1	18.8-49.4	19	22.2	9.3-35.1	20	26.4	11.1-41.7	5	9.2	0.0-18.8	6	8.2	0.0-16.8
\$35,000- 49,999	169	15,684	82	58.5	46.3-70.7	35	17.2	8.6-25.8	32	11.4	5.9-16.9	4	1.9	0.0- 4.1	16	10.9	3.1-18.7
\$50,000- 74,999	199	19,953	99	48.7	37.7-59.7	38	19.4	8.4-30.4	38	20.7	12.9-28.5	4	1.9	0.0- 3.9	20	9.3	4.0-14.6
\$75,000+	441	48,581	236	55.2	48.3-62.1	77	17.9	12.0-23.8	82	18.1	13.0-23.2	16	2.6	1.0- 4.2	30	6.2	3.1- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2266	247,857	994	43.1	40.2-46.0	201	9.3	7.5-11.1	9	0.3	0.0- 0.7	533	25.6	22.9-28.3	358	14.9	12.9-16.9	171	6.8	5.4- 8.2
Male	1075	126,984	436	38.0	34.1-41.9	91	9.2	6.8-11.6	2	0.1	0.0- 0.3	261	25.9	22.4-29.4	192	18.6	15.5-21.7	93	8.1	5.9-10.3
Female	1191	120,873	558	48.4	43.9-52.9	110	9.3	6.8-11.8	7	0.6	0.0- 1.2	272	25.4	21.3-29.5	166	10.9	8.5-13.3	78	5.5	3.7- 7.3
Native	53	5,912	27	46.2	28.2-64.2	2	8.0	0.0-20.9	1	0.9	0.0- 2.7	7	15.0	2.7-27.3	10	20.8	5.3-36.3	6	9.2	0.0-19.4
Non-Native	2185	239,301	951	43.0	39.9-46.1	199	9.4	7.6-11.2	8	0.3	0.0- 0.7	519	25.7	23.0-28.4	346	14.8	12.8-16.8	162	6.8	5.4- 8.2
18-24	141	44,627	59	43.7	33.9-53.5	13	8.2	3.1-13.3				48	34.7	25.1-44.3	10	7.0	2.3-11.7	11	6.4	2.5-10.3
25-34	207	48,981	92	44.1	36.3-51.9	17	7.8	3.7-11.9				50	24.7	17.8-31.6	36	18.5	12.4-24.6	12	4.9	2.0- 7.8
35-44	235	40,423	100	40.6	33.2-48.0	27	14.7	8.8-20.6	1	0.5	0.0- 1.5	54	23.0	16.3-29.7	35	13.8	8.7-18.9	18	7.2	3.3-11.1
45-54	259	30,436	113	41.5	34.2-48.8	22	8.5	4.4-12.6	1	0.3	0.0- 0.9	59	22.8	16.7-28.9	42	16.7	11.2-22.2	22	10.3	5.2-15.4
55-64	551	38,430	236	44.0	38.9-49.1	50	8.6	5.9-11.3	4	1.2	0.0- 2.8	124	23.8	19.5-28.1	96	15.9	12.4-19.4	41	6.5	4.3- 8.7
65+	873	44,961	394	43.8	39.9-47.7	72	8.1	5.9-10.3	3	0.3	0.0- 0.7	198	23.5	20.0-27.0	139	17.5	14.4-20.6	67	6.8	5.0- 8.6
Less Than H.S.	57	15,091	31	48.0	28.8-67.2	2	5.7	0.0-14.5				14	36.0	16.6-55.4	9	7.7	1.4-14.0	1	2.7	0.0- 8.0
H.S. or G.E.D.	486	53,468	201	35.7	29.8-41.6	39	8.6	5.1-12.1	1	0.1	0.0- 0.3	124	33.0	26.7-39.3	72	14.4	10.1-18.7	49	8.2	5.1-11.3
Some Post-H.S.	676	93,416	293	44.8	39.7-49.9	58	8.2	5.3-11.1	2	0.4	0.0- 1.0	137	22.0	17.7-26.3	120	16.3	12.6-20.0	66	8.4	5.9-10.9
College Graduate	1041	84,978	468	45.1	41.0-49.2	102	11.5	8.8-14.2	6	0.5	0.0- 1.1	256	23.2	19.9-26.5	154	14.6	11.7-17.5	55	5.0	3.2- 6.8
Less than \$15,000	66	8,615	39	57.9	39.3-76.5	3	7.6	0.0-20.3				13	18.5	3.0-34.0	8	10.8	0.8-20.8	3	5.2	0.0-11.7
\$15,000- 24,999	181	18,704	82	41.7	29.9-53.5	16	7.3	1.8-12.8				45	33.9	20.6-47.2	23	11.5	5.2-17.8	15	5.6	1.5- 9.7
\$25,000- 34,999	151	14,615	64	39.4	27.4-51.4	15	10.8	3.5-18.1				34	22.7	12.9-32.5	28	20.9	10.3-31.5	10	6.1	0.8-11.4
\$35,000- 49,999	291	29,158	122	39.2	30.2-48.2	23	8.7	3.8-13.6	1	0.2	0.0- 0.6	73	28.7	19.7-37.7	48	16.1	10.4-21.8	24	7.1	3.0-11.2
\$50,000- 74,999	383	40,049	167	42.1	34.7-49.5	30	8.1	4.2-12.0				94	27.7	21.0-34.4	59	13.0	8.7-17.3	33	9.1	5.2-13.0
\$75,000+	929	110,305	395	42.1	37.8-46.4	90	9.9	7.4-12.4	6	0.4	0.0- 0.8	219	25.0	21.1-28.9	151	15.9	12.8-19.0	68	6.7	4.5- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1075	126,984	436	38.0	34.1-41.9	91	9.2	6.8-11.6	2	0.1	0.0- 0.3	261	25.9	22.4-29.4	192	18.6	15.5-21.7	93	8.1	5.9-10.3
Non-Native	1029	121,483	414	37.8	33.9-41.7	90	9.6	7.1-12.1	1	0.1	0.0- 0.3	251	25.6	21.9-29.3	185	18.6	15.5-21.7	88	8.3	6.1-10.5
18-24	95	23,998	34	37.6	26.6-48.6	9	8.0	2.5-13.5				37	38.1	27.3-48.9	7	8.1	2.0-14.2	8	8.2	2.5-13.9
25-34	122	29,143	47	34.4	25.0-43.8	13	10.8	4.5-17.1				30	26.7	17.5-35.9	24	23.1	14.5-31.7	8	5.1	1.4- 8.8
35-44	110	19,537	45	38.5	27.7-49.3	12	13.6	5.6-21.6				19	14.9	7.6-22.2	22	21.2	12.2-30.2	12	11.8	4.2-19.4
45-54	126	14,951	52	37.6	27.6-47.6	11	8.1	2.6-13.6	1	0.5	0.0- 1.5	28	24.7	15.9-33.5	24	19.5	11.3-27.7	10	9.5	2.6-16.4
55-64	236	17,689	94	40.9	33.5-48.3	15	6.3	2.8- 9.8	1	0.3	0.0- 0.9	56	24.0	17.5-30.5	47	20.0	13.7-26.3	23	8.5	4.6-12.4
65+	386	21,668	164	40.8	34.7-46.9	31	7.8	4.7-10.9				91	23.5	18.2-28.8	68	20.5	15.4-25.6	32	7.4	4.7-10.1
H.S. or G.E.D.	244	31,356	85	27.0	20.1-33.9	23	10.3	5.4-15.2				75	35.9	27.7-44.1	41	18.8	12.1-25.5	20	8.0	3.3-12.7
Some Post-H.S.	324	49,246	122	38.1	31.2-45.0	25	8.7	4.4-13.0				62	22.7	16.8-28.6	73	20.1	14.6-25.6	42	10.5	6.6-14.4
College Graduate	474	39,329	211	43.6	37.9-49.3	42	10.3	6.6-14.0	2	0.3	0.0- 0.7	115	21.8	17.3-26.3	73	17.4	12.9-21.9	31	6.6	3.7- 9.5
\$15,000- 24,999	75	8,630	33	42.9	27.4-58.4	7	7.8	0.0-16.0				19	30.7	15.0-46.4	11	15.8	4.8-26.8	5	2.8	0.3- 5.3
\$25,000- 34,999	73	8,795	29	39.2	22.3-56.1	6	13.5	2.1-24.9				15	16.7	6.1-27.3	19	27.0	11.3-42.7	4	3.6	0.0- 8.5
\$35,000- 49,999	127	14,139	48	39.4	26.7-52.1	12	10.7	3.1-18.3	1	0.4	0.0- 1.2	30	22.7	12.3-33.1	23	18.6	9.6-27.6	13	8.2	2.1-14.3
\$50,000- 74,999	190	20,484	80	34.2	25.8-42.6	13	8.0	2.3-13.7				43	30.4	21.0-39.8	34	15.9	9.8-22.0	20	11.5	5.4-17.6
\$75,000+	493	62,285	194	37.3	31.8-42.8	48	9.7	6.4-13.0	1	0.1	0.0- 0.3	123	26.0	20.9-31.1	85	18.7	14.0-23.4	42	8.1	5.0-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1191	120,873	558	48.4	43.9-52.9	110	9.3	6.8-11.8	7	0.6	0.0- 1.2	272	25.4	21.3-29.5	166	10.9	8.5-13.3	78	5.5	3.7- 7.3
Non-Native	1156	117,818	537	48.3	43.8-52.8	109	9.2	6.7-11.7	7	0.6	0.0- 1.2	268	25.8	21.5-30.1	161	10.9	8.5-13.3	74	5.2	3.4- 7.0
25-34	85	19,838	45	58.4	46.4-70.4	4	3.4	0.0- 7.1				20	21.7	11.9-31.5	12	11.9	4.6-19.2	4	4.6	0.0- 9.7
35-44	125	20,887	55	42.6	32.2-53.0	15	15.8	7.2-24.4	1	1.1	0.0- 3.3	35	30.6	20.2-41.0	13	6.9	2.6-11.2	6	3.0	0.5- 5.5
45-54	133	15,485	61	45.2	34.6-55.8	11	8.8	2.9-14.7				31	20.9	12.5-29.3	18	13.9	6.6-21.2	12	11.1	3.7-18.5
55-64	315	20,741	142	46.7	39.8-53.6	35	10.6	6.5-14.7	3	1.9	0.0- 4.6	68	23.7	17.8-29.6	49	12.4	8.5-16.3	18	4.7	2.3- 7.1
65+	487	23,293	230	46.6	41.3-51.9	41	8.3	5.4-11.2	3	0.5	0.0- 1.1	107	23.6	18.9-28.3	71	14.7	11.0-18.4	35	6.3	3.9- 8.7
H.S. or G.E.D.	242	22,112	116	48.0	38.2-57.8	16	6.2	1.1-11.3	1	0.2	0.0- 0.6	49	28.9	18.7-39.1	31	8.1	4.6-11.6	29	8.4	4.3-12.5
Some Post-H.S.	352	44,169	171	52.3	44.7-59.9	33	7.7	3.8-11.6	2	0.8	0.0- 2.2	75	21.2	15.1-27.3	47	12.0	7.3-16.7	24	6.0	2.7- 9.3
College Graduate	567	45,648	257	46.4	40.5-52.3	60	12.6	8.5-16.7	4	0.7	0.0- 1.7	141	24.4	19.5-29.3	81	12.3	8.6-16.0	24	3.7	1.7- 5.7
\$15,000- 24,999	106	10,074	49	40.7	23.6-57.8	9	6.8	0.0-14.2				26	36.7	16.3-57.1	12	7.9	1.8-14.0	10	7.9	0.6-15.2
\$25,000- 34,999	78	5,820	35	39.6	23.7-55.5	9	6.7	0.8-12.6				19	31.9	15.0-48.8	9	11.7	1.3-22.1	6	10.0	0.0-20.4
\$35,000- 49,999	164	15,020	74	39.0	26.5-51.5	11	6.8	0.7-12.9				43	34.4	20.5-48.3	25	13.9	7.0-20.8	11	6.0	0.3-11.7
\$50,000- 74,999	193	19,565	87	50.3	39.1-61.5	17	8.3	3.2-13.4				51	24.7	15.9-33.5	25	10.0	4.1-15.9	13	6.6	2.1-11.1
\$75,000+	436	48,020	201	48.2	41.3-55.1	42	10.3	6.2-14.4	5	0.8	0.0- 1.8	96	23.6	17.7-29.5	66	12.3	8.2-16.4	26	4.8	2.1- 7.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5306	559,358	880	18.2	16.6-19.8	518	9.7	8.5-10.9	450	10.1	8.9-11.3	104	2.0	1.4- 2.6	198	3.7	2.9- 4.5	3156	56.2	54.2-58.2
Male	2501	287,461	381	16.9	14.9-18.9	268	10.7	9.1-12.3	226	10.7	8.9-12.5	65	2.5	1.7- 3.3	119	5.2	4.0- 6.4	1442	54.2	51.5-56.9
Female	2805	271,897	499	19.7	17.3-22.1	250	8.7	6.9-10.5	224	9.5	7.7-11.3	39	1.6	0.8- 2.4	79	2.3	1.5- 3.1	1714	58.4	55.5-61.3
Native	181	23,764	25	16.8	8.8-24.8	22	13.5	6.4-20.6	15	9.3	3.4-15.2	3	2.5	0.0- 5.4	9	5.7	0.0-11.6	107	52.2	42.0-62.4
Non-Native	5070	529,992	847	18.3	16.7-19.9	488	9.5	8.3-10.7	430	10.1	8.7-11.5	98	2.0	1.4- 2.6	186	3.6	2.8- 4.4	3021	56.4	54.4-58.4
18-24	266	79,521	66	24.9	18.6-31.2	36	13.4	8.5-18.3	46	16.1	11.0-21.2	8	2.2	0.2- 4.2	14	4.6	2.1- 7.1	96	38.9	32.0-45.8
25-34	427	106,711	93	22.0	17.5-26.5	38	9.4	6.3-12.5	50	11.6	8.1-15.1	8	1.8	0.4- 3.2	19	5.1	2.6- 7.6	219	50.2	44.7-55.7
35-44	524	90,419	95	17.7	13.8-21.6	39	7.1	4.4- 9.8	55	10.3	7.2-13.4	10	2.1	0.5- 3.7	18	3.5	1.5- 5.5	307	59.4	54.3-64.5
45-54	623	76,344	110	16.1	12.6-19.6	52	9.0	6.1-11.9	55	9.3	6.6-12.0	6	1.3	0.1- 2.5	17	2.0	0.8- 3.2	383	62.3	57.6-67.0
55-64	1185	89,173	192	15.4	12.9-17.9	113	9.0	7.0-11.0	98	8.0	6.0-10.0	26	2.5	1.3- 3.7	35	2.9	1.7- 4.1	721	62.3	59.0-65.6
65+	2281	117,190	324	14.2	12.4-16.0	240	10.6	9.0-12.2	146	6.5	5.1- 7.9	46	2.2	1.4- 3.0	95	4.0	3.0- 5.0	1430	62.4	59.9-64.9
Less Than H.S.	226	43,615	25	14.7	6.9-22.5	34	11.8	5.5-18.1	8	6.2	0.3-12.1	2	0.6	0.0- 1.6	9	4.7	0.8- 8.6	148	62.0	52.2-71.8
H.S. or G.E.D.	1453	147,151	189	16.1	13.2-19.0	145	10.6	8.4-12.8	102	9.0	6.6-11.4	16	1.0	0.4- 1.6	44	3.6	2.2- 5.0	957	59.8	56.1-63.5
Some Post-H.S.	1694	218,827	243	16.5	14.0-19.0	152	9.1	7.1-11.1	143	9.9	7.7-12.1	40	2.7	1.5- 3.9	61	3.5	2.3- 4.7	1055	58.2	54.9-61.5
College Graduate	1917	148,039	421	23.9	21.2-26.6	182	8.9	7.1-10.7	195	12.3	10.1-14.5	46	2.6	1.6- 3.6	83	3.9	2.7- 5.1	990	48.4	45.3-51.5
Less than \$15,000	257	27,385	30	13.4	6.3-20.5	27	13.3	5.9-20.7	17	9.1	3.2-15.0	3	1.2	0.0- 2.8	12	2.9	0.9- 4.9	168	60.1	50.5-69.7
\$15,000- 24,999	546	52,346	73	18.6	12.5-24.7	55	7.2	4.5- 9.9	39	10.3	6.2-14.4	11	1.9	0.5- 3.3	18	3.6	1.4- 5.8	350	58.4	51.7-65.1
\$25,000- 34,999	439	42,918	50	14.4	9.1-19.7	57	13.7	9.2-18.2	34	8.0	4.5-11.5	9	3.6	0.1- 7.1	12	3.9	0.6- 7.2	277	56.4	49.3-63.5
\$35,000- 49,999	747	73,397	128	18.9	14.2-23.6	77	10.7	7.4-14.0	61	8.8	5.5-12.1	17	1.7	0.7- 2.7	26	4.3	1.9- 6.7	438	55.6	50.1-61.1
\$50,000- 74,999	833	84,419	140	18.6	14.7-22.5	77	8.5	5.4-11.6	68	9.7	6.8-12.6	13	1.1	0.3- 1.9	32	4.7	2.5- 6.9	503	57.5	52.6-62.4
\$75,000+	1771	210,616	354	20.5	18.0-23.0	157	8.9	7.1-10.7	168	10.5	8.3-12.7	42	2.6	1.6- 3.6	72	3.5	2.3- 4.7	978	53.9	50.8-57.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2501	287,461	381	16.9	14.9-18.9	268	10.7	9.1-12.3	226	10.7	8.9-12.5	65	2.5	1.7- 3.3	119	5.2	4.0- 6.4	1442	54.2	51.5-56.9
Native	86	11,183	12	18.4	6.2-30.6	12	20.2	7.7-32.7	9	7.7	1.4-14.0	2	3.5	0.0- 8.4	7	8.2	0.0-18.4	44	42.0	28.1-55.9
Non-Native	2382	272,543	364	16.8	14.6-19.0	252	10.3	8.7-11.9	213	10.7	8.9-12.5	61	2.4	1.6- 3.2	111	5.1	3.9- 6.3	1381	54.7	52.0-57.4
18-24	176	42,447	44	23.1	16.4-29.8	25	14.3	8.6-20.0	30	15.5	9.8-21.2	6	2.1	0.3- 3.9	13	8.5	4.0-13.0	58	36.5	28.5-44.5
25-34	234	58,452	54	23.2	17.1-29.3	25	11.2	6.7-15.7	33	13.2	8.5-17.9	5	2.3	0.3- 4.3	15	7.5	3.4-11.6	102	42.6	35.5-49.7
35-44	263	47,413	39	14.9	9.6-20.2	21	6.7	3.6- 9.8	32	12.7	8.0-17.4	7	3.0	0.5- 5.5	12	4.0	1.3- 6.7	152	58.7	51.4-66.0
45-54	304	39,052	43	11.9	7.8-16.0	30	9.8	5.7-13.9	32	11.1	6.8-15.4	4	1.4	0.0- 3.0	8	1.9	0.3- 3.5	187	63.9	57.2-70.6
55-64	558	45,791	80	13.5	10.0-17.0	55	10.5	7.4-13.6	36	5.8	3.6- 8.0	18	3.6	1.6- 5.6	16	2.8	1.2- 4.4	353	63.8	58.9-68.7
65+	966	54,306	121	13.2	10.5-15.9	112	11.6	9.1-14.1	63	6.0	4.2- 7.8	25	2.5	1.3- 3.7	55	5.4	3.8- 7.0	590	61.4	57.7-65.1
Less Than H.S.	118	23,070	12	10.6	3.9-17.3	19	10.5	4.4-16.6	3	3.0	0.0- 7.1	2	1.2	0.0- 3.0	6	7.7	0.6-14.8	76	67.0	56.0-78.0
H.S. or G.E.D.	732	83,896	93	16.7	12.8-20.6	79	12.0	8.9-15.1	59	10.0	7.1-12.9	12	1.5	0.5- 2.5	33	5.2	2.8- 7.6	456	54.6	49.7-59.5
Some Post-H.S.	795	114,625	107	16.1	12.8-19.4	81	9.9	7.2-12.6	65	10.0	7.1-12.9	23	2.8	1.4- 4.2	32	4.5	2.5- 6.5	487	56.7	52.2-61.2
College Graduate	846	64,869	167	20.4	16.9-23.9	87	10.5	7.8-13.2	97	14.8	11.5-18.1	28	3.7	1.9- 5.5	48	5.5	3.3- 7.7	419	45.1	40.8-49.4
Less than \$15,000	102	11,338	16	19.5	8.1-30.9	11	11.4	2.8-20.0	11	14.0	4.0-24.0	1	0.5	0.0- 1.5	5	2.1	0.0- 4.5	58	52.5	39.2-65.8
\$15,000- 24,999	219	22,918	30	15.8	8.7-22.9	19	9.7	4.0-15.4	18	10.5	4.8-16.2	8	3.8	0.7- 6.9	12	6.7	2.2-11.2	132	53.5	44.1-62.9
\$25,000- 34,999	212	23,183	21	15.6	7.8-23.4	38	18.3	11.0-25.6	16	8.0	2.7-13.3	5	2.3	0.0- 5.0	6	4.9	0.0-10.4	126	50.9	41.3-60.5
\$35,000- 49,999	339	36,156	50	16.9	11.0-22.8	43	13.1	8.0-18.2	31	9.1	4.6-13.6	13	2.7	0.9- 4.5	17	6.3	2.4-10.2	185	51.9	44.3-59.5
\$50,000- 74,999	431	47,552	57	15.2	10.5-19.9	49	9.6	6.3-12.9	32	10.8	6.5-15.1	8	1.4	0.2- 2.6	20	5.9	2.6- 9.2	265	57.2	50.9-63.5
\$75,000+	966	119,254	170	17.9	14.8-21.0	83	8.7	6.3-11.1	95	10.9	8.4-13.4	27	3.1	1.5- 4.7	48	4.7	2.7- 6.7	543	54.8	50.7-58.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2805	271,897	499	19.7	17.3-22.1	250	8.7	6.9-10.5	224	9.5	7.7-11.3	39	1.6	0.8- 2.4	79	2.3	1.5- 3.1	1714	58.4	55.5-61.3
Native	95	12,581	13	15.4	4.6-26.2	10	7.5	0.6-14.4	6	10.7	1.1-20.3	1	1.6	0.0- 4.7	2	3.4	0.0- 9.7	63	61.3	47.2-75.4
Non-Native	2688	257,449	483	20.0	17.5-22.5	236	8.6	6.8-10.4	217	9.5	7.5-11.5	37	1.5	0.7- 2.3	75	2.1	1.5- 2.7	1640	58.3	55.4-61.2
18-24	90	37,074	22	26.9	15.9-37.9	11	12.3	4.1-20.5	16	16.8	7.8-25.8	2	2.3	0.0- 6.0	1	0.1	0.0- 0.3	38	41.6	29.8-53.4
25-34	193	48,259	39	20.4	13.9-26.9	13	7.2	3.1-11.3	17	9.6	4.5-14.7	3	1.3	0.0- 2.9	4	2.1	0.0- 4.3	117	59.4	51.4-67.4
35-44	261	43,007	56	20.8	14.9-26.7	18	7.4	3.1-11.7	23	7.5	3.8-11.2	3	1.2	0.0- 2.6	6	2.9	0.4- 5.4	155	60.2	52.9-67.5
45-54	319	37,292	67	20.4	14.7-26.1	22	8.2	4.1-12.3	23	7.4	3.9-10.9	2	1.2	0.0- 3.0	9	2.2	0.6- 3.8	196	60.6	53.9-67.3
55-64	627	43,382	112	17.4	13.9-20.9	58	7.3	5.1- 9.5	62	10.4	7.5-13.3	8	1.3	0.3- 2.3	19	3.0	1.2- 4.8	368	60.6	55.9-65.3
65+	1315	62,884	203	15.2	12.8-17.6	128	9.7	7.7-11.7	83	6.9	4.7- 9.1	21	2.0	1.0- 3.0	40	2.8	1.8- 3.8	840	63.4	60.1-66.7
Less Than H.S.	108	20,544	13	19.3	4.8-33.8	15	13.2	2.0-24.4	5	9.8	0.0-21.2				3	1.2	0.0- 2.6	72	56.5	40.4-72.6
H.S. or G.E.D.	721	63,255	96	15.4	10.9-19.9	66	8.6	5.5-11.7	43	7.6	4.1-11.1	4	0.3	0.0- 0.7	11	1.4	0.2- 2.6	501	66.6	61.1-72.1
Some Post-H.S.	899	104,202	136	17.0	13.3-20.7	71	8.3	5.6-11.0	78	9.8	6.9-12.7	17	2.5	0.9- 4.1	29	2.5	1.3- 3.7	568	59.8	55.1-64.5
College Graduate	1071	83,170	254	26.5	22.6-30.4	95	7.7	5.5- 9.9	98	10.4	7.7-13.1	18	1.7	0.7- 2.7	35	2.6	1.2- 4.0	571	51.0	46.7-55.3
Less than \$15,000	155	16,047	14	9.1	0.3-17.9	16	14.7	3.7-25.7	6	5.6	0.0-12.5	2	1.6	0.0- 4.1	7	3.4	0.7- 6.1	110	65.6	52.3-78.9
\$15,000- 24,999	327	29,428	43	20.8	11.4-30.2	36	5.2	3.0- 7.4	21	10.2	4.3-16.1	3	0.4	0.0- 0.8	6	1.1	0.1- 2.1	218	62.3	52.7-71.9
\$25,000- 34,999	227	19,735	29	13.1	6.4-19.8	19	8.3	3.8-12.8	18	7.9	3.0-12.8	4	5.1	0.0-12.2	6	2.7	0.0- 6.0	151	62.9	52.9-72.9
\$35,000- 49,999	408	37,241	78	20.9	13.6-28.2	34	8.4	4.1-12.7	30	8.4	3.9-12.9	4	0.7	0.0- 1.5	9	2.4	0.0- 4.9	253	59.3	51.5-67.1
\$50,000- 74,999	402	36,867	83	23.0	16.7-29.3	28	7.0	0.9-13.1	36	8.4	4.9-11.9	5	0.6	0.0- 1.2	12	3.1	0.7- 5.5	238	57.9	50.5-65.3
\$75,000+	805	91,362	184	24.1	19.8-28.4	74	9.2	6.3-12.1	73	10.1	6.8-13.4	15	1.9	0.7- 3.1	24	2.0	1.0- 3.0	435	52.8	47.9-57.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)	
1 MALES AND FEMALES	230
2 MALES ONLY	231
3 FEMALES ONLY	232
NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)	
4 MALES AND FEMALES	233
5 MALES ONLY	234
6 FEMALES ONLY	235
HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)	
7 MALES AND FEMALES	236
8 MALES ONLY	237
9 FEMALES ONLY	238
HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)	
10 MALES AND FEMALES	239
11 MALES ONLY	240
12 FEMALES ONLY	241
HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)	
13 MALES AND FEMALES	242
14 MALES ONLY	243
15 FEMALES ONLY	244
NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)	
16 MALES AND FEMALES	245
17 MALES ONLY	246
18 FEMALES ONLY	247

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5253	553,198	2872	49.2	47.2-51.2	1489	31.7	29.7-33.7	684	14.1	12.7-15.5	30	0.8	0.4- 1.2	178	4.2	3.4- 5.0
Male	2471	284,282	1167	43.5	40.8-46.2	794	34.5	32.0-37.0	376	15.4	13.4-17.4	16	0.9	0.3- 1.5	118	5.8	4.4- 7.2
Female	2782	268,916	1705	55.2	52.3-58.1	695	28.7	26.0-31.4	308	12.8	10.8-14.8	14	0.7	0.1- 1.3	60	2.5	1.7- 3.3
Native	175	22,794	78	40.9	30.7-51.1	54	29.8	20.6-39.0	33	21.2	12.4-30.0	2	2.7	0.0- 7.0	8	5.3	1.4- 9.2
Non-Native	5024	525,060	2768	49.6	47.6-51.6	1425	31.8	29.8-33.8	636	13.7	12.3-15.1	28	0.7	0.3- 1.1	167	4.1	3.3- 4.9
18-24	260	79,064	113	43.9	36.8-51.0	98	38.6	31.5-45.7	42	15.4	10.5-20.3				7	2.1	0.3- 3.9
25-34	423	105,432	199	46.7	41.2-52.2	147	34.5	29.4-39.6	55	12.2	8.7-15.7	5	1.7	0.1- 3.3	17	4.8	2.4- 7.2
35-44	512	87,756	247	45.1	39.8-50.4	166	33.1	28.0-38.2	78	16.2	12.1-20.3	3	0.6	0.0- 1.4	18	5.0	2.5- 7.5
45-54	617	75,605	295	45.7	40.8-50.6	200	32.8	28.1-37.5	86	14.9	11.4-18.4	4	1.0	0.0- 2.4	32	5.6	3.2- 8.0
55-64	1181	89,341	610	50.3	46.8-53.8	359	29.9	26.8-33.0	170	15.4	12.9-17.9	7	0.8	0.0- 1.6	35	3.5	2.1- 4.9
65+	2260	116,000	1408	59.7	57.2-62.2	519	23.9	21.7-26.1	253	11.9	10.1-13.7	11	0.5	0.1- 0.9	69	3.9	2.7- 5.1
Less Than H.S.	227	43,761	101	39.9	30.7-49.1	73	36.1	26.3-45.9	30	13.5	7.0-20.0	5	2.4	0.0- 5.1	18	8.1	3.4-12.8
H.S. or G.E.D.	1419	144,164	737	48.4	44.7-52.1	404	30.3	26.8-33.8	211	15.0	12.5-17.5	6	0.6	0.0- 1.4	61	5.6	3.8- 7.4
Some Post-H.S.	1682	217,063	858	45.6	42.3-48.9	519	34.0	30.9-37.1	239	16.1	13.6-18.6	11	0.9	0.3- 1.5	55	3.5	2.3- 4.7
College Graduate	1910	146,435	1163	57.9	54.8-61.0	491	28.4	25.5-31.3	204	10.7	8.7-12.7	8	0.4	0.0- 0.8	44	2.7	1.7- 3.7
Less than \$15,000	253	26,909	127	53.1	43.9-62.3	65	22.4	15.5-29.3	40	13.2	7.9-18.5	3	2.2	0.0- 5.7	18	9.1	4.0-14.2
\$15,000- 24,999	538	51,855	278	47.3	40.6-54.0	150	30.6	24.1-37.1	84	15.5	10.8-20.2	2	0.8	0.0- 2.2	24	5.8	2.7- 8.9
\$25,000- 34,999	436	42,855	228	43.4	36.5-50.3	111	30.4	23.7-37.1	82	22.4	16.5-28.3	2	0.3	0.0- 0.7	13	3.6	0.7- 6.5
\$35,000- 49,999	741	72,729	407	46.8	41.3-52.3	207	33.1	27.6-38.6	98	14.8	10.7-18.9	4	0.8	0.0- 1.8	25	4.5	2.1- 6.9
\$50,000- 74,999	840	85,414	481	48.7	44.0-53.4	248	35.7	30.8-40.6	89	11.6	8.7-14.5	2	0.1	0.0- 0.3	20	3.9	1.9- 5.9
\$75,000+	1758	208,129	953	50.6	47.5-53.7	533	32.8	29.7-35.9	209	12.9	10.7-15.1	7	0.4	0.0- 0.8	56	3.3	2.1- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 2: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2471	284,282	1167	43.5	40.8-46.2	794	34.5	32.0-37.0	376	15.4	13.4-17.4	16	0.9	0.3- 1.5	118	5.8	4.4- 7.2
Native	83	10,861	41	48.0	33.1-62.9	22	28.9	15.2-42.6	15	14.0	5.8-22.2	1	4.7	0.0-13.7	4	4.4	0.0- 9.1
Non-Native	2355	269,718	1113	43.4	40.7-46.1	765	34.7	32.0-37.4	350	15.3	13.3-17.3	15	0.7	0.1- 1.3	112	5.9	4.5- 7.3
18-24	171	41,580	65	37.6	29.6-45.6	70	42.4	34.2-50.6	30	17.3	11.2-23.4				6	2.7	0.3- 5.1
25-34	232	57,689	99	41.8	34.7-48.9	88	38.7	31.6-45.8	28	10.2	6.1-14.3	3	1.9	0.0- 4.1	14	7.3	3.4-11.2
35-44	259	45,984	102	39.5	32.2-46.8	87	31.6	24.7-38.5	54	20.5	14.4-26.6	1	0.7	0.0- 2.1	15	7.7	3.4-12.0
45-54	304	39,207	135	44.7	37.4-52.0	99	32.1	25.6-38.6	45	14.4	9.7-19.1	2	1.3	0.0- 3.7	23	7.5	3.6-11.4
55-64	554	45,990	245	43.8	38.7-48.9	200	35.1	30.4-39.8	84	15.8	11.9-19.7	4	0.6	0.0- 1.2	21	4.7	2.3- 7.1
65+	951	53,832	521	52.1	48.2-56.0	250	27.4	23.9-30.9	135	15.3	12.4-18.2	6	0.5	0.1- 0.9	39	4.7	2.9- 6.5
Less Than H.S.	119	23,190	52	46.0	33.8-58.2	40	30.1	19.1-41.1	13	9.7	2.8-16.6	4	4.2	0.0- 9.1	10	9.9	2.5-17.3
H.S. or G.E.D.	716	82,495	323	43.9	39.0-48.8	220	32.6	27.9-37.3	123	15.9	12.4-19.4	3	0.5	0.0- 1.1	47	7.2	4.7- 9.7
Some Post-H.S.	784	112,672	346	38.0	33.7-42.3	273	38.6	34.1-43.1	126	17.6	14.3-20.9	5	0.9	0.0- 1.9	34	5.0	2.8- 7.2
College Graduate	843	64,771	438	51.1	46.6-55.6	260	31.3	27.2-35.4	114	13.2	10.3-16.1	4	0.3	0.1- 0.5	27	4.1	2.1- 6.1
Less than \$15,000	99	10,890	44	42.0	28.9-55.1	26	23.7	13.5-33.9	15	16.2	7.0-25.4	1	4.3	0.0-12.5	13	13.7	5.1-22.3
\$15,000- 24,999	218	22,959	87	38.5	29.5-47.5	69	32.9	24.3-41.5	45	18.0	11.3-24.7	2	1.8	0.0- 4.7	15	8.8	3.3-14.3
\$25,000- 34,999	206	22,978	99	35.2	26.4-44.0	54	37.5	27.7-47.3	44	22.7	14.9-30.5	2	0.5	0.0- 1.3	7	4.1	0.0- 8.8
\$35,000- 49,999	335	35,156	160	40.9	33.5-48.3	111	39.0	31.2-46.8	49	14.8	9.3-20.3	2	0.3	0.0- 0.7	13	5.0	1.9- 8.1
\$50,000- 74,999	433	48,098	213	41.2	35.1-47.3	145	38.2	31.9-44.5	57	14.2	9.9-18.5	2	0.2	0.0- 0.4	16	6.2	2.7- 9.7
\$75,000+	961	118,260	461	46.7	42.4-51.0	327	34.7	30.8-38.6	130	13.8	10.9-16.7	3	0.2	0.0- 0.4	40	4.6	2.8- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 3: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2782	268,916	1705	55.2	52.3-58.1	695	28.7	26.0-31.4	308	12.8	10.8-14.8	14	0.7	0.1- 1.3	60	2.5	1.7- 3.3
Native	92	11,933	37	34.5	20.8-48.2	32	30.7	18.4-43.0	18	27.8	13.5-42.1	1	0.8	0.0- 2.4	4	6.2	0.0-12.5
Non-Native	2669	255,342	1655	56.2	53.3-59.1	660	28.8	26.1-31.5	286	12.0	10.0-14.0	13	0.7	0.1- 1.3	55	2.3	1.5- 3.1
18-24	89	37,484	48	50.8	38.8-62.8	28	34.3	22.5-46.1	12	13.4	5.6-21.2				1	1.5	0.0- 4.4
25-34	191	47,743	100	52.7	44.5-60.9	59	29.5	22.1-36.9	27	14.6	8.5-20.7	2	1.4	0.0- 3.4	3	1.8	0.0- 4.0
35-44	253	41,772	145	51.2	43.6-58.8	79	34.7	27.3-42.1	24	11.4	5.9-16.9	2	0.6	0.0- 1.6	3	2.0	0.0- 4.5
45-54	313	36,398	160	46.7	39.8-53.6	101	33.6	27.1-40.1	41	15.4	10.3-20.5	2	0.7	0.0- 1.7	9	3.6	1.1- 6.1
55-64	627	43,351	365	57.1	52.4-61.8	159	24.4	20.3-28.5	86	15.1	11.6-18.6	3	1.1	0.0- 2.7	14	2.3	0.9- 3.7
65+	1309	62,168	887	66.2	63.1-69.3	269	21.0	18.3-23.7	118	9.0	7.0-11.0	5	0.5	0.0- 1.1	30	3.3	1.9- 4.7
Less Than H.S.	108	20,571	49	32.9	19.6-46.2	33	42.7	26.6-58.8	17	17.8	6.4-29.2	1	0.4	0.0- 1.2	8	6.1	0.8-11.4
H.S. or G.E.D.	703	61,669	414	54.6	48.9-60.3	184	27.2	22.1-32.3	88	13.8	9.9-17.7	3	0.9	0.0- 2.3	14	3.5	1.0- 6.0
Some Post-H.S.	898	104,391	512	53.8	48.9-58.7	246	28.9	24.6-33.2	113	14.5	11.0-18.0	6	0.9	0.1- 1.7	21	1.9	0.9- 2.9
College Graduate	1067	81,664	725	63.2	58.9-67.5	231	26.0	22.1-29.9	90	8.8	6.3-11.3	4	0.5	0.0- 1.1	17	1.5	0.5- 2.5
Less than \$15,000	154	16,019	83	60.6	48.6-72.6	39	21.5	12.3-30.7	25	11.2	4.9-17.5	2	0.7	0.0- 1.9	5	6.0	0.0-12.1
\$15,000- 24,999	320	28,896	191	54.4	44.8-64.0	81	28.7	19.5-37.9	39	13.6	6.7-20.5				9	3.3	0.0- 6.6
\$25,000- 34,999	230	19,877	129	52.8	42.6-63.0	57	22.2	14.8-29.6	38	22.0	13.0-31.0				6	3.0	0.0- 6.1
\$35,000- 49,999	406	37,573	247	52.4	44.6-60.2	96	27.6	20.0-35.2	49	14.8	8.9-20.7	2	1.2	0.0- 3.0	12	4.0	0.7- 7.3
\$50,000- 74,999	407	37,317	268	58.2	50.8-65.6	103	32.4	25.0-39.8	32	8.3	4.8-11.8				4	1.0	0.0- 2.2
\$75,000+	797	89,869	492	55.9	50.8-61.0	206	30.3	25.6-35.0	79	11.5	8.2-14.8	4	0.6	0.0- 1.2	16	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 4: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5277	555,148	838	13.2	12.0-14.4	1012	20.8	19.2-22.4	876	18.6	17.0-20.2	163	2.7	2.1- 3.3	2388	44.6	42.6-46.6
Male	2484	285,176	442	14.5	12.7-16.3	542	23.7	21.3-26.1	459	19.4	17.2-21.6	61	2.3	1.5- 3.1	980	40.2	37.7-42.7
Female	2793	269,973	396	11.9	10.1-13.7	470	17.7	15.3-20.1	417	17.9	15.7-20.1	102	3.2	2.2- 4.2	1408	49.3	46.4-52.2
Native	180	22,999	34	16.8	9.5-24.1	53	25.9	17.3-34.5	28	16.2	9.1-23.3	3	2.8	0.0- 6.3	62	38.3	28.3-48.3
Non-Native	5044	526,858	797	13.1	11.7-14.5	954	20.6	18.8-22.4	832	18.7	17.1-20.3	159	2.7	2.1- 3.3	2302	44.9	42.9-46.9
18-24	265	79,796	35	12.1	7.6-16.6	63	25.5	19.2-31.8	59	19.9	14.6-25.2	6	1.8	0.2- 3.4	102	40.8	33.7-47.9
25-34	422	104,756	39	9.6	6.3-12.9	123	29.3	24.4-34.2	81	16.5	12.6-20.4	11	3.0	0.8- 5.2	168	41.6	36.1-47.1
35-44	517	88,161	52	10.5	7.2-13.8	87	15.7	12.0-19.4	144	28.4	23.7-33.1	14	2.1	0.7- 3.5	220	43.4	38.1-48.7
45-54	623	76,270	72	10.9	7.8-14.0	123	18.0	13.9-22.1	127	21.7	17.8-25.6	20	3.8	1.4- 6.2	281	45.7	40.8-50.6
55-64	1186	89,793	153	13.3	10.9-15.7	240	19.3	16.6-22.0	184	15.6	13.1-18.1	27	1.7	0.9- 2.5	582	50.1	46.6-53.6
65+	2264	116,373	487	20.9	18.7-23.1	376	16.8	15.0-18.6	281	12.8	11.0-14.6	85	3.6	2.8- 4.4	1035	45.9	43.4-48.4
Less Than H.S.	226	42,518	50	17.0	10.9-23.1	48	27.5	18.1-36.9	26	9.7	5.2-14.2	15	6.1	2.0-10.2	87	39.7	29.9-49.5
H.S. or G.E.D.	1436	145,413	258	16.9	14.2-19.6	252	20.2	17.1-23.3	216	15.7	13.0-18.4	38	1.7	0.9- 2.5	672	45.4	41.7-49.1
Some Post-H.S.	1692	218,366	237	11.2	9.2-13.2	333	21.2	18.5-23.9	286	20.4	17.7-23.1	62	3.2	2.0- 4.4	774	43.9	40.6-47.2
College Graduate	1906	146,925	290	11.5	9.7-13.3	376	18.8	16.4-21.2	342	21.0	18.5-23.5	48	2.0	1.2- 2.8	850	46.6	43.5-49.7
Less than \$15,000	256	27,604	52	23.0	14.6-31.4	44	14.6	8.5-20.7	32	12.4	6.5-18.3	11	4.5	0.6- 8.4	117	45.5	36.1-54.9
\$15,000- 24,999	539	51,664	95	12.9	9.2-16.6	90	19.5	14.0-25.0	81	16.6	11.7-21.5	14	2.3	0.3- 4.3	259	48.6	41.9-55.3
\$25,000- 34,999	448	43,615	91	18.6	13.3-23.9	75	20.6	14.7-26.5	70	17.8	12.3-23.3	18	4.5	1.2- 7.8	194	38.5	32.0-45.0
\$35,000- 49,999	742	72,574	133	12.4	9.3-15.5	128	20.2	15.5-24.9	126	19.6	15.3-23.9	32	3.4	1.4- 5.4	323	44.3	38.8-49.8
\$50,000- 74,999	834	85,160	118	13.4	10.3-16.5	187	23.8	19.5-28.1	137	16.8	13.3-20.3	15	1.3	0.5- 2.1	377	44.8	40.1-49.5
\$75,000+	1759	208,131	220	10.8	8.8-12.8	359	20.8	18.1-23.5	326	20.2	17.7-22.7	51	2.5	1.5- 3.5	803	45.8	42.7-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 5: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2484	285,176	442	14.5	12.7-16.3	542	23.7	21.3-26.1	459	19.4	17.2-21.6	61	2.3	1.5- 3.1	980	40.2	37.7-42.7
Native	86	11,183	18	18.8	7.8-29.8	24	24.1	12.1-36.1	14	15.4	6.0-24.8	2	2.6	0.0- 6.7	28	39.0	24.1-53.9
Non-Native	2367	270,478	420	14.4	12.6-16.2	514	23.7	21.3-26.1	433	19.4	17.2-21.6	59	2.3	1.3- 3.3	941	40.2	37.5-42.9
18-24	175	42,604	24	11.4	6.5-16.3	41	25.9	18.5-33.3	39	21.0	14.5-27.5	3	1.3	0.0- 2.9	68	40.5	32.5-48.5
25-34	232	57,835	25	12.1	7.2-17.0	77	33.3	26.4-40.2	40	14.5	9.6-19.4	4	1.8	0.0- 3.8	86	38.3	31.2-45.4
35-44	258	45,341	29	10.6	6.1-15.1	49	17.4	11.9-22.9	76	28.5	21.8-35.2	7	2.0	0.0- 4.0	97	41.5	34.1-48.9
45-54	307	39,482	38	11.8	7.5-16.1	67	22.1	15.6-28.6	72	23.7	18.0-29.4	11	5.3	1.0- 9.6	119	37.2	30.5-43.9
55-64	556	46,147	88	16.6	12.9-20.3	135	23.5	19.2-27.8	97	16.5	12.8-20.2	9	1.4	0.4- 2.4	227	42.1	37.0-47.2
65+	956	53,766	238	23.2	20.1-26.3	173	18.4	15.5-21.3	135	14.8	12.1-17.5	27	2.3	1.3- 3.3	383	41.3	37.6-45.0
Less Than H.S.	117	22,417	27	19.5	10.9-28.1	25	27.1	15.1-39.1	17	11.3	4.6-18.0	8	7.5	0.6-14.4	40	34.6	23.2-46.0
H.S. or G.E.D.	723	83,048	133	18.3	14.6-22.0	146	23.5	19.2-27.8	120	16.0	12.5-19.5	17	1.6	0.4- 2.8	307	40.6	35.9-45.3
Some Post-H.S.	793	114,209	127	11.8	9.1-14.5	177	24.2	20.3-28.1	147	20.9	17.2-24.6	21	2.1	0.7- 3.5	321	40.9	36.4-45.4
College Graduate	840	64,240	154	13.0	10.5-15.5	192	21.9	18.2-25.6	170	22.9	19.2-26.6	15	1.5	0.3- 2.7	309	40.7	36.4-45.0
Less than \$15,000	101	11,396	23	27.4	14.9-39.9	18	14.8	6.0-23.6	15	11.7	5.0-18.4	3	6.4	0.0-15.0	42	39.8	27.1-52.5
\$15,000- 24,999	218	22,762	42	14.6	8.9-20.3	45	26.8	17.8-35.8	44	18.0	11.3-24.7	3	0.7	0.0- 1.5	84	40.0	31.0-49.0
\$25,000- 34,999	214	23,450	53	19.8	12.7-26.9	40	24.0	15.4-32.6	29	14.2	7.3-21.1	8	2.9	0.4- 5.4	84	39.2	29.8-48.6
\$35,000- 49,999	337	35,380	58	12.3	7.8-16.8	62	24.6	17.3-31.9	57	15.0	10.1-19.9	13	3.4	0.3- 6.5	147	44.6	37.0-52.2
\$50,000- 74,999	432	48,078	79	16.0	11.5-20.5	111	25.8	20.1-31.5	75	18.2	13.5-22.9	2	0.2	0.0- 0.6	165	39.8	33.5-46.1
\$75,000+	960	118,042	144	12.2	9.7-14.7	226	23.7	20.0-27.4	199	22.7	19.2-26.2	23	2.0	0.8- 3.2	368	39.5	35.4-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 6: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2793	269,973	396	11.9	10.1-13.7	470	17.7	15.3-20.1	417	17.9	15.7-20.1	102	3.2	2.2- 4.2	1408	49.3	46.4-52.2
Native	94	11,816	16	15.0	5.2-24.8	29	27.5	15.0-40.0	14	17.0	6.6-27.4	1	3.0	0.0- 8.7	34	37.5	24.0-51.0
Non-Native	2677	256,379	377	11.7	9.9-13.5	440	17.4	15.0-19.8	399	17.9	15.5-20.3	100	3.2	2.2- 4.2	1361	49.8	46.9-52.7
18-24	90	37,192	11	12.8	4.8-20.8	22	25.1	14.7-35.5	20	18.6	10.2-27.0	3	2.3	0.0- 4.8	34	41.2	29.0-53.4
25-34	190	46,921	14	6.5	2.8-10.2	46	24.4	17.0-31.8	41	18.9	12.4-25.4	7	4.6	0.7- 8.5	82	45.7	37.5-53.9
35-44	259	42,820	23	10.3	5.6-15.0	38	13.8	8.7-18.9	68	28.3	21.4-35.2	7	2.2	0.2- 4.2	123	45.4	38.0-52.8
45-54	316	36,787	34	9.9	5.6-14.2	56	13.6	8.9-18.3	55	19.5	14.0-25.0	9	2.3	0.7- 3.9	162	54.7	47.8-61.6
55-64	630	43,646	65	9.7	7.2-12.2	105	14.9	11.8-18.0	87	14.6	11.1-18.1	18	2.1	0.9- 3.3	355	58.7	54.0-63.4
65+	1308	62,607	249	19.0	16.3-21.7	203	15.5	13.1-17.9	146	11.0	9.0-13.0	58	4.7	3.3- 6.1	652	49.8	46.5-53.1
Less Than H.S.	109	20,102	23	14.2	5.6-22.8	23	27.9	13.4-42.4	9	7.8	1.7-13.9	7	4.7	0.4- 9.0	47	45.4	29.7-61.1
H.S. or G.E.D.	713	62,364	125	15.2	11.1-19.3	106	15.8	11.7-19.9	96	15.4	11.1-19.7	21	1.8	0.8- 2.8	365	51.8	46.1-57.5
Some Post-H.S.	899	104,156	110	10.6	7.7-13.5	156	18.0	14.1-21.9	139	19.9	15.8-24.0	41	4.4	2.4- 6.4	453	47.1	42.2-52.0
College Graduate	1066	82,685	136	10.3	7.9-12.7	184	16.5	13.4-19.6	172	19.5	16.0-23.0	33	2.4	1.4- 3.4	541	51.3	47.0-55.6
Less than \$15,000	155	16,208	29	19.9	8.5-31.3	26	14.4	6.4-22.4	17	12.8	4.0-21.6	8	3.3	0.6- 6.0	75	49.6	36.7-62.5
\$15,000- 24,999	321	28,903	53	11.6	6.7-16.5	45	13.8	7.5-20.1	37	15.5	8.2-22.8	11	3.6	0.1- 7.1	175	55.5	46.1-64.9
\$25,000- 34,999	234	20,165	38	17.3	9.3-25.3	35	16.7	8.7-24.7	41	22.0	13.2-30.8	10	6.3	0.0-13.0	110	37.6	28.6-46.6
\$35,000- 49,999	405	37,194	75	12.5	8.0-17.0	66	16.1	10.4-21.8	69	24.0	17.1-30.9	19	3.4	1.2- 5.6	176	44.0	36.2-51.8
\$50,000- 74,999	402	37,082	39	9.9	5.8-14.0	76	21.2	14.1-28.3	62	14.9	9.8-20.0	13	2.7	0.9- 4.5	212	51.3	43.9-58.7
\$75,000+	799	90,089	76	8.9	6.0-11.8	133	17.1	13.2-21.0	127	17.0	13.5-20.5	28	3.1	1.5- 4.7	435	54.0	48.9-59.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 7: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5276	554,971	888	16.0	14.6-17.4	2665	48.9	46.9-50.9	1192	23.7	21.9-25.5	66	1.1	0.7- 1.5	465	10.3	9.1-11.5
Male	2482	285,276	371	14.4	12.4-16.4	1190	46.2	43.5-48.9	614	24.8	22.4-27.2	38	1.7	0.9- 2.5	269	12.9	10.9-14.9
Female	2794	269,695	517	17.6	15.4-19.8	1475	51.8	48.9-54.7	578	22.5	20.1-24.9	28	0.5	0.3- 0.7	196	7.6	6.0- 9.2
Native	177	23,214	33	15.3	8.4-22.2	70	34.5	24.9-44.1	39	17.2	10.3-24.1	4	3.3	0.0- 8.2	31	29.7	19.3-40.1
Non-Native	5044	526,280	848	16.0	14.4-17.6	2574	49.7	47.7-51.7	1141	24.0	22.2-25.8	61	1.0	0.6- 1.4	420	9.3	8.1-10.5
18-24	266	80,379	38	15.0	9.9-20.1	110	44.7	37.6-51.8	65	23.2	17.5-28.9	5	1.0	0.0- 2.0	48	16.1	11.2-21.0
25-34	423	104,891	68	15.9	12.0-19.8	207	47.0	41.5-52.5	98	24.4	19.5-29.3	5	1.4	0.0- 2.8	45	11.3	8.0-14.6
35-44	518	88,232	91	16.4	12.7-20.1	258	47.7	42.4-53.0	125	25.4	20.7-30.1	4	1.0	0.0- 2.0	40	9.5	6.2-12.8
45-54	615	75,071	88	14.3	10.6-18.0	310	51.2	46.3-56.1	166	25.7	21.6-29.8	4	0.9	0.0- 2.1	47	7.9	5.2-10.6
55-64	1184	89,236	195	16.9	14.2-19.6	613	50.1	46.6-53.6	280	23.9	21.0-26.8	9	0.7	0.1- 1.3	87	8.5	6.3-10.7
65+	2270	117,162	408	16.7	14.9-18.5	1167	52.0	49.5-54.5	458	20.6	18.6-22.6	39	1.7	1.1- 2.3	198	9.0	7.4-10.6
Less Than H.S.	221	42,269	34	14.8	7.5-22.1	105	50.3	40.5-60.1	40	14.1	8.4-19.8	9	4.0	0.3- 7.7	33	16.8	9.7-23.9
H.S. or G.E.D.	1434	145,406	226	16.6	13.7-19.5	678	45.4	41.7-49.1	324	22.1	19.0-25.2	22	1.4	0.6- 2.2	184	14.5	12.0-17.0
Some Post-H.S.	1692	218,562	261	14.4	12.0-16.8	873	49.0	45.7-52.3	396	26.8	23.9-29.7	17	0.7	0.3- 1.1	145	9.2	7.2-11.2
College Graduate	1912	146,852	365	18.1	15.7-20.5	1001	51.9	48.8-55.0	429	23.3	20.8-25.8	17	0.8	0.2- 1.4	100	5.9	4.3- 7.5
Less than \$15,000	251	27,215	39	13.9	6.6-21.2	100	40.7	31.3-50.1	55	20.1	13.2-27.0	7	3.1	0.0- 6.8	50	22.2	14.6-29.8
\$15,000- 24,999	543	52,140	97	16.8	12.1-21.5	240	43.8	37.1-50.5	126	21.6	16.5-26.7	11	1.2	0.4- 2.0	69	16.5	11.6-21.4
\$25,000- 34,999	442	43,018	61	11.9	7.4-16.4	197	38.9	32.4-45.4	130	36.0	28.9-43.1	8	1.2	0.2- 2.2	46	12.0	7.5-16.5
\$35,000- 49,999	747	72,191	116	15.0	11.1-18.9	385	48.6	43.1-54.1	174	25.5	20.6-30.4	9	1.1	0.1- 2.1	63	9.8	6.5-13.1
\$50,000- 74,999	837	85,363	139	15.2	11.9-18.5	455	54.1	49.4-58.8	172	21.2	17.3-25.1	5	0.3	0.0- 0.7	66	9.1	6.4-11.8
\$75,000+	1761	208,906	310	17.5	15.0-20.0	955	52.1	49.0-55.2	395	23.4	20.7-26.1	14	1.0	0.2- 1.8	87	6.0	4.4- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2482	285,276	371	14.4	12.4-16.4	1190	46.2	43.5-48.9	614	24.8	22.4-27.2	38	1.7	0.9- 2.5	269	12.9	10.9-14.9
Native	81	10,609	12	9.4	2.3-16.5	32	35.8	21.7-49.9	18	15.1	6.7-23.5	2	6.6	0.0-17.2	17	33.1	18.2-48.0
Non-Native	2368	270,921	356	14.7	12.7-16.7	1144	46.6	43.9-49.3	590	25.2	22.8-27.6	35	1.5	0.7- 2.3	243	11.9	10.1-13.7
18-24	176	42,752	25	13.9	8.2-19.6	65	38.2	30.4-46.0	47	27.1	19.8-34.4	5	1.9	0.1- 3.7	34	19.0	12.7-25.3
25-34	232	57,801	32	14.5	9.4-19.6	112	46.2	38.9-53.5	53	22.9	16.8-29.0	5	2.6	0.1- 5.1	30	13.9	9.0-18.8
35-44	260	45,816	41	14.8	9.9-19.7	121	44.7	37.4-52.0	64	24.0	17.7-30.3	4	1.9	0.0- 3.9	30	14.6	8.9-20.3
45-54	305	39,120	42	14.8	8.9-20.7	142	47.6	40.5-54.7	91	27.1	21.2-33.0	2	1.4	0.0- 3.8	28	9.1	5.2-13.0
55-64	551	45,518	75	13.1	9.8-16.4	271	48.5	43.4-53.6	140	25.4	20.9-29.9	6	0.6	0.0- 1.2	59	12.4	8.9-15.9
65+	958	54,269	156	15.0	12.5-17.5	479	50.8	46.9-54.7	219	23.5	20.2-26.8	16	1.9	0.7- 3.1	88	8.9	6.7-11.1
Less Than H.S.	116	22,129	16	15.4	5.2-25.6	50	41.6	29.6-53.6	28	19.6	10.4-28.8	6	6.9	0.0-13.8	16	16.5	7.1-25.9
H.S. or G.E.D.	724	82,947	117	17.4	13.7-21.1	310	41.6	36.9-46.3	172	22.0	18.1-25.9	12	1.9	0.5- 3.3	113	17.2	13.5-20.9
Some Post-H.S.	791	114,349	98	10.9	8.2-13.6	407	49.3	44.8-53.8	195	27.1	23.0-31.2	9	0.8	0.2- 1.4	82	11.9	9.0-14.8
College Graduate	840	64,589	139	16.6	13.3-19.9	419	48.4	43.9-52.9	217	25.9	22.0-29.8	10	1.5	0.3- 2.7	55	7.7	5.2-10.2
Less than \$15,000	98	11,071	14	9.0	3.3-14.7	32	35.5	22.2-48.8	24	20.6	11.2-30.0	5	7.2	0.0-16.0	23	27.6	15.4-39.8
\$15,000- 24,999	219	22,854	40	18.9	11.1-26.7	81	35.0	26.4-43.6	55	21.7	14.8-28.6	5	1.8	0.0- 3.6	38	22.6	14.6-30.6
\$25,000- 34,999	210	23,006	27	11.9	5.4-18.4	85	41.8	32.2-51.4	64	29.3	20.5-38.1	4	0.9	0.0- 1.9	30	16.1	9.0-23.2
\$35,000- 49,999	340	35,624	47	12.2	7.5-16.9	172	47.4	39.8-55.0	83	25.9	18.8-33.0	6	1.7	0.0- 3.5	32	12.8	7.1-18.5
\$50,000- 74,999	431	48,070	67	12.7	8.8-16.6	210	49.5	43.2-55.8	100	24.3	18.8-29.8	5	0.5	0.0- 1.1	49	13.0	8.7-17.3
\$75,000+	963	118,837	144	15.6	12.5-18.7	513	50.0	45.9-54.1	235	24.9	21.4-28.4	8	1.4	0.0- 2.8	63	8.0	5.6-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 9: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2794	269,695	517	17.6	15.4-19.8	1475	51.8	48.9-54.7	578	22.5	20.1-24.9	28	0.5	0.3- 0.7	196	7.6	6.0- 9.2
Native	96	12,604	21	20.3	9.3-31.3	38	33.4	20.5-46.3	21	18.9	8.7-29.1	2	0.5	0.0- 1.3	14	26.8	12.5-41.1
Non-Native	2676	255,358	492	17.3	15.1-19.5	1430	53.0	50.1-55.9	551	22.6	20.1-25.1	26	0.5	0.3- 0.7	177	6.6	5.2- 8.0
18-24	90	37,626	13	16.1	7.1-25.1	45	52.1	40.1-64.1	18	18.9	10.1-27.7				14	12.9	5.5-20.3
25-34	191	47,089	36	17.6	11.7-23.5	95	48.1	39.9-56.3	45	26.2	18.6-33.8				15	8.1	3.8-12.4
35-44	258	42,416	50	18.2	12.5-23.9	137	50.9	43.5-58.3	61	26.9	19.8-34.0				10	3.9	1.0- 6.8
45-54	310	35,951	46	13.7	9.0-18.4	168	55.1	48.2-62.0	75	24.2	18.3-30.1	2	0.4	0.0- 1.0	19	6.6	3.1-10.1
55-64	633	43,719	120	20.8	16.5-25.1	342	51.7	46.8-56.6	140	22.2	18.3-26.1	3	0.7	0.0- 1.5	28	4.5	2.5- 6.5
65+	1312	62,893	252	18.2	15.7-20.7	688	53.0	49.7-56.3	239	18.1	15.6-20.6	23	1.5	0.7- 2.3	110	9.2	6.8-11.6
Less Than H.S.	105	20,140	18	14.1	4.1-24.1	55	59.9	45.4-74.4	12	8.1	2.2-14.0	3	0.8	0.0- 1.8	17	17.1	6.5-27.7
H.S. or G.E.D.	710	62,459	109	15.6	11.3-19.9	368	50.4	44.7-56.1	152	22.2	17.5-26.9	10	0.8	0.2- 1.4	71	11.1	7.6-14.6
Some Post-H.S.	901	104,213	163	18.2	14.5-21.9	466	48.6	43.7-53.5	201	26.4	21.9-30.9	8	0.6	0.2- 1.0	63	6.1	3.7- 8.5
College Graduate	1072	82,263	226	19.3	16.0-22.6	582	54.6	50.3-58.9	212	21.3	17.8-24.8	7	0.2	0.0- 0.4	45	4.5	2.7- 6.3
Less than \$15,000	153	16,144	25	17.2	6.0-28.4	68	44.2	31.3-57.1	31	19.7	10.1-29.3	2	0.4	0.0- 1.0	27	18.4	8.6-28.2
\$15,000- 24,999	324	29,286	57	15.2	9.5-20.9	159	50.7	41.3-60.1	71	21.5	14.1-28.9	6	0.8	0.0- 1.6	31	11.7	6.0-17.4
\$25,000- 34,999	232	20,011	34	12.0	5.9-18.1	112	35.6	27.2-44.0	66	43.6	33.0-54.2	4	1.6	0.0- 3.4	16	7.2	2.3-12.1
\$35,000- 49,999	407	36,567	69	17.6	11.7-23.5	213	49.7	41.9-57.5	91	25.2	18.3-32.1	3	0.5	0.0- 1.1	31	7.0	3.3-10.7
\$50,000- 74,999	406	37,293	72	18.4	12.7-24.1	245	60.0	52.9-67.1	72	17.4	12.1-22.7				17	4.2	1.3- 7.1
\$75,000+	798	90,068	166	19.9	15.8-24.0	442	55.0	50.1-59.9	160	21.4	17.3-25.5	6	0.4	0.0- 0.8	24	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 10: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5296	555,488	161	3.2	2.4- 4.0	2165	43.2	41.2-45.2	2084	39.7	37.7-41.7	119	1.9	1.3- 2.5	767	12.0	10.8-13.2
Male	2499	286,290	111	4.0	3.0- 5.0	1242	50.3	47.6-53.0	864	35.6	33.1-38.1	33	1.2	0.6- 1.8	249	8.9	7.3-10.5
Female	2797	269,198	50	2.5	1.3- 3.7	923	35.6	32.9-38.3	1220	44.0	41.1-46.9	86	2.5	1.5- 3.5	518	15.4	13.4-17.4
Native	180	23,495	16	5.3	1.4- 9.2	68	40.5	30.3-50.7	71	40.7	30.5-50.9	3	1.4	0.0- 3.2	22	12.0	5.3-18.7
Non-Native	5061	526,432	144	3.2	2.4- 4.0	2077	43.3	41.3-45.3	1988	39.6	37.6-41.6	114	1.9	1.3- 2.5	738	12.1	10.9-13.3
18-24	266	80,328	12	5.3	1.8- 8.8	119	44.1	37.2-51.0	112	41.6	34.5-48.7	4	1.9	0.0- 3.9	19	7.1	3.6-10.6
25-34	422	104,010	15	3.0	1.4- 4.6	214	50.8	45.3-56.3	158	36.2	30.9-41.5	5	1.4	0.0- 2.8	30	8.6	5.3-11.9
35-44	517	88,300	14	2.8	0.8- 4.8	225	42.9	37.6-48.2	216	44.0	38.7-49.3	9	1.8	0.4- 3.2	53	8.5	5.8-11.2
45-54	617	75,492	15	2.5	0.7- 4.3	254	40.2	35.3-45.1	259	40.0	35.3-44.7	13	2.0	0.8- 3.2	76	15.3	11.2-19.4
55-64	1191	89,828	33	2.6	1.6- 3.6	490	41.8	38.3-45.3	479	39.9	36.6-43.2	20	1.3	0.5- 2.1	169	14.4	11.9-16.9
65+	2283	117,530	72	3.3	2.3- 4.3	863	39.0	36.6-41.4	860	37.9	35.4-40.4	68	2.6	1.8- 3.4	420	17.3	15.3-19.3
Less Than H.S.	225	42,597	10	7.0	1.1-12.9	83	38.8	29.4-48.2	81	39.1	29.3-48.9	11	2.5	0.7- 4.3	40	12.6	6.7-18.5
H.S. or G.E.D.	1443	145,199	63	5.3	3.5- 7.1	609	46.2	42.5-49.9	539	35.4	31.9-38.9	37	2.2	1.0- 3.4	195	11.0	8.8-13.2
Some Post-H.S.	1696	218,392	45	2.1	1.3- 2.9	696	42.6	39.3-45.9	682	41.3	38.0-44.6	38	1.7	0.7- 2.7	235	12.2	10.0-14.4
College Graduate	1914	147,244	40	1.7	1.1- 2.3	772	42.5	39.4-45.6	776	41.8	38.7-44.9	33	1.6	0.8- 2.4	293	12.4	10.4-14.4
Less than \$15,000	260	27,737	15	6.3	1.8-10.8	72	30.1	21.3-38.9	92	36.8	27.8-45.8	7	1.0	0.2- 1.8	74	25.8	17.8-33.8
\$15,000- 24,999	545	52,581	21	3.2	1.2- 5.2	199	41.6	35.1-48.1	205	37.9	31.2-44.6	13	1.5	0.3- 2.7	107	15.8	11.5-20.1
\$25,000- 34,999	447	43,416	7	1.8	0.0- 3.6	173	38.4	31.7-45.1	197	47.5	40.4-54.6	8	2.0	0.2- 3.8	62	10.2	6.7-13.7
\$35,000- 49,999	747	72,422	25	5.1	1.4- 8.8	283	38.6	33.3-43.9	321	45.3	39.8-50.8	24	2.3	1.1- 3.5	94	8.7	6.2-11.2
\$50,000- 74,999	839	85,177	26	3.1	1.7- 4.5	389	49.6	44.7-54.5	317	36.7	32.0-41.4	12	1.1	0.1- 2.1	95	9.5	7.0-12.0
\$75,000+	1762	208,386	46	2.7	1.7- 3.7	792	45.3	42.2-48.4	684	39.0	35.9-42.1	33	1.7	0.9- 2.5	207	11.3	9.3-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2499	286,290	111	4.0	3.0- 5.0	1242	50.3	47.6-53.0	864	35.6	33.1-38.1	33	1.2	0.6- 1.8	249	8.9	7.3-10.5
Native	84	10,890	11	4.9	1.4- 8.4	31	48.9	33.8-64.0	32	33.8	19.9-47.7				10	12.4	3.0-21.8
Non-Native	2382	271,655	100	4.0	3.0- 5.0	1197	50.4	47.7-53.1	816	35.6	33.1-38.1	32	1.3	0.7- 1.9	237	8.8	7.2-10.4
18-24	176	42,701	8	4.7	1.4- 8.0	87	51.9	43.9-59.9	70	37.8	30.0-45.6	2	1.3	0.0- 3.1	9	4.3	1.4- 7.2
25-34	233	57,954	9	2.8	0.8- 4.8	127	55.2	47.9-62.5	82	35.1	28.2-42.0	2	0.6	0.0- 1.6	13	6.3	2.8- 9.8
35-44	260	45,816	10	4.0	0.7- 7.3	129	49.3	41.9-56.7	99	39.8	32.5-47.1	4	1.3	0.0- 2.9	18	5.6	2.5- 8.7
45-54	306	39,250	11	3.8	0.7- 6.9	145	47.2	40.1-54.3	107	31.5	25.2-37.8	6	1.8	0.2- 3.4	37	15.8	9.5-22.1
55-64	557	46,019	23	3.7	1.9- 5.5	280	48.3	43.2-53.4	191	36.8	31.7-41.9	4	1.0	0.0- 2.2	59	10.3	7.2-13.4
65+	967	54,550	50	4.9	3.3- 6.5	474	48.7	45.0-52.4	315	32.9	29.4-36.4	15	1.6	0.6- 2.6	113	11.9	9.4-14.4
Less Than H.S.	118	22,468	6	6.3	0.0-13.0	48	44.8	32.6-57.0	41	30.6	19.6-41.6	6	2.9	0.4- 5.4	17	15.4	5.6-25.2
H.S. or G.E.D.	728	83,354	48	5.8	3.6- 8.0	357	52.2	47.3-57.1	245	33.2	28.7-37.7	10	1.2	0.2- 2.2	68	7.6	5.2-10.0
Some Post-H.S.	796	114,323	30	2.8	1.4- 4.2	405	51.2	46.7-55.7	278	37.5	33.2-41.8	11	1.1	0.3- 1.9	72	7.4	5.2- 9.6
College Graduate	846	64,885	26	2.9	1.5- 4.3	427	48.4	44.1-52.7	296	36.8	32.5-41.1	6	0.9	0.0- 1.9	91	11.0	8.3-13.7
Less than \$15,000	101	11,490	10	9.6	1.0-18.2	31	29.8	17.5-42.1	35	41.5	28.6-54.4	1	0.4	0.0- 1.2	24	18.6	9.0-28.2
\$15,000- 24,999	221	23,202	12	4.1	0.6- 7.6	98	51.1	42.1-60.1	77	32.2	24.0-40.4	3	0.7	0.0- 1.5	31	11.8	6.1-17.5
\$25,000- 34,999	213	23,277	7	3.4	0.3- 6.5	103	46.2	36.6-55.8	81	41.7	32.1-51.3	3	2.3	0.0- 5.2	19	6.4	2.5-10.3
\$35,000- 49,999	341	35,632	17	4.8	0.9- 8.7	167	48.3	40.7-55.9	123	39.6	32.0-47.2	6	1.4	0.0- 2.8	28	6.0	2.9- 9.1
\$50,000- 74,999	434	48,195	18	3.6	1.6- 5.6	236	55.3	49.0-61.6	143	33.0	27.1-38.9	2	0.4	0.0- 1.0	35	7.6	4.5-10.7
\$75,000+	965	118,711	35	3.7	2.1- 5.3	497	50.7	46.6-54.8	328	34.9	31.0-38.8	14	1.1	0.3- 1.9	91	9.6	6.9-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 12: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2797	269,198	50	2.5	1.3- 3.7	923	35.6	32.9-38.3	1220	44.0	41.1-46.9	86	2.5	1.5- 3.5	518	15.4	13.4-17.4
Native	96	12,604	5	5.6	0.0-12.3	37	33.3	20.4-46.2	39	46.7	32.4-61.0	3	2.6	0.0- 5.7	12	11.8	2.4-21.2
Non-Native	2679	254,777	44	2.3	1.1- 3.5	880	35.7	33.0-38.4	1172	43.9	41.0-46.8	82	2.5	1.5- 3.5	501	15.6	13.6-17.6
18-24	90	37,626	4	6.0	0.0-12.5	32	35.1	23.9-46.3	42	45.9	33.9-57.9	2	2.5	0.0- 6.2	10	10.4	3.7-17.1
25-34	189	46,056	6	3.2	0.5- 5.9	87	45.3	37.1-53.5	76	37.6	29.6-45.6	3	2.4	0.0- 5.3	17	11.5	5.6-17.4
35-44	257	42,485	4	1.4	0.0- 3.2	96	36.1	28.8-43.4	117	48.6	41.2-56.0	5	2.4	0.2- 4.6	35	11.5	7.0-16.0
45-54	311	36,242	4	1.2	0.0- 2.6	109	32.6	26.1-39.1	152	49.2	42.3-56.1	7	2.2	0.2- 4.2	39	14.8	9.7-19.9
55-64	634	43,809	10	1.6	0.4- 2.8	210	34.8	30.1-39.5	288	43.2	38.5-47.9	16	1.7	0.7- 2.7	110	18.7	14.6-22.8
65+	1316	62,980	22	1.8	0.8- 2.8	389	30.5	27.6-33.4	545	42.2	38.9-45.5	53	3.5	2.5- 4.5	307	22.0	19.3-24.7
Less Than H.S.	107	20,128	4	7.8	0.0-17.8	35	32.1	17.8-46.4	40	48.6	32.9-64.3	5	2.0	0.0- 4.0	23	9.5	4.4-14.6
H.S. or G.E.D.	715	61,846	15	4.6	1.5- 7.7	252	38.0	32.5-43.5	294	38.4	32.9-43.9	27	3.5	1.1- 5.9	127	15.5	11.6-19.4
Some Post-H.S.	900	104,069	15	1.4	0.4- 2.4	291	33.3	28.8-37.8	404	45.3	40.4-50.2	27	2.4	0.8- 4.0	163	17.6	13.9-21.3
College Graduate	1068	82,359	14	0.8	0.2- 1.4	345	37.8	33.5-42.1	480	45.7	41.4-50.0	27	2.2	1.0- 3.4	202	13.5	11.0-16.0
Less than \$15,000	159	16,247	5	3.9	0.0- 8.0	41	30.2	17.9-42.5	57	33.5	21.3-45.7	6	1.4	0.2- 2.6	50	30.9	18.9-42.9
\$15,000- 24,999	324	29,379	9	2.4	0.0- 4.8	101	34.1	25.5-42.7	128	42.5	32.9-52.1	10	2.0	0.0- 4.0	76	19.0	12.5-25.5
\$25,000- 34,999	234	20,139				70	29.4	21.0-37.8	116	54.2	44.4-64.0	5	1.7	0.0- 3.5	43	14.6	8.3-20.9
\$35,000- 49,999	406	36,790	8	5.4	0.0-11.7	116	29.1	22.4-35.8	198	50.9	43.1-58.7	18	3.2	1.2- 5.2	66	11.4	7.7-15.1
\$50,000- 74,999	405	36,982	8	2.5	0.3- 4.7	153	42.2	34.9-49.5	174	41.4	34.0-48.8	10	2.0	0.2- 3.8	60	11.9	7.6-16.2
\$75,000+	797	89,674	11	1.3	0.1- 2.5	295	38.2	33.3-43.1	356	44.5	39.6-49.4	19	2.4	0.6- 4.2	116	13.6	10.3-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 13: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5240	550,725	299	4.5	3.7- 5.3	2484	44.0	42.0-46.0	1810	36.3	34.3-38.3	61	1.1	0.7- 1.5	586	14.0	12.6-15.4
Male	2470	284,061	161	5.5	4.3- 6.7	1203	45.0	42.3-47.7	792	33.7	31.2-36.2	26	1.1	0.5- 1.7	288	14.8	12.8-16.8
Female	2770	266,664	138	3.4	2.6- 4.2	1281	43.0	40.1-45.9	1018	39.2	36.3-42.1	35	1.1	0.5- 1.7	298	13.2	11.2-15.2
Native	175	22,806	14	4.1	1.6- 6.6	70	33.5	23.9-43.1	71	47.6	37.0-58.2				20	14.8	7.5-22.1
Non-Native	5012	522,787	280	4.5	3.7- 5.3	2393	44.5	42.5-46.5	1721	35.9	33.9-37.9	60	1.2	0.8- 1.6	558	14.0	12.6-15.4
18-24	262	79,648	6	2.1	0.1- 4.1	96	39.4	32.3-46.5	111	41.1	34.0-48.2	5	2.0	0.2- 3.8	44	15.4	10.7-20.1
25-34	414	102,237	15	3.2	1.4- 5.0	190	44.2	38.7-49.7	144	35.5	30.2-40.8	4	1.1	0.0- 2.3	61	16.0	11.9-20.1
35-44	515	88,146	13	2.4	0.8- 4.0	229	42.3	37.0-47.6	196	37.7	32.6-42.8	7	1.2	0.2- 2.2	70	16.5	12.4-20.6
45-54	615	75,309	24	4.8	2.4- 7.2	253	37.8	33.1-42.5	227	38.4	33.5-43.3	4	0.3	0.0- 0.7	107	18.8	15.1-22.5
55-64	1182	89,082	56	4.9	3.5- 6.3	563	46.5	43.0-50.0	428	37.0	33.5-40.5	11	0.8	0.2- 1.4	124	10.9	8.7-13.1
65+	2252	116,303	185	8.2	6.8- 9.6	1153	50.6	48.1-53.1	704	31.1	28.7-33.5	30	1.2	0.6- 1.8	180	8.9	7.3-10.5
Less Than H.S.	226	42,655	28	10.1	5.2-15.0	102	46.1	36.3-55.9	74	35.2	26.0-44.4	4	1.5	0.0- 3.7	18	7.2	2.9-11.5
H.S. or G.E.D.	1415	142,624	108	5.7	4.1- 7.3	656	45.3	41.6-49.0	465	32.2	28.7-35.7	18	1.6	0.6- 2.6	168	15.3	12.6-18.0
Some Post-H.S.	1679	216,753	95	4.0	3.0- 5.0	784	41.8	38.7-44.9	585	38.0	34.7-41.3	22	1.1	0.5- 1.7	193	15.1	12.6-17.6
College Graduate	1904	146,710	67	2.4	1.6- 3.2	936	45.9	42.8-49.0	681	38.2	35.1-41.3	17	0.6	0.2- 1.0	203	12.9	10.7-15.1
Less than \$15,000	255	27,388	15	4.9	1.0- 8.8	109	34.8	26.4-43.2	83	33.0	24.2-41.8	7	1.1	0.1- 2.1	41	26.2	17.0-35.4
\$15,000- 24,999	533	50,844	44	6.7	3.4-10.0	247	43.7	37.0-50.4	178	34.4	27.9-40.9	6	1.2	0.0- 2.4	58	14.0	9.5-18.5
\$25,000- 34,999	439	42,866	17	3.1	1.5- 4.7	201	35.9	29.6-42.2	169	44.7	37.6-51.8	8	2.4	0.0- 4.8	44	13.9	8.4-19.4
\$35,000- 49,999	740	71,873	53	4.5	2.9- 6.1	359	44.0	38.7-49.3	253	38.9	33.4-44.4	11	1.4	0.0- 2.8	64	11.2	7.5-14.9
\$50,000- 74,999	833	85,003	45	5.6	3.4- 7.8	418	48.9	44.0-53.8	274	32.6	28.1-37.1	8	0.7	0.1- 1.3	88	12.3	9.2-15.4
\$75,000+	1756	207,598	68	3.5	2.3- 4.7	847	45.3	42.2-48.4	610	35.8	32.7-38.9	15	1.0	0.4- 1.6	216	14.4	12.0-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 14: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2470	284,061	161	5.5	4.3- 6.7	1203	45.0	42.3-47.7	792	33.7	31.2-36.2	26	1.1	0.5- 1.7	288	14.8	12.8-16.8
Native	83	10,881	10	6.2	1.3-11.1	33	39.5	25.0-54.0	29	36.0	21.5-50.5				11	18.3	6.3-30.3
Non-Native	2356	269,863	150	5.5	4.3- 6.7	1159	45.3	42.6-48.0	750	33.5	31.0-36.0	26	1.1	0.5- 1.7	271	14.5	12.5-16.5
18-24	175	42,664	5	3.1	0.0- 6.2	63	35.6	28.0-43.2	72	40.3	32.3-48.3	3	2.6	0.0- 5.5	32	18.5	12.4-24.6
25-34	231	57,352	11	4.4	1.5- 7.3	111	45.8	38.5-53.1	74	33.4	26.5-40.3	1	0.6	0.0- 1.8	34	15.8	10.5-21.1
35-44	257	45,450	7	3.0	0.5- 5.5	122	46.0	38.6-53.4	90	33.6	26.7-40.5	5	1.4	0.0- 3.0	33	16.0	10.1-21.9
45-54	305	39,145	14	5.6	1.9- 9.3	132	40.5	33.6-47.4	99	32.6	25.7-39.5	2	0.2	0.0- 0.4	58	21.1	15.4-26.8
55-64	553	45,697	38	6.8	4.4- 9.2	274	48.0	42.9-53.1	174	32.7	27.8-37.6	4	0.6	0.0- 1.4	63	11.9	8.6-15.2
65+	949	53,752	86	9.4	7.0-11.8	501	51.6	47.7-55.5	283	30.3	26.8-33.8	11	1.2	0.4- 2.0	68	7.5	5.3- 9.7
Less Than H.S.	118	22,468	16	14.0	5.6-22.4	51	38.0	26.6-49.4	37	35.8	23.6-48.0	2	2.2	0.0- 6.1	12	9.9	2.8-17.0
H.S. or G.E.D.	716	82,517	62	6.9	4.5- 9.3	340	47.4	42.5-52.3	218	29.3	25.0-33.6	6	1.0	0.0- 2.0	90	15.5	11.8-19.2
Some Post-H.S.	786	113,127	52	4.6	3.0- 6.2	377	43.8	39.3-48.3	253	34.4	30.1-38.7	10	1.3	0.3- 2.3	94	15.8	12.3-19.3
College Graduate	840	64,712	30	2.3	1.1- 3.5	431	46.9	42.6-51.2	281	36.9	32.6-41.2	8	0.4	0.0- 0.8	90	13.4	10.3-16.5
Less than \$15,000	98	11,219	7	8.6	0.0-17.4	42	34.3	22.3-46.3	29	32.6	20.3-44.9	1	0.3	0.0- 0.9	19	24.3	12.0-36.6
\$15,000- 24,999	216	22,728	22	8.9	2.8-15.0	95	46.0	36.8-55.2	69	25.2	17.9-32.5	3	1.5	0.0- 3.5	27	18.4	11.0-25.8
\$25,000- 34,999	208	22,918	9	3.4	1.0- 5.8	103	40.4	31.2-49.6	71	39.2	29.4-49.0	3	1.5	0.0- 4.0	22	15.6	7.4-23.8
\$35,000- 49,999	338	35,180	30	5.4	3.0- 7.8	170	45.4	37.8-53.0	103	34.3	26.7-41.9	6	2.0	0.0- 4.7	29	12.9	7.0-18.8
\$50,000- 74,999	430	48,100	35	8.6	4.9-12.3	213	46.8	40.5-53.1	137	32.7	26.8-38.6	3	0.6	0.0- 1.4	42	11.3	7.2-15.4
\$75,000+	960	118,029	40	3.9	2.3- 5.5	487	46.7	42.6-50.8	310	34.1	30.0-38.2	8	0.8	0.0- 1.6	115	14.5	11.6-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 15: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2770	266,664	138	3.4	2.6- 4.2	1281	43.0	40.1-45.9	1018	39.2	36.3-42.1	35	1.1	0.5- 1.7	298	13.2	11.2-15.2
Native	92	11,925	4	2.3	0.0- 4.7	37	28.0	16.4-39.6	42	58.1	44.4-71.8				9	11.6	3.2-20.0
Non-Native	2656	252,924	130	3.3	2.5- 4.1	1234	43.7	40.8-46.6	971	38.4	35.5-41.3	34	1.2	0.6- 1.8	287	13.3	11.3-15.3
18-24	87	36,984	1	1.0	0.0- 3.0	33	43.8	31.5-56.1	39	42.1	30.1-54.1	2	1.3	0.0- 3.1	12	11.8	4.9-18.7
25-34	183	44,885	4	1.6	0.0- 3.4	79	42.2	33.8-50.6	70	38.2	30.0-46.4	3	1.8	0.0- 4.0	27	16.3	9.8-22.8
35-44	258	42,696	6	1.8	0.0- 3.6	107	38.3	31.0-45.6	106	42.0	34.6-49.4	2	1.0	0.0- 2.4	37	17.0	11.3-22.7
45-54	310	36,164	10	3.9	1.4- 6.4	121	34.9	28.4-41.4	128	44.6	37.7-51.5	2	0.3	0.0- 0.9	49	16.4	11.5-21.3
55-64	629	43,385	18	2.9	1.3- 4.5	289	44.9	40.2-49.6	254	41.5	36.6-46.4	7	0.9	0.1- 1.7	61	9.8	7.1-12.5
65+	1303	62,551	99	7.2	5.6- 8.8	652	49.8	46.5-53.1	421	31.7	28.6-34.8	19	1.3	0.7- 1.9	112	10.0	7.8-12.2
Less Than H.S.	108	20,187	12	5.8	2.1- 9.5	51	55.0	39.9-70.1	37	34.4	20.3-48.5	2	0.6	0.0- 1.6	6	4.2	0.5- 7.9
H.S. or G.E.D.	699	60,107	46	4.0	2.4- 5.6	316	42.5	36.8-48.2	247	36.2	30.7-41.7	12	2.3	0.3- 4.3	78	15.0	10.7-19.3
Some Post-H.S.	893	103,626	43	3.3	1.9- 4.7	407	39.6	34.9-44.3	332	42.0	37.1-46.9	12	0.9	0.1- 1.7	99	14.3	10.8-17.8
College Graduate	1064	81,998	37	2.5	1.3- 3.7	505	45.1	40.8-49.4	400	39.2	34.9-43.5	9	0.7	0.1- 1.3	113	12.5	9.6-15.4
Less than \$15,000	157	16,169	8	2.3	0.5- 4.1	67	35.2	23.4-47.0	54	33.3	21.0-45.6	6	1.6	0.2- 3.0	22	27.6	14.5-40.7
\$15,000- 24,999	317	28,116	22	5.0	1.9- 8.1	152	41.7	32.3-51.1	109	41.8	32.2-51.4	3	1.0	0.0- 2.4	31	10.5	5.0-16.0
\$25,000- 34,999	231	19,948	8	2.8	0.6- 5.0	98	30.8	22.8-38.8	98	51.1	40.9-61.3	5	3.5	0.0- 7.4	22	11.9	4.5-19.3
\$35,000- 49,999	402	36,693	23	3.7	1.7- 5.7	189	42.6	35.0-50.2	150	43.3	35.3-51.3	5	0.7	0.0- 1.5	35	9.6	5.1-14.1
\$50,000- 74,999	403	36,903	10	1.7	0.3- 3.1	205	51.5	44.1-58.9	137	32.4	25.7-39.1	5	0.9	0.0- 1.9	46	13.5	8.8-18.2
\$75,000+	796	89,570	28	3.0	1.4- 4.6	360	43.6	38.5-48.7	300	37.9	33.2-42.6	7	1.1	0.0- 2.3	101	14.4	11.1-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5229	548,032	2162	38.5	36.5-40.5	2003	39.5	37.5-41.5	891	17.9	16.3-19.5	30	0.6	0.2- 1.0	143	3.4	2.6- 4.2
Male	2453	281,159	799	31.1	28.6-33.6	1041	42.8	40.1-45.5	497	20.9	18.7-23.1	16	0.7	0.1- 1.3	100	4.6	3.4- 5.8
Female	2776	266,873	1363	46.4	43.5-49.3	962	35.9	33.2-38.6	394	14.8	12.6-17.0	14	0.5	0.0- 1.1	43	2.3	1.1- 3.5
Native	177	22,523	74	42.7	32.5-52.9	54	24.5	16.5-32.5	37	21.7	13.3-30.1	2	2.8	0.0- 7.3	10	8.3	2.2-14.4
Non-Native	4999	520,253	2061	38.3	36.3-40.3	1937	40.2	38.2-42.2	843	17.7	16.1-19.3	28	0.5	0.1- 0.9	130	3.2	2.4- 4.0
18-24	260	78,268	76	30.2	23.5-36.9	108	41.1	34.0-48.2	60	21.6	15.7-27.5	2	1.1	0.0- 2.7	14	6.0	2.1- 9.9
25-34	417	103,528	158	38.9	33.6-44.2	180	42.4	36.9-47.9	66	15.3	11.4-19.2	4	1.1	0.0- 2.3	9	2.3	0.5- 4.1
35-44	514	87,558	217	39.6	34.5-44.7	189	38.0	32.9-43.1	85	18.0	13.7-22.3	2	0.3	0.0- 0.7	21	4.1	2.1- 6.1
45-54	611	74,440	242	37.5	32.8-42.2	230	39.4	34.5-44.3	114	18.8	14.9-22.7	4	0.5	0.0- 1.1	21	3.8	1.6- 6.0
55-64	1178	88,785	504	41.9	38.4-45.4	427	36.4	33.1-39.7	215	19.0	16.1-21.9	4	0.2	0.0- 0.4	28	2.5	1.5- 3.5
65+	2249	115,453	965	41.2	38.7-43.7	869	39.2	36.7-41.7	351	16.2	14.2-18.2	14	0.6	0.2- 1.0	50	2.8	1.8- 3.8
Less Than H.S.	220	41,155	78	31.7	23.1-40.3	86	40.8	30.8-50.8	38	17.9	10.3-25.5	2	0.4	0.0- 1.0	16	9.1	2.4-15.8
H.S. or G.E.D.	1412	142,383	525	35.7	32.2-39.2	557	39.6	35.9-43.3	254	17.2	14.5-19.9	18	1.6	0.4- 2.8	58	5.9	3.9- 7.9
Some Post-H.S.	1680	216,441	657	36.2	33.1-39.3	683	41.4	38.1-44.7	288	19.8	17.1-22.5	7	0.4	0.0- 1.0	45	2.2	1.4- 3.0
College Graduate	1902	146,326	895	46.7	43.6-49.8	674	36.3	33.4-39.2	307	15.7	13.5-17.9	3	0.0	0.0- 0.0	23	1.3	0.7- 1.9
Less than \$15,000	255	27,163	95	35.0	25.8-44.2	90	33.7	24.7-42.7	48	19.5	12.6-26.4	3	0.6	0.0- 1.4	19	11.1	5.0-17.2
\$15,000- 24,999	534	50,860	193	30.6	24.7-36.5	211	38.7	32.4-45.0	97	20.0	14.7-25.3	7	1.0	0.0- 2.0	26	9.8	4.1-15.5
\$25,000- 34,999	433	42,586	158	32.3	25.8-38.8	168	38.2	31.3-45.1	89	23.6	17.3-29.9	4	1.0	0.0- 2.4	14	4.8	1.5- 8.1
\$35,000- 49,999	739	71,370	298	37.3	32.0-42.6	282	36.0	30.9-41.1	135	22.5	17.2-27.8	4	1.1	0.0- 2.7	20	3.1	1.3- 4.9
\$50,000- 74,999	831	84,026	359	37.1	32.6-41.6	333	45.6	40.7-50.5	118	14.8	11.5-18.1	3	0.3	0.0- 0.7	18	2.3	0.9- 3.7
\$75,000+	1754	207,727	741	41.7	38.6-44.8	683	40.9	37.8-44.0	303	16.0	13.8-18.2	4	0.2	0.0- 0.6	23	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2453	281,159	799	31.1	28.6-33.6	1041	42.8	40.1-45.5	497	20.9	18.7-23.1	16	0.7	0.1- 1.3	100	4.6	3.4- 5.8
Native	85	11,005	34	41.3	26.6-56.0	19	20.3	8.9-31.7	26	23.6	12.8-34.4	2	5.8	0.0-14.8	4	9.0	0.0-19.0
Non-Native	2335	266,409	754	30.7	28.2-33.2	1012	43.9	41.2-46.6	462	20.6	18.2-23.0	14	0.5	0.1- 0.9	93	4.3	3.1- 5.5
18-24	173	41,662	46	26.0	18.7-33.3	75	43.8	35.8-51.8	41	23.9	16.8-31.0				11	6.2	2.3-10.1
25-34	228	56,957	69	31.4	24.5-38.3	107	46.1	38.8-53.4	42	16.9	11.6-22.2	4	2.0	0.0- 4.4	6	3.6	0.7- 6.5
35-44	259	45,383	76	29.0	22.3-35.7	105	40.5	33.2-47.8	59	24.3	17.8-30.8	2	0.6	0.0- 1.4	17	5.6	2.5- 8.7
45-54	302	38,694	105	34.7	28.0-41.4	116	41.1	33.8-48.4	64	18.7	13.6-23.8	3	0.5	0.0- 1.1	14	5.0	1.5- 8.5
55-64	552	45,537	184	33.3	28.6-38.0	230	40.5	35.6-45.4	115	22.0	17.5-26.5	2	0.3	0.0- 0.7	21	4.0	2.0- 6.0
65+	939	52,926	319	31.8	28.3-35.3	408	43.6	39.7-47.5	176	20.4	17.1-23.7	5	0.5	0.0- 1.1	31	3.6	2.2- 5.0
Less Than H.S.	114	21,687	34	30.3	19.1-41.5	42	36.8	24.6-49.0	26	23.3	12.7-33.9	1	0.5	0.0- 1.5	11	9.2	2.3-16.1
H.S. or G.E.D.	706	80,698	215	31.5	26.8-36.2	300	41.7	36.8-46.6	142	18.2	14.7-21.7	9	1.3	0.1- 2.5	40	7.3	4.6-10.0
Some Post-H.S.	786	113,137	241	28.2	24.3-32.1	348	45.4	40.9-49.9	160	22.5	18.6-26.4	5	0.8	0.0- 1.8	32	3.2	1.8- 4.6
College Graduate	837	64,399	306	35.9	31.6-40.2	348	41.6	37.3-45.9	166	20.4	16.7-24.1	1	0.0	0.0- 0.0	16	2.1	0.7- 3.5
Less than \$15,000	97	10,935	25	21.9	11.5-32.3	34	31.6	19.1-44.1	26	28.7	17.1-40.3	2	1.3	0.0- 3.5	10	16.5	4.9-28.1
\$15,000- 24,999	217	22,757	65	27.7	19.3-36.1	83	36.5	27.9-45.1	51	25.0	17.4-32.6	4	1.3	0.0- 2.9	14	9.5	3.6-15.4
\$25,000- 34,999	205	22,812	64	26.3	18.3-34.3	88	43.5	33.9-53.1	43	24.2	15.6-32.8	1	0.3	0.0- 0.9	9	5.8	0.5-11.1
\$35,000- 49,999	334	34,685	100	28.1	21.0-35.2	146	42.1	34.5-49.7	72	24.4	17.1-31.7	2	0.5	0.0- 1.3	14	5.0	1.9- 8.1
\$50,000- 74,999	429	47,335	150	29.0	23.5-34.5	185	48.0	41.5-54.5	76	18.9	13.8-24.0	1	0.3	0.0- 0.9	17	3.9	1.5- 6.3
\$75,000+	958	117,737	321	34.1	30.2-38.0	423	44.3	40.2-48.4	191	19.3	16.0-22.6	3	0.3	0.0- 0.9	20	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 18: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2776	266,873	1363	46.4	43.5-49.3	962	35.9	33.2-38.6	394	14.8	12.6-17.0	14	0.5	0.0- 1.1	43	2.3	1.1- 3.5
Native	92	11,518	40	44.0	29.9-58.1	35	28.6	17.2-40.0	11	19.8	6.7-32.9				6	7.6	0.9-14.3
Non-Native	2664	253,844	1307	46.3	43.4-49.2	925	36.5	33.6-39.4	381	14.6	12.4-16.8	14	0.6	0.0- 1.2	37	2.0	0.8- 3.2
18-24	87	36,606	30	34.9	23.3-46.5	33	38.0	26.2-49.8	19	19.0	9.6-28.4	2	2.3	0.0- 5.6	3	5.8	0.0-12.9
25-34	189	46,571	89	48.0	39.6-56.4	73	37.8	29.6-46.0	24	13.5	7.6-19.4				3	0.7	0.0- 1.7
35-44	255	42,174	141	51.0	43.4-58.6	84	35.2	27.9-42.5	26	11.3	6.0-16.6				4	2.5	0.0- 5.2
45-54	309	35,746	137	40.5	33.8-47.2	114	37.7	31.0-44.4	50	19.0	13.1-24.9	1	0.5	0.0- 1.5	7	2.4	0.6- 4.2
55-64	626	43,248	320	50.9	46.0-55.8	197	32.1	27.6-36.6	100	15.9	12.4-19.4	2	0.1	0.0- 0.3	7	0.9	0.1- 1.7
65+	1310	62,527	646	49.1	45.8-52.4	461	35.5	32.4-38.6	175	12.7	10.5-14.9	9	0.6	0.2- 1.0	19	2.1	0.9- 3.3
Less Than H.S.	106	19,468	44	33.3	19.6-47.0	44	45.3	29.4-61.2	12	12.0	1.2-22.8	1	0.3	0.0- 0.9	5	9.1	0.0-20.9
H.S. or G.E.D.	706	61,685	310	41.3	35.6-47.0	257	36.7	31.2-42.2	112	15.9	11.8-20.0	9	2.0	0.0- 4.2	18	4.1	1.4- 6.8
Some Post-H.S.	894	103,304	416	45.0	40.1-49.9	335	37.0	32.3-41.7	128	16.8	12.9-20.7	2	0.1	0.0- 0.3	13	1.1	0.3- 1.9
College Graduate	1065	81,927	589	55.2	50.9-59.5	326	32.1	28.0-36.2	141	12.0	9.3-14.7	2	0.1	0.1- 0.1	7	0.7	0.1- 1.3
Less than \$15,000	158	16,228	70	43.9	30.8-57.0	56	35.2	22.9-47.5	22	13.2	5.4-21.0	1	0.2	0.0- 0.6	9	7.5	1.6-13.4
\$15,000- 24,999	317	28,104	128	32.9	24.5-41.3	128	40.5	31.5-49.5	46	15.9	8.5-23.3	3	0.8	0.0- 2.0	12	10.0	0.8-19.2
\$25,000- 34,999	228	19,775	94	39.3	29.1-49.5	80	32.1	22.9-41.3	46	23.0	14.0-32.0	3	1.9	0.0- 4.8	5	3.7	0.0- 7.4
\$35,000- 49,999	405	36,684	198	46.1	38.3-53.9	136	30.3	23.6-37.0	63	20.8	13.2-28.4	2	1.6	0.0- 4.5	6	1.3	0.0- 2.7
\$50,000- 74,999	402	36,690	209	47.5	40.2-54.8	148	42.5	34.9-50.1	42	9.5	5.4-13.6	2	0.2	0.0- 0.4	1	0.3	0.0- 0.9
\$75,000+	796	89,991	420	51.6	46.5-56.7	260	36.6	31.5-41.7	112	11.6	8.9-14.3	1	0.0	0.0- 0.0	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	249
2 MALES ONLY	250
3 FEMALES ONLY	251
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	252
5 MALES ONLY	253
6 FEMALES ONLY	254
HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)	
7 MALES AND FEMALES	255
8 MALES ONLY	256
9 FEMALES ONLY	257
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	258
11 MALES ONLY	259
12 FEMALES ONLY	260

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5298	556,838	2876	47.3	45.3-49.3	2422	52.7	50.7-54.7
Male	2487	286,150	1235	41.7	39.2-44.2	1252	58.3	55.8-60.8
Female	2811	270,689	1641	53.1	50.2-56.0	1170	46.9	44.0-49.8
Native	178	23,097	84	39.6	29.8-49.4	94	60.4	50.6-70.2
Non-Native	5065	528,113	2767	47.7	45.7-49.7	2298	52.3	50.3-54.3
18-24	262	79,952	102	43.8	36.5-51.1	160	56.2	48.9-63.5
25-34	423	105,204	165	39.5	34.2-44.8	258	60.5	55.2-65.8
35-44	520	88,623	207	39.4	34.3-44.5	313	60.6	55.5-65.7
45-54	618	75,639	275	42.4	37.5-47.3	343	57.6	52.7-62.5
55-64	1189	89,804	580	45.8	42.3-49.3	609	54.2	50.7-57.7
65+	2286	117,616	1547	66.8	64.4-69.2	739	33.2	30.8-35.6
Less Than H.S.	228	43,003	114	43.4	33.6-53.2	114	56.6	46.8-66.4
H.S. or G.E.D.	1441	145,814	686	39.6	36.1-43.1	755	60.4	56.9-63.9
Some Post-H.S.	1700	218,596	897	46.8	43.5-50.1	803	53.2	49.9-56.5
College Graduate	1913	147,443	1174	57.1	54.0-60.2	739	42.9	39.8-46.0
Less than \$15,000	260	27,767	128	44.7	35.3-54.1	132	55.3	45.9-64.7
\$15,000- 24,999	541	51,561	283	48.1	41.4-54.8	258	51.9	45.2-58.6
\$25,000- 34,999	441	43,010	236	46.0	38.9-53.1	205	54.0	46.9-61.1
\$35,000- 49,999	747	72,503	408	46.7	41.2-52.2	339	53.3	47.8-58.8
\$50,000- 74,999	835	84,808	457	45.7	41.0-50.4	378	54.3	49.6-59.0
\$75,000+	1763	209,338	970	49.6	46.5-52.7	793	50.4	47.3-53.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2487	286,150	1235	41.7	39.2-44.2	1252	58.3	55.8-60.8
Native	84	10,836	42	31.9	19.9-43.9	42	68.1	56.1-80.1
Non-Native	2371	271,593	1178	42.2	39.5-44.9	1193	57.8	55.1-60.5
18-24	173	42,341	56	34.5	26.5-42.5	117	65.5	57.5-73.5
25-34	234	58,445	80	34.6	27.7-41.5	154	65.4	58.5-72.3
35-44	260	45,816	88	32.3	25.4-39.2	172	67.7	60.8-74.6
45-54	305	39,273	126	38.4	31.7-45.1	179	61.6	54.9-68.3
55-64	557	46,162	245	40.9	36.0-45.8	312	59.1	54.2-64.0
65+	958	54,113	640	66.3	62.6-70.0	318	33.7	30.0-37.4
Less Than H.S.	117	22,478	56	34.8	23.8-45.8	61	65.2	54.2-76.2
H.S. or G.E.D.	720	83,188	300	35.8	31.3-40.3	420	64.2	59.7-68.7
Some Post-H.S.	798	114,498	387	41.2	36.9-45.5	411	58.8	54.5-63.1
College Graduate	842	64,747	489	53.2	48.9-57.5	353	46.8	42.5-51.1
Less than \$15,000	101	11,535	39	26.6	16.6-36.6	62	73.4	63.4-83.4
\$15,000- 24,999	216	22,695	110	47.2	38.0-56.4	106	52.8	43.6-62.0
\$25,000- 34,999	209	23,073	101	37.6	28.6-46.6	108	62.4	53.4-71.4
\$35,000- 49,999	339	35,595	171	40.8	33.4-48.2	168	59.2	51.8-66.6
\$50,000- 74,999	432	47,967	206	38.5	32.4-44.6	226	61.5	55.4-67.6
\$75,000+	962	118,725	491	44.2	40.1-48.3	471	55.8	51.7-59.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2811	270,689	1641	53.1	50.2-56.0	1170	46.9	44.0-49.8
Native	94	12,261	42	46.5	32.2-60.8	52	53.5	39.2-67.8
Non-Native	2694	256,520	1589	53.6	50.7-56.5	1105	46.4	43.5-49.3
18-24	89	37,611	46	54.3	42.5-66.1	43	45.7	33.9-57.5
25-34	189	46,759	85	45.7	37.5-53.9	104	54.3	46.1-62.5
35-44	260	42,807	119	47.0	39.6-54.4	141	53.0	45.6-60.4
45-54	313	36,367	149	46.8	39.9-53.7	164	53.2	46.3-60.1
55-64	632	43,642	335	50.9	46.0-55.8	297	49.1	44.2-54.0
65+	1328	63,503	907	67.2	64.1-70.3	421	32.8	29.7-35.9
Less Than H.S.	111	20,524	58	52.8	37.5-68.1	53	47.2	31.9-62.5
H.S. or G.E.D.	721	62,625	386	44.6	39.1-50.1	335	55.4	49.9-60.9
Some Post-H.S.	902	104,098	510	52.9	48.0-57.8	392	47.1	42.2-52.0
College Graduate	1071	82,696	685	60.2	55.9-64.5	386	39.8	35.5-44.1
Less than \$15,000	159	16,231	89	57.6	45.3-69.9	70	42.4	30.1-54.7
\$15,000- 24,999	325	28,865	173	48.8	39.4-58.2	152	51.2	41.8-60.6
\$25,000- 34,999	232	19,936	135	55.7	45.7-65.7	97	44.3	34.3-54.3
\$35,000- 49,999	408	36,908	237	52.5	44.7-60.3	171	47.5	39.7-55.3
\$50,000- 74,999	403	36,841	251	55.2	47.8-62.6	152	44.8	37.4-52.2
\$75,000+	801	90,613	479	56.6	51.7-61.5	322	43.4	38.5-48.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2746	247,983	3	0.1	0.1- 0.1	26	1.0	0.4- 1.6	1650	61.5	58.8-64.2	155	8.3	6.5-10.1	27	1.1	0.3- 1.9	885	28.0	25.6-30.4
Male	1167	110,496	1	0.0	0.0- 0.0	13	1.7	0.5- 2.9	701	60.0	56.1-63.9	75	9.3	6.6-12.0	8	0.4	0.0- 0.8	369	28.6	25.1-32.1
Female	1579	137,487	2	0.1	0.0- 0.3	13	0.5	0.1- 0.9	949	62.7	58.8-66.6	80	7.5	5.0-10.0	19	1.7	0.1- 3.3	516	27.5	24.2-30.8
Native	81	8,572				2	0.4	0.0- 1.0	32	36.3	22.2-50.4	10	22.9	6.8-39.0	3	3.0	0.0- 7.5	34	37.4	23.7-51.1
Non-Native	2642	237,502	3	0.1	0.1- 0.1	23	1.0	0.4- 1.6	1608	62.5	59.8-65.2	144	7.8	6.0- 9.6	24	1.1	0.1- 2.1	840	27.5	25.0-30.0
18-24	82	29,808				2	1.4	0.0- 3.6	46	58.1	45.2-71.0	11	13.8	5.0-22.6	2	4.1	0.0-10.8	21	22.6	12.0-33.2
25-34	153	38,116				3	2.0	0.0- 4.5	87	56.0	47.0-65.0	21	15.0	8.3-21.7	2	1.2	0.0- 3.0	40	25.8	17.8-33.8
35-44	201	33,823	1	0.3	0.0- 0.9				147	77.3	70.2-84.4	13	5.4	1.7- 9.1				40	17.0	10.7-23.3
45-54	263	30,567				2	0.4	0.0- 1.0	159	57.9	50.5-65.3	22	11.7	6.0-17.4				80	30.0	23.3-36.7
55-64	569	40,375				4	1.0	0.0- 2.2	359	62.5	57.6-67.4	26	5.2	2.8- 7.6	4	0.7	0.0- 1.5	176	30.5	26.0-35.0
65+	1478	75,294	2	0.1	0.0- 0.3	15	1.1	0.3- 1.9	852	59.4	56.5-62.3	62	4.3	2.9- 5.7	19	1.1	0.5- 1.7	528	33.9	31.0-36.8
Less Than H.S.	103	17,431							62	56.0	39.9-72.1	7	9.6	0.0-19.4	4	7.0	0.0-18.0	30	27.5	13.4-41.6
H.S. or G.E.D.	643	51,949				8	1.9	0.0- 3.9	380	59.9	54.2-65.6	45	10.4	6.7-14.1	6	0.7	0.0- 1.5	204	27.1	22.2-32.0
Some Post-H.S.	851	96,250	2	0.1	0.0- 0.3	10	1.1	0.3- 1.9	486	60.2	55.5-64.9	44	8.4	5.1-11.7	8	0.6	0.0- 1.2	301	29.4	25.3-33.5
College Graduate	1144	81,968	1	0.0	0.0- 0.0	8	0.6	0.0- 1.2	720	65.3	61.4-69.2	58	6.6	4.2- 9.0	9	0.8	0.0- 1.6	348	26.7	23.2-30.2
Less than \$15,000	118	11,434							63	54.6	39.3-69.9	8	10.5	0.0-22.1	2	0.4	0.0- 1.0	45	34.4	20.9-47.9
\$15,000- 24,999	264	22,692				5	3.0	0.0- 6.1	141	57.9	47.7-68.1	20	10.3	3.6-17.0	9	1.9	0.5- 3.3	89	26.9	18.3-35.5
\$25,000- 34,999	226	18,849	1	0.3	0.0- 0.9	4	1.6	0.0- 3.6	135	60.7	50.5-70.9	11	11.1	1.7-20.5	3	0.7	0.0- 1.5	72	25.7	17.9-33.5
\$35,000- 49,999	396	31,812				3	0.7	0.0- 1.5	227	54.4	46.2-62.6	29	13.2	6.5-19.9	2	3.5	0.0- 9.6	135	28.3	21.8-34.8
\$50,000- 74,999	441	37,048	1	0.1	0.0- 0.3	4	0.5	0.0- 1.1	272	60.4	53.3-67.5	25	8.1	4.2-12.0	2	1.3	0.0- 3.1	137	29.7	22.8-36.6
\$75,000+	949	101,198	1	0.1	0.0- 0.3	6	1.0	0.0- 2.0	617	66.2	61.9-70.5	47	6.0	3.8- 8.2	2	0.1	0.0- 0.3	276	26.6	22.7-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1167	110,496	1	0.0	0.0- 0.0	13	1.7	0.5- 2.9	701	60.0	56.1-63.9	75	9.3	6.6-12.0	8	0.4	0.0- 0.8	369	28.6	25.1-32.1
Non-Native	1112	105,924	1	0.1	0.0- 0.3	12	1.6	0.4- 2.8	676	60.8	56.7-64.9	71	9.5	6.8-12.2	6	0.4	0.0- 0.8	346	27.7	24.2-31.2
25-34	71	17,887				2	3.8	0.0- 9.3	43	59.3	46.6-72.0	11	14.8	6.0-23.6				15	22.0	11.0-33.0
35-44	86	14,606							59	72.9	61.3-84.5	9	7.3	1.6-13.0				18	19.8	8.8-30.8
45-54	118	14,318				1	0.5	0.0- 1.5	60	49.0	38.2-59.8	12	11.8	4.7-18.9				45	38.7	28.3-49.1
55-64	238	18,346				1	0.6	0.0- 1.8	150	62.9	55.5-70.3	11	5.2	1.7- 8.7	2	0.7	0.0- 1.7	74	30.6	23.3-37.9
65+	614	34,271	1	0.2	0.0- 0.6	7	1.7	0.3- 3.1	367	59.8	55.1-64.5	24	4.2	2.0- 6.4	6	0.9	0.1- 1.7	209	33.2	28.7-37.7
Less Than H.S.	50	6,943							33	61.5	42.1-80.9	3	15.3	0.0-35.1	1	0.7	0.0- 2.1	13	22.5	9.4-35.6
H.S. or G.E.D.	279	27,376				4	3.0	0.0- 6.7	168	59.8	51.8-67.8	22	13.4	7.1-19.7				85	23.7	17.2-30.2
Some Post-H.S.	359	42,612	1	0.1	0.0- 0.3	7	1.9	0.3- 3.5	202	57.2	50.3-64.1	24	7.4	3.9-10.9	2	0.4	0.0- 1.0	123	33.1	26.4-39.8
College Graduate	476	33,300				2	0.8	0.0- 1.8	297	63.8	57.9-69.7	25	7.1	3.6-10.6	5	0.8	0.0- 1.6	147	27.6	22.3-32.9
\$15,000- 24,999	100	9,327				4	6.8	0.0-14.1	51	52.8	38.9-66.7	14	16.0	5.6-26.4	3	2.2	0.0- 4.7	28	22.2	11.8-32.6
\$25,000- 34,999	96	8,226	1	0.7	0.0- 2.1	2	3.2	0.0- 7.7	52	58.0	43.9-72.1	7	8.0	1.5-14.5	1	0.7	0.0- 2.1	33	29.6	16.9-42.3
\$35,000- 49,999	163	13,263				2	1.1	0.0- 2.9	91	51.1	38.8-63.4	10	15.9	3.4-28.4				60	31.9	20.9-42.9
\$50,000- 74,999	192	16,759				1	0.2	0.0- 0.6	125	63.4	53.8-73.0	12	9.6	3.5-15.7				54	26.8	18.2-35.4
\$75,000+	478	50,587				3	1.4	0.0- 3.4	310	65.0	59.1-70.9	26	7.3	4.0-10.6	1	0.2	0.0- 0.6	138	26.1	20.8-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1579	137,487	2	0.1	0.0- 0.3	13	0.5	0.1- 0.9	949	62.7	58.8-66.6	80	7.5	5.0-10.0	19	1.7	0.1- 3.3	516	27.5	24.2-30.8
Non-Native	1530	131,578	2	0.1	0.0- 0.3	11	0.5	0.1- 0.9	932	63.9	60.0-67.8	73	6.5	4.1- 8.9	18	1.7	0.1- 3.3	494	27.3	23.8-30.8
25-34	82	20,229				1	0.5	0.0- 1.5	44	53.0	40.3-65.7	10	15.1	5.1-25.1	2	2.4	0.0- 5.7	25	29.0	17.4-40.6
35-44	115	19,218	1	0.5	0.0- 1.5				88	80.6	72.0-89.2	4	4.1	0.0- 9.2				22	14.9	7.6-22.2
45-54	145	16,249				1	0.4	0.0- 1.2	99	65.6	55.4-75.8	10	11.7	3.1-20.3				35	22.3	14.3-30.3
55-64	331	22,029				3	1.3	0.0- 3.3	209	62.2	55.7-68.7	15	5.3	2.0- 8.6	2	0.7	0.0- 1.7	102	30.5	24.6-36.4
65+	864	41,022	1	0.1	0.0- 0.3	8	0.6	0.0- 1.2	485	59.1	55.2-63.0	38	4.3	2.7- 5.9	13	1.3	0.5- 2.1	319	34.6	30.9-38.3
Less Than H.S.	53	10,488							29	52.4	28.9-75.9	4	5.8	0.0-14.0	3	11.1	0.0-28.7	17	30.7	9.1-52.3
H.S. or G.E.D.	364	24,573				4	0.6	0.0- 1.4	212	60.0	52.2-67.8	23	6.9	3.2-10.6	6	1.6	0.0- 3.4	119	30.9	23.5-38.3
Some Post-H.S.	492	53,637	1	0.2	0.0- 0.6	3	0.5	0.0- 1.3	284	62.7	56.2-69.2	20	9.2	3.9-14.5	6	0.8	0.0- 1.6	178	26.5	21.2-31.8
College Graduate	668	48,668	1	0.1	0.0- 0.3	6	0.6	0.0- 1.2	423	66.3	61.0-71.6	33	6.3	3.2- 9.4	4	0.8	0.0- 2.0	201	26.0	21.3-30.7
Less than \$15,000	81	8,482							44	59.8	40.8-78.8	7	12.3	0.0-27.4	1	0.4	0.0- 1.2	29	27.6	11.9-43.3
\$15,000- 24,999	164	13,364				1	0.3	0.0- 0.9	90	61.4	47.1-75.7	6	6.4	0.0-15.2	6	1.7	0.0- 3.5	61	30.2	17.5-42.9
\$25,000- 34,999	130	10,623				2	0.3	0.0- 0.7	83	62.8	48.1-77.5	4	13.5	0.0-28.8	2	0.8	0.0- 2.0	39	22.7	13.1-32.3
\$35,000- 49,999	233	18,549				1	0.4	0.0- 1.2	136	56.8	45.8-67.8	19	11.2	4.1-18.3	2	6.0	0.0-16.2	75	25.6	17.8-33.4
\$50,000- 74,999	249	20,289	1	0.1	0.0- 0.3	3	0.7	0.0- 1.7	147	57.8	47.6-68.0	13	6.8	1.7-11.9	2	2.3	0.0- 5.6	83	32.2	22.0-42.4
\$75,000+	471	50,612	1	0.2	0.0- 0.6	3	0.6	0.0- 1.4	307	67.4	61.3-73.5	21	4.7	1.8- 7.6	1	0.1	0.0- 0.3	138	27.1	21.4-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 7. HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4930	515,472	1399	30.6	28.6-32.6	402	7.5	6.5- 8.5	2108	41.7	39.7-43.7	1021	20.2	18.6-21.8
Male	2321	266,120	516	23.5	21.1-25.9	178	7.1	5.7- 8.5	1148	48.2	45.5-50.9	479	21.3	18.9-23.7
Female	2609	249,353	883	38.2	35.3-41.1	224	8.0	6.4- 9.6	960	34.8	31.9-37.7	542	19.1	16.7-21.5
Native	167	21,886	45	25.0	16.4-33.6	12	7.6	2.3-12.9	73	41.5	30.9-52.1	37	25.9	15.9-35.9
Non-Native	4712	488,210	1339	30.9	28.9-32.9	385	7.5	6.5- 8.5	2021	41.9	39.9-43.9	967	19.8	18.0-21.6
18-24	237	71,555	80	33.3	26.4-40.2	12	5.7	1.6- 9.8	106	42.3	34.9-49.7	39	18.6	12.3-24.9
25-34	389	96,686	150	38.0	32.5-43.5	20	5.2	2.7- 7.7	141	36.6	31.1-42.1	78	20.3	15.8-24.8
35-44	490	82,719	205	40.7	35.4-46.0	33	6.2	3.7- 8.7	181	38.0	32.7-43.3	71	15.2	11.3-19.1
45-54	574	69,812	164	26.3	22.0-30.6	54	8.5	5.8-11.2	250	44.8	39.7-49.9	106	20.4	15.9-24.9
55-64	1115	84,991	301	24.2	21.3-27.1	117	11.4	9.0-13.8	489	44.6	41.1-48.1	208	19.9	17.0-22.8
65+	2125	109,710	499	22.3	20.1-24.5	166	8.1	6.5- 9.7	941	44.4	41.9-46.9	519	25.2	22.8-27.6
Less Than H.S.	210	40,420	33	15.4	9.1-21.7	18	8.5	2.2-14.8	85	44.5	34.3-54.7	74	31.6	22.0-41.2
H.S. or G.E.D.	1335	134,303	277	24.3	20.8-27.8	102	6.4	4.6- 8.2	626	47.3	43.6-51.0	330	22.0	18.9-25.1
Some Post-H.S.	1571	201,532	420	30.9	27.6-34.2	140	7.9	6.1- 9.7	686	41.7	38.4-45.0	325	19.6	16.9-22.3
College Graduate	1800	137,352	668	41.2	38.1-44.3	140	7.5	5.9- 9.1	705	35.4	32.5-38.3	287	15.9	13.5-18.3
Less than \$15,000	237	24,834	46	27.9	17.9-37.9	26	9.8	4.5-15.1	78	30.8	22.6-39.0	87	31.5	22.9-40.1
\$15,000- 24,999	510	48,169	99	23.6	17.5-29.7	43	8.4	4.5-12.3	223	38.4	31.9-44.9	145	29.6	23.1-36.1
\$25,000- 34,999	400	37,888	77	23.1	16.2-30.0	37	7.9	4.4-11.4	186	43.6	36.3-50.9	100	25.4	19.1-31.7
\$35,000- 49,999	703	68,282	186	30.8	25.5-36.1	56	7.0	4.6- 9.4	309	40.4	34.9-45.9	152	21.7	16.6-26.8
\$50,000- 74,999	781	77,931	230	29.8	25.3-34.3	72	8.4	5.1-11.7	340	44.3	39.4-49.2	139	17.5	13.8-21.2
\$75,000+	1666	197,974	601	36.3	33.2-39.4	122	7.1	5.5- 8.7	688	40.8	37.5-44.1	255	15.9	13.4-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 8: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2321	266,120	516	23.5	21.1-25.9	178	7.1	5.7- 8.5	1148	48.2	45.5-50.9	479	21.3	18.9-23.7
Native	79	10,316	20	22.2	10.8-33.6	6	11.2	1.2-21.2	38	41.0	26.3-55.7	15	25.6	11.1-40.1
Non-Native	2213	252,247	487	23.4	21.0-25.8	169	6.8	5.4- 8.2	1104	48.9	46.0-51.8	453	20.9	18.5-23.3
18-24	159	37,939	46	27.1	19.7-34.5	7	3.7	0.6- 6.8	78	49.2	40.6-57.8	28	20.0	12.7-27.3
25-34	217	54,441	56	26.5	19.8-33.2	9	4.0	1.3- 6.7	101	45.0	37.6-52.4	51	24.5	18.0-31.0
35-44	248	43,446	76	32.1	25.0-39.2	16	6.7	3.0-10.4	114	44.3	36.9-51.7	42	16.9	11.4-22.4
45-54	281	35,988	56	17.6	12.5-22.7	20	8.1	4.2-12.0	146	50.6	43.2-58.0	59	23.7	16.8-30.6
55-64	528	44,023	92	16.8	13.1-20.5	60	11.7	8.2-15.2	272	51.3	46.0-56.6	104	20.1	15.8-24.4
65+	888	50,283	190	20.0	16.9-23.1	66	8.4	6.0-10.8	437	49.9	46.0-53.8	195	21.8	18.5-25.1
Less Than H.S.	107	20,582	14	11.1	4.4-17.8	10	7.7	1.8-13.6	53	51.0	38.3-63.7	30	30.2	17.7-42.7
H.S. or G.E.D.	677	77,380	123	21.0	16.7-25.3	49	5.9	3.7- 8.1	345	51.5	46.4-56.6	160	21.6	17.5-25.7
Some Post-H.S.	739	106,018	157	24.1	20.0-28.2	55	6.8	4.6- 9.0	377	47.6	42.9-52.3	150	21.5	17.6-25.4
College Graduate	791	61,070	222	30.1	25.8-34.4	62	8.0	5.6-10.4	369	44.4	39.9-48.9	138	17.6	14.1-21.1
Less than \$15,000	92	10,073	16	12.8	5.2-20.4	11	16.7	5.7-27.7	34	40.9	27.2-54.6	31	29.7	17.7-41.7
\$15,000- 24,999	208	21,516	32	12.9	7.4-18.4	16	7.8	2.9-12.7	101	43.6	34.6-52.6	59	35.7	26.5-44.9
\$25,000- 34,999	188	19,918	25	13.4	5.4-21.4	16	6.2	1.7-10.7	97	52.9	42.5-63.3	50	27.6	18.2-37.0
\$35,000- 49,999	318	34,172	71	24.8	17.9-31.7	17	4.7	2.0- 7.4	163	50.3	42.3-58.3	67	20.1	13.4-26.8
\$50,000- 74,999	399	43,664	93	24.1	18.2-30.0	36	7.0	4.3- 9.7	184	48.9	42.2-55.6	86	20.0	14.7-25.3
\$75,000+	913	113,312	242	28.7	24.8-32.6	67	7.1	4.9- 9.3	460	46.8	42.5-51.1	144	17.5	14.0-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 9: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2609	249,353	883	38.2	35.3-41.1	224	8.0	6.4-9.6	960	34.8	31.9-37.7	542	19.1	16.7-21.5
Native	88	11,570	25	27.4	15.1-39.7	6	4.5	0.4-8.6	35	42.1	27.0-57.2	22	26.0	12.1-39.9
Non-Native	2499	235,963	852	38.9	36.0-41.8	216	8.2	6.4-10.0	917	34.3	31.4-37.2	514	18.6	16.2-21.0
18-24	78	33,616	34	40.4	28.2-52.6	5	8.0	0.0-16.0	28	34.6	22.4-46.8	11	17.0	6.6-27.4
25-34	172	42,245	94	52.8	44.0-61.6	11	6.6	2.1-11.1	40	25.7	17.7-33.7	27	14.9	9.0-20.8
35-44	242	39,274	129	50.2	42.4-58.0	17	5.7	2.4-9.0	67	30.9	23.5-38.3	29	13.2	7.7-18.7
45-54	293	33,824	108	35.5	28.8-42.2	34	8.9	5.4-12.4	104	38.7	31.6-45.8	47	16.9	11.4-22.4
55-64	587	40,968	209	32.1	27.6-36.6	57	10.9	7.6-14.2	217	37.3	32.4-42.2	104	19.6	15.3-23.9
65+	1237	59,427	309	24.3	21.4-27.2	100	7.9	6.1-9.7	504	39.8	36.5-43.1	324	28.1	25.0-31.2
Less Than H.S.	103	19,838	19	19.8	9.2-30.4	8	9.4	0.0-20.4	32	37.8	22.1-53.5	44	33.0	18.1-47.9
H.S. or G.E.D.	658	56,922	154	28.8	23.1-34.5	53	7.1	4.4-9.8	281	41.6	35.9-47.3	170	22.6	17.9-27.3
Some Post-H.S.	832	95,514	263	38.4	33.3-43.5	85	9.0	6.3-11.7	309	35.2	30.3-40.1	175	17.5	14.0-21.0
College Graduate	1009	76,283	446	50.1	45.6-54.6	78	7.1	4.9-9.3	336	28.2	24.5-31.9	149	14.6	11.5-17.7
Less than \$15,000	145	14,761	30	38.3	24.0-52.6	15	5.0	1.1-8.9	44	24.0	15.0-33.0	56	32.7	20.7-44.7
\$15,000- 24,999	302	26,653	67	32.3	22.7-41.9	27	8.8	3.1-14.5	122	34.2	25.6-42.8	86	24.7	15.5-33.9
\$25,000- 34,999	212	17,970	52	33.8	23.0-44.6	21	9.9	4.6-15.2	89	33.2	23.8-42.6	50	23.0	14.8-31.2
\$35,000- 49,999	385	34,110	115	36.9	28.9-44.9	39	9.4	5.5-13.3	146	30.4	23.9-36.9	85	23.3	15.9-30.7
\$50,000- 74,999	382	34,267	137	37.1	29.8-44.4	36	10.2	3.5-16.9	156	38.5	31.2-45.8	53	14.2	9.3-19.1
\$75,000+	753	84,661	359	46.5	41.4-51.6	55	7.1	4.6-9.6	228	32.7	27.4-38.0	111	13.7	10.4-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4858	475,215	2395	38.5	36.5-40.5	2463	61.5	59.5-63.5
Male	2231	241,500	1018	35.5	33.0-38.0	1213	64.5	62.0-67.0
Female	2627	233,715	1377	41.6	38.9-44.3	1250	58.4	55.7-61.1
Native	158	19,535	72	38.4	28.0-48.8	86	61.6	51.2-72.0
Non-Native	4648	450,773	2300	38.5	36.5-40.5	2348	61.5	59.5-63.5
18-24	181	55,197	83	46.9	38.3-55.5	98	53.1	44.5-61.7
25-34	326	80,802	75	22.0	16.9-27.1	251	78.0	72.9-83.1
35-44	434	70,999	95	22.9	18.0-27.8	339	77.1	72.2-82.0
45-54	570	69,199	122	18.9	15.0-22.8	448	81.1	77.2-85.0
55-64	1133	85,298	338	30.2	26.9-33.5	795	69.8	66.5-73.1
65+	2214	113,720	1682	74.0	71.6-76.4	532	26.0	23.6-28.4
Less Than H.S.	216	38,581	114	41.3	31.9-50.7	102	58.7	49.3-68.1
H.S. or G.E.D.	1333	125,041	690	41.2	37.5-44.9	643	58.8	55.1-62.5
Some Post-H.S.	1542	183,116	753	38.2	34.9-41.5	789	61.8	58.5-65.1
College Graduate	1753	126,921	830	35.0	32.1-37.9	923	65.0	62.1-67.9
Less than \$15,000	236	23,846	128	48.4	38.8-58.0	108	51.6	42.0-61.2
\$15,000- 24,999	501	44,122	317	51.3	44.2-58.4	184	48.7	41.6-55.8
\$25,000- 34,999	408	37,887	227	42.1	35.0-49.2	181	57.9	50.8-65.0
\$35,000- 49,999	698	62,686	385	44.2	38.7-49.7	313	55.8	50.3-61.3
\$50,000- 74,999	776	74,031	367	37.0	32.5-41.5	409	63.0	58.5-67.5
\$75,000+	1598	177,548	620	29.8	26.9-32.7	978	70.2	67.3-73.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2231	241,500	1018	35.5	33.0-38.0	1213	64.5	62.0-67.0
Native	77	10,052	39	37.9	24.0-51.8	38	62.1	48.2-76.0
Non-Native	2123	228,248	968	35.4	32.7-38.1	1155	64.6	61.9-67.3
18-24	114	28,140	50	43.9	33.9-53.9	64	56.1	46.1-66.1
25-34	183	46,178	42	21.8	15.1-28.5	141	78.2	71.5-84.9
35-44	214	37,039	53	25.1	18.0-32.2	161	74.9	67.8-82.0
45-54	272	34,457	50	13.8	9.5-18.1	222	86.2	81.9-90.5
55-64	522	43,136	149	27.6	22.9-32.3	373	72.4	67.7-77.1
65+	926	52,550	674	70.9	67.2-74.6	252	29.1	25.4-32.8
Less Than H.S.	113	21,111	57	37.6	26.2-49.0	56	62.4	51.0-73.8
H.S. or G.E.D.	652	70,183	286	36.5	31.6-41.4	366	63.5	58.6-68.4
Some Post-H.S.	701	94,363	313	34.2	29.9-38.5	388	65.8	61.5-70.1
College Graduate	755	54,606	357	35.1	31.0-39.2	398	64.9	60.8-69.0
Less than \$15,000	91	10,469	42	40.3	27.2-53.4	49	59.7	46.6-72.8
\$15,000- 24,999	195	18,654	108	39.9	30.9-48.9	87	60.1	51.1-69.1
\$25,000- 34,999	193	20,891	93	36.7	27.3-46.1	100	63.3	53.9-72.7
\$35,000- 49,999	310	29,657	160	40.9	33.1-48.7	150	59.1	51.3-66.9
\$50,000- 74,999	393	40,617	177	36.5	30.2-42.8	216	63.5	57.2-69.8
\$75,000+	853	99,826	335	29.7	25.8-33.6	518	70.3	66.4-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2627	233,715	1377	41.6	38.9-44.3	1250	58.4	55.7-61.1
Native	81	9,483	33	38.9	23.6-54.2	48	61.1	45.8-76.4
Non-Native	2525	222,525	1332	41.7	38.8-44.6	1193	58.3	55.4-61.2
18-24	67	27,058	33	50.0	36.1-63.9	34	50.0	36.1-63.9
25-34	143	34,623	33	22.2	14.4-30.0	110	77.8	70.0-85.6
35-44	220	33,960	42	20.4	13.7-27.1	178	79.6	72.9-86.3
45-54	298	34,742	72	23.9	17.6-30.2	226	76.1	69.8-82.4
55-64	611	42,162	189	32.8	28.1-37.5	422	67.2	62.5-71.9
65+	1288	61,170	1008	76.7	73.8-79.6	280	23.3	20.4-26.2
Less Than H.S.	103	17,470	57	45.9	30.2-61.6	46	54.1	38.4-69.8
H.S. or G.E.D.	681	54,858	404	47.3	41.6-53.0	277	52.7	47.0-58.4
Some Post-H.S.	841	88,753	440	42.6	37.7-47.5	401	57.4	52.5-62.3
College Graduate	998	72,315	473	34.8	30.9-38.7	525	65.2	61.3-69.1
Less than \$15,000	145	13,376	86	54.7	41.6-67.8	59	45.3	32.2-58.4
\$15,000- 24,999	306	25,468	209	59.7	50.1-69.3	97	40.3	30.7-49.9
\$25,000- 34,999	215	16,996	134	48.7	38.3-59.1	81	51.3	40.9-61.7
\$35,000- 49,999	388	33,029	225	47.1	39.3-54.9	163	52.9	45.1-60.7
\$50,000- 74,999	383	33,415	190	37.6	30.7-44.5	193	62.4	55.5-69.3
\$75,000+	745	77,723	285	29.9	25.6-34.2	460	70.1	65.8-74.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)	
1	MALES AND FEMALES	262
2	MALES ONLY	263
3	FEMALES ONLY	264
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	265
5	MALES ONLY	266
6	FEMALES ONLY	267
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	268
8	MALES ONLY	269
9	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5085	532,626	1157	32.2	30.2-34.2	3928	67.8	65.8-69.8
Male	2387	275,996	586	31.9	29.4-34.4	1801	68.1	65.6-70.6
Female	2698	256,629	571	32.4	29.5-35.3	2127	67.6	64.7-70.5
Native	176	23,181	92	53.6	43.2-64.0	84	46.4	36.0-56.8
Non-Native	4860	504,347	1051	31.2	29.2-33.2	3809	68.8	66.8-70.8
18-24	258	77,211	74	30.4	23.7-37.1	184	69.6	62.9-76.3
25-34	403	100,040	173	45.1	39.6-50.6	230	54.9	49.4-60.4
35-44	497	83,796	237	50.1	44.8-55.4	260	49.9	44.6-55.2
45-54	600	72,965	230	39.7	34.8-44.6	370	60.3	55.4-65.2
55-64	1138	86,038	259	25.9	22.6-29.2	879	74.1	70.8-77.4
65+	2189	112,574	184	8.4	7.0- 9.8	2005	91.6	90.2-93.0
Less Than H.S.	215	40,524	32	22.1	13.9-30.3	183	77.9	69.7-86.1
H.S. or G.E.D.	1389	139,520	277	32.7	29.0-36.4	1112	67.3	63.6-71.0
Some Post-H.S.	1635	209,902	367	32.5	29.2-35.8	1268	67.5	64.2-70.8
College Graduate	1832	140,940	478	34.0	30.9-37.1	1354	66.0	62.9-69.1
Less than \$15,000	249	26,174	74	42.4	32.8-52.0	175	57.6	48.0-67.2
\$15,000- 24,999	520	50,133	111	31.6	24.9-38.3	409	68.4	61.7-75.1
\$25,000- 34,999	429	42,311	94	37.5	30.1-44.9	335	62.5	55.1-69.9
\$35,000- 49,999	720	69,996	135	30.7	25.0-36.4	585	69.3	63.6-75.0
\$50,000- 74,999	811	82,357	195	30.7	26.0-35.4	616	69.3	64.6-74.0
\$75,000+	1690	198,423	440	33.1	30.0-36.2	1250	66.9	63.8-70.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2387	275,996	586	31.9	29.4-34.4	1801	68.1	65.6-70.6
Native	85	11,131	47	52.9	38.4-67.4	38	47.1	32.6-61.6
Non-Native	2273	261,368	532	31.2	28.5-33.9	1741	68.8	66.1-71.5
18-24	173	42,111	35	20.3	13.6-27.0	138	79.7	73.0-86.4
25-34	224	56,357	91	44.6	37.3-51.9	133	55.4	48.1-62.7
35-44	249	43,775	113	47.4	39.8-55.0	136	52.6	45.0-60.2
45-54	298	37,943	116	41.9	34.8-49.0	182	58.1	51.0-65.2
55-64	534	44,456	131	27.0	22.1-31.9	403	73.0	68.1-77.9
65+	909	51,355	100	11.3	8.8-13.8	809	88.7	86.2-91.2
Less Than H.S.	112	21,638	21	25.5	14.5-36.5	91	74.5	63.5-85.5
H.S. or G.E.D.	697	80,241	164	31.8	26.9-36.7	533	68.2	63.3-73.1
Some Post-H.S.	769	111,498	197	33.4	28.9-37.9	572	66.6	62.1-71.1
College Graduate	801	61,499	202	31.9	27.6-36.2	599	68.1	63.8-72.4
Less than \$15,000	95	10,460	39	52.3	39.0-65.6	56	47.7	34.4-61.0
\$15,000- 24,999	209	22,119	58	28.8	20.6-37.0	151	71.2	63.0-79.4
\$25,000- 34,999	204	22,730	51	37.5	27.7-47.3	153	62.5	52.7-72.3
\$35,000- 49,999	324	34,053	65	29.2	21.6-36.8	259	70.8	63.2-78.4
\$50,000- 74,999	419	46,546	99	30.4	24.1-36.7	320	69.6	63.3-75.9
\$75,000+	922	114,275	236	32.5	28.4-36.6	686	67.5	63.4-71.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2698	256,629	571	32.4	29.5-35.3	2127	67.6	64.7-70.5
Native	91	12,050	45	54.3	39.8-68.8	46	45.7	31.2-60.2
Non-Native	2587	242,979	519	31.3	28.4-34.2	2068	68.7	65.8-71.6
18-24	85	35,100	39	42.4	30.4-54.4	46	57.6	45.6-69.6
25-34	179	43,684	82	45.7	37.1-54.3	97	54.3	45.7-62.9
35-44	248	40,020	124	53.1	45.7-60.5	124	46.9	39.5-54.3
45-54	302	35,023	114	37.3	30.4-44.2	188	62.7	55.8-69.6
55-64	604	41,582	128	24.7	20.0-29.4	476	75.3	70.6-80.0
65+	1280	61,220	84	6.0	4.6- 7.4	1196	94.0	92.6-95.4
Less Than H.S.	103	18,886	11	18.3	5.8-30.8	92	81.7	69.2-94.2
H.S. or G.E.D.	692	59,278	113	34.0	27.9-40.1	579	66.0	59.9-72.1
Some Post-H.S.	866	98,404	170	31.4	26.5-36.3	696	68.6	63.7-73.5
College Graduate	1031	79,440	276	35.7	31.4-40.0	755	64.3	60.0-68.6
Less than \$15,000	154	15,714	35	35.8	22.7-48.9	119	64.2	51.1-77.3
\$15,000- 24,999	311	28,013	53	33.8	24.2-43.4	258	66.2	56.6-75.8
\$25,000- 34,999	225	19,581	43	37.4	26.2-48.6	182	62.6	51.4-73.8
\$35,000- 49,999	396	35,943	70	32.2	23.8-40.6	326	67.8	59.4-76.2
\$50,000- 74,999	392	35,811	96	31.2	24.1-38.3	296	68.8	61.7-75.9
\$75,000+	768	84,148	204	33.8	28.9-38.7	564	66.2	61.3-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	937	142,552	35	1.9	1.1- 2.7	77	4.4	3.2- 5.6	170	14.4	11.7-17.1	67	5.7	3.9- 7.5	469	57.6	53.5-61.7	119	15.9	12.6-19.2
Male	472	72,178	14	1.8	0.6- 3.0	40	5.3	3.3- 7.3	70	13.0	9.3-16.7	32	5.7	3.2- 8.2	247	57.8	52.1-63.5	69	16.5	12.0-21.0
Female	465	70,374	21	2.1	1.1- 3.1	37	3.5	2.1- 4.9	100	15.8	11.9-19.7	35	5.8	3.3- 8.3	222	57.5	51.4-63.6	50	15.4	10.3-20.5
Native	76	10,164	1	1.0	0.0- 3.0	3	1.6	0.0- 3.6	5	8.6	0.6-16.6	6	2.8	0.3- 5.3	48	71.5	59.3-83.7	13	14.6	5.4-23.8
Non-Native	851	131,405	32	1.9	1.1- 2.7	72	4.5	3.3- 5.7	163	14.7	12.0-17.4	61	6.0	4.0- 8.0	418	56.8	52.5-61.1	105	16.1	12.6-19.6
18-24	67	20,976							1	1.9	0.0- 5.6				40	58.4	44.7-72.1	26	39.6	25.9-53.3
25-34	148	38,655							11	6.2	2.3-10.1	8	5.2	1.1- 9.3	113	78.1	70.7-85.5	16	10.5	5.0-16.0
35-44	209	36,161				10	3.2	1.2- 5.2	54	24.4	17.3-31.5	18	7.9	3.8-12.0	104	52.1	43.9-60.3	23	12.5	6.8-18.2
45-54	193	23,509	9	4.6	0.9- 8.3	18	7.8	3.7-11.9	44	21.2	14.3-28.1	10	4.1	1.4- 6.8	88	47.6	39.0-56.2	24	14.8	8.3-21.3
55-64	197	16,670	16	6.7	3.2-10.2	26	11.7	6.4-17.0	37	15.9	10.2-21.6	25	11.7	6.2-17.2	72	42.4	33.8-51.0	21	11.6	5.7-17.5
65+	123	6,581	10	8.5	2.4-14.6	23	19.7	10.9-28.5	23	18.7	9.9-27.5	6	6.7	0.6-12.8	52	40.1	29.5-50.7	9	6.3	1.6-11.0
H.S. or G.E.D.	225	38,037	4	0.5	0.0- 1.1	16	4.5	2.0- 7.0	43	14.5	9.4-19.6	8	2.6	0.1- 5.1	121	59.3	51.3-67.3	33	18.5	11.8-25.2
Some Post-H.S.	292	56,870	12	2.5	0.7- 4.3	25	3.5	1.9- 5.1	53	14.7	10.0-19.4	18	5.5	2.6- 8.4	134	55.4	48.3-62.5	50	18.4	12.7-24.1
College Graduate	395	40,437	18	2.7	1.1- 4.3	35	5.5	3.3- 7.7	73	15.4	11.3-19.5	40	9.2	5.7-12.7	196	58.0	51.9-64.1	33	9.1	5.4-12.8
Less than \$15,000	60	9,871	2	0.7	0.0- 1.7	4	2.1	0.0- 4.5	10	21.1	7.8-34.4	1	0.6	0.0- 1.8	30	55.6	39.3-71.9	13	19.9	7.9-31.9
\$15,000- 24,999	89	11,702	4	2.3	0.0- 5.0	7	5.0	0.7- 9.3	5	9.5	0.5-18.5	5	7.0	0.0-15.0	56	59.4	45.5-73.3	12	16.7	4.9-28.5
\$25,000- 34,999	62	11,076				2	0.9	0.0- 2.1	15	12.4	4.4-20.4	3	3.2	0.0- 7.1	29	59.5	43.0-76.0	13	24.1	8.8-39.4
\$35,000- 49,999	113	18,921	3	1.0	0.0- 2.4	12	7.0	2.3-11.7	22	9.4	4.3-14.5	8	3.4	0.7- 6.1	56	62.6	50.3-74.9	12	16.6	4.6-28.6
\$50,000- 74,999	163	20,925	9	3.2	0.8- 5.6	18	5.2	1.7- 8.7	27	13.7	7.6-19.8	10	6.1	1.6-10.6	82	58.5	48.9-68.1	17	13.3	6.4-20.2
\$75,000+	372	56,808	15	2.5	0.9- 4.1	29	4.2	2.4- 6.0	73	15.8	11.3-20.3	38	8.2	4.9-11.5	177	55.1	48.6-61.6	40	14.1	9.4-18.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

SECTION 14: HIV/AIDS

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	472	72,178	14	1.8	0.6- 3.0	40	5.3	3.3- 7.3	70	13.0	9.3-16.7	32	5.7	3.2- 8.2	247	57.8	52.1-63.5	69	16.5	12.0-21.0
Non-Native	429	66,675	11	1.6	0.2- 3.0	38	5.6	3.6- 7.6	65	12.7	9.0-16.4	29	5.9	3.2- 8.6	222	57.1	51.2-63.0	64	17.2	12.5-21.9
25-34	74	20,808							6	7.7	1.4-14.0	5	4.7	0.0-10.2	55	75.9	65.3-86.5	8	11.8	3.6-20.0
35-44	96	17,348				6	3.7	0.6- 6.8	26	25.9	15.3-36.5	6	7.8	1.3-14.3	43	46.0	34.0-58.0	15	16.6	7.4-25.8
45-54	98	13,390	3	4.6	0.0-10.3	9	7.7	2.2-13.2	13	11.1	4.4-17.8	3	2.2	0.0- 5.1	52	55.3	43.7-66.9	18	19.1	9.5-28.7
55-64	100	8,855	6	4.7	0.4- 9.0	15	14.8	6.2-23.4	13	10.9	4.4-17.4	13	12.2	4.4-20.0	41	44.4	31.9-56.9	12	13.0	4.6-21.4
65+	74	4,413	5	6.1	0.0-12.4	10	18.3	6.9-29.7	12	18.5	6.5-30.5	5	9.0	0.2-17.8	35	40.0	26.7-53.3	7	8.1	1.4-14.8
H.S. or G.E.D.	133	20,898	2	0.3	0.0- 0.7	10	5.2	1.5- 8.9	25	17.4	10.0-24.8	5	1.7	0.0- 3.5	73	57.8	47.6-68.0	18	17.5	9.1-25.9
Some Post-H.S.	155	31,277	7	3.2	0.5- 5.9	13	3.5	1.5- 5.5	16	9.1	3.6-14.6	12	7.9	2.8-13.0	77	57.3	47.9-66.7	30	18.9	11.5-26.3
College Graduate	169	16,303	4	1.2	0.0- 2.6	16	8.2	3.9-12.5	28	15.5	9.0-22.0	15	7.7	2.8-12.6	87	56.7	47.7-65.7	19	10.7	5.2-16.2
\$35,000- 49,999	52	7,855	1	0.3	0.0- 0.9	7	11.2	2.0-20.4	7	6.5	0.8-12.2	1	1.6	0.0- 4.7	28	58.8	41.6-76.0	8	21.7	5.4-38.0
\$50,000- 74,999	81	11,547	4	2.2	0.0- 4.6	7	5.7	0.2-11.2	13	13.2	5.0-21.4	6	7.2	0.3-14.1	41	56.4	42.7-70.1	10	15.5	5.5-25.5
\$75,000+	204	33,328	5	2.4	0.0- 4.9	20	5.6	3.1- 8.1	25	10.3	5.0-15.6	19	7.8	3.1-12.5	109	57.8	49.4-66.2	26	16.2	9.5-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	465	70,374	21	2.1	1.1- 3.1	37	3.5	2.1- 4.9	100	15.8	11.9-19.7	35	5.8	3.3- 8.3	222	57.5	51.4-63.6	50	15.4	10.3-20.5
Non-Native	422	64,729	21	2.3	1.1- 3.5	34	3.4	2.0- 4.8	98	16.8	12.7-20.9	32	6.2	3.5- 8.9	196	56.4	49.9-62.9	41	15.0	9.7-20.3
25-34	74	17,848							5	4.5	0.0- 9.0	3	5.7	0.0-12.2	58	80.7	70.7-90.7	8	9.1	2.2-16.0
35-44	113	18,813				4	2.6	0.0- 5.3	28	22.9	13.7-32.1	12	8.0	2.5-13.5	61	57.7	46.7-68.7	8	8.7	2.2-15.2
45-54	95	10,118	6	4.6	0.3- 8.9	9	8.0	1.9-14.1	31	34.4	22.4-46.4	7	6.6	1.3-11.9	36	37.3	25.3-49.3	6	9.0	1.4-16.6
55-64	97	7,814	10	9.1	3.2-15.0	11	8.1	2.8-13.4	24	21.6	12.4-30.8	12	11.0	3.7-18.3	31	40.1	27.9-52.3	9	10.1	2.1-18.1
H.S. or G.E.D.	92	17,139	2	0.9	0.0- 2.3	6	3.7	0.2- 7.2	18	10.9	4.8-17.0	3	3.8	0.0- 9.1	48	61.2	48.7-73.7	15	19.6	9.0-30.2
Some Post-H.S.	137	25,592	5	1.6	0.0- 3.2	12	3.5	1.3- 5.7	37	21.6	13.4-29.8	6	2.5	0.3- 4.7	57	53.2	42.2-64.2	20	17.7	9.1-26.3
College Graduate	226	24,134	14	3.8	1.4- 6.2	19	3.8	1.6- 6.0	45	15.4	9.9-20.9	25	10.3	5.4-15.2	109	58.9	50.7-67.1	14	8.0	3.1-12.9
\$35,000- 49,999	61	11,065	2	1.6	0.0- 4.0	5	4.0	0.0- 8.3	15	11.5	3.9-19.1	7	4.6	0.3- 8.9	28	65.3	48.1-82.5	4	13.0	0.0-30.1
\$50,000- 74,999	82	9,378	5	4.4	0.1- 8.7	11	4.7	1.2- 8.2	14	14.3	5.1-23.5	4	4.7	0.0-10.0	41	61.2	47.7-74.7	7	10.7	1.5-19.9
\$75,000+	168	23,480	10	2.8	0.8- 4.8	9	2.2	0.6- 3.8	48	23.7	16.1-31.3	19	8.7	3.8-13.6	68	51.4	41.6-61.2	14	11.3	4.8-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5244	547,957	130	5.4	4.2- 6.6	5114	94.6	93.4-95.8
Male	2462	282,695	90	7.0	5.4- 8.6	2372	93.0	91.4-94.6
Female	2782	265,262	40	3.8	2.4- 5.2	2742	96.2	94.8-97.6
Native	179	23,414	10	7.9	1.6-14.2	169	92.1	85.8-98.4
Non-Native	5013	519,320	120	5.4	4.2- 6.6	4893	94.6	93.4-95.8
18-24	263	78,862	38	14.0	9.3-18.7	225	86.0	81.3-90.7
25-34	416	102,936	39	10.1	6.6-13.6	377	89.9	86.4-93.4
35-44	511	86,651	17	4.5	2.0- 7.0	494	95.5	93.0-98.0
45-54	612	74,302	16	2.9	0.9- 4.9	596	97.1	95.1-99.1
55-64	1177	88,973	10	2.0	0.6- 3.4	1167	98.0	96.6-99.4
65+	2265	116,235	10	0.5	0.1- 0.9	2255	99.5	99.1-99.9
Less Than H.S.	219	41,184	9	6.4	1.7-11.1	210	93.6	88.9-98.3
H.S. or G.E.D.	1427	142,553	42	7.4	5.0- 9.8	1385	92.6	90.2-95.0
Some Post-H.S.	1684	216,171	41	5.7	3.7- 7.7	1643	94.3	92.3-96.3
College Graduate	1900	146,322	37	2.8	1.6- 4.0	1863	97.2	96.0-98.4
Less than \$15,000	257	27,310	8	6.6	1.7-11.5	249	93.4	88.5-98.3
\$15,000- 24,999	536	50,758	15	6.4	2.5-10.3	521	93.6	89.7-97.5
\$25,000- 34,999	443	43,231	12	9.0	3.5-14.5	431	91.0	85.5-96.5
\$35,000- 49,999	739	71,336	14	5.1	2.2- 8.0	725	94.9	92.0-97.8
\$50,000- 74,999	831	83,812	22	4.8	2.3- 7.3	809	95.2	92.7-97.7
\$75,000+	1746	205,351	45	5.1	3.3- 6.9	1701	94.9	93.1-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2462	282,695	90	7.0	5.4- 8.6	2372	93.0	91.4-94.6
Native	86	11,183	7	11.5	0.5-22.5	79	88.5	77.5-99.5
Non-Native	2346	268,109	83	6.9	5.3- 8.5	2263	93.1	91.5-94.7
18-24	176	42,773	28	15.7	10.0-21.4	148	84.3	78.6-90.0
25-34	228	57,012	25	12.6	7.5-17.7	203	87.4	82.3-92.5
35-44	254	44,931	12	5.7	2.2- 9.2	242	94.3	90.8-97.8
45-54	302	38,650	10	4.2	0.9- 7.5	292	95.8	92.5-99.1
55-64	552	45,826	9	3.4	0.9- 5.9	543	96.6	94.1-99.1
65+	950	53,503	6	0.3	0.1- 0.5	944	99.7	99.5-99.9
Less Than H.S.	116	22,368	5	8.2	0.8-15.6	111	91.8	84.4-99.2
H.S. or G.E.D.	715	81,742	31	9.3	6.0-12.6	684	90.7	87.4-94.0
Some Post-H.S.	792	113,859	29	6.7	4.2- 9.2	763	93.3	90.8-95.8
College Graduate	831	63,725	24	3.8	1.8- 5.8	807	96.2	94.2-98.2
Less than \$15,000	101	11,453	5	11.6	1.4-21.8	96	88.4	78.2-98.6
\$15,000- 24,999	214	22,230	9	5.7	1.2-10.2	205	94.3	89.8-98.8
\$25,000- 34,999	212	23,251	8	9.6	2.3-16.9	204	90.4	83.1-97.7
\$35,000- 49,999	333	34,737	11	7.6	2.5-12.7	322	92.4	87.3-97.5
\$50,000- 74,999	428	47,146	15	5.3	2.2- 8.4	413	94.7	91.6-97.8
\$75,000+	953	117,690	34	7.0	4.5- 9.5	919	93.0	90.5-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2782	265,262	40	3.8	2.4- 5.2	2742	96.2	94.8-97.6
Native	93	12,231	3	4.5	0.0-10.6	90	95.5	89.4- 100
Non-Native	2667	251,211	37	3.8	2.2- 5.4	2630	96.2	94.6-97.8
18-24	87	36,089	10	11.9	4.3-19.5	77	88.1	80.5-95.7
25-34	188	45,924	14	7.0	2.7-11.3	174	93.0	88.7-97.3
35-44	257	41,720	5	3.2	0.0- 6.7	252	96.8	93.3- 100
45-54	310	35,651	6	1.5	0.1- 2.9	304	98.5	97.1-99.9
55-64	625	43,146	1	0.6	0.0- 1.6	624	99.4	98.4- 100
65+	1315	62,732	4	0.6	0.0- 1.4	1311	99.4	98.6- 100
Less Than H.S.	103	18,815	4	4.4	0.0- 9.3	99	95.6	90.7- 100
H.S. or G.E.D.	712	60,811	11	4.9	1.8- 8.0	701	95.1	92.0-98.2
Some Post-H.S.	892	102,312	12	4.5	1.6- 7.4	880	95.5	92.6-98.4
College Graduate	1069	82,597	13	2.0	0.6- 3.4	1056	98.0	96.6-99.4
Less than \$15,000	156	15,857	3	2.9	0.0- 6.6	153	97.1	93.4- 100
\$15,000- 24,999	322	28,528	6	7.0	0.9-13.1	316	93.0	86.9-99.1
\$25,000- 34,999	231	19,979	4	8.2	0.0-16.8	227	91.8	83.2- 100
\$35,000- 49,999	406	36,599	3	2.7	0.0- 6.0	403	97.3	94.0- 100
\$50,000- 74,999	403	36,666	7	4.1	0.0- 8.2	396	95.9	91.8- 100
\$75,000+	793	87,660	11	2.4	0.4- 4.4	782	97.6	95.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2019**

End of Core Data Report