

NORTH DAKOTA

2011 Core Variables Report

Behavioral Risk Factor Surveillance System

June 19, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5280	515,442	895	17.8	16.4-19.2	1907	36.6	34.8-38.4	1662	31.6	29.8-33.4	639	11.4	10.2-12.6	177	2.6	0.2-0.3.2
Male	2201	258,210	370	17.9	15.7-20.1	802	36.1	33.4-38.8	691	31.5	29.0-34.0	261	11.7	09.9-13.5	77	2.7	01.9-03.5
Female	3079	257,232	525	17.7	15.9-19.5	1105	37.1	34.7-39.5	971	31.6	29.2-34.0	378	11.0	09.4-12.6	100	2.5	01.9-03.1
Native	135	17,793	18	18.5	08.7-28.3	32	26.5	15.5-37.5	49	27.5	17.5-37.5	25	21.6	10.4-32.8	11	5.9	01.6-10.2
Non-Native	5082	492,313	869	17.7	16.1-19.3	1861	37.1	35.3-38.9	1588	31.7	29.9-33.5	602	11.0	09.8-12.2	162	2.5	01.9-03.1
18-24	251	86,812	62	24.1	18.2-30.0	94	38.0	31.5-44.5	73	28.3	22.2-34.4	19	8.3	04.4-12.2	3	1.4	00.0-03.2
25-34	569	86,505	142	22.4	18.5-26.3	230	40.4	35.7-45.1	158	29.3	24.8-33.8	33	6.5	04.0-09.0	6	1.5	00.1-02.9
35-44	618	70,965	136	20.0	16.5-23.5	259	40.7	36.0-45.4	168	28.5	24.2-32.8	46	9.0	06.1-11.9	9	1.9	00.5-03.3
45-54	976	89,945	183	17.2	14.5-19.9	397	37.4	33.7-41.1	278	32.0	28.1-35.9	88	10.9	08.0-13.8	30	2.5	01.3-03.7
55-64	1162	77,301	195	15.7	13.3-18.1	435	37.6	34.3-40.9	337	29.6	26.3-32.9	146	13.0	10.5-15.5	49	4.2	02.8-05.6
65+	1646	99,462	171	9.7	07.9-11.5	470	27.2	24.5-29.9	629	39.8	36.7-42.9	296	19.2	16.7-21.7	80	4.2	03.0-05.4
Less Than H.S.	360	53,081	28	9.5	04.4-14.6	66	21.5	15.0-28.0	142	38.2	30.8-45.6	95	25.0	18.3-31.7	29	5.8	02.5-09.1
H.S. or G.E.D.	1549	144,745	194	14.0	11.6-16.4	476	31.2	28.1-34.3	571	38.1	34.8-41.4	227	12.6	10.2-15.0	81	4.0	02.8-05.2
Some Post-H.S.	1643	195,540	273	18.9	16.2-21.6	613	39.5	36.4-42.6	509	29.6	26.7-32.5	204	10.4	08.6-12.2	44	1.6	01.0-02.2
College Graduate	1720	121,806	398	24.2	21.7-26.7	751	45.0	42.1-47.9	438	24.1	21.6-26.6	110	5.6	04.2-07.0	23	1.1	00.5-01.7
Less than \$15,000	388	41,244	37	17.6	10.9-24.3	80	23.6	16.7-30.5	129	28.7	21.6-35.8	103	23.4	16.9-29.9	39	6.7	02.8-10.6
\$15,000- 24,999	686	66,626	75	12.4	08.3-16.5	180	27.5	22.2-32.8	239	34.6	29.1-40.1	146	19.5	15.4-23.6	46	6.0	03.6-08.4
\$25,000- 34,999	594	56,262	68	14.4	09.7-19.1	198	34.7	29.2-40.2	204	33.4	28.1-38.7	98	14.9	11.4-18.4	26	2.6	01.2-04.0
\$35,000- 49,999	797	85,407	139	18.8	15.3-22.3	277	35.8	31.5-40.1	286	35.2	30.9-39.5	75	8.2	05.7-10.7	20	1.9	00.9-02.9
\$50,000- 74,999	874	83,271	153	17.3	14.2-20.4	381	41.7	37.6-45.8	273	33.8	29.7-37.9	59	6.5	04.3-08.7	8	0.7	00.3-01.1
\$75,000+	1228	114,113	312	23.4	20.7-26.1	573	46.2	42.7-49.7	277	25.3	22.0-28.6	56	4.4	03.0-05.8	10	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2201	258,210	370	17.9	15.7-20.1	802	36.1	33.4-38.8	691	31.5	29.0-34.0	261	11.7	09.9-13.5	77	2.7	01.9-03.5
Native	53	9,512	7	21.3	05.8-36.8	15	32.5	15.4-49.6	22	32.3	16.6-48.0	5	9.7	00.0-20.3	4	4.3	00.0-10.0
Non-Native	2114	245,416	357	17.6	15.2-20.0	779	36.4	33.7-39.1	656	31.7	29.0-34.4	251	11.8	09.8-13.8	71	2.6	01.8-03.4
18-24	126	46,230	33	27.3	18.7-35.9	47	39.1	29.9-48.3	37	25.8	17.8-33.8	7	5.9	01.2-10.6	2	2.0	00.0-04.9
25-34	269	46,547	58	20.8	15.3-26.3	115	40.5	33.8-47.2	77	30.0	23.5-36.5	15	7.1	03.2-11.0	4	1.6	00.0-03.4
35-44	289	36,856	58	18.3	13.2-23.4	125	40.1	33.2-47.0	81	29.9	23.2-36.6	19	8.8	04.3-13.3	6	2.9	00.4-05.4
45-54	405	44,873	69	14.6	10.5-18.7	166	34.9	29.4-40.4	118	34.7	28.6-40.8	41	14.4	09.3-19.5	11	1.4	00.4-02.4
55-64	527	39,379	86	15.3	11.8-18.8	194	36.6	31.7-41.5	153	29.4	24.5-34.3	70	14.4	10.5-18.3	24	4.4	02.2-06.6
65+	566	42,816	62	10.5	07.6-13.4	151	26.1	21.6-30.6	217	38.8	33.9-43.7	106	20.2	15.9-24.5	30	4.3	02.3-06.3
Less Than H.S.	181	33,904	17	12.0	04.6-19.4	36	20.5	12.7-28.3	72	39.2	29.4-49.0	42	23.3	14.7-31.9	14	4.9	00.6-09.2
H.S. or G.E.D.	643	72,957	71	11.5	08.4-14.6	189	30.3	25.6-35.0	251	40.2	35.3-45.1	94	13.5	10.2-16.8	38	4.5	02.5-06.5
Some Post-H.S.	657	95,783	119	21.4	17.1-25.7	260	41.0	36.1-45.9	191	27.2	22.9-31.5	73	9.3	06.8-11.8	14	1.2	00.4-02.0
College Graduate	718	55,506	162	24.1	20.2-28.0	317	45.0	40.5-49.5	177	23.1	19.4-26.8	51	6.5	04.3-08.7	11	1.4	00.4-02.4
Less than \$15,000	126	19,048	14	18.5	07.9-29.1	29	29.6	17.6-41.6	34	24.4	13.4-35.4	29	19.7	10.3-29.1	20	7.8	00.7-14.9
\$15,000- 24,999	240	30,026	26	12.7	05.8-19.6	68	30.6	21.8-39.4	73	27.8	19.8-35.8	54	22.2	14.9-29.5	19	6.8	02.9-10.7
\$25,000- 34,999	242	29,677	26	14.8	07.5-22.1	71	31.6	23.6-39.6	89	35.1	26.9-43.3	45	15.8	10.1-21.5	11	2.8	00.6-05.0
\$35,000- 49,999	393	48,632	62	18.5	13.4-23.6	129	33.2	27.1-39.3	149	36.5	30.4-42.6	43	10.2	06.3-14.1	10	1.6	00.4-02.8
\$50,000- 74,999	414	44,740	62	16.6	12.1-21.1	175	38.8	33.1-44.5	141	36.9	30.8-43.0	32	7.0	03.9-10.1	4	0.7	00.0-01.5
\$75,000+	591	60,008	151	23.0	18.9-27.1	276	47.3	42.2-52.4	136	25.5	21.0-30.0	26	3.7	02.1-05.3	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3079	257,232	525	17.7	15.9-19.5	1105	37.1	34.7-39.5	971	31.6	29.2-34.0	378	11.0	09.4-12.6	100	2.5	01.9-03.1
Native	82	8,281	11	15.4	04.0-26.8	17	19.5	07.3-31.7	27	21.9	10.1-33.7	20	35.3	17.3-53.3	7	7.9	01.2-14.6
Non-Native	2968	246,897	512	17.9	15.9-19.9	1082	37.8	35.4-40.2	932	31.8	29.4-34.2	351	10.2	08.8-11.6	91	2.3	01.7-02.9
18-24	125	40,582	29	20.4	13.0-27.8	47	36.7	27.7-45.7	36	31.2	22.2-40.2	12	10.9	04.6-17.2	1	0.7	00.0-02.1
25-34	300	39,958	84	24.2	18.7-29.7	115	40.3	33.6-47.0	81	28.4	22.1-34.7	18	5.7	02.4-09.0	2	1.4	00.0-03.6
35-44	329	34,109	78	21.8	16.7-26.9	134	41.2	34.7-47.7	87	27.0	21.3-32.7	27	9.1	05.0-13.2	3	0.8	00.0-01.8
45-54	571	45,072	114	19.7	16.0-23.4	231	39.9	35.2-44.6	160	29.4	24.9-33.9	47	7.5	05.0-10.0	19	3.5	01.5-05.5
55-64	635	37,923	109	16.1	13.0-19.2	241	38.6	34.1-43.1	184	29.8	25.5-34.1	76	11.6	08.7-14.5	25	3.9	02.1-05.7
65+	1080	56,646	109	9.1	07.1-11.1	319	27.9	24.6-31.2	412	40.6	36.9-44.3	190	18.3	15.2-21.4	50	4.0	02.6-05.4
Less Than H.S.	179	19,177	11	5.1	00.4-09.8	30	23.3	11.7-34.9	70	36.5	25.3-47.7	53	27.8	17.6-38.0	15	7.3	01.6-13.0
H.S. or G.E.D.	906	71,787	123	16.5	13.0-20.0	287	32.1	27.8-36.4	320	36.1	31.6-40.6	133	11.7	08.6-14.8	43	3.5	02.1-04.9
Some Post-H.S.	986	99,757	154	16.6	13.5-19.7	353	38.0	33.9-42.1	318	31.9	28.0-35.8	131	11.4	08.9-13.9	30	2.0	01.0-03.0
College Graduate	1002	66,300	236	24.3	21.0-27.6	434	45.1	41.2-49.0	261	25.0	21.7-28.3	59	4.9	03.3-06.5	12	0.8	00.2-01.4
Less than \$15,000	262	22,196	23	16.8	08.4-25.2	51	18.5	11.1-25.9	95	32.4	23.6-41.2	74	26.6	17.8-35.4	19	5.8	02.1-09.5
\$15,000- 24,999	446	36,600	49	12.2	07.3-17.1	112	25.0	18.7-31.3	166	40.2	33.1-47.3	92	17.3	12.6-22.0	27	5.4	02.5-08.3
\$25,000- 34,999	352	26,585	42	14.0	08.3-19.7	127	38.1	30.8-45.4	115	31.6	24.9-38.3	53	13.9	09.4-18.4	15	2.4	00.8-04.0
\$35,000- 49,999	404	36,775	77	19.2	14.5-23.9	148	39.2	32.9-45.5	137	33.5	27.4-39.6	32	5.7	03.2-08.2	10	2.4	00.6-04.2
\$50,000- 74,999	460	38,531	91	18.1	14.0-22.2	206	45.1	39.6-50.6	132	30.2	25.1-35.3	27	6.0	03.3-08.7	4	0.6	00.0-01.2
\$75,000+	637	54,105	161	23.7	19.8-27.6	297	45.0	40.3-49.7	141	25.0	20.5-29.5	30	5.0	02.8-07.2	8	1.3	00.3-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5156	505,664	3424	65.9	64.1-67.7	573	12.2	10.8-13.6	514	10.7	09.5-11.9	391	7.1	06.1-08.1	254	4.0	03.4-04.6	
Male	2151	252,968	1505	67.5	64.8-70.2	238	12.8	10.8-14.8	196	10.6	08.6-12.6	121	5.7	04.3-07.1	91	3.4	02.4-04.4	
Female	3005	252,696	1919	64.4	62.0-66.8	335	11.7	10.1-13.3	318	10.9	09.3-12.5	270	8.6	07.0-10.2	163	4.5	03.5-05.5	
Native	131	17,681	72	52.0	39.7-64.3	12	9.3	02.4-16.2	20	17.3	06.3-28.3	15	12.8	03.8-21.8	12	8.6	02.7-14.5	
Non-Native	4967	482,899	3315	66.4	64.6-68.2	554	12.3	10.9-13.7	488	10.5	09.3-11.7	371	6.9	05.9-07.9	239	3.8	03.2-04.4	
18-24	250	86,506	161	63.3	56.8-69.8	36	15.3	10.4-20.2	34	12.6	08.3-16.9	15	7.4	03.7-11.1	4	1.4	00.0-02.8	
25-34	566	85,575	391	67.7	63.0-72.4	80	13.1	10.0-16.2	60	12.3	08.8-15.8	26	5.3	02.9-07.7	9	1.6	00.4-02.8	
35-44	617	70,627	429	67.1	62.6-71.6	76	12.1	09.0-15.2	62	10.4	07.5-13.3	33	6.4	04.0-08.8	17	4.1	01.9-06.3	
45-54	968	88,733	636	64.1	60.2-68.0	132	15.0	12.1-17.9	84	9.4	07.0-11.8	74	7.0	04.8-09.2	42	4.5	02.7-06.3	
55-64	1147	76,029	778	68.7	65.4-72.0	108	9.2	07.2-11.2	99	8.9	06.7-11.1	90	6.7	04.9-08.5	72	6.4	04.6-08.2	
65+	1553	93,786	989	65.0	62.1-67.9	136	8.8	07.0-10.6	173	11.0	09.0-13.0	150	9.5	07.5-11.5	105	5.6	04.2-07.0	
Less Than H.S.	324	49,604	186	57.6	49.6-65.6	33	9.6	05.3-13.9	42	14.8	08.9-20.7	35	12.6	06.9-18.3	28	5.4	02.7-08.1	
H.S. or G.E.D.	1495	141,205	977	66.1	62.8-69.4	137	10.0	07.8-12.2	162	11.4	09.0-13.8	138	8.4	06.4-10.4	81	4.1	02.9-05.3	
Some Post-H.S.	1623	193,436	1067	66.4	63.3-69.5	181	13.3	10.9-15.7	152	9.8	07.8-11.8	133	6.5	04.9-08.1	90	4.1	02.9-05.3	
College Graduate	1708	121,180	1190	68.5	65.8-71.2	222	14.2	12.0-16.4	158	9.9	08.1-11.7	85	4.4	03.2-05.6	53	3.1	02.1-04.1	
Less than \$15,000	369	39,383	182	49.7	41.5-57.9	31	12.1	06.4-17.8	43	11.7	06.4-17.0	66	17.0	10.3-23.7	47	9.5	05.4-13.6	
\$15,000- 24,999	661	64,440	375	54.3	48.4-60.2	59	12.6	08.3-16.9	93	18.0	13.3-22.7	76	9.5	06.6-12.4	58	5.6	03.6-07.6	
\$25,000- 34,999	579	55,271	371	68.1	63.0-73.2	58	9.2	06.1-12.3	66	11.4	07.9-14.9	53	7.2	04.7-09.7	31	4.2	02.2-06.2	
\$35,000- 49,999	784	84,384	533	68.6	64.3-72.9	103	12.8	09.7-15.9	77	9.7	07.0-12.4	42	5.5	03.3-07.7	29	3.3	01.7-04.9	
\$50,000- 74,999	868	82,432	603	65.9	61.8-70.0	112	14.1	11.2-17.0	77	10.2	07.5-12.9	55	6.8	04.6-09.0	21	3.0	01.4-04.6	
\$75,000+	1223	113,687	919	73.6	70.3-76.9	136	12.1	09.6-14.6	91	8.1	06.1-10.1	48	4.1	02.3-05.9	29	2.0	01.0-03.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2151	252,968	1505	67.5	64.8-70.2	238	12.8	10.8-14.8	196	10.6	08.6-12.6	121	5.7	04.3-07.1	91	3.4	02.4-04.4	
Native	52	9,500	30	55.8	38.0-73.6	6	11.7	00.5-22.9	7	14.0	00.0-29.1	5	8.8	00.0-18.2	4	9.8	00.0-19.6	
Non-Native	2066	240,209	1453	67.9	65.2-70.6	227	12.8	10.8-14.8	187	10.5	08.5-12.5	113	5.6	04.2-07.0	86	3.2	02.2-04.2	
18-24	125	45,974	83	65.3	56.3-74.3	18	15.1	08.4-21.8	17	13.3	06.8-19.8	6	5.5	01.0-10.0	1	0.7	00.0-02.1	
25-34	266	45,510	181	67.6	60.9-74.3	44	14.9	10.0-19.8	28	12.7	07.6-17.8	8	2.9	00.5-05.3	5	1.8	00.2-03.4	
35-44	290	36,816	202	65.0	58.1-71.9	37	14.2	09.1-19.3	27	9.6	05.5-13.7	16	6.9	03.4-10.4	8	4.4	01.3-07.5	
45-54	402	44,187	274	64.4	58.3-70.5	57	15.8	11.1-20.5	35	10.0	06.1-13.9	20	5.9	02.6-09.2	16	3.9	01.5-06.3	
55-64	518	38,544	373	71.3	66.4-76.2	43	8.2	05.3-11.1	42	8.8	05.7-11.9	31	5.3	02.9-07.7	29	6.4	03.5-09.3	
65+	533	40,464	380	71.5	66.8-76.2	37	7.4	04.7-10.1	46	8.8	05.9-11.7	40	8.3	05.0-11.6	30	4.1	02.1-06.1	
Less Than H.S.	165	31,582	102	60.8	50.6-71.0	18	12.4	05.7-19.1	19	13.9	06.3-21.5	14	8.5	02.6-14.4	12	4.3	01.0-07.6	
H.S. or G.E.D.	620	70,845	423	64.9	60.0-69.8	58	11.5	08.0-15.0	62	12.2	08.7-15.7	48	7.6	05.1-10.1	29	3.8	02.0-05.6	
Some Post-H.S.	651	95,210	457	69.2	64.5-73.9	79	14.0	10.5-17.5	54	9.1	06.2-12.0	37	5.2	03.0-07.4	24	2.6	01.2-04.0	
College Graduate	714	55,295	523	71.8	67.7-75.9	83	12.4	09.3-15.5	61	9.4	06.7-12.1	22	2.4	01.0-03.8	25	4.0	02.0-06.0	
Less than \$15,000	117	18,384	58	49.9	36.6-63.2	7	9.9	01.9-17.9	14	14.7	05.1-24.3	19	16.8	06.6-27.0	19	8.8	02.5-15.1	
\$15,000- 24,999	231	29,138	137	53.4	44.0-62.8	28	17.0	09.6-24.4	29	17.8	10.2-25.4	21	7.4	03.3-11.5	16	4.4	01.3-07.5	
\$25,000- 34,999	234	28,782	152	67.6	59.8-75.4	25	10.6	05.7-15.5	27	10.5	05.4-15.6	18	7.1	03.0-11.2	12	4.1	01.2-07.0	
\$35,000- 49,999	383	47,687	271	71.7	65.8-77.6	49	11.9	07.8-16.0	33	10.0	05.9-14.1	20	4.3	01.6-07.0	10	2.0	00.2-03.8	
\$50,000- 74,999	414	44,560	291	66.6	60.7-72.5	53	13.9	09.4-18.4	38	10.1	06.0-14.2	22	6.6	03.3-09.9	10	2.8	00.8-04.8	
\$75,000+	589	59,781	473	76.9	72.2-81.6	57	12.4	08.7-16.1	38	7.6	04.7-10.5	10	1.4	00.4-02.4	11	1.6	00.4-02.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3005	252,696	1919	64.4	62.0-66.8	335	11.7	10.1-13.3	318	10.9	09.3-12.5	270	8.6	07.0-10.2	163	4.5	03.5-05.5
Native	79	8,181	42	47.6	30.7-64.5	6	6.5	00.0-13.2	13	21.2	05.1-37.3	10	17.5	02.0-33.0	8	7.2	01.7-12.7
Non-Native	2901	242,690	1862	64.9	62.5-67.3	327	11.9	10.1-13.7	301	10.5	08.9-12.1	258	8.3	06.9-09.7	153	4.4	03.4-05.4
18-24	125	40,531	78	61.1	51.7-70.5	18	15.5	08.6-22.4	17	11.8	05.9-17.7	9	9.5	03.2-15.8	3	2.1	00.0-04.6
25-34	300	40,066	210	67.7	61.2-74.2	36	11.0	06.9-15.1	32	11.8	07.3-16.3	18	8.0	03.9-12.1	4	1.4	00.0-03.0
35-44	327	33,811	227	69.4	63.3-75.5	39	9.8	06.5-13.1	35	11.3	07.2-15.4	17	5.8	02.7-08.9	9	3.7	01.0-06.4
45-54	566	44,546	362	63.8	59.1-68.5	75	14.1	10.8-17.4	49	8.8	06.1-11.5	54	8.1	05.6-10.6	26	5.1	02.7-07.5
55-64	629	37,485	405	66.1	61.8-70.4	65	10.3	07.6-13.0	57	9.0	06.3-11.7	59	8.2	05.7-10.7	43	6.4	04.2-08.6
65+	1020	53,322	609	60.1	56.2-64.0	99	9.8	07.4-12.2	127	12.7	10.0-15.4	110	10.5	08.1-12.9	75	6.8	04.8-08.8
Less Than H.S.	159	18,022	84	52.0	39.5-64.5	15	4.7	01.8-07.6	23	16.4	07.0-25.8	21	19.8	08.2-31.4	16	7.2	02.3-12.1
H.S. or G.E.D.	875	70,360	554	67.2	62.9-71.5	79	8.6	06.1-11.1	100	10.6	07.9-13.3	90	9.2	06.5-11.9	52	4.4	02.8-06.0
Some Post-H.S.	972	98,227	610	63.7	59.8-67.6	102	12.5	09.4-15.6	98	10.5	08.0-13.0	96	7.8	05.8-09.8	66	5.6	03.8-07.4
College Graduate	994	65,886	667	65.7	61.8-69.6	139	15.7	12.6-18.8	97	10.3	07.8-12.8	63	6.0	04.2-07.8	28	2.3	01.3-03.3
Less than \$15,000	252	20,999	124	49.5	39.3-59.7	24	14.1	05.9-22.3	29	9.1	04.0-14.2	47	17.1	08.7-25.5	28	10.1	04.6-15.6
\$15,000- 24,999	430	35,303	238	55.1	47.8-62.4	31	8.9	04.4-13.4	64	18.1	12.2-24.0	55	11.2	06.9-15.5	42	6.6	04.2-09.0
\$25,000- 34,999	345	26,490	219	68.5	62.0-75.0	33	7.7	04.0-11.4	39	12.3	07.6-17.0	35	7.2	04.3-10.1	19	4.2	01.5-06.9
\$35,000- 49,999	401	36,697	262	64.5	58.4-70.6	54	14.1	09.6-18.6	44	9.3	06.0-12.6	22	7.1	03.4-10.8	19	5.0	02.3-07.7
\$50,000- 74,999	454	37,872	312	65.1	59.6-70.6	59	14.3	10.4-18.2	39	10.3	06.4-14.2	33	7.0	04.3-09.7	11	3.2	00.8-05.6
\$75,000+	634	53,906	446	69.9	65.4-74.4	79	11.8	08.9-14.7	53	8.7	06.2-11.2	38	7.1	03.8-10.4	18	2.4	01.0-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5194	509,686	3666	66.6	64.8-68.4	519	10.6	09.4-11.8	507	12.0	10.6-13.4	339	6.8	05.8-07.8	163	4.0	03.2-04.8	
Male	2171	255,228	1626	70.2	67.5-72.9	205	10.5	08.7-12.3	174	10.2	08.4-12.0	104	5.4	04.0-06.8	62	3.6	02.4-04.8	
Female	3023	254,458	2040	63.0	60.6-65.4	314	10.7	09.1-12.3	333	13.7	11.7-15.7	235	8.3	06.9-09.7	101	4.3	03.1-05.5	
Native	132	17,709	71	51.1	38.8-63.4	12	12.9	02.3-23.5	16	13.8	04.0-23.6	18	9.7	04.0-15.4	15	12.5	04.9-20.1	
Non-Native	5003	486,813	3558	67.2	65.4-69.0	499	10.5	09.3-11.7	487	12.0	10.6-13.4	317	6.7	05.7-07.7	142	3.6	02.8-04.4	
18-24	247	85,849	149	60.8	54.1-67.5	35	13.7	09.0-18.4	40	17.6	12.3-22.9	16	5.0	02.5-07.5	7	2.9	00.7-05.1	
25-34	569	86,610	347	58.3	53.4-63.2	66	11.0	08.1-13.9	82	15.8	12.3-19.3	52	9.5	06.6-12.4	22	5.4	02.9-07.9	
35-44	617	70,954	382	62.2	57.5-66.9	76	10.3	07.6-13.0	84	13.6	10.5-16.7	49	8.3	05.6-11.0	26	5.5	03.0-08.0	
45-54	969	89,343	642	65.7	62.0-69.4	121	11.9	09.4-14.4	93	10.0	07.6-12.4	74	7.2	05.0-09.4	39	5.2	03.0-07.4	
55-64	1150	76,150	833	71.1	67.8-74.4	113	9.9	07.7-12.1	87	8.5	06.3-10.7	80	7.4	05.4-09.4	37	3.1	01.9-04.3	
65+	1589	96,525	1268	78.6	76.1-81.1	103	7.2	05.4-09.0	118	7.4	05.8-09.0	68	4.6	03.2-06.0	32	2.2	01.4-03.0	
Less Than H.S.	344	52,186	251	66.9	59.3-74.5	23	7.9	03.4-12.4	34	12.1	06.6-17.6	23	6.8	03.1-10.5	13	6.3	02.2-10.4	
H.S. or G.E.D.	1511	141,892	1093	66.8	63.5-70.1	126	8.8	06.8-10.8	128	11.5	09.0-14.0	115	8.4	06.4-10.4	49	4.5	02.9-06.1	
Some Post-H.S.	1629	194,706	1120	66.5	63.4-69.6	165	11.0	08.8-13.2	167	12.3	10.1-14.5	113	6.4	04.8-08.0	64	3.9	02.7-05.1	
College Graduate	1704	120,664	1196	66.5	63.6-69.4	205	13.2	11.0-15.4	178	12.1	09.9-14.3	88	5.8	04.4-07.2	37	2.4	01.4-03.4	
Less than \$15,000	369	39,729	220	52.8	44.6-61.0	30	10.7	05.4-16.0	44	18.3	11.0-25.6	43	8.5	04.8-12.2	32	9.8	04.9-14.7	
\$15,000- 24,999	669	65,935	438	58.2	52.5-63.9	68	13.4	09.1-17.7	70	11.1	07.6-14.6	61	11.1	07.4-14.8	32	6.1	03.4-08.8	
\$25,000- 34,999	585	56,106	396	64.9	59.4-70.4	68	11.1	07.8-14.4	52	10.2	06.7-13.7	47	8.6	05.5-11.7	22	5.2	02.5-07.9	
\$35,000- 49,999	793	85,085	570	69.4	65.3-73.5	85	10.5	07.8-13.2	75	11.4	08.5-14.3	39	5.4	03.2-07.6	24	3.2	01.6-04.8	
\$50,000- 74,999	867	82,491	630	69.2	65.3-73.1	82	10.5	07.8-13.2	91	11.4	08.7-14.1	48	6.3	04.1-08.5	16	2.5	00.9-04.1	
\$75,000+	1225	113,571	900	71.5	68.2-74.8	124	9.9	07.9-11.9	119	11.8	09.3-14.3	66	5.2	03.8-06.6	16	1.6	00.6-02.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2171	255,228	1626	70.2	67.5-72.9	205	10.5	08.7-12.3	174	10.2	08.4-12.0	104	5.4	04.0-06.8	62	3.6	02.4-04.8	
Native	52	9,486	33	59.2	41.2-77.2	5	14.3	00.0-29.8	5	9.6	00.0-20.2	5	4.1	00.0-08.4	4	12.7	00.4-25.0	
Non-Native	2087	242,529	1576	70.8	68.1-73.5	193	10.2	08.4-12.0	169	10.4	08.4-12.4	95	5.4	04.0-06.8	54	3.2	02.0-04.4	
18-24	123	45,528	82	67.3	58.3-76.3	19	15.3	08.4-22.2	14	12.5	06.0-19.0	6	2.7	00.3-05.1	2	2.1	00.0-05.0	
25-34	270	46,621	163	57.4	50.5-64.3	34	12.1	07.8-16.4	45	16.8	11.7-21.9	21	9.1	04.8-13.4	7	4.6	01.3-07.9	
35-44	289	36,846	198	68.7	62.2-75.2	33	9.1	05.6-12.6	31	11.0	06.7-15.3	15	5.4	02.1-08.7	12	5.8	02.1-09.5	
45-54	403	44,677	288	67.8	61.7-73.9	50	12.3	08.4-16.2	31	9.4	05.5-13.3	23	6.2	02.9-09.5	11	4.3	01.2-07.4	
55-64	518	38,332	405	77.1	72.6-81.6	37	6.9	04.2-09.6	34	7.8	04.9-10.7	24	5.0	02.6-07.4	18	3.3	01.3-05.3	
65+	550	41,737	477	84.8	81.1-88.5	29	6.0	03.5-08.5	17	3.2	01.6-04.8	15	3.9	01.5-06.3	12	2.1	00.7-03.5	
Less Than H.S.	178	33,596	133	68.3	58.7-77.9	12	6.3	01.2-11.4	14	11.3	04.8-17.8	12	8.1	02.8-13.4	7	6.0	00.7-11.3	
H.S. or G.E.D.	625	71,185	481	71.5	66.8-76.2	47	8.4	05.5-11.3	42	9.2	05.9-12.5	36	6.9	04.2-09.6	19	4.1	01.9-06.3	
Some Post-H.S.	654	95,339	472	69.0	64.3-73.7	68	12.2	08.7-15.7	57	10.6	07.5-13.7	36	5.0	03.0-07.0	21	3.1	01.3-04.9	
College Graduate	713	55,071	539	71.7	67.6-75.8	78	12.8	09.7-15.9	61	10.3	07.4-13.2	20	2.6	01.2-04.0	15	2.5	01.1-03.9	
Less than \$15,000	117	18,029	67	45.1	31.8-58.4	11	14.0	04.2-23.8	12	21.6	09.4-33.8	14	7.8	02.3-13.3	13	11.5	02.7-20.3	
\$15,000- 24,999	239	30,139	163	61.3	52.3-70.3	31	17.3	09.5-25.1	19	8.7	04.0-13.4	18	9.1	04.0-14.2	8	3.6	00.5-06.7	
\$25,000- 34,999	238	29,553	175	70.7	62.9-78.5	20	7.4	03.1-11.7	19	9.4	04.5-14.3	17	8.1	03.4-12.8	7	4.4	00.3-08.5	
\$35,000- 49,999	387	48,113	288	70.8	64.9-76.7	38	9.8	06.1-13.5	33	11.7	07.4-16.0	16	4.7	01.8-07.6	12	3.0	00.8-05.2	
\$50,000- 74,999	414	44,704	339	78.2	72.9-83.5	27	8.6	05.1-12.1	32	7.6	04.5-10.7	11	3.3	00.9-05.7	5	2.2	00.0-04.6	
\$75,000+	590	59,618	458	75.9	71.6-80.2	60	10.4	07.5-13.3	49	9.8	06.5-13.1	16	2.6	01.2-04.0	7	1.4	00.2-02.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days						
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)					
Female	3023	254,458	2040	63.0	60.6-65.4		314	10.7	09.1-12.3		333	13.7	11.7-15.7		235	8.3	06.9-09.7		101	4.3	03.1-05.5	
Native	80	8,223	38	41.7	25.8-57.6		7	11.3	00.0-25.4		11	18.6	02.1-35.1		13	16.2	05.2-27.2		11	12.3	04.1-20.5	
Non-Native	2916	244,284	1982	63.6	61.1-66.1		306	10.7	09.1-12.3		318	13.6	11.6-15.6		222	8.1	06.7-09.5		88	4.0	02.8-05.2	
18-24	124	40,321	67	53.5	43.9-63.1		16	11.9	05.8-18.0		26	23.3	14.9-31.7		10	7.5	02.8-12.2		5	3.8	00.5-07.1	
25-34	299	39,989	184	59.3	52.6-66.0		32	9.6	05.7-13.5		37	14.6	09.7-19.5		31	10.0	06.1-13.9		15	6.4	02.5-10.3	
35-44	328	34,108	184	55.2	48.7-61.7		43	11.7	07.6-15.8		53	16.5	11.8-21.2		34	11.4	07.3-15.5		14	5.1	02.0-08.2	
45-54	566	44,666	354	63.6	58.9-68.3		71	11.5	08.6-14.4		62	10.6	07.7-13.5		51	8.1	05.6-10.6		28	6.2	03.7-08.7	
55-64	632	37,818	428	65.1	60.6-69.6		76	12.9	09.8-16.0		53	9.2	06.3-12.1		56	9.9	07.0-12.8		19	2.9	01.3-04.5	
65+	1039	54,788	791	73.9	70.4-77.4		74	8.1	05.7-10.5		101	10.6	08.1-13.1		53	5.0	03.2-06.8		20	2.2	01.0-03.4	
Less Than H.S.	166	18,590	118	64.4	52.1-76.7		11	10.7	02.3-19.1		20	13.6	03.6-23.6		11	4.3	00.6-08.0		6	7.0	00.3-13.7	
H.S. or G.E.D.	886	70,707	612	62.0	57.3-66.7		79	9.2	06.5-11.9		86	13.8	10.1-17.5		79	10.0	07.1-12.9		30	4.9	02.5-07.3	
Some Post-H.S.	975	99,367	648	64.1	60.0-68.2		97	9.8	07.4-12.2		110	13.8	10.7-16.9		77	7.7	05.5-09.9		43	4.6	02.8-06.4	
College Graduate	991	65,594	657	62.0	58.1-65.9		127	13.5	10.8-16.2		117	13.6	10.7-16.5		68	8.4	06.0-10.8		22	2.4	01.2-03.6	
Less than \$15,000	252	21,701	153	59.1	49.1-69.1		19	8.0	02.5-13.5		32	15.5	06.9-24.1		29	9.1	03.8-14.4		19	8.3	03.0-13.6	
\$15,000- 24,999	430	35,796	275	55.7	48.4-63.0		37	10.1	05.4-14.8		51	13.2	08.3-18.1		43	12.8	07.7-17.9		24	8.2	03.9-12.5	
\$25,000- 34,999	347	26,553	221	58.5	51.1-65.9		48	15.1	09.8-20.4		33	11.2	05.9-16.5		30	9.2	05.1-13.3		15	6.0	02.7-09.3	
\$35,000- 49,999	406	36,972	282	67.5	61.6-73.4		47	11.5	07.8-15.2		42	11.1	07.2-15.0		23	6.4	03.5-09.3		12	3.5	01.0-06.0	
\$50,000- 74,999	453	37,786	291	58.7	53.0-64.4		55	12.7	08.8-16.6		59	15.8	11.3-20.3		37	9.9	06.4-13.4		11	2.9	00.9-04.9	
\$75,000+	635	53,953	442	66.7	62.0-71.4		64	9.4	06.9-11.9		70	14.1	10.0-18.2		50	8.1	05.6-10.6		9	1.8	00.2-03.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2595	263,621	1662	64.4	61.9-66.9	301	12.6	10.8-14.4	245	9.6	08.0-11.2	252	8.7	07.1-10.3	135	4.5	03.5-05.5
Male	960	121,593	625	64.7	60.6-68.8	119	12.1	09.4-14.8	87	9.5	07.1-11.9	78	8.7	06.2-11.2	51	5.0	03.0-07.0
Female	1635	142,028	1037	64.2	60.9-67.5	182	13.0	10.5-15.5	158	9.8	07.8-11.8	174	8.8	07.0-10.6	84	4.2	03.0-05.4
Native	85	11,140	41	54.1	38.2-70.0	9	14.1	02.7-25.5	10	7.2	01.7-12.7	17	15.1	06.1-24.1	8	9.5	01.3-17.7
Non-Native	2477	250,290	1601	64.8	62.3-67.3	288	12.6	10.6-14.6	230	9.7	08.1-11.3	233	8.5	06.9-10.1	125	4.3	03.3-05.3
18-24	143	48,645	99	68.7	60.5-76.9	22	16.5	10.0-23.0	15	9.5	04.6-14.4	6	5.0	00.9-09.1	1	0.4	00.0-01.2
25-34	309	47,921	205	65.0	58.5-71.5	40	13.0	08.5-17.5	38	12.6	08.1-17.1	18	7.0	03.5-10.5	8	2.3	00.0-04.7
35-44	327	38,772	205	61.7	55.2-68.2	49	12.5	08.4-16.6	31	9.4	05.7-13.1	29	10.0	05.9-14.1	13	6.4	02.5-10.3
45-54	495	45,464	296	60.2	54.7-65.7	71	14.7	10.6-18.8	44	7.9	05.2-10.6	49	10.5	06.8-14.2	35	6.7	03.8-09.6
55-64	525	35,281	313	59.8	54.5-65.1	60	11.3	08.2-14.4	47	9.8	06.5-13.1	73	12.5	09.0-16.0	32	6.5	03.6-09.4
65+	775	46,105	530	69.7	65.6-73.8	57	7.1	04.7-09.5	66	8.5	06.1-10.9	77	9.2	06.7-11.7	45	5.6	03.6-07.6
Less Than H.S.	195	27,949	135	67.1	57.3-76.9	13	7.3	02.2-12.4	11	5.8	01.3-10.3	18	9.5	03.2-15.8	18	10.2	03.7-16.7
H.S. or G.E.D.	764	74,615	504	68.8	64.3-73.3	63	9.3	06.2-12.4	68	7.2	05.0-09.4	87	11.4	08.3-14.5	42	3.3	01.9-04.7
Some Post-H.S.	809	98,467	483	59.6	55.1-64.1	103	15.2	11.7-18.7	86	11.8	08.7-14.9	88	8.7	06.3-11.1	49	4.6	03.0-06.2
College Graduate	826	62,579	540	65.8	61.7-69.9	122	14.8	11.7-17.9	79	10.8	08.1-13.5	59	5.3	03.5-07.1	26	3.3	01.7-04.9
Less than \$15,000	247	26,650	122	53.3	43.1-63.5	17	8.8	02.7-14.9	34	13.4	06.7-20.1	47	16.2	08.8-23.6	27	8.3	03.2-13.4
\$15,000- 24,999	399	41,344	244	61.1	54.0-68.2	43	13.9	08.4-19.4	35	9.6	05.1-14.1	51	10.9	06.8-15.0	26	4.5	02.3-06.7
\$25,000- 34,999	311	28,043	194	63.4	56.1-70.7	26	9.1	04.6-13.6	31	9.5	05.4-13.6	43	13.0	07.9-18.1	17	5.0	02.1-07.9
\$35,000- 49,999	375	42,250	261	68.3	62.0-74.6	36	10.9	06.4-15.4	30	8.5	05.0-12.0	30	8.2	04.5-11.9	18	4.1	01.7-06.5
\$50,000- 74,999	395	41,231	261	63.9	57.8-70.0	63	18.1	13.0-23.2	36	9.0	05.5-12.5	23	5.1	02.7-07.5	12	3.8	01.4-06.2
\$75,000+	520	50,573	348	69.1	64.2-74.0	83	14.4	10.9-17.9	48	9.1	06.2-12.0	28	5.6	03.2-08.0	13	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	960	121,593	625	64.7	60.6-68.8	119	12.1	09.4-14.8	87	9.5	07.1-11.9	78	8.7	06.2-11.2	51	5.0	03.0-07.0
Non-Native	912	114,632	596	64.7	60.6-68.8	113	12.0	09.3-14.7	83	9.9	07.4-12.4	73	8.9	06.4-11.4	47	4.6	02.8-06.4
18-24	65	23,433	46	68.1	55.8-80.4	7	12.7	03.9-21.5	8	11.5	03.5-19.5	4	7.7	00.3-15.1			
25-34	148	25,702	102	68.4	59.6-77.2	18	11.2	05.7-16.7	17	11.2	05.3-17.1	8	6.8	01.9-11.7	3	2.5	00.0-06.6
35-44	140	18,885	88	62.4	52.6-72.2	19	11.0	05.3-16.7	13	8.9	03.6-14.2	12	9.1	03.2-15.0	8	8.6	02.1-15.1
45-54	189	21,543	112	57.0	47.8-66.2	33	18.9	11.5-26.3	18	7.3	03.4-11.2	12	9.3	03.0-15.6	14	7.5	02.2-12.8
55-64	202	15,597	125	58.3	49.5-67.1	25	11.5	06.4-16.6	17	11.1	05.0-17.2	21	10.0	04.9-15.1	14	9.1	03.0-15.2
65+	210	16,106	148	72.9	65.6-80.2	17	6.0	02.7-09.3	12	5.5	02.2-08.8	21	10.7	05.2-16.2	12	4.9	01.6-08.2
Less Than H.S.	89	16,406	59	62.2	48.5-75.9	8	9.6	01.8-17.4	4	4.7	00.0-09.8	7	9.3	00.3-18.3	11	14.3	03.9-24.7
H.S. or G.E.D.	280	35,874	185	69.0	62.1-75.9	26	8.2	03.9-12.5	21	6.8	03.3-10.3	33	12.6	07.7-17.5	15	3.3	01.1-05.5
Some Post-H.S.	288	44,364	176	60.5	53.2-67.8	44	16.1	10.6-21.6	31	12.1	07.0-17.2	25	8.2	04.1-12.3	12	3.0	00.8-05.2
College Graduate	303	24,949	205	67.7	61.0-74.4	41	12.3	07.8-16.8	31	11.7	07.0-16.4	13	3.5	01.0-06.0	13	4.9	02.0-07.8
Less than \$15,000	80	13,407	42	56.5	40.8-72.2	3	5.0	00.0-12.3	7	10.8	01.0-20.6	16	17.3	04.8-29.8	12	10.3	01.7-18.9
\$15,000- 24,999	130	17,665	83	64.5	53.1-75.9	17	12.7	04.9-20.5	11	11.9	03.7-20.1	13	8.4	02.7-14.1	6	2.6	00.0-05.9
\$25,000- 34,999	113	12,459	75	63.7	51.9-75.5	11	8.5	02.0-15.0	9	7.4	01.5-13.3	11	14.5	05.1-23.9	7	5.9	00.6-11.2
\$35,000- 49,999	171	22,395	115	67.5	58.5-76.5	21	13.0	06.1-19.9	13	7.0	02.5-11.5	16	9.7	03.8-15.6	6	2.8	00.3-05.3
\$50,000- 74,999	160	19,723	101	61.3	51.7-70.9	29	18.8	10.8-26.8	17	11.5	05.2-17.8	8	4.5	00.8-08.2	5	3.8	00.3-07.3
\$75,000+	216	23,708	155	72.8	65.5-80.1	32	14.4	08.5-20.3	20	8.3	04.4-12.2	6	3.3	00.4-06.2	3	1.2	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1635	142,028	1037	64.2	60.9-67.5	182	13.0	10.5-15.5	158	9.8	07.8-11.8	174	8.8	07.0-10.6	84	4.2	03.0-05.4
Native	54	5,482	23	45.7	23.2-68.2	5	12.2	00.0-26.9	8	12.3	01.5-23.1	13	24.0	08.3-39.7	5	5.8	00.1-11.5
Non-Native	1565	135,659	1005	65.0	61.7-68.3	175	13.1	10.6-15.6	147	9.7	07.7-11.7	160	8.2	06.4-10.0	78	4.1	02.9-05.3
18-24	78	25,212	53	69.2	58.4-80.0	15	20.0	10.4-29.6	7	7.6	01.9-13.3	2	2.4	00.0-05.9	1	0.8	00.0-02.4
25-34	161	22,218	103	61.2	52.0-70.4	22	15.2	08.3-22.1	21	14.3	07.2-21.4	10	7.3	02.2-12.4	5	2.1	00.0-04.3
35-44	187	19,887	117	60.9	52.5-69.3	30	14.0	08.3-19.7	18	10.0	04.7-15.3	17	10.8	05.1-16.5	5	4.3	00.2-08.4
45-54	306	23,921	184	63.1	56.6-69.6	38	10.9	07.0-14.8	26	8.5	04.8-12.2	37	11.5	07.0-16.0	21	6.1	03.4-08.8
55-64	323	19,685	188	60.9	54.6-67.2	35	11.2	07.1-15.3	30	8.8	05.3-12.3	52	14.6	09.9-19.3	18	4.5	02.1-06.9
65+	565	29,999	382	68.0	63.1-72.9	40	7.7	04.6-10.8	54	10.1	07.0-13.2	56	8.3	05.8-10.8	33	5.9	03.4-08.4
Less Than H.S.	106	11,542	76	74.2	61.7-86.7	5	4.2	00.0-09.7	7	7.5	00.0-15.5	11	9.6	01.4-17.8	7	4.5	00.2-08.8
H.S. or G.E.D.	484	38,742	319	68.5	62.4-74.6	37	10.4	05.7-15.1	47	7.6	04.9-10.3	54	10.2	06.5-13.9	27	3.3	01.7-04.9
Some Post-H.S.	521	54,104	307	58.8	53.1-64.5	59	14.5	10.0-19.0	55	11.5	07.8-15.2	63	9.2	06.5-11.9	37	6.0	03.6-08.4
College Graduate	523	37,630	335	64.5	59.2-69.8	81	16.4	12.1-20.7	48	10.3	06.8-13.8	46	6.6	04.2-09.0	13	2.3	00.9-03.7
Less than \$15,000	167	13,242	80	50.1	37.2-63.0	14	12.6	03.0-22.2	27	16.1	07.3-24.9	31	15.0	07.0-23.0	15	6.2	01.1-11.3
\$15,000- 24,999	269	23,679	161	58.5	49.5-67.5	26	14.8	07.2-22.4	24	7.9	03.2-12.6	38	12.8	06.9-18.7	20	6.0	02.9-09.1
\$25,000- 34,999	198	15,584	119	63.2	54.2-72.2	15	9.6	03.3-15.9	22	11.1	05.2-17.0	32	11.8	06.9-16.7	10	4.3	01.4-07.2
\$35,000- 49,999	204	19,855	146	69.1	60.7-77.5	15	8.6	03.1-14.1	17	10.3	04.6-16.0	14	6.4	01.9-10.9	12	5.6	01.7-09.5
\$50,000- 74,999	235	21,508	160	66.2	58.8-73.6	34	17.5	11.2-23.8	19	6.8	03.7-09.9	15	5.6	02.5-08.7	7	3.9	00.6-07.2
\$75,000+	304	26,866	193	65.9	59.4-72.4	51	14.3	10.0-18.6	28	9.7	05.4-14.0	22	7.6	04.1-11.1	10	2.5	00.7-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5286	512,133	4817	86.6	85.0-88.2	469	13.4	11.8-15.0
Male	2202	256,013	1959	84.3	81.9-86.7	243	15.7	13.3-18.1
Female	3084	256,120	2858	88.9	86.9-90.9	226	11.1	09.1-13.1
Native	134	17,495	120	76.7	63.8-89.6	14	23.3	10.4-36.2
Non-Native	5090	489,336	4638	86.8	85.2-88.4	452	13.2	11.6-14.8
18-24	241	82,464	195	78.0	71.9-84.1	46	22.0	15.9-28.1
25-34	571	86,432	482	79.0	74.7-83.3	89	21.0	16.7-25.3
35-44	621	71,379	560	86.6	82.9-90.3	61	13.4	09.7-17.1
45-54	983	90,505	877	88.1	85.4-90.8	106	11.9	09.2-14.6
55-64	1163	77,372	1039	88.6	86.1-91.1	124	11.4	08.9-13.9
65+	1651	99,598	1613	97.6	96.6-98.6	38	2.4	01.4-03.4
Less Than H.S.	359	51,497	305	70.6	62.8-78.4	54	29.4	21.6-37.2
H.S. or G.E.D.	1547	143,361	1357	82.4	79.5-85.3	190	17.6	14.7-20.5
Some Post-H.S.	1647	195,034	1496	89.0	86.8-91.2	151	11.0	08.8-13.2
College Graduate	1725	121,970	1651	94.4	92.8-96.0	74	5.6	04.0-07.2
Less than \$15,000	386	40,015	331	79.3	72.2-86.4	55	20.7	13.6-27.8
\$15,000- 24,999	690	66,897	572	76.1	70.8-81.4	118	23.9	18.6-29.2
\$25,000- 34,999	598	57,039	526	82.4	77.7-87.1	72	17.6	12.9-22.3
\$35,000- 49,999	800	85,627	735	88.4	85.3-91.5	65	11.6	08.5-14.7
\$50,000- 74,999	875	83,127	833	93.5	91.1-95.9	42	6.5	04.1-08.9
\$75,000+	1230	114,020	1191	94.2	91.8-96.6	39	5.8	03.4-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2202	256,013	1959	84.3	81.9-86.7	243	15.7	13.3-18.1
Native	52	9,214	46	79.4	62.0-96.8	6	20.6	03.2-38.0
Non-Native	2117	243,551	1882	84.3	81.9-86.7	235	15.7	13.3-18.1
18-24	122	43,801	95	76.2	67.8-84.6	27	23.8	15.4-32.2
25-34	270	46,392	220	75.4	68.9-81.9	50	24.6	18.1-31.1
35-44	291	36,966	263	85.5	79.8-91.2	28	14.5	08.8-20.2
45-54	409	45,343	354	86.7	82.0-91.4	55	13.3	08.6-18.0
55-64	527	39,379	470	87.9	84.2-91.6	57	12.1	08.4-15.8
65+	566	42,692	544	96.1	93.9-98.3	22	3.9	01.7-06.1
Less Than H.S.	179	32,207	144	68.0	57.8-78.2	35	32.0	21.8-42.2
H.S. or G.E.D.	640	72,647	540	79.0	74.5-83.5	100	21.0	16.5-25.5
Some Post-H.S.	660	95,391	583	88.0	84.7-91.3	77	12.0	08.7-15.3
College Graduate	721	55,709	690	94.2	91.7-96.7	31	5.8	03.3-08.3
Less than \$15,000	124	17,813	99	74.3	62.5-86.1	25	25.7	13.9-37.5
\$15,000- 24,999	243	30,247	190	73.3	64.3-82.3	53	26.7	17.7-35.7
\$25,000- 34,999	244	29,979	205	78.4	71.0-85.8	39	21.6	14.2-29.0
\$35,000- 49,999	393	48,632	356	87.3	82.8-91.8	37	12.7	08.2-17.2
\$50,000- 74,999	414	44,521	386	91.9	88.4-95.4	28	8.1	04.6-11.6
\$75,000+	594	60,237	576	94.3	91.2-97.4	18	5.7	02.6-08.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	256,120	2858	88.9	86.9-90.9	226	11.1	09.1-13.1
Native	82	8,281	74	73.6	54.6-92.6	8	26.4	07.4-45.4
Non-Native	2973	245,785	2756	89.4	87.6-91.2	217	10.6	08.8-12.4
18-24	119	38,663	100	80.0	71.6-88.4	19	20.0	11.6-28.4
25-34	301	40,040	262	83.2	77.5-88.9	39	16.8	11.1-22.5
35-44	330	34,413	297	87.7	82.8-92.6	33	12.3	07.4-17.2
45-54	574	45,163	523	89.5	86.2-92.8	51	10.5	07.2-13.8
55-64	636	37,993	569	89.2	86.1-92.3	67	10.8	07.7-13.9
65+	1085	56,905	1069	98.7	97.9-99.5	16	1.3	00.5-02.1
Less Than H.S.	180	19,290	161	75.0	63.0-87.0	19	25.0	13.0-37.0
H.S. or G.E.D.	907	70,714	817	86.0	82.3-89.7	90	14.0	10.3-17.7
Some Post-H.S.	987	99,643	913	90.0	87.1-92.9	74	10.0	07.1-12.9
College Graduate	1004	66,262	961	94.4	92.2-96.6	43	5.6	03.4-07.8
Less than \$15,000	262	22,201	232	83.3	74.7-91.9	30	16.7	08.1-25.3
\$15,000- 24,999	447	36,650	382	78.5	72.2-84.8	65	21.5	15.2-27.8
\$25,000- 34,999	354	27,060	321	86.9	81.6-92.2	33	13.1	07.8-18.4
\$35,000- 49,999	407	36,995	379	89.8	85.7-93.9	28	10.2	06.1-14.3
\$50,000- 74,999	461	38,605	447	95.4	92.5-98.3	14	4.6	01.7-07.5
\$75,000+	636	53,783	615	94.0	90.3-97.7	21	6.0	02.3-09.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5269	512,495	3898	66.3	64.5-68.1	463	9.0	07.8-10.2	908	24.7	22.9-26.5
Male	2192	255,625	1427	57.4	54.7-60.1	229	10.6	08.8-12.4	536	31.9	29.2-34.6
Female	3077	256,870	2471	75.1	72.7-77.5	234	7.4	06.0-08.8	372	17.5	15.3-19.7
Native	135	17,793	70	46.0	33.8-58.2	25	15.0	06.6-23.4	40	39.0	26.5-51.5
Non-Native	5073	489,435	3789	67.1	65.1-69.1	427	8.8	07.6-10.0	857	24.2	22.4-26.0
18-24	247	84,564	108	44.1	37.4-50.8	26	10.4	06.3-14.5	113	45.5	38.8-52.2
25-34	572	86,846	312	52.6	47.7-57.5	47	7.5	05.0-10.0	213	39.8	35.1-44.5
35-44	619	71,202	409	62.9	58.2-67.6	57	9.6	06.9-12.3	153	27.6	23.1-32.1
45-54	977	90,026	723	73.4	69.9-76.9	77	7.7	05.7-09.7	177	18.8	15.7-21.9
55-64	1161	77,133	935	79.5	76.6-82.4	87	7.5	05.7-09.3	139	13.1	10.6-15.6
65+	1638	98,538	1368	82.9	80.5-85.3	162	10.6	08.6-12.6	108	6.5	04.9-08.1
Less Than H.S.	357	51,571	260	63.5	55.7-71.3	42	11.3	06.6-16.0	55	25.2	17.6-32.8
H.S. or G.E.D.	1544	144,137	1130	65.0	61.7-68.3	139	9.2	07.2-11.2	275	25.8	22.5-29.1
Some Post-H.S.	1647	195,314	1204	66.8	63.7-69.9	157	9.1	07.3-10.9	286	24.1	21.2-27.0
College Graduate	1713	121,203	1300	68.3	65.4-71.2	122	7.5	05.9-09.1	291	24.2	21.5-26.9
Less than \$15,000	385	40,600	270	58.2	50.0-66.4	49	10.3	06.0-14.6	66	31.5	23.5-39.5
\$15,000- 24,999	685	66,280	502	68.6	63.1-74.1	62	8.7	05.8-11.6	121	22.7	17.6-27.8
\$25,000- 34,999	593	56,166	445	62.6	56.7-68.5	48	9.1	05.8-12.4	100	28.3	22.6-34.0
\$35,000- 49,999	799	85,547	568	63.2	58.7-67.7	62	6.7	04.5-08.9	169	30.1	25.6-34.6
\$50,000- 74,999	874	83,273	643	69.9	66.0-73.8	90	10.1	07.7-12.5	141	19.9	16.4-23.4
\$75,000+	1228	113,899	961	74.0	70.7-77.3	87	8.4	06.2-10.6	180	17.6	14.9-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	255,625	1427	57.4	54.7-60.1	229	10.6	08.8-12.4	536	31.9	29.2-34.6
Native	53	9,512	25	40.9	23.7-58.1	8	10.3	02.3-18.3	20	48.8	31.2-66.4
Non-Native	2107	242,900	1384	57.9	55.0-60.8	214	10.7	08.9-12.5	509	31.4	28.7-34.1
18-24	122	43,871	43	36.4	27.2-45.6	14	11.5	05.4-17.6	65	52.2	42.6-61.8
25-34	271	46,690	111	40.5	33.6-47.4	27	8.6	04.9-12.3	133	50.8	43.9-57.7
35-44	289	36,789	159	51.1	44.0-58.2	32	11.4	07.1-15.7	98	37.5	30.6-44.4
45-54	404	44,995	263	66.6	60.7-72.5	36	8.6	05.5-11.7	105	24.8	19.3-30.3
55-64	526	39,328	392	74.6	69.9-79.3	48	8.9	06.0-11.8	86	16.5	12.4-20.6
65+	563	42,513	447	77.6	73.1-82.1	69	14.0	10.3-17.7	47	8.4	05.3-11.5
Less Than H.S.	180	32,589	121	60.5	50.3-70.7	26	11.4	06.1-16.7	33	28.1	18.1-38.1
H.S. or G.E.D.	638	72,533	401	56.7	51.6-61.8	69	11.3	08.0-14.6	168	32.0	27.1-36.9
Some Post-H.S.	659	95,243	406	55.5	50.6-60.4	82	12.0	08.9-15.1	171	32.5	27.6-37.4
College Graduate	713	55,201	498	59.8	55.1-64.5	51	7.0	04.6-09.4	164	33.2	28.5-37.9
Less than \$15,000	124	18,853	72	46.0	33.1-58.9	20	9.9	03.2-16.6	32	44.1	31.0-57.2
\$15,000- 24,999	239	29,680	145	59.5	50.5-68.5	31	13.1	07.2-19.0	63	27.3	18.9-35.7
\$25,000- 34,999	241	29,360	155	52.7	44.1-61.3	23	10.8	05.1-16.5	63	36.6	27.8-45.4
\$35,000- 49,999	393	48,632	248	53.6	47.1-60.1	31	6.9	04.0-09.8	114	39.5	33.0-46.0
\$50,000- 74,999	414	44,742	268	61.9	56.0-67.8	55	13.1	09.2-17.0	91	25.0	19.7-30.3
\$75,000+	592	59,981	434	67.5	62.6-72.4	45	9.8	06.5-13.1	113	22.6	18.1-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3077	256,870	2471	75.1	72.7-77.5	234	7.4	06.0-08.8	372	17.5	15.3-19.7
Native	82	8,281	45	52.0	34.9-69.1	17	20.4	05.3-35.5	20	27.7	11.2-44.2
Non-Native	2966	246,535	2405	76.1	73.7-78.5	213	6.9	05.7-08.1	348	17.0	14.8-19.2
18-24	125	40,693	65	52.3	42.9-61.7	12	9.3	03.6-15.0	48	38.4	29.2-47.6
25-34	301	40,157	201	66.7	60.2-73.2	20	6.3	03.2-09.4	80	27.1	21.0-33.2
35-44	330	34,413	250	75.4	69.7-81.1	25	7.6	04.3-10.9	55	17.0	12.1-21.9
45-54	573	45,031	460	80.3	76.4-84.2	41	6.8	04.4-09.2	72	12.9	09.6-16.2
55-64	635	37,805	543	84.5	81.0-88.0	39	6.0	04.0-08.0	53	9.5	06.4-12.6
65+	1075	56,025	921	86.8	84.4-89.2	93	8.1	06.1-10.1	61	5.1	03.5-06.7
Less Than H.S.	177	18,982	139	68.6	56.1-81.1	16	11.2	02.2-20.2	22	20.2	09.0-31.4
H.S. or G.E.D.	906	71,605	729	73.5	69.0-78.0	70	7.0	04.8-09.2	107	19.5	15.2-23.8
Some Post-H.S.	988	100,070	798	77.5	73.8-81.2	75	6.5	04.5-08.5	115	16.0	12.5-19.5
College Graduate	1000	66,002	802	75.4	71.7-79.1	71	8.0	05.6-10.4	127	16.7	13.4-20.0
Less than \$15,000	261	21,747	198	68.7	59.1-78.3	29	10.7	05.2-16.2	34	20.7	11.7-29.7
\$15,000- 24,999	446	36,600	357	75.9	69.4-82.4	31	5.2	02.5-07.9	58	18.9	12.6-25.2
\$25,000- 34,999	352	26,807	290	73.5	66.4-80.6	25	7.3	03.8-10.8	37	19.2	12.3-26.1
\$35,000- 49,999	406	36,915	320	75.8	70.1-81.5	31	6.5	03.6-09.4	55	17.7	12.4-23.0
\$50,000- 74,999	460	38,531	375	79.2	74.5-83.9	35	6.7	04.3-09.1	50	14.1	09.8-18.4
\$75,000+	636	53,918	527	81.3	77.4-85.2	42	6.8	04.4-09.2	67	11.9	08.6-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5292	516,862	326	9.0	07.8-10.2	4966	91.0	89.8-92.2
Male	2204	258,316	126	8.9	06.9-10.9	2078	91.1	89.1-93.1
Female	3088	258,546	200	9.1	07.3-10.9	2888	90.9	89.1-92.7
Native	133	17,720	24	16.2	08.4-24.0	109	83.8	76.0-91.6
Non-Native	5099	493,994	296	8.7	07.5-09.9	4803	91.3	90.1-92.5
18-24	252	87,225	26	11.6	07.1-16.1	226	88.4	83.9-92.9
25-34	573	86,927	50	12.5	08.8-16.2	523	87.5	83.8-91.2
35-44	621	71,379	51	12.3	08.6-16.0	570	87.7	84.0-91.4
45-54	980	90,461	81	10.3	07.6-13.0	899	89.7	87.0-92.4
55-64	1164	77,384	74	6.2	04.4-08.0	1090	93.8	92.0-95.6
65+	1644	99,035	40	2.6	01.4-03.8	1604	97.4	96.2-98.6
Less Than H.S.	362	53,673	37	18.9	12.2-25.6	325	81.1	74.4-87.8
H.S. or G.E.D.	1547	144,533	110	10.3	07.9-12.7	1437	89.7	87.3-92.1
Some Post-H.S.	1648	196,152	105	7.6	05.8-09.4	1543	92.4	90.6-94.2
College Graduate	1727	122,233	74	5.4	03.8-07.0	1653	94.6	93.0-96.2
Less than \$15,000	388	41,249	55	15.9	10.0-21.8	333	84.1	78.2-90.0
\$15,000- 24,999	687	66,688	86	20.6	15.3-25.9	601	79.4	74.1-84.7
\$25,000- 34,999	595	56,829	52	12.5	08.4-16.6	543	87.5	83.4-91.6
\$35,000- 49,999	800	85,627	39	5.6	03.6-07.6	761	94.4	92.4-96.4
\$50,000- 74,999	875	83,341	33	6.3	03.8-08.8	842	93.7	91.2-96.2
\$75,000+	1231	114,391	19	2.8	01.0-04.6	1212	97.2	95.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2204	258,316	126	8.9	06.9-10.9	2078	91.1	89.1-93.1
Native	52	9,455	6	14.1	02.3-25.9	46	85.9	74.1-97.7
Non-Native	2120	245,709	117	8.8	06.8-10.8	2003	91.2	89.2-93.2
18-24	126	46,230	10	9.8	03.7-15.9	116	90.2	84.1-96.3
25-34	271	46,690	20	10.4	05.7-15.1	251	89.6	84.9-94.3
35-44	291	36,966	22	12.6	07.3-17.9	269	87.4	82.1-92.7
45-54	407	45,189	35	12.5	07.8-17.2	372	87.5	82.8-92.2
55-64	527	39,379	24	5.1	02.6-07.6	503	94.9	92.4-97.4
65+	563	42,353	12	2.7	00.7-04.7	551	97.3	95.3-99.3
Less Than H.S.	182	33,995	19	17.6	09.2-26.0	163	82.4	74.0-90.8
H.S. or G.E.D.	640	72,583	41	10.5	07.0-14.0	599	89.5	86.0-93.0
Some Post-H.S.	659	95,970	38	6.9	04.4-09.4	621	93.1	90.6-95.6
College Graduate	721	55,709	28	5.1	02.9-07.3	693	94.9	92.7-97.1
Less than \$15,000	126	19,048	20	16.1	06.5-25.7	106	83.9	74.3-93.5
\$15,000- 24,999	243	30,247	30	23.0	14.4-31.6	213	77.0	68.4-85.6
\$25,000- 34,999	242	29,813	9	8.5	03.0-14.0	233	91.5	86.0-97.0
\$35,000- 49,999	393	48,632	19	5.3	02.8-07.8	374	94.7	92.2-97.2
\$50,000- 74,999	414	44,735	20	7.2	03.7-10.7	394	92.8	89.3-96.3
\$75,000+	594	60,237	7	1.9	00.0-03.9	587	98.1	96.1-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3088	258,546	200	9.1	07.3-10.9	2888	90.9	89.1-92.7
Native	81	8,265	18	18.7	08.3-29.1	63	81.3	70.9-91.7
Non-Native	2979	248,285	179	8.7	06.9-10.5	2800	91.3	89.5-93.1
18-24	126	40,995	16	13.6	06.9-20.3	110	86.4	79.7-93.1
25-34	302	40,237	30	15.1	09.4-20.8	272	84.9	79.2-90.6
35-44	330	34,413	29	11.9	07.0-16.8	301	88.1	83.2-93.0
45-54	573	45,272	46	8.0	05.3-10.7	527	92.0	89.3-94.7
55-64	637	38,006	50	7.3	04.8-09.8	587	92.7	90.2-95.2
65+	1081	56,682	28	2.6	01.4-03.8	1053	97.4	96.2-98.6
Less Than H.S.	180	19,678	18	21.2	10.4-32.0	162	78.8	68.0-89.6
H.S. or G.E.D.	907	71,950	69	10.2	07.1-13.3	838	89.8	86.7-92.9
Some Post-H.S.	989	100,183	67	8.3	05.8-10.8	922	91.7	89.2-94.2
College Graduate	1006	66,524	46	5.7	03.5-07.9	960	94.3	92.1-96.5
Less than \$15,000	262	22,201	35	15.7	08.4-23.0	227	84.3	77.0-91.6
\$15,000- 24,999	444	36,440	56	18.6	12.3-24.9	388	81.4	75.1-87.7
\$25,000- 34,999	353	27,016	43	17.1	11.2-23.0	310	82.9	77.0-88.8
\$35,000- 49,999	407	36,995	20	6.0	02.9-09.1	387	94.0	90.9-97.1
\$50,000- 74,999	461	38,605	13	5.4	01.9-08.9	448	94.6	91.1-98.1
\$75,000+	637	54,154	12	3.8	00.7-06.9	625	96.2	93.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5257	513,825	3631	61.0	59.0-63.0	660	15.2	13.8-16.6	422	11.4	10.0-12.8	512	11.7	10.3-13.1	32	0.8	0.4-01.2
Male	2187	256,493	1309	52.4	49.7-55.1	303	16.9	14.5-19.3	243	14.2	12.0-16.4	312	15.7	13.5-17.9	20	0.9	0.3-01.5
Female	3070	257,332	2322	69.6	67.2-72.0	357	13.5	11.7-15.3	179	8.7	06.9-10.5	200	7.6	06.2-09.0	12	0.7	0.1-01.3
Native	134	17,778	80	48.1	35.9-60.3	22	18.1	07.3-28.9	15	19.2	08.6-29.8	17	14.6	06.8-22.4			
Non-Native	5060	490,711	3505	61.4	59.4-63.4	631	15.0	13.6-16.4	404	11.2	09.8-12.6	488	11.6	10.2-13.0	32	0.8	0.4-01.2
18-24	252	87,225	125	47.6	40.9-54.3	45	19.4	13.9-24.9	52	20.7	15.2-26.2	29	11.7	07.2-16.2	1	0.5	0.0-01.5
25-34	567	85,881	271	41.8	37.1-46.5	102	21.5	17.4-25.6	83	16.3	12.6-20.0	107	19.0	15.1-22.9	4	1.3	0.0-02.9
35-44	617	70,582	376	56.7	51.8-61.6	86	15.2	11.7-18.7	74	12.4	09.3-15.5	77	14.2	10.5-17.9	4	1.5	0.0-03.1
45-54	980	90,444	631	62.4	58.5-66.3	140	14.4	11.7-17.1	84	9.3	06.9-11.7	121	13.6	10.9-16.3	4	0.3	0.1-00.5
55-64	1152	76,710	830	69.9	66.6-73.2	140	13.2	10.8-15.6	74	7.7	05.7-09.7	99	8.7	06.5-10.9	9	0.5	0.1-00.9
65+	1631	98,532	1356	84.4	82.2-86.6	140	8.1	06.5-09.7	51	2.7	01.7-03.7	76	4.3	03.1-05.5	8	0.5	0.1-00.9
Less Than H.S.	357	53,008	255	57.2	49.2-65.2	39	15.3	09.0-21.6	24	10.4	04.7-16.1	35	15.0	08.9-21.1	4	2.1	0.0-04.6
H.S. or G.E.D.	1539	143,671	1088	62.1	58.8-65.4	187	15.7	13.0-18.4	106	10.7	08.3-13.1	149	10.7	08.5-12.9	9	0.8	0.0-01.6
Some Post-H.S.	1641	195,770	1097	59.4	56.3-62.5	212	15.7	13.2-18.2	144	12.4	10.0-14.8	179	11.9	09.7-14.1	9	0.7	0.1-01.3
College Graduate	1712	121,106	1184	63.9	61.0-66.8	222	13.6	11.4-15.8	148	11.1	09.1-13.1	148	11.0	09.0-13.0	10	0.4	0.0-00.8
Less than \$15,000	386	40,860	259	56.1	48.1-64.1	52	15.2	09.5-20.9	28	11.3	05.6-17.0	42	14.8	08.5-21.1	5	2.7	0.0-05.4
\$15,000- 24,999	685	66,566	457	52.4	46.7-58.1	75	16.2	11.3-21.1	65	14.7	10.4-19.0	82	16.0	11.7-20.3	6	0.6	0.0-01.4
\$25,000- 34,999	590	56,648	394	59.3	53.6-65.0	66	13.2	09.3-17.1	51	11.6	07.1-16.1	74	14.4	10.5-18.3	5	1.5	0.0-03.3
\$35,000- 49,999	792	84,674	535	59.9	55.4-64.4	103	15.4	11.9-18.9	69	13.6	10.1-17.1	82	10.7	08.0-13.4	3	0.4	0.0-00.8
\$50,000- 74,999	872	83,138	605	65.6	61.5-69.7	115	14.6	11.5-17.7	64	9.0	06.5-11.5	85	10.7	08.2-13.2	3	0.1	0.0-00.3
\$75,000+	1226	113,917	849	64.1	60.6-67.6	167	15.3	12.6-18.0	108	10.7	08.3-13.1	96	9.4	07.0-11.8	6	0.5	0.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2187	256,493	1309	52.4	49.7-55.1	303	16.9	14.5-19.3	243	14.2	12.0-16.4	312	15.7	13.5-17.9	20	0.9	0.3-01.5
Native	53	9,512	28	47.3	29.7-64.9	7	15.4	0.0-31.1	7	14.3	0.2-26.3	11	23.0	0.3-36.7			
Non-Native	2100	243,699	1257	52.5	49.6-55.4	290	16.7	14.3-19.1	235	14.3	12.1-16.5	298	15.6	13.4-17.8	20	0.9	0.3-01.5
18-24	126	46,230	53	40.7	31.5-49.9	30	24.9	16.5-33.3	26	21.9	13.9-29.9	17	12.5	0.6-19.0			
25-34	267	45,959	85	27.6	21.5-33.7	49	22.6	16.5-28.7	58	21.5	15.8-27.2	73	26.6	20.5-32.7	2	1.7	0.0-04.2
35-44	288	36,234	140	47.6	40.5-54.7	42	15.3	10.0-20.6	46	14.4	0.9-19.1	57	21.2	15.1-27.3	3	1.6	0.0-03.6
45-54	407	45,249	230	55.8	49.7-61.9	54	14.4	0.9-18.9	46	11.5	0.7-15.2	75	18.1	13.4-22.8	2	0.2	0.0-00.4
55-64	523	39,062	334	63.2	58.1-68.3	77	14.6	11.1-18.1	44	10.2	0.6-13.5	60	11.0	0.7-14.3	8	0.9	0.0-01.9
65+	557	42,250	454	82.6	78.9-86.3	49	8.1	0.5-10.6	21	3.3	0.1-05.1	28	5.0	0.2-07.2	5	0.9	0.1-01.7
Less Than H.S.	179	33,615	123	54.9	44.5-65.3	18	15.9	0.7-24.5	11	9.0	0.2-15.7	24	18.2	10.0-26.4	3	2.0	0.0-05.1
H.S. or G.E.D.	634	71,831	392	54.8	49.7-59.9	86	17.1	13.2-21.0	59	12.2	0.8-15.7	93	15.0	11.5-18.5	4	0.9	0.0-01.9
Some Post-H.S.	658	95,865	367	49.1	44.2-54.0	95	18.2	14.3-22.1	86	16.7	12.8-20.6	105	15.5	12.0-19.0	5	0.6	0.0-01.2
College Graduate	714	55,124	425	53.4	48.9-57.9	104	14.8	11.5-18.1	87	15.4	11.9-18.9	90	15.7	12.2-19.2	8	0.7	0.1-01.3
Less than \$15,000	124	18,844	74	45.5	32.6-58.4	18	20.5	0.9-31.1	7	8.5	0.0-16.1	23	23.5	11.7-35.3	2	2.0	0.0-04.9
\$15,000- 24,999	241	29,949	135	42.9	34.1-51.7	29	19.9	11.1-28.7	32	16.3	0.9-23.2	42	19.9	12.6-27.2	3	1.0	0.0-02.8
\$25,000- 34,999	243	29,959	152	56.8	48.2-65.4	26	11.4	0.6-16.7	29	15.9	0.8-23.3	33	15.3	0.9-21.2	3	0.5	0.0-01.1
\$35,000- 49,999	387	47,731	223	50.4	43.9-56.9	55	16.8	11.7-21.9	46	17.2	11.7-22.7	61	15.2	10.7-19.7	2	0.4	0.0-01.0
\$50,000- 74,999	411	44,533	245	57.2	51.1-63.3	60	15.8	11.3-20.3	42	11.1	0.7-14.8	61	15.7	11.2-20.2	3	0.2	0.0-00.4
\$75,000+	593	60,169	355	55.9	50.8-61.0	92	16.7	12.8-20.6	73	14.5	10.8-18.2	68	12.2	0.8-15.5	5	0.8	0.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3070	257,332	2322	69.6	67.2-72.0	357	13.5	11.7-15.3	179	8.7	07.1-10.3	200	7.6	06.2-09.0	12	0.7	00.1-01.3
Native	81	8,266	52	49.1	32.4-65.8	15	21.3	06.4-36.2	8	24.8	07.4-42.2	6	4.8	00.5-09.1			
Non-Native	2960	247,012	2248	70.2	67.8-72.6	341	13.3	11.5-15.1	169	8.2	06.6-09.8	190	7.7	06.1-09.3	12	0.7	00.1-01.3
18-24	126	40,995	72	55.5	46.1-64.9	15	13.2	06.7-19.7	26	19.5	11.9-27.1	12	10.9	04.6-17.2	1	1.0	00.0-03.0
25-34	300	39,922	186	58.0	51.1-64.9	53	20.3	14.6-26.0	25	10.4	05.9-14.9	34	10.3	06.2-14.4	2	0.9	00.0-02.3
35-44	329	34,348	236	66.4	59.9-72.9	44	15.1	10.4-19.8	28	10.4	05.9-14.9	20	6.8	03.3-10.3	1	1.3	00.0-03.8
45-54	573	45,196	401	69.0	64.5-73.5	86	14.4	11.1-17.7	38	7.1	04.4-09.8	46	9.2	06.3-12.1	2	0.3	00.0-00.7
55-64	629	37,648	496	76.8	72.5-81.1	63	11.7	08.4-15.0	30	5.1	02.9-07.3	39	6.4	03.9-08.9	1	0.0	00.0-00.0
65+	1074	56,281	902	85.7	83.2-88.2	91	8.0	05.8-10.2	30	2.3	01.3-03.3	48	3.8	02.6-05.0	3	0.1	00.0-00.3
Less Than H.S.	178	19,393	132	61.2	48.9-73.5	21	14.3	05.7-22.9	13	12.8	02.8-22.8	11	9.4	01.2-17.6	1	2.3	00.0-06.6
H.S. or G.E.D.	905	71,841	696	69.4	64.9-73.9	101	14.3	10.8-17.8	47	9.1	06.0-12.2	56	6.5	04.3-08.7	5	0.7	00.0-01.9
Some Post-H.S.	983	99,905	730	69.2	65.1-73.3	117	13.3	10.4-16.2	58	8.4	05.7-11.1	74	8.4	05.9-10.9	4	0.7	00.0-01.5
College Graduate	998	65,982	759	72.6	68.9-76.3	118	12.7	10.2-15.2	61	7.4	05.2-09.6	58	7.2	04.8-09.6	2	0.1	00.0-00.3
Less than \$15,000	262	22,017	185	65.2	55.4-75.0	34	10.6	05.3-15.9	21	13.6	05.6-21.6	19	7.3	02.0-12.6	3	3.3	00.0-07.6
\$15,000- 24,999	444	36,617	322	60.3	53.0-67.6	46	13.2	08.1-18.3	33	13.4	07.7-19.1	40	12.8	07.5-18.1	3	0.4	00.0-00.8
\$25,000- 34,999	347	26,689	242	62.0	54.6-69.4	40	15.2	09.3-21.1	22	6.7	03.0-10.4	41	13.5	08.4-18.6	2	2.6	00.0-06.3
\$35,000- 49,999	405	36,943	312	72.3	66.4-78.2	48	13.7	09.4-18.0	23	8.8	04.7-12.9	21	5.0	02.5-07.5	1	0.3	00.0-00.9
\$50,000- 74,999	461	38,605	360	75.4	70.3-80.5	55	13.3	09.2-17.4	22	6.5	03.4-09.6	24	4.8	02.6-07.0			
\$75,000+	633	53,749	494	73.4	68.7-78.1	75	13.8	10.3-17.3	35	6.4	03.7-09.1	28	6.2	02.9-09.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5290	516,871	1951	29.4	27.8-31.0	30	0.8	00.4-01.2	3254	68.9	67.3-70.5	55	0.9	00.5-01.3
Male	2208	258,509	833	31.8	29.3-34.3				1348	67.2	64.7-69.7	27	1.0	00.4-01.6
Female	3082	258,361	1118	27.0	25.0-29.0	30	1.6	00.8-02.4	1906	70.6	68.6-72.6	28	0.8	00.4-01.2
Native	135	17,793	44	23.2	14.4-32.0				91	76.8	68.0-85.6			
Non-Native	5093	493,756	1880	29.6	28.0-31.2	30	0.9	00.5-01.3	3128	68.6	67.0-70.2	55	0.9	00.5-01.3
18-24	252	87,225	15	5.7	02.6-08.8	2	0.9	00.0-02.1	234	92.8	89.3-96.3	1	0.5	00.0-01.5
25-34	573	86,927	62	11.8	08.5-15.1	9	1.8	00.4-03.2	499	85.7	82.2-89.2	3	0.7	00.0-01.7
35-44	619	71,063	115	19.6	15.7-23.5	8	1.2	00.2-02.2	489	78.2	74.3-82.1	7	1.0	00.0-02.0
45-54	983	90,657	279	33.3	29.4-37.2	6	0.8	00.0-01.6	688	65.1	61.2-69.0	10	0.8	00.2-01.4
55-64	1162	77,327	510	43.2	39.7-46.7	1	0.2	00.0-00.6	641	55.9	52.4-59.4	10	0.8	00.2-01.4
65+	1643	99,222	938	58.1	55.2-61.0	3	0.2	00.0-00.4	678	40.4	37.5-43.3	24	1.4	00.8-02.0
Less Than H.S.	362	53,673	185	39.9	32.6-47.2	2	1.4	00.0-03.4	170	58.0	50.7-65.3	5	0.7	00.0-01.5
H.S. or G.E.D.	1549	144,599	647	32.6	29.7-35.5	4	0.5	00.0-01.1	884	66.3	63.4-69.2	14	0.6	00.2-01.0
Some Post-H.S.	1649	196,274	589	27.0	24.5-29.5	13	1.0	00.4-01.6	1026	70.8	68.1-73.5	21	1.1	00.3-01.9
College Graduate	1722	122,054	526	24.8	22.4-27.2	11	0.6	00.2-01.0	1170	73.7	71.3-76.1	15	0.9	00.3-01.5
Less than \$15,000	388	41,192	184	32.6	25.7-39.5				198	64.8	57.7-71.9	6	2.6	00.0-05.5
\$15,000- 24,999	687	66,855	313	33.6	28.7-38.5	5	2.4	00.2-04.6	363	63.4	58.3-68.5	6	0.6	00.0-01.4
\$25,000- 34,999	596	56,971	226	29.4	24.7-34.1	2	0.2	00.0-00.4	362	69.7	64.8-74.6	6	0.7	00.1-01.3
\$35,000- 49,999	799	85,513	297	30.7	26.8-34.6	4	0.8	00.0-01.6	490	68.1	64.2-72.0	8	0.5	00.1-00.9
\$50,000- 74,999	875	83,335	261	25.7	22.2-29.2	9	1.4	00.2-02.6	600	72.4	68.9-75.9	5	0.5	00.1-00.9
\$75,000+	1230	114,145	335	25.9	22.8-29.0	9	0.6	00.2-01.0	873	72.4	69.3-75.5	13	1.1	00.3-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2208	258,509	833	31.8	29.3-34.3	1348	67.2	64.7-69.7	27	1.0	00.4-01.6
Native	53	9,512	19	26.0	12.1-39.9	34	74.0	60.1-87.9			
Non-Native	2121	245,715	799	32.0	29.5-34.5	1295	67.0	64.5-69.5	27	1.0	00.4-01.6
18-24	126	46,230	11	7.6	02.7-12.5	114	91.3	86.0-96.6	1	1.0	00.0-03.0
25-34	271	46,690	41	16.0	10.7-21.3	229	83.9	78.6-89.2	1	0.1	00.0-00.3
35-44	290	36,712	69	24.6	18.5-30.7	217	74.1	67.8-80.4	4	1.3	00.0-03.1
45-54	409	45,343	141	41.3	35.0-47.6	261	57.7	51.4-64.0	7	1.0	00.2-01.8
55-64	527	39,379	245	46.3	41.0-51.6	277	52.7	47.4-58.0	5	0.9	00.0-01.9
65+	566	42,647	314	57.5	52.6-62.4	243	41.1	36.2-46.0	9	1.5	00.3-02.7
Less Than H.S.	182	33,995	86	40.0	30.6-49.4	94	59.3	49.9-68.7	2	0.7	00.0-01.7
H.S. or G.E.D.	642	72,697	267	35.7	31.0-40.4	372	63.9	59.2-68.6	3	0.4	00.0-01.0
Some Post-H.S.	661	96,049	236	27.4	23.5-31.3	415	71.3	67.2-75.4	10	1.3	00.1-02.5
College Graduate	721	55,709	242	29.2	25.3-33.1	467	69.6	65.7-73.5	12	1.2	00.4-02.0
Less than \$15,000	126	19,048	58	32.1	20.9-43.3	67	65.4	53.8-77.0	1	2.5	00.0-07.4
\$15,000- 24,999	243	30,247	102	35.0	26.8-43.2	140	65.0	56.8-73.2	1	0.0	00.0-00.0
\$25,000- 34,999	244	29,979	99	32.3	24.9-39.7	142	67.1	59.7-74.5	3	0.6	00.0-01.4
\$35,000- 49,999	393	48,632	154	33.6	27.9-39.3	235	66.0	60.1-71.9	4	0.4	00.0-00.8
\$50,000- 74,999	415	44,793	142	30.6	25.1-36.1	270	68.6	63.1-74.1	3	0.7	00.0-01.5
\$75,000+	593	59,983	191	29.6	25.1-34.1	392	68.7	64.2-73.2	10	1.7	00.3-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3082	258,361	1118	27.0	25.0-29.0	30	1.6	00.8-02.4	1906	70.6	68.6-72.6	28	0.8	00.4-01.2
Native	82	8,281	25	19.9	09.7-30.1				57	80.1	69.9-90.3			
Non-Native	2972	248,041	1081	27.2	25.2-29.2	30	1.7	00.9-02.5	1833	70.2	68.0-72.4	28	0.8	00.4-01.2
18-24	126	40,995	4	3.6	00.0-07.7	2	1.9	00.0-04.4	120	94.5	89.6-99.4			
25-34	302	40,237	21	6.9	03.4-10.4	9	3.9	00.8-07.0	270	87.9	83.0-92.8	2	1.3	00.0-03.3
35-44	329	34,350	46	14.2	09.7-18.7	8	2.5	00.5-04.5	272	82.6	77.7-87.5	3	0.6	00.0-01.4
45-54	574	45,315	138	25.3	21.0-29.6	6	1.5	00.1-02.9	427	72.5	68.0-77.0	3	0.7	00.0-01.5
55-64	635	37,948	265	39.9	35.4-44.4	1	0.4	00.0-01.2	364	59.2	54.7-63.7	5	0.6	00.0-01.2
65+	1077	56,575	624	58.5	54.8-62.2	3	0.3	00.0-00.7	435	39.8	36.1-43.5	15	1.4	00.6-02.2
Less Than H.S.	180	19,678	99	39.8	28.8-50.8	2	3.7	00.0-08.8	76	55.9	44.5-67.3	3	0.6	00.0-01.2
H.S. or G.E.D.	907	71,902	380	29.5	26.0-33.0	4	1.1	00.0-02.3	512	68.7	65.0-72.4	11	0.8	00.2-01.4
Some Post-H.S.	988	100,225	353	26.7	23.4-30.0	13	2.0	00.6-03.4	611	70.4	66.9-73.9	11	1.0	00.2-01.8
College Graduate	1001	66,345	284	21.0	18.3-23.7	11	1.1	00.3-01.9	703	77.2	74.3-80.1	3	0.6	00.0-01.4
Less than \$15,000	262	22,144	126	33.0	24.8-41.2				131	64.4	55.8-73.0	5	2.6	00.0-05.9
\$15,000- 24,999	444	36,608	211	32.5	26.8-38.2	5	4.3	00.4-08.2	223	62.0	55.5-68.5	5	1.1	00.0-02.5
\$25,000- 34,999	352	26,992	127	26.2	20.3-32.1	2	0.4	00.0-01.0	220	72.6	66.7-78.5	3	0.8	00.0-01.8
\$35,000- 49,999	406	36,881	143	26.8	21.7-31.9	4	1.8	00.0-03.6	255	70.9	65.6-76.2	4	0.6	00.0-01.2
\$50,000- 74,999	460	38,543	119	19.9	16.0-23.8	9	3.0	00.5-05.5	330	76.8	72.5-81.1	2	0.2	00.0-00.4
\$75,000+	637	54,162	144	21.8	17.7-25.9	9	1.3	00.3-02.3	481	76.5	72.2-80.8	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1950	152,000	1628	76.6	73.9-79.3	322	23.4	20.7-26.1
Male	832	82,195	666	72.9	68.6-77.2	166	27.1	22.8-31.4
Female	1118	69,804	962	80.9	77.2-84.6	156	19.1	15.4-22.8
Non-Native	1880	146,188	1575	77.0	74.1-79.9	305	23.0	20.1-25.9
25-34	62	10,230	15	17.4	07.2-27.6	47	82.6	72.4-92.8
35-44	115	13,924	68	58.1	47.1-69.1	47	41.9	30.9-52.9
45-54	279	30,187	197	70.0	63.1-76.9	82	30.0	23.1-36.9
55-64	510	33,369	432	85.0	81.1-88.9	78	15.0	11.1-18.9
65+	937	57,612	881	93.9	91.7-96.1	56	6.1	03.9-08.3
Less Than H.S.	185	21,436	168	78.4	67.8-89.0	17	21.6	11.0-32.2
H.S. or G.E.D.	647	47,200	548	76.2	71.3-81.1	99	23.8	18.9-28.7
Some Post-H.S.	588	53,036	468	74.1	69.2-79.0	120	25.9	21.0-30.8
College Graduate	526	30,218	440	80.1	75.4-84.8	86	19.9	15.2-24.6
Less than \$15,000	184	13,430	156	76.7	64.9-88.5	28	23.3	11.5-35.1
\$15,000- 24,999	313	22,462	262	74.8	67.0-82.6	51	25.2	17.4-33.0
\$25,000- 34,999	225	16,760	193	79.0	71.0-87.0	32	21.0	13.0-29.0
\$35,000- 49,999	297	26,211	257	80.2	73.3-87.1	40	19.8	12.9-26.7
\$50,000- 74,999	261	21,410	205	73.7	66.8-80.6	56	26.3	19.4-33.2
\$75,000+	335	29,514	262	71.2	64.1-78.3	73	28.8	21.7-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	832	82,195	666	72.9	68.6-77.2	166	27.1	22.8-31.4
Non-Native	799	78,605	642	73.5	69.2-77.8	157	26.5	22.2-30.8
35-44	69	9,033	41	56.1	41.6-70.6	28	43.9	29.4-58.4
45-54	141	18,716	106	74.3	65.1-83.5	35	25.7	16.5-34.9
55-64	245	18,246	203	82.5	76.4-88.6	42	17.5	11.4-23.6
65+	313	24,496	292	93.3	89.8-96.8	21	6.7	03.2-10.2
Less Than H.S.	86	13,597	75	75.1	61.4-88.8	11	24.9	11.2-38.6
H.S. or G.E.D.	267	25,985	209	68.2	60.4-76.0	58	31.8	24.0-39.6
Some Post-H.S.	235	26,291	177	72.1	64.7-79.5	58	27.9	20.5-35.3
College Graduate	242	16,264	203	79.9	73.2-86.6	39	20.1	13.4-26.8
Less than \$15,000	58	6,116	43	64.7	44.1-85.3	15	35.3	14.7-55.9
\$15,000- 24,999	102	10,573	79	64.2	50.5-77.9	23	35.8	22.1-49.5
\$25,000- 34,999	98	9,679	80	74.4	62.4-86.4	18	25.6	13.6-37.6
\$35,000- 49,999	154	16,332	131	78.8	69.6-88.0	23	21.2	12.0-30.4
\$50,000- 74,999	142	13,726	108	70.4	60.8-80.0	34	29.6	20.0-39.2
\$75,000+	191	17,726	154	76.3	68.3-84.3	37	23.7	15.7-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1118	69,804	962	80.9	77.4-84.4	156	19.1	15.6-22.6
Non-Native	1081	67,583	933	81.1	77.4-84.8	148	18.9	15.2-22.6
45-54	138	11,471	91	62.9	53.1-72.7	47	37.1	27.3-46.9
55-64	265	15,123	229	88.0	83.5-92.5	36	12.0	07.5-16.5
65+	624	33,116	589	94.4	91.7-97.1	35	5.6	02.9-08.3
Less Than H.S.	99	7,839	93	84.1	66.7-0100	6	15.9	00.0-33.3
H.S. or G.E.D.	380	21,216	339	86.1	81.2-91.0	41	13.9	09.0-18.8
Some Post-H.S.	353	26,745	291	76.2	69.9-82.5	62	23.8	17.5-30.1
College Graduate	284	13,955	237	80.4	73.9-86.9	47	19.6	13.1-26.1
Less than \$15,000	126	7,313	113	86.6	76.0-97.2	13	13.4	02.8-24.0
\$15,000- 24,999	211	11,890	183	84.2	76.9-91.5	28	15.8	08.5-23.1
\$25,000- 34,999	127	7,081	113	85.4	76.4-94.4	14	14.6	05.6-23.6
\$35,000- 49,999	143	9,880	126	82.6	73.2-92.0	17	17.4	08.0-26.8
\$50,000- 74,999	119	7,684	97	79.6	70.8-88.4	22	20.4	11.6-29.2
\$75,000+	144	11,788	108	63.5	51.5-75.5	36	36.5	24.5-48.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5206	501,464	4559	77.4	75.6-79.2	647	22.6	20.8-24.4
Male	2170	251,315	1825	73.8	71.1-76.5	345	26.2	23.5-28.9
Female	3036	250,148	2734	81.0	78.6-83.4	302	19.0	16.6-21.4
Native	133	16,983	91	45.4	33.4-57.4	42	54.6	42.6-66.6
Non-Native	5013	479,360	4418	78.6	76.8-80.4	595	21.4	19.6-23.2
18-24	226	78,603	93	40.8	33.9-47.7	133	59.2	52.3-66.1
25-34	545	82,780	348	59.7	54.8-64.6	197	40.3	35.4-45.2
35-44	610	69,640	502	77.7	73.4-82.0	108	22.3	18.0-26.6
45-54	979	90,248	887	88.9	86.2-91.6	92	11.1	08.4-13.8
55-64	1155	76,673	1094	94.9	93.3-96.5	61	5.1	03.5-06.7
65+	1634	99,182	1585	96.9	95.7-98.1	49	3.1	01.9-04.3
Less Than H.S.	353	51,124	301	69.4	61.2-77.6	52	30.6	22.4-38.8
H.S. or G.E.D.	1515	138,684	1309	76.1	72.8-79.4	206	23.9	20.6-27.2
Some Post-H.S.	1630	192,405	1417	77.2	74.1-80.3	213	22.8	19.7-25.9
College Graduate	1700	118,981	1524	82.6	79.9-85.3	176	17.4	14.7-20.1
Less than \$15,000	379	38,757	312	65.2	56.8-73.6	67	34.8	26.4-43.2
\$15,000- 24,999	678	65,081	558	64.7	58.8-70.6	120	35.3	29.4-41.2
\$25,000- 34,999	586	55,254	507	77.9	72.4-83.4	79	22.1	16.6-27.6
\$35,000- 49,999	786	84,238	691	79.6	75.3-83.9	95	20.4	16.1-24.7
\$50,000- 74,999	858	80,075	770	84.3	80.8-87.8	88	15.7	12.2-19.2
\$75,000+	1224	113,455	1105	84.4	81.3-87.5	119	15.6	12.5-18.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2170	251,315	1825	73.8	71.1-76.5	345	26.2	23.5-28.9
Native	52	9,035	35	46.3	28.9-63.7	17	53.7	36.3-71.1
Non-Native	2086	239,101	1766	74.9	72.2-77.6	320	25.1	22.4-27.8
18-24	115	42,438	43	38.4	28.8-48.0	72	61.6	52.0-71.2
25-34	263	45,359	158	58.0	50.9-65.1	105	42.0	34.9-49.1
35-44	283	35,452	224	73.5	66.8-80.2	59	26.5	19.8-33.2
45-54	407	45,128	356	85.9	81.2-90.6	51	14.1	09.4-18.8
55-64	523	38,834	486	93.2	90.3-96.1	37	6.8	03.9-09.7
65+	560	42,596	543	96.2	94.0-98.4	17	3.8	01.6-06.0
Less Than H.S.	177	32,578	146	69.1	58.7-79.5	31	30.9	20.5-41.3
H.S. or G.E.D.	628	70,506	516	72.7	67.8-77.6	112	27.3	22.4-32.2
Some Post-H.S.	651	93,560	535	71.9	67.0-76.8	116	28.1	23.2-33.0
College Graduate	712	54,612	626	81.0	76.9-85.1	86	19.0	14.9-23.1
Less than \$15,000	121	17,956	93	54.1	40.8-67.4	28	45.9	32.6-59.2
\$15,000- 24,999	238	29,327	178	60.6	51.0-70.2	60	39.4	29.8-49.0
\$25,000- 34,999	239	29,080	198	71.8	63.0-80.6	41	28.2	19.4-37.0
\$35,000- 49,999	386	47,887	323	74.3	68.0-80.6	63	25.7	19.4-32.0
\$50,000- 74,999	408	43,308	357	81.7	76.4-87.0	51	18.3	13.0-23.6
\$75,000+	590	59,576	525	83.2	78.7-87.7	65	16.8	12.3-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3036	250,148	2734	81.0	78.6-83.4	302	19.0	16.6-21.4
Native	81	7,949	56	44.3	28.4-60.2	25	55.7	39.8-71.6
Non-Native	2927	240,259	2652	82.3	79.9-84.7	275	17.7	15.3-20.1
18-24	111	36,164	50	43.5	33.5-53.5	61	56.5	46.5-66.5
25-34	282	37,421	190	61.9	55.0-68.8	92	38.1	31.2-45.0
35-44	327	34,188	278	82.1	76.4-87.8	49	17.9	12.2-23.6
45-54	572	45,120	531	91.9	89.2-94.6	41	8.1	05.4-10.8
55-64	632	37,840	608	96.7	95.3-98.1	24	3.3	01.9-04.7
65+	1074	56,587	1042	97.3	96.1-98.5	32	2.7	01.5-03.9
Less Than H.S.	176	18,546	155	69.9	56.8-83.0	21	30.1	17.0-43.2
H.S. or G.E.D.	887	68,178	793	79.6	75.1-84.1	94	20.4	15.9-24.9
Some Post-H.S.	979	98,845	882	82.1	78.2-86.0	97	17.9	14.0-21.8
College Graduate	988	64,369	898	84.0	80.5-87.5	90	16.0	12.5-19.5
Less than \$15,000	258	20,801	219	74.7	64.9-84.5	39	25.3	15.5-35.1
\$15,000- 24,999	440	35,753	380	68.0	60.6-75.4	60	32.0	24.6-39.4
\$25,000- 34,999	347	26,174	309	84.7	78.6-90.8	38	15.3	09.2-21.4
\$35,000- 49,999	400	36,351	368	86.6	81.5-91.7	32	13.4	08.3-18.5
\$50,000- 74,999	450	36,767	413	87.4	82.9-91.9	37	12.6	08.1-17.1
\$75,000+	634	53,879	580	85.8	81.3-90.3	54	14.2	09.7-18.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4515	383,726	3296	68.4	66.4-70.4	568	14.8	13.4-16.2	427	11.4	10.0-12.8	224	5.4	04.4-06.4
Male	1810	183,194	1287	66.5	63.6-69.4	231	15.3	12.9-17.7	173	11.1	09.1-13.1	119	7.1	05.5-08.7
Female	2705	200,532	2009	70.0	67.6-72.4	337	14.4	12.6-16.2	254	11.7	09.9-13.5	105	3.9	02.9-04.9
Native	90	7,672	80	84.7	74.1-95.3	5	9.9	00.1-19.7	5	5.4	00.1-10.7			
Non-Native	4375	372,377	3181	68.0	66.0-70.0	555	14.9	13.3-16.5	417	11.5	10.1-12.9	222	5.6	04.6-06.6
18-24	91	31,009	60	66.4	56.0-76.8	16	17.9	09.5-26.3	12	10.9	04.2-17.6	3	4.8	00.0-10.5
25-34	340	48,406	157	40.7	34.6-46.8	79	25.1	19.6-30.6	79	25.9	20.2-31.6	25	8.2	04.5-11.9
35-44	499	53,863	277	56.7	51.4-62.0	93	19.3	15.0-23.6	88	16.5	12.8-20.2	41	7.6	04.9-10.3
45-54	880	79,662	605	66.9	63.0-70.8	120	14.8	11.9-17.7	92	10.8	08.3-13.3	63	7.5	05.3-09.7
55-64	1090	72,523	824	73.5	70.2-76.8	130	12.8	10.3-15.3	86	9.0	06.8-11.2	50	4.6	03.0-06.2
65+	1567	94,971	1335	86.5	84.3-88.7	125	7.5	05.9-09.1	67	3.9	02.7-05.1	40	2.1	01.3-02.9
Less Than H.S.	297	34,329	245	76.6	69.0-84.2	19	8.3	03.4-13.2	20	9.1	04.0-14.2	13	6.0	01.1-10.9
H.S. or G.E.D.	1294	104,526	982	69.9	66.4-73.4	139	12.2	09.7-14.7	114	12.6	09.9-15.3	59	5.3	03.5-07.1
Some Post-H.S.	1404	147,340	1005	66.9	63.6-70.2	184	16.8	14.1-19.5	138	10.7	08.5-12.9	77	5.6	04.0-07.2
College Graduate	1512	97,261	1057	65.8	62.9-68.7	226	16.9	14.5-19.3	155	12.1	09.9-14.3	74	5.2	03.8-06.6
Less than \$15,000	309	24,999	246	74.9	66.7-83.1	27	10.6	05.1-16.1	26	12.4	05.5-19.3	10	2.1	00.0-04.6
\$15,000- 24,999	551	41,616	412	67.0	60.5-73.5	54	10.6	06.7-14.5	50	13.3	08.6-18.0	35	9.1	04.2-14.0
\$25,000- 34,999	503	42,961	376	69.1	63.2-75.0	52	13.6	08.9-18.3	45	9.8	06.1-13.5	30	7.5	04.2-10.8
\$35,000- 49,999	685	66,604	485	64.1	59.4-68.8	81	14.8	11.1-18.5	72	14.4	10.7-18.1	47	6.7	04.5-08.9
\$50,000- 74,999	766	66,699	560	70.9	67.0-74.8	101	14.1	11.0-17.2	67	9.4	06.9-11.9	38	5.6	03.4-07.8
\$75,000+	1099	95,190	749	65.5	62.0-69.0	177	18.1	15.2-21.0	128	12.4	10.0-14.8	45	4.1	02.7-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1810	183,194	1287	66.5	63.6-69.4	231	15.3	12.9-17.7	173	11.1	09.1-13.1	119	7.1	05.5-08.7
Non-Native	1752	176,803	1241	66.2	63.3-69.1	224	15.2	12.8-17.6	168	11.2	09.2-13.2	119	7.4	05.6-09.2
25-34	155	25,797	67	36.7	28.1-45.3	31	22.8	15.0-30.6	42	27.9	19.7-36.1	15	12.6	06.1-19.1
35-44	221	25,793	115	53.4	45.4-61.4	45	21.5	14.6-28.4	37	16.1	10.4-21.8	24	8.9	04.8-13.0
45-54	355	38,685	243	66.1	59.8-72.4	42	15.0	10.1-19.9	33	9.1	05.2-13.0	37	9.7	06.2-13.2
55-64	485	36,117	357	72.0	67.1-76.9	61	12.8	09.1-16.5	42	10.1	06.6-13.6	25	5.1	02.9-07.3
65+	538	40,471	464	87.1	83.8-90.4	44	8.1	05.4-10.8	15	2.6	01.0-04.2	15	2.2	00.8-03.6
Less Than H.S.	144	21,485	120	76.0	65.6-86.4	9	8.4	01.9-14.9	7	8.8	01.9-15.7	8	6.8	00.0-13.9
H.S. or G.E.D.	512	50,988	364	65.3	59.8-70.8	64	14.7	10.4-19.0	49	12.3	08.4-16.2	35	7.7	04.6-10.8
Some Post-H.S.	532	66,931	364	64.5	59.4-69.6	69	17.8	13.3-22.3	59	10.6	07.5-13.7	40	7.1	04.6-09.6
College Graduate	620	43,732	437	66.2	61.5-70.9	89	15.5	12.0-19.0	58	11.6	08.3-14.9	36	6.7	04.2-09.2
Less than \$15,000	91	9,516	69	67.8	52.3-83.3	10	15.8	03.8-27.8	9	16.0	03.8-28.2	3	0.4	00.0-00.8
\$15,000- 24,999	177	17,686	121	62.4	51.4-73.4	20	11.8	05.1-18.5	20	12.8	05.9-19.7	16	13.0	03.6-22.4
\$25,000- 34,999	197	20,865	150	70.0	61.0-79.0	18	12.0	04.9-19.1	18	10.3	04.4-16.2	11	7.7	02.2-13.2
\$35,000- 49,999	321	35,458	224	64.6	57.7-71.5	37	15.5	10.2-20.8	25	10.0	05.5-14.5	35	10.0	06.1-13.9
\$50,000- 74,999	355	34,936	251	68.7	62.6-74.8	46	13.1	08.6-17.6	33	10.2	06.3-14.1	25	8.0	04.5-11.5
\$75,000+	522	49,177	361	66.7	61.8-71.6	81	16.7	12.6-20.8	56	12.2	08.7-15.7	24	4.4	02.4-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			>= 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	200,532	2009	70.0	67.6-72.4	337	14.4	12.6-16.2	254	11.7	09.9-13.5	105	3.9	02.9-04.9
Native	56	3,523	50	86.3	74.0-98.6	3	8.4	00.0-19.0	3	5.4	00.0-12.7			
Non-Native	2623	195,574	1940	69.7	67.3-72.1	331	14.5	12.5-16.5	249	11.8	10.0-13.6	103	3.9	02.9-04.9
25-34	185	22,609	90	45.3	36.7-53.9	48	27.9	20.3-35.5	37	23.6	15.8-31.4	10	3.2	00.8-05.6
35-44	278	28,070	162	59.6	52.7-66.5	48	17.3	12.2-22.4	51	16.8	11.7-21.9	17	6.3	02.8-09.8
45-54	525	40,977	362	67.6	62.9-72.3	78	14.7	11.2-18.2	59	12.3	09.0-15.6	26	5.4	03.0-07.8
55-64	605	36,407	467	75.0	70.7-79.3	69	12.9	09.6-16.2	44	7.9	05.2-10.6	25	4.2	02.0-06.4
65+	1029	54,500	871	86.1	83.4-88.8	81	7.1	05.1-09.1	52	4.8	03.0-06.6	25	2.0	01.0-03.0
Less Than H.S.	153	12,844	125	77.6	67.2-88.0	10	8.1	01.0-15.2	13	9.5	02.1-16.9	5	4.8	00.0-10.3
H.S. or G.E.D.	782	53,539	618	74.4	69.9-78.9	75	9.8	07.1-12.5	65	12.9	09.2-16.6	24	3.0	01.6-04.4
Some Post-H.S.	872	80,409	641	69.0	64.9-73.1	115	16.0	12.7-19.3	79	10.7	07.8-13.6	37	4.3	02.3-06.3
College Graduate	892	53,529	620	65.5	61.6-69.4	137	18.1	14.8-21.4	97	12.5	09.8-15.2	38	4.0	02.6-05.4
Less than \$15,000	218	15,483	177	79.3	69.9-88.7	17	7.4	02.3-12.5	17	10.2	02.2-18.2	7	3.1	00.0-07.2
\$15,000- 24,999	374	23,929	291	70.4	62.6-78.2	34	9.8	04.9-14.7	30	13.7	07.2-20.2	19	6.1	01.4-10.8
\$25,000- 34,999	306	22,095	226	68.3	60.9-75.7	34	15.1	08.8-21.4	27	9.3	04.6-14.0	19	7.4	03.7-11.1
\$35,000- 49,999	364	31,146	261	63.4	56.7-70.1	44	14.1	09.2-19.0	47	19.5	13.6-25.4	12	2.9	01.1-04.7
\$50,000- 74,999	411	31,763	309	73.3	68.2-78.4	55	15.3	11.0-19.6	34	8.5	05.4-11.6	13	2.8	01.0-04.6
\$75,000+	577	46,013	388	64.2	59.5-68.9	96	19.6	15.5-23.7	72	12.6	09.5-15.7	21	3.7	01.9-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4515	384,549	1867	36.8	35.0-38.6	2648	63.2	61.4-65.0
Male	1812	183,656	751	37.5	34.8-40.2	1061	62.5	59.8-65.2
Female	2703	200,893	1116	36.2	33.8-38.6	1587	63.8	61.4-66.2
Native	90	7,672	34	39.4	25.7-53.1	56	60.6	46.9-74.3
Non-Native	4377	373,288	1809	36.7	34.9-38.5	2568	63.3	61.5-65.1
18-24	93	32,036	6	7.2	01.5-12.9	87	92.8	87.1-98.5
25-34	347	49,362	41	11.6	07.5-15.7	306	88.4	84.3-92.5
35-44	500	53,611	122	26.3	21.6-31.0	378	73.7	69.0-78.4
45-54	882	79,644	317	38.2	34.1-42.3	565	61.8	57.7-65.9
55-64	1089	72,496	534	48.3	44.8-51.8	555	51.7	48.2-55.2
65+	1555	94,023	830	56.6	53.5-59.7	725	43.4	40.3-46.5
Less Than H.S.	292	34,280	142	47.4	39.2-55.6	150	52.6	44.4-60.8
H.S. or G.E.D.	1294	104,448	588	39.6	36.3-42.9	706	60.4	57.1-63.7
Some Post-H.S.	1407	147,589	586	36.1	33.0-39.2	821	63.9	60.8-67.0
College Graduate	1514	97,961	547	31.4	28.7-34.1	967	68.6	65.9-71.3
Less than \$15,000	311	25,219	150	44.0	35.2-52.8	161	56.0	47.2-64.8
\$15,000- 24,999	552	41,694	279	43.2	37.1-49.3	273	56.8	50.7-62.9
\$25,000- 34,999	501	42,602	235	39.1	33.2-45.0	266	60.9	55.0-66.8
\$35,000- 49,999	685	66,684	284	36.8	32.3-41.3	401	63.2	58.7-67.7
\$50,000- 74,999	764	66,712	289	34.0	30.1-37.9	475	66.0	62.1-69.9
\$75,000+	1100	95,347	368	32.2	28.9-35.5	732	67.8	64.5-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1812	183,656	751	37.5	34.8-40.2	1061	62.5	59.8-65.2
Non-Native	1755	177,311	724	37.2	34.3-40.1	1031	62.8	59.9-65.7
25-34	158	26,303	24	14.4	07.9-20.9	134	85.6	79.1-92.1
35-44	222	25,541	61	29.0	21.7-36.3	161	71.0	63.7-78.3
45-54	354	38,439	149	45.0	38.3-51.7	205	55.0	48.3-61.7
55-64	484	36,068	231	48.1	42.6-53.6	253	51.9	46.4-57.4
65+	536	40,157	278	54.2	49.1-59.3	258	45.8	40.7-50.9
Less Than H.S.	143	21,620	70	47.3	36.1-58.5	73	52.7	41.5-63.9
H.S. or G.E.D.	513	51,026	228	39.8	34.5-45.1	285	60.2	54.9-65.5
Some Post-H.S.	532	66,816	207	34.4	29.7-39.1	325	65.6	60.9-70.3
College Graduate	622	44,135	245	35.0	30.7-39.3	377	65.0	60.7-69.3
Less than \$15,000	92	9,676	40	45.0	28.9-61.1	52	55.0	38.9-71.1
\$15,000- 24,999	178	17,771	77	37.3	27.5-47.1	101	62.7	52.9-72.5
\$25,000- 34,999	197	20,772	86	38.4	29.4-47.4	111	61.6	52.6-70.6
\$35,000- 49,999	322	35,448	141	40.3	33.6-47.0	181	59.7	53.0-66.4
\$50,000- 74,999	353	34,696	141	36.7	30.6-42.8	212	63.3	57.2-69.4
\$75,000+	523	49,375	202	36.9	32.0-41.8	321	63.1	58.2-68.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2703	200,893	1116	36.2	33.8-38.6	1587	63.8	61.4-66.2
Native	56	3,523	21	35.8	20.7-50.9	35	64.2	49.1-79.3
Non-Native	2622	195,976	1085	36.2	33.8-38.6	1537	63.8	61.4-66.2
18-24	50	15,729	3	7.9	00.0-16.3	47	92.1	83.7-0100
25-34	189	23,059	17	8.4	03.7-13.1	172	91.6	86.9-96.3
35-44	278	28,070	61	23.8	17.7-29.9	217	76.2	70.1-82.3
45-54	528	41,205	168	31.8	27.1-36.5	360	68.2	63.5-72.9
55-64	605	36,428	303	48.5	43.8-53.2	302	51.5	46.8-56.2
65+	1019	53,866	552	58.4	54.5-62.3	467	41.6	37.7-45.5
Less Than H.S.	149	12,660	72	47.5	36.1-58.9	77	52.5	41.1-63.9
H.S. or G.E.D.	781	53,422	360	39.4	34.9-43.9	421	60.6	56.1-65.1
Some Post-H.S.	875	80,773	379	37.5	33.6-41.4	496	62.5	58.6-66.4
College Graduate	892	53,827	302	28.4	25.1-31.7	590	71.6	68.3-74.9
Less than \$15,000	219	15,543	110	43.4	33.2-53.6	109	56.6	46.4-66.8
\$15,000- 24,999	374	23,923	202	47.6	40.2-55.0	172	52.4	45.0-59.8
\$25,000- 34,999	304	21,829	149	39.9	32.5-47.3	155	60.1	52.7-67.5
\$35,000- 49,999	363	31,236	143	32.9	27.0-38.8	220	67.1	61.2-73.0
\$50,000- 74,999	411	32,016	148	31.1	26.0-36.2	263	68.9	63.8-74.0
\$75,000+	577	45,971	166	27.2	23.1-31.3	411	72.8	68.7-76.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	57
11	MALES ONLY	58
12	FEMALES ONLY	59
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	60
14	MALES ONLY	61
15	FEMALES ONLY	62
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	63
17	MALES ONLY	64
18	FEMALES ONLY	65
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	66
20	MALES ONLY	67
21	FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
(EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)	
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5275	515,410	305	4.3	03.7-04.9	4970	95.7	95.1-96.3
Male	2197	257,664	170	5.5	04.5-06.5	2027	94.5	93.5-95.5
Female	3078	257,746	135	3.1	02.5-03.7	2943	96.9	96.3-97.5
Native	134	23,020				118	94.1	90.6-97.6
Non-Native	5079	485,853	281	4.2	03.6-04.8	4798	95.8	95.2-96.4
18-24	252	87,188				252	100.0	0100-0100
25-34	572	86,869				572	100.0	0100-0100
35-44	621	71,801				617	99.2	98.4-0100
45-54	983	90,647	28	3.8	02.2-05.4	955	96.2	94.6-97.8
55-64	1153	74,673	82	7.5	05.5-09.5	1071	92.5	90.5-94.5
65+	1636	98,789	188	12.2	10.2-14.2	1448	87.8	85.8-89.8
Less Than H.S.	355	52,412	41	9.4	06.3-12.5	314	90.6	87.5-93.7
H.S. or G.E.D.	1544	144,341	120	5.4	04.2-06.6	1424	94.6	93.4-95.8
Some Post-H.S.	1646	195,656	76	3.2	02.4-04.0	1570	96.8	96.0-97.6
College Graduate	1722	121,942	67	2.6	01.8-03.4	1655	97.4	96.6-98.2
Less than \$15,000	386	45,733	45	7.8	05.1-10.5	341	92.2	89.5-94.9
\$15,000- 24,999	684	69,613	61	6.9	04.9-08.9	623	93.1	91.1-95.1
\$25,000- 34,999	595	55,609	52	6.8	04.4-09.2	543	93.2	90.8-95.6
\$35,000- 49,999	798	81,692	41	3.4	02.2-04.6	757	96.6	95.4-97.8
\$50,000- 74,999	871	81,523	33	2.6	01.6-03.6	838	97.4	96.4-98.4
\$75,000+	1231	108,696	26	2.0	01.2-02.8	1205	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2197	257,664	170	5.5	04.5-06.5	2027	94.5	93.5-95.5
Native	52	12,952				49	97.7	95.0-0100
Non-Native	2112	240,174	161	5.6	04.6-06.6	1951	94.4	93.4-95.4
18-24	126	46,215				126	100.0	0100-0100
25-34	271	46,717				271	100.0	0100-0100
35-44	291	37,158				288	99.0	97.8-0100
45-54	409	45,350	17	5.5	02.6-08.4	392	94.5	91.6-97.4
55-64	519	37,576	51	10.2	07.1-13.3	468	89.8	86.7-92.9
65+	562	42,457	98	17.4	13.9-20.9	464	82.6	79.1-86.1
Less Than H.S.	177	30,543	23	10.4	05.7-15.1	154	89.6	84.9-94.3
H.S. or G.E.D.	639	72,749	65	6.7	04.9-08.5	574	93.3	91.5-95.1
Some Post-H.S.	659	96,964	35	3.5	02.1-04.9	624	96.5	95.1-97.9
College Graduate	719	56,694	46	4.5	03.1-05.9	673	95.5	94.1-96.9
Less than \$15,000	124	20,536	16	8.5	03.8-13.2	108	91.5	86.8-96.2
\$15,000- 24,999	241	32,134	30	8.9	05.2-12.6	211	91.1	87.4-94.8
\$25,000- 34,999	242	28,829	32	9.5	05.6-13.4	210	90.5	86.6-94.4
\$35,000- 49,999	391	47,087	29	4.4	02.4-06.4	362	95.6	93.6-97.6
\$50,000- 74,999	412	44,893	23	3.5	01.9-05.1	389	96.5	94.9-98.1
\$75,000+	594	57,058	23	3.4	01.8-05.0	571	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3078	257,746	135	3.1	02.5-03.7	2943	96.9	96.3-97.5
Native	82	10,068				69	89.5	82.4-96.6
Non-Native	2967	245,679	120	2.8	02.2-03.4	2847	97.2	96.6-97.8
18-24	126	40,974				126	100.0	0100-0100
25-34	301	40,152				301	100.0	0100-0100
35-44	330	34,644				329	99.5	98.5-0100
45-54	574	45,297				563	97.8	96.4-99.2
55-64	634	37,096	31	4.9	02.7-07.1	603	95.1	92.9-97.3
65+	1074	56,332	90	8.4	06.4-10.4	984	91.6	89.6-93.6
Less Than H.S.	178	21,869	18	7.9	03.8-12.0	160	92.1	88.0-96.2
H.S. or G.E.D.	905	71,592	55	4.1	02.7-05.5	850	95.9	94.5-97.3
Some Post-H.S.	987	98,693	41	2.9	01.9-03.9	946	97.1	96.1-98.1
College Graduate	1003	65,249	21	0.9	00.5-01.3	982	99.1	98.7-99.5
Less than \$15,000	262	25,197	29	7.3	04.0-10.6	233	92.7	89.4-96.0
\$15,000- 24,999	443	37,479	31	5.2	03.0-07.4	412	94.8	92.6-97.0
\$25,000- 34,999	353	26,779	20	3.9	01.7-06.1	333	96.1	93.9-98.3
\$35,000- 49,999	407	34,604				395	97.9	96.5-99.3
\$50,000- 74,999	459	36,630				449	98.6	97.4-99.8
\$75,000+	637	51,638				634	99.7	99.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5244	513,912	286	4.1	03.5-04.7	4958	95.9	95.3-96.5
Male	2187	257,139	151	5.0	04.0-06.0	2036	95.0	94.0-96.0
Female	3057	256,773	135	3.1	02.5-03.7	2922	96.9	96.3-97.5
Native	134	23,215	14	5.0	02.1-07.9	120	95.0	92.1-97.9
Non-Native	5049	484,213	265	4.0	03.4-04.6	4784	96.0	95.4-96.6
18-24	252	87,188				252	100.0	0100-0100
25-34	572	86,904				571	99.8	99.4-0100
35-44	621	71,801				618	99.3	98.5-0100
45-54	981	90,576	25	3.5	01.9-05.1	956	96.5	94.9-98.1
55-64	1151	75,163	67	6.5	04.7-08.3	1084	93.5	91.7-95.3
65+	1610	96,900	189	12.4	10.4-14.4	1421	87.6	85.6-89.6
Less Than H.S.	351	51,939	33	7.4	04.5-10.3	318	92.6	89.7-95.5
H.S. or G.E.D.	1533	143,968	104	4.9	03.7-06.1	1429	95.1	93.9-96.3
Some Post-H.S.	1641	195,601	81	3.5	02.5-04.5	1560	96.5	95.5-97.5
College Graduate	1711	121,364	67	2.5	01.9-03.1	1644	97.5	96.9-98.1
Less than \$15,000	380	45,275	35	5.6	03.4-07.8	345	94.4	92.2-96.6
\$15,000- 24,999	678	69,298	66	7.8	05.4-10.2	612	92.2	89.8-94.6
\$25,000- 34,999	590	55,389	51	6.5	04.3-08.7	539	93.5	91.3-95.7
\$35,000- 49,999	790	81,307	30	2.4	01.4-03.4	760	97.6	96.6-98.6
\$50,000- 74,999	872	81,719	34	2.9	01.7-04.1	838	97.1	95.9-98.3
\$75,000+	1226	108,371	31	2.2	01.4-03.0	1195	97.8	97.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2187	257,139	151	5.0	04.0-06.0	2036	95.0	94.0-96.0
Native	52	13,147				47	95.6	91.5-99.7
Non-Native	2102	239,474	140	5.0	04.0-06.0	1962	95.0	94.0-96.0
18-24	126	46,215				126	100.0	0100-0100
25-34	270	46,570				270	100.0	0100-0100
35-44	291	37,158				289	99.2	98.2-0100
45-54	409	45,350	16	5.0	02.3-07.7	393	95.0	92.3-97.7
55-64	523	38,270	43	9.1	06.2-12.0	480	90.9	88.0-93.8
65+	549	41,386	89	16.4	12.7-20.1	460	83.6	79.9-87.3
Less Than H.S.	175	30,290	16	7.9	03.6-12.2	159	92.1	87.8-96.4
H.S. or G.E.D.	638	72,831	54	5.8	04.0-07.6	584	94.2	92.4-96.0
Some Post-H.S.	657	96,977	38	4.0	02.6-05.4	619	96.0	94.6-97.4
College Graduate	714	56,327	42	4.0	02.6-05.4	672	96.0	94.6-97.4
Less than \$15,000	124	20,594				111	93.9	90.0-97.8
\$15,000- 24,999	237	31,798	26	8.7	04.8-12.6	211	91.3	87.4-95.2
\$25,000- 34,999	241	28,796	26	8.2	04.5-11.9	215	91.8	88.1-95.5
\$35,000- 49,999	388	46,895	21	3.2	01.6-04.8	367	96.8	95.2-98.4
\$50,000- 74,999	412	44,984	22	3.6	01.8-05.4	390	96.4	94.6-98.2
\$75,000+	591	56,824	28	3.8	02.2-05.4	563	96.2	94.6-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3057	256,773	135	3.1	02.5-03.7	2922	96.9	96.3-97.5
Native	82	10,068				73	94.2	89.9-98.5
Non-Native	2947	244,739	125	3.0	02.4-03.6	2822	97.0	96.4-97.6
18-24	126	40,974				126	100.0	0100-0100
25-34	302	40,334				301	99.6	98.8-0100
35-44	330	34,644				329	99.5	98.5-0100
45-54	572	45,226				563	97.9	96.3-99.5
55-64	628	36,893	24	3.8	02.0-05.6	604	96.2	94.4-98.0
65+	1061	55,515	100	9.5	07.5-11.5	961	90.5	88.5-92.5
Less Than H.S.	176	21,649	17	6.8	03.3-10.3	159	93.2	89.7-96.7
H.S. or G.E.D.	895	71,136	50	3.9	02.5-05.3	845	96.1	94.7-97.5
Some Post-H.S.	984	98,624	43	3.0	02.0-04.0	941	97.0	96.0-98.0
College Graduate	997	65,037	25	1.1	00.7-01.5	972	98.9	98.5-99.3
Less than \$15,000	256	24,681	22	5.2	02.7-07.7	234	94.8	92.3-97.3
\$15,000- 24,999	441	37,500	40	7.1	04.4-09.8	401	92.9	90.2-95.6
\$25,000- 34,999	349	26,592	25	4.7	02.5-06.9	324	95.3	93.1-97.5
\$35,000- 49,999	402	34,412				393	98.8	97.8-99.8
\$50,000- 74,999	460	36,735				448	97.9	96.5-99.3
\$75,000+	635	51,547				632	99.7	99.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5294	517,291	156	2.2	01.8-02.6	5138	97.8	97.4-98.2
Male	2208	258,888	64	2.0	01.4-02.6	2144	98.0	97.4-98.6
Female	3086	258,404	92	2.5	01.9-03.1	2994	97.5	96.9-98.1
Native	135	23,263				126	96.8	94.3-99.3
Non-Native	5096	487,425	146	2.2	01.8-02.6	4950	97.8	97.4-98.2
18-24	252	87,188				252	100.0	0100-0100
25-34	573	87,050				572	99.8	99.4-0100
35-44	620	71,734				615	99.2	98.4-0100
45-54	983	90,655	13	1.8	00.8-02.8	970	98.2	97.2-99.2
55-64	1162	75,679	29	2.8	01.6-04.0	1133	97.2	96.0-98.4
65+	1646	99,541	106	6.9	05.5-08.3	1540	93.1	91.7-94.5
Less Than H.S.	359	53,125	21	3.9	01.9-05.9	338	96.1	94.1-98.1
H.S. or G.E.D.	1551	144,911	47	2.2	01.4-03.0	1504	97.8	97.0-98.6
Some Post-H.S.	1651	196,136	50	2.3	01.5-03.1	1601	97.7	96.9-98.5
College Graduate	1724	122,014	38	1.5	00.9-02.1	1686	98.5	97.9-99.1
Less than \$15,000	388	46,097	28	4.3	02.5-06.1	360	95.7	93.9-97.5
\$15,000- 24,999	687	69,820	32	3.4	02.0-04.8	655	96.6	95.2-98.0
\$25,000- 34,999	598	55,877	20	3.4	01.6-05.2	578	96.6	94.8-98.4
\$35,000- 49,999	799	81,843	21	1.8	00.8-02.8	778	98.2	97.2-99.2
\$50,000- 74,999	876	81,965	18	1.5	00.7-02.3	858	98.5	97.7-99.3
\$75,000+	1228	108,478				1218	99.4	99.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2208	258,888	64	2.0	01.4-02.6	2144	98.0	97.4-98.6
Native	53	13,195				51	97.9	94.8-0100
Non-Native	2121	241,089	62	2.0	01.4-02.6	2059	98.0	97.4-98.6
18-24	126	46,215				126	100.0	0100-0100
25-34	271	46,717				271	100.0	0100-0100
35-44	291	37,158				290	99.7	99.1-0100
45-54	408	45,250				404	98.8	97.4-0100
55-64	527	38,502	16	3.4	01.6-05.2	511	96.6	94.8-98.4
65+	566	42,856	42	7.2	04.8-09.6	524	92.8	90.4-95.2
Less Than H.S.	180	31,003				169	96.2	93.5-98.9
H.S. or G.E.D.	644	73,162	18	2.2	01.0-03.4	626	97.8	96.6-99.0
Some Post-H.S.	661	97,252				647	98.7	97.9-99.5
College Graduate	720	56,757	21	1.9	00.9-02.9	699	98.1	97.1-99.1
Less than \$15,000	126	20,923				116	96.2	93.7-98.7
\$15,000- 24,999	242	32,177				228	96.4	94.2-98.6
\$25,000- 34,999	244	28,989				236	96.6	93.9-99.3
\$35,000- 49,999	393	47,263				380	98.3	97.1-99.5
\$50,000- 74,999	415	45,201				407	98.7	97.7-99.7
\$75,000+	592	56,907				585	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3086	258,404	92	2.5	01.9-03.1	2994	97.5	96.9-98.1
Native	82	10,068				75	95.4	91.1-99.7
Non-Native	2975	246,336	84	2.4	01.8-03.0	2891	97.6	97.0-98.2
18-24	126	40,974				126	100.0	0100-0100
25-34	302	40,334				301	99.6	98.8-0100
35-44	329	34,576				325	98.6	97.0-0100
45-54	575	45,405				566	97.7	96.1-99.3
55-64	635	37,178				622	97.9	96.5-99.3
65+	1080	56,685	64	6.7	04.9-08.5	1016	93.3	91.5-95.1
Less Than H.S.	179	22,123				169	95.9	93.2-98.6
H.S. or G.E.D.	907	71,749	29	2.2	01.2-03.2	878	97.8	96.8-98.8
Some Post-H.S.	990	98,884	36	3.2	02.0-04.4	954	96.8	95.6-98.0
College Graduate	1004	65,257	17	1.1	00.5-01.7	987	98.9	98.3-99.5
Less than \$15,000	262	25,174	18	4.7	02.3-07.1	244	95.3	92.9-97.7
\$15,000- 24,999	445	37,642	18	3.1	01.3-04.9	427	96.9	95.1-98.7
\$25,000- 34,999	354	26,888				342	96.7	94.3-99.1
\$35,000- 49,999	406	34,580				398	98.0	96.2-99.8
\$50,000- 74,999	461	36,764				451	98.4	97.2-99.6
\$75,000+	636	51,570				633	99.6	99.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5291	516,728	545	11.5	10.3-12.7	4746	88.5	87.3-89.7
Male	2207	258,730	200	10.7	08.9-12.5	2007	89.3	87.5-91.1
Female	3084	257,998	345	12.4	10.6-14.2	2739	87.6	85.8-89.4
Native	135	23,263				114	84.5	75.3-93.7
Non-Native	5093	486,862	519	11.4	10.2-12.6	4574	88.6	87.4-89.8
18-24	252	87,188	44	18.6	13.3-23.9	208	81.4	76.1-86.7
25-34	573	87,050	64	11.4	08.5-14.3	509	88.6	85.7-91.5
35-44	621	71,801	69	10.7	08.0-13.4	552	89.3	86.6-92.0
45-54	984	90,755	87	8.9	06.9-10.9	897	91.1	89.1-93.1
55-64	1162	75,602	108	9.2	07.2-11.2	1054	90.8	88.8-92.8
65+	1641	98,887	164	10.1	08.3-11.9	1477	89.9	88.1-91.7
Less Than H.S.	359	52,898	42	15.5	09.6-21.4	317	84.5	78.6-90.4
H.S. or G.E.D.	1549	144,646	163	11.5	09.3-13.7	1386	88.5	86.3-90.7
Some Post-H.S.	1648	195,947	163	11.1	09.1-13.1	1485	88.9	86.9-90.9
College Graduate	1726	122,131	176	10.4	08.6-12.2	1550	89.6	87.8-91.4
Less than \$15,000	387	46,043	58	14.6	09.9-19.3	329	85.4	80.7-90.1
\$15,000- 24,999	687	69,849	94	14.9	11.0-18.8	593	85.1	81.2-89.0
\$25,000- 34,999	595	55,478	66	11.0	07.7-14.3	529	89.0	85.7-92.3
\$35,000- 49,999	799	81,782	77	11.0	08.1-13.9	722	89.0	86.1-91.9
\$50,000- 74,999	876	81,965	76	8.7	06.3-11.1	800	91.3	88.9-93.7
\$75,000+	1231	108,696	101	10.2	07.8-12.6	1130	89.8	87.4-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2207	258,730	200	10.7	08.9-12.5	2007	89.3	87.5-91.1
Native	53	13,195				45	82.2	67.3-97.1
Non-Native	2120	240,932	188	10.3	08.5-12.1	1932	89.7	87.9-91.5
18-24	126	46,215	19	17.0	09.6-24.4	107	83.0	75.6-90.4
25-34	271	46,717	32	11.9	07.6-16.2	239	88.1	83.8-92.4
35-44	291	37,158	31	10.1	06.2-14.0	260	89.9	86.0-93.8
45-54	409	45,350	29	7.7	04.8-10.6	380	92.3	89.4-95.2
55-64	527	38,502	30	5.8	03.6-08.0	497	94.2	92.0-96.4
65+	564	42,598	58	10.9	08.0-13.8	506	89.1	86.2-92.0
Less Than H.S.	180	30,887	22	18.8	10.0-27.6	158	81.2	72.4-90.0
H.S. or G.E.D.	643	73,091	61	10.3	07.4-13.2	582	89.7	86.8-92.6
Some Post-H.S.	660	97,230	55	9.0	06.3-11.7	605	91.0	88.3-93.7
College Graduate	721	56,807	61	9.7	07.0-12.4	660	90.3	87.6-93.0
Less than \$15,000	126	20,923				112	88.9	81.8-96.0
\$15,000- 24,999	243	32,281	32	14.0	08.1-19.9	211	86.0	80.1-91.9
\$25,000- 34,999	242	28,733	24	10.0	04.9-15.1	218	90.0	84.9-95.1
\$35,000- 49,999	392	47,178	38	11.3	07.4-15.2	354	88.7	84.8-92.6
\$50,000- 74,999	415	45,201	30	8.4	05.1-11.7	385	91.6	88.3-94.9
\$75,000+	594	57,058	44	9.3	06.0-12.6	550	90.7	87.4-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	257,998	345	12.4	10.6-14.2	2739	87.6	85.8-89.4
Native	82	10,068				69	87.6	79.4-95.8
Non-Native	2973	245,931	331	12.4	10.6-14.2	2642	87.6	85.8-89.4
18-24	126	40,974	25	20.5	12.9-28.1	101	79.5	71.9-87.1
25-34	302	40,334	32	10.7	06.8-14.6	270	89.3	85.4-93.2
35-44	330	34,644	38	11.4	07.5-15.3	292	88.6	84.7-92.5
45-54	575	45,405	58	10.1	07.4-12.8	517	89.9	87.2-92.6
55-64	635	37,101	78	12.8	09.7-15.9	557	87.2	84.1-90.3
65+	1077	56,289	106	9.5	07.5-11.5	971	90.5	88.5-92.5
Less Than H.S.	179	22,010	20	11.0	04.7-17.3	159	89.0	82.7-95.3
H.S. or G.E.D.	906	71,555	102	12.8	09.7-15.9	804	87.2	84.1-90.3
Some Post-H.S.	988	98,717	108	13.3	10.4-16.2	880	86.7	83.8-89.6
College Graduate	1005	65,324	115	11.0	08.5-13.5	890	89.0	86.5-91.5
Less than \$15,000	261	25,121	44	17.5	11.2-23.8	217	82.5	76.2-88.8
\$15,000- 24,999	444	37,568	62	15.7	10.6-20.8	382	84.3	79.2-89.4
\$25,000- 34,999	353	26,744	42	12.1	07.8-16.4	311	87.9	83.6-92.2
\$35,000- 49,999	407	34,604	39	10.5	06.0-15.0	368	89.5	85.0-94.0
\$50,000- 74,999	461	36,764	46	9.1	06.0-12.2	415	90.9	87.8-94.0
\$75,000+	637	51,638	57	11.1	07.4-14.8	580	88.9	85.2-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	523	56,517	396	73.4	68.1-78.7	127	26.6	21.3-31.9
Male	188	25,232	131	66.9	58.1-75.7	57	33.1	24.3-41.9
Female	335	31,285	265	78.7	72.4-85.0	70	21.3	15.0-27.6
Non-Native	499	53,429	377	73.8	68.5-79.1	122	26.2	20.9-31.5
25-34	60	9,216	37	63.6	50.1-77.1	23	36.4	22.9-49.9
35-44	66	7,155	50	76.4	65.0-87.8	16	23.6	12.2-35.0
45-54	84	7,876	69	79.2	68.8-89.6	15	20.8	10.4-31.2
55-64	105	6,763	78	77.2	68.4-86.0	27	22.8	14.0-31.6
65+	156	9,515	126	85.2	79.5-90.9	30	14.8	09.1-20.5
H.S. or G.E.D.	154	15,976	118	73.1	63.3-82.9	36	26.9	17.1-36.7
Some Post-H.S.	158	21,115	119	69.4	59.4-79.4	39	30.6	20.6-40.6
College Graduate	170	12,125	123	69.8	61.2-78.4	47	30.2	21.6-38.8
Less than \$15,000	57	6,663	45	77.0	61.7-92.3			
\$15,000- 24,999	91	10,175	74	78.2	65.1-91.3			
\$25,000- 34,999	65	6,095	55	77.6	62.3-92.9			
\$35,000- 49,999	71	8,190	52	72.2	58.5-85.9	19	27.8	14.1-41.5
\$50,000- 74,999	72	6,593	53	71.0	57.1-84.9	19	29.0	15.1-42.9
\$75,000+	100	10,871	65	64.7	52.4-77.0	35	35.3	23.0-47.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	25,232	131	66.9	58.1-75.7	57	33.1	24.3-41.9
Non-Native	177	23,392	124	68.6	59.6-77.6	53	31.4	22.4-40.4
65+	54	4,347	43	83.8	74.0-93.6			
H.S. or G.E.D.	57	7,019	44	72.6	57.5-87.7	13	27.4	12.3-42.5
Some Post-H.S.	52	8,207	35	55.3	38.1-72.5	17	44.7	27.5-61.9
College Graduate	57	5,015	32	50.9	35.4-66.4	25	49.1	33.6-64.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	335	31,285	265	78.7	72.4-85.0	70	21.3	15.0-27.6
Non-Native	322	30,036	253	77.9	71.4-84.4	69	22.1	15.6-28.6
45-54	55	4,401	49	87.1	76.3-97.9			
55-64	75	4,522	54	76.2	65.8-86.6	21	23.8	13.4-34.2
65+	102	5,168	83	86.4	79.7-93.1	19	13.6	06.9-20.3
H.S. or G.E.D.	97	8,958	74	73.4	60.5-86.3	23	26.6	13.7-39.5
Some Post-H.S.	106	12,908	84	78.5	67.5-89.5	22	21.5	10.5-32.5
College Graduate	113	7,110	91	83.2	75.6-90.8	22	16.8	09.2-24.4
\$15,000- 24,999	59	5,647	50	82.8	66.9-98.7			
\$75,000+	57	5,743	42	80.5	68.5-92.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5291	516,742	312	4.0	03.4-04.6	4979	96.0	95.4-96.6
Male	2203	258,322	143	4.1	03.3-04.9	2060	95.9	95.1-96.7
Female	3088	258,420	169	3.9	03.3-04.5	2919	96.1	95.5-96.7
Native	135	23,263				133	99.3	98.3-0100
Non-Native	5093	486,876	306	4.2	03.6-04.8	4787	95.8	95.2-96.4
18-24	252	87,188				252	100.0	0100-0100
25-34	573	87,050				570	99.8	99.6-0100
35-44	620	71,675				611	98.7	97.7-99.7
45-54	983	90,647	30	2.4	01.4-03.4	953	97.6	96.6-98.6
55-64	1162	75,586	62	5.5	03.9-07.1	1100	94.5	92.9-96.1
65+	1643	99,152	203	13.0	11.0-15.0	1440	87.0	85.0-89.0
Less Than H.S.	360	53,132	43	8.2	05.5-10.9	317	91.8	89.1-94.5
H.S. or G.E.D.	1551	144,675	97	4.3	03.3-05.3	1454	95.7	94.7-96.7
Some Post-H.S.	1649	195,910	91	3.2	02.4-04.0	1558	96.8	96.0-97.6
College Graduate	1722	121,919	81	3.1	02.3-03.9	1641	96.9	96.1-97.7
Less than \$15,000	388	46,119	28	4.2	02.4-06.0	360	95.8	94.0-97.6
\$15,000- 24,999	688	69,931	39	3.6	02.4-04.8	649	96.4	95.2-97.6
\$25,000- 34,999	593	55,474	41	4.6	02.8-06.4	552	95.4	93.6-97.2
\$35,000- 49,999	798	81,626	44	3.9	02.5-05.3	754	96.1	94.7-97.5
\$50,000- 74,999	873	81,633	54	4.5	03.1-05.9	819	95.5	94.1-96.9
\$75,000+	1230	108,645	54	3.1	02.1-04.1	1176	96.9	95.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2203	258,322	143	4.1	03.3-04.9	2060	95.9	95.1-96.7
Native	53	13,195				51	98.7	96.9-100
Non-Native	2116	240,524	139	4.3	03.5-05.1	1977	95.7	94.9-96.5
18-24	126	46,215				126	100.0	0100-0100
25-34	271	46,717				270	99.9	99.7-0100
35-44	290	37,031				285	98.5	96.9-0100
45-54	409	45,350				397	97.9	96.5-99.3
55-64	526	38,354	33	5.9	03.5-08.3	493	94.1	91.7-96.5
65+	562	42,463	90	15.5	12.0-19.0	472	84.5	81.0-88.0
Less Than H.S.	179	30,847	22	8.0	04.1-11.9	157	92.0	88.1-95.9
H.S. or G.E.D.	642	73,004	40	4.3	02.7-05.9	602	95.7	94.1-97.3
Some Post-H.S.	660	97,126	34	2.9	01.7-04.1	626	97.1	95.9-98.3
College Graduate	719	56,630	47	3.9	02.7-05.1	672	96.1	94.9-97.3
Less than \$15,000	126	20,923				118	96.9	94.5-99.3
\$15,000- 24,999	242	32,250				232	97.6	96.0-99.2
\$25,000- 34,999	242	28,730	20	5.2	02.5-07.9	222	94.8	92.1-97.5
\$35,000- 49,999	392	47,116	29	4.7	02.7-06.7	363	95.3	93.3-97.3
\$50,000- 74,999	412	44,869	28	4.7	02.7-06.7	384	95.3	93.3-97.3
\$75,000+	593	57,007	33	3.8	02.2-05.4	560	96.2	94.6-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3088	258,420	169	3.9	03.3-04.5	2919	96.1	95.5-96.7
Native	82	10,068				82	100.0	0100-0100
Non-Native	2977	246,353	167	4.0	03.4-04.6	2810	96.0	95.4-96.6
18-24	126	40,974				126	100.0	0100-0100
25-34	302	40,334				300	99.6	99.2-0100
35-44	330	34,644				326	99.0	98.0-0100
45-54	574	45,297	18	2.7	01.3-04.1	556	97.3	95.9-98.7
55-64	636	37,231	29	5.0	03.0-07.0	607	95.0	93.0-97.0
65+	1081	56,689	113	11.1	08.9-13.3	968	88.9	86.7-91.1
Less Than H.S.	181	22,285	21	8.4	04.5-12.3	160	91.6	87.7-95.5
H.S. or G.E.D.	909	71,671	57	4.3	03.1-05.5	852	95.7	94.5-96.9
Some Post-H.S.	989	98,783	57	3.5	02.5-04.5	932	96.5	95.5-97.5
College Graduate	1003	65,289	34	2.4	01.4-03.4	969	97.6	96.6-98.6
Less than \$15,000	262	25,196	20	5.1	02.6-07.6	242	94.9	92.4-97.4
\$15,000- 24,999	446	37,680	29	4.6	02.6-06.6	417	95.4	93.4-97.4
\$25,000- 34,999	351	26,745	21	3.9	01.9-05.9	330	96.1	94.1-98.1
\$35,000- 49,999	406	34,510	15	2.8	01.2-04.4	391	97.2	95.6-98.8
\$50,000- 74,999	461	36,764	26	4.3	02.3-06.3	435	95.7	93.7-97.7
\$75,000+	637	51,638	21	2.3	01.3-03.3	616	97.7	96.7-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5298	517,509	436	5.7	05.1-06.3	4862	94.3	93.7-94.9
Male	2208	258,919	149	4.4	03.6-05.2	2059	95.6	94.8-96.4
Female	3090	258,591	287	7.1	06.1-08.1	2803	92.9	91.9-93.9
Native	134	23,204				128	96.3	93.0-99.6
Non-Native	5101	487,703	423	5.8	05.2-06.4	4678	94.2	93.6-94.8
18-24	252	87,188				252	100.0	0100-0100
25-34	572	86,991				565	98.9	97.9-99.9
35-44	621	71,801	18	3.0	01.4-04.6	603	97.0	95.4-98.6
45-54	984	90,755	48	4.5	03.1-05.9	936	95.5	94.1-96.9
55-64	1163	75,733	87	6.7	05.1-08.3	1076	93.3	91.7-94.9
65+	1649	99,683	270	16.6	14.4-18.8	1379	83.4	81.2-85.6
Less Than H.S.	362	53,391	46	9.3	06.4-12.2	316	90.7	87.8-93.6
H.S. or G.E.D.	1550	144,665	139	6.1	04.9-07.3	1411	93.9	92.7-95.1
Some Post-H.S.	1653	196,293	137	5.3	04.3-06.3	1516	94.7	93.7-95.7
College Graduate	1724	122,055	113	4.3	03.3-05.3	1611	95.7	94.7-96.7
Less than \$15,000	389	46,182	41	6.5	04.1-08.9	348	93.5	91.1-95.9
\$15,000- 24,999	686	69,798	84	8.8	06.4-11.2	602	91.2	88.8-93.6
\$25,000- 34,999	596	55,758	60	6.2	04.2-08.2	536	93.8	91.8-95.8
\$35,000- 49,999	800	81,868	59	4.8	03.4-06.2	741	95.2	93.8-96.6
\$50,000- 74,999	876	81,965	60	4.5	03.3-05.7	816	95.5	94.3-96.7
\$75,000+	1231	108,696	60	3.9	02.7-05.1	1171	96.1	94.9-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2208	258,919	149	4.4	03.6-05.2	2059	95.6	94.8-96.4
Native	53	13,195				50	95.5	90.0-0100
Non-Native	2121	241,120	141	4.3	03.5-05.1	1980	95.7	94.9-96.5
18-24	126	46,215				126	100.0	0100-0100
25-34	271	46,717				270	99.7	99.1-0100
35-44	291	37,158				287	98.9	97.7-0100
45-54	409	45,350				397	97.1	95.3-98.9
55-64	527	38,502	30	5.3	03.1-07.5	497	94.7	92.5-96.9
65+	566	42,873	100	17.0	13.5-20.5	466	83.0	79.5-86.5
Less Than H.S.	181	31,106	21	8.4	04.5-12.3	160	91.6	87.7-95.5
H.S. or G.E.D.	641	72,939	52	5.0	03.4-06.6	589	95.0	93.4-96.6
Some Post-H.S.	662	97,352	35	3.0	01.8-04.2	627	97.0	95.8-98.2
College Graduate	721	56,807	40	3.6	02.4-04.8	681	96.4	95.2-97.6
Less than \$15,000	126	20,923				116	95.2	91.9-98.5
\$15,000- 24,999	241	32,129	27	7.7	04.4-11.0	214	92.3	89.0-95.6
\$25,000- 34,999	244	28,989	27	6.6	03.5-09.7	217	93.4	90.3-96.5
\$35,000- 49,999	393	47,263	23	3.6	01.8-05.4	370	96.4	94.6-98.2
\$50,000- 74,999	415	45,201	24	3.6	02.0-05.2	391	96.4	94.8-98.0
\$75,000+	594	57,058	22	2.7	01.3-04.1	572	97.3	95.9-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3090	258,591	287	7.1	06.1-08.1	2803	92.9	91.9-93.9
Native	81	10,009				78	97.4	94.3-0100
Non-Native	2980	246,582	282	7.3	06.3-08.3	2698	92.7	91.7-93.7
18-24	126	40,974				126	100.0	0100-0100
25-34	301	40,275				295	98.0	96.2-99.8
35-44	330	34,644	14	5.1	02.4-07.8	316	94.9	92.2-97.6
45-54	575	45,405	36	6.1	03.9-08.3	539	93.9	91.7-96.1
55-64	636	37,231	57	8.2	06.0-10.4	579	91.8	89.6-94.0
65+	1083	56,810	170	16.2	13.7-18.7	913	83.8	81.3-86.3
Less Than H.S.	181	22,285	25	10.5	06.0-15.0	156	89.5	85.0-94.0
H.S. or G.E.D.	909	71,726	87	7.2	05.4-09.0	822	92.8	91.0-94.6
Some Post-H.S.	991	98,941	102	7.6	05.8-09.4	889	92.4	90.6-94.2
College Graduate	1003	65,248	73	5.0	03.6-06.4	930	95.0	93.6-96.4
Less than \$15,000	263	25,259	31	8.0	04.7-11.3	232	92.0	88.7-95.3
\$15,000- 24,999	445	37,669	57	9.8	06.7-12.9	388	90.2	87.1-93.3
\$25,000- 34,999	352	26,769	33	5.8	03.4-08.2	319	94.2	91.8-96.6
\$35,000- 49,999	407	34,604	36	6.3	03.9-08.7	371	93.7	91.3-96.1
\$50,000- 74,999	461	36,764	36	5.5	03.5-07.5	425	94.5	92.5-96.5
\$75,000+	637	51,638	38	5.3	03.3-07.3	599	94.7	92.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5264	513,396	294	4.7	03.9-05.5	4970	95.3	94.5-96.1
Male	2189	256,618	119	4.8	03.6-06.0	2070	95.2	94.0-96.4
Female	3075	256,777	175	4.6	03.8-05.4	2900	95.4	94.6-96.2
Native	135	23,263				124	94.4	90.1-98.7
Non-Native	5070	484,189	282	4.7	03.9-05.5	4788	95.3	94.5-96.1
18-24	250	86,488				243	96.9	94.5-99.3
25-34	572	86,710				566	99.1	98.3-99.9
35-44	619	71,457	18	3.8	01.8-05.8	601	96.2	94.2-98.2
45-54	981	90,466	34	3.9	02.5-05.3	947	96.1	94.7-97.5
55-64	1159	75,425	79	6.9	05.1-08.7	1080	93.1	91.3-94.9
65+	1626	97,552	149	9.4	07.8-11.0	1477	90.6	89.0-92.2
Less Than H.S.	351	51,921	26	7.3	03.6-11.0	325	92.7	89.0-96.4
H.S. or G.E.D.	1540	143,484	117	6.2	04.8-07.6	1423	93.8	92.4-95.2
Some Post-H.S.	1642	195,010	89	4.2	03.2-05.2	1553	95.8	94.8-96.8
College Graduate	1723	122,021	62	2.7	01.9-03.5	1661	97.3	96.5-98.1
Less than \$15,000	386	45,713	48	9.6	06.1-13.1	338	90.4	86.9-93.9
\$15,000- 24,999	681	69,218	62	7.2	04.7-09.7	619	92.8	90.3-95.3
\$25,000- 34,999	590	55,281	48	7.1	04.7-09.5	542	92.9	90.5-95.3
\$35,000- 49,999	793	81,059	33	3.6	02.0-05.2	760	96.4	94.8-98.0
\$50,000- 74,999	873	81,817	28	2.3	01.3-03.3	845	97.7	96.7-98.7
\$75,000+	1229	108,230	27	2.0	01.0-03.0	1202	98.0	97.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2189	256,618	119	4.8	03.6-06.0	2070	95.2	94.0-96.4
Native	53	13,195				50	96.1	91.6-0100
Non-Native	2105	239,152	115	4.9	03.7-06.1	1990	95.1	93.9-96.3
18-24	126	46,215				121	95.5	91.4-99.6
25-34	270	46,376				267	99.0	97.8-0100
35-44	290	36,917				283	96.5	93.8-99.2
45-54	406	45,061				396	96.9	94.7-99.1
55-64	525	38,279	33	6.1	03.7-08.5	492	93.9	91.5-96.3
65+	554	41,727	61	11.2	08.3-14.1	493	88.8	85.9-91.7
Less Than H.S.	177	30,424				162	90.7	84.8-96.6
H.S. or G.E.D.	634	72,187	48	6.3	04.1-08.5	586	93.7	91.5-95.9
Some Post-H.S.	657	96,726	31	3.5	02.1-04.9	626	96.5	95.1-97.9
College Graduate	719	56,715	25	2.8	01.6-04.0	694	97.2	96.0-98.4
Less than \$15,000	126	20,923	19	11.4	04.7-18.1	107	88.6	81.9-95.3
\$15,000- 24,999	237	31,670	23	8.8	04.1-13.5	214	91.2	86.5-95.9
\$25,000- 34,999	239	28,562	23	7.3	04.0-10.6	216	92.7	89.4-96.0
\$35,000- 49,999	387	46,507	19	4.4	02.0-06.8	368	95.6	93.2-98.0
\$50,000- 74,999	413	45,084	14	1.7	00.7-02.7	399	98.3	97.3-99.3
\$75,000+	592	56,592				581	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3075	256,777	175	4.6	03.8-05.4	2900	95.4	94.6-96.2
Native	82	10,068				74	92.2	84.6-99.8
Non-Native	2965	245,037	167	4.5	03.7-05.3	2798	95.5	94.7-96.3
18-24	124	40,274				122	98.6	96.6-100
25-34	302	40,334				299	99.2	98.2-100
35-44	329	34,540				318	95.9	93.4-98.4
45-54	575	45,405	24	4.7	02.7-06.7	551	95.3	93.3-97.3
55-64	634	37,146	46	7.6	05.1-10.1	588	92.4	89.9-94.9
65+	1072	55,826	88	8.0	06.2-09.8	984	92.0	90.2-93.8
Less Than H.S.	174	21,497				163	95.5	92.8-98.2
H.S. or G.E.D.	906	71,298	69	6.1	04.3-07.9	837	93.9	92.1-95.7
Some Post-H.S.	985	98,284	58	4.9	03.5-06.3	927	95.1	93.7-96.5
College Graduate	1004	65,307	37	2.6	01.6-03.6	967	97.4	96.4-98.4
Less than \$15,000	260	24,790	29	8.1	04.8-11.4	231	91.9	88.6-95.2
\$15,000- 24,999	444	37,548	39	5.8	03.4-08.2	405	94.2	91.8-96.6
\$25,000- 34,999	351	26,719	25	7.0	03.9-10.1	326	93.0	89.9-96.1
\$35,000- 49,999	406	34,552				392	97.5	95.9-99.1
\$50,000- 74,999	460	36,733	14	3.0	01.2-04.8	446	97.0	95.2-98.8
\$75,000+	637	51,638	16	2.4	01.0-03.8	621	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5261	513,330	1676	24.1	22.7-25.5	3585	75.9	74.5-77.3
Male	2195	257,149	544	19.6	17.6-21.6	1651	80.4	78.4-82.4
Female	3066	256,181	1132	28.6	26.6-30.6	1934	71.4	69.4-73.4
Native	131	21,909	51	28.3	19.3-37.3	80	71.7	62.7-80.7
Non-Native	5069	484,876	1601	23.9	22.5-25.3	3468	76.1	74.7-77.5
18-24	250	86,164	15	6.7	03.4-10.0	235	93.3	90.0-96.6
25-34	573	87,050	33	5.9	03.7-08.1	540	94.1	91.9-96.3
35-44	619	71,691	86	14.4	11.3-17.5	533	85.6	82.5-88.7
45-54	974	89,626	245	26.3	23.0-29.6	729	73.7	70.4-77.0
55-64	1151	74,860	435	37.9	34.8-41.0	716	62.1	59.0-65.2
65+	1636	98,495	847	50.1	47.2-53.0	789	49.9	47.0-52.8
Less Than H.S.	354	51,754	153	34.6	28.5-40.7	201	65.4	59.3-71.5
H.S. or G.E.D.	1541	143,826	581	27.6	25.1-30.1	960	72.4	69.9-74.9
Some Post-H.S.	1638	194,832	522	22.7	20.5-24.9	1116	77.3	75.1-79.5
College Graduate	1719	121,813	417	17.6	15.6-19.6	1302	82.4	80.4-84.4
Less than \$15,000	380	45,277	173	30.6	24.9-36.3	207	69.4	63.7-75.1
\$15,000- 24,999	683	69,414	282	30.0	25.9-34.1	401	70.0	65.9-74.1
\$25,000- 34,999	594	55,582	219	29.2	24.7-33.7	375	70.8	66.3-75.3
\$35,000- 49,999	796	81,508	255	22.8	19.5-26.1	541	77.2	73.9-80.5
\$50,000- 74,999	868	81,486	224	20.7	17.8-23.6	644	79.3	76.4-82.2
\$75,000+	1227	108,427	254	16.8	14.4-19.2	973	83.2	80.8-85.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2195	257,149	544	19.6	17.6-21.6	1651	80.4	78.4-82.4
Native	50	12,444	16	21.2	09.6-32.8	34	78.8	67.2-90.4
Non-Native	2111	240,101	519	19.6	17.6-21.6	1592	80.4	78.4-82.4
18-24	125	45,793				119	93.6	88.7-98.5
25-34	271	46,717	13	5.5	02.4-08.6	258	94.5	91.4-97.6
35-44	289	37,047	39	14.4	09.7-19.1	250	85.6	80.9-90.3
45-54	405	44,787	80	22.1	17.4-26.8	325	77.9	73.2-82.6
55-64	520	37,940	170	33.3	28.6-38.0	350	66.7	62.0-71.4
65+	566	42,673	233	39.1	34.6-43.6	333	60.9	56.4-65.4
Less Than H.S.	178	30,514	59	28.3	20.3-36.3	119	71.7	63.7-79.7
H.S. or G.E.D.	639	72,706	196	23.6	20.1-27.1	443	76.4	72.9-79.9
Some Post-H.S.	657	96,593	145	16.0	13.1-18.9	512	84.0	81.1-86.9
College Graduate	718	56,621	143	15.8	13.1-18.5	575	84.2	81.5-86.9
Less than \$15,000	124	20,641	42	21.3	12.9-29.7	82	78.7	70.3-87.1
\$15,000- 24,999	243	32,281	70	22.5	16.6-28.4	173	77.5	71.6-83.4
\$25,000- 34,999	243	28,950	83	27.6	20.9-34.3	160	72.4	65.7-79.1
\$35,000- 49,999	391	47,002	106	21.5	16.8-26.2	285	78.5	73.8-83.2
\$50,000- 74,999	411	44,857	84	15.8	12.1-19.5	327	84.2	80.5-87.9
\$75,000+	591	56,868	111	15.8	12.5-19.1	480	84.2	80.9-87.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3066	256,181	1132	28.6	26.8-30.4	1934	71.4	69.6-73.2
Native	81	9,465	35	37.7	24.6-50.8	46	62.3	49.2-75.4
Non-Native	2958	244,775	1082	28.2	26.2-30.2	1876	71.8	69.8-73.8
18-24	125	40,371				116	93.0	88.5-97.5
25-34	302	40,334	20	6.3	03.4-09.2	282	93.7	90.8-96.6
35-44	330	34,644	47	14.5	10.2-18.8	283	85.5	81.2-89.8
45-54	569	44,839	165	30.4	26.1-34.7	404	69.6	65.3-73.9
55-64	631	36,920	265	42.6	38.1-47.1	366	57.4	52.9-61.9
65+	1070	55,822	614	58.6	55.3-61.9	456	41.4	38.1-44.7
Less Than H.S.	176	21,240	94	43.6	34.2-53.0	82	56.4	47.0-65.8
H.S. or G.E.D.	902	71,119	385	31.7	28.2-35.2	517	68.3	64.8-71.8
Some Post-H.S.	981	98,238	377	29.4	26.1-32.7	604	70.6	67.3-73.9
College Graduate	1001	65,192	274	19.2	16.5-21.9	727	80.8	78.1-83.5
Less than \$15,000	256	24,636	131	38.4	30.8-46.0	125	61.6	54.0-69.2
\$15,000- 24,999	440	37,133	212	36.5	30.8-42.2	228	63.5	57.8-69.2
\$25,000- 34,999	351	26,632	136	30.9	25.0-36.8	215	69.1	63.2-75.0
\$35,000- 49,999	405	34,506	149	24.7	20.2-29.2	256	75.3	70.8-79.8
\$50,000- 74,999	457	36,629	140	26.8	22.1-31.5	317	73.2	68.5-77.9
\$75,000+	636	51,559	143	18.0	14.9-21.1	493	82.0	78.9-85.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5284	515,204	864	17.3	15.9-18.7	4420	82.7	81.3-84.1
Male	2201	257,276	240	11.2	09.4-13.0	1961	88.8	87.0-90.6
Female	3083	257,928	624	23.4	21.2-25.6	2459	76.6	74.4-78.8
Native	134	22,938	29	14.3	07.6-21.0	105	85.7	79.0-92.4
Non-Native	5088	485,810	826	17.5	16.1-18.9	4262	82.5	81.1-83.9
18-24	251	86,970	48	19.6	14.5-24.7	203	80.4	75.3-85.5
25-34	572	86,726	95	18.2	14.5-21.9	477	81.8	78.1-85.5
35-44	619	71,535	119	19.9	16.4-23.4	500	80.1	76.6-83.6
45-54	980	89,888	178	17.5	14.8-20.2	802	82.5	79.8-85.2
55-64	1160	75,524	235	20.1	17.6-22.6	925	79.9	77.4-82.4
65+	1645	99,264	184	10.9	09.1-12.7	1461	89.1	87.3-90.9
Less Than H.S.	358	52,651	49	15.6	10.5-20.7	309	84.4	79.3-89.5
H.S. or G.E.D.	1550	144,491	229	16.6	14.1-19.1	1321	83.4	80.9-85.9
Some Post-H.S.	1646	195,130	315	19.9	17.4-22.4	1331	80.1	77.6-82.6
College Graduate	1722	121,974	271	14.8	12.8-16.8	1451	85.2	83.2-87.2
Less than \$15,000	386	45,480	109	26.9	20.8-33.0	277	73.1	67.0-79.2
\$15,000- 24,999	687	69,790	162	27.5	22.8-32.2	525	72.5	67.8-77.2
\$25,000- 34,999	597	55,838	93	14.3	11.0-17.6	504	85.7	82.4-89.0
\$35,000- 49,999	797	81,494	124	16.5	13.2-19.8	673	83.5	80.2-86.8
\$50,000- 74,999	875	81,871	135	15.2	12.3-18.1	740	84.8	81.9-87.7
\$75,000+	1228	108,375	139	12.0	09.6-14.4	1089	88.0	85.6-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2201	257,276	240	11.2	09.4-13.0	1961	88.8	87.0-90.6
Native	52	12,870				46	95.9	92.4-99.4
Non-Native	2116	239,950	229	11.6	09.8-13.4	1887	88.4	86.6-90.2
18-24	126	46,215	14	11.4	05.5-17.3	112	88.6	82.7-94.5
25-34	270	46,392	27	11.6	07.1-16.1	243	88.4	83.9-92.9
35-44	291	37,158	32	12.1	07.8-16.4	259	87.9	83.6-92.2
45-54	405	44,483	44	10.7	07.4-14.0	361	89.3	86.0-92.6
55-64	526	38,457	83	15.4	11.9-18.9	443	84.6	81.1-88.1
65+	565	42,528	39	6.8	04.4-09.2	526	93.2	90.8-95.6
Less Than H.S.	179	30,623	19	11.6	05.7-17.5	160	88.4	82.5-94.3
H.S. or G.E.D.	643	72,838	75	12.5	09.4-15.6	568	87.5	84.4-90.6
Some Post-H.S.	657	96,486	75	11.6	08.5-14.7	582	88.4	85.3-91.5
College Graduate	720	56,763	71	8.6	06.4-10.8	649	91.4	89.2-93.6
Less than \$15,000	124	20,439	30	19.3	10.5-28.1	94	80.7	71.9-89.5
\$15,000- 24,999	241	32,037	43	21.9	14.8-29.0	198	78.1	71.0-85.2
\$25,000- 34,999	244	28,989	25	8.9	05.0-12.8	219	91.1	87.2-95.0
\$35,000- 49,999	392	47,098	43	10.9	07.2-14.6	349	89.1	85.4-92.8
\$50,000- 74,999	415	45,201	35	8.4	05.3-11.5	380	91.6	88.5-94.7
\$75,000+	592	56,863	41	6.7	04.3-09.1	551	93.3	90.9-95.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3083	257,928	624	23.4	21.2-25.6	2459	76.6	74.4-78.8
Native	82	10,068	23	27.2	14.3-40.1	59	72.8	59.9-85.7
Non-Native	2972	245,860	597	23.2	21.0-25.4	2375	76.8	74.6-79.0
18-24	125	40,756	34	28.8	20.4-37.2	91	71.2	62.8-79.6
25-34	302	40,334	68	25.7	20.0-31.4	234	74.3	68.6-80.0
35-44	328	34,377	87	28.4	22.9-33.9	241	71.6	66.1-77.1
45-54	575	45,405	134	24.2	20.3-28.1	441	75.8	71.9-79.7
55-64	634	37,067	152	24.9	21.0-28.8	482	75.1	71.2-79.0
65+	1080	56,736	145	14.0	11.6-16.4	935	86.0	83.6-88.4
Less Than H.S.	179	22,028	30	21.2	12.4-30.0	149	78.8	70.0-87.6
H.S. or G.E.D.	907	71,653	154	20.8	17.1-24.5	753	79.2	75.5-82.9
Some Post-H.S.	989	98,643	240	28.1	24.4-31.8	749	71.9	68.2-75.6
College Graduate	1002	65,212	200	20.1	17.0-23.2	802	79.9	76.8-83.0
Less than \$15,000	262	25,041	79	33.0	25.0-41.0	183	67.0	59.0-75.0
\$15,000- 24,999	446	37,753	119	32.2	25.9-38.5	327	67.8	61.5-74.1
\$25,000- 34,999	353	26,849	68	20.1	14.8-25.4	285	79.9	74.6-85.2
\$35,000- 49,999	405	34,395	81	24.2	18.5-29.9	324	75.8	70.1-81.5
\$50,000- 74,999	460	36,669	100	23.6	18.7-28.5	360	76.4	71.5-81.3
\$75,000+	636	51,512	98	17.8	13.7-21.9	538	82.2	78.1-86.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5292	516,865	126	1.9	01.5-02.3	5166	98.1	97.7-98.5
Male	2206	258,574	50	1.8	01.2-02.4	2156	98.2	97.6-98.8
Female	3086	258,291	76	2.0	01.4-02.6	3010	98.0	97.4-98.6
Native	135	23,263				130	96.7	93.6-99.8
Non-Native	5094	486,999	119	1.8	01.4-02.2	4975	98.2	97.8-98.6
18-24	252	87,188				252	100.0	0100-0100
25-34	573	87,050				569	99.3	98.5-0100
35-44	621	71,801				616	99.1	98.3-99.9
45-54	984	90,755	17	1.9	00.9-02.9	967	98.1	97.1-99.1
55-64	1159	75,577	31	2.7	01.5-03.9	1128	97.3	96.1-98.5
65+	1645	99,049	67	4.6	03.2-06.0	1578	95.4	94.0-96.8
Less Than H.S.	359	52,897	18	4.0	01.8-06.2	341	96.0	93.8-98.2
H.S. or G.E.D.	1550	144,612	39	2.1	01.3-02.9	1511	97.9	97.1-98.7
Some Post-H.S.	1652	196,263	40	1.6	01.0-02.2	1612	98.4	97.8-99.0
College Graduate	1722	121,988	29	1.3	00.7-01.9	1693	98.7	98.1-99.3
Less than \$15,000	388	45,943				374	97.4	95.8-99.0
\$15,000- 24,999	688	69,853	31	3.4	01.8-05.0	657	96.6	95.0-98.2
\$25,000- 34,999	594	55,666	17	2.7	01.1-04.3	577	97.3	95.7-98.9
\$35,000- 49,999	799	81,843	11	1.0	00.4-01.6	788	99.0	98.4-99.6
\$50,000- 74,999	876	81,965				864	98.7	97.9-99.5
\$75,000+	1229	108,535	20	1.3	00.7-01.9	1209	98.7	98.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2206	258,574	50	1.8	01.2-02.4	2156	98.2	97.6-98.8
Native	53	13,195				49	95.0	89.7-0100
Non-Native	2119	240,776	45	1.6	01.0-02.2	2074	98.4	97.8-99.0
18-24	126	46,215				126	100.0	0100-0100
25-34	271	46,717				270	99.5	98.5-0100
35-44	291	37,158				291	100.0	0100-0100
45-54	409	45,350				404	98.5	96.9-0100
55-64	526	38,483	16	3.3	01.5-05.1	510	96.7	94.9-98.5
65+	564	42,461	27	5.6	03.2-08.0	537	94.4	92.0-96.8
Less Than H.S.	179	30,765				168	95.2	92.1-98.3
H.S. or G.E.D.	642	72,955				629	98.2	97.0-99.4
Some Post-H.S.	662	97,352				649	98.9	98.1-99.7
College Graduate	720	56,788				707	98.7	97.9-99.5
Less than \$15,000	125	20,684				120	96.7	93.8-99.6
\$15,000- 24,999	243	32,281				230	96.0	93.3-98.7
\$25,000- 34,999	244	28,989				237	98.0	96.2-99.8
\$35,000- 49,999	393	47,263				386	98.8	97.8-99.8
\$50,000- 74,999	415	45,201				409	98.7	97.3-0100
\$75,000+	592	56,897				585	99.2	98.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3086	258,291	76	2.0	01.4-02.6	3010	98.0	97.4-98.6
Native	82	10,068				81	98.8	96.4-0100
Non-Native	2975	246,223	74	2.0	01.4-02.6	2901	98.0	97.4-98.6
18-24	126	40,974				126	100.0	0100-0100
25-34	302	40,334				299	99.1	97.9-0100
35-44	330	34,644				325	98.2	96.4-0100
45-54	575	45,405				563	97.6	96.0-99.2
55-64	633	37,094	15	2.2	01.0-03.4	618	97.8	96.6-99.0
65+	1081	56,588	40	3.9	02.5-05.3	1041	96.1	94.7-97.5
Less Than H.S.	180	22,132				173	97.1	94.7-99.5
H.S. or G.E.D.	908	71,657	26	2.3	01.3-03.3	882	97.7	96.7-98.7
Some Post-H.S.	990	98,911	27	2.1	01.1-03.1	963	97.9	96.9-98.9
College Graduate	1002	65,200				986	98.8	98.0-99.6
Less than \$15,000	263	25,259				254	97.9	96.3-99.5
\$15,000- 24,999	445	37,572	18	2.8	01.2-04.4	427	97.2	95.6-98.8
\$25,000- 34,999	350	26,677				340	96.5	93.8-99.2
\$35,000- 49,999	406	34,580				402	99.3	98.5-0100
\$50,000- 74,999	461	36,764				455	98.8	97.8-99.8
\$75,000+	637	51,638				624	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5237	511,966	973	16.9	15.5-18.3	4258	83.1	81.7-84.5	6	0.1	00.1-00.1
Male	2189	256,362	363	15.3	13.3-17.3	1823	84.6	82.6-86.6			
Female	3048	255,604	610	18.5	16.5-20.5	2435	81.5	79.5-83.5	3	0.0	00.0-00.0
Native	130	22,267	30	14.4	08.1-20.7	100	85.6	79.3-91.9			
Non-Native	5048	483,383	929	17.0	15.6-18.4	4113	82.9	81.5-84.3	6	0.1	00.1-00.1
18-24	250	86,406	36	16.7	11.6-21.8	214	83.3	78.2-88.4			
25-34	567	85,799	57	11.5	08.6-14.4	510	88.5	85.6-91.4			
35-44	618	71,389	57	9.9	07.2-12.6	561	90.1	87.4-92.8			
45-54	975	89,736	112	11.7	09.3-14.1	861	88.1	85.7-90.5			
55-64	1151	74,996	205	18.5	15.8-21.2	944	81.4	78.7-84.1			
65+	1618	98,196	498	30.5	27.8-33.2	1118	69.4	66.7-72.1	2	0.1	00.1-00.1
Less Than H.S.	349	52,572	108	29.9	23.4-36.4	241	70.1	63.6-76.6			
H.S. or G.E.D.	1530	142,734	298	17.1	14.7-19.5	1227	82.6	80.2-85.0			
Some Post-H.S.	1637	194,573	297	15.4	13.2-17.6	1340	84.6	82.4-86.8			
College Graduate	1712	120,982	267	13.2	11.2-15.2	1444	86.8	84.8-88.8	1	0.0	00.0-00.0
Less than \$15,000	377	45,176	117	26.7	20.8-32.6	259	72.9	67.0-78.8			
\$15,000- 24,999	681	69,312	194	24.9	20.6-29.2	485	75.0	70.7-79.3			
\$25,000- 34,999	589	55,432	122	15.8	12.3-19.3	467	84.2	80.7-87.7			
\$35,000- 49,999	797	81,624	127	12.9	10.2-15.6	668	87.0	84.3-89.7			
\$50,000- 74,999	865	80,649	117	12.1	09.6-14.6	748	87.9	85.4-90.4			
\$75,000+	1228	108,423	144	12.5	10.0-15.0	1084	87.5	85.0-90.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 35: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2189	256,362	363	15.3	13.3-17.3	1823	84.6	82.6-86.6
Non-Native	2107	239,509	343	15.5	13.5-17.5	1761	84.4	82.4-86.4
18-24	125	45,896	17	15.4	08.5-22.3	108	84.6	77.7-91.5
25-34	267	45,749	26	10.1	06.2-14.0	241	89.9	86.0-93.8
35-44	290	37,048	17	6.6	03.1-10.1	273	93.4	89.9-96.9
45-54	406	44,849	46	11.8	08.1-15.5	359	87.8	83.9-91.7
55-64	522	38,122	92	17.8	14.1-21.5	429	82.1	78.4-85.8
65+	560	42,507	163	29.9	25.4-34.4	396	70.1	65.6-74.6
Less Than H.S.	176	30,802	49	27.6	19.2-36.0	127	72.4	64.0-80.8
H.S. or G.E.D.	636	71,736	114	16.0	12.7-19.3	519	83.6	80.3-86.9
Some Post-H.S.	656	96,456	92	12.0	09.1-14.9	564	88.0	85.1-90.9
College Graduate	718	56,655	107	13.2	10.3-16.1	611	86.8	83.9-89.7
Less than \$15,000	122	20,350	42	27.9	17.9-37.9	79	71.3	61.3-81.3
\$15,000- 24,999	241	32,090	56	21.6	15.1-28.1	185	78.4	71.9-84.9
\$25,000- 34,999	243	28,879	43	12.1	08.2-16.0	200	87.9	84.0-91.8
\$35,000- 49,999	393	47,263	60	13.0	09.1-16.9	331	86.8	82.9-90.7
\$50,000- 74,999	409	44,327	52	11.5	07.8-15.2	357	88.5	84.8-92.2
\$75,000+	591	56,841	72	11.3	08.2-14.4	519	88.7	85.6-91.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 36: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3048	255,604	610	18.5	16.5-20.5	2435	81.5	79.5-83.5	3	0.0	00.0-00.0
Native	81	9,880	18	17.8	07.4-28.2	63	82.2	71.8-92.6			
Non-Native	2941	243,874	586	18.5	16.5-20.5	2352	81.4	79.4-83.4	3	0.0	00.0-00.0
18-24	125	40,510	19	18.1	10.5-25.7	106	81.9	74.3-89.5			
25-34	300	40,050	31	13.1	08.4-17.8	269	86.9	82.2-91.6			
35-44	328	34,341	40	13.5	09.2-17.8	288	86.5	82.2-90.8			
45-54	569	44,887	66	11.6	08.7-14.5	502	88.3	85.4-91.2			
55-64	629	36,874	113	19.2	15.5-22.9	515	80.8	77.1-84.5			
65+	1058	55,689	335	31.0	27.7-34.3	722	68.9	65.6-72.2	1	0.0	00.0-00.0
Less Than H.S.	173	21,770	59	33.0	23.4-42.6	114	67.0	57.4-76.6			
H.S. or G.E.D.	894	70,998	184	18.3	15.0-21.6	708	81.6	78.3-84.9			
Some Post-H.S.	981	98,117	205	18.8	15.7-21.9	776	81.2	78.1-84.3			
College Graduate	994	64,326	160	13.2	10.8-15.6	833	86.8	84.4-89.2	1	0.0	00.0-00.0
Less than \$15,000	255	24,826	75	25.7	18.6-32.8	180	74.3	67.2-81.4			
\$15,000- 24,999	440	37,222	138	27.8	22.1-33.5	300	72.1	66.4-77.8			
\$25,000- 34,999	346	26,553	79	19.8	14.1-25.5	267	80.2	74.5-85.9			
\$35,000- 49,999	404	34,361	67	12.8	09.1-16.5	337	87.2	83.5-90.9			
\$50,000- 74,999	456	36,322	65	12.7	09.2-16.2	391	87.3	83.8-90.8			
\$75,000+	637	51,582	72	13.9	09.6-18.2	565	86.1	81.8-90.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5297	516,698	554	8.2	07.4-09.0	41	0.8	00.6-01.0	4626	89.8	88.8-90.8	76	1.1	00.7-01.5
Male	2206	258,201	251	8.7	07.5-09.9				1920	90.0	88.6-91.4	35	1.3	00.7-01.9
Female	3091	258,497	303	7.8	06.8-08.8	41	1.6	01.0-02.2	2706	89.7	88.5-90.9	41	1.0	00.6-01.4
Native	135	23,263	33	16.8	09.9-23.7				101	82.1	74.8-89.4			
Non-Native	5100	487,025	513	7.8	07.0-08.6	41	0.9	00.5-01.3	4473	90.2	89.2-91.2	73	1.1	00.7-01.5
18-24	252	87,188							251	99.7	99.1-0100			
25-34	573	87,050							555	96.3	94.5-98.1			
35-44	620	71,598	16	2.7	01.3-04.1				586	94.2	92.0-96.4			
45-54	983	90,647	77	9.4	07.2-11.6				887	88.7	86.3-91.1			
55-64	1161	75,419	156	14.5	12.1-16.9				988	83.9	81.4-86.4			
65+	1652	99,787	293	19.1	16.7-21.5				1307	77.7	75.3-80.1	48	2.9	01.9-03.9
Less Than H.S.	361	53,241	60	12.6	09.1-16.1				288	83.9	79.8-88.0			
H.S. or G.E.D.	1551	144,525	198	9.6	08.0-11.2	14	1.0	00.4-01.6	1311	88.0	86.2-89.8	28	1.4	00.8-02.0
Some Post-H.S.	1651	195,936	173	7.8	06.4-09.2				1448	90.8	89.4-92.2	22	0.8	00.4-01.2
College Graduate	1726	122,131	121	5.4	04.2-06.6	17	1.1	00.5-01.7	1574	93.1	91.7-94.5	14	0.4	00.2-00.6
Less than \$15,000	386	45,727	73	14.8	10.9-18.7				304	83.8	79.7-87.9			
\$15,000- 24,999	690	70,058	108	12.5	09.6-15.4				562	84.2	80.9-87.5			
\$25,000- 34,999	597	55,768	78	10.2	07.5-12.9				498	86.4	83.3-89.5	17	2.5	01.1-03.9
\$35,000- 49,999	798	81,511	69	6.6	04.6-08.6				716	91.9	89.9-93.9	9	0.7	00.3-01.1
\$50,000- 74,999	876	81,965	66	6.5	04.7-08.3				792	91.8	89.8-93.8			
\$75,000+	1231	108,696	64	4.2	03.0-05.4	15	1.1	00.5-01.7	1145	94.3	92.9-95.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2206	258,201	251	8.7	07.5-09.9	1920	90.0	88.6-91.4	35	1.3	00.7-01.9
Native	53	13,195				39	85.0	76.0-94.0			
Non-Native	2120	240,596	233	8.5	07.3-09.7	1854	90.3	88.9-91.7	33	1.2	00.6-01.8
18-24	126	46,215				126	100.0	0100-0100			
25-34	271	46,717				267	98.0	96.0-0100			
35-44	290	36,954				277	95.1	92.2-98.0			
45-54	409	45,350	36	10.2	06.7-13.7	367	88.2	84.5-91.9			
55-64	526	38,352	80	16.2	12.5-19.9	439	82.5	78.6-86.4			
65+	567	42,857	122	22.8	18.7-26.9	428	74.6	70.3-78.9	17	2.6	01.2-04.0
Less Than H.S.	180	30,957	34	13.7	08.6-18.8	141	83.6	77.9-89.3			
H.S. or G.E.D.	643	72,969	80	9.3	06.9-11.7	550	89.1	86.6-91.6			
Some Post-H.S.	660	96,996	73	7.7	05.7-09.7	578	91.3	89.1-93.5			
College Graduate	721	56,807	64	6.9	04.9-08.9	650	92.6	90.6-94.6			
Less than \$15,000	125	20,680	22	12.0	06.5-17.5	101	87.6	82.1-93.1			
\$15,000- 24,999	243	32,281	38	13.2	08.3-18.1	201	84.7	79.4-90.0			
\$25,000- 34,999	244	28,989	39	11.3	07.2-15.4	195	85.1	80.4-89.8			
\$35,000- 49,999	391	46,907	41	7.9	05.2-10.6	346	91.6	88.9-94.3			
\$50,000- 74,999	415	45,201	35	7.5	04.8-10.2	374	91.3	88.4-94.2			
\$75,000+	594	57,058	45	6.0	04.0-08.0	543	93.3	91.3-95.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3091	258,497	303	7.8	06.8-08.8	41	1.6	01.0-02.2	2706	89.7	88.5-90.9	41	1.0	00.6-01.4
Native	82	10,068	20	21.6	10.2-33.0				62	78.4	67.0-89.8			
Non-Native	2980	246,429	280	7.2	06.2-08.2	41	1.7	01.1-02.3	2619	90.2	89.0-91.4	40	1.0	00.6-01.4
18-24	126	40,974							125	99.4	98.2-100.0			
25-34	302	40,334							288	94.3	91.0-97.6			
35-44	330	34,644				13	3.9	01.7-06.1	309	93.2	90.3-96.1			
45-54	574	45,297	41	8.7	05.8-11.6				520	89.2	86.1-92.3			
55-64	635	37,067	76	12.8	09.7-15.9				549	85.4	82.1-88.7			
65+	1085	56,930	171	16.3	13.8-18.8				879	80.1	77.4-82.8	31	3.1	01.7-04.5
Less Than H.S.	181	22,285	26	11.1	06.2-16.0				147	84.3	78.2-90.4			
H.S. or G.E.D.	908	71,556	118	9.9	07.7-12.1	14	2.1	00.9-03.3	761	86.8	84.3-89.3	15	1.2	00.6-01.8
Some Post-H.S.	991	98,941	100	7.8	06.0-09.6				870	90.4	88.4-92.4	13	0.8	00.4-01.2
College Graduate	1005	65,324	57	4.1	02.9-05.3	17	2.0	00.8-03.2	924	93.6	91.8-95.4			
Less than \$15,000	261	25,046	51	17.1	11.4-22.8				203	80.6	74.5-86.7			
\$15,000- 24,999	447	37,777	70	11.9	08.6-15.2				361	83.7	79.6-87.8			
\$25,000- 34,999	353	26,779	39	9.1	05.8-12.4				303	87.8	83.7-91.9			
\$35,000- 49,999	407	34,604	28	4.9	02.5-07.3				370	92.5	89.6-95.4			
\$50,000- 74,999	461	36,764	31	5.4	03.4-07.4				418	92.3	89.9-94.7			
\$75,000+	637	51,638	19	2.1	01.1-03.1	15	2.4	01.0-03.8	602	95.4	93.6-97.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 7: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	88
2	MALES ONLY	89
3	FEMALES ONLY	90
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	91
5	MALES ONLY	92
6	FEMALES ONLY	93
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	94
8	MALES ONLY	95
9	FEMALES ONLY	96
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	97
11	MALES ONLY	98
12	FEMALES ONLY	99
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	100
14	MALES ONLY	101
15	FEMALES ONLY	102

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5280	515,483	2420	47.7	45.7-49.7	2860	52.3	50.3-54.3
Male	2202	258,478	1180	53.1	50.4-55.8	1022	46.9	44.2-49.6
Female	3078	257,006	1240	42.2	39.8-44.6	1838	57.8	55.4-60.2
Native	135	17,793	101	77.5	67.7-87.3	34	22.5	12.7-32.3
Non-Native	5082	492,354	2295	46.7	44.7-48.7	2787	53.3	51.3-55.3
18-24	251	86,819	80	35.1	28.4-41.8	171	64.9	58.2-71.6
25-34	569	86,224	246	49.5	44.6-54.4	323	50.5	45.6-55.4
35-44	617	71,053	232	44.5	39.6-49.4	385	55.5	50.6-60.4
45-54	982	90,594	437	48.7	44.8-52.6	545	51.3	47.4-55.2
55-64	1157	76,766	622	58.7	55.4-62.0	535	41.3	38.0-44.6
65+	1646	99,576	777	49.6	46.5-52.7	869	50.4	47.3-53.5
Less Than H.S.	360	53,352	200	61.0	53.7-68.3	160	39.0	31.7-46.3
H.S. or G.E.D.	1547	144,015	864	57.9	54.6-61.2	683	42.1	38.8-45.4
Some Post-H.S.	1647	196,202	784	46.7	43.6-49.8	863	53.3	50.2-56.4
College Graduate	1719	121,683	569	31.3	28.6-34.0	1150	68.7	66.0-71.4
Less than \$15,000	387	41,223	195	49.6	41.6-57.6	192	50.4	42.4-58.4
\$15,000- 24,999	687	66,347	366	57.4	51.7-63.1	321	42.6	36.9-48.3
\$25,000- 34,999	598	57,039	320	54.6	48.9-60.3	278	45.4	39.7-51.1
\$35,000- 49,999	794	85,103	397	51.3	46.8-55.8	397	48.7	44.2-53.2
\$50,000- 74,999	873	83,065	388	46.4	42.3-50.5	485	53.6	49.5-57.7
\$75,000+	1228	114,045	457	39.7	36.2-43.2	771	60.3	56.8-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2202	258,478	1180	53.1	50.4-55.8	1022	46.9	44.2-49.6
Native	53	9,512	38	72.1	56.4-87.8	15	27.9	12.2-43.6
Non-Native	2115	245,683	1126	52.6	49.7-55.5	989	47.4	44.5-50.3
18-24	126	46,230	44	38.0	28.6-47.4	82	62.0	52.6-71.4
25-34	270	46,571	121	49.6	42.7-56.5	149	50.4	43.5-57.3
35-44	289	36,713	127	52.1	45.0-59.2	162	47.9	40.8-55.0
45-54	408	45,311	191	50.5	44.2-56.8	217	49.5	43.2-55.8
55-64	523	39,195	320	65.8	61.1-70.5	203	34.2	29.5-38.9
65+	567	42,949	365	64.8	60.1-69.5	202	35.2	30.5-39.9
Less Than H.S.	182	33,995	125	68.9	59.9-77.9	57	31.1	22.1-40.1
H.S. or G.E.D.	643	73,035	415	63.5	58.6-68.4	228	36.5	31.6-41.4
Some Post-H.S.	659	96,104	351	49.2	44.3-54.1	308	50.8	45.9-55.7
College Graduate	716	55,284	288	36.7	32.4-41.0	428	63.3	59.0-67.6
Less than \$15,000	126	19,048	80	55.5	42.4-68.6	46	44.5	31.4-57.6
\$15,000- 24,999	243	30,247	151	60.3	51.3-69.3	92	39.7	30.7-48.7
\$25,000- 34,999	244	29,979	166	63.7	55.3-72.1	78	36.3	27.9-44.7
\$35,000- 49,999	390	48,499	215	53.7	47.2-60.2	175	46.3	39.8-52.8
\$50,000- 74,999	412	44,460	201	49.6	43.5-55.7	211	50.4	44.3-56.5
\$75,000+	592	60,115	260	45.1	40.0-50.2	332	54.9	49.8-60.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3078	257,006	1240	42.2	39.8-44.6	1838	57.8	55.4-60.2
Native	82	8,281	63	83.7	73.5-93.9	19	16.3	06.1-26.5
Non-Native	2967	246,671	1169	40.9	38.5-43.3	1798	59.1	56.7-61.5
18-24	125	40,589	36	31.8	22.8-40.8	89	68.2	59.2-77.2
25-34	299	39,653	125	49.5	42.6-56.4	174	50.5	43.6-57.4
35-44	328	34,340	105	36.5	30.0-43.0	223	63.5	57.0-70.0
45-54	574	45,283	246	47.0	42.1-51.9	328	53.0	48.1-57.9
55-64	634	37,571	302	51.3	46.6-56.0	332	48.7	44.0-53.4
65+	1079	56,627	412	38.1	34.4-41.8	667	61.9	58.2-65.6
Less Than H.S.	178	19,357	75	47.3	35.3-59.3	103	52.7	40.7-64.7
H.S. or G.E.D.	904	70,980	449	52.2	47.5-56.9	455	47.8	43.1-52.5
Some Post-H.S.	988	100,098	433	44.4	40.3-48.5	555	55.6	51.5-59.7
College Graduate	1003	66,400	281	26.8	23.3-30.3	722	73.2	69.7-76.7
Less than \$15,000	261	22,174	115	44.5	34.7-54.3	146	55.5	45.7-65.3
\$15,000- 24,999	444	36,100	215	54.9	47.8-62.0	229	45.1	38.0-52.2
\$25,000- 34,999	354	27,060	154	44.5	37.2-51.8	200	55.5	48.2-62.8
\$35,000- 49,999	404	36,605	182	48.2	41.9-54.5	222	51.8	45.5-58.1
\$50,000- 74,999	461	38,605	187	42.8	37.3-48.3	274	57.2	51.7-62.7
\$75,000+	636	53,930	197	33.8	29.1-38.5	439	66.2	61.5-70.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2417	245,383	631	34.2	31.5-36.9	230	12.7	10.7-14.7	1556	53.1	50.4-55.8
Male	1179	137,343	302	33.8	29.9-37.7	106	12.6	09.9-15.3	771	53.6	49.7-57.5
Female	1238	108,040	329	34.8	30.9-38.7	124	12.7	10.0-15.4	785	52.5	48.6-56.4
Native	101	13,784	41	47.2	32.9-61.5	18	18.0	07.8-28.2	42	34.8	21.9-47.7
Non-Native	2292	229,798	585	33.6	30.7-36.5	208	12.3	10.3-14.3	1499	54.1	51.4-56.8
18-24	80	30,487	43	59.6	48.0-71.2	21	25.2	15.2-35.2	16	15.1	07.5-22.7
25-34	245	42,357	101	47.7	40.3-55.1	49	20.4	14.5-26.3	95	31.9	25.4-38.4
35-44	231	31,634	80	39.7	31.9-47.5	24	11.5	06.6-16.4	127	48.8	41.0-56.6
45-54	437	44,131	156	34.9	29.2-40.6	57	14.2	09.9-18.5	224	50.9	44.8-57.0
55-64	622	45,061	150	23.5	19.2-27.8	39	5.7	03.5-07.9	433	70.8	66.3-75.3
65+	776	49,368	94	12.4	09.3-15.5	40	4.5	02.7-06.3	642	83.2	79.9-86.5
Less Than H.S.	199	32,553	62	49.6	39.4-59.8	17	8.9	03.0-14.8	120	41.5	31.9-51.1
H.S. or G.E.D.	864	83,432	264	38.8	34.3-43.3	90	14.8	11.3-18.3	510	46.3	42.0-50.6
Some Post-H.S.	783	91,290	218	31.6	27.1-36.1	75	12.8	09.5-16.1	490	55.6	51.1-60.1
College Graduate	568	38,067	87	17.4	13.3-21.5	48	10.9	07.4-14.4	433	71.7	66.8-76.6
Less than \$15,000	194	20,423	76	41.8	30.8-52.8	19	18.0	08.0-28.0	99	40.2	30.0-50.4
\$15,000- 24,999	366	38,067	109	44.7	36.7-52.7	37	12.1	07.4-16.8	220	43.1	35.8-50.4
\$25,000- 34,999	318	30,799	87	37.0	29.2-44.8	37	11.2	06.7-15.7	194	51.8	44.2-59.4
\$35,000- 49,999	397	43,672	112	34.1	27.8-40.4	41	15.0	09.9-20.1	244	50.9	44.4-57.4
\$50,000- 74,999	388	38,578	106	30.7	25.0-36.4	37	14.3	09.0-19.6	245	55.0	48.7-61.3
\$75,000+	457	45,326	70	22.5	16.8-28.2	38	9.4	05.9-12.9	349	68.1	62.0-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1179	137,343	302	33.8	29.9-37.7	106	12.6	09.9-15.3	771	53.6	49.9-57.3
Non-Native	1125	129,254	283	32.9	29.0-36.8	97	12.4	09.5-15.3	745	54.6	50.7-58.5
25-34	121	23,084	53	51.1	40.9-61.3	24	20.1	11.9-28.3	44	28.8	20.0-37.6
35-44	126	19,097	36	36.0	25.6-46.4	17	13.9	06.8-21.0	73	50.2	39.8-60.6
45-54	191	22,869	64	32.6	24.0-41.2	25	15.3	08.4-22.2	102	52.1	42.9-61.3
55-64	320	25,774	83	25.5	19.2-31.8	15	3.9	01.5-06.3	222	70.6	64.3-76.9
65+	365	27,831	39	9.9	06.0-13.8	14	3.9	01.5-06.3	312	86.1	81.6-90.6
Less Than H.S.	125	23,412	40	49.6	37.3-61.9	10	10.0	02.2-17.8	75	40.4	29.0-51.8
H.S. or G.E.D.	415	46,398	124	36.7	30.6-42.8	44	14.4	09.7-19.1	247	48.9	43.0-54.8
Some Post-H.S.	351	47,236	98	31.2	24.7-37.7	32	13.2	08.1-18.3	221	55.6	48.9-62.3
College Graduate	287	20,275	40	15.0	09.7-20.3	20	10.1	05.2-15.0	227	74.9	68.4-81.4
Less than \$15,000	80	10,574	32	43.3	27.0-59.6	7	18.3	03.2-33.4	41	38.4	23.7-53.1
\$15,000- 24,999	151	18,232	45	42.8	30.3-55.3	16	11.4	04.7-18.1	90	45.8	34.2-57.4
\$25,000- 34,999	165	19,094	44	38.7	27.7-49.7	16	10.9	04.8-17.0	105	50.4	40.0-60.8
\$35,000- 49,999	215	26,034	71	39.4	30.6-48.2	19	13.4	06.7-20.1	125	47.1	38.7-55.5
\$50,000- 74,999	201	22,071	50	27.4	19.8-35.0	21	16.7	09.1-24.3	130	55.9	47.3-64.5
\$75,000+	260	27,088	31	18.0	11.1-24.9	16	7.6	02.9-12.3	213	74.3	66.7-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1238	108,040	329	34.8	30.9-38.7	124	12.7	10.0-15.4	785	52.5	48.8-56.2
Native	63	6,930	26	42.9	23.9-61.9	13	22.3	08.0-36.6	24	34.8	16.4-53.2
Non-Native	1167	100,544	302	34.4	30.5-38.3	111	12.1	09.4-14.8	754	53.5	49.6-57.4
25-34	124	19,273	48	43.7	33.1-54.3	25	20.8	12.2-29.4	51	35.5	25.7-45.3
35-44	105	12,536	44	45.4	33.4-57.4	7	7.9	01.8-14.0	54	46.6	35.0-58.2
45-54	246	21,262	92	37.4	30.1-44.7	32	13.1	08.2-18.0	122	49.5	42.1-56.9
55-64	302	19,287	67	20.9	15.4-26.4	24	8.2	04.5-11.9	211	71.0	64.9-77.1
65+	411	21,537	55	15.5	10.6-20.4	26	5.1	02.7-07.5	330	79.3	74.0-84.6
Less Than H.S.	74	9,141	22	49.5	31.3-67.7	7	6.0	00.5-11.5	45	44.5	27.1-61.9
H.S. or G.E.D.	449	37,033	140	41.6	34.9-48.3	46	15.3	09.8-20.8	263	43.1	37.2-49.0
Some Post-H.S.	432	44,053	120	32.0	25.9-38.1	43	12.3	07.8-16.8	269	55.7	49.4-62.0
College Graduate	281	17,792	47	20.1	13.6-26.6	28	11.8	06.7-16.9	206	68.1	60.8-75.4
Less than \$15,000	114	9,849	44	40.3	25.2-55.4	12	17.7	05.2-30.2	58	42.0	27.7-56.3
\$15,000- 24,999	215	19,835	64	46.5	36.3-56.7	21	12.8	05.9-19.7	130	40.7	31.5-49.9
\$25,000- 34,999	153	11,705	43	34.3	24.1-44.5	21	11.7	05.4-18.0	89	54.0	43.8-64.2
\$35,000- 49,999	182	17,638	41	26.3	17.9-34.7	22	17.2	09.0-25.4	119	56.5	47.1-65.9
\$50,000- 74,999	187	16,507	56	35.1	26.5-43.7	16	11.0	04.3-17.7	115	53.9	45.1-62.7
\$75,000+	197	18,238	39	29.1	19.5-38.7	22	12.0	06.5-17.5	136	58.9	49.5-68.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	861	115,069	427	53.1	48.4-57.8	434	46.9	42.2-51.6
Male	408	63,730	198	53.7	47.0-60.4	210	46.3	39.6-53.0
Female	453	51,339	229	52.5	46.0-59.0	224	47.5	41.0-54.0
Native	59	8,994	31	43.5	25.9-61.1	28	56.5	38.9-74.1
Non-Native	793	105,428	390	54.0	49.3-58.7	403	46.0	41.3-50.7
18-24	64	25,872	38	57.3	44.2-70.4	26	42.7	29.6-55.8
25-34	150	28,854	80	57.7	48.7-66.7	70	42.3	33.3-51.3
35-44	104	16,209	43	40.6	29.2-52.0	61	59.4	48.0-70.8
45-54	213	21,680	118	59.3	51.1-67.5	95	40.7	32.5-48.9
55-64	189	13,175	84	44.8	35.6-54.0	105	55.2	46.0-64.4
65+	134	8,311	61	41.6	30.8-52.4	73	58.4	47.6-69.2
Less Than H.S.	79	19,036	51	60.4	45.5-75.3	28	39.6	24.7-54.5
H.S. or G.E.D.	354	44,767	154	47.4	40.5-54.3	200	52.6	45.7-59.5
Some Post-H.S.	293	40,499	151	55.2	47.8-62.6	142	44.8	37.4-52.2
College Graduate	135	10,767	71	56.2	45.8-66.6	64	43.8	33.4-54.2
Less than \$15,000	95	12,218	45	53.3	37.6-69.0	50	46.7	31.0-62.4
\$15,000- 24,999	146	21,644	74	53.7	41.9-65.5	72	46.3	34.5-58.1
\$25,000- 34,999	124	14,851	64	50.2	37.9-62.5	60	49.8	37.5-62.1
\$35,000- 49,999	153	21,441	72	55.8	45.8-65.8	81	44.2	34.2-54.2
\$50,000- 74,999	143	17,343	67	46.5	36.5-56.5	76	53.5	43.5-63.5
\$75,000+	108	14,450	59	54.5	42.2-66.8	49	45.5	33.2-57.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	408	63,730	198	53.7	47.0-60.4	210	46.3	39.6-53.0
Non-Native	380	58,644	181	55.3	48.6-62.0	199	44.7	38.0-51.4
25-34	77	16,430	43	59.6	47.3-71.9	34	40.4	28.1-52.7
35-44	53	9,520	21	43.8	27.9-59.7	32	56.2	40.3-72.1
45-54	89	10,944	51	64.8	52.1-77.5	38	35.2	22.5-47.9
55-64	98	7,576	39	39.3	26.4-52.2	59	60.7	47.8-73.6
65+	53	3,859	24	45.9	28.7-63.1	29	54.1	36.9-71.3
Less Than H.S.	50	13,964	30	61.0	43.4-78.6	20	39.0	21.4-56.6
H.S. or G.E.D.	168	23,693	75	48.3	38.7-57.9	93	51.7	42.1-61.3
Some Post-H.S.	130	20,984	60	54.2	43.2-65.2	70	45.8	34.8-56.8
College Graduate	60	5,089	33	56.3	40.8-71.8	27	43.7	28.2-59.2
\$15,000- 24,999	61	9,886	28	51.2	32.6-69.8	33	48.8	30.2-67.4
\$25,000- 34,999	60	9,462	32	56.2	39.0-73.4	28	43.8	26.6-61.0
\$35,000- 49,999	90	13,769	41	55.0	42.1-67.9	49	45.0	32.1-57.9
\$50,000- 74,999	71	9,729	31	41.1	27.4-54.8	40	58.9	45.2-72.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	453	51,339	229	52.5	46.0-59.0	224	47.5	41.0-54.0
Non-Native	413	46,784	209	52.4	45.7-59.1	204	47.6	40.9-54.3
25-34	73	12,424	37	55.3	42.0-68.6	36	44.7	31.4-58.0
35-44	51	6,689	22	36.0	20.7-51.3	29	64.0	48.7-79.3
45-54	124	10,736	67	53.6	43.2-64.0	57	46.4	36.0-56.8
55-64	91	5,599	45	52.2	39.7-64.7	46	47.8	35.3-60.3
65+	81	4,452	37	37.9	24.4-51.4	44	62.1	48.6-75.6
H.S. or G.E.D.	186	21,074	79	46.3	36.5-56.1	107	53.7	43.9-63.5
Some Post-H.S.	163	19,515	91	56.4	46.2-66.6	72	43.6	33.4-53.8
College Graduate	75	5,678	38	56.1	41.8-70.4	37	43.9	29.6-58.2
Less than \$15,000	56	5,709	23	40.4	20.0-60.8	33	59.6	39.2-80.0
\$15,000- 24,999	85	11,758	46	55.8	40.9-70.7	39	44.2	29.3-59.1
\$25,000- 34,999	64	5,389	32	39.5	24.2-54.8	32	60.5	45.2-75.8
\$35,000- 49,999	63	7,672	31	57.3	42.2-72.4	32	42.7	27.6-57.8
\$50,000- 74,999	72	7,614	36	53.5	39.4-67.6	36	46.5	32.4-60.6
\$75,000+	61	7,491	36	56.0	39.3-72.7	25	44.0	27.3-60.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1552	129,758	159	14.3	11.6-17.0	212	15.5	13.0-18.0	147	10.3	08.3-12.3	1022	59.0	55.9-62.1	12	0.9	00.3-01.5
Male	768	73,227	84	15.0	11.3-18.7	103	14.8	11.5-18.1	72	10.6	07.7-13.5	503	58.6	54.1-63.1	6	1.0	00.0-02.0
Female	784	56,530	75	13.5	09.6-17.4	109	16.3	12.6-20.0	75	9.8	07.1-12.5	519	59.6	54.9-64.3	6	0.8	00.2-01.4
Non-Native	1495	123,814	143	13.4	10.9-15.9	204	15.1	12.7-17.5	141	10.2	08.2-12.2	995	60.3	57.2-63.4	12	1.0	00.4-01.6
25-34	94	13,237	34	40.3	28.1-52.5	33	32.2	21.2-43.2	11	10.6	03.5-17.7	16	16.9	08.1-25.7			
35-44	126	15,334	20	16.4	08.6-24.2	32	33.8	23.4-44.2	20	12.9	06.6-19.2	53	36.7	27.1-46.3	1	0.2	00.0-00.6
45-54	224	22,450	34	13.9	07.8-20.0	33	12.8	07.5-18.1	33	17.6	10.9-24.3	122	55.1	46.7-63.5	2	0.6	00.0-01.4
55-64	433	31,886	26	5.7	03.3-08.1	70	15.5	11.4-19.6	45	11.2	07.5-14.9	288	66.0	60.5-71.5	4	1.6	00.0-03.4
65+	640	40,857	33	5.5	03.1-07.9	38	4.7	02.7-06.7	36	5.3	03.1-07.5	530	84.2	80.7-87.7	3	0.4	00.0-00.8
Less Than H.S.	120	13,517	7	12.9	01.3-24.5	16	8.8	03.7-13.9	13	11.5	03.1-19.9	84	66.7	54.0-79.4			
H.S. or G.E.D.	509	38,574	54	13.1	08.8-17.4	61	12.1	08.4-15.8	46	10.1	06.8-13.4	344	64.1	58.6-69.6	4	0.6	00.0-01.2
Some Post-H.S.	488	50,355	60	16.8	12.1-21.5	73	19.1	14.4-23.8	49	10.6	07.1-14.1	302	52.6	47.1-58.1	4	0.9	00.0-02.1
College Graduate	432	27,270	37	12.2	07.7-16.7	61	16.6	11.9-21.3	38	9.4	06.1-12.7	292	59.9	54.0-65.8	4	1.9	00.0-04.1
Less than \$15,000	99	8,205	17	21.7	08.4-35.0	15	12.1	02.9-21.3	7	11.7	01.7-21.7	59	53.5	38.8-68.2	1	1.0	00.0-03.0
\$15,000- 24,999	219	16,253	26	26.5	16.5-36.5	27	12.6	06.3-18.9	24	8.1	03.8-12.4	142	52.8	43.2-62.4			
\$25,000- 34,999	194	15,948	22	10.6	05.1-16.1	24	15.5	08.6-22.4	10	7.4	00.5-14.3	137	66.2	57.0-75.4	1	0.3	00.0-00.9
\$35,000- 49,999	243	22,201	17	9.6	04.3-14.9	33	18.3	11.2-25.4	24	10.3	05.4-15.2	168	60.5	52.5-68.5	1	1.2	00.0-03.6
\$50,000- 74,999	244	20,970	31	16.2	09.7-22.7	36	18.1	12.0-24.2	27	10.7	06.2-15.2	148	54.3	46.7-61.9	2	0.8	00.0-02.0
\$75,000+	348	30,784	30	9.4	05.7-13.1	56	17.6	12.7-22.5	41	13.5	09.2-17.8	218	59.0	52.7-65.3	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	768	73,227	84	15.0	11.5-18.5	103	14.8	11.5-18.1	72	10.6	07.7-13.5	503	58.6	54.1-63.1	6	1.0	00.0-02.0
Non-Native	742	70,224	80	15.1	11.4-18.8	97	13.9	10.6-17.2	70	10.7	07.8-13.6	489	59.3	54.8-63.8	6	1.1	00.0-02.3
35-44	72	9,487	12	17.3	06.9-27.7	18	33.7	20.2-47.2	11	12.2	04.0-20.4	30	36.5	23.6-49.4	1	0.3	00.0-00.9
45-54	102	11,925	18	17.5	07.7-27.3	13	8.0	02.3-13.7	19	22.4	11.6-33.2	52	52.2	39.7-64.7			
55-64	222	18,199	14	5.7	02.6-08.8	38	16.7	10.8-22.6	16	8.7	04.0-13.4	152	67.2	59.8-74.6	2	1.7	00.0-04.4
65+	311	23,942	15	5.1	02.0-08.2	16	4.8	02.1-07.5	19	6.1	02.6-09.6	260	83.9	78.8-89.0	1	0.2	00.0-00.6
Less Than H.S.	75	9,448	4	8.4	00.0-19.0	11	9.4	02.9-15.9	11	14.7	03.1-26.3	49	67.5	52.8-82.2			
H.S. or G.E.D.	246	22,614	30	15.1	08.8-21.4	33	13.5	08.4-18.6	21	10.4	05.5-15.3	160	60.5	52.9-68.1	2	0.6	00.0-01.4
Some Post-H.S.	220	25,987	32	19.3	12.2-26.4	29	18.1	11.0-25.2	20	9.5	04.8-14.2	137	52.1	44.1-60.1	2	1.1	00.0-03.1
College Graduate	226	15,156	18	11.6	05.7-17.5	30	14.6	08.7-20.5	19	10.2	05.1-15.3	157	61.5	53.7-69.3	2	2.2	00.0-05.7
\$15,000- 24,999	90	8,346	15	32.7	17.8-47.6	10	10.5	02.5-18.5	11	9.8	02.4-17.2	54	47.0	32.9-61.1			
\$25,000- 34,999	105	9,632	12	10.3	03.2-17.4	12	11.1	03.8-18.4	5	10.6	00.0-21.6	76	68.0	55.5-80.5			
\$35,000- 49,999	124	12,235	10	12.4	04.0-20.8	18	18.6	09.0-28.2	11	9.6	02.7-16.5	84	57.2	45.8-68.6	1	2.3	00.0-06.6
\$50,000- 74,999	129	12,077	18	18.2	09.0-27.4	17	15.5	07.7-23.3	13	9.7	03.8-15.6	80	56.3	45.7-66.9	1	0.4	00.0-01.2
\$75,000+	212	20,037	18	9.1	04.4-13.8	34	17.6	11.3-23.9	24	13.5	08.2-18.8	134	59.4	51.4-67.4	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	784	56,530	75	13.5	09.6-17.4	109	16.3	12.8-19.8	75	9.8	07.1-12.5	519	59.6	55.1-64.1	6	0.8	00.2-01.4
Non-Native	753	53,590	63	11.2	07.9-14.5	107	16.7	13.0-20.4	71	9.6	06.9-12.3	506	61.8	57.3-66.3	6	0.8	00.0-01.6
25-34	51	6,849	16	34.8	18.3-51.3	18	33.4	18.1-48.7	5	7.4	00.0-16.0	12	24.4	10.5-38.3			
35-44	54	5,847	8	15.0	03.2-26.8	14	34.1	18.0-50.2	9	14.0	04.6-23.4	23	36.9	22.6-51.2			
45-54	122	10,526	16	9.8	03.5-16.1	20	18.3	09.5-27.1	14	12.2	05.1-19.3	70	58.5	47.7-69.3	2	1.2	00.0-03.0
55-64	211	13,687	12	5.6	01.9-09.3	32	13.9	08.6-19.2	29	14.5	08.4-20.6	136	64.4	56.6-72.2	2	1.5	00.0-03.7
65+	329	16,915	18	6.0	02.7-09.3	22	4.7	02.2-07.2	17	4.1	01.9-06.3	270	84.6	79.9-89.3	2	0.6	00.0-01.4
H.S. or G.E.D.	263	15,960	24	10.3	04.8-15.8	28	10.3	05.0-15.6	25	9.5	05.2-13.8	184	69.3	61.9-76.7	2	0.7	00.0-01.7
Some Post-H.S.	268	24,368	28	14.2	08.3-20.1	44	20.2	13.7-26.7	29	11.7	06.6-16.8	165	53.3	45.9-60.7	2	0.6	00.0-01.6
College Graduate	206	12,114	19	13.0	05.9-20.1	31	19.2	11.8-26.6	19	8.5	04.6-12.4	135	57.9	49.1-66.7	2	1.5	00.0-03.5
Less than \$15,000	58	4,141	11	25.9	06.3-45.5	8	9.6	00.0-19.4	4	11.1	00.0-24.2	35	53.4	33.2-73.6			
\$15,000- 24,999	129	7,907	11	20.0	07.5-32.5	17	14.9	05.3-24.5	13	6.2	02.3-10.1	88	58.9	46.2-71.6			
\$25,000- 34,999	89	6,316	10	11.1	02.3-19.9	12	22.1	09.4-34.8	5	2.6	00.1-05.1	61	63.4	50.1-76.7	1	0.9	00.0-02.7
\$35,000- 49,999	119	9,966	7	6.2	00.7-11.7	15	18.0	08.0-28.0	13	11.2	03.9-18.5	84	64.6	53.2-76.0			
\$50,000- 74,999	115	8,894	13	13.5	04.9-22.1	19	21.6	11.8-31.4	14	12.1	05.0-19.2	68	51.5	40.5-62.5	1	1.3	00.0-03.8
\$75,000+	136	10,747	12	9.8	03.5-16.1	22	17.6	09.6-25.6	17	13.6	06.7-20.5	84	58.3	48.5-68.1	1	0.8	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5301	517,356	146	4.6	03.6-05.6	104	3.6	02.6-04.6	5051	91.9	90.7-93.1
Male	2208	258,484	132	8.4	06.6-10.2	88	6.4	04.8-08.0	1988	85.2	83.0-87.4
Female	3093	258,872	14	0.7	00.3-01.1	16	0.8	00.2-01.4	3063	98.5	97.7-99.3
Native	134	17,784	8	13.3	03.7-22.9	5	3.8	00.0-08.5	121	82.9	72.7-93.1
Non-Native	5104	494,236	137	4.3	03.5-05.1	96	3.6	02.6-04.6	4871	92.1	90.9-93.3
18-24	252	87,225	18	7.2	03.9-10.5	22	9.6	05.5-13.7	212	83.2	78.1-88.3
25-34	572	86,386	26	5.3	02.9-07.7	20	4.6	02.4-06.8	526	90.2	87.1-93.3
35-44	621	71,379	32	6.6	04.1-09.1	16	2.8	01.2-04.4	573	90.7	87.8-93.6
45-54	983	90,665	21	3.2	01.6-04.8	18	2.4	01.0-03.8	944	94.4	92.4-96.4
55-64	1164	77,384	33	4.6	02.6-06.6	13	1.3	00.5-02.1	1118	94.1	91.9-96.3
65+	1651	99,866	16	1.6	00.6-02.6	14	1.0	00.4-01.6	1621	97.4	96.2-98.6
Less Than H.S.	362	53,158	15	7.2	02.9-11.5	10	4.8	00.7-08.9	337	88.0	82.3-93.7
H.S. or G.E.D.	1553	145,081	51	5.0	03.4-06.6	42	4.9	03.1-06.7	1460	90.1	87.7-92.5
Some Post-H.S.	1651	196,614	54	4.9	03.3-06.5	30	3.3	01.9-04.7	1567	91.8	89.8-93.8
College Graduate	1727	122,233	26	2.4	01.4-03.4	22	1.9	00.9-02.9	1679	95.7	94.3-97.1
Less than \$15,000	388	41,212	6	2.1	00.0-04.5	9	4.9	00.4-09.4	373	93.0	88.1-97.9
\$15,000- 24,999	689	66,884	14	4.9	02.0-07.8	9	2.6	00.4-04.8	666	92.5	89.0-96.0
\$25,000- 34,999	598	57,039	19	5.7	02.8-08.6	10	2.3	00.3-04.3	569	92.0	88.5-95.5
\$35,000- 49,999	799	85,579	24	4.0	02.0-06.0	24	5.4	02.9-07.9	751	90.5	87.4-93.6
\$50,000- 74,999	876	83,398	31	6.1	03.6-08.6	16	2.3	00.9-03.7	829	91.6	88.9-94.3
\$75,000+	1232	114,416	41	4.6	03.0-06.2	21	2.8	01.4-04.2	1170	92.6	90.4-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2208	258,484	132	8.4	06.6-10.2	88	6.4	04.8-08.0	1988	85.2	83.0-87.4
Native	53	9,512	7	24.2	07.7-40.7	4	2.9	00.0-06.2	42	73.0	56.5-89.5
Non-Native	2121	245,690	124	7.9	06.3-09.5	81	6.5	04.7-08.3	1916	85.6	83.2-88.0
18-24	126	46,230	16	12.8	06.7-18.9	19	15.8	08.5-23.1	91	71.4	62.8-80.0
25-34	270	46,149	22	8.5	04.6-12.4	18	7.9	04.2-11.6	230	83.6	78.3-88.9
35-44	291	36,966	30	11.7	07.0-16.4	15	4.9	02.0-07.8	246	83.4	78.1-88.7
45-54	409	45,343	20	6.1	03.2-09.0	16	4.3	01.8-06.8	373	89.5	85.8-93.2
55-64	527	39,379	31	8.4	04.9-11.9	10	2.2	00.6-03.8	486	89.4	85.7-93.1
65+	566	42,909	13	3.3	01.1-05.5	10	2.0	00.4-03.6	543	94.7	92.0-97.4
Less Than H.S.	181	33,455	14	11.0	04.3-17.7	8	6.6	00.3-12.9	159	82.4	73.8-91.0
H.S. or G.E.D.	643	73,006	46	8.9	06.0-11.8	33	8.2	05.1-11.3	564	82.8	78.7-86.9
Some Post-H.S.	661	96,255	50	9.4	06.5-12.3	28	6.4	03.7-09.1	583	84.1	80.2-88.0
College Graduate	721	55,709	22	4.3	02.3-06.3	19	3.7	01.5-05.9	680	92.0	89.1-94.9
Less than \$15,000	125	18,998	5	4.2	00.0-09.1	8	10.2	00.8-19.6	112	85.6	75.4-95.8
\$15,000- 24,999	243	30,247	13	10.1	03.8-16.4	6	4.7	00.4-09.0	224	85.2	77.9-92.5
\$25,000- 34,999	244	29,979	14	8.5	03.4-13.6	7	4.0	00.1-07.9	223	87.5	81.4-93.6
\$35,000- 49,999	392	48,584	23	7.0	03.7-10.3	24	9.6	05.3-13.9	345	83.4	78.1-88.7
\$50,000- 74,999	415	44,793	29	10.9	06.6-15.2	15	4.0	01.6-06.4	371	85.0	80.3-89.7
\$75,000+	594	60,237	39	8.2	05.3-11.1	19	4.9	02.4-07.4	536	86.9	83.2-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3093	258,872	14	0.7	00.3-01.1	16	0.8	00.2-01.4	3063	98.5	97.7-99.3
Native	81	8,272	1	0.8	00.0-02.4	1	4.9	00.0-14.3	79	94.3	84.9-0100
Non-Native	2983	248,546	13	0.8	00.4-01.2	15	0.7	00.3-01.1	2955	98.6	98.0-99.2
18-24	126	40,995	2	1.0	00.0-02.4	3	2.6	00.0-05.5	121	96.4	93.1-99.7
25-34	302	40,237	4	1.5	00.0-03.1	2	0.8	00.0-02.2	296	97.7	95.5-99.9
35-44	330	34,413	2	1.0	00.0-02.6	1	0.5	00.0-01.5	327	98.4	96.6-0100
45-54	574	45,323	1	0.2	00.0-00.6	2	0.4	00.0-01.0	571	99.4	98.6-0100
55-64	637	38,006	2	0.7	00.0-01.9	3	0.3	00.0-00.7	632	98.9	97.7-0100
65+	1085	56,957	3	0.4	00.0-00.8	4	0.2	00.0-00.4	1078	99.4	98.8-0100
Less Than H.S.	181	19,703	1	0.6	00.0-01.8	2	1.8	00.0-04.7	178	97.6	94.3-0100
H.S. or G.E.D.	910	72,075	5	1.0	00.0-02.0	9	1.5	00.0-03.1	896	97.5	95.7-99.3
Some Post-H.S.	990	100,359	4	0.5	00.0-01.1	2	0.3	00.0-00.9	984	99.1	98.3-99.9
College Graduate	1006	66,524	4	0.9	00.0-01.9	3	0.4	00.0-01.0	999	98.7	97.5-99.9
Less than \$15,000	263	22,213	1	0.3	00.0-00.9	1	0.3	00.0-00.9	261	99.4	98.6-0100
\$15,000- 24,999	446	36,636	1	0.7	00.0-02.1	3	0.9	00.0-02.3	442	98.4	96.4-0100
\$25,000- 34,999	354	27,060	5	2.6	00.1-05.1	3	0.4	00.0-00.8	346	97.0	94.5-99.5
\$35,000- 49,999	407	36,995	1	0.1	00.0-00.3				406	99.9	99.7-0100
\$50,000- 74,999	461	38,605	2	0.6	00.0-01.4	1	0.3	00.0-00.9	458	99.2	98.2-0100
\$75,000+	638	54,179	2	0.6	00.0-01.6	2	0.5	00.0-01.3	634	98.9	97.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	107
2 MALES ONLY	108
3 FEMALES ONLY	109
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	110
5 MALES ONLY	111
6 FEMALES ONLY	112
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	113
8 MALES ONLY	114
9 FEMALES ONLY	115
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	116
11 MALES ONLY	117
12 FEMALES ONLY	118
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13 MALES AND FEMALES	119
14 MALES ONLY	120
15 FEMALES ONLY	121
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	122
17 MALES ONLY	123
18 FEMALES ONLY	124
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	125
20 MALES ONLY	126
21 FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	128
23 MALES ONLY	129
24 FEMALES ONLY	130
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	131
26 MALES ONLY	132
27 FEMALES ONLY	133
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	134
29 MALES ONLY	135
30 FEMALES ONLY	136
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	137
32 MALES ONLY	138
33 FEMALES ONLY	139
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	140
35 MALES ONLY	141
36 FEMALES ONLY	142
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37 MALES AND FEMALES	143
38 MALES ONLY	144
39 FEMALES ONLY	145
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	146
41 MALES ONLY	147
42 FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	149
44	MALES ONLY	150
45	FEMALES ONLY	151
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	152
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	153
	DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)	
52	MALES AND FEMALES	154
53	MALES ONLY	155
54	FEMALES ONLY	156
	DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)	
55	MALES AND FEMALES	157
56	MALES ONLY	158
57	FEMALES ONLY	159
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
58	MALES AND FEMALES	160
59	MALES ONLY	161
60	FEMALES ONLY	162
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
61	MALES AND FEMALES	163
62	MALES ONLY	164
63	FEMALES ONLY	165
	INDICATE SEX OF RESPONDENT. (SEX)	
64	MALES AND FEMALES	166
65	MALES ONLY	167
66	FEMALES ONLY	168
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
67	MALES AND FEMALES	169
68	MALES ONLY	170
69	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5248	513,566	252	17.0	15.0-19.0	573	16.9	15.5-18.3	621	13.9	12.7-15.1	984	17.7	16.3-19.1	1164	15.1	14.1-16.1	1654	19.5	18.3-20.7
Male	2192	257,613	126	17.9	15.0-20.8	271	18.1	15.9-20.3	291	14.3	12.3-16.3	409	17.6	15.6-19.6	527	15.3	13.7-16.9	568	16.7	15.1-18.3
Female	3056	255,953	126	16.0	13.5-18.5	302	15.7	13.7-17.7	330	13.4	11.8-15.0	575	17.7	16.1-19.3	637	14.8	13.4-16.2	1086	22.3	20.7-23.9
Native	135	17,793	14	31.8	18.1-45.5	24	17.2	09.2-25.2	27	21.2	12.2-30.2	25	10.1	05.2-15.0	26	11.7	05.4-18.0	19	8.0	02.5-13.5
Non-Native	5057	490,739	235	16.4	14.4-18.4	544	16.9	15.3-18.5	591	13.7	12.5-14.9	948	17.9	16.5-19.3	1134	15.2	14.2-16.2	1605	19.7	18.5-20.9
Less Than H.S.	358	52,845	27	26.4	18.0-34.8	16	8.4	03.7-13.1	14	6.6	02.5-10.7	37	14.6	09.1-20.1	33	6.7	03.8-09.6	231	37.2	30.7-43.7
H.S. or G.E.D.	1537	144,501	78	17.3	13.8-20.8	114	13.7	11.2-16.2	126	12.0	09.6-14.4	271	17.3	14.9-19.7	307	14.0	12.0-16.0	641	25.9	23.4-28.4
Some Post-H.S.	1632	194,393	88	17.9	14.6-21.2	181	17.8	15.3-20.3	186	14.0	11.8-16.2	338	19.2	16.8-21.6	416	16.9	14.9-18.9	423	14.2	12.6-15.8
College Graduate	1717	121,638	59	11.1	08.4-13.8	262	23.2	20.5-25.9	294	19.1	16.7-21.5	338	17.1	15.1-19.1	408	17.0	15.2-18.8	356	12.5	10.9-14.1
Less than \$15,000	385	40,836	43	40.0	31.4-48.6	19	7.6	03.3-11.9	26	7.3	03.8-10.8	47	10.7	06.4-15.0	82	11.9	08.0-15.8	168	22.4	17.3-27.5
\$15,000- 24,999	684	66,767	35	20.0	14.1-25.9	77	20.7	15.8-25.6	41	9.5	06.0-13.0	76	9.8	06.7-12.9	120	10.0	07.6-12.4	335	30.0	25.7-34.3
\$25,000- 34,999	596	56,981	24	14.9	09.2-20.6	56	16.3	11.8-20.8	49	12.2	08.3-16.1	94	15.6	11.7-19.5	111	12.4	09.5-15.3	262	28.6	24.3-32.9
\$35,000- 49,999	796	85,278	40	14.1	10.0-18.2	105	20.8	16.9-24.7	79	12.8	09.7-15.9	153	19.3	15.8-22.8	179	15.1	12.4-17.8	240	18.0	15.5-20.5
\$50,000- 74,999	872	83,001	25	8.1	04.8-11.4	122	20.3	16.8-23.8	123	16.7	13.6-19.8	212	22.8	19.5-26.1	230	19.8	17.1-22.5	160	12.2	10.0-14.4
\$75,000+	1228	114,106	25	7.4	04.5-10.3	151	17.0	14.1-19.9	266	22.7	20.0-25.4	329	26.1	23.2-29.0	322	19.0	16.6-21.4	135	7.8	06.2-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	257,613	126	17.9	15.0-20.8	271	18.1	15.9-20.3	291	14.3	12.3-16.3	409	17.6	15.6-19.6	527	15.3	13.7-16.9	568	16.7	15.1-18.3
Native	53	9,512	8	32.1	13.1-51.1	6	12.6	02.0-23.2	14	26.8	12.3-41.3	9	8.8	01.9-15.7	8	9.0	00.0-18.2	8	10.6	01.0-20.2
Non-Native	2108	244,889	116	17.4	14.5-20.3	261	18.3	15.9-20.7	274	14.0	12.0-16.0	394	18.0	15.8-20.2	515	15.5	13.9-17.1	548	16.8	15.2-18.4
Less Than H.S.	180	33,322	15	25.0	14.2-35.8	12	9.8	03.5-16.1	7	6.6	01.3-11.9	29	19.2	11.2-27.2	19	6.7	03.0-10.4	98	32.6	24.6-40.6
H.S. or G.E.D.	640	72,857	40	16.2	11.5-20.9	60	15.8	11.9-19.7	74	15.3	11.6-19.0	118	16.6	13.3-19.9	139	14.2	11.5-16.9	209	21.9	18.6-25.2
Some Post-H.S.	655	95,872	51	21.9	16.8-27.0	92	19.9	16.0-23.8	86	13.9	10.8-17.0	126	17.9	14.6-21.2	186	17.2	14.3-20.1	114	9.3	07.3-11.3
College Graduate	717	55,563	20	9.2	05.5-12.9	107	23.2	19.1-27.3	124	18.5	15.0-22.0	136	17.5	14.4-20.6	183	18.6	15.7-21.5	147	13.1	10.7-15.5
Less than \$15,000	124	18,999	20	46.4	33.1-59.7	6	6.6	00.3-12.9	14	11.0	04.1-17.9	17	9.1	02.8-15.4	32	13.3	06.4-20.2	35	13.7	07.4-20.0
\$15,000- 24,999	241	30,210	16	22.2	12.6-31.8	35	22.0	14.6-29.4	16	10.2	04.3-16.1	31	11.2	05.5-16.9	47	9.1	05.6-12.6	96	25.4	18.9-31.9
\$25,000- 34,999	244	29,979	14	18.8	10.0-27.6	27	15.6	09.3-21.9	24	11.5	06.4-16.6	35	16.2	09.7-22.7	41	10.5	06.4-14.6	103	27.5	21.0-34.0
\$35,000- 49,999	390	48,348	23	15.7	09.8-21.6	51	20.9	15.4-26.4	37	11.9	07.6-16.2	77	19.2	14.3-24.1	92	15.3	11.6-19.0	110	16.9	13.4-20.4
\$50,000- 74,999	413	44,616	14	9.4	04.5-14.3	67	22.4	17.1-27.7	67	18.0	13.5-22.5	87	20.5	15.8-25.2	104	18.2	14.3-22.1	74	11.6	08.7-14.5
\$75,000+	592	60,160	13	7.2	03.3-11.1	71	17.8	13.5-22.1	117	19.8	15.9-23.7	134	24.2	19.9-28.5	176	21.3	18.0-24.6	81	9.8	07.4-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3056	255,953	126	16.0	13.5-18.5	302	15.7	13.9-17.5	330	13.4	11.8-15.0	575	17.7	16.1-19.3	637	14.8	13.4-16.2	1086	22.3	20.7-23.9
Native	82	8,281	6	31.4	11.8-51.0	18	22.5	10.3-34.7	13	14.7	04.7-24.7	16	11.6	04.3-18.9	18	14.7	06.3-23.1	11	5.1	01.4-08.8
Non-Native	2949	245,850	119	15.4	12.9-17.9	283	15.6	13.6-17.6	317	13.5	11.7-15.3	554	17.9	16.3-19.5	619	15.0	13.6-16.4	1057	22.6	21.0-24.2
Less Than H.S.	178	19,523	12	28.7	15.4-42.0	4	6.0	00.0-12.5	7	6.7	00.0-13.8	8	6.7	01.8-11.6	14	6.8	02.3-11.3	133	45.0	33.8-56.2
H.S. or G.E.D.	897	71,644	38	18.3	13.2-23.4	54	11.5	08.2-14.8	52	8.6	06.1-11.1	153	18.0	14.9-21.1	168	13.8	11.4-16.2	432	29.9	26.4-33.4
Some Post-H.S.	977	98,522	37	14.1	10.0-18.2	89	15.8	12.5-19.1	100	14.1	11.2-17.0	212	20.4	17.5-23.3	230	16.7	14.2-19.2	309	19.0	16.5-21.5
College Graduate	1000	66,076	39	12.7	09.0-16.4	155	23.2	19.7-26.7	170	19.6	16.7-22.5	202	16.7	14.3-19.1	225	15.6	13.2-18.0	209	12.1	10.1-14.1
Less than \$15,000	261	21,837	23	34.5	23.5-45.5	13	8.4	02.7-14.1	12	4.2	01.3-07.1	30	12.1	06.2-18.0	50	10.8	06.3-15.3	133	30.1	22.5-37.7
\$15,000- 24,999	443	36,557	19	18.1	10.8-25.4	42	19.7	13.4-26.0	25	9.0	04.5-13.5	45	8.6	05.5-11.7	73	10.8	07.5-14.1	239	33.8	28.1-39.5
\$25,000- 34,999	352	27,001	10	10.5	04.0-17.0	29	17.2	10.9-23.5	25	13.0	07.1-18.9	59	14.9	10.4-19.4	70	14.6	10.5-18.7	159	29.8	24.1-35.5
\$35,000- 49,999	406	36,930	17	12.0	06.3-17.7	54	20.6	15.1-26.1	42	13.8	09.3-18.3	76	19.4	14.7-24.1	87	14.7	11.0-18.4	130	19.4	15.7-23.1
\$50,000- 74,999	459	38,385	11	6.7	02.6-10.8	55	17.9	13.2-22.6	56	15.3	11.2-19.4	125	25.5	21.0-30.0	126	21.7	17.6-25.8	86	12.9	09.8-16.0
\$75,000+	636	53,946	12	7.7	03.2-12.2	80	16.2	12.5-19.9	149	25.9	21.8-30.0	195	28.2	24.3-32.1	146	16.4	13.5-19.3	54	5.5	03.7-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5276	515,526	71	2.1	01.5-02.7	5205	97.9	97.3-98.5
Male	2200	257,987	34	2.3	01.3-03.3	2166	97.7	96.7-98.7
Female	3076	257,539	37	2.0	01.0-03.0	3039	98.0	97.0-99.0
18-24	249	86,272	6	3.1	00.6-05.6	243	96.9	94.4-99.4
25-34	571	86,636	8	1.6	00.2-03.0	563	98.4	97.0-99.8
35-44	621	71,379	12	2.9	01.1-04.7	609	97.1	95.3-98.9
45-54	982	90,586	13	2.5	00.7-04.3	969	97.5	95.7-99.3
55-64	1164	77,384	9	1.2	00.2-02.2	1155	98.8	97.8-99.8
65+	1638	99,121	22	1.7	00.7-02.7	1616	98.3	97.3-99.3
Less Than H.S.	358	52,935	16	6.8	02.7-10.9	342	93.2	89.1-97.3
H.S. or G.E.D.	1544	144,658	28	2.3	01.1-03.5	1516	97.7	96.5-98.9
Some Post-H.S.	1644	195,554	17	1.7	00.7-02.7	1627	98.3	97.3-99.3
College Graduate	1724	122,144	10	0.6	00.2-01.0	1714	99.4	99.0-99.8
Less than \$15,000	387	41,157	9	2.4	00.2-04.6	378	97.6	95.4-99.8
\$15,000- 24,999	685	66,675	12	2.9	00.9-04.9	673	97.1	95.1-99.1
\$25,000- 34,999	594	56,845	13	4.4	01.5-07.3	581	95.6	92.7-98.5
\$35,000- 49,999	798	85,162	9	1.6	00.2-03.0	789	98.4	97.0-99.8
\$50,000- 74,999	876	83,398	9	1.0	00.2-01.8	867	99.0	98.2-99.8
\$75,000+	1231	114,151	12	1.6	00.4-02.8	1219	98.4	97.2-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2200	257,987	34	2.3	01.3-03.3	2166	97.7	96.7-98.7
18-24	124	45,742	2	1.7	00.0-04.1	122	98.3	95.9-0100
25-34	270	46,425	2	1.2	00.0-02.8	268	98.8	97.2-0100
35-44	291	36,966	6	2.7	00.3-05.1	285	97.3	94.9-99.7
45-54	408	45,295	9	4.0	00.7-07.3	399	96.0	92.7-99.3
55-64	527	39,379	4	1.4	00.0-02.8	523	98.6	97.2-0100
65+	564	42,741	11	2.7	00.7-04.7	553	97.3	95.3-99.3
Less Than H.S.	180	33,471	9	5.8	01.1-10.5	171	94.2	89.5-98.9
H.S. or G.E.D.	640	72,867	14	2.9	01.1-04.7	626	97.1	95.3-98.9
Some Post-H.S.	659	95,917	6	1.5	00.1-02.9	653	98.5	97.1-99.9
College Graduate	720	55,695	5	0.7	00.1-01.3	715	99.3	98.7-99.9
Less than \$15,000	126	19,048	3	1.4	00.0-03.6	123	98.6	96.4-0100
\$15,000- 24,999	241	30,123	7	4.4	00.7-08.1	234	95.6	91.9-99.3
\$25,000- 34,999	242	29,839	9	7.2	01.9-12.5	233	92.8	87.5-98.1
\$35,000- 49,999	392	48,207	6	1.5	00.0-03.1	386	98.5	96.9-0100
\$50,000- 74,999	415	44,793	2	0.5	00.0-01.3	413	99.5	98.7-0100
\$75,000+	593	59,972	6	1.7	00.0-03.5	587	98.3	96.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3076	257,539	37	2.0	01.0-03.0	3039	98.0	97.0-99.0
18-24	125	40,530	4	4.6	00.1-09.1	121	95.4	90.9-99.9
25-34	301	40,211	6	2.2	00.0-04.4	295	97.8	95.6-0100
35-44	330	34,413	6	3.1	00.2-06.0	324	96.9	94.0-99.8
45-54	574	45,290	4	0.9	00.0-02.1	570	99.1	97.9-0100
55-64	637	38,006	5	1.0	00.0-02.2	632	99.0	97.8-0100
65+	1074	56,379	11	1.0	00.2-01.8	1063	99.0	98.2-99.8
Less Than H.S.	178	19,464	7	8.6	00.8-16.4	171	91.4	83.6-99.2
H.S. or G.E.D.	904	71,791	14	1.7	00.3-03.1	890	98.3	96.9-99.7
Some Post-H.S.	985	99,637	11	2.0	00.6-03.4	974	98.0	96.6-99.4
College Graduate	1004	66,448	5	0.5	00.0-01.1	999	99.5	98.9-0100
Less than \$15,000	261	22,109	6	3.3	00.0-06.8	255	96.7	93.2-0100
\$15,000- 24,999	444	36,552	5	1.7	00.0-03.7	439	98.3	96.3-0100
\$25,000- 34,999	352	27,006	4	1.4	00.0-03.6	348	98.6	96.4-0100
\$35,000- 49,999	406	36,955	3	1.6	00.0-04.1	403	98.4	95.9-0100
\$50,000- 74,999	461	38,605	7	1.5	00.1-02.9	454	98.5	97.1-99.9
\$75,000+	638	54,179	6	1.6	00.0-03.2	632	98.4	96.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5306	518,017	5262	98.4	97.8-99.0	44	1.6	01.0-02.2
Male	2211	259,122	2190	98.3	97.3-99.3	21	1.7	00.7-02.7
Female	3095	258,895	3072	98.6	97.8-99.4	23	1.4	00.6-02.2
18-24	252	87,225	245	97.7	95.7-99.7	7	2.3	00.3-04.3
25-34	573	86,927	565	97.8	96.2-99.4	8	2.2	00.6-03.8
35-44	621	71,379	614	97.6	95.6-99.6	7	2.4	00.4-04.4
45-54	984	90,674	972	98.0	96.6-99.4	12	2.0	00.6-03.4
55-64	1164	77,384	1157	99.5	98.9-0100	7	0.5	00.0-01.1
65+	1654	99,977	1652	99.9	99.7-0100	2	0.1	00.0-00.3
Less Than H.S.	363	53,698	357	97.6	95.1-0100	6	2.4	00.0-04.9
H.S. or G.E.D.	1555	145,145	1544	98.5	97.5-99.5	11	1.5	00.5-02.5
Some Post-H.S.	1653	196,670	1634	98.0	97.0-99.0	19	2.0	01.0-03.0
College Graduate	1727	122,233	1719	99.4	98.8-0100	8	0.6	00.0-01.2
Less than \$15,000	389	41,262	385	98.3	95.9-0100	4	1.7	00.0-04.1
\$15,000- 24,999	690	66,897	682	97.6	95.4-99.8	8	2.4	00.2-04.6
\$25,000- 34,999	598	57,039	595	98.9	97.5-0100	3	1.1	00.0-02.5
\$35,000- 49,999	800	85,627	795	98.9	97.9-99.9	5	1.1	00.1-02.1
\$50,000- 74,999	876	83,398	869	98.2	96.8-99.6	7	1.8	00.4-03.2
\$75,000+	1232	114,416	1223	98.4	97.2-99.6	9	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2211	259,122	2190	98.3	97.3-99.3	21	1.7	00.7-02.7
18-24	126	46,230	124	98.1	95.6-0100	2	1.9	00.0-04.4
25-34	271	46,690	266	97.9	95.9-99.9	5	2.1	00.1-04.1
35-44	291	36,966	288	97.3	94.0-0100	3	2.7	00.0-06.0
45-54	409	45,343	401	96.6	93.9-99.3	8	3.4	00.7-06.1
55-64	527	39,379	524	99.7	99.3-0100	3	0.3	00.0-00.7
65+	568	43,006	568	100.0	0100-0100			
Less Than H.S.	182	33,995	179	96.6	92.5-0100	3	3.4	00.0-07.5
H.S. or G.E.D.	644	73,056	638	98.3	96.7-99.9	6	1.7	00.1-03.3
Some Post-H.S.	662	96,303	655	98.2	96.8-99.6	7	1.8	00.4-03.2
College Graduate	721	55,709	716	99.2	98.2-0100	5	0.8	00.0-01.8
Less than \$15,000	126	19,048	124	97.1	92.2-0100	2	2.9	00.0-07.8
\$15,000- 24,999	243	30,247	238	94.8	90.1-99.5	5	5.2	00.5-09.9
\$25,000- 34,999	244	29,979	243	99.4	98.2-0100	1	0.6	00.0-01.8
\$35,000- 49,999	393	48,632	392	99.7	99.1-0100	1	0.3	00.0-00.9
\$50,000- 74,999	415	44,793	413	99.3	98.3-0100	2	0.7	00.0-01.7
\$75,000+	594	60,237	587	97.4	95.0-99.8	7	2.6	00.2-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	258,895	3072	98.6	97.8-99.4	23	1.4	00.6-02.2
18-24	126	40,995	121	97.3	94.6-0100	5	2.7	00.0-05.4
25-34	302	40,237	299	97.8	95.4-0100	3	2.2	00.0-04.6
35-44	330	34,413	326	97.9	95.5-0100	4	2.1	00.0-04.5
45-54	575	45,331	571	99.4	98.6-0100	4	0.6	00.0-01.4
55-64	637	38,006	633	99.3	98.3-0100	4	0.7	00.0-01.7
65+	1086	56,971	1084	99.9	99.7-0100	2	0.1	00.0-00.3
Less Than H.S.	181	19,703	178	99.4	98.6-0100	3	0.6	00.0-01.4
H.S. or G.E.D.	911	72,089	906	98.7	97.3-0100	5	1.3	00.0-02.7
Some Post-H.S.	991	100,368	979	97.8	96.4-99.2	12	2.2	00.8-03.6
College Graduate	1006	66,524	1003	99.5	98.9-0100	3	0.5	00.0-01.1
Less than \$15,000	263	22,213	261	99.3	98.3-0100	2	0.7	00.0-01.7
\$15,000- 24,999	447	36,650	444	99.8	99.6-0100	3	0.2	00.0-00.4
\$25,000- 34,999	354	27,060	352	98.3	95.8-0100	2	1.7	00.0-04.2
\$35,000- 49,999	407	36,995	403	97.9	95.7-0100	4	2.1	00.0-04.3
\$50,000- 74,999	461	38,605	456	97.0	94.3-99.7	5	3.0	00.3-05.7
\$75,000+	638	54,179	636	99.6	99.0-0100	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5302	517,733	654	11.8	10.6-13.0	4648	88.2	87.0-89.4
Male	2207	258,837	598	21.4	19.2-23.6	1609	78.6	76.4-80.8
Female	3095	258,895	56	2.2	01.4-03.0	3039	97.8	97.0-98.6
18-24	252	87,225	12	4.9	02.2-07.6	240	95.1	92.4-97.8
25-34	573	86,927	40	7.8	05.1-10.5	533	92.2	89.5-94.9
35-44	621	71,379	56	10.0	07.1-12.9	565	90.0	87.1-92.9
45-54	984	90,674	83	10.4	07.9-12.9	901	89.6	87.1-92.1
55-64	1164	77,384	155	14.9	12.4-17.4	1009	85.1	82.6-87.6
65+	1650	99,693	302	21.7	19.0-24.4	1348	78.3	75.6-81.0
Less Than H.S.	363	53,698	42	9.3	06.0-12.6	321	90.7	87.4-94.0
H.S. or G.E.D.	1553	144,963	215	14.5	12.1-16.9	1338	85.5	83.1-87.9
Some Post-H.S.	1652	196,622	204	11.9	09.9-13.9	1448	88.1	86.1-90.1
College Graduate	1726	122,178	192	9.6	08.0-11.2	1534	90.4	88.8-92.0
Less than \$15,000	389	41,262	38	9.2	05.1-13.3	351	90.8	86.7-94.9
\$15,000- 24,999	689	66,799	92	12.1	08.8-15.4	597	87.9	84.6-91.2
\$25,000- 34,999	597	56,991	89	14.3	10.6-18.0	508	85.7	82.0-89.4
\$35,000- 49,999	799	85,544	131	15.5	12.4-18.6	668	84.5	81.4-87.6
\$50,000- 74,999	876	83,398	113	13.0	10.3-15.7	763	87.0	84.3-89.7
\$75,000+	1232	114,416	141	11.5	09.3-13.7	1091	88.5	86.3-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2207	258,837	598	21.4	19.2-23.6	1609	78.6	76.4-80.8
18-24	126	46,230	9	7.0	02.3-11.7	117	93.0	88.3-97.7
25-34	271	46,690	36	13.1	08.4-17.8	235	86.9	82.2-91.6
35-44	291	36,966	42	14.6	09.7-19.5	249	85.4	80.5-90.3
45-54	409	45,343	71	18.4	13.7-23.1	338	81.6	76.9-86.3
55-64	527	39,379	146	27.9	23.2-32.6	381	72.1	67.4-76.8
65+	564	42,721	290	49.2	44.1-54.3	274	50.8	45.7-55.9
Less Than H.S.	182	33,995	41	14.4	09.1-19.7	141	85.6	80.3-90.9
H.S. or G.E.D.	642	72,875	204	27.3	23.0-31.6	438	72.7	68.4-77.0
Some Post-H.S.	661	96,255	178	20.7	17.2-24.2	483	79.3	75.8-82.8
College Graduate	720	55,654	174	19.4	16.1-22.7	546	80.6	77.3-83.9
Less than \$15,000	126	19,048	36	18.5	10.1-26.9	90	81.5	73.1-89.9
\$15,000- 24,999	242	30,148	78	21.6	14.9-28.3	164	78.4	71.7-85.1
\$25,000- 34,999	243	29,931	83	25.3	18.6-32.0	160	74.7	68.0-81.4
\$35,000- 49,999	392	48,549	122	24.6	19.5-29.7	270	75.4	70.3-80.5
\$50,000- 74,999	415	44,793	104	22.1	17.2-27.0	311	77.9	73.0-82.8
\$75,000+	594	60,237	129	20.0	16.3-23.7	465	80.0	76.3-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	258,895	56	2.2	01.4-03.0	3039	97.8	97.0-98.6
18-24	126	40,995	3	2.5	00.0-05.4	123	97.5	94.6-0100
25-34	302	40,237	4	1.7	00.0-03.7	298	98.3	96.3-0100
35-44	330	34,413	14	5.1	02.2-08.0	316	94.9	92.0-97.8
45-54	575	45,331	12	2.4	00.8-04.0	563	97.6	96.0-99.2
55-64	637	38,006	9	1.5	00.3-02.7	628	98.5	97.3-99.7
65+	1086	56,971	12	1.1	00.3-01.9	1074	98.9	98.1-99.7
Less Than H.S.	181	19,703	1	0.5	00.0-01.5	180	99.5	98.5-0100
H.S. or G.E.D.	911	72,089	11	1.6	00.4-02.8	900	98.4	97.2-99.6
Some Post-H.S.	991	100,368	26	3.6	01.8-05.4	965	96.4	94.6-98.2
College Graduate	1006	66,524	18	1.5	00.7-02.3	988	98.5	97.7-99.3
Less than \$15,000	263	22,213	2	1.2	00.0-03.0	261	98.8	97.0-0100
\$15,000- 24,999	447	36,650	14	4.2	01.3-07.1	433	95.8	92.9-98.7
\$25,000- 34,999	354	27,060	6	2.0	00.0-04.4	348	98.0	95.6-0100
\$35,000- 49,999	407	36,995	9	3.4	00.3-06.5	398	96.6	93.5-99.7
\$50,000- 74,999	461	38,605	9	2.5	00.7-04.3	452	97.5	95.7-99.3
\$75,000+	638	54,179	12	2.1	00.7-03.5	626	97.9	96.5-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5284	516,269	3045	54.9	53.1-56.7	595	9.2	08.2-10.2	793	6.7	06.1-07.3	45	1.1	00.7-01.5	707	24.3	22.3-26.3	99	3.9	02.9-04.9
Male	2206	258,627	1339	52.9	50.2-55.6	264	10.0	08.4-11.6	133	3.0	02.4-03.6	17	0.9	00.3-01.5	414	29.8	26.9-32.7	39	3.4	02.2-04.6
Female	3078	257,642	1706	56.8	54.3-59.3	331	8.5	07.1-09.9	660	10.4	09.4-11.4	28	1.3	00.7-01.9	293	18.7	16.2-21.2	60	4.3	02.9-05.7
Native	134	17,777	36	21.1	12.9-29.3	30	14.4	07.3-21.5	16	4.4	01.9-06.9	7	4.0	00.1-07.9	41	50.8	38.6-63.0	4	5.3	00.0-11.0
Non-Native	5090	493,215	2987	56.2	54.4-58.0	558	9.1	08.1-10.1	759	6.7	06.1-07.3	37	1.0	00.6-01.4	656	23.3	21.3-25.3	93	3.8	02.8-04.8
18-24	251	86,819	38	10.4	06.7-14.1	1	0.2	00.0-00.6				1	0.5	00.0-01.5	187	79.3	74.2-84.4	24	9.7	05.8-13.6
25-34	572	86,757	351	52.4	47.5-57.3	37	7.1	04.4-09.8	3	0.4	00.0-01.0	12	2.5	00.7-04.3	140	31.3	26.6-36.0	29	6.3	03.8-08.8
35-44	620	71,323	445	64.9	60.0-69.8	66	11.9	08.6-15.2	6	0.7	00.0-01.5	10	2.0	00.4-03.6	83	17.6	13.5-21.7	10	2.9	00.7-05.1
45-54	981	90,624	673	70.9	67.2-74.6	143	14.9	11.8-18.0	18	1.4	00.4-02.4	6	0.7	00.0-01.5	122	9.2	06.8-11.6	19	2.8	01.2-04.4
55-64	1162	77,366	758	71.9	68.6-75.2	192	14.7	12.0-17.4	79	4.3	03.1-05.5	12	0.9	00.3-01.5	107	6.4	04.6-08.2	14	1.8	00.6-03.0
65+	1645	99,309	756	60.5	57.6-63.4	148	7.7	05.9-09.5	674	28.8	26.3-31.3	4	0.1	00.0-00.3	60	2.7	01.7-03.7	3	0.2	00.0-00.4
Less Than H.S.	361	53,483	127	38.6	31.5-45.7	44	11.3	06.6-16.0	129	13.6	10.3-16.9	6	1.8	00.0-03.8	51	31.7	23.5-39.9	4	2.9	00.0-06.0
H.S. or G.E.D.	1551	144,447	808	51.2	47.9-54.5	173	9.2	07.4-11.0	318	8.9	07.5-10.3	14	1.2	00.4-02.0	205	24.6	21.1-28.1	33	4.9	02.9-06.9
Some Post-H.S.	1647	196,234	949	55.2	52.1-58.3	216	10.1	08.3-11.9	207	5.2	04.2-06.2	14	1.1	00.3-01.9	228	24.5	21.2-27.8	33	3.9	02.3-05.5
College Graduate	1719	121,884	1159	65.6	62.7-68.5	162	7.0	05.6-08.4	135	3.5	02.7-04.3	11	0.6	00.2-01.0	223	20.4	17.5-23.3	29	3.0	01.8-04.2
Less than \$15,000	386	40,620	55	14.5	09.4-19.6	79	18.1	12.4-23.8	121	13.1	09.4-16.8	9	1.8	00.2-03.4	114	47.9	39.9-55.9	8	4.5	00.8-08.2
\$15,000- 24,999	683	66,526	194	29.4	24.7-34.1	137	15.1	11.4-18.8	195	14.5	11.6-17.4	11	3.6	01.2-06.0	129	34.1	28.0-40.2	17	3.3	01.1-05.5
\$25,000- 34,999	596	56,970	237	40.6	35.3-45.9	108	15.0	11.3-18.7	129	9.5	07.3-11.7	7	1.1	00.0-02.3	103	29.0	23.1-34.9	12	4.8	01.7-07.9
\$35,000- 49,999	797	85,423	484	57.2	52.5-61.9	99	11.0	08.3-13.7	84	4.3	03.1-05.5	5	0.8	00.0-01.8	112	22.5	18.0-27.0	13	4.1	01.7-06.5
\$50,000- 74,999	876	83,398	656	72.4	68.3-76.5	64	6.5	04.3-08.7	48	2.3	01.5-03.1	5	0.6	00.0-01.2	80	13.9	10.4-17.4	23	4.4	02.4-06.4
\$75,000+	1232	114,416	1082	83.9	80.6-87.2	49	3.8	02.2-05.4	31	1.2	00.6-01.8	3	0.1	00.0-00.3	53	8.0	05.3-10.7	14	2.9	01.1-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2206	258,627	1339	52.9	50.2-55.6	264	10.0	08.4-11.6	133	3.0	02.4-03.6	17	0.9	00.3-01.5	414	29.8	26.9-32.7	39	3.4	02.2-04.6
Native	53	9,512	11	14.7	04.1-25.3	12	15.8	04.6-27.0	1	0.6	00.0-01.8	1	1.1	00.0-03.3	26	60.6	44.1-77.1	2	7.2	00.0-16.8
Non-Native	2120	245,847	1314	54.5	51.8-57.2	247	9.7	08.1-11.3	126	3.0	02.2-03.8	16	0.9	00.3-01.5	381	28.7	25.8-31.6	36	3.2	02.0-04.4
18-24	126	46,230	12	8.2	03.1-13.3	1	0.3	00.0-00.9				1	0.9	00.0-02.7	103	83.9	77.0-90.8	9	6.7	02.2-11.2
25-34	270	46,520	148	46.2	39.3-53.1	19	7.7	03.6-11.8	1	0.6	00.0-01.8	3	1.3	00.0-02.7	88	38.8	31.9-45.7	11	5.5	02.0-09.0
35-44	291	36,966	194	58.2	51.1-65.3	34	12.8	08.1-17.5				2	0.8	00.0-02.2	56	25.4	18.7-32.1	5	2.8	00.0-05.9
45-54	409	45,343	257	64.6	58.5-70.7	61	16.7	11.6-21.8	7	1.4	00.0-02.8	3	1.1	00.0-02.5	74	13.2	08.9-17.5	7	3.0	00.5-05.5
55-64	526	39,370	355	73.0	68.1-77.9	87	15.6	11.5-19.7	13	1.4	00.4-02.4	7	0.9	00.1-01.7	57	7.3	04.6-10.0	7	1.8	00.0-03.6
65+	567	42,741	365	73.7	69.4-78.0	58	8.1	05.2-11.0	111	14.5	11.2-17.8	1	0.2	00.0-00.6	32	3.6	01.8-05.4			
Less Than H.S.	182	33,995	78	43.2	33.6-52.8	30	12.8	06.3-19.3	34	8.0	04.7-11.3	4	1.6	00.0-03.2	33	30.0	19.4-40.6	3	4.4	00.0-09.3
H.S. or G.E.D.	643	72,791	364	51.0	46.1-55.9	75	9.8	07.1-12.5	47	3.0	02.0-04.0	5	1.2	00.0-02.4	140	31.6	26.5-36.7	12	3.4	01.2-05.6
Some Post-H.S.	662	96,303	389	50.7	45.8-55.6	90	10.3	07.6-13.0	29	2.0	01.0-03.0	5	0.7	00.0-01.5	136	32.9	27.8-38.0	13	3.4	01.2-05.6
College Graduate	718	55,516	507	65.1	60.4-69.8	69	7.8	05.4-10.2	23	1.8	00.6-03.0	3	0.4	00.0-01.0	105	22.1	17.6-26.6	11	2.7	00.9-04.5
Less than \$15,000	125	19,012	18	14.2	05.8-22.6	25	15.7	07.1-24.3	15	5.0	01.1-08.9	3	2.1	00.0-04.8	61	58.6	46.3-70.9	3	4.3	00.0-09.8
\$15,000- 24,999	242	29,982	85	32.5	24.7-40.3	49	13.7	08.0-19.4	31	7.5	04.0-11.0	3	1.6	00.0-03.8	70	41.7	32.1-51.3	4	3.1	00.0-06.8
\$25,000- 34,999	244	29,979	110	41.2	33.2-49.2	45	14.0	08.5-19.5	28	4.4	02.4-06.4	1	0.6	00.0-01.8	56	36.4	27.4-45.4	4	3.4	00.0-07.5
\$35,000- 49,999	391	48,453	230	50.5	44.2-56.8	53	12.7	08.6-16.8	20	1.9	00.7-03.1	3	1.3	00.0-03.1	79	30.5	24.0-37.0	6	3.1	00.4-05.8
\$50,000- 74,999	415	44,793	300	66.6	60.5-72.7	37	7.9	04.6-11.2	10	1.0	00.4-01.6	3	0.4	00.0-01.0	54	19.9	14.2-25.6	11	4.2	01.7-06.7
\$75,000+	594	60,237	501	79.7	74.8-84.6	39	6.4	03.7-09.1	10	1.1	00.1-02.1	1	0.0	00.0-00.0	36	9.9	06.0-13.8	7	2.9	00.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3078	257,642	1706	56.8	54.4-59.2	331	8.5	07.1-09.9	660	10.4	09.4-11.4	28	1.3	00.7-01.9	293	18.7	16.2-21.2	60	4.3	02.9-05.7
Native	81	8,265	25	28.5	15.6-41.4	18	12.7	04.7-20.7	15	8.7	03.0-14.4	6	7.3	00.0-15.1	15	39.6	21.2-58.0	2	3.2	00.0-07.9
Non-Native	2970	247,368	1673	57.9	55.5-60.3	311	8.4	07.0-09.8	633	10.3	09.3-11.3	21	1.1	00.5-01.7	275	17.9	15.4-20.4	57	4.4	03.0-05.8
18-24	125	40,589	26	13.0	07.7-18.3										84	73.9	66.1-81.7	15	13.1	06.6-19.6
25-34	302	40,237	203	59.5	52.6-66.4	18	6.5	03.0-10.0	2	0.2	00.0-00.6	9	3.9	00.8-07.0	52	22.7	16.6-28.8	18	7.2	03.5-10.9
35-44	329	34,357	251	72.2	65.7-78.7	32	11.0	06.5-15.5	6	1.5	00.0-03.3	8	3.3	00.4-06.2	27	9.1	04.4-13.8	5	2.9	00.2-05.6
45-54	572	45,282	416	77.2	73.1-81.3	82	13.2	09.7-16.7	11	1.5	00.3-02.7	3	0.3	00.0-00.7	48	5.2	03.2-07.2	12	2.6	01.0-04.2
55-64	636	37,996	403	70.8	66.5-75.1	105	13.8	10.3-17.3	66	7.3	05.1-09.5	5	0.9	00.0-01.9	50	5.5	03.3-07.7	7	1.7	00.3-03.1
65+	1078	56,569	391	50.5	46.6-54.4	90	7.4	05.0-09.8	563	39.7	36.0-43.4	3	0.1	00.0-00.3	28	2.0	01.0-03.0	3	0.3	00.0-00.7
Less Than H.S.	179	19,488	49	30.6	20.8-40.4	14	8.7	02.6-14.8	95	23.6	16.5-30.7	2	2.3	00.0-06.6	18	34.5	21.2-47.8	1	0.3	00.0-00.9
H.S. or G.E.D.	908	71,656	444	51.4	46.9-55.9	98	8.6	06.2-11.0	271	14.9	12.4-17.4	9	1.2	00.2-02.2	65	17.5	12.8-22.2	21	6.4	03.5-09.3
Some Post-H.S.	985	99,932	560	59.6	55.5-63.7	126	9.9	07.5-12.3	178	8.2	06.8-09.6	9	1.5	00.3-02.7	92	16.3	12.4-20.2	20	4.5	02.1-06.9
College Graduate	1001	66,367	652	66.0	62.1-69.9	93	6.2	04.4-08.0	112	4.9	03.7-06.1	8	0.7	00.1-01.3	118	18.9	15.2-22.6	18	3.2	01.4-05.0
Less than \$15,000	261	21,609	37	14.8	09.1-20.5	54	20.2	12.8-27.6	106	20.3	14.4-26.2	6	1.5	00.3-02.7	53	38.5	27.9-49.1	5	4.8	00.0-09.7
\$15,000- 24,999	441	36,544	109	27.0	21.1-32.9	88	16.3	11.6-21.0	164	20.2	15.9-24.5	8	5.3	01.4-09.2	59	27.9	20.3-35.5	13	3.4	01.0-05.8
\$25,000- 34,999	352	26,991	127	40.0	32.9-47.1	63	16.1	10.8-21.4	101	15.2	11.5-18.9	6	1.7	00.0-03.9	47	20.7	13.6-27.8	8	6.3	01.4-11.2
\$35,000- 49,999	406	36,971	254	65.9	59.6-72.2	46	8.7	05.2-12.2	64	7.4	05.0-09.8	2	0.2	00.0-00.6	33	12.1	07.0-17.2	7	5.5	01.2-09.8
\$50,000- 74,999	461	38,605	356	79.1	74.2-84.0	27	4.8	02.4-07.2	38	3.7	02.3-05.1	2	0.7	00.0-01.7	26	7.1	03.4-10.8	12	4.5	01.6-07.4
\$75,000+	638	54,179	581	88.7	84.2-93.2	10	0.9	00.1-01.7	21	1.3	00.7-01.9	2	0.3	00.0-00.7	17	5.9	02.2-09.6	7	3.0	00.5-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5300	517,146	484	12.6	11.2-14.0	475	10.9	09.7-12.1	237	5.3	04.5-06.1	77	1.7	01.3-02.1	29	0.7	00.3-01.1	3998	68.9	67.1-70.7
Male	2209	258,770	225	12.8	10.8-14.8	194	10.2	08.4-12.0	105	4.5	03.3-05.7	29	1.2	00.6-01.8	16	0.7	00.3-01.1	1640	70.6	68.1-73.1
Female	3091	258,376	259	12.3	10.5-14.1	281	11.6	10.0-13.2	132	6.2	04.8-07.6	48	2.1	01.3-02.9	13	0.7	00.1-01.3	2358	67.1	64.7-69.5
Native	135	17,793	19	12.4	05.7-19.1	21	17.4	09.0-25.8	13	15.6	05.8-25.4	5	2.4	00.0-05.1	3	2.3	00.0-06.0	74	49.9	37.6-62.2
Non-Native	5104	494,138	461	12.5	11.1-13.9	448	10.6	09.4-11.8	222	5.0	04.2-05.8	71	1.6	01.2-02.0	26	0.6	00.2-01.0	3876	69.6	67.8-71.4
18-24	252	87,225	36	15.1	10.2-20.0	18	7.1	03.8-10.4	10	4.9	01.8-08.0	3	1.0	00.0-02.2	2	0.8	00.0-02.0	183	71.2	65.1-77.3
25-34	572	86,818	111	18.8	15.1-22.5	130	20.9	17.0-24.8	66	9.0	06.5-11.5	26	3.9	02.1-05.7	10	1.7	00.5-02.9	229	45.6	40.7-50.5
35-44	620	71,136	90	16.2	12.5-19.9	199	28.8	24.7-32.9	119	17.4	13.9-20.9	39	4.8	03.0-06.6	12	1.3	00.5-02.1	161	31.5	26.8-36.2
45-54	983	90,603	181	20.1	17.0-23.2	106	10.9	08.4-13.4	32	2.6	01.6-03.6	7	0.7	00.1-01.3	5	0.4	00.0-00.8	652	65.3	61.6-69.0
55-64	1163	77,249	49	4.9	03.3-06.5	17	1.5	00.7-02.3	7	0.5	00.1-00.9							1090	93.0	91.2-94.8
65+	1654	99,977	16	1.7	00.7-02.7	3	0.4	00.0-00.8	2	0.3	00.0-00.7	2	0.2	00.0-00.6				1631	97.4	96.2-98.6
Less Than H.S.	363	53,698	22	10.2	04.9-15.5	20	10.1	05.0-15.2	11	7.0	02.1-11.9	8	2.6	00.4-04.8				302	70.1	62.5-77.7
H.S. or G.E.D.	1554	144,902	103	10.4	08.0-12.8	93	9.0	06.8-11.2	56	5.6	03.8-07.4	17	1.7	00.7-02.7	10	0.9	00.1-01.7	1275	72.3	69.2-75.4
Some Post-H.S.	1650	196,191	191	15.6	13.2-18.0	143	11.1	09.1-13.1	62	4.0	02.8-05.2	17	1.2	00.6-01.8	8	0.8	00.2-01.4	1229	67.4	64.5-70.3
College Graduate	1726	122,097	168	11.3	09.3-13.3	219	13.2	11.2-15.2	108	6.4	05.0-07.8	35	1.9	01.1-02.7	11	0.5	00.1-00.9	1185	66.6	63.9-69.3
Less than \$15,000	387	40,947	20	7.6	03.3-11.9	16	7.2	02.5-11.9	10	6.9	01.8-12.0	7	1.5	00.0-03.1	2	0.9	00.0-02.5	332	75.8	68.4-83.2
\$15,000- 24,999	690	66,897	41	10.7	06.8-14.6	34	9.5	05.8-13.2	16	3.6	01.2-06.0	5	1.2	00.0-02.6	4	1.0	00.0-02.2	590	74.0	68.7-79.3
\$25,000- 34,999	598	57,039	51	12.0	08.3-15.7	31	6.1	03.2-09.0	13	3.0	01.0-05.0	7	1.8	00.2-03.4	5	0.8	00.0-01.6	491	76.3	71.4-81.2
\$35,000- 49,999	800	85,627	82	15.0	11.5-18.5	55	8.3	05.8-10.8	34	4.3	02.7-05.9	10	1.4	00.4-02.4	1	0.1	00.0-00.3	618	70.9	66.8-75.0
\$50,000- 74,999	876	83,398	111	15.6	12.5-18.7	100	12.5	09.8-15.2	51	6.9	04.7-09.1	13	1.9	00.7-03.1	10	1.2	00.4-02.0	591	61.9	57.8-66.0
\$75,000+	1232	114,416	151	14.1	11.6-16.6	201	17.7	15.0-20.4	100	7.5	05.9-09.1	27	1.8	01.0-02.6	7	0.9	00.0-01.9	746	58.0	54.5-61.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2209	258,770	225	12.8	10.8-14.8	194	10.2	08.4-12.0	105	4.5	03.3-05.7	29	1.2	00.6-01.8	16	0.7	00.3-01.1	1640	70.6	68.1-73.1
Native	53	9,512	9	15.6	04.4-26.8	6	10.9	00.9-20.9	4	9.4	00.0-19.0	1	2.4	00.0-07.1				33	61.7	45.2-78.2
Non-Native	2123	246,084	213	12.6	10.6-14.6	184	10.1	08.3-11.9	99	4.2	03.0-05.4	27	1.2	00.6-01.8	16	0.7	00.3-01.1	1584	71.2	68.7-73.7
18-24	126	46,230	17	14.2	07.5-20.9	9	7.2	02.3-12.1	4	3.1	00.0-06.6	1	0.6	00.0-01.8				95	75.0	66.8-83.2
25-34	270	46,582	53	18.0	12.9-23.1	43	15.0	10.1-19.9	23	5.8	03.1-08.5	5	1.3	00.0-02.7	6	2.0	00.2-03.8	140	57.8	51.1-64.5
35-44	290	36,723	35	12.8	08.1-17.5	80	25.1	19.2-31.0	57	16.4	11.5-21.3	15	4.2	01.8-06.6	5	1.0	00.0-02.0	98	40.5	33.4-47.6
45-54	409	45,343	82	22.1	17.2-27.0	48	12.6	08.3-16.9	14	2.1	00.9-03.3	6	1.3	00.1-02.5	5	0.9	00.0-01.9	254	61.0	55.1-66.9
55-64	527	39,379	29	6.2	03.7-08.7	11	1.8	00.6-03.0	5	0.9	00.1-01.7							482	91.1	88.4-93.8
65+	568	43,006	9	2.2	00.6-03.8	2	0.7	00.0-01.7	1	0.4	00.0-01.0	2	0.5	00.0-01.3				554	96.3	94.1-98.5
Less Than H.S.	182	33,995	12	8.8	02.3-15.3	11	10.3	03.6-17.0	6	5.0	00.0-10.1	4	1.7	00.0-03.5				149	74.2	64.8-83.6
H.S. or G.E.D.	643	72,813	56	10.6	07.5-13.7	44	9.5	06.4-12.6	27	5.0	02.8-07.2	7	1.5	00.3-02.7	6	1.2	00.0-02.4	503	72.3	67.8-76.8
Some Post-H.S.	661	96,194	90	16.9	13.2-20.6	61	10.4	07.5-13.3	24	3.0	01.6-04.4	4	0.6	00.0-01.2	3	0.4	00.0-01.0	479	68.7	64.2-73.2
College Graduate	721	55,709	67	11.1	08.2-14.0	78	10.5	08.0-13.0	48	6.3	04.3-08.3	14	1.8	00.8-02.8	7	0.8	00.2-01.4	507	69.6	65.5-73.7
Less than \$15,000	125	18,805	6	4.9	00.4-09.4	7	8.3	00.3-16.3	4	7.5	00.0-16.1	1	0.4	00.0-01.2				107	79.0	67.4-90.6
\$15,000- 24,999	243	30,247	13	7.9	03.2-12.6	10	7.5	02.4-12.6	5	1.3	00.0-02.7	2	0.4	00.0-01.0	3	2.0	00.0-04.4	210	80.9	73.8-88.0
\$25,000- 34,999	244	29,979	16	7.8	03.5-12.1	11	5.0	01.1-08.9	7	3.4	00.5-06.3	3	1.5	00.0-03.3	4	0.9	00.0-01.9	203	81.3	74.8-87.8
\$35,000- 49,999	393	48,632	48	17.6	12.5-22.7	23	7.1	03.6-10.6	12	2.6	00.8-04.4	2	0.8	00.0-02.0	1	0.1	00.0-00.3	307	71.7	65.8-77.6
\$50,000- 74,999	415	44,793	56	16.4	11.9-20.9	42	10.6	07.1-14.1	22	5.5	02.8-08.2	7	2.1	00.3-03.9	7	1.6	00.2-03.0	281	63.9	58.2-69.6
\$75,000+	594	60,237	71	13.1	09.6-16.6	85	16.3	12.4-20.2	53	7.8	05.4-10.2	11	1.2	00.4-02.0	1	0.1	00.0-00.3	373	61.5	56.6-66.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3091	258,376	259	12.3	10.5-14.1	281	11.6	10.0-13.2	132	6.2	04.8-07.6	48	2.1	01.3-02.9	13	0.7	00.1-01.3	2358	67.1	64.7-69.5
Native	82	8,281	10	8.8	02.5-15.1	15	24.9	11.2-38.6	9	22.8	05.9-39.7	4	2.3	00.0-04.8	3	5.0	00.0-12.8	41	36.3	20.4-52.2
Non-Native	2981	248,054	248	12.5	10.7-14.3	264	11.2	09.6-12.8	123	5.7	04.5-06.9	44	2.1	01.3-02.9	10	0.6	00.2-01.0	2292	68.0	65.6-70.4
18-24	126	40,995	19	16.2	08.9-23.5	9	7.0	02.5-11.5	6	6.9	01.4-12.4	2	1.4	00.0-03.6	2	1.8	00.0-04.3	88	66.8	57.8-75.8
25-34	302	40,237	58	19.7	14.4-25.0	87	27.7	21.6-33.8	43	12.8	08.5-17.1	21	7.0	03.5-10.5	4	1.3	00.0-02.9	89	31.5	25.2-37.8
35-44	330	34,413	55	19.8	14.1-25.5	119	32.8	26.9-38.7	62	18.4	13.5-23.3	24	5.5	03.1-07.9	7	1.6	00.2-03.0	63	21.8	16.1-27.5
45-54	574	45,261	99	18.0	14.3-21.7	58	9.2	06.7-11.7	18	3.2	01.6-04.8	1	0.1	00.0-00.3				398	69.6	65.3-73.9
55-64	636	37,870	20	3.6	01.8-05.4	6	1.3	00.1-02.5	2	0.2	00.0-00.6							608	94.9	92.7-97.1
65+	1086	56,971	7	1.3	00.1-02.5	1	0.1	00.0-00.3	1	0.3	00.0-00.9							1077	98.3	97.1-99.5
Less Than H.S.	181	19,703	10	12.5	03.1-21.9	9	9.8	02.4-17.2	5	10.6	01.0-20.2	4	4.1	00.0-09.2				153	63.0	50.5-75.5
H.S. or G.E.D.	911	72,089	47	10.2	06.9-13.5	49	8.5	05.8-11.2	29	6.3	03.8-08.8	10	1.9	00.5-03.3	4	0.7	00.0-01.7	772	72.3	67.8-76.8
Some Post-H.S.	989	99,997	101	14.4	11.3-17.5	82	11.7	09.0-14.4	38	5.0	03.2-06.8	13	1.7	00.7-02.7	5	1.1	00.0-02.3	750	66.1	62.0-70.2
College Graduate	1005	66,389	101	11.5	09.1-13.9	141	15.5	12.8-18.2	60	6.6	04.8-08.4	21	2.1	01.1-03.1	4	0.3	00.1-00.5	678	64.1	60.4-67.8
Less than \$15,000	262	22,142	14	9.9	03.0-16.8	9	6.3	01.2-11.4	6	6.5	00.8-12.2	6	2.6	00.0-05.3	2	1.7	00.0-04.6	225	73.1	63.5-82.7
\$15,000- 24,999	447	36,650	28	13.0	07.1-18.9	24	11.2	05.9-16.5	11	5.4	01.5-09.3	3	2.0	00.0-04.4	1	0.1	00.0-00.3	380	68.3	60.9-75.7
\$25,000- 34,999	354	27,060	35	16.6	10.3-22.9	20	7.3	03.2-11.4	6	2.5	00.0-05.0	4	2.2	00.0-04.7	1	0.6	00.0-01.8	288	70.8	63.5-78.1
\$35,000- 49,999	407	36,995	34	11.5	07.4-15.6	32	9.9	06.2-13.6	22	6.5	03.6-09.4	8	2.3	00.5-04.1				311	69.9	64.0-75.8
\$50,000- 74,999	461	38,605	55	14.7	10.6-18.8	58	14.8	10.7-18.9	29	8.6	05.1-12.1	6	1.6	00.2-03.0	3	0.7	00.0-01.7	310	59.6	54.1-65.1
\$75,000+	638	54,179	80	15.2	11.3-19.1	116	19.3	15.6-23.0	47	7.2	05.0-09.4	16	2.4	01.0-03.8	6	1.8	00.0-03.8	373	54.1	49.2-59.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5297	517,229	2	0.1	00.0-00.3	162	2.7	02.1-03.3	198	7.4	06.0-08.8	1555	28.1	26.5-29.7	1653	38.0	36.2-39.8	1727	23.6	22.2-25.0
Male	2208	258,545				78	3.2	02.4-04.0	103	9.7	07.3-12.1	644	28.3	25.9-30.7	662	37.2	34.5-39.9	721	21.5	19.5-23.5
Female	3089	258,684	2	0.2	00.0-00.6	84	2.2	01.6-02.8	95	5.2	03.6-06.8	911	27.9	25.7-30.1	991	38.8	36.4-41.2	1006	25.7	23.7-27.7
Native	135	17,793				5	1.1	00.0-02.3	13	19.8	07.3-32.3	44	35.4	24.2-46.6	40	31.1	19.9-42.3	33	12.7	07.0-18.4
Non-Native	5101	494,135	2	0.1	00.0-00.3	154	2.8	02.2-03.4	181	6.9	05.5-08.3	1492	27.9	26.1-29.7	1592	38.2	36.2-40.2	1680	24.1	22.7-25.5
18-24	252	87,225				1	0.3	00.0-00.9	26	15.6	09.9-21.3	78	28.6	22.7-34.5	88	39.9	33.2-46.6	59	15.5	11.6-19.4
25-34	573	86,927				1	0.3	00.0-00.9	15	4.8	02.1-07.5	114	22.7	18.6-26.8	181	39.8	34.9-44.7	262	32.4	28.3-36.5
35-44	620	71,250	1	0.6	00.0-01.8	2	0.3	00.0-00.9	11	4.0	01.1-06.9	126	24.3	20.0-28.6	186	38.1	33.4-42.8	294	32.6	28.7-36.5
45-54	984	90,674	1	0.1	00.0-00.3	3	0.5	00.0-01.5	33	7.8	04.7-10.9	271	27.5	24.2-30.8	338	41.1	37.2-45.0	338	22.9	20.2-25.6
55-64	1164	77,384				12	1.5	00.3-02.7	21	3.1	01.5-04.7	307	26.1	23.0-29.2	416	42.5	39.0-46.0	408	26.7	24.0-29.4
65+	1651	99,918				141	11.5	09.3-13.7	90	8.2	06.0-10.4	641	37.4	34.5-40.3	423	27.7	25.0-30.4	356	15.3	13.5-17.1
Less than \$15,000	388	41,225				37	6.4	03.5-09.3	32	16.4	09.3-23.5	155	29.2	22.5-35.9	110	36.3	28.3-44.3	54	11.8	07.5-16.1
\$15,000- 24,999	690	66,897				28	3.6	02.0-05.2	59	14.1	09.2-19.0	277	36.1	30.8-41.4	224	35.4	29.9-40.9	102	10.7	07.8-13.6
\$25,000- 34,999	598	57,039	1	0.8	00.0-02.4	18	3.1	01.1-05.1	28	9.6	05.3-13.9	219	32.9	27.8-38.0	197	37.5	31.8-43.2	135	16.1	12.6-19.6
\$35,000- 49,999	799	85,617				12	1.7	00.5-02.9	12	2.7	00.7-04.7	240	27.9	24.0-31.8	297	45.1	40.6-49.6	238	22.7	19.4-26.0
\$50,000- 74,999	876	83,398	1	0.2	00.0-00.6	10	1.5	00.3-02.7	9	2.0	00.4-03.6	212	26.8	23.1-30.5	296	40.5	36.4-44.6	348	29.0	25.7-32.3
\$75,000+	1231	114,287				8	1.0	00.2-01.8	9	3.1	00.9-05.3	188	17.5	14.8-20.2	347	38.3	34.8-41.8	679	40.1	37.0-43.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2208	258,545	78	3.2	02.4-04.0	103	9.7	07.3-12.1	644	28.3	25.9-30.7	662	37.2	34.5-39.9	721	21.5	19.5-23.5
Native	53	9,512	2	0.6	00.0-01.4	9	21.9	05.0-38.8	17	31.2	15.9-46.5	15	35.8	18.4-53.2	10	10.5	02.7-18.3
Non-Native	2122	245,773	76	3.4	02.4-04.4	90	9.0	06.6-11.4	617	28.3	25.8-30.8	637	37.3	34.4-40.2	702	22.0	20.0-24.0
18-24	126	46,230				15	18.0	09.6-26.4	40	25.6	18.0-33.2	51	45.4	36.0-54.8	20	11.0	06.1-15.9
25-34	271	46,690	1	0.6	00.0-01.8	11	6.4	02.1-10.7	60	24.7	18.6-30.8	92	40.8	33.9-47.7	107	27.6	22.1-33.1
35-44	291	36,966	1	0.4	00.0-01.2	6	5.5	00.8-10.2	74	30.2	23.7-36.7	86	36.0	29.1-42.9	124	27.9	22.4-33.4
45-54	409	45,343	3	1.0	00.0-02.8	26	13.1	07.4-18.8	118	26.6	21.5-31.7	126	37.9	31.8-44.0	136	21.4	17.3-25.5
55-64	527	39,379	6	1.1	00.1-02.1	13	4.6	01.7-07.5	139	26.2	21.7-30.7	186	41.8	36.5-47.1	183	26.3	22.2-30.4
65+	568	43,006	67	16.2	12.1-20.3	31	9.1	05.4-12.8	209	37.1	32.2-42.0	114	20.7	16.8-24.6	147	16.9	14.0-19.8
Less than \$15,000	125	19,012	12	4.6	00.9-08.3	15	22.3	10.1-34.5	48	23.7	14.7-32.7	37	41.8	28.7-54.9	13	7.6	02.3-12.9
\$15,000- 24,999	243	30,247	14	4.2	01.7-06.7	30	19.0	10.4-27.6	82	31.7	23.5-39.9	75	34.1	25.3-42.9	42	11.1	06.6-15.6
\$25,000- 34,999	244	29,979	11	4.7	01.2-08.2	19	15.4	08.0-22.8	98	33.6	26.0-41.2	67	35.0	26.6-43.4	49	11.3	07.2-15.4
\$35,000- 49,999	393	48,632	10	2.5	00.5-04.5	11	4.6	01.3-07.9	122	27.1	21.6-32.6	147	46.0	39.5-52.5	103	19.9	15.4-24.4
\$50,000- 74,999	415	44,793	10	2.8	00.8-04.8	7	3.4	00.5-06.3	120	31.3	25.6-37.0	136	38.5	32.6-44.4	142	24.0	19.5-28.5
\$75,000+	594	60,237	7	1.8	00.4-03.2	8	4.6	01.3-07.9	100	19.3	15.2-23.4	160	36.7	31.6-41.8	319	37.6	33.1-42.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3089	258,684	2	0.2	00.0-00.6	84	2.2	01.6-02.8	95	5.2	03.6-06.8	911	27.9	25.7-30.1	991	38.8	36.4-41.2	1006	25.7	23.7-27.7
Native	82	8,281				3	1.6	00.0-03.8	4	17.5	00.0-36.1	27	40.1	23.8-56.4	25	25.6	13.4-37.8	23	15.1	07.1-23.1
Non-Native	2979	248,362	2	0.2	00.0-00.6	78	2.2	01.6-02.8	91	4.8	03.2-06.4	875	27.5	25.3-29.7	955	39.1	36.6-41.6	978	26.2	24.2-28.2
18-24	126	40,995				1	0.7	00.0-02.1	11	13.0	05.4-20.6	38	32.0	23.2-40.8	37	33.8	24.6-43.0	39	20.5	14.0-27.0
25-34	302	40,237							4	2.9	00.0-06.0	54	20.4	14.7-26.1	89	38.6	31.7-45.5	155	38.1	32.0-44.2
35-44	329	34,283	1	1.3	00.0-03.8	1	0.2	00.0-00.6	5	2.3	00.0-05.4	52	17.9	12.8-23.0	100	40.4	33.7-47.1	170	37.8	31.9-43.7
45-54	575	45,331	1	0.3	00.0-00.9				7	2.6	00.4-04.8	153	28.4	24.1-32.7	212	44.3	39.4-49.2	202	24.4	20.9-27.9
55-64	637	38,006				6	1.9	00.0-03.9	8	1.6	00.4-02.8	168	26.0	21.9-30.1	230	43.3	38.6-48.0	225	27.2	23.5-30.9
65+	1083	56,913				74	8.0	05.8-10.2	59	7.4	04.9-09.9	432	37.6	33.9-41.3	309	32.9	29.4-36.4	209	14.0	11.8-16.2
Less than \$15,000	263	22,213				25	7.9	03.8-12.0	17	11.3	03.7-18.9	107	33.8	24.6-43.0	73	31.5	22.3-40.7	41	15.5	08.8-22.2
\$15,000- 24,999	447	36,650				14	3.2	01.2-05.2	29	10.1	05.0-15.2	195	39.7	32.8-46.6	149	36.6	29.7-43.5	60	10.4	06.7-14.1
\$25,000- 34,999	354	27,060	1	1.6	00.0-04.7	7	1.2	00.2-02.2	9	3.3	00.9-05.7	121	32.2	25.5-38.9	130	40.2	32.9-47.5	86	21.5	15.8-27.2
\$35,000- 49,999	406	36,986				2	0.7	00.0-01.7	1	0.2	00.0-00.6	118	28.9	23.4-34.4	150	44.0	37.5-50.5	135	26.3	21.2-31.4
\$50,000- 74,999	461	38,605	1	0.3	00.0-00.9				2	0.4	00.0-01.2	92	21.5	16.8-26.2	160	42.9	37.2-48.6	206	34.8	29.9-39.7
\$75,000+	637	54,049				1	0.0	00.0-00.0	1	1.4	00.0-03.9	88	15.5	12.0-19.0	187	40.2	35.3-45.1	360	42.9	38.4-47.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5274	515,246	3130	65.3	63.5-67.1	159	4.9	03.9-05.9	314	4.9	04.3-05.5	103	5.6	04.4-06.8	1334	15.6	14.6-16.6	234	3.6	03.0-04.2
Male	2193	257,279	1497	71.0	68.5-73.5	75	5.7	03.9-07.5	1	0.0	00.0-00.0	42	5.4	03.6-07.2	490	14.5	12.9-16.1	88	3.4	02.4-04.4
Female	3081	257,967	1633	59.7	57.3-62.1	84	4.1	02.9-05.3	313	9.7	08.3-11.1	61	5.9	04.1-07.7	844	16.7	15.3-18.1	146	3.8	02.8-04.8
Native	133	17,669	69	55.5	43.2-67.8	21	19.5	08.3-30.7	3	1.5	00.0-03.7	6	5.6	00.0-13.0	16	6.9	01.8-12.0	18	11.0	04.3-17.7
Non-Native	5080	492,297	3039	66.0	64.2-67.8	135	4.4	03.4-05.4	308	5.0	04.2-05.8	94	5.6	04.4-06.8	1292	15.8	14.8-16.8	212	3.3	02.7-03.9
18-24	252	87,225	152	57.1	50.4-63.8	29	13.8	08.7-18.9	3	1.1	00.0-02.3	66	27.5	21.4-33.6				2	0.5	00.0-01.5
25-34	569	85,753	467	84.1	80.6-87.6	18	3.1	01.3-04.9	50	6.8	04.6-09.0	26	4.5	02.5-06.5				8	1.4	00.0-02.8
35-44	619	71,166	541	85.4	81.9-88.9	27	5.8	03.3-08.3	27	4.1	02.3-05.9	6	0.9	00.0-01.9	3	0.6	00.0-01.4	15	3.2	01.2-05.2
45-54	979	90,279	841	86.7	84.0-89.4	31	2.6	01.2-04.0	31	3.0	01.8-04.2	2	0.1	00.0-00.3	13	1.9	00.7-03.1	61	5.6	03.6-07.6
55-64	1158	76,928	820	71.4	68.3-74.5	39	3.5	02.1-04.9	32	2.5	01.5-03.5	1	0.2	00.0-00.6	176	15.2	12.7-17.7	90	7.2	05.2-09.2
65+	1644	99,587	287	18.6	16.2-21.0	14	1.4	00.4-02.4	166	10.4	08.6-12.2				1122	66.0	63.1-68.9	55	3.6	02.2-05.0
Less Than H.S.	359	52,903	102	40.8	33.2-48.4	23	14.0	07.3-20.7	36	5.0	02.6-07.4	8	7.8	02.5-13.1	154	25.0	19.7-30.3	36	7.4	04.1-10.7
H.S. or G.E.D.	1547	144,808	807	62.8	59.7-65.9	52	5.6	03.6-07.6	112	5.6	04.2-07.0	16	3.0	01.4-04.6	468	18.7	16.5-20.9	92	4.2	03.0-05.4
Some Post-H.S.	1643	195,840	1004	67.7	64.8-70.6	45	3.1	01.9-04.3	104	5.2	04.0-06.4	48	8.0	05.6-10.4	367	12.5	10.9-14.1	75	3.5	02.5-04.5
College Graduate	1719	121,484	1215	75.4	72.9-77.9	39	2.9	01.7-04.1	62	3.5	02.5-04.5	31	4.2	02.6-05.8	341	12.8	11.2-14.4	31	1.3	00.7-01.9
Less than \$15,000	386	41,037	90	29.1	21.7-36.5	32	14.1	08.0-20.2	19	2.6	00.4-04.8	26	20.5	12.9-28.1	138	20.3	15.2-25.4	81	13.4	08.9-17.9
\$15,000- 24,999	688	66,798	260	47.9	42.2-53.6	43	9.1	05.0-13.2	45	5.3	03.1-07.5	22	7.3	03.8-10.8	267	22.1	18.6-25.6	51	8.3	05.2-11.4
\$25,000- 34,999	597	57,017	310	62.3	57.0-67.6	16	2.5	00.7-04.3	17	2.7	01.1-04.3	12	5.8	02.3-09.3	216	23.1	19.2-27.0	26	3.6	01.6-05.6
\$35,000- 49,999	797	85,085	525	73.5	69.8-77.2	12	2.1	00.5-03.7	40	3.8	02.4-05.2	9	3.4	01.0-05.8	187	15.0	12.5-17.5	24	2.3	01.1-03.5
\$50,000- 74,999	875	83,264	646	78.2	75.1-81.3	15	2.4	00.8-04.0	52	5.8	04.0-07.6	6	1.6	00.2-03.0	144	10.9	08.9-12.9	12	1.2	00.4-02.0
\$75,000+	1227	114,139	1026	83.8	81.1-86.5	13	1.5	00.5-02.5	50	4.4	03.0-05.8	9	2.5	00.7-04.3	125	7.6	06.0-09.2	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2193	257,279	1497	71.0	68.5-73.5	75	5.7	03.9-07.5	1	0.0	00.0-00.0	42	5.4	03.6-07.2	490	14.5	12.9-16.1	88	3.4	02.4-04.4
Native	52	9,397	28	62.8	45.2-80.4	9	19.1	03.0-35.2				1	0.5	00.0-01.5	8	10.2	01.0-19.4	6	7.4	00.0-16.2
Non-Native	2109	244,657	1457	71.8	69.3-74.3	63	5.1	03.3-06.9	1	0.0	00.0-00.0	39	5.4	03.6-07.2	469	14.5	12.9-16.1	80	3.2	02.2-04.2
18-24	126	46,230	77	56.3	46.7-65.9	17	17.3	09.5-25.1				31	26.3	18.1-34.5				1	0.1	00.0-00.3
25-34	268	45,684	248	92.6	89.1-96.1	6	2.7	00.3-05.1				11	3.8	01.3-06.3				3	0.9	00.0-02.3
35-44	290	36,851	269	90.4	85.9-94.9	13	5.5	02.0-09.0							2	0.9	00.0-02.1	6	3.2	00.5-05.9
45-54	407	45,175	362	88.8	84.5-93.1	15	2.9	00.5-05.3							5	1.7	00.0-03.5	25	6.6	03.3-09.9
55-64	524	39,204	388	73.6	68.7-78.5	19	3.3	01.1-05.5							79	15.6	11.7-19.5	38	7.6	04.5-10.7
65+	564	42,769	145	26.1	21.6-30.6	4	1.8	00.0-03.6	1	0.1	00.0-00.3				399	69.5	64.8-74.2	15	2.5	00.9-04.1
Less Than H.S.	180	33,379	73	50.2	40.0-60.4	12	15.5	06.3-24.7	1	0.1	00.0-00.3	3	4.1	00.0-08.6	72	24.5	17.4-31.6	19	5.7	01.8-09.6
H.S. or G.E.D.	639	72,885	411	71.4	67.1-75.7	22	5.3	02.6-08.0				5	1.5	00.1-02.9	163	17.2	14.3-20.1	38	4.7	02.7-06.7
Some Post-H.S.	656	95,595	472	73.5	69.0-78.0	21	3.9	01.7-06.1				23	10.2	06.3-14.1	118	9.6	07.4-11.8	22	2.8	01.2-04.4
College Graduate	718	55,419	541	78.8	75.3-82.3	20	3.5	01.5-05.5				11	3.1	01.1-05.1	137	13.6	11.1-16.1	9	1.1	00.3-01.9
Less than \$15,000	123	18,824	25	22.2	10.8-33.6	18	21.8	10.6-33.0				11	23.9	11.6-36.2	35	14.5	07.8-21.2	34	17.5	08.9-26.1
\$15,000- 24,999	242	30,232	109	48.8	39.6-58.0	22	13.7	05.7-21.7				12	10.9	04.2-17.6	81	20.5	14.6-26.4	18	6.2	02.5-09.9
\$25,000- 34,999	244	29,979	133	65.5	58.1-72.9	4	1.6	00.0-03.4				4	4.1	00.0-08.4	92	24.9	18.6-31.2	11	3.8	00.9-06.7
\$35,000- 49,999	390	48,089	277	78.0	73.1-82.9	7	2.0	00.0-04.0	1	0.1	00.0-00.3	3	2.9	00.0-06.0	92	15.1	11.6-18.6	10	2.0	00.6-03.4
\$50,000- 74,999	415	44,793	334	85.1	81.2-89.0	5	1.3	00.0-02.7				3	2.2	00.0-04.7	70	10.6	07.9-13.3	3	0.8	00.0-01.8
\$75,000+	590	60,059	517	87.5	84.0-91.0	6	1.0	00.2-01.8				5	3.1	00.4-05.8	61	8.2	05.8-10.6	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3081	257,967	1633	59.7	57.3-62.1	84	4.1	02.9-05.3	313	9.7	08.3-11.1	61	5.9	04.1-07.7	844	16.7	15.3-18.1	146	3.8	02.8-04.8
Native	81	8,272	41	47.2	30.5-63.9	12	19.8	04.3-35.3	3	3.2	00.0-07.9	5	11.4	00.0-26.5	8	3.2	00.5-05.9	12	15.1	04.9-25.3
Non-Native	2971	247,641	1582	60.2	57.8-62.6	72	3.6	02.4-04.8	307	10.0	08.6-11.4	55	5.7	03.9-07.5	823	17.1	15.7-18.5	132	3.4	02.4-04.4
18-24	126	40,995	75	58.1	48.7-67.5	12	9.9	04.2-15.6	3	2.3	00.0-04.8	35	28.8	20.0-37.6				1	1.0	00.0-03.0
25-34	301	40,068	219	74.4	68.5-80.3	12	3.5	01.1-05.9	50	14.6	10.1-19.1	15	5.4	02.5-08.3				5	2.1	00.0-04.6
35-44	329	34,315	272	80.0	74.3-85.7	14	6.1	02.2-10.0	27	8.5	05.0-12.0	6	1.8	00.0-03.8	1	0.3	00.0-00.9	9	3.3	00.6-06.0
45-54	572	45,104	479	84.6	81.1-88.1	16	2.4	00.8-04.0	31	6.0	03.8-08.2	2	0.2	00.0-00.6	8	2.2	00.2-04.2	36	4.7	02.7-06.7
55-64	634	37,724	432	69.2	64.9-73.5	20	3.7	01.9-05.5	32	5.1	03.1-07.1	1	0.5	00.0-01.5	97	14.8	11.7-17.9	52	6.7	04.5-08.9
65+	1080	56,818	142	13.0	10.5-15.5	10	1.1	00.1-02.1	165	18.1	15.0-21.2				723	63.4	59.7-67.1	40	4.4	02.4-06.4
Less Than H.S.	179	19,524	29	24.7	13.7-35.7	11	11.5	02.7-20.3	35	13.3	07.0-19.6	5	14.1	02.7-25.5	82	26.0	18.0-34.0	17	10.4	03.9-16.9
H.S. or G.E.D.	908	71,923	396	54.1	49.6-58.6	30	6.0	03.3-08.7	112	11.4	08.9-13.9	11	4.5	01.8-07.2	305	20.3	17.4-23.2	54	3.8	02.2-05.4
Some Post-H.S.	987	100,244	532	62.1	58.2-66.0	24	2.4	01.0-03.8	104	10.1	07.7-12.5	25	5.9	03.4-08.4	249	15.3	12.9-17.7	53	4.1	02.5-05.7
College Graduate	1001	66,065	674	72.5	69.0-76.0	19	2.4	01.0-03.8	62	6.4	04.6-08.2	20	5.1	02.6-07.6	204	12.2	10.2-14.2	22	1.5	00.7-02.3
Less than \$15,000	263	22,213	65	35.0	25.4-44.6	14	7.6	02.1-13.1	19	4.8	00.7-08.9	15	17.5	08.1-26.9	103	25.2	18.1-32.3	47	9.9	05.6-14.2
\$15,000- 24,999	446	36,566	151	47.1	39.8-54.4	21	5.4	02.7-08.1	45	9.7	06.0-13.4	10	4.3	01.0-07.6	186	23.4	18.9-27.9	33	10.1	05.4-14.8
\$25,000- 34,999	353	27,038	177	58.7	51.6-65.8	12	3.5	00.2-06.8	17	5.8	02.7-08.9	8	7.7	02.2-13.2	124	21.1	16.6-25.6	15	3.3	01.1-05.5
\$35,000- 49,999	407	36,995	248	67.6	61.9-73.3	5	2.2	00.0-04.4	39	8.6	05.7-11.5	6	4.0	00.5-07.5	95	14.8	11.3-18.3	14	2.8	00.8-04.8
\$50,000- 74,999	460	38,471	312	70.2	65.1-75.3	10	3.6	00.7-06.5	52	12.5	08.8-16.2	3	0.9	00.0-02.1	74	11.3	08.4-14.2	9	1.6	00.4-02.8
\$75,000+	637	54,081	509	79.8	75.7-83.9	7	2.0	00.2-03.8	50	9.2	06.3-12.1	4	1.7	00.0-03.7	64	6.8	04.8-08.8	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4584	448,395	172	3.9	02.9-04.9	216	5.3	04.3-06.3	280	6.0	05.0-07.0	410	8.9	07.7-10.1	598	12.7	11.3-14.1	2908	63.2	61.2-65.2
Male	2014	232,693	59	3.5	02.1-04.9	66	4.6	03.0-06.2	100	5.5	03.9-07.1	143	7.5	05.7-09.3	244	12.9	10.9-14.9	1402	66.0	63.1-68.9
Female	2570	215,703	113	4.3	02.9-05.7	150	6.0	04.4-07.6	180	6.5	05.1-07.9	267	10.5	08.7-12.3	354	12.5	10.7-14.3	1506	60.2	57.5-62.9
Native	124	15,577	24	16.5	07.3-25.7	16	13.5	03.9-23.1	14	8.7	03.0-14.4	13	16.0	04.8-27.2	20	15.9	07.1-24.7	37	29.6	18.8-40.4
Non-Native	4419	429,115	143	3.4	02.4-04.4	197	5.0	04.0-06.0	264	5.9	04.9-06.9	389	8.6	07.4-09.8	569	12.6	11.2-14.0	2857	64.5	62.5-66.5
18-24	192	65,380	21	12.2	06.9-17.5	22	12.8	07.5-18.1	17	9.8	05.1-14.5	18	10.6	05.5-15.7	24	12.9	07.6-18.2	90	41.7	34.3-49.1
25-34	530	80,256	10	1.0	00.2-01.8	9	2.8	00.8-04.8	30	6.8	04.1-09.5	47	10.5	07.2-13.8	56	11.6	08.3-14.9	378	67.3	62.4-72.2
35-44	583	66,744	15	1.8	00.6-03.0	10	2.3	00.5-04.1	16	3.0	01.0-05.0	25	6.5	03.4-09.6	49	10.4	07.1-13.7	468	75.9	71.2-80.6
45-54	911	84,911	29	2.7	01.3-04.1	18	2.4	00.8-04.0	36	3.2	01.4-05.0	40	4.4	02.6-06.2	94	10.5	07.8-13.2	694	76.7	73.0-80.4
55-64	1044	69,591	40	3.4	01.8-05.0	42	3.6	02.0-05.2	46	3.7	02.3-05.1	74	6.0	04.2-07.8	111	10.2	07.8-12.6	731	73.2	69.9-76.5
65+	1300	79,843	56	3.2	01.8-04.6	112	8.3	06.1-10.5	132	9.5	07.3-11.7	203	15.6	13.1-18.1	262	20.4	17.7-23.1	535	43.1	39.8-46.4
Less Than H.S.	264	40,338	24	8.0	03.3-12.7	45	15.3	08.8-21.8	47	11.6	06.9-16.3	40	17.9	10.6-25.2	47	19.0	12.3-25.7	61	28.3	20.5-36.1
H.S. or G.E.D.	1290	120,895	59	3.6	02.0-05.2	95	6.1	04.3-07.9	104	7.4	05.2-09.6	173	12.6	10.1-15.1	219	15.5	13.0-18.0	640	54.8	51.1-58.5
Some Post-H.S.	1471	176,287	54	4.0	02.2-05.8	56	4.4	02.6-06.2	90	6.0	04.2-07.8	134	7.5	05.7-09.3	197	12.1	09.9-14.3	940	65.9	62.6-69.2
College Graduate	1556	110,699	34	2.3	01.3-03.3	20	2.1	00.9-03.3	39	2.4	01.2-03.6	63	4.0	02.6-05.4	135	8.3	06.5-10.1	1265	80.8	78.1-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2014	232,693	59	3.5	02.1-04.9	66	4.6	03.0-06.2	100	5.5	03.9-07.1	143	7.5	05.7-09.3	244	12.9	10.9-14.9	1402	66.0	63.1-68.9
Non-Native	1941	221,410	46	2.9	01.5-04.3	59	4.3	02.7-05.9	98	5.8	04.2-07.4	133	7.1	05.5-08.7	228	12.5	10.3-14.7	1377	67.5	64.6-70.4
18-24	100	37,250	10	12.0	04.9-19.1	10	11.7	04.4-19.0	9	9.5	03.4-15.6	7	8.5	01.8-15.2	14	15.1	07.5-22.7	50	43.2	33.0-53.4
25-34	257	43,316	2	0.5	00.0-01.5	4	2.4	00.0-05.1	13	6.4	02.7-10.1	22	9.0	04.9-13.1	27	10.8	06.3-15.3	189	71.0	64.3-77.7
35-44	274	34,060	8	2.3	00.3-04.3	5	3.1	00.2-06.0	5	1.9	00.0-04.3	11	7.1	02.4-11.8	24	10.1	05.6-14.6	221	75.4	68.5-82.3
45-54	381	42,934	11	1.4	00.2-02.6	6	2.6	00.1-05.1	15	4.1	01.0-07.2	16	3.8	01.1-06.5	35	11.3	06.8-15.8	298	76.8	70.9-82.7
55-64	492	36,723	16	4.0	01.3-06.7	16	2.9	00.7-05.1	22	2.9	01.1-04.7	25	4.5	02.1-06.9	41	8.6	05.5-11.7	372	77.1	72.2-82.0
65+	499	37,786	11	1.5	00.3-02.7	24	5.3	02.6-08.0	34	8.0	04.5-11.5	62	12.4	08.9-15.9	103	21.8	17.3-26.3	265	51.0	45.5-56.5
Less Than H.S.	154	28,179	10	6.6	00.9-12.3	17	11.5	04.1-18.9	24	9.4	04.1-14.7	20	15.5	06.7-24.3	30	21.4	12.6-30.2	53	35.6	25.6-45.6
H.S. or G.E.D.	569	62,787	20	2.4	01.0-03.8	27	4.4	02.2-06.6	30	5.6	02.9-08.3	52	9.6	06.3-12.9	98	16.0	12.1-19.9	342	61.9	56.8-67.0
Some Post-H.S.	622	90,441	19	4.1	01.6-06.6	18	4.6	01.9-07.3	31	6.0	03.3-08.7	44	5.4	03.2-07.6	67	11.6	08.3-14.9	443	68.2	63.1-73.3
College Graduate	668	51,249	9	2.0	00.4-03.6	4	0.9	00.0-02.1	15	2.3	00.5-04.1	27	4.2	02.2-06.2	49	6.6	04.2-09.0	564	84.0	80.3-87.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2570	215,703	113	4.3	02.9-05.7	150	6.0	04.6-07.4	180	6.5	05.1-07.9	267	10.5	08.7-12.3	354	12.5	10.7-14.3	1506	60.2	57.7-62.7
Native	76	7,093	15	16.8	05.2-28.4	10	17.8	00.7-34.9	12	18.0	06.2-29.8	8	16.1	02.4-29.8	10	7.6	01.5-13.7	21	23.7	12.5-34.9
Non-Native	2478	207,705	97	3.8	02.4-05.2	138	5.6	04.2-07.0	166	6.1	04.7-07.5	256	10.3	08.5-12.1	341	12.7	10.9-14.5	1480	61.4	58.7-64.1
18-24	92	28,130	11	12.6	05.0-20.2	12	14.2	06.2-22.2	8	10.3	03.2-17.4	11	13.3	05.7-20.9	10	10.1	03.6-16.6	40	39.6	28.8-50.4
25-34	273	36,940	8	1.7	00.1-03.3	5	3.3	00.2-06.4	17	7.3	03.2-11.4	25	12.2	06.9-17.5	29	12.6	07.7-17.5	189	63.0	55.9-70.1
35-44	309	32,684	7	1.4	00.2-02.6	5	1.4	00.0-03.0	11	4.2	01.1-07.3	14	5.9	01.8-10.0	25	10.7	05.8-15.6	247	76.4	69.9-82.9
45-54	530	41,977	18	4.0	01.5-06.5	12	2.3	00.7-03.9	21	2.4	01.2-03.6	24	5.1	02.7-07.5	59	9.6	06.7-12.5	396	76.6	72.1-81.1
55-64	552	32,868	24	2.8	01.4-04.2	26	4.4	01.9-06.9	24	4.5	02.1-06.9	49	7.6	05.1-10.1	70	12.0	08.9-15.1	359	68.8	64.1-73.5
65+	801	42,057	45	4.7	02.5-06.9	88	10.9	08.0-13.8	98	10.8	08.1-13.5	141	18.5	14.8-22.2	159	19.1	15.8-22.4	270	35.9	31.8-40.0
Less Than H.S.	110	12,159	14	11.1	02.3-19.9	28	23.9	11.4-36.4	23	16.7	07.3-26.1	20	23.5	10.8-36.2	17	13.5	04.7-22.3	8	11.3	00.0-23.1
H.S. or G.E.D.	721	58,109	39	5.0	02.3-07.7	68	7.9	05.0-10.8	74	9.3	06.0-12.6	121	15.8	11.9-19.7	121	15.0	11.7-18.3	298	47.1	42.0-52.2
Some Post-H.S.	849	85,846	35	4.0	02.0-06.0	38	4.2	02.2-06.2	59	5.9	03.5-08.3	90	9.7	07.0-12.4	130	12.7	09.8-15.6	497	63.6	59.3-67.9
College Graduate	888	59,450	25	2.6	01.0-04.2	16	3.2	01.0-05.4	24	2.5	01.1-03.9	36	3.9	02.1-05.7	86	9.8	07.1-12.5	701	78.0	74.1-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5046	495,429	40	0.6	00.2-01.0	1516	28.4	26.6-30.2	2281	45.2	43.2-47.2	963	20.5	18.9-22.1	245	5.2	04.4-06.0	1	0.0	00.0-00.0
Male	2190	256,126	3	0.1	00.0-00.3	162	9.5	07.5-11.5	1113	51.3	48.6-54.0	722	30.7	28.2-33.2	190	8.4	06.8-10.0			
Female	2856	239,303	37	1.2	00.4-02.0	1354	48.7	46.2-51.2	1168	38.7	36.3-41.1	241	9.6	08.0-11.2	55	1.8	01.2-02.4	1	0.0	00.0-00.0
Native	133	17,377				30	20.0	09.4-30.6	54	42.5	30.2-54.8	38	29.6	19.2-40.0	11	7.8	01.3-14.3			
Non-Native	4856	473,018	38	0.5	00.1-00.9	1469	28.7	26.9-30.5	2204	45.4	43.4-47.4	916	20.3	18.7-21.9	228	5.0	04.2-05.8	1	0.0	00.0-00.0
18-24	239	83,102	2	1.4	00.0-03.4	101	41.1	34.4-47.8	100	44.5	37.6-51.4	28	10.5	06.4-14.6	8	2.4	00.4-04.4			
25-34	558	85,054	1	0.2	00.0-00.6	160	29.0	24.5-33.5	248	43.6	38.7-48.5	117	21.6	17.5-25.7	31	5.5	03.1-07.9	1	0.1	00.0-00.3
35-44	594	68,480	1	0.1	00.0-00.3	141	21.6	17.7-25.5	264	43.7	38.8-48.6	143	25.9	21.6-30.2	45	8.8	05.9-11.7			
45-54	927	86,854	2	0.1	00.1-00.1	262	24.3	21.2-27.4	412	45.3	41.2-49.4	188	23.4	19.9-26.9	63	7.0	05.0-09.0			
55-64	1104	73,646	5	0.3	00.1-00.5	243	19.8	17.1-22.5	530	47.6	44.1-51.1	266	26.3	23.0-29.6	60	6.0	04.2-07.8			
65+	1591	96,041	29	1.5	00.7-02.3	595	32.2	29.5-34.9	713	46.5	43.4-49.6	216	17.1	14.6-19.6	38	2.7	01.5-03.9			
Less Than H.S.	344	50,450	9	2.4	00.0-05.1	106	23.6	17.1-30.1	147	46.6	38.6-54.6	69	22.5	16.2-28.8	13	4.9	01.6-08.2			
H.S. or G.E.D.	1471	138,300	14	0.4	00.2-00.6	465	30.6	27.3-33.9	669	45.9	42.4-49.4	247	18.4	15.9-20.9	76	4.7	03.3-06.1			
Some Post-H.S.	1567	188,744	8	0.5	00.0-01.1	457	27.1	24.2-30.0	707	44.9	41.6-48.2	315	21.6	19.1-24.1	80	5.9	04.3-07.5			
College Graduate	1657	117,678	9	0.4	00.0-00.8	484	30.0	27.3-32.7	755	44.2	41.3-47.1	332	20.5	18.1-22.9	76	4.8	03.4-06.2	1	0.1	00.0-00.3
Less than \$15,000	372	39,852	6	1.2	00.0-02.6	126	30.4	23.0-37.8	153	42.2	34.0-50.4	58	20.4	13.9-26.9	29	5.8	02.3-09.3			
\$15,000- 24,999	657	64,014	11	0.6	00.2-01.0	209	33.8	28.1-39.5	298	45.2	39.3-51.1	105	16.0	12.1-19.9	34	4.4	02.2-06.6			
\$25,000- 34,999	577	55,614	6	0.7	00.0-01.5	172	24.9	20.0-29.8	286	49.7	43.8-55.6	91	20.2	15.3-25.1	22	4.4	01.9-06.9			
\$35,000- 49,999	765	82,345	4	0.2	00.0-00.4	182	22.0	18.1-25.9	354	46.4	41.7-51.1	172	23.1	19.2-27.0	52	8.2	05.5-10.9	1	0.1	00.0-00.3
\$50,000- 74,999	852	81,292	2	0.1	00.0-00.3	222	25.5	21.8-29.2	407	46.2	42.1-50.3	197	25.2	21.5-28.9	24	3.0	01.6-04.4			
\$75,000+	1208	112,585	1	0.1	00.0-00.3	334	26.0	22.9-29.1	536	44.9	41.4-48.4	268	22.4	19.5-25.3	69	6.7	04.7-08.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2190	256,126	3	0.1	00.0-00.3	162	9.5	07.5-11.5	1113	51.3	48.6-54.0	722	30.7	28.2-33.2	190	8.4	06.8-10.0
Native	53	9,512				6	17.9	01.0-34.8	15	31.4	14.9-47.9	25	39.5	23.2-55.8	7	11.2	00.2-22.2
Non-Native	2106	243,443	2	0.1	00.1-00.1	154	9.1	07.1-11.1	1082	52.2	49.3-55.1	691	30.5	28.0-33.0	177	8.1	06.5-09.7
18-24	124	45,519				24	20.8	12.8-28.8	72	60.1	50.7-69.5	21	15.2	08.5-21.9	7	3.9	00.4-07.4
25-34	269	46,408				26	11.2	06.7-15.7	137	50.8	43.9-57.7	83	29.9	23.6-36.2	23	8.2	04.3-12.1
35-44	290	36,720				13	5.2	01.9-08.5	132	45.3	38.2-52.4	106	35.5	29.0-42.0	39	14.0	08.9-19.1
45-54	405	45,142				25	5.8	02.9-08.7	193	46.8	40.5-53.1	140	36.1	30.0-42.2	47	11.2	07.7-14.7
55-64	522	38,777				22	4.0	01.8-06.2	251	47.4	42.1-52.7	203	39.6	34.5-44.7	46	9.1	06.2-12.0
65+	565	42,653	3	0.8	00.0-01.8	50	8.3	05.6-11.0	319	55.8	50.7-60.9	165	30.1	25.4-34.8	28	5.0	02.5-07.5
Less Than H.S.	179	32,802	1	0.5	00.0-01.5	21	14.8	06.8-22.8	89	48.9	38.7-59.1	56	28.8	20.2-37.4	12	7.0	02.1-11.9
H.S. or G.E.D.	636	72,215	1	0.0	00.0-00.0	50	9.6	06.3-12.9	327	53.1	48.2-58.0	198	29.7	25.2-34.2	60	7.6	05.2-10.0
Some Post-H.S.	656	95,583	1	0.1	00.0-00.3	45	8.6	05.5-11.7	329	50.5	45.6-55.4	222	31.3	27.0-35.6	59	9.5	06.8-12.2
College Graduate	717	55,467				46	7.9	05.2-10.6	366	51.8	47.3-56.3	246	32.2	28.1-36.3	59	8.2	05.8-10.6
Less than \$15,000	126	19,048	1	0.9	00.0-02.7	17	16.0	06.2-25.8	59	49.3	36.4-62.2	32	27.5	16.1-38.9	17	6.3	01.2-11.4
\$15,000- 24,999	239	29,694	1	0.4	00.0-01.2	35	18.7	10.9-26.5	115	49.7	40.5-58.9	67	24.9	17.5-32.3	21	6.4	02.5-10.3
\$25,000- 34,999	244	29,979				23	9.8	04.7-14.9	139	55.5	46.9-64.1	64	26.7	18.9-34.5	18	8.0	03.5-12.5
\$35,000- 49,999	390	48,125				25	6.7	03.2-10.2	190	49.4	42.9-55.9	129	31.1	25.2-37.0	46	12.8	08.5-17.1
\$50,000- 74,999	414	44,769				24	8.1	04.6-11.6	220	50.8	44.7-56.9	151	36.9	31.2-42.6	19	4.3	02.1-06.5
\$75,000+	592	60,131				19	3.5	01.3-05.7	289	50.2	45.1-55.3	226	35.5	30.8-40.2	58	10.8	07.5-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2856	239,303	37	1.2	00.4-02.0	1354	48.7	46.2-51.2	1168	38.7	36.3-41.1	241	9.6	08.0-11.2	55	1.8	01.2-02.4	1	0.0	00.0-00.0
Native	80	7,865				24	22.6	10.6-34.6	39	56.0	39.9-72.1	13	17.7	06.3-29.1	4	3.8	00.0-08.5			
Non-Native	2750	229,575	36	1.0	00.4-01.6	1315	49.5	47.0-52.0	1122	38.3	35.8-40.8	225	9.4	07.8-11.0	51	1.7	01.1-02.3	1	0.0	00.0-00.0
18-24	115	37,584	2	3.1	00.0-07.4	77	65.7	55.9-75.5	28	25.6	16.6-34.6	7	4.9	00.6-09.2	1	0.7	00.0-02.1			
25-34	289	38,646	1	0.5	00.0-01.5	134	50.3	43.4-57.2	111	35.0	28.5-41.5	34	11.7	07.4-16.0	8	2.2	00.2-04.2	1	0.2	00.0-00.6
35-44	304	31,760	1	0.3	00.0-00.9	128	40.5	33.8-47.2	132	41.8	35.1-48.5	37	14.7	09.6-19.8	6	2.7	00.2-05.2			
45-54	522	41,712	2	0.1	00.0-00.3	237	44.2	39.3-49.1	219	43.6	38.5-48.7	48	9.7	06.6-12.8	16	2.3	00.7-03.9			
55-64	582	34,869	5	0.6	00.0-01.2	221	37.4	32.7-42.1	279	47.9	43.0-52.8	63	11.6	08.3-14.9	14	2.6	00.6-04.6			
65+	1026	53,387	26	2.1	01.1-03.1	545	51.2	47.3-55.1	394	39.1	35.4-42.8	51	6.8	04.4-09.2	10	0.8	00.0-01.6			
Less Than H.S.	165	17,649	8	5.8	00.0-13.2	85	40.0	28.4-51.6	58	42.4	29.7-55.1	13	10.8	02.6-19.0	1	1.0	00.0-03.0			
H.S. or G.E.D.	835	66,084	13	0.7	00.3-01.1	415	53.6	48.9-58.3	342	38.1	33.6-42.6	49	6.1	03.9-08.3	16	1.4	00.4-02.4			
Some Post-H.S.	911	93,161	7	0.9	00.0-02.1	412	46.1	41.8-50.4	378	39.2	35.1-43.3	93	11.6	08.9-14.3	21	2.2	00.8-03.6			
College Graduate	940	62,211	9	0.7	00.1-01.3	438	49.8	45.7-53.9	389	37.5	33.8-41.2	86	10.1	07.6-12.6	17	1.8	00.6-03.0	1	0.2	00.0-00.6
Less than \$15,000	246	20,803	5	1.5	00.0-03.5	109	43.5	33.3-53.7	94	35.8	26.0-45.6	26	13.9	07.2-20.6	12	5.3	00.6-10.0			
\$15,000- 24,999	418	34,319	10	0.8	00.2-01.4	174	46.8	39.4-54.2	183	41.3	34.0-48.6	38	8.4	04.9-11.9	13	2.7	00.3-05.1			
\$25,000- 34,999	333	25,635	6	1.5	00.0-03.3	149	42.7	35.1-50.3	147	42.9	35.5-50.3	27	12.7	07.4-18.0	4	0.3	00.1-00.5			
\$35,000- 49,999	375	34,221	4	0.6	00.0-01.2	157	43.5	36.8-50.2	164	42.0	35.5-48.5	43	11.9	07.8-16.0	6	1.7	00.1-03.3	1	0.3	00.0-00.9
\$50,000- 74,999	438	36,522	2	0.3	00.0-00.7	198	46.8	41.1-52.5	187	40.5	35.0-46.0	46	10.9	07.4-14.4	5	1.4	00.0-02.8			
\$75,000+	616	52,454	1	0.2	00.0-00.6	315	51.8	46.9-56.7	247	38.8	33.9-43.7	42	7.4	04.9-09.9	11	1.9	00.7-03.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5259	514,245	218	2.9	02.3-03.5	2368	38.9	37.1-40.7	2235	47.0	45.0-49.0	424	10.9	09.5-12.3	11	0.2	00.0-00.4	3	0.1	00.0-00.3
Male	2202	258,347	4	0.1	00.0-00.3	196	9.1	07.3-10.9	1577	69.1	66.4-71.8	413	21.1	18.7-23.5	9	0.3	00.1-00.5	3	0.2	00.0-00.6
Female	3057	255,898	214	5.6	04.6-06.6	2172	69.0	66.6-71.4	658	24.7	22.5-26.9	11	0.6	00.0-01.2	2	0.1	00.1-00.1			
Native	134	17,784	6	3.3	00.0-07.2	62	26.8	18.0-35.6	58	61.7	50.7-72.7	8	8.1	01.0-15.2						
Non-Native	5066	491,780	208	2.8	02.2-03.4	2284	39.4	37.6-41.2	2153	46.6	44.6-48.6	408	10.9	09.5-12.3	11	0.2	00.0-00.4	2	0.1	00.0-00.3
18-24	249	86,304	3	1.3	00.0-02.9	88	33.1	26.8-39.4	122	48.7	42.0-55.4	35	16.5	11.2-21.8				1	0.4	00.0-01.2
25-34	568	86,422	8	1.3	00.3-02.3	197	33.5	29.0-38.0	294	52.3	47.4-57.2	67	12.6	09.3-15.9				2	0.3	00.0-00.7
35-44	617	70,992	6	1.2	00.2-02.2	232	35.2	30.7-39.7	315	53.0	48.3-57.7	60	10.2	07.3-13.1	4	0.5	00.0-01.1			
45-54	979	90,476	27	2.7	01.5-03.9	413	38.1	34.4-41.8	439	47.1	43.2-51.0	97	11.8	09.1-14.5	3	0.4	00.0-00.8			
55-64	1160	77,186	39	3.1	01.9-04.3	529	42.3	38.8-45.8	492	44.0	40.5-47.5	100	10.6	08.2-13.0						
65+	1638	99,225	129	6.5	05.1-07.9	887	49.6	46.5-52.7	558	39.0	35.9-42.1	61	4.7	03.3-06.1	3	0.2	00.0-00.4			
Less Than H.S.	357	53,373	31	4.0	02.2-05.8	161	36.5	29.2-43.8	144	47.4	39.8-55.0	19	11.9	05.8-18.0	2	0.3	00.0-00.7			
H.S. or G.E.D.	1544	144,215	81	3.7	02.5-04.9	758	42.3	39.0-45.6	602	45.9	42.6-49.2	102	8.1	06.1-10.1	1	0.1	00.0-00.3			
Some Post-H.S.	1639	195,088	60	2.3	01.5-03.1	739	37.8	34.9-40.7	694	47.1	44.0-50.2	142	12.7	10.3-15.1	4	0.2	00.0-00.4			
College Graduate	1713	121,322	46	2.2	01.4-03.0	704	37.6	34.7-40.5	795	48.3	45.4-51.2	161	11.0	09.0-13.0	4	0.4	00.0-00.8	3	0.5	00.0-01.1
Less than \$15,000	388	41,176	36	6.2	02.9-09.5	206	40.1	32.5-47.7	127	41.4	33.4-49.4	19	12.3	05.8-18.8						
\$15,000- 24,999	683	66,410	40	4.2	02.2-06.2	363	46.7	41.0-52.4	244	42.7	37.0-48.4	33	5.8	02.7-08.9	1	0.1	00.0-00.3	2	0.4	00.0-01.0
\$25,000- 34,999	595	56,849	28	3.3	01.7-04.9	291	42.6	36.9-48.3	243	45.4	39.7-51.1	32	8.6	04.7-12.5	1	0.1	00.0-00.3			
\$35,000- 49,999	794	85,284	15	1.2	00.4-02.0	314	33.3	29.2-37.4	377	51.3	46.8-55.8	86	14.0	10.7-17.3	2	0.1	00.0-00.3			
\$50,000- 74,999	874	83,266	24	2.3	01.3-03.3	364	37.0	33.1-40.9	400	48.0	43.9-52.1	82	12.3	09.2-15.4	4	0.4	00.0-00.8			
\$75,000+	1228	114,153	23	1.7	00.9-02.5	445	33.4	30.3-36.5	619	51.3	47.8-54.8	138	13.3	10.8-15.8	3	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2202	258,347	4	0.1	00.0-00.3	196	9.1	07.3-10.9	1577	69.1	66.4-71.8	413	21.1	18.7-23.5	9	0.3	00.1-00.5	3	0.2	00.0-00.6
Native	53	9,512				5	6.8	00.0-13.7	40	78.0	64.1-91.9	8	15.2	02.5-27.9						
Non-Native	2115	245,553	4	0.1	00.0-00.3	187	9.2	07.4-11.0	1516	69.0	66.3-71.7	397	21.2	18.7-23.7	9	0.3	00.1-00.5	2	0.2	00.0-00.4
18-24	125	46,145				10	7.1	02.2-12.0	81	63.3	53.9-72.7	33	28.9	20.1-37.7				1	0.7	00.0-02.1
25-34	268	46,398				16	7.0	03.5-10.5	185	69.5	63.2-75.8	65	23.0	17.3-28.7				2	0.5	00.0-01.3
35-44	290	36,853				19	7.9	03.6-12.2	208	71.8	65.3-78.3	59	19.4	13.9-24.9	4	0.9	00.0-01.9			
45-54	408	45,319	1	0.1	00.0-00.3	30	9.0	04.9-13.1	279	66.9	60.8-73.0	96	23.5	18.2-28.8	2	0.6	00.0-01.4			
55-64	527	39,379	2	0.5	00.0-01.5	48	10.2	06.9-13.5	378	68.7	63.8-73.6	99	20.6	16.3-24.9						
65+	565	42,745	1	0.3	00.0-00.9	68	13.7	09.8-17.6	437	75.6	71.1-80.1	57	10.2	07.3-13.1	2	0.3	00.0-00.7			
Less Than H.S.	180	33,922				31	16.9	09.5-24.3	130	65.3	55.3-75.3	17	17.3	08.5-26.1	2	0.4	00.0-01.0			
H.S. or G.E.D.	640	72,732	1	0.3	00.0-00.9	65	10.6	07.5-13.7	473	73.3	68.8-77.8	101	15.9	12.4-19.4						
Some Post-H.S.	660	96,081	1	0.1	00.0-00.3	49	6.4	04.2-08.6	471	68.3	63.6-73.0	136	24.9	20.4-29.4	3	0.3	00.0-00.7			
College Graduate	720	55,553	2	0.1	00.0-00.3	49	6.9	04.5-09.3	503	67.4	63.1-71.7	159	23.7	19.8-27.6	4	0.8	00.0-01.6	3	1.1	00.0-02.5
Less than \$15,000	125	18,963				21	13.8	06.0-21.6	87	62.0	49.1-74.9	17	24.2	12.0-36.4						
\$15,000- 24,999	240	30,051	2	0.4	00.0-01.2	34	16.3	09.2-23.4	171	70.0	61.2-78.8	30	12.2	05.5-18.9	1	0.3	00.0-00.9	2	0.8	00.0-02.0
\$25,000- 34,999	243	29,934	1	0.6	00.0-01.8	32	12.7	07.2-18.2	178	70.4	62.2-78.6	31	16.1	09.0-23.2	1	0.2	00.0-00.6			
\$35,000- 49,999	392	48,518				25	5.3	02.6-08.0	282	71.0	65.1-76.9	84	23.6	18.1-29.1	1	0.1	00.0-00.3			
\$50,000- 74,999	413	44,661				35	8.6	05.3-11.9	293	68.0	62.3-73.7	82	22.9	17.6-28.2	3	0.6	00.0-01.2			
\$75,000+	594	60,237	1	0.1	00.0-00.3	25	4.2	02.4-06.0	428	70.1	65.4-74.8	137	25.0	20.5-29.5	3	0.6	00.0-01.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3057	255,898	214	5.6	04.6-06.6	2172	69.0	66.6-71.4	658	24.7	22.5-26.9	11	0.6	00.0-01.2	2	0.1	00.1-00.1
Native	81	8,272	6	7.1	00.0-15.3	57	49.9	33.0-66.8	18	43.0	25.2-60.8						
Non-Native	2951	246,227	204	5.5	04.5-06.5	2097	69.6	67.2-72.0	637	24.2	22.0-26.4	11	0.6	00.0-01.2	2	0.1	00.1-00.1
18-24	124	40,159	3	2.9	00.0-06.0	78	63.0	53.8-72.2	41	31.9	23.1-40.7	2	2.2	00.0-05.1			
25-34	300	40,024	8	2.8	00.6-05.0	181	64.2	57.9-70.5	109	32.4	26.3-38.5	2	0.6	00.0-01.4			
35-44	327	34,139	6	2.4	00.2-04.6	213	64.6	58.3-70.9	107	32.7	26.6-38.8	1	0.3	00.0-00.9			
45-54	571	45,157	26	5.4	03.0-07.8	383	67.3	62.8-71.8	160	27.1	22.8-31.4	1	0.0	00.0-00.0	1	0.2	00.0-00.6
55-64	633	37,807	37	5.8	03.6-08.0	481	75.8	71.9-79.7	114	18.3	14.8-21.8	1	0.2	00.0-00.6			
65+	1073	56,480	128	11.3	08.9-13.7	819	76.8	73.7-79.9	121	11.4	09.0-13.8	4	0.5	00.0-01.1	1	0.1	00.0-00.3
Less Than H.S.	177	19,451	31	10.9	05.8-16.0	130	70.7	59.5-81.9	14	16.1	05.5-26.7	2	2.4	00.0-06.5			
H.S. or G.E.D.	904	71,483	80	7.2	04.8-09.6	693	74.6	70.5-78.7	129	18.0	14.3-21.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Some Post-H.S.	979	99,007	59	4.5	03.1-05.9	690	68.2	64.3-72.1	223	26.4	22.7-30.1	6	0.9	00.0-01.9	1	0.1	00.0-00.3
College Graduate	993	65,769	44	4.0	02.6-05.4	655	63.5	59.6-67.4	292	32.1	28.4-35.8	2	0.4	00.0-01.0			
Less than \$15,000	263	22,213	36	11.6	05.7-17.5	185	62.6	52.8-72.4	40	23.7	14.7-32.7	2	2.1	00.0-05.8			
\$15,000- 24,999	443	36,360	38	7.3	04.0-10.6	329	71.9	65.4-78.4	73	20.3	14.2-26.4	3	0.6	00.0-01.4			
\$25,000- 34,999	352	26,915	27	6.3	03.4-09.2	259	75.9	70.2-81.6	65	17.6	12.5-22.7	1	0.2	00.0-00.6			
\$35,000- 49,999	402	36,766	15	2.8	01.0-04.6	289	70.3	64.2-76.4	95	25.4	19.7-31.1	2	1.3	00.0-03.7	1	0.2	00.0-00.6
\$50,000- 74,999	461	38,605	24	5.0	02.8-07.2	329	69.8	64.7-74.9	107	24.9	20.0-29.8				1	0.2	00.0-00.6
\$75,000+	634	53,916	22	3.6	01.8-05.4	420	65.9	61.4-70.4	191	30.4	25.9-34.9	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5300	516,304	5203	97.1	96.3-97.9	43	1.1	00.7-01.5	54	1.8	01.2-02.4
Male	2207	257,975	2166	96.9	95.7-98.1	16	1.0	00.4-01.6	25	2.0	01.0-03.0
Female	3093	258,330	3037	97.2	96.2-98.2	27	1.3	00.7-01.9	29	1.5	00.7-02.3
Native	134	17,316	131	93.5	86.2-0100	1	1.3	00.0-03.8	2	5.1	00.0-12.0
Non-Native	5103	493,653	5011	97.3	96.5-98.1	40	1.0	00.6-01.4	52	1.7	01.1-02.3
18-24	250	86,341	237	95.1	92.4-97.8	7	2.7	00.7-04.7	6	2.2	00.2-04.2
25-34	573	86,927	556	96.3	94.3-98.3	6	1.0	00.2-01.8	11	2.8	01.0-04.6
35-44	621	71,379	609	96.4	94.2-98.6	6	1.5	00.1-02.9	6	2.1	00.3-03.9
45-54	983	90,414	972	98.2	96.8-99.6	5	0.6	00.0-01.2	6	1.2	00.0-02.4
55-64	1163	77,177	1151	99.4	99.0-99.8	5	0.2	00.0-00.6	7	0.4	00.0-00.8
65+	1652	99,615	1623	97.6	96.4-98.8	13	0.8	00.2-01.4	16	1.6	00.6-02.6
Less Than H.S.	363	53,698	354	96.9	94.2-99.6	4	1.0	00.0-02.2	5	2.2	00.0-04.7
H.S. or G.E.D.	1552	144,329	1514	96.0	94.4-97.6	18	1.7	00.7-02.7	20	2.3	01.1-03.5
Some Post-H.S.	1651	195,933	1626	97.8	96.6-99.0	9	0.7	00.1-01.3	16	1.5	00.5-02.5
College Graduate	1726	122,074	1701	97.3	96.1-98.5	12	1.3	00.5-02.1	13	1.5	00.5-02.5
Less than \$15,000	389	41,262	378	96.5	94.0-99.0	5	1.0	00.0-02.4	6	2.4	00.0-04.8
\$15,000- 24,999	689	66,491	679	97.7	95.7-99.7	4	0.3	00.0-00.7	6	2.0	00.0-04.0
\$25,000- 34,999	598	57,039	588	97.9	96.3-99.5	8	1.5	00.1-02.9	2	0.7	00.0-01.7
\$35,000- 49,999	799	85,367	788	97.7	96.1-99.3	7	1.3	00.1-02.5	4	0.9	00.0-01.9
\$50,000- 74,999	874	82,761	863	97.4	95.8-99.0	3	0.8	00.0-01.8	8	1.8	00.4-03.2
\$75,000+	1230	114,006	1216	97.5	95.9-99.1	4	0.4	00.0-00.8	10	2.2	00.6-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2207	257,975	2166	96.9	95.7-98.1	16	1.0	00.4-01.6	25	2.0	01.0-03.0
Native	52	9,035	50	92.1	81.1-0100	1	2.6	00.0-07.7	1	5.3	00.0-15.3
Non-Native	2121	245,658	2083	97.1	95.9-98.3	14	1.0	00.4-01.6	24	1.9	01.1-02.7
18-24	125	45,753	118	95.3	91.6-99.0	5	3.4	00.3-06.5	2	1.3	00.0-03.5
25-34	271	46,690	263	95.9	93.0-98.8	2	0.9	00.0-02.1	6	3.2	00.5-05.9
35-44	291	36,966	283	95.1	91.6-98.6	2	0.8	00.0-02.4	6	4.1	01.0-07.2
45-54	408	45,083	403	97.6	95.2-0100	1	0.4	00.0-01.2	4	2.0	00.0-04.4
55-64	526	39,172	523	99.9	99.7-0100	2	0.1	00.0-00.3	1	0.0	00.0-00.0
65+	567	42,803	557	97.9	96.3-99.5	4	0.5	00.0-01.1	6	1.5	00.1-02.9
Less Than H.S.	182	33,995	178	96.8	93.1-0100	2	0.5	00.0-01.3	2	2.7	00.0-06.4
H.S. or G.E.D.	642	72,646	622	95.4	93.0-97.8	8	2.1	00.3-03.9	12	2.6	01.0-04.2
Some Post-H.S.	660	95,565	651	97.7	96.1-99.3	2	0.5	00.0-01.3	7	1.8	00.2-03.4
College Graduate	721	55,709	713	97.8	96.0-99.6	4	1.0	00.0-02.4	4	1.2	00.0-02.4
Less than \$15,000	126	19,048	122	97.3	93.8-0100	1	0.1	00.0-00.3	3	2.6	00.0-06.1
\$15,000- 24,999	243	30,247	241	99.0	97.4-0100	1	0.3	00.0-00.9	1	0.7	00.0-02.1
\$25,000- 34,999	244	29,979	238	96.6	93.7-99.5	4	2.1	00.0-04.5	2	1.2	00.0-03.2
\$35,000- 49,999	392	48,372	384	96.6	94.1-99.1	4	1.7	00.0-03.7	4	1.6	00.0-03.4
\$50,000- 74,999	414	44,315	409	98.1	96.3-99.9	1	0.5	00.0-01.5	4	1.4	00.0-03.0
\$75,000+	592	59,827	584	96.7	94.2-99.2	1	0.0	00.0-00.0	7	3.2	00.7-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3093	258,330	3037	97.2	96.2-98.2	27	1.3	00.7-01.9	29	1.5	00.7-02.3
Native	82	8,281	81	95.1	85.9-0100				1	4.9	00.0-14.1
Non-Native	2982	247,995	2928	97.5	96.7-98.3	26	1.1	00.5-01.7	28	1.4	00.6-02.2
18-24	125	40,589	119	94.9	90.8-99.0	2	1.9	00.0-04.6	4	3.2	00.1-06.3
25-34	302	40,237	293	96.7	94.2-99.2	4	1.1	00.0-02.3	5	2.2	00.0-04.4
35-44	330	34,413	326	97.7	95.3-0100	4	2.3	00.0-04.7			
45-54	575	45,331	569	98.8	97.6-0100	4	0.8	00.0-01.8	2	0.4	00.0-01.0
55-64	637	38,006	628	98.9	98.1-99.7	3	0.4	00.0-01.0	6	0.7	00.1-01.3
65+	1085	56,812	1066	97.4	95.8-99.0	9	0.9	00.1-01.7	10	1.7	00.3-03.1
Less Than H.S.	181	19,703	176	97.0	93.5-0100	2	1.8	00.0-04.7	3	1.2	00.0-03.2
H.S. or G.E.D.	910	71,683	892	96.7	94.5-98.9	10	1.4	00.2-02.6	8	2.0	00.2-03.8
Some Post-H.S.	991	100,368	975	97.9	96.5-99.3	7	0.9	00.0-01.9	9	1.2	00.2-02.2
College Graduate	1005	66,365	988	96.8	95.0-98.6	8	1.5	00.3-02.7	9	1.7	00.3-03.1
Less than \$15,000	263	22,213	256	95.9	92.2-99.6	4	1.9	00.0-04.3	3	2.3	00.0-05.2
\$15,000- 24,999	446	36,244	438	96.7	93.6-99.8	3	0.3	00.0-00.7	5	3.0	00.0-06.1
\$25,000- 34,999	354	27,060	350	99.3	98.5-0100	4	0.7	00.0-01.5			
\$35,000- 49,999	407	36,995	404	99.2	98.0-0100	3	0.8	00.0-02.0			
\$50,000- 74,999	460	38,446	454	96.6	93.9-99.3	2	1.2	00.0-02.8	4	2.2	00.0-04.4
\$75,000+	638	54,179	632	98.3	96.7-99.9	3	0.8	00.0-01.8	3	1.0	00.0-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5306	518,017	5131	96.5	95.7-97.3	2	0.1	00.0-00.3	75	1.3	00.9-01.7	98	2.0	01.4-02.6
Male	2211	259,122	2135	95.9	94.7-97.1	2	0.3	00.0-00.7	30	1.6	00.8-02.4	44	2.2	01.2-03.2
Female	3095	258,895	2996	97.1	96.3-97.9				45	1.0	00.6-01.4	54	1.9	01.1-02.7
Native	135	17,793	127	88.2	79.6-96.8	1	1.7	00.0-05.0	3	5.2	00.0-11.3	4	5.0	00.0-10.9
Non-Native	5108	494,888	4948	96.8	96.0-97.6	1	0.1	00.0-00.3	70	1.2	00.8-01.6	89	1.9	01.3-02.5
18-24	252	87,225	239	95.3	92.4-98.2				5	1.6	00.0-03.2	8	3.1	00.6-05.6
25-34	573	86,927	560	97.8	96.4-99.2	1	0.3	00.0-00.9	4	0.6	00.0-01.4	8	1.2	00.2-02.2
35-44	621	71,379	607	97.4	95.8-99.0				5	1.3	00.1-02.5	9	1.3	00.3-02.3
45-54	984	90,674	960	96.6	95.0-98.2	1	0.5	00.0-01.5	10	1.1	00.3-01.9	13	1.8	00.6-03.0
55-64	1164	77,384	1136	97.5	96.3-98.7				7	1.0	00.2-01.8	21	1.6	00.8-02.4
65+	1654	99,977	1580	95.6	94.2-97.0				44	2.3	01.3-03.3	30	2.2	01.2-03.2
Less Than H.S.	363	53,698	337	95.3	92.0-98.6	1	0.8	00.0-02.4	17	1.7	00.5-02.9	8	2.3	00.0-05.2
H.S. or G.E.D.	1555	145,145	1497	95.6	94.0-97.2	1	0.2	00.0-00.6	25	2.1	00.9-03.3	32	2.1	01.1-03.1
Some Post-H.S.	1653	196,670	1603	96.9	95.7-98.1				17	0.8	00.2-01.4	33	2.2	01.2-03.2
College Graduate	1727	122,233	1687	97.5	96.5-98.5				16	1.1	00.3-01.9	24	1.4	00.8-02.0
Less than \$15,000	389	41,262	373	96.0	92.1-99.9				10	1.9	00.1-03.7	6	2.2	00.0-05.7
\$15,000- 24,999	690	66,897	664	95.8	93.6-98.0				18	2.6	01.0-04.2	8	1.6	00.0-03.2
\$25,000- 34,999	598	57,039	584	97.6	95.6-99.6	2	1.2	00.0-03.0	5	0.3	00.0-00.7	7	0.8	00.2-01.4
\$35,000- 49,999	800	85,627	783	97.5	95.9-99.1				5	0.9	00.0-01.9	12	1.6	00.4-02.8
\$50,000- 74,999	876	83,398	857	96.7	94.9-98.5				7	1.1	00.1-02.1	12	2.2	00.6-03.8
\$75,000+	1232	114,416	1203	97.5	96.5-98.5				9	0.8	00.2-01.4	20	1.8	01.0-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2211	259,122	2135	95.9	94.7-97.1	2	0.3	00.0-00.7	30	1.6	00.8-02.4	44	2.2	01.2-03.2
Native	53	9,512	46	79.8	64.7-94.9	1	3.1	00.0-09.2	2	7.8	00.0-18.4	4	9.3	00.0-20.3
Non-Native	2124	246,328	2056	96.5	95.3-97.7	1	0.2	00.0-00.6	28	1.4	00.8-02.0	39	1.9	01.1-02.7
18-24	126	46,230	116	93.1	88.2-98.0				4	2.9	00.0-05.8	6	4.0	00.1-07.9
25-34	271	46,690	264	98.1	96.3-99.9	1	0.6	00.0-01.8	1	0.1	00.0-00.3	5	1.1	00.0-02.3
35-44	291	36,966	283	95.9	93.0-98.8				4	2.3	00.0-04.7	4	1.8	00.0-03.6
45-54	409	45,343	396	95.8	93.1-98.5	1	0.9	00.0-02.7	5	1.4	00.0-03.0	7	1.9	00.1-03.7
55-64	527	39,379	511	97.1	95.3-98.9				6	1.4	00.0-02.8	10	1.5	00.5-02.5
65+	568	43,006	547	95.6	93.2-98.0				10	1.8	00.2-03.4	11	2.6	00.8-04.4
Less Than H.S.	182	33,995	172	95.4	90.5-0100	1	1.2	00.0-03.6	5	0.5	00.0-01.1	4	2.9	00.0-07.2
H.S. or G.E.D.	644	73,056	618	94.7	92.3-97.1	1	0.4	00.0-01.2	10	2.7	00.9-04.5	15	2.2	00.8-03.6
Some Post-H.S.	662	96,303	640	96.7	94.9-98.5				10	1.3	00.1-02.5	12	2.0	00.6-03.4
College Graduate	721	55,709	703	96.5	94.5-98.5				5	1.5	00.0-03.1	13	2.0	00.6-03.4
Less than \$15,000	126	19,048	117	92.5	84.3-0100				5	3.0	00.0-06.7	4	4.5	00.0-12.1
\$15,000- 24,999	243	30,247	232	96.6	93.9-99.3				7	2.3	00.0-04.7	4	1.1	00.0-02.7
\$25,000- 34,999	244	29,979	239	96.8	93.5-0100	2	2.4	00.0-05.7				3	0.8	00.0-01.8
\$35,000- 49,999	393	48,632	381	96.7	94.3-99.1				3	1.4	00.0-03.2	9	1.9	00.3-03.5
\$50,000- 74,999	415	44,793	406	95.9	93.0-98.8				4	1.4	00.0-03.0	5	2.6	00.1-05.1
\$75,000+	594	60,237	581	97.2	95.6-98.8				4	1.0	00.0-02.0	9	1.8	00.4-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3095	258,895	2996	97.1	96.3-97.9	45	1.0	00.6-01.4	54	1.9	01.1-02.7
Native	82	8,281	81	97.8	93.7-0100	1	2.2	00.0-06.3			
Non-Native	2984	248,560	2892	97.2	96.4-98.0	42	1.0	00.6-01.4	50	1.8	01.0-02.6
18-24	126	40,995	123	97.8	95.1-0100	1	0.2	00.0-00.6	2	2.0	00.0-04.7
25-34	302	40,237	296	97.4	95.0-99.8	3	1.2	00.0-02.8	3	1.4	00.0-03.2
35-44	330	34,413	324	99.0	98.2-99.8	1	0.2	00.0-00.6	5	0.8	00.0-01.6
45-54	575	45,331	564	97.4	95.6-99.2	5	0.9	00.1-01.7	6	1.7	00.1-03.3
55-64	637	38,006	625	97.8	96.4-99.2	1	0.5	00.0-01.5	11	1.7	00.7-02.7
65+	1086	56,971	1033	95.5	93.9-97.1	34	2.6	01.2-04.0	19	1.9	00.9-02.9
Less Than H.S.	181	19,703	165	95.1	91.6-98.6	12	3.6	00.7-06.5	4	1.3	00.0-03.1
H.S. or G.E.D.	911	72,089	879	96.4	94.4-98.4	15	1.5	00.3-02.7	17	2.1	00.5-03.7
Some Post-H.S.	991	100,368	963	97.1	95.7-98.5	7	0.4	00.0-00.8	21	2.5	01.1-03.9
College Graduate	1006	66,524	984	98.3	97.5-99.1	11	0.8	00.2-01.4	11	0.9	00.3-01.5
Less than \$15,000	263	22,213	256	98.9	97.9-99.9	5	0.9	00.0-01.9	2	0.2	00.0-00.4
\$15,000- 24,999	447	36,650	432	95.2	91.9-98.5	11	2.9	00.5-05.3	4	2.0	00.0-04.5
\$25,000- 34,999	354	27,060	345	98.5	97.3-99.7	5	0.7	00.0-01.5	4	0.8	00.0-01.6
\$35,000- 49,999	407	36,995	402	98.6	96.6-0100	2	0.2	00.0-00.4	3	1.2	00.0-03.0
\$50,000- 74,999	461	38,605	451	97.6	96.0-99.2	3	0.8	00.0-01.8	7	1.6	00.2-03.0
\$75,000+	638	54,179	622	97.8	96.4-99.2	5	0.5	00.0-01.1	11	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4512	310,645	141	2.8	02.2-03.4	4371	97.2	96.6-97.8
Male	1763	136,843	56	2.4	01.6-03.2	1707	97.6	96.8-98.4
Female	2749	173,802	85	3.1	02.3-03.9	2664	96.9	96.1-97.7
Native	105	8,386	4	2.5	00.0-05.6	101	97.5	94.4-0100
Non-Native	4350	298,324	136	2.8	02.2-03.4	4214	97.2	96.6-97.8
18-24	91	21,985	2	2.9	00.0-06.8	89	97.1	93.2-0100
25-34	331	29,211	5	1.5	00.1-02.9	326	98.5	97.1-99.9
35-44	496	41,977	13	1.5	00.5-02.5	483	98.5	97.5-99.5
45-54	870	64,516	25	2.7	01.5-03.9	845	97.3	96.1-98.5
55-64	1066	60,415	44	4.0	02.6-05.4	1022	96.0	94.6-97.4
65+	1608	90,154	52	3.3	02.3-04.3	1556	96.7	95.7-97.7
Less Than H.S.	322	33,098	7	1.7	00.1-03.3	315	98.3	96.7-99.9
H.S. or G.E.D.	1338	86,646	38	2.7	01.7-03.7	1300	97.3	96.3-98.3
Some Post-H.S.	1392	115,801	46	2.9	01.9-03.9	1346	97.1	96.1-98.1
College Graduate	1452	74,829	50	3.5	02.1-04.9	1402	96.5	95.1-97.9
Less than \$15,000	317	17,854	9	2.7	00.2-05.2	308	97.3	94.8-99.8
\$15,000- 24,999	574	32,069	15	2.3	00.9-03.7	559	97.7	96.3-99.1
\$25,000- 34,999	511	33,513	13	2.9	01.1-04.7	498	97.1	95.3-98.9
\$35,000- 49,999	637	46,040	17	2.5	01.1-03.9	620	97.5	96.1-98.9
\$50,000- 74,999	758	57,089	19	1.9	00.9-02.9	739	98.1	97.1-99.1
\$75,000+	1080	80,920	52	3.7	02.5-04.9	1028	96.3	95.1-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1763	136,843	56	2.4	01.6-03.2	1707	97.6	96.8-98.4
Non-Native	1701	131,439	56	2.5	01.7-03.3	1645	97.5	96.7-98.3
25-34	135	13,158				135	100.0	0100-0100
35-44	204	16,894	7	2.0	00.4-03.6	197	98.0	96.4-99.6
45-54	343	28,232	7	2.1	00.1-04.1	336	97.9	95.9-99.9
55-64	471	29,062	20	3.5	01.7-05.3	451	96.5	94.7-98.3
65+	549	38,584	21	3.0	01.6-04.4	528	97.0	95.6-98.4
Less Than H.S.	153	18,653	4	1.0	00.0-02.0	149	99.0	98.0-0100
H.S. or G.E.D.	521	39,972	13	2.4	00.8-04.0	508	97.6	96.0-99.2
Some Post-H.S.	508	46,686	16	2.4	01.0-03.8	492	97.6	96.2-99.0
College Graduate	579	31,474	23	3.5	01.9-05.1	556	96.5	94.9-98.1
Less than \$15,000	93	6,885	3	1.8	00.0-04.3	90	98.2	95.7-0100
\$15,000- 24,999	185	12,008	4	1.6	00.0-03.2	181	98.4	96.8-0100
\$25,000- 34,999	195	15,882	4	2.2	00.0-04.9	191	97.8	95.1-0100
\$35,000- 49,999	293	22,879	7	2.2	00.4-04.0	286	97.8	96.0-99.6
\$50,000- 74,999	346	28,321	10	2.0	00.8-03.2	336	98.0	96.8-99.2
\$75,000+	498	38,487	23	3.1	01.7-04.5	475	96.9	95.5-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2749	173,802	85	3.1	02.3-03.9	2664	96.9	96.1-97.7
Native	72	5,327	4	3.9	00.0-08.8	68	96.1	91.2-0100
Non-Native	2649	166,885	80	3.0	02.2-03.8	2569	97.0	96.2-97.8
25-34	196	16,053	5	2.8	00.3-05.3	191	97.2	94.7-99.7
35-44	292	25,083	6	1.2	00.2-02.2	286	98.8	97.8-99.8
45-54	527	36,284	18	3.2	01.4-05.0	509	96.8	95.0-98.6
55-64	595	31,353	24	4.5	02.5-06.5	571	95.5	93.5-97.5
65+	1059	51,571	31	3.5	02.1-04.9	1028	96.5	95.1-97.9
Less Than H.S.	169	14,446	3	2.7	00.0-06.0	166	97.3	94.0-0100
H.S. or G.E.D.	817	46,674	25	3.0	01.6-04.4	792	97.0	95.6-98.4
Some Post-H.S.	884	69,115	30	3.2	01.8-04.6	854	96.8	95.4-98.2
College Graduate	873	43,355	27	3.5	01.5-05.5	846	96.5	94.5-98.5
Less than \$15,000	224	10,970	6	3.2	00.0-06.9	218	96.8	93.1-0100
\$15,000- 24,999	389	20,061	11	2.8	00.8-04.8	378	97.2	95.2-99.2
\$25,000- 34,999	316	17,631	9	3.6	01.1-06.1	307	96.4	93.9-98.9
\$35,000- 49,999	344	23,161	10	2.8	00.8-04.8	334	97.2	95.2-99.2
\$50,000- 74,999	412	28,768	9	1.9	00.5-03.3	403	98.1	96.7-99.5
\$75,000+	582	42,433	29	4.3	02.5-06.1	553	95.7	93.9-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	136	8,309	74	71.9	64.1-79.7	50	24.1	16.8-31.4	10	3.6	01.2-06.0	2	0.4	00.0-01.0
Male	53	3,014	26	63.3	49.6-77.0	24	33.6	20.5-46.7	3	3.0	00.0-06.5			
Female	83	5,295	48	76.8	67.8-85.8	26	18.6	10.6-26.6	7	4.0	00.7-07.3	2	0.6	00.0-01.6
Non-Native	131	7,908	70	70.6	62.4-78.8	50	25.3	17.7-32.9	9	3.7	01.2-06.2	2	0.4	00.0-01.0
65+	51	2,910	26	68.0	54.9-81.1	20	26.7	14.5-38.9	3	4.2	00.0-09.1	2	1.1	00.0-02.7
\$75,000+	51	2,986	24	67.2	54.1-80.3	21	26.9	14.7-39.1	6	5.8	01.1-10.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	53	3,014	26	63.3	49.6-77.0	24	33.6	20.3-46.9	3	3.0	00.0-06.5
Non-Native	53	3,014	26	63.3	49.6-77.0	24	33.6	20.3-46.9	3	3.0	00.0-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	83	5,295	48	76.8	67.8-85.8	26	18.6	10.4-26.8	7	4.0	00.9-07.1	2	0.6	00.0-01.6
Non-Native	78	4,894	44	75.1	65.3-84.9	26	20.2	11.4-29.0	6	4.1	00.6-07.6	2	0.7	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4505	310,740	3562	92.7	91.9-93.5	943	7.3	06.5-08.1
Male	1761	136,942	1419	93.1	92.1-94.1	342	6.9	05.9-07.9
Female	2744	173,797	2143	92.3	91.3-93.3	601	7.7	06.7-08.7
Native	105	8,386	67	78.1	64.8-91.4	38	21.9	08.6-35.2
Non-Native	4343	298,419	3454	93.1	92.5-93.7	889	6.9	06.3-07.5
18-24	91	22,181	84	95.2	89.5-0100	7	4.8	00.0-10.5
25-34	331	29,314	293	96.4	95.0-97.8	38	3.6	02.2-05.0
35-44	495	41,949	440	95.1	93.3-96.9	55	4.9	03.1-06.7
45-54	869	64,460	750	95.9	95.1-96.7	119	4.1	03.3-04.9
55-64	1064	60,330	872	93.5	92.3-94.7	192	6.5	05.3-07.7
65+	1604	90,101	1096	87.2	85.6-88.8	508	12.8	11.2-14.4
Less Than H.S.	322	32,964	175	82.8	78.1-87.5	147	17.2	12.5-21.9
H.S. or G.E.D.	1337	86,955	980	91.5	90.3-92.7	357	8.5	07.3-09.7
Some Post-H.S.	1388	115,651	1137	94.6	93.6-95.6	251	5.4	04.4-06.4
College Graduate	1450	74,899	1268	95.5	94.7-96.3	182	4.5	03.7-05.3
Less than \$15,000	316	17,842	153	79.6	74.7-84.5	163	20.4	15.5-25.3
\$15,000- 24,999	572	32,040	354	85.6	83.1-88.1	218	14.4	11.9-16.9
\$25,000- 34,999	512	33,624	385	91.1	88.9-93.3	127	8.9	06.7-11.1
\$35,000- 49,999	636	46,012	530	94.2	92.6-95.8	106	5.8	04.2-07.4
\$50,000- 74,999	756	57,055	673	95.6	94.2-97.0	83	4.4	03.0-05.8
\$75,000+	1078	80,694	1021	98.1	97.3-98.9	57	1.9	01.1-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	136,942	1419	93.1	92.1-94.1	342	6.9	05.9-07.9
Non-Native	1699	131,539	1379	93.4	92.4-94.4	320	6.6	05.6-07.6
25-34	134	13,141	118	96.7	94.9-98.5	16	3.3	01.5-05.1
35-44	204	16,894	177	93.9	90.6-97.2	27	6.1	02.8-09.4
45-54	343	28,193	284	95.0	93.6-96.4	59	5.0	03.6-06.4
55-64	471	29,062	379	93.7	92.1-95.3	92	6.3	04.7-07.9
65+	548	38,542	413	89.0	86.5-91.5	135	11.0	08.5-13.5
Less Than H.S.	152	18,502	101	88.7	84.6-92.8	51	11.3	07.2-15.4
H.S. or G.E.D.	523	40,293	406	92.5	90.5-94.5	117	7.5	05.5-09.5
Some Post-H.S.	507	46,649	418	94.0	92.2-95.8	89	6.0	04.2-07.8
College Graduate	577	31,440	494	95.2	94.0-96.4	83	4.8	03.6-06.0
Less than \$15,000	93	6,885	48	81.9	74.1-89.7	45	18.1	10.3-25.9
\$15,000- 24,999	185	12,008	110	85.8	81.5-90.1	75	14.2	09.9-18.5
\$25,000- 34,999	197	16,062	148	90.7	87.2-94.2	49	9.3	05.8-12.8
\$35,000- 49,999	293	22,879	231	92.6	90.1-95.1	62	7.4	04.9-09.9
\$50,000- 74,999	344	28,287	299	95.1	93.1-97.1	45	4.9	02.9-06.9
\$75,000+	497	38,336	464	97.8	96.6-99.0	33	2.2	01.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2744	173,797	2143	92.3	91.3-93.3	601	7.7	06.7-08.7
Native	72	5,327	46	75.4	56.4-94.4	26	24.6	05.6-43.6
Non-Native	2644	166,881	2075	92.9	92.1-93.7	569	7.1	06.3-07.9
25-34	197	16,173	175	96.2	94.4-98.0	22	3.8	02.0-05.6
35-44	291	25,055	263	95.9	94.1-97.7	28	4.1	02.3-05.9
45-54	526	36,267	466	96.6	95.6-97.6	60	3.4	02.4-04.4
55-64	593	31,269	493	93.3	91.5-95.1	100	6.7	04.9-08.5
65+	1056	51,559	683	85.8	84.0-87.6	373	14.2	12.4-16.0
Less Than H.S.	170	14,462	74	75.2	66.4-84.0	96	24.8	16.0-33.6
H.S. or G.E.D.	814	46,662	574	90.5	88.9-92.1	240	9.5	07.9-11.1
Some Post-H.S.	881	69,003	719	95.0	94.0-96.0	162	5.0	04.0-06.0
College Graduate	873	43,459	774	95.7	94.5-96.9	99	4.3	03.1-05.5
Less than \$15,000	223	10,957	105	78.1	72.0-84.2	118	21.9	15.8-28.0
\$15,000- 24,999	387	20,032	244	85.4	82.3-88.5	143	14.6	11.5-17.7
\$25,000- 34,999	315	17,562	237	91.5	89.1-93.9	78	8.5	06.1-10.9
\$35,000- 49,999	343	23,132	299	95.7	93.9-97.5	44	4.3	02.5-06.1
\$50,000- 74,999	412	28,768	374	96.1	94.5-97.7	38	3.9	02.3-05.5
\$75,000+	581	42,358	557	98.5	97.7-99.3	24	1.5	00.7-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 52: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	938	22,676	56	23.5	17.2-29.8	882	76.5	70.2-82.8
Male	339	9,381	26	27.1	18.5-35.7	313	72.9	64.3-81.5
Female	599	13,294	30	21.0	12.0-30.0	569	79.0	70.0-88.0
Non-Native	884	20,404	55	23.0	17.7-28.3	829	77.0	71.7-82.3
35-44	55	2,052	10	45.8	27.2-64.4	45	54.2	35.6-72.8
45-54	118	2,616	3	8.1	00.0-16.7	115	91.9	83.3-100
55-64	192	3,909	12	22.5	11.7-33.3	180	77.5	66.7-88.3
65+	505	11,483	27	21.4	14.3-28.5	478	78.6	71.5-85.7
Less Than H.S.	144	5,591	5	20.1	00.9-39.3	139	79.9	60.7-99.1
H.S. or G.E.D.	355	7,371	17	20.9	12.5-29.3	338	79.1	70.7-87.5
Some Post-H.S.	251	6,228	17	25.8	15.8-35.8	234	74.2	64.2-84.2
College Graduate	182	3,384	17	31.2	20.0-42.4	165	68.8	57.6-80.0
Less than \$15,000	163	3,648	6	16.9	05.1-28.7	157	83.1	71.3-94.9
\$15,000- 24,999	216	4,571	8	13.3	04.7-21.9	208	86.7	78.1-95.3
\$25,000- 34,999	126	2,943	10	24.6	11.5-37.7	116	75.4	62.3-88.5
\$35,000- 49,999	105	2,642	8	30.4	14.3-46.5	97	69.6	53.5-85.7
\$50,000- 74,999	82	2,480	11	40.3	24.0-56.6	71	59.7	43.4-76.0
\$75,000+	57	1,497	6	37.4	15.8-59.0	51	62.6	41.0-84.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 53: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	339	9,381	26	27.1	18.5-35.7	313	72.9	64.3-81.5
Non-Native	317	8,556	26	29.7	20.7-38.7	291	70.3	61.3-79.3
45-54	58	1,375	1	3.9	00.0-11.3	57	96.1	88.7-100.0
55-64	92	1,822	4	16.2	01.7-30.7	88	83.8	69.3-98.3
65+	134	4,227	17	40.2	27.1-53.3	117	59.8	46.7-72.9
H.S. or G.E.D.	116	2,993	7	25.5	10.2-40.8	109	74.5	59.2-89.8
Some Post-H.S.	89	2,805	9	33.2	16.9-49.5	80	66.8	50.5-83.1
College Graduate	83	1,494	6	23.2	08.3-38.1	77	76.8	61.9-91.7
\$15,000- 24,999	74	1,679	2	12.8	00.0-28.7	72	87.2	71.3-100.0
\$35,000- 49,999	61	1,656	4	30.6	08.5-52.7	57	69.4	47.3-91.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 54: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	599	13,294	30	21.0	12.0-30.0	569	79.0	70.0-88.0
Non-Native	567	11,848	29	18.2	12.3-24.1	538	81.8	75.9-87.7
45-54	60	1,241	2	12.8	00.0-28.5	58	87.2	71.5-0100
55-64	100	2,087	8	27.9	12.4-43.4	92	72.1	56.6-87.6
65+	371	7,256	10	10.5	04.2-16.8	361	89.5	83.2-95.8
Less Than H.S.	95	3,561	1	17.6	00.0-46.2	94	82.4	53.8-0100
H.S. or G.E.D.	239	4,378	10	17.8	08.2-27.4	229	82.2	72.6-91.8
Some Post-H.S.	162	3,423	8	19.7	08.1-31.3	154	80.3	68.7-91.9
College Graduate	99	1,890	11	37.5	21.8-53.2	88	62.5	46.8-78.2
Less than \$15,000	118	2,402	3	12.7	00.0-25.8	115	87.3	74.2-0100
\$15,000- 24,999	142	2,892	6	13.6	03.6-23.6	136	86.4	76.4-96.4
\$25,000- 34,999	77	1,449	2	7.5	00.0-17.5	75	92.5	82.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3549	286,822	555	16.5	15.1-17.9	2994	83.5	82.1-84.9
Male	1412	126,779	228	17.0	14.6-19.4	1184	83.0	80.6-85.4
Female	2137	160,042	327	16.1	14.3-17.9	1810	83.9	82.1-85.7
Native	67	6,553	13	17.8	08.2-27.4	54	82.2	72.6-91.8
Non-Native	3442	276,952	541	16.7	15.3-18.1	2901	83.3	81.9-84.7
18-24	84	21,121	13	11.9	05.0-18.8	71	88.1	81.2-95.0
25-34	293	28,267	36	13.5	09.0-18.0	257	86.5	82.0-91.0
35-44	439	39,793	50	10.7	07.8-13.6	389	89.3	86.4-92.2
45-54	748	61,646	99	13.4	10.7-16.1	649	86.6	83.9-89.3
55-64	869	56,207	126	15.5	12.8-18.2	743	84.5	81.8-87.2
65+	1090	78,040	227	25.2	22.1-28.3	863	74.8	71.7-77.9
Less Than H.S.	173	26,989	28	17.9	11.4-24.4	145	82.1	75.6-88.6
H.S. or G.E.D.	978	79,329	182	19.7	17.0-22.4	796	80.3	77.6-83.0
Some Post-H.S.	1134	109,168	161	14.3	12.1-16.5	973	85.7	83.5-87.9
College Graduate	1262	71,166	184	16.0	13.6-18.4	1078	84.0	81.6-86.4
Less than \$15,000	152	14,014	26	18.7	10.5-26.9	126	81.3	73.1-89.5
\$15,000- 24,999	354	27,416	54	19.5	14.4-24.6	300	80.5	75.4-85.6
\$25,000- 34,999	381	30,294	66	20.9	16.0-25.8	315	79.1	74.2-84.0
\$35,000- 49,999	529	43,266	95	18.3	14.6-22.0	434	81.7	78.0-85.4
\$50,000- 74,999	673	54,550	105	15.6	12.7-18.5	568	84.4	81.5-87.3
\$75,000+	1020	79,124	122	11.7	09.5-13.9	898	88.3	86.1-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1412	126,779	228	17.0	14.6-19.4	1184	83.0	80.6-85.4
Non-Native	1373	122,380	223	17.2	14.8-19.6	1150	82.8	80.4-85.2
25-34	118	12,712	12	12.5	05.1-19.9	106	87.5	80.1-94.9
35-44	176	15,754	24	12.3	07.2-17.4	152	87.7	82.6-92.8
45-54	283	26,693	36	12.0	08.1-15.9	247	88.0	84.1-91.9
55-64	378	27,141	50	14.0	10.1-17.9	328	86.0	82.1-89.9
65+	409	33,890	95	27.4	22.3-32.5	314	72.6	67.5-77.7
Less Than H.S.	100	16,232	16	16.6	08.8-24.4	84	83.4	75.6-91.2
H.S. or G.E.D.	404	37,083	77	20.6	16.3-24.9	327	79.4	75.1-83.7
Some Post-H.S.	416	43,645	56	13.5	10.0-17.0	360	86.5	83.0-90.0
College Graduate	492	29,820	79	18.0	13.9-22.1	413	82.0	77.9-86.1
\$15,000- 24,999	110	10,301	20	23.5	13.9-33.1	90	76.5	66.9-86.1
\$25,000- 34,999	145	14,276	25	19.6	12.0-27.2	120	80.4	72.8-88.0
\$35,000- 49,999	230	21,119	46	19.1	13.4-24.8	184	80.9	75.2-86.6
\$50,000- 74,999	299	26,902	48	15.5	11.2-19.8	251	84.5	80.2-88.8
\$75,000+	464	37,496	59	13.0	09.5-16.5	405	87.0	83.5-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2137	160,042	327	16.1	14.3-17.9	1810	83.9	82.1-85.7
Non-Native	2069	154,572	318	16.3	14.5-18.1	1751	83.7	81.9-85.5
25-34	175	15,555	24	14.2	08.5-19.9	151	85.8	80.1-91.5
35-44	263	24,039	26	9.7	06.0-13.4	237	90.3	86.6-94.0
45-54	465	34,953	63	14.4	10.9-17.9	402	85.6	82.1-89.1
55-64	491	29,065	76	16.8	13.1-20.5	415	83.2	79.5-86.9
65+	681	44,150	132	23.5	19.8-27.2	549	76.5	72.8-80.2
Less Than H.S.	73	10,757	12	19.8	08.8-30.8	61	80.2	69.2-91.2
H.S. or G.E.D.	574	42,247	105	18.8	15.3-22.3	469	81.2	77.7-84.7
Some Post-H.S.	718	65,523	105	14.8	12.1-17.5	613	85.2	82.5-87.9
College Graduate	770	41,346	105	14.6	11.9-17.3	665	85.4	82.7-88.1
Less than \$15,000	105	8,555	20	21.6	10.6-32.6	85	78.4	67.4-89.4
\$15,000- 24,999	244	17,115	34	17.1	11.4-22.8	210	82.9	77.2-88.6
\$25,000- 34,999	236	16,019	41	22.1	15.6-28.6	195	77.9	71.4-84.4
\$35,000- 49,999	299	22,147	49	17.5	12.6-22.4	250	82.5	77.6-87.4
\$50,000- 74,999	374	27,648	57	15.6	11.5-19.7	317	84.4	80.3-88.5
\$75,000+	556	41,629	63	10.5	07.8-13.2	493	89.5	86.8-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 58: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	52	5,142	7	12.9	03.3-22.5	28	49.6	31.6-67.6	5	6.8	00.5-13.1	8	24.0	03.2-44.8	1	2.7	00.0-08.0	3	4.1	00.0-08.8
Non-Native	51	4,516	7	14.7	04.1-25.3	28	56.5	41.6-71.4	5	7.7	00.6-14.8	7	13.4	03.4-23.4	1	3.0	00.0-08.9	3	4.6	00.0-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 59: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 60: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 61: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5281	515,694	4115	66.6	64.8-68.4	1006	26.9	25.1-28.7	160	6.5	05.3-07.7
Male	2202	258,491	1690	63.2	60.3-66.1	436	29.6	26.9-32.3	76	7.2	05.2-09.2
Female	3079	257,204	2425	70.0	67.5-72.5	570	24.2	21.8-26.6	84	5.8	04.2-07.4
18-24	250	86,553	73	24.7	19.2-30.2	125	52.5	45.8-59.2	52	22.8	16.9-28.7
25-34	571	86,756	352	53.5	48.6-58.4	192	40.5	35.6-45.4	27	5.9	03.5-08.3
35-44	618	70,967	503	72.8	68.1-77.5	101	23.4	18.9-27.9	14	3.7	01.5-05.9
45-54	980	90,359	813	81.2	77.7-84.7	147	16.4	13.1-19.7	20	2.4	01.2-03.6
55-64	1159	77,194	995	83.9	81.0-86.8	148	13.9	11.2-16.6	16	2.1	00.9-03.3
65+	1648	99,746	1341	83.6	81.2-86.0	278	14.6	12.2-17.0	29	1.9	01.1-02.7
Less Than H.S.	359	53,300	254	61.8	53.8-69.8	84	27.6	20.2-35.0	21	10.6	04.5-16.7
H.S. or G.E.D.	1547	144,455	1186	65.6	62.1-69.1	311	27.5	24.2-30.8	50	7.0	04.8-09.2
Some Post-H.S.	1646	195,734	1274	66.0	62.7-69.3	320	26.9	23.8-30.0	52	7.0	04.8-09.2
College Graduate	1722	121,949	1397	70.6	67.7-73.5	288	26.0	23.1-28.9	37	3.4	02.2-04.6
Less than \$15,000	385	41,111	167	30.7	23.8-37.6	197	60.0	52.4-67.6	21	9.3	03.8-14.8
\$15,000- 24,999	687	66,808	439	45.3	39.8-50.8	219	44.8	39.1-50.5	29	9.9	06.0-13.8
\$25,000- 34,999	597	56,909	437	60.4	54.5-66.3	144	34.5	28.6-40.4	16	5.1	02.0-08.2
\$35,000- 49,999	798	85,591	637	68.7	64.0-73.4	137	25.5	21.0-30.0	24	5.8	03.1-08.5
\$50,000- 74,999	873	83,178	771	81.6	77.9-85.3	82	14.5	11.0-18.0	20	3.9	01.9-05.9
\$75,000+	1231	114,135	1142	85.9	82.6-89.2	79	11.3	08.4-14.2	10	2.7	00.7-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 62: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2202	258,491	1690	63.2	60.5-65.9	436	29.6	26.9-32.3	76	7.2	05.2-09.2
18-24	126	46,230	33	20.3	13.4-27.2	64	55.0	45.6-64.4	29	24.6	16.2-33.0
25-34	269	46,519	156	50.7	43.8-57.6	99	43.5	36.4-50.6	14	5.8	02.5-09.1
35-44	290	36,899	229	69.5	62.6-76.4	53	25.9	19.2-32.6	8	4.5	01.2-07.8
45-54	407	45,173	318	75.0	69.1-80.9	81	22.6	16.9-28.3	8	2.4	00.6-04.2
55-64	525	39,279	447	82.6	78.1-87.1	71	15.1	10.8-19.4	7	2.3	00.3-04.3
65+	566	42,881	495	87.8	84.3-91.3	62	10.4	07.1-13.7	9	1.7	00.1-03.3
Less Than H.S.	182	33,995	128	57.4	47.0-67.8	44	31.8	21.6-42.0	10	10.8	03.0-18.6
H.S. or G.E.D.	640	72,818	490	64.6	59.5-69.7	126	28.5	23.6-33.4	24	6.9	03.8-10.0
Some Post-H.S.	659	96,095	496	61.2	56.1-66.3	138	30.6	25.7-35.5	25	8.2	04.9-11.5
College Graduate	719	55,523	575	68.2	63.5-72.9	127	28.0	23.3-32.7	17	3.8	01.8-05.8
Less than \$15,000	124	18,970	41	23.5	13.7-33.3	73	64.4	52.2-76.6	10	12.1	02.5-21.7
\$15,000- 24,999	243	30,247	152	42.1	33.7-50.5	75	43.7	34.5-52.9	16	14.3	07.0-21.6
\$25,000- 34,999	244	29,979	176	58.4	49.6-67.2	63	36.4	27.6-45.2	5	5.2	00.5-09.9
\$35,000- 49,999	393	48,632	297	65.0	58.5-71.5	80	28.5	22.2-34.8	16	6.5	02.8-10.2
\$50,000- 74,999	413	44,638	352	76.2	70.3-82.1	52	20.1	14.6-25.6	9	3.8	00.9-06.7
\$75,000+	594	60,237	545	84.2	79.5-88.9	44	13.6	09.3-17.9	5	2.1	00.0-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 63: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3079	257,204	2425	70.0	67.6-72.4	570	24.2	21.8-26.6	84	5.8	04.2-07.4
18-24	124	40,322	40	29.7	21.1-38.3	61	49.6	40.2-59.0	23	20.7	12.7-28.7
25-34	302	40,237	196	56.8	49.9-63.7	93	37.1	30.4-43.8	13	6.0	02.7-09.3
35-44	328	34,068	274	76.4	69.9-82.9	48	20.8	14.5-27.1	6	2.8	00.3-05.3
45-54	573	45,185	495	87.3	83.8-90.8	66	10.3	07.2-13.4	12	2.5	00.9-04.1
55-64	634	37,914	548	85.3	81.6-89.0	77	12.8	09.3-16.3	9	1.9	00.3-03.5
65+	1082	56,865	846	80.4	77.1-83.7	216	17.7	14.6-20.8	20	1.9	00.9-02.9
Less Than H.S.	177	19,305	126	69.4	57.8-81.0	40	20.1	11.1-29.1	11	10.4	00.8-20.0
H.S. or G.E.D.	907	71,637	696	66.6	61.7-71.5	185	26.4	21.7-31.1	26	7.0	03.9-10.1
Some Post-H.S.	987	99,639	778	70.7	66.4-75.0	182	23.3	19.4-27.2	27	6.0	03.3-08.7
College Graduate	1003	66,425	822	72.6	68.7-76.5	161	24.4	20.5-28.3	20	3.0	01.4-04.6
Less than \$15,000	261	22,141	126	36.9	27.7-46.1	124	56.3	46.7-65.9	11	6.8	01.3-12.3
\$15,000- 24,999	444	36,561	287	48.0	41.1-54.9	144	45.7	38.4-53.0	13	6.3	02.2-10.4
\$25,000- 34,999	353	26,930	261	62.5	54.9-70.1	81	32.5	25.1-39.9	11	5.0	01.3-08.7
\$35,000- 49,999	405	36,959	340	73.6	67.1-80.1	57	21.5	15.4-27.6	8	4.9	01.2-08.6
\$50,000- 74,999	460	38,541	419	88.0	83.9-92.1	30	8.0	04.7-11.3	11	4.1	01.4-06.8
\$75,000+	637	53,898	597	87.8	83.3-92.3	35	8.8	05.5-12.1	5	3.4	00.0-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5306	518,017	2211	50.0	48.2-51.8	3095	50.0	48.2-51.8
Native	135	17,793	53	53.5	41.3-65.7	82	46.5	34.3-58.7
Non-Native	5108	494,888	2124	49.8	47.8-51.8	2984	50.2	48.2-52.2
18-24	252	87,225	126	53.0	46.3-59.7	126	47.0	40.3-53.7
25-34	573	86,927	271	53.7	49.0-58.4	302	46.3	41.6-51.0
35-44	621	71,379	291	51.8	47.1-56.5	330	48.2	43.5-52.9
45-54	984	90,674	409	50.0	46.1-53.9	575	50.0	46.1-53.9
55-64	1164	77,384	527	50.9	47.4-54.4	637	49.1	45.6-52.6
65+	1654	99,977	568	43.0	39.9-46.1	1086	57.0	53.9-60.1
Less Than H.S.	363	53,698	182	63.3	56.0-70.6	181	36.7	29.4-44.0
H.S. or G.E.D.	1555	145,145	644	50.3	47.0-53.6	911	49.7	46.4-53.0
Some Post-H.S.	1653	196,670	662	49.0	45.9-52.1	991	51.0	47.9-54.1
College Graduate	1727	122,233	721	45.6	42.7-48.5	1006	54.4	51.5-57.3
Less than \$15,000	389	41,262	126	46.2	38.2-54.2	263	53.8	45.8-61.8
\$15,000- 24,999	690	66,897	243	45.2	39.5-50.9	447	54.8	49.1-60.5
\$25,000- 34,999	598	57,039	244	52.6	46.9-58.3	354	47.4	41.7-53.1
\$35,000- 49,999	800	85,627	393	56.8	52.5-61.1	407	43.2	38.9-47.5
\$50,000- 74,999	876	83,398	415	53.7	49.6-57.8	461	46.3	42.2-50.4
\$75,000+	1232	114,416	594	52.6	49.1-56.1	638	47.4	43.9-50.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	756	115,278	44	6.4	04.2-08.6	712	93.6	91.4-95.8
Non-Native	717	109,109	43	6.5	04.1-08.9	674	93.5	91.1-95.9
18-24	125	40,693	9	7.0	02.3-11.7	116	93.0	88.3-97.7
25-34	302	40,237	28	9.9	05.8-14.0	274	90.1	86.0-94.2
35-44	329	34,348	7	1.5	00.3-02.7	322	98.5	97.3-99.7
H.S. or G.E.D.	144	27,501	9	8.5	02.6-14.4	135	91.5	85.6-97.4
Some Post-H.S.	226	43,226	15	7.4	03.3-11.5	211	92.6	88.5-96.7
College Graduate	363	36,621	20	4.9	02.5-07.3	343	95.1	92.7-97.5
\$15,000- 24,999	86	17,100	6	6.9	00.6-13.2	80	93.1	86.8-99.4
\$25,000- 34,999	64	10,983	3	9.9	00.0-20.5	61	90.1	79.5-0100
\$35,000- 49,999	113	17,172	5	4.8	00.0-09.7	108	95.2	90.3-0100
\$50,000- 74,999	122	15,313	11	9.8	03.5-16.1	111	90.2	83.9-96.5
\$75,000+	241	26,913	16	6.4	02.9-09.9	225	93.6	90.1-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176
	DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4	MALES AND FEMALES	177
5	MALES ONLY	178
6	FEMALES ONLY	179
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7	MALES AND FEMALES	180
8	MALES ONLY	181
9	FEMALES ONLY	182
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10	MALES AND FEMALES	183
11	MALES ONLY	184
12	FEMALES ONLY	185
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13	MALES AND FEMALES	186
14	MALES ONLY	187
15	FEMALES ONLY	188
	NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16	MALES AND FEMALES	189
17	MALES ONLY	190

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE
18 FEMALES ONLY

PAGE
191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5005	489,079	1222	22.2	20.6-23.8	1117	26.2	24.4-28.0	1175	23.6	22.0-25.2	1491	28.0	26.2-29.8
Male	2074	243,131	477	20.8	18.4-23.2	495	28.4	25.7-31.1	530	24.4	22.0-26.8	572	26.5	24.0-29.0
Female	2931	245,948	745	23.5	21.3-25.7	622	24.0	21.6-26.4	645	22.8	20.6-25.0	919	29.6	27.4-31.8
Native	124	17,043	34	26.2	16.0-36.4	29	31.7	18.8-44.6	26	19.9	09.1-30.7	35	22.2	13.0-31.4
Non-Native	4825	467,253	1175	22.0	20.4-23.6	1075	26.0	24.2-27.8	1139	23.8	22.2-25.4	1436	28.2	26.4-30.0
18-24	236	81,690	41	17.7	12.4-23.0	89	37.9	31.2-44.6	51	21.8	16.1-27.5	55	22.5	16.8-28.2
25-34	548	83,005	99	19.8	15.7-23.9	188	35.9	31.2-40.6	143	23.9	19.8-28.0	118	20.3	16.4-24.2
35-44	603	69,771	104	17.2	13.5-20.9	142	23.0	19.1-26.9	180	29.2	24.9-33.5	177	30.6	26.1-35.1
45-54	940	86,452	168	17.3	14.4-20.2	216	24.7	21.2-28.2	240	25.3	21.8-28.8	316	32.8	29.1-36.5
55-64	1112	73,614	255	23.2	20.3-26.1	208	18.1	15.4-20.8	278	25.7	22.6-28.8	371	33.0	29.7-36.3
65+	1522	91,116	545	36.1	33.0-39.2	263	16.7	14.3-19.1	280	18.1	15.7-20.5	434	29.1	26.2-32.0
Less Than H.S.	316	46,384	104	25.2	18.3-32.1	51	21.4	14.1-28.7	54	16.7	10.4-23.0	107	36.7	28.7-44.7
H.S. or G.E.D.	1449	136,702	361	23.5	20.6-26.4	301	23.8	20.7-26.9	315	23.1	20.2-26.0	472	29.7	26.6-32.8
Some Post-H.S.	1567	187,380	367	20.6	18.1-23.1	369	29.0	25.9-32.1	365	24.1	21.4-26.8	466	26.3	23.6-29.0
College Graduate	1668	118,388	389	21.9	19.5-24.3	395	26.4	23.7-29.1	441	26.1	23.6-28.6	443	25.5	23.0-28.0
Less than \$15,000	359	37,317	109	27.6	20.3-34.9	67	20.1	13.2-27.0	71	24.9	17.3-32.5	112	27.5	20.2-34.8
\$15,000- 24,999	641	62,050	176	24.3	19.4-29.2	142	29.6	23.9-35.3	109	16.3	12.2-20.4	214	29.7	24.6-34.8
\$25,000- 34,999	569	53,924	159	26.2	21.3-31.1	112	24.2	18.9-29.5	132	24.0	18.9-29.1	166	25.6	20.9-30.3
\$35,000- 49,999	762	81,589	177	20.5	16.8-24.2	165	25.8	21.5-30.1	196	25.9	22.0-29.8	224	27.8	23.7-31.9
\$50,000- 74,999	840	79,570	184	20.0	16.9-23.1	225	30.0	25.9-34.1	224	25.8	22.1-29.5	207	24.1	20.6-27.6
\$75,000+	1198	111,293	241	20.7	17.8-23.6	273	23.6	20.5-26.7	334	27.1	24.0-30.2	350	28.6	25.5-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2074	243,131	477	20.8	18.4-23.2	495	28.4	25.7-31.1	530	24.4	22.0-26.8	572	26.5	24.0-29.0
Non-Native	1997	231,050	460	20.8	18.4-23.2	475	28.0	25.3-30.7	514	24.9	22.4-27.4	548	26.4	23.9-28.9
18-24	116	42,676	21	17.9	10.3-25.5	46	40.2	30.6-49.8	23	20.1	12.3-27.9	26	21.8	13.6-30.0
25-34	259	44,296	46	18.8	13.3-24.3	94	37.6	30.7-44.5	75	25.9	19.8-32.0	44	17.7	12.0-23.4
35-44	283	36,265	44	14.8	09.9-19.7	75	26.4	20.3-32.5	86	28.0	21.9-34.1	78	30.8	23.9-37.7
45-54	384	42,859	63	15.0	10.7-19.3	92	26.2	20.3-32.1	110	28.1	22.4-33.8	119	30.8	24.9-36.7
55-64	496	36,981	113	22.5	18.2-26.8	95	18.9	14.8-23.0	138	27.4	22.7-32.1	150	31.3	26.2-36.4
65+	521	38,824	187	36.7	31.6-41.8	87	16.7	12.4-21.0	97	18.0	14.1-21.9	150	28.5	23.6-33.4
Less Than H.S.	160	28,877	50	23.9	15.3-32.5	24	18.7	09.7-27.7	25	17.1	08.9-25.3	61	40.4	29.8-51.0
H.S. or G.E.D.	598	68,719	136	21.2	17.1-25.3	127	25.0	20.3-29.7	145	24.5	20.0-29.0	190	29.3	24.8-33.8
Some Post-H.S.	621	91,444	118	16.7	13.2-20.2	173	34.0	29.1-38.9	156	24.7	20.4-29.0	174	24.6	20.5-28.7
College Graduate	694	54,054	173	25.4	21.5-29.3	171	28.3	24.0-32.6	204	27.9	24.0-31.8	146	18.5	15.2-21.8
Less than \$15,000	113	16,826	26	21.8	10.4-33.2	18	24.0	11.5-36.5	24	19.8	09.0-30.6	45	34.4	21.7-47.1
\$15,000- 24,999	221	27,493	56	21.1	14.0-28.2	56	31.7	22.5-40.9	44	19.6	12.2-27.0	65	27.6	19.4-35.8
\$25,000- 34,999	231	28,216	66	26.5	19.1-33.9	54	29.7	21.3-38.1	52	22.5	14.7-30.3	59	21.3	14.4-28.2
\$35,000- 49,999	370	46,332	81	19.2	14.1-24.3	75	25.5	19.4-31.6	105	27.4	21.7-33.1	109	27.9	22.0-33.8
\$50,000- 74,999	397	42,737	78	17.5	13.2-21.8	116	34.1	28.0-40.2	110	26.8	21.5-32.1	93	21.6	16.9-26.3
\$75,000+	575	58,196	122	21.5	17.2-25.8	145	26.1	21.4-30.8	166	28.0	23.5-32.5	142	24.4	20.1-28.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2931	245,948	745	23.5	21.3-25.7	622	24.0	21.6-26.4	645	22.8	20.6-25.0	919	29.6	27.4-31.8
Native	76	7,896	23	34.8	19.1-50.5	14	20.8	04.9-36.7	18	28.8	11.2-46.4	21	15.6	07.2-24.0
Non-Native	2828	236,203	715	23.2	21.0-25.4	600	24.0	21.6-26.4	625	22.8	20.6-25.0	888	30.0	27.6-32.4
18-24	120	39,014	20	17.5	10.1-24.9	43	35.4	26.2-44.6	28	23.7	15.5-31.9	29	23.4	15.4-31.4
25-34	289	38,709	53	20.9	15.0-26.8	94	34.1	27.4-40.8	68	21.7	16.2-27.2	74	23.3	17.6-29.0
35-44	320	33,507	60	19.8	14.3-25.3	67	19.3	14.4-24.2	94	30.5	24.4-36.6	99	30.4	24.3-36.5
45-54	556	43,592	105	19.6	15.7-23.5	124	23.1	19.0-27.2	130	22.5	18.6-26.4	197	34.8	30.1-39.5
55-64	616	36,633	142	23.8	19.7-27.9	113	17.3	14.0-20.6	140	24.1	20.0-28.2	221	34.9	30.4-39.4
65+	1001	52,293	358	35.6	31.9-39.3	176	16.6	13.9-19.3	183	18.2	15.1-21.3	284	29.5	25.8-33.2
Less Than H.S.	156	17,507	54	27.3	16.3-38.3	27	26.0	13.7-38.3	29	16.2	06.8-25.6	46	30.5	19.1-41.9
H.S. or G.E.D.	851	67,984	225	25.7	21.4-30.0	174	22.5	18.4-26.6	170	21.8	17.9-25.7	282	30.0	25.7-34.3
Some Post-H.S.	946	95,936	249	24.4	20.9-27.9	196	24.2	20.3-28.1	209	23.5	19.8-27.2	292	27.8	24.3-31.3
College Graduate	974	64,334	216	18.9	16.0-21.8	224	24.9	21.4-28.4	237	24.7	21.4-28.0	297	31.5	27.8-35.2
Less than \$15,000	246	20,491	83	32.3	23.1-41.5	49	16.9	09.8-24.0	47	29.0	18.6-39.4	67	21.8	14.2-29.4
\$15,000- 24,999	420	34,557	120	26.9	20.4-33.4	86	28.0	20.7-35.3	65	13.6	09.3-17.9	149	31.4	24.9-37.9
\$25,000- 34,999	338	25,708	93	25.9	19.4-32.4	58	18.1	12.2-24.0	80	25.8	19.1-32.5	107	30.2	23.5-36.9
\$35,000- 49,999	392	35,257	96	22.1	17.0-27.2	90	26.3	20.4-32.2	91	23.9	18.4-29.4	115	27.7	22.0-33.4
\$50,000- 74,999	443	36,833	106	23.0	18.3-27.7	109	25.3	20.2-30.4	114	24.7	19.8-29.6	114	27.0	21.9-32.1
\$75,000+	623	53,097	119	19.9	15.8-24.0	128	20.8	16.9-24.7	168	26.1	22.0-30.2	208	33.3	28.8-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5067	494,795	2561	44.9	42.9-46.9	1395	30.7	28.9-32.5	982	20.6	19.0-22.2	129	3.7	02.9-04.5
Male	2101	246,467	779	33.7	31.0-36.4	698	35.9	33.2-38.6	538	25.1	22.6-27.6	86	5.3	03.9-06.7
Female	2966	248,327	1782	56.1	53.6-58.6	697	25.6	23.4-27.8	444	16.2	14.2-18.2	43	2.1	01.1-03.1
Native	125	17,271	52	33.2	22.2-44.2	37	34.4	22.2-46.6	29	25.3	13.3-37.3	7	7.1	01.0-13.2
Non-Native	4884	472,483	2484	45.4	43.4-47.4	1335	30.4	28.6-32.2	947	20.6	19.0-22.2	118	3.5	02.7-04.3
18-24	241	82,823	89	34.8	28.3-41.3	96	40.0	33.3-46.7	48	21.1	15.4-26.8	8	4.1	01.2-07.0
25-34	547	82,807	254	44.8	39.9-49.7	175	32.5	28.0-37.0	98	17.5	13.8-21.2	20	5.2	02.7-07.7
35-44	602	69,482	276	43.5	38.8-48.2	194	31.7	27.2-36.2	117	20.1	16.2-24.0	15	4.7	01.8-07.6
45-54	944	87,303	415	41.9	38.0-45.8	310	32.4	28.7-36.1	189	22.4	18.9-25.9	30	3.4	01.8-05.0
55-64	1123	74,302	568	47.2	43.7-50.7	275	26.0	22.9-29.1	250	22.9	20.0-25.8	30	3.9	02.1-05.7
65+	1561	94,088	930	55.3	52.2-58.4	335	23.0	20.3-25.7	271	20.1	17.6-22.6	25	1.6	00.8-02.4
Less Than H.S.	324	48,831	162	37.6	30.3-44.9	72	26.8	19.2-34.4	70	25.7	18.3-33.1	20	9.9	04.6-15.2
H.S. or G.E.D.	1475	138,193	691	42.7	39.2-46.2	417	30.2	26.9-33.5	321	23.1	20.2-26.0	46	4.0	02.4-05.6
Some Post-H.S.	1578	187,741	764	43.9	40.8-47.0	452	32.8	29.7-35.9	318	19.8	17.3-22.3	44	3.6	02.2-05.0
College Graduate	1684	119,782	939	52.0	49.1-54.9	453	29.8	27.1-32.5	273	17.2	14.8-19.6	19	1.0	00.4-01.6
Less than \$15,000	364	37,463	178	41.4	33.6-49.2	85	25.8	18.2-33.4	82	26.2	18.8-33.6	19	6.7	02.4-11.0
\$15,000- 24,999	652	62,701	308	39.2	33.7-44.7	173	34.4	28.7-40.1	148	20.8	16.5-25.1	23	5.6	02.3-08.9
\$25,000- 34,999	571	54,266	308	49.0	43.1-54.9	151	31.0	25.3-36.7	100	17.5	13.2-21.8	12	2.5	00.5-04.5
\$35,000- 49,999	770	82,514	363	42.9	38.4-47.4	220	31.5	27.0-36.0	164	20.8	17.3-24.3	23	4.8	02.4-07.2
\$50,000- 74,999	848	80,348	413	44.6	40.5-48.7	264	33.7	29.8-37.6	156	19.7	16.2-23.2	15	2.0	00.8-03.2
\$75,000+	1208	112,493	625	49.0	45.5-52.5	347	29.0	25.9-32.1	219	20.4	17.5-23.3	17	1.6	00.6-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2101	246,467	779	33.7	31.2-36.2	698	35.9	33.2-38.6	538	25.1	22.6-27.6	86	5.3	03.9-06.7
Native	50	9,281	14	27.6	12.3-42.9	16	38.5	20.1-56.9	14	22.6	08.3-36.9	6	11.4	00.8-22.0
Non-Native	2019	234,037	755	33.9	31.2-36.6	668	35.6	32.7-38.5	519	25.4	22.9-27.9	77	5.0	03.6-06.4
18-24	117	42,756	38	30.8	22.0-39.6	50	44.7	34.9-54.5	25	20.7	12.7-28.7	4	3.8	00.1-07.5
25-34	259	44,690	89	32.3	25.8-38.8	97	37.8	30.9-44.7	57	20.9	15.2-26.6	16	9.0	04.3-13.7
35-44	282	36,018	90	29.3	23.0-35.6	107	37.0	30.1-43.9	77	28.0	21.7-34.3	8	5.7	01.2-10.2
45-54	388	43,457	119	31.4	25.5-37.3	141	34.0	28.1-39.9	107	29.5	23.6-35.4	21	5.0	02.3-07.7
55-64	505	37,690	194	35.3	30.4-40.2	147	31.1	26.2-36.0	143	27.7	23.0-32.4	21	5.9	02.6-09.2
65+	534	40,647	243	43.2	38.1-48.3	150	29.4	24.5-34.3	126	24.9	20.4-29.4	15	2.5	01.1-03.9
Less Than H.S.	165	30,896	64	30.1	21.5-38.7	42	33.6	23.2-44.0	46	27.0	17.6-36.4	13	9.3	03.0-15.6
H.S. or G.E.D.	606	69,168	201	32.5	27.6-37.4	195	33.7	28.8-38.6	179	28.3	23.8-32.8	31	5.5	03.1-07.9
Some Post-H.S.	625	91,662	211	31.2	26.5-35.9	231	39.3	34.4-44.2	153	23.4	19.3-27.5	30	6.1	03.4-08.8
College Graduate	703	54,682	301	41.3	36.8-45.8	230	34.3	30.0-38.6	160	22.9	19.2-26.6	12	1.5	00.3-02.7
Less than \$15,000	114	16,761	39	31.2	19.2-43.2	23	29.0	15.7-42.3	42	31.1	18.9-43.3	10	8.7	01.1-16.3
\$15,000- 24,999	226	27,705	72	24.4	17.0-31.8	78	44.4	35.0-53.8	63	23.7	16.4-31.0	13	7.5	01.8-13.2
\$25,000- 34,999	231	28,532	105	46.2	37.4-55.0	71	33.2	24.6-41.8	44	16.1	10.2-22.0	11	4.5	01.0-08.0
\$35,000- 49,999	375	46,891	133	32.3	26.2-38.4	111	32.2	25.9-38.5	109	27.1	21.6-32.6	22	8.3	04.4-12.2
\$50,000- 74,999	402	43,068	136	31.8	26.1-37.5	160	40.5	34.4-46.6	95	24.6	19.3-29.9	11	3.1	00.9-05.3
\$75,000+	579	58,924	229	36.4	31.5-41.3	203	35.7	30.8-40.6	138	25.9	21.2-30.6	9	2.0	00.4-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2966	248,327	1782	56.1	53.6-58.6	697	25.6	23.4-27.8	444	16.2	14.2-18.2	43	2.1	01.1-03.1
Native	75	7,990	38	39.7	24.0-55.4	21	29.7	15.0-44.4	15	28.4	09.2-47.6	1	2.2	00.0-06.5
Non-Native	2865	238,445	1729	56.7	54.2-59.2	667	25.3	22.9-27.7	428	15.9	13.9-17.9	41	2.1	01.1-03.1
18-24	124	40,068	51	39.1	29.9-48.3	46	35.0	26.0-44.0	23	21.5	13.5-29.5	4	4.4	00.0-08.9
25-34	288	38,117	165	59.4	52.7-66.1	78	26.4	20.5-32.3	41	13.4	08.7-18.1	4	0.8	00.0-01.8
35-44	320	33,464	186	58.8	52.1-65.5	87	25.9	20.2-31.6	40	11.7	07.6-15.8	7	3.5	00.0-07.2
45-54	556	43,845	296	52.4	47.5-57.3	169	30.7	26.2-35.2	82	15.2	11.7-18.7	9	1.7	00.3-03.1
55-64	618	36,612	374	59.4	54.7-64.1	128	20.6	16.7-24.5	107	18.0	14.1-21.9	9	1.9	00.3-03.5
65+	1027	53,441	687	64.5	60.6-68.4	185	18.1	15.0-21.2	145	16.4	13.3-19.5	10	1.0	00.2-01.8
Less Than H.S.	159	17,935	98	50.5	38.0-63.0	30	15.0	06.4-23.6	24	23.6	11.8-35.4	7	10.9	01.1-20.7
H.S. or G.E.D.	869	69,026	490	52.9	48.2-57.6	222	26.7	22.6-30.8	142	17.8	13.9-21.7	15	2.5	00.7-04.3
Some Post-H.S.	953	96,079	553	56.0	51.9-60.1	221	26.5	22.6-30.4	165	16.3	13.2-19.4	14	1.1	00.3-01.9
College Graduate	981	65,100	638	61.0	57.1-64.9	223	26.0	22.3-29.7	113	12.4	09.7-15.1	7	0.6	00.0-01.2
Less than \$15,000	250	20,703	139	49.6	39.6-59.6	62	23.2	14.8-31.6	40	22.2	13.0-31.4	9	5.0	00.1-09.9
\$15,000- 24,999	426	34,996	236	50.9	43.6-58.2	95	26.5	19.8-33.2	85	18.5	13.2-23.8	10	4.1	00.6-07.6
\$25,000- 34,999	340	25,734	203	52.2	44.8-59.6	80	28.5	21.6-35.4	56	19.0	12.7-25.3	1	0.3	00.0-00.9
\$35,000- 49,999	395	35,623	230	56.8	50.3-63.3	109	30.7	24.6-36.8	55	12.4	08.5-16.3	1	0.2	00.0-00.6
\$50,000- 74,999	446	37,280	277	59.4	53.7-65.1	104	25.9	21.0-30.8	61	14.0	09.9-18.1	4	0.7	00.0-01.5
\$75,000+	629	53,568	396	62.9	58.2-67.6	144	21.7	18.0-25.4	81	14.3	10.6-18.0	8	1.1	00.0-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5018	491,665	176	3.9	03.1-04.7	1783	35.2	33.4-37.0	2143	43.1	41.1-45.1	916	17.9	16.3-19.5
Male	2087	246,139	68	3.5	02.5-04.5	758	35.6	32.9-38.3	918	44.1	41.2-47.0	343	16.8	14.6-19.0
Female	2931	245,526	108	4.2	03.0-05.4	1025	34.7	32.3-37.1	1225	42.1	39.6-44.6	573	18.9	16.9-20.9
Native	125	16,796	5	1.5	00.0-03.1	39	38.2	25.3-51.1	56	45.5	33.0-58.0	25	14.8	07.5-22.1
Non-Native	4836	469,980	167	3.9	03.1-04.7	1720	35.0	33.2-36.8	2071	43.0	41.0-45.0	878	18.0	16.4-19.6
18-24	236	81,619	7	3.2	00.8-05.6	64	29.0	22.5-35.5	113	45.8	38.9-52.7	52	22.0	16.3-27.7
25-34	547	82,936	19	4.5	02.3-06.7	210	37.0	32.3-41.7	221	39.7	34.8-44.6	97	18.9	15.0-22.8
35-44	601	69,482	20	3.4	01.6-05.2	236	39.6	34.9-44.3	259	42.0	37.1-46.9	86	15.0	11.5-18.5
45-54	944	87,430	34	4.3	02.3-06.3	356	36.4	32.7-40.1	399	43.6	39.7-47.5	155	15.8	12.9-18.7
55-64	1122	74,449	40	3.8	02.2-05.4	370	33.5	30.2-36.8	505	44.9	41.4-48.4	207	17.8	15.1-20.5
65+	1523	92,046	53	3.9	02.5-05.3	533	36.5	33.4-39.6	635	42.8	39.7-45.9	302	16.8	14.6-19.0
Less Than H.S.	315	47,994	14	5.4	01.9-08.9	89	30.0	22.2-37.8	137	43.0	35.0-51.0	75	21.5	14.8-28.2
H.S. or G.E.D.	1462	137,654	39	3.4	02.0-04.8	501	35.4	32.1-38.7	609	40.5	37.2-43.8	313	20.7	17.8-23.6
Some Post-H.S.	1570	187,176	62	4.0	02.6-05.4	553	34.3	31.2-37.4	682	45.3	42.0-48.6	273	16.4	13.9-18.9
College Graduate	1666	118,616	60	3.5	02.3-04.7	638	38.2	35.3-41.1	713	42.7	39.8-45.6	255	15.6	13.2-18.0
Less than \$15,000	361	37,186	17	3.8	01.1-06.5	112	25.4	18.7-32.1	137	44.6	36.2-53.0	95	26.1	18.7-33.5
\$15,000- 24,999	646	62,629	26	5.1	02.4-07.8	218	38.8	32.9-44.7	269	38.6	33.1-44.1	133	17.5	13.4-21.6
\$25,000- 34,999	568	53,784	18	2.9	00.7-05.1	207	38.4	32.7-44.1	219	39.2	33.5-44.9	124	19.5	15.0-24.0
\$35,000- 49,999	762	82,413	23	4.6	02.4-06.8	262	31.3	27.2-35.4	352	48.0	43.3-52.7	125	16.0	12.5-19.5
\$50,000- 74,999	845	80,086	27	3.0	01.6-04.4	301	36.4	32.3-40.5	401	47.1	43.0-51.2	116	13.5	10.8-16.2
\$75,000+	1199	111,746	44	3.7	02.3-05.1	470	38.1	34.6-41.6	512	43.6	40.1-47.1	173	14.6	12.1-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2087	246,139	68	3.5	02.5-04.5	758	35.6	32.9-38.3	918	44.1	41.2-47.0	343	16.8	14.6-19.0
Non-Native	2009	234,487	62	3.5	02.5-04.5	730	35.3	32.6-38.0	889	44.2	41.3-47.1	328	17.1	14.7-19.5
18-24	116	42,755	2	2.0	00.0-04.7	32	30.5	21.3-39.7	59	47.5	37.7-57.3	23	20.1	12.1-28.1
25-34	261	44,918	9	3.6	01.1-06.1	95	34.4	27.7-41.1	110	41.4	34.5-48.3	47	20.6	14.7-26.5
35-44	281	36,022	7	2.2	00.6-03.8	112	40.5	33.6-47.4	119	40.9	33.8-48.0	43	16.4	11.1-21.7
45-54	388	43,775	14	5.5	02.2-08.8	148	35.8	29.7-41.9	171	45.5	39.2-51.8	55	13.2	09.1-17.3
55-64	504	37,713	18	3.8	01.8-05.8	173	35.2	30.1-40.3	222	43.3	38.0-48.6	91	17.7	13.6-21.8
65+	523	39,791	17	4.0	01.8-06.2	192	38.4	33.1-43.7	233	44.6	39.3-49.9	81	13.0	09.7-16.3
Less Than H.S.	163	31,077	7	3.8	00.1-07.5	43	30.0	20.0-40.0	82	46.4	36.0-56.8	31	19.8	11.4-28.2
H.S. or G.E.D.	603	69,158	16	3.3	01.3-05.3	216	35.9	31.0-40.8	261	40.9	36.0-45.8	110	19.9	15.6-24.2
Some Post-H.S.	623	91,471	23	3.5	01.7-05.3	231	35.0	30.3-39.7	272	46.6	41.5-51.7	97	15.0	11.5-18.5
College Graduate	697	54,396	21	3.7	01.9-05.5	268	39.3	34.8-43.8	303	42.6	38.1-47.1	105	14.3	11.0-17.6
Less than \$15,000	116	17,259	7	4.2	00.1-08.3	36	26.8	15.4-38.2	44	45.8	32.1-59.5	29	23.2	11.6-34.8
\$15,000- 24,999	223	27,779	6	3.0	00.1-05.9	77	43.3	33.7-52.9	90	34.0	25.4-42.6	50	19.7	12.8-26.6
\$25,000- 34,999	230	28,272	6	2.0	00.0-04.0	101	44.3	35.5-53.1	84	35.6	27.0-44.2	39	18.1	11.2-25.0
\$35,000- 49,999	371	46,987	8	2.4	00.6-04.2	127	29.8	23.9-35.7	189	53.9	47.4-60.4	47	13.9	09.2-18.6
\$50,000- 74,999	403	43,084	11	3.3	01.1-05.5	149	36.7	30.8-42.6	188	46.5	40.4-52.6	55	13.5	09.4-17.6
\$75,000+	574	58,478	22	4.3	02.1-06.5	215	36.1	31.2-41.0	252	45.3	40.2-50.4	85	14.2	10.7-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2931	245,526	108	4.2	03.0-05.4	1025	34.7	32.3-37.1	1225	42.1	39.6-44.6	573	18.9	16.9-20.9
Native	76	7,992	2	0.7	00.0-01.9	23	32.1	15.2-49.0	35	49.9	32.7-67.1	16	17.3	06.7-27.9
Non-Native	2827	235,493	105	4.3	03.1-05.5	990	34.8	32.4-37.2	1182	41.9	39.4-44.4	550	19.0	17.0-21.0
18-24	120	38,863	5	4.5	00.4-08.6	32	27.4	18.6-36.2	54	44.0	34.4-53.6	29	24.1	15.9-32.3
25-34	286	38,018	10	5.5	01.8-09.2	115	40.1	33.4-46.8	111	37.6	30.9-44.3	50	16.8	11.7-21.9
35-44	320	33,459	13	4.6	01.5-07.7	124	38.7	32.4-45.0	140	43.1	36.4-49.8	43	13.6	09.1-18.1
45-54	556	43,655	20	3.0	01.2-04.8	208	37.0	32.3-41.7	228	41.6	36.7-46.5	100	18.4	14.5-22.3
55-64	618	36,736	22	3.9	01.7-06.1	197	31.7	27.4-36.0	283	46.4	41.7-51.1	116	18.0	14.5-21.5
65+	1000	52,255	36	3.8	02.4-05.2	341	35.0	31.1-38.9	402	41.5	37.6-45.4	221	19.7	16.8-22.6
Less Than H.S.	152	16,916	7	8.5	01.2-15.8	46	30.0	17.8-42.2	55	36.9	24.2-49.6	44	24.6	14.0-35.2
H.S. or G.E.D.	859	68,496	23	3.5	01.3-05.7	285	35.0	30.5-39.5	348	40.0	35.3-44.7	203	21.5	17.8-25.2
Some Post-H.S.	947	95,705	39	4.5	02.5-06.5	322	33.7	29.8-37.6	410	44.1	40.0-48.2	176	17.7	14.4-21.0
College Graduate	969	64,220	39	3.4	02.2-04.6	370	37.2	33.5-40.9	410	42.8	38.9-46.7	150	16.6	13.5-19.7
Less than \$15,000	245	19,927	10	3.5	00.0-07.0	76	24.2	16.4-32.0	93	43.6	33.4-53.8	66	28.7	19.3-38.1
\$15,000- 24,999	423	34,850	20	6.9	02.6-11.2	141	35.2	28.1-42.3	179	42.3	35.0-49.6	83	15.6	10.9-20.3
\$25,000- 34,999	338	25,513	12	4.0	00.3-07.7	106	31.8	24.9-38.7	135	43.0	35.6-50.4	85	21.1	15.4-26.8
\$35,000- 49,999	391	35,426	15	7.6	03.1-12.1	135	33.3	27.4-39.2	163	40.2	33.9-46.5	78	18.9	13.8-24.0
\$50,000- 74,999	442	37,002	16	2.8	01.2-04.4	152	35.9	30.4-41.4	213	47.8	42.1-53.5	61	13.5	09.8-17.2
\$75,000+	625	53,268	22	3.0	01.6-04.4	255	40.3	35.4-45.2	260	41.7	37.0-46.4	88	15.0	11.3-18.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5040	493,371	721	13.9	12.5-15.3	2165	43.2	41.2-45.2	1560	31.5	29.7-33.3	594	11.3	10.1-12.5
Male	2095	246,125	224	10.3	08.5-12.1	832	40.6	37.9-43.3	720	35.0	32.3-37.7	319	14.1	12.1-16.1
Female	2945	247,246	497	17.6	15.6-19.6	1333	45.9	43.4-48.4	840	28.0	25.6-30.4	275	8.6	07.2-10.0
Native	126	16,811	18	16.6	07.4-25.8	53	32.7	21.3-44.1	41	40.7	28.0-53.4	14	10.0	03.1-16.9
Non-Native	4858	471,949	695	13.8	12.4-15.2	2083	43.6	41.6-45.6	1509	31.3	29.5-33.1	571	11.3	10.1-12.5
18-24	239	82,204	35	14.4	09.7-19.1	111	45.6	38.7-52.5	66	28.5	22.2-34.8	27	11.4	06.9-15.9
25-34	548	82,974	78	14.7	11.2-18.2	259	45.4	40.5-50.3	164	29.9	25.4-34.4	47	10.0	06.9-13.1
35-44	601	69,483	94	14.5	11.2-17.8	285	46.8	41.9-51.7	179	30.5	26.0-35.0	43	8.2	05.5-10.9
45-54	943	87,386	125	13.5	10.8-16.2	408	41.2	37.3-45.1	298	34.7	30.8-38.6	112	10.6	08.2-13.0
55-64	1121	74,170	145	11.7	09.5-13.9	445	40.3	36.8-43.8	388	35.1	31.8-38.4	143	13.0	10.5-15.5
65+	1543	93,227	235	14.1	11.9-16.3	636	40.5	37.4-43.6	458	31.4	28.5-34.3	214	14.0	11.8-16.2
Less Than H.S.	321	48,217	40	9.3	05.2-13.4	102	34.7	26.7-42.7	109	36.6	28.8-44.4	70	19.3	13.0-25.6
H.S. or G.E.D.	1459	138,300	194	13.6	11.1-16.1	580	40.8	37.3-44.3	432	30.0	26.9-33.1	253	15.6	13.2-18.0
Some Post-H.S.	1571	186,869	201	13.3	10.9-15.7	691	44.0	40.7-47.3	514	33.5	30.4-36.6	165	9.2	07.4-11.0
College Graduate	1683	119,739	284	17.0	14.6-19.4	789	48.3	45.4-51.2	505	28.2	25.7-30.7	105	6.5	04.9-08.1
Less than \$15,000	361	37,686	46	9.0	04.9-13.1	149	43.4	35.2-51.6	103	35.5	27.3-43.7	63	12.1	07.6-16.6
\$15,000- 24,999	642	62,336	89	14.8	10.7-18.9	257	42.0	36.1-47.9	206	28.7	23.6-33.8	90	14.5	10.4-18.6
\$25,000- 34,999	568	54,192	88	14.4	10.5-18.3	226	41.0	35.3-46.7	176	31.2	25.9-36.5	78	13.5	09.0-18.0
\$35,000- 49,999	767	82,438	100	12.3	09.4-15.2	317	42.7	38.0-47.4	236	31.5	27.2-35.8	114	13.5	10.4-16.6
\$50,000- 74,999	848	80,001	108	13.2	10.3-16.1	375	44.1	40.0-48.2	279	32.3	28.4-36.2	86	10.5	08.0-13.0
\$75,000+	1205	112,298	189	15.0	12.5-17.5	555	45.0	41.5-48.5	391	34.6	31.1-38.1	70	5.4	03.8-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	246,125	224	10.3	08.5-12.1	832	40.6	37.9-43.3	720	35.0	32.3-37.7	319	14.1	12.1-16.1
Non-Native	2018	234,751	211	9.8	08.0-11.6	804	40.9	38.0-43.8	694	34.9	32.2-37.6	309	14.4	12.4-16.4
18-24	116	42,278	14	12.2	05.9-18.5	48	43.8	34.0-53.6	38	31.6	22.6-40.6	16	12.4	05.7-19.1
25-34	261	44,918	26	9.4	05.5-13.3	118	44.0	37.1-50.9	81	31.6	24.9-38.3	36	15.0	09.9-20.1
35-44	281	36,144	36	10.3	06.2-14.4	122	43.9	36.8-51.0	100	35.7	28.8-42.6	23	10.1	05.4-14.8
45-54	388	43,746	41	10.4	06.5-14.3	159	39.7	33.4-46.0	127	37.3	31.0-43.6	61	12.6	08.7-16.5
55-64	503	37,470	45	7.5	05.1-09.9	187	37.2	32.1-42.3	190	38.8	33.5-44.1	81	16.5	12.4-20.6
65+	531	40,382	59	11.3	07.8-14.8	190	34.1	29.2-39.0	183	36.6	31.5-41.7	99	18.1	14.2-22.0
Less Than H.S.	164	30,685	18	8.2	02.9-13.5	45	32.6	22.4-42.8	62	36.5	26.7-46.3	39	22.7	13.7-31.7
H.S. or G.E.D.	600	69,301	52	9.9	06.8-13.0	213	36.7	31.6-41.8	201	34.1	29.2-39.0	134	19.2	15.5-22.9
Some Post-H.S.	626	91,374	57	9.1	06.0-12.2	259	42.9	38.0-47.8	222	37.4	32.5-42.3	88	10.6	07.9-13.3
College Graduate	703	54,706	96	13.6	10.5-16.7	314	46.3	41.8-50.8	235	31.4	27.3-35.5	58	8.7	06.0-11.4
Less than \$15,000	115	17,248	13	6.6	01.9-11.3	36	43.1	29.2-57.0	41	40.3	27.0-53.6	25	10.0	04.1-15.9
\$15,000- 24,999	222	27,616	24	10.3	04.6-16.0	87	48.2	38.8-57.6	72	23.9	16.8-31.0	39	17.6	10.5-24.7
\$25,000- 34,999	232	28,668	28	11.4	06.1-16.7	89	39.2	30.8-47.6	75	34.0	25.6-42.4	40	15.4	08.3-22.5
\$35,000- 49,999	374	47,071	35	7.7	04.2-11.2	130	37.3	30.8-43.8	133	37.1	30.8-43.4	76	17.9	13.2-22.6
\$50,000- 74,999	404	42,903	25	7.6	03.9-11.3	183	44.8	38.7-50.9	142	34.8	28.9-40.7	54	12.8	09.1-16.5
\$75,000+	577	58,841	76	13.0	09.5-16.5	241	39.7	34.8-44.6	212	39.7	34.6-44.8	48	7.5	05.0-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2945	247,246	497	17.6	15.6-19.6	1333	45.9	43.4-48.4	840	28.0	25.6-30.4	275	8.6	07.2-10.0
Native	77	8,007	9	13.2	01.6-24.8	39	35.5	21.2-49.8	19	38.1	19.3-56.9	10	13.1	02.7-23.5
Non-Native	2840	237,198	484	17.8	15.8-19.8	1279	46.2	43.7-48.7	815	27.8	25.6-30.0	262	8.2	06.8-09.6
18-24	123	39,926	21	16.8	09.7-23.9	63	47.6	38.0-57.2	28	25.3	16.9-33.7	11	10.3	04.2-16.4
25-34	287	38,057	52	21.0	15.1-26.9	141	47.0	40.1-53.9	83	27.9	21.8-34.0	11	4.1	01.2-07.0
35-44	320	33,339	58	19.2	13.9-24.5	163	49.8	43.1-56.5	79	24.8	18.9-30.7	20	6.2	03.1-09.3
45-54	555	43,640	84	16.7	12.8-20.6	249	42.6	37.9-47.3	171	32.0	27.5-36.5	51	8.7	06.0-11.4
55-64	618	36,700	100	16.0	12.3-19.7	258	43.4	38.7-48.1	198	31.2	26.9-35.5	62	9.4	06.7-12.1
65+	1012	52,845	176	16.3	13.6-19.0	446	45.5	41.6-49.4	275	27.4	23.9-30.9	115	10.8	08.4-13.2
Less Than H.S.	157	17,532	22	11.2	04.7-17.7	57	38.5	25.8-51.2	47	36.9	24.2-49.6	31	13.4	06.9-19.9
H.S. or G.E.D.	859	68,999	142	17.3	13.6-21.0	367	45.0	40.3-49.7	231	25.8	21.7-29.9	119	11.9	09.0-14.8
Some Post-H.S.	945	95,495	144	17.4	14.1-20.7	432	45.0	40.9-49.1	292	29.7	26.0-33.4	77	7.9	05.4-10.4
College Graduate	980	65,032	188	19.8	16.5-23.1	475	49.9	46.0-53.8	270	25.6	22.3-28.9	47	4.7	03.1-06.3
Less than \$15,000	246	20,439	33	11.0	04.9-17.1	113	43.6	33.6-53.6	62	31.5	21.1-41.9	38	13.9	07.4-20.4
\$15,000- 24,999	420	34,720	65	18.3	12.4-24.2	170	37.1	30.0-44.2	134	32.5	25.6-39.4	51	12.0	07.1-16.9
\$25,000- 34,999	336	25,524	60	17.7	11.8-23.6	137	43.0	35.6-50.4	101	28.0	21.5-34.5	38	11.4	06.3-16.5
\$35,000- 49,999	393	35,368	65	18.4	13.3-23.5	187	49.9	43.4-56.4	103	24.0	18.7-29.3	38	7.7	04.4-11.0
\$50,000- 74,999	444	37,098	83	19.7	14.8-24.6	192	43.2	37.5-48.9	137	29.3	24.2-34.4	32	7.8	04.7-10.9
\$75,000+	628	53,456	113	17.2	13.7-20.7	314	50.8	45.9-55.7	179	28.9	24.6-33.2	22	3.1	01.7-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5031	492,461	337	5.2	04.4-06.0	2021	37.7	35.9-39.5	1972	39.3	37.3-41.3	701	17.8	16.2-19.4
Male	2092	246,687	107	3.8	02.8-04.8	717	33.2	30.5-35.9	870	40.0	37.3-42.7	398	22.9	20.4-25.4
Female	2939	245,774	230	6.6	05.4-07.8	1304	42.1	39.7-44.5	1102	38.5	36.0-41.0	303	12.7	10.7-14.7
Native	124	17,103	8	2.5	00.5-04.5	41	32.4	21.0-43.8	45	41.8	28.9-54.7	30	23.3	13.3-33.3
Non-Native	4850	470,505	327	5.4	04.6-06.2	1957	37.9	36.1-39.7	1908	39.3	37.3-41.3	658	17.5	15.9-19.1
18-24	237	82,091	11	3.2	01.0-05.4	77	31.9	25.6-38.2	84	35.4	28.7-42.1	65	29.6	23.1-36.1
25-34	545	82,176	22	3.4	01.8-05.0	207	36.6	31.9-41.3	225	40.6	35.7-45.5	91	19.4	15.3-23.5
35-44	600	69,414	29	4.8	02.8-06.8	269	42.8	38.1-47.5	217	35.0	30.5-39.5	85	17.4	13.3-21.5
45-54	947	87,631	52	5.5	03.5-07.5	369	36.5	32.8-40.2	373	40.5	36.6-44.4	153	17.4	14.1-20.7
55-64	1117	74,070	90	6.9	05.3-08.5	412	36.6	33.3-39.9	458	41.9	38.4-45.4	157	14.7	12.0-17.4
65+	1538	93,266	130	7.5	05.9-09.1	667	41.7	38.6-44.8	600	41.0	37.9-44.1	141	9.7	07.7-11.7
Less Than H.S.	319	48,896	27	5.4	02.7-08.1	100	24.9	18.4-31.4	123	38.0	30.2-45.8	69	31.7	23.7-39.7
H.S. or G.E.D.	1462	138,099	78	4.3	02.9-05.7	556	35.6	32.3-38.9	578	40.3	36.8-43.8	250	19.8	16.9-22.7
Some Post-H.S.	1570	186,508	108	5.2	03.8-06.6	613	38.2	35.1-41.3	636	40.1	37.0-43.2	213	16.5	14.0-19.0
College Graduate	1674	118,711	123	6.3	04.9-07.7	749	44.4	41.5-47.3	634	37.3	34.4-40.2	168	12.1	09.9-14.3
Less than \$15,000	363	37,908	23	3.4	01.4-05.4	130	33.0	25.2-40.8	138	37.8	29.8-45.8	72	25.8	18.4-33.2
\$15,000- 24,999	637	61,827	43	5.5	03.0-08.0	220	35.7	30.0-41.4	258	38.3	32.6-44.0	116	20.5	15.8-25.2
\$25,000- 34,999	570	54,219	46	5.2	03.2-07.2	223	36.7	31.2-42.2	220	37.8	32.3-43.3	81	20.3	14.8-25.8
\$35,000- 49,999	765	81,851	43	4.7	02.9-06.5	297	35.7	31.4-40.0	308	41.2	36.7-45.7	117	18.4	14.5-22.3
\$50,000- 74,999	848	80,436	58	5.5	03.7-07.3	367	41.8	37.7-45.9	326	39.1	35.0-43.2	97	13.6	10.5-16.7
\$75,000+	1202	112,067	68	4.6	03.2-06.0	531	41.2	37.9-44.5	481	42.4	38.9-45.9	122	11.8	09.4-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2092	246,687	107	3.8	02.8-04.8	717	33.2	30.5-35.9	870	40.0	37.3-42.7	398	22.9	20.4-25.4
Native	50	9,281	5	3.2	00.1-06.3	13	30.9	14.4-47.4	19	41.7	23.5-59.9	13	24.2	09.3-39.1
Non-Native	2012	234,536	101	3.9	02.9-04.9	694	33.4	30.7-36.1	841	40.0	37.3-42.7	376	22.8	20.1-25.5
18-24	118	43,404	4	2.0	00.0-04.2	39	34.0	24.8-43.2	35	28.0	19.4-36.6	40	36.0	26.4-45.6
25-34	259	44,339	8	2.8	00.6-05.0	86	32.5	26.0-39.0	116	42.1	35.0-49.2	49	22.6	16.5-28.7
35-44	282	36,248	11	2.8	00.8-04.8	108	37.4	30.7-44.1	112	38.4	31.5-45.3	51	21.4	15.1-27.7
45-54	391	43,808	18	4.4	01.7-07.1	124	29.4	23.9-34.9	159	42.8	36.5-49.1	90	23.5	18.0-29.0
55-64	501	37,517	27	4.7	02.7-06.7	162	31.0	26.1-35.9	222	45.6	40.3-50.9	90	18.7	14.2-23.2
65+	527	40,318	39	6.6	04.2-09.0	193	35.8	30.7-40.9	221	43.3	38.0-48.6	74	14.3	10.6-18.0
Less Than H.S.	165	31,432	15	5.1	01.4-08.8	39	22.0	13.6-30.4	59	33.0	23.4-42.6	52	39.9	29.3-50.5
H.S. or G.E.D.	601	69,342	23	3.3	01.7-04.9	198	32.7	27.8-37.6	245	40.3	35.4-45.2	135	23.8	19.3-28.3
Some Post-H.S.	623	91,232	32	3.7	02.1-05.3	204	33.2	28.5-37.9	271	41.8	36.9-46.7	116	21.4	17.1-25.7
College Graduate	701	54,622	37	4.1	02.5-05.7	275	40.2	35.7-44.7	295	41.0	36.5-45.5	94	14.8	11.3-18.3
Less than \$15,000	115	17,248	5	1.8	00.0-03.6	28	29.4	16.5-42.3	44	35.4	22.7-48.1	38	33.3	20.4-46.2
\$15,000- 24,999	222	27,775	12	3.9	00.8-07.0	71	37.6	28.4-46.8	84	32.8	24.0-41.6	55	25.7	17.7-33.7
\$25,000- 34,999	232	28,730	13	3.6	01.2-06.0	78	30.5	22.9-38.1	88	37.1	28.7-45.5	53	28.9	20.1-37.7
\$35,000- 49,999	373	46,549	17	2.2	01.0-03.4	122	31.0	24.9-37.1	162	43.2	36.7-49.7	72	23.6	17.7-29.5
\$50,000- 74,999	403	43,354	18	4.2	01.8-06.6	157	37.4	31.5-43.3	167	41.6	35.5-47.7	61	16.8	12.1-21.5
\$75,000+	577	58,841	28	4.5	02.3-06.7	207	33.4	28.7-38.1	265	47.8	42.7-52.9	77	14.3	10.6-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2939	245,774	230	6.6	05.4-07.8	1304	42.1	39.7-44.5	1102	38.5	36.0-41.0	303	12.7	10.7-14.7
Native	74	7,822	3	1.6	00.0-03.6	28	34.2	18.7-49.7	26	41.9	23.5-60.3	17	22.3	09.6-35.0
Non-Native	2838	235,969	226	6.8	05.6-08.0	1263	42.4	39.9-44.9	1067	38.5	36.0-41.0	282	12.2	10.2-14.2
18-24	119	38,687	7	4.5	00.6-08.4	38	29.5	20.9-38.1	49	43.7	33.9-53.5	25	22.3	14.1-30.5
25-34	286	37,838	14	4.2	01.7-06.7	121	41.3	34.4-48.2	109	38.9	32.0-45.8	42	15.7	10.6-20.8
35-44	318	33,166	18	6.9	03.4-10.4	161	48.6	41.9-55.3	105	31.3	25.2-37.4	34	13.2	07.9-18.5
45-54	556	43,823	34	6.7	04.2-09.2	245	43.7	38.8-48.6	214	38.3	33.6-43.0	63	11.3	08.2-14.4
55-64	616	36,553	63	9.1	06.6-11.6	250	42.3	37.6-47.0	236	38.1	33.4-42.8	67	10.6	07.5-13.7
65+	1011	52,948	91	8.2	06.2-10.2	474	46.2	42.3-50.1	379	39.3	35.4-43.2	67	6.3	04.3-08.3
Less Than H.S.	154	17,464	12	5.8	01.7-09.9	61	30.2	20.0-40.4	64	47.1	34.2-60.0	17	16.9	05.7-28.1
H.S. or G.E.D.	861	68,757	55	5.3	03.1-07.5	358	38.5	34.0-43.0	333	40.4	35.7-45.1	115	15.8	12.1-19.5
Some Post-H.S.	947	95,276	76	6.6	04.6-08.6	409	43.0	38.9-47.1	365	38.6	34.5-42.7	97	11.8	08.9-14.7
College Graduate	973	64,089	86	8.1	06.1-10.1	474	48.0	44.1-51.9	339	34.1	30.4-37.8	74	9.8	07.1-12.5
Less than \$15,000	248	20,660	18	4.7	01.4-08.0	102	36.1	26.7-45.5	94	39.8	29.8-49.8	34	19.5	11.1-27.9
\$15,000- 24,999	415	34,052	31	6.8	03.3-10.3	149	34.1	27.0-41.2	174	42.9	35.6-50.2	61	16.2	10.7-21.7
\$25,000- 34,999	338	25,489	33	7.0	03.9-10.1	145	43.7	36.3-51.1	132	38.5	31.2-45.8	28	10.7	05.6-15.8
\$35,000- 49,999	392	35,302	26	8.0	04.3-11.7	175	41.8	35.5-48.1	146	38.6	32.3-44.9	45	11.6	07.7-15.5
\$50,000- 74,999	445	37,081	40	7.0	04.6-09.4	210	47.0	41.3-52.7	159	36.2	30.7-41.7	36	9.8	05.9-13.7
\$75,000+	625	53,226	40	4.8	03.0-06.6	324	49.8	44.9-54.7	216	36.4	31.5-41.3	45	9.1	06.0-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5014	491,035	1945	35.9	34.1-37.7	1839	38.9	36.9-40.9	1186	24.1	22.5-25.7	44	1.0	00.4-01.6
Male	2081	244,568	632	28.7	26.2-31.2	816	40.6	37.7-43.5	612	29.7	27.0-32.4	21	1.0	00.2-01.8
Female	2933	246,467	1313	43.1	40.6-45.6	1023	37.2	34.7-39.7	574	18.6	16.6-20.6	23	1.1	00.5-01.7
Native	122	16,511	35	30.5	19.3-41.7	52	34.3	22.5-46.1	33	34.4	21.3-47.5	2	0.8	00.0-02.0
Non-Native	4837	469,969	1890	36.2	34.4-38.0	1765	39.0	37.0-41.0	1141	23.9	22.3-25.5	41	0.9	00.5-01.3
18-24	237	81,896	71	27.1	21.2-33.0	113	49.5	42.6-56.4	48	20.9	15.2-26.6	5	2.5	00.1-04.9
25-34	543	82,095	193	36.1	31.4-40.8	231	41.1	36.2-46.0	114	21.7	17.6-25.8	5	1.1	00.0-02.5
35-44	602	69,586	236	37.5	32.8-42.2	236	38.8	34.1-43.5	129	23.6	19.3-27.9	1	0.1	00.0-00.3
45-54	938	86,502	347	36.1	32.2-40.0	363	36.6	32.9-40.3	215	26.2	22.5-29.9	13	1.0	00.2-01.8
55-64	1116	73,942	420	36.1	32.8-39.4	368	33.3	30.0-36.6	319	29.9	26.6-33.2	9	0.8	00.2-01.4
65+	1531	93,176	658	42.2	39.1-45.3	508	33.5	30.4-36.6	355	23.8	21.1-26.5	10	0.5	00.1-00.9
Less Than H.S.	319	49,150	111	27.8	21.1-34.5	111	38.1	30.1-46.1	90	30.3	22.9-37.7	7	3.8	00.3-07.3
H.S. or G.E.D.	1456	137,415	558	37.1	33.8-40.4	520	37.7	34.2-41.2	358	24.1	21.2-27.0	20	1.1	00.3-01.9
Some Post-H.S.	1559	185,214	595	35.6	32.5-38.7	580	40.0	36.7-43.3	375	23.8	21.1-26.5	9	0.6	00.0-01.2
College Graduate	1674	119,009	676	38.3	35.4-41.2	627	39.1	36.2-42.0	363	22.1	19.6-24.6	8	0.5	00.1-00.9
Less than \$15,000	363	37,614	132	32.6	25.3-39.9	127	37.9	29.7-46.1	93	26.6	19.2-34.0	11	2.9	00.4-05.4
\$15,000- 24,999	640	62,301	229	34.9	29.2-40.6	241	39.7	34.0-45.4	166	24.9	20.0-29.8	4	0.4	00.0-01.0
\$25,000- 34,999	570	54,290	233	36.8	31.3-42.3	183	37.4	31.5-43.3	149	25.4	20.3-30.5	5	0.4	00.0-00.8
\$35,000- 49,999	761	81,602	269	35.4	30.9-39.9	291	38.0	33.5-42.5	195	26.1	22.0-30.2	6	0.6	00.0-01.2
\$50,000- 74,999	842	79,470	339	38.0	33.9-42.1	317	40.4	36.3-44.5	180	20.9	17.4-24.4	6	0.6	00.0-01.2
\$75,000+	1198	111,550	468	36.2	32.9-39.5	451	37.9	34.4-41.4	276	25.7	22.4-29.0	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2081	244,568	632	28.7	26.2-31.2	816	40.6	37.7-43.5	612	29.7	27.0-32.4	21	1.0	00.2-01.8
Non-Native	2003	233,025	605	28.4	25.9-30.9	790	41.1	38.2-44.0	588	29.4	26.7-32.1	20	1.0	00.2-01.8
18-24	115	42,215	31	25.4	17.2-33.6	56	49.4	39.6-59.2	26	23.3	14.9-31.7	2	1.9	00.0-05.0
25-34	256	44,090	63	25.8	19.5-32.1	125	46.6	39.5-53.7	66	26.4	19.9-32.9	2	1.3	00.0-03.7
35-44	282	36,248	85	29.6	23.1-36.1	116	39.3	32.4-46.2	81	31.1	24.4-37.8			
45-54	388	43,435	114	29.0	23.1-34.9	149	35.0	29.1-40.9	117	34.8	28.5-41.1	8	1.2	00.2-02.2
55-64	502	37,439	153	29.1	24.4-33.8	175	34.7	29.6-39.8	168	35.0	29.7-40.3	6	1.2	00.0-02.4
65+	523	40,066	180	34.1	29.0-39.2	189	36.9	31.6-42.2	151	28.7	24.0-33.4	3	0.3	00.0-00.7
Less Than H.S.	163	31,315	52	25.6	17.2-34.0	50	34.2	23.8-44.6	56	34.9	24.9-44.9	5	5.4	00.1-10.7
H.S. or G.E.D.	597	68,504	186	32.3	27.4-37.2	221	37.9	32.8-43.0	178	29.0	24.5-33.5	12	0.7	00.1-01.3
Some Post-H.S.	621	90,313	177	26.1	21.8-30.4	260	43.9	38.8-49.0	181	29.7	25.0-34.4	3	0.2	00.0-00.4
College Graduate	698	54,377	216	30.2	26.1-34.3	284	42.4	37.9-46.9	197	27.4	23.3-31.5	1	0.1	00.0-00.3
Less than \$15,000	114	16,926	39	27.1	16.3-37.9	33	40.1	26.0-54.2	38	31.0	18.7-43.3	4	1.8	00.0-04.2
\$15,000- 24,999	224	27,803	65	29.1	20.3-37.9	90	42.4	33.2-51.6	67	27.9	19.5-36.3	2	0.6	00.0-01.6
\$25,000- 34,999	231	28,702	73	30.6	22.8-38.4	86	41.6	32.8-50.4	69	27.4	19.8-35.0	3	0.4	00.0-01.0
\$35,000- 49,999	371	46,526	97	27.3	21.2-33.4	149	37.8	31.5-44.1	121	34.4	28.3-40.5	4	0.5	00.0-01.3
\$50,000- 74,999	399	42,255	118	27.6	22.3-32.9	171	45.4	39.3-51.5	107	26.6	21.1-32.1	3	0.4	00.0-01.0
\$75,000+	575	58,630	181	29.5	25.0-34.0	228	39.1	34.0-44.2	165	31.2	26.3-36.1	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	246,467	1313	43.1	40.6-45.6	1023	37.2	34.7-39.7	574	18.6	16.6-20.6	23	1.1	00.5-01.7
Native	74	7,764	19	25.8	11.7-39.9	37	45.3	27.7-62.9	17	28.3	10.9-45.7	1	0.6	00.0-01.8
Non-Native	2834	236,944	1285	43.8	41.3-46.3	975	36.9	34.4-39.4	553	18.4	16.4-20.4	21	0.9	00.3-01.5
18-24	122	39,681	40	28.9	20.5-37.3	57	49.6	40.0-59.2	22	18.3	10.9-25.7	3	3.2	00.0-06.7
25-34	287	38,005	130	48.0	41.1-54.9	106	34.6	28.1-41.1	48	16.4	11.3-21.5	3	1.0	00.0-02.4
35-44	320	33,339	151	46.1	39.4-52.8	120	38.3	31.8-44.8	48	15.5	10.8-20.2	1	0.1	00.0-00.3
45-54	550	43,066	233	43.3	38.4-48.2	214	38.3	33.6-43.0	98	17.5	14.0-21.0	5	0.9	00.0-01.9
55-64	614	36,503	267	43.2	38.5-47.9	193	31.9	27.4-36.4	151	24.6	20.5-28.7	3	0.4	00.0-00.8
65+	1008	53,109	478	48.3	44.4-52.2	319	31.0	27.3-34.7	204	20.0	16.9-23.1	7	0.7	00.1-01.3
Less Than H.S.	156	17,836	59	31.5	20.9-42.1	61	45.1	32.2-58.0	34	22.3	11.7-32.9	2	1.0	00.0-02.4
H.S. or G.E.D.	859	68,911	372	41.9	37.2-46.6	299	37.4	32.7-42.1	180	19.2	15.7-22.7	8	1.5	00.0-03.1
Some Post-H.S.	938	94,901	418	44.7	40.6-48.8	320	36.2	32.1-40.3	194	18.3	15.2-21.4	6	0.9	00.0-01.9
College Graduate	976	64,632	460	45.2	41.3-49.1	343	36.4	32.5-40.3	166	17.6	14.5-20.7	7	0.9	00.1-01.7
Less than \$15,000	249	20,687	93	37.2	27.8-46.6	94	36.0	26.4-45.6	55	23.0	14.0-32.0	7	3.9	00.0-08.2
\$15,000- 24,999	416	34,498	164	39.5	32.2-46.8	151	37.6	30.3-44.9	99	22.6	16.9-28.3	2	0.3	00.0-00.9
\$25,000- 34,999	339	25,588	160	43.9	36.6-51.2	97	32.6	25.3-39.9	80	23.1	16.8-29.4	2	0.4	00.0-01.0
\$35,000- 49,999	390	35,077	172	46.2	39.7-52.7	142	38.2	31.9-44.5	74	15.0	10.9-19.1	2	0.6	00.0-01.6
\$50,000- 74,999	443	37,215	221	49.8	44.1-55.5	146	34.8	29.3-40.3	73	14.5	10.8-18.2	3	0.9	00.0-02.1
\$75,000+	623	52,921	287	43.6	38.9-48.3	223	36.6	31.7-41.5	111	19.7	15.6-23.8	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	194
2 MALES ONLY	195
3 FEMALES ONLY	196
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)	
4 MALES AND FEMALES	197
5 MALES ONLY	198
6 FEMALES ONLY	199
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	200
8 MALES ONLY	201
9 FEMALES ONLY	202
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	203
11 MALES ONLY	204
12 FEMALES ONLY	205
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13 MALES AND FEMALES	206
14 MALES ONLY	207
15 FEMALES ONLY	208

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	209
17	MALES ONLY	210
18	FEMALES ONLY	211
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19	MALES AND FEMALES	212
20	MALES ONLY	213
21	FEMALES ONLY	214
	DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22	MALES AND FEMALES	215
23	MALES ONLY	216
24	FEMALES ONLY	217
	33	
25	MALES AND FEMALES	218
26	MALES ONLY	219
27	FEMALES ONLY	220
	37	
28	MALES AND FEMALES	221
29	MALES ONLY	222
30	FEMALES ONLY	223

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5042	492,306	3616	73.5	71.7-75.3	1426	26.5	24.7-28.3
Male	2092	245,654	1490	72.0	69.5-74.5	602	28.0	25.5-30.5
Female	2950	246,653	2126	74.8	72.6-77.0	824	25.2	23.0-27.4
Native	125	17,157	81	64.0	51.5-76.5	44	36.0	23.5-48.5
Non-Native	4860	470,158	3500	74.0	72.4-75.6	1360	26.0	24.4-27.6
18-24	237	81,727	203	85.1	80.0-90.2	34	14.9	09.8-20.0
25-34	545	82,396	429	78.5	74.4-82.6	116	21.5	17.4-25.6
35-44	599	69,121	458	72.0	67.3-76.7	141	28.0	23.3-32.7
45-54	940	86,797	690	70.0	66.1-73.9	250	30.0	26.1-33.9
55-64	1118	74,182	796	70.1	66.8-73.4	322	29.9	26.6-33.2
65+	1554	94,204	1007	65.9	63.0-68.8	547	34.1	31.2-37.0
Less Than H.S.	325	48,882	186	61.8	54.2-69.4	139	38.2	30.6-45.8
H.S. or G.E.D.	1466	137,988	930	66.3	63.0-69.6	536	33.7	30.4-37.0
Some Post-H.S.	1565	186,187	1107	74.0	71.3-76.7	458	26.0	23.3-28.7
College Graduate	1680	119,002	1388	85.6	83.6-87.6	292	14.4	12.4-16.4
Less than \$15,000	364	37,865	222	69.3	61.9-76.7	142	30.7	23.3-38.1
\$15,000- 24,999	645	62,031	400	65.2	59.7-70.7	245	34.8	29.3-40.3
\$25,000- 34,999	569	54,103	375	68.8	63.5-74.1	194	31.2	25.9-36.5
\$35,000- 49,999	757	81,387	529	72.8	68.7-76.9	228	27.2	23.1-31.3
\$50,000- 74,999	848	80,568	647	74.8	71.1-78.5	201	25.2	21.5-28.9
\$75,000+	1201	111,980	977	79.9	77.0-82.8	224	20.1	17.2-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2092	245,654	1490	72.0	69.5-74.5	602	28.0	25.5-30.5
Native	50	9,281	33	66.2	48.4-84.0	17	33.8	16.0-51.6
Non-Native	2011	233,323	1439	72.4	69.9-74.9	572	27.6	25.1-30.1
18-24	115	42,045	97	84.4	77.0-91.8	18	15.6	08.2-23.0
25-34	258	44,433	199	76.4	70.3-82.5	59	23.6	17.5-29.7
35-44	280	35,927	206	71.0	64.3-77.7	74	29.0	22.3-35.7
45-54	390	43,794	268	65.0	58.7-71.3	122	35.0	28.7-41.3
55-64	503	37,755	352	68.8	63.9-73.7	151	31.2	26.3-36.1
65+	532	40,646	359	65.6	60.5-70.7	173	34.4	29.3-39.5
Less Than H.S.	166	30,977	103	62.6	52.6-72.6	63	37.4	27.4-47.4
H.S. or G.E.D.	602	69,106	364	61.9	57.0-66.8	238	38.1	33.2-43.0
Some Post-H.S.	621	91,070	433	74.5	70.4-78.6	188	25.5	21.4-29.6
College Graduate	701	54,441	588	86.2	83.3-89.1	113	13.8	10.9-16.7
Less than \$15,000	114	17,153	76	73.8	62.4-85.2	38	26.2	14.8-37.6
\$15,000- 24,999	223	27,349	136	61.5	52.3-70.7	87	38.5	29.3-47.7
\$25,000- 34,999	232	28,752	149	66.7	58.5-74.9	83	33.3	25.1-41.5
\$35,000- 49,999	372	46,587	247	69.6	63.7-75.5	125	30.4	24.5-36.3
\$50,000- 74,999	404	43,417	299	73.2	67.7-78.7	105	26.8	21.3-32.3
\$75,000+	576	58,803	459	78.4	74.3-82.5	117	21.6	17.5-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	246,653	2126	74.8	72.6-77.0	824	25.2	23.0-27.4
Native	75	7,876	48	61.5	43.9-79.1	27	38.5	20.9-56.1
Non-Native	2849	236,835	2061	75.5	73.3-77.7	788	24.5	22.3-26.7
18-24	122	39,681	106	85.9	78.8-93.0	16	14.1	07.0-21.2
25-34	287	37,963	230	81.0	75.5-86.5	57	19.0	13.5-24.5
35-44	319	33,193	252	73.1	66.4-79.8	67	26.9	20.2-33.6
45-54	550	43,004	422	75.2	70.9-79.5	128	24.8	20.5-29.1
55-64	615	36,427	444	71.5	67.2-75.8	171	28.5	24.2-32.8
65+	1022	53,559	648	66.1	62.4-69.8	374	33.9	30.2-37.6
Less Than H.S.	159	17,905	83	60.5	48.5-72.5	76	39.5	27.5-51.5
H.S. or G.E.D.	864	68,881	566	70.8	66.7-74.9	298	29.2	25.1-33.3
Some Post-H.S.	944	95,117	674	73.5	69.8-77.2	270	26.5	22.8-30.2
College Graduate	979	64,561	800	85.1	82.6-87.6	179	14.9	12.4-17.4
Less than \$15,000	250	20,712	146	65.6	56.0-75.2	104	34.4	24.8-44.0
\$15,000- 24,999	422	34,682	264	68.2	61.7-74.7	158	31.8	25.3-38.3
\$25,000- 34,999	337	25,351	226	71.3	64.8-77.8	111	28.7	22.2-35.2
\$35,000- 49,999	385	34,800	282	77.1	71.8-82.4	103	22.9	17.6-28.2
\$50,000- 74,999	444	37,151	348	76.7	71.8-81.6	96	23.3	18.4-28.2
\$75,000+	625	53,177	518	81.5	77.6-85.4	107	18.5	14.6-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3576	357,617	690	23.9	21.9-25.9	2202	55.9	53.5-58.3	131	4.8	03.6-06.0	30	0.9	00.3-01.5	66	1.3	00.9-01.7	457	13.1	11.5-14.7
Male	1477	175,086	308	25.9	22.6-29.2	795	47.2	43.9-50.5	103	8.2	06.2-10.2	13	0.8	00.2-01.4	44	2.0	01.2-02.8	214	15.9	13.4-18.4
Female	2099	182,531	382	22.0	19.5-24.5	1407	64.4	61.5-67.3	28	1.6	00.8-02.4	17	1.1	00.3-01.9	22	0.7	00.3-01.1	243	10.3	08.7-11.9
Native	80	10,954	7	9.9	01.5-18.3	58	69.7	55.8-83.6	3	6.1	00.0-14.7	1	0.3	00.0-00.9				11	14.0	03.8-24.2
Non-Native	3462	343,971	679	24.4	22.2-26.6	2125	55.5	53.1-57.9	125	4.7	03.5-05.9	28	1.0	00.4-01.6	64	1.4	01.0-01.8	441	13.0	11.4-14.6
18-24	198	68,153	81	41.7	34.3-49.1	69	34.4	27.1-41.7	14	7.7	03.8-11.6	4	2.3	00.1-04.5	1	0.6	00.0-01.8	29	13.4	08.5-18.3
25-34	427	64,110	138	33.6	28.5-38.7	195	43.7	38.2-49.2	20	6.3	03.2-09.4	2	0.2	00.0-00.6	2	0.2	00.0-00.6	72	16.2	12.3-20.1
35-44	455	49,530	124	26.0	21.3-30.7	255	58.3	53.0-63.6	16	3.6	01.6-05.6	1	0.1	00.0-00.3	14	2.4	00.8-04.0	45	9.7	06.4-13.0
45-54	688	60,659	114	15.7	12.4-19.0	437	63.2	58.7-67.7	20	3.3	01.5-05.1	6	0.8	00.0-01.6	19	2.2	01.0-03.4	92	14.7	11.2-18.2
55-64	789	51,661	101	10.6	08.2-13.0	528	69.6	65.9-73.3	35	4.6	02.8-06.4	10	1.2	00.4-02.0	15	1.6	00.6-02.6	100	12.4	09.7-15.1
65+	986	60,784	126	11.8	09.4-14.2	697	71.4	67.9-74.9	25	2.9	01.5-04.3	8	1.0	00.0-02.0	15	1.5	00.5-02.5	115	11.3	08.9-13.7
Less Than H.S.	181	29,189	23	17.6	08.2-27.0	125	62.0	51.4-72.6	6	5.4	00.7-10.1	2	0.6	00.0-01.6	4	1.4	00.0-03.0	21	12.9	06.0-19.8
H.S. or G.E.D.	919	90,824	130	18.6	14.7-22.5	629	62.7	58.4-67.0	32	4.7	02.7-06.7	5	0.6	00.0-01.6	15	1.8	00.6-03.0	108	11.6	09.1-14.1
Some Post-H.S.	1097	136,578	189	23.5	20.0-27.0	680	54.8	50.9-58.7	40	5.1	03.1-07.1	13	1.5	00.3-02.7	18	0.8	00.4-01.2	157	14.2	11.5-16.9
College Graduate	1374	100,788	348	31.2	28.1-34.3	764	49.5	46.2-52.8	53	4.2	02.8-05.6	9	0.5	00.1-00.9	29	1.6	00.8-02.4	171	12.9	10.5-15.3
Less than \$15,000	221	26,053	28	22.3	12.9-31.7	153	58.0	47.6-68.4	9	7.5	01.2-13.8	3	0.8	00.0-01.8	2	0.1	00.0-00.3	26	11.3	04.8-17.8
\$15,000- 24,999	392	39,927	51	19.1	12.6-25.6	268	60.4	53.0-67.8	3	2.0	00.0-04.7	5	1.6	00.0-04.0	7	1.4	00.0-03.6	58	15.3	10.2-20.4
\$25,000- 34,999	370	36,594	61	23.5	16.6-30.4	247	61.6	54.5-68.7	9	3.3	00.8-05.8	2	0.8	00.0-02.2	9	1.5	00.3-02.7	42	9.3	05.8-12.8
\$35,000- 49,999	523	58,574	106	24.0	18.9-29.1	319	57.6	51.9-63.3	26	6.4	03.3-09.5	5	1.2	00.0-02.8	9	1.1	00.3-01.9	58	9.8	06.5-13.1
\$50,000- 74,999	644	59,999	133	25.6	21.1-30.1	373	52.0	47.1-56.9	22	3.9	01.9-05.9	3	0.6	00.0-01.2	17	2.0	00.8-03.2	96	15.9	12.4-19.4
\$75,000+	970	88,949	232	25.5	22.0-29.0	542	52.0	48.1-55.9	47	5.4	03.4-07.4	7	0.4	00.0-00.8	16	1.5	00.7-02.3	126	15.1	12.0-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	175,086	308	25.9	22.8-29.0	795	47.2	43.9-50.5	103	8.2	06.2-10.2	13	0.8	00.2-01.4	44	2.0	01.2-02.8	214	15.9	13.4-18.4
Non-Native	1428	167,197	305	26.6	23.3-29.9	765	46.4	43.1-49.7	98	8.2	06.2-10.2	12	0.8	00.2-01.4	42	2.1	01.3-02.9	206	15.9	13.4-18.4
18-24	95	34,904	43	48.2	37.4-59.0	19	17.9	09.9-25.9	12	12.6	05.7-19.5	1	1.2	00.0-03.6	1	1.2	00.0-03.6	19	18.9	10.7-27.1
25-34	198	33,409	70	33.7	26.3-41.1	65	34.3	26.5-42.1	16	9.9	04.6-15.2				1	0.3	00.0-00.9	46	21.7	15.2-28.2
35-44	205	25,410	58	26.8	19.5-34.1	94	51.0	42.8-59.2	14	6.5	02.6-10.4	1	0.1	00.0-00.3	9	2.9	00.7-05.1	29	12.7	07.2-18.2
45-54	268	28,466	50	16.2	10.9-21.5	143	54.2	46.8-61.6	17	6.2	02.9-09.5	2	0.8	00.0-02.0	14	3.5	01.3-05.7	42	19.1	12.6-25.6
55-64	350	25,883	45	10.3	07.0-13.6	221	67.6	61.9-73.3	27	7.5	04.2-10.8	5	1.0	00.0-02.0	9	2.4	00.6-04.2	43	11.2	07.7-14.7
65+	352	26,067	40	11.6	07.5-15.7	248	70.2	64.3-76.1	17	4.8	02.1-07.5	3	1.7	00.0-03.9	10	2.8	00.6-05.0	34	8.9	05.2-12.6
Less Than H.S.	101	18,608	13	23.1	09.8-36.4	70	56.1	42.4-69.8	4	4.0	00.0-08.3	2	0.9	00.0-02.5	3	1.9	00.0-04.4	9	14.0	04.4-23.6
H.S. or G.E.D.	360	42,417	56	21.3	15.2-27.4	217	53.8	47.1-60.5	24	9.0	04.9-13.1	2	0.2	00.0-00.4	11	2.9	00.5-05.3	50	12.9	08.8-17.0
Some Post-H.S.	430	67,273	84	26.9	21.2-32.6	229	43.7	38.0-49.4	32	9.1	05.4-12.8	4	1.2	00.0-02.6	9	1.0	00.4-01.6	72	18.2	13.3-23.1
College Graduate	584	46,728	155	29.8	25.1-34.5	278	42.7	37.8-47.6	43	7.8	04.9-10.7	4	0.7	00.0-01.5	21	2.9	01.3-04.5	83	16.2	12.3-20.1
Less than \$15,000	76	12,659	8	22.4	06.9-37.9	50	47.7	31.6-63.8	8	14.9	02.4-27.4							10	15.1	03.3-26.9
\$15,000- 24,999	136	16,815	19	21.9	11.1-32.7	86	50.5	38.7-62.3	1	2.0	00.0-05.9	2	0.6	00.0-01.6	5	3.1	00.0-08.0	23	21.9	12.1-31.7
\$25,000- 34,999	148	18,938	24	24.0	13.8-34.2	94	57.6	46.8-68.4	8	6.0	01.1-10.9	1	1.2	00.0-03.6	7	2.4	00.4-04.4	14	8.7	03.0-14.4
\$35,000- 49,999	243	31,820	53	26.0	18.6-33.4	134	49.6	41.6-57.6	20	10.5	05.0-16.0	4	2.0	00.0-04.7	7	1.7	00.1-03.3	25	10.2	05.1-15.3
\$50,000- 74,999	297	31,581	70	29.1	22.2-36.0	143	43.0	36.1-49.9	21	7.2	03.5-10.9	1	0.5	00.0-01.5	9	2.4	00.6-04.2	53	17.8	12.7-22.9
\$75,000+	455	45,823	109	24.7	19.6-29.8	219	44.6	38.9-50.3	38	8.5	05.2-11.8	4	0.5	00.0-01.1	13	2.2	00.8-03.6	72	19.5	14.4-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2099	182,531	382	22.0	19.5-24.5	1407	64.4	61.5-67.3	28	1.6	00.8-02.4	17	1.1	00.3-01.9	22	0.7	00.3-01.1	243	10.3	08.7-11.9
Non-Native	2034	176,774	374	22.2	19.7-24.7	1360	64.1	61.2-67.0	27	1.5	00.7-02.3	16	1.1	00.3-01.9	22	0.7	00.3-01.1	235	10.4	08.8-12.0
18-24	103	33,249	38	34.9	25.1-44.7	50	51.7	41.3-62.1	2	2.5	00.0-05.8	3	3.5	00.0-07.4				10	7.5	02.6-12.4
25-34	229	30,701	68	33.5	26.2-40.8	130	54.0	46.4-61.6	4	2.3	00.0-05.2				1	0.0	00.0-00.0	26	10.2	05.9-14.5
35-44	250	24,120	66	25.0	19.1-30.9	161	65.9	59.2-72.6	2	0.5	00.0-01.3				5	1.9	00.0-04.1	16	6.6	02.9-10.3
45-54	420	32,193	64	15.3	11.4-19.2	294	71.2	66.3-76.1	3	0.7	00.0-01.7	4	0.8	00.0-01.6	5	1.1	00.0-02.3	50	10.8	07.5-14.1
55-64	439	25,777	56	10.8	07.7-13.9	307	71.6	66.7-76.5	8	1.8	00.6-03.0	5	1.4	00.0-02.8	6	0.7	00.1-01.3	57	13.7	09.8-17.6
65+	634	34,717	86	12.0	09.1-14.9	449	72.4	68.3-76.5	8	1.4	00.4-02.4	5	0.5	00.1-00.9	5	0.6	00.0-01.2	81	13.1	09.8-16.4
Less Than H.S.	80	10,580	10	8.0	01.1-14.9	55	72.6	58.3-86.9	2	7.9	00.0-18.3				1	0.5	00.0-01.5	12	11.0	02.0-20.0
H.S. or G.E.D.	559	48,407	74	16.2	11.3-21.1	412	70.6	64.9-76.3	8	1.0	00.2-01.8	3	1.0	00.0-02.6	4	0.8	00.0-02.0	58	10.4	06.9-13.9
Some Post-H.S.	667	69,305	105	20.2	15.9-24.5	451	65.6	60.7-70.5	8	1.3	00.1-02.5	9	1.8	00.2-03.4	9	0.7	00.1-01.3	85	10.4	07.9-12.9
College Graduate	790	54,059	193	32.3	28.0-36.6	486	55.4	50.9-59.9	10	1.2	00.4-02.0	5	0.4	00.0-00.8	8	0.5	00.1-00.9	88	10.2	07.7-12.7
Less than \$15,000	145	13,394	20	22.2	11.4-33.0	103	67.8	56.2-79.4	1	0.5	00.0-01.5	3	1.5	00.0-03.7	2	0.2	00.0-00.4	16	7.8	02.1-13.5
\$15,000- 24,999	256	23,112	32	17.1	09.3-24.9	182	67.7	58.5-76.9	2	2.0	00.0-05.5	3	2.4	00.0-06.3	2	0.3	00.0-00.7	35	10.6	05.5-15.7
\$25,000- 34,999	222	17,656	37	23.0	14.4-31.6	153	65.8	56.8-74.8	1	0.4	00.0-01.2	1	0.3	00.0-00.9	2	0.5	00.0-01.3	28	9.9	05.6-14.2
\$35,000- 49,999	280	26,754	53	21.6	14.9-28.3	185	67.1	59.8-74.4	6	1.6	00.0-03.2	1	0.1	00.0-00.3	2	0.3	00.0-00.7	33	9.4	05.5-13.3
\$50,000- 74,999	347	28,418	63	21.7	16.0-27.4	230	61.9	55.4-68.4	1	0.3	00.0-00.9	2	0.7	00.0-01.7	8	1.6	00.2-03.0	43	13.8	09.1-18.5
\$75,000+	515	43,126	123	26.5	21.6-31.4	323	59.9	54.6-65.2	9	2.2	00.2-04.2	3	0.4	00.0-00.8	3	0.7	00.0-01.7	54	10.4	07.3-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3541	354,257	1652	48.8	46.4-51.2	993	25.8	23.8-27.8	413	12.1	10.5-13.7	128	3.7	02.9-04.5	355	9.5	08.1-10.9
Male	1468	173,499	665	47.5	44.2-50.8	358	22.6	19.9-25.3	210	14.6	12.1-17.1	62	3.7	02.5-04.9	173	11.6	09.4-13.8
Female	2073	180,758	987	50.1	47.2-53.0	635	28.8	26.1-31.5	203	9.7	07.9-11.5	66	3.8	02.6-05.0	182	7.5	06.1-08.9
Native	77	10,660	32	40.7	25.4-56.0	26	28.3	15.4-41.2	5	8.2	00.0-17.4	2	1.9	00.0-05.0	12	20.8	07.9-33.7
Non-Native	3432	341,294	1610	49.1	46.7-51.5	955	25.7	23.7-27.7	403	12.3	10.7-13.9	125	3.8	03.0-04.6	339	9.1	07.7-10.5
18-24	197	66,849	108	53.3	45.9-60.7	49	24.7	18.2-31.2	23	12.6	07.3-17.9	6	3.3	00.8-05.8	11	6.1	02.2-10.0
25-34	425	63,791	239	55.0	49.5-60.5	96	24.1	19.2-29.0	47	9.6	06.3-12.9	14	3.1	01.3-04.9	29	8.2	04.9-11.5
35-44	457	49,660	247	53.6	48.1-59.1	121	25.9	21.2-30.6	47	10.1	06.8-13.4	14	3.6	01.4-05.8	28	6.8	03.9-09.7
45-54	682	60,350	338	49.1	44.4-53.8	162	21.2	17.5-24.9	87	14.0	10.9-17.1	24	5.0	02.6-07.4	71	10.8	07.9-13.7
55-64	786	51,175	339	43.6	39.5-47.7	208	25.1	21.4-28.8	99	13.5	10.6-16.4	36	4.5	02.7-06.3	104	13.3	10.2-16.4
65+	963	59,760	366	37.3	33.6-41.0	347	33.6	29.9-37.3	108	13.1	10.4-15.8	32	3.2	02.0-04.4	110	12.8	09.9-15.7
Less Than H.S.	167	27,117	62	37.8	27.4-48.2	55	30.8	21.0-40.6	23	15.0	06.6-23.4	5	1.7	00.0-03.5	22	14.7	06.7-22.7
H.S. or G.E.D.	906	89,904	385	45.5	41.0-50.0	275	28.7	24.8-32.6	101	10.8	08.3-13.3	40	5.2	03.0-07.4	105	9.9	07.5-12.3
Some Post-H.S.	1089	135,705	485	47.9	44.0-51.8	306	24.4	21.1-27.7	147	14.3	11.6-17.0	38	3.5	02.1-04.9	113	9.9	07.5-12.3
College Graduate	1375	101,330	720	56.1	52.8-59.4	355	23.7	21.0-26.4	142	9.7	07.7-11.7	45	3.3	02.1-04.5	113	7.2	05.4-09.0
Less than \$15,000	207	23,767	77	38.5	28.1-48.9	75	33.5	23.7-43.3	16	8.6	02.9-14.3	6	1.2	00.0-02.4	33	18.2	10.2-26.2
\$15,000- 24,999	385	39,903	157	49.8	42.4-57.2	127	31.3	24.6-38.0	44	8.1	04.6-11.6	15	4.1	01.4-06.8	42	6.8	03.7-09.9
\$25,000- 34,999	373	36,982	141	43.3	36.2-50.4	122	28.1	22.0-34.2	45	12.9	07.8-18.0	14	3.0	00.8-05.2	51	12.7	08.2-17.2
\$35,000- 49,999	521	58,397	258	54.5	49.0-60.0	127	18.4	14.5-22.3	66	13.6	09.7-17.5	21	3.9	01.7-06.1	49	9.6	06.1-13.1
\$50,000- 74,999	642	59,944	332	51.8	46.9-56.7	133	19.8	15.9-23.7	88	14.4	11.1-17.7	24	4.8	02.4-07.2	65	9.1	06.6-11.6
\$75,000+	968	88,870	489	50.2	46.3-54.1	249	24.8	21.3-28.3	110	12.2	09.5-14.9	38	3.9	02.5-05.3	82	8.9	06.5-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1468	173,499	665	47.5	44.2-50.8	358	22.6	19.9-25.3	210	14.6	12.1-17.1	62	3.7	02.5-04.9	173	11.6	09.2-14.0
Non-Native	1422	166,105	650	48.4	44.9-51.9	342	22.2	19.3-25.1	205	14.8	12.3-17.3	61	3.8	02.6-05.0	164	10.9	08.7-13.1
18-24	94	34,146	50	51.7	40.9-62.5	20	20.2	11.6-28.8	15	17.7	09.1-26.3				9	10.4	03.3-17.5
25-34	197	33,201	113	56.4	48.4-64.4	34	21.5	14.6-28.4	27	9.9	05.4-14.4	5	2.9	00.2-05.6	18	9.2	04.5-13.9
35-44	205	25,410	103	48.1	39.9-56.3	50	24.7	17.6-31.8	28	13.8	07.9-19.7	8	4.2	00.9-07.5	16	9.2	04.1-14.3
45-54	267	28,434	121	46.0	38.6-53.4	55	17.0	11.5-22.5	44	17.1	11.6-22.6	17	8.6	03.9-13.3	30	11.3	06.6-16.0
55-64	347	25,421	140	40.6	34.3-46.9	76	22.8	17.1-28.5	59	17.8	12.9-22.7	19	4.3	02.1-06.5	53	14.4	09.7-19.1
65+	350	25,978	135	37.2	31.1-43.3	121	31.4	25.5-37.3	37	12.0	07.7-16.3	12	3.2	01.2-05.2	45	16.2	10.7-21.7
Less Than H.S.	97	17,538	34	38.4	25.5-51.3	32	30.2	17.9-42.5	15	13.6	04.0-23.2	2	1.4	00.0-03.4	14	16.4	05.6-27.2
H.S. or G.E.D.	359	42,334	159	49.1	42.4-55.8	87	23.0	17.3-28.7	52	13.3	09.2-17.4	17	4.2	01.7-06.7	44	10.4	06.7-14.1
Some Post-H.S.	427	66,876	181	44.9	38.8-51.0	98	20.2	15.5-24.9	78	18.7	14.0-23.4	19	3.7	01.5-05.9	51	12.4	08.5-16.3
College Graduate	584	46,728	291	53.2	48.3-58.1	141	22.9	18.8-27.0	65	10.3	07.4-13.2	24	4.1	02.1-06.1	63	9.5	06.6-12.4
Less than \$15,000	71	11,368	25	34.2	18.1-50.3	23	33.7	17.8-49.6	5	7.3	00.0-15.5	1	0.2	00.0-00.6	17	24.6	10.5-38.7
\$15,000- 24,999	134	16,771	52	49.8	38.0-61.6	41	33.3	22.3-44.3	15	6.6	01.7-11.5	4	2.6	00.0-06.3	22	7.7	03.2-12.2
\$25,000- 34,999	148	18,938	55	40.6	29.8-51.4	48	27.2	18.2-36.2	24	17.7	08.9-26.5	5	2.0	00.0-04.2	16	12.5	05.4-19.6
\$35,000- 49,999	243	31,708	115	53.9	45.9-61.9	55	13.9	09.2-18.6	38	16.8	10.5-23.1	13	4.6	01.5-07.7	22	10.8	05.5-16.1
\$50,000- 74,999	297	31,581	146	48.1	41.0-55.2	56	20.0	14.1-25.9	49	16.4	11.3-21.5	13	5.4	01.9-08.9	33	10.2	06.1-14.3
\$75,000+	455	45,823	219	48.8	42.9-54.7	98	20.4	15.7-25.1	63	13.4	09.7-17.1	24	5.0	02.6-07.4	51	12.4	08.3-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	180,758	987	50.1	47.2-53.0	635	28.8	26.1-31.5	203	9.7	07.9-11.5	66	3.8	02.6-05.0	182	7.5	06.1-08.9
Non-Native	2010	175,188	960	49.8	46.9-52.7	613	29.0	26.3-31.7	198	9.9	08.1-11.7	64	3.8	02.6-05.0	175	7.5	06.1-08.9
18-24	103	32,703	58	54.9	44.5-65.3	29	29.3	19.7-38.9	8	7.4	01.5-13.3	6	6.8	01.5-12.1	2	1.6	00.0-03.8
25-34	228	30,590	126	53.6	46.0-61.2	62	26.8	19.9-33.7	20	9.2	04.5-13.9	9	3.4	01.0-05.8	11	7.0	02.3-11.7
35-44	252	24,249	144	59.4	52.5-66.3	71	27.2	20.9-33.5	19	6.3	03.2-09.4	6	2.9	00.4-05.4	12	4.2	01.7-06.7
45-54	415	31,916	217	51.9	46.2-57.6	107	24.9	20.0-29.8	43	11.2	07.5-14.9	7	1.7	00.3-03.1	41	10.3	07.0-13.6
55-64	439	25,754	199	46.5	41.0-52.0	132	27.3	22.6-32.0	40	9.3	06.2-12.4	17	4.7	02.2-07.2	51	12.3	08.4-16.2
65+	613	33,782	231	37.4	32.5-42.3	226	35.3	30.6-40.0	71	13.9	10.2-17.6	20	3.2	01.6-04.8	65	10.2	07.1-13.3
Less Than H.S.	70	9,579	28	36.8	19.7-53.9	23	31.8	15.3-48.3	8	17.6	01.7-33.5	3	2.4	00.0-05.5	8	11.4	00.6-22.2
H.S. or G.E.D.	547	47,569	226	42.2	36.3-48.1	188	33.8	28.1-39.5	49	8.5	05.4-11.6	23	6.1	02.8-09.4	61	9.4	06.5-12.3
Some Post-H.S.	662	68,829	304	50.8	45.9-55.7	208	28.5	24.0-33.0	69	9.9	07.2-12.6	19	3.3	01.3-05.3	62	7.4	05.0-09.8
College Graduate	791	54,602	429	58.7	54.4-63.0	214	24.4	20.7-28.1	77	9.2	06.8-11.6	21	2.5	01.3-03.7	50	5.2	03.4-07.0
Less than \$15,000	136	12,399	52	42.3	29.2-55.4	52	33.4	21.4-45.4	11	9.8	01.8-17.8	5	2.1	00.0-04.5	16	12.3	04.5-20.1
\$15,000- 24,999	251	23,132	105	49.9	40.3-59.5	86	29.7	21.5-37.9	29	9.2	04.3-14.1	11	5.2	01.1-09.3	20	6.0	01.7-10.3
\$25,000- 34,999	225	18,044	86	46.2	37.0-55.4	74	29.0	21.2-36.8	21	7.8	03.5-12.1	9	4.0	00.1-07.9	35	12.9	07.4-18.4
\$35,000- 49,999	278	26,689	143	55.2	47.8-62.6	72	23.7	17.4-30.0	28	9.9	05.8-14.0	8	3.0	00.5-05.5	27	8.2	04.1-12.3
\$50,000- 74,999	345	28,362	186	56.0	49.5-62.5	77	19.5	14.4-24.6	39	12.3	08.2-16.4	11	4.2	01.1-07.3	32	8.0	04.9-11.1
\$75,000+	513	43,047	270	51.7	46.4-57.0	151	29.5	24.6-34.4	47	10.8	06.5-15.1	14	2.7	01.1-04.3	31	5.3	03.3-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3576	357,370	1736	44.2	42.0-46.4	525	14.3	12.7-15.9	31	0.8	0.4-1.2	846	26.4	24.4-28.4	277	9.9	8.3-11.5	161	4.5	3.5-5.5
Male	1475	174,876	655	40.4	37.1-43.7	177	11.4	9.2-13.6	13	0.6	0.0-0.2	367	27.5	24.4-30.6	168	13.4	10.9-15.9	95	6.7	4.9-8.5
Female	2101	182,494	1081	47.8	44.9-50.7	348	17.1	14.9-19.3	18	0.9	0.3-0.5	479	25.3	22.8-27.8	109	6.5	4.7-8.3	66	2.4	1.4-3.4
Native	79	10,879	40	41.5	27.4-55.6	7	13.1	0.6-25.6	1	0.3	0.0-0.9	20	32.2	17.7-46.7	6	5.8	0.0-11.9	5	7.1	0.0-16.3
Non-Native	3463	343,800	1681	44.3	42.1-46.5	512	14.2	12.6-15.8	30	0.8	0.4-0.2	819	26.3	24.1-28.5	267	10.1	8.5-11.7	154	4.4	3.4-5.4
18-24	199	68,013	65	31.8	24.9-38.7	27	13.1	8.2-18.0	2	1.1	0.0-0.2	61	30.8	23.9-37.7	33	17.2	11.3-23.1	11	6.0	2.3-9.7
25-34	427	64,110	174	37.8	32.5-43.1	67	14.7	10.8-18.6	2	0.4	0.0-0.1	143	34.7	29.4-40.0	32	10.2	6.5-13.9	9	2.2	0.6-3.8
35-44	456	49,556	209	46.1	40.6-51.6	75	15.7	11.8-19.6	6	1.1	0.1-0.2	118	25.1	20.4-29.8	32	8.8	5.3-12.3	16	3.2	1.0-5.4
45-54	689	60,779	315	43.4	38.9-47.9	112	16.2	12.9-19.5	4	0.7	0.0-0.1	183	27.3	23.2-31.4	46	7.2	4.5-9.9	29	5.3	2.9-7.7
55-64	790	51,653	396	51.0	46.7-55.3	119	13.5	11.0-16.0	10	0.8	0.2-0.4	171	22.7	19.2-26.2	59	7.8	5.6-10.0	35	4.3	2.5-6.1
65+	982	60,539	560	58.5	54.6-62.4	121	12.9	10.4-15.4	7	0.5	0.1-0.9	162	15.4	12.7-18.1	72	6.8	5.0-8.6	60	5.9	3.9-7.9
Less Than H.S.	177	28,133	90	37.6	28.0-47.2	11	7.7	0.1-13.8	1	0.1	0.0-0.3	33	23.3	13.9-32.7	24	22.3	12.3-32.3	18	9.1	2.6-15.6
H.S. or G.E.D.	917	90,840	467	45.0	40.7-49.3	109	12.4	9.5-15.3	8	0.9	0.0-0.1	186	23.6	19.7-27.5	88	11.8	8.7-14.9	59	6.3	4.1-8.5
Some Post-H.S.	1097	136,599	549	45.6	41.7-49.5	150	13.6	11.1-16.1	7	0.6	0.0-0.1	257	27.4	23.9-30.9	90	9.0	6.6-11.4	44	3.8	2.2-5.4
College Graduate	1380	101,560	626	43.2	39.9-46.5	255	18.7	16.2-21.2	15	1.0	0.4-0.6	369	28.5	25.4-31.6	75	6.0	4.2-7.8	40	2.5	1.5-3.5
Less than \$15,000	220	25,978	116	44.1	34.1-54.1	13	6.5	0.1-11.4	1	0.2	0.0-0.6	53	32.3	22.3-42.3	20	10.7	4.0-17.4	17	6.2	0.9-11.5
\$15,000- 24,999	390	40,073	200	43.0	35.9-50.1	35	11.9	6.8-17.0	2	0.5	0.0-0.1	98	27.5	20.8-34.2	33	11.5	6.0-17.0	22	5.6	2.3-8.9
\$25,000- 34,999	372	36,776	194	43.2	36.3-50.1	54	16.3	10.8-21.8	4	1.7	0.0-0.3	77	26.5	19.8-33.2	31	10.3	5.4-15.2	12	2.0	0.6-3.4
\$35,000- 49,999	523	58,706	262	47.0	41.5-52.5	76	12.9	9.6-16.2	3	0.2	0.0-0.4	114	25.8	20.7-30.9	51	11.3	7.6-15.0	17	2.9	0.9-4.9
\$50,000- 74,999	644	59,999	301	45.1	40.4-49.8	111	16.7	13.2-20.2	7	0.6	0.0-0.1	149	24.6	20.3-28.9	48	8.4	5.5-11.3	28	4.7	2.7-6.7
\$75,000+	972	89,079	418	40.9	37.2-44.6	171	16.9	14.0-19.8	10	1.0	0.4-0.6	272	29.1	25.4-32.8	61	7.4	4.9-9.9	40	4.7	2.7-6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1475	174,876	655	40.4	37.1-43.7	177	11.4	09.2-13.6	13	0.6	00.0-01.2	367	27.5	24.4-30.6	168	13.4	10.9-15.9	95	6.7	04.9-08.5
Non-Native	1426	166,987	634	40.5	37.2-43.8	173	11.3	09.1-13.5	13	0.7	00.1-01.3	354	27.5	24.4-30.6	162	13.7	11.2-16.2	90	6.4	04.6-08.2
18-24	95	34,904	26	27.6	18.0-37.2	11	11.7	04.8-18.6	1	1.1	00.0-03.3	30	31.2	21.2-41.2	19	20.1	11.3-28.9	8	8.3	02.4-14.2
25-34	198	33,409	76	35.2	27.6-42.8	20	8.5	04.2-12.8	1	0.3	00.0-00.9	68	37.7	29.9-45.5	24	14.1	08.2-20.0	9	4.2	01.1-07.3
35-44	204	25,306	84	43.6	35.4-51.8	26	12.8	07.5-18.1				60	24.7	17.8-31.6	22	13.4	07.1-19.7	12	5.5	01.6-09.4
45-54	268	28,466	107	37.4	30.3-44.5	35	14.0	08.9-19.1	2	0.8	00.0-02.0	72	27.0	20.3-33.7	32	12.2	06.9-17.5	20	8.6	03.9-13.3
55-64	350	25,883	165	48.4	41.9-54.9	41	10.4	07.1-13.7	5	0.9	00.1-01.7	83	24.8	19.1-30.5	34	9.6	05.9-13.3	22	6.0	03.1-08.9
65+	351	25,961	192	56.7	50.2-63.2	43	11.4	07.7-15.1	4	0.7	00.0-01.5	52	14.5	09.8-19.2	36	9.0	05.7-12.3	24	7.7	04.0-11.4
Less Than H.S.	100	18,429	45	37.1	24.8-49.4	5	4.0	00.0-08.9	1	0.1	00.0-00.3	24	30.2	17.3-43.1	16	19.9	07.9-31.9	9	8.7	01.4-16.0
H.S. or G.E.D.	359	42,395	169	39.8	33.5-46.1	31	9.7	05.2-14.2	3	0.4	00.0-01.0	72	21.4	15.9-26.9	55	19.4	13.7-25.1	29	9.2	05.3-13.1
Some Post-H.S.	430	67,264	195	41.5	35.6-47.4	53	12.0	08.3-15.7	1	0.6	00.0-01.8	104	28.2	22.7-33.7	49	11.7	07.8-15.6	28	6.0	03.1-08.9
College Graduate	584	46,728	245	40.5	35.6-45.4	88	15.0	11.5-18.5	8	1.1	00.1-02.1	166	31.0	26.3-35.7	48	7.9	05.2-10.6	29	4.6	02.4-06.8
Less than \$15,000	76	12,659	35	33.8	19.3-48.3	4	5.1	00.0-12.5	1	0.4	00.0-01.2	20	38.2	21.9-54.5	10	12.7	01.5-23.9	6	9.8	00.0-20.0
\$15,000- 24,999	135	16,711	67	39.9	28.7-51.1	7	4.3	00.0-09.0				33	30.3	19.3-41.3	17	15.6	06.2-25.0	11	9.9	02.6-17.2
\$25,000- 34,999	146	18,704	68	39.8	29.6-50.0	20	14.1	06.3-21.9	3	2.8	00.0-06.9	36	28.7	18.5-38.9	16	13.8	05.8-21.8	3	0.9	00.0-02.1
\$35,000- 49,999	244	31,948	116	45.9	37.9-53.9	26	10.4	05.7-15.1	1	0.1	00.0-00.3	56	25.2	18.1-32.3	30	13.7	07.8-19.6	15	4.8	01.3-08.3
\$50,000- 74,999	297	31,581	124	42.7	35.6-49.8	42	12.7	08.2-17.2	3	0.7	00.0-01.5	69	22.7	16.8-28.6	38	13.5	08.4-18.6	21	7.7	04.0-11.4
\$75,000+	455	45,823	188	37.7	32.2-43.2	62	14.9	10.6-19.2	3	0.6	00.0-01.4	129	29.6	24.1-35.1	40	9.2	05.7-12.7	33	8.1	04.6-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2101	182,494	1081	47.8	44.9-50.7	348	17.1	14.9-19.3	18	0.9	0.3-0.15	479	25.3	22.8-27.8	109	6.5	04.7-08.3	66	2.4	01.4-03.4
Non-Native	2037	176,813	1047	47.9	45.0-50.8	339	17.0	14.8-19.2	17	0.9	0.3-0.15	465	25.2	22.7-27.7	105	6.7	04.9-08.5	64	2.5	01.5-03.5
18-24	104	33,109	39	36.2	26.2-46.2	16	14.5	07.2-21.8	1	1.1	0.0-0.3.3	31	30.4	21.0-39.8	14	14.2	06.8-21.6	3	3.6	00.0-08.1
25-34	229	30,701	98	40.7	33.3-48.1	47	21.3	15.0-27.6	1	0.5	0.0-0.1.5	75	31.5	24.4-38.6	8	5.9	01.4-10.4			
35-44	252	24,249	125	48.7	41.6-55.8	49	18.8	13.3-24.3	6	2.3	0.3-0.4.3	58	25.5	19.0-32.0	10	4.0	01.3-06.7	4	0.8	00.0-01.8
45-54	421	32,314	208	48.7	43.2-54.2	77	18.1	13.8-22.4	2	0.6	0.0-0.1.4	111	27.5	22.4-32.6	14	2.7	00.9-04.5	9	2.4	00.6-04.2
55-64	440	25,769	231	53.6	48.1-59.1	78	16.6	12.7-20.5	5	0.7	0.1-0.1.3	88	20.6	16.1-25.1	25	5.9	03.4-08.4	13	2.6	01.0-04.2
65+	631	34,578	368	59.8	55.1-64.5	78	14.0	10.5-17.5	3	0.3	0.0-0.0.7	110	16.1	12.6-19.6	36	5.2	03.2-07.2	36	4.6	02.8-06.4
Less Than H.S.	77	9,704	45	38.6	23.1-54.1	6	14.7	00.4-29.0				9	10.2	01.0-19.4	8	26.6	08.8-44.4	9	9.9	00.0-22.8
H.S. or G.E.D.	558	48,444	298	49.5	43.6-55.4	78	14.8	10.7-18.9	5	1.4	0.0-0.3.0	114	25.4	19.9-30.9	33	5.2	02.7-07.7	30	3.7	01.7-05.7
Some Post-H.S.	667	69,335	354	49.5	44.6-54.4	97	15.2	11.7-18.7	6	0.6	0.0-0.1.2	153	26.6	22.1-31.1	41	6.3	03.8-08.8	16	1.8	00.8-02.8
College Graduate	796	54,832	381	45.6	41.3-49.9	167	21.9	18.2-25.6	7	0.9	0.1-0.1.7	203	26.4	22.5-30.3	27	4.4	02.2-06.6	11	0.8	00.2-01.4
Less than \$15,000	144	13,319	81	53.9	41.4-66.4	9	7.8	01.3-14.3				33	26.8	15.4-38.2	10	8.8	01.2-16.4	11	2.8	00.8-04.8
\$15,000- 24,999	255	23,362	133	45.3	36.1-54.5	28	17.3	09.5-25.1	2	0.9	0.0-0.2.3	65	25.5	17.5-33.5	16	8.5	02.0-15.0	11	2.6	00.4-04.8
\$25,000- 34,999	226	18,072	126	46.8	38.0-55.6	34	18.7	10.9-26.5	1	0.5	0.0-0.1.5	41	24.2	15.6-32.8	15	6.7	01.8-11.6	9	3.1	00.7-05.5
\$35,000- 49,999	279	26,758	146	48.3	40.9-55.7	50	15.8	10.9-20.7	2	0.4	0.0-0.1.0	58	26.5	19.2-33.8	21	8.4	04.1-12.7	2	0.6	00.0-01.6
\$50,000- 74,999	347	28,418	177	47.8	41.3-54.3	69	21.0	15.7-26.3	4	0.4	0.0-0.1.0	80	26.7	20.4-33.0	10	2.8	01.0-04.6	7	1.4	00.2-02.6
\$75,000+	517	43,256	230	44.3	39.0-49.6	109	19.1	15.2-23.0	7	1.5	0.3-0.2.7	143	28.4	23.5-33.3	21	5.5	01.6-09.4	7	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2150	220,775	555	28.1	25.4-30.8	541	22.6	20.2-25.0	131	8.4	06.6-10.2	42	2.2	01.4-03.0	137	5.2	04.2-06.2	744	33.6	30.9-36.3
Male	906	110,798	216	26.1	22.2-30.0	226	21.5	18.2-24.8	78	10.7	07.8-13.6	21	2.5	01.1-03.9	89	7.5	05.5-09.5	276	31.8	27.7-35.9
Female	1244	109,977	339	30.1	26.6-33.6	315	23.7	20.6-26.8	53	6.0	03.8-08.2	21	2.0	01.0-03.0	48	2.9	01.9-03.9	468	35.4	31.9-38.9
Non-Native	2088	212,199	542	28.4	25.7-31.1	524	22.5	20.1-24.9	125	8.1	06.3-09.9	42	2.3	01.5-03.1	132	5.2	04.0-06.4	723	33.4	30.7-36.1
18-24	143	48,700	58	39.5	31.1-47.9	21	14.3	08.4-20.2	17	12.6	06.7-18.5	3	1.7	00.0-03.7	2	1.2	00.0-03.0	42	30.6	22.6-38.6
25-34	278	40,754	86	29.6	23.3-35.9	69	24.4	18.5-30.3	26	10.0	05.7-14.3	5	1.2	00.0-02.4	8	3.0	00.6-05.4	84	31.8	25.5-38.1
35-44	292	30,679	75	24.0	18.3-29.7	78	24.7	19.2-30.2	25	9.7	05.4-14.0	4	2.0	00.0-04.2	21	7.7	04.0-11.4	89	31.8	25.3-38.3
45-54	419	37,541	111	26.3	21.2-31.4	101	22.0	17.3-26.7	27	7.4	03.9-10.9	12	3.5	01.1-05.9	30	6.3	03.8-08.8	138	34.5	28.8-40.2
55-64	469	29,339	96	18.5	14.4-22.6	124	26.5	21.8-31.2	18	3.8	02.0-05.6	6	2.0	00.0-04.0	36	8.4	05.3-11.5	189	40.8	35.3-46.3
65+	527	32,106	118	22.2	17.7-26.7	144	28.5	23.4-33.6	17	3.7	01.3-06.1	12	3.4	01.0-05.8	40	7.8	05.1-10.5	196	34.5	29.6-39.4
Less Than H.S.	79	13,536	16	15.7	05.7-25.7	21	22.9	11.3-34.5	5	12.6	00.4-24.8	1	2.2	00.0-06.5	9	7.3	02.0-12.6	27	39.3	24.0-54.6
H.S. or G.E.D.	481	50,747	123	28.6	22.9-34.3	136	26.3	21.0-31.6	27	10.6	06.1-15.1	10	2.3	00.5-04.1	26	5.0	02.6-07.4	159	27.3	22.0-32.6
Some Post-H.S.	654	85,091	160	28.6	23.7-33.5	158	20.6	16.7-24.5	42	7.6	04.7-10.5	14	2.1	00.7-03.5	43	4.8	03.0-06.6	237	36.3	31.4-41.2
College Graduate	936	71,400	256	29.4	25.7-33.1	226	22.2	19.1-25.3	57	7.0	04.8-09.2	17	2.4	01.0-03.8	59	5.5	03.7-07.3	321	33.6	29.9-37.3
Less than \$15,000	121	17,232	34	32.9	20.4-45.4	25	17.0	08.4-25.6	6	11.2	01.6-20.8	3	2.4	00.0-05.7	7	3.7	00.8-06.6	46	32.9	20.6-45.2
\$15,000- 24,999	186	20,393	52	33.9	23.5-44.3	56	30.8	20.6-41.0	7	6.9	01.2-12.6	4	2.5	00.0-05.6	8	1.5	00.1-02.9	59	24.4	15.6-33.2
\$25,000- 34,999	205	21,534	55	28.9	20.5-37.3	52	22.1	14.5-29.7	11	6.5	01.8-11.2	3	1.1	00.0-02.7	14	5.1	02.0-08.2	70	36.3	27.1-45.5
\$35,000- 49,999	304	35,360	82	31.5	24.2-38.8	84	24.2	18.1-30.3	17	7.1	02.8-11.4	9	3.4	00.9-05.9	24	7.2	03.7-10.7	88	26.5	20.2-32.8
\$50,000- 74,999	407	38,161	90	19.7	15.0-24.4	92	22.2	17.3-27.1	25	7.8	03.9-11.7	7	2.0	00.2-03.8	32	5.9	03.5-08.3	161	42.4	36.3-48.5
\$75,000+	665	60,383	165	24.8	20.7-28.9	167	23.0	19.3-26.7	54	9.8	06.7-12.9	11	2.0	00.6-03.4	42	6.7	04.3-09.1	226	33.8	29.3-38.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	906	110,798	216	26.1	22.2-30.0	226	21.5	18.2-24.8	78	10.7	07.8-13.6	21	2.5	01.1-03.9	89	7.5	05.5-09.5	276	31.8	27.7-35.9
Non-Native	875	105,387	211	26.6	22.5-30.7	218	21.5	18.2-24.8	74	10.6	07.5-13.7	21	2.7	01.3-04.1	85	7.5	05.5-09.5	266	31.1	27.0-35.2
18-24	75	26,542	28	36.8	25.2-48.4	9	11.3	04.0-18.6	12	16.1	07.3-24.9	2	2.0	00.0-04.7	2	2.3	00.0-05.4	22	31.5	20.3-42.7
25-34	135	22,248	44	31.8	22.8-40.8	30	20.5	12.7-28.3	15	11.7	05.2-18.2	1	0.7	00.0-02.1	5	3.6	00.1-07.1	40	31.8	22.8-40.8
35-44	136	16,116	35	21.0	13.4-28.6	36	23.4	15.6-31.2	17	13.9	06.5-21.3	2	2.4	00.0-06.1	14	10.6	04.3-16.9	32	28.7	19.1-38.3
45-54	167	18,274	39	23.2	15.6-30.8	38	21.2	13.9-28.5	16	9.9	03.4-16.4	7	5.1	00.8-09.4	18	8.8	04.1-13.5	49	31.9	22.7-41.1
55-64	197	13,717	29	13.5	07.8-19.2	56	26.2	19.3-33.1	11	4.9	01.8-08.0	2	2.0	00.0-05.1	23	12.6	07.1-18.1	76	40.8	32.4-49.2
65+	193	13,750	39	18.1	11.6-24.6	56	35.8	26.8-44.8	7	2.0	00.4-03.6	7	3.8	00.5-07.1	27	13.3	07.6-19.0	57	27.1	19.8-34.4
H.S. or G.E.D.	194	24,279	43	24.5	16.5-32.5	54	24.0	16.9-31.1	17	13.6	06.3-20.9	4	1.7	00.0-04.1	21	8.0	03.9-12.1	55	28.2	19.8-36.6
Some Post-H.S.	258	44,026	60	28.2	20.9-35.5	55	18.4	12.7-24.1	23	10.3	05.4-15.2	9	3.2	00.8-05.6	23	5.8	02.9-08.7	88	34.0	26.7-41.3
College Graduate	407	33,922	104	27.4	21.9-32.9	105	23.1	18.2-28.0	34	8.7	05.2-12.2	8	2.8	00.6-05.0	38	8.7	05.6-11.8	118	29.2	23.7-34.7
\$15,000- 24,999	70	9,068	19	35.2	19.1-51.3	21	27.4	13.5-41.3	3	10.5	00.0-21.7	3	3.9	00.0-10.0	4	2.0	00.0-04.4	20	21.0	08.5-33.5
\$25,000- 34,999	85	11,528	27	34.5	21.8-47.2	14	16.9	05.9-27.9	8	8.1	01.0-15.2	1	0.4	00.0-01.2	9	8.2	02.3-14.1	26	31.9	18.0-45.8
\$35,000- 49,999	140	20,550	32	28.0	18.0-38.0	43	27.1	18.1-36.1	11	8.0	01.5-14.5	5	4.8	00.5-09.1	18	10.4	04.7-16.1	31	21.7	13.3-30.1
\$50,000- 74,999	187	20,155	34	16.3	09.8-22.8	44	21.1	14.2-28.0	16	11.9	04.8-19.0	4	2.3	00.0-05.2	22	8.2	04.3-12.1	67	40.2	31.2-49.2
\$75,000+	313	31,885	71	22.0	15.9-28.1	79	21.1	16.0-26.2	31	11.3	06.6-16.0	6	2.3	00.3-04.3	29	8.9	05.0-12.8	97	34.3	27.2-41.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and/or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1244	109,977	339	30.1	26.6-33.6	315	23.7	20.6-26.8	53	6.0	03.8-08.2	21	2.0	01.0-03.0	48	2.9	01.9-03.9	468	35.4	31.9-38.9
Non-Native	1213	106,813	331	30.2	26.5-33.9	306	23.5	20.4-26.6	51	5.5	03.7-07.3	21	2.0	01.0-03.0	47	3.0	02.0-04.0	457	35.7	32.0-39.4
18-24	68	22,158	30	42.8	30.3-55.3	12	17.9	08.1-27.7	5	8.4	00.8-16.0	1	1.4	00.0-04.1				20	29.5	17.7-41.3
25-34	143	18,506	42	27.1	18.7-35.5	39	29.0	20.0-38.0	11	8.0	02.9-13.1	4	1.8	00.0-03.8	3	2.3	00.0-05.2	44	31.8	23.0-40.6
35-44	156	14,562	40	27.4	19.0-35.8	42	26.1	18.3-33.9	8	5.1	01.4-08.8	2	1.6	00.0-04.0	7	4.6	01.3-07.9	57	35.3	26.7-43.9
45-54	252	19,266	72	29.3	22.8-35.8	63	22.8	17.1-28.5	11	5.0	01.7-08.3	5	2.0	00.2-03.8	12	3.9	01.4-06.4	89	37.0	29.9-44.1
55-64	272	15,621	67	22.9	17.2-28.6	68	26.7	20.2-33.2	7	2.8	00.6-05.0	4	2.1	00.0-04.5	13	4.6	01.5-07.7	113	40.8	33.7-47.9
65+	334	18,356	79	25.2	19.3-31.1	88	23.0	17.7-28.3	10	5.0	01.1-08.9	5	3.1	00.0-06.4	13	3.7	01.3-06.1	139	40.0	33.5-46.5
H.S. or G.E.D.	287	26,468	80	32.3	24.3-40.3	82	28.4	21.0-35.8	10	7.8	02.5-13.1	6	2.8	00.1-05.5	5	2.2	00.0-04.4	104	26.5	20.2-32.8
Some Post-H.S.	396	41,066	100	29.0	22.7-35.3	103	23.0	17.7-28.3	19	4.6	02.2-07.0	5	0.9	00.1-01.7	20	3.6	01.6-05.6	149	38.9	32.6-45.2
College Graduate	529	37,479	152	31.2	25.9-36.5	121	21.3	17.0-25.6	23	5.3	02.8-07.8	9	2.0	00.6-03.4	21	2.6	01.4-03.8	203	37.6	32.3-42.9
Less than \$15,000	81	8,813	26	35.1	19.2-51.0	17	22.3	08.6-36.0	2	5.1	00.0-13.9	3	4.7	00.0-11.0	5	4.2	00.3-08.1	28	28.6	13.3-43.9
\$15,000- 24,999	116	11,325	33	32.9	19.2-46.6	35	33.5	19.4-47.6	4	4.1	00.0-09.0	1	1.5	00.0-04.2	4	1.0	00.0-02.2	39	27.0	14.8-39.2
\$25,000- 34,999	120	10,006	28	22.5	12.1-32.9	38	28.2	17.6-38.8	3	4.6	00.0-10.3	2	2.0	00.0-05.1	5	1.5	00.0-03.1	44	41.3	29.1-53.5
\$35,000- 49,999	164	14,810	50	36.4	26.6-46.2	41	20.2	12.9-27.5	6	6.0	01.1-10.9	4	1.4	00.0-02.8	6	2.8	00.1-05.5	57	33.2	24.2-42.2
\$50,000- 74,999	220	18,006	56	23.5	17.0-30.0	48	23.4	16.3-30.5	9	3.2	01.0-05.4	3	1.6	00.0-03.4	10	3.4	01.0-05.8	94	45.0	36.8-53.2
\$75,000+	352	28,498	94	27.9	22.0-33.8	88	25.1	19.6-30.6	23	8.1	04.4-11.8	5	1.6	00.0-03.2	13	4.2	01.5-06.9	129	33.1	27.4-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2149	221,965	1163	56.3	53.4-59.2	320	13.7	11.7-15.7	493	23.1	20.6-25.6	70	3.0	02.0-04.0	103	3.8	02.8-04.8
Male	902	110,666	464	53.8	49.5-58.1	117	13.7	10.6-16.8	237	25.1	21.4-28.8	37	3.3	01.9-04.7	47	4.1	02.5-05.7
Female	1247	111,299	699	58.7	55.0-62.4	203	13.8	11.3-16.3	256	21.2	18.1-24.3	33	2.7	01.3-04.1	56	3.6	02.4-04.8
Non-Native	2087	213,294	1131	56.5	53.6-59.4	313	14.0	11.8-16.2	483	23.4	20.9-25.9	65	2.8	01.8-03.8	95	3.3	02.5-04.1
18-24	145	49,301	89	58.6	50.0-67.2	23	16.3	10.0-22.6	29	21.8	14.5-29.1	2	1.7	00.0-04.1	2	1.6	00.0-03.8
25-34	280	40,886	182	66.9	60.4-73.4	35	13.8	08.9-18.7	52	16.6	11.7-21.5	8	2.0	00.4-03.6	3	0.7	00.0-01.5
35-44	296	31,467	173	56.7	49.8-63.6	25	8.7	04.8-12.6	76	26.4	20.3-32.5	10	4.7	01.4-08.0	12	3.5	01.0-06.0
45-54	417	37,509	235	55.0	49.1-60.9	47	11.3	07.4-15.2	106	26.8	21.5-32.1	10	1.8	00.4-03.2	19	5.1	02.4-07.8
55-64	470	29,409	249	53.0	47.5-58.5	68	12.6	09.1-16.1	106	22.4	17.9-26.9	20	5.7	02.8-08.6	27	6.3	03.6-09.0
65+	521	32,053	222	42.3	37.0-47.6	117	18.5	14.8-22.2	122	27.3	22.2-32.4	20	3.9	01.9-05.9	40	8.0	04.7-11.3
Less Than H.S.	75	13,256	29	47.7	32.2-63.2	23	21.4	09.6-33.2	18	22.8	09.9-35.7				5	8.0	00.2-15.8
H.S. or G.E.D.	479	50,877	246	54.8	48.7-60.9	69	12.5	08.6-16.4	113	25.7	20.4-31.0	17	2.6	01.0-04.2	34	4.4	02.4-06.4
Some Post-H.S.	658	85,912	343	52.8	47.7-57.9	106	15.6	11.9-19.3	153	24.0	19.7-28.3	23	3.7	01.7-05.7	33	3.9	02.1-05.7
College Graduate	937	71,920	545	63.1	59.4-66.8	122	11.0	08.6-13.4	209	20.2	17.1-23.3	30	3.1	01.7-04.5	31	2.6	01.6-03.6
Less than \$15,000	119	17,129	55	47.2	34.1-60.3	26	20.7	10.7-30.7	28	26.9	14.7-39.1	2	0.2	00.0-00.4	8	5.0	00.0-10.7
\$15,000- 24,999	185	20,665	81	46.5	35.9-57.1	39	19.2	10.6-27.8	41	25.7	16.1-35.3	9	4.0	00.0-08.1	15	4.6	01.3-07.9
\$25,000- 34,999	208	22,023	89	47.1	37.7-56.5	39	16.1	09.4-22.8	57	28.7	20.1-37.3	6	2.2	00.2-04.2	17	6.0	01.7-10.3
\$35,000- 49,999	307	35,943	172	52.7	45.3-60.1	44	14.6	09.3-19.9	65	24.5	17.8-31.2	11	3.2	00.8-05.6	15	4.9	02.0-07.8
\$50,000- 74,999	406	37,950	225	61.6	55.9-67.3	50	9.7	06.4-13.0	104	22.6	17.7-27.5	14	2.9	01.1-04.7	13	3.3	01.3-05.3
\$75,000+	669	60,807	406	62.9	58.4-67.4	72	10.2	07.1-13.3	151	21.3	17.6-25.0	21	3.5	01.7-05.3	19	2.0	01.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	902	110,666	464	53.8	49.5-58.1	117	13.7	10.6-16.8	237	25.1	21.4-28.8	37	3.3	01.9-04.7	47	4.1	02.5-05.7
Non-Native	871	105,255	447	53.9	49.4-58.4	117	14.4	11.1-17.7	232	25.5	21.6-29.4	33	2.9	01.7-04.1	42	3.3	01.9-04.7
18-24	75	26,542	48	59.9	47.9-71.9	12	17.2	08.2-26.2	14	21.1	10.9-31.3				1	1.8	00.0-05.3
25-34	135	22,248	89	67.4	58.4-76.4	13	12.3	05.6-19.0	27	17.3	10.2-24.4	5	2.3	00.1-04.5	1	0.7	00.0-02.1
35-44	136	16,116	74	50.8	40.8-60.8	12	9.6	03.5-15.7	36	26.7	17.7-35.7	8	8.9	02.4-15.4	6	4.0	00.0-08.1
45-54	163	18,018	80	46.3	36.7-55.9	15	12.2	05.3-19.1	49	30.8	21.8-39.8	7	3.0	00.3-05.7	12	7.7	02.4-13.0
55-64	198	13,743	94	48.8	40.4-57.2	23	9.5	04.8-14.2	58	28.6	21.3-35.9	9	6.0	01.3-10.7	14	7.1	03.2-11.0
65+	192	13,848	77	38.5	30.1-46.9	41	20.1	13.6-26.6	53	32.5	23.7-41.3	8	2.8	00.6-05.0	13	6.2	00.7-11.7
H.S. or G.E.D.	194	24,226	94	55.9	46.9-64.9	26	12.0	06.5-17.5	52	24.8	17.0-32.6	6	1.9	00.0-03.9	16	5.3	02.0-08.6
Some Post-H.S.	257	43,994	128	49.7	42.1-57.3	34	15.8	09.9-21.7	70	26.7	19.8-33.6	11	3.8	01.3-06.3	14	4.0	01.1-06.9
College Graduate	405	33,898	224	60.8	55.1-66.5	45	10.5	07.0-14.0	102	21.6	16.9-26.3	20	4.6	02.2-07.0	14	2.6	00.8-04.4
\$15,000- 24,999	69	9,037	32	58.0	41.9-74.1	14	21.1	07.4-34.8	14	17.6	05.6-29.6	4	1.7	00.0-03.9	5	1.7	00.0-03.7
\$25,000- 34,999	85	11,516	37	44.9	31.2-58.6	12	13.0	03.6-22.4	24	31.4	17.9-44.9	6	4.1	00.4-07.8	6	6.6	00.0-14.2
\$35,000- 49,999	140	20,550	70	46.7	36.1-57.3	20	16.1	08.1-24.1	35	28.1	18.3-37.9	5	3.3	00.0-07.0	10	5.9	01.6-10.2
\$50,000- 74,999	187	20,155	101	63.1	54.7-71.5	17	7.2	02.9-11.5	53	21.9	15.0-28.8	8	3.4	00.5-06.3	8	4.4	00.9-07.9
\$75,000+	311	31,732	174	58.8	51.7-65.9	34	12.2	06.9-17.5	81	22.1	17.0-27.2	12	5.0	01.9-08.1	10	1.9	00.5-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1247	111,299	699	58.7	55.0-62.4	203	13.8	11.3-16.3	256	21.2	18.1-24.3	33	2.7	01.3-04.1	56	3.6	02.4-04.8
Non-Native	1216	108,039	684	59.0	55.3-62.7	196	13.5	11.0-16.0	251	21.4	18.3-24.5	32	2.7	01.3-04.1	53	3.4	02.2-04.6
18-24	70	22,759	41	57.1	44.8-69.4	11	15.3	06.7-23.9	15	22.6	12.0-33.2	2	3.6	00.0-08.5	1	1.3	00.0-03.8
25-34	145	18,638	93	66.3	57.5-75.1	22	15.5	08.4-22.6	25	15.8	09.1-22.5	3	1.7	00.0-03.9	2	0.7	00.0-01.7
35-44	160	15,350	99	62.9	54.1-71.7	13	7.8	02.5-13.1	40	26.0	18.2-33.8	2	0.3	00.0-00.7	6	3.0	00.5-05.5
45-54	254	19,490	155	63.0	56.3-69.7	32	10.5	06.6-14.4	57	23.1	17.0-29.2	3	0.8	00.0-01.6	7	2.6	00.6-04.6
55-64	272	15,666	155	56.7	49.6-63.8	45	15.3	10.4-20.2	48	17.0	11.7-22.3	11	5.3	01.8-08.8	13	5.6	01.9-09.3
65+	329	18,205	145	45.2	38.3-52.1	76	17.3	12.8-21.8	69	23.3	17.4-29.2	12	4.7	01.8-07.6	27	9.3	05.2-13.4
H.S. or G.E.D.	285	26,651	152	53.7	45.5-61.9	43	13.0	07.3-18.7	61	26.5	19.1-33.9	11	3.3	00.9-05.7	18	3.6	01.6-05.6
Some Post-H.S.	401	41,918	215	56.1	49.6-62.6	72	15.4	10.9-19.9	83	21.2	15.7-26.7	12	3.6	00.9-06.3	19	3.7	01.7-05.7
College Graduate	532	38,022	321	65.2	60.1-70.3	77	11.4	08.1-14.7	107	19.0	14.9-23.1	10	1.7	00.3-03.1	17	2.6	01.2-04.0
Less than \$15,000	79	8,709	39	54.1	37.4-70.8	21	26.1	11.8-40.4	14	17.4	04.1-30.7	1	0.2	00.0-00.6	4	2.3	00.0-04.8
\$15,000- 24,999	116	11,628	49	37.5	24.2-50.8	25	17.8	07.0-28.6	27	32.0	18.1-45.9	5	5.9	00.0-13.2	10	6.9	01.2-12.6
\$25,000- 34,999	123	10,508	52	49.4	37.2-61.6	27	19.4	09.8-29.0	33	25.8	15.6-36.0				11	5.4	02.1-08.7
\$35,000- 49,999	167	15,393	102	60.8	51.4-70.2	24	12.7	06.6-18.8	30	19.8	11.8-27.8	6	3.1	00.4-05.8	5	3.6	00.3-06.9
\$50,000- 74,999	219	17,795	124	59.9	52.1-67.7	33	12.5	07.4-17.6	51	23.5	16.8-30.2	6	2.2	00.2-04.2	5	1.9	00.1-03.7
\$75,000+	358	29,075	232	67.3	61.6-73.0	38	8.1	05.4-10.8	70	20.6	15.3-25.9	9	1.9	00.5-03.3	9	2.1	00.7-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2158	221,492	1058	44.5	41.8-47.2	201	10.1	08.3-11.9	12	1.1	00.3-01.9	511	26.3	23.8-28.8	251	12.5	10.5-14.5	125	5.5	04.1-06.9
Male	904	110,712	401	40.5	36.2-44.8	84	8.7	06.3-11.1	4	0.7	00.0-01.5	225	27.8	23.9-31.7	118	14.1	11.0-17.2	72	8.1	05.7-10.5
Female	1254	110,780	657	48.5	44.8-52.2	117	11.5	09.0-14.0	8	1.5	00.1-02.9	286	24.7	21.4-28.0	133	10.9	08.5-13.3	53	2.9	02.1-03.7
Non-Native	2098	213,038	1037	45.5	42.6-48.4	199	10.4	08.6-12.2	12	1.2	00.2-02.2	486	24.9	22.4-27.4	243	12.5	10.5-14.5	121	5.5	04.1-06.9
18-24	143	48,482	53	36.2	27.8-44.6	16	11.1	05.8-16.4	3	2.8	00.0-06.1	44	31.9	23.7-40.1	22	14.8	08.7-20.9	5	3.1	00.4-05.8
25-34	280	40,828	132	44.5	37.8-51.2	29	11.8	07.3-16.3	2	1.5	00.0-03.5	79	26.5	20.6-32.4	27	10.7	06.2-15.2	11	5.1	02.0-08.2
35-44	296	31,416	146	44.6	37.9-51.3	26	7.7	04.4-11.0	3	0.9	00.0-02.1	85	33.3	26.8-39.8	28	10.8	06.1-15.5	8	2.7	00.3-05.1
45-54	421	37,615	203	45.9	40.0-51.8	44	10.1	06.6-13.6	2	0.4	00.0-01.0	96	23.1	18.2-28.0	51	12.9	09.0-16.8	25	7.6	03.5-11.7
55-64	470	29,434	244	50.6	45.1-56.1	40	9.4	06.3-12.5	2	0.5	00.0-01.3	102	21.4	16.9-25.9	45	9.2	06.3-12.1	37	8.9	05.8-12.0
65+	526	32,061	270	49.1	43.6-54.6	45	9.7	06.6-12.8				97	19.4	14.9-23.9	76	15.3	11.2-19.4	38	6.5	04.0-09.0
Less Than H.S.	77	13,032	38	37.1	23.2-51.0	6	8.1	00.7-15.5	1	5.2	00.0-15.0	14	30.5	15.0-46.0	8	7.2	01.1-13.3	10	11.8	01.8-21.8
H.S. or G.E.D.	479	50,598	225	37.8	32.1-43.5	56	15.4	10.5-20.3	2	0.2	00.0-00.6	106	25.7	20.2-31.2	60	15.6	10.9-20.3	30	5.3	02.8-07.8
Some Post-H.S.	658	85,600	323	46.6	41.5-51.7	49	6.9	04.5-09.3	4	1.4	00.0-02.8	150	26.4	21.9-30.9	90	13.4	09.9-16.9	42	5.5	03.5-07.5
College Graduate	944	72,262	472	48.1	44.2-52.0	90	10.5	08.0-13.0	5	0.8	00.0-01.6	241	25.8	22.3-29.3	93	10.2	07.7-12.7	43	4.5	02.7-06.3
Less than \$15,000	117	16,652	57	38.2	25.7-50.7	8	8.0	01.3-14.7				35	42.8	29.3-56.3	8	6.7	00.0-13.6	9	4.4	00.1-08.7
\$15,000- 24,999	188	20,408	95	44.5	33.9-55.1	14	11.5	04.1-18.9				38	21.3	12.7-29.9	30	19.4	10.4-28.4	11	3.3	00.2-06.4
\$25,000- 34,999	207	21,733	95	43.2	34.0-52.4	13	6.6	02.1-11.1	1	1.8	00.0-05.3	48	25.1	16.7-33.5	32	18.0	10.6-25.4	18	5.4	01.7-09.1
\$35,000- 49,999	308	36,022	158	48.4	41.1-55.7	23	6.3	03.0-09.6	1	0.9	00.0-02.7	75	27.7	21.0-34.4	40	11.9	07.4-16.4	11	4.8	01.3-08.3
\$50,000- 74,999	406	37,983	212	46.9	40.8-53.0	38	11.8	07.5-16.1	3	1.0	00.0-02.4	82	21.8	16.5-27.1	48	12.7	08.4-17.0	23	5.8	02.9-08.7
\$75,000+	671	60,907	315	43.0	38.3-47.7	85	13.5	10.2-16.8	4	1.0	00.0-02.2	170	26.2	21.9-30.5	56	8.7	06.0-11.4	41	7.6	04.7-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	904	110,712	401	40.5	36.2-44.8	84	8.7	06.3-11.1	4	0.7	00.0-01.5	225	27.8	23.9-31.7	118	14.1	11.0-17.2	72	8.1	05.7-10.5
Non-Native	874	105,368	397	42.2	37.9-46.5	83	9.0	06.6-11.4	4	0.8	00.0-01.8	209	25.9	22.0-29.8	112	14.0	10.9-17.1	69	8.2	05.7-10.7
18-24	75	26,542	27	37.1	25.5-48.7	5	6.5	00.8-12.2	1	1.5	00.0-04.4	21	29.8	18.6-41.0	16	19.3	10.1-28.5	5	5.8	00.7-10.9
25-34	135	22,248	56	37.9	28.5-47.3	14	12.1	05.6-18.6	1	1.2	00.0-03.6	39	27.6	19.0-36.2	17	13.0	06.1-19.9	8	8.3	02.6-14.0
35-44	135	16,049	66	45.7	35.7-55.7	11	5.4	01.9-08.9				38	34.8	24.8-44.8	15	10.1	03.6-16.6	5	4.1	00.0-08.4
45-54	166	18,220	67	37.7	28.7-46.7	17	9.3	03.6-15.0	1	0.7	00.0-02.1	43	25.8	17.8-33.8	24	15.3	08.6-22.0	14	11.2	03.4-19.0
55-64	196	13,706	90	43.7	35.5-51.9	24	11.1	06.0-16.2	1	0.4	00.0-01.2	39	23.6	16.2-31.0	21	9.3	05.0-13.6	21	12.0	06.3-17.7
65+	194	13,796	93	45.1	36.5-53.7	13	8.0	03.1-12.9				44	23.5	15.5-31.5	25	14.3	07.8-20.8	19	9.2	04.1-14.3
H.S. or G.E.D.	193	24,286	82	34.3	26.1-42.5	23	14.0	07.1-20.9				43	24.4	16.6-32.2	28	19.3	11.7-26.9	17	7.9	02.8-13.0
Some Post-H.S.	256	43,907	109	41.4	33.8-49.0	18	5.1	02.2-08.0	2	1.5	00.0-03.7	68	29.6	22.5-36.7	37	14.8	09.1-20.5	22	7.6	03.9-11.3
College Graduate	408	33,947	189	45.8	39.9-51.7	39	9.0	05.7-12.3	2	0.5	00.0-01.3	103	25.5	20.4-30.6	49	12.0	07.9-16.1	26	7.2	03.7-10.7
\$15,000- 24,999	70	9,068	35	41.5	25.8-57.2	6	13.5	01.3-25.7				16	21.8	08.3-35.3	7	17.9	04.8-31.0	6	5.2	00.0-11.9
\$25,000- 34,999	85	11,516	34	39.3	26.0-52.6	5	5.4	00.0-11.5	1	3.4	00.0-09.9	22	30.7	17.4-44.0	13	14.3	04.5-24.1	10	6.9	00.4-13.4
\$35,000- 49,999	140	20,550	65	51.0	40.4-61.6	8	3.2	00.1-06.3				36	25.2	16.2-34.2	24	13.8	06.9-20.7	7	6.8	00.9-12.7
\$50,000- 74,999	186	20,061	84	39.6	30.8-48.4	19	11.9	05.4-18.4	1	0.3	00.0-00.9	42	24.8	17.0-32.6	26	15.5	08.2-22.8	14	8.0	03.1-12.9
\$75,000+	314	31,911	142	39.9	33.0-46.8	41	12.9	08.2-17.6	2	1.2	00.0-03.0	71	24.3	18.0-30.6	31	10.4	05.9-14.9	27	11.2	06.1-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1254	110,780	657	48.5	44.8-52.2	117	11.5	09.0-14.0	8	1.5	00.1-02.9	286	24.7	21.4-28.0	133	10.9	08.5-13.3	53	2.9	02.1-03.7
Non-Native	1224	107,671	640	48.7	45.0-52.4	116	11.8	09.3-14.3	8	1.6	00.0-03.2	277	23.9	20.6-27.2	131	11.1	08.7-13.5	52	2.9	02.1-03.7
18-24	68	21,940	26	35.0	23.0-47.0	11	16.7	07.5-25.9	2	4.3	00.0-10.6	23	34.5	22.3-46.7	6	9.5	02.1-16.9			
25-34	145	18,580	76	52.3	42.9-61.7	15	11.4	04.9-17.9	1	1.8	00.0-05.3	40	25.1	17.1-33.1	10	8.0	02.9-13.1	3	1.4	00.0-03.0
35-44	161	15,366	80	43.4	34.8-52.0	15	10.1	04.4-15.8	3	1.9	00.0-04.3	47	31.8	23.4-40.2	13	11.5	04.8-18.2	3	1.2	00.0-02.8
45-54	255	19,395	136	53.6	46.5-60.7	27	10.9	06.6-15.2	1	0.1	00.0-00.3	53	20.6	14.7-26.5	27	10.6	06.3-14.9	11	4.3	01.8-06.8
55-64	274	15,727	154	56.6	49.7-63.5	16	8.0	03.9-12.1	1	0.6	00.0-01.8	63	19.5	14.4-24.6	24	9.2	05.1-13.3	16	6.1	03.0-09.2
65+	332	18,266	177	52.1	45.2-59.0	32	10.9	06.8-15.0				53	16.3	11.4-21.2	51	16.1	10.8-21.4	19	4.5	02.1-06.9
H.S. or G.E.D.	286	26,312	143	41.0	33.2-48.8	33	16.6	09.7-23.5	2	0.4	00.0-01.2	63	27.0	19.4-34.6	32	12.2	06.5-17.9	13	2.8	01.0-04.6
Some Post-H.S.	402	41,693	214	51.9	45.4-58.4	31	8.8	04.9-12.7	2	1.2	00.0-03.0	82	23.0	17.3-28.7	53	11.9	07.8-16.0	20	3.2	01.6-04.8
College Graduate	536	38,315	283	50.2	44.7-55.7	51	11.8	08.1-15.5	3	1.0	00.0-02.4	138	26.1	21.4-30.8	44	8.7	05.6-11.8	17	2.2	01.0-03.4
Less than \$15,000	79	8,312	48	60.4	43.7-77.1	4	9.6	00.0-20.6				17	25.7	10.2-41.2	4	1.6	00.0-03.4	6	2.8	00.0-05.7
\$15,000- 24,999	118	11,340	60	46.8	32.7-60.9	8	10.0	01.0-19.0				22	20.8	09.8-31.8	23	20.6	08.3-32.9	5	1.8	00.0-03.8
\$25,000- 34,999	122	10,217	61	47.6	35.4-59.8	8	7.8	01.1-14.5				26	18.7	09.3-28.1	19	22.2	11.2-33.2	8	3.6	00.9-06.3
\$35,000- 49,999	168	15,472	93	44.9	35.5-54.3	15	10.5	04.4-16.6	1	2.2	00.0-06.5	39	31.0	21.2-40.8	16	9.4	04.1-14.7	4	2.1	00.1-04.1
\$50,000- 74,999	220	17,923	128	55.1	46.9-63.3	19	11.6	05.9-17.3	2	1.9	00.0-04.8	40	18.4	11.5-25.3	22	9.5	05.2-13.8	9	3.4	01.0-05.8
\$75,000+	357	28,997	173	46.4	40.3-52.5	44	14.1	09.2-19.0	2	0.8	00.0-02.0	99	28.3	22.6-34.0	25	6.7	03.6-09.8	14	3.6	01.6-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4974	482,519	899	20.5	18.9-22.1	317	7.5	06.3-08.7	316	7.7	06.5-08.9	59	1.4	01.0-01.8	86	1.5	01.1-01.9	3297	61.4	59.4-63.4
Male	2065	241,083	374	20.8	18.4-23.2	145	8.8	07.0-10.6	133	7.7	05.9-09.5	31	1.5	00.9-02.1	46	2.0	01.2-02.8	1336	59.3	56.4-62.2
Female	2909	241,436	525	20.2	18.0-22.4	172	6.3	04.9-07.7	183	7.6	06.2-09.0	28	1.2	00.6-01.8	40	1.0	00.6-01.4	1961	63.6	61.1-66.1
Native	121	16,785	21	16.8	08.2-25.4	7	4.3	00.2-08.4	13	17.4	05.6-29.2	4	4.3	00.0-10.2	2	0.4	00.0-01.2	74	56.7	43.8-69.6
Non-Native	4798	460,957	871	20.6	19.0-22.2	308	7.7	06.5-08.9	298	7.3	06.1-08.5	55	1.3	00.9-01.7	81	1.5	01.1-01.9	3185	61.6	59.6-63.6
18-24	229	78,165	75	31.8	25.3-38.3	33	15.0	09.9-20.1	20	10.2	05.7-14.7	3	1.7	00.0-03.7	3	1.2	00.0-02.6	95	40.2	33.3-47.1
25-34	538	80,145	147	28.4	23.9-32.9	36	8.4	05.5-11.3	52	9.9	07.0-12.8	12	2.2	00.6-03.8	7	1.2	00.2-02.2	284	49.9	45.0-54.8
35-44	592	68,002	143	21.6	17.9-25.3	33	6.0	03.6-08.4	46	7.8	05.3-10.3	10	1.5	00.3-02.7	11	1.9	00.5-03.3	349	61.2	56.5-65.9
45-54	936	86,365	171	16.8	14.1-19.5	48	5.0	03.2-06.8	80	9.5	07.0-12.0	12	1.5	00.5-02.5	16	1.4	00.4-02.4	609	65.8	62.1-69.5
55-64	1110	73,791	163	14.3	11.9-16.7	61	4.9	03.3-06.5	65	6.0	04.2-07.8	12	0.9	00.3-01.5	24	2.2	01.0-03.4	785	71.8	68.7-74.9
65+	1521	92,234	191	11.6	09.6-13.6	102	6.1	04.7-07.5	52	3.2	02.2-04.2	10	0.6	00.2-01.0	24	1.4	00.6-02.2	1142	77.0	74.5-79.5
Less Than H.S.	311	45,356	29	10.3	05.2-15.4	21	8.1	03.4-12.8	11	8.9	03.0-14.8	2	1.3	00.0-03.3	4	1.7	00.0-03.9	244	69.6	61.6-77.6
H.S. or G.E.D.	1443	136,146	186	15.8	13.1-18.5	70	6.1	04.1-08.1	72	6.0	04.2-07.8	13	0.9	00.3-01.5	22	1.3	00.5-02.1	1080	69.9	66.6-73.2
Some Post-H.S.	1545	182,234	252	20.2	17.5-22.9	106	8.2	06.2-10.2	102	8.3	06.3-10.3	17	1.5	00.5-02.5	26	1.3	00.7-01.9	1042	60.5	57.2-63.8
College Graduate	1669	118,536	430	30.2	27.3-33.1	120	8.0	06.2-09.8	131	8.1	06.5-09.7	27	1.7	00.9-02.5	34	1.9	01.1-02.7	927	50.1	47.2-53.0
Less than \$15,000	353	36,593	46	20.9	13.3-28.5	23	9.4	04.3-14.5	12	5.7	01.6-09.8	3	1.7	00.0-04.2	7	0.8	00.0-01.6	262	61.4	53.0-69.8
\$15,000- 24,999	633	60,458	82	18.5	13.6-23.4	42	7.1	04.0-10.2	34	9.0	04.9-13.1	6	0.9	00.0-02.3	11	0.8	00.2-01.4	458	63.7	57.8-69.6
\$25,000- 34,999	562	53,313	87	18.9	14.2-23.6	39	7.3	03.8-10.8	34	6.8	03.9-09.7	7	1.6	00.2-03.0	14	2.4	00.2-04.6	381	63.0	57.1-68.9
\$35,000- 49,999	749	80,355	98	14.8	11.3-18.3	39	6.9	04.2-09.6	46	7.4	04.7-10.1	4	0.7	00.0-01.5	19	2.8	01.2-04.4	543	67.4	62.9-71.9
\$50,000- 74,999	844	80,048	171	22.1	18.6-25.6	55	6.5	04.3-08.7	50	6.3	04.1-08.5	17	1.9	00.9-02.9	12	1.5	00.5-02.5	539	61.7	57.6-65.8
\$75,000+	1191	110,407	314	26.6	23.5-29.7	73	7.5	05.3-09.7	109	9.0	07.0-11.0	19	1.5	00.7-02.3	17	1.3	00.5-02.1	659	54.1	50.6-57.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2065	241,083	374	20.8	18.4-23.2	145	8.8	07.0-10.6	133	7.7	05.9-09.5	31	1.5	00.9-02.1	46	2.0	01.2-02.8	1336	59.3	56.4-62.2
Non-Native	1987	229,149	356	20.6	18.1-23.1	140	9.1	07.1-11.1	125	7.6	05.8-09.4	28	1.3	00.7-01.9	45	2.0	01.2-02.8	1293	59.5	56.6-62.4
18-24	113	41,437	38	32.1	22.9-41.3	23	21.1	13.1-29.1	8	8.8	02.5-15.1	1	1.2	00.0-03.4	1	1.1	00.0-03.3	42	35.7	26.3-45.1
25-34	254	42,802	78	33.9	27.0-40.8	17	6.9	03.4-10.4	25	10.3	05.8-14.8	7	2.3	00.3-04.3	7	2.3	00.3-04.3	120	44.3	37.2-51.4
35-44	274	34,883	57	19.1	13.6-24.6	19	6.9	03.6-10.2	22	9.4	05.1-13.7	5	1.8	00.0-03.6	6	2.6	00.2-05.0	165	60.3	53.2-67.4
45-54	386	43,243	62	13.4	09.7-17.1	17	5.2	02.1-08.3	30	8.7	04.8-12.6	6	2.0	00.2-03.8	7	1.6	00.0-03.2	264	69.1	63.2-75.0
55-64	499	37,493	63	12.5	09.2-15.8	28	5.3	02.9-07.7	31	6.3	03.6-09.0	7	1.1	00.1-02.1	14	2.7	00.9-04.5	356	72.0	67.3-76.7
65+	524	40,028	73	12.3	09.2-15.4	40	6.5	04.1-08.9	17	3.0	01.2-04.8	5	0.5	00.0-01.1	10	1.8	00.4-03.2	379	75.9	71.8-80.0
Less Than H.S.	163	29,667	13	8.3	02.2-14.4	13	10.6	03.5-17.7	7	10.3	02.3-18.3	1	0.6	00.0-01.8	4	2.7	00.0-06.0	125	67.5	56.9-78.1
H.S. or G.E.D.	591	68,239	74	15.9	11.8-20.0	31	7.1	04.0-10.2	32	4.7	02.7-06.7	4	0.4	00.0-00.8	11	1.9	00.5-03.3	439	69.9	65.0-74.8
Some Post-H.S.	611	88,863	109	22.1	17.6-26.6	45	9.4	06.1-12.7	43	9.4	06.3-12.5	9	2.0	00.4-03.6	12	1.5	00.3-02.7	393	55.7	50.6-60.8
College Graduate	698	54,256	178	31.6	27.1-36.1	56	8.8	06.1-11.5	51	7.5	05.1-09.9	17	2.5	01.1-03.9	19	2.5	01.1-03.9	377	47.1	42.6-51.6
Less than \$15,000	112	16,824	16	21.7	09.2-34.2	10	12.3	03.1-21.5	7	8.1	00.7-15.5	3	3.7	00.0-09.4	2	0.8	00.0-02.0	74	53.4	39.5-67.3
\$15,000- 24,999	218	26,630	30	20.9	12.9-28.9	11	7.9	02.4-13.4	12	9.8	02.7-16.9	2	0.1	00.0-00.3	7	1.2	00.0-02.4	156	60.1	50.5-69.7
\$25,000- 34,999	230	28,435	40	19.1	12.2-26.0	15	7.9	02.0-13.8	18	8.1	03.4-12.8	6	2.7	00.2-05.2	5	3.1	00.0-06.8	146	59.1	50.3-67.9
\$35,000- 49,999	368	45,896	48	15.9	10.8-21.0	21	7.1	03.4-10.8	23	7.9	04.0-11.8	2	0.8	00.0-02.0	11	3.3	01.1-05.5	263	65.0	58.5-71.5
\$50,000- 74,999	402	43,310	85	24.3	18.8-29.8	24	6.0	03.1-08.9	24	7.3	03.8-10.8	8	1.9	00.5-03.3	6	1.6	00.0-03.2	255	58.9	52.8-65.0
\$75,000+	568	57,370	132	24.5	20.0-29.0	44	9.5	06.0-13.0	43	6.8	04.4-09.2	10	1.7	00.3-03.1	12	1.7	00.5-02.9	327	55.7	50.6-60.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2909	241,436	525	20.2	18.0-22.4	172	6.3	04.9-07.7	183	7.6	06.2-09.0	28	1.2	00.6-01.8	40	1.0	00.6-01.4	1961	63.6	61.1-66.1
Native	72	7,686	9	13.6	02.0-25.2	3	4.9	00.0-10.6	8	22.4	04.6-40.2	1	0.5	00.0-01.5	2	0.9	00.0-02.5	49	57.7	39.5-75.9
Non-Native	2811	231,808	515	20.5	18.3-22.7	168	6.4	05.0-07.8	173	7.1	05.7-08.5	27	1.3	00.5-02.1	36	1.0	00.6-01.4	1892	63.7	61.2-66.2
18-24	116	36,727	37	31.5	22.5-40.5	10	8.0	02.9-13.1	12	11.9	05.2-18.6	2	2.3	00.0-05.4	2	1.2	00.0-02.8	53	45.2	35.4-55.0
25-34	284	37,343	69	22.1	16.6-27.6	19	10.0	05.3-14.7	27	9.5	05.6-13.4	5	2.1	00.0-04.5				164	56.3	49.4-63.2
35-44	318	33,119	86	24.3	19.0-29.6	14	5.1	02.0-08.2	24	6.1	03.2-09.0	5	1.2	00.0-02.4	5	1.1	00.0-02.3	184	62.1	55.8-68.4
45-54	550	43,122	109	20.2	16.3-24.1	31	4.8	03.0-06.6	50	10.2	07.1-13.3	6	0.9	00.1-01.7	9	1.2	00.4-02.0	345	62.6	57.9-67.3
55-64	611	36,298	100	16.2	12.7-19.7	33	4.3	02.5-06.1	34	5.7	03.5-07.9	5	0.6	00.0-01.2	10	1.6	00.2-03.0	429	71.6	67.3-75.9
65+	997	52,206	118	11.1	08.7-13.5	62	5.9	04.1-07.7	35	3.4	02.0-04.8	5	0.7	00.1-01.3	14	1.1	00.3-01.9	763	77.7	74.6-80.8
Less Than H.S.	148	15,689	16	14.2	04.8-23.6	8	3.3	00.4-06.2	4	6.2	00.0-14.2	1	2.7	00.0-07.8				119	73.5	61.5-85.5
H.S. or G.E.D.	852	67,908	112	15.7	12.0-19.4	39	5.1	02.6-07.6	40	7.2	04.3-10.1	9	1.3	00.0-02.7	11	0.8	00.2-01.4	641	69.9	65.2-74.6
Some Post-H.S.	934	93,371	143	18.3	14.8-21.8	61	7.0	04.8-09.2	59	7.3	04.9-09.7	8	1.1	00.1-02.1	14	1.1	00.5-01.7	649	65.1	61.0-69.2
College Graduate	971	64,280	252	29.0	25.3-32.7	64	7.3	05.1-09.5	80	8.6	06.4-10.8	10	1.1	00.3-01.9	15	1.4	00.4-02.4	550	52.6	48.7-56.5
Less than \$15,000	241	19,769	30	20.2	11.0-29.4	13	6.9	01.8-12.0	5	3.8	00.0-08.1				5	0.9	00.0-01.9	188	68.2	58.2-78.2
\$15,000- 24,999	415	33,828	52	16.6	10.3-22.9	31	6.5	03.0-10.0	22	8.3	03.6-13.0	4	1.6	00.0-04.1	4	0.5	00.0-01.1	302	66.5	59.1-73.9
\$25,000- 34,999	332	24,878	47	18.6	12.3-24.9	24	6.6	03.1-10.1	16	5.3	02.2-08.4	1	0.3	00.0-00.9	9	1.7	00.5-02.9	235	67.4	60.3-74.5
\$35,000- 49,999	381	34,459	50	13.4	08.9-17.9	18	6.7	03.0-10.4	23	6.7	03.2-10.2	2	0.5	00.0-01.3	8	2.2	00.4-04.0	280	70.6	64.5-76.7
\$50,000- 74,999	442	36,738	86	19.6	15.3-23.9	31	7.1	04.2-10.0	26	5.1	02.9-07.3	9	1.9	00.5-03.3	6	1.3	00.0-02.7	284	65.0	59.7-70.3
\$75,000+	623	53,038	182	28.8	24.5-33.1	29	5.3	02.8-07.8	66	11.4	08.3-14.5	9	1.2	00.4-02.0	5	0.8	00.0-01.6	332	52.4	47.5-57.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011

SECTION 11: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	219
2	MALES ONLY	220
3	FEMALES ONLY	221
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	222
5	MALES ONLY	223
6	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4979	485,565	1203	21.1	19.5-22.7	3776	78.9	77.3-80.5
Male	2064	242,569	423	19.0	16.8-21.2	1641	81.0	78.8-83.2
Female	2915	242,996	780	23.3	21.1-25.5	2135	76.7	74.5-78.9
Native	121	16,784	42	29.3	18.3-40.3	79	70.7	59.7-81.7
Non-Native	4803	463,846	1143	20.8	19.2-22.4	3660	79.2	77.6-80.8
18-24	234	80,555	35	15.5	10.4-20.6	199	84.5	79.4-89.6
25-34	541	80,907	61	10.5	07.4-13.6	480	89.5	86.4-92.6
35-44	592	67,836	88	17.9	13.8-22.0	504	82.1	78.0-86.2
45-54	939	86,719	209	22.7	19.2-26.2	730	77.3	73.8-80.8
55-64	1110	73,909	316	26.6	23.5-29.7	794	73.4	70.3-76.5
65+	1517	91,733	486	31.8	28.9-34.7	1031	68.2	65.3-71.1
Less Than H.S.	314	47,705	86	27.5	20.2-34.8	228	72.5	65.2-79.8
H.S. or G.E.D.	1449	136,284	373	21.7	19.0-24.4	1076	78.3	75.6-81.0
Some Post-H.S.	1549	183,394	405	21.8	19.3-24.3	1144	78.2	75.7-80.7
College Graduate	1662	117,957	338	17.0	14.8-19.2	1324	83.0	80.8-85.2
Less than \$15,000	354	37,048	156	30.8	23.7-37.9	198	69.2	62.1-76.3
\$15,000- 24,999	639	60,918	228	30.8	25.7-35.9	411	69.2	64.1-74.3
\$25,000- 34,999	563	53,379	155	24.3	19.6-29.0	408	75.7	71.0-80.4
\$35,000- 49,999	748	80,040	152	17.7	14.2-21.2	596	82.3	78.8-85.8
\$50,000- 74,999	844	80,412	173	20.8	17.3-24.3	671	79.2	75.7-82.7
\$75,000+	1189	110,910	180	14.5	12.0-17.0	1009	85.5	83.0-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2064	242,569	423	19.0	16.8-21.2	1641	81.0	78.8-83.2
Native	50	9,281	15	20.4	08.1-32.7	35	79.6	67.3-91.9
Non-Native	1985	230,295	400	19.0	16.6-21.4	1585	81.0	78.6-83.4
18-24	115	42,281	15	13.2	06.5-19.9	100	86.8	80.1-93.5
25-34	257	43,645	25	11.0	06.3-15.7	232	89.0	84.3-93.7
35-44	275	35,059	40	17.4	11.5-23.3	235	82.6	76.7-88.5
45-54	387	43,520	78	21.8	16.3-27.3	309	78.2	72.7-83.7
55-64	501	37,665	119	22.5	18.0-27.0	382	77.5	73.0-82.0
65+	517	39,309	144	29.2	24.3-34.1	373	70.8	65.9-75.7
Less Than H.S.	164	30,830	43	26.8	17.6-36.0	121	73.2	64.0-82.4
H.S. or G.E.D.	592	67,954	133	20.7	16.6-24.8	459	79.3	75.2-83.4
Some Post-H.S.	614	89,754	117	16.6	12.9-20.3	497	83.4	79.7-87.1
College Graduate	693	53,993	130	16.4	13.3-19.5	563	83.6	80.5-86.7
Less than \$15,000	113	17,137	52	31.7	19.7-43.7	61	68.3	56.3-80.3
\$15,000- 24,999	221	26,760	68	29.1	20.7-37.5	153	70.9	62.5-79.3
\$25,000- 34,999	231	28,698	59	25.7	18.3-33.1	172	74.3	66.9-81.7
\$35,000- 49,999	365	45,511	57	13.7	09.4-18.0	308	86.3	82.0-90.6
\$50,000- 74,999	401	43,256	73	18.8	13.9-23.7	328	81.2	76.3-86.1
\$75,000+	569	58,214	74	12.3	08.8-15.8	495	87.7	84.2-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	242,996	780	23.3	21.1-25.5	2135	76.7	74.5-78.9
Native	71	7,503	27	40.2	22.4-58.0	44	59.8	42.0-77.6
Non-Native	2818	233,551	743	22.5	20.5-24.5	2075	77.5	75.5-79.5
18-24	119	38,274	20	18.2	10.4-26.0	99	81.8	74.0-89.6
25-34	284	37,262	36	10.0	06.1-13.9	248	90.0	86.1-93.9
35-44	317	32,777	48	18.4	12.9-23.9	269	81.6	76.1-87.1
45-54	552	43,199	131	23.6	19.3-27.9	421	76.4	72.1-80.7
55-64	609	36,244	197	31.0	26.7-35.3	412	69.0	64.7-73.3
65+	1000	52,423	342	33.8	30.1-37.5	658	66.2	62.5-69.9
Less Than H.S.	150	16,875	43	28.6	17.2-40.0	107	71.4	60.0-82.8
H.S. or G.E.D.	857	68,330	240	22.8	19.1-26.5	617	77.2	73.5-80.9
Some Post-H.S.	935	93,639	288	26.7	23.2-30.2	647	73.3	69.8-76.8
College Graduate	969	63,964	208	17.5	14.8-20.2	761	82.5	79.8-85.2
Less than \$15,000	241	19,910	104	30.1	21.9-38.3	137	69.9	61.7-78.1
\$15,000- 24,999	418	34,158	160	32.2	25.7-38.7	258	67.8	61.3-74.3
\$25,000- 34,999	332	24,681	96	22.8	17.3-28.3	236	77.2	71.7-82.7
\$35,000- 49,999	383	34,529	95	22.9	17.2-28.6	288	77.1	71.4-82.8
\$50,000- 74,999	443	37,156	100	23.2	18.5-27.9	343	76.8	72.1-81.5
\$75,000+	620	52,696	106	17.0	13.3-20.7	514	83.0	79.3-86.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5005	487,763	398	5.5	04.7-06.3	4607	94.5	93.7-95.3
Male	2072	243,403	144	5.7	04.5-06.9	1928	94.3	93.1-95.5
Female	2933	244,360	254	5.2	04.2-06.2	2679	94.8	93.8-95.8
Native	122	16,781	18	7.2	02.9-11.5	104	92.8	88.5-97.1
Non-Native	4828	466,048	372	5.4	04.6-06.2	4456	94.6	93.8-95.4
18-24	235	80,823	7	2.4	00.2-04.6	228	97.6	95.4-99.8
25-34	542	80,993	7	1.3	00.1-02.5	535	98.7	97.5-99.9
35-44	593	68,050	14	3.0	01.2-04.8	579	97.0	95.2-98.8
45-54	939	86,652	47	5.6	03.6-07.6	892	94.4	92.4-96.4
55-64	1112	74,117	88	6.5	04.7-08.3	1024	93.5	91.7-95.3
65+	1538	93,223	235	12.8	10.6-15.0	1303	87.2	85.0-89.4
Less Than H.S.	321	48,091	52	9.8	05.7-13.9	269	90.2	86.1-94.3
H.S. or G.E.D.	1455	137,647	132	5.6	04.2-07.0	1323	94.4	93.0-95.8
Some Post-H.S.	1551	183,039	117	5.0	03.8-06.2	1434	95.0	93.8-96.2
College Graduate	1673	118,761	97	4.2	03.2-05.2	1576	95.8	94.8-96.8
Less than \$15,000	358	37,514	80	12.4	08.3-16.5	278	87.6	83.5-91.7
\$15,000- 24,999	640	61,050	97	10.7	07.6-13.8	543	89.3	86.2-92.4
\$25,000- 34,999	568	53,888	49	6.7	04.2-09.2	519	93.3	90.8-95.8
\$35,000- 49,999	748	79,912	35	2.9	01.7-04.1	713	97.1	95.9-98.3
\$50,000- 74,999	847	80,573	29	2.8	01.6-04.0	818	97.2	96.0-98.4
\$75,000+	1193	111,111	29	2.8	01.2-04.4	1164	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	243,403	144	5.7	04.5-06.9	1928	94.3	93.1-95.5
Native	50	9,281	5	5.1	00.0-10.6	45	94.9	89.4-0100
Non-Native	1993	231,129	135	5.7	04.5-06.9	1858	94.3	93.1-95.5
18-24	115	42,281	4	2.2	00.0-04.6	111	97.8	95.4-0100
25-34	257	43,610	5	1.9	00.0-03.9	252	98.1	96.1-0100
35-44	276	35,319	11	5.0	01.7-08.3	265	95.0	91.7-98.3
45-54	386	43,404	26	7.6	04.1-11.1	360	92.4	88.9-95.9
55-64	502	37,729	31	5.4	03.0-07.8	471	94.6	92.2-97.0
65+	524	39,971	67	12.4	08.9-15.9	457	87.6	84.1-91.1
Less Than H.S.	166	30,997	19	6.8	03.1-10.5	147	93.2	89.5-96.9
H.S. or G.E.D.	594	68,725	46	6.5	04.1-08.9	548	93.5	91.1-95.9
Some Post-H.S.	614	89,449	38	5.1	02.9-07.3	576	94.9	92.7-97.1
College Graduate	697	54,196	41	5.1	03.1-07.1	656	94.9	92.9-96.9
Less than \$15,000	114	17,154	26	14.1	06.5-21.7	88	85.9	78.3-93.5
\$15,000- 24,999	222	26,851	37	13.6	07.7-19.5	185	86.4	80.5-92.3
\$25,000- 34,999	231	28,698	16	7.0	02.7-11.3	215	93.0	88.7-97.3
\$35,000- 49,999	365	45,383	15	2.8	01.0-04.6	350	97.2	95.4-99.0
\$50,000- 74,999	404	43,417	17	3.5	01.5-05.5	387	96.5	94.5-98.5
\$75,000+	570	58,321	15	2.6	01.0-04.2	555	97.4	95.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2933	244,360	254	5.2	04.2-06.2	2679	94.8	93.8-95.8
Native	72	7,500	13	9.8	02.7-16.9	59	90.2	83.1-97.3
Non-Native	2835	234,918	237	5.0	04.0-06.0	2598	95.0	94.0-96.0
18-24	120	38,542	3	2.6	00.0-06.5	117	97.4	93.5-0100
25-34	285	37,383	2	0.5	00.0-01.3	283	99.5	98.7-0100
35-44	317	32,730	3	0.9	00.0-01.9	314	99.1	98.1-0100
45-54	553	43,248	21	3.6	01.6-05.6	532	96.4	94.4-98.4
55-64	610	36,389	57	7.5	05.1-09.9	553	92.5	90.1-94.9
65+	1014	53,252	168	13.2	10.8-15.6	846	86.8	84.4-89.2
Less Than H.S.	155	17,094	33	15.4	06.4-24.4	122	84.6	75.6-93.6
H.S. or G.E.D.	861	68,922	86	4.7	03.3-06.1	775	95.3	93.9-96.7
Some Post-H.S.	937	93,591	79	4.9	03.5-06.3	858	95.1	93.7-96.5
College Graduate	976	64,565	56	3.6	02.4-04.8	920	96.4	95.2-97.6
Less than \$15,000	244	20,359	54	11.0	06.7-15.3	190	89.0	84.7-93.3
\$15,000- 24,999	418	34,199	60	8.5	05.8-11.2	358	91.5	88.8-94.2
\$25,000- 34,999	337	25,191	33	6.3	03.8-08.8	304	93.7	91.2-96.2
\$35,000- 49,999	383	34,529	20	3.0	01.4-04.6	363	97.0	95.4-98.6
\$50,000- 74,999	443	37,156	12	2.1	00.7-03.5	431	97.9	96.5-99.3
\$75,000+	623	52,790	14	3.1	00.2-06.0	609	96.9	94.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	226
2 MALES ONLY	227
3 FEMALES ONLY	228
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	229
5 MALES ONLY	230
6 FEMALES ONLY	231
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	232
8 MALES ONLY	233
9 FEMALES ONLY	234
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	235
11 MALES ONLY	236
12 FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1559	119,052	778	48.1	44.8-51.4	781	51.9	48.6-55.2
Male	504	50,053	234	43.4	37.5-49.3	270	56.6	50.7-62.5
Female	1055	68,999	544	51.4	47.5-55.3	511	48.6	44.7-52.5
Non-Native	1496	113,713	740	47.2	43.7-50.7	756	52.8	49.3-56.3
35-44	84	10,351	42	52.4	39.7-65.1	42	47.6	34.9-60.3
45-54	234	23,030	118	47.3	39.1-55.5	116	52.7	44.5-60.9
55-64	414	27,345	211	50.9	45.0-56.8	203	49.1	43.2-55.0
65+	771	46,188	385	49.8	45.3-54.3	386	50.2	45.7-54.7
Less Than H.S.	137	16,260	74	44.0	32.2-55.8	63	56.0	44.2-67.8
H.S. or G.E.D.	530	38,360	260	48.1	42.6-53.6	270	51.9	46.4-57.4
Some Post-H.S.	491	43,217	257	50.5	44.8-56.2	234	49.5	43.8-55.2
College Graduate	400	21,205	186	46.0	39.9-52.1	214	54.0	47.9-60.1
Less than \$15,000	157	10,969	92	54.9	42.2-67.6	65	45.1	32.4-57.8
\$15,000- 24,999	259	19,279	158	61.1	52.3-69.9	101	38.9	30.1-47.7
\$25,000- 34,999	203	15,652	104	50.0	40.4-59.6	99	50.0	40.4-59.6
\$35,000- 49,999	238	18,934	101	39.0	31.0-47.0	137	61.0	53.0-69.0
\$50,000- 74,999	218	17,710	114	50.8	42.6-59.0	104	49.2	41.0-57.4
\$75,000+	245	19,662	93	37.1	29.7-44.5	152	62.9	55.5-70.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	504	50,053	234	43.4	37.5-49.3	270	56.6	50.7-62.5
Non-Native	483	47,605	223	42.6	36.7-48.5	260	57.4	51.5-63.3
45-54	75	9,966	33	40.6	26.7-54.5	42	59.4	45.5-73.3
55-64	161	11,654	79	48.8	39.4-58.2	82	51.2	41.8-60.6
65+	209	16,479	99	47.1	38.9-55.3	110	52.9	44.7-61.1
Less Than H.S.	54	9,734	25	32.2	16.9-47.5	29	67.8	52.5-83.1
H.S. or G.E.D.	176	16,330	88	53.2	44.2-62.2	88	46.8	37.8-55.8
Some Post-H.S.	135	15,329	60	42.0	31.6-52.4	75	58.0	47.6-68.4
College Graduate	139	8,661	61	40.1	30.7-49.5	78	59.9	50.5-69.3
\$15,000- 24,999	64	6,956	41	59.9	42.8-77.0	23	40.1	23.0-57.2
\$25,000- 34,999	78	8,425	35	45.0	30.1-59.9	43	55.0	40.1-69.9
\$35,000- 49,999	98	9,608	36	34.1	21.9-46.3	62	65.9	53.7-78.1
\$50,000- 74,999	83	7,315	41	43.0	29.9-56.1	42	57.0	43.9-70.1
\$75,000+	106	9,675	34	29.7	18.3-41.1	72	70.3	58.9-81.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1055	68,999	544	51.4	47.5-55.3	511	48.6	44.7-52.5
Non-Native	1013	66,109	517	50.5	46.4-54.6	496	49.5	45.4-53.6
45-54	159	13,064	85	52.3	42.9-61.7	74	47.7	38.3-57.1
55-64	253	15,692	132	52.5	45.2-59.8	121	47.5	40.2-54.8
65+	562	29,709	286	51.3	46.2-56.4	276	48.7	43.6-53.8
Less Than H.S.	83	6,526	49	61.7	47.6-75.8	34	38.3	24.2-52.4
H.S. or G.E.D.	354	22,030	172	44.3	37.6-51.0	182	55.7	49.0-62.4
Some Post-H.S.	356	27,888	197	55.2	48.5-61.9	159	44.8	38.1-51.5
College Graduate	261	12,544	125	50.0	42.6-57.4	136	50.0	42.6-57.4
Less than \$15,000	123	7,125	70	54.7	41.6-67.8	53	45.3	32.2-58.4
\$15,000- 24,999	195	12,324	117	61.9	52.1-71.7	78	38.1	28.3-47.9
\$25,000- 34,999	125	7,227	69	55.9	44.9-66.9	56	44.1	33.1-55.1
\$35,000- 49,999	140	9,326	65	44.0	34.0-54.0	75	56.0	46.0-66.0
\$50,000- 74,999	135	10,395	73	56.2	46.0-66.4	62	43.8	33.6-54.0
\$75,000+	139	9,987	59	44.2	34.6-53.8	80	55.8	46.2-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1539	116,979	496	34.8	31.5-38.1	1043	65.2	61.9-68.5
Male	498	49,117	156	33.7	28.0-39.4	342	66.3	60.6-72.0
Female	1041	67,861	340	35.6	31.7-39.5	701	64.4	60.5-68.3
Non-Native	1477	111,726	468	33.6	30.3-36.9	1009	66.4	63.1-69.7
35-44	82	10,227	37	50.9	38.0-63.8	45	49.1	36.2-62.0
45-54	232	22,818	85	37.3	29.5-45.1	147	62.7	54.9-70.5
55-64	416	27,198	147	35.3	29.6-41.0	269	64.7	59.0-70.4
65+	753	44,671	214	30.8	26.5-35.1	539	69.2	64.9-73.5
Less Than H.S.	128	15,589	58	39.7	27.7-51.7	70	60.3	48.3-72.3
H.S. or G.E.D.	529	38,220	175	36.5	31.0-42.0	354	63.5	58.0-69.0
Some Post-H.S.	484	42,146	161	35.9	30.2-41.6	323	64.1	58.4-69.8
College Graduate	397	21,002	102	25.9	20.6-31.2	295	74.1	68.8-79.4
Less than \$15,000	152	10,147	74	63.0	51.6-74.4	78	37.0	25.6-48.4
\$15,000- 24,999	257	19,108	109	49.3	40.5-58.1	148	50.7	41.9-59.5
\$25,000- 34,999	197	15,441	60	29.3	20.7-37.9	137	70.7	62.1-79.3
\$35,000- 49,999	234	18,545	62	30.1	22.1-38.1	172	69.9	61.9-77.9
\$50,000- 74,999	218	17,558	64	29.7	22.3-37.1	154	70.3	62.9-77.7
\$75,000+	247	19,620	49	20.0	14.1-25.9	198	80.0	74.1-85.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	498	49,117	156	33.7	28.0-39.4	342	66.3	60.6-72.0
Non-Native	477	46,762	149	32.7	26.8-38.6	328	67.3	61.4-73.2
45-54	74	9,797	23	31.6	18.5-44.7	51	68.4	55.3-81.5
55-64	161	11,496	52	30.4	21.8-39.0	109	69.6	61.0-78.2
65+	205	15,971	59	32.1	24.3-39.9	146	67.9	60.1-75.7
H.S. or G.E.D.	177	16,608	65	43.0	33.8-52.2	112	57.0	47.8-66.2
Some Post-H.S.	132	14,673	36	31.2	20.4-42.0	96	68.8	58.0-79.6
College Graduate	140	8,693	36	25.9	17.3-34.5	104	74.1	65.5-82.7
\$15,000- 24,999	66	7,133	26	45.9	29.4-62.4	40	54.1	37.6-70.6
\$25,000- 34,999	76	8,313	19	25.8	12.7-38.9	57	74.2	61.1-87.3
\$35,000- 49,999	95	9,337	29	34.6	21.5-47.7	66	65.4	52.3-78.5
\$50,000- 74,999	84	7,369	28	32.0	19.7-44.3	56	68.0	55.7-80.3
\$75,000+	107	9,554	18	13.7	06.8-20.6	89	86.3	79.4-93.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1041	67,861	340	35.6	31.7-39.5	701	64.4	60.5-68.3
Non-Native	1000	64,965	319	34.2	30.3-38.1	681	65.8	61.9-69.7
45-54	158	13,021	62	41.7	32.3-51.1	96	58.3	48.9-67.7
55-64	255	15,702	95	38.9	31.6-46.2	160	61.1	53.8-68.4
65+	548	28,700	155	30.1	25.2-35.0	393	69.9	65.0-74.8
Less Than H.S.	80	6,468	39	55.8	41.5-70.1	41	44.2	29.9-58.5
H.S. or G.E.D.	352	21,612	110	31.4	24.9-37.9	242	68.6	62.1-75.1
Some Post-H.S.	352	27,473	125	38.5	32.0-45.0	227	61.5	55.0-68.0
College Graduate	257	12,309	66	25.8	19.1-32.5	191	74.2	67.5-80.9
Less than \$15,000	122	6,995	54	53.7	40.6-66.8	68	46.3	33.2-59.4
\$15,000- 24,999	191	11,975	83	51.3	41.3-61.3	108	48.7	38.7-58.7
\$25,000- 34,999	121	7,128	41	33.4	23.0-43.8	80	66.6	56.2-77.0
\$35,000- 49,999	139	9,208	33	25.5	16.5-34.5	106	74.5	65.5-83.5
\$50,000- 74,999	134	10,189	36	28.1	18.9-37.3	98	71.9	62.7-81.1
\$75,000+	140	10,066	31	26.0	17.0-35.0	109	74.0	65.0-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1568	119,550	204	13.3	10.9-15.7	441	30.1	27.0-33.2	923	56.6	53.3-59.9
Male	504	50,065	51	12.2	08.3-16.1	121	25.7	20.2-31.2	332	62.1	56.2-68.0
Female	1064	69,486	153	14.0	11.3-16.7	320	33.3	29.6-37.0	591	52.6	48.7-56.5
Non-Native	1504	114,092	187	12.3	09.9-14.7	426	30.2	26.9-33.5	891	57.4	53.9-60.9
35-44	84	10,351	11	17.7	07.3-28.1	21	21.9	11.1-32.7	52	60.3	47.6-73.0
45-54	234	23,165	37	16.4	10.3-22.5	67	31.0	23.4-38.6	130	52.5	44.3-60.7
55-64	415	27,320	54	11.6	07.9-15.3	97	24.8	19.7-29.9	264	63.6	57.9-69.3
65+	779	46,576	96	11.6	08.7-14.5	240	32.4	28.3-36.5	443	55.9	51.6-60.2
Less Than H.S.	132	16,052	18	11.8	05.5-18.1	52	42.4	29.5-55.3	62	45.7	33.2-58.2
H.S. or G.E.D.	539	38,848	75	14.4	10.1-18.7	153	29.4	24.3-34.5	311	56.3	50.8-61.8
Some Post-H.S.	493	43,310	71	15.0	10.7-19.3	141	29.2	24.1-34.3	281	55.9	50.2-61.6
College Graduate	403	21,330	40	8.8	05.5-12.1	94	24.1	19.0-29.2	269	67.0	61.3-72.7
Less than \$15,000	156	10,710	40	25.3	14.7-35.9	49	36.1	23.4-48.8	67	38.7	26.5-50.9
\$15,000- 24,999	261	19,380	54	25.2	17.4-33.0	88	33.9	25.7-42.1	119	41.0	32.4-49.6
\$25,000- 34,999	205	15,898	23	11.2	05.3-17.1	58	35.3	25.3-45.3	124	53.5	43.7-63.3
\$35,000- 49,999	239	18,971	22	9.2	04.1-14.3	62	24.7	17.8-31.6	155	66.1	58.3-73.9
\$50,000- 74,999	219	17,764	26	12.0	06.3-17.7	63	30.4	22.6-38.2	130	57.6	49.4-65.8
\$75,000+	248	19,856	7	2.9	00.2-05.6	57	24.5	17.4-31.6	184	72.6	65.3-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	504	50,065	51	12.2	08.3-16.1	121	25.7	20.2-31.2	332	62.1	56.0-68.2
Non-Native	484	47,666	49	12.1	08.0-16.2	115	25.1	19.4-30.8	320	62.8	56.7-68.9
45-54	75	10,101	9	14.6	04.2-25.0	20	27.4	14.5-40.3	46	58.0	43.7-72.3
55-64	161	11,654	14	8.2	03.3-13.1	34	21.6	14.0-29.2	113	70.2	61.8-78.6
65+	209	16,355	21	11.5	06.0-17.0	51	24.9	17.8-32.0	137	63.7	55.7-71.7
H.S. or G.E.D.	178	16,640	19	15.4	07.8-23.0	45	26.9	18.9-34.9	114	57.8	48.6-67.0
Some Post-H.S.	135	15,329	15	14.3	06.3-22.3	27	18.6	10.8-26.4	93	67.1	56.9-77.3
College Graduate	142	8,756	10	7.6	02.5-12.7	32	20.3	12.9-27.7	100	72.1	63.7-80.5
\$15,000- 24,999	64	7,016	12	23.0	08.5-37.5	18	23.5	11.0-36.0	34	53.5	36.8-70.2
\$25,000- 34,999	77	8,341	7	11.2	01.6-20.8	21	38.7	22.2-55.2	49	50.0	34.3-65.7
\$35,000- 49,999	97	9,573	9	10.7	02.1-19.3	18	20.0	09.6-30.4	70	69.3	57.0-81.6
\$50,000- 74,999	84	7,369	6	11.2	01.2-21.2	24	27.9	15.2-40.6	54	60.9	47.2-74.6
\$75,000+	108	9,790	2	1.3	00.0-03.1	20	18.3	07.5-29.1	86	80.4	69.6-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1064	69,486	153	14.0	11.3-16.7	320	33.3	29.4-37.2	591	52.6	48.7-56.5
Non-Native	1020	66,426	138	12.5	09.8-15.2	311	33.9	30.0-37.8	571	53.6	49.5-57.7
45-54	159	13,064	28	17.8	10.4-25.2	47	33.9	24.9-42.9	84	48.3	38.9-57.7
55-64	254	15,667	40	14.1	08.8-19.4	63	27.2	20.5-33.9	151	58.7	51.3-66.1
65+	570	30,221	75	11.7	08.2-15.2	189	36.5	31.4-41.6	306	51.8	46.7-56.9
Less Than H.S.	83	6,713	11	18.0	07.0-29.0	35	45.6	31.3-59.9	37	36.4	23.5-49.3
H.S. or G.E.D.	361	22,208	56	13.6	09.1-18.1	108	31.3	24.8-37.8	197	55.1	48.2-62.0
Some Post-H.S.	358	27,982	56	15.3	10.2-20.4	114	34.9	28.4-41.4	188	49.7	43.2-56.2
College Graduate	261	12,574	30	9.7	05.6-13.8	62	26.8	19.7-33.9	169	63.5	56.2-70.8
Less than \$15,000	123	7,048	30	26.9	14.4-39.4	38	33.3	21.0-45.6	55	39.8	27.1-52.5
\$15,000- 24,999	197	12,364	42	26.4	17.4-35.4	70	39.7	29.7-49.7	85	33.9	25.1-42.7
\$25,000- 34,999	128	7,557	16	11.1	04.6-17.6	37	31.4	21.6-41.2	75	57.4	46.8-68.0
\$35,000- 49,999	142	9,398	13	7.7	02.4-13.0	44	29.5	20.7-38.3	85	62.9	53.3-72.5
\$50,000- 74,999	135	10,395	20	12.5	05.8-19.2	39	32.2	22.4-42.0	76	55.3	45.1-65.5
\$75,000+	140	10,066	5	4.4	00.0-09.3	37	30.6	21.4-39.8	98	65.0	55.6-74.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1549	117,434	125	7.3	05.7-08.9	513	32.0	28.9-35.1	626	40.4	37.1-43.7	212	15.0	12.5-17.5	73	5.4	03.8-07.0
Male	498	48,741	43	7.0	04.6-09.4	195	34.7	29.2-40.2	182	38.8	32.9-44.7	61	14.6	10.3-18.9	17	5.0	02.3-07.7
Female	1051	68,692	82	7.6	05.4-09.8	318	30.0	26.3-33.7	444	41.4	37.5-45.3	151	15.3	12.4-18.2	56	5.7	03.7-07.7
Non-Native	1487	112,148	122	7.5	05.9-09.1	494	32.1	29.0-35.2	607	41.0	37.7-44.3	199	14.6	12.1-17.1	65	4.8	03.2-06.4
35-44	83	10,235	10	10.6	03.5-17.7	32	34.1	22.3-45.9	18	23.6	11.8-35.4	16	20.5	09.9-31.1	7	11.1	02.1-20.1
45-54	234	23,165	19	7.4	03.7-11.1	82	31.6	24.3-38.9	86	36.1	28.1-44.1	34	18.4	11.5-25.3	13	6.6	02.3-10.9
55-64	417	27,402	27	5.9	03.2-08.6	141	30.8	25.7-35.9	177	46.1	40.2-52.0	50	11.0	07.5-14.5	22	6.2	03.3-09.1
65+	761	45,288	66	8.1	05.7-10.5	234	29.8	25.9-33.7	327	44.2	39.7-48.7	105	14.5	11.4-17.6	29	3.4	01.8-05.0
Less Than H.S.	130	15,041	6	3.2	00.1-06.3	24	19.5	09.5-29.5	55	46.3	33.6-59.0	29	19.9	10.7-29.1	16	11.1	04.8-17.4
H.S. or G.E.D.	528	38,270	51	10.0	06.7-13.3	146	27.9	23.0-32.8	226	41.4	35.9-46.9	76	15.3	11.2-19.4	29	5.4	02.7-08.1
Some Post-H.S.	489	42,896	30	4.4	02.6-06.2	165	34.4	28.9-39.9	201	40.8	35.1-46.5	73	15.6	11.3-19.9	20	4.8	02.1-07.5
College Graduate	401	21,218	38	11.3	06.8-15.8	178	43.2	37.3-49.1	143	33.4	27.9-38.9	34	9.7	06.0-13.4	8	2.4	00.4-04.4
Less than \$15,000	154	10,577	10	4.0	00.9-07.1	30	15.1	08.0-22.2	65	47.5	34.6-60.4	29	17.4	08.8-26.0	20	16.0	06.8-25.2
\$15,000- 24,999	256	18,786	14	4.5	01.6-07.4	57	21.7	14.3-29.1	115	42.2	33.6-50.8	48	22.1	14.3-29.9	22	9.5	04.4-14.6
\$25,000- 34,999	204	15,860	22	8.3	04.2-12.4	55	23.9	16.3-31.5	88	49.6	40.0-59.2	30	13.6	07.5-19.7	9	4.6	00.7-08.5
\$35,000- 49,999	239	18,974	22	9.7	04.8-14.6	88	37.5	29.3-45.7	104	39.1	31.3-46.9	20	10.6	05.1-16.1	5	3.1	00.0-06.6
\$50,000- 74,999	217	17,522	16	6.1	02.8-09.4	92	38.1	30.5-45.7	78	38.1	29.9-46.3	25	15.6	08.9-22.3	6	2.1	00.3-03.9
\$75,000+	246	19,718	20	8.8	04.5-13.1	117	47.2	39.6-54.8	90	34.7	27.4-42.0	18	8.8	04.3-13.3	1	0.6	00.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

**TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	498	48,741	43	7.0	04.6-09.4	195	34.7	29.4-40.0	182	38.8	32.7-44.9	61	14.6	10.3-18.9	17	5.0	02.3-07.7
Non-Native	480	46,515	41	7.1	04.6-09.6	187	34.4	28.9-39.9	179	40.0	33.9-46.1	57	14.0	09.7-18.3	16	4.5	02.0-07.0
45-54	75	10,101	6	4.9	00.4-09.4	32	36.1	23.2-49.0	20	30.5	16.2-44.8	14	22.4	09.7-35.1	3	6.1	00.0-13.5
55-64	161	11,654	13	7.2	02.7-11.7	61	31.8	23.6-40.0	68	48.8	39.4-58.2	15	7.7	03.4-12.0	4	4.5	00.0-09.4
65+	205	15,905	19	9.0	04.5-13.5	79	36.3	28.5-44.1	80	41.4	33.2-49.6	20	10.4	04.9-15.9	7	2.9	00.2-05.6
H.S. or G.E.D.	177	16,557	18	10.3	05.2-15.4	51	24.5	17.2-31.8	75	42.1	33.1-51.1	30	18.5	11.1-25.9	3	4.6	00.0-09.7
Some Post-H.S.	133	15,156	11	4.4	01.5-07.3	54	40.5	29.9-51.1	46	34.0	23.8-44.2	16	16.1	07.5-24.7	6	5.0	00.0-10.5
College Graduate	140	8,647	13	11.3	04.2-18.4	78	54.0	44.0-64.0	36	23.0	15.0-31.0	10	8.8	02.7-14.9	3	2.9	00.0-06.4
\$15,000- 24,999	64	6,873	5	5.0	00.0-11.1	14	18.0	05.8-30.2	29	39.1	23.2-55.0	11	29.9	12.8-47.0	5	8.0	00.0-17.6
\$25,000- 34,999	77	8,341	11	10.1	03.2-17.0	26	26.6	14.6-38.6	29	48.0	32.3-63.7	10	12.2	02.8-21.6	1	3.1	00.0-09.0
\$35,000- 49,999	98	9,608	8	6.2	01.7-10.7	40	42.0	28.7-55.3	36	32.7	20.5-44.9	12	15.1	05.3-24.9	2	4.0	00.0-10.7
\$50,000- 74,999	83	7,312	7	7.7	01.8-13.6	41	41.6	28.9-54.3	25	35.4	21.5-49.3	8	13.2	02.8-23.6	2	2.0	00.0-04.9
\$75,000+	106	9,652	11	10.1	03.0-17.2	57	55.3	43.3-67.3	32	29.3	18.3-40.3	6	5.3	01.0-09.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1051	68,692	82	7.6	05.4-09.8	318	30.0	26.3-33.7	444	41.4	37.5-45.3	151	15.3	12.4-18.2	56	5.7	03.7-07.7
Non-Native	1007	65,633	81	7.9	05.7-10.1	307	30.5	26.8-34.2	428	41.7	37.8-45.6	142	15.0	12.1-17.9	49	4.9	03.1-06.7
45-54	159	13,064	13	9.3	03.8-14.8	50	28.1	19.9-36.3	66	40.3	31.1-49.5	20	15.3	08.2-22.4	10	7.0	01.9-12.1
55-64	256	15,748	14	4.9	01.6-08.2	80	30.0	23.5-36.5	109	44.2	36.8-51.6	35	13.5	08.2-18.8	18	7.4	03.7-11.1
65+	556	29,383	47	7.7	05.0-10.4	155	26.3	22.0-30.6	247	45.7	40.6-50.8	85	16.7	12.8-20.6	22	3.7	01.7-05.7
Less Than H.S.	82	6,660	5	6.6	00.0-13.5	12	13.3	01.5-25.1	30	32.3	19.8-44.8	24	32.3	19.0-45.6	11	15.5	05.7-25.3
H.S. or G.E.D.	351	21,713	33	9.9	05.6-14.2	95	30.5	24.0-37.0	151	40.8	34.1-47.5	46	12.8	08.5-17.1	26	6.1	03.4-08.8
Some Post-H.S.	356	27,739	19	4.4	02.0-06.8	111	31.0	24.9-37.1	155	44.5	38.0-51.0	57	15.4	10.7-20.1	14	4.6	01.3-07.9
College Graduate	261	12,571	25	11.4	05.7-17.1	100	35.7	28.6-42.8	107	40.5	33.2-47.8	24	10.3	05.4-15.2	5	2.1	00.0-04.3
Less than \$15,000	123	7,121	9	4.8	00.9-08.7	23	18.6	09.4-27.8	53	40.4	27.5-53.3	21	16.2	07.0-25.4	17	20.0	08.0-32.0
\$15,000- 24,999	192	11,913	9	4.2	00.9-07.5	43	23.8	14.4-33.2	86	43.9	33.9-53.9	37	17.6	10.9-24.3	17	10.4	04.7-16.1
\$25,000- 34,999	127	7,520	11	6.3	02.4-10.2	29	21.0	11.8-30.2	59	51.2	40.4-62.0	20	15.2	07.9-22.5	8	6.3	01.6-11.0
\$35,000- 49,999	141	9,366	14	13.3	04.7-21.9	48	32.9	23.3-42.5	68	45.6	35.8-55.4	8	6.0	00.9-11.1	3	2.2	00.0-04.7
\$50,000- 74,999	134	10,210	9	5.0	01.3-08.7	51	35.6	26.0-45.2	53	39.9	29.9-49.9	17	17.3	08.5-26.1	4	2.1	00.0-04.3
\$75,000+	140	10,066	9	7.6	02.5-12.7	60	39.4	30.2-48.6	58	39.8	30.4-49.2	12	12.0	04.6-19.4	1	1.2	00.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	239
2	MALES ONLY	240
3	FEMALES ONLY	241

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4983	485,269	3548	68.1	66.3-69.9	908	19.1	17.5-20.7	286	7.0	06.0-08.0	117	3.2	02.4-04.0	116	2.6	01.8-03.4	8	0.0	00.0-00.0
Male	2063	241,832	1248	59.6	56.9-62.3	478	22.0	19.6-24.4	177	9.6	07.8-11.4	79	4.7	03.3-06.1	78	4.1	02.9-05.3	3	0.0	00.0-00.0
Female	2920	243,438	2300	76.5	74.1-78.9	430	16.3	14.3-18.3	109	4.3	03.1-05.5	38	1.7	00.9-02.5	38	1.1	00.5-01.7	5	0.0	00.0-00.0
Native	121	16,744	81	62.8	49.9-75.7	23	20.3	08.9-31.7	10	8.1	01.4-14.8	2	3.0	00.0-07.1	4	5.5	00.0-12.4	1	0.2	00.0-00.6
Non-Native	4807	463,804	3432	68.4	66.6-70.2	874	19.0	17.4-20.6	272	6.9	05.9-07.9	114	3.2	02.4-04.0	109	2.5	01.7-03.3	6	0.0	00.0-00.0
18-24	235	80,823	154	66.2	59.7-72.7	35	13.1	08.6-17.6	21	8.6	04.9-12.3	16	7.4	03.7-11.1	9	4.8	01.7-07.9			
25-34	540	80,776	362	65.1	60.2-70.0	117	22.6	18.3-26.9	38	8.6	05.5-11.7	12	1.6	00.6-02.6	11	2.1	00.7-03.5			
35-44	592	67,882	402	63.3	58.4-68.2	122	21.7	17.6-25.8	34	6.9	04.2-09.6	18	4.4	02.0-06.8	16	3.7	01.7-05.7			
45-54	936	86,062	654	67.9	64.2-71.6	168	19.4	16.3-22.5	63	7.9	05.5-10.3	20	2.2	01.0-03.4	30	2.4	01.2-03.6	1	0.0	00.0-00.0
55-64	1113	74,127	793	70.5	67.2-73.8	208	20.6	17.7-23.5	62	4.7	03.1-06.3	27	2.7	01.5-03.9	23	1.5	00.5-02.5			
65+	1518	91,602	1146	73.5	70.6-76.4	251	18.1	15.6-20.6	65	5.2	03.6-06.8	24	1.6	00.8-02.4	27	1.5	00.7-02.3	5	0.1	00.1-00.1
Less Than H.S.	311	46,815	198	63.3	55.5-71.1	68	20.1	13.8-26.4	22	8.0	03.7-12.3	8	3.4	00.1-06.7	12	4.9	00.8-09.0	3	0.2	00.0-00.4
H.S. or G.E.D.	1451	137,157	980	63.7	60.4-67.0	282	20.8	18.1-23.5	90	7.5	05.5-09.5	44	3.8	02.2-05.4	52	4.1	02.5-05.7	3	0.0	00.0-00.0
Some Post-H.S.	1548	182,678	1073	66.2	63.1-69.3	287	19.6	17.1-22.1	110	8.4	06.4-10.4	46	4.0	02.4-05.6	31	1.8	00.8-02.8	1	0.0	00.0-00.0
College Graduate	1667	118,372	1293	77.8	75.3-80.3	271	16.0	13.8-18.2	63	3.7	02.5-04.9	19	1.2	00.4-02.0	21	1.3	00.5-02.1			
Less than \$15,000	355	37,075	233	63.4	55.4-71.4	68	21.8	14.9-28.7	28	8.8	04.1-13.5	6	1.8	00.0-03.8	17	4.0	00.3-07.7	3	0.2	00.0-00.4
\$15,000- 24,999	635	60,794	475	72.1	66.8-77.4	95	17.2	12.9-21.5	36	5.5	02.8-08.2	17	4.1	01.4-06.8	12	1.1	00.1-02.1			
\$25,000- 34,999	562	52,977	390	66.1	60.6-71.6	109	18.3	14.2-22.4	31	7.5	04.2-10.8	17	4.4	01.5-07.3	15	3.6	01.1-06.1			
\$35,000- 49,999	748	79,912	500	63.5	59.0-68.0	149	21.8	17.9-25.7	55	7.7	05.2-10.2	23	4.5	02.1-06.9	21	2.5	01.1-03.9			
\$50,000- 74,999	845	80,332	586	66.8	62.7-70.9	179	22.5	19.0-26.0	44	5.3	03.3-07.3	18	2.8	01.2-04.4	18	2.7	00.9-04.5			
\$75,000+	1191	110,889	869	69.2	65.7-72.7	214	18.5	15.8-21.2	63	7.4	05.2-09.6	27	3.0	01.4-04.6	17	1.9	00.9-02.9	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2063	241,832	1248	59.6	56.9-62.3	478	22.0	19.6-24.4	177	9.6	07.8-11.4	79	4.7	03.3-06.1	78	4.1	02.9-05.3	3	0.0	00.0-00.0
Native	50	9,281	34	65.8	48.7-82.9	6	10.8	01.2-20.4	4	7.6	00.0-17.8	2	5.5	00.0-12.9	3	9.9	00.0-22.1	1	0.4	00.0-01.4
Non-Native	1983	229,681	1197	59.4	56.5-62.3	463	22.2	19.8-24.6	172	9.8	08.0-11.6	76	4.7	03.3-06.1	73	3.9	02.7-05.1	2	0.0	00.0-00.0
18-24	115	42,281	67	62.4	53.0-71.8	15	9.9	04.6-15.2	12	9.2	03.9-14.5	14	11.3	05.4-17.2	7	7.2	01.7-12.7			
25-34	257	43,610	151	58.5	51.4-65.6	63	24.2	18.1-30.3	26	11.8	06.9-16.7	9	2.4	00.6-04.2	8	3.1	00.7-05.5			
35-44	276	35,319	157	52.6	45.3-59.9	75	27.4	20.9-33.9	23	10.2	05.7-14.7	9	4.6	01.3-07.9	12	5.2	02.1-08.3			
45-54	383	42,815	224	58.7	52.4-65.0	84	22.9	17.6-28.2	43	11.4	07.3-15.5	13	3.4	01.2-05.6	18	3.5	01.5-05.5	1	0.1	00.0-00.3
55-64	502	37,729	313	62.3	57.2-67.4	113	23.9	19.4-28.4	40	7.4	04.7-10.1	19	3.9	01.7-06.1	17	2.5	00.7-04.3			
65+	515	38,898	329	62.2	57.1-67.3	124	24.9	20.4-29.4	31	7.4	04.3-10.5	15	2.7	00.9-04.5	16	2.8	01.0-04.6			
Less Than H.S.	158	29,837	92	61.3	51.1-71.5	34	18.6	11.2-26.0	16	10.1	04.0-16.2	6	2.5	00.1-04.9	9	7.4	01.1-13.7	1	0.1	00.0-00.3
H.S. or G.E.D.	594	68,407	321	53.1	48.0-58.2	153	24.6	20.3-28.9	53	9.5	06.4-12.6	32	6.8	03.9-09.7	34	5.8	03.3-08.3	1	0.1	00.0-00.3
Some Post-H.S.	614	89,449	353	57.2	52.1-62.3	144	22.2	18.3-26.1	69	12.4	09.1-15.7	28	5.5	03.0-08.0	20	2.8	01.2-04.4			
College Graduate	695	54,080	482	70.7	66.6-74.8	147	20.3	16.8-23.8	38	4.8	02.8-06.8	13	2.0	00.4-03.6	15	2.1	00.7-03.5			
Less than \$15,000	112	16,793	63	61.2	48.1-74.3	22	16.8	07.8-25.8	13	11.3	02.9-19.7	3	3.1	00.0-07.2	10	7.4	00.0-15.4	1	0.2	00.0-00.6
\$15,000- 24,999	220	26,722	144	66.8	58.0-75.6	46	17.8	11.3-24.3	16	6.7	01.8-11.6	11	7.5	01.8-13.2	3	1.1	00.0-03.1			
\$25,000- 34,999	227	27,998	133	59.6	51.0-68.2	54	18.9	12.8-25.0	16	9.3	04.0-14.6	12	5.8	01.3-10.3	12	6.3	01.6-11.0			
\$35,000- 49,999	365	45,383	201	52.7	46.0-59.4	85	25.8	19.9-31.7	43	11.5	07.2-15.8	17	5.7	02.2-09.2	19	4.4	01.9-06.9			
\$50,000- 74,999	403	43,355	244	59.2	53.1-65.3	108	27.4	21.9-32.9	27	6.5	03.6-09.4	12	4.0	01.3-06.7	12	3.0	00.5-05.5			
\$75,000+	569	58,266	357	59.2	54.1-64.3	133	23.3	19.0-27.6	46	10.7	07.0-14.4	20	3.9	01.9-05.9	13	2.9	01.1-04.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2920	243,438	2300	76.5	74.1-78.9	430	16.3	14.3-18.3	109	4.3	03.1-05.5	38	1.7	00.9-02.5	38	1.1	00.5-01.7	5	0.0	00.0-00.0
Native	71	7,463	47	59.1	40.1-78.1	17	32.0	12.4-51.6	6	8.8	00.4-17.2				1	0.1	00.0-00.3			
Non-Native	2824	234,123	2235	77.1	74.9-79.3	411	15.8	13.8-17.8	100	4.0	02.8-05.2	38	1.8	00.8-02.8	36	1.2	00.6-01.8	4	0.0	00.0-00.0
18-24	120	38,542	87	70.4	61.4-79.4	20	16.7	09.3-24.1	9	7.9	02.8-13.0	2	3.0	00.0-07.3	2	2.1	00.0-04.8			
25-34	283	37,166	211	72.9	66.6-79.2	54	20.6	14.7-26.5	12	4.9	01.8-08.0	3	0.7	00.0-01.5	3	0.9	00.0-02.1			
35-44	316	32,562	245	75.0	68.9-81.1	47	15.4	10.5-20.3	11	3.3	00.9-05.7	9	4.3	01.0-07.6	4	1.9	00.0-04.1			
45-54	553	43,248	430	77.0	72.9-81.1	84	16.0	12.5-19.5	20	4.5	02.3-06.7	7	1.1	00.3-01.9	12	1.3	00.5-02.1			
55-64	611	36,398	480	78.9	75.0-82.8	95	17.1	13.4-20.8	22	2.0	01.0-03.0	8	1.4	00.4-02.4	6	0.5	00.1-00.9			
65+	1003	52,704	817	81.8	78.9-84.7	127	13.2	10.5-15.9	34	3.5	02.1-04.9	9	0.8	00.0-01.6	11	0.5	00.1-00.9	5	0.2	00.0-00.4
Less Than H.S.	153	16,978	106	66.8	54.1-79.5	34	22.8	11.6-34.0	6	4.3	00.0-09.2	2	5.1	00.0-13.3	3	0.7	00.0-01.7	2	0.3	00.0-00.7
H.S. or G.E.D.	857	68,749	659	74.3	70.0-78.6	129	17.0	13.3-20.7	37	5.5	03.0-08.0	12	0.9	00.3-01.5	18	2.3	00.7-03.9	2	0.0	00.0-00.0
Some Post-H.S.	934	93,230	720	74.9	71.2-78.6	143	17.2	13.9-20.5	41	4.6	02.8-06.4	18	2.5	00.9-04.1	11	0.8	00.0-01.8	1	0.0	00.0-00.0
College Graduate	972	64,292	811	83.7	80.8-86.6	124	12.4	09.9-14.9	25	2.8	01.4-04.2	6	0.6	00.0-01.2	6	0.5	00.0-01.1			
Less than \$15,000	243	20,282	170	65.3	55.3-75.3	46	25.9	16.1-35.7	15	6.8	01.9-11.7	3	0.6	00.0-01.4	7	1.3	00.1-02.5	2	0.1	00.0-00.3
\$15,000- 24,999	415	34,072	331	76.3	69.8-82.8	49	16.8	10.9-22.7	20	4.5	01.6-07.4	6	1.5	00.0-03.5	9	1.0	00.0-02.0			
\$25,000- 34,999	335	24,978	257	73.4	66.5-80.3	55	17.6	11.9-23.3	15	5.5	01.6-09.4	5	2.9	00.0-06.4	3	0.6	00.0-01.4			
\$35,000- 49,999	383	34,529	299	77.7	72.4-83.0	64	16.5	11.8-21.2	12	2.8	00.8-04.8	6	3.0	00.3-05.7	2	0.1	00.0-00.3			
\$50,000- 74,999	442	36,977	342	75.7	70.6-80.8	71	16.7	12.4-21.0	17	3.9	01.7-06.1	6	1.4	00.2-02.6	6	2.3	00.0-04.7			
\$75,000+	622	52,622	512	80.3	76.0-84.6	81	13.1	09.8-16.4	17	3.8	01.8-05.8	7	1.9	00.0-04.6	4	0.9	00.0-01.9	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	243
2 MALES ONLY	244
3 FEMALES ONLY	245
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	246
5 MALES ONLY	247
6 FEMALES ONLY	248
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	249
8 MALES ONLY	250
9 FEMALES ONLY	251
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	252
11 MALES ONLY	253
12 FEMALES ONLY	254

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4974	483,320	2378	41.2	39.4-43.0	2596	58.8	57.0-60.6
Male	2061	240,712	840	34.3	31.8-36.8	1221	65.7	63.2-68.2
Female	2913	242,609	1538	48.0	45.5-50.5	1375	52.0	49.5-54.5
Native	120	16,708	47	25.8	15.4-36.2	73	74.2	63.8-84.6
Non-Native	4798	461,671	2308	41.9	40.1-43.7	2490	58.1	56.3-59.9
18-24	233	79,417	70	29.1	22.8-35.4	163	70.9	64.6-77.2
25-34	538	80,564	205	34.1	29.4-38.8	333	65.9	61.2-70.6
35-44	589	67,528	222	33.5	29.0-38.0	367	66.5	62.0-71.0
45-54	933	85,790	388	39.4	35.5-43.3	545	60.6	56.7-64.5
55-64	1114	74,170	550	46.5	43.0-50.0	564	53.5	50.0-57.0
65+	1519	91,871	914	60.3	57.2-63.4	605	39.7	36.6-42.8
Less Than H.S.	312	45,523	133	31.9	24.8-39.0	179	68.1	61.0-75.2
H.S. or G.E.D.	1447	136,957	630	38.4	35.1-41.7	817	61.6	58.3-64.9
Some Post-H.S.	1544	182,342	702	40.1	37.0-43.2	842	59.9	56.8-63.0
College Graduate	1665	118,251	910	49.6	46.7-52.5	755	50.4	47.5-53.3
Less than \$15,000	354	36,446	160	37.2	29.6-44.8	194	62.8	55.2-70.4
\$15,000- 24,999	632	60,248	290	39.8	34.1-45.5	342	60.2	54.5-65.9
\$25,000- 34,999	563	53,137	253	37.6	32.1-43.1	310	62.4	56.9-67.9
\$35,000- 49,999	745	79,664	331	36.6	32.3-40.9	414	63.4	59.1-67.7
\$50,000- 74,999	846	80,363	423	45.2	41.1-49.3	423	54.8	50.7-58.9
\$75,000+	1188	110,755	585	45.2	41.7-48.7	603	54.8	51.3-58.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2061	240,712	840	34.3	31.8-36.8	1221	65.7	63.2-68.2
Native	50	9,281	13	16.9	05.9-27.9	37	83.1	72.1-94.1
Non-Native	1980	228,381	819	35.4	32.7-38.1	1161	64.6	61.9-67.3
18-24	113	40,875	30	24.4	16.2-32.6	83	75.6	67.4-83.8
25-34	257	43,610	79	28.1	21.8-34.4	178	71.9	65.6-78.2
35-44	274	35,232	77	25.0	19.1-30.9	197	75.0	69.1-80.9
45-54	384	42,876	137	33.2	27.3-39.1	247	66.8	60.9-72.7
55-64	502	37,729	223	41.5	36.4-46.6	279	58.5	53.4-63.6
65+	516	39,209	288	54.4	49.1-59.7	228	45.6	40.3-50.9
Less Than H.S.	158	28,454	58	23.5	16.1-30.9	100	76.5	69.1-83.9
H.S. or G.E.D.	593	68,683	214	34.1	29.2-39.0	379	65.9	61.0-70.8
Some Post-H.S.	613	89,435	217	31.7	27.2-36.2	396	68.3	63.8-72.8
College Graduate	695	54,081	350	44.7	40.2-49.2	345	55.3	50.8-59.8
Less than \$15,000	112	16,214	50	29.6	18.4-40.8	62	70.4	59.2-81.6
\$15,000- 24,999	219	26,479	85	37.1	28.1-46.1	134	62.9	53.9-71.9
\$25,000- 34,999	228	28,143	89	29.7	22.3-37.1	139	70.3	62.9-77.7
\$35,000- 49,999	364	45,341	125	28.4	22.9-33.9	239	71.6	66.1-77.1
\$50,000- 74,999	404	43,417	179	39.6	33.7-45.5	225	60.4	54.5-66.3
\$75,000+	568	58,206	243	38.4	33.5-43.3	325	61.6	56.7-66.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	242,609	1538	48.0	45.5-50.5	1375	52.0	49.5-54.5
Native	70	7,427	34	36.9	19.7-54.1	36	63.1	45.9-80.3
Non-Native	2818	233,290	1489	48.4	45.9-50.9	1329	51.6	49.1-54.1
18-24	120	38,542	40	34.1	24.9-43.3	80	65.9	56.7-75.1
25-34	281	36,954	126	41.3	34.4-48.2	155	58.7	51.8-65.6
35-44	315	32,296	145	42.8	36.3-49.3	170	57.2	50.7-63.7
45-54	549	42,914	251	45.5	40.6-50.4	298	54.5	49.6-59.4
55-64	612	36,441	327	51.7	47.0-56.4	285	48.3	43.6-53.0
65+	1003	52,662	626	64.8	61.1-68.5	377	35.2	31.5-38.9
Less Than H.S.	154	17,069	75	46.0	33.5-58.5	79	54.0	41.5-66.5
H.S. or G.E.D.	854	68,274	416	42.8	38.1-47.5	438	57.2	52.5-61.9
Some Post-H.S.	931	92,908	485	48.3	44.0-52.6	446	51.7	47.4-56.0
College Graduate	970	64,170	560	53.7	49.8-57.6	410	46.3	42.4-50.2
Less than \$15,000	242	20,232	110	43.3	33.3-53.3	132	56.7	46.7-66.7
\$15,000- 24,999	413	33,769	205	41.9	34.8-49.0	208	58.1	51.0-65.2
\$25,000- 34,999	335	24,994	164	46.5	39.1-53.9	171	53.5	46.1-60.9
\$35,000- 49,999	381	34,322	206	47.3	40.8-53.8	175	52.7	46.2-59.2
\$50,000- 74,999	442	36,946	244	51.9	46.2-57.6	198	48.1	42.4-53.8
\$75,000+	620	52,549	342	52.7	47.8-57.6	278	47.3	42.4-52.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2225	184,724	9	0.9	00.3-01.5	19	1.4	00.6-02.2	1628	73.0	70.5-75.5	114	7.1	05.3-08.9	16	0.8	00.2-01.4	439	16.8	15.0-18.6
Male	783	75,661	7	1.9	00.3-03.5	11	2.5	00.5-04.5	560	70.3	66.0-74.6	52	8.1	05.4-10.8	10	1.2	00.2-02.2	143	16.0	12.9-19.1
Female	1442	109,063	2	0.2	00.0-00.4	8	0.6	00.0-01.2	1068	74.9	71.8-78.0	62	6.4	04.0-08.8	6	0.5	00.0-01.1	296	17.4	15.0-19.8
Non-Native	2162	179,677	9	0.9	00.3-01.5	18	1.4	00.4-02.4	1585	72.8	70.3-75.3	109	7.1	05.3-08.9	15	0.8	00.2-01.4	426	17.0	15.0-19.0
18-24	58	19,262	2	3.2	00.0-07.7	4	7.0	00.1-13.9	40	66.6	53.3-79.9	6	13.5	02.9-24.1	1	1.9	00.0-05.4	5	7.8	00.5-15.1
25-34	190	25,714	1	1.0	00.0-03.0	4	1.9	00.0-04.4	126	65.6	57.4-73.8	16	13.6	06.9-20.3	4	2.0	00.0-04.5	39	15.8	10.3-21.3
35-44	212	21,493	2	0.6	00.0-01.6	4	1.6	00.0-03.2	152	74.8	68.1-81.5	11	5.2	01.7-08.7	1	0.3	00.0-00.9	42	17.5	11.8-23.2
45-54	367	32,070	2	1.3	00.0-03.3				268	75.0	69.7-80.3	21	5.7	02.8-08.6	1	0.3	00.0-00.9	75	17.6	13.3-21.9
55-64	515	32,267	1	0.3	00.0-00.9	2	0.3	00.0-00.7	396	77.1	72.8-81.4	17	3.8	01.6-06.0	2	0.5	00.0-01.3	97	18.0	14.1-21.9
65+	857	52,034	1	0.2	00.0-00.6	5	0.6	00.0-01.4	628	74.5	70.8-78.2	42	5.4	03.0-07.8	7	0.5	00.1-00.9	174	18.9	15.8-22.0
Less Than H.S.	120	12,590	1	0.7	00.0-02.1				91	68.7	55.4-82.0	10	16.4	03.1-29.7				18	14.2	06.6-21.8
H.S. or G.E.D.	583	47,084	3	1.5	00.0-03.3	3	0.9	00.0-02.3	427	73.3	68.4-78.2	32	7.5	04.0-11.0	8	1.3	00.0-02.9	110	15.5	12.0-19.0
Some Post-H.S.	661	69,936	1	0.1	00.0-00.3	6	1.7	00.0-03.5	462	72.1	67.6-76.6	43	8.0	05.1-10.9	5	0.9	00.0-01.9	144	17.2	13.9-20.5
College Graduate	858	55,072	4	1.4	00.0-03.0	10	1.7	00.3-03.1	645	75.0	71.5-78.5	29	3.5	01.9-05.1	3	0.4	00.0-00.8	167	18.0	15.1-20.9
Less than \$15,000	148	11,875	1	2.3	00.0-06.8	3	5.3	00.0-12.6	93	61.8	49.1-74.5	16	11.4	02.6-20.2	3	0.6	00.0-01.4	32	18.7	08.9-28.5
\$15,000- 24,999	264	21,725	2	2.5	00.0-06.0	4	0.9	00.0-02.1	179	67.9	59.7-76.1	21	10.6	04.5-16.7	2	1.8	00.0-04.9	56	16.3	10.6-22.0
\$25,000- 34,999	232	17,734				3	2.2	00.0-05.3	169	74.7	66.9-82.5	11	6.1	00.8-11.4	3	0.5	00.0-01.1	46	16.5	10.4-22.6
\$35,000- 49,999	310	27,540				1	0.6	00.0-01.8	236	77.6	71.7-83.5	10	4.6	00.9-08.3	3	1.6	00.0-03.8	60	15.7	11.0-20.4
\$50,000- 74,999	403	34,485	1	0.3	00.0-00.9	1	0.3	00.0-00.9	315	74.7	69.0-80.4	18	8.8	04.3-13.3	2	0.6	00.0-01.4	66	15.3	11.2-19.4
\$75,000+	562	47,868	2	0.4	00.0-01.0	4	0.8	00.0-01.8	408	73.2	68.5-77.9	26	6.8	03.1-10.5	3	0.6	00.0-01.2	119	18.4	14.9-21.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	783	75,661	7	1.9	00.3-03.5	11	2.5	00.5-04.5	560	70.3	66.0-74.6	52	8.1	05.4-10.8	10	1.2	00.2-02.2	143	16.0	12.9-19.1
Non-Native	763	73,853	7	1.9	00.3-03.5	11	2.6	00.6-04.6	544	69.9	65.6-74.2	51	8.2	05.3-11.1	10	1.2	00.0-02.4	140	16.2	13.1-19.3
25-34	76	11,945	1	2.1	00.0-06.2	3	4.0	00.0-09.3	49	64.4	52.1-76.7	9	14.6	05.0-24.2	2	1.6	00.0-04.0	12	13.3	05.1-21.5
35-44	72	8,117	1	0.4	00.0-01.2	2	1.9	00.0-04.6	49	72.0	60.2-83.8	8	11.3	02.7-19.9				12	14.4	05.6-23.2
45-54	128	13,160	2	3.3	00.0-08.0				93	78.6	70.6-86.6	10	3.8	00.9-06.7				23	14.3	07.8-20.8
55-64	206	14,403	1	0.6	00.0-01.8				154	72.9	65.5-80.3	10	6.1	01.8-10.4	2	1.1	00.0-02.7	39	19.3	12.8-25.8
65+	274	20,109				3	1.0	00.0-02.6	201	74.9	68.4-81.4	12	5.3	00.6-10.0	5	0.9	00.0-01.9	53	17.9	12.8-23.0
Less Than H.S.	52	5,798							41	74.9	58.6-91.2	6	14.8	00.0-29.9				5	10.3	00.5-20.1
H.S. or G.E.D.	196	20,097	3	3.4	00.0-07.3	2	1.6	00.0-04.5	142	69.0	60.2-77.8	15	10.6	03.9-17.3	4	2.0	00.0-05.5	30	13.3	07.6-19.0
Some Post-H.S.	203	26,616	1	0.3	00.0-00.9	6	4.6	00.0-09.3	137	71.1	63.3-78.9	13	6.3	02.0-10.6	4	1.3	00.0-02.7	42	16.4	10.5-22.3
College Graduate	331	23,128	3	2.8	00.0-06.5	3	1.6	00.0-03.6	239	69.5	63.2-75.8	18	6.4	03.1-09.7	2	0.6	00.0-01.4	66	19.2	14.3-24.1
\$15,000- 24,999	75	8,483	2	6.4	00.0-15.0	2	1.0	00.0-02.6	42	59.9	44.4-75.4	10	16.9	04.2-29.6	2	4.5	00.0-12.5	17	11.2	04.7-17.7
\$25,000- 34,999	80	7,036				2	1.7	00.0-04.2	60	72.2	58.5-85.9	5	11.2	00.0-23.4	1	0.4	00.0-01.2	12	14.5	05.5-23.5
\$35,000- 49,999	119	12,331				1	1.3	00.0-03.8	87	78.6	70.0-87.2	5	2.4	00.0-05.3	2	1.3	00.0-03.1	24	16.5	08.7-24.3
\$50,000- 74,999	169	15,981	1	0.6	00.0-01.8	1	0.7	00.0-02.1	128	73.1	64.5-81.7	13	11.6	04.3-18.9	1	0.6	00.0-01.8	25	13.4	07.5-19.3
\$75,000+	235	21,573	2	0.8	00.0-02.2	1	1.0	00.0-02.8	170	72.6	65.7-79.5	13	6.9	02.6-11.2	2	0.9	00.0-02.3	47	17.9	12.2-23.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1442	109,063	2	0.2	00.0-00.4	8	0.6	00.0-01.2	1068	74.9	71.8-78.0	62	6.4	04.0-08.8	6	0.5	00.0-01.1	296	17.4	15.0-19.8
Non-Native	1399	105,824	2	0.2	00.0-00.4	7	0.6	00.0-01.2	1041	74.8	71.7-77.9	58	6.3	03.9-08.7	5	0.5	00.0-01.1	286	17.5	15.1-19.9
25-34	114	13,769				1	0.1	00.0-00.3	77	66.7	55.7-77.7	7	12.8	03.6-22.0	2	2.4	00.0-06.5	27	18.0	10.6-25.4
35-44	140	13,377	1	0.7	00.0-02.1	2	1.4	00.0-03.6	103	76.5	68.7-84.3	3	1.5	00.0-03.3	1	0.5	00.0-01.5	30	19.3	11.9-26.7
45-54	239	18,910							175	72.5	65.8-79.2	11	7.0	02.5-11.5	1	0.6	00.0-01.8	52	19.9	14.4-25.4
55-64	309	17,863				2	0.6	00.0-01.4	242	80.5	75.6-85.4	7	2.0	00.0-04.2				58	16.9	12.4-21.4
65+	583	31,925	1	0.3	00.0-00.9	2	0.3	00.0-00.9	427	74.2	69.9-78.5	30	5.4	03.0-07.8	2	0.2	00.0-00.6	121	19.6	15.7-23.5
Less Than H.S.	68	6,792	1	1.3	00.0-03.8				50	63.4	43.4-83.4	4	17.6	00.0-38.4				13	17.7	06.1-29.3
H.S. or G.E.D.	387	26,988				1	0.4	00.0-01.2	285	76.5	71.2-81.8	17	5.2	01.9-08.5	4	0.8	00.0-01.8	80	17.2	12.9-21.5
Some Post-H.S.	458	43,321							325	72.6	67.3-77.9	30	9.0	05.1-12.9	1	0.7	00.0-02.1	102	17.7	13.6-21.8
College Graduate	527	31,944	1	0.3	00.0-00.9	7	1.9	00.0-03.9	406	79.0	75.1-82.9	11	1.5	00.5-02.5	1	0.2	00.0-00.6	101	17.2	13.7-20.7
Less than \$15,000	104	7,850				1	1.6	00.0-04.7	68	68.7	54.8-82.6	12	15.5	02.8-28.2	1	0.5	00.0-01.5	22	13.6	06.0-21.2
\$15,000- 24,999	189	13,241				2	0.8	00.0-02.2	137	73.0	64.0-82.0	11	6.5	01.0-12.0				39	19.6	11.6-27.6
\$25,000- 34,999	152	10,698				1	2.5	00.0-07.4	109	76.4	67.0-85.8	6	2.7	00.2-05.2	2	0.6	00.0-01.6	34	17.8	09.6-26.0
\$35,000- 49,999	191	15,209							149	76.8	68.6-85.0	5	6.3	00.0-12.6	1	1.9	00.0-05.6	36	15.0	09.5-20.5
\$50,000- 74,999	234	18,504							187	76.0	68.6-83.4	5	6.5	00.6-12.4	1	0.6	00.0-01.8	41	17.0	11.3-22.7
\$75,000+	327	26,295				3	0.7	00.0-01.5	238	73.7	67.2-80.2	13	6.6	00.7-12.5	1	0.2	00.0-00.6	72	18.8	14.3-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2367	198,217	765	32.6	30.1-35.1	684	27.8	25.4-30.2	87	2.3	01.7-02.9	173	5.9	04.7-07.1	658	31.4	28.9-33.9
Male	836	82,387	288	34.9	30.6-39.2	247	28.9	25.0-32.8	31	2.5	01.5-03.5	48	4.6	03.0-06.2	222	29.0	24.9-33.1
Female	1531	115,829	477	31.0	27.9-34.1	437	27.0	24.1-29.9	56	2.2	01.6-02.8	125	6.8	05.2-08.4	436	33.0	29.7-36.3
Non-Native	2297	192,836	741	32.4	29.9-34.9	655	27.4	25.0-29.8	84	2.3	01.7-02.9	169	5.9	04.7-07.1	648	32.0	29.5-34.5
18-24	69	23,019	22	32.5	20.3-44.7	18	26.5	15.1-37.9				1	1.2	00.0-03.6	28	39.8	27.5-52.1
25-34	205	27,492	58	26.3	19.4-33.2	49	20.6	14.1-27.1	3	1.0	00.0-02.2	5	2.3	00.0-04.8	90	49.8	41.6-58.0
35-44	222	22,628	70	35.5	27.9-43.1	53	24.8	18.1-31.5	2	0.4	00.0-01.0	7	2.8	00.4-05.2	90	36.4	29.1-43.7
45-54	386	33,592	106	29.0	23.5-34.5	80	22.1	16.8-27.4	8	1.7	00.3-03.1	19	4.1	01.7-06.5	173	43.1	37.0-49.2
55-64	547	34,310	163	31.3	26.6-36.0	150	27.2	22.7-31.7	9	1.2	00.4-02.0	40	7.5	04.8-10.2	185	32.9	28.4-37.4
65+	909	55,106	338	37.8	33.7-41.9	320	36.3	32.4-40.2	64	6.0	04.2-07.8	100	11.2	08.7-13.7	87	8.8	06.6-11.0
Less Than H.S.	132	14,353	51	43.7	31.2-56.2	44	30.0	19.4-40.6	7	3.8	00.3-07.3	17	8.2	03.1-13.3	13	14.4	05.4-23.4
H.S. or G.E.D.	628	52,474	224	36.2	30.9-41.5	185	25.8	21.3-30.3	26	2.2	01.2-03.2	59	7.8	05.3-10.3	134	28.0	22.9-33.1
Some Post-H.S.	699	73,034	226	30.3	26.0-34.6	214	32.1	27.4-36.8	30	2.4	01.4-03.4	44	4.7	03.1-06.3	185	30.4	25.9-34.9
College Graduate	905	58,315	264	29.6	26.1-33.1	239	23.6	20.3-26.9	24	2.1	01.1-03.1	52	5.1	03.3-06.9	326	39.7	35.8-43.6
Less than \$15,000	159	13,547	70	36.3	25.1-47.5	54	39.2	27.0-51.4	3	1.0	00.0-02.4	11	7.2	01.7-12.7	21	16.2	06.2-26.2
\$15,000- 24,999	289	23,801	97	34.8	26.6-43.0	83	25.0	17.9-32.1	17	3.8	01.6-06.0	35	10.6	06.1-15.1	57	25.9	17.9-33.9
\$25,000- 34,999	253	19,976	77	31.3	23.3-39.3	80	28.9	21.5-36.3	15	3.8	01.3-06.3	24	7.4	03.7-11.1	57	28.5	20.3-36.7
\$35,000- 49,999	330	29,047	101	28.1	22.0-34.2	93	26.3	20.2-32.4	14	2.5	01.1-03.9	28	6.3	03.6-09.0	94	36.8	29.7-43.9
\$50,000- 74,999	420	36,108	149	37.8	31.9-43.7	116	26.3	21.4-31.2	9	2.1	00.5-03.7	18	3.2	01.4-05.0	128	30.5	24.8-36.2
\$75,000+	582	49,865	157	29.8	24.9-34.7	144	24.1	19.8-28.4	10	1.2	00.4-02.0	28	4.4	02.4-06.4	243	40.6	35.7-45.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	836	82,387	288	34.9	30.6-39.2	247	28.9	25.0-32.8	31	2.5	01.5-03.5	48	4.6	03.0-06.2	222	29.0	24.9-33.1
Non-Native	815	80,516	281	34.8	30.5-39.1	236	28.3	24.2-32.4	31	2.6	01.6-03.6	48	4.7	03.1-06.3	219	29.6	25.3-33.9
25-34	79	12,244	19	25.0	13.8-36.2	23	21.2	11.8-30.6	2	1.8	00.0-04.5	1	1.6	00.0-04.7	34	50.5	37.8-63.2
35-44	77	8,796	29	45.1	31.8-58.4	20	27.3	15.3-39.3	1	0.7	00.0-02.1	2	2.8	00.0-07.1	25	24.2	13.6-34.8
45-54	137	14,225	41	28.8	19.6-38.0	34	28.9	18.9-38.9	3	1.7	00.0-03.7	7	4.4	00.1-08.7	52	36.2	26.4-46.0
55-64	221	15,545	75	36.3	28.7-43.9	54	25.8	18.9-32.7	2	0.6	00.0-01.4	17	8.1	03.6-12.6	73	29.2	22.5-35.9
65+	286	21,211	114	42.6	35.3-49.9	103	36.6	29.7-43.5	23	7.0	03.7-10.3	21	7.0	03.7-10.3	25	6.8	03.9-09.7
Less Than H.S.	58	6,689	28	51.1	34.8-67.4	21	34.6	19.1-50.1	5	6.0	00.0-12.3	2	4.5	00.0-10.8	2	3.8	00.0-09.3
H.S. or G.E.D.	213	23,342	84	40.5	31.9-49.1	66	24.9	18.0-31.8	8	1.9	00.3-03.5	16	5.4	02.3-08.5	39	27.3	18.9-35.7
Some Post-H.S.	217	28,325	64	29.9	22.3-37.5	73	34.9	26.9-42.9	7	1.7	00.3-03.1	9	3.0	00.6-05.4	64	30.4	22.6-38.2
College Graduate	347	24,009	112	30.8	25.1-36.5	86	24.1	18.6-29.6	11	3.1	00.9-05.3	21	5.9	03.0-08.8	117	36.0	29.7-42.3
Less than \$15,000	50	4,801	25	34.2	16.6-51.8	17	44.4	23.4-65.4				4	5.2	00.0-11.1	4	16.2	00.0-35.2
\$15,000- 24,999	85	9,832	28	40.9	26.0-55.8	29	26.6	13.9-39.3	5	2.8	00.0-05.7	6	3.5	00.4-06.6	17	26.2	11.9-40.5
\$25,000- 34,999	89	8,360	27	33.5	20.2-46.8	32	34.6	21.5-47.7	8	5.5	00.4-10.6	7	7.1	01.2-13.0	15	19.3	07.3-31.3
\$35,000- 49,999	125	12,897	40	31.4	21.2-41.6	37	23.4	15.2-31.6	4	2.4	00.0-04.8	12	6.4	02.1-10.7	32	36.4	25.4-47.4
\$50,000- 74,999	178	17,142	68	39.3	30.1-48.5	47	26.1	18.5-33.7	6	3.4	00.5-06.3	2	1.3	00.0-03.5	55	30.0	21.6-38.4
\$75,000+	241	22,223	73	31.8	24.5-39.1	63	28.4	21.0-35.8	6	1.6	00.2-03.0	14	5.6	02.1-09.1	85	32.5	25.4-39.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1531	115,829	477	31.0	27.9-34.1	437	27.0	24.1-29.9	56	2.2	01.6-02.8	125	6.8	05.2-08.4	436	33.0	29.7-36.3
Non-Native	1482	112,320	460	30.6	27.5-33.7	419	26.7	23.8-29.6	53	2.2	01.4-03.0	121	6.8	05.2-08.4	429	33.8	30.5-37.1
25-34	126	15,248	39	27.3	18.5-36.1	26	20.1	11.3-28.9	1	0.4	00.0-01.2	4	2.9	00.0-06.8	56	49.3	38.7-59.9
35-44	145	13,832	41	29.5	20.7-38.3	33	23.2	15.2-31.2	1	0.3	00.0-00.9	5	2.9	00.4-05.4	65	44.2	34.8-53.6
45-54	249	19,367	65	29.1	22.2-36.0	46	17.2	11.7-22.7	5	1.7	00.0-03.5	12	3.8	01.3-06.3	121	48.2	40.8-55.6
55-64	326	18,765	88	27.2	21.7-32.7	96	28.3	22.4-34.2	7	1.6	00.2-03.0	23	6.9	03.8-10.0	112	35.9	29.8-42.0
65+	623	33,896	224	34.8	30.1-39.5	217	36.1	31.4-40.8	41	5.4	03.4-07.4	79	13.7	10.2-17.2	62	10.0	07.3-12.7
Less Than H.S.	74	7,664	23	37.2	18.0-56.4	23	25.9	11.8-40.0	2	1.9	00.0-05.2	15	11.3	03.3-19.3	11	23.7	08.2-39.2
H.S. or G.E.D.	415	29,132	140	32.8	26.5-39.1	119	26.6	20.9-32.3	18	2.3	00.9-03.7	43	9.7	06.0-13.4	95	28.6	22.3-34.9
Some Post-H.S.	482	44,709	162	30.6	25.3-35.9	141	30.3	24.8-35.8	23	2.8	01.4-04.2	35	5.8	03.6-08.0	121	30.4	24.7-36.1
College Graduate	558	34,306	152	28.7	24.0-33.4	153	23.2	19.1-27.3	13	1.4	00.6-02.2	31	4.4	02.2-06.6	209	42.3	37.2-47.4
Less than \$15,000	109	8,746	45	37.5	23.2-51.8	37	36.4	21.5-51.3	3	1.6	00.0-03.8	7	8.3	00.5-16.1	17	16.2	04.6-27.8
\$15,000- 24,999	204	13,969	69	30.4	21.0-39.8	54	23.8	15.8-31.8	12	4.5	01.6-07.4	29	15.6	08.5-22.7	40	25.6	16.4-34.8
\$25,000- 34,999	164	11,617	50	29.8	20.0-39.6	48	24.8	16.2-33.4	7	2.6	00.2-05.0	17	7.7	03.0-12.4	42	35.1	24.3-45.9
\$35,000- 49,999	205	16,150	61	25.6	18.5-32.7	56	28.6	19.8-37.4	10	2.6	00.8-04.4	16	6.2	02.5-09.9	62	37.0	27.8-46.2
\$50,000- 74,999	242	18,967	81	36.5	28.9-44.1	69	26.6	20.1-33.1	3	1.0	00.0-02.4	16	5.0	02.3-07.7	73	31.0	23.6-38.4
\$75,000+	341	27,642	84	28.2	21.3-35.1	81	20.5	15.8-25.2	4	0.8	00.0-01.6	14	3.4	01.4-05.4	158	47.0	40.3-53.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4510	417,043	1758	32.6	30.8-34.4	2752	67.4	65.6-69.2
Male	1791	200,742	659	33.1	30.2-36.0	1132	66.9	64.0-69.8
Female	2719	216,301	1099	32.1	29.9-34.3	1620	67.9	65.7-70.1
Native	111	14,952	42	34.3	21.4-47.2	69	65.7	52.8-78.6
Non-Native	4349	397,721	1691	32.4	30.6-34.2	2658	67.6	65.8-69.4
18-24	159	54,819	32	22.6	15.3-29.9	127	77.4	70.1-84.7
25-34	422	63,188	75	18.0	13.7-22.3	347	82.0	77.7-86.3
35-44	493	56,778	71	15.3	11.4-19.2	422	84.7	80.8-88.6
45-54	864	79,242	169	20.2	16.7-23.7	695	79.8	76.3-83.3
55-64	1055	70,042	325	29.9	26.6-33.2	730	70.1	66.8-73.4
65+	1477	89,416	1065	72.8	69.9-75.7	412	27.2	24.3-30.1
Less Than H.S.	287	37,924	157	47.0	38.8-55.2	130	53.0	44.8-61.2
H.S. or G.E.D.	1341	119,935	587	35.3	32.0-38.6	754	64.7	61.4-68.0
Some Post-H.S.	1407	158,623	529	30.2	27.1-33.3	878	69.8	66.7-72.9
College Graduate	1470	100,336	482	27.5	24.8-30.2	988	72.5	69.8-75.2
Less than \$15,000	332	32,364	168	39.6	31.4-47.8	164	60.4	52.2-68.6
\$15,000- 24,999	587	52,542	311	46.8	40.7-52.9	276	53.2	47.1-59.3
\$25,000- 34,999	512	45,728	246	41.1	35.4-46.8	266	58.9	53.2-64.6
\$35,000- 49,999	664	67,775	247	29.1	24.8-33.4	417	70.9	66.6-75.2
\$50,000- 74,999	749	69,231	215	25.2	21.5-28.9	534	74.8	71.1-78.5
\$75,000+	1074	96,333	277	23.5	20.6-26.4	797	76.5	73.6-79.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	200,742	659	33.1	30.2-36.0	1132	66.9	64.0-69.8
Non-Native	1721	189,718	634	33.0	30.1-35.9	1087	67.0	64.1-69.9
18-24	77	28,843	23	32.9	21.3-44.5	54	67.1	55.5-78.7
25-34	197	33,463	34	19.1	12.8-25.4	163	80.9	74.6-87.2
35-44	213	27,113	39	18.5	12.4-24.6	174	81.5	75.4-87.6
45-54	339	38,085	77	23.8	17.9-29.7	262	76.2	70.3-82.1
55-64	462	34,688	144	30.1	25.2-35.0	318	69.9	65.0-74.8
65+	494	37,746	337	68.1	63.0-73.2	157	31.9	26.8-37.0
Less Than H.S.	144	24,561	75	47.5	36.5-58.5	69	52.5	41.5-63.5
H.S. or G.E.D.	520	56,796	198	31.9	27.0-36.8	322	68.1	63.2-73.0
Some Post-H.S.	540	75,255	181	30.2	25.3-35.1	359	69.8	64.9-74.7
College Graduate	586	44,093	204	31.3	26.8-35.8	382	68.7	64.2-73.2
Less than \$15,000	101	14,125	50	36.6	22.7-50.5	51	63.4	49.5-77.3
\$15,000- 24,999	196	21,961	89	45.1	34.9-55.3	107	54.9	44.7-65.1
\$25,000- 34,999	198	23,431	92	43.4	34.4-52.4	106	56.6	47.6-65.6
\$35,000- 49,999	314	37,145	115	31.2	24.5-37.9	199	68.8	62.1-75.5
\$50,000- 74,999	337	35,123	97	25.8	20.1-31.5	240	74.2	68.5-79.9
\$75,000+	504	50,280	152	26.4	21.9-30.9	352	73.6	69.1-78.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	216,301	1099	32.1	29.9-34.3	1620	67.9	65.7-70.1
Native	66	6,484	29	38.7	21.5-55.9	37	61.3	44.1-78.5
Non-Native	2628	208,003	1057	31.9	29.7-34.1	1571	68.1	65.9-70.3
18-24	82	25,976	9	11.1	03.8-18.4	73	88.9	81.6-96.2
25-34	225	29,725	41	16.8	10.9-22.7	184	83.2	77.3-89.1
35-44	280	29,665	32	12.4	07.5-17.3	248	87.6	82.7-92.5
45-54	525	41,157	92	16.9	13.0-20.8	433	83.1	79.2-87.0
55-64	593	35,353	181	29.8	25.3-34.3	412	70.2	65.7-74.7
65+	983	51,670	728	76.3	73.0-79.6	255	23.7	20.4-27.0
Less Than H.S.	143	13,363	82	46.2	34.2-58.2	61	53.8	41.8-65.8
H.S. or G.E.D.	821	63,139	389	38.4	33.9-42.9	432	61.6	57.1-66.1
Some Post-H.S.	867	83,368	348	30.3	26.6-34.0	519	69.7	66.0-73.4
College Graduate	884	56,243	278	24.5	21.4-27.6	606	75.5	72.4-78.6
Less than \$15,000	231	18,239	118	41.9	32.1-51.7	113	58.1	48.3-67.9
\$15,000- 24,999	391	30,581	222	48.1	40.7-55.5	169	51.9	44.5-59.3
\$25,000- 34,999	314	22,296	154	38.8	31.9-45.7	160	61.2	54.3-68.1
\$35,000- 49,999	350	30,631	132	26.5	21.2-31.8	218	73.5	68.2-78.8
\$50,000- 74,999	412	34,108	118	24.6	19.9-29.3	294	75.4	70.7-80.1
\$75,000+	570	46,053	125	20.2	16.3-24.1	445	79.8	75.9-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	256
2	MALES ONLY	257
3	FEMALES ONLY	258
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	259
5	MALES ONLY	260
6	FEMALES ONLY	261
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	262
8	MALES ONLY	263
9	FEMALES ONLY	264
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	265
11	MALES ONLY	266
12	FEMALES ONLY	267
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13	MALES AND FEMALES	268
14	MALES ONLY	269
15	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4951	480,572	1008	23.5	21.7-25.3	154	3.0	0.2-03.6	1537	33.3	31.5-35.1	255	5.0	0.4-05.8	1997	35.1	33.3-36.9
Male	2044	238,992	526	28.2	25.5-30.9	98	4.5	0.3-05.7	611	31.1	28.4-33.8	160	7.0	0.5-08.4	649	29.2	26.7-31.7
Female	2907	241,580	482	18.9	16.9-20.9	56	1.6	0.1-02.2	926	35.5	33.0-38.0	95	3.1	0.2-3-03.9	1348	40.9	38.5-43.3
Native	118	16,473	10	12.1	0.2-21.9	2	2.0	0.0-05.1	39	35.0	22.3-47.7	2	5.2	0.0-12.3	65	45.8	33.1-58.5
Non-Native	4777	459,142	988	24.0	22.2-25.8	149	3.1	0.2-5-03.7	1481	33.3	31.5-35.1	247	5.0	0.4-2-05.8	1912	34.7	32.9-36.5
18-24	232	78,568	64	28.5	22.2-34.8	1	0.5	0.0-01.5	82	35.1	28.4-41.8	6	2.7	0.0-5-04.9	79	33.2	26.7-39.7
25-34	538	80,481	143	28.8	24.3-33.3	3	0.8	0.0-01.8	219	38.9	34.0-43.8	32	6.2	0.3-8-08.6	141	25.3	21.0-29.6
35-44	587	67,437	145	24.7	20.6-28.8	21	3.9	0.1-9-05.9	235	38.6	33.9-43.3	23	4.3	0.2-1-06.5	163	28.5	24.0-33.0
45-54	928	85,407	229	25.1	21.6-28.6	25	3.8	0.1-8-05.8	335	34.5	30.8-38.2	42	4.9	0.3-1-06.7	297	31.7	28.0-35.4
55-64	1107	73,792	219	20.2	17.3-23.1	49	5.1	0.3-3-06.9	332	30.0	26.7-33.3	82	7.4	0.5-4-09.4	425	37.2	33.7-40.7
65+	1514	91,227	203	15.7	13.2-18.2	55	4.2	0.2-8-05.6	321	24.0	21.3-26.7	69	5.0	0.3-6-06.4	866	51.2	48.1-54.3
Less Than H.S.	310	44,341	38	16.6	0.9-9-23.3	8	3.1	0.0-2-06.0	68	30.7	22.7-38.7	9	3.2	0.0-5-05.9	187	46.4	38.4-54.4
H.S. or G.E.D.	1441	136,356	286	23.5	20.4-26.6	47	3.5	0.2-3-04.7	383	29.6	26.3-32.9	71	5.4	0.3-8-07.0	654	37.9	34.6-41.2
Some Post-H.S.	1535	181,517	306	24.0	21.1-26.9	53	3.2	0.2-0-04.4	495	33.2	30.1-36.3	74	4.5	0.3-1-05.9	607	35.0	31.9-38.1
College Graduate	1659	118,111	378	25.4	22.7-28.1	46	2.1	0.1-3-02.9	590	38.6	35.7-41.5	101	6.0	0.4-6-07.4	544	27.8	25.3-30.3
Less than \$15,000	349	35,919	41	18.5	11.4-25.6	11	2.7	0.0-5-04.9	64	28.8	21.0-36.6	6	0.5	0.0-1-00.9	227	49.4	41.0-57.8
\$15,000- 24,999	632	60,248	76	18.1	13.0-23.2	17	3.1	0.0-9-05.3	163	30.6	24.9-36.3	30	3.7	0.1-9-05.5	346	44.6	38.9-50.3
\$25,000- 34,999	561	53,064	107	24.3	18.8-29.8	12	2.2	0.0-6-03.8	153	28.2	22.9-33.5	28	5.1	0.2-6-07.6	261	40.3	34.6-46.0
\$35,000- 49,999	745	79,635	150	24.1	19.8-28.4	22	3.1	0.1-3-04.9	250	33.8	29.3-38.3	34	4.8	0.2-8-06.8	289	34.2	29.9-38.5
\$50,000- 74,999	840	79,692	213	26.8	23.1-30.5	30	3.4	0.2-0-04.8	277	33.2	29.3-37.1	55	6.4	0.4-2-08.6	265	30.2	26.3-34.1
\$75,000+	1181	109,636	338	29.2	26.1-32.3	48	4.2	0.2-6-05.8	436	37.4	33.9-40.9	78	6.3	0.4-7-07.9	281	22.9	20.0-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2044	238,992	526	28.2	25.5-30.9	98	4.5	03.3-05.7	611	31.1	28.4-33.8	160	7.0	05.6-08.4	649	29.2	26.7-31.7
Non-Native	1967	226,967	513	28.6	25.9-31.3	95	4.5	03.3-05.7	590	31.6	28.9-34.3	153	6.8	05.4-08.2	616	28.5	26.0-31.0
18-24	113	40,764	38	35.0	25.4-44.6	1	1.0	00.0-03.0	33	27.8	19.0-36.6	3	2.5	00.0-05.4	38	33.7	24.3-43.1
25-34	256	43,377	89	37.4	30.5-44.3	1	0.6	00.0-01.8	98	36.7	29.8-43.6	27	10.3	06.2-14.4	41	15.0	10.1-19.9
35-44	272	34,931	78	26.4	20.3-32.5	15	6.2	02.7-09.7	103	38.4	31.3-45.5	18	6.2	02.5-09.9	58	22.8	16.7-28.9
45-54	380	42,577	116	27.3	21.8-32.8	13	5.6	01.9-09.3	118	29.6	23.9-35.3	26	6.6	03.7-09.5	107	31.0	24.9-37.1
55-64	496	37,369	100	20.4	16.1-24.7	37	8.4	05.3-11.5	133	27.2	22.5-31.9	54	10.0	06.7-13.3	172	34.0	28.9-39.1
65+	513	38,827	103	21.5	17.0-26.0	31	6.2	03.5-08.9	120	25.8	21.1-30.5	31	6.6	04.1-09.1	228	39.9	34.6-45.2
Less Than H.S.	156	27,984	28	22.0	12.4-31.6	6	4.7	00.0-09.4	35	29.6	19.4-39.8	6	4.4	00.3-08.5	81	39.3	29.3-49.3
H.S. or G.E.D.	586	67,834	152	28.9	24.0-33.8	33	5.4	03.2-07.6	160	28.4	23.9-32.9	44	7.4	04.7-10.1	197	30.0	25.3-34.7
Some Post-H.S.	610	89,195	157	28.4	23.7-33.1	31	4.5	02.5-06.5	195	31.6	26.9-36.3	46	6.6	04.2-09.0	181	29.0	24.3-33.7
College Graduate	690	53,919	189	30.2	25.9-34.5	28	3.3	01.9-04.7	221	34.5	30.0-39.0	64	8.5	06.0-11.0	188	23.4	19.7-27.1
Less than \$15,000	106	15,637	15	21.2	08.5-33.9	6	3.9	00.0-08.0	23	28.9	16.4-41.4	2	0.3	00.0-00.7	60	45.6	31.7-59.5
\$15,000- 24,999	218	26,299	35	23.2	14.2-32.2	8	4.7	00.4-09.0	61	29.3	20.9-37.7	16	5.1	01.6-08.6	98	37.6	28.6-46.6
\$25,000- 34,999	227	28,126	53	28.3	19.9-36.7	9	3.5	00.6-06.4	60	24.4	17.1-31.7	19	8.1	03.4-12.8	86	35.7	27.3-44.1
\$35,000- 49,999	364	45,289	91	28.5	22.2-34.8	16	4.8	01.9-07.7	108	29.7	23.6-35.8	24	6.4	03.5-09.3	125	30.6	24.7-36.5
\$50,000- 74,999	400	43,020	125	32.2	26.5-37.9	21	5.0	02.5-07.5	115	30.2	24.5-35.9	38	9.3	05.6-13.0	101	23.2	18.1-28.3
\$75,000+	564	57,939	175	31.3	26.6-36.0	32	5.4	03.0-07.8	190	35.0	30.1-39.9	52	8.1	05.6-10.6	115	20.2	15.9-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2907	241,580	482	18.9	16.9-20.9	56	1.6	0.1-0.2.2	926	35.5	33.0-38.0	95	3.1	0.2.3-0.3.9	1348	40.9	38.5-43.3
Native	71	7,463	3	4.7	0.0-10.4	1	0.8	0.0-0.2.4	27	51.8	33.8-69.8				40	42.7	25.6-59.8
Non-Native	2810	232,175	475	19.4	17.2-21.6	54	1.6	0.1-0.2.2	891	35.0	32.5-37.5	94	3.2	0.2.4-0.4.0	1296	40.7	38.2-43.2
18-24	119	37,804	26	21.4	13.6-29.2				49	43.0	33.4-52.6	3	2.9	0.0-0.6.2	41	32.7	23.7-41.7
25-34	282	37,104	54	18.8	13.5-24.1	2	1.0	0.0-0.2.6	121	41.5	34.6-48.4	5	1.4	0.0-0.2.6	100	37.3	30.6-44.0
35-44	315	32,506	67	22.8	17.1-28.5	6	1.5	0.0-0.3.3	132	38.8	32.3-45.3	5	2.2	0.0-0.4.4	105	34.6	28.1-41.1
45-54	548	42,829	113	22.9	18.8-27.0	12	2.2	0.0-0.3.6	217	39.3	34.6-44.0	16	3.1	0.1-0.3.9	190	32.5	28.0-37.0
55-64	611	36,423	119	20.0	16.3-23.7	12	1.8	0.0-0.3.0	199	32.9	28.4-37.4	28	4.8	0.2-0.6.8	253	40.4	35.7-45.1
65+	1001	52,401	100	11.4	0.8-13.9	24	2.7	0.1-0.4.1	201	22.6	19.1-26.1	38	3.8	0.2-0.5.2	638	59.5	55.6-63.4
Less Than H.S.	154	16,356	10	7.3	0.2-12.6	2	0.4	0.0-0.1.0	33	32.5	19.8-45.2	3	1.2	0.0-0.2.8	106	58.6	46.1-71.1
H.S. or G.E.D.	855	68,521	134	18.2	14.7-21.7	14	1.8	0.0-0.2.8	223	30.9	26.2-35.6	27	3.4	0.1-0.5.2	457	45.7	41.0-50.4
Some Post-H.S.	925	92,323	149	19.9	16.2-23.6	22	2.0	0.1-0.3.0	300	34.8	30.7-38.9	28	2.6	0.1-0.3.8	426	40.8	36.7-44.9
College Graduate	969	64,192	189	21.3	18.0-24.6	18	1.2	0.0-0.1.8	369	42.1	38.2-46.0	37	3.9	0.2-0.5.5	356	31.6	28.1-35.1
Less than \$15,000	243	20,282	26	16.4	0.6-24.2	5	1.8	0.0-0.4.0	41	28.8	18.6-39.0	4	0.6	0.0-0.1.4	167	52.3	41.9-62.7
\$15,000- 24,999	414	33,949	41	14.1	0.4-19.8	9	1.8	0.0-0.3.2	102	31.6	24.2-39.0	14	2.6	0.0-0.4.4	248	49.9	42.6-57.2
\$25,000- 34,999	334	24,938	54	19.7	13.4-26.0	3	0.8	0.0-0.1.8	93	32.4	25.1-39.7	9	1.7	0.0-0.2.9	175	45.5	38.2-52.8
\$35,000- 49,999	381	34,346	59	18.3	12.8-23.8	6	0.8	0.0-0.1.6	142	39.2	32.7-45.7	10	2.6	0.0-0.4.8	164	39.0	32.7-45.3
\$50,000- 74,999	440	36,672	88	20.5	16.0-25.0	9	1.4	0.0-0.2.4	162	36.8	31.3-42.3	17	2.9	0.1-0.3.9	164	38.4	32.7-44.1
\$75,000+	617	51,697	163	26.9	22.8-31.0	16	2.9	0.1-0.4.7	246	40.0	35.3-44.7	26	4.3	0.2-0.6.3	166	25.9	21.8-30.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRKN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2924	308,105	1303	36.2	34.0-38.4	792	25.8	23.6-28.0	411	15.6	13.8-17.4	163	7.1	05.7-08.5	255	15.4	13.2-17.6
Male	1384	167,250	479	29.5	26.6-32.4	384	24.6	21.9-27.3	225	16.2	13.7-18.7	109	8.9	06.7-11.1	187	20.8	17.7-23.9
Female	1540	140,855	824	44.1	41.0-47.2	408	27.2	24.3-30.1	186	14.8	12.3-17.3	54	4.9	03.3-06.5	68	8.9	06.4-11.4
Native	50	8,252	12	13.4	03.2-23.6	6	6.3	00.6-12.0	12	12.9	03.9-21.9	4	18.5	00.3-36.7	16	49.0	29.4-68.6
Non-Native	2839	297,025	1273	36.8	34.6-39.0	779	26.4	24.2-28.6	394	15.6	13.8-17.4	155	6.8	05.4-08.2	238	14.5	12.3-16.7
18-24	151	51,360	32	19.2	12.7-25.7	33	21.4	14.5-28.3	22	13.3	07.8-18.8	17	11.8	06.1-17.5	47	34.3	25.9-42.7
25-34	393	59,534	106	23.7	18.8-28.6	109	27.5	22.4-32.6	72	18.1	13.6-22.6	34	8.9	05.6-12.2	72	21.8	16.7-26.9
35-44	421	47,812	128	28.8	23.7-33.9	123	24.9	20.2-29.6	86	21.9	17.0-26.8	34	8.2	05.1-11.3	50	16.2	11.3-21.1
45-54	630	58,379	240	35.9	31.4-40.4	193	29.0	24.7-33.3	109	18.8	14.9-22.7	36	5.6	03.4-07.8	52	10.6	07.1-14.1
55-64	676	45,976	344	48.5	44.0-53.0	195	29.4	25.3-33.5	79	12.3	09.2-15.4	31	5.0	03.0-07.0	27	4.8	02.4-07.2
65+	635	43,449	445	69.3	64.8-73.8	133	20.8	16.9-24.7	41	6.8	04.3-09.3	9	1.7	00.5-02.9	7	1.3	00.1-02.5
Less Than H.S.	117	22,741	63	39.3	27.9-50.7	20	14.9	06.7-23.1	12	9.7	02.8-16.6	6	7.3	00.0-14.7	16	28.8	16.1-41.5
H.S. or G.E.D.	778	83,796	334	34.4	30.3-38.5	183	21.2	17.5-24.9	110	14.6	11.5-17.7	59	9.5	06.6-12.4	92	20.3	16.0-24.6
Some Post-H.S.	916	116,461	385	34.0	30.3-37.7	246	27.2	23.5-30.9	145	17.6	14.3-20.9	57	7.1	04.7-09.5	83	14.0	10.7-17.3
College Graduate	1112	84,978	521	40.2	36.7-43.7	342	31.3	28.0-34.6	144	15.3	12.6-18.0	41	4.6	02.8-06.4	64	8.7	06.3-11.1
Less than \$15,000	116	17,427	44	25.5	15.7-35.3	22	21.3	10.7-31.9	23	19.4	09.4-29.4	8	5.4	00.7-10.1	19	28.5	15.2-41.8
\$15,000- 24,999	281	33,091	138	35.7	28.1-43.3	56	18.0	11.9-24.1	36	13.6	07.5-19.7	14	7.0	01.5-12.5	37	25.7	17.5-33.9
\$25,000- 34,999	298	31,659	137	36.4	29.3-43.5	71	21.9	16.0-27.8	55	20.5	14.0-27.0	15	7.9	03.0-12.8	20	13.4	06.7-20.1
\$35,000- 49,999	452	52,084	190	31.6	26.5-36.7	115	25.3	20.0-30.6	49	12.0	08.1-15.9	31	8.1	04.6-11.6	67	22.9	17.2-28.6
\$50,000- 74,999	573	55,485	253	40.6	35.7-45.5	150	24.7	20.4-29.0	94	16.8	13.3-20.3	32	6.2	03.7-08.7	44	11.7	07.8-15.6
\$75,000+	900	84,579	365	35.5	31.8-39.2	302	32.3	28.6-36.0	132	17.2	14.1-20.3	49	7.4	05.0-09.8	52	7.7	05.2-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1384	167,250	479	29.5	26.6-32.4	384	24.6	21.9-27.3	225	16.2	13.7-18.7	109	8.9	06.7-11.1	187	20.8	17.7-23.9
Non-Native	1341	160,606	471	30.2	27.3-33.1	375	25.1	22.2-28.0	217	16.1	13.6-18.6	101	8.2	06.2-10.2	177	20.3	17.0-23.6
18-24	74	26,541	10	13.5	05.1-21.9	12	15.1	06.7-23.5	11	12.7	05.1-20.3	11	16.5	07.1-25.9	30	42.1	29.8-54.4
25-34	214	36,754	39	17.6	11.7-23.5	60	27.5	20.6-34.4	40	18.5	12.6-24.4	22	10.1	05.6-14.6	53	26.3	19.2-33.4
35-44	211	26,567	46	21.7	15.0-28.4	54	20.7	14.6-26.8	45	22.1	15.4-28.8	27	11.4	06.5-16.3	39	24.1	16.3-31.9
45-54	274	29,537	86	32.6	25.5-39.7	80	25.7	19.4-32.0	54	19.4	13.5-25.3	17	5.4	02.3-08.5	37	16.9	10.6-23.2
55-64	321	24,333	124	38.0	31.7-44.3	99	32.1	25.8-38.4	51	14.9	10.0-19.8	24	6.6	03.5-09.7	23	8.4	04.1-12.7
65+	281	22,615	171	64.5	57.8-71.2	74	24.0	18.1-29.9	24	7.3	03.8-10.8	7	2.2	00.4-04.0	5	2.1	00.0-04.3
Less Than H.S.	71	16,619	33	35.3	21.8-48.8	14	17.5	06.7-28.3	6	6.5	00.4-12.6	4	8.0	00.0-17.6	14	32.7	17.2-48.2
H.S. or G.E.D.	386	46,891	121	27.4	22.1-32.7	95	20.4	15.7-25.1	70	18.0	13.3-22.7	35	10.6	06.5-14.7	65	23.7	18.0-29.4
Some Post-H.S.	425	62,431	135	26.9	22.0-31.8	112	25.4	20.3-30.5	76	17.8	13.3-22.3	43	9.7	06.2-13.2	59	20.2	14.7-25.7
College Graduate	502	41,309	190	33.8	28.9-38.7	163	31.2	26.3-36.1	73	15.6	11.7-19.5	27	6.0	03.5-08.5	49	13.5	09.4-17.6
\$15,000- 24,999	118	16,143	42	30.8	19.6-42.0	25	18.2	09.6-26.8	20	12.0	04.6-19.4	10	11.6	01.4-21.8	21	27.5	15.5-39.5
\$25,000- 34,999	141	18,086	52	29.8	20.4-39.2	37	23.6	14.8-32.4	31	21.0	12.2-29.8	10	10.0	02.9-17.1	11	15.5	05.1-25.9
\$35,000- 49,999	238	31,323	79	24.3	18.2-30.4	59	23.3	16.6-30.0	21	7.5	03.4-11.6	23	10.6	05.3-15.9	56	34.3	26.1-42.5
\$50,000- 74,999	299	33,022	111	36.6	29.7-43.5	77	22.9	17.2-28.6	56	17.5	12.6-22.4	18	6.3	02.6-10.0	37	16.7	10.8-22.6
\$75,000+	449	46,253	143	29.2	24.1-34.3	153	30.3	25.2-35.4	77	20.5	15.6-25.4	37	9.3	06.0-12.6	39	10.8	06.9-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1540	140,855	824	44.1	41.0-47.2	408	27.2	24.3-30.1	186	14.8	12.3-17.3	54	4.9	03.3-06.5	68	8.9	06.4-11.4
Non-Native	1498	136,419	802	44.5	41.4-47.6	404	27.8	24.7-30.9	177	14.9	12.4-17.4	54	5.1	03.5-06.7	61	7.7	05.3-10.1
18-24	77	24,819	22	25.3	15.3-35.3	21	28.2	17.4-39.0	11	13.8	05.8-21.8	6	6.9	01.2-12.6	17	25.9	14.9-36.9
25-34	179	22,780	67	33.5	25.5-41.5	49	27.6	19.8-35.4	32	17.3	10.6-24.0	12	7.0	02.3-11.7	19	14.5	07.6-21.4
35-44	210	21,245	82	37.6	29.8-45.4	69	30.1	23.0-37.2	41	21.7	14.3-29.1	7	4.2	00.3-08.1	11	6.3	02.2-10.4
45-54	356	28,842	154	39.4	33.7-45.1	113	32.4	26.7-38.1	55	18.3	13.4-23.2	19	5.7	02.8-08.6	15	4.2	01.7-06.7
55-64	355	21,643	220	60.3	54.4-66.2	96	26.4	21.1-31.7	28	9.3	05.6-13.0	7	3.1	00.6-05.6	4	0.8	00.0-01.6
65+	354	20,834	274	74.6	68.7-80.5	59	17.3	12.4-22.2	17	6.4	02.7-10.1	2	1.2	00.0-03.0	2	0.5	00.0-01.3
H.S. or G.E.D.	392	36,905	213	43.2	36.7-49.7	88	22.3	16.6-28.0	40	10.3	06.4-14.2	24	8.1	04.4-11.8	27	16.1	09.8-22.4
Some Post-H.S.	491	54,030	250	42.3	36.8-47.8	134	29.3	24.0-34.6	69	17.5	13.0-22.0	14	4.1	01.6-06.6	24	6.8	03.3-10.3
College Graduate	610	43,669	331	46.2	41.3-51.1	179	31.4	26.7-36.1	71	15.0	11.1-18.9	14	3.2	01.0-05.4	15	4.3	01.8-06.8
Less than \$15,000	71	9,108	32	30.8	16.9-44.7	15	25.2	10.5-39.9	14	22.5	08.6-36.4	4	4.2	00.0-08.9	6	17.3	00.8-33.8
\$15,000- 24,999	163	16,947	96	40.4	29.6-51.2	31	17.9	09.5-26.3	16	15.1	05.9-24.3	4	2.6	00.0-05.5	16	24.1	12.7-35.5
\$25,000- 34,999	157	13,573	85	45.2	34.6-55.8	34	19.5	12.2-26.8	24	19.9	10.3-29.5	5	5.0	00.0-11.3	9	10.5	03.2-17.8
\$35,000- 49,999	214	20,761	111	42.6	34.4-50.8	56	28.3	19.9-36.7	28	18.9	11.5-26.3	8	4.4	00.5-08.3	11	5.8	01.9-09.7
\$50,000- 74,999	274	22,463	142	46.5	39.6-53.4	73	27.3	21.0-33.6	38	15.7	10.6-20.8	14	6.2	02.7-09.7	7	4.3	00.4-08.2
\$75,000+	451	38,327	222	43.0	37.5-48.5	149	34.8	29.3-40.3	55	13.2	09.5-16.9	12	5.1	02.0-08.2	13	3.9	01.2-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2921	308,368	332	14.1	12.3-15.9	196	8.1	06.7-09.5	85	3.9	02.7-05.1	74	3.6	02.6-04.6	164	8.6	07.0-10.2	2070	61.7	59.3-64.1
Male	1375	166,616	182	15.7	13.0-18.4	117	10.0	07.8-12.2	47	3.6	02.2-05.0	54	4.9	03.1-06.7	119	11.7	09.2-14.2	856	54.1	50.6-57.6
Female	1546	141,752	150	12.3	09.9-14.7	79	5.7	04.1-07.3	38	4.3	02.5-06.1	20	2.1	00.9-03.3	45	4.9	03.1-06.7	1214	70.7	67.4-74.0
Native	51	8,707	6	13.3	00.0-27.8	5	7.5	00.0-15.1	3	13.5	00.0-29.2	9	26.2	07.4-45.0	4	14.5	00.2-28.8	24	25.0	11.7-38.3
Non-Native	2834	296,653	324	14.2	12.2-16.2	190	8.1	06.7-09.5	81	3.7	02.7-04.7	65	3.0	02.0-04.0	156	8.4	06.8-10.0	2018	62.7	60.3-65.1
18-24	153	52,463	32	20.6	13.5-27.7	18	12.6	06.9-18.3	7	4.5	00.8-08.2	6	5.3	01.0-09.6	25	17.4	10.9-23.9	65	39.5	31.3-47.7
25-34	388	58,607	65	19.1	14.4-23.8	42	10.7	07.0-14.4	21	7.2	03.9-10.5	15	4.5	02.0-07.0	39	11.4	07.7-15.1	206	47.1	41.2-53.0
35-44	420	47,646	72	19.3	14.4-24.2	39	7.3	04.8-09.8	18	5.6	02.7-08.5	16	5.1	02.2-08.0	25	6.3	03.2-09.4	250	56.4	50.5-62.3
45-54	627	57,961	73	11.2	08.1-14.3	49	8.2	05.5-10.9	18	2.5	01.1-03.9	15	2.4	00.8-04.0	37	7.8	04.9-10.7	435	67.8	63.1-72.5
55-64	675	46,041	62	9.0	06.5-11.5	35	6.2	03.8-08.6	14	1.8	00.6-03.0	17	2.3	00.9-03.7	26	5.3	02.8-07.8	521	75.5	71.4-79.6
65+	639	43,859	26	3.9	02.1-05.7	12	1.6	00.6-02.6	6	1.1	00.1-02.1	5	1.7	00.1-03.3	11	1.4	00.4-02.4	579	90.4	87.7-93.1
Less Than H.S.	121	23,652	16	21.3	09.9-32.7	3	4.1	00.0-09.8	4	7.5	00.1-14.9	6	6.3	00.0-13.4	5	4.7	00.0-10.2	87	56.0	43.5-68.5
H.S. or G.E.D.	775	83,061	96	12.8	09.7-15.9	54	8.5	05.8-11.2	27	4.4	02.4-06.4	27	5.1	02.7-07.5	55	10.9	07.6-14.2	516	58.4	53.7-63.1
Some Post-H.S.	914	116,511	98	13.6	10.5-16.7	79	9.9	07.4-12.4	29	3.5	01.9-05.1	21	3.1	01.5-04.7	55	9.7	06.8-12.6	632	60.2	56.1-64.3
College Graduate	1110	85,016	122	14.2	11.5-16.9	60	6.2	04.2-08.2	25	3.0	01.6-04.4	20	2.0	01.0-03.0	49	5.9	03.9-07.9	834	68.6	65.1-72.1
Less than \$15,000	120	17,942	14	15.6	06.0-25.2	13	13.2	03.6-22.8	6	10.4	01.0-19.8	4	3.5	00.0-07.8	8	9.6	01.4-17.8	75	47.6	35.1-60.1
\$15,000- 24,999	277	32,645	32	16.0	09.3-22.7	15	8.9	03.6-14.2	12	4.6	00.9-08.3	7	5.9	00.2-11.6	18	10.2	04.3-16.1	193	54.3	45.5-63.1
\$25,000- 34,999	299	31,673	29	13.6	07.1-20.1	22	10.1	04.8-15.4	11	5.0	01.5-08.5	5	2.7	00.0-05.6	18	7.8	03.1-12.5	214	60.7	52.7-68.7
\$35,000- 49,999	451	51,834	48	13.7	09.0-18.4	28	6.2	03.3-09.1	12	3.5	01.1-05.9	18	6.2	02.9-09.5	33	11.1	06.8-15.4	312	59.3	53.2-65.4
\$50,000- 74,999	569	55,027	60	11.0	07.9-14.1	33	7.1	04.2-10.0	19	4.3	01.9-06.7	20	4.0	01.8-06.2	32	7.8	04.7-10.9	405	65.9	60.8-71.0
\$75,000+	896	84,180	117	15.2	12.1-18.3	74	9.2	06.8-11.6	20	2.1	01.1-03.1	15	1.4	00.6-02.2	42	6.3	03.9-08.7	628	65.8	61.9-69.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1375	166,616	182	15.7	13.0-18.4	117	10.0	07.8-12.2	47	3.6	02.2-05.0	54	4.9	03.1-06.7	119	11.7	09.2-14.2	856	54.1	50.6-57.6
Non-Native	1332	160,002	177	15.8	13.1-18.5	114	10.3	07.9-12.7	46	3.5	02.1-04.9	48	4.0	02.6-05.4	113	11.5	09.0-14.0	834	54.8	51.3-58.3
18-24	75	27,017	15	20.9	10.7-31.1	13	17.8	08.6-27.0	2	1.8	00.0-04.9	4	7.5	00.2-14.8	17	22.8	12.6-33.0	24	29.2	18.4-40.0
25-34	208	35,741	35	19.8	13.3-26.3	30	13.6	08.3-18.9	13	7.1	02.6-11.6	9	4.0	01.1-06.9	30	14.8	09.3-20.3	91	40.8	33.2-48.4
35-44	211	26,500	42	23.7	16.4-31.0	26	9.0	04.9-13.1	13	6.0	02.1-09.9	16	9.2	04.1-14.3	17	8.4	03.5-13.3	97	43.7	35.7-51.7
45-54	272	29,291	33	11.3	06.4-16.2	22	8.4	04.1-12.7	9	2.1	00.5-03.7	10	3.5	00.8-06.2	24	11.5	06.2-16.8	174	63.2	55.8-70.6
55-64	321	24,433	43	11.5	07.4-15.6	19	6.9	03.4-10.4	7	2.1	00.3-03.9	12	3.3	00.9-05.7	23	8.8	04.3-13.3	217	67.3	61.0-73.6
65+	279	22,730	13	4.3	01.6-07.0	7	2.4	00.6-04.2	3	1.0	00.0-02.2	3	1.8	00.0-04.0	7	1.4	00.2-02.6	246	89.2	85.1-93.3
Less Than H.S.	73	16,881	10	22.6	08.7-36.5	2	5.5	00.0-13.3	1	2.8	00.0-08.1	5	8.1	00.0-17.7	5	6.6	00.0-14.0	50	54.3	39.0-69.6
H.S. or G.E.D.	380	46,126	58	13.9	09.8-18.0	29	9.6	05.5-13.7	15	3.8	01.3-06.3	19	5.8	02.7-08.9	38	13.3	08.6-18.0	221	53.5	47.2-59.8
Some Post-H.S.	423	62,402	56	15.8	11.3-20.3	49	13.2	08.9-17.5	16	3.9	01.5-06.3	14	4.1	01.6-06.6	41	14.1	09.2-19.0	247	48.9	43.0-54.8
College Graduate	499	41,208	58	14.7	10.4-19.0	37	7.6	04.7-10.5	15	3.2	01.4-05.0	16	3.6	01.6-05.6	35	8.3	05.0-11.6	338	62.5	57.0-68.0
\$15,000- 24,999	117	16,238	21	21.3	10.5-32.1	8	10.4	02.0-18.8	5	3.3	00.0-07.6	3	6.7	00.0-16.1	13	13.6	04.4-22.8	67	44.6	32.4-56.8
\$25,000- 34,999	141	18,086	14	12.9	03.9-21.9	13	13.2	04.8-21.6	3	2.1	00.0-05.0	4	4.6	00.0-09.5	13	11.7	03.9-19.5	94	55.5	44.1-66.9
\$35,000- 49,999	236	31,027	28	16.2	09.5-22.9	18	8.0	03.5-12.5	7	3.1	00.4-05.8	17	10.1	04.6-15.6	25	14.8	08.3-21.3	141	47.8	39.8-55.8
\$50,000- 74,999	295	32,583	34	10.6	06.7-14.5	22	8.2	04.1-12.3	16	5.9	02.4-09.4	15	5.7	02.4-09.0	23	10.6	05.7-15.5	185	59.1	52.0-66.2
\$75,000+	445	45,854	66	17.6	12.9-22.3	44	10.3	07.0-13.6	13	2.3	00.9-03.7	12	2.1	00.7-03.5	29	7.8	04.3-11.3	281	60.0	54.3-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1546	141,752	150	12.3	09.9-14.7	79	5.7	04.1-07.3	38	4.3	02.5-06.1	20	2.1	00.9-03.3	45	4.9	03.1-06.7	1214	70.7	67.4-74.0
Non-Native	1502	136,650	147	12.2	09.8-14.6	76	5.6	04.0-07.2	35	3.8	02.2-05.4	17	1.8	00.8-02.8	43	4.7	02.9-06.5	1184	72.0	68.9-75.1
18-24	78	25,445	17	20.3	10.7-29.9	5	7.1	01.0-13.2	5	7.4	00.5-14.3	2	3.1	00.0-07.2	8	11.7	03.9-19.5	41	50.5	38.5-62.5
25-34	180	22,866	30	18.0	11.1-24.9	12	6.1	02.2-10.0	8	7.3	02.0-12.6	6	5.4	00.5-10.3	9	6.2	01.7-10.7	115	56.9	48.1-65.7
35-44	209	21,146	30	13.7	08.2-19.2	13	5.2	02.1-08.3	5	5.1	00.4-09.8				8	3.6	00.5-06.7	153	72.4	65.0-79.8
45-54	355	28,670	40	11.1	07.4-14.8	27	8.1	04.8-11.4	9	3.0	00.6-05.4	5	1.3	00.1-02.5	13	4.1	01.7-06.5	261	72.4	66.9-77.9
55-64	354	21,607	19	6.1	03.2-09.0	16	5.5	02.6-08.4	7	1.4	00.2-02.6	5	1.1	00.1-02.1	3	1.2	00.0-03.0	304	84.6	80.1-89.1
65+	360	21,129	13	3.4	01.2-05.6	5	0.7	00.1-01.3	3	1.2	00.0-03.0	2	1.5	00.0-03.7	4	1.5	00.0-03.1	333	91.7	88.0-95.4
H.S. or G.E.D.	395	36,935	38	11.3	06.6-16.0	25	7.1	03.6-10.6	12	5.1	02.0-08.2	8	4.1	00.6-07.6	17	7.8	03.3-12.3	295	64.5	57.6-71.4
Some Post-H.S.	491	54,109	42	11.1	07.2-15.0	30	6.0	03.5-08.5	13	3.0	00.6-05.4	7	2.0	00.2-03.8	14	4.6	01.7-07.5	385	73.3	68.0-78.6
College Graduate	611	43,809	64	13.8	10.1-17.5	23	5.0	02.3-07.7	10	2.9	00.7-05.1	4	0.6	00.0-01.2	14	3.6	01.4-05.8	496	74.3	69.4-79.2
Less than \$15,000	75	9,654	5	14.5	01.4-27.6	7	5.7	00.0-11.6	4	11.1	00.0-24.6	3	6.3	00.0-14.1	2	4.9	00.0-12.9	54	57.4	40.5-74.3
\$15,000- 24,999	160	16,406	11	10.8	03.4-18.2	7	7.5	00.6-14.4	7	5.9	00.0-11.8	4	5.1	00.0-11.4	5	6.9	00.0-14.0	126	63.8	52.0-75.6
\$25,000- 34,999	158	13,586	15	14.6	05.8-23.4	9	5.9	01.4-10.4	8	8.9	01.8-16.0	1	0.3	00.0-00.9	5	2.7	00.3-05.1	120	67.7	57.1-78.3
\$35,000- 49,999	215	20,807	20	10.0	04.3-15.7	10	3.5	01.0-06.0	5	4.1	00.0-08.4	1	0.3	00.0-00.9	8	5.5	01.4-09.6	171	76.6	68.8-84.4
\$50,000- 74,999	274	22,444	26	11.7	06.8-16.6	11	5.5	01.6-09.4	3	1.8	00.0-04.2	5	1.6	00.2-03.0	9	3.6	01.1-06.1	220	75.7	69.2-82.2
\$75,000+	451	38,327	51	12.4	08.7-16.1	30	7.9	04.8-11.0	7	1.9	00.3-03.5	3	0.7	00.0-01.5	13	4.6	01.5-07.7	347	72.6	67.3-77.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2874	300,498	789	21.5	19.7-23.3	735	22.4	20.4-24.4	445	15.5	13.7-17.3	238	8.0	06.6-09.4	667	32.6	30.2-35.0
Male	1348	161,779	263	16.4	14.0-18.8	262	17.3	14.8-19.8	240	15.4	13.0-17.8	102	7.3	05.5-09.1	481	43.6	40.1-47.1
Female	1526	138,719	526	27.5	24.8-30.2	473	28.3	25.4-31.2	205	15.5	13.0-18.0	136	8.8	07.0-10.6	186	19.8	16.7-22.9
Native	50	8,766	10	10.9	01.7-20.1	6	4.8	00.1-09.5	6	5.9	00.2-11.6	2	2.7	00.0-06.8	26	75.7	62.8-88.6
Non-Native	2789	288,903	767	21.8	20.0-23.6	720	22.9	20.9-24.9	433	15.7	13.9-17.5	234	8.2	06.8-09.6	635	31.4	29.0-33.8
18-24	144	48,937	19	12.8	06.9-18.7	20	13.5	07.6-19.4	19	11.5	06.2-16.8	13	8.2	03.7-12.7	73	54.0	45.2-62.8
25-34	382	58,029	58	12.6	08.9-16.3	79	19.3	14.6-24.0	53	12.0	08.3-15.7	33	7.9	04.8-11.0	159	48.1	42.2-54.0
35-44	412	46,340	78	16.6	12.5-20.7	84	18.8	14.5-23.1	69	18.0	13.3-22.7	38	8.0	04.9-11.1	143	38.6	32.7-44.5
45-54	617	56,881	137	20.3	16.6-24.0	160	24.4	20.3-28.5	118	20.6	16.7-24.5	64	9.3	06.8-11.8	138	25.2	20.7-29.7
55-64	671	45,566	205	27.7	24.0-31.4	191	29.3	25.2-33.4	98	14.6	11.5-17.7	58	8.6	06.1-11.1	119	19.8	15.9-23.7
65+	629	42,953	286	44.0	39.1-48.9	196	30.6	26.1-35.1	84	14.5	11.0-18.0	30	5.3	02.9-07.7	33	5.6	03.4-07.8
Less Than H.S.	117	22,857	38	21.3	12.5-30.1	30	18.9	10.1-27.7	16	14.7	06.3-23.1	4	2.7	00.0-05.8	29	42.4	29.3-55.5
H.S. or G.E.D.	754	79,389	209	22.7	19.0-26.4	171	20.4	16.9-23.9	108	13.1	10.2-16.0	66	9.1	06.4-11.8	200	34.8	30.1-39.5
Some Post-H.S.	900	114,052	220	18.4	15.5-21.3	231	22.8	19.5-26.1	149	16.6	13.7-19.5	77	8.2	06.0-10.4	223	34.0	29.9-38.1
College Graduate	1102	84,071	322	24.8	21.9-27.7	302	24.5	21.4-27.6	172	16.4	13.7-19.1	91	8.2	06.2-10.2	215	26.0	22.5-29.5
Less than \$15,000	113	16,751	33	15.7	08.4-23.0	21	11.4	04.9-17.9	17	15.5	06.3-24.7	9	9.9	01.7-18.1	33	47.5	34.2-60.8
\$15,000- 24,999	274	31,004	86	23.6	16.9-30.3	72	21.6	14.9-28.3	25	9.7	04.0-15.4	24	7.6	03.7-11.5	67	37.5	28.5-46.5
\$25,000- 34,999	292	31,150	90	23.5	17.4-29.6	73	20.5	15.0-26.0	43	15.2	09.3-21.1	24	6.0	02.9-09.1	62	34.8	26.6-43.0
\$35,000- 49,999	445	50,937	132	22.0	17.7-26.3	96	20.4	15.7-25.1	65	13.2	09.3-17.1	31	6.6	03.7-09.5	121	37.8	31.5-44.1
\$50,000- 74,999	566	54,637	136	19.5	15.8-23.2	145	23.4	19.3-27.5	104	19.5	15.4-23.6	47	8.3	05.6-11.0	134	29.3	24.4-34.2
\$75,000+	883	82,535	191	18.4	15.5-21.3	233	24.9	21.4-28.4	163	18.8	15.7-21.9	88	10.4	07.9-12.9	208	27.5	23.8-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1348	161,779	263	16.4	14.0-18.8	262	17.3	14.8-19.8	240	15.4	13.0-17.8	102	7.3	05.5-09.1	481	43.6	40.1-47.1
Non-Native	1305	155,134	257	16.7	14.3-19.1	255	17.6	15.1-20.1	233	15.5	13.1-17.9	100	7.5	05.5-09.5	460	42.7	39.2-46.2
18-24	70	25,053	7	11.2	03.0-19.4	4	4.8	00.1-09.5	7	7.8	01.7-13.9	7	9.5	02.2-16.8	45	66.7	54.9-78.5
25-34	204	35,115	20	9.1	04.6-13.6	26	14.9	09.0-20.8	30	11.7	07.0-16.4	17	7.2	03.3-11.1	111	57.0	49.2-64.8
35-44	203	25,335	24	11.7	06.6-16.8	30	12.4	07.3-17.5	27	14.0	08.3-19.7	16	7.6	03.1-12.1	106	54.3	46.1-62.5
45-54	270	29,101	41	15.0	09.7-20.3	52	20.1	13.8-26.4	61	22.0	15.9-28.1	21	6.5	03.0-10.0	95	36.4	29.0-43.8
55-64	317	24,138	72	21.2	16.3-26.1	66	23.7	17.8-29.6	56	16.8	11.9-21.7	26	6.9	04.0-09.8	97	31.4	25.1-37.7
65+	275	22,132	97	36.3	29.4-43.2	81	29.9	23.2-36.6	56	19.5	13.8-25.2	15	6.1	02.4-09.8	26	8.2	04.7-11.7
Less Than H.S.	71	16,488	15	14.6	05.2-24.0	21	23.1	11.3-34.9	12	15.3	05.5-25.1	1	1.6	00.0-04.7	22	45.3	29.8-60.8
H.S. or G.E.D.	369	43,885	65	16.4	11.9-20.9	67	16.4	11.9-20.9	63	15.7	11.2-20.2	31	8.6	04.9-12.3	143	42.9	36.4-49.4
Some Post-H.S.	416	61,079	76	14.4	10.5-18.3	69	14.8	10.9-18.7	75	14.2	10.5-17.9	32	7.9	04.4-11.4	164	48.7	42.6-54.8
College Graduate	492	40,327	107	20.1	15.8-24.4	105	19.7	15.6-23.8	90	17.1	13.2-21.0	38	7.2	04.5-09.9	152	35.9	30.4-41.4
\$15,000- 24,999	114	14,855	27	20.9	11.5-30.3	21	15.9	07.5-24.3	11	7.0	00.5-13.5	12	8.6	02.1-15.1	43	47.5	34.4-60.6
\$25,000- 34,999	136	17,635	34	21.3	12.9-29.7	26	14.0	07.7-20.3	26	17.2	09.0-25.4	9	5.2	01.3-09.1	41	42.4	30.8-54.0
\$35,000- 49,999	231	30,254	53	15.0	10.1-19.9	35	15.3	09.6-21.0	35	12.1	07.2-17.0	20	7.6	03.3-11.9	88	50.0	41.8-58.2
\$50,000- 74,999	294	32,537	52	14.5	09.8-19.2	53	18.5	12.8-24.2	61	20.0	14.5-25.5	22	6.7	03.2-10.2	106	40.4	33.3-47.5
\$75,000+	439	44,782	61	13.2	09.5-16.9	97	21.4	16.7-26.1	87	18.6	14.3-22.9	35	8.1	05.0-11.2	159	38.7	33.0-44.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1526	138,719	526	27.5	24.8-30.2	473	28.3	25.4-31.2	205	15.5	13.0-18.0	136	8.8	07.0-10.6	186	19.8	16.7-22.9
Non-Native	1484	133,769	510	27.8	25.1-30.5	465	29.0	26.1-31.9	200	15.8	13.3-18.3	134	9.1	07.3-10.9	175	18.3	15.4-21.2
18-24	74	23,884	12	14.6	06.4-22.8	16	22.5	12.1-32.9	12	15.4	06.8-24.0	6	6.9	01.4-12.4	28	40.6	28.4-52.8
25-34	178	22,914	38	17.9	11.4-24.4	53	26.1	18.7-33.5	23	12.5	06.6-18.4	16	9.0	04.1-13.9	48	34.5	25.7-43.3
35-44	209	21,005	54	22.6	16.1-29.1	54	26.5	19.6-33.4	42	22.8	15.4-30.2	22	8.4	04.1-12.7	37	19.7	13.0-26.4
45-54	347	27,780	96	26.0	20.7-31.3	108	29.0	23.5-34.5	57	19.2	14.1-24.3	43	12.3	08.4-16.2	43	13.5	09.2-17.8
55-64	354	21,428	133	35.0	29.3-40.7	125	35.5	29.6-41.4	42	12.2	08.3-16.1	32	10.6	06.5-14.7	22	6.7	03.6-09.8
65+	354	20,820	189	52.2	45.5-58.9	115	31.3	25.4-37.2	28	9.3	05.2-13.4	15	4.4	01.7-07.1	7	2.8	00.4-05.2
H.S. or G.E.D.	385	35,504	144	30.4	24.5-36.3	104	25.2	19.3-31.1	45	9.8	06.1-13.5	35	9.7	05.6-13.8	57	24.8	18.1-31.5
Some Post-H.S.	484	52,973	144	23.0	18.7-27.3	162	32.1	26.8-37.4	74	19.3	14.4-24.2	45	8.5	05.8-11.2	59	17.1	12.2-22.0
College Graduate	610	43,744	215	29.2	24.9-33.5	197	28.9	24.6-33.2	82	15.9	12.0-19.8	53	9.1	06.2-12.0	63	16.9	12.4-21.4
Less than \$15,000	71	9,116	24	17.3	07.7-26.9	15	15.6	05.4-25.8	12	22.7	08.0-37.4	7	7.7	00.6-14.8	13	36.7	18.9-54.5
\$15,000- 24,999	160	16,149	59	26.0	16.8-35.2	51	26.9	16.7-37.1	14	12.1	03.3-20.9	12	6.7	02.0-11.4	24	28.2	16.8-39.6
\$25,000- 34,999	156	13,516	56	26.4	17.6-35.2	47	29.1	19.9-38.3	17	12.5	04.5-20.5	15	7.2	02.3-12.1	21	24.8	14.6-35.0
\$35,000- 49,999	214	20,683	79	32.3	24.7-39.9	61	27.9	19.9-35.9	30	14.7	08.4-21.0	11	5.1	01.6-08.6	33	20.0	12.4-27.6
\$50,000- 74,999	272	22,100	84	26.9	20.8-33.0	92	30.6	24.5-36.7	43	18.8	12.9-24.7	25	10.6	05.9-15.3	28	13.1	07.8-18.4
\$75,000+	444	37,754	130	24.6	19.9-29.3	136	29.1	24.0-34.2	76	19.0	14.5-23.5	53	13.0	09.1-16.9	49	14.3	10.0-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	269
2 MALES ONLY	270
3 FEMALES ONLY	271
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	272
5 MALES ONLY	273
6 FEMALES ONLY	274
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7 MALES AND FEMALES	275
8 MALES ONLY	276
9 FEMALES ONLY	277

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3322	378,644	848	30.4	28.2-32.6	2474	69.6	67.4-71.8
Male	1488	196,561	392	29.9	26.8-33.0	1096	70.1	67.0-73.2
Female	1834	182,083	456	30.9	28.0-33.8	1378	69.1	66.2-72.0
Native	101	15,189	49	53.5	39.8-67.2	52	46.5	32.8-60.2
Non-Native	3197	360,370	795	29.6	27.4-31.8	2402	70.4	68.2-72.6
18-24	228	77,842	64	30.0	23.5-36.5	164	70.0	63.5-76.5
25-34	528	78,632	231	45.4	40.3-50.5	297	54.6	49.5-59.7
35-44	564	65,336	210	38.7	33.8-43.6	354	61.3	56.4-66.2
45-54	917	84,257	210	25.4	21.7-29.1	707	74.6	70.9-78.3
55-64	1085	72,577	133	12.9	10.4-15.4	952	87.1	84.6-89.6
Less Than H.S.	108	27,527	32	32.1	20.7-43.5	76	67.9	56.5-79.3
H.S. or G.E.D.	825	98,922	206	33.5	29.2-37.8	619	66.5	62.2-70.8
Some Post-H.S.	1101	151,232	261	27.7	24.2-31.2	840	72.3	68.8-75.8
College Graduate	1287	100,834	349	30.9	27.8-34.0	938	69.1	66.0-72.2
Less than \$15,000	193	27,211	65	35.2	25.2-45.2	128	64.8	54.8-74.8
\$15,000- 24,999	315	41,232	102	45.6	37.8-53.4	213	54.4	46.6-62.2
\$25,000- 34,999	306	36,486	90	36.0	28.6-43.4	216	64.0	56.6-71.4
\$35,000- 49,999	514	64,591	119	28.3	23.2-33.4	395	71.7	66.6-76.8
\$50,000- 74,999	671	68,376	166	27.3	23.0-31.6	505	72.7	68.4-77.0
\$75,000+	1023	98,311	246	27.1	23.6-30.6	777	72.9	69.4-76.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	196,561	392	29.9	26.8-33.0	1096	70.1	67.0-73.2
Non-Native	1429	186,209	370	29.2	26.1-32.3	1059	70.8	67.7-73.9
18-24	112	40,941	25	23.4	15.0-31.8	87	76.6	68.2-85.0
25-34	252	42,774	101	43.1	36.0-50.2	151	56.9	49.8-64.0
35-44	266	34,299	98	35.3	28.6-42.0	168	64.7	58.0-71.4
45-54	376	42,014	96	31.4	25.1-37.7	280	68.6	62.3-74.9
55-64	482	36,534	72	15.1	11.0-19.2	410	84.9	80.8-89.0
Less Than H.S.	73	19,064	22	28.9	15.8-42.0	51	71.1	58.0-84.2
H.S. or G.E.D.	391	52,401	107	35.4	29.3-41.5	284	64.6	58.5-70.7
Some Post-H.S.	490	79,207	109	24.5	19.8-29.2	381	75.5	70.8-80.2
College Graduate	534	45,889	154	33.6	28.7-38.5	380	66.4	61.5-71.3
Less than \$15,000	78	13,818	24	28.7	14.8-42.6	54	71.3	57.4-85.2
\$15,000- 24,999	134	19,556	42	41.8	29.8-53.8	92	58.2	46.2-70.2
\$25,000- 34,999	128	19,806	40	35.7	24.9-46.5	88	64.3	53.5-75.1
\$35,000- 49,999	258	37,511	61	27.5	20.6-34.4	197	72.5	65.6-79.4
\$50,000- 74,999	320	37,566	84	28.7	22.6-34.8	236	71.3	65.2-77.4
\$75,000+	471	50,585	115	27.5	22.4-32.6	356	72.5	67.4-77.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1834	182,083	456	30.9	28.0-33.8	1378	69.1	66.2-72.0
Native	60	7,034	31	56.9	38.1-75.7	29	43.1	24.3-61.9
Non-Native	1768	174,161	425	30.0	27.1-32.9	1343	70.0	67.1-72.9
18-24	116	36,901	39	37.2	27.6-46.8	77	62.8	53.2-72.4
25-34	276	35,858	130	48.1	41.0-55.2	146	51.9	44.8-59.0
35-44	298	31,037	112	42.4	35.5-49.3	186	57.6	50.7-64.5
45-54	541	42,244	114	19.5	15.6-23.4	427	80.5	76.6-84.4
55-64	603	36,043	61	10.6	07.5-13.7	542	89.4	86.3-92.5
H.S. or G.E.D.	434	46,521	99	31.4	25.1-37.7	335	68.6	62.3-74.9
Some Post-H.S.	611	72,025	152	31.3	26.4-36.2	459	68.7	63.8-73.6
College Graduate	753	54,944	195	28.6	24.5-32.7	558	71.4	67.3-75.5
Less than \$15,000	115	13,393	41	41.9	27.8-56.0	74	58.1	44.0-72.2
\$15,000- 24,999	181	21,676	60	49.1	38.7-59.5	121	50.9	40.5-61.3
\$25,000- 34,999	178	16,680	50	36.4	26.4-46.4	128	63.6	53.6-73.6
\$35,000- 49,999	256	27,080	58	29.3	21.7-36.9	198	70.7	63.1-78.3
\$50,000- 74,999	351	30,811	82	25.5	19.8-31.2	269	74.5	68.8-80.2
\$75,000+	552	47,726	131	26.8	22.1-31.5	421	73.2	68.5-77.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	705	97,635	32	3.2	01.8-04.6	54	5.2	03.4-07.0	94	9.2	07.0-11.4	176	21.0	17.5-24.5	268	46.3	41.6-51.0	81	15.1	11.4-18.8
Male	328	50,623	17	3.6	01.6-05.6	24	5.1	02.6-07.6	43	9.3	06.0-12.6	71	18.9	14.0-23.8	132	49.3	42.4-56.2	41	13.8	08.7-18.9
Female	377	47,012	15	2.9	01.1-04.7	30	5.2	03.0-07.4	51	9.1	06.2-12.0	105	23.3	18.2-28.4	136	43.1	36.4-49.8	40	16.4	10.9-21.9
Non-Native	658	90,239	31	3.4	01.8-05.0	53	5.6	03.8-07.4	92	9.8	07.4-12.2	165	21.3	17.8-24.8	243	45.5	40.6-50.4	74	14.4	10.7-18.1
18-24	57	20,818										3	4.9	00.0-10.6	41	70.2	57.5-82.9	13	24.9	12.7-37.1
25-34	211	32,724				2	0.5	00.0-01.3	16	6.3	02.8-09.8	54	21.4	15.3-27.5	101	52.0	44.2-59.8	38	19.7	13.2-26.2
35-44	183	21,235	4	4.0	00.0-08.1	19	9.9	04.8-15.0	38	17.7	11.6-23.8	48	24.1	17.0-31.2	61	36.0	27.6-44.4	13	8.3	02.4-14.2
45-54	164	16,275	18	10.6	05.1-16.1	21	11.2	05.3-17.1	20	12.0	05.7-18.3	49	33.1	23.7-42.5	44	26.7	17.7-35.7	12	6.3	01.8-10.8
55-64	90	6,583	10	8.8	02.7-14.9	12	14.4	04.8-24.0	20	18.3	08.9-27.7	22	30.2	16.9-43.5	21	23.9	11.4-36.4	5	4.5	00.4-08.6
H.S. or G.E.D.	172	27,445	6	2.1	00.1-04.1	11	3.6	00.9-06.3	22	8.4	04.3-12.5	36	17.1	10.8-23.4	72	51.7	42.5-60.9	25	17.2	09.8-24.6
Some Post-H.S.	213	35,167	12	4.8	01.7-07.9	16	6.1	02.6-09.6	23	8.6	04.7-12.5	58	22.4	16.1-28.7	83	46.6	38.2-55.0	21	11.5	05.8-17.2
College Graduate	294	27,285	14	3.2	01.4-05.0	27	7.1	04.0-10.2	45	10.8	07.3-14.3	77	25.6	19.9-31.3	99	38.2	31.3-45.1	32	15.2	09.9-20.5
Less than \$15,000	50	7,818	2	2.1	00.0-05.4	1	0.5	00.0-01.7	3	3.4	00.0-08.7	12	14.5	04.3-24.7	23	59.0	40.6-77.4	9	20.4	05.1-35.7
\$15,000- 24,999	90	17,249				7	4.9	00.2-09.6	10	5.8	01.3-10.3	20	15.8	07.0-24.6	40	51.2	37.9-64.5	13	22.4	09.9-34.9
\$25,000- 34,999	73	10,589	5	5.2	00.0-10.5	5	5.3	00.0-11.0	14	12.2	04.8-19.6	19	15.6	07.0-24.2	23	50.1	35.6-64.6	7	11.6	02.0-21.2
\$35,000- 49,999	103	16,021	5	2.0	00.0-04.4	7	3.5	00.0-07.2	13	11.5	04.4-18.6	17	14.3	06.3-22.3	46	53.7	41.9-65.5	15	15.0	06.6-23.4
\$50,000- 74,999	137	15,411	8	5.5	01.0-10.0	13	8.9	03.4-14.4	19	10.6	05.3-15.9	36	27.8	18.8-36.8	49	37.3	27.5-47.1	12	9.9	03.8-16.0
\$75,000+	209	22,886	11	5.5	01.6-09.4	21	7.4	04.1-10.7	27	9.2	05.1-13.3	65	31.8	24.2-39.4	65	33.1	25.1-41.1	20	13.0	06.1-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	328	50,623	17	3.6	01.6-05.6	24	5.1	02.6-07.6	43	9.3	06.0-12.6	71	18.9	14.0-23.8	132	49.3	42.4-56.2	41	13.8	08.7-18.9
Non-Native	308	46,671	16	3.7	01.5-05.9	24	5.6	02.9-08.3	43	10.1	06.6-13.6	67	19.2	14.1-24.3	121	48.8	41.9-55.7	37	12.7	08.0-17.4
25-34	89	16,426							8	7.0	01.3-12.7	20	18.2	09.8-26.6	45	57.6	45.8-69.4	16	17.2	08.0-26.4
35-44	86	10,489	2	5.3	00.0-12.4	11	11.7	03.9-19.5	20	20.1	10.9-29.3	15	15.2	06.8-23.6	29	38.5	26.3-50.7	9	9.3	02.8-15.8
45-54	78	10,252	10	9.9	03.4-16.4	7	8.8	00.8-16.8	5	7.4	00.0-14.8	22	33.7	20.4-47.0	26	31.9	19.0-44.8	8	8.4	01.3-15.5
55-64	51	4,006	5	5.9	00.6-11.2	6	11.5	00.0-23.1	10	17.6	05.4-29.8	13	32.9	14.7-51.1	14	27.8	10.0-45.6	3	4.4	00.0-09.5
H.S. or G.E.D.	92	16,092	4	1.9	00.0-03.9	5	3.8	00.0-07.9	12	8.5	02.8-14.2	17	15.2	07.0-23.4	39	53.7	41.5-65.9	15	16.8	07.4-26.2
Some Post-H.S.	89	16,391	6	6.1	00.6-11.6	6	5.9	00.6-11.2	8	8.6	02.1-15.1	19	18.5	09.7-27.3	40	52.3	40.0-64.6	10	8.7	02.4-15.0
College Graduate	130	13,315	7	3.7	00.8-06.6	13	7.6	02.7-12.5	20	10.7	05.6-15.8	31	24.3	15.9-32.7	45	41.7	31.5-51.9	14	12.0	05.3-18.7
\$35,000- 49,999	52	8,958	3	3.0	00.0-07.1	3	3.8	00.0-10.1	5	11.8	01.0-22.6	5	6.5	00.0-13.0	28	61.0	45.5-76.5	8	13.9	02.9-24.9
\$50,000- 74,999	70	9,067	5	6.7	00.0-13.6	5	8.4	00.2-16.6	12	13.6	05.2-22.0	14	21.6	10.2-33.0	28	40.9	27.0-54.8	6	8.7	01.3-16.1
\$75,000+	98	11,855	6	5.3	00.0-10.8	12	8.0	02.9-13.1	11	6.0	02.3-09.7	29	30.2	19.4-41.0	29	34.6	22.6-46.6	11	15.9	04.9-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	47,012	15	2.9	01.1-04.7	30	5.2	03.0-07.4	51	9.1	06.2-12.0	105	23.3	18.4-28.2	136	43.1	36.4-49.8	40	16.4	10.9-21.9
Non-Native	350	43,568	15	3.1	01.1-05.1	29	5.5	03.1-07.9	49	9.6	06.5-12.7	98	23.5	18.2-28.8	122	42.0	35.1-48.9	37	16.2	10.5-21.9
25-34	122	16,298				2	1.1	00.0-02.7	8	5.6	01.3-09.9	34	24.7	16.3-33.1	56	46.4	36.0-56.8	22	22.2	13.2-31.2
35-44	97	10,746	2	2.7	00.0-06.8	8	8.2	01.5-14.9	18	15.5	07.9-23.1	33	32.8	21.8-43.8	32	33.6	21.6-45.6	4	7.3	00.0-17.1
45-54	86	6,023	8	11.9	01.9-21.9	14	15.3	06.9-23.7	15	19.9	09.1-30.7	27	32.1	20.3-43.9	18	18.0	08.6-27.4	4	2.9	00.0-06.2
H.S. or G.E.D.	80	11,352	2	2.3	00.0-06.2	6	3.2	00.5-05.9	10	8.2	02.3-14.1	19	19.7	09.7-29.7	33	48.8	34.9-62.7	10	17.7	05.5-29.9
Some Post-H.S.	124	18,777	6	3.7	00.2-07.2	10	6.3	01.8-10.8	15	8.6	03.7-13.5	39	25.8	17.0-34.6	43	41.6	30.2-53.0	11	13.9	05.1-22.7
College Graduate	164	13,970	7	2.7	00.3-05.1	14	6.6	02.9-10.3	25	10.8	05.9-15.7	46	26.9	19.1-34.7	54	34.8	25.8-43.8	18	18.2	10.2-26.2
\$15,000- 24,999	52	9,329				6	6.3	00.0-13.4	6	5.3	00.0-10.6	9	10.2	01.6-18.8	24	54.3	36.7-71.9	7	23.9	06.8-41.0
\$35,000- 49,999	51	7,063	2	0.6	00.0-01.4	4	3.0	00.0-06.1	8	11.2	02.6-19.8	12	24.2	08.9-39.5	18	44.5	27.1-61.9	7	16.4	03.3-29.5
\$50,000- 74,999	67	6,344	3	3.6	00.0-07.9	8	9.7	02.8-16.6	7	6.4	01.1-11.7	22	36.6	22.7-50.5	21	32.2	19.3-45.1	6	11.5	01.3-21.7
\$75,000+	111	11,032	5	5.8	00.1-11.5	9	6.7	02.2-11.2	16	12.7	05.4-20.0	36	33.5	22.9-44.1	36	31.5	20.5-42.5	9	9.9	01.9-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3379	384,207	70	3.4	02.4-04.4	3309	96.6	95.6-97.6
Male	1520	199,465	21	2.3	01.1-03.5	1499	97.7	96.5-98.9
Female	1859	184,742	49	4.6	03.0-06.2	1810	95.4	93.8-97.0
Native	103	15,379	6	7.1	00.8-13.4	97	92.9	86.6-99.2
Non-Native	3252	365,743	64	3.3	02.3-04.3	3188	96.7	95.7-97.7
18-24	231	78,665	17	7.2	03.7-10.7	214	92.8	89.3-96.3
25-34	532	79,388	24	4.8	02.4-07.2	508	95.2	92.8-97.6
35-44	584	67,157	12	3.2	01.2-05.2	572	96.8	94.8-98.8
45-54	926	85,134	9	1.2	00.2-02.2	917	98.8	97.8-99.8
55-64	1106	73,862	8	0.8	00.2-01.4	1098	99.2	98.6-99.8
Less Than H.S.	108	27,527	2	1.5	00.0-03.9	106	98.5	96.1-0100
H.S. or G.E.D.	836	100,207	21	4.6	02.4-06.8	815	95.4	93.2-97.6
Some Post-H.S.	1129	154,058	28	3.8	02.2-05.4	1101	96.2	94.6-97.8
College Graduate	1305	102,286	19	2.3	01.1-03.5	1286	97.7	96.5-98.9
Less than \$15,000	195	27,117	11	7.6	02.1-13.1	184	92.4	86.9-97.9
\$15,000- 24,999	321	41,750	11	5.8	02.1-09.5	310	94.2	90.5-97.9
\$25,000- 34,999	310	36,968	8	3.2	00.5-05.9	302	96.8	94.1-99.5
\$35,000- 49,999	520	65,254	16	5.4	02.5-08.3	504	94.6	91.7-97.5
\$50,000- 74,999	684	70,166	5	0.8	00.0-01.6	679	99.2	98.4-0100
\$75,000+	1047	100,588	13	1.8	00.6-03.0	1034	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1520	199,465	21	2.3	01.1-03.5	1499	97.7	96.5-98.9
Non-Native	1460	188,997	20	2.3	01.1-03.5	1440	97.7	96.5-98.9
18-24	113	41,267	6	5.0	00.7-09.3	107	95.0	90.7-99.3
25-34	254	42,978	7	3.0	00.5-05.5	247	97.0	94.5-99.5
35-44	273	35,010	2	1.7	00.0-04.1	271	98.3	95.9-0100
45-54	382	42,675	4	1.1	00.0-02.3	378	98.9	97.7-0100
55-64	498	37,535	2	0.5	00.0-01.3	496	99.5	98.7-0100
Less Than H.S.	73	19,064				73	100.0	0100-0100
H.S. or G.E.D.	397	52,957	9	3.7	01.0-06.4	388	96.3	93.6-99.0
Some Post-H.S.	503	80,552	6	2.4	00.2-04.6	497	97.6	95.4-99.8
College Graduate	547	46,893	6	1.6	00.2-03.0	541	98.4	97.0-99.8
Less than \$15,000	79	13,933	1	3.4	00.0-10.1	78	96.6	89.9-0100
\$15,000- 24,999	134	19,401	3	3.2	00.0-07.1	131	96.8	92.9-0100
\$25,000- 34,999	130	20,132	4	3.7	00.0-07.8	126	96.3	92.2-0100
\$35,000- 49,999	262	37,794	4	3.9	00.0-07.8	258	96.1	92.2-0100
\$50,000- 74,999	328	38,148	2	0.8	00.0-02.0	326	99.2	98.0-0100
\$75,000+	486	52,225	6	1.1	00.1-02.1	480	98.9	97.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1859	184,742	49	4.6	03.0-06.2	1810	95.4	93.8-97.0
Native	61	7,109	5	11.8	00.4-23.2	56	88.2	76.8-99.6
Non-Native	1792	176,745	44	4.4	02.8-06.0	1748	95.6	94.0-97.2
18-24	118	37,398	11	9.5	04.0-15.0	107	90.5	85.0-96.0
25-34	278	36,411	17	6.9	03.0-10.8	261	93.1	89.2-97.0
35-44	311	32,147	10	4.8	01.5-08.1	301	95.2	91.9-98.5
45-54	544	42,459	5	1.3	00.0-02.7	539	98.7	97.3-0100
55-64	608	36,327	6	1.0	00.2-01.8	602	99.0	98.2-99.8
H.S. or G.E.D.	439	47,250	12	5.6	02.1-09.1	427	94.4	90.9-97.9
Some Post-H.S.	626	73,506	22	5.3	02.8-07.8	604	94.7	92.2-97.2
College Graduate	758	55,393	13	2.9	00.9-04.9	745	97.1	95.1-99.1
Less than \$15,000	116	13,183	10	12.0	03.0-21.0	106	88.0	79.0-97.0
\$15,000- 24,999	187	22,348	8	8.1	02.0-14.2	179	91.9	85.8-98.0
\$25,000- 34,999	180	16,835	4	2.6	00.0-06.3	176	97.4	93.7-0100
\$35,000- 49,999	258	27,461	12	7.4	02.9-11.9	246	92.6	88.1-97.1
\$50,000- 74,999	356	32,018	3	0.7	00.0-01.5	353	99.3	98.5-0100
\$75,000+	561	48,363	7	2.5	00.3-04.7	554	97.5	95.3-99.7

End of Core Data Report