

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 1: Occupation**

Table 1: On the average, how many hours per week, if any, do you work at a job or business?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
0	16.2	14.7-17.6
1-39	23.7	21.8-25.6
40	28.4	26.6-30.3
41-50	19.9	18.2-21.5
51+	11.8	10.5-13.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 1: Occupation**

**Table 2: Which of the following most accurately describes the type of work or business you currently work in most often?
Denominator: Percentage among respondents with jobs.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
State government employee	8.5	7.3-9.7
Other government employee	8.4	7.1-9.7
Farmer or rancher	7.9	6.6-9.2
Other farm or ranch worker	1.3	0.7-1.9
Manufacturing	8.8	7.4-10.2
Health care	12.7	11.3-14.1
Food or drink server	4.2	3.0-5.3
Wholesale or retail sales	11.8	10.2-13.4
Financial sales	4.0	3.2-4.9
Other	32.4	30.3-34.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005**

State Added 1: Occupation

Table 3: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to physical or mental illness?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
0	55.5	53.2-57.8
1-3	26.4	24.4-28.5
4-10	9.9	8.6-11.3
11+	8.1	6.8-9.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

**Table 1: Has a doctor or other health official ever told you that [randomly selected child] has asthma?
Denominator: Percentage among all respondents with children.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	9.7	7.8-11.6
No	90.2	88.4-92.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

Table 2: Does the [randomly selected child] still have asthma?

Denominator: Percentage among all respondents with children ever told had asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	62.3	51.6-73.0
No	37.7	27.0-48.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

Table 3: During the past 12 months, did the [randomly selected child] take Prednisone or any other steroid such as a pill, capsule, or injection to control his or her asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	47.9	35.4-60.4
No	52.1	39.6-64.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005**

State Added 2: Childhood Asthma

Table 4: Does the [randomly selected child] currently take the preventative kind of asthma medication used everyday to protect his or her lungs and keep him or her from having an attack? Include both pills and inhalers. This is different from inhalers used for quick relief.

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	40.4	28.1-52.6
No	59.6	47.4-71.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

Table 5: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness, and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did the [randomly selected child] have any symptoms of asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Two days a week or less	47.3	34.5-60.1
Three to six days a week	8.5	2.2-14.8
Daily but not all the time	2.0	0.0-5.0
Continually	1.5	0.0-4.3
None	40.7	27.8-53.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

Table 6: During the past 30 days, how many days did symptoms of asthma make it difficult for {randomly selected child] to stay asleep?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Two nights a month or less	18.6	9.0-28.1
Three or four nights a month	11.8	3.2-20.4
More than one night per week	6.8	1.0-12.5
Every night or almost every night	0	0
None	62.8	50.7-75.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005**

State Added 2: Childhood Asthma

Table 7: During the past 30 days, how many days of daycare, preschool, school, or work did [randomly selected child] miss because of his or her asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	82.6	73.1-92.1
1-3	11.4	3.4-19.3
4+	6.0	0.0-12.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005

State Added 2: Childhood Asthma

Table 8: During the past 30 days, how many days was [randomly selected child] unable to do his or her usual activities because of asthma symptoms?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	72.9	61.8-84.1
1-3	18.3	8.5-28.2
4+	8.8	1.8-15.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

**Table 9: Is there a bird, cat, dog or some other pet with fur that spends all or some of its time in the house?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	55.8	43.2-68.4
No	44.2	31.6-56.8

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

**Table 10: Does anyone, including household members or guests, smoke inside the home?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	12.2	3.9-20.6
No	87.8	79.4-96.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

Table 11: What type of home heating do you use?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Burn coal	1.0	0.0-2.9
Burn wood	1.0	0.0-2.9
Burn natural gas or bottled gas	66.2	54.7-77.8
Burn oil	7.0	1.0-13.1
Electricity	20.4	10.3-30.4
Other	4.4	0.0-8.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 2: Childhood Asthma**

**Table 12: During the cold months, about how often do you light a fire in a fireplace to burn wood or other solid fuel? Do not include
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Less than once per month	2.7	0.0-5.8
More than once per month but not every week	0.9	0.0-2.8
More than once per week but not every day	2.9	0.0-6.4
Daily	0.9	0.0-2.8
Never/No fireplace	92.6	87.2-97.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 3: Lead**

**Table 1: Does the [randomly selected child] live in a house built before 1970?
Denominator: Percentage among respondents with at least one child in the home under the age of 6.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	39.5	33.6-45.5
No	60.5	54.5-66.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 3: Lead**

**Table 2: Has the [randomly selected child] ever been tested for lead poisoning?
Denominator: Percentage among respondents with at least one child in the home under the age of 6.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	8.0	4.4-11.6
No	92.0	88.4-95.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 3: Lead**

**Table 3: Did the results indicate that the [randomly selected child] had lead poisoning or high lead?
Denominator: Percentage among respondents with child tested for lead poisoning.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	0	
No	100	

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 4: Oral Tobacco**

Table 1: Have you ever used or tried any smokeless tobacco products such as chewing tobacco or snuff?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	19.6	17.9-21.3
No	80.4	78.7-82.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 4: Oral Tobacco**

**Table 2: Do you currently use chewing tobacco or snuff every day, some days, or not at all?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Everyday	13.5	10.5-16.6
Some days	10.7	7.0-14.3
Not at all	75.8	71.4-80.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 5: Mental Health**

Table 1: During the past 12 months, was there any time when you needed treatment for a drug or alcohol problem but didn't get it because you couldn't afford it?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	0.4	0.2-0.7
No	99.6	99.7-99.8

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 5: Mental Health**

Table 2: During the past 12 months, was there any time when you needed mental health care or counseling but didn't get it because you couldn't afford it?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	1.6	1.1-2.2
No	98.4	97.8-98.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 5: Mental Health**

**Table 3: In the past 12 months, have you ever seriously considered attempting suicide?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	1.4	0.9-1.8
No	98.6	98.2-99.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 6: Indian Health**

Table 1: Do you live on a reservation or Indian Service Area?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes, reservation	3.2	2.4-4.1
Yes, Indian service area	1.8	1.3-2.3
No, neither	94.9	93.9-95.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 6: Indian Health**

Table 2: Are you currently an enrolled tribal member?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	3.6	2.7-4.5
No	96.4	95.5-97.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 6: Indian Health**

Table 3: Of which tribe are you a member?

Denominator: Percentage among respondents who are enrolled tribal members.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Mandan	0	0
Arikara	2.9	0.0-6.4
Hidatsa	1.5	0.0-3.5
Three Affiliated Tribes	13.0	5.4-20.7
Sioux	7.9	2.4-13.3
Spirit Lake Sioux	0	0
Standing Rock Sioux	0	0
Other Sioux	0	0
Chippewa	40.2	26.8-53.7
Other	34.6	21.8-47.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2005
 State Added 6: Indian Health**

**Table 4: How much of your health care do you get from an Indian Health Service (IHS) clinic?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
All	1.4	0.9-1.9
Most	1.0	0.5-1.5
Some	0.9	0.5-1.3
Little	0.6	0.4-0.9
None	96.1	95.2-96.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 1: During the summer, do you try to protect yourself from mosquito bites by avoiding outdoor areas where you know there are mosquitoes?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Always	12.1	10.9-13.2
Almost always	21.1	19.6-22.6
Sometimes	32.8	30.9-34.6
Rarely	13.5	12.1-14.9
Never	20.5	19.0-22.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 2: During the summer, do you try to protect yourself from mosquito bites by avoiding outdoor activities?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Always	4.9	4.2-5.6
Almost always	7.8	6.9-8.7
Sometimes	29.3	27.6-31.0
Rarely	19.1	17.6-20.7
Never	38.9	37.0-40.8

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 3: During the summer, do you try to protect yourself from mosquito bites by wearing long sleeved shirts and long pants?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Always	19.3	17.8-20.7
Almost always	16.5	17.1-17.9
Sometimes	37.0	35.1-38.9
Rarely	11.2	10.0-12.4
Never	16.0	14.6-17.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 4: During the summer, do you try to protect yourself from mosquito bites by using insect repellent with DEET on your skin or clothes?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Always	24.4	22.8-26.1
Almost always	22.2	20.7-23.8
Sometimes	34.4	32.5-36.2
Rarely	7.0	6.1-8.0
Never	11.9	10.8-13.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 5: During the summer, do you try to keep mosquitoes away from your home by removing standing water from your home?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	59.4	57.5-61.3
No	27.2	25.4-29.0
Do not have standing water around my house	13.4	12.2-14.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 6: During the summer, do you try to keep mosquitoes away from your home by making sure there are no holes in your screens?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	81.1	79.5-82.7
No	17.8	16.3-19.4
Do not have screens	1.1	0.7-1.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 7: During the summer, do you try to keep mosquitoes away from your home by checking and cleaning your rain gutters?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	59.2	57.3-61.1
No	32.2	30.4-34.0
Do not have rain gutters	8.6	7.5-9.8

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 7: West Nile**

Table 8: How worried are you about getting West Nile virus?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Very worried	4.9	4.0-5.8
A little worried	43.1	41.2-45.0
Not worried at all	51.0	49.1-52.9
Never heard of West Nile virus	1.0	0.6-1.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2005
State Added 8: Sexual Orientation**

**Table 1: Do you consider yourself to be heterosexual, homosexual, bisexual or other?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Heterosexual	97.6	96.9-98.2
Homosexual	0.7	0.3-1.0
Bisexual	0.4	0.2-0.6
Other	1.4	0.9-1.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.