

# NORTH DAKOTA

## 2006 Calculated Variables Report

### Behavioral Risk Factor Surveillance System

February 28, 2007



**SECTION 1: HEALTH STATUS CONTENTS**

**\* NOTE \*** \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 1: HEALTH STATUS**

**TABLE 1: CALCULATED VARIABLE FOR HEALTH STATUS (\_RFHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	493,340	4084	88.5	87.3-89.7	687	11.5	10.3-12.7
Male	1925	244,147	1630	88.3	86.5-90.1	295	11.7	09.9-13.5
Female	2846	249,193	2454	88.7	87.3-90.1	392	11.3	09.9-12.7
Non-Native	4609	472,336	3968	89.1	88.1-90.1	641	10.9	09.9-11.9
18-24	202	77,844	193	94.1	89.8-98.4	9	5.9	01.6-10.2
25-34	519	75,972	487	95.0	93.0-97.0	32	5.0	03.0-07.0
35-44	749	81,622	693	92.1	89.7-94.5	56	7.9	05.5-10.3
45-54	1063	95,903	948	90.7	88.7-92.7	115	9.3	07.3-11.3
55-64	820	64,780	692	85.7	82.8-88.6	128	14.3	11.4-17.2
65+	1364	93,867	1022	75.0	72.3-77.7	342	25.0	22.3-27.7
Less Than H.S.	428	37,755	274	67.6	61.5-73.7	154	32.4	26.3-38.5
H.S. or G.E.D.	1433	142,051	1176	83.9	81.2-86.6	257	16.1	13.4-18.8
Some Post-H.S.	1485	159,853	1314	91.4	89.8-93.0	171	8.6	07.0-10.2
College Graduate	1417	153,055	1314	94.9	93.7-96.1	103	5.1	03.9-06.3
Less than \$15,000	394	34,386	242	68.4	61.9-74.9	152	31.6	25.1-38.1
\$15,000- 24,999	719	64,478	517	73.8	68.7-78.9	202	26.2	21.1-31.3
\$25,000- 34,999	614	61,968	532	88.3	85.4-91.2	82	11.7	08.8-14.6
\$35,000- 49,999	836	86,327	767	92.3	90.3-94.3	69	7.7	05.7-09.7
\$50,000- 74,999	783	88,950	733	94.8	93.0-96.6	50	5.2	03.4-07.0
\$75,000+	734	90,458	702	96.9	95.7-98.1	32	3.1	01.9-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 1: HEALTH STATUS**

**TABLE 2: CALCULATED VARIABLE FOR HEALTH STATUS (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	244,147	1630	88.3	86.5-90.1	295	11.7	09.9-13.5
Non-Native	1867	236,115	1595	89.3	87.7-90.9	272	10.7	09.1-12.3
18-24	88	41,066	85	94.4	87.3-0100	3	5.6	00.0-12.7
25-34	216	39,660	204	95.2	92.3-98.1	12	4.8	01.9-07.7
35-44	326	41,351	297	91.6	88.3-94.9	29	8.4	05.1-11.7
45-54	463	48,013	409	89.2	85.9-92.5	54	10.8	07.5-14.1
55-64	345	33,958	289	85.8	81.5-90.1	56	14.2	09.9-18.5
65+	475	39,328	336	72.5	67.8-77.2	139	27.5	22.8-32.2
Less Than H.S.	199	21,695	124	68.6	60.2-77.0	75	31.4	23.0-39.8
H.S. or G.E.D.	588	73,012	470	82.0	77.3-86.7	118	18.0	13.3-22.7
Some Post-H.S.	546	70,789	485	92.3	89.9-94.7	61	7.7	05.3-10.1
College Graduate	587	78,232	546	95.9	94.3-97.5	41	4.1	02.5-05.7
\$15,000- 24,999	270	29,578	178	68.9	59.9-77.9	92	31.1	22.1-40.1
\$25,000- 34,999	247	31,359	207	86.6	81.7-91.5	40	13.4	08.5-18.3
\$35,000- 49,999	375	44,327	332	89.5	86.0-93.0	43	10.5	07.0-14.0
\$50,000- 74,999	375	49,767	345	93.8	91.3-96.3	30	6.2	03.7-08.7
\$75,000+	359	50,566	344	97.9	96.5-99.3	15	2.1	00.7-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 1: HEALTH STATUS**

**TABLE 3: CALCULATED VARIABLE FOR HEALTH STATUS (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	249,193	2454	88.7	87.3-90.1	392	11.3	09.9-12.7
Native	76	10,218	60	86.2	77.8-94.6	16	13.8	05.4-22.2
Non-Native	2742	236,221	2373	88.9	87.5-90.3	369	11.1	09.7-12.5
18-24	114	36,778	108	93.8	88.7-98.9	6	6.2	01.1-11.3
25-34	303	36,312	283	94.8	92.4-97.2	20	5.2	02.8-07.6
35-44	423	40,271	396	92.6	89.3-95.9	27	7.4	04.1-10.7
45-54	600	47,890	539	92.2	89.8-94.6	61	7.8	05.4-10.2
55-64	475	30,822	403	85.6	81.9-89.3	72	14.4	10.7-18.1
65+	889	54,540	686	76.8	73.5-80.1	203	23.2	19.9-26.5
Less Than H.S.	229	16,061	150	66.4	57.8-75.0	79	33.6	25.0-42.2
H.S. or G.E.D.	845	69,039	706	85.9	83.0-88.8	139	14.1	11.2-17.0
Some Post-H.S.	939	89,064	829	90.7	88.7-92.7	110	9.3	07.3-11.3
College Graduate	830	74,823	768	93.9	91.9-95.9	62	6.1	04.1-08.1
Less than \$15,000	284	21,695	175	67.8	60.4-75.2	109	32.2	24.8-39.6
\$15,000- 24,999	449	34,900	339	78.0	72.9-83.1	110	22.0	16.9-27.1
\$25,000- 34,999	367	30,609	325	89.9	86.6-93.2	42	10.1	06.8-13.4
\$35,000- 49,999	461	42,000	435	95.3	93.3-97.3	26	4.7	02.7-06.7
\$50,000- 74,999	408	39,182	388	96.0	93.6-98.4	20	4.0	01.6-06.4
\$75,000+	375	39,892	358	95.7	93.5-97.9	17	4.3	02.1-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4773	493,426	3563	78.0	76.4-79.6	1210	22.0	20.4-23.6	
Male	1926	244,098	1434	78.0	75.6-80.4	492	22.0	19.6-24.4	
Female	2847	249,328	2129	78.1	76.1-80.1	718	21.9	19.9-23.9	
Non-Native	4608	472,300	3462	78.8	77.2-80.4	1146	21.2	19.6-22.8	
18-24	202	77,844	175	86.1	80.4-91.8	27	13.9	08.2-19.6	
25-34	518	75,863	440	84.1	80.4-87.8	78	15.9	12.2-19.6	
35-44	749	81,622	600	81.0	77.9-84.1	149	19.0	15.9-22.1	
45-54	1064	95,951	812	77.7	74.8-80.6	252	22.3	19.4-25.2	
55-64	818	64,507	592	73.4	69.7-77.1	226	26.6	22.9-30.3	
65+	1368	94,289	904	67.4	64.5-70.3	464	32.6	29.7-35.5	
Less Than H.S.	431	37,912	232	56.2	49.3-63.1	199	43.8	36.9-50.7	
H.S. or G.E.D.	1434	142,128	984	71.8	68.5-75.1	450	28.2	24.9-31.5	
Some Post-H.S.	1484	159,747	1135	80.5	78.0-83.0	349	19.5	17.0-22.0	
College Graduate	1416	153,014	1209	86.8	84.6-89.0	207	13.2	11.0-15.4	
Less than \$15,000	394	34,282	218	65.2	58.7-71.7	176	34.8	28.3-41.3	
\$15,000- 24,999	722	64,604	478	68.6	63.3-73.9	244	31.4	26.1-36.7	
\$25,000- 34,999	614	61,968	441	74.0	69.3-78.7	173	26.0	21.3-30.7	
\$35,000- 49,999	835	86,190	650	79.1	75.8-82.4	185	20.9	17.6-24.2	
\$50,000- 74,999	782	88,813	637	82.4	79.3-85.5	145	17.6	14.5-20.7	
\$75,000+	733	90,388	638	88.7	86.2-91.2	95	11.3	08.8-13.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 4: EXERCISE**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1926	244,098	1434	78.0	75.6-80.4	492	22.0	19.6-24.4
Non-Native	1867	236,062	1402	79.0	76.6-81.4	465	21.0	18.6-23.4
18-24	88	41,066	75	85.4	76.6-94.2	13	14.6	05.8-23.4
25-34	216	39,660	174	81.0	75.1-86.9	42	19.0	13.1-24.9
35-44	326	41,351	259	81.5	76.8-86.2	67	18.5	13.8-23.2
45-54	463	48,013	341	75.1	70.6-79.6	122	24.9	20.4-29.4
55-64	343	33,684	246	74.0	68.7-79.3	97	26.0	20.7-31.3
65+	478	39,553	331	70.6	65.7-75.5	147	29.4	24.5-34.3
Less Than H.S.	201	21,847	108	59.2	49.8-68.6	93	40.8	31.4-50.2
H.S. or G.E.D.	588	72,948	406	70.6	65.3-75.9	182	29.4	24.1-34.7
Some Post-H.S.	545	70,652	419	82.8	79.3-86.3	126	17.2	13.7-20.7
College Graduate	587	78,232	500	86.0	82.7-89.3	87	14.0	10.7-17.3
\$15,000- 24,999	272	29,657	181	67.1	57.9-76.3	91	32.9	23.7-42.1
\$25,000- 34,999	247	31,359	175	73.3	65.9-80.7	72	26.7	19.3-34.1
\$35,000- 49,999	374	44,190	288	80.0	74.9-85.1	86	20.0	14.9-25.1
\$50,000- 74,999	374	49,631	284	77.7	72.8-82.6	90	22.3	17.4-27.2
\$75,000+	359	50,566	307	87.8	84.1-91.5	52	12.2	08.5-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 4: EXERCISE**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2847	249,328	2129	78.1	76.1-80.1	718	21.9	19.9-23.9	
Non-Native	2741	236,238	2060	78.7	76.7-80.7	681	21.3	19.3-23.3	
18-24	114	36,778	100	86.8	79.7-93.9	14	13.2	06.1-20.3	
25-34	302	36,203	266	87.6	83.5-91.7	36	12.4	08.3-16.5	
35-44	423	40,271	341	80.4	75.9-84.9	82	19.6	15.1-24.1	
45-54	601	47,938	471	80.2	76.7-83.7	130	19.8	16.3-23.3	
55-64	475	30,822	346	72.7	67.8-77.6	129	27.3	22.4-32.2	
65+	890	54,736	573	65.2	61.5-68.9	317	34.8	31.1-38.5	
Less Than H.S.	230	16,066	124	52.1	42.7-61.5	106	47.9	38.5-57.3	
H.S. or G.E.D.	846	69,180	578	73.0	69.3-76.7	268	27.0	23.3-30.7	
Some Post-H.S.	939	89,095	716	78.6	75.3-81.9	223	21.4	18.1-24.7	
College Graduate	829	74,782	709	87.6	85.1-90.1	120	12.4	09.9-14.9	
Less than \$15,000	284	21,591	156	63.9	56.3-71.5	128	36.1	28.5-43.7	
\$15,000- 24,999	450	34,948	297	69.8	63.7-75.9	153	30.2	24.1-36.3	
\$25,000- 34,999	367	30,609	266	74.6	68.7-80.5	101	25.4	19.5-31.3	
\$35,000- 49,999	461	42,000	362	78.2	73.7-82.7	99	21.8	17.3-26.3	
\$50,000- 74,999	408	39,182	353	88.4	85.1-91.7	55	11.6	08.3-14.9	
\$75,000+	374	39,822	331	89.8	86.5-93.1	43	10.2	06.9-13.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006**

**SECTION 6: ORAL HEALTH CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 1: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4706	488,397	2132	55.6	53.6-57.6	2574	44.4	42.4-46.4
Male	1903	242,210	896	57.8	54.9-60.7	1007	42.2	39.3-45.1
Female	2803	246,188	1236	53.3	50.9-55.7	1567	46.7	44.3-49.1
Non-Native	4549	467,711	2077	56.1	54.1-58.1	2472	43.9	41.9-45.9
18-24	202	77,844	176	89.9	85.8-94.0	26	10.1	06.0-14.2
25-34	517	75,718	399	76.4	72.1-80.7	118	23.6	19.3-27.9
35-44	745	81,368	500	67.2	63.3-71.1	245	32.8	28.9-36.7
45-54	1056	95,284	535	51.7	48.2-55.2	521	48.3	44.8-51.8
55-64	808	63,651	271	34.0	30.1-37.9	537	66.0	62.1-69.9
65+	1327	91,342	228	18.0	15.6-20.4	1099	82.0	79.6-84.4
Less Than H.S.	415	36,819	69	29.1	21.5-36.7	346	70.9	63.3-78.5
H.S. or G.E.D.	1405	140,060	461	44.4	40.5-48.3	944	55.6	51.7-59.5
Some Post-H.S.	1467	158,492	722	59.3	56.0-62.6	745	40.7	37.4-44.0
College Graduate	1411	152,401	878	68.4	65.5-71.3	533	31.6	28.7-34.5
Less than \$15,000	384	33,695	110	45.2	37.4-53.0	274	54.8	47.0-62.6
\$15,000- 24,999	712	63,999	198	39.6	33.5-45.7	514	60.4	54.3-66.5
\$25,000- 34,999	610	61,681	261	52.4	46.7-58.1	349	47.6	41.9-53.3
\$35,000- 49,999	824	85,189	412	58.0	53.7-62.3	412	42.0	37.7-46.3
\$50,000- 74,999	781	88,734	431	61.2	57.3-65.1	350	38.8	34.9-42.7
\$75,000+	729	90,021	468	67.5	63.6-71.4	261	32.5	28.6-36.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 2: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1903	242,210	896	57.8	54.9-60.7	1007	42.2	39.3-45.1
Non-Native	1847	234,263	876	58.0	55.1-60.9	971	42.0	39.1-44.9
18-24	88	41,066	76	91.3	85.8-96.8	12	8.7	03.2-14.2
25-34	216	39,660	175	79.0	72.7-85.3	41	21.0	14.7-27.3
35-44	324	41,228	221	67.7	62.0-73.4	103	32.3	26.6-38.0
45-54	458	47,619	226	51.5	46.2-56.8	232	48.5	43.2-53.8
55-64	341	33,514	114	34.5	28.6-40.4	227	65.5	59.6-71.4
65+	464	38,353	80	17.9	13.8-22.0	384	82.1	78.0-86.2
H.S. or G.E.D.	582	72,599	219	49.9	44.2-55.6	363	50.1	44.4-55.8
Some Post-H.S.	539	70,011	279	62.6	57.5-67.7	260	37.4	32.3-42.5
College Graduate	583	77,732	363	68.9	64.6-73.2	220	31.1	26.8-35.4
\$15,000- 24,999	266	29,339	82	41.1	31.3-50.9	184	58.9	49.1-68.7
\$25,000- 34,999	246	31,245	111	56.6	48.2-65.0	135	43.4	35.0-51.8
\$35,000- 49,999	370	43,932	179	59.8	53.3-66.3	191	40.2	33.7-46.7
\$50,000- 74,999	374	49,638	198	59.4	53.7-65.1	176	40.6	34.9-46.3
\$75,000+	357	50,293	219	66.2	60.5-71.9	138	33.8	28.1-39.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 3: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2803	246,188	1236	53.3	50.9-55.7	1567	46.7	44.3-49.1
Non-Native	2702	233,449	1201	54.1	51.7-56.5	1501	45.9	43.5-48.3
18-24	114	36,778	100	88.4	82.1-94.7	14	11.6	05.3-17.9
25-34	301	36,058	224	73.5	67.8-79.2	77	26.5	20.8-32.2
35-44	421	40,140	279	66.7	61.4-72.0	142	33.3	28.0-38.6
45-54	598	47,665	309	51.8	47.1-56.5	289	48.2	43.5-52.9
55-64	467	30,138	157	33.4	28.5-38.3	310	66.6	61.7-71.5
65+	863	52,990	148	18.0	15.1-20.9	715	82.0	79.1-84.9
H.S. or G.E.D.	823	67,461	242	38.6	33.7-43.5	581	61.4	56.5-66.3
Some Post-H.S.	928	88,482	443	56.7	52.6-60.8	485	43.3	39.2-47.4
College Graduate	828	74,669	515	67.9	64.2-71.6	313	32.1	28.4-35.8
Less than \$15,000	277	21,261	81	45.4	36.4-54.4	196	54.6	45.6-63.6
\$15,000- 24,999	446	34,659	116	38.3	30.7-45.9	330	61.7	54.1-69.3
\$25,000- 34,999	364	30,435	150	48.0	40.9-55.1	214	52.0	44.9-59.1
\$35,000- 49,999	454	41,257	233	56.1	50.6-61.6	221	43.9	38.4-49.4
\$50,000- 74,999	407	39,096	233	63.7	58.4-69.0	174	36.3	31.0-41.6
\$75,000+	372	39,728	249	69.1	63.8-74.4	123	30.9	25.6-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006**

**SECTION 6: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1327	91,342	1025	77.1	74.4-79.8	302	22.9	20.2-25.6
Male	464	38,353	373	78.8	74.3-83.3	91	21.2	16.7-25.7
Female	863	52,990	652	75.9	72.6-79.2	211	24.1	20.8-27.4
Non-Native	1284	88,201	996	77.6	74.9-80.3	288	22.4	19.7-25.1
65+	1327	91,342	1025	77.1	74.4-79.8	302	22.9	20.2-25.6
Less Than H.S.	285	18,288	184	65.2	58.1-72.3	101	34.8	27.7-41.9
H.S. or G.E.D.	497	34,772	377	74.1	69.4-78.8	120	25.9	21.2-30.6
Some Post-H.S.	317	21,667	257	83.0	78.3-87.7	60	17.0	12.3-21.7
College Graduate	226	16,398	205	88.8	83.9-93.7	21	11.2	06.3-16.1
Less than \$15,000	192	10,862	126	62.2	53.6-70.8	66	37.8	29.2-46.4
\$15,000- 24,999	337	22,206	245	71.9	66.0-77.8	92	28.1	22.2-34.0
\$25,000- 34,999	196	13,930	152	78.9	72.2-85.6	44	21.1	14.4-27.8
\$35,000- 49,999	163	12,041	145	87.6	81.1-94.1	18	12.4	05.9-18.9
\$50,000- 74,999	81	6,955	74	88.3	78.9-97.7	7	11.7	02.3-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	464	38,353	373	78.8	74.3-83.3	91	21.2	16.7-25.7
Non-Native	448	37,206	363	79.4	74.9-83.9	85	20.6	16.1-25.1
65+	464	38,353	373	78.8	74.3-83.3	91	21.2	16.7-25.7
Less Than H.S.	125	10,243	82	66.0	56.0-76.0	43	34.0	24.0-44.0
H.S. or G.E.D.	156	12,885	124	73.6	65.0-82.2	32	26.4	17.8-35.0
Some Post-H.S.	85	6,536	75	90.2	83.1-97.3	10	9.8	02.7-16.9
College Graduate	97	8,542	91	93.0	86.9-99.1	6	7.0	00.9-13.1
\$15,000- 24,999	115	9,596	89	73.2	63.2-83.2	26	26.8	16.8-36.8
\$35,000- 49,999	75	5,810	67	90.0	81.8-98.2	8	10.0	01.8-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	863	52,990	652	75.9	72.6-79.2	211	24.1	20.8-27.4
Non-Native	836	50,994	633	76.3	72.8-79.8	203	23.7	20.2-27.2
65+	863	52,990	652	75.9	72.6-79.2	211	24.1	20.8-27.4
Less Than H.S.	160	8,045	102	64.2	54.8-73.6	58	35.8	26.4-45.2
H.S. or G.E.D.	341	21,888	253	74.3	68.8-79.8	88	25.7	20.2-31.2
Some Post-H.S.	232	15,131	182	80.0	73.9-86.1	50	20.0	13.9-26.1
College Graduate	129	7,856	114	84.3	76.5-92.1	15	15.7	07.9-23.5
Less than \$15,000	149	8,191	101	62.6	53.0-72.2	48	37.4	27.8-47.0
\$15,000- 24,999	222	12,610	156	70.9	63.6-78.2	66	29.1	21.8-36.4
\$25,000- 34,999	130	8,201	100	81.1	73.7-88.5	30	18.9	11.5-26.3
\$35,000- 49,999	88	6,231	78	85.3	75.7-94.9	10	14.7	05.1-24.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	493,128	3330	72.2	70.4-74.0	1433	27.8	26.0-29.6
Male	1925	244,154	1267	69.0	66.3-71.7	658	31.0	28.3-33.7
Female	2838	248,974	2063	75.3	73.3-77.3	775	24.7	22.7-26.7
Non-Native	4598	472,002	3240	72.6	70.8-74.4	1358	27.4	25.6-29.2
18-24	202	77,844	149	77.1	70.6-83.6	53	22.9	16.4-29.4
25-34	519	75,972	367	70.9	66.4-75.4	152	29.1	24.6-33.6
35-44	749	81,622	535	72.7	69.0-76.4	214	27.3	23.6-31.0
45-54	1063	95,886	807	76.8	73.9-79.7	256	23.2	20.3-26.1
55-64	818	64,600	594	73.8	70.3-77.3	224	26.2	22.7-29.7
65+	1358	93,854	838	62.8	59.7-65.9	520	37.2	34.1-40.3
Less Than H.S.	429	37,774	202	52.7	45.8-59.6	227	47.3	40.4-54.2
H.S. or G.E.D.	1430	142,100	922	66.1	62.8-69.4	508	33.9	30.6-37.2
Some Post-H.S.	1479	159,677	1078	75.2	72.3-78.1	401	24.8	21.9-27.7
College Graduate	1418	153,043	1126	79.7	77.0-82.4	292	20.3	17.6-23.0
Less than \$15,000	391	34,255	174	50.9	43.5-58.3	217	49.1	41.7-56.5
\$15,000- 24,999	717	64,308	397	58.4	52.9-63.9	320	41.6	36.1-47.1
\$25,000- 34,999	613	61,949	403	66.5	61.0-72.0	210	33.5	28.0-39.0
\$35,000- 49,999	835	86,236	613	73.3	69.4-77.2	222	26.7	22.8-30.6
\$50,000- 74,999	783	88,950	629	79.5	76.0-83.0	154	20.5	17.0-24.0
\$75,000+	734	90,458	633	86.4	83.5-89.3	101	13.6	10.7-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	244,154	1267	69.0	66.3-71.7	658	31.0	28.3-33.7
Non-Native	1866	236,118	1243	69.6	66.9-72.3	623	30.4	27.7-33.1
18-24	88	41,066	62	75.3	65.5-85.1	26	24.7	14.9-34.5
25-34	216	39,660	139	66.8	59.7-73.9	77	33.2	26.1-40.3
35-44	326	41,351	211	67.4	61.7-73.1	115	32.6	26.9-38.3
45-54	462	47,948	329	73.2	68.5-77.9	133	26.8	22.1-31.5
55-64	345	33,958	243	71.5	66.0-77.0	102	28.5	23.0-34.0
65+	476	39,400	277	59.5	54.2-64.8	199	40.5	35.2-45.8
Less Than H.S.	200	21,700	91	50.8	41.0-60.6	109	49.2	39.4-59.0
H.S. or G.E.D.	588	73,020	350	61.5	56.2-66.8	238	38.5	33.2-43.8
Some Post-H.S.	545	70,783	373	73.3	68.8-77.8	172	26.7	22.2-31.2
College Graduate	587	78,232	452	77.6	73.1-82.1	135	22.4	17.9-26.9
\$15,000- 24,999	271	29,510	128	51.2	42.2-60.2	143	48.8	39.8-57.8
\$25,000- 34,999	247	31,359	140	57.7	48.9-66.5	107	42.3	33.5-51.1
\$35,000- 49,999	375	44,327	252	70.6	64.5-76.7	123	29.4	23.3-35.5
\$50,000- 74,999	375	49,767	289	75.8	70.5-81.1	86	24.2	18.9-29.5
\$75,000+	359	50,566	296	83.8	79.3-88.3	63	16.2	11.7-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST1)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2838	248,974	2063	75.3	73.3-77.3	775	24.7	22.7-26.7
Non-Native	2732	235,884	1997	75.5	73.3-77.7	735	24.5	22.3-26.7
18-24	114	36,778	87	79.0	70.8-87.2	27	21.0	12.8-29.2
25-34	303	36,312	228	75.5	70.0-81.0	75	24.5	19.0-30.0
35-44	423	40,271	324	78.0	73.5-82.5	99	22.0	17.5-26.5
45-54	601	47,938	478	80.4	76.7-84.1	123	19.6	15.9-23.3
55-64	473	30,642	351	76.4	72.1-80.7	122	23.6	19.3-27.9
65+	882	54,454	561	65.2	61.5-68.9	321	34.8	31.1-38.5
Less Than H.S.	229	16,074	111	55.3	46.1-64.5	118	44.7	35.5-53.9
H.S. or G.E.D.	842	69,080	572	70.9	66.8-75.0	270	29.1	25.0-33.2
Some Post-H.S.	934	88,894	705	76.8	73.1-80.5	229	23.2	19.5-26.9
College Graduate	831	74,811	674	81.8	78.7-84.9	157	18.2	15.1-21.3
Less than \$15,000	282	21,570	132	52.0	43.4-60.6	150	48.0	39.4-56.6
\$15,000- 24,999	446	34,798	269	64.5	57.8-71.2	177	35.5	28.8-42.2
\$25,000- 34,999	366	30,590	263	75.6	70.1-81.1	103	24.4	18.9-29.9
\$35,000- 49,999	460	41,910	361	76.1	71.2-81.0	99	23.9	19.0-28.8
\$50,000- 74,999	408	39,182	340	84.3	80.2-88.4	68	15.7	11.6-19.8
\$75,000+	375	39,892	337	89.6	85.9-93.3	38	10.4	06.7-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 8: ASTHMA CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	492,989	4303	89.7	88.3-91.1	468	10.3	08.9-11.7
Male	1925	243,835	1760	90.7	88.5-92.9	165	9.3	07.1-11.5
Female	2846	249,154	2543	88.7	86.9-90.5	303	11.3	09.5-13.1
Non-Native	4608	472,138	4163	90.2	88.8-91.6	445	9.8	08.4-11.2
18-24	202	77,844	171	82.9	76.2-89.6	31	17.1	10.4-23.8
25-34	518	75,650	452	88.4	85.3-91.5	66	11.6	08.5-14.7
35-44	748	81,507	675	90.3	87.9-92.7	73	9.7	07.3-12.1
45-54	1064	95,951	972	92.9	91.1-94.7	92	7.1	05.3-08.9
55-64	818	64,440	742	91.7	89.5-93.9	76	8.3	06.1-10.5
65+	1367	94,247	1242	91.5	89.7-93.3	125	8.5	06.7-10.3
Less Than H.S.	430	37,590	365	85.0	80.1-89.9	65	15.0	10.1-19.9
H.S. or G.E.D.	1433	142,144	1304	89.5	86.8-92.2	129	10.5	07.8-13.2
Some Post-H.S.	1483	159,802	1343	90.3	87.9-92.7	140	9.7	07.3-12.1
College Graduate	1417	152,827	1283	90.4	88.0-92.8	134	9.6	07.2-12.0
Less than \$15,000	393	33,989	345	88.6	83.9-93.3	48	11.4	06.7-16.1
\$15,000- 24,999	718	64,188	633	86.0	80.9-91.1	85	14.0	08.9-19.1
\$25,000- 34,999	614	61,968	551	86.7	81.6-91.8	63	13.3	08.2-18.4
\$35,000- 49,999	836	86,327	754	91.7	89.3-94.1	82	8.3	05.9-10.7
\$50,000- 74,999	783	88,950	719	91.6	89.2-94.0	64	8.4	06.0-10.8
\$75,000+	734	90,458	679	91.1	88.0-94.2	55	8.9	05.8-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	243,835	1760	90.7	88.5-92.9	165	9.3	07.1-11.5
Non-Native	1867	236,003	1707	91.3	89.3-93.3	160	8.7	06.7-10.7
18-24	88	41,066	74	82.6	72.6-92.6	14	17.4	07.4-27.4
25-34	215	39,338	197	91.0	86.7-95.3	18	9.0	04.7-13.3
35-44	326	41,351	299	91.1	87.6-94.6	27	8.9	05.4-12.4
45-54	463	48,013	434	94.8	92.4-97.2	29	5.2	02.8-07.6
55-64	344	33,753	315	92.7	89.6-95.8	29	7.3	04.2-10.4
65+	477	39,543	430	91.9	89.0-94.8	47	8.1	05.2-11.0
Less Than H.S.	200	21,525	173	88.6	82.5-94.7	27	11.4	05.3-17.5
H.S. or G.E.D.	589	73,085	540	89.3	84.8-93.8	49	10.7	06.2-15.2
Some Post-H.S.	545	70,779	494	91.0	87.3-94.7	51	9.0	05.3-12.7
College Graduate	586	78,027	548	92.2	88.7-95.7	38	7.8	04.3-11.3
\$15,000- 24,999	270	29,441	247	90.1	81.3-98.9	23	9.9	01.1-18.7
\$25,000- 34,999	247	31,359	222	83.6	74.6-92.6	25	16.4	07.4-25.4
\$35,000- 49,999	375	44,327	334	90.8	87.3-94.3	41	9.2	05.7-12.7
\$50,000- 74,999	375	49,767	351	93.1	90.2-96.0	24	6.9	04.0-09.8
\$75,000+	359	50,566	340	94.4	91.3-97.5	19	5.6	02.5-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2846	249,154	2543	88.7	86.9-90.5	303	11.3	09.5-13.1	
Non-Native	2741	236,135	2456	89.1	87.3-90.9	285	10.9	09.1-12.7	
18-24	114	36,778	97	83.1	74.9-91.3	17	16.9	08.7-25.1	
25-34	303	36,312	255	85.5	81.2-89.8	48	14.5	10.2-18.8	
35-44	422	40,156	376	89.4	86.1-92.7	46	10.6	07.3-13.9	
45-54	601	47,938	538	91.0	88.5-93.5	63	9.0	06.5-11.5	
55-64	474	30,687	427	90.7	87.8-93.6	47	9.3	06.4-12.2	
65+	890	54,704	812	91.1	88.9-93.3	78	8.9	06.7-11.1	
Less Than H.S.	230	16,066	192	80.3	72.5-88.1	38	19.7	11.9-27.5	
H.S. or G.E.D.	844	69,059	764	89.6	86.5-92.7	80	10.4	07.3-13.5	
Some Post-H.S.	938	89,024	849	89.6	86.7-92.5	89	10.4	07.5-13.3	
College Graduate	831	74,800	735	88.6	85.7-91.5	96	11.4	08.5-14.3	
Less than \$15,000	284	21,620	250	89.4	84.9-93.9	34	10.6	06.1-15.1	
\$15,000- 24,999	448	34,746	386	82.6	76.5-88.7	62	17.4	11.3-23.5	
\$25,000- 34,999	367	30,609	329	89.8	85.9-93.7	38	10.2	06.3-14.1	
\$35,000- 49,999	461	42,000	420	92.7	90.2-95.2	41	7.3	04.8-09.8	
\$50,000- 74,999	408	39,182	368	89.6	85.9-93.3	40	10.4	06.7-14.1	
\$75,000+	375	39,892	339	86.9	81.4-92.4	36	13.1	07.6-18.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4759	491,322	4420	92.9	91.7-94.1	339	7.1	05.9-08.3
Male	1919	242,971	1817	94.5	92.7-96.3	102	5.5	03.7-07.3
Female	2840	248,351	2603	91.4	89.8-93.0	237	8.6	07.0-10.2
Non-Native	4596	470,471	4275	93.4	92.4-94.4	321	6.6	05.6-07.6
18-24	201	77,236	180	89.1	83.4-94.8	21	10.9	05.2-16.6
25-34	516	75,113	481	93.3	90.8-95.8	35	6.7	04.2-09.2
35-44	748	81,507	691	92.8	90.8-94.8	57	7.2	05.2-09.2
45-54	1059	95,733	1002	95.4	94.0-96.8	57	4.6	03.2-06.0
55-64	816	64,235	760	94.2	92.4-96.0	56	5.8	04.0-07.6
65+	1365	94,147	1257	92.7	91.1-94.3	108	7.3	05.7-08.9
Less Than H.S.	430	37,590	375	89.2	85.3-93.1	55	10.8	06.9-14.7
H.S. or G.E.D.	1428	141,764	1330	92.5	90.1-94.9	98	7.5	05.1-09.9
Some Post-H.S.	1478	158,747	1382	93.5	91.7-95.3	96	6.5	04.7-08.3
College Graduate	1415	152,595	1325	93.6	91.4-95.8	90	6.4	04.2-08.6
Less than \$15,000	393	33,989	355	91.7	88.2-95.2	38	8.3	04.8-11.8
\$15,000- 24,999	717	64,145	647	88.2	83.1-93.3	70	11.8	06.7-16.9
\$25,000- 34,999	610	61,298	562	91.4	87.3-95.5	48	8.6	04.5-12.7
\$35,000- 49,999	832	86,132	781	94.5	92.5-96.5	51	5.5	03.5-07.5
\$50,000- 74,999	783	88,950	740	94.4	92.4-96.4	43	5.6	03.6-07.6
\$75,000+	733	89,850	695	94.6	92.2-97.0	38	5.4	03.0-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	242,971	1817	94.5	92.7-96.3	102	5.5	03.7-07.3
Non-Native	1861	235,140	1762	95.1	93.7-96.5	99	4.9	03.5-06.3
18-24	88	41,066	80	90.6	82.2-99.0	8	9.4	01.0-17.8
25-34	213	38,801	206	95.6	92.3-98.9	7	4.4	01.1-07.7
35-44	326	41,351	311	95.3	92.8-97.8	15	4.7	02.2-07.2
45-54	462	47,948	452	97.5	95.9-99.1	10	2.5	00.9-04.1
55-64	342	33,548	321	94.8	92.3-97.3	21	5.2	02.7-07.7
65+	476	39,486	436	93.1	90.4-95.8	40	6.9	04.2-09.6
Less Than H.S.	200	21,525	176	91.2	86.1-96.3	24	8.8	03.7-13.9
H.S. or G.E.D.	586	72,737	555	93.4	89.5-97.3	31	6.6	02.7-10.5
Some Post-H.S.	543	70,400	516	95.9	93.9-97.9	27	4.1	02.1-06.1
College Graduate	585	77,890	565	95.2	92.1-98.3	20	4.8	01.7-07.9
Less than \$15,000	109	12,369	99	93.3	86.8-99.8	10	6.7	00.2-13.2
\$15,000- 24,999	270	29,441	250	90.7	81.9-99.5	20	9.3	00.5-18.1
\$25,000- 34,999	243	30,689	228	91.4	84.1-98.7	15	8.6	01.3-15.9
\$35,000- 49,999	374	44,190	352	94.8	91.9-97.7	22	5.2	02.3-08.1
\$50,000- 74,999	375	49,767	362	95.9	93.5-98.3	13	4.1	01.7-06.5
\$75,000+	359	50,566	349	97.3	95.5-99.1	10	2.7	00.9-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2840	248,351	2603	91.4	89.8-93.0	237	8.6	07.0-10.2
Native	77	10,266	66	88.2	80.6-95.8	11	11.8	04.2-19.4
Non-Native	2735	235,331	2513	91.7	90.1-93.3	222	8.3	06.7-09.9
18-24	113	36,170	100	87.5	80.1-94.9	13	12.5	05.1-19.9
25-34	303	36,312	275	90.8	87.1-94.5	28	9.2	05.5-12.9
35-44	422	40,156	380	90.3	87.2-93.4	42	9.7	06.6-12.8
45-54	597	47,785	550	93.3	91.1-95.5	47	6.7	04.5-08.9
55-64	474	30,687	439	93.6	91.2-96.0	35	6.4	04.0-08.8
65+	889	54,662	821	92.4	90.4-94.4	68	7.6	05.6-09.6
Less Than H.S.	230	16,066	199	86.5	80.6-92.4	31	13.5	07.6-19.4
H.S. or G.E.D.	842	69,027	775	91.5	88.8-94.2	67	8.5	05.8-11.2
Some Post-H.S.	935	88,347	866	91.7	89.0-94.4	69	8.3	05.6-11.0
College Graduate	830	74,705	760	91.9	89.2-94.6	70	8.1	05.4-10.8
Less than \$15,000	284	21,620	256	90.8	86.5-95.1	28	9.2	04.9-13.5
\$15,000- 24,999	447	34,703	397	86.1	80.4-91.8	50	13.9	08.2-19.6
\$25,000- 34,999	367	30,609	334	91.4	87.9-94.9	33	8.6	05.1-12.1
\$35,000- 49,999	458	41,942	429	94.2	91.8-96.6	29	5.8	03.4-08.2
\$50,000- 74,999	408	39,182	378	92.5	89.2-95.8	30	7.5	04.2-10.8
\$75,000+	374	39,284	346	91.2	86.7-95.7	28	8.8	04.3-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4759	491,322	339	7.1	05.9-08.3	117	2.9	02.1-03.7	4303	90.0	88.6-91.4
Male	1919	242,971	102	5.5	03.7-07.3	57	3.5	02.1-04.9	1760	91.0	88.8-93.2
Female	2840	248,351	237	8.6	07.0-10.2	60	2.4	01.6-03.2	2543	89.0	87.4-90.6
Native	109	15,961				5	5.3	00.0-11.6			
Non-Native	4596	470,471	321	6.6	05.6-07.6	112	2.9	02.1-03.7	4163	90.5	89.3-91.7
18-24	201	77,236	21	10.9	05.2-16.6	9	5.6	01.7-09.5	171	83.5	77.0-90.0
25-34	516	75,113	35	6.7	04.2-09.2	29	4.3	02.5-06.1	452	89.0	86.1-91.9
35-44	748	81,507	57	7.2	05.2-09.2	16	2.6	01.2-04.0	675	90.3	87.9-92.7
45-54	1059	95,733	57	4.6	03.2-06.0	30	2.3	01.3-03.3	972	93.1	91.3-94.9
55-64	816	64,235	56	5.8	04.0-07.6	18	2.2	01.0-03.4	742	92.0	89.8-94.2
65+	1365	94,147	108	7.3	05.7-08.9	15	1.2	00.6-01.8	1242	91.6	89.8-93.4
Less Than H.S.	430	37,590	55	10.8	06.9-14.7	10	4.1	00.8-07.4	365	85.0	80.1-89.9
H.S. or G.E.D.	1428	141,764	98	7.5	05.1-09.9	26	2.8	01.2-04.4	1304	89.7	87.0-92.4
Some Post-H.S.	1478	158,747	96	6.5	04.7-08.3	39	2.7	01.3-04.1	1343	90.9	88.7-93.1
College Graduate	1415	152,595	90	6.4	04.2-08.6	42	3.0	02.0-04.0	1283	90.6	88.2-93.0
Less than \$15,000	393	33,989	38	8.3	04.8-11.8	10	3.1	00.0-06.4	345	88.6	83.9-93.3
\$15,000- 24,999	717	64,145	70	11.8	06.7-16.9	14	2.1	00.5-03.7	633	86.1	81.0-91.2
\$25,000- 34,999	610	61,298	48	8.6	04.5-12.7	11	3.8	00.3-07.3	551	87.6	82.5-92.7
\$35,000- 49,999	832	86,132	51	5.5	03.5-07.5	27	2.6	01.4-03.8	754	91.9	89.7-94.1
\$50,000- 74,999	783	88,950	43	5.6	03.6-07.6	21	2.8	01.4-04.2	719	91.6	89.2-94.0
\$75,000+	733	89,850	38	5.4	03.0-07.8	16	2.9	01.1-04.7	679	91.7	88.8-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	242,971	102	5.5	03.7-07.3	57	3.5	02.1-04.9	1760	91.0	88.8-93.2
Non-Native	1861	235,140	99	4.9	03.5-06.3	55	3.5	02.1-04.9	1707	91.7	89.7-93.7
18-24	88	41,066	8	9.4	01.0-17.8	6	8.0	01.5-14.5	74	82.6	72.6-92.6
25-34	213	38,801	7	4.4	01.1-07.7	9	3.3	00.9-05.7	197	92.3	88.4-96.2
35-44	326	41,351	15	4.7	02.2-07.2	12	4.2	01.8-06.6	299	91.1	87.6-94.6
45-54	462	47,948	10	2.5	00.9-04.1	18	2.6	01.0-04.2	434	94.9	92.5-97.3
55-64	342	33,548	21	5.2	02.7-07.7	6	1.5	00.1-02.9	315	93.2	90.3-96.1
65+	476	39,486	40	6.9	04.2-09.6	6	1.1	00.1-02.1	430	92.1	89.2-95.0
Less Than H.S.	200	21,525	24	8.8	03.7-13.9	3	2.6	00.0-06.1	173	88.6	82.5-94.7
H.S. or G.E.D.	586	72,737	31	6.6	02.7-10.5	15	3.6	01.1-06.1	540	89.8	85.3-94.3
Some Post-H.S.	543	70,400	27	4.1	02.1-06.1	22	4.4	01.3-07.5	494	91.5	87.8-95.2
College Graduate	585	77,890	20	4.8	01.7-07.9	17	2.9	01.3-04.5	548	92.3	89.0-95.6
Less than \$15,000	109	12,369	10	6.7	00.2-13.2	4	6.0	00.0-14.4			
\$15,000- 24,999	270	29,441	20	9.3	00.5-18.1	3	0.6	00.0-01.6	247	90.1	81.3-98.9
\$25,000- 34,999	243	30,689	15	8.6	01.3-15.9	6	5.9	00.0-12.6	222	85.4	76.2-94.6
\$35,000- 49,999	374	44,190	22	5.2	02.3-08.1	18	3.7	01.5-05.9	334	91.1	87.6-94.6
\$50,000- 74,999	375	49,767	13	4.1	01.7-06.5	11	2.8	01.0-04.6	351	93.1	90.2-96.0
\$75,000+	359	50,566	10	2.7	00.9-04.5	9	2.9	00.4-05.4	340	94.4	91.3-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 8: ASTHMA**

**TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2840	248,351	237	8.6	07.0-10.2	60	2.4	01.6-03.2	2543	89.0	87.4-90.6
Native	77	10,266	11	11.8	04.2-19.4	3	4.9	00.0-13.3			
Non-Native	2735	235,331	222	8.3	06.7-09.9	57	2.3	01.5-03.1	2456	89.4	87.8-91.0
18-24	113	36,170	13	12.5	05.1-19.9	3	2.9	00.0-06.4	97	84.5	76.5-92.5
25-34	303	36,312	28	9.2	05.5-12.9	20	5.3	02.8-07.8	255	85.5	81.2-89.8
35-44	422	40,156	42	9.7	06.6-12.8	4	0.9	00.0-01.9	376	89.4	86.1-92.7
45-54	597	47,785	47	6.7	04.5-08.9	12	2.0	00.6-03.4	538	91.2	88.7-93.7
55-64	474	30,687	35	6.4	04.0-08.8	12	2.9	01.1-04.7	427	90.7	87.8-93.6
65+	889	54,662	68	7.6	05.6-09.6	9	1.2	00.2-02.2	812	91.2	89.0-93.4
Less Than H.S.	230	16,066	31	13.5	07.6-19.4	7	6.2	00.3-12.1	192	80.3	72.5-88.1
H.S. or G.E.D.	842	69,027	67	8.5	05.8-11.2	11	1.9	00.3-03.5	764	89.6	86.5-92.7
Some Post-H.S.	935	88,347	69	8.3	05.6-11.0	17	1.4	00.6-02.2	849	90.3	87.6-93.0
College Graduate	830	74,705	70	8.1	05.4-10.8	25	3.2	01.8-04.6	735	88.7	85.8-91.6
Less than \$15,000	284	21,620	28	9.2	04.9-13.5	6	1.4	00.0-02.8	250	89.4	84.9-93.9
\$15,000- 24,999	447	34,703	50	13.9	08.2-19.6	11	3.3	00.4-06.2	386	82.8	76.7-88.9
\$25,000- 34,999	367	30,609	33	8.6	05.1-12.1	5	1.6	00.0-03.2	329	89.8	85.9-93.7
\$35,000- 49,999	458	41,942	29	5.8	03.4-08.2	9	1.4	00.2-02.6	420	92.8	90.3-95.3
\$50,000- 74,999	408	39,182	30	7.5	04.2-10.8	10	2.9	00.9-04.9	368	89.6	85.9-93.3
\$75,000+	374	39,284	28	8.8	04.3-13.3	7	2.9	00.2-05.6	339	88.3	83.2-93.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 10: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	27
2	MALES ONLY	28
3	FEMALES ONLY	29
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	30
5	MALES ONLY	31
6	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	492,579	659	15.6	14.0-17.2	187	3.9	03.1-04.7	1309	24.1	22.5-25.7	2609	56.4	54.4-58.4
Male	1923	243,683	304	17.1	14.6-19.6	75	3.9	02.7-05.1	641	27.6	25.2-30.0	903	51.4	48.5-54.3
Female	2841	248,895	355	14.1	12.1-16.1	112	4.0	03.0-05.0	668	20.7	18.9-22.5	1706	61.2	58.8-63.6
Native	108	15,743				14	11.6	04.2-19.0						
Non-Native	4601	471,817	623	15.1	13.5-16.7	171	3.7	02.9-04.5	1263	23.9	22.3-25.5	2544	57.3	55.3-59.3
18-24	201	77,478	36	20.8	13.7-27.9	13	4.7	02.0-07.4	20	8.1	04.4-11.8	132	66.4	58.8-74.0
25-34	517	75,647	102	19.4	15.3-23.5	51	9.0	06.3-11.7	82	17.2	13.3-21.1	282	54.5	49.6-59.4
35-44	749	81,622	130	17.0	13.9-20.1	27	3.0	01.6-04.4	125	17.7	14.6-20.8	467	62.4	58.5-66.3
45-54	1062	95,860	191	18.4	15.7-21.1	41	3.5	02.3-04.7	248	23.0	20.1-25.9	582	55.1	51.6-58.6
55-64	819	64,645	105	12.2	09.5-14.9	18	1.5	00.7-02.3	307	39.6	35.7-43.5	389	46.8	42.7-50.9
65+	1363	94,012	88	6.6	05.0-08.2	37	2.5	01.5-03.5	509	38.4	35.3-41.5	729	52.5	49.4-55.6
Less Than H.S.	428	37,601	69	23.8	17.3-30.3	13	4.4	01.3-07.5	151	31.4	25.5-37.3	195	40.4	33.5-47.3
H.S. or G.E.D.	1431	141,994	256	22.7	19.2-26.2	57	4.3	02.7-05.9	429	25.7	23.0-28.4	689	47.4	43.7-51.1
Some Post-H.S.	1484	159,591	220	15.4	12.7-18.1	76	4.5	03.3-05.7	394	22.8	20.3-25.3	794	57.3	54.0-60.6
College Graduate	1413	152,767	113	7.2	05.6-08.8	41	2.9	01.9-03.9	332	22.3	19.8-24.8	927	67.6	64.7-70.5
Less than \$15,000	396	34,436	77	24.7	18.0-31.4	25	4.8	02.4-07.2	101	20.9	15.4-26.4	193	49.6	42.2-57.0
\$15,000- 24,999	719	64,236	139	25.0	19.1-30.9	41	5.5	03.1-07.9	199	25.4	21.1-29.7	340	44.2	38.7-49.7
\$25,000- 34,999	611	61,565	105	19.3	14.4-24.2	22	2.8	01.2-04.4	162	22.8	18.5-27.1	322	55.1	49.4-60.8
\$35,000- 49,999	835	86,284	117	16.2	12.7-19.7	34	3.7	02.1-05.3	239	24.2	20.7-27.7	445	55.8	51.3-60.3
\$50,000- 74,999	783	88,950	94	11.9	09.2-14.6	24	3.7	01.7-05.7	211	25.3	21.8-28.8	454	59.1	55.0-63.2
\$75,000+	732	90,281	63	8.4	05.9-10.9	24	3.6	01.8-05.4	203	25.3	21.8-28.8	442	62.6	58.3-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 10: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	243,683	304	17.1	14.7-19.5	75	3.9	02.7-05.1	641	27.6	25.2-30.0	903	51.4	48.5-54.3
Non-Native	1865	235,794	291	16.5	14.1-18.9	71	3.8	02.6-05.0	622	27.5	25.1-29.9	881	52.2	49.3-55.1
18-24	87	40,700				6	5.0	00.7-09.3	8	7.1	01.8-12.4			
25-34	215	39,553	47	21.7	15.2-28.2	17	8.1	04.0-12.2	39	18.5	12.6-24.4	112	51.7	44.1-59.3
35-44	326	41,351	56	15.9	11.6-20.2	12	3.0	01.0-05.0	64	20.8	15.9-25.7	194	60.3	54.4-66.2
45-54	462	47,948	103	22.0	17.7-26.3	18	3.4	01.6-05.2	110	23.2	18.7-27.7	231	51.5	46.2-56.8
55-64	345	33,958	45	12.2	08.1-16.3	8	0.9	00.0-01.9	161	47.3	41.2-53.4	131	39.6	33.5-45.7
65+	476	39,402	36	6.8	04.3-09.3	14	2.7	01.1-04.3	254	52.9	47.6-58.2	172	37.6	32.3-42.9
Less Than H.S.	200	21,700	38	25.3	16.5-34.1	4	1.3	00.0-02.9	95	38.9	29.9-47.9			
H.S. or G.E.D.	588	73,020	127	26.1	20.6-31.6	24	4.7	02.2-07.2	221	30.0	25.5-34.5	216	39.3	33.8-44.8
Some Post-H.S.	545	70,423	93	17.1	12.6-21.6	30	4.7	02.5-06.9	159	23.5	19.2-27.8	263	54.7	49.0-60.4
College Graduate	585	78,121	45	6.3	03.9-08.7	17	3.1	01.3-04.9	163	25.9	21.8-30.0	360	64.6	59.9-69.3
Less than \$15,000	110	12,691				6	3.2	00.0-06.5						
\$15,000- 24,999	270	29,506	65	28.4	19.2-37.6	14	5.0	01.7-08.3	93	31.2	23.6-38.8	98	35.5	26.7-44.3
\$25,000- 34,999	246	30,994	50	22.5	14.3-30.7	10	3.0	00.8-05.2	79	26.7	19.6-33.8	107	47.9	38.9-56.9
\$35,000- 49,999	375	44,327	58	18.0	12.3-23.7	15	2.9	00.9-04.9	120	24.9	19.8-30.0	182	54.3	47.4-61.2
\$50,000- 74,999	375	49,767	48	12.4	08.5-16.3	12	4.6	01.5-07.7	115	27.6	22.5-32.7	200	55.4	49.5-61.3
\$75,000+	358	50,459	31	8.6	04.5-12.7	10	3.1	00.9-05.3	114	28.9	23.4-34.4	203	59.4	53.1-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 10: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	248,895	355	14.1	12.1-16.1	112	4.0	03.0-05.0	668	20.7	18.9-22.5	1706	61.2	58.8-63.6
Non-Native	2736	236,023	332	13.6	11.6-15.6	100	3.5	02.7-04.3	641	20.4	18.6-22.2	1663	62.5	60.1-64.9
18-24	114	36,778	19	18.9	09.9-27.9	7	4.3	00.8-07.8	12	9.2	03.9-14.5	76	67.6	57.6-77.6
25-34	302	36,094	55	16.9	12.2-21.6	34	9.9	06.2-13.6	43	15.7	10.8-20.6	170	57.5	51.2-63.8
35-44	423	40,271	74	18.1	13.8-22.4	15	2.9	01.1-04.7	61	14.5	10.6-18.4	273	64.5	59.2-69.8
45-54	600	47,912	88	14.8	11.7-17.9	23	3.6	01.8-05.4	138	22.8	19.1-26.5	351	58.8	54.3-63.3
55-64	474	30,687	60	12.1	08.8-15.4	10	2.1	00.7-03.5	146	31.1	26.2-36.0	258	54.7	49.4-60.0
65+	887	54,609	52	6.5	04.5-08.5	23	2.4	01.2-03.6	255	27.9	24.6-31.2	557	63.3	59.6-67.0
Less Than H.S.	228	15,901	31	21.8	12.6-31.0	9	8.6	01.7-15.5	56	21.2	14.3-28.1	132	48.4	39.0-57.8
H.S. or G.E.D.	843	68,973	129	19.1	15.2-23.0	33	3.9	02.3-05.5	208	21.1	18.0-24.2	473	55.9	51.4-60.4
Some Post-H.S.	939	89,168	127	14.0	10.7-17.3	46	4.3	02.7-05.9	235	22.3	19.0-25.6	531	59.4	55.1-63.7
College Graduate	828	74,647	68	8.0	05.8-10.2	24	2.8	01.6-04.0	169	18.4	15.3-21.5	567	70.8	67.1-74.5
Less than \$15,000	286	21,745	45	20.9	13.5-28.3	19	5.7	02.6-08.8	62	18.9	12.6-25.2	160	54.6	46.2-63.0
\$15,000- 24,999	449	34,730	74	22.0	14.6-29.4	27	5.9	02.6-09.2	106	20.4	15.5-25.3	242	51.6	44.5-58.7
\$25,000- 34,999	365	30,572	55	16.1	10.4-21.8	12	2.7	00.7-04.7	83	18.8	13.9-23.7	215	62.4	55.7-69.1
\$35,000- 49,999	460	41,957	59	14.4	10.5-18.3	19	4.6	02.2-07.0	119	23.6	19.1-28.1	263	57.3	51.8-62.8
\$50,000- 74,999	408	39,182	46	11.2	07.7-14.7	12	2.7	01.1-04.3	96	22.4	17.7-27.1	254	63.7	58.2-69.2
\$75,000+	374	39,822	32	8.3	05.2-11.4	14	4.3	01.8-06.8	89	20.7	16.2-25.2	239	66.7	61.2-72.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 10: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4764	492,579	3918	80.5	78.9-82.1	846	19.5	17.9-21.1	
Male	1923	243,683	1544	79.0	76.5-81.5	379	21.0	18.5-23.5	
Female	2841	248,895	2374	81.9	79.9-83.9	467	18.1	16.1-20.1	
Non-Native	4601	471,817	3807	81.2	79.6-82.8	794	18.8	17.2-20.4	
18-24	201	77,478	152	74.5	67.2-81.8	49	25.5	18.2-32.8	
25-34	517	75,647	364	71.6	67.1-76.1	153	28.4	23.9-32.9	
35-44	749	81,622	592	80.1	76.8-83.4	157	19.9	16.6-23.2	
45-54	1062	95,860	830	78.1	75.2-81.0	232	21.9	19.0-24.8	
55-64	819	64,645	696	86.4	83.7-89.1	123	13.6	10.9-16.3	
65+	1363	94,012	1238	90.9	89.1-92.7	125	9.1	07.3-10.9	
Less Than H.S.	428	37,601	346	71.8	65.1-78.5	82	28.2	21.5-34.9	
H.S. or G.E.D.	1431	141,994	1118	73.0	69.5-76.5	313	27.0	23.5-30.5	
Some Post-H.S.	1484	159,591	1188	80.1	77.2-83.0	296	19.9	17.0-22.8	
College Graduate	1413	152,767	1259	89.9	87.9-91.9	154	10.1	08.1-12.1	
Less than \$15,000	396	34,436	294	70.5	63.6-77.4	102	29.5	22.6-36.4	
\$15,000- 24,999	719	64,236	539	69.6	63.7-75.5	180	30.4	24.5-36.3	
\$25,000- 34,999	611	61,565	484	77.8	72.7-82.9	127	22.2	17.1-27.3	
\$35,000- 49,999	835	86,284	684	80.0	76.3-83.7	151	20.0	16.3-23.7	
\$50,000- 74,999	783	88,950	665	84.4	81.3-87.5	118	15.6	12.5-18.7	
\$75,000+	732	90,281	645	87.9	85.0-90.8	87	12.1	09.2-15.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 10: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	243,683	1544	79.0	76.5-81.5	379	21.0	18.5-23.5
Non-Native	1865	235,794	1503	79.6	77.1-82.1	362	20.4	17.9-22.9
25-34	215	39,553	151	70.3	63.2-77.4	64	29.7	22.6-36.8
35-44	326	41,351	258	81.1	76.6-85.6	68	18.9	14.4-23.4
45-54	462	47,948	341	74.7	70.2-79.2	121	25.3	20.8-29.8
55-64	345	33,958	292	86.9	82.6-91.2	53	13.1	08.8-17.4
65+	476	39,402	426	90.5	87.6-93.4	50	9.5	06.6-12.4
Less Than H.S.	200	21,700	158	73.4	64.4-82.4	42	26.6	17.6-35.6
H.S. or G.E.D.	588	73,020	437	69.2	63.5-74.9	151	30.8	25.1-36.5
Some Post-H.S.	545	70,423	422	78.2	73.5-82.9	123	21.8	17.1-26.5
College Graduate	585	78,121	523	90.6	87.7-93.5	62	9.4	06.5-12.3
\$15,000- 24,999	270	29,506	191	66.6	57.4-75.8	79	33.4	24.2-42.6
\$25,000- 34,999	246	30,994	186	74.5	66.3-82.7	60	25.5	17.3-33.7
\$35,000- 49,999	375	44,327	302	79.1	73.2-85.0	73	20.9	15.0-26.8
\$50,000- 74,999	375	49,767	315	83.0	78.3-87.7	60	17.0	12.3-21.7
\$75,000+	358	50,459	317	88.3	83.8-92.8	41	11.7	07.2-16.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 10: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	248,895	2374	81.9	79.9-83.9	467	18.1	16.1-20.1
Non-Native	2736	236,023	2304	82.9	80.9-84.9	432	17.1	15.1-19.1
18-24	114	36,778	88	76.8	67.4-86.2	26	23.2	13.8-32.6
25-34	302	36,094	213	73.2	67.7-78.7	89	26.8	21.3-32.3
35-44	423	40,271	334	79.0	74.5-83.5	89	21.0	16.5-25.5
45-54	600	47,912	489	81.6	78.1-85.1	111	18.4	14.9-21.9
55-64	474	30,687	404	85.8	82.1-89.5	70	14.2	10.5-17.9
65+	887	54,609	812	91.1	88.9-93.3	75	8.9	06.7-11.1
Less Than H.S.	228	15,901	188	69.5	59.5-79.5	40	30.5	20.5-40.5
H.S. or G.E.D.	843	68,973	681	77.0	72.9-81.1	162	23.0	18.9-27.1
Some Post-H.S.	939	89,168	766	81.7	78.2-85.2	173	18.3	14.8-21.8
College Graduate	828	74,647	736	89.2	86.7-91.7	92	10.8	08.3-13.3
Less than \$15,000	286	21,745	222	73.4	65.8-81.0	64	26.6	19.0-34.2
\$15,000- 24,999	449	34,730	348	72.0	64.6-79.4	101	28.0	20.6-35.4
\$25,000- 34,999	365	30,572	298	81.2	75.3-87.1	67	18.8	12.9-24.7
\$35,000- 49,999	460	41,957	382	80.9	76.4-85.4	78	19.1	14.6-23.6
\$50,000- 74,999	408	39,182	350	86.1	82.4-89.8	58	13.9	10.2-17.6
\$75,000+	374	39,822	328	87.5	83.6-91.4	46	12.5	08.6-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006**

**SECTION 11: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	36
2 MALES ONLY	37
3 FEMALES ONLY	38
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	39
5 MALES ONLY	40
6 FEMALES ONLY	41
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	42
8 MALES ONLY	43
9 FEMALES ONLY	44
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	45
11 MALES ONLY	46
12 FEMALES ONLY	47
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	48
14 MALES ONLY	49
15 FEMALES ONLY	50
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	51
17 MALES ONLY	52
18 FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006**

**SECTION 11: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19 MALES AND FEMALES	54
20 MALES ONLY	55
21 FEMALES ONLY	56
ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	57
23 MALES ONLY	58
24 FEMALES ONLY	59
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	60
26 MALES ONLY	61
27 FEMALES ONLY	62
REPORTED HEIGHT IN INCHES (HTIN3).	
28 MALES AND FEMALES	63
29 MALES ONLY	64
30 FEMALES ONLY	65
REPORTED HEIGHT IN METERS (HTM3).	
31 MALES AND FEMALES	66
32 MALES ONLY	67
33 FEMALES ONLY	68
REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34 MALES AND FEMALES	69
35 MALES ONLY	70
36 FEMALES ONLY	71
BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37 MALES AND FEMALES	72
38 MALES ONLY	73
39 FEMALES ONLY	74

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 11: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	75
41	MALES ONLY	76
42	FEMALES ONLY	77
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	78
44	MALES ONLY	79
45	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	491,431	4571	94.2	93.0-95.4	22	0.7	00.3-01.1	16	0.8	00.4-01.2	9	0.2	00.0-00.4	115	3.6	02.6-04.6	23	0.5	00.3-00.7
Male	1914	243,139	1850	95.5	93.9-97.1	10	0.6	00.2-01.0	9	0.8	00.2-01.4	3	0.1	00.0-00.3	33	2.5	01.1-03.9	9	0.4	00.0-00.8
Female	2842	248,292	2721	93.0	91.4-94.6	12	0.8	00.2-01.4	7	0.7	00.0-01.5	6	0.3	00.1-00.5	82	4.5	03.3-05.7	14	0.6	00.2-01.0
18-24	199	77,162	179	89.1	83.8-94.4	4	1.7	00.0-03.5	3	2.3	00.0-04.8	1	0.2	00.0-00.6	11	6.2	01.9-10.5	1	0.6	00.0-01.8
25-34	515	75,017	475	92.1	89.4-94.8	3	0.5	00.0-01.1	3	0.9	00.0-01.9	3	0.3	00.0-00.7	28	5.7	03.3-08.1	3	0.6	00.0-01.6
35-44	748	81,542	704	92.3	89.9-94.7	6	0.9	00.1-01.7	4	0.9	00.0-01.9	3	0.3	00.0-00.7	25	4.5	02.5-06.5	6	1.1	00.3-01.9
45-54	1062	95,838	1027	96.3	94.9-97.7	7	0.9	00.1-01.7	3	0.4	00.0-00.8	1	0.2	00.0-00.6	19	1.9	00.9-02.9	5	0.3	00.0-00.7
55-64	819	64,747	803	97.3	95.5-99.1										14	2.4	00.8-04.0	2	0.3	00.0-00.9
65+	1362	94,032	1333	97.7	96.7-98.7	2	0.1	00.0-00.3	3	0.3	00.0-00.7	1	0.1	00.0-00.3	17	1.4	00.6-02.2	6	0.4	00.0-00.8
Less Than H.S.	428	37,270	392	86.2	80.9-91.5	6	1.5	00.1-02.9				1	0.2	00.0-00.6	27	11.9	06.8-17.0	2	0.2	00.0-00.6
H.S. or G.E.D.	1428	141,429	1379	94.1	91.6-96.6	2	0.2	00.0-00.6	3	0.5	00.0-01.3	2	0.2	00.0-00.4	34	4.5	02.1-06.9	8	0.5	00.1-00.9
Some Post-H.S.	1483	159,379	1435	95.6	94.0-97.2	5	0.7	00.0-01.5	2	0.2	00.0-00.4	4	0.3	00.0-00.7	30	2.5	01.5-03.5	7	0.7	00.0-01.5
College Graduate	1410	152,737	1359	95.0	93.2-96.8	9	0.8	00.2-01.4	11	1.8	00.4-03.2	2	0.1	00.0-00.3	24	1.8	01.0-02.6	5	0.4	00.0-00.8
Less than \$15,000	394	34,414	352	84.1	78.2-90.0	5	2.2	00.0-04.6	1	1.6	00.0-04.7	2	0.5	00.0-01.3	32	11.4	06.7-16.1	2	0.2	00.0-00.6
\$15,000- 24,999	719	64,452	681	90.0	85.1-94.9	4	0.5	00.0-01.1	2	0.3	00.0-00.7				24	7.1	02.6-11.6	8	2.1	00.1-04.1
\$25,000- 34,999	610	61,019	592	94.2	90.9-97.5	1	0.5	00.0-01.5	1	0.7	00.0-02.1	3	0.7	00.0-01.7	11	3.5	01.0-06.0	2	0.3	00.0-00.9
\$35,000- 49,999	834	85,951	810	95.8	93.8-97.8	1	0.2	00.0-00.6	4	0.8	00.0-01.8				16	2.8	01.2-04.4	3	0.3	00.0-00.7
\$50,000- 74,999	781	88,768	760	97.2	96.0-98.4	6	0.8	00.0-01.6	2	0.3	00.0-00.7	2	0.2	00.0-00.6	9	1.1	00.3-01.9	2	0.3	00.0-00.7
\$75,000+	731	90,132	709	95.7	93.5-97.9	3	0.5	00.0-01.1	5	1.6	00.0-03.4				11	1.7	00.7-02.7	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1914	243,139	1850	95.5	93.9-97.1	10	0.6	00.2-01.0	9	0.8	00.2-01.4	3	0.1	00.0-00.3	33	2.5	01.1-03.9	9	0.4	00.0-00.8
18-24	86	40,688	83	94.4	87.3-0100				1	1.3	00.0-03.8				2	4.3	00.0-11.0			
25-34	215	39,177	201	93.5	89.6-97.4	2	0.6	00.0-01.6	3	1.6	00.0-03.6				6	3.2	00.3-06.1	3	1.1	00.0-02.9
35-44	325	41,271	302	91.3	87.8-94.8	3	1.1	00.0-02.3	2	1.2	00.0-03.0	3	0.7	00.0-01.5	12	4.6	01.9-07.3	3	1.2	00.0-02.6
45-54	462	47,995	450	97.3	95.7-98.9	5	1.6	00.2-03.0	1	0.3	00.0-00.9				4	0.7	00.1-01.3	2	0.2	00.0-00.4
55-64	343	33,880	337	98.0	96.2-99.8										6	2.0	00.2-03.8			
65+	472	39,366	467	98.7	97.5-99.9				2	0.7	00.0-01.7				2	0.5	00.0-01.3	1	0.1	00.0-00.3
Less Than H.S.	200	21,364	186	89.8	83.3-96.3	4	2.0	00.0-04.4				1	0.4	00.0-01.2	8	7.6	01.5-13.7	1	0.3	00.0-00.9
H.S. or G.E.D.	585	72,867	567	94.7	90.6-98.8				2	1.0	00.0-02.6				13	4.0	00.3-07.7	3	0.3	00.0-00.7
Some Post-H.S.	545	70,423	534	97.5	95.9-99.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6				6	1.4	00.2-02.6	3	0.8	00.0-01.8
College Graduate	580	78,075	559	95.9	93.9-97.9	5	1.1	00.1-02.1	6	1.6	00.2-03.0	2	0.3	00.0-00.7	6	0.8	00.0-01.6	2	0.3	00.0-00.7
Less than \$15,000	108	12,669				1	0.8	00.0-02.4	1	4.3	00.0-12.5	1	0.6	00.0-01.8	6	7.0	00.1-13.9	1	0.5	00.0-01.5
\$15,000- 24,999	269	29,504	252	87.7	78.7-96.7	3	1.0	00.0-02.4	1	0.4	00.0-01.2				11	9.2	00.4-18.0	2	1.6	00.0-04.0
\$25,000- 34,999	246	30,876	239	96.6	93.3-99.9										5	2.8	00.0-06.1	2	0.6	00.0-01.6
\$35,000- 49,999	373	43,951	366	97.3	95.1-99.5	1	0.4	00.0-01.2	2	1.0	00.0-02.6				2	0.9	00.0-02.1	2	0.4	00.0-01.0
\$50,000- 74,999	374	49,653	365	97.4	95.6-99.2	2	0.7	00.0-01.7	1	0.3	00.0-00.9	2	0.4	00.0-01.0	3	0.8	00.0-01.8	1	0.3	00.0-00.9
\$75,000+	358	50,554	349	96.7	94.5-98.9	3	1.0	00.0-02.2	3	1.2	00.0-02.8				3	1.1	00.0-02.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2842	248,292	2721	93.0	91.4-94.6	12	0.8	00.2-01.4	7	0.7	00.0-01.5	6	0.3	00.1-00.5	82	4.5	03.3-05.7	14	0.6	00.2-01.0
18-24	113	36,474	96	83.1	75.3-90.9	4	3.5	00.0-07.0	2	3.3	00.0-08.0	1	0.4	00.0-01.2	9	8.3	02.8-13.8	1	1.2	00.0-03.6
25-34	300	35,840	274	90.6	86.7-94.5	1	0.4	00.0-01.2				3	0.6	00.0-01.4	22	8.4	04.5-12.3			
35-44	423	40,271	402	93.2	90.1-96.3	3	0.6	00.0-01.4	2	0.7	00.0-01.7				13	4.4	01.7-07.1	3	1.0	00.0-02.2
45-54	600	47,843	577	95.2	93.0-97.4	2	0.2	00.0-00.4	2	0.5	00.0-01.3	1	0.5	00.0-01.5	15	3.1	01.3-04.9	3	0.5	00.0-01.1
55-64	476	30,867	466	96.5	93.6-99.4										8	2.8	00.1-05.5	2	0.7	00.0-01.9
65+	890	54,666	866	96.9	95.5-98.3	2	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.3	00.0-00.9	15	2.0	01.0-03.0	5	0.5	00.0-01.1
Less Than H.S.	228	15,907	206	81.3	72.9-89.7	2	0.9	00.0-02.3							19	17.8	09.4-26.2	1	0.0	00.0-00.0
H.S. or G.E.D.	843	68,563	812	93.4	90.5-96.3	2	0.5	00.0-01.3	1	0.1	00.0-00.3	2	0.3	00.0-00.7	21	4.9	02.2-07.6	5	0.7	00.0-01.5
Some Post-H.S.	938	88,956	901	94.0	91.6-96.4	4	1.2	00.0-02.6	1	0.2	00.0-00.6	4	0.6	00.0-01.2	24	3.3	01.7-04.9	4	0.7	00.0-01.7
College Graduate	830	74,662	800	94.0	91.1-96.9	4	0.5	00.0-01.1	5	2.1	00.0-04.5				18	2.9	01.3-04.5	3	0.5	00.0-01.1
Less than \$15,000	286	21,745	254	82.4	75.5-89.3	4	3.0	00.0-06.5				1	0.5	00.0-01.5	26	14.0	07.7-20.3	1	0.0	00.0-00.0
\$15,000- 24,999	450	34,948	429	91.9	87.4-96.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3				13	5.3	01.6-09.0	6	2.6	00.0-05.3
\$25,000- 34,999	364	30,143	353	91.8	86.3-97.3	1	1.0	00.0-03.0	1	1.5	00.0-04.4	3	1.4	00.0-03.2	6	4.3	00.2-08.4			
\$35,000- 49,999	461	42,000	444	94.2	91.1-97.3				2	0.7	00.0-01.7				14	4.8	01.9-07.7	1	0.2	00.0-00.6
\$50,000- 74,999	407	39,115	395	97.0	95.2-98.8	4	1.0	00.0-02.0	1	0.4	00.0-01.2				6	1.4	00.2-02.6	1	0.3	00.0-00.9
\$75,000+	373	39,579	360	94.4	90.3-98.5				2	2.2	00.0-05.9				8	2.5	00.7-04.3	3	1.0	00.0-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	491,431	4553	93.9	92.7-95.1	21	0.7	00.3-01.1	15	0.8	00.4-01.2	9	0.2	00.0-00.4	111	3.3	02.5-04.1	47	1.2	00.8-01.6
Male	1914	243,139	1844	95.2	93.6-96.8	9	0.6	00.2-01.0	8	0.8	00.2-01.4	3	0.1	00.0-00.3	32	2.3	00.9-03.7	18	1.0	00.4-01.6
Female	2842	248,292	2709	92.6	91.0-94.2	12	0.8	00.2-01.4	7	0.7	00.0-01.5	6	0.3	00.1-00.5	79	4.2	03.0-05.4	29	1.4	00.8-02.0
18-24	199	77,162	178	88.9	83.6-94.2	4	1.7	00.0-03.5	3	2.3	00.0-04.8	1	0.2	00.0-00.6	9	5.2	01.1-09.3	4	1.8	00.0-03.6
25-34	515	75,017	473	91.8	89.1-94.5	2	0.5	00.0-01.1	3	0.9	00.0-01.9	3	0.3	00.0-00.7	27	5.0	02.8-07.2	7	1.6	00.0-03.2
35-44	748	81,542	698	91.6	89.2-94.0	6	0.9	00.1-01.7	4	0.9	00.0-01.9	3	0.3	00.0-00.7	25	4.5	02.5-06.5	12	1.7	00.7-02.7
45-54	1062	95,838	1023	96.0	94.6-97.4	7	0.9	00.1-01.7	3	0.4	00.0-00.8	1	0.2	00.0-00.6	19	1.9	00.9-02.9	9	0.6	00.2-01.0
55-64	819	64,747	799	96.9	95.1-98.7										14	2.4	00.8-04.0	6	0.7	00.0-01.5
65+	1362	94,032	1332	97.5	96.5-98.5	2	0.1	00.0-00.3	2	0.2	00.0-00.6	1	0.1	00.0-00.3	16	1.3	00.7-01.9	9	0.7	00.1-01.3
Less Than H.S.	428	37,270	391	86.1	80.8-91.4	5	1.5	00.1-02.9				1	0.2	00.0-00.6	25	10.4	05.9-14.9	6	1.7	00.0-04.2
H.S. or G.E.D.	1428	141,429	1373	93.7	91.2-96.2	2	0.2	00.0-00.6	3	0.5	00.0-01.3	2	0.2	00.0-00.4	32	3.9	01.7-06.1	16	1.5	00.5-02.5
Some Post-H.S.	1483	159,379	1430	95.3	93.7-96.9	5	0.7	00.0-01.5	2	0.2	00.0-00.4	4	0.3	00.0-00.7	30	2.5	01.5-03.5	12	1.0	00.2-01.8
College Graduate	1410	152,737	1353	94.6	92.8-96.4	9	0.8	00.2-01.4	10	1.8	00.4-03.2	2	0.1	00.0-00.3	24	1.8	01.0-02.6	12	0.8	00.2-01.4
Less than \$15,000	394	34,414	351	83.9	78.0-89.8	5	2.2	00.0-04.6	1	1.6	00.0-04.7	2	0.5	00.0-01.3	30	9.9	05.8-14.0	5	1.8	00.0-04.3
\$15,000- 24,999	719	64,452	680	89.8	84.9-94.7	3	0.5	00.0-01.1	2	0.3	00.0-00.7				24	7.1	02.6-11.6	10	2.4	00.4-04.4
\$25,000- 34,999	610	61,019	586	93.3	90.0-96.6	1	0.5	00.0-01.5	1	0.7	00.0-02.1	3	0.7	00.0-01.7	10	2.8	00.6-05.0	9	2.0	00.2-03.8
\$35,000- 49,999	834	85,951	808	95.6	93.6-97.6	1	0.2	00.0-00.6	3	0.7	00.0-01.5				16	2.8	01.2-04.4	6	0.6	00.0-01.2
\$50,000- 74,999	781	88,768	758	97.0	95.6-98.4	6	0.8	00.0-01.6	2	0.3	00.0-00.7	2	0.2	00.0-00.6	9	1.1	00.3-01.9	4	0.5	00.0-01.1
\$75,000+	731	90,132	706	95.4	93.2-97.6	3	0.5	00.0-01.1	5	1.6	00.0-03.4				11	1.7	00.7-02.7	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1914	243,139	1844	95.2	93.6-96.8	9	0.6	00.2-01.0	8	0.8	00.2-01.4	3	0.1	00.0-00.3	32	2.3	00.9-03.7	18	1.0	00.4-01.6
18-24	86	40,688	83	94.4	87.3-0100				1	1.3	00.0-03.8				2	4.3	00.0-11.0			
25-34	215	39,177	200	93.1	89.2-97.0	1	0.5	00.0-01.5	3	1.6	00.0-03.6				5	1.9	00.1-03.7	6	2.8	00.0-05.7
35-44	325	41,271	299	90.4	86.7-94.1	3	1.1	00.0-02.3	2	1.2	00.0-03.0	3	0.7	00.0-01.5	12	4.6	01.9-07.3	6	2.1	00.3-03.9
45-54	462	47,995	449	97.2	95.4-99.0	5	1.6	00.2-03.0	1	0.3	00.0-00.9				4	0.7	00.1-01.3	3	0.3	00.0-00.7
55-64	343	33,880	336	97.9	96.1-99.7										6	2.0	00.2-03.8	1	0.1	00.0-00.3
65+	472	39,366	467	98.7	97.5-99.9				1	0.4	00.0-01.2				2	0.5	00.0-01.3	2	0.4	00.0-01.0
Less Than H.S.	200	21,364	185	89.7	83.2-96.2	3	1.9	00.0-04.3				1	0.4	00.0-01.2	7	5.3	00.8-09.8	4	2.7	00.0-07.0
H.S. or G.E.D.	585	72,867	564	94.2	90.1-98.3				2	1.0	00.0-02.6				13	4.0	00.3-07.7	6	0.8	00.0-01.6
Some Post-H.S.	545	70,423	533	97.3	95.7-98.9	1	0.2	00.0-00.6	1	0.2	00.0-00.6				6	1.4	00.2-02.6	4	0.9	00.0-01.9
College Graduate	580	78,075	558	95.7	93.7-97.7	5	1.1	00.1-02.1	5	1.4	00.0-02.8	2	0.3	00.0-00.7	6	0.8	00.0-01.6	4	0.7	00.0-01.5
Less than \$15,000	108	12,669				1	0.8	00.0-02.4	1	4.3	00.0-12.5	1	0.6	00.0-01.8	6	7.0	00.1-13.9	1	0.5	00.0-01.5
\$15,000- 24,999	269	29,504	251	87.2	78.2-96.2	2	1.0	00.0-02.4	1	0.4	00.0-01.2				11	9.2	00.4-18.0	4	2.2	00.0-04.7
\$25,000- 34,999	246	30,876	237	95.9	92.4-99.4										4	1.2	00.0-02.4	5	2.9	00.0-06.2
\$35,000- 49,999	373	43,951	365	97.1	94.9-99.3	1	0.4	00.0-01.2	1	0.7	00.0-02.1				2	0.9	00.0-02.1	4	0.8	00.0-01.6
\$50,000- 74,999	374	49,653	363	97.1	95.3-98.9	2	0.7	00.0-01.7	1	0.3	00.0-00.9	2	0.4	00.0-01.0	3	0.8	00.0-01.8	3	0.7	00.0-01.7
\$75,000+	358	50,554	349	96.7	94.5-98.9	3	1.0	00.0-02.2	3	1.2	00.0-02.8				3	1.1	00.0-02.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2842	248,292	2709	92.6	91.0-94.2	12	0.8	00.2-01.4	7	0.7	00.0-01.5	6	0.3	00.1-00.5	79	4.2	03.0-05.4	29	1.4	00.8-02.0
18-24	113	36,474	95	82.7	74.7-90.7	4	3.5	00.0-07.0	2	3.3	00.0-08.0	1	0.4	00.0-01.2	7	6.3	01.6-11.0	4	3.8	00.0-07.7
25-34	300	35,840	273	90.3	86.4-94.2	1	0.4	00.0-01.2				3	0.6	00.0-01.4	22	8.4	04.5-12.3	1	0.3	00.0-00.9
35-44	423	40,271	399	92.9	89.8-96.0	3	0.6	00.0-01.4	2	0.7	00.0-01.7				13	4.4	01.7-07.1	6	1.3	00.1-02.5
45-54	600	47,843	574	94.7	92.5-96.9	2	0.2	00.0-00.4	2	0.5	00.0-01.3	1	0.5	00.0-01.5	15	3.1	01.3-04.9	6	1.0	00.2-01.8
55-64	476	30,867	463	95.9	92.8-99.0										8	2.8	00.1-05.5	5	1.3	00.0-02.7
65+	890	54,666	865	96.7	95.3-98.1	2	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.3	00.0-00.9	14	1.9	00.9-02.9	7	0.9	00.1-01.7
Less Than H.S.	228	15,907	206	81.3	72.9-89.7	2	0.9	00.0-02.3							18	17.3	08.9-25.7	2	0.4	00.0-01.2
H.S. or G.E.D.	843	68,563	809	93.1	90.2-96.0	2	0.5	00.0-01.3	1	0.1	00.0-00.3	2	0.3	00.0-00.7	19	3.8	01.6-06.0	10	2.2	00.4-04.0
Some Post-H.S.	938	88,956	897	93.6	91.2-96.0	4	1.2	00.0-02.6	1	0.2	00.0-00.6	4	0.6	00.0-01.2	24	3.3	01.7-04.9	8	1.2	00.0-02.4
College Graduate	830	74,662	795	93.5	90.6-96.4	4	0.5	00.0-01.1	5	2.1	00.0-04.5				18	2.9	01.3-04.5	8	1.0	00.2-01.8
Less than \$15,000	286	21,745	253	82.2	75.3-89.1	4	3.0	00.0-06.5				1	0.5	00.0-01.5	24	11.6	06.5-16.7	4	2.6	00.0-06.7
\$15,000- 24,999	450	34,948	429	91.9	87.4-96.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3				13	5.3	01.6-09.0	6	2.6	00.0-05.3
\$25,000- 34,999	364	30,143	349	90.6	84.9-96.3	1	1.0	00.0-03.0	1	1.5	00.0-04.4	3	1.4	00.0-03.2	6	4.3	00.2-08.4	4	1.2	00.0-02.6
\$35,000- 49,999	461	42,000	443	94.0	90.9-97.1				2	0.7	00.0-01.7				14	4.8	01.9-07.7	2	0.4	00.0-01.0
\$50,000- 74,999	407	39,115	395	97.0	95.2-98.8	4	1.0	00.0-02.0	1	0.4	00.0-01.2				6	1.4	00.2-02.6	1	0.3	00.0-00.9
\$75,000+	373	39,579	357	93.7	89.6-97.8				2	2.2	00.0-05.9				8	2.5	00.7-04.3	6	1.6	00.2-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4670	483,277	4480	94.2	93.0-95.4	20	0.7	00.3-01.1	15	0.8	00.2-01.4	8	0.2	00.0-00.4	109	3.3	02.5-04.1	38	0.8	00.4-01.2
Male	1880	239,512	1813	95.3	93.7-96.9	9	0.6	00.2-01.0	8	0.8	00.2-01.4	3	0.1	00.0-00.3	32	2.4	01.0-03.8	15	0.8	00.2-01.4
Female	2790	243,765	2667	93.2	91.6-94.8	11	0.7	00.1-01.3	7	0.7	00.0-01.5	5	0.2	00.0-00.4	77	4.2	03.0-05.4	23	0.9	00.3-01.5
18-24	193	76,285	174	89.5	84.2-94.8	4	1.7	00.0-03.5	3	2.3	00.0-04.8	1	0.2	00.0-00.6	9	5.3	01.2-09.4	2	1.0	00.0-02.4
25-34	508	73,782	466	91.6	88.7-94.5	2	0.5	00.0-01.3	3	0.9	00.0-01.9	3	0.3	00.0-00.7	27	5.1	02.9-07.3	7	1.6	00.0-03.2
35-44	741	80,598	697	92.5	90.1-94.9	6	0.9	00.1-01.7	4	1.0	00.0-02.0	3	0.4	00.0-00.8	24	4.4	02.4-06.4	7	0.9	00.1-01.7
45-54	1057	95,216	1020	96.3	94.9-97.7	7	0.9	00.1-01.7	3	0.4	00.0-00.8				19	1.9	00.9-02.9	8	0.6	00.2-01.0
55-64	800	63,118	781	97.1	95.3-98.9										14	2.4	00.8-04.0	5	0.4	00.0-00.8
65+	1321	91,274	1293	97.6	96.6-98.6	1	0.0	00.0-00.0	2	0.2	00.0-00.6	1	0.2	00.0-00.6	15	1.2	00.6-01.8	9	0.7	00.1-01.3
Less Than H.S.	407	35,884	372	86.1	80.8-91.4	4	1.3	00.0-02.7				1	0.2	00.0-00.6	24	10.6	05.9-15.3	6	1.8	00.0-04.5
H.S. or G.E.D.	1396	138,499	1344	93.8	91.3-96.3	2	0.3	00.0-00.7	3	0.5	00.0-01.3	2	0.2	00.0-00.4	32	4.0	01.6-06.4	13	1.2	00.2-02.2
Some Post-H.S.	1460	156,720	1411	95.8	94.4-97.2	5	0.7	00.0-01.5	2	0.2	00.0-00.4	3	0.2	00.0-00.4	30	2.5	01.5-03.5	9	0.6	00.2-01.0
College Graduate	1400	151,558	1347	94.9	93.1-96.7	9	0.8	00.2-01.4	10	1.8	00.4-03.2	2	0.1	00.0-00.3	23	1.8	01.0-02.6	9	0.6	00.2-01.0
Less than \$15,000	386	33,986	344	84.0	78.1-89.9	4	2.0	00.0-04.2	1	1.6	00.0-04.7	2	0.6	00.0-01.4	30	10.0	05.9-14.1	5	1.8	00.0-04.5
\$15,000- 24,999	700	62,067	664	90.7	85.8-95.6	3	0.5	00.0-01.1	2	0.3	00.0-00.7				24	7.3	02.6-12.0	7	1.2	00.0-02.4
\$25,000- 34,999	594	59,231	574	94.2	90.9-97.5	1	0.5	00.0-01.5	1	0.8	00.0-02.4	2	0.3	00.0-00.9	9	2.6	00.4-04.8	7	1.6	00.0-03.4
\$35,000- 49,999	826	85,149	801	95.7	93.7-97.7	1	0.2	00.0-00.6	3	0.7	00.0-01.5				16	2.8	01.2-04.4	5	0.5	00.1-00.9
\$50,000- 74,999	773	87,944	752	97.3	96.1-98.5	6	0.8	00.0-01.6	2	0.3	00.0-00.7	2	0.2	00.0-00.6	9	1.1	00.3-01.9	2	0.2	00.0-00.6
\$75,000+	726	89,510	702	95.5	93.3-97.7	3	0.5	00.0-01.1	5	1.7	00.0-03.5				11	1.7	00.7-02.7	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1880	239,512	1813	95.3	93.7-96.9	9	0.6	00.2-01.0	8	0.8	00.2-01.4	3	0.1	00.0-00.3	32	2.4	01.0-03.8	15	0.8	00.2-01.4
18-24	84	40,623	81	94.4	87.3-0100				1	1.3	00.0-03.8				2	4.3	00.0-11.0			
25-34	211	38,414	196	92.9	88.8-97.0	1	0.6	00.0-01.8	3	1.7	00.0-03.7				5	2.0	00.2-03.8	6	2.9	00.0-06.0
35-44	322	40,789	299	91.4	87.9-94.9	3	1.1	00.0-02.3	2	1.2	00.0-03.0	3	0.7	00.0-01.7	12	4.6	01.9-07.3	3	1.0	00.0-02.2
45-54	460	47,800	447	97.2	95.4-99.0	5	1.6	00.2-03.0	1	0.3	00.0-00.9				4	0.7	00.1-01.3	3	0.3	00.0-00.7
55-64	335	33,118	328	97.9	96.1-99.7										6	2.1	00.3-03.9	1	0.1	00.0-00.3
65+	457	38,005	452	98.7	97.5-99.9				1	0.4	00.0-01.2				2	0.5	00.0-01.3	2	0.5	00.0-01.1
Less Than H.S.	189	20,592	174	89.3	82.6-96.0	3	2.0	00.0-04.4				1	0.4	00.0-01.2	7	5.5	00.8-10.2	4	2.8	00.0-07.3
H.S. or G.E.D.	574	71,682	554	94.3	90.2-98.4				2	1.0	00.0-02.6				13	4.1	00.2-08.0	5	0.6	00.0-01.2
Some Post-H.S.	537	69,398	526	97.5	95.9-99.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6				6	1.4	00.2-02.6	3	0.7	00.0-01.7
College Graduate	576	77,430	555	95.9	93.9-97.9	5	1.1	00.1-02.1	5	1.4	00.0-02.8	2	0.3	00.0-00.7	6	0.8	00.0-01.6	3	0.5	00.0-01.1
Less than \$15,000	106	12,547				1	0.8	00.0-02.4	1	4.4	00.0-12.6	1	0.6	00.0-01.8	6	7.0	00.0-14.1	1	0.5	00.0-01.5
\$15,000- 24,999	260	28,227	243	87.2	77.8-96.6	2	1.0	00.0-02.4	1	0.5	00.0-01.5				11	9.6	00.4-18.8	3	1.7	00.0-04.2
\$25,000- 34,999	237	29,989	229	96.3	92.8-99.8										4	1.3	00.1-02.5	4	2.4	00.0-05.7
\$35,000- 49,999	370	43,646	362	97.1	94.9-99.3	1	0.4	00.0-01.2	1	0.7	00.0-02.1				2	0.9	00.0-02.1	4	0.8	00.0-01.6
\$50,000- 74,999	371	49,199	361	97.4	95.6-99.2	2	0.7	00.0-01.7	1	0.3	00.0-00.9	2	0.4	00.0-01.0	3	0.8	00.0-01.8	2	0.4	00.0-01.0
\$75,000+	356	50,274	347	96.7	94.5-98.9	3	1.0	00.0-02.2	3	1.3	00.0-02.9				3	1.1	00.0-02.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2790	243,765	2667	93.2	91.6-94.8	11	0.7	00.1-01.3	7	0.7	00.0-01.5	5	0.2	00.0-00.4	77	4.2	03.0-05.4	23	0.9	00.3-01.5
18-24	109	35,662	93	84.0	76.2-91.8	4	3.6	00.1-07.1	2	3.4	00.0-08.1	1	0.4	00.0-01.2	7	6.4	01.5-11.3	2	2.1	00.0-05.0
25-34	297	35,368	270	90.2	86.1-94.3	1	0.4	00.0-01.2				3	0.6	00.0-01.4	22	8.5	04.6-12.4	1	0.3	00.0-00.9
35-44	419	39,809	398	93.7	90.8-96.6	3	0.7	00.0-01.5	2	0.7	00.0-01.7				12	4.2	01.7-06.7	4	0.8	00.0-01.8
45-54	597	47,415	573	95.4	93.4-97.4	2	0.2	00.0-00.4	2	0.5	00.0-01.3				15	3.2	01.4-05.0	5	0.8	00.0-01.6
55-64	465	30,000	453	96.4	93.5-99.3										8	2.9	00.0-05.8	4	0.8	00.0-01.8
65+	864	53,270	841	96.9	95.5-98.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9	13	1.8	00.8-02.8	7	0.9	00.1-01.7
Less Than H.S.	218	15,292	198	81.7	72.9-90.5	1	0.4	00.0-01.2							17	17.5	08.7-26.3	2	0.4	00.0-01.2
H.S. or G.E.D.	822	66,817	790	93.3	90.4-96.2	2	0.5	00.0-01.5	1	0.1	00.0-00.3	2	0.3	00.0-00.7	19	3.9	01.5-06.3	8	1.8	00.0-03.6
Some Post-H.S.	923	87,322	885	94.5	92.3-96.7	4	1.2	00.0-02.6	1	0.2	00.0-00.6	3	0.3	00.0-00.7	24	3.4	01.8-05.0	6	0.5	00.1-00.9
College Graduate	824	74,128	792	94.0	91.1-96.9	4	0.5	00.0-01.1	5	2.1	00.0-04.5				17	2.7	01.1-04.3	6	0.7	00.1-01.3
Less than \$15,000	280	21,439	248	82.4	75.5-89.3	3	2.7	00.0-06.2				1	0.5	00.0-01.5	24	11.8	06.7-16.9	4	2.7	00.0-06.8
\$15,000- 24,999	440	33,840	421	93.5	89.6-97.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3				13	5.4	01.7-09.1	4	0.8	00.0-01.6
\$25,000- 34,999	357	29,242	345	92.1	86.6-97.6	1	1.0	00.0-03.0	1	1.6	00.0-04.5	2	0.6	00.0-01.6	5	4.1	00.0-08.4	3	0.7	00.0-01.7
\$35,000- 49,999	456	41,503	439	94.2	91.1-97.3				2	0.7	00.0-01.7				14	4.9	02.0-07.8	1	0.2	00.0-00.6
\$50,000- 74,999	402	38,744	391	97.2	95.4-99.0	4	1.0	00.0-02.0	1	0.4	00.0-01.2				6	1.4	00.2-02.6			
\$75,000+	370	39,236	355	94.0	89.9-98.1				2	2.2	00.0-05.9				8	2.5	00.7-04.3	5	1.3	00.1-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4724	488,848	4480	93.2	92.0-94.4	244	6.8	05.6-08.0
Male	1901	242,031	1813	94.3	92.7-95.9	88	5.7	04.1-07.3
Female	2823	246,817	2667	92.0	90.4-93.6	156	8.0	06.4-09.6
18-24	197	77,000	174	88.7	83.4-94.0	23	11.3	06.0-16.6
25-34	514	75,006	466	90.1	87.0-93.2	48	9.9	06.8-13.0
35-44	748	81,542	697	91.5	89.0-94.0	51	8.5	06.0-11.0
45-54	1062	95,838	1020	95.6	94.2-97.0	42	4.4	03.0-05.8
55-64	816	64,248	781	95.4	93.4-97.4	35	4.6	02.6-06.6
65+	1337	92,210	1293	96.7	95.5-97.9	44	3.3	02.1-04.5
Less Than H.S.	412	36,115	372	85.5	80.0-91.0	40	14.5	09.0-20.0
H.S. or G.E.D.	1419	140,748	1344	92.3	89.8-94.8	75	7.7	05.2-10.2
Some Post-H.S.	1478	158,928	1411	94.5	92.9-96.1	67	5.5	03.9-07.1
College Graduate	1408	152,442	1347	94.4	92.6-96.2	61	5.6	03.8-07.4
Less than \$15,000	390	34,154	344	83.6	77.7-89.5	46	16.4	10.5-22.3
\$15,000- 24,999	714	63,799	664	88.2	83.3-93.1	50	11.8	06.9-16.7
\$25,000- 34,999	606	60,683	574	92.0	88.5-95.5	32	8.0	04.5-11.5
\$35,000- 49,999	831	85,687	801	95.1	93.1-97.1	30	4.9	02.9-06.9
\$50,000- 74,999	781	88,768	752	96.4	95.0-97.8	29	3.6	02.2-05.0
\$75,000+	731	90,132	702	94.9	92.5-97.3	29	5.1	02.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	242,031	1813	94.3	92.7-95.9	88	5.7	04.1-07.3
18-24	85	40,649	81	94.3	87.2-0100	4	5.7	00.0-12.8
25-34	214	39,166	196	91.2	86.7-95.7	18	8.8	04.3-13.3
35-44	325	41,271	299	90.4	86.7-94.1	26	9.6	05.9-13.3
45-54	462	47,995	447	96.8	95.0-98.6	15	3.2	01.4-05.0
55-64	342	33,607	328	96.4	94.2-98.6	14	3.6	01.4-05.8
65+	462	38,581	452	97.2	95.2-99.2	10	2.8	00.8-04.8
Less Than H.S.	192	20,801	174	88.4	81.7-95.1	18	11.6	04.9-18.3
H.S. or G.E.D.	582	72,663	554	93.1	89.0-97.2	28	6.9	02.8-11.0
Some Post-H.S.	544	70,287	526	96.3	94.3-98.3	18	3.7	01.7-05.7
College Graduate	579	77,870	555	95.3	93.3-97.3	24	4.7	02.7-06.7
\$15,000- 24,999	265	28,922	243	85.1	75.9-94.3	22	14.9	05.7-24.1
\$25,000- 34,999	244	30,751	229	93.9	89.8-98.0	15	6.1	02.0-10.2
\$35,000- 49,999	372	43,913	362	96.5	94.1-98.9	10	3.5	01.1-05.9
\$50,000- 74,999	374	49,653	361	96.5	94.3-98.7	13	3.5	01.3-05.7
\$75,000+	358	50,554	347	96.2	93.8-98.6	11	3.8	01.4-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACE2).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2823	246,817	2667	92.0	90.4-93.6	156	8.0	06.4-09.6
18-24	112	36,351	93	82.4	74.4-90.4	19	17.6	09.6-25.6
25-34	300	35,840	270	89.0	84.9-93.1	30	11.0	06.9-15.1
35-44	423	40,271	398	92.6	89.5-95.7	25	7.4	04.3-10.5
45-54	600	47,843	573	94.5	92.3-96.7	27	5.5	03.3-07.7
55-64	474	30,642	453	94.3	91.0-97.6	21	5.7	02.4-09.0
65+	875	53,629	841	96.3	94.9-97.7	34	3.7	02.3-05.1
Less Than H.S.	220	15,314	198	81.6	72.8-90.4	22	18.4	09.6-27.2
H.S. or G.E.D.	837	68,084	790	91.6	88.5-94.7	47	8.4	05.3-11.5
Some Post-H.S.	934	88,641	885	93.1	90.7-95.5	49	6.9	04.5-09.3
College Graduate	829	74,571	792	93.4	90.5-96.3	37	6.6	03.7-09.5
Less than \$15,000	283	21,570	248	81.9	75.0-88.8	35	18.1	11.2-25.0
\$15,000- 24,999	449	34,878	421	90.8	86.1-95.5	28	9.2	04.5-13.9
\$25,000- 34,999	362	29,932	345	90.0	84.3-95.7	17	10.0	04.3-15.7
\$35,000- 49,999	459	41,774	439	93.6	90.5-96.7	20	6.4	03.3-09.5
\$50,000- 74,999	407	39,115	391	96.3	94.3-98.3	16	3.7	01.7-05.7
\$75,000+	373	39,579	355	93.2	88.9-97.5	18	6.8	02.5-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4724	488,848	4480	93.2	92.0-94.4	20	0.7	00.3-01.1	143	4.3	03.3-05.3	27	0.7	00.3-01.1	54	1.1	00.7-01.5
Male	1901	242,031	1813	94.3	92.7-95.9	9	0.6	00.2-01.0	48	3.4	02.0-04.8	10	0.7	00.1-01.3	21	1.0	00.4-01.6
Female	2823	246,817	2667	92.0	90.4-93.6	11	0.7	00.1-01.3	95	5.2	03.8-06.6	17	0.8	00.2-01.4	33	1.2	00.6-01.8
18-24	197	77,000	174	88.7	83.4-94.0	4	1.7	00.0-03.5	13	7.7	02.8-12.6	2	1.0	00.0-02.4	4	0.9	00.0-02.1
25-34	514	75,006	466	90.1	87.0-93.2	2	0.5	00.0-01.1	35	6.3	03.9-08.7	5	1.4	00.0-03.0	6	1.6	00.2-03.0
35-44	748	81,542	697	91.5	89.0-94.0	6	0.9	00.1-01.7	31	5.7	03.5-07.9	7	0.9	00.1-01.7	7	1.2	00.4-02.0
45-54	1062	95,838	1020	95.6	94.2-97.0	7	0.9	00.1-01.7	25	2.5	01.5-03.5	5	0.4	00.0-00.8	5	0.6	00.0-01.2
55-64	816	64,248	781	95.4	93.4-97.4				15	2.5	00.9-04.1	4	0.3	00.0-00.7	16	1.8	00.8-02.8
65+	1337	92,210	1293	96.7	95.5-97.9	1	0.0	00.0-00.0	23	1.9	01.1-02.7	4	0.4	00.0-00.8	16	1.0	00.2-01.8
Less Than H.S.	412	36,115	372	85.5	80.0-91.0	4	1.3	00.0-02.7	27	10.9	06.2-15.6	4	1.6	00.0-04.1	5	0.6	00.0-01.4
H.S. or G.E.D.	1419	140,748	1344	92.3	89.8-94.8	2	0.2	00.0-00.6	42	4.8	02.4-07.2	8	1.0	00.2-01.8	23	1.6	00.8-02.4
Some Post-H.S.	1478	158,928	1411	94.5	92.9-96.1	5	0.7	00.0-01.5	37	2.9	01.9-03.9	7	0.5	00.1-00.9	18	1.4	00.6-02.2
College Graduate	1408	152,442	1347	94.4	92.6-96.2	9	0.8	00.2-01.4	36	3.7	02.1-05.3	8	0.5	00.1-00.9	8	0.6	00.2-01.0
Less than \$15,000	390	34,154	344	83.6	77.7-89.5	4	2.0	00.0-04.2	35	12.3	07.2-17.4	3	1.7	00.0-04.2	4	0.5	00.0-01.1
\$15,000- 24,999	714	63,799	664	88.2	83.3-93.1	3	0.5	00.0-01.1	28	7.6	02.9-12.3	5	1.0	00.0-02.2	14	2.7	00.7-04.7
\$25,000- 34,999	606	60,683	574	92.0	88.5-95.5	1	0.5	00.0-01.5	13	3.6	01.1-06.1	6	1.5	00.0-03.3	12	2.4	00.8-04.0
\$35,000- 49,999	831	85,687	801	95.1	93.1-97.1	1	0.2	00.0-00.6	21	3.7	01.9-05.5	3	0.3	00.0-00.7	5	0.6	00.0-01.2
\$50,000- 74,999	781	88,768	752	96.4	95.0-97.8	6	0.8	00.0-01.6	13	1.6	00.6-02.6	2	0.2	00.0-00.6	8	0.9	00.1-01.7
\$75,000+	731	90,132	702	94.9	92.5-97.3	3	0.5	00.0-01.1	17	3.5	01.3-05.7	4	0.5	00.0-01.1	5	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	242,031	1813	94.3	92.7-95.9	9	0.6	00.2-01.0	48	3.4	02.0-04.8	10	0.7	00.1-01.3	21	1.0	00.4-01.6
18-24	85	40,649	81	94.3	87.2-0100				3	5.6	00.0-12.7				1	0.1	00.0-00.3
25-34	214	39,166	196	91.2	86.7-95.7	1	0.5	00.0-01.5	10	3.9	01.4-06.4	4	2.5	00.0-05.4	3	1.9	00.0-04.1
35-44	325	41,271	299	90.4	86.7-94.1	3	1.1	00.0-02.3	17	6.4	03.3-09.5	3	1.0	00.0-02.2	3	1.2	00.0-02.6
45-54	462	47,995	447	96.8	95.0-98.6	5	1.6	00.2-03.0	7	1.1	00.1-02.1	1	0.1	00.0-00.3	2	0.4	00.0-01.0
55-64	342	33,607	328	96.4	94.2-98.6				6	2.0	00.2-03.8	1	0.1	00.0-00.3	7	1.5	00.1-02.9
65+	462	38,581	452	97.2	95.2-99.2				4	1.0	00.0-02.2	1	0.3	00.0-00.9	5	1.5	00.0-03.1
Less Than H.S.	192	20,801	174	88.4	81.7-95.1	3	2.0	00.0-04.4	9	6.1	01.4-10.8	3	2.5	00.0-07.0	3	1.0	00.0-02.4
H.S. or G.E.D.	582	72,663	554	93.1	89.0-97.2				17	5.1	01.0-09.2	3	0.5	00.0-01.1	8	1.3	00.3-02.3
Some Post-H.S.	544	70,287	526	96.3	94.3-98.3	1	0.2	00.0-00.6	8	1.7	00.5-02.9	2	0.6	00.0-01.6	7	1.3	00.1-02.5
College Graduate	579	77,870	555	95.3	93.3-97.3	5	1.1	00.1-02.1	14	2.7	01.1-04.3	2	0.4	00.0-01.0	3	0.6	00.0-01.4
Less than \$15,000	107	12,584				1	0.8	00.0-02.4							1	0.3	00.0-00.9
\$15,000- 24,999	265	28,922	243	85.1	75.9-94.3	2	1.0	00.0-02.4	12	9.8	00.8-18.8	3	1.7	00.0-04.1	5	2.4	00.2-04.6
\$25,000- 34,999	244	30,751	229	93.9	89.8-98.0				5	1.3	00.1-02.5	3	2.3	00.0-05.4	7	2.5	00.0-05.0
\$35,000- 49,999	372	43,913	362	96.5	94.1-98.9	1	0.4	00.0-01.2	5	2.0	00.0-04.0	2	0.4	00.0-01.0	2	0.6	00.0-01.4
\$50,000- 74,999	374	49,653	361	96.5	94.3-98.7	2	0.7	00.0-01.7	6	1.5	00.1-02.9	2	0.4	00.0-01.0	3	0.9	00.0-02.1
\$75,000+	358	50,554	347	96.2	93.8-98.6	3	1.0	00.0-02.2	6	2.3	00.3-04.3				2	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2823	246,817	2667	92.0	90.4-93.6	11	0.7	00.1-01.3	95	5.2	03.8-06.6	17	0.8	00.2-01.4	33	1.2	00.6-01.8
18-24	112	36,351	93	82.4	74.4-90.4	4	3.6	00.1-07.1	10	10.0	03.5-16.5	2	2.1	00.0-05.0	3	1.9	00.0-04.4
25-34	300	35,840	270	89.0	84.9-93.1	1	0.4	00.0-01.2	25	9.0	05.1-12.9	1	0.3	00.0-00.9	3	1.3	00.0-02.9
35-44	423	40,271	398	92.6	89.5-95.7	3	0.6	00.0-01.4	14	4.9	02.2-07.6	4	0.7	00.0-01.7	4	1.1	00.0-02.3
45-54	600	47,843	573	94.5	92.3-96.7	2	0.2	00.0-00.4	18	3.8	02.0-05.6	4	0.6	00.0-01.2	3	0.9	00.0-02.1
55-64	474	30,642	453	94.3	91.0-97.6				9	2.9	00.2-05.6	3	0.6	00.0-01.4	9	2.1	00.5-03.7
65+	875	53,629	841	96.3	94.9-97.7	1	0.1	00.0-00.3	19	2.5	01.3-03.7	3	0.5	00.0-01.1	11	0.7	00.1-01.3
Less Than H.S.	220	15,314	198	81.6	72.8-90.4	1	0.4	00.0-01.2	18	17.5	08.7-26.3	1	0.4	00.0-01.2	2	0.1	00.0-00.3
H.S. or G.E.D.	837	68,084	790	91.6	88.5-94.7	2	0.5	00.0-01.5	25	4.6	02.2-07.0	5	1.5	00.0-03.1	15	1.9	00.7-03.1
Some Post-H.S.	934	88,641	885	93.1	90.7-95.5	4	1.2	00.0-02.6	29	3.9	02.3-05.5	5	0.4	00.0-00.8	11	1.5	00.3-02.7
College Graduate	829	74,571	792	93.4	90.5-96.3	4	0.5	00.0-01.1	22	4.8	02.1-07.5	6	0.7	00.1-01.3	5	0.6	00.0-01.2
Less than \$15,000	283	21,570	248	81.9	75.0-88.8	3	2.7	00.0-06.0	26	12.2	06.9-17.5	3	2.6	00.0-06.7	3	0.6	00.0-01.6
\$15,000- 24,999	449	34,878	421	90.8	86.1-95.5	1	0.1	00.0-00.3	16	5.8	02.1-09.5	2	0.3	00.0-00.7	9	3.0	00.1-05.9
\$25,000- 34,999	362	29,932	345	90.0	84.3-95.7	1	1.0	00.0-03.0	8	6.1	01.0-11.2	3	0.7	00.0-01.7	5	2.3	00.1-04.5
\$35,000- 49,999	459	41,774	439	93.6	90.5-96.7				16	5.6	02.5-08.7	1	0.2	00.0-00.6	3	0.6	00.0-01.4
\$50,000- 74,999	407	39,115	391	96.3	94.3-98.3	4	1.0	00.0-02.0	7	1.7	00.3-03.1				5	0.9	00.0-01.9
\$75,000+	373	39,579	355	93.2	88.9-97.5				11	4.9	00.8-09.0	4	1.1	00.0-02.3	3	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4737	489,372	4713	99.4	99.0-99.8	22	0.5	00.1-00.9	2	0.1	00.0-00.3
Male	1906	242,395	1896	99.3	98.7-99.9	9	0.5	00.1-00.9	1	0.1	00.0-00.3
Female	2831	246,976	2817	99.4	99.0-99.8	13	0.5	00.1-00.9	1	0.1	00.0-00.3
18-24	198	76,706	196	99.0	97.6-0100	1	0.6	00.0-01.8	1	0.4	00.0-01.2
25-34	513	74,894	508	98.5	96.9-0100	4	1.0	00.0-02.4	1	0.4	00.0-01.2
35-44	743	80,829	737	99.3	98.7-99.9	6	0.7	00.1-01.3			
45-54	1058	95,566	1053	99.6	99.2-0100	5	0.4	00.0-00.8			
55-64	817	64,522	814	99.8	99.6-0100	3	0.2	00.0-00.4			
65+	1357	93,761	1354	99.7	99.3-0100	3	0.3	00.0-00.7			
Less Than H.S.	426	37,210	422	98.4	95.9-0100	4	1.6	00.0-04.1			
H.S. or G.E.D.	1420	140,725	1413	99.1	98.3-99.9	6	0.7	00.0-01.5	1	0.2	00.0-00.6
Some Post-H.S.	1479	158,628	1473	99.6	99.2-0100	5	0.2	00.0-00.4	1	0.2	00.0-00.6
College Graduate	1406	152,238	1399	99.6	99.2-0100	7	0.4	00.0-00.8			
Less than \$15,000	392	34,354	389	98.3	95.8-0100	3	1.7	00.0-04.2			
\$15,000- 24,999	714	63,515	710	99.1	97.9-0100	3	0.3	00.0-00.9	1	0.5	00.0-01.5
\$25,000- 34,999	608	60,843	602	98.5	96.7-0100	6	1.5	00.0-03.3			
\$35,000- 49,999	831	85,684	829	99.8	99.4-0100	2	0.2	00.0-00.6			
\$50,000- 74,999	779	88,492	777	99.8	99.4-0100	2	0.2	00.0-00.6			
\$75,000+	729	89,922	726	99.7	99.3-0100	3	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1906	242,395	1896	99.3	98.7-99.9	9	0.5	00.1-00.9	1	0.1	00.0-00.3
18-24	86	40,688	86	100.0	0100-0100						
25-34	213	39,055	209	97.5	94.6-0100	3	1.7	00.0-04.2	1	0.8	00.0-02.4
35-44	322	40,789	319	99.0	97.8-0100	3	1.0	00.0-02.2			
45-54	460	47,913	459	99.9	99.7-0100	1	0.1	00.0-00.3			
55-64	343	33,880	342	99.9	99.7-0100	1	0.1	00.0-00.3			
65+	471	39,309	470	99.7	99.1-0100	1	0.3	00.0-00.9			
Less Than H.S.	199	21,307	196	97.6	93.3-0100	3	2.4	00.0-06.7			
H.S. or G.E.D.	582	72,674	579	99.5	98.9-0100	3	0.5	00.0-01.1			
Some Post-H.S.	543	70,198	541	99.4	98.4-0100	1	0.1	00.0-00.3	1	0.5	00.0-01.5
College Graduate	578	77,807	576	99.6	99.0-0100	2	0.4	00.0-01.0			
Less than \$15,000	107	12,612	107	100.0	0100-0100						
\$15,000- 24,999	268	29,343	265	98.3	95.9-0100	2	0.6	00.0-01.6	1	1.1	00.0-03.3
\$25,000- 34,999	244	30,701	241	97.7	94.6-0100	3	2.3	00.0-05.4			
\$35,000- 49,999	371	43,779	369	99.6	99.0-0100	2	0.4	00.0-01.0			
\$50,000- 74,999	373	49,493	371	99.6	99.0-0100	2	0.4	00.0-01.0			
\$75,000+	358	50,554	358	100.0	0100-0100						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2831	246,976	2817	99.4	99.0-99.8	13	0.5	00.1-00.9	1	0.1	00.0-00.3
18-24	112	36,018	110	97.9	95.0-0100	1	1.3	00.0-03.8	1	0.8	00.0-02.4
25-34	300	35,840	299	99.7	99.1-0100	1	0.3	00.0-00.9			
35-44	421	40,040	418	99.7	99.3-0100	3	0.3	00.0-00.7			
45-54	598	47,653	594	99.4	98.8-0100	4	0.6	00.0-01.2			
55-64	474	30,642	472	99.7	99.1-0100	2	0.3	00.0-00.9			
65+	886	54,452	884	99.6	99.0-0100	2	0.4	00.0-01.0			
Less Than H.S.	227	15,904	226	99.6	98.8-0100	1	0.4	00.0-01.2			
H.S. or G.E.D.	838	68,052	834	98.7	97.1-0100	3	0.9	00.0-02.3	1	0.4	00.0-01.2
Some Post-H.S.	936	88,430	932	99.7	99.3-0100	4	0.3	00.0-00.7			
College Graduate	828	74,431	823	99.6	99.2-0100	5	0.4	00.0-00.8			
Less than \$15,000	285	21,742	282	97.4	93.3-0100	3	2.6	00.0-06.7			
\$15,000- 24,999	446	34,171	445	99.9	99.7-0100	1	0.1	00.0-00.3			
\$25,000- 34,999	364	30,143	361	99.3	98.3-0100	3	0.7	00.0-01.7			
\$35,000- 49,999	460	41,905	460	100.0	0100-0100						
\$50,000- 74,999	406	38,999	406	100.0	0100-0100						
\$75,000+	371	39,368	368	99.4	98.6-0100	3	0.6	00.0-01.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4737	489,372	4713	99.4	99.0-99.8	24	0.6	00.2-01.0
Male	1906	242,395	1896	99.3	98.7-99.9	10	0.7	00.1-01.3
Female	2831	246,976	2817	99.4	99.0-99.8	14	0.6	00.2-01.0
18-24	198	76,706	196	99.0	97.6-0100	2	1.0	00.0-02.4
25-34	513	74,894	508	98.5	96.9-0100	5	1.5	00.0-03.1
35-44	743	80,829	737	99.3	98.7-99.9	6	0.7	00.1-01.3
45-54	1058	95,566	1053	99.6	99.2-0100	5	0.4	00.0-00.8
55-64	817	64,522	814	99.8	99.6-0100	3	0.2	00.0-00.4
65+	1357	93,761	1354	99.7	99.3-0100	3	0.3	00.0-00.7
Less Than H.S.	426	37,210	422	98.4	95.9-0100	4	1.6	00.0-04.1
H.S. or G.E.D.	1420	140,725	1413	99.1	98.3-99.9	7	0.9	00.1-01.7
Some Post-H.S.	1479	158,628	1473	99.6	99.2-0100	6	0.4	00.0-00.8
College Graduate	1406	152,238	1399	99.6	99.2-0100	7	0.4	00.0-00.8
Less than \$15,000	392	34,354	389	98.3	95.8-0100	3	1.7	00.0-04.2
\$15,000- 24,999	714	63,515	710	99.1	97.9-0100	4	0.9	00.0-02.1
\$25,000- 34,999	608	60,843	602	98.5	96.7-0100	6	1.5	00.0-03.3
\$35,000- 49,999	831	85,684	829	99.8	99.4-0100	2	0.2	00.0-00.6
\$50,000- 74,999	779	88,492	777	99.8	99.4-0100	2	0.2	00.0-00.6
\$75,000+	729	89,922	726	99.7	99.3-0100	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1906	242,395	1896	99.3	98.7-99.9	10	0.7	00.1-01.3
18-24	86	40,688	86	100.0	0100-0100			
25-34	213	39,055	209	97.5	94.6-0100	4	2.5	00.0-05.4
35-44	322	40,789	319	99.0	97.8-0100	3	1.0	00.0-02.2
45-54	460	47,913	459	99.9	99.7-0100	1	0.1	00.0-00.3
55-64	343	33,880	342	99.9	99.7-0100	1	0.1	00.0-00.3
65+	471	39,309	470	99.7	99.1-0100	1	0.3	00.0-00.9
Less Than H.S.	199	21,307	196	97.6	93.3-0100	3	2.4	00.0-06.7
H.S. or G.E.D.	582	72,674	579	99.5	98.9-0100	3	0.5	00.0-01.1
Some Post-H.S.	543	70,198	541	99.4	98.4-0100	2	0.6	00.0-01.6
College Graduate	578	77,807	576	99.6	99.0-0100	2	0.4	00.0-01.0
Less than \$15,000	107	12,612	107	100.0	0100-0100			
\$15,000- 24,999	268	29,343	265	98.3	95.9-0100	3	1.7	00.0-04.1
\$25,000- 34,999	244	30,701	241	97.7	94.6-0100	3	2.3	00.0-05.4
\$35,000- 49,999	371	43,779	369	99.6	99.0-0100	2	0.4	00.0-01.0
\$50,000- 74,999	373	49,493	371	99.6	99.0-0100	2	0.4	00.0-01.0
\$75,000+	358	50,554	358	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2831	246,976	2817	99.4	99.0-99.8	14	0.6	00.2-01.0
18-24	112	36,018	110	97.9	95.0-0100	2	2.1	00.0-05.0
25-34	300	35,840	299	99.7	99.1-0100	1	0.3	00.0-00.9
35-44	421	40,040	418	99.7	99.3-0100	3	0.3	00.0-00.7
45-54	598	47,653	594	99.4	98.8-0100	4	0.6	00.0-01.2
55-64	474	30,642	472	99.7	99.1-0100	2	0.3	00.0-00.9
65+	886	54,452	884	99.6	99.0-0100	2	0.4	00.0-01.0
Less Than H.S.	227	15,904	226	99.6	98.8-0100	1	0.4	00.0-01.2
H.S. or G.E.D.	838	68,052	834	98.7	97.1-0100	4	1.3	00.0-02.9
Some Post-H.S.	936	88,430	932	99.7	99.3-0100	4	0.3	00.0-00.7
College Graduate	828	74,431	823	99.6	99.2-0100	5	0.4	00.0-00.8
Less than \$15,000	285	21,742	282	97.4	93.3-0100	3	2.6	00.0-06.7
\$15,000- 24,999	446	34,171	445	99.9	99.7-0100	1	0.1	00.0-00.3
\$25,000- 34,999	364	30,143	361	99.3	98.3-0100	3	0.7	00.0-01.7
\$35,000- 49,999	460	41,905	460	100.0	0100-0100			
\$50,000- 74,999	406	38,999	406	100.0	0100-0100			
\$75,000+	371	39,368	368	99.4	98.6-0100	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	490,662	460	23.6	21.4-25.8	585	15.0	13.6-16.4	932	18.9	17.5-20.3	1008	17.4	16.2-18.6	742	10.9	09.9-11.9	999	14.2	13.2-15.2
Male	1916	243,601	193	24.9	21.6-28.2	269	16.5	14.3-18.7	384	18.0	16.0-20.0	444	18.3	16.3-20.3	303	11.0	09.6-12.4	323	11.2	09.8-12.6
Female	2810	247,061	267	22.3	19.6-25.0	316	13.5	11.9-15.1	548	19.8	18.0-21.6	564	16.4	14.8-18.0	439	10.8	09.6-12.0	676	17.1	15.5-18.7
Native	108	15,831				17	16.2	08.0-24.4	26	20.5	11.9-29.1	15	8.4	03.7-13.1	15	9.5	03.0-16.0	9	4.3	01.2-07.4
Non-Native	4566	470,013	425	22.9	20.7-25.1	567	15.1	13.7-16.5	904	19.1	17.7-20.5	989	17.7	16.5-18.9	718	11.0	10.0-12.0	963	14.3	13.3-15.3
Less Than H.S.	430	37,934	27	22.6	14.6-30.6	12	4.5	01.4-07.6	30	7.5	04.6-10.4	22	5.4	02.3-08.5	77	15.4	11.3-19.5	262	44.6	38.1-51.1
H.S. or G.E.D.	1422	141,657	128	24.5	20.4-28.6	120	10.2	08.0-12.4	258	16.9	14.5-19.3	294	17.7	15.3-20.1	248	11.7	09.9-13.5	374	19.1	16.7-21.5
Some Post-H.S.	1467	158,726	157	26.4	22.3-30.5	208	16.7	14.3-19.1	339	20.9	18.4-23.4	328	17.1	14.9-19.3	220	9.5	07.9-11.1	215	9.4	07.8-11.0
College Graduate	1400	151,785	148	20.1	16.6-23.6	245	20.4	17.9-22.9	305	21.7	19.2-24.2	363	20.2	17.8-22.6	193	10.5	08.7-12.3	146	7.0	05.6-08.4
Less than \$15,000	394	34,346	51	35.2	26.8-43.6	17	6.4	02.7-10.1	55	13.5	09.4-17.6	40	7.3	04.6-10.0	61	8.3	05.8-10.8	170	29.2	23.7-34.7
\$15,000- 24,999	716	64,277	66	26.1	19.2-33.0	59	10.0	06.9-13.1	86	11.5	08.6-14.4	104	12.1	09.2-15.0	123	10.4	08.0-12.8	278	29.9	25.6-34.2
\$25,000- 34,999	611	61,677	73	31.3	24.8-37.8	79	13.3	10.0-16.6	92	11.4	08.7-14.1	131	16.9	13.4-20.4	97	11.1	08.6-13.6	139	16.1	13.0-19.2
\$35,000- 49,999	830	86,047	85	21.9	16.8-27.0	128	18.8	15.5-22.1	175	19.4	16.3-22.5	201	17.4	14.7-20.1	144	13.8	11.3-16.3	97	8.8	06.8-10.8
\$50,000- 74,999	779	88,656	68	16.5	12.6-20.4	139	22.4	18.9-25.9	224	26.6	23.1-30.1	211	21.3	18.2-24.4	90	9.1	06.9-11.3	47	4.2	02.8-05.6
\$75,000+	732	90,278	54	15.7	11.0-20.4	131	19.6	16.3-22.9	212	27.8	24.1-31.5	219	25.0	21.5-28.5	80	8.1	06.1-10.1	36	3.8	02.4-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1916	243,601	193	24.9	21.6-28.2	269	16.5	14.3-18.7	384	18.0	16.0-20.0	444	18.3	16.3-20.3	303	11.0	09.6-12.4	323	11.2	09.8-12.6
Non-Native	1859	235,703	182	24.3	21.0-27.6	264	16.7	14.5-18.9	373	18.0	16.0-20.0	435	18.5	16.5-20.5	294	11.1	09.7-12.5	311	11.3	09.7-12.9
Less Than H.S.	201	21,847				6	4.1	00.4-07.8	13	6.1	02.4-09.8	14	7.4	02.5-12.3	44	17.8	11.5-24.1	110	40.8	31.8-49.8
H.S. or G.E.D.	586	72,942	62	28.8	22.3-35.3	62	12.3	08.8-15.8	127	17.1	13.6-20.6	141	19.0	15.5-22.5	80	9.6	07.1-12.1	114	13.3	10.4-16.2
Some Post-H.S.	544	70,707	67	28.2	21.5-34.9	92	19.7	15.6-23.8	126	20.2	16.3-24.1	133	17.5	14.0-21.0	81	9.0	06.6-11.4	45	5.3	03.5-07.1
College Graduate	581	77,751	50	18.6	13.1-24.1	109	21.1	17.2-25.0	118	20.3	16.6-24.0	155	21.4	17.7-25.1	96	12.2	09.5-14.9	53	6.3	04.3-08.3
Less than \$15,000	110	12,691				6	7.8	00.5-15.1	22	14.6	07.3-21.9	12	8.9	03.0-14.8	18	8.6	03.7-13.5	37	19.7	11.7-27.7
\$15,000- 24,999	270	29,522				28	12.8	07.3-18.3	36	11.7	07.2-16.2	44	12.5	07.8-17.2	39	7.7	04.4-11.0	99	29.4	22.5-36.3
\$25,000- 34,999	246	31,294				29	13.0	07.7-18.3	42	11.8	07.5-16.1	66	19.7	14.0-25.4	31	8.6	05.1-12.1	46	12.8	08.5-17.1
\$35,000- 49,999	374	44,309	38	24.5	16.5-32.5	65	20.4	15.3-25.5	75	17.4	12.9-21.9	85	16.0	11.9-20.1	72	14.7	11.0-18.4	39	7.0	04.5-09.5
\$50,000- 74,999	375	49,767	30	15.8	10.1-21.5	75	24.3	19.2-29.4	91	22.5	17.8-27.2	101	21.7	17.4-26.0	50	10.9	07.6-14.2	28	4.7	02.5-06.9
\$75,000+	359	50,566	26	15.6	08.7-22.5	56	17.1	12.6-21.6	100	27.0	21.7-32.3	107	26.0	20.9-31.1	52	10.4	07.3-13.5	18	3.9	01.9-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	247,061	267	22.3	19.6-25.0	316	13.5	11.9-15.1	548	19.8	18.0-21.6	564	16.4	14.8-18.0	439	10.8	09.6-12.0	676	17.1	15.5-18.7
Native	77	10,266							17	18.9	09.5-28.3	8	6.7	01.8-11.6	13	12.0	03.2-20.8	7	4.9	01.0-08.8
Non-Native	2707	234,310	243	21.4	18.7-24.1	303	13.4	11.8-15.0	531	20.1	18.3-21.9	554	16.9	15.3-18.5	424	10.8	09.6-12.0	652	17.4	15.8-19.0
Less Than H.S.	229	16,087				6	5.0	00.0-10.3	17	9.3	04.2-14.4	8	2.7	00.0-05.4	33	12.2	07.3-17.1	152	49.8	40.4-59.2
H.S. or G.E.D.	836	68,715	66	19.9	14.8-25.0	58	8.0	05.6-10.4	131	16.6	13.5-19.7	153	16.3	13.4-19.2	168	13.9	11.4-16.4	260	25.3	22.0-28.6
Some Post-H.S.	923	88,019	90	24.9	19.8-30.0	116	14.3	11.6-17.0	213	21.5	18.4-24.6	195	16.8	14.1-19.5	139	9.8	08.0-11.6	170	12.7	10.5-14.9
College Graduate	819	74,034	98	21.7	17.2-26.2	136	19.6	16.3-22.9	187	23.1	19.8-26.4	208	19.0	16.3-21.7	97	8.8	06.6-11.0	93	7.7	05.9-09.5
Less than \$15,000	284	21,655	36	32.2	22.4-42.0	11	5.6	01.7-09.5	33	12.9	08.0-17.8	28	6.3	03.6-09.0	43	8.2	05.3-11.1	133	34.8	27.7-41.9
\$15,000- 24,999	446	34,755	42	26.3	17.9-34.7	31	7.7	04.6-10.8	50	11.3	07.6-15.0	60	11.8	08.3-15.3	84	12.7	09.4-16.0	179	30.2	24.9-35.5
\$25,000- 34,999	365	30,383	41	28.3	20.5-36.1	50	13.5	09.4-17.6	50	11.0	07.5-14.5	65	14.0	09.9-18.1	66	13.7	10.0-17.4	93	19.5	15.0-24.0
\$35,000- 49,999	456	41,738	47	19.0	13.3-24.7	63	17.0	12.7-21.3	100	21.5	17.2-25.8	116	19.0	15.1-22.9	72	12.9	09.6-16.2	58	10.6	07.7-13.5
\$50,000- 74,999	404	38,889	38	17.3	11.6-23.0	64	19.9	15.2-24.6	133	31.7	26.4-37.0	110	20.8	16.7-24.9	40	6.8	04.4-09.2	19	3.4	01.6-05.2
\$75,000+	373	39,711	28	15.9	09.6-22.2	75	22.6	17.7-27.5	112	28.8	23.5-34.1	112	23.7	19.2-28.2	28	5.2	03.0-07.4	18	3.7	01.9-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 25: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4726	490,662	3355	80.8	79.6-82.0	1371	19.2	18.0-20.4	
Male	1916	243,601	1438	83.8	82.0-85.6	478	16.2	14.4-18.0	
Female	2810	247,061	1917	77.8	76.0-79.6	893	22.2	20.4-24.0	
Native	108	15,831	93	92.9	88.8-97.0	15	7.1	03.0-11.2	
Non-Native	4566	470,013	3244	80.6	79.4-81.8	1322	19.4	18.2-20.6	
Less Than H.S.	430	37,934	128	48.7	41.6-55.8	302	51.3	44.2-58.4	
H.S. or G.E.D.	1422	141,657	911	74.7	72.2-77.2	511	25.3	22.8-27.8	
Some Post-H.S.	1467	158,726	1141	86.0	84.2-87.8	326	14.0	12.2-15.8	
College Graduate	1400	151,785	1170	89.0	87.4-90.6	230	11.0	09.4-12.6	
Less than \$15,000	394	34,346	193	66.9	61.0-72.8	201	33.1	27.2-39.0	
\$15,000- 24,999	716	64,277	372	64.8	60.1-69.5	344	35.2	30.5-39.9	
\$25,000- 34,999	611	61,677	412	77.0	73.3-80.7	199	23.0	19.3-26.7	
\$35,000- 49,999	830	86,047	662	85.3	82.8-87.8	168	14.7	12.2-17.2	
\$50,000- 74,999	779	88,656	697	92.1	90.1-94.1	82	7.9	05.9-09.9	
\$75,000+	732	90,278	667	93.6	91.8-95.4	65	6.4	04.6-08.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 26: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1916	243,601	1438	83.8	82.0-85.6	478	16.2	14.4-18.0	
Non-Native	1859	235,703	1399	83.7	81.9-85.5	460	16.3	14.5-18.1	
Less Than H.S.	201	21,847	69	51.3	41.5-61.1	132	48.7	38.9-58.5	
H.S. or G.E.D.	586	72,942	428	82.0	78.7-85.3	158	18.0	14.7-21.3	
Some Post-H.S.	544	70,707	456	90.3	87.9-92.7	88	9.7	07.3-12.1	
College Graduate	581	77,751	482	88.7	86.2-91.2	99	11.3	08.8-13.8	
Less than \$15,000	110	12,691	64	76.9	68.1-85.7	46	23.1	14.3-31.9	
\$15,000- 24,999	270	29,522	152	67.1	59.8-74.4	118	32.9	25.6-40.2	
\$25,000- 34,999	246	31,294	179	81.3	76.0-86.6	67	18.7	13.4-24.0	
\$35,000- 49,999	374	44,309	298	86.6	83.1-90.1	76	13.4	09.9-16.9	
\$50,000- 74,999	375	49,767	324	90.1	87.0-93.2	51	9.9	06.8-13.0	
\$75,000+	359	50,566	321	92.9	90.4-95.4	38	7.1	04.6-09.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 27: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2810	247,061	1917	77.8	76.0-79.6	893	22.2	20.4-24.0	
Native	77	10,266	64	90.8	85.3-96.3	13	9.2	03.7-14.7	
Non-Native	2707	234,310	1845	77.5	75.7-79.3	862	22.5	20.7-24.3	
Less Than H.S.	229	16,087	59	45.2	35.4-55.0	170	54.8	45.0-64.6	
H.S. or G.E.D.	836	68,715	483	67.0	63.3-70.7	353	33.0	29.3-36.7	
Some Post-H.S.	923	88,019	685	82.5	80.0-85.0	238	17.5	15.0-20.0	
College Graduate	819	74,034	688	89.3	87.1-91.5	131	10.7	08.5-12.9	
Less than \$15,000	284	21,655	129	61.0	53.6-68.4	155	39.0	31.6-46.4	
\$15,000- 24,999	446	34,755	220	62.9	57.0-68.8	226	37.1	31.2-43.0	
\$25,000- 34,999	365	30,383	233	72.5	67.2-77.8	132	27.5	22.2-32.8	
\$35,000- 49,999	456	41,738	364	84.0	80.5-87.5	92	16.0	12.5-19.5	
\$50,000- 74,999	404	38,889	373	94.6	92.4-96.8	31	5.4	03.2-07.6	
\$75,000+	373	39,711	346	94.5	92.3-96.7	27	5.5	03.3-07.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4737	491,427	1	0.0	00.0-00.0	200	3.2	02.6-03.8	2220	38.8	37.0-40.6	1953	47.3	45.3-49.3	363	10.6	09.2-12.0
Male	1919	243,672				1	0.0	00.0-00.0	165	7.2	05.8-08.6	1395	72.0	69.3-74.7	358	20.8	18.3-23.3
Female	2818	247,755	1	0.0	00.0-00.0	199	6.4	05.2-07.6	2055	69.9	67.5-72.3	558	23.1	20.7-25.5	5	0.5	00.0-01.1
Native	109	15,961				7	7.2	00.5-13.9							4	3.8	00.0-07.7
Non-Native	4575	470,405				188	3.1	02.5-03.7	2137	38.4	36.6-40.2	1893	47.6	45.6-49.6	357	10.9	09.5-12.3
18-24	202	77,844				6	2.1	00.1-04.1	73	29.4	22.5-36.3	95	53.5	45.7-61.3	28	15.0	09.3-20.7
25-34	519	75,972				4	0.5	00.0-01.1	204	32.8	28.5-37.1	266	57.2	52.3-62.1	45	9.5	06.4-12.6
35-44	745	81,360				14	2.0	00.8-03.2	308	36.2	32.3-40.1	346	48.4	44.3-52.5	77	13.5	10.4-16.6
45-54	1058	95,584				29	2.4	01.4-03.4	475	40.7	37.4-44.0	460	45.9	42.4-49.4	94	11.0	08.6-13.4
55-64	818	64,553				35	3.7	02.3-05.1	393	40.5	36.6-44.4	317	44.1	40.0-48.2	73	11.7	08.8-14.6
65+	1350	93,291	1	0.0	00.0-00.0	111	8.3	06.5-10.1	735	49.8	46.7-52.9	459	37.9	34.8-41.0	44	4.0	02.6-05.4
Less Than H.S.	424	37,654				45	7.7	05.0-10.4	188	36.2	29.7-42.7	177	50.8	43.7-57.9	14	5.3	01.4-09.2
H.S. or G.E.D.	1422	141,600	1	0.0	00.0-00.0	68	4.5	03.1-05.9	713	40.2	36.9-43.5	541	44.3	40.6-48.0	99	11.1	08.4-13.8
Some Post-H.S.	1477	159,300				54	3.2	02.2-04.2	713	41.2	37.9-44.5	598	45.9	42.4-49.4	112	9.7	07.5-11.9
College Graduate	1408	152,403				32	1.0	00.6-01.4	605	35.8	32.9-38.7	635	50.9	47.6-54.2	136	12.2	09.8-14.6
Less than \$15,000	393	34,278				36	7.0	04.1-09.9	221	48.1	40.7-55.5	118	33.5	26.2-40.8	18	11.4	05.1-17.7
\$15,000- 24,999	716	64,080				46	4.4	02.8-06.0	372	43.7	38.2-49.2	257	44.1	38.2-50.0	41	7.8	04.3-11.3
\$25,000- 34,999	610	61,810				25	4.2	02.0-06.4	286	38.4	33.1-43.7	255	48.3	42.6-54.0	44	9.1	05.6-12.6
\$35,000- 49,999	833	86,047				26	2.3	01.3-03.3	350	35.2	31.1-39.3	400	53.9	49.4-58.4	57	8.7	05.8-11.6
\$50,000- 74,999	783	88,950				11	1.3	00.3-02.3	311	33.3	29.6-37.0	381	53.0	48.9-57.1	80	12.3	09.6-15.0
\$75,000+	732	90,196				9	1.0	00.2-01.8	293	35.4	31.3-39.5	344	50.6	46.1-55.1	86	12.9	10.0-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	243,672	1	0.0	00.0-00.0	165	7.2	05.8-08.6	1395	72.0	69.3-74.7	358	20.8	18.3-23.3
Non-Native	1862	235,650	1	0.0	00.0-00.0	160	7.3	05.9-08.7	1349	71.5	68.8-74.2	352	21.2	18.7-23.7
18-24	88	41,066				4	4.9	00.2-09.6						
25-34	216	39,660				5	2.0	00.2-03.8	167	80.2	74.3-86.1	44	17.8	12.1-23.5
35-44	326	41,351				13	3.2	01.2-05.2	236	70.3	64.6-76.0	77	26.5	21.0-32.0
45-54	461	47,818				34	7.2	04.5-09.9	334	71.1	66.2-76.0	93	21.8	17.3-26.3
55-64	344	33,821				39	11.6	07.7-15.5	232	66.0	60.1-71.9	73	22.4	17.3-27.5
65+	474	39,259	1	0.0	00.0-00.0	68	15.5	11.6-19.4	362	75.1	70.4-79.8	43	9.4	06.3-12.5
Less Than H.S.	198	21,699	1	0.0	00.0-00.0	32	11.9	07.0-16.8	151	79.0	71.2-86.8	14	9.1	02.4-15.8
H.S. or G.E.D.	587	72,890				59	8.9	06.2-11.6	431	70.4	65.1-75.7	97	20.7	15.8-25.6
Some Post-H.S.	545	70,642				41	7.5	04.6-10.4	395	71.6	66.5-76.7	109	21.0	16.3-25.7
College Graduate	585	78,086				33	4.2	02.4-06.0	416	72.0	67.5-76.5	136	23.8	19.5-28.1
Less than \$15,000	108	12,548				18	13.4	05.4-21.4						
\$15,000- 24,999	271	29,527				45	12.7	08.2-17.2	185	70.4	62.6-78.2	41	17.0	09.9-24.1
\$25,000- 34,999	247	31,359				16	6.0	01.9-10.1	189	76.8	69.5-84.1	42	17.2	10.7-23.7
\$35,000- 49,999	374	44,190				24	4.1	02.1-06.1	293	79.0	73.3-84.7	57	16.9	11.4-22.4
\$50,000- 74,999	375	49,767				18	4.2	02.0-06.4	277	73.8	68.7-78.9	80	22.0	17.1-26.9
\$75,000+	358	50,420				19	6.5	03.2-09.8	253	70.3	64.6-76.0	86	23.2	18.1-28.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2818	247,755	1	0.0	00.0-00.0	199	6.4	05.2-07.6	2055	69.9	67.5-72.3	558	23.1	20.7-25.5	5	0.5	00.0-01.1
Native	77	10,266				7	11.2	01.2-21.2				11	12.3	04.5-20.1			
Non-Native	2713	234,755				187	6.2	05.2-07.2	1977	69.6	67.2-72.0	544	23.7	21.3-26.1	5	0.5	00.0-01.1
18-24	114	36,778				6	4.4	00.5-08.3							2	2.5	00.0-05.8
25-34	303	36,312				4	1.0	00.0-02.2	199	66.6	60.7-72.5	99	32.0	26.1-37.9	1	0.4	00.0-01.2
35-44	419	40,009				14	4.0	01.6-06.4	295	70.3	65.4-75.2	110	25.7	21.0-30.4			
45-54	597	47,767				29	4.7	02.7-06.7	441	74.3	70.4-78.2	126	20.7	17.0-24.4	1	0.3	00.0-00.9
55-64	474	30,732				35	7.8	04.9-10.7	354	72.3	67.6-77.0	85	19.9	15.6-24.2			
65+	876	54,033	1	0.0	00.0-00.0	110	14.2	11.5-16.9	667	74.8	71.3-78.3	97	10.9	08.5-13.3	1	0.1	00.0-00.3
Less Than H.S.	226	15,955				44	18.2	12.1-24.3	156	69.4	61.0-77.8	26	12.4	05.7-19.1			
H.S. or G.E.D.	835	68,710	1	0.0	00.0-00.0	68	9.3	06.6-12.0	654	73.4	68.9-77.9	110	16.5	12.6-20.4	2	0.9	00.0-02.3
Some Post-H.S.	932	88,658				54	5.7	03.9-07.5	672	68.1	63.8-72.4	203	25.4	21.3-29.5	3	0.8	00.0-01.8
College Graduate	823	74,317				32	2.1	01.1-03.1	572	69.0	64.9-73.1	219	28.9	24.8-33.0			
Less than \$15,000	285	21,730				36	11.1	06.6-15.6	203	68.1	59.7-76.5	45	18.7	11.3-26.1	1	2.1	00.0-06.2
\$15,000- 24,999	445	34,553				46	8.2	05.3-11.1	327	70.2	62.8-77.6	72	21.6	14.0-29.2			
\$25,000- 34,999	363	30,451				25	8.6	04.5-12.7	270	71.7	65.2-78.2	66	19.0	13.1-24.9	2	0.7	00.0-01.7
\$35,000- 49,999	459	41,858				26	4.6	02.6-06.6	326	68.0	62.5-73.5	107	27.4	21.9-32.9			
\$50,000- 74,999	408	39,182				11	3.0	01.0-05.0	293	70.4	65.1-75.7	104	26.7	21.6-31.8			
\$75,000+	374	39,776				9	2.4	00.4-04.4	274	71.9	66.6-77.2	91	25.7	20.6-30.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4737	491,427	1	0.0	00.0-00.0	200	3.2	02.6-03.8	2219	38.8	37.0-40.6	1953	47.4	45.4-49.4	364	10.6	09.2-12.0
Male	1919	243,672				1	0.0	00.0-00.0	164	7.2	05.8-08.6	1395	72.0	69.3-74.7	359	20.8	18.3-23.3
Female	2818	247,755	1	0.0	00.0-00.0	199	6.4	05.2-07.6	2055	69.9	67.5-72.3	558	23.1	20.7-25.5	5	0.5	00.0-01.1
Native	109	15,961				7	7.2	00.5-13.9							4	3.8	00.0-07.7
Non-Native	4575	470,405				188	3.1	02.5-03.7	2136	38.4	36.6-40.2	1893	47.6	45.6-49.6	358	10.9	09.5-12.3
18-24	202	77,844				6	2.1	00.1-04.1	73	29.4	22.5-36.3	95	53.5	45.7-61.3	28	15.0	09.3-20.7
25-34	519	75,972				4	0.5	00.0-01.1	204	32.8	28.5-37.1	265	57.2	52.3-62.1	46	9.5	06.4-12.6
35-44	745	81,360				14	2.0	00.8-03.2	308	36.2	32.3-40.1	346	48.4	44.3-52.5	77	13.5	10.4-16.6
45-54	1058	95,584				29	2.4	01.4-03.4	475	40.7	37.4-44.0	460	45.9	42.4-49.4	94	11.0	08.6-13.4
55-64	818	64,553				35	3.7	02.3-05.1	393	40.5	36.6-44.4	317	44.1	40.0-48.2	73	11.7	08.8-14.6
65+	1350	93,291	1	0.0	00.0-00.0	111	8.3	06.5-10.1	734	49.7	46.6-52.8	460	38.0	34.9-41.1	44	4.0	02.6-05.4
Less Than H.S.	424	37,654				45	7.7	05.0-10.4	188	36.2	29.7-42.7	177	50.8	43.7-57.9	14	5.3	01.4-09.2
H.S. or G.E.D.	1422	141,600	1	0.0	00.0-00.0	68	4.5	03.1-05.9	712	40.1	36.8-43.4	541	44.3	40.6-48.0	100	11.1	08.4-13.8
Some Post-H.S.	1477	159,300				54	3.2	02.2-04.2	713	41.2	37.9-44.5	598	45.9	42.4-49.4	112	9.7	07.5-11.9
College Graduate	1408	152,403				32	1.0	00.6-01.4	605	35.8	32.9-38.7	635	50.9	47.6-54.2	136	12.2	09.8-14.6
Less than \$15,000	393	34,278				36	7.0	04.1-09.9	221	48.1	40.7-55.5	118	33.5	26.2-40.8	18	11.4	05.1-17.7
\$15,000- 24,999	716	64,080				46	4.4	02.8-06.0	372	43.7	38.2-49.2	256	44.1	38.2-50.0	42	7.8	04.3-11.3
\$25,000- 34,999	610	61,810				25	4.2	02.0-06.4	285	38.2	32.9-43.5	256	48.5	42.8-54.2	44	9.1	05.6-12.6
\$35,000- 49,999	833	86,047				26	2.3	01.3-03.3	350	35.2	31.1-39.3	400	53.9	49.4-58.4	57	8.7	05.8-11.6
\$50,000- 74,999	783	88,950				11	1.3	00.3-02.3	311	33.3	29.6-37.0	381	53.0	48.9-57.1	80	12.3	09.6-15.0
\$75,000+	732	90,196				9	1.0	00.2-01.8	293	35.4	31.3-39.5	344	50.6	46.1-55.1	86	12.9	10.0-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 32: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	243,672	1	0.0	00.0-00.0	164	7.2	05.8-08.6	1395	72.0	69.3-74.7	359	20.8	18.3-23.3
Non-Native	1862	235,650	1	0.0	00.0-00.0	159	7.3	05.9-08.7	1349	71.5	68.8-74.2	353	21.2	18.7-23.7
18-24	88	41,066				4	4.9	00.2-09.6						
25-34	216	39,660				5	2.0	00.2-03.8	166	80.2	74.3-86.1	45	17.9	12.2-23.6
35-44	326	41,351				13	3.2	01.2-05.2	236	70.3	64.6-76.0	77	26.5	21.0-32.0
45-54	461	47,818				34	7.2	04.5-09.9	334	71.1	66.2-76.0	93	21.8	17.3-26.3
55-64	344	33,821				39	11.6	07.7-15.5	232	66.0	60.1-71.9	73	22.4	17.3-27.5
65+	474	39,259	1	0.0	00.0-00.0	67	15.2	11.5-18.9	363	75.4	70.7-80.1	43	9.4	06.3-12.5
Less Than H.S.	198	21,699	1	0.0	00.0-00.0	32	11.9	07.0-16.8	151	79.0	71.2-86.8	14	9.1	02.4-15.8
H.S. or G.E.D.	587	72,890				58	8.7	06.0-11.4	431	70.6	65.3-75.9	98	20.7	15.8-25.6
Some Post-H.S.	545	70,642				41	7.5	04.6-10.4	395	71.6	66.5-76.7	109	21.0	16.3-25.7
College Graduate	585	78,086				33	4.2	02.4-06.0	416	72.0	67.5-76.5	136	23.8	19.5-28.1
Less than \$15,000	108	12,548				18	13.4	05.4-21.4						
\$15,000- 24,999	271	29,527				45	12.7	08.2-17.2	184	70.3	62.5-78.1	42	17.0	09.9-24.1
\$25,000- 34,999	247	31,359				15	5.6	01.7-09.5	190	77.1	69.8-84.4	42	17.2	10.7-23.7
\$35,000- 49,999	374	44,190				24	4.1	02.1-06.1	293	79.0	73.3-84.7	57	16.9	11.4-22.4
\$50,000- 74,999	375	49,767				18	4.2	02.0-06.4	277	73.8	68.7-78.9	80	22.0	17.1-26.9
\$75,000+	358	50,420				19	6.5	03.2-09.8	253	70.3	64.6-76.0	86	23.2	18.1-28.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 33: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2818	247,755	1	0.0	00.0-00.0	199	6.4	05.2-07.6	2055	69.9	67.5-72.3	558	23.1	20.7-25.5	5	0.5	00.0-01.1
Native	77	10,266				7	11.2	01.2-21.2				11	12.3	04.5-20.1			
Non-Native	2713	234,755				187	6.2	05.2-07.2	1977	69.6	67.2-72.0	544	23.7	21.3-26.1	5	0.5	00.0-01.1
18-24	114	36,778				6	4.4	00.5-08.3							2	2.5	00.0-05.8
25-34	303	36,312				4	1.0	00.0-02.2	199	66.6	60.7-72.5	99	32.0	26.1-37.9	1	0.4	00.0-01.2
35-44	419	40,009				14	4.0	01.6-06.4	295	70.3	65.4-75.2	110	25.7	21.0-30.4			
45-54	597	47,767				29	4.7	02.7-06.7	441	74.3	70.4-78.2	126	20.7	17.0-24.4	1	0.3	00.0-00.9
55-64	474	30,732				35	7.8	04.9-10.7	354	72.3	67.6-77.0	85	19.9	15.6-24.2			
65+	876	54,033	1	0.0	00.0-00.0	110	14.2	11.5-16.9	667	74.8	71.3-78.3	97	10.9	08.5-13.3	1	0.1	00.0-00.3
Less Than H.S.	226	15,955				44	18.2	12.1-24.3	156	69.4	61.0-77.8	26	12.4	05.7-19.1			
H.S. or G.E.D.	835	68,710	1	0.0	00.0-00.0	68	9.3	06.6-12.0	654	73.4	68.9-77.9	110	16.5	12.6-20.4	2	0.9	00.0-02.3
Some Post-H.S.	932	88,658				54	5.7	03.9-07.5	672	68.1	63.8-72.4	203	25.4	21.3-29.5	3	0.8	00.0-01.8
College Graduate	823	74,317				32	2.1	01.1-03.1	572	69.0	64.9-73.1	219	28.9	24.8-33.0			
Less than \$15,000	285	21,730				36	11.1	06.6-15.6	203	68.1	59.7-76.5	45	18.7	11.3-26.1	1	2.1	00.0-06.2
\$15,000- 24,999	445	34,553				46	8.2	05.3-11.1	327	70.2	62.8-77.6	72	21.6	14.0-29.2			
\$25,000- 34,999	363	30,451				25	8.6	04.5-12.7	270	71.7	65.2-78.2	66	19.0	13.1-24.9	2	0.7	00.0-01.7
\$35,000- 49,999	459	41,858				26	4.6	02.6-06.6	326	68.0	62.5-73.5	107	27.4	21.9-32.9			
\$50,000- 74,999	408	39,182				11	3.0	01.0-05.0	293	70.4	65.1-75.7	104	26.7	21.6-31.8			
\$75,000+	374	39,776				9	2.4	00.4-04.4	274	71.9	66.6-77.2	91	25.7	20.6-30.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4534	472,433	31	0.6	00.4-00.8	1449	29.4	27.6-31.2	2087	46.6	44.6-48.6	749	18.1	16.5-19.7	186	4.6	03.6-05.6	32	0.7	00.5-00.9
Male	1909	242,008	1	0.1	00.0-00.3	126	7.8	05.8-09.8	1035	54.5	51.6-57.4	567	28.8	26.1-31.5	155	7.8	06.2-09.4	25	1.1	00.5-01.7
Female	2625	230,424	30	1.2	00.6-01.8	1323	52.2	49.7-54.7	1052	38.3	35.8-40.8	182	6.8	05.6-08.0	31	1.2	00.6-01.8	7	0.2	00.0-00.4
Native	105	15,291																1	0.5	00.0-01.5
Non-Native	4380	452,587	29	0.6	00.4-00.8	1409	29.7	27.9-31.5	2020	47.0	45.0-49.0	713	17.8	16.2-19.4	178	4.3	03.5-05.1	31	0.7	00.3-01.1
18-24	195	75,197	2	0.8	00.0-02.0	87	38.7	31.1-46.3	80	44.6	36.6-52.6	20	13.0	07.1-18.9	6	3.0	00.0-06.7			
25-34	500	73,588	1	0.1	00.0-00.3	152	26.8	22.5-31.1	215	43.7	38.6-48.8	99	22.2	17.7-26.7	30	6.3	03.9-08.7	3	0.8	00.0-01.8
35-44	703	76,800	4	0.4	00.0-00.8	198	25.0	21.5-28.5	318	46.8	42.7-50.9	131	19.9	16.4-23.4	44	6.6	04.4-08.8	8	1.3	00.3-02.3
45-54	1010	92,103	2	0.3	00.0-00.7	287	26.3	23.2-29.4	468	47.0	43.5-50.5	203	21.3	18.4-24.2	40	4.4	02.8-06.0	10	0.8	00.2-01.4
55-64	773	61,672	4	0.5	00.0-01.1	192	21.0	17.9-24.1	382	50.1	46.0-54.2	150	22.4	18.7-26.1	38	5.1	03.3-06.9	7	0.8	00.0-01.6
65+	1324	91,381	18	1.6	00.8-02.4	520	36.4	33.5-39.3	612	47.9	44.8-51.0	142	11.1	08.9-13.3	28	2.7	01.5-03.9	4	0.4	00.0-00.8
Less Than H.S.	416	36,746	5	1.2	00.0-02.4	132	29.1	22.8-35.4	201	46.5	39.4-53.6	60	19.0	12.9-25.1	17	3.8	01.6-06.0	1	0.3	00.0-00.9
H.S. or G.E.D.	1354	135,166	14	0.9	00.3-01.5	426	30.2	26.7-33.7	622	45.6	41.9-49.3	229	17.6	14.9-20.3	54	5.1	02.7-07.5	9	0.6	00.2-01.0
Some Post-H.S.	1407	152,694	5	0.3	00.1-00.5	457	29.7	26.4-33.0	632	46.0	42.5-49.5	239	18.0	15.3-20.7	65	5.2	03.8-06.6	9	0.7	00.1-01.3
College Graduate	1351	147,357	7	0.6	00.0-01.2	434	28.6	25.7-31.5	627	48.1	44.8-51.4	221	18.4	15.7-21.1	49	3.6	02.4-04.8	13	0.8	00.2-01.4
Less than \$15,000	379	32,443	7	1.8	00.2-03.4	142	38.8	31.4-46.2	158	42.5	34.9-50.1	52	12.1	07.8-16.4	17	4.4	01.9-06.9	3	0.3	00.0-00.7
\$15,000- 24,999	705	63,216	5	0.6	00.0-01.2	242	30.0	25.3-34.7	325	47.9	42.2-53.6	100	14.6	10.9-18.3	25	5.7	01.4-10.0	8	1.2	00.0-02.4
\$25,000- 34,999	592	59,988	3	1.1	00.0-02.7	173	26.8	21.9-31.7	265	42.9	37.0-48.8	118	22.9	17.6-28.2	28	5.4	02.9-07.9	5	0.9	00.0-01.9
\$35,000- 49,999	806	83,951	3	0.3	00.0-00.7	233	28.0	23.7-32.3	393	47.8	43.3-52.3	131	17.9	14.2-21.6	43	5.5	03.7-07.3	3	0.3	00.0-00.7
\$50,000- 74,999	755	86,151	2	0.2	00.0-00.6	209	25.9	22.2-29.6	351	46.5	42.2-50.8	155	22.2	18.7-25.7	32	4.2	02.4-06.0	6	1.0	00.2-01.8
\$75,000+	709	87,577				202	26.5	22.6-30.4	340	48.1	43.6-52.6	137	20.7	16.6-24.8	25	4.2	02.4-06.0	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1909	242,008	1	0.1	00.0-00.3	126	7.8	05.8-09.8	1035	54.5	51.6-57.4	567	28.8	26.1-31.5	155	7.8	06.2-09.4	25	1.1	00.5-01.7
Non-Native	1851	233,981	1	0.1	00.0-00.3	125	8.0	06.0-10.0	1003	55.0	52.1-57.9	549	28.7	26.0-31.4	149	7.2	05.8-08.6	24	1.1	00.5-01.7
18-24	87	40,518				14	18.3	09.1-27.5				5	4.4	00.0-10.9						
25-34	215	39,499				13	6.7	03.0-10.4	105	50.4	42.8-58.0	72	31.6	24.5-38.7	23	10.0	05.9-14.1	2	1.4	00.0-03.4
35-44	320	40,756				14	3.7	01.5-05.9	168	53.5	47.4-59.6	95	30.2	24.5-35.9	37	10.9	07.2-14.6	6	1.8	00.2-03.4
45-54	461	47,753				23	4.6	02.4-06.8	241	52.7	47.4-58.0	154	33.4	28.3-38.5	34	7.8	04.9-10.7	9	1.4	00.2-02.6
55-64	342	33,648	1	0.4	00.0-01.2	13	3.3	01.1-05.5	173	51.8	45.7-57.9	117	34.7	28.8-40.6	33	8.5	05.4-11.6	5	1.3	00.0-02.7
65+	475	39,202				49	10.1	07.0-13.2	291	63.0	57.9-68.1	109	20.7	16.4-25.0	23	5.5	03.0-08.0	3	0.7	00.0-01.5
Less Than H.S.	199	21,643				25	14.3	07.0-21.6	110	51.5	41.5-61.5	47	27.2	18.0-36.4	16	6.4	02.7-10.1	1	0.5	00.0-01.5
H.S. or G.E.D.	584	72,525	1	0.2	00.0-00.6	40	9.8	05.9-13.7	307	53.0	47.3-58.7	183	27.7	23.0-32.4	45	8.3	04.2-12.4	8	1.0	00.2-01.8
Some Post-H.S.	541	69,738				34	6.9	03.0-10.8	277	51.2	45.5-56.9	173	31.1	25.8-36.4	48	9.2	06.5-11.9	9	1.6	00.2-03.0
College Graduate	581	77,747				27	4.9	02.5-07.3	338	59.6	54.5-64.7	164	28.3	23.6-33.0	45	6.4	04.2-08.6	7	0.9	00.1-01.7
Less than \$15,000	108	12,553										22	16.7	07.7-25.7	11	8.0	02.3-13.7	1	0.1	00.0-00.3
\$15,000- 24,999	270	29,488	1	0.5	00.0-01.5	29	9.3	04.4-14.2	143	54.8	45.6-64.0	70	22.2	15.5-28.9	19	10.6	01.8-19.4	8	2.7	00.2-05.2
\$25,000- 34,999	246	31,322				15	6.1	02.0-10.2	115	47.8	38.8-56.8	92	37.1	28.3-45.9	19	7.2	03.5-10.9	5	1.8	00.0-03.6
\$35,000- 49,999	373	44,029				21	9.8	03.7-15.9	217	54.6	47.5-61.7	97	26.3	20.2-32.4	36	9.0	05.7-12.3	2	0.3	00.0-00.7
\$50,000- 74,999	375	49,767				17	5.4	02.1-08.7	194	52.0	46.1-57.9	129	34.1	28.4-39.8	31	7.2	04.3-10.1	4	1.3	00.0-02.7
\$75,000+	355	49,730				17	5.2	02.1-08.3	193	54.5	48.0-61.0	116	32.0	25.7-38.3	25	7.5	04.4-10.6	4	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2625	230,424	30	1.2	00.6-01.8	1323	52.2	49.7-54.7	1052	38.3	35.8-40.8	182	6.8	05.6-08.0	31	1.2	00.6-01.8	7	0.2	00.0-00.4
Native	73	9,596										2	2.0	00.0-05.1						
Non-Native	2529	218,606	28	1.2	00.6-01.8	1284	52.9	50.4-55.4	1017	38.4	35.9-40.9	164	6.0	04.8-07.2	29	1.2	00.6-01.8	7	0.2	00.0-00.4
18-24	108	34,679	2	1.8	00.0-04.5							3	3.1	00.0-06.8	1	1.3	00.0-03.8			
25-34	285	34,089	1	0.3	00.0-00.9	139	50.0	43.5-56.5	110	36.0	29.9-42.1	27	11.3	06.8-15.8	7	2.1	00.3-03.9	1	0.2	00.0-00.6
35-44	383	36,044	4	0.8	00.0-01.8	184	49.1	43.4-54.8	150	39.2	33.7-44.7	36	8.3	05.2-11.4	7	1.8	00.2-03.4	2	0.8	00.0-02.0
45-54	549	44,350	2	0.5	00.0-01.3	264	49.7	44.8-54.6	227	40.8	36.1-45.5	49	8.2	05.7-10.7	6	0.8	00.2-01.4	1	0.0	00.0-00.0
55-64	431	28,024	3	0.6	00.0-01.4	179	42.3	36.8-47.8	209	48.2	42.5-53.9	33	7.6	04.7-10.5	5	1.0	00.0-02.0	2	0.2	00.0-00.6
65+	849	52,179	18	2.7	01.3-04.1	471	56.2	52.3-60.1	321	36.5	32.8-40.2	33	3.9	02.3-05.5	5	0.6	00.0-01.2	1	0.1	00.0-00.3
Less Than H.S.	217	15,103	5	3.0	00.3-05.7	107	50.3	40.7-59.9	91	39.2	29.6-48.8	13	7.4	02.5-12.3	1	0.1	00.0-00.3			
H.S. or G.E.D.	770	62,641	13	1.8	00.6-03.0	386	53.8	49.1-58.5	315	37.1	32.6-41.6	46	5.8	03.8-07.8	9	1.4	00.4-02.4	1	0.1	00.0-00.3
Some Post-H.S.	866	82,955	5	0.5	00.1-00.9	423	49.0	44.5-53.5	355	41.6	37.1-46.1	66	7.0	04.8-09.2	17	1.9	00.5-03.3			
College Graduate	770	69,610	7	1.3	00.0-02.7	407	55.1	50.8-59.4	289	35.2	31.1-39.3	57	7.4	05.0-09.8	4	0.4	00.0-00.8	6	0.6	00.0-01.2
Less than \$15,000	271	19,889	7	3.0	00.6-05.4	127	52.2	43.6-60.8	99	33.0	25.0-41.0	30	9.3	05.4-13.2	6	2.2	00.2-04.2	2	0.3	00.0-00.7
\$15,000- 24,999	435	33,728	4	0.7	00.0-01.5	213	48.1	41.0-55.2	182	41.9	34.5-49.3	30	7.9	04.2-11.6	6	1.4	00.2-02.6			
\$25,000- 34,999	346	28,666	3	2.3	00.0-05.4	158	49.5	42.2-56.8	150	37.5	30.6-44.4	26	7.3	03.4-11.2	9	3.4	00.1-06.7			
\$35,000- 49,999	433	39,922	3	0.6	00.0-01.4	212	48.1	42.2-54.0	176	40.4	34.7-46.1	34	8.7	05.2-12.2	7	1.8	00.4-03.2	1	0.4	00.0-01.2
\$50,000- 74,999	380	36,383	2	0.6	00.0-01.4	192	53.9	48.0-59.8	157	38.9	33.2-44.6	26	6.0	03.5-08.5	1	0.1	00.0-00.3	2	0.5	00.0-01.3
\$75,000+	354	37,847				185	54.3	48.0-60.6	147	39.8	33.7-45.9	21	5.8	03.1-08.5				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4516	471,579	40	0.9	00.5-01.3	1483	34.6	32.6-36.6	1776	39.1	37.1-41.1	817	17.1	15.7-18.5	400	8.3	07.1-09.5
Male	1905	241,723	10	0.3	00.1-00.5	398	25.0	22.3-27.7	912	45.8	42.9-48.7	397	20.2	17.8-22.6	188	8.8	07.0-10.6
Female	2611	229,856	30	1.6	00.8-02.4	1085	44.7	42.2-47.2	864	32.0	29.6-34.4	420	13.8	12.2-15.4	212	7.8	06.4-09.2
Native	105	15,291				17	12.1	05.0-19.2									
Non-Native	4363	451,738	38	0.9	00.5-01.3	1453	35.5	33.5-37.5	1715	39.3	37.3-41.3	782	16.7	15.3-18.1	375	7.6	06.6-08.6
18-24	195	75,197	3	1.6	00.0-03.4	112	53.9	45.7-62.1	57	31.5	23.9-39.1	12	7.0	02.5-11.5	11	6.0	01.5-10.5
25-34	500	73,588	3	0.7	00.0-01.5	185	34.6	29.9-39.3	175	36.7	31.8-41.6	89	18.5	14.6-22.4	48	9.6	06.7-12.5
35-44	701	76,769	5	0.7	00.1-01.3	230	30.7	26.8-34.6	271	39.9	35.8-44.0	122	19.3	16.0-22.6	73	9.4	07.0-11.8
45-54	1008	91,908	5	0.6	00.0-01.2	286	27.4	24.3-30.5	428	44.2	40.7-47.7	197	19.6	16.7-22.5	92	8.2	06.2-10.2
55-64	772	61,627	5	0.7	00.1-01.3	197	24.9	21.4-28.4	312	40.9	36.8-45.0	169	22.2	18.7-25.7	89	11.3	08.8-13.8
65+	1311	90,798	19	1.3	00.7-01.9	461	35.7	32.6-38.8	520	40.1	37.0-43.2	225	16.3	13.9-18.7	86	6.5	04.9-08.1
Less Than H.S.	411	36,575	7	1.1	00.1-02.1	110	30.0	23.3-36.7	168	37.8	30.9-44.7	77	19.1	13.4-24.8	49	12.1	07.4-16.8
H.S. or G.E.D.	1345	134,715	9	0.7	00.1-01.3	416	35.6	31.9-39.3	548	38.0	34.5-41.5	248	16.3	13.9-18.7	124	9.4	06.9-11.9
Some Post-H.S.	1403	152,462	11	0.9	00.1-01.7	454	33.1	29.6-36.6	541	38.5	35.0-42.0	269	18.9	16.2-21.6	128	8.6	06.8-10.4
College Graduate	1351	147,357	13	1.1	00.3-01.9	502	36.5	33.4-39.6	516	40.8	37.5-44.1	223	15.5	13.1-17.9	97	6.1	04.7-07.5
Less than \$15,000	378	32,357	7	2.7	00.0-05.6	127	39.8	32.2-47.4	129	34.8	27.5-42.1	61	11.8	07.7-15.9	54	10.9	07.4-14.4
\$15,000- 24,999	702	62,911	6	0.5	00.0-01.1	222	34.7	29.0-40.4	271	35.5	30.2-40.8	127	16.2	12.7-19.7	76	13.0	08.1-17.9
\$25,000- 34,999	588	59,830	5	1.4	00.0-03.0	173	30.2	24.9-35.5	241	39.6	33.9-45.3	110	18.0	13.3-22.7	59	10.8	07.3-14.3
\$35,000- 49,999	806	83,951	6	0.6	00.0-01.2	257	34.2	29.7-38.7	313	37.7	33.2-42.2	149	18.3	15.0-21.6	81	9.1	06.7-11.5
\$50,000- 74,999	755	86,151	4	0.5	00.0-01.1	242	33.8	29.7-37.9	298	38.4	34.3-42.5	155	20.2	16.9-23.5	56	7.0	04.6-09.4
\$75,000+	709	87,577	5	0.9	00.0-01.9	231	31.1	27.0-35.2	316	46.5	42.0-51.0	123	17.3	14.0-20.6	34	4.2	02.6-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1905	241,723	10	0.3	00.1-00.5	398	25.0	22.3-27.7	912	45.8	42.9-48.7	397	20.2	17.8-22.6	188	8.8	07.0-10.6
Non-Native	1848	233,701	10	0.3	00.1-00.5	389	25.5	22.6-28.4	884	46.2	43.3-49.1	386	20.0	17.6-22.4	179	8.0	06.6-09.4
18-24	87	40,518										8	10.0	02.6-17.4	6	6.2	00.0-13.3
25-34	215	39,499	1	0.5	00.0-01.5	44	21.7	15.4-28.0	104	46.9	39.3-54.5	43	21.8	15.5-28.1	23	9.1	04.8-13.4
35-44	320	40,756	2	0.4	00.0-01.0	61	18.8	13.9-23.7	148	46.6	40.5-52.7	74	24.6	19.3-29.9	35	9.6	06.1-13.1
45-54	459	47,558	1	0.3	00.0-00.9	75	16.0	12.1-19.9	237	52.7	47.4-58.0	107	23.2	18.7-27.7	39	7.9	05.2-10.6
55-64	342	33,648	1	0.4	00.0-01.2	56	18.1	13.2-23.0	162	45.5	39.4-51.6	76	22.9	17.8-28.0	47	13.2	09.1-17.3
65+	473	39,112	5	0.3	00.0-00.7	116	28.0	23.1-32.9	226	45.8	40.5-51.1	88	18.3	14.2-22.4	38	7.8	04.9-10.7
Less Than H.S.	197	21,552	2	0.1	00.0-00.3	39	23.1	14.5-31.7	100	46.6	36.6-56.6	31	19.0	10.8-27.2	25	11.3	05.4-17.2
H.S. or G.E.D.	582	72,331	4	0.6	00.0-01.4	121	29.6	23.9-35.3	273	41.1	35.6-46.6	122	18.2	14.5-21.9	62	10.5	06.2-14.8
Some Post-H.S.	541	69,738	3	0.3	00.0-00.7	111	23.1	17.6-28.6	241	42.8	37.1-48.5	133	25.4	20.3-30.5	53	8.5	06.0-11.0
College Graduate	581	77,747	1	0.1	00.0-00.3	126	23.0	18.9-27.1	296	52.4	47.3-57.5	111	17.8	14.3-21.3	47	6.7	04.5-08.9
Less than \$15,000	107	12,468	1	0.6	00.0-01.8							16	13.9	05.3-22.5	12	8.0	02.5-13.5
\$15,000- 24,999	269	29,358	3	0.5	00.0-01.5	60	26.4	18.2-34.6	122	41.1	32.5-49.7	52	16.6	10.9-22.3	32	15.4	06.4-24.4
\$25,000- 34,999	246	31,322	1	0.3	00.0-00.9	46	21.7	14.3-29.1	116	44.1	35.1-53.1	53	22.9	15.1-30.7	30	11.1	06.0-16.2
\$35,000- 49,999	373	44,029	1	0.1	00.0-00.3	79	26.6	19.5-33.7	173	44.2	37.1-51.3	80	20.6	15.7-25.5	40	8.5	05.6-11.4
\$50,000- 74,999	375	49,767	3	0.7	00.0-01.7	71	22.2	16.9-27.5	171	43.2	37.3-49.1	97	25.4	20.3-30.5	33	8.5	05.0-12.0
\$75,000+	355	49,730	1	0.0	00.0-00.0	70	19.6	14.7-24.5	189	55.0	48.5-61.5	75	20.5	15.4-25.6	20	4.9	02.5-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	229,856	30	1.6	00.8-02.4	1085	44.7	42.2-47.2	864	32.0	29.6-34.4	420	13.8	12.2-15.4	212	7.8	06.4-09.2
Non-Native	2515	218,037	28	1.6	00.8-02.4	1064	46.2	43.7-48.7	831	32.0	29.6-34.4	396	13.1	11.5-14.7	196	7.2	06.0-08.4
18-24	108	34,679	3	3.5	00.0-07.4				27	26.2	16.6-35.8	4	3.6	00.0-07.5	5	5.7	00.6-10.8
25-34	285	34,089	2	0.9	00.0-02.1	141	49.5	43.0-56.0	71	24.8	19.3-30.3	46	14.7	10.2-19.2	25	10.1	05.8-14.4
35-44	381	36,013	3	1.0	00.0-02.2	169	44.2	38.5-49.9	123	32.3	27.0-37.6	48	13.3	09.4-17.2	38	9.2	05.9-12.5
45-54	549	44,350	4	1.0	00.0-02.0	211	39.7	35.0-44.4	191	35.0	30.3-39.7	90	15.7	12.2-19.2	53	8.7	06.2-11.2
55-64	430	27,979	4	1.0	00.0-02.0	141	33.1	28.0-38.2	150	35.4	30.1-40.7	93	21.3	16.4-26.2	42	9.2	06.1-12.3
65+	838	51,686	14	2.1	00.9-03.3	345	41.6	37.7-45.5	294	35.9	32.0-39.8	137	14.9	12.2-17.6	48	5.5	03.7-07.3
Less Than H.S.	214	15,023	5	2.5	00.3-04.7	71	39.9	29.9-49.9	68	25.3	18.0-32.6	46	19.2	12.1-26.3	24	13.2	05.9-20.5
H.S. or G.E.D.	763	62,384	5	0.8	00.0-01.6	295	42.6	37.7-47.5	275	34.3	29.8-38.8	126	14.1	11.4-16.8	62	8.1	05.6-10.6
Some Post-H.S.	862	82,723	8	1.5	00.1-02.9	343	41.5	36.8-46.2	300	34.9	30.6-39.2	136	13.4	10.7-16.1	75	8.8	06.3-11.3
College Graduate	770	69,610	12	2.2	00.6-03.8	376	51.5	47.2-55.8	220	27.9	24.0-31.8	112	13.0	10.1-15.9	50	5.3	03.5-07.1
Less than \$15,000	271	19,889	6	4.1	00.0-08.8	97	41.2	32.6-49.8	81	31.6	23.6-39.6	45	10.5	06.6-14.4	42	12.6	08.1-17.1
\$15,000- 24,999	433	33,553	3	0.6	00.0-01.2	162	42.0	34.6-49.4	149	30.7	24.2-37.2	75	15.9	11.4-20.4	44	10.9	06.8-15.0
\$25,000- 34,999	342	28,508	4	2.8	00.0-06.1	127	39.6	32.5-46.7	125	34.6	27.9-41.3	57	12.6	08.1-17.1	29	10.4	05.3-15.5
\$35,000- 49,999	433	39,922	5	1.2	00.0-02.4	178	42.7	36.8-48.6	140	30.6	25.3-35.9	69	15.8	11.7-19.9	41	9.7	06.0-13.4
\$50,000- 74,999	380	36,383	1	0.2	00.0-00.6	171	49.7	43.6-55.8	127	32.0	26.5-37.5	58	13.1	09.4-16.8	23	5.0	02.6-07.4
\$75,000+	354	37,847	4	1.9	00.0-03.9	161	46.3	40.0-52.6	127	35.4	29.3-41.5	48	13.0	09.1-16.9	14	3.3	01.5-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4516	471,579	1523	35.5	33.5-37.5	1775	39.1	37.1-41.1	1218	25.4	23.6-27.2
Male	1905	241,723	408	25.3	22.6-28.0	912	45.8	42.9-48.7	585	29.0	26.3-31.7
Female	2611	229,856	1115	46.3	43.8-48.8	863	32.0	29.6-34.4	633	21.7	19.7-23.7
Native	105	15,291	17	12.1	05.0-19.2						
Non-Native	4363	451,738	1491	36.4	34.4-38.4	1714	39.3	37.3-41.3	1158	24.3	22.7-25.9
18-24	195	75,197	115	55.5	47.3-63.7	57	31.5	23.9-39.1	23	13.0	06.9-19.1
25-34	500	73,588	188	35.3	30.6-40.0	175	36.7	31.8-41.6	137	28.1	23.6-32.6
35-44	701	76,769	235	31.3	27.4-35.2	271	39.9	35.8-44.0	195	28.7	24.8-32.6
45-54	1008	91,908	291	28.0	24.9-31.1	428	44.2	40.7-47.7	289	27.8	24.7-30.9
55-64	772	61,627	202	25.6	22.1-29.1	312	40.9	36.8-45.0	258	33.5	29.6-37.4
65+	1311	90,798	480	37.1	34.0-40.2	519	40.1	37.0-43.2	312	22.8	20.1-25.5
Less Than H.S.	411	36,575	117	31.0	24.3-37.7	167	37.8	30.9-44.7	127	31.1	24.4-37.8
H.S. or G.E.D.	1345	134,715	425	36.3	32.6-40.0	548	38.0	34.5-41.5	372	25.7	22.4-29.0
Some Post-H.S.	1403	152,462	465	34.0	30.5-37.5	541	38.5	35.0-42.0	397	27.5	24.4-30.6
College Graduate	1351	147,357	515	37.6	34.5-40.7	516	40.8	37.5-44.1	320	21.6	19.1-24.1
Less than \$15,000	378	32,357	134	42.6	35.0-50.2	128	34.8	27.5-42.1	116	22.7	17.4-28.0
\$15,000- 24,999	702	62,911	228	35.2	29.5-40.9	271	35.5	30.2-40.8	203	29.3	23.8-34.8
\$25,000- 34,999	588	59,830	178	31.7	26.4-37.0	241	39.6	33.9-45.3	169	28.8	23.3-34.3
\$35,000- 49,999	806	83,951	263	34.9	30.4-39.4	313	37.7	33.2-42.2	230	27.4	23.5-31.3
\$50,000- 74,999	755	86,151	246	34.3	30.2-38.4	298	38.4	34.3-42.5	211	27.2	23.5-30.9
\$75,000+	709	87,577	236	32.0	27.9-36.1	316	46.5	42.0-51.0	157	21.5	17.8-25.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1905	241,723	408	25.3	22.6-28.0	912	45.8	42.9-48.7	585	29.0	26.3-31.7
Non-Native	1848	233,701	399	25.8	22.9-28.7	884	46.2	43.3-49.1	565	28.1	25.6-30.6
18-24	87	40,518							14	16.2	06.6-25.8
25-34	215	39,499	45	22.2	15.9-28.5	104	46.9	39.3-54.5	66	30.9	23.8-38.0
35-44	320	40,756	63	19.2	14.3-24.1	148	46.6	40.5-52.7	109	34.2	28.3-40.1
45-54	459	47,558	76	16.2	12.1-20.3	237	52.7	47.4-58.0	146	31.1	26.2-36.0
55-64	342	33,648	57	18.5	13.6-23.4	162	45.5	39.4-51.6	123	36.0	30.1-41.9
65+	473	39,112	121	28.2	23.3-33.1	226	45.8	40.5-51.1	126	26.0	21.3-30.7
Less Than H.S.	197	21,552	41	23.1	14.5-31.7	100	46.6	36.6-56.6	56	30.3	21.1-39.5
H.S. or G.E.D.	582	72,331	125	30.2	24.5-35.9	273	41.1	35.6-46.6	184	28.7	23.6-33.8
Some Post-H.S.	541	69,738	114	23.4	17.9-28.9	241	42.8	37.1-48.5	186	33.8	28.5-39.1
College Graduate	581	77,747	127	23.1	19.0-27.2	296	52.4	47.3-57.5	158	24.5	20.4-28.6
Less than \$15,000	107	12,468							28	21.9	11.9-31.9
\$15,000- 24,999	269	29,358	63	26.9	18.7-35.1	122	41.1	32.5-49.7	84	32.1	22.9-41.3
\$25,000- 34,999	246	31,322	47	21.9	14.5-29.3	116	44.1	35.1-53.1	83	34.0	25.4-42.6
\$35,000- 49,999	373	44,029	80	26.7	19.6-33.8	173	44.2	37.1-51.3	120	29.1	23.4-34.8
\$50,000- 74,999	375	49,767	74	22.9	17.6-28.2	171	43.2	37.3-49.1	130	33.9	28.4-39.4
\$75,000+	355	49,730	71	19.6	14.7-24.5	189	55.0	48.5-61.5	95	25.4	19.9-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	229,856	1115	46.3	43.8-48.8	863	32.0	29.6-34.4	633	21.7	19.7-23.7
Non-Native	2515	218,037	1092	47.8	45.3-50.3	830	32.0	29.6-34.4	593	20.3	18.3-22.3
18-24	108	34,679				27	26.2	16.6-35.8	9	9.3	03.0-15.6
25-34	285	34,089	143	50.3	43.8-56.8	71	24.8	19.3-30.3	71	24.8	19.1-30.5
35-44	381	36,013	172	45.1	39.4-50.8	123	32.3	27.0-37.6	86	22.5	17.8-27.2
45-54	549	44,350	215	40.7	36.0-45.4	191	35.0	30.3-39.7	143	24.3	20.2-28.4
55-64	430	27,979	145	34.1	28.8-39.4	150	35.4	30.1-40.7	135	30.5	25.2-35.8
65+	838	51,686	359	43.8	39.9-47.7	293	35.8	31.9-39.7	186	20.4	17.3-23.5
Less Than H.S.	214	15,023	76	42.4	32.6-52.2	67	25.2	17.9-32.5	71	32.4	23.4-41.4
H.S. or G.E.D.	763	62,384	300	43.5	38.6-48.4	275	34.3	29.8-38.8	188	22.2	18.5-25.9
Some Post-H.S.	862	82,723	351	43.0	38.3-47.7	300	34.9	30.6-39.2	211	22.1	18.6-25.6
College Graduate	770	69,610	388	53.8	49.5-58.1	220	27.9	24.0-31.8	162	18.4	15.1-21.7
Less than \$15,000	271	19,889	103	45.3	36.7-53.9	80	31.6	23.6-39.6	88	23.1	17.2-29.0
\$15,000- 24,999	433	33,553	165	42.5	35.1-49.9	149	30.7	24.2-37.2	119	26.8	20.9-32.7
\$25,000- 34,999	342	28,508	131	42.4	35.1-49.7	125	34.6	27.9-41.3	86	23.0	16.7-29.3
\$35,000- 49,999	433	39,922	183	43.9	38.0-49.8	140	30.6	25.3-35.9	110	25.5	20.4-30.6
\$50,000- 74,999	380	36,383	172	49.9	43.8-56.0	127	32.0	26.5-37.5	81	18.1	13.8-22.4
\$75,000+	354	37,847	165	48.3	42.0-54.6	127	35.4	29.3-41.5	62	16.4	12.1-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4516	471,579	1523	35.5	33.5-37.5	2993	64.5	62.5-66.5
Male	1905	241,723	408	25.3	22.6-28.0	1497	74.7	72.0-77.4
Female	2611	229,856	1115	46.3	43.8-48.8	1496	53.7	51.2-56.2
Native	105	15,291	17	12.1	05.0-19.2	88	87.9	80.8-95.0
Non-Native	4363	451,738	1491	36.4	34.4-38.4	2872	63.6	61.6-65.6
18-24	195	75,197	115	55.5	47.3-63.7	80	44.5	36.3-52.7
25-34	500	73,588	188	35.3	30.6-40.0	312	64.7	60.0-69.4
35-44	701	76,769	235	31.3	27.4-35.2	466	68.7	64.8-72.6
45-54	1008	91,908	291	28.0	24.9-31.1	717	72.0	68.9-75.1
55-64	772	61,627	202	25.6	22.1-29.1	570	74.4	70.9-77.9
65+	1311	90,798	480	37.1	34.0-40.2	831	62.9	59.8-66.0
Less Than H.S.	411	36,575	117	31.0	24.3-37.7	294	69.0	62.3-75.7
H.S. or G.E.D.	1345	134,715	425	36.3	32.6-40.0	920	63.7	60.0-67.4
Some Post-H.S.	1403	152,462	465	34.0	30.5-37.5	938	66.0	62.5-69.5
College Graduate	1351	147,357	515	37.6	34.5-40.7	836	62.4	59.3-65.5
Less than \$15,000	378	32,357	134	42.6	35.0-50.2	244	57.4	49.8-65.0
\$15,000- 24,999	702	62,911	228	35.2	29.5-40.9	474	64.8	59.1-70.5
\$25,000- 34,999	588	59,830	178	31.7	26.4-37.0	410	68.3	63.0-73.6
\$35,000- 49,999	806	83,951	263	34.9	30.4-39.4	543	65.1	60.6-69.6
\$50,000- 74,999	755	86,151	246	34.3	30.2-38.4	509	65.7	61.6-69.8
\$75,000+	709	87,577	236	32.0	27.9-36.1	473	68.0	63.9-72.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1905	241,723	408	25.3	22.6-28.0	1497	74.7	72.0-77.4
Non-Native	1848	233,701	399	25.8	22.9-28.7	1449	74.2	71.3-77.1
25-34	215	39,499	45	22.2	15.9-28.5	170	77.8	71.5-84.1
35-44	320	40,756	63	19.2	14.3-24.1	257	80.8	75.9-85.7
45-54	459	47,558	76	16.2	12.1-20.3	383	83.8	79.7-87.9
55-64	342	33,648	57	18.5	13.6-23.4	285	81.5	76.6-86.4
65+	473	39,112	121	28.2	23.3-33.1	352	71.8	66.9-76.7
Less Than H.S.	197	21,552	41	23.1	14.5-31.7	156	76.9	68.3-85.5
H.S. or G.E.D.	582	72,331	125	30.2	24.5-35.9	457	69.8	64.1-75.5
Some Post-H.S.	541	69,738	114	23.4	17.9-28.9	427	76.6	71.1-82.1
College Graduate	581	77,747	127	23.1	19.0-27.2	454	76.9	72.8-81.0
\$15,000- 24,999	269	29,358	63	26.9	18.7-35.1	206	73.1	64.9-81.3
\$25,000- 34,999	246	31,322	47	21.9	14.5-29.3	199	78.1	70.7-85.5
\$35,000- 49,999	373	44,029	80	26.7	19.6-33.8	293	73.3	66.2-80.4
\$50,000- 74,999	375	49,767	74	22.9	17.6-28.2	301	77.1	71.8-82.4
\$75,000+	355	49,730	71	19.6	14.7-24.5	284	80.4	75.5-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 11: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	229,856	1115	46.3	43.8-48.8	1496	53.7	51.2-56.2
Non-Native	2515	218,037	1092	47.8	45.3-50.3	1423	52.2	49.7-54.7
25-34	285	34,089	143	50.3	43.8-56.8	142	49.7	43.2-56.2
35-44	381	36,013	172	45.1	39.4-50.8	209	54.9	49.2-60.6
45-54	549	44,350	215	40.7	36.0-45.4	334	59.3	54.6-64.0
55-64	430	27,979	145	34.1	28.8-39.4	285	65.9	60.6-71.2
65+	838	51,686	359	43.8	39.9-47.7	479	56.2	52.3-60.1
Less Than H.S.	214	15,023	76	42.4	32.6-52.2	138	57.6	47.8-67.4
H.S. or G.E.D.	763	62,384	300	43.5	38.6-48.4	463	56.5	51.6-61.4
Some Post-H.S.	862	82,723	351	43.0	38.3-47.7	511	57.0	52.3-61.7
College Graduate	770	69,610	388	53.8	49.5-58.1	382	46.2	41.9-50.5
Less than \$15,000	271	19,889	103	45.3	36.7-53.9	168	54.7	46.1-63.3
\$15,000- 24,999	433	33,553	165	42.5	35.1-49.9	268	57.5	50.1-64.9
\$25,000- 34,999	342	28,508	131	42.4	35.1-49.7	211	57.6	50.3-64.9
\$35,000- 49,999	433	39,922	183	43.9	38.0-49.8	250	56.1	50.2-62.0
\$50,000- 74,999	380	36,383	172	49.9	43.8-56.0	208	50.1	44.0-56.2
\$75,000+	354	37,847	165	48.3	42.0-54.6	189	51.7	45.4-58.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006**

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DRINK-OCCASSIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	83
2 MALES ONLY	84
3 FEMALES ONLY	85
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	86
5 MALES ONLY	87
6 FEMALES ONLY	88
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	89
8 MALES ONLY	90
9 FEMALES ONLY	91
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	92
11 MALES ONLY	93
12 FEMALES ONLY	94
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	95
14 MALES ONLY	96
15 FEMALES ONLY	97

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16 MALES ONLY	98

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 1: DRINK-OCCASSIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4661	482,917	1764	40.2	38.2-42.2	496	11.8	10.4-13.2	134	2.8	02.2-03.4	154	3.2	02.6-03.8	2113	42.0	40.0-44.0
Male	1866	237,255	713	40.0	36.9-43.1	282	16.0	13.8-18.2	85	4.0	03.0-05.0	99	4.8	03.6-06.0	687	35.3	32.4-38.2
Female	2795	245,662	1051	40.4	38.0-42.8	214	7.8	06.4-09.2	49	1.7	01.1-02.3	55	1.7	01.1-02.3	1426	48.5	46.0-51.0
Native	107	15,534				6	6.6	00.1-13.1				3	2.3	00.0-04.8			
Non-Native	4501	462,640	1731	40.7	38.7-42.7	487	12.1	10.7-13.5	134	3.0	02.4-03.6	151	3.2	02.6-03.8	1998	41.1	39.1-43.1
18-24	200	77,113	88	43.9	35.9-51.9	22	11.3	06.2-16.4	2	0.6	00.0-01.8	2	1.5	00.0-03.9	86	42.6	34.8-50.4
25-34	513	74,941	243	45.0	40.1-49.9	69	15.8	12.1-19.5	16	3.9	01.7-06.1	10	2.5	00.9-04.1	175	32.7	28.0-37.4
35-44	735	79,857	346	47.2	43.1-51.3	101	13.2	10.5-15.9	24	2.9	01.5-04.3	11	1.6	00.4-02.8	253	35.1	31.2-39.0
45-54	1043	94,310	457	43.6	40.1-47.1	123	12.9	10.5-15.3	32	3.5	02.1-04.9	41	4.2	02.8-05.6	390	35.8	32.5-39.1
55-64	797	62,345	293	37.4	33.5-41.3	87	12.2	09.5-14.9	31	3.7	02.1-05.3	33	4.8	03.0-06.6	353	42.0	37.9-46.1
65+	1328	91,549	322	25.3	22.6-28.0	91	6.6	05.0-08.2	29	2.6	01.4-03.8	56	4.4	03.0-05.8	830	61.0	57.9-64.1
Less Than H.S.	415	36,550	87	24.1	17.8-30.4	29	7.8	03.9-11.7	13	3.0	01.0-05.0	19	5.0	02.1-07.9	267	60.1	53.2-67.0
H.S. or G.E.D.	1393	138,306	496	37.2	33.5-40.9	126	10.9	08.5-13.3	36	3.0	01.6-04.4	45	3.9	02.3-05.5	690	45.0	41.3-48.7
Some Post-H.S.	1450	156,503	578	40.2	36.7-43.7	148	10.6	08.2-13.0	39	2.4	01.4-03.4	47	2.6	01.6-03.6	638	44.3	40.8-47.8
College Graduate	1396	150,997	602	46.9	43.6-50.2	192	15.0	12.6-17.4	46	3.1	01.9-04.3	42	2.7	01.7-03.7	514	32.4	29.3-35.5
Less than \$15,000	383	33,361	80	30.9	23.1-38.7	26	9.1	03.8-14.4	4	1.8	00.0-04.5	11	3.5	00.8-06.2	262	54.7	46.9-62.5
\$15,000- 24,999	710	63,546	196	29.1	23.4-34.8	54	8.9	05.0-12.8	13	2.4	00.6-04.2	29	3.7	01.9-05.5	418	55.9	50.0-61.8
\$25,000- 34,999	604	60,742	238	41.0	35.3-46.7	54	9.7	06.4-13.0	15	2.1	00.9-03.3	19	3.0	01.4-04.6	278	44.2	38.5-49.9
\$35,000- 49,999	817	84,884	342	41.1	36.6-45.6	96	11.9	09.0-14.8	32	3.0	01.8-04.2	21	3.0	00.8-05.2	326	41.0	36.5-45.5
\$50,000- 74,999	774	88,186	358	47.4	43.3-51.5	114	15.6	12.5-18.7	28	3.8	02.2-05.4	26	2.7	01.5-03.9	248	30.6	26.7-34.5
\$75,000+	724	89,240	341	47.1	42.6-51.6	119	17.3	14.0-20.6	30	3.7	02.1-05.3	26	3.4	02.0-04.8	208	28.5	24.4-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 2: DRINK-OCCASSIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	237,255	713	40.0	36.9-43.1	282	16.0	13.8-18.2	85	4.0	03.0-05.0	99	4.8	03.6-06.0	687	35.3	32.4-38.2
Non-Native	1810	229,651	701	39.9	37.0-42.8	279	16.4	14.2-18.6	85	4.2	03.0-05.4	96	4.8	03.6-06.0	649	34.7	31.8-37.6
18-24	86	40,335				14	14.1	06.5-21.7	1	0.0	00.0-00.0	2	2.9	00.0-07.2			
25-34	212	38,847	88	40.4	33.0-47.8	53	25.3	18.8-31.8	14	6.7	02.8-10.6	8	4.4	01.5-07.3	49	23.2	16.7-29.7
35-44	316	40,221	142	45.6	39.3-51.9	53	16.7	12.2-21.2	15	4.2	01.8-06.6	8	2.3	00.3-04.3	98	31.2	25.5-36.9
45-54	449	46,878	178	38.9	33.6-44.2	63	15.3	11.4-19.2	19	4.6	02.1-07.1	28	6.2	03.7-08.7	161	34.9	29.8-40.0
55-64	333	32,385	118	36.5	30.4-42.6	51	15.7	11.2-20.2	21	4.9	02.4-07.4	18	6.0	03.1-08.9	125	36.9	30.8-43.0
65+	460	37,899	147	32.1	27.0-37.2	47	9.0	06.1-11.9	15	3.9	01.7-06.1	34	6.6	03.9-09.3	217	48.3	42.8-53.8
Less Than H.S.	194	21,181	46	24.1	15.3-32.9	18	10.0	03.7-16.3	10	4.7	01.6-07.8	13	7.2	02.3-12.1	107	54.1	44.1-64.1
H.S. or G.E.D.	564	70,183	233	42.5	36.6-48.4	73	14.8	10.7-18.9	24	3.7	01.7-05.7	33	6.3	03.4-09.2	201	32.7	27.4-38.0
Some Post-H.S.	526	68,443	205	37.8	32.1-43.5	75	13.8	09.9-17.7	20	3.5	01.7-05.3	30	4.2	02.2-06.2	196	40.7	34.8-46.6
College Graduate	578	77,093	229	44.1	39.0-49.2	115	20.8	16.9-24.7	31	4.6	02.6-06.6	22	3.1	01.7-04.5	181	27.4	22.9-31.9
Less than \$15,000	104	12,394							2	1.0	00.0-02.4	7	7.1	00.4-13.8			
\$15,000- 24,999	264	28,794	75	31.6	21.8-41.4	27	9.5	05.2-13.8	10	4.6	00.7-08.5	21	6.4	02.9-09.9	131	47.9	38.7-57.1
\$25,000- 34,999	241	30,290	100	43.7	34.7-52.7	26	9.4	05.1-13.7	8	2.7	00.7-04.7	14	5.0	02.1-07.9	93	39.3	29.9-48.7
\$35,000- 49,999	362	43,303	147	39.1	32.2-46.0	57	16.0	10.7-21.3	20	3.4	01.6-05.2	16	5.2	01.1-09.3	122	36.2	29.1-43.3
\$50,000- 74,999	369	49,104	156	43.2	37.3-49.1	79	21.5	16.6-26.4	18	5.1	02.6-07.6	15	3.5	01.5-05.5	101	26.7	21.4-32.0
\$75,000+	350	49,443	145	43.4	36.7-50.1	69	21.5	16.2-26.8	20	5.1	02.4-07.8	18	4.7	02.3-07.1	98	25.2	19.9-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 3: DRINK-OCCASSIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2795	245,662	1051	40.4	38.0-42.8	214	7.8	06.4-09.2	49	1.7	01.1-02.3	55	1.7	01.1-02.3	1426	48.5	46.0-51.0
Native	76	9,919				4	8.0	00.0-17.2									
Non-Native	2691	232,989	1030	41.4	38.9-43.9	208	7.8	06.4-09.2	49	1.8	01.2-02.4	55	1.8	01.2-02.4	1349	47.3	44.8-49.8
18-24	114	36,778				8	8.3	01.2-15.4	1	1.2	00.0-03.6						
25-34	301	36,094	155	50.1	43.8-56.4	16	5.6	02.9-08.3	2	0.8	00.0-02.0	2	0.5	00.0-01.3	126	43.1	36.8-49.4
35-44	419	39,636	204	48.8	43.3-54.3	48	9.7	06.8-12.6	9	1.6	00.4-02.8	3	0.9	00.0-01.9	155	39.1	33.8-44.4
45-54	594	47,432	279	48.4	43.7-53.1	60	10.4	07.5-13.3	13	2.4	01.0-03.8	13	2.2	00.8-03.6	229	36.7	32.2-41.2
55-64	464	29,960	175	38.4	33.3-43.5	36	8.4	05.5-11.3	10	2.3	00.7-03.9	15	3.4	01.6-05.2	228	47.5	42.0-53.0
65+	868	53,649	175	20.5	17.4-23.6	44	4.9	03.3-06.5	14	1.7	00.7-02.7	22	2.9	01.5-04.3	613	70.0	66.5-73.5
Less Than H.S.	221	15,369	41	24.2	15.8-32.6	11	4.8	01.5-08.1	3	0.7	00.0-01.9	6	1.9	00.1-03.7	160	68.4	59.6-77.2
H.S. or G.E.D.	829	68,123	263	31.8	27.5-36.1	53	6.8	04.4-09.2	12	2.3	00.7-03.9	12	1.5	00.5-02.5	489	57.7	53.2-62.2
Some Post-H.S.	924	88,060	373	42.0	37.7-46.3	73	8.1	05.2-11.0	19	1.5	00.7-02.3	17	1.3	00.5-02.1	442	47.1	42.8-51.4
College Graduate	818	73,904	373	49.7	45.4-54.0	77	8.9	06.5-11.3	15	1.6	00.6-02.6	20	2.2	01.2-03.2	333	37.5	33.4-41.6
Less than \$15,000	279	20,967	54	28.2	19.2-37.2	13	3.6	01.6-05.6	2	2.2	00.0-06.3	4	1.4	00.0-03.0	206	64.6	55.6-73.6
\$15,000- 24,999	446	34,752	121	27.0	20.9-33.1	27	8.3	01.8-14.8	3	0.6	00.0-01.2	8	1.5	00.5-02.5	287	62.6	55.3-69.9
\$25,000- 34,999	363	30,452	138	38.3	31.4-45.2	28	10.0	05.1-14.9	7	1.4	00.0-02.8	5	1.1	00.1-02.1	185	49.1	42.0-56.2
\$35,000- 49,999	455	41,581	195	43.3	37.6-49.0	39	7.6	04.9-10.3	12	2.6	01.0-04.2	5	0.7	00.1-01.3	204	45.9	40.2-51.6
\$50,000- 74,999	405	39,082	202	52.6	46.7-58.5	35	8.2	05.1-11.3	10	2.1	00.7-03.5	11	1.6	00.4-02.8	147	35.4	29.7-41.1
\$75,000+	374	39,797	196	51.7	45.6-57.8	50	12.0	08.5-15.5	10	2.0	00.6-03.4	8	1.7	00.5-02.9	110	32.5	26.6-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4624	477,616	3880	79.0	77.2-80.8	744	21.0	19.2-22.8
Male	1844	233,746	1415	71.7	68.8-74.6	429	28.3	25.4-31.2
Female	2780	243,871	2465	86.0	84.0-88.0	315	14.0	12.0-16.0
Non-Native	4467	457,781	3751	79.3	77.5-81.1	716	20.7	18.9-22.5
18-24	196	74,738	134	66.3	58.5-74.1	62	33.7	25.9-41.5
25-34	509	74,494	347	66.0	61.3-70.7	162	34.0	29.3-38.7
35-44	731	79,293	538	73.6	69.9-77.3	193	26.4	22.7-30.1
45-54	1037	93,813	846	81.0	78.3-83.7	191	19.0	16.3-21.7
55-64	786	61,498	698	87.0	84.1-89.9	88	13.0	10.1-15.9
65+	1320	90,979	1272	96.7	95.5-97.9	48	3.3	02.1-04.5
Less Than H.S.	409	36,137	372	84.6	78.5-90.7	37	15.4	09.3-21.5
H.S. or G.E.D.	1380	135,889	1157	76.8	73.1-80.5	223	23.2	19.5-26.9
Some Post-H.S.	1440	154,891	1188	79.0	75.9-82.1	252	21.0	17.9-24.1
College Graduate	1388	150,140	1157	79.6	76.7-82.5	231	20.4	17.5-23.3
Less than \$15,000	379	32,614	334	75.2	67.0-83.4	45	24.8	16.6-33.0
\$15,000- 24,999	704	62,506	621	83.7	77.8-89.6	83	16.3	10.4-22.2
\$25,000- 34,999	599	60,394	497	78.9	73.8-84.0	102	21.1	16.0-26.2
\$35,000- 49,999	812	84,423	658	79.0	74.9-83.1	154	21.0	16.9-25.1
\$50,000- 74,999	771	87,871	593	73.1	69.2-77.0	178	26.9	23.0-30.8
\$75,000+	721	88,207	584	77.1	73.0-81.2	137	22.9	18.8-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	233,746	1415	71.7	68.8-74.6	429	28.3	25.4-31.2
Non-Native	1789	226,302	1372	72.1	69.2-75.0	417	27.9	25.0-30.8
25-34	210	38,618	115	55.3	47.7-62.9	95	44.7	37.1-52.3
35-44	315	40,061	219	70.5	64.8-76.2	96	29.5	23.8-35.2
45-54	446	46,618	335	74.7	70.0-79.4	111	25.3	20.6-30.0
55-64	325	31,742	264	80.7	75.6-85.8	61	19.3	14.2-24.4
65+	455	37,602	426	95.4	93.2-97.6	29	4.6	02.4-06.8
Less Than H.S.	190	20,930	166	78.5	68.9-88.1	24	21.5	11.9-31.1
H.S. or G.E.D.	555	68,468	407	65.1	59.0-71.2	148	34.9	28.8-41.0
Some Post-H.S.	521	67,367	395	73.0	67.7-78.3	126	27.0	21.7-32.3
College Graduate	574	76,625	444	74.4	69.7-79.1	130	25.6	20.9-30.3
\$15,000- 24,999	260	27,887	218	78.8	68.8-88.8	42	21.2	11.2-31.2
\$25,000- 34,999	237	29,989	181	71.3	62.9-79.7	56	28.7	20.3-37.1
\$35,000- 49,999	359	43,041	273	74.5	67.8-81.2	86	25.5	18.8-32.2
\$50,000- 74,999	366	48,788	253	67.1	61.4-72.8	113	32.9	27.2-38.6
\$75,000+	349	48,621	262	69.6	63.1-76.1	87	30.4	23.9-36.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2780	243,871	2465	86.0	84.0-88.0	315	14.0	12.0-16.0
Non-Native	2678	231,480	2379	86.3	84.3-88.3	299	13.7	11.7-15.7
18-24	113	36,322	88	78.6	69.6-87.6	25	21.4	12.4-30.4
25-34	299	35,876	232	77.5	72.4-82.6	67	22.5	17.4-27.6
35-44	416	39,232	319	76.8	72.3-81.3	97	23.2	18.7-27.7
45-54	591	47,195	511	87.1	84.2-90.0	80	12.9	10.0-15.8
55-64	461	29,757	434	93.7	91.2-96.2	27	6.3	03.8-08.8
65+	865	53,377	846	97.7	96.5-98.9	19	2.3	01.1-03.5
Less Than H.S.	219	15,206	206	92.9	88.2-97.6	13	7.1	02.4-11.8
H.S. or G.E.D.	825	67,421	750	88.6	85.5-91.7	75	11.4	08.3-14.5
Some Post-H.S.	919	87,524	793	83.7	80.0-87.4	126	16.3	12.6-20.0
College Graduate	814	73,514	713	85.0	81.7-88.3	101	15.0	11.7-18.3
Less than \$15,000	277	20,338	258	85.6	77.2-94.0	19	14.4	06.0-22.8
\$15,000- 24,999	444	34,620	403	87.6	80.9-94.3	41	12.4	05.7-19.1
\$25,000- 34,999	362	30,404	316	86.3	81.2-91.4	46	13.7	08.6-18.8
\$35,000- 49,999	453	41,382	385	83.7	79.4-88.0	68	16.3	12.0-20.6
\$50,000- 74,999	405	39,082	340	80.6	75.9-85.3	65	19.4	14.7-24.1
\$75,000+	372	39,586	322	86.4	82.5-90.3	50	13.6	09.7-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4610	475,931	2157	48.2	46.2-50.2	240	6.2	05.2-07.2	81	2.2	01.4-03.0	14	0.4	00.2-00.6	5	0.3	00.0-00.7	2113	42.6	40.6-44.6
Male	1844	234,209	910	49.7	46.6-52.8	163	9.6	07.6-11.6	66	3.5	02.3-04.7	14	0.8	00.2-01.4	4	0.7	00.0-01.5	687	35.7	32.8-38.6
Female	2766	241,722	1247	46.8	44.3-49.3	77	2.9	02.1-03.7	15	1.0	00.0-02.0	1	0.0	00.0-00.0	1426	49.3	46.8-51.8			
Native	106	15,425	21	15.5	07.9-23.1				1	0.6	00.0-01.8	1	0.9	00.0-02.7						
Non-Native	4451	455,762	2127	49.5	47.5-51.5	228	5.7	04.7-06.7	80	2.3	01.5-03.1	13	0.4	00.2-00.6	5	0.4	00.0-00.8	1998	41.7	39.7-43.7
18-24	194	74,192	88	42.0	34.0-50.0	10	6.7	02.0-11.4	8	5.1	01.0-09.2				2	1.8	00.0-04.3	86	44.3	36.3-52.3
25-34	506	74,131	274	54.2	49.3-59.1	37	8.3	05.4-11.2	16	2.9	01.3-04.5	4	1.4	00.0-03.0				175	33.1	28.4-37.8
35-44	726	79,124	401	54.5	50.4-58.6	55	8.0	05.6-10.4	12	1.6	00.4-02.8	5	0.5	00.0-01.1				253	35.4	31.5-39.3
45-54	1035	93,553	557	54.8	51.3-58.3	62	6.5	04.7-08.3	24	2.3	01.3-03.3	2	0.3	00.0-00.7				390	36.1	32.8-39.4
55-64	788	61,482	380	50.1	46.0-54.2	40	5.7	03.7-07.7	12	1.3	00.3-02.3	1	0.2	00.0-00.6	2	0.2	00.0-00.4	353	42.6	38.5-46.7
65+	1316	90,648	438	35.0	31.9-38.1	36	2.6	01.6-03.6	9	0.5	00.0-01.1	2	0.1	00.0-00.3	1	0.2	00.0-00.6	830	61.6	58.5-64.7
Less Than H.S.	407	35,645	110	29.6	23.1-36.1	14	3.9	01.4-06.4	13	3.0	00.5-05.5	1	0.0	00.0-00.0	2	1.9	00.0-05.0	267	61.6	54.5-68.7
H.S. or G.E.D.	1375	136,331	576	41.3	37.8-44.8	67	7.8	05.1-10.5	32	3.6	01.8-05.4	9	1.0	00.2-01.8	1	0.6	00.0-01.8	690	45.6	41.9-49.3
Some Post-H.S.	1438	154,187	698	47.5	44.0-51.0	75	4.9	03.5-06.3	24	2.3	00.7-03.9	3	0.2	00.0-00.4				638	45.0	41.5-48.5
College Graduate	1383	149,208	771	59.8	56.5-63.1	83	6.6	05.0-08.2	12	0.7	00.3-01.1	1	0.1	00.0-00.3	2	0.1	00.0-00.3	514	32.7	29.6-35.8
Less than \$15,000	378	32,052	92	31.7	24.1-39.3	13	5.8	01.5-10.1	7	3.2	00.1-06.3	3	0.7	00.0-01.7	1	1.7	00.0-05.0	262	57.0	49.2-64.8
\$15,000- 24,999	707	63,300	243	32.4	27.3-37.5	28	5.9	01.6-10.2	14	4.0	00.1-07.9	4	1.4	00.0-03.0				418	56.2	50.3-62.1
\$25,000- 34,999	595	59,506	274	47.0	41.3-52.7	23	4.0	01.8-06.2	18	3.5	01.3-05.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6	278	45.1	39.2-51.0
\$35,000- 49,999	808	83,870	413	49.7	45.2-54.2	49	5.7	03.7-07.7	17	2.1	00.5-03.7	2	0.1	00.0-00.3	1	1.0	00.0-03.0	326	41.5	37.0-46.0
\$50,000- 74,999	769	87,592	451	59.1	55.0-63.2	57	7.7	05.3-10.1	9	1.7	00.3-03.1	4	0.7	00.0-01.5				248	30.8	26.9-34.7
\$75,000+	719	87,935	448	61.5	57.2-65.8	53	8.4	05.9-10.9	8	1.0	00.2-01.8				2	0.1	00.0-00.3	208	28.9	24.8-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	234,209	910	49.7	46.6-52.8	163	9.6	07.6-11.6	66	3.5	02.3-04.7	14	0.8	00.2-01.4	4	0.7	00.0-01.5	687	35.7	32.8-38.6
Non-Native	1788	226,605	903	51.0	47.9-54.1	154	8.8	07.0-10.6	65	3.6	02.4-04.8	13	0.8	00.2-01.4	4	0.7	00.0-01.5	649	35.2	32.3-38.1
18-24	85	39,513				8	10.7	02.3-19.1	6	5.6	00.7-10.5				2	3.5	00.0-08.4			
25-34	210	38,618	115	55.3	47.7-62.9	28	13.7	08.6-18.8	14	5.1	02.0-08.2	4	2.6	00.0-05.5				49	23.3	16.8-29.8
35-44	311	39,734	164	53.0	46.7-59.3	34	11.3	07.4-15.2	10	3.1	00.7-05.5	5	1.1	00.1-02.1				98	31.6	25.7-37.5
45-54	443	46,241	221	51.0	45.5-56.5	40	9.3	06.0-12.6	19	3.7	01.9-05.5	2	0.6	00.0-01.4				161	35.4	30.3-40.5
55-64	329	31,906	162	51.3	45.0-57.6	30	8.7	05.2-12.2	10	2.1	00.3-03.9	1	0.4	00.0-01.2	1	0.0	00.0-00.0	125	37.5	31.4-43.6
65+	456	37,508	206	45.6	40.1-51.1	23	3.8	01.8-05.8	7	1.2	00.0-02.6	2	0.2	00.0-00.6	1	0.4	00.0-01.2	217	48.8	43.3-54.3
Less Than H.S.	191	20,760	62	31.1	21.9-40.3	9	5.4	01.1-09.7	10	4.9	00.6-09.2	1	0.0	00.0-00.0	2	3.3	00.0-08.6			
H.S. or G.E.D.	554	69,119	269	45.2	39.5-50.9	46	12.5	07.4-17.6	28	5.9	02.8-09.0	9	2.0	00.2-03.8	1	1.2	00.0-03.6	201	33.2	27.9-38.5
Some Post-H.S.	522	67,496	254	46.8	40.9-52.7	50	8.1	05.6-10.6	19	3.3	01.5-05.1	3	0.5	00.0-01.1				196	41.3	35.4-47.2
College Graduate	573	76,480	324	61.5	56.6-66.4	57	9.5	06.6-12.4	9	1.2	00.4-02.0	1	0.2	00.0-00.6	1	0.0	00.0-00.0	181	27.6	23.1-32.1
Less than \$15,000	103	12,280							5	7.6	00.0-15.4	3	1.7	00.0-04.1	1	4.5	00.0-12.9			
\$15,000- 24,999	262	28,590	97	33.3	25.3-41.3	19	11.0	02.0-20.0	11	4.3	00.0-08.6	4	3.2	00.0-06.9				131	48.2	39.0-57.4
\$25,000- 34,999	237	29,789	111	49.2	40.0-58.4	16	5.2	02.1-08.3	15	5.0	02.1-07.9	1	0.2	00.0-00.6	1	0.5	00.0-01.5	93	39.9	30.5-49.3
\$35,000- 49,999	359	43,057	183	49.3	42.2-56.4	35	8.3	05.0-11.6	16	3.8	00.9-06.7	2	0.2	00.0-00.6	1	1.9	00.0-05.6	122	36.4	29.3-43.5
\$50,000- 74,999	365	48,655	210	57.6	51.7-63.5	41	11.1	07.4-14.8	9	3.1	00.7-05.5	4	1.3	00.0-02.7				101	27.0	21.5-32.5
\$75,000+	347	48,354	206	61.0	54.7-67.3	36	11.6	07.3-15.9	6	1.7	00.1-03.3				1	0.0	00.0-00.0	98	25.7	20.2-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2766	241,722	1247	46.8	44.3-49.3	77	2.9	02.1-03.7	15	1.0	00.0-02.0	1	0.0	00.0-00.0	1426	49.3	46.8-51.8
Native	75	9,810				2	6.1	00.0-15.3									
Non-Native	2663	229,158	1224	48.1	45.6-50.6	74	2.7	01.9-03.5	15	1.0	00.0-02.0	1	0.0	00.0-00.0	1349	48.1	45.6-50.6
18-24	109	34,679				2	2.2	00.0-05.3	2	4.6	00.0-11.3						
25-34	296	35,513	159	53.1	46.6-59.6	9	2.5	00.7-04.3	2	0.6	00.0-01.6				126	43.8	37.3-50.3
35-44	415	39,389	237	56.0	50.5-61.5	21	4.7	02.5-06.9	2	0.0	00.0-00.0				155	39.3	34.0-44.6
45-54	592	47,312	336	58.6	54.1-63.1	22	3.7	02.1-05.3	5	1.0	00.2-01.8				229	36.8	32.3-41.3
55-64	459	29,576	218	48.7	43.2-54.2	10	2.4	00.8-04.0	2	0.4	00.0-01.0	1	0.3	00.0-00.9	228	48.1	42.6-53.6
65+	860	53,139	232	27.5	24.0-31.0	13	1.8	00.6-03.0	2	0.0	00.0-00.0				613	70.7	67.2-74.2
Less Than H.S.	216	14,886	48	27.5	18.7-36.3	5	1.7	00.0-03.5	3	0.2	00.0-00.6				160	70.6	61.8-79.4
H.S. or G.E.D.	821	67,213	307	37.3	32.8-41.8	21	3.1	01.3-04.9	4	1.2	00.0-02.6				489	58.4	53.9-62.9
Some Post-H.S.	916	86,691	444	48.1	43.8-52.4	25	2.4	01.4-03.4	5	1.6	00.0-04.1				442	47.9	43.6-52.2
College Graduate	810	72,727	447	58.0	53.9-62.1	26	3.5	01.9-05.1	3	0.3	00.0-00.7	1	0.1	00.0-00.3	333	38.2	34.1-42.3
Less than \$15,000	275	19,773	63	29.6	21.2-38.0	4	1.5	00.0-03.1	2	0.4	00.0-01.2				206	68.5	60.1-76.9
\$15,000- 24,999	445	34,709	146	31.8	25.5-38.1	9	1.7	00.5-02.9	3	3.8	00.0-10.1				287	62.7	55.4-70.0
\$25,000- 34,999	358	29,717	163	44.8	37.9-51.7	7	2.8	00.0-05.9	3	2.1	00.0-05.2				185	50.3	43.2-57.4
\$35,000- 49,999	449	40,813	230	50.2	44.5-55.9	14	2.9	01.3-04.5	1	0.2	00.0-00.6				204	46.7	41.0-52.4
\$50,000- 74,999	404	38,937	241	60.9	55.2-66.6	16	3.6	01.4-05.8							147	35.5	29.8-41.2
\$75,000+	372	39,581	242	62.2	56.1-68.3	17	4.6	02.4-06.8	2	0.3	00.0-00.7	1	0.2	00.0-00.6	110	32.7	26.8-38.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4610	475,931	1047	21.4	19.8-23.0	649	15.0	13.6-16.4	461	11.8	10.4-13.2	240	6.2	05.2-07.2	100	3.0	02.0-04.0	2113	42.6	40.6-44.6
Male	1844	234,209	347	17.3	15.1-19.5	305	16.1	14.1-18.1	258	16.2	13.8-18.6	163	9.6	07.6-11.6	84	5.0	03.4-06.6	687	35.7	32.8-38.6
Female	2766	241,722	700	25.4	23.2-27.6	344	13.9	12.3-15.5	203	7.6	06.2-09.0	77	2.9	02.1-03.7	16	1.0	00.0-02.0	1426	49.3	46.8-51.8
Native	106	15,425	5	3.5	00.4-06.6	11	9.2	02.9-15.5	5	2.9	00.0-05.8				2	1.5	00.0-03.7			
Non-Native	4451	455,762	1037	22.1	20.5-23.7	636	15.3	13.9-16.7	454	12.2	10.8-13.6	228	5.7	04.7-06.7	98	3.1	02.1-04.1	1998	41.7	39.7-43.7
18-24	194	74,192	33	15.6	09.9-21.3	27	9.9	05.8-14.0	28	16.5	10.2-22.8	10	6.7	02.0-11.4	10	7.0	02.3-11.7	86	44.3	36.3-52.3
25-34	506	74,131	94	18.2	14.3-22.1	111	20.6	16.7-24.5	69	15.5	11.8-19.2	37	8.3	05.4-11.2	20	4.3	02.1-06.5	175	33.1	28.4-37.8
35-44	726	79,124	177	23.7	20.2-27.2	127	18.3	15.0-21.6	97	12.4	09.7-15.1	55	8.0	05.6-10.4	17	2.1	00.7-03.5	253	35.4	31.5-39.3
45-54	1035	93,553	278	26.0	22.9-29.1	172	18.4	15.5-21.3	107	10.5	08.3-12.7	62	6.5	04.7-08.3	26	2.6	01.6-03.6	390	36.1	32.8-39.4
55-64	788	61,482	203	24.7	21.2-28.2	112	15.9	12.8-19.0	65	9.4	06.9-11.9	40	5.7	03.7-07.7	15	1.7	00.5-02.9	353	42.6	38.5-46.7
65+	1316	90,648	249	19.6	17.1-22.1	98	7.7	05.9-09.5	91	7.7	05.9-09.5	36	2.6	01.6-03.6	12	0.7	00.1-01.3	830	61.6	58.5-64.7
Less Than H.S.	407	35,645	56	12.8	08.5-17.1	26	6.2	03.5-08.9	28	10.5	05.4-15.6	14	3.9	01.4-06.4	16	4.9	01.0-08.8	267	61.6	54.5-68.7
H.S. or G.E.D.	1375	136,331	280	17.7	15.2-20.2	176	13.4	11.0-15.8	120	10.2	07.8-12.6	67	7.8	05.1-10.5	42	5.2	03.0-07.4	690	45.6	41.9-49.3
Some Post-H.S.	1438	154,187	343	21.4	18.7-24.1	206	14.5	12.1-16.9	149	11.7	09.2-14.2	75	4.9	03.5-06.3	27	2.6	01.0-04.2	638	45.0	41.5-48.5
College Graduate	1383	149,208	367	26.9	24.0-29.8	241	19.0	16.5-21.5	163	13.8	11.3-16.3	83	6.6	05.0-08.2	15	0.9	00.3-01.5	514	32.7	29.6-35.8
Less than \$15,000	378	32,052	48	12.4	07.7-17.1	30	11.1	06.2-16.0	14	8.2	02.1-14.3	13	5.8	01.5-10.1	11	5.5	01.0-10.0	262	57.0	49.2-64.8
\$15,000- 24,999	707	63,300	120	14.9	11.0-18.8	73	9.7	07.0-12.4	50	7.9	05.2-10.6	28	5.9	01.6-10.2	18	5.5	01.4-09.6	418	56.2	50.3-62.1
\$25,000- 34,999	595	59,506	150	25.8	20.9-30.7	77	11.8	08.5-15.1	47	9.3	05.6-13.0	23	4.0	01.8-06.2	20	3.8	01.6-06.0	278	45.1	39.2-51.0
\$35,000- 49,999	808	83,870	180	20.9	17.4-24.4	140	18.2	14.9-21.5	93	10.7	07.8-13.6	49	5.7	03.7-07.7	20	3.2	00.8-05.6	326	41.5	37.0-46.0
\$50,000- 74,999	769	87,592	210	24.8	21.3-28.3	132	18.9	15.6-22.2	109	15.3	12.2-18.4	57	7.7	05.3-10.1	13	2.4	00.8-04.0	248	30.8	26.9-34.7
\$75,000+	719	87,935	197	25.4	21.7-29.1	144	19.4	16.1-22.7	107	16.8	13.1-20.5	53	8.4	05.9-10.9	10	1.2	00.2-02.2	208	28.9	24.8-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	234,209	347	17.3	15.1-19.5	305	16.1	14.1-18.1	258	16.2	13.8-18.6	163	9.6	07.6-11.6	84	5.0	03.4-06.6	687	35.7	32.8-38.6
Non-Native	1788	226,605	342	17.6	15.4-19.8	303	16.6	14.4-18.8	258	16.8	14.3-19.3	154	8.8	07.0-10.6	82	5.0	03.4-06.6	649	35.2	32.3-38.1
18-24	85	39,513	10	10.5	03.8-17.2	7	6.7	01.6-11.8				8	10.7	02.3-19.1	8	9.1	02.4-15.8			
25-34	210	38,618	26	14.5	08.6-20.4	44	18.6	12.9-24.3	45	22.1	15.8-28.4	28	13.7	08.6-18.8	18	7.7	03.6-11.8	49	23.3	16.8-29.8
35-44	311	39,734	56	18.8	13.9-23.7	58	19.4	14.5-24.3	50	14.8	10.5-19.1	34	11.3	07.4-15.2	15	4.2	01.7-06.7	98	31.6	25.7-37.5
45-54	443	46,241	81	17.5	13.4-21.6	85	20.9	16.4-25.4	55	12.6	08.9-16.3	40	9.3	06.0-12.6	21	4.3	02.3-06.3	161	35.4	30.3-40.5
55-64	329	31,906	71	20.1	15.2-25.0	57	19.8	14.7-24.9	34	11.4	07.3-15.5	30	8.7	05.2-12.2	12	2.6	00.6-04.6	125	37.5	31.4-43.6
65+	456	37,508	100	22.8	18.1-27.5	54	11.2	07.9-14.5	52	11.7	08.2-15.2	23	3.8	01.8-05.8	10	1.7	00.1-03.3	217	48.8	43.3-54.3
Less Than H.S.	191	20,760	29	11.1	06.2-16.0	13	4.6	01.7-07.5	20	15.4	07.2-23.6	9	5.4	01.1-09.7	13	8.3	01.8-14.8			
H.S. or G.E.D.	554	69,119	97	14.8	11.1-18.5	102	17.1	13.2-21.0	70	13.3	09.4-17.2	46	12.5	07.4-17.6	38	9.1	05.0-13.2	201	33.2	27.9-38.5
Some Post-H.S.	522	67,496	99	16.6	12.7-20.5	83	13.9	10.4-17.4	72	16.2	11.3-21.1	50	8.1	05.6-10.6	22	3.8	01.8-05.8	196	41.3	35.4-47.2
College Graduate	573	76,480	122	22.1	17.8-26.4	107	20.3	16.4-24.2	95	19.1	14.6-23.6	57	9.5	06.6-12.4	11	1.4	00.4-02.4	181	27.6	23.1-32.1
Less than \$15,000	103	12,280	14	13.4	03.6-23.2	10	9.4	02.0-16.8												
\$15,000- 24,999	262	28,590	40	13.1	07.6-18.6	31	8.9	05.2-12.6	26	11.2	05.7-16.7	19	11.0	02.0-20.0	15	7.5	02.0-13.0	131	48.2	39.0-57.4
\$25,000- 34,999	237	29,789	56	23.9	16.5-31.3	34	13.0	07.7-18.3	21	12.2	05.1-19.3	16	5.2	02.1-08.3	17	5.6	02.5-08.7	93	39.9	30.5-49.3
\$35,000- 49,999	359	43,057	65	17.6	12.3-22.9	65	17.8	12.9-22.7	53	13.9	08.8-19.0	35	8.3	05.0-11.6	19	5.9	01.4-10.4	122	36.4	29.3-43.5
\$50,000- 74,999	365	48,655	73	18.4	13.9-22.9	69	19.5	14.8-24.2	68	19.7	14.8-24.6	41	11.1	07.4-14.8	13	4.3	01.8-06.8	101	27.0	21.5-32.5
\$75,000+	347	48,354	61	16.6	12.1-21.1	79	22.0	17.1-26.9	66	22.4	16.3-28.5	36	11.6	07.3-15.9	7	1.7	00.1-03.3	98	25.7	20.2-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2766	241,722	700	25.4	23.2-27.6	344	13.9	12.3-15.5	203	7.6	06.2-09.0	77	2.9	02.1-03.7	16	1.0	00.0-02.0	1426	49.3	46.8-51.8
Native	75	9,810	4	4.5	00.0-09.0	9	12.5	03.5-21.5	5	4.5	00.0-09.0	2	6.1	00.0-15.3						
Non-Native	2663	229,158	695	26.5	24.3-28.7	333	14.0	12.2-15.8	196	7.6	06.2-09.0	74	2.7	01.9-03.5	16	1.1	00.1-02.1	1349	48.1	45.6-50.6
18-24	109	34,679	23	21.4	12.4-30.4	20	13.5	07.2-19.8	8	7.4	01.9-12.9	2	2.2	00.0-05.3	2	4.6	00.0-11.3			
25-34	296	35,513	68	22.2	17.1-27.3	67	22.7	17.4-28.0	24	8.3	05.0-11.6	9	2.5	00.7-04.3	2	0.6	00.0-01.6	126	43.8	37.3-50.3
35-44	415	39,389	121	28.7	23.8-33.6	69	17.3	13.2-21.4	47	10.0	06.9-13.1	21	4.7	02.5-06.9	2	0.0	00.0-00.0	155	39.3	34.0-44.6
45-54	592	47,312	197	34.3	30.0-38.6	87	15.9	12.4-19.4	52	8.4	05.9-10.9	22	3.7	02.1-05.3	5	1.0	00.2-01.8	229	36.8	32.3-41.3
55-64	459	29,576	132	29.7	24.8-34.6	55	11.7	08.4-15.0	31	7.3	04.6-10.0	10	2.4	00.8-04.0	3	0.7	00.0-01.5	228	48.1	42.6-53.6
65+	860	53,139	149	17.3	14.4-20.2	44	5.2	03.4-07.0	39	5.0	03.2-06.8	13	1.8	00.6-03.0	2	0.0	00.0-00.0	613	70.7	67.2-74.2
Less Than H.S.	216	14,886	27	15.2	07.8-22.6	13	8.5	03.2-13.8	8	3.8	00.9-06.7	5	1.7	00.0-03.5	3	0.2	00.0-00.6	160	70.6	61.8-79.4
H.S. or G.E.D.	821	67,213	183	20.7	17.0-24.4	74	9.6	07.1-12.1	50	7.1	04.7-09.5	21	3.1	01.3-04.9	4	1.2	00.0-02.6	489	58.4	53.9-62.9
Some Post-H.S.	916	86,691	244	25.1	21.6-28.6	123	14.9	12.0-17.8	77	8.1	05.7-10.5	25	2.4	01.4-03.4	5	1.6	00.0-04.1	442	47.9	43.6-52.2
College Graduate	810	72,727	245	32.0	27.9-36.1	134	17.7	14.6-20.8	68	8.2	06.0-10.4	26	3.5	01.9-05.1	4	0.4	00.0-00.8	333	38.2	34.1-42.3
Less than \$15,000	275	19,773	34	11.7	07.2-16.2	20	12.2	05.7-18.7	9	5.8	00.0-11.9	4	1.5	00.0-03.1	2	0.4	00.0-01.2	206	68.5	60.1-76.9
\$15,000- 24,999	445	34,709	80	16.4	11.1-21.7	42	10.3	06.4-14.2	24	5.1	02.7-07.5	9	1.7	00.5-02.9	3	3.8	00.0-10.1	287	62.7	55.4-70.0
\$25,000- 34,999	358	29,717	94	27.7	21.4-34.0	43	10.6	06.7-14.5	26	6.5	03.8-09.2	7	2.8	00.0-05.9	3	2.1	00.0-05.2	185	50.3	43.2-57.4
\$35,000- 49,999	449	40,813	115	24.3	19.6-29.0	75	18.6	14.3-22.9	40	7.3	04.6-10.0	14	2.9	01.3-04.5	1	0.2	00.0-00.6	204	46.7	41.0-52.4
\$50,000- 74,999	404	38,937	137	32.9	27.4-38.4	63	18.2	13.7-22.7	41	9.8	06.7-12.9	16	3.6	01.4-05.8				147	35.5	29.8-41.2
\$75,000+	372	39,581	136	36.1	30.2-42.0	65	16.1	12.0-20.2	41	9.9	06.6-13.2	17	4.6	02.4-06.8	3	0.5	00.0-01.1	110	32.7	26.8-38.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4610	475,931	4433	95.6	94.6-96.6	177	4.4	03.4-05.4	
Male	1844	234,209	1760	95.0	93.4-96.6	84	5.0	03.4-06.6	
Female	2766	241,722	2673	96.1	94.9-97.3	93	3.9	02.7-05.1	
Native	106	15,425	102	94.6	88.3-0100	4	5.4	00.0-11.7	
Non-Native	4451	455,762	4279	95.6	94.6-96.6	172	4.4	03.4-05.4	
18-24	194	74,192	182	92.0	87.1-96.9	12	8.0	03.1-12.9	
25-34	506	74,131	477	94.5	92.1-96.9	29	5.5	03.1-07.9	
35-44	726	79,124	688	95.6	93.8-97.4	38	4.4	02.6-06.2	
45-54	1035	93,553	987	95.5	94.1-96.9	48	4.5	03.1-05.9	
55-64	788	61,482	763	97.2	95.8-98.6	25	2.8	01.4-04.2	
65+	1316	90,648	1291	98.2	97.2-99.2	25	1.8	00.8-02.8	
Less Than H.S.	407	35,645	386	94.4	90.5-98.3	21	5.6	01.7-09.5	
H.S. or G.E.D.	1375	136,331	1312	93.3	90.9-95.7	63	6.7	04.3-09.1	
Some Post-H.S.	1438	154,187	1386	96.1	94.3-97.9	52	3.9	02.1-05.7	
College Graduate	1383	149,208	1342	97.4	96.4-98.4	41	2.6	01.6-03.6	
Less than \$15,000	378	32,052	363	93.6	89.1-98.1	15	6.4	01.9-10.9	
\$15,000- 24,999	707	63,300	680	93.6	89.3-97.9	27	6.4	02.1-10.7	
\$25,000- 34,999	595	59,506	568	94.8	92.1-97.5	27	5.2	02.5-07.9	
\$35,000- 49,999	808	83,870	774	95.5	93.0-98.0	34	4.5	02.0-07.0	
\$50,000- 74,999	769	87,592	740	96.0	94.2-97.8	29	4.0	02.2-05.8	
\$75,000+	719	87,935	692	96.8	95.4-98.2	27	3.2	01.8-04.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	234,209	1760	95.0	93.4-96.6	84	5.0	03.4-06.6
Non-Native	1788	226,605	1706	95.0	93.4-96.6	82	5.0	03.4-06.6
18-24	85	39,513	77	90.9	84.2-97.6	8	9.1	02.4-15.8
25-34	210	38,618	192	92.3	88.2-96.4	18	7.7	03.6-11.8
35-44	311	39,734	296	95.8	93.3-98.3	15	4.2	01.7-06.7
45-54	443	46,241	422	95.7	93.7-97.7	21	4.3	02.3-06.3
55-64	329	31,906	317	97.4	95.4-99.4	12	2.6	00.6-04.6
65+	456	37,508	446	98.3	96.7-99.9	10	1.7	00.1-03.3
Less Than H.S.	191	20,760	178	91.7	85.2-98.2	13	8.3	01.8-14.8
H.S. or G.E.D.	554	69,119	516	90.9	86.8-95.0	38	9.1	05.0-13.2
Some Post-H.S.	522	67,496	500	96.2	94.2-98.2	22	3.8	01.8-05.8
College Graduate	573	76,480	562	98.6	97.6-99.6	11	1.4	00.4-02.4
\$15,000- 24,999	262	28,590	247	92.5	87.0-98.0	15	7.5	02.0-13.0
\$25,000- 34,999	237	29,789	220	94.4	91.3-97.5	17	5.6	02.5-08.7
\$35,000- 49,999	359	43,057	340	94.1	89.6-98.6	19	5.9	01.4-10.4
\$50,000- 74,999	365	48,655	352	95.7	93.2-98.2	13	4.3	01.8-06.8
\$75,000+	347	48,354	340	98.3	96.7-99.9	7	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2766	241,722	2673	96.1	94.9-97.3	93	3.9	02.7-05.1
Native	75	9,810	73	93.9	84.7-0100	2	6.1	00.0-15.3
Non-Native	2663	229,158	2573	96.2	95.0-97.4	90	3.8	02.6-05.0
18-24	109	34,679	105	93.2	85.9-0100	4	6.8	00.0-14.1
25-34	296	35,513	285	96.9	94.9-98.9	11	3.1	01.1-05.1
35-44	415	39,389	392	95.3	93.1-97.5	23	4.7	02.5-06.9
45-54	592	47,312	565	95.4	93.6-97.2	27	4.6	02.8-06.4
55-64	459	29,576	446	96.9	95.1-98.7	13	3.1	01.3-04.9
65+	860	53,139	845	98.2	97.0-99.4	15	1.8	00.6-03.0
Less Than H.S.	216	14,886	208	98.1	96.3-99.9	8	1.9	00.1-03.7
H.S. or G.E.D.	821	67,213	796	95.8	93.6-98.0	25	4.2	02.0-06.4
Some Post-H.S.	916	86,691	886	96.0	93.3-98.7	30	4.0	01.3-06.7
College Graduate	810	72,727	780	96.1	94.5-97.7	30	3.9	02.3-05.5
Less than \$15,000	275	19,773	269	98.2	96.4-0100	6	1.8	00.0-03.6
\$15,000- 24,999	445	34,709	433	94.5	88.2-0100	12	5.5	00.0-11.8
\$25,000- 34,999	358	29,717	348	95.1	90.8-99.4	10	4.9	00.6-09.2
\$35,000- 49,999	449	40,813	434	96.9	95.1-98.7	15	3.1	01.3-04.9
\$50,000- 74,999	404	38,937	388	96.4	94.2-98.6	16	3.6	01.4-05.8
\$75,000+	372	39,581	352	94.9	92.5-97.3	20	5.1	02.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	234,209	1760	95.0	93.4-96.6	84	5.0	03.4-06.6
Non-Native	1788	226,605	1706	95.0	93.4-96.6	82	5.0	03.4-06.6
18-24	85	39,513	77	90.9	84.2-97.6	8	9.1	02.4-15.8
25-34	210	38,618	192	92.3	88.2-96.4	18	7.7	03.6-11.8
35-44	311	39,734	296	95.8	93.3-98.3	15	4.2	01.7-06.7
45-54	443	46,241	422	95.7	93.7-97.7	21	4.3	02.3-06.3
55-64	329	31,906	317	97.4	95.4-99.4	12	2.6	00.6-04.6
65+	456	37,508	446	98.3	96.7-99.9	10	1.7	00.1-03.3
Less Than H.S.	191	20,760	178	91.7	85.2-98.2	13	8.3	01.8-14.8
H.S. or G.E.D.	554	69,119	516	90.9	86.8-95.0	38	9.1	05.0-13.2
Some Post-H.S.	522	67,496	500	96.2	94.2-98.2	22	3.8	01.8-05.8
College Graduate	573	76,480	562	98.6	97.6-99.6	11	1.4	00.4-02.4
\$15,000- 24,999	262	28,590	247	92.5	87.0-98.0	15	7.5	02.0-13.0
\$25,000- 34,999	237	29,789	220	94.4	91.3-97.5	17	5.6	02.5-08.7
\$35,000- 49,999	359	43,057	340	94.1	89.6-98.6	19	5.9	01.4-10.4
\$50,000- 74,999	365	48,655	352	95.7	93.2-98.2	13	4.3	01.8-06.8
\$75,000+	347	48,354	340	98.3	96.7-99.9	7	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2766	241,722	2673	96.1	94.9-97.3	93	3.9	02.7-05.1	
Native	75	9,810	73	93.9	84.7-0100	2	6.1	00.0-15.3	
Non-Native	2663	229,158	2573	96.2	95.0-97.4	90	3.8	02.6-05.0	
18-24	109	34,679	105	93.2	85.9-0100	4	6.8	00.0-14.1	
25-34	296	35,513	285	96.9	94.9-98.9	11	3.1	01.1-05.1	
35-44	415	39,389	392	95.3	93.1-97.5	23	4.7	02.5-06.9	
45-54	592	47,312	565	95.4	93.6-97.2	27	4.6	02.8-06.4	
55-64	459	29,576	446	96.9	95.1-98.7	13	3.1	01.3-04.9	
65+	860	53,139	845	98.2	97.0-99.4	15	1.8	00.6-03.0	
Less Than H.S.	216	14,886	208	98.1	96.3-99.9	8	1.9	00.1-03.7	
H.S. or G.E.D.	821	67,213	796	95.8	93.6-98.0	25	4.2	02.0-06.4	
Some Post-H.S.	916	86,691	886	96.0	93.3-98.7	30	4.0	01.3-06.7	
College Graduate	810	72,727	780	96.1	94.5-97.7	30	3.9	02.3-05.5	
Less than \$15,000	275	19,773	269	98.2	96.4-0100	6	1.8	00.0-03.6	
\$15,000- 24,999	445	34,709	433	94.5	88.2-0100	12	5.5	00.0-11.8	
\$25,000- 34,999	358	29,717	348	95.1	90.8-99.4	10	4.9	00.6-09.2	
\$35,000- 49,999	449	40,813	434	96.9	95.1-98.7	15	3.1	01.3-04.9	
\$50,000- 74,999	404	38,937	388	96.4	94.2-98.6	16	3.6	01.4-05.8	
\$75,000+	372	39,581	352	94.9	92.5-97.3	20	5.1	02.7-07.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 14: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	101
2	MALES ONLY	102
3	FEMALES ONLY	103
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	104
5	MALES ONLY	105
6	FEMALES ONLY	106



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1355	93,127	917	71.4	68.7-74.1	438	28.6	25.9-31.3
Male	468	38,598	312	72.9	68.2-77.6	156	27.1	22.4-31.8
Female	887	54,529	605	70.4	66.9-73.9	282	29.6	26.1-33.1
Non-Native	1307	89,908	892	71.8	68.9-74.7	415	28.2	25.3-31.1
65+	1355	93,127	917	71.4	68.7-74.1	438	28.6	25.9-31.3
Less Than H.S.	294	18,842	185	66.5	59.8-73.2	109	33.5	26.8-40.2
H.S. or G.E.D.	508	35,467	348	71.7	67.2-76.2	160	28.3	23.8-32.8
Some Post-H.S.	323	22,071	224	75.6	70.3-80.9	99	24.4	19.1-29.7
College Graduate	228	16,531	158	70.3	63.2-77.4	70	29.7	22.6-36.8
Less than \$15,000	198	11,242	131	67.3	59.5-75.1	67	32.7	24.9-40.5
\$15,000- 24,999	343	22,452	230	72.7	67.0-78.4	113	27.3	21.6-33.0
\$25,000- 34,999	199	14,192	129	65.5	57.9-73.1	70	34.5	26.9-42.1
\$35,000- 49,999	166	12,420	114	69.2	61.2-77.2	52	30.8	22.8-38.8
\$50,000- 74,999	82	7,041	62	79.9	70.1-89.7	20	20.1	10.3-29.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 14: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	468	38,598	312	72.9	68.2-77.6	156	27.1	22.4-31.8
Non-Native	451	37,590	304	72.7	68.0-77.4	147	27.3	22.6-32.0
65+	468	38,598	312	72.9	68.2-77.6	156	27.1	22.4-31.8
Less Than H.S.	128	10,214	86	73.9	65.1-82.7	42	26.1	17.3-34.9
H.S. or G.E.D.	156	12,852	103	71.1	62.7-79.5	53	28.9	20.5-37.3
\$15,000- 24,999	117	9,553	69	70.1	60.3-79.9	48	29.9	20.1-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 14: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	887	54,529	605	70.4	66.9-73.9	282	29.6	26.1-33.1
Non-Native	856	52,319	588	71.1	67.6-74.6	268	28.9	25.4-32.4
65+	887	54,529	605	70.4	66.9-73.9	282	29.6	26.1-33.1
Less Than H.S.	166	8,628	99	57.7	48.3-67.1	67	42.3	32.9-51.7
H.S. or G.E.D.	352	22,615	245	72.1	66.8-77.4	107	27.9	22.6-33.2
Some Post-H.S.	238	15,415	166	75.3	69.2-81.4	72	24.7	18.6-30.8
College Graduate	130	7,801	94	69.4	60.0-78.8	36	30.6	21.2-40.0
Less than \$15,000	154	8,434	101	67.0	58.2-75.8	53	33.0	24.2-41.8
\$15,000- 24,999	226	12,899	161	74.7	68.0-81.4	65	25.3	18.6-32.0
\$25,000- 34,999	132	8,349	86	63.7	54.1-73.3	46	36.3	26.7-45.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1309	90,360	899	69.4	66.5-72.3	410	30.6	27.7-33.5
Male	445	37,007	293	66.3	61.0-71.6	152	33.7	28.4-39.0
Female	864	53,353	606	71.5	68.0-75.0	258	28.5	25.0-32.0
Non-Native	1265	87,224	870	69.6	66.7-72.5	395	30.4	27.5-33.3
65+	1309	90,360	899	69.4	66.5-72.3	410	30.6	27.7-33.5
Less Than H.S.	280	17,813	180	62.3	55.2-69.4	100	37.7	30.6-44.8
H.S. or G.E.D.	495	34,386	352	75.0	70.5-79.5	143	25.0	20.5-29.5
Some Post-H.S.	309	21,467	213	69.4	63.3-75.5	96	30.6	24.5-36.7
College Graduate	223	16,477	153	65.9	58.5-73.3	70	34.1	26.7-41.5
Less than \$15,000	190	10,854	134	70.9	63.1-78.7	56	29.1	21.3-36.9
\$15,000- 24,999	336	21,977	239	72.5	66.6-78.4	97	27.5	21.6-33.4
\$25,000- 34,999	195	13,964	131	65.9	58.1-73.7	64	34.1	26.3-41.9
\$35,000- 49,999	159	11,998	102	65.9	57.5-74.3	57	34.1	25.7-42.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 14: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	445	37,007	293	66.3	61.0-71.6	152	33.7	28.4-39.0
Non-Native	431	36,012	283	66.3	61.0-71.6	148	33.7	28.4-39.0
65+	445	37,007	293	66.3	61.0-71.6	152	33.7	28.4-39.0
H.S. or G.E.D.	149	12,126	108	76.4	68.4-84.4	41	23.6	15.6-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 14: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	864	53,353	606	71.5	68.0-75.0	258	28.5	25.0-32.0
Non-Native	834	51,212	587	71.9	68.4-75.4	247	28.1	24.6-31.6
65+	864	53,353	606	71.5	68.0-75.0	258	28.5	25.0-32.0
Less Than H.S.	160	8,187	109	68.4	59.6-77.2	51	31.6	22.8-40.4
H.S. or G.E.D.	346	22,260	244	74.2	68.9-79.5	102	25.8	20.5-31.1
Some Post-H.S.	229	15,076	158	68.6	61.7-75.5	71	31.4	24.5-38.3
College Graduate	128	7,760	94	72.3	63.3-81.3	34	27.7	18.7-36.7
Less than \$15,000	150	8,208	108	72.8	64.4-81.2	42	27.2	18.8-35.6
\$15,000- 24,999	221	12,576	166	80.2	74.3-86.1	55	19.8	13.9-25.7
\$25,000- 34,999	129	8,235	84	62.0	52.2-71.8	45	38.0	28.2-47.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 16: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	108
2	MALES ONLY	109
3	FEMALES ONLY	110
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	111
5	MALES ONLY	112
6	FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4689	483,353	3981	84.0	82.4-85.6	708	16.0	14.4-17.6
Male	1877	237,312	1423	76.4	73.9-78.9	454	23.6	21.1-26.1
Female	2812	246,041	2558	91.4	90.0-92.8	254	8.6	07.2-10.0
Native	105	14,227	92	86.2	78.6-93.8	13	13.8	06.2-21.4
Non-Native	4532	464,191	3846	84.0	82.4-85.6	686	16.0	14.4-17.6
18-24	196	74,191	153	77.3	70.6-84.0	43	22.7	16.0-29.4
25-34	512	75,065	420	82.9	79.0-86.8	92	17.1	13.2-21.0
35-44	739	80,667	611	83.2	80.1-86.3	128	16.8	13.7-19.9
45-54	1052	94,921	879	84.5	82.0-87.0	173	15.5	13.0-18.0
55-64	809	63,730	700	85.1	82.0-88.2	109	14.9	11.8-18.0
65+	1334	91,782	1179	89.9	87.9-91.9	155	10.1	08.1-12.1
Less Than H.S.	417	36,720	325	75.9	69.2-82.6	92	24.1	17.4-30.8
H.S. or G.E.D.	1401	138,064	1143	79.1	76.0-82.2	258	20.9	17.8-24.0
Some Post-H.S.	1463	156,346	1243	84.2	81.5-86.9	220	15.8	13.1-18.5
College Graduate	1400	151,599	1262	90.3	88.1-92.5	138	9.7	07.5-11.9
Less than \$15,000	386	33,876	319	78.6	71.5-85.7	67	21.4	14.3-28.5
\$15,000- 24,999	710	62,544	595	81.2	76.5-85.9	115	18.8	14.1-23.5
\$25,000- 34,999	608	61,600	491	82.6	78.7-86.5	117	17.4	13.5-21.3
\$35,000- 49,999	821	84,418	694	83.2	79.7-86.7	127	16.8	13.3-20.3
\$50,000- 74,999	780	88,393	673	85.0	81.9-88.1	107	15.0	11.9-18.1
\$75,000+	723	88,418	637	88.4	85.5-91.3	86	11.6	08.7-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 16: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1877	237,312	1423	76.4	73.9-78.9	454	23.6	21.1-26.1
Non-Native	1824	230,951	1379	76.2	73.5-78.9	445	23.8	21.1-26.5
25-34	214	39,231	153	74.6	67.9-81.3	61	25.4	18.7-32.1
35-44	320	40,751	234	76.9	71.8-82.0	86	23.1	18.0-28.2
45-54	456	47,346	337	77.4	73.1-81.7	119	22.6	18.3-26.9
55-64	337	33,269	257	76.0	70.7-81.3	80	24.0	18.7-29.3
65+	455	37,633	376	84.3	80.4-88.2	79	15.7	11.8-19.6
Less Than H.S.	192	21,028	131	67.8	57.8-77.8			
H.S. or G.E.D.	569	69,741	413	69.5	64.2-74.8	156	30.5	25.2-35.8
Some Post-H.S.	535	68,748	385	73.9	68.8-79.0	150	26.1	21.0-31.2
College Graduate	576	77,375	489	87.1	83.8-90.4	87	12.9	09.6-16.2
\$15,000- 24,999	263	27,757	190	68.4	60.0-76.8	73	31.6	23.2-40.0
\$25,000- 34,999	243	31,100	166	74.0	66.9-81.1	77	26.0	18.9-33.1
\$35,000- 49,999	365	43,373	268	74.4	68.3-80.5	97	25.6	19.5-31.7
\$50,000- 74,999	374	49,631	294	78.2	73.1-83.3	80	21.8	16.7-26.9
\$75,000+	352	48,879	288	83.4	78.5-88.3	64	16.6	11.7-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 16: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2812	246,041	2558	91.4	90.0-92.8	254	8.6	07.2-10.0
Native	76	10,048	68	88.8	80.4-97.2	8	11.2	02.8-19.6
Non-Native	2708	233,240	2467	91.7	90.3-93.1	241	8.3	06.9-09.7
18-24	111	35,866	94	86.0	78.9-93.1	17	14.0	06.9-21.1
25-34	298	35,834	267	91.9	88.6-95.2	31	8.1	04.8-11.4
35-44	419	39,916	377	89.6	86.3-92.9	42	10.4	07.1-13.7
45-54	596	47,575	542	91.6	89.1-94.1	54	8.4	05.9-10.9
55-64	472	30,461	443	95.0	92.8-97.2	29	5.0	02.8-07.2
65+	879	54,149	803	93.8	92.0-95.6	76	6.2	04.4-08.0
Less Than H.S.	225	15,692	194	86.8	79.4-94.2	31	13.2	05.8-20.6
H.S. or G.E.D.	832	68,323	730	88.9	86.0-91.8	102	11.1	08.2-14.0
Some Post-H.S.	928	87,597	858	92.3	89.9-94.7	70	7.7	05.3-10.1
College Graduate	824	74,224	773	93.6	91.1-96.1	51	6.4	03.9-08.9
Less than \$15,000	281	21,403	237	80.1	71.7-88.5	44	19.9	11.5-28.3
\$15,000- 24,999	447	34,786	405	91.5	87.4-95.6	42	8.5	04.4-12.6
\$25,000- 34,999	365	30,500	325	91.4	88.3-94.5	40	8.6	05.5-11.7
\$35,000- 49,999	456	41,045	426	92.4	89.3-95.5	30	7.6	04.5-10.7
\$50,000- 74,999	406	38,763	379	93.6	90.9-96.3	27	6.4	03.7-09.1
\$75,000+	371	39,539	349	94.6	92.1-97.1	22	5.4	02.9-07.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 16: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4689	483,353	2795	58.4	56.4-60.4	1894	41.6	39.6-43.6
Male	1877	237,312	852	46.9	44.0-49.8	1025	53.1	50.2-56.0
Female	2812	246,041	1943	69.4	67.0-71.8	869	30.6	28.2-33.0
Non-Native	4532	464,191	2693	58.3	56.3-60.3	1839	41.7	39.7-43.7
18-24	196	74,191	92	46.8	38.8-54.8	104	53.2	45.2-61.2
25-34	512	75,065	296	58.2	53.3-63.1	216	41.8	36.9-46.7
35-44	739	80,667	417	57.0	52.9-61.1	322	43.0	38.9-47.1
45-54	1052	94,921	625	60.9	57.4-64.4	427	39.1	35.6-42.6
55-64	809	63,730	486	59.4	55.3-63.5	323	40.6	36.5-44.7
65+	1334	91,782	850	65.3	62.2-68.4	484	34.7	31.6-37.8
Less Than H.S.	417	36,720	231	51.2	44.1-58.3	186	48.8	41.7-55.9
H.S. or G.E.D.	1401	138,064	753	50.1	46.6-53.6	648	49.9	46.4-53.4
Some Post-H.S.	1463	156,346	865	60.1	56.8-63.4	598	39.9	36.6-43.2
College Graduate	1400	151,599	940	65.7	62.4-69.0	460	34.3	31.0-37.6
Less than \$15,000	386	33,876	231	54.9	47.3-62.5	155	45.1	37.5-52.7
\$15,000- 24,999	710	62,544	416	56.6	51.1-62.1	294	43.4	37.9-48.9
\$25,000- 34,999	608	61,600	343	56.7	51.0-62.4	265	43.3	37.6-49.0
\$35,000- 49,999	821	84,418	450	54.0	49.5-58.5	371	46.0	41.5-50.5
\$50,000- 74,999	780	88,393	475	60.0	55.9-64.1	305	40.0	35.9-44.1
\$75,000+	723	88,418	448	61.9	57.4-66.4	275	38.1	33.6-42.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 16: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1877	237,312	852	46.9	44.0-49.8	1025	53.1	50.2-56.0
Non-Native	1824	230,951	820	46.7	43.6-49.8	1004	53.3	50.2-56.4
25-34	214	39,231	101	48.9	41.3-56.5	113	51.1	43.5-58.7
35-44	320	40,751	140	46.5	40.4-52.6	180	53.5	47.4-59.6
45-54	456	47,346	209	51.5	46.2-56.8	247	48.5	43.2-53.8
55-64	337	33,269	139	44.0	37.9-50.1	198	56.0	49.9-62.1
65+	455	37,633	224	53.1	47.6-58.6	231	46.9	41.4-52.4
Less Than H.S.	192	21,028	81	40.8	31.0-50.6	111	59.2	49.4-69.0
H.S. or G.E.D.	569	69,741	216	36.7	31.6-41.8	353	63.3	58.2-68.4
Some Post-H.S.	535	68,748	223	46.9	41.0-52.8	312	53.1	47.2-59.0
College Graduate	576	77,375	329	57.6	52.5-62.7	247	42.4	37.3-47.5
\$15,000- 24,999	263	27,757	117	40.9	33.1-48.7	146	59.1	51.3-66.9
\$25,000- 34,999	243	31,100	98	48.5	39.3-57.7	145	51.5	42.3-60.7
\$35,000- 49,999	365	43,373	139	41.7	34.6-48.8	226	58.3	51.2-65.4
\$50,000- 74,999	374	49,631	171	46.8	40.9-52.7	203	53.2	47.3-59.1
\$75,000+	352	48,879	184	52.7	46.2-59.2	168	47.3	40.8-53.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 16: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2812	246,041	1943	69.4	67.0-71.8	869	30.6	28.2-33.0
Non-Native	2708	233,240	1873	69.9	67.5-72.3	835	30.1	27.7-32.5
25-34	298	35,834	195	68.4	62.5-74.3	103	31.6	25.7-37.5
35-44	419	39,916	277	67.7	62.6-72.8	142	32.3	27.2-37.4
45-54	596	47,575	416	70.2	65.9-74.5	180	29.8	25.5-34.1
55-64	472	30,461	347	76.3	71.8-80.8	125	23.7	19.2-28.2
65+	879	54,149	626	73.8	70.3-77.3	253	26.2	22.7-29.7
Less Than H.S.	225	15,692	150	65.1	55.3-74.9	75	34.9	25.1-44.7
H.S. or G.E.D.	832	68,323	537	63.7	59.2-68.2	295	36.3	31.8-40.8
Some Post-H.S.	928	87,597	642	70.5	66.8-74.2	286	29.5	25.8-33.2
College Graduate	824	74,224	611	74.1	70.2-78.0	213	25.9	22.0-29.8
Less than \$15,000	281	21,403	178	58.9	49.9-67.9	103	41.1	32.1-50.1
\$15,000- 24,999	447	34,786	299	69.2	62.9-75.5	148	30.8	24.5-37.1
\$25,000- 34,999	365	30,500	245	65.0	58.1-71.9	120	35.0	28.1-41.9
\$35,000- 49,999	456	41,045	311	67.0	61.7-72.3	145	33.0	27.7-38.3
\$50,000- 74,999	406	38,763	304	77.0	72.1-81.9	102	23.0	18.1-27.9
\$75,000+	371	39,539	264	73.4	68.3-78.5	107	26.6	21.5-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 18: WOMENS HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)	
1	FEMALES ONLY	115
	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)	
2	FEMALES ONLY	116
	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)	
3	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 18: WOMENS HEALTH**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old  
Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2176	154,997	1697	77.2	75.0-79.4	479	22.8	20.6-25.0
Non-Native	2113	149,260	1657	77.7	75.5-79.9	456	22.3	20.1-24.5
40-44	252	24,381	169	65.3	58.6-72.0	83	34.7	28.0-41.4
45-54	594	47,526	456	77.1	73.2-81.0	138	22.9	19.0-26.8
55-64	467	30,154	386	83.3	79.4-87.2	81	16.7	12.8-20.6
65+	863	52,936	686	79.2	76.1-82.3	177	20.8	17.7-23.9
Less Than H.S.	199	11,333	135	62.7	54.1-71.3	64	37.3	28.7-45.9
H.S. or G.E.D.	694	48,165	540	77.2	73.5-80.9	154	22.8	19.1-26.5
Some Post-H.S.	706	52,547	557	77.6	74.1-81.1	149	22.4	18.9-25.9
College Graduate	574	42,747	464	80.7	77.0-84.4	110	19.3	15.6-23.0
Less than \$15,000	229	12,794	152	65.6	58.2-73.0	77	34.4	27.0-41.8
\$15,000- 24,999	364	22,548	287	76.1	70.6-81.6	77	23.9	18.4-29.4
\$25,000- 34,999	272	17,458	218	78.3	72.4-84.2	54	21.7	15.8-27.6
\$35,000- 49,999	342	26,486	269	77.2	72.1-82.3	73	22.8	17.7-27.9
\$50,000- 74,999	301	24,287	234	74.9	69.2-80.6	67	25.1	19.4-30.8
\$75,000+	266	24,076	224	84.9	80.2-89.6	42	15.1	10.4-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 18: WOMENS HEALTH**

**TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM502Y)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old  
Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1638	106,897	1311	80.1	77.7-82.5	327	19.9	17.5-22.3
Non-Native	1592	103,101	1280	80.5	78.1-82.9	312	19.5	17.1-21.9
50-54	308	23,807	239	78.2	72.9-83.5	69	21.8	16.5-27.1
55-64	467	30,154	386	83.3	79.4-87.2	81	16.7	12.8-20.6
65+	863	52,936	686	79.2	76.1-82.3	177	20.8	17.7-23.9
Less Than H.S.	182	9,834	124	63.1	54.3-71.9	58	36.9	28.1-45.7
H.S. or G.E.D.	566	37,021	456	80.6	76.7-84.5	110	19.4	15.5-23.3
Some Post-H.S.	496	33,919	406	81.7	77.8-85.6	90	18.3	14.4-22.2
College Graduate	391	25,918	324	84.3	80.2-88.4	67	15.7	11.6-19.8
Less than \$15,000	197	10,180	137	70.4	62.8-78.0	60	29.6	22.0-37.2
\$15,000- 24,999	314	18,610	255	80.4	75.1-85.7	59	19.6	14.3-24.9
\$25,000- 34,999	222	14,126	178	79.1	72.6-85.6	44	20.9	14.4-27.4
\$35,000- 49,999	243	17,556	201	83.5	78.4-88.6	42	16.5	11.4-21.6
\$50,000- 74,999	169	12,075	135	76.7	69.3-84.1	34	23.3	15.9-30.7
\$75,000+	156	12,741	138	88.6	83.3-93.9	18	11.4	06.1-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 18: WOMENS HEALTH**

**TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP32)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1988	188,811	1645	84.5	82.3-86.7	343	15.5	13.3-17.7
Native	58	7,959	48	89.6	82.5-96.7	10	10.4	03.3-17.5
Non-Native	1915	179,252	1587	84.3	81.9-86.7	328	15.7	13.3-18.1
18-24	110	35,410	90	79.5	70.7-88.3	20	20.5	11.7-29.3
25-34	290	34,563	264	92.2	88.9-95.5	26	7.8	04.5-11.1
35-44	363	34,470	323	89.6	86.1-93.1	40	10.4	06.9-13.9
45-54	429	34,691	374	87.0	83.5-90.5	55	13.0	09.5-16.5
55-64	304	20,059	257	86.8	82.7-90.9	47	13.2	09.1-17.3
65+	492	29,617	337	71.3	66.6-76.0	155	28.7	24.0-33.4
H.S. or G.E.D.	556	50,226	431	79.1	74.2-84.0	125	20.9	16.0-25.8
Some Post-H.S.	664	68,502	554	84.7	81.0-88.4	110	15.3	11.6-19.0
College Graduate	648	61,531	587	91.2	88.3-94.1	61	8.8	05.9-11.7
Less than \$15,000	186	15,908	120	70.6	61.2-80.0	66	29.4	20.0-38.8
\$15,000- 24,999	283	24,431	220	83.9	78.2-89.6	63	16.1	10.4-21.8
\$25,000- 34,999	268	23,936	218	84.4	78.3-90.5	50	15.6	09.5-21.7
\$35,000- 49,999	336	32,448	288	84.4	79.5-89.3	48	15.6	10.7-20.5
\$50,000- 74,999	312	31,695	284	91.7	88.4-95.0	28	8.3	05.0-11.6
\$75,000+	302	32,773	285	93.9	90.4-97.4	17	6.1	02.6-09.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y) MALES ONLY	119

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA2Y)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1363	133,958	734	52.2	49.1-55.3	629	47.8	44.7-50.9
Non-Native	1330	130,584	721	52.5	49.4-55.6	609	47.5	44.4-50.6
40-44	154	19,303	28	17.3	10.4-24.2	126	82.7	75.8-89.6
45-54	440	45,725	173	40.0	34.5-45.5	267	60.0	54.5-65.5
55-64	328	32,411	207	62.9	56.8-69.0	121	37.1	31.0-43.2
65+	441	36,518	326	76.5	72.0-81.0	115	23.5	19.0-28.0
Less Than H.S.	165	14,409	102	60.8	51.8-69.8	63	39.2	30.2-48.2
H.S. or G.E.D.	429	39,961	227	51.0	45.3-56.7	202	49.0	43.3-54.7
Some Post-H.S.	368	34,734	179	46.0	39.9-52.1	189	54.0	47.9-60.1
College Graduate	397	44,499	224	55.5	50.0-61.0	173	44.5	39.0-50.0
\$15,000- 24,999	207	17,320	102	51.9	43.5-60.3	105	48.1	39.7-56.5
\$25,000- 34,999	177	15,735	92	51.0	42.2-59.8	85	49.0	40.2-57.8
\$35,000- 49,999	256	22,904	148	53.1	45.8-60.4	108	46.9	39.6-54.2
\$50,000- 74,999	260	28,630	142	50.1	43.2-57.0	118	49.9	43.0-56.8
\$75,000+	263	32,361	140	54.0	47.1-60.9	123	46.0	39.1-52.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 20: COLORECTAL CANCER CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).	
1	MALES AND FEMALES	121
2	MALES ONLY	122
3	FEMALES ONLY	123
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	124
5	MALES ONLY	125
6	FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 20: COLORECTAL CANCER**

**TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLDST).**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2656	201,781	578	22.2	20.2-24.2	2078	77.8	75.8-79.8
Male	1024	94,978	195	20.5	17.6-23.4	829	79.5	76.6-82.4
Female	1632	106,803	383	23.6	21.2-26.0	1249	76.4	74.0-78.8
Non-Native	2584	195,987	567	22.3	20.3-24.3	2017	77.7	75.7-79.7
50-54	548	48,564	82	15.5	11.8-19.2	466	84.5	80.8-88.2
55-64	798	62,777	174	22.4	19.1-25.7	624	77.6	74.3-80.9
65+	1310	90,440	322	25.6	22.9-28.3	988	74.4	71.7-77.1
Less Than H.S.	338	23,281	59	17.3	12.4-22.2	279	82.7	77.8-87.6
H.S. or G.E.D.	883	65,759	195	23.4	20.1-26.7	688	76.6	73.3-79.9
Some Post-H.S.	744	55,810	186	25.0	21.3-28.7	558	75.0	71.3-78.7
College Graduate	684	56,371	138	20.2	16.7-23.7	546	79.8	76.3-83.3
Less than \$15,000	259	14,665	53	20.4	14.5-26.3	206	79.6	73.7-85.5
\$15,000- 24,999	488	32,509	112	23.6	19.1-28.1	376	76.4	71.9-80.9
\$25,000- 34,999	357	26,589	80	21.9	16.8-27.0	277	78.1	73.0-83.2
\$35,000- 49,999	433	33,862	95	22.3	17.6-27.0	338	77.7	73.0-82.4
\$50,000- 74,999	344	30,189	73	21.8	16.7-26.9	271	78.2	73.1-83.3
\$75,000+	331	32,783	65	21.0	15.9-26.1	266	79.0	73.9-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 20: COLORECTAL CANCER**

**TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLDST).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1024	94,978	195	20.5	17.6-23.4	829	79.5	76.6-82.4
Non-Native	999	93,034	192	20.5	17.6-23.4	807	79.5	76.6-82.4
50-54	241	24,763	30	15.0	09.1-20.9	211	85.0	79.1-90.9
55-64	336	32,996	59	18.5	13.6-23.4	277	81.5	76.6-86.4
65+	447	37,218	106	26.1	21.2-31.0	341	73.9	69.0-78.8
Less Than H.S.	154	13,361	28	20.3	12.7-27.9	126	79.7	72.1-87.3
H.S. or G.E.D.	320	28,907	66	21.4	16.1-26.7	254	78.6	73.3-83.9
Some Post-H.S.	252	22,027	49	21.7	15.4-28.0	203	78.3	72.0-84.6
College Graduate	294	30,328	52	19.2	13.9-24.5	242	80.8	75.5-86.1
\$15,000- 24,999	173	13,925	35	19.3	12.2-26.4	138	80.7	73.6-87.8
\$25,000- 34,999	138	12,515	28	21.6	13.4-29.8	110	78.4	70.2-86.6
\$35,000- 49,999	192	16,444	33	18.7	12.0-25.4	159	81.3	74.6-88.0
\$50,000- 74,999	177	18,249	35	20.9	14.2-27.6	142	79.1	72.4-85.8
\$75,000+	174	19,952	29	21.3	14.0-28.6	145	78.7	71.4-86.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 20: COLORECTAL CANCER**

**TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLDST).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1632	106,803	383	23.6	21.2-26.0	1249	76.4	74.0-78.8
Non-Native	1585	102,953	375	24.0	21.5-26.5	1210	76.0	73.5-78.5
50-54	307	23,801	52	16.1	11.4-20.8	255	83.9	79.2-88.6
55-64	462	29,781	115	26.7	22.0-31.4	347	73.3	68.6-78.0
65+	863	53,222	216	25.3	22.0-28.6	647	74.7	71.4-78.0
Less Than H.S.	184	9,920	31	13.2	07.9-18.5	153	86.8	81.5-92.1
H.S. or G.E.D.	563	36,852	129	25.0	20.7-29.3	434	75.0	70.7-79.3
Some Post-H.S.	492	33,783	137	27.2	22.7-31.7	355	72.8	68.3-77.3
College Graduate	390	26,043	86	21.3	16.6-26.0	304	78.7	74.0-83.4
Less than \$15,000	195	10,136	43	21.6	14.9-28.3	152	78.4	71.7-85.1
\$15,000- 24,999	315	18,584	77	26.8	20.9-32.7	238	73.2	67.3-79.1
\$25,000- 34,999	219	14,074	52	22.2	16.1-28.3	167	77.8	71.7-83.9
\$35,000- 49,999	241	17,418	62	25.8	19.3-32.3	179	74.2	67.7-80.7
\$50,000- 74,999	167	11,940	38	23.2	15.6-30.8	129	76.8	69.2-84.4
\$75,000+	157	12,831	36	20.4	13.7-27.1	121	79.6	72.9-86.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 20: COLORECTAL CANCER**

**TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2669	202,187	1516	56.5	54.1-58.9	1153	43.5	41.1-45.9
Male	1026	94,688	548	54.6	51.1-58.1	478	45.4	41.9-48.9
Female	1643	107,499	968	58.1	55.4-60.8	675	41.9	39.2-44.6
Non-Native	2598	196,440	1483	56.8	54.4-59.2	1115	43.2	40.8-45.6
50-54	549	48,616	188	33.3	28.6-38.0	361	66.7	62.0-71.4
55-64	805	63,298	455	57.9	53.8-62.0	350	42.1	38.0-46.2
65+	1315	90,273	873	67.9	65.0-70.8	442	32.1	29.2-35.0
Less Than H.S.	339	23,308	186	56.8	50.1-63.5	153	43.2	36.5-49.9
H.S. or G.E.D.	889	66,106	534	60.0	56.1-63.9	355	40.0	36.1-43.9
Some Post-H.S.	751	56,209	394	50.2	46.1-54.3	357	49.8	45.7-53.9
College Graduate	683	56,005	397	58.3	54.0-62.6	286	41.7	37.4-46.0
Less than \$15,000	259	14,656	134	52.0	44.6-59.4	125	48.0	40.6-55.4
\$15,000- 24,999	491	32,729	283	59.6	54.3-64.9	208	40.4	35.1-45.7
\$25,000- 34,999	361	26,801	201	55.9	49.8-62.0	160	44.1	38.0-50.2
\$35,000- 49,999	433	33,758	242	53.0	47.5-58.5	191	47.0	41.5-52.5
\$50,000- 74,999	345	30,318	195	55.2	49.1-61.3	150	44.8	38.7-50.9
\$75,000+	329	32,599	189	57.4	51.3-63.5	140	42.6	36.5-48.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 20: COLORECTAL CANCER**

**TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1026	94,688	548	54.6	51.1-58.1	478	45.4	41.9-48.9
Non-Native	1002	92,807	539	55.0	51.3-58.7	463	45.0	41.3-48.7
50-54	242	24,816	75	32.2	25.1-39.3	167	67.8	60.7-74.9
55-64	335	32,927	190	57.9	51.8-64.0	145	42.1	36.0-48.2
65+	449	36,945	283	66.7	61.6-71.8	166	33.3	28.2-38.4
Less Than H.S.	158	13,494	82	53.4	43.8-63.0	76	46.6	37.0-56.2
H.S. or G.E.D.	321	28,922	174	56.3	49.8-62.8	147	43.7	37.2-50.2
Some Post-H.S.	251	21,970	118	46.4	39.1-53.7	133	53.6	46.3-60.9
College Graduate	292	29,948	172	59.6	53.1-66.1	120	40.4	33.9-46.9
\$15,000- 24,999	175	14,066	79	50.5	41.3-59.7	96	49.5	40.3-58.7
\$25,000- 34,999	139	12,588	68	50.8	41.0-60.6	71	49.2	39.4-59.0
\$35,000- 49,999	191	16,297	101	51.7	43.3-60.1	90	48.3	39.9-56.7
\$50,000- 74,999	177	18,249	111	62.1	53.9-70.3	66	37.9	29.7-46.1
\$75,000+	173	19,837	102	58.1	49.7-66.5	71	41.9	33.5-50.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 20: COLORECTAL CANCER**

**TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1643	107,499	968	58.1	55.4-60.8	675	41.9	39.2-44.6
Non-Native	1596	103,633	944	58.5	55.6-61.4	652	41.5	38.6-44.4
50-54	307	23,801	113	34.5	28.4-40.6	194	65.5	59.4-71.6
55-64	470	30,371	265	57.9	52.6-63.2	205	42.1	36.8-47.4
65+	866	53,328	590	68.8	65.1-72.5	276	31.2	27.5-34.9
Less Than H.S.	181	9,814	104	61.6	52.8-70.4	77	38.4	29.6-47.2
H.S. or G.E.D.	568	37,183	360	62.9	58.2-67.6	208	37.1	32.4-41.8
Some Post-H.S.	500	34,239	276	52.7	47.6-57.8	224	47.3	42.2-52.4
College Graduate	391	26,057	225	56.7	50.8-62.6	166	43.3	37.4-49.2
Less than \$15,000	196	10,195	103	53.7	45.5-61.9	93	46.3	38.1-54.5
\$15,000- 24,999	316	18,663	204	66.4	60.1-72.7	112	33.6	27.3-39.9
\$25,000- 34,999	222	14,212	133	60.4	52.8-68.0	89	39.6	32.0-47.2
\$35,000- 49,999	242	17,461	141	54.1	46.7-61.5	101	45.9	38.5-53.3
\$50,000- 74,999	168	12,068	84	44.8	36.2-53.4	84	55.2	46.6-63.8
\$75,000+	156	12,761	87	56.2	47.8-64.6	69	43.8	35.4-52.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006

SECTION 21: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	128
2	MALES ONLY	129
3	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 21: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3233	381,739	699	24.1	22.1-26.1	2534	75.9	73.9-77.9
Male	1377	196,275	301	23.0	20.1-25.9	1076	77.0	74.1-79.9
Female	1856	185,465	398	25.3	22.6-28.0	1458	74.7	72.0-77.4
Non-Native	3131	365,372	660	23.6	21.6-25.6	2471	76.4	74.4-78.4
18-24	193	74,552	50	22.1	15.8-28.4	143	77.9	71.6-84.2
25-34	506	73,982	199	41.1	36.2-46.0	307	58.9	54.0-63.8
35-44	716	78,242	225	32.7	28.8-36.6	491	67.3	63.4-71.2
45-54	1031	93,241	150	14.4	11.9-16.9	881	85.6	83.1-88.1
55-64	787	61,722	75	10.0	07.3-12.7	712	90.0	87.3-92.7
Less Than H.S.	123	17,604	27	20.7	10.7-30.7	96	79.3	69.3-89.3
H.S. or G.E.D.	873	102,402	166	21.8	18.1-25.5	707	78.2	74.5-81.9
Some Post-H.S.	1105	131,055	246	24.8	21.5-28.1	859	75.2	71.9-78.5
College Graduate	1127	130,336	260	25.9	22.6-29.2	867	74.1	70.8-77.4
Less than \$15,000	188	22,629	58	31.7	22.1-41.3	130	68.3	58.7-77.9
\$15,000- 24,999	361	40,371	98	27.5	20.8-34.2	263	72.5	65.8-79.2
\$25,000- 34,999	397	45,599	90	24.8	18.7-30.9	307	75.2	69.1-81.3
\$35,000- 49,999	635	70,609	118	22.7	18.2-27.2	517	77.3	72.8-81.8
\$50,000- 74,999	684	79,769	139	22.6	18.9-26.3	545	77.4	73.7-81.1
\$75,000+	638	80,471	145	25.9	21.6-30.2	493	74.1	69.8-78.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 21: HIV/AIDS**

**TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1377	196,275	301	23.0	20.1-25.9	1076	77.0	74.1-79.9
Non-Native	1342	189,883	292	23.0	20.1-25.9	1050	77.0	74.1-79.9
18-24	86	39,695	14	14.6	06.6-22.6	72	85.4	77.4-93.4
25-34	212	38,801	73	38.9	31.5-46.3	139	61.1	53.7-68.5
35-44	306	39,267	100	33.4	27.5-39.3	206	66.6	60.7-72.5
45-54	445	46,419	72	15.3	11.6-19.0	373	84.7	81.0-88.4
55-64	328	32,092	42	12.7	08.6-16.8	286	87.3	83.2-91.4
Less Than H.S.	66	10,690	10	11.3	01.5-21.1	56	88.7	78.9-98.5
H.S. or G.E.D.	406	57,465	82	21.1	15.6-26.6	324	78.9	73.4-84.4
Some Post-H.S.	438	60,864	101	23.9	18.6-29.2	337	76.1	70.8-81.4
College Graduate	464	67,048	108	25.8	21.1-30.5	356	74.2	69.5-78.9
\$15,000- 24,999	146	19,174	37	23.9	14.5-33.3	109	76.1	66.7-85.5
\$25,000- 34,999	173	24,851	44	23.9	15.3-32.5	129	76.1	67.5-84.7
\$35,000- 49,999	285	37,270	58	24.2	17.1-31.3	227	75.8	68.7-82.9
\$50,000- 74,999	316	43,762	68	23.0	17.7-28.3	248	77.0	71.7-82.3
\$75,000+	301	43,667	61	22.5	17.0-28.0	240	77.5	72.0-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006  
SECTION 21: HIV/AIDS**

**TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1856	185,465	398	25.3	22.6-28.0	1458	74.7	72.0-77.4
Non-Native	1789	175,490	368	24.2	21.5-26.9	1421	75.8	73.1-78.5
18-24	107	34,857	36	30.7	21.1-40.3	71	69.3	59.7-78.9
25-34	294	35,181	126	43.5	37.2-49.8	168	56.5	50.2-62.8
35-44	410	38,975	125	32.1	26.8-37.4	285	67.9	62.6-73.2
45-54	586	46,822	78	13.5	10.4-16.6	508	86.5	83.4-89.6
55-64	459	29,630	33	7.0	03.7-10.3	426	93.0	89.7-96.3
H.S. or G.E.D.	467	44,937	84	22.6	17.3-27.9	383	77.4	72.1-82.7
Some Post-H.S.	667	70,191	145	25.5	21.0-30.0	522	74.5	70.0-79.0
College Graduate	663	63,287	152	26.0	21.5-30.5	511	74.0	69.5-78.5
\$15,000- 24,999	215	21,197	61	30.7	21.3-40.1	154	69.3	59.9-78.7
\$25,000- 34,999	224	20,749	46	25.9	17.7-34.1	178	74.1	65.9-82.3
\$35,000- 49,999	350	33,339	60	20.9	15.2-26.6	290	79.1	73.4-84.8
\$50,000- 74,999	368	36,007	71	22.1	17.0-27.2	297	77.9	72.8-83.0
\$75,000+	337	36,804	84	29.9	23.6-36.2	253	70.1	63.8-76.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2006**

End of Calculated Variable Data Report