

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 1: Occupation

Table 1: Which of the following most accurately describes the type of work or business you currently work in most often?

Denominator: Percentage of respondents who are employed for wages, self-employed, homemakers, students, or retired.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
State Government Employee	3.5	2.8-4.1
Other Government Employee	5.3	4.3-6.2
Farmer or Rancher or Farmhand	9.5	8.4-10.6
Construction/Manufacturing/Repair	9.6	8.4-10.8
Education	7.4	6.5-8.3
Health Care Worker	8.8	7.7-10.0
Food or Drink Server	2.8	1.9-3.7
Wholesale or Retail Sales	6.5	5.4-7.5
Financial Services	2.8	2.2-3.5
Other	24.0	22.2-25.7
Does not work	19.9	18.5-21.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 1: Occupation

Table 2: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to physical illness (excluding mental or emotional illness)?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
0	52.0	49.7-54.3
1-5	33.1	30.9-35.2
6-10	4.0	3.1-4.9
11-20	1.3	0.9-1.8
21+	9.6	8.2-11.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008

State Added 1: Occupation

Table 3: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to mental or emotional illness?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
0	85.2	83.6-86.8
1-5	2.8	2.1-3.6
6-10	0.4	0.2-0.6
11-20	0.1	0.0-0.3
21+	11.4	10.0-12.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 2: Smoking Cessation

Table 1: About how long has it been since you last smoked cigarettes?

Denominator: Percentage among all respondents who are former smokers.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
<1 month	3.2	0.8-5.6
1 - 3 months	2.8	1.5-4.1
3 - 6 months	3.8	1.8-5.9
6 - 12 months	5.8	3.3-8.3
1 - 5 years	14.5	12.0-17.0
5 - 10 years	11.2	9.2-13.2
10+ years	58.7	55.1-62.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008

State Added 2: Smoking Cessation

Table 2: In the last 12 months, how many times have you seen a doctor, nurse or other health professional to get any kind of care for yourself?

Denominator: Percentage among all respondents who smoked regularly in the past 12 months.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	25.4	20.9-29.8
1	24.2	20.0-28.5
2+	50.4	45.5-55.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 2: Smoking Cessation

Table 3: In the last 12 months, on how many visits were you advised to quit smoking by a doctor, nurse or other health professional?

Denominator: Percentage among all respondents who smoked regularly in the past 12 months and have received any kind of health care.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	35.8	30.3-41.3
1	27.3	22.6-32.0
2+	36.9	31.7-42.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008

State Added 2: Smoking Cessation

Table 4: On how many visits did your doctor, nurse or other health professional recommend or discuss medication to assist you with quitting smoking, such as nicotine gum, patch, nasal spray, inhaler, lozenge, or prescription medication such as Wellbutrin /Zyban/Bupropion?

Denominator: Percentage among all respondents who smoked regularly in the past 12 months and have received any kind of health care.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	60.0	54.7-65.3
1	22.6	18.5-26.7
2+	17.4	13.1-21.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 2: Smoking Cessation

Table 5: On how many visits did your doctor or health provider recommend or discuss methods and strategies other than medication to assist you with quitting smoking?

Denominator: Percentage among all respondents who smoked regularly in the past 12 months and have received any kind of health care.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	74.9	70.2-79.5
1	13.9	10.4-17.3
2+	11.3	7.7-14.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 3: Health Care Coverage

Table 1: What is the name of the health plan you use to pay for most of your medical care?

Denominator: Percentage among respondents who reported to have any kind of health care coverage.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Medicare	15.2	14.2-16.3
Medicaid or Medical Assistance	3.0	2.0-3.9
Military, Tricare or CHAMPUS	3.9	3.2-4.7
Indian Health Services	0.5	0.1-1.0
Blue Cross Blue Shield or Noridian	64.3	62.5-66.1
ND-PERS	0.5	0.3-0.7
Fortis Insurance	0.2	0.1-0.3
American Family Mutual	0.5	0.2-0.8
Medica Health Plans	1.0	0.7-1.3
Heart of America (HMO)	0.3	0.1-0.5
Altru Health Plan	0.1	0.0-0.2
Other	9.9	8.7-11.0
None	0.6	0.2-1.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 4: Indian health

Table 1: Do you live on a reservation or Indian Service Area?

Denominator: Percentage identifying their race as American Indian or Alaskan Native.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes, Reservation	52.5	38.6-66.3
Yes, Indian Service Area	4.7	0.2-9.2
No, Neither	42.8	29.2-56.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 4: Indian Health

Table 2: Are you currently an enrolled tribal member?

Denominator: Percentage identifying their race as American Indian or Alaskan Native.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	85.3	76.3-94.2
No	14.7	5.8-23.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 4: Indian Health

Table 3: Which tribe?

Denominator: Percentage identifying their race as American Indian or Alaskan Native and are enrolled tribal members.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Mandan	1.3	0.0-3.3
Arikara	0.8	0.0-2.0
Hidatsa		
Three Affiliated Tribes	18.1	7.0-29.2
Spirit Lake Sioux	7.3	0.0-17.3
Standing Rock Sioux	7.3	2.9-11.8
Other Sioux	2.2	0.0-5.7
Chippewa	28.1	16.8-39.5
Other	34.9	18.8-51.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 4: Indian Health

Table 4: How much of your health care do you obtain from an Indian Health Service clinic?

Denominator: Percentage identifying their race as American Indian or Alaskan Native and who are enrolled tribal members.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
All	23.2	11.9-34.4
Most	21.3	9.2-33.4
Some	10.3	0.0-22.3
Little	19.5	6.5-32.6
None	25.7	12.6-38.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 5: Fireworks

Table 1: Have you or any member of your household EVER been injured in any manner by a bottle rocket?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	3.3	2.5-4.1
No	96.7	95.9-97.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 5: Fireworks

Table 2: Do you have any children less than 12 years of age?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	25.7	24.0-27.5
No	74.3	72.5-76.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 5: Fireworks

Table 3: Are any of the children less than 12 years of age allowed to use or light bottle rockets without adult supervision?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	2.5	1.4-3.6
No	97.5	96.4-98.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 6: Suicide

Table 1: During the past five years, did you ever seriously consider attempting suicide?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	3.6	2.7-4.5
No	96.4	95.5-97.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008

State Added 6: Suicide

Table 2: During the past 12 months, did you ever seriously consider attempting suicide?

Denominator: Percentage among all respondents who have ever considered suicide.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	33.2	21.8-44.6
No	66.8	55.4-78.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 6: Suicide

Table 3: During the past 12 months, did you make a plan about how you would attempt suicide?

Denominator: Percentage among those who seriously considered attempting suicide.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes		
No		
Too few to report: The number of responses is too small to produce reliable statewide estimates		

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 6: Suicide

Table 4: During the past 12 months, did you make a plan about how you would attempt suicide?

Denominator: Percentage among all respondents who made plans to commit suicide.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None		
1		
2		
3		
4		
5		
6+		

Too few to report: The number of responses is too small to produce reliable statewide estimates

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 6: Suicide

Table 5: Did any attempt during the past 12 months result in an injury, poisoning, or overdose that had to be treated by a doctor, nurse or other health professional?

Denominator: Percentage among all respondents who attempted suicide.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes		
No		
Too few to report: The number of responses is too small to produce reliable statewide estimates		

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 7: Sexual and Intimate Partner Violence

Table 1: In the past five years has anyone had sex with you after you said or showed that you didn't want them to or without your consent?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	1.2	0.7-1.7
No	98.8	98.3-99.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 7: Sexual and Intimate Partner Violence

Table 2 In the past five years has anyone attempted to have sex with you after you said or showed that you didn't want to or without your consent, but sex DID NOT occur?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	2.0	1.2-2.8
No	98.0	97.2-98.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 7: Sexual and Intimate Partner Violence

Table 3: Between your thirteenth and eighteenth birthday did anyone have sex with you after you said or showed that you didn't want them to or without your consent?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	3.9	3.0-4.8
No	96.1	95.2-97.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 7: Sexual and Intimate Partner Violence

Table 4: Between your thirteenth and eighteenth birthday did anyone attempt to have sex with you after you said or showed that you didn't want to or without your consent, but sex DID NOT occur?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	4.8	3.8-5.8
No	95.2	94.2-96.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 7: Sexual and Intimate Partner Violence

Table 5: Has an intimate partner hit, slapped, pushed, or kicked you, or inflicted any other physical injuries on you in the past five years?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	3.8	2.7-4.9
No	96.2	95.1-97.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008**

State Added 8: Sexual Orientation

Table 1: Now I'll read a list of terms people sometimes use to describe themselves – heterosexual or straight, homosexual or gay/lesbian and bisexual. As I read the list again, please stop me when I get to the term that best describes how you think of yourself.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Heterosexual	0.6	0.1-1.1
Homosexual	98.8	98.3-99.4
Bisexual	0.5	0.3-0.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 9: Emergency Preparedness

Table 1: Considering only the total amount of food you have in the house today, for about how many days do you think you could feed your household if you had no access to groceries of any kind?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	0.8	0.4-1.2
< 1 week	10.2	8.9-11.5
1 - 2 weeks	40.4	38.3-42.6
2 - 3 weeks	10.2	8.9-11.4
3 - 4 weeks	1.4	0.9-1.9
1 - 2 months	28.9	27.0-30.9
2+ Months	8.0	6.8-9.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 9: Emergency Preparedness**

Table 1: In what city do you obtain most of your groceries?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Bismarck	14.3	13.0-15.7
Devils Lake	3.3	2.2-4.4
Dickinson	5.8	4.6-7.1
Fargo	17.7	16.0-19.4
Grand Forks	9.4	8.1-10.7
Jamestown	3.9	3.1-4.6
Mandan	3.1	2.3-3.9
Minot	11.6	10.3-12.9
Valley City	1.6	1.1-2.2
Wahpeton	1.3	1.0-1.7
West Fargo	1.3	0.8-1.8
Williston	3.0	2.2-3.7
Other	23.5	21.7-25.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 9: Emergency Preparedness

Table 3: Do you need assistance getting groceries to your house, that is, someone to take you to the grocery store or bring groceries to you?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	3.4	2.8-3.9
No	96.6	96.1-97.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 9: Emergency Preparedness

Table 4: Considering only those medications which you refill on a regular basis, for example every month, when you last requested a refill, about how many days worth of medication did you have left?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	12.1	10.6-13.7
< 1 week	54.0	51.6-56.4
1 - 2 weeks	22.8	20.8-24.8
2 - 3 weeks	2.9	2.1-3.7
3 - 4 weeks	0.4	0.1-0.6
1 - 2 months	7.1	5.8-8.4
2+ Months	0.7	0.4-1.1

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2008
State Added 9: Emergency Preparedness

Table 5: Beginning today, if you could no longer obtain medication refills, about how many days could you continue taking the medications you have at home before you began to run out of medications that you need to continue to take?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	4.7	3.7-5.7
< 1 week	10.2	8.6-11.7
1 - 2 weeks	30.1	27.8-32.3
2 - 3 weeks	15.8	14.1-17.5
3 - 4 weeks	3.7	2.9-4.5
1 - 2 months	29.9	27.6-32.2
2+ Months	5.6	4.6-6.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.