

NORTH DAKOTA

2009 Codebook Report

Behavioral Risk Factor Surveillance System

March 12, 2010



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

State FIPS Code

Section: 0.1 Record Identification

Column: 1-2

Prologue:

Description: State FIPS Code

Type: Num

SAS Variable Name: _STATE

Value	Value Label
38	North Dakota

Frequency	Percentage	Weighted Percentage
4,767	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Column: 3-4

Prologue:

Description: Geographic Stratum Code

Type: Num

SAS Variable Name: _GEOSTR

Value	Value Label
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Frequency	Percentage	Weighted Percentage
4,767	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Column: 5

Prologue:

Description: Household Density Stratum Code

Type: Num

SAS Variable Name: _DENSTR2

Value	Value Label
1	Listed
2	Unlisted

Frequency	Percentage	Weighted Percentage
4,185	87.79	81.18
582	12.21	18.82

Pre-Call Status Code

Section: 0.4 Record Identification

Column: 6

Prologue:

Description: Pre-Call Status Code

Type: Num

SAS Variable Name: PRECALL

Value	Value Label
1	To be called

Frequency	Percentage	Weighted Percentage
4,767	100.00	100.00

Replicate Number

Section: 0.5 Record Identification

Column: 7-12

Prologue:

Description: Replicate Number

Type: Num

SAS Variable Name: REPNUM

Value	Value Label
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Frequency	Percentage	Weighted Percentage
4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Replicate Depth

Section: 0.6 Record Identification

Column: 13-14

Prologue:

Description: Replicate Depth

Type: Num

SAS Variable Name: REPDEPTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

File Month

Section: 0.7 Record Identification

Column: 15-16

Prologue:

Description: File Month

Type: Num

SAS Variable Name: FMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	413	8.66	9.32
2	February	420	8.81	8.95
3	March	429	9.00	9.41
4	April	430	9.02	8.88
5	May	424	8.89	9.18
6	June	399	8.37	8.52
7	July	307	6.44	6.42
8	August	315	6.61	5.74
9	September	320	6.71	6.31
10	October	416	8.73	8.46
11	November	453	9.50	9.13
12	December	441	9.25	9.68

Interview Date

Section: 0.8 Record Identification

Column: 17-24

Prologue:

Description: Interview Date

Type: Char

SAS Variable Name: IDATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Interview Month

Section: 0.9 Record Identification

Column: 17-18

Prologue:

Description: Interview Month

Type: Char

SAS Variable Name: IMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	413	8.66	9.32
2	February	420	8.81	8.95
3	March	429	9.00	9.41
4	April	430	9.02	8.88
or ay	May	424	8.89	9.18
6	June	399	8.37	8.52
7	July	307	6.44	6.42
8	August	315	6.61	5.74
9	September	320	6.71	6.31
10	October	416	8.73	8.46
11	November	453	9.50	9.13
12	December	441	9.25	9.68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Interview Day

Section: 0.10 Record Identification

Column: 19-20

Prologue:

Description: Interview Day

Type: Char
SAS Variable Name: IDAY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	294	6.17	5.39
2		445	9.34	7.74
3		479	10.05	9.17
4		307	6.44	6.64
5		318	6.67	6.87
6		302	6.34	6.45
7		271	5.68	6.32
8		233	4.89	4.74
9		324	6.80	6.61
10		194	4.07	4.71
11		224	4.70	4.57
12		139	2.92	2.97
13		215	4.51	4.78
.06		144	3.02	3.24
15		176	3.69	4.34
16		105	2.20	2.29
17		120	2.52	2.91
18		93	1.95	1.96
19		82	1.72	1.68
20		93	1.95	2.03
21		91	1.91	2.03
22		51	1.07	1.29
23		12	0.25	0.26
24		18	0.38	0.37
25		7	0.15	0.13
26		12	0.25	0.23
27		4	0.08	0.07
28		7	0.15	0.14
29		7	0.15	0.10

Interview Year

Section: 0.11 Record Identification

Column: 21-24

Prologue:

Description: Interview Year

Type: Char
SAS Variable Name: IYEAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
2009		4,767	100.00	100.00

Interviewer Identification

Section: 0.12 Record Identification

Column: 25-29

Prologue:

Description: Interviewer Identification

Type: Char
SAS Variable Name: INTVID

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Final Disposition

Section: 0.13 Record Identification

Column: 30-32

Prologue:

Description: Final Disposition

Type: Num

SAS Variable Name: DISPCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	4,501	94.42	94.20
120	Partial Complete Interview	266	5.58	5.80

Annual Sequence Number

Section: 0.14 Record Identification

Column: 33-42

Prologue:

Description: Annual Sequence Number

Type: Num

SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Primary Sampling Unit

Section: 0.15 Record Identification

Column: 33-42

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Type: Num

SAS Variable Name: _PSU

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Number of Attempts

Section: 0.16 Record Identification

Column: 43-44

Prologue:

Description: Number of Attempts

Type: Num

SAS Variable Name: NATTMPTS

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Column: 45-50

Prologue:

Description: Number of Sample Records Selected from Stratum

Type: Num

SAS Variable Name: NRECSEL

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Column: 51-59

Type: Num

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Column: 60

Type: Num

SAS Variable Name: CTELENUM

Prologue:

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,767	100.00	100.00

Cellular Telephone

Section: 0.20 Record Identification

Column: 61

Type: Num

SAS Variable Name: CELLFON

Prologue:

Description: Cellular Telephone

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	4,767	100.00	100.00

Private Residence?

Section: 0.21 Record Identification

Column: 62

Type: Num

SAS Variable Name: PVTRESID

Prologue:

Description: Private Residence?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,767	100.00	100.00

Number of Adults in Household

Section: 0.22 Record Identification

Column: 63-64

Type: Num

SAS Variable Name: NUMADULT

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,496	31.38	15.23
2		2,822	59.20	61.18
3		357	7.49	15.83
4		74	1.55	5.61
5		13	0.27	1.31
6 - 99	6 or more	5	0.10	0.84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Number of Adult men in Household

Section: 0.23 Record Identification

Column: 65-66

Prologue:

Description: Number of Adult Men in Household

Type: Num

SAS Variable Name: NUMMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	1,054	22.11	10.67
1		3,412	71.58	72.70
2		263	5.52	12.76
3		33	0.69	3.04
4		5	0.10	0.83

Number of Adult women in Household

Section: 0.24 Record Identification

Column: 67-68

Prologue: A2

Description: Number of Adult Women in Household

Type: Num

SAS Variable Name: NUMWOMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	528	11.08	7.26
1		3,961	83.09	79.39
2		252	5.29	11.16
3		23	0.48	1.73
4		3	0.06	0.45

General Health

Section: 1.1 Health Status

Column: 73

Prologue:

Description: Would you say that in general your health is:

Type: Num

SAS Variable Name: GENHLTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	804	16.87	19.28
2	Very good	1,686	35.37	38.29
3	Good	1,534	32.18	30.69
4	Fair	541	11.35	8.78
5	Poor	191	4.01	2.81
7	Don't know/Not Sure	7	0.15	0.06
9	Refused	4	0.08	0.10

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Column: 74-75

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Type: Num

SAS Variable Name: PHYSHLTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,585	33.25	32.35
88	None	3,087	64.76	66.26
77	Don't know/Not sure	61	1.28	0.97
99	Refused	34	0.71	0.42

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Column: 76-77

Type: Num

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	1,274	26.73	28.93
88	None	3,424	71.83	70.12
77	Don't know/Not sure	47	0.99	0.64
99	Refused	22	0.46	0.31

Poor Physical Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Column: 78-79

Type: Num

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	838	35.74	34.15
88	None	1,471	62.73	64.87
77	Don't know/Not sure	25	1.07	0.70
99	Refused	11	0.47	0.29
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	2,422		

Have any health care coverage

Section: 3.1 Health Care Access

Column: 80

Type: Num

SAS Variable Name: HLTHPLAN

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,385	91.99	88.54
2	No	368	7.72	10.65
7	Don't know/Not Sure	10	0.21	0.75
9	Refused	4	0.08	0.06

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Column: 81

Type: Num

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	3,556	74.60	67.76
2	More than one	395	8.29	8.25
3	No	803	16.84	23.42
7	Don't know/Not Sure	7	0.15	0.49
9	Refused	6	0.13	0.08

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Column: 82

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Type: Num

SAS Variable Name: MEDCOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	282	5.92	6.19
2	No	4,477	93.92	93.66
7	Don't know/Not sure	6	0.13	0.12
9	Refused	2	0.04	0.02

Length of time since last routine checkup

Section: 3.4 Health Care Access

Column: 83

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Type: Num

SAS Variable Name: CHECKUP1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	3,268	68.55	62.62
2	Within past 2 years (1 year but less than 2 years ago)	643	13.49	15.38
3	Within past 5 years (2 years but less than 5 years ago)	318	6.67	8.07
36. or more	5 or more years ago	463	9.71	12.07
7	Don't know/Not sure	35	0.73	0.93
8	Never	32	0.67	0.79
9	Refused	8	0.17	0.14

How many days did you not get enough sleep in past 30 days

Section: 4.1 Sleep

Column: 84-85

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Type: Num

SAS Variable Name: QLREST2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	2,899	60.81	66.36
88	None	1,768	37.09	32.11
77	Don't know/Not sure	77	1.62	1.19
99	Refused	23	0.48	0.34

Exercise in Past 30 Days

Section: 5.1 Exercise

Column: 86

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Type: Num

SAS Variable Name: EXERANY2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,336	69.98	73.04
2	No	1,424	29.87	26.74
7	Don't know/Not Sure	4	0.08	0.16
9	Refused	3	0.06	0.06

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Ever Told by Doctor You Have Diabetes

Section: 6.1 Diabetes

Column: 87

Type: Num

SAS Variable Name: DIABETE2

Prologue:

Description: Have you ever been told by a doctor that you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	486	10.20	7.51
2	Yes, but female told only during pregnancy	33	0.69	0.65
3	No	4,175	87.58	90.77
4	No, pre-diabetes or borderline diabetes	70	1.47	1.01
7	Don't know/Not Sure	1	0.02	0.01
9	Refused	2	0.04	0.04

Ever Told Blood Pressure High

Section: 7.1 Hypertension Awareness

Column: 88

Type: Num

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,692	35.49	26.76
2	Yes, but female told only during pregnancy—Go to Section 08.01 BLOODCHO	25	0.52	0.81
3	No—Go to Section 08.01 BLOODCHO	2,970	62.30	71.11
4	Told borderline high or pre-hypertensive—Go to Section 08.01 BLOODCHO	74	1.55	1.23
7	Don't know/Not Sure—Go to Section 08.01 BLOODCHO	3	0.06	0.04
9	Refused—Go to Section 08.01 BLOODCHO	3	0.06	0.04

Currently Taking Blood Pressure Medication

Section: 7.2 Hypertension Awareness

Column: 89

Type: Num

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,476	87.23	81.25
2	No	213	12.59	18.57
7	Don't know/Not Sure	2	0.12	0.13
9	Refused	1	0.06	0.05
BLANK	Not asked or Missing	3,075		

Notes: Section 07.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing

Ever Had Blood Cholesterol Checked

Section: 8.1 Cholesterol Awareness

Column: 90

Type: Num

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,158	87.22	77.74
2	No—Go to Section 09.01 CVDINFR4	538	11.29	19.90
7	Don't know/Not Sure—Go to Section 09.01 CVDINFR4	70	1.47	2.34
9	Refused—Go to Section 09.01 CVDINFR4	1	0.02	0.02

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Long since Cholesterol Checked

Section: 8.2 Cholesterol Awareness

Column: 91

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Type: Num

SAS Variable Name: CHOLCHK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	3,083	74.15	70.91
2	Within the past 2 years (1 year but less than 2 years ago)	518	12.46	13.72
3	Within the past 5 years (2 years but less than 5 years ago)	319	7.67	9.59
4	5 or more years ago	201	4.83	4.84
7	Don't know/Not Sure	35	0.84	0.92
9	Refused	2	0.05	0.02
BLANK	Not asked or Missing	609		

Notes: Section 8.01, BLOODCHO, is coded 2, 7, 9, or Missing

Ever Told Blood Cholesterol High

Section: 8.3 Cholesterol Awareness

Column: 92

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Type: Num

SAS Variable Name: TOLDHI2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,685	40.52	34.56
2	No	2,440	58.68	64.86
7	Don't know/Not Sure	30	0.72	0.54
9	Refused	3	0.07	0.04
BLANK	Not asked or Missing	609		

Notes: Section 08.01, BLOODCHO, is coded 2, 7, 9, or Missing

Ever Diagnosed with Heart Attack

Section: 9.1 Cardiovascular Disease Prevalence

Column: 93

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Type: Num

SAS Variable Name: CVDINFR4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	255	5.35	3.89
2	No	4,489	94.17	95.60
7	Don't know/Not sure	22	0.46	0.50
9	Refused	1	0.02	0.02

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 9.2 Cardiovascular Disease Prevalence

Column: 94

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had angina or coronary heart disease?

Type: Num

SAS Variable Name: CVDCRHD4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	239	5.01	3.56
2	No	4,458	93.52	95.19
7	Don't know/Not sure	69	1.45	1.24
9	Refused	1	0.02	0.01

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Ever Diagnosed with a Stroke

Section: 9.3 Cardiovascular Disease Prevalence

Column: 95

Type: Num

SAS Variable Name: CVDSTRK3

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	187	3.92	2.87
2	No	4,569	95.85	97.01
7	Don't know/Not sure	11	0.23	0.12

Ever Told Had Asthma

Section: 10.1 Asthma

Column: 96

Type: Num

SAS Variable Name: ASTHMA2

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	520	10.91	11.93
2	No-Go to Section 11.01 SMOKE100	4,232	88.78	87.82
7	Don't know/Not Sure-Go to Section 11.01 SMOKE100	15	0.31	0.25

Still Have Asthma

Section: 10.2 Asthma

Column: 97

Type: Num

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	384	73.85	73.36
2	No	120	23.08	24.14
7	Don't know/Not Sure	15	2.88	2.35
9	Refused	1	0.19	0.15
BLANK	Not asked or Missing	4,247		

Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing

Smoked at Least 100 Cigarettes

Section: 11.1 Tobacco Use

Column: 98

Type: Num

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,166	45.44	42.51
2	No-Go to Section 11.05 USENOW3	2,583	54.19	57.23
7	Don't know/Not Sure-Go to Section 11.05 USENOW3	17	0.36	0.23
9	Refused-Go to Section 11.05 USENOW3	1	0.02	0.03

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Frequency of Days Now Smoking

Section: 11.2 Tobacco Use

Column: 99

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Type: Num

SAS Variable Name: SMOKDAY2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	602	27.79	31.36
2	Some days	208	9.60	12.27
3	Not at all—Go to Section 11.04 LASTSMK1	1,355	62.56	56.35
9	Refused—Go to Section 11.05 USENOW3	1	0.05	0.01
BLANK	Not asked or Missing Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing	2,601		

Stopped Smoking in past 12 months

Section: 11.3 Tobacco Use

Column: 100

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Type: Num

SAS Variable Name: STOPSMK2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 11.05 USENOW3	425	52.47	54.86
2	No—Go to Section 11.05 USENOW3	385	47.53	45.14
BLANK	Not asked or Missing Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 11.02, SMOKDAY2, is coded 3, 7, 9, or Missing	3,957		

Interval Since Last Smoked

Section: 11.4 Tobacco Use

Column: 101-102

Prologue:

Description: How long has it been since you last smoked cigarettes regularly?

Type: Num

SAS Variable Name: LASTSMK1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	7	0.52	1.65
2	Within the past 3 months (1 month but less than 3 months ago)	14	1.03	1.14
3	Within the past 6 months (3 months but less than 6 months ago)	24	1.77	3.24
4	Within the past year (6 months but less than 1 year ago)	35	2.58	3.08
5	Within the past 5 years (1 year but less than 5 years ago)	157	11.59	13.74
6	Within the past 10 years (5 years but less than 10 years ago)	148	10.92	11.84
7	10 years or more	946	69.82	62.69
8	Never smoked regularly	18	1.33	2.03
77	Don't know/Not sure	6	0.44	0.60
BLANK	Not asked or Missing Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 11.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 11.03, STOPSMK2, is coded 1, 2, 7, 9;	3,412		

Use of Smokeless Tobacco Products

Section: 11.5 Tobacco Use

Column: 103

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? [Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.]

Type: Num

SAS Variable Name: USENOW3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	129	2.71	3.60
2	Some days	79	1.66	2.99
3	Not at all	4,559	95.64	93.41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Reported Age in Years

Section: 12.1 Demographics

Column: 104-105

Prologue:

Description: What is your age?

Type: Num

SAS Variable Name: AGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	2	0.04	0.03
9	Refused	50	1.05	0.60
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	150	3.15	16.29
25 - 34	Age 25 - 34	434	9.10	16.45
35 - 44	Age 35 - 44	642	13.47	15.01
45 - 54	Age 45 - 54	1,026	21.52	18.33
55 - 64	Age 55 - 64	995	20.87	14.20
65 - 99	Age 65 or older	1,468	30.80	19.09

Hispanic/Latino

Section: 12.2 Demographics

Column: 106

Prologue:

Description: Are you Hispanic or Latino?

Type: Num

SAS Variable Name: HISPANC2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	1.36	2.02
2	No	4,666	97.88	97.27
7	Don't know/Not Sure	15	0.31	0.23
9	Refused	21	0.44	0.48

Multiple Race

Section: 12.3 Demographics

Column: 107-112

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Type: Char

SAS Variable Name: MRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	4	0.08	0.06
9	Refused	34	0.71	0.78
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,729	99.20	99.16

Respondent Race Choice

Section: 12.4 Demographics

Column: 113

Prologue:

Description: Which one of these groups would you say best represents your race?

Type: Num

SAS Variable Name: ORACE2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	21	50.00	36.94
2	Black or African American	1	2.38	12.30
3	Asian	3	7.14	19.08
5	American Indian, Alaska Native	12	28.57	24.78
7	Don't know/Not sure	3	7.14	3.51
9	Refused	2	4.76	3.38
BLANK	Not asked or Missing Notes: Section 12.03, MRACE, has only one valid race code (1-6)	4,725		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Are You A Veteran

Section: 12.5 Demographics

Column: 114

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Type: Num

SAS Variable Name: VETERAN2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, now on active duty	32	0.67	1.21
2	Yes, on active duty during the last 12 months, but not now	23	0.48	0.57
3	Yes, on active duty in the past, but not during the last 12 months	548	11.50	10.44
4	No, training for Reserves or National Guard only	67	1.41	1.40
5	No, never served in the military	4,088	85.76	86.24
7	Don't know/Not Sure	2	0.04	0.03
9	Refused	7	0.15	0.10

Marital Status

Section: 12.6 Demographics

Column: 115

Prologue:

Description: Are you: (marital status)

Type: Num

SAS Variable Name: MARITAL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,960	62.09	64.01
2	Divorced	490	10.28	6.16
3	Widowed	715	15.00	6.75
4	Separated	34	0.71	0.60
5	Never married	482	10.11	19.55
6	A member of an unmarried couple	69	1.45	2.58
9	Refused	17	0.36	0.34

Number of Children in Household

Section: 12.7 Demographics

Column: 116-117

Prologue:

Description: How many children less than 18 years of age live in your household?

Type: Num

SAS Variable Name: CHILDREN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,324	27.77	39.71
88	None	3,438	72.12	60.19
99	Refused	5	0.10	0.10

Education Level

Section: 12.8 Demographics

Column: 118

Prologue:

Description: What is the highest grade or year of school you completed?

Type: Num

SAS Variable Name: EDUCA

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Grades 1 through 8 (Elementary)	170	3.57	2.66
3	Grades 9 through 11 (Some high school)	196	4.11	5.79
4	Grade 12 or GED (High school graduate)	1,418	29.75	28.36
5	College 1 year to 3 years (Some college or technical school)	1,484	31.13	31.49
6	College 4 years or more (College graduate)	1,496	31.38	31.67
9	Refused	3	0.06	0.03

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Employment Status

Section: 12.9 Demographics

Column: 119

Prologue:

Description: Are you currently: (employment status)

Type: Num

SAS Variable Name: EMPLOY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	2,285	47.93	52.85
2	Self-employed	572	12.00	11.82
3	Out of work for more than 1 year	40	0.84	1.11
4	Out of work for less than 1 year	60	1.26	2.09
5	A homemaker	316	6.63	5.58
6	A student	86	1.80	6.72
7	Retired	1,190	24.96	15.87
8	Unable to work	209	4.38	3.82
9	Refused	9	0.19	0.16

Income Level

Section: 12.10 Demographics

Column: 120-121

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Type: Num

SAS Variable Name: INCOME2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	139	2.92	2.94
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	197	4.13	3.37
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	261	5.48	3.91
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	411	8.62	7.58
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	542	11.37	10.23
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	708	14.85	15.23
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	788	16.53	16.95
8	\$75,000 or more	1,034	21.69	23.95
77	Don't know/Not sure	317	6.65	9.68
99	Refused	370	7.76	6.17

Reported Weight in Pounds

Section: 12.11 Demographics

Column: 122-125

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Type: Num

SAS Variable Name: WEIGHT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	4,532	95.07	96.01
7777	Don't know/Not sure	79	1.66	1.44
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	1	0.02	0.02
9999	Refused	155	3.25	2.53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Reported Height in Feet and Inches

Section: 12.12 Demographics

Column: 126-129

Type: Num

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	4,742	99.48	99.63
7777	Don't know/Not sure	12	0.25	0.15
9999	Refused	13	0.27	0.22

Reported Weight year ago in Pounds

Section: 12.13 Demographics

Column: 130-133

Type: Num

SAS Variable Name: WTYRAGO

Prologue:

Description: How much did you weigh a year ago? [If you were pregnant a year ago, how much did you weigh before your pregnancy?] (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds)	4,455	98.28	97.72
7777	Don't know/Not sure	73	1.61	2.15
9000 - 9998	Weight (kilograms)	1	0.02	0.02
9999	Refused	4	0.09	0.11
BLANK	Not asked or Missing Notes: Section 12.11, WEIGHT2, is coded 7777, 9999 or Missing	234		

Change in weight since year ago

Section: 12.14 Demographics

Column: 134

Type: Num

SAS Variable Name: WTCHGINT

Prologue:

Description: Was the change between your current weight and your weight a year ago intentional?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	734	38.75	35.74
2	No	1,138	60.08	62.39
7	Don't know/Not Sure	20	1.06	1.81
9	Refused	2	0.11	0.06
BLANK	Not asked or Missing Notes: Section 12.11, WEIGHT2, is equal to Section 12.13, WTYRAGO; or Section 12.11, WEIGHT2, is coded 7777, 9999 or Missing	2,873		

County Code

Section: 12.15 Demographics

Column: 135-137

Type: Num

SAS Variable Name: CTYCODE

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	34	0.71	1.19
999	Refused	25	0.52	0.40
BLANK	Not asked or Missing	1		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,707	98.76	98.41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Zipcode of residence

Section: 12.16 Demographics

Column: 138-142

Type: Char

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	60	1.26	1.07
99999	Refused	50	1.05	0.99
HIDDEN	Data not displayed	4,657	97.69	97.94

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Household Telephones

Section: 12.17 Demographics

Column: 143

Type: Num

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	3.31	2.92
2	No-Go to Section 12.19 TELSERV2	4,607	96.64	97.05
9	Refused-Go to Section 12.19 TELSERV2	2	0.04	0.03

Residential Phones

Section: 12.18 Demographics

Column: 144

Type: Num

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	84	53.16	68.79
2	Residential telephone numbers	64	40.51	28.28
3	Residential telephone numbers	7	4.43	2.09
4	Residential telephone numbers	1	0.63	0.07
5	Residential telephone numbers	1	0.63	0.11
9	Refused	1	0.63	0.65
BLANK	Not asked or Missing	4,609		

Notes: Section 12.17, NUMHHOL2, is coded 2, 7, 9, or Missing

Lost phone service one week+ last 12 mos

Section: 12.19 Demographics

Column: 145

Type: Num

SAS Variable Name: TELSERV2

Prologue:

Description: During the past 12 months, has your household been without telephone service for 1 week or more? Do not include interruptions of telephone service because of weather or natural disasters.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	1.74	2.34
2	No	4,675	98.07	97.46
7	Don't know/Not Sure	6	0.13	0.14
9	Refused	3	0.06	0.06

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Respondents Sex

Section: 12.20 Demographics

Column: 146

Type: Num

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 13.01 CAREGIVE	1,901	39.88	49.94
2	Female—If 12.01, AGE, is 45 or older go to Section 13.01 CAREGIVE	2,866	60.12	50.06

Pregnancy Status

Section: 12.21 Demographics

Column: 147

Type: Num

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	4.82	4.69
2	No	709	94.91	94.88
7	Don't know/Not Sure	2	0.27	0.43
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 44	4,020		

Provided regular care for family or friend

Section: 13.1 Caregiver Status

Column: 148

Type: Num

SAS Variable Name: CAREGIVE

Prologue: People may provide regular care or assistance to a friend or family member who has a health problem, long-term illness, or disability.

Description: sed/Missing

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,025	21.56	20.00
2	No	3,717	78.17	79.73
7	Don't know/Not Sure	9	0.19	0.22
9	Refused	4	0.08	0.05
BLANK	Not asked or Missing	12		

Activity Limitation Due to Health Problems

Section: 14.1 Disability

Column: 149

Type: Num

SAS Variable Name: QLACTLM2

Prologue: The following questions are about health problems or impairments you may have.

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	962	20.33	17.12
2	No	3,751	79.27	82.63
7	Don't know/Not Sure	12	0.25	0.16
9	Refused	7	0.15	0.10
BLANK	Not asked or Missing	35		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Health Problems Requiring Special Equipment

Section: 14.2 Disability

Column: 150

Type: Num

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	380	8.05	5.88
2	No	4,339	91.87	94.04
7	Don't know/Not Sure	1	0.02	0.02
9	Refused	3	0.06	0.06
BLANK	Not asked or Missing	44		

Drink any alcoholic beverages in past 30 days

Section: 15.1 Alcohol Consumption

Column: 151

Type: Num

SAS Variable Name: DRNKANY4

Prologue:

Description: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,668	56.56	60.42
2	No-Go to Section 16.01 FLUSHOT3	2,040	43.25	39.44
7	Don't know/Not Sure-Go to Section 16.01 FLUSHOT3	5	0.11	0.08
9	Refused-Go to Section 16.01 FLUSHOT3	4	0.08	0.06
BLANK	Not asked or Missing	50		

Days in past 30 had alcoholic beverage

Section: 15.2 Alcohol Consumption

Column: 152-154

Type: Num

SAS Variable Name: ALCDAY4

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	729	27.39	28.61
201 - 299	Days in past 30 days Notes: 2_ _ = Days in past 30	1,855	69.68	68.85
777	Don't know/Not sure	36	1.35	1.24
888	No drinks in past 30 days-Go to Section 16.01 FLUSHOT3	22	0.83	0.66
999	Refused	20	0.75	0.64
BLANK	Not asked or Missing Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9	2,105		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Avg alcoholic drinks per day in past 30

Section: 15.3 Alcohol Consumption

Column: 155-156

Type: Num

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? [A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	2,579	97.87	97.97
77	Don't know/Not sure	30	1.14	1.32
99	Refused	26	0.99	0.72
BLANK	Not asked or Missing Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9; or Section 15.02, ALCDAY4, is coded 888	2,132		

Binge Drinking

Section: 15.4 Alcohol Consumption

Column: 157-158

Type: Num

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	707	26.87	35.37
88	None	1,883	71.57	63.18
77	Don't know/Not Sure	23	0.87	0.94
99	Refused	18	0.68	0.50
BLANK	Not asked or Missing Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9; or Section 15.02, ALCDAY4, is coded 888	2,136		

Most drinks on single occasion past 30 days

Section: 15.5 Alcohol Consumption

Column: 159-160

Type: Num

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	2,539	96.61	95.86
77	Don't know/Not sure	63	2.40	3.27
99	Refused	26	0.99	0.87
BLANK	Not asked or Missing Notes: Section 15.01, DRNKANY4, is coded 2, 7, or 9; or Section 15.02, ALCDAY4, is coded 888	2,139		

Flu shot past 12 mos

Section: 16.1 Immunization

Column: 161

Type: Num

SAS Variable Name: FLUSHOT3

Prologue:

Description: A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,333	49.77	42.41
2	No—Go to Section 16.03 FLUSPRY2	2,341	49.94	57.10
7	Don't know/Not Sure—Go to Section 16.03 FLUSPRY2	14	0.30	0.49
BLANK	Not asked or Missing	79		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

When did you receive your most recent flu shot?

Section: 16.2 Immunization

Column: 162-167

Prologue:

Description: During what month and year did you receive your most recent flu shot?

Type: Num

SAS Variable Name: FLUSHTMY

Value	Value Label	Frequency	Percentage	Weighted Percentage
12008 - 122009	Month / Year	2,237	95.97	94.86
777777	Don't know/Not Sure	92	3.95	5.10
999999	Refused	2	0.09	0.04
BLANK	Not asked or Missing	2,436		

Notes: Section 16.01, FLUSHOT3, is coded 2, 7, or 9

Flu spray past 12 mos

Section: 16.3 Immunization

Column: 168

Prologue:

Description: During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine sprayed in the nose is also called FluMist™.

Type: Num

SAS Variable Name: FLUSPRY2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	1.00	1.79
2	No-Go to Section 16.05 PNEUVAC3	4,629	98.85	98.08
7	Don't know/Not Sure-Go to Section 16.05 PNEUVAC3	7	0.15	0.13
BLANK	Not asked or Missing	84		

When did you receive your most recent flu vaccine sprayed in your nose?

Section: 16.4 Immunization

Column: 169-174

Prologue:

Description: During what month and year did you receive your most recent flu vaccine that was sprayed in your nose?

Type: Num

SAS Variable Name: FLUSPRMY

Value	Value Label	Frequency	Percentage	Weighted Percentage
12008 - 122009	Month / Year	43	91.49	93.28
777777	Don't know/Not Sure	4	8.51	6.72
BLANK	Not asked or Missing	4,720		

Pneumonia shot ever

Section: 16.5 Immunization

Column: 175

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Type: Num

SAS Variable Name: PNEUVAC3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,538	32.88	24.21
2	No	2,819	60.27	64.94
7	Don't know/Not Sure	319	6.82	10.84
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	90		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Told Have Arthritis

Section: 17.1 Arthritis Burden

Column: 176

Type: Num

SAS Variable Name: HAVARTH2

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See Questionnaire for Complete List))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,697	36.54	27.31
2	No-Go to Section 18.01 FRUITJUI	2,930	63.09	72.34
7	Don't know/Not Sure-Go to Section 18.01 FRUITJUI	15	0.32	0.32
9	Refused-Go to Section 18.01 FRUITJUI	2	0.04	0.03
BLANK	Not asked or Missing	123		

Limited Because of Joint Symptoms

Section: 17.2 Arthritis Burden

Column: 177

Type: Num

SAS Variable Name: LMTJOIN2

Prologue:

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (Note: If a question arises about medication, then the interviewer should reply: "Please answer the question based on how you are when you are taking any of the medications or treatments you might use.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	721	42.49	42.06
2	No	961	56.63	57.04
7	Don't know/Not sure	14	0.82	0.86
9	Refused	1	0.06	0.03
BLANK	Not asked or Missing	3,070		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

Does Arthritis Affect Whether You Work

Section: 17.3 Arthritis Burden

Column: 178

Type: Num

SAS Variable Name: ARTHDIS2

Prologue: In this next questions we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	474	27.95	28.40
2	No	1,190	70.17	70.05
7	Don't know/Not Sure	23	1.36	1.00
9	Refused	9	0.53	0.55
BLANK	Missing	3,071		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Social Activities Limited Because of Joint Symptoms

Section: 17.4 Arthritis Burden

Column: 179

Type: Num

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	218	12.86	12.55
2	A little	436	25.72	26.28
3	Not at all	1,032	60.88	60.71
7	Don't know/Not Sure	6	0.35	0.30
9	Refused	3	0.18	0.17
BLANK	Missing	3,072		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

How Bad Was Joint Pain

Section: 17.5 Arthritis Burden

Column: 180-181

Type: Num

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	1,672	98.70	98.90
77	Don't know/Not Sure	17	1.00	0.88
99	Refused	5	0.30	0.22
BLANK	Missing	3,073		

Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing

How Often Do You Drink Fruit Juices

Section: 18.1 Fruits & Vegetables

Column: 182-184

Type: Num

SAS Variable Name: FRUITJUI

Prologue:

Description: How often do you drink fruit juices such as orange, grapefruit, or tomato?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,502	32.57	29.89
201 - 299	Per week	1,627	35.29	39.43
301 - 399	Per month	793	17.20	17.60
401 - 499	Per year	101	2.19	1.92
555	Never	545	11.82	10.42
777	Don't know/Not sure	39	0.85	0.68
999	Refused	4	0.09	0.06
BLANK	Not asked or Missing	156		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Often Do You Eat Fruit

Section: 18.2 Fruits & Vegetables

Column: 185-187

Prologue:

Description: Not counting juice, how often do you eat fruit?

Type: Num

SAS Variable Name: FRUIT

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	2,132	46.28	39.94
201 - 299	Per week	1,862	40.42	44.20
301 - 399	Per month	440	9.55	11.56
401 - 499	Per year	41	0.89	1.06
555	Never	86	1.87	2.57
777	Don't know/Not sure	37	0.80	0.59
999	Refused	9	0.20	0.08
BLANK	Not asked or Missing	160		

How Often Do You Eat Green Salad

Section: 18.3 Fruits & Vegetables

Column: 188-190

Prologue:

Description: How often do you eat green salad?

Type: Num

SAS Variable Name: GREENSAL

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	703	15.27	13.36
201 - 299	Per week	2,907	63.14	61.66
301 - 399	Per month	687	14.92	17.02
401 - 499	Per year	52	1.13	1.13
555	Never	207	4.50	5.79
777	Don't know/Not sure	33	0.72	0.84
999	Refused	15	0.33	0.19
BLANK	Not asked or Missing	163		

How Often Do You Eat Potatoes

Section: 18.4 Fruits & Vegetables

Column: 191-193

Prologue:

Description: How often do you eat potatoes not including french fries, fried potatoes, or potato chips?

Type: Num

SAS Variable Name: POTATOES

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	367	7.98	7.38
201 - 299	Per week	3,221	70.02	69.25
301 - 399	Per month	804	17.48	18.43
401 - 499	Per year	41	0.89	1.03
555	Never	132	2.87	2.95
777	Don't know/Not sure	33	0.72	0.94
999	Refused	2	0.04	0.02
BLANK	Not asked or Missing	167		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Often Do You Eat Carrots

Section: 18.5 Fruits & Vegetables

Column: 194-196

Type: Num

SAS Variable Name: CARROTS

Prologue:

Description: How often do you eat carrots?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	347	7.55	6.19
201 - 299	Per week	2,601	56.59	53.96
301 - 399	Per month	1,192	25.94	28.00
401 - 499	Per year	104	2.26	2.37
555	Never	269	5.85	7.97
777	Don't know/Not sure	71	1.54	1.29
999	Refused	12	0.26	0.22
BLANK	Not asked or Missing	171		

Servings of Vegetables

Section: 18.6 Fruits & Vegetables

Column: 197-199

Type: Num

SAS Variable Name: VEGETABL

Prologue:

Description: Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat? (Example: A serving of vegetables at both lunch and dinner would be two servings.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Servings per day	2,746	59.77	59.57
201 - 299	Servings per week	1,483	32.28	31.95
301 - 399	Servings per month	230	5.01	5.43
401 - 499	Servings per year	7	0.15	0.14
555	Never	49	1.07	1.30
777	Don't know/Not sure	72	1.57	1.54
999	Refused	7	0.15	0.08
BLANK	Not asked or Missing	173		

Physical Activity at Work

Section: 19.1 Physical Activity

Column: 200

Type: Num

SAS Variable Name: JOBACTIV

Prologue:

Description: When you are at work, which of the following best describes what you do? Would you say —(If respondent has multiple jobs, include all jobs.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mostly sitting or standing	1,664	60.38	58.19
2	Mostly walking	599	21.73	22.45
3	Mostly heavy labor or physically demanding work	435	15.78	17.53
7	Don't know/Not Sure	46	1.67	1.47
9	Refused	12	0.44	0.36
BLANK	Not asked or Missing	2,011		

Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Moderate Physical Activity

Section: 19.2 Physical Activity

Column: 201

Type: Num

SAS Variable Name: MODPACT

Prologue: We are interested in two types of physical activity: vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

Description: Now, thinking about the moderate activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,938	85.91	87.60
2	No-Go to Section 19.05 VIGPACT	622	13.57	12.06
7	Don't know/Not Sure-Go to Section 19.05 VIGPACT	18	0.39	0.27
9	Refused-Go to Section 19.05 VIGPACT	6	0.13	0.07
BLANK	Not asked or Missing-Go to Section 19.05 VIGPACT	183		

Moderate Physical Activity Days

Section: 19.3 Physical Activity

Column: 202-203

Type: Num

SAS Variable Name: MODPADAY

Prologue:

Description: How many days per week do you do these moderate activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week	3,905	99.26	99.51
88	Do not do any moderate physical activity for at least 10 minutes at a time-Go to Section 19.05 VIGPACT	6	0.15	0.13
77	Don't know/Not sure-Go to Section 19.05 VIGPACT	17	0.43	0.29
99	Refused-Go to Section 19.05 VIGPACT	6	0.15	0.07
BLANK	Not asked or Missing-Go to Section 19.05 VIGPACT Notes: Section 19.02, MODPACT, is coded 2, 7, 9 or Missing	833		

Moderate Physical Activity Time

Section: 19.4 Physical Activity

Column: 204-206

Type: Num

SAS Variable Name: MODPATIM

Prologue:

Description: On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day	3,743	96.02	96.88
777	Don't know/Not sure	149	3.82	3.01
999	Refused	6	0.15	0.11
BLANK	Not asked or Missing Notes: Section 19.02, MODPACT, is coded 2, 7, 9 or Missing; or Section 19.03, MODPADAY is coded 77, 88, 99, or Missing	869		

Vigorous Physical Activity

Section: 19.5 Physical Activity

Column: 207

Type: Num

SAS Variable Name: VIGPACT

Prologue:

Description: Now, thinking about the vigorous activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,970	43.14	52.00
2	No-Go to Section 20.01 HIVTST5	2,547	55.78	47.09
7	Don't know/Not sure-Go to Section 20.01 HIVTST5	39	0.85	0.75
9	Refused-Go to Section 20.01 HIVTST5	10	0.22	0.17
BLANK	Not asked or Missing-Go to Section 20.01 HIVTST5	201		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Vigorous Physical Activity Days

Section: 19.6 Physical Activity

Column: 208-209

Type: Num

SAS Variable Name: VIGPADAY

Prologue:

Description: How many days per week do you do these vigorous activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week	1,938	98.43	98.96
88	Do not do any vigorous physical activity for at least 10 minutes at a time—Go to Section 20.01 HIVTST5	5	0.25	0.25
77	Don't know/Not sure—Go to Section 20.01 HIVTST5	24	1.22	0.76
99	Refused—Go to Section 20.01 HIVTST5	2	0.10	0.03
BLANK	Not asked or Missing—Go to Section 20.01 HIVTST5 Notes: Section 19.05, VIGPACT, is coded 2, 7, 9 or Missing	2,798		

Vigorous Physical Activity Time

Section: 19.7 Physical Activity

Column: 210-212

Type: Num

SAS Variable Name: VIGPATIM

Prologue:

Description: On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day	1,882	97.16	97.23
777	Don't know/Not sure	54	2.79	2.73
999	Refused	1	0.05	0.04
BLANK	Not asked or Missing Notes: Section 19.05, VIGPACT, is coded 2, 7, 9 or Missing; or Section 19.06, VIGPADAY is coded 77, 88, 99, or Missing	2,830		

Ever tested HIV

Section: 20.1 HIV/AIDS

Column: 213

Type: Num

SAS Variable Name: HIVTST5

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	780	24.79	27.13
2	No—Go to Section 20.05 HIVRISK2	2,308	73.36	71.57
7	Don't know/Not Sure—Go to Section 20.05 HIVRISK2	49	1.56	1.17
9	Refused—Go to Section 20.05 HIVRISK2	9	0.29	0.14
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	1,621		

Month and Year of Last HIV Test

Section: 20.2 HIV/AIDS

Column: 214-219

Type: Num

SAS Variable Name: HIVTSTD2

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122009	Code month and year Notes: _ _ / _ _ _ _ month and year	653	83.72	86.84
777777	Don't know/Not sure	126	16.15	13.00
999999	Refused	1	0.13	0.16
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 20.01, HIVTST5, is coded 2, 7, 9, or Missing	3,987		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Location of last HIV test

Section: 20.3 HIV/AIDS

Column: 220-221

Type: Num

SAS Variable Name: WHRTST8

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	171	21.92	20.70
2	Counseling and testing site	12	1.54	1.41
3	Hospital	167	21.41	22.48
4	Clinic	291	37.31	37.54
5	Jail or prison (or other correctional facility)	10	1.28	1.91
6	Drug treatment facility	4	0.51	0.35
7	At home	42	5.38	4.75
8	Somewhere else	73	9.36	9.40
77	Don't know/Not sure	9	1.15	1.29
99	Refused	1	0.13	0.16
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 20.01, HIVTST5, is coded 2, 7, 9, or Missing	3,987		

Was your last HIV test a rapid test?

Section: 20.4 HIV/AIDS

Column: 222

Type: Num

SAS Variable Name: HIVRDTST

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	19.40	25.64
2	No	95	70.90	67.18
7	Don't know/Not sure	13	9.70	7.17
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64; or Section 20.01, HIVTST5, is coded 2, 7, 9, or Missing; or Section 21.02, HIVTSTD2, not within the last 12 months	4,633		

Do Any High Risk Situations Apply

Section: 20.5 HIV/AIDS

Column: 223

Type: Num

SAS Variable Name: HIVRISK2

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	1.69	2.76
2	No	3,081	98.15	97.13
9	Refused	5	0.16	0.11
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	1,628		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How often get emotional support needed

Section: 21.1 Emotional Support and Life Satisfaction

Column: 224

Prologue:

Description: How often do you get the social and emotional support you need?

Type: Num

SAS Variable Name: EMTSUPRT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	2,081	45.91	47.74
2	Usually	1,505	33.20	33.06
3	Sometimes	540	11.91	10.70
4	Rarely	136	3.00	2.58
5	Never	200	4.41	4.46
7	Don't know/Not sure	39	0.86	0.98
9	Refused	32	0.71	0.48
BLANK	Not asked or Missing	234		

Satisfaction with life

Section: 21.2 Emotional Support and Life Satisfaction

Column: 225

Prologue:

Description: In general, how satisfied are you with your life?

Type: Num

SAS Variable Name: LSATISFY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	2,026	44.70	46.70
2	Satisfied	2,327	51.35	50.11
3	Dissatisfied	133	2.93	2.21
4	Very dissatisfied	27	0.60	0.47
7	Don't know/Not sure	7	0.15	0.35
9	Refused	12	0.26	0.16
BLANK	Not asked or Missing	235		

Ever Told You Had Cancer?

Section: 22.1 Cancer Survivors

Column: 226

Prologue:

Description: Have you EVER been told by a doctor, nurse, or other health professional that you had cancer? [Read only if necessary: By, other health professional, we mean a nurse practitioner, a physicians assistant, social worker, or some other licensed professional.]

Type: Num

SAS Variable Name: CNCRHAVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	555	12.25	9.03
2	No-Go to modules or closing statement	3,972	87.66	90.90
7	Don't know/Not Sure-Go to modules or closing statement	3	0.07	0.04
9	Refused-Go to modules or closing statement	1	0.02	0.02
BLANK	Not asked or Missing	236		

How Many Types of Cancer?

Section: 22.2 Cancer Survivors

Column: 227

Prologue:

Description: How many different types of cancer have you had?

Type: Num

SAS Variable Name: CNCRDIFF

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Only one	468	84.32	83.85
2	Two	65	11.71	11.46
3	Three or more	20	3.60	4.37
7	Don't know/Not Sure-Go to modules or closing statement	2	0.36	0.31
BLANK	Not asked or Missing	4,212		

Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Age Told Had Cancer

Section: 22.3 Cancer Survivors

Column: 228-229

Type: Num

SAS Variable Name: CNCRAGE

Prologue:

Description: At what age were you told that you had cancer? [If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?"]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years Notes: _ _ Code age in years, 97 = 97 or older	535	96.75	97.42
98	Don't know/Not Sure	16	2.89	2.35
99	Refused	2	0.36	0.23
BLANK	Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Section 22.02, CNCRDIFF, is coded 7, 9, or Missing	4,214		

Type of Cancer

Section: 22.4 Cancer Survivors

Column: 230-231

Type: Num

SAS Variable Name: CNCRTYPE

Prologue:

Description: What type of cancer was it? [If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?"]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Breast cancer	95	17.18	13.12
2	Cervical cancer (cancer of the cervix)	38	6.87	6.92
3	Endometrial cancer (cancer of the uterus)	12	2.17	1.78
4	Ovarian cancer (cancer of the ovary)	9	1.63	1.26
5	Head and neck cancer	1	0.18	0.08
6	Oral cancer	3	0.54	0.63
7	Pharyngeal (throat) cancer	4	0.72	0.61
8	Thyroid	18	3.25	3.36
9	Colon (intestine) cancer	31	5.61	4.81
10	Esophageal (esophagus)	2	0.36	0.35
11	Liver cancer	1	0.18	0.15
13	Rectal (rectum) cancer	1	0.18	0.23
14	Stomach	5	0.90	0.75
15	Hodgkin's Lymphoma (Hodgkin's disease)	4	0.72	0.77
16	Leukemia (blood) cancer	8	1.45	1.45
17	Non-Hodgkin's Lymphoma	5	0.90	0.98
18	Prostate cancer	62	11.21	12.34
19	Testicular cancer	1	0.18	0.16
20	Melanoma	48	8.68	8.24
21	Other skin cancer	123	22.24	23.75
23	Lung	10	1.81	1.43
24	Bladder cancer	18	3.25	3.09
25	Renal (kidney) cancer	6	1.08	0.90
26	Bone	3	0.54	1.70
27	Brain	4	0.72	1.88
29	Other	19	3.44	3.55
77	Don't know/Not Sure	19	3.44	3.73
99	Refused	3	0.54	1.97
BLANK	Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Section 22.02, CNCRDIFF, is coded 7, 9, or Missing	4,214		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Do you have a cell phone for personal use?

Section: 23.1 Cell Phone

Column: 232

Type: Num

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 23.03 CPDEMO3	3,695	77.51	81.65
2	No	1,064	22.32	18.25
7	Don't know/Not sure	2	0.04	0.03
9	Refused	6	0.13	0.08

Do you share a cell phone for personal use?

Section: 23.2 Cell Phone

Column: 233

Type: Num

SAS Variable Name: CPDEMO2

Prologue:

Description: Do you share a cell phone for personal use (at least one-third of the time) with other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 12.20 SEX	65	6.06	9.90
2	No—Go to Section 12.20 SEX	1,000	93.28	89.64
9	Refused—Go to Section 12.20 SEX	7	0.65	0.46
BLANK	Not asked or Missing	3,695		

Notes: Section 23.01, CPDEMO1, is coded 1

Do you usually share this cell phone?

Section: 23.3 Cell Phone

Column: 234

Type: Num

SAS Variable Name: CPDEMO3

Prologue:

Description: Do you usually share this cell phone (at least one-third of the time) with any other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	675	18.27	17.40
2	No	3,013	81.54	82.40
7	Don't know/Not sure	5	0.14	0.13
9	Refused	2	0.05	0.08
BLANK	Not asked or Missing	1,072		

Notes: Section 23.02, CPDEMO2, is coded 1, 2, 7, 9, or Missing

What percent of all calls are received on your cell phone?

Section: 23.4 Cell Phone

Column: 235-237

Type: Num

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	3,437	100.00	100.00
BLANK	Not asked or Missing	1,330		

Notes: Section 23.02, CPDEMO2, is coded 1, 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Column: 245

Type: Num

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 1	4,767		

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Column: 246

Type: Num

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 1; If Section 6.01, DIABETE2, is coded 4 automatically code Module 01.02, PREDIAB, equal to 1 (yes);	4,767		

Age When Told Diabetic

Module: 2.1 Diabetes

Column: 247-248

Type: Num

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older	458	94.24	95.27
98	Don't know/Not sure	27	5.56	4.59
99	Refused	1	0.21	0.14
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

Now Taking Insulin

Module: 2.2 Diabetes

Column: 249

Type: Num

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	161	33.13	32.89
2	No	324	66.67	66.99
9	Refused	1	0.21	0.11
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Column: 250-252

Type: Num

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	310	63.79	60.24
201 - 299	Times per week Notes: 2 _ _ Times per week	78	16.05	14.85
301 - 399	Times per month Notes: 3 _ _ Times per month	21	4.32	7.05
401 - 499	Times per year Notes: 4 _ _ Times per year	11	2.26	3.00
777	Don't know/Not sure	7	1.44	R SURVEI
888	Never	57	11.73	12.72
999	Refused	2	0.41	0.56
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Column: 253-255

Type: Num

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	285	58.64	55.94
201 - 299	Times per week Notes: 2 _ _ Times per week	104	21.40	20.00
301 - 399	Times per month Notes: 3 _ _ Times per month	25	5.14	5.52
401 - 499	Times per year Notes: 4 _ _ Times per year	5	1.03	1.65
555	No feet	6	1.23	0.74
777	Don't know/Not sure	9	1.85	2.16
888	Never	48	9.88	13.06
999	Refused	4	0.82	0.94
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Column: 256-257

Type: Num

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	422	86.83	86.14
88	None	51	10.49	11.77
77	Don't know/Not sure	10	2.06	1.60
99	Refused	3	0.62	0.48
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Column: 258-259

Type: Num

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	400	82.30	82.31
88	None	36	7.41	7.90
98	Never heard of "A one C" test	24	4.94	4.24
77	Don't know/Not sure	24	4.94	5.26
99	Refused	2	0.41	0.29
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Column: 260-261

Type: Num

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	362	75.42	72.46
88	None	109	22.71	25.31
77	Don't know/Not sure	7	1.46	1.71
99	Refused	2	0.42	0.52
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	4,287		

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Column: 262

Type: Num

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	81	16.67	15.78
2	Within the past year (1 month but less than 12 months ago)	268	55.14	52.62
3	Within the past 2 years (1 year but less than 2 years ago)	58	11.93	13.33
4	2 or more years ago	49	10.08	11.32
7	Don't know/Not sure	8	1.65	1.67
8	Never	21	4.32	5.17
9	Refused	1	0.21	0.11
BLANK	Not asked or Missing Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,281		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Column: 263

Type: Num

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	17.28	18.22
2	No	398	81.89	80.89
7	Don't know/Not sure	3	0.62	0.66
9	Refused	1	0.21	0.23
BLANK	Not asked or Missing	4,281		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Column: 264

Type: Num

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	284	58.44	57.26
2	No	201	41.36	42.60
7	Don't know/Not sure	1	0.21	0.14
BLANK	Not asked or Missing	4,281		

Notes: Section 6.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Column: 265-266

Type: Num

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Column: 267-268

Type: Num

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Column: 269-270

Type: Num

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Column: 271-272

Type: Num

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Difficulty recognizing friend across street

Module: 4.1 Visual Impairment and Access to Eye Care

Column: 273

Type: Num

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		
	Notes: Section 12.01, AGE, is less than 40			

Difficulty reading typed text

Module: 4.2 Visual Impairment and Access to Eye Care

Column: 274

Type: Num

SAS Variable Name: VIREDIF2

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		
	Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8;			

Last time visited eye care provider

Module: 4.3 Visual Impairment and Access to Eye Care

Column: 275

Type: Num

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		
	Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8;			

Reason did not use eye doc past 12 mos

Module: 4.4 Visual Impairment and Access to Eye Care

Column: 276-277

Type: Num

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		
	Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8;			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

When last eyexam

Module: 4.5 Visual Impairment and Access to Eye Care

Column: 278

Type: Num

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 2.08, EYEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8;	4,767		

Eye care health insurance

Module: 4.6 Visual Impairment and Access to Eye Care

Column: 279

Type: Num

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8;	4,767		

Hlth care pro said now have cataracts

Module: 4.7 Visual Impairment and Access to Eye Care

Column: 280

Type: Num

SAS Variable Name: VICTRCT2

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8	4,767		

Hlth care pro EVER said have glaucoma

Module: 4.8 Visual Impairment and Access to Eye Care

Column: 281

Type: Num

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDEF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Hlth care pro EVER said have macular degeneration

Module: 4.9 Visual Impairment and Access to Eye Care

Column: 282

Type: Num

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08,	4,767		

How Much Time Do You Sleep

Module: 5.1 Inadequate Sleep

Column: 283-284

Type: Num

SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers, rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,767		

Do you snore?

Module: 5.2 Inadequate Sleep

Column: 285

Type: Num

SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the answer to the question is 'Yes' the respondent snores.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 5.3 Inadequate Sleep

Column: 288-289

Type: Num

SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,767		

Number of Days in Past Thirty Fell Asleep While Driving

Module: 5.4 Inadequate Sleep

Column: 290

Type: Num

SAS Variable Name: SLEPDRIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Outpatient rehab after heart attack hosp stay

Module: 6.1 Cardiovascular Health

Column: 291

Type: Num

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 09.01, CVDINFR4, is coded 2, 7, 9 or Missing	4,767		

Outpatient rehab after hosp stay for stroke

Module: 6.2 Cardiovascular Health

Column: 292

Type: Num

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 09.03, CVDSTRK3, is coded 2, 7, 9 or Missing	4,767		

Take Aspirin Daily or Every Other Day

Module: 6.3 Cardiovascular Health

Column: 293

Type: Num

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Health Makes Taking Aspirin Unsafe

Module: 6.4 Cardiovascular Health

Column: 294

Type: Num

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 06.03, CVDASPRN, is coded 1	4,767		

Change eating habits for BP?

Module: 7.1 Actions to Control High Blood Pressure

Column: 295

Type: Num

SAS Variable Name: BPEATHBT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?

Description: (Are you) changing your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,088	67.92	65.86
2	No	498	31.09	33.49
7	Don't know/Not Sure	11	0.69	0.45
9	Refused	5	0.31	0.19
BLANK	Not asked or Missing Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing	3,165		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Reduce salt intake to lower BP?

Module: 7.2 Actions to Control High Blood Pressure

Column: 296

Type: Num

SAS Variable Name: BPSALT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) cutting down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,180	73.66	70.52
2	No	310	19.35	23.02
3	Do not use salt	108	6.74	6.26
7	Don't know/Not Sure	2	0.12	0.11
9	Refused	2	0.12	0.10
BLANK	Not asked or Missing	3,165		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Reduce alcohol use for BP?

Module: 7.3 Actions to Control High Blood Pressure

Column: 297

Type: Num

SAS Variable Name: BPALCHOL

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	632	39.45	41.90
2	No	344	21.47	24.05
3	Do not drink	618	38.58	33.59
7	Don't know/Not Sure	5	0.31	0.32
9	Refused	3	0.19	0.13
BLANK	Not asked or Missing	3,165		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Exercising to lower BP?

Module: 7.4 Actions to Control High Blood Pressure

Column: 298

Type: Num

SAS Variable Name: BPEXER

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) exercising (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,105	68.98	70.21
2	No	479	29.90	28.72
7	Don't know/Not Sure	14	0.87	0.83
9	Refused	4	0.25	0.24
BLANK	Not asked or Missing	3,165		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Hlth care pro ever advised change in eating habits to reduce BP

Module: 7.5 Actions to Control High Blood Pressure

Column: 299

Type: Num

SAS Variable Name: BPEATADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?

Description: (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	906	56.55	57.59
2	No	684	42.70	41.66
7	Don't know/Not Sure	8	0.50	0.51
9	Refused	4	0.25	0.24
BLANK	Not asked or Missing	3,165		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Hlth care pro ever advised using less salt to reduce BP

Module: 7.6 Actions to Control High Blood Pressure

Column: 300

Type: Num

SAS Variable Name: BPSLTADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,018	63.59	63.73
2	No	529	33.04	33.16
3	Do not use salt	37	2.31	2.15
7	Don't know/Not Sure	14	0.87	0.83
9	Refused	3	0.19	0.13
BLANK	Not asked or Missing	3,166		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Hlth care pro ever advised reduced alcohol use to reduce BP

Module: 7.7 Actions to Control High Blood Pressure

Column: 301

Type: Num

SAS Variable Name: BPALCADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	394	24.61	26.80
2	No	833	52.03	52.76
3	Do not drink	368	22.99	19.71
7	Don't know/Not Sure	3	0.19	0.60
9	Refused	3	0.19	0.13
BLANK	Not asked or Missing	3,166		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Hlth care pro ever advised exercise to reduce BP

Module: 7.8 Actions to Control High Blood Pressure

Column: 302

Type: Num

SAS Variable Name: BPEXRADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) exercise (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,179	73.64	74.16
2	No	411	25.67	25.28
7	Don't know/Not Sure	8	0.50	0.43
9	Refused	3	0.19	0.13
BLANK	Not asked or Missing	3,166		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Hlth care pro ever advised meds to reduce BP

Module: 7.9 Actions to Control High Blood Pressure

Column: 303

Type: Num

SAS Variable Name: BPMEDADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) take medication (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,461	91.26	86.99
2	No	133	8.31	12.68
7	Don't know/Not Sure	3	0.19	0.17
9	Refused	4	0.25	0.15
BLANK	Not asked or Missing	3,166		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Told had high BP during 2+ visits to hlth care pro?

Module: 7.10 Actions to Control High Blood Pressure

Column: 304

Type: Num

SAS Variable Name: BPHI2MR

Prologue: °

Description: Were you told on two or more different visits to a doctor or other health professional that you had high blood pressure? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,318	82.38	79.37
2	Yes, but female told only during pregnancy	3	0.19	0.17
3	No	256	16.00	19.08
4	Told borderline or pre-hypertensive	9	0.56	0.60
7	Don't know/Not Sure	10	0.63	0.54
9	Refused	4	0.25	0.24
BLANK	Not asked or Missing	3,167		

Notes: Section 07.01, BPHIGH4, is coded 2, 7, 9, or Missing

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 8.1 Heart Attack and Stroke

Column: 305

Type: Num

SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me "yes", "no", or you're "not sure":

Description: (Do you think) pain or discomfort in the jaw, neck, or back (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 8.2 Heart Attack and Stroke

Column: 306

Type: Num

SAS Variable Name: HASYMP2

Prologue:

Description: (Do you think) feeling weak, lightheaded, or faint (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 8.3 Heart Attack and Stroke

Column: 307

Type: Num

SAS Variable Name: HASYMP3

Prologue:

Description: (Do you think) chest pain or discomfort (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Heart Attack Symptoms - Vision Problems

Module: 8.4 Heart Attack and Stroke

Column: 308

Type: Num

SAS Variable Name: HASYMP4

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 8.5 Heart Attack and Stroke

Column: 309

Type: Num

SAS Variable Name: HASYMP5

Prologue:

Description: (Do you think) pain or discomfort in the arms or shoulder (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Heart Attack Symptoms - Shortness of Breath

Module: 8.6 Heart Attack and Stroke

Column: 310

Type: Num

SAS Variable Name: HASYMP6

Prologue:

Description: (Do you think) shortness of breath (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Stroke Symptoms - Confusion/Trouble speaking

Module: 8.7 Heart Attack and Stroke

Column: 311

Type: Num

SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me "yes", "no", or you're "not sure".

Description: (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 8.8 Heart Attack and Stroke

Column: 312

Type: Num

SAS Variable Name: STRSYMP2

Prologue:

Description: (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Stroke Symptoms - Vision Problems

Module: 8.9 Heart Attack and Stroke

Column: 313

Type: Num

SAS Variable Name: STRSYMP3

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Stroke Symptoms - Chest Pain/Discomfort

Module: 8.10 Heart Attack and Stroke

Column: 314

Type: Num

SAS Variable Name: STRSYMP4

Prologue:

Description: (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 8.11 Heart Attack and Stroke

Column: 315

Type: Num

SAS Variable Name: STRSYMP5

Prologue:

Description: (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Stroke Symptoms - Severe Headache

Module: 8.12 Heart Attack and Stroke

Column: 316

Type: Num

SAS Variable Name: STRSYMP6

Prologue:

Description: (Do you think) severe headache with no known cause (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

First Aid for Heart Attack and Stroke

Module: 8.13 Heart Attack and Stroke

Column: 317

Type: Num

SAS Variable Name: FIRSTAID

Prologue:

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Have You Ever Had a Mammogram

Module: 9.1 Women's Health

Column: 318

Type: Num

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		
	Notes: Section 12.20, SEX, is coded 1			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Long since Last Mammogram

Module: 9.2 Women's Health

Column: 319

Prologue:

Description: How long has it been since you had your last mammogram?

Type: Num

SAS Variable Name: HOWLONG

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.01, HADMAM, is coded 2, 7, 9, or Missing	4,767		

Ever Had Breast Physical Exam by Doctor

Module: 9.3 Women's Health

Column: 320

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Type: Num

SAS Variable Name: PROFEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	4,767		

How Long since Last Breast Physical Exam

Module: 9.4 Women's Health

Column: 321

Prologue:

Description: How long has it been since your last breast exam?

Type: Num

SAS Variable Name: LENGEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.03, PROFEXAM, is coded 2, 7, 9, or Missing	4,767		

Ever Had a Pap Test

Module: 9.5 Women's Health

Column: 322

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Type: Num

SAS Variable Name: HADPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	4,767		

How Long Since Last Pap Test

Module: 9.6 Women's Health

Column: 323

Prologue:

Description: How long has it been since you had your last Pap test?

Type: Num

SAS Variable Name: LASTPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.05, HADPAP2, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Had Hysterectomy

Module: 9.7 Women's Health

Column: 324

Type: Num

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.21, PREGNANT, is coded 1	4,767		

Ever Had PSA Test

Module: 10.1 Prostate Cancer Screening

Column: 325

Type: Num

SAS Variable Name: PSATEST

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	4,767		

Time Since Last PSA Test

Module: 10.2 Prostate Cancer Screening

Column: 326

Type: Num

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.01, PSATEST, is coded, 2, 7, 9, or Missing	4,767		

Ever Had Digital Rectal Exam

Module: 10.3 Prostate Cancer Screening

Column: 327

Type: Num

SAS Variable Name: DIGRECEX

Prologue:

Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	4,767		

Time Since Last Digital Rectal Exam

Module: 10.4 Prostate Cancer Screening

Column: 328

Type: Num

SAS Variable Name: DRETIME

Prologue:

Description: How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.03, DIGRECEX, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Ever Told You Had Prostate Cancer

Module: 10.5 Prostate Cancer Screening

Column: 329

Type: Num

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	4,767		

Ever Had Blood Stool Test Using Home Kit

Module: 11.1 Colorectal Cancer Screening

Column: 330

Type: Num

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	4,767		

Time Since Last Blood Stool Test

Module: 11.2 Colorectal Cancer Screening

Column: 331

Type: Num

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.01, BLDSTOOL, is coded 2, 7, 9, or Missing	4,767		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 11.3 Colorectal Cancer Screening

Column: 332

Type: Num

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	4,767		

Was your last test a sigmoidoscopy or colonoscopy?

Module: 11.4 Colorectal Cancer Screening

Column: 333

Type: Num

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 11.5 Colorectal Cancer Screening

Column: 334

Type: Num

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing	4,767		

Currently Receiving Treatment for Cancer

Module: 12.1 Cancer Survivorship

Column: 335

Type: Num

SAS Variable Name: CSRVRT

Prologue:

Description: Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing	4,767		

What Type of Doctor Provides Majority of Your Care

Module: 12.2 Cancer Survivorship

Column: 336-337

Type: Num

SAS Variable Name: CSRVDOC

Prologue:

Description: What type of doctor provides the majority of your health care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

Did You Receive a Summary of Cancer Treatments Received

Module: 12.3 Cancer Survivorship

Column: 338

Type: Num

SAS Variable Name: CSRVSUM

Prologue:

Description: Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments that you received?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups

Module: 12.4 Cancer Survivorship

Column: 339

Type: Num

SAS Variable Name: CSRVRTRN

Prologue:

Description: Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Instructions Written or Printed

Module: 12.5 Cancer Survivorship

Column: 340

Prologue:

Description: Were these instructions written down or printed on paper for you?

Type: Num

SAS Variable Name: CSRVINST

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing; or Module 12.04, CSRVRTRN, is coded 2, 7, 9, or Missing	4,767		

Did Health Insurance Pay For All Of Your Cancer Treatment

Module: 12.6 Cancer Survivorship

Column: 341

Prologue:

Description: With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer treatment? ["Health insurance" also includes Medicare, Medicaid, or other types of state health programs.]

Type: Num

SAS Variable Name: CSRVINSR

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

Ever Denied Insurance Coverage Because Of Your Cancer?

Module: 12.7 Cancer Survivorship

Column: 342

Prologue:

Description: Were you EVER denied health insurance or life insurance coverage because of your cancer?

Type: Num

SAS Variable Name: CSRVDEIN

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

Participate In Clinical Trial As Part Of Cancer Treatment?

Module: 12.8 Cancer Survivorship

Column: 343

Prologue:

Description: Did you participate in a clinical trial as part of your cancer treatment?

Type: Num

SAS Variable Name: CSRVCLIN

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

Currently Have Physical Pain From Cancer Or Treatment?

Module: 12.9 Cancer Survivorship

Column: 344

Prologue:

Description: Do you currently have physical pain caused by your cancer or cancer treatment?

Type: Num

SAS Variable Name: CSRVPAIN

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVRT, is coded 1, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Is Pain Under Control?

Module: 12.10 Cancer Survivorship

Column: 345

Type: Num

SAS Variable Name: CSRVCTRL

Prologue:

Description: Is your pain currently under control?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 22.01, CNCRHAVE, is coded 2, 7, 9, or Missing; or Module 12.01, CSRVTRT, is coded 1, 7, 9, or Missing; or Module 12.09, CSRVPAIN, is coded 2, 7, 9, or Missing	4,767		

Age at Asthma Diagnosis

Module: 13.1 Adult Asthma History

Column: 346-347

Type: Num

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing	4,767		

Asthma During Past 12 Months

Module: 13.2 Adult Asthma History

Column: 348

Type: Num

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,767		

Emergency Asthma Care During Past 12 Months

Module: 13.3 Adult Asthma History

Column: 349-350

Type: Num

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 13.02, ASATTACK, is coded 2, 7, 9 or Missing	4,767		

Urgent Asthma Treatment During Past 12 Months

Module: 13.4 Adult Asthma History

Column: 351-352

Type: Num

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 13.02, ASATTACK, is coded 2, 7, 9 or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Routine Asthma Care During Past 12 Months

Module: 13.5 Adult Asthma History

Column: 353-354

Type: Num

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,767		

Activities Limited Because of Asthma During Past 12 Months

Module: 13.6 Adult Asthma History

Column: 355-357

Type: Num

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,767		

Asthma Symptoms During Past 30 Days

Module: 13.7 Adult Asthma History

Column: 358

Type: Num

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,767		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 13.8 Adult Asthma History

Column: 359

Type: Num

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 13.07, ASYMPATOM, is coded 8	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Days used prescribed preventative asthma med in past 30 days

Module: 13.9 Adult Asthma History

Column: 360

Type: Num

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,767		

Times used asthma inhaler during an attack in past 30 days

Module: 13.10 Adult Asthma History

Column: 361

Type: Num

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 10.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 10.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,767		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 14.1 Arthritis Management

Column: 362

Type: Num

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	4,767		

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 14.2 Arthritis Management

Column: 363

Type: Num

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	4,767		

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 14.3 Arthritis Management

Column: 364

Type: Num

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 14.4 Arthritis Management

Column: 365

Type: Num

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 17.01, HAVARTH2, is coded 2, 7, 9, or Missing	4,767		

Received Tetanus Shot In The Past 10 Years?

Module: 15.1 Tetanus Diptheria (Adults)

Column: 366

Type: Num

SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 15.2 Tetanus Diptheria (Adults)

Column: 367

Type: Num

SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, TNSARCV, is coded 2, 7, 9 or Missing	4,767		

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 15.3 Tetanus Diptheria (Adults)

Column: 368

Type: Num

SAS Variable Name: TNSASHOT

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diphtheria vaccine. The other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 15.02, TNSARCNT, is coded 2	4,767		

Have you ever had the HPV vaccination?

Module: 16.1 Adult Human Papilloma Virus (HPV)

Column: 369

Type: Num

SAS Variable Name: HPVADVC

Prologue:

Description: A vaccine to prevent the human papilloma virus or HPV infection is available and is called cervical cancer vaccine, HPV shot, or GARDASIL®. Have you EVER had the HPV vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 49	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How many HPV shots did you receive?

Module: 16.2 Adult Human Papilloma Virus (HPV)

Column: 370-371

Prologue:

Description: How many HPV shots did you receive?

Type: Num

SAS Variable Name: HPVADSHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 49; or Module 16.01, HPVADV, is coded 2, 3, 7, 9 or Missing	4,767		

Have You Had Shingles Vaccine?

Module: 17.1 Shingles

Column: 372

Prologue: Shingles is caused by the chicken pox virus. It is an outbreak of rash or blisters on the skin that may be associated with severe pain.

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles vaccine. Have you had this vaccine?

Type: Num

SAS Variable Name: SHINGLES

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Age Of Person To Whom You Are Giving Care?

Module: 18.1 Caregiver

Column: 373-375

Prologue:

Description: What age is the person to whom you are giving care?

Type: Num

SAS Variable Name: CRGVAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

Gender Of Person To Whom You Are Giving Care?

Module: 18.2 Caregiver

Column: 376

Prologue: The remainder of these questions will be about the person to whom you are giving the most care.

Description: Is this person male or female?

Type: Num

SAS Variable Name: CRGVGNDR

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

Relationship Of Person To Whom You Are Giving Care?

Module: 18.3 Caregiver

Column: 377-378

Prologue:

Description: What is her/his relationship to you? For example is he/she your (mother/daughter or father/son)?

Type: Num

SAS Variable Name: CRGVRELT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Long Provided Care For Person.

Module: 18.4 Caregiver

Column: 379-381

Type: Num

SAS Variable Name: CRGVLONG

Prologue:

Description: For how long have you provided care for [CATI: code from Q3]. If Q3 = 77 (Don't know/not sure) or 99 (Refused), say "that person."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

What Is The Major Health Problem, Illness, Disability For Care For Person?

Module: 18.5 Caregiver

Column: 382-383

Type: Num

SAS Variable Name: CRGVPROB

Prologue:

Description: What has a doctor said is the major health problem, long-term illness, or disability that the person you care for has?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

What Areas Does Person Most Need Your Help?

Module: 18.6 Caregiver

Column: 384-385

Type: Num

SAS Variable Name: CRGVMOST

Prologue:

Description: In which of the following areas does the person you care for most need your help?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

How Many Hours Do You Provide Care For Person?

Module: 18.7 Caregiver

Column: 386-388

Type: Num

SAS Variable Name: CRGVHRS

Prologue:

Description: In an average week, how many hours do you provide care for [CATI: code from Q3] because of his/her health problem, long-term illness, or disability? (Round up to the next whole number of hours.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

Greatest Difficulty You Have Faced As A Caregiver

Module: 18.8 Caregiver

Column: 389-390

Type: Num

SAS Variable Name: CRGVDIFF

Prologue:

Description: I am going to read a list of difficulties you may have faced as a caregiver. Please indicate which one of the following is the greatest difficulty you have faced as a caregiver.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

In the past year, has the person experienced changes in thinking/remembering?

Module: 18.9 Caregiver

Column: 391

Type: Num

SAS Variable Name: CRGVCHNG

Prologue:

Description: During the past year, has the person you care for experienced changes in thinking or remembering?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 13.01, CAREGIVE, is coded 2, 7, 9, or Missing	4,767		

Household prepared to handle large-scale disaster or emergency

Module: 19.1 General Preparedness

Column: 392

Type: Num

SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 19.2 General Preparedness

Column: 393

Type: Num

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 19.3 General Preparedness

Column: 394

Type: Num

SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 19.4 General Preparedness

Column: 395

Type: Num

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 19.5 General Preparedness

Type: Num

Column: 396

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 19.6 General Preparedness

Type: Num

Column: 397

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 19.7 General Preparedness

Type: Num

Column: 398

SAS Variable Name: GPEMRM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 19.8 General Preparedness

Type: Num

Column: 399

SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Does your household have a disaster evacuation plan?

Module: 19.9 General Preparedness

Type: Num

Column: 400

SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 19.10 General Preparedness

Column: 401

Type: Num

SAS Variable Name: GPMNDEV1

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

What would be the main reason why you might not evacuate if asked to do so?

Module: 19.11 General Preparedness

Column: 402-403

Type: Num

SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.10, GPMNDEV1, is coded 1	4,767		

How do other people usually classify you in this country?

Module: 20.1 Reactions to Race

Column: 404

Type: Num

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How often do you think about your race?

Module: 20.2 Reactions to Race

Column: 405

Type: Num

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 20.3 Reactions to Race

Column: 406

Type: Num

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 20.4 Reactions to Race

Type: Num

Column: 407

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 20.5 Reactions to Race

Type: Num

Column: 408

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 20.6 Reactions to Race

Type: Num

Column: 409

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How often feel nervous past 30 days

Module: 21.1 Mental Illness & Stigma

Type: Num

Column: 410

SAS Variable Name: MISNERVS

Prologue: Now, I am going to ask you some questions about how you have been feeling during the past 30 days.

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How often feel hopeless past 30 days

Module: 21.2 Mental Illness & Stigma

Type: Num

Column: 411

SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How often feel restless past 30 days

Module: 21.3 Mental Illness & Stigma

Column: 412

Type: Num

SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How often feel depressed past 30 days

Module: 21.4 Mental Illness & Stigma

Column: 413

Type: Num

SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How often feel everything was an effort past 30 days

Module: 21.5 Mental Illness & Stigma

Column: 414

Type: Num

SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How often feel worthless past 30 days

Module: 21.6 Mental Illness & Stigma

Column: 415

Type: Num

SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Emotional problem kept you from doing work past 30 days

Module: 21.7 Mental Illness & Stigma

Column: 416-417

Type: Num

SAS Variable Name: MISNOWRK

Prologue: The next question asks if any type of mental health condition or emotional problem has recently kept you from doing your work or other usual activities.

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, or recreation.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Receiving medicine or treatment from health pro for emotional problem

Module: 21.8 Mental Illness & Stigma

Column: 418

Type: Num

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Mental health treatment can help people lead normal life

Module: 21.9 Mental Illness & Stigma

Column: 419

Type: Num

SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment. How much do you agree or disagree with these statements about people with mental illness...

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree slightly or strongly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

People are generally caring toward people with mental illness

Module: 21.10 Mental Illness & Stigma

Column: 420

Type: Num

SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education programs.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Do you have a CO detector in your home?

Module: 22.1 Carbon Monoxide Detectors and Gas Powered Generators

Column: 421

Type: Num

SAS Variable Name: IAQCODT1

Prologue: A carbon monoxide or CO detector checks the level of carbon monoxide in your home. It is different than a smoke detector.

Description: Do you have a carbon monoxide detector in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Does Your Carbon Monoxide Detector Use A Battery?

Module: 22.2 Carbon Monoxide Detectors and Gas Powered Generators

Column: 422

Type: Num

SAS Variable Name: CMDGPPWR

Prologue:

Description: Does your carbon monoxide detector use a battery for either the main power or the backup power?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		
	Notes: Module 22.01, IAQCODT1, is coded 2, 7, 9, or Missing			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Last Time Batteries In Carbon Monoxide Detector Were Changed

Module: 22.3 Carbon Monoxide Detectors and Gas Powered Generators

Column: 423

Type: Num

SAS Variable Name: CMDGPBAT

Prologue:

Description: When was the last time the batteries in your carbon monoxide detector were changed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.01, IAQCODT1, is coded 2, 7, 9, or Missing; or Module 22.02, CMDGPPWR, is coded 2, 7, 9, or Missing	4,767		

Has Anyone In Household Ever Used Gas-Powered Generator To Provide Electric Power?

Module: 22.4 Carbon Monoxide Detectors and Gas Powered Generators

Column: 424

Type: Num

SAS Variable Name: CMDGPGEN

Prologue:

Description: Has anyone in your household EVER used a gas-powered generator to provide electric power to your home when the power went out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Has Anyone In Household Ever Used Diesel-Powered Generator To Provide Electric Power?

Module: 22.5 Carbon Monoxide Detectors and Gas Powered Generators

Column: 425

Type: Num

SAS Variable Name: CMDGPDLS

Prologue:

Description: In the past year, has anyone in your household used a gasoline or diesel-powered generator to provide electric power to your home when the power went out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	4,767		

Where Is Generator When It Is Running?

Module: 22.6 Carbon Monoxide Detectors and Gas Powered Generators

Column: 426

Type: Num

SAS Variable Name: CMDGPLOC

Prologue:

Description: Where is the generator usually placed when it is running?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	4,767		

Most Impact On Where Generator Is While Running?

Module: 22.7 Carbon Monoxide Detectors and Gas Powered Generators

Column: 427

Type: Num

SAS Variable Name: CMDGPRUN

Prologue:

Description: Which of the following has the most impact on where you place the generator while it is running?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Own, Rent, Or Borrow The Generator?

Module: 22.8 Carbon Monoxide Detectors and Gas Powered Generators

Column: 428

Type: Num

SAS Variable Name: CMDGPOWN

Prologue:

Description: Do you own, rent, or borrow the generator that you usually use to provide electric power to your home when the power goes out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 22.04, CMDGPGEN, is coded 2, 7, 9, or Missing	4,767		

Own or Rent Home

Module: 23.1 Social Context

Column: 429

Type: Num

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 23.2 Social Context

Column: 430

Type: Num

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 23.01, RENTHOM1, is coded 3, 7, 9 or Missing	4,767		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 23.3 Social Context

Column: 431

Type: Num

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How Are You Generally Paid For The Work You Do

Module: 23.4 Social Context

Column: 432

Type: Num

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Many Hours Per Week Do You Work

Module: 23.5 Social Context

Column: 433-434

Type: Num

SAS Variable Name: SCNTWORK

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	4,767		

How Were You Generally Paid For The Work You Did

Module: 23.6 Social Context

Column: 435

Type: Num

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 1, 2, 5, 6, 8, 9, or Missing	4,767		

How Many Hours Per Week Did You Work

Module: 23.7 Social Context

Column: 436-437

Type: Num

SAS Variable Name: SCNTLWRK

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.09, EMPLOY, is coded 1, 2, 9, or Missing	4,767		

Did You Vote In The Last Presidential Election?

Module: 23.8 Social Context

Column: 438

Type: Num

SAS Variable Name: SCNTVOTE

Prologue:

Description: Did you vote in the last presidential election? The November 2008 election between Barack Obama and John McCain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Live With Anyone Depressed, Mentally Ill, Or Suicidal?

Module: 24.1 Adverse Childhood Experience

Column: 439

Type: Num

SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Live With a Problem Drinker/Alcoholic?

Module: ORT, 2009

Column: 440

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

Type: Num

SAS Variable Name: ACEDRINK

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 24.3 Adverse Childhood Experience

Column: 441

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

Type: Num

SAS Variable Name: ACEDRUGS

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Live With Anyone Who Served Time in Prison or Jail?

Module: 24.4 Adverse Childhood Experience

Column: 442

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Type: Num

SAS Variable Name: ACEPRISN

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Were Your Parents Divorced/Seperated?

Module: 24.5 Adverse Childhood Experience

Column: 443

Prologue:

Description: Were your parents separated or divorced?

Type: Num

SAS Variable Name: ACEDIVRC

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How Often Did Your Parents Beat Each Other Up?

Module: 24.6 Adverse Childhood Experience

Column: 444

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Type: Num

SAS Variable Name: ACEPUNCH

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How Often Did A Parent Physically Hurt You In Any Way?

Module: 24.7 Adverse Childhood Experience

Column: 445

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking. Would you say---

Type: Num

SAS Variable Name: ACEHURT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How Often Did A Parent Swear At You?

Module: 24.8 Adverse Childhood Experience

Column: 446

Type: Num

SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How Often Did Anyone Ever Touch You Sexually?

Module: 24.9 Adverse Childhood Experience

Column: 447

Type: Num

SAS Variable Name: ACETOUGH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How Often Did Anyone Make You Touch Them Sexually?

Module: 24.10 Adverse Childhood Experience

Column: 448

Type: Num

SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

How Often Did Anyone Ever Force You to Have Sex?

Module: 24.11 Adverse Childhood Experience

Column: 449

Type: Num

SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Birth date of child

Module: 25.1 Random Child Selection

Column: 465-470

Type: Char

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	16	1.29	3.33
999999	Refused	70	5.62	4.38
BLANK	Not asked or Missing	3,522		
HIDDEN	Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; Data not displayed	1,159	93.09	92.29
	Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Gender of child

Module: 25.2 Random Child Selection

Column: 471

Prologue:

Description: Is the child a boy or a girl?

Type: Num

SAS Variable Name: RCSGENDR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	621	49.88	48.79
2	Girl	607	48.76	50.11
9	Refused	17	1.37	1.10
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	3,522		

Ethnicity of child

Module: 25.3 Random Child Selection

Column: 472

Prologue:

Description: Is the child Hispanic or Latino?

Type: Num

SAS Variable Name: RCHISLAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	2.89	4.40
2	No	1,197	96.14	94.79
9	Refused	12	0.96	0.81
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	3,522		

Race of child (multiple possible)

Module: 25.4 Random Child Selection

Column: 473-478

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Type: Char

SAS Variable Name: RCSRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.08	0.04
9	Refused	17	1.37	1.52
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	3,522		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,227	98.55	98.44

Race of child

Module: 25.5 Random Child Selection

Column: 479

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Type: Num

SAS Variable Name: RCSBRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	13	38.24	27.63
2	Black or African American	2	5.88	2.99
3	Asian	1	2.94	4.45
4	Native Hawaiian or other Pacific Islander	1	2.94	2.35
5	American Indian or Alaskan Native	5	14.71	28.70
7	Don't know/Not sure	7	20.59	15.85
9	Refused	5	14.71	18.02
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 25.04, RCSRACE, has only one valid race code (1-6)	4,733		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Relationship to child

Module: 25.6 Random Child Selection

Column: 480

Prologue:

Description: How are you related to the child?

Type: Num
SAS Variable Name: RCSRLTN2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	1,139	91.56	82.50
2	Grandparent	30	2.41	1.73
3	Foster parent or guardian	12	0.96	1.08
4	Sibling (include biologic, step, and adoptive sibling)	31	2.49	9.98
5	Other relative	9	0.72	2.17
6	Not related in any way	13	1.05	1.88
9	Refused	10	0.80	0.66
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	3,523		

Hlth pro ever said child has asthma

Module: 26.1 Childhood Asthma Prevalence

Column: 481

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Type: Num
SAS Variable Name: CASTHDX2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	129	10.39	9.63
2	No-Go to next module	1,099	88.56	88.77
7	Don't know/Not Sure-Go to next module	5	0.40	1.07
9	Refused-Go to next module	8	0.64	0.53
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing	3,526		

Child still have asthma?

Module: 26.2 Childhood Asthma Prevalence

Column: 482

Prologue:

Description: Does the child still have asthma?

Type: Num
SAS Variable Name: CASTHNO2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	65.89	72.88
2	No	38	29.46	23.43
7	Don't know/Not Sure	6	4.65	3.69
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 26.01, CASTHDX2, is coded 2, 7, 9, or Missing	4,638		

Had flu shot past 12 mos

Module: 27.1 Childhood Immunization

Column: 483

Prologue:

Description: During the past 12 months, has [Fill: he/she] had a flu vaccination? There are two types of flu vaccinations. One is a shot and the other is a spray in the nose.

Type: Num
SAS Variable Name: FLUSHCH1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	118	37.70	37.49
2	No-Go to next module	190	60.70	57.13
7	Don't know/Not Sure-Go to next module	5	1.60	5.38
BLANK	Not asked or Missing Notes: CHILDDAGE < 6 months	4,454		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Date child rcvd most recent flu vaccine(mmyyyy)

Module: 27.2 Childhood Immunization

Column: 484-489

Type: Num

SAS Variable Name: RCVFVCH3

Prologue:

Description: During what month and year did [Fill: he/she] receive the most recent flu vaccination? The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is sprayed in the nose.

Value	Value Label	Frequency	Percentage	Weighted Percentage
999999	Refused	1	0.84	0.91
BLANK	Not asked or Missing	4,648		
HIDDEN	Data not displayed	118	99.16	99.09

Notes: CHILDDAGE < 6 months; or Module 27.01, FLUSHCH1, is coded 2, 7, 9, or Missing

67

Module: 28.1 Child Human Papilloma Virus (HPV)

Column: 490

Type: Num

SAS Variable Name: HPVCHVC

Prologue:

Description: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer vaccine, HPV shot, or GARDASIL®. Has this child EVER had the HPV vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 15.02, RCSGENDR, is coded 1, 9 or Missing; or CHILDDAGE < 9 years or Missing; or CHILDDAGE > 17 years

How many HPV shots did child receive?

Module: 28.3 Child Human Papilloma Virus (HPV)

Column: 491-492

Type: Num

SAS Variable Name: HPVCHSHT

Prologue:

Description: How many HPV shots did she receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 25.02, RCSGENDR, is coded 1, 9 or Missing; or CHILDDAGE < 9 years or Missing; or CHILDDAGE > 17 years; or Module 28.01, HPVCHVC, is coded 2, 3, 7, 9 or Missing

Adolescent Received Tetanus Shot In The Past 10 Years?

Module: 29.1 Tetanus Diptheria (Adolescents)

Column: 493

Type: Num

SAS Variable Name: TNSRCV

Prologue:

Description: Has he/she received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,767		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 10 years or Missing; or CHILDDAGE > 17 years

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Was Adolescent Most Recent Tetanus Shot In 2005 Or Later?

Module: 29.2 Tetanus Diptheria (Adolescents)

Column: 494

Prologue:

Description: Was his/her most recent tetanus shot given in 2005 or later?

Type: Num

SAS Variable Name: TNSCRCNT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 10 years or Missing; or CHILDDAGE > 17 years; or Module 29.01, TNSCRCV, is coded 2, 7, 9 or Missing	4,767		

Did Adolescent Tetanus Shot Included The Pertussis Vaccine?

Module: 29.3 Tetanus Diptheria (Adolescents)

Column: 495

Prologue: There are currently two types of tetanus shots available for older children and teenagers. One contains the tetanus diphtheria vaccine. The other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did the doctor say his/her most recent tetanus shot included the pertussis or whooping cough vaccine?

Type: Num

SAS Variable Name: TNSCSHOT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 10 years or Missing; or CHILDDAGE > 17 years; or Module 29.01, TNSCRCV, is coded 2, 7, 9 or Missing; or Module 29.02, TNSCRCNT, is coded 2	4,767		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Column: 496

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Type: Num

SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	419	73.00	72.79
2	No	155	27.00	27.21
BLANK	Not asked or Missing	4,193		

State Added Questions

State: 1.1 StateQuestions

Column: 501-750

Prologue:

Description: State Added Questions

Type: Char

SAS Variable Name: STATEQUE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

What is the most effective ONE thing you can do to prevent getting sick from the flu?

Section: 16.6 Pandemic Influenza

Column: 751

Type: Num

SAS Variable Name: PF09Q01

Prologue:

Description: What do you think is the most effective ONE thing you can do to prevent getting sick from the flu?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Avoiding touching your eyes, nose or mouth as much as possible during the flu season	221	27.12	27.76
2	Avoiding close contact with others who may have the flu	319	39.14	37.93
3	Getting the flu vaccination	207	25.40	25.43
4	Taking anti-viral medicine, like Tamiflu, on the first or second day that you have symptoms of the flu	14	1.72	1.86
7	Don't know/Not Sure	48	5.89	6.50
9	Refused	6	0.74	0.52
BLANK	Not asked or Missing	3,952		

What is the most effective thing to do to prevent spreading the flu to people when you are sick?

Section: 16.7 Pandemic Influenza

Column: 752

Type: Num

SAS Variable Name: PF09Q02

Prologue:

Description: What do you think is the most effective thing to do to prevent spreading the flu to people when you are sick?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Frequent hand washing	197	24.20	25.35
2	Covering your mouth and nose when coughing or sneezing	59	7.25	11.02
3	Staying home when you are sick with the flu	510	62.65	58.41
4	Getting the flu vaccination	32	3.93	3.66
5	Something else	7	0.86	0.68
7	Don't know/Not Sure	8	0.98	0.81
9	Refused	1	0.12	0.09
BLANK	Not asked or Missing	3,953		

If there is a pandemic flu outbreak what do you think your chances are of getting sick with the pandemic flu?

Section: 16.8 Pandemic Influenza

Column: 753

Type: Num

SAS Variable Name: PF09Q03

Prologue:

Description: If there is a pandemic flu outbreak and you do not get the pandemic flu vaccination, what do you think your chances are of getting sick with the pandemic flu?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very high (90-100%)	61	7.53	9.08
2	High (70-89%)	110	13.58	15.76
3	Average (50-69%)	326	40.25	40.91
4	Low (20-49%)	168	20.74	19.09
5	Very low (0-19%)	103	12.72	11.82
7	Don't know/Not Sure	41	5.06	3.27
9	Refused	1	0.12	0.07
BLANK	Not asked or Missing	3,957		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

If there was a pandemic flu outbreak, how likely are you to get a pandemic flu vaccination?

Section: 16.9 Pandemic Influenza

Column: 754

Type: Num

SAS Variable Name: PF09Q04

Prologue:

Description: If there was a pandemic flu outbreak, how likely are you to get a pandemic flu vaccination if it was available to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Definitely get one	357	44.18	41.72
2	Probably get one	288	35.64	39.64
3	Probably not get one	119	14.73	14.50
4	Definitely not get a pandemic flu vaccination	28	3.47	2.79
7	Don't know/Not Sure	16	1.98	1.34
BLANK	Not asked or Missing	3,959		

If told to get vaccinated to prevent the spread of pandemic flu, would you...

Section: 16.10 Pandemic Influenza

Column: 755

Type: Num

SAS Variable Name: PF09Q05

Prologue:

Description: If public health officials recommended that everyone go to a particular public place such as a local school, fire station, or sports stadium to get vaccinated to prevent the spread of pandemic flu, would you...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Definitely go	308	38.21	35.64
2	Probably go	344	42.68	47.99
3	Probably not go	105	13.03	12.44
4	Definitely not go to a particular place to get vaccinated	36	4.47	2.93
7	Don't know/Not Sure	12	1.49	0.91
9	Refused	1	0.12	0.09
BLANK	Not asked or Missing	3,961		

If there is pandemic flu in the U.S. what would be the most important ONE thing you would want to know?

Section: 16.11 Pandemic Influenza

Column: 756-757

Type: Num

SAS Variable Name: PF09Q06

Prologue:

Description: Imagine an outbreak of pandemic flu in the U.S. in the next year. What would be the most important ONE thing you would want to know?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	How to prevent getting the flu	371	46.32	44.12
2	How to prevent spreading the flu	55	6.87	7.31
3	Symptoms of the flu	113	14.11	15.54
4	How to treat the flu	84	10.49	10.72
5	Cities where cases of the flu have been identified	31	3.87	3.54
6	Information about the flu vaccine	71	8.86	8.84
7	Something else	48	5.99	7.61
77	Don't know/Not Sure	27	3.37	2.20
99	Refused	1	0.12	0.12
BLANK	Not asked or Missing	3,966		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

What would be your ONE most preferred source for getting information about the pandemic flu?

Section: 16.12 Pandemic Influenza

Column: 758-759

Type: Num

SAS Variable Name: PF09Q07

Prologue:

Description: During a pandemic flu outbreak in the U.S., what would be your ONE most preferred source for getting information about the pandemic flu? Please tell me your one most preferred source.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Newspapers	53	6.64	5.21
2	Television	252	31.58	33.10
3	Radio	57	7.14	5.71
4	Internet websites	106	13.28	18.60
5	Your doctor	194	24.31	21.66
6	The CDC (Centers for Disease Control and Prevention)	18	2.26	2.61
7	State or local public health departments	43	5.39	4.54
8	Other government agencies	5	0.63	0.51
9	Family or friends	17	2.13	2.01
11	Some other source	33	4.14	4.03
77	Don't know/Not Sure	18	2.26	1.92
99	Refused	2	0.25	0.10
BLANK	Not asked or Missing	3,969		

What is the ONE most likely thing you would do if a pandemic flu outbreak were reported IN YOUR STATE?

Section: 16.13 Pandemic Influenza

Column: 760-761

Type: Num

SAS Variable Name: PF09Q08

Prologue:

Description: Excluding vaccination, what is the ONE most likely thing you would do if a pandemic flu outbreak were reported IN YOUR STATE? Please choose one from the following list?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consult a website	46	5.78	5.55
2	Avoid crowds and public events	184	23.12	21.18
3	Consult your doctor	276	34.67	34.75
4	Try to get a prescription for an anti-viral drug such as Tamiflu	33	4.15	4.10
5	Reduce or avoid travel	9	1.13	1.48
6	Wash hands frequently	79	9.92	12.33
7	Wear a face mask	9	1.13	0.78
8	Keep household members at home while the outbreak lasts	87	10.93	10.50
9	Stock up on medicines and food to help with flu symptoms	12	1.51	0.85
10	Something else	41	5.15	6.67
77	Don't know/Not Sure	19	2.39	1.71
99	Refused	1	0.13	0.11
BLANK	Not asked or Missing	3,971		

If recommended that everyone stay at home for a month because of a serious outbreak of pandemic flu in your community, would you?

Section: 16.14 Pandemic Influenza

Column: 762

Type: Num

SAS Variable Name: PF09Q09

Prologue:

Description: If public health officials recommended that everyone stay at home for a month because of a serious outbreak of pandemic flu in your community, are you very likely, somewhat likely, somewhat unlikely, or very unlikely to stay home for a month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very likely	296	37.28	33.33
2	Somewhat likely	213	26.83	31.98
3	Somewhat unlikely	116	14.61	13.93
4	Very unlikely to stay at home for a month	161	20.28	19.99
7	Don't know/Not Sure	6	0.76	0.64
9	Refused	2	0.25	0.13
BLANK	Not asked or Missing	3,973		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Please tell me if you currently work in any of these fields.

Section: 16.15 Pandemic Influenza

Column: 763

Type: Num

SAS Variable Name: PF09Q10

Prologue: Emergency medical services, law enforcement, fire services, or in the manufacture of pandemic vaccines or anti-virals. Public health, healthcare provider, home health, or in a nursing home.

Description: I'm going to read you a list of job types. Please tell me if you currently work in any of these fields.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	105	21.38	21.20
2	No	382	77.80	78.29
7	Don't know/Not Sure	4	0.81	0.51
BLANK	Not asked or Missing	4,276		

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Column: 860

Type: Num

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Only Version Landline	4,767	100.00	100.00

Language identifier

State: 1.1 Questionnaire Language

Column: 861-862

Type: Num

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	4,767	100.00	100.00

Cell Phone Pilot County Name

State: 1.1 Cell Phone Pilot II

Column: 873-917

Type: Char

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone Pilot County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,767	100.00	100.00

Were You Ill With A Fever In Past Month?

Section: 25.1 H1N1 Adult

Column: 918

Type: Num

SAS Variable Name: H1N1AQ01

Prologue: We would like to ask you some questions about recent respiratory illnesses.

Description: During the past month, were you ill with a fever?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	122	7.96	8.25
2	No-Go to Section 24.08 H1N1AQ08	1,409	91.91	91.61
7	Don't know/Not Sure-Go to Section 24.08 H1N1AQ08	2	0.13	0.14
BLANK	Not asked or Missing	3,234		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Did you also have a cough and/or sore throat?

Section: 25.2 H1N1 Adult

Column: 919

Type: Num

SAS Variable Name: H1N1AQ02

Prologue:

Description: Did you also have a cough and/or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	95	77.87	82.93
2	No-Go to Section 24.08 H1N1AQ08	27	22.13	17.07
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing	4,645		

When did you first become ill with fever, cough or sore throat?

Section: 25.3 H1N1 Adult

Column: 920

Type: Num

SAS Variable Name: H1N1AQ03

Prologue:

Description: When did you first become ill with fever, cough or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past week Notes: [Interviewer, if asked: past 1-7 days]	20	21.05	21.11
2	2 weeks ago Notes: [Interviewer, if asked: past 8-14 days]	25	26.32	28.00
3	3-4 weeks ago Notes: [Interviewer, if asked: 15-30 days before today]	50	52.63	50.90
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing	4,672		

Did you visit a doctor, nurse, or other health professional for this illness?

Section: 25.4 H1N1 Adult

Column: 921

Type: Num

SAS Variable Name: H1N1AQ04

Prologue:

Description: Did you visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	33.68	30.88
2	No-Go to Section 24.08 H1N1AQ08	63	66.32	69.12
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing	4,672		

What did the doctor, nurse, or other health professional tell you?

Section: 25.5 H1N1 Adult

Column: 922

Type: Num

SAS Variable Name: H1N1AQ05

Prologue:

Description: What did the doctor, nurse, or other health professional tell you? Did they say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You had regular influenza or the flu	7	21.88	27.24
2	You had swine flu, also known as H1N1 or novel H1N1	2	6.25	7.14
3	You had some other illness, but not the flu	20	62.50	55.05
7	Don't know/Not Sure	3	9.38	10.58
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.04, H1N1AQ04, is coded 2, 7, 9, or Missing	4,735		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Did you have a flu test that was positive for this illness?

Section: 25.6 H1N1 Adult

Column: 923

Type: Num

SAS Variable Name: H1N1AQ06

Prologue:

Description: Did you have a flu test that was positive for this illness? Usually a swab from your nose or throat is tested. Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, had flu test and it was positive	4	12.50	9.94
2	No, had flu test but it was negative	4	12.50	10.45
3	No, flu test was not done	24	75.00	79.62
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.04, H1N1AQ04, is coded 2, 7, 9, or Missing	4,735		

Did you receive Tamiflu®, oseltamivir, Relenza® or zanamivir [za NA mi veer] to treat this illness?

Section: 25.7 H1N1 Adult

Column: 924

Type: Num

SAS Variable Name: H1N1AQ07

Prologue:

Description: Did you receive Tamiflu® or oseltamivir [o sel TAM i veer] or an inhaled medicine called Relenza® or zanamivir [za NA mi veer] to treat this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	9.38	13.10
2	No	29	90.63	86.90
BLANK	Not asked or Missing Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.04, H1N1AQ04, is coded 2, 7, 9, or Missing	4,735		

Did any other members of your household have a fever with cough or sore throat during the past month?

Section: 25.8 H1N1 Adult

Column: 925

Type: Num

SAS Variable Name: H1N1AQ08

Prologue:

Description: Did any other members of your household have a fever with cough or sore throat during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	261	23.35	27.75
2	No—Go to Section 24.10 H1N1AQ10	852	76.21	71.84
7	Don't know/Not Sure	5	0.45	0.41
BLANK	Not asked or Missing	3,649		

How many household members, including you, were ill during the past month?

Section: 25.9 H1N1 Adult

Column: 926-927

Type: Num

SAS Variable Name: H1N1AQ09

Prologue:

Description: How many household members, including you, were ill during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	# persons [1-76]	263	98.87	99.16
88	No	2	0.75	0.48
77	Don't know/Not Sure	1	0.38	0.36
BLANK	Not asked or Missing	4,501		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

How many people in your household, including you, were hospitalized for flu during the past month?

Section: 25.10 H1N1 Adult

Column: 928-929

Type: Num

SAS Variable Name: H1N1AQ10

Prologue:

Description: How many people in your household, including you, were hospitalized for flu during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	# persons [1-76]	6	1.92	1.74
88	None	306	98.08	98.26
BLANK	Not asked or Missing	4,455		

Notes: Section 24.01, H1N1AQ01, is coded 2, 7, 9, or Missing; or Section 24.02, H1N1AQ02, is coded 2, 7, 9, or Missing; or Section 24.08, H1N1AQ08, is coded 2, 7, 9, or Missing;

Has the child had a fever with cough and/or sore throat during the past month?

Module: 30.1 H1N1 Child

Column: 930

Type: Num

SAS Variable Name: H1N1CQ01

Prologue:

Description: Has the child had a fever with cough and/or sore throat during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	117	28.40	29.75
2	No-Go to Next Module	290	70.39	67.54
7	Don't know/Not Sure-Go to Next Module	3	0.73	2.39
9	Refused-Go to Next Module	2	0.49	0.33
BLANK	Not asked or Missing	4,355		

Did the child visit a doctor, nurse, or other health professional for this illness?

Module: 30.2 H1N1 Child

Column: 931

Type: Num

SAS Variable Name: H1N1CQ02

Prologue:

Description: Did the child visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	40.17	40.62
2	No	70	59.83	59.38
BLANK	Not asked or Missing	4,650		

Notes: Module 30.01, H1N1CQ01, is coded 2, 7, 9, or Missing;

Have you been vaccinated for H1N1?

Module: 31.1 Novel H1N1 Adult Immunization

Column: 932

Type: Num

SAS Variable Name: H1N1AV01

Prologue: There are ways to get the H1N1 flu vaccination. One is a shot in the arm and the other is a spray, mist or drop in the nose.

Description: Since September, 2009, have you been vaccinated either way for the H1N1 flu?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	5.31	4.88
2	No-Go to Section 16.01 FLUSHOT3	1,207	94.30	94.92
7	Don't know/Not Sure-Go to Section 16.01 FLUSHOT3	5	0.39	0.19
BLANK	Not asked or Missing	3,487		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

During what month did you receive your H1N1 flu vaccine?

Module: 31.2 Novel H1N1 Adult Immunization

Column: 933-934

Type: Num

SAS Variable Name: H1N1AV02

Prologue:

Description: During what month did you receive your H1N1 flu vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	September	5	7.35	7.98
10	October	25	36.76	37.29
11	November	25	36.76	35.59
12	December	12	17.65	16.18
77	Don't know/Not Sure	1	1.47	2.96
BLANK	Not asked or Missing	4,699		

Notes: Module 31.01, H1N1AV01, is coded 2, 7, 9, or Missing

Was this a shot or vaccine sprayed in the nose?

Module: 31.3 Novel H1N1 Adult Immunization

Column: 935

Type: Num

SAS Variable Name: H1N1AV03

Prologue:

Description: Was this a shot or vaccine sprayed in the nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Flu shot	61	89.71	84.60
2	Flu Nasal Spray (spray, mist or drop in the nose)	7	10.29	15.40
BLANK	Not asked or Missing	4,699		

Notes: Module 31.01, H1N1AV01, is coded 2, 7, 9, or Missing

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 32.1 High Risk/Health Care Worker

Column: 936

Type: Num

SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional nursing care provided in the home.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	177	14.44	13.87
2	No—Go to Module 32.03 DRHPAD1	1,048	85.48	86.08
7	Don't know/Not Sure—Go to Module 32.03 DRHPAD1	1	0.08	0.05
BLANK	Not asked or Missing	3,541		

Do you provide direct patient care as part of your routine work?

Module: 32.2 High Risk/Health Care Worker

Column: 937

Type: Num

SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on contact with patients.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	130	10.61	10.62
2	No	1,090	88.98	89.09
7	Don't know/Not Sure	4	0.33	0.20
9	Refused	1	0.08	0.08
BLANK	Not asked or Missing	3,542		

Notes: Module 32.01, WRKHCF1, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 32.3 High Risk/Health Care Worker
Column: 938

Type: Num
SAS Variable Name: DRHPAD1

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma; Kidney problems ; Anemia, including Sickle Cell ; Or A weakened immune system caused by a chronic illness or by medicines; taken for a chronic illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107	8.73	6.94
2	No-Go to next module	1,114	90.94	92.76
7	Don't know/Not Sure-Go to next module	4	0.33	0.30
BLANK	Not asked or Missing	3,542		

Still have this health problem

Module: 32.4 High Risk/Health Care Worker
Column: 939

Type: Num
SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	71.96	73.40
2	No	27	25.23	24.29
7	Don't know/Not Sure	3	2.80	2.31
BLANK	Not asked or Missing	4,660		

Notes: Module 32.04, DRHPAD1, is coded 2, 7, 9, or Missing

Since September, 2009, has [Fill: he/she] had a H1N1 flu vaccination?

Module: 33.1 Novel H1N1 Child Immunization
Column: 940

Type: Num
SAS Variable Name: H1N1CV01

Prologue:

Description: Since September, 2009, has [Fill: he/she] had a H1N1 flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	16.56	16.02
2	No-Go to Module 27.01 FLUSHCH1	254	80.89	77.66
7	Don't know/Not Sure-Go to Module 27.01 FLUSHCH1	8	2.55	6.32
BLANK	Not asked or Missing	4,453		

Since September 2009, how many of these H1N1 vaccinations has [Fill: he/she] received?

Module: 33.2 Novel H1N1 Child Immunization
Column: 941

Type: Num
SAS Variable Name: H1N1CV02

Prologue:

Description: Since September 2009, how many of these H1N1 vaccinations has [Fill: he/she] received?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One vaccination or dose	27	96.43	95.57
2	Two or more vaccination doses	1	3.57	4.43
BLANK	Not asked or Missing	4,739		

Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

During what month did [Fill: he/she] receive [Fill: his/her] H1N1 flu vaccine?

Module: 33.3 Novel H1N1 Child Immunization

Column: 942-943

Type: Num

SAS Variable Name: H1N1CV03

Prologue:

Description: During what month did [Fill: he/she] receive [Fill: his/her] (CATI note: if child age < 10, "first H1N1 flu vaccine?"; otherwise, "H1N1 flu vaccine?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	September	1	1.92	1.36
10	October	17	32.69	31.88
11	November	32	61.54	62.87
12	December	2	3.85	3.89
BLANK	Not asked or Missing Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 7, 9, or Missing	4,715		

Was this a shot or vaccine sprayed in the nose?

Module: 33.4 Novel H1N1 Child Immunization

Column: 944

Type: Num

SAS Variable Name: H1N1CV04

Prologue:

Description: Was this a shot or vaccine sprayed in the nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Flu shot	32	61.54	62.75
2	Flu Nasal Spray (spray, mist or drop in the nose)	20	38.46	37.25
BLANK	Not asked or Missing Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 7, 9, or Missing	4,715		

During what month did [Fill: he/she] receive [Fill: his/her] second H1N1 flu vaccine?

Module: 33.5 Novel H1N1 Child Immunization

Column: 945-946

Type: Num

SAS Variable Name: H1N1CV05

Prologue:

Description: During what month did [Fill: he/she] receive [Fill: his/her] second H1N1 flu vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
12	December	1	100.00	100.00
BLANK	Not asked or Missing Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 1, 7, 9, or Missing; or CHILDDAGE >= 10 years	4,766		

Was this a shot or vaccine sprayed in the nose?

Module: 33.6 Novel H1N1 Child Immunization

Column: 947

Type: Num

SAS Variable Name: H1N1CV06

Prologue:

Description: Was this a shot or vaccine sprayed in the nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Flu Nasal Spray (spray, mist or drop in the nose)	1	100.00	100.00
BLANK	Not asked or Missing Notes: Module 33.01, H1N1CV01, is coded 2, 7, 9, or Missing; or Module 33.02, H1N1CV02, is coded 1, 7, 9, or Missing; or CHILDDAGE >= 10 years	4,766		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Sample Design Stratification Variable

Weighting: 1.1 Weighting And Stratification Variables

Column: 948-952

Type: Num

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Stratum weight

Weighting: 1.2 Weighting And Stratification Variables

Column: 953-962

Type: Num

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw weighting factor

Weighting: 1.3 Weighting And Stratification Variables

Column: 963-972

Type: Num

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Design weight

Weighting: 1.4 Weighting And Stratification Variables

Column: 973-982

Type: Num

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Post-stratification weight

Weighting: 1.5 Weighting And Stratification Variables

Column: 983-992

Prologue:

Description: Post-stratification weight (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Type: Num

SAS Variable Name: _POSTSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight

Weighting: 1.6 Weighting And Stratification Variables

Column: 993-1002

Prologue:

Description: Final weight assigned to each respondent (Post-stratification weight (_POSTSTR) multiplied by design weight (_WT2).)

Type: Num

SAS Variable Name: _FINALWT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw weighting factor questionnaire version 1

Weighting: 1.7 Weighting And Stratification Variables

Column: 1003-1012

Prologue:

Description: Raw weighting factor questionnaire version 1 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 1.)

Type: Num

SAS Variable Name: _RAWQ1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Design weight questionnaire version 1. The product of the preceding four factors

Weighting: 1.8 Weighting And Stratification Variables

Column: 1013-1022

Prologue:

Description: Design weight questionnaire version 1 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ1).)

Type: Num

SAS Variable Name: _WT2Q1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009

Post-stratification weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.9 Weighting And Stratification Variables
Column: 1023-1032

Type: Num
SAS Variable Name: _POSTQ1

Prologue:

Description: Post-stratification weight questionnaire version 1 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2

Weighting: 1.10 Weighting And Stratification Variables
Column: 1033-1042

Type: Num
SAS Variable Name: _FINALQ1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1 (Post-stratification weight (_POSTQ1) multiplied by design weight (_WT2Q1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw weighting factor questionnaire version 2

Weighting: 1.11 Weighting And Stratification Variables
Column: 1043-1052

Type: Num
SAS Variable Name: _RAWQ2

Prologue:

Description: Raw weighting factor questionnaire version 2 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Design weight questionnaire version 2. The product of the preceding four factors

Weighting: 1.12 Weighting And Stratification Variables
Column: 1053-1062

Type: Num
SAS Variable Name: _WT2Q2

Prologue:

Description: Design weight questionnaire version 2 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Post-stratification weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.13 Weighting And Stratification Variables
Column: 1063-1072

Type: Num
SAS Variable Name: _POSTQ2

Prologue:

Description: Post-stratification weight questionnaire version 2 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2

Weighting: 1.14 Weighting And Stratification Variables
Column: 1073-1082

Type: Num
SAS Variable Name: _FINALQ2

Prologue:

Description: Final weight assigned to each respondent questionnaire version 2 (Post-stratification weight (_POSTQ2) multiplied by design weight (_WT2Q2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw weighting factor questionnaire version 3

Weighting: 1.15 Weighting And Stratification Variables
Column: 1083-1092

Type: Num
SAS Variable Name: _RAWQ3

Prologue:

Description: Raw weighting factor questionnaire version 3 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 3.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Design weight questionnaire version 3. The product of the preceding four factors

Weighting: 1.16 Weighting And Stratification Variables
Column: 1093-1102

Type: Num
SAS Variable Name: _WT2Q3

Prologue:

Description: Design weight questionnaire version 3 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Post-stratification weight questionnaire version 3 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.17 Weighting And Stratification Variables
Column: 1103-1112

Type: Num
SAS Variable Name: _POSTQ3

Prologue:

Description: Post-stratification weight questionnaire version 3 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 3.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight questionnaire version 3: Post-stratification weight multiplied by _WT2

Weighting: 1.18 Weighting And Stratification Variables
Column: 1113-1122

Type: Num
SAS Variable Name: _FINALQ3

Prologue:

Description: Final weight assigned to each respondent questionnaire version 3 (Post-stratification weight (_POSTQ3) multiplied by design weight (_WT2Q3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Region

Weighting: 1.19 Weighting And Stratification Variables
Column: 1123-1124

Type: Num
SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Age group codes used in post-stratification.

Weighting: 1.20 Weighting And Stratification Variables
Column: 1125-1126

Type: Num
SAS Variable Name: _AGEG_

Prologue:

Description: Age groups used in post-stratification (_AGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _AGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24	150	3.15	16.29
2	Age 25 to 34	434	9.10	16.45
3	Age 35 to 44	642	13.47	15.01
4	Age 45 to 54	1,036	21.73	18.50
5	Age 55 to 64	1,037	21.75	14.66
6	Age 65 to 74	713	14.96	8.88
7	Age 75 or older	755	15.84	10.21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Gender group codes used in post-stratification.

Weighting: 1.21 Weighting And Stratification Variables

Column: 1127

Type: Num

SAS Variable Name: _SEXG_

Prologue:

Description: Gender categories used in post-stratification (_SEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _SEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,901	39.88	49.94
2	Female	2,866	60.12	50.06

Race group codes used in post-stratification.

Weighting: 1.22 Weighting And Stratification Variables

Column: 1128

Type: Num

SAS Variable Name: _RACEG3_

Prologue:

Description: Post-stratification race group codes used in weighting (_RACEG3_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _RACEG3_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	4,767	100.00	100.00

Age value used to determine age groups

Weighting: 1.23 Weighting And Stratification Variables

Column: 1129-1130

Type: Num

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	150	3.15	16.29
25 - 34	Age 25 to 34	434	9.10	16.45
35 - 44	Age 35 to 44	642	13.47	15.01
45 - 54	Age 45 to 54	1,036	21.73	18.50
55 - 64	Age 55 to 64	1,037	21.75	14.66
65 - 99	Age 65 or older	1,468	30.80	19.09

Imputed number of phones

Weighting: 1.24 Weighting And Stratification Variables

Column: 1131

Type: Num

SAS Variable Name: _IMPDPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	4,694	98.47	99.11
2		64	1.34	0.83
3		7	0.15	0.06
4		1	0.02	0.00
5		1	0.02	0.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Interruption in Telephone Service Correction Factor

Weighting: 1.25 Weighting And Stratification Variables

Column: 1132-1141

Type: Num

SAS Variable Name: _ITSCF1

Prologue:

Description: Interruption in Telephone Service Correction Factor (CPS number of adults in households with telephones divided by CPS total number of adults, then multiplied by BRFSS adult population estimate)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Interruption in Telephone Service Correction Factor (Adjusted _WT2)

Weighting: 1.26 Weighting And Stratification Variables

Column: 1142-1151

Type: Num

SAS Variable Name: _ITSCF2

Prologue:

Description: Interruption in Telephone Service Correction Factor (Adjusted _WT2) (Adjusted design weight using TELSERV response and the number of adults in households without telephones.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Interruption in Telephone Service Post Stratification Correction Factor

Weighting: 1.27 Weighting And Stratification Variables

Column: 1152-1161

Type: Num

SAS Variable Name: _ITSPPOST

Prologue:

Description: Interruption in Telephone Service Post Stratification Correction Factor (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Interruption in Telephone Service Final Weighting Factor

Weighting: 1.28 Weighting And Stratification Variables

Column: 1162-1171

Type: Num

SAS Variable Name: _ITSFINL

Prologue:

Description: Interruption in Telephone Service Final Weighting Factor (ITS design weight (_ITSDCF2) multiplied by the ITS post stratification weight (_ITSPPOST).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Imputed County

Weighting: 1.29 Weighting And Stratification Variables

Column: 1172-1174

Prologue:

Description: Imputed County

Type: Num
SAS Variable Name: _IMPCTY

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.30 Weighting And Stratification Variables

Column: 1175-1179

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Type: Char
SAS Variable Name: _MSACODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Metropolitan Status Code

Weighting: 1.31 Record Identification

Column: 1180

Prologue:

Description: Metropolitan Status Code

Type: Num
SAS Variable Name: MSCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	1,305	27.38	26.93
2	Outside the center city of an MSA but inside the county containing the center city	350	7.34	8.39
3	Inside a suburban county of the MSA	191	4.01	3.71
5	Not in an MSA	2,921	61.28	60.96

CRACE with trailing 7, 8, 9s removed

ChildDemograp 1.01 Child Demographic Variables
hics:

Column: 1181-1186

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Type: Char
SAS Variable Name: CRACEORG

Value	Value Label	Frequency	Percentage	Weighted Percentage
7		1	0.08	0.04
9		17	1.37	1.52
BLANK		3,522		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,227	98.55	98.44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

CRACEORG with responses in ascending order

ChildDemograp 1.02 Child Demographic Variables
hics:

Column: 1187-1192

Type: Num

SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7		1	0.08	0.04
9		17	1.37	1.52
BLANK		3,522		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,227	98.55	98.44

Child Non-Hispanic Race including Multiracial

ChildDemograp 1.03 Child Demographic Variables
hics:

Column: 1193-1194

Type: Num

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACEASC = 1	1,096	88.03	83.66
2	Black or African American only Notes: CRACEASC =2	11	0.88	1.16
3	Asian Only Notes: CRACEASC = 3	5	0.40	0.52
4	Native Hawaiian or other Pacific Islander only Notes: CRACEASC = 4	5	0.40	0.75
5	American Indian or Alaskan Native only Notes: CRACEASC = 5	74	5.94	8.93
6	Other race only Notes: CRACEASC = 6	2	0.16	0.08
7	Multiracial Notes: CRACEASC >= 12	34	2.73	3.34
77	Don't know/Not sure Notes: CRACEASC = 7	1	0.08	0.04
99	Refused Notes: CRACEASC = 9	17	1.37	1.52
BLANK	Missing Notes: CRACEASC = Missing	3,522		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Child Age

ChildDemograp 1.04 Child Demographic Variables
hics:

Column: 1195-1197

Type: Num

Prologue:

SAS Variable Name: CHILDAGE

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	48	3.86	5.99
12 - 23	1 Year old	60	4.82	5.78
24 - 35	2 Years old	64	5.14	5.72
36 - 47	3 Years old	60	4.82	5.81
48 - 59	4 Years old	56	4.50	5.08
60 - 71	5 Years old	54	4.34	5.51
72 - 83	6 Years old	61	4.90	4.41
84 - 95	7 Years old	51	4.10	4.90
96 - 107	8 Years old	58	4.66	3.41
108 - 119	9 Years old	54	4.34	3.76
120 - 131	10 Years old	51	4.10	3.31
132 - 143	11 Years old	60	4.82	4.26
144 - 155	12 Years old	60	4.82	3.97
156 - 167	13 Years old	68	5.46	4.66
168 - 179	14 Years old	78	6.27	4.73
180 - 191	15 Years old	81	6.51	6.36
192 - 203	16 Years old	101	8.11	7.27
204 - 215	17 Years old	94	7.55	7.36
777	Don't know / Not sure	16	1.29	3.33
999	Refused	70	5.62	4.38
BLANK	Not asked or Missing	3,522		

Imputed Child Age

ChildWeighting: 1.01 Child Demographic Variables

Column: 1198-1199

Type: Num

Prologue:

SAS Variable Name: _CIMPAGE

Description: Imputed Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	0 Years old	48	3.86	5.99
1	1 Year old	60	4.82	5.78
2	2 Years old	64	5.14	5.72
3	3 Years old	60	4.82	5.81
4	4 Years old	56	4.50	5.08
5	5 Years old	54	4.34	5.51
6	6 Years old	61	4.90	4.41
7	7 Years old	51	4.10	4.90
8	8 Years old	58	4.66	3.41
9	9 Years old	54	4.34	3.76
10	10 Years old	51	4.10	3.31
11	11 Years old	60	4.82	4.26
12	12 Years old	146	11.73	11.68
13	13 Years old	68	5.46	4.66
14	14 Years old	78	6.27	4.73
15	15 Years old	81	6.51	6.36
16	16 Years old	101	8.11	7.27
17	17 Years old	94	7.55	7.36
BLANK	Not asked or Missing	3,522		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Child gender group codes used in post-stratification.

ChildWeighting: 1.02 Child Weighting Variables

Column: 1200

Type: Num

SAS Variable Name: _CSEXG_

Prologue:

Description: Child gender categories used in post-stratification (_CSEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CSEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	638	51.24	49.89
2	Female	607	48.76	50.11
BLANK	Missing	3,522		

Child race group codes used in post-stratification.

ChildWeighting: 1.03 Child Weighting Variables

Column: 1201

Type: Num

SAS Variable Name: _CRACEG_

Prologue:

Description: Child post-stratification race group codes used in weighting (_CRACEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CRACEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	1,245	100.00	100.00
BLANK	Missing	3,522		

Child age group codes used in post-stratification.

ChildWeighting: 1.04 Child Weighting Variables

Column: 1202-1204

Type: Num

SAS Variable Name: _CAGEG_

Prologue:

Description: Child age groups used in post-stratification (_CAGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CAGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 to 4	288	23.13	28.39
2	Age 5 to 9	278	22.33	21.99
3	Age 10 to 14	403	32.37	28.64
4	Age 15 to 17	276	22.17	20.99
BLANK	Missing	3,522		

Raw child weighting factor questionnaire version 1

ChildWeighting: 1.05 Child Weighting Variables

Column: 1205-1214

Type: Num

SAS Variable Name: _RAWCH1

Prologue:

Description: Raw child weighting factor questionnaire version 1 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Child design weight questionnaire version 1

ChildWeighting: 1.06 Child Weighting Variables

Column: 1215-1224

Type: Num

SAS Variable Name: _WT2CH1

Prologue:

Description: Child design weight questionnaire version 1 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Post-stratification child weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.07 Child Weighting Variables

Column: 1225-1234

Type: Num

SAS Variable Name: _POSTCH1

Prologue:

Description: Post-stratification child weight questionnaire version 1 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2CH1

ChildWeighting: 1.08 Child Weighting Variables

Column: 1235-1244

Type: Num

SAS Variable Name: _CHILDDQ1

Prologue:

Description: Final weight assigned to each child questionnaire version 1 (Post-stratification child weight (_POSTCH1) multiplied by child design weight (_WT2CH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw child weighting factor questionnaire version 2

ChildWeighting: 1.09 Child Weighting Variables

Column: 1245-1254

Type: Num

SAS Variable Name: _RAWCH2

Prologue:

Description: Raw child weighting factor questionnaire version 2 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Child design weight questionnaire version 2

ChildWeighting: 1.10 Child Weighting Variables

Column: 1255-1264

Type: Num

SAS Variable Name: _WT2CH2

Prologue:

Description: Child design weight questionnaire version 2 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Post-stratification child weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.11 Child Weighting Variables

Column: 1265-1274

Type: Num

SAS Variable Name: _POSTCH2

Prologue:

Description: Post-stratification child weight questionnaire version 2 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 2.)

Value	AKOTA CODEBOOfrequency	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2CH2

ChildWeighting: 1.12 Child Weighting Variables

Column: 1275-1284

Type: Num

SAS Variable Name: _CHILDDQ2

Prologue:

Description: Final weight assigned to each child questionnaire version 2 (Post-stratification child weight (_POSTCH2) multiplied by child design weight (_WT2CH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw child weighting factor questionnaire version 3

ChildWeighting: 1.13 Child Weighting Variables

Column: 1285-1294

Type: Num

SAS Variable Name: _RAWCH3

Prologue:

Description: Raw child weighting factor questionnaire version 3 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Child design weight questionnaire version 3

ChildWeighting: 1.14 Child Weighting Variables

Column: 1295-1304

Type: Num

SAS Variable Name: _WT2CH3

Prologue:

Description: Child design weight questionnaire version 3 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Post-stratification child weight questionnaire version 3 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.15 Child Weighting Variables

Column: 1305-1314

Type: Num

SAS Variable Name: _POSTCH3

Prologue:

Description: Post-stratification child weight questionnaire version 3 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 3.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final weight questionnaire version 3: Post-stratification weight multiplied by _WT2CH3

ChildWeighting: 1.16 Child Weighting Variables

Column: 1315-1324

Type: Num

SAS Variable Name: _CHILDDQ3

Prologue:

Description: Final weight assigned to each child questionnaire version 3 (Post-stratification child weight (_POSTCH3) multiplied by child design weight (_WT2CH3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw child weighting factor

ChildWeighting: 1.17 Child Weighting Variables

Column: 1325-1334

Type: Num

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Child design weight

ChildWeighting: 1.18 Child Weighting Variables

Column: 1335-1344

Type: Num

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Post-stratification child weight

ChildWeighting: 1.19 Child Weighting Variables

Column: 1345-1354

Type: Num

SAS Variable Name: _POSTCH

Prologue:

Description: Post-stratification child weight (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final child weight

ChildWeighting: 1.20 Child Weighting Variables

Column: 1355-1364

Type: Num

SAS Variable Name: _CHILWWT

Prologue:

Description: Final weight assigned to each child (Post-stratification child weight (_POSTCH) multiplied by child design weight (_WT2CH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

Column: 1365-1374

Type: Num

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Household design weight

HouseholdWeig 1.2 Household Weighting Variables
hting:

Type: Num

Column: 1375-1384

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Post-stratification household weight

HouseholdWeig 1.3 Household Weighting Variables
hting:

Type: Num

Column: 1385-1394

SAS Variable Name: _POSTHH

Prologue:

Description: Post-stratification household weight (Population estimate for households divided by the weighted sample frequency for households.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Final household weight

HouseholdWeig 1.4 Household Weighting Variables
hting:

Type: Num

Column: 1395-1404

SAS Variable Name: _HOUSEWT

Prologue:

Description: Final weight assigned to each household (Post-stratification household weight (_POSTHH) multiplied by household design weight (_WT2HH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,767	100.00	100.00

Adults with good or better health

CalculatedVaria 1.1 Calculated Variables
bles:

Type: X453

Column: 1405

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	4,024	84.41	88.26
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	732	15.36	11.58
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	11	0.23	0.16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Respondents aged 18-64 with health care coverage

Calculated Variables: 3.1 Calculated Variables

Type: Num

Column: 1406

SAS Variable Name: _HCVU65

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	2,897	60.77	69.24
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	341	7.15	10.31
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	1,529	32.07	20.45

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 5.1 Calculated Variables

Type: Num

Column: 1407

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	3,336	69.98	73.04
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	1,424	29.87	26.74
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	7	0.15	0.22

High Blood Pressure Calculated Variable

Calculated Variables: 7.1 Calculated Variables

Type: Num

Column: 1408

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	3,069	64.38	73.16
2	Yes Notes: BPHIGH4 = 1	1,692	35.49	26.76
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	6	0.13	0.08

Cholesterol Checked Calculated Variable

Calculated Variables: 8.1 Calculated Variables

Type: Num

Column: 1409

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years. Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	3,920	82.23	73.24
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	201	4.22	3.77
3	Have never had cholesterol checked Notes: BLOODCHO = 2	538	11.29	19.90
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	108	2.27	3.09

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

High Cholesterol Calculated Variable

Calculated Variables: 8.2 Calculated Variables

Type: Num

Column: 1410

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	2,440	58.68	64.86
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	1,685	40.52	34.56
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	33	0.79	0.58
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	609		

Lifetime Asthma Calculated Variable

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 1411

SAS Variable Name: _LTASTHM

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2	4,232	88.78	87.82
2	Yes Notes: ASTHMA2 = 1	520	10.91	11.93
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing	15	0.31	0.25

Current Asthma Calculated Variable

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 1412

SAS Variable Name: _CASTHMA

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2	4,352	91.29	90.70
2	Yes Notes: ASTHMA2 = 1 and ASTHNOW = 1	384	8.06	8.75
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	31	0.65	0.55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed Asthma Status

Calculated Variables: 10.3

Type: Num

Column: 1413

SAS Variable Name: _ASTHMST

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2 = 1 and ASTHNOW = 1	384	8.06	8.75
2	Former Notes: ASTHMA2 = 1 and ASTHNOW = 2	120	2.52	2.88
3	Never Notes: ASTHMA2 = 2	4,232	88.78	87.82
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	31	0.65	0.55

Computed Smoking Status

Calculated Variables: 11.1

Type: Num

Column: 1414

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	602	12.63	13.33
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	208	4.36	5.22
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,355	28.42	23.95
4	Never smoked Notes: SMOKE100 = 2	2,583	54.19	57.23
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	19	0.40	0.26

Current Smoking Calculated Variable

Calculated Variables: 11.2

Type: Num

Column: 1415

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	3,938	82.61	81.19
2	Yes Notes: _SMOKER3 = 1 or 2	810	16.99	18.55
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	19	0.40	0.26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

MRACE with trailing 7,8,9s removed calculated variable

CalculatedVaria 12.1 Calculated Race Variables
bles:

Column: 1416-1421

Type: Char

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	4	0.08	0.06
9	Refused Notes: MRACE = 9	34	0.71	0.78
BLANK	Missing Notes: MRACE = Missing	2		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,727	99.20	99.16

MRACEORG with responses in ascending order calculated variable

CalculatedVaria 12.2 Calculated Race Variables
bles:

Column: 1422-1427

Type: Char

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	4	0.08	0.06
9	Refused Notes: MRACEORG = 9	34	0.71	0.78
BLANK	Missing Notes: MRACEASC = Missing	2		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,727	99.20	99.16

Computed Preferred Race

CalculatedVaria 12.3 Calculated Race Variables
bles:

Column: 1428-1429

Type: Num

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	4,529	95.05	92.06
2	Black or African American Notes: MRACEASC = 2	20	0.42	0.84
3	Asian Notes: MRACEASC = 3	12	0.25	0.48
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	5	0.10	0.18
5	American Indian or Alaskan Native Notes: MRACEASC = 5	153	3.21	5.45
6	Other race Notes: MRACEASC = 6	6	0.13	0.11
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	2	0.04	0.04
77	Don't know/Not sure Notes: MRACEASC = 7	4	0.08	0.06
99	Refused Notes: MRACEASC = 9	34	0.71	0.78
BLANK	Missing Notes: MRACEASC = Missing	2		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed non-Hispanic Race including Multiracial

Calculated Variables: 12.4 Calculated Race Variables

Type: Num

Column: 1430-1431

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	4,509	94.63	91.55
2	Black or African American only Notes: MRACEASC = 2	19	0.40	0.67
3	Asian Only Notes: MRACEASC = 3	9	0.19	0.21
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	5	0.10	0.18
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	141	2.96	5.10
6	Other race only Notes: MRACEASC = 6	6	0.13	0.11
7	Multiracial Notes: MRACEASC >= 12	38	0.80	1.34
77	Don't know/Not sure Notes: MRACEASC = 7	4	0.08	0.06
99	Refused Notes: MRACEASC = 9	34	0.71	0.78
BLANK	Missing Notes: MRACEASC = Missing	2		

Computed Race-Ethnicity grouping

Calculated Variables: 12.5 Calculated Race Variables

Type: Num

Column: 1432

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	4,431	92.97	89.78
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	18	0.38	0.59
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	9	0.19	0.21
4	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4	4	0.08	0.14
5	American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 5	131	2.75	4.63
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	3	0.06	0.06
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	36	0.76	1.25
8	Hispanic Notes: HISPANC2 = 1	65	1.36	2.02
9	Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	69	1.45	1.32
BLANK	Missing Notes: HISPANC2 = Missing or _MRACE = Missing	1		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 12.6 Calculated Race Variables

Type: Num

Column: 1433

SAS Variable Name: _RACEG2

Prologue:

Description: White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	4,431	92.97	89.78
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	266	5.58	8.90
9	Don't know/Not sure/Refused Notes: RACE2 = 9	69	1.45	1.32
BLANK		1		

Computed Five level race/ethnicity category.

Calculated Variables: 12.7 Calculated Race Variables

Type: Num

Column: 1434

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	4,431	92.97	89.78
2	Black only, Non-Hispanic Notes: RACE2 = 2	18	0.38	0.59
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	147	3.08	5.04
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	36	0.76	1.25
5	Hispanic Notes: RACE2 = 8	65	1.36	2.02
9	Don't know/Not sure/Refused Notes: RACE2 = 9	69	1.45	1.32
BLANK		1		

Computed race groups used for internet prevalence tables

Calculated Variables: 12.8 Calculated Race Variables

Type: Num

Column: 1435

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	4,431	94.34	90.98
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	18	0.38	0.60
3	Hispanic Notes: _RACEGR2 = 5	65	1.38	2.04
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	147	3.13	5.11
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	36	0.77	1.27
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	70		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed number of census race categories chosen

Calculated Variables: 12.9 Calculated Race Variables

Type: Num

Column: 1436

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	44	0.92	0.96
1	1 category chosen Notes: MRACEASC had one race category	4,686	98.30	97.73
2	2 category chosen Notes: MRACEASC had two race categories	34	0.71	1.24
3	3 category chosen Notes: MRACEASC had three race categories	3	0.06	0.08

Computed number of census race categories chosen, collapsed

Calculated Variables: 12.10 Calculated Race Variables

Type: Num

Column: 1437

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	4,686	99.22	98.67
2	Two or more categories chosen Notes: _CNRACE > 1	37	0.78	1.33
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	44		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Reported age in five-year age categories calculated variable

Calculated Variables:
12.11 Calculated Variables

Type: Num

Column: 1438-1439

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	150	3.15	16.29
2	Age 25 to 29 Notes: 25 <= AGE <= 29	157	3.29	6.31
3	Age 30 to 34 Notes: 30 <= AGE <= 34	277	5.81	10.14
4	Age 35 to 39 Notes: 35 <= AGE <= 39	306	6.42	6.92
5	Age 40 to 44 Notes: 40 <= AGE <= 44	336	7.05	8.08
6	Age 45 to 49 Notes: 45 <= AGE <= 49	470	9.86	8.63
7	Age 50 to 54 Notes: 50 <= AGE <= 54	556	11.66	9.70
8	Age 55 to 59 Notes: 55 <= AGE <= 59	526	11.03	7.71
9	Age 60 to 64 Notes: 60 <= AGE <= 64	469	9.84	6.49
10	Age 65 to 69 Notes: 65 <= AGE <= 69	368	7.72	4.78
11	Age 70 to 74 Notes: 70 <= AGE <= 74	345	7.24	4.10
12	Age 75 to 79 Notes: 75 <= AGE <= 79	315	6.61	4.56
13	Age 80 or older Notes: 80 <= AGE <= 99	440	9.23	5.65
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	52	1.09	0.63

Reported age in two age groups calculated variable

Calculated Variables:
12.12 Calculated Variables

Type: Num

Column: 1440

SAS Variable Name: _AGE65YR

Prologue:

Description: or 999 or Missing

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	3,247	68.11	80.28
2	Age 65 or older Notes: 65 <= AGE <= 99	1,468	30.80	19.09
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	52	1.09	0.63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Imputed age in six groups

Calculated Variables: 12.13 Calculated Variables

Type: Num

Column: 1441

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	150	3.15	16.29
2	Age 25 to 34 Notes: 25 <= AGE <= 34	434	9.10	16.45
3	Age 35 to 44 Notes: 35 <= AGE <= 44	642	13.47	15.01
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,036	21.73	18.50
5	Age 55 to 64 Notes: 55 <= AGE <= 64	1,037	21.75	14.66
6	Age 65 or older Notes: AGE >= 65	1,468	30.80	19.09

Computed Height in Inches

Calculated Variables: 12.14 Calculated Variables

Type: Num

Column: 1442-1444

SAS Variable Name: HTIN3

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in inches Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	4,742	99.48	99.63
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or Missing	25	0.52	0.37

Computed Height in Meters

Calculated Variables: 12.15 Calculated Variables

Type: Num

Column: 1445-1447

SAS Variable Name: HTM3

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (non-metric HEIGHT3 value multiplied by 2.54 and divided by 100)	4,742	99.48	99.63
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or Missing	25	0.52	0.37

Computed Weight in Kilograms

Calculated Variables: 12.16 Calculated Variables

Type: Num

Column: 1448-1452

SAS Variable Name: WTKG2

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 7776 or 7778 <= WEIGHT2 <= 9998 (non-metric WEIGHT2 value divided by 2.2)	4,533	95.09	96.03
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing	234	4.91	3.97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed body mass index

Calculated Variables: 12.17 Calculated Variables

Type: Num

Column: 1453-1456

SAS Variable Name: _BMI4

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places)	4,520	94.82	95.82
9999	Don't know/Refused/Missing Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999	247	5.18	4.18

Computed body mass index categories

Calculated Variables: 12.18 Calculated Variables

Type: Num

Column: 1457

SAS Variable Name: _BMI4CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Variables	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,402	29.41	32.42
2	Overweight Notes: 2500 <= _BMI4 < 3000	1,785	37.44	36.20
3	Obese Notes: 3000 <= _BMI4 < 9999	1,333	27.96	27.20
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	247	5.18	4.18

Overweight or obese calculated variable

Calculated Variables: 12.19 Calculated Variables

Type: Num

Column: 1458

SAS Variable Name: _RFBMI4

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,402	29.41	32.42
2	Yes Notes: 2500 <= _BMI4 < 9999	3,118	65.41	63.40
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	247	5.18	4.18

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed number of children in household

Calculated Variables: 12.20 Calculated Variables

Type: Num

Column: 1459

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	3,438	72.12	60.19
2	One child in household Notes: CHILDREN = 01	460	9.65	14.69
3	Two children in household Notes: CHILDREN = 02	526	11.03	14.86
4	Three children in household Notes: CHILDREN = 03	233	4.89	6.81
5	Four children in household Notes: CHILDREN = 04	84	1.76	2.45
6	Five or more children in household Notes: 05 <= CHILDREN < 88	21	0.44	0.90
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	5	0.10	0.10

Computed level of education completed categories

Calculated Variables: 12.21 Calculated Variables

Type: Num

Column: 1460

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	366	7.68	8.45
2	Graduated High School Notes: EDUCA = 4	1,418	29.75	28.36
3	Attended College or Technical School Notes: EDUCA = 5	1,484	31.13	31.49
4	Graduated from College or Technical School Notes: EDUCA = 6	1,496	31.38	31.67
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	3	0.06	0.03

Computed income categories

Calculated Variables: 12.22 Calculated Variables

Type: Num

Column: 1461

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	336	7.05	6.31
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	672	14.10	11.49
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	542	11.37	10.23
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	708	14.85	15.23
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,822	38.22	40.90
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	687	14.41	15.85

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed drink-occasions-per-day

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 1462-1464

SAS Variable Name: DROCDY2_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY4 = 888 or DRNKANY4 = 2	2,062	43.26	39.46
1 - 899	Drink-Occasions per day Notes: ALCDAY4 <= 231	2,584	54.21	58.21
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing or DRNKANY4 = 7 or 9 or Missing	121	2.54	2.34

Binge Drinking Calculated Variable

Calculated Variables: 15.2 Calculated Variables

Type: Num

Column: 1465

SAS Variable Name: _RFBING4

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY4 < 300 and DRNK3GE5 = 0 or ALCDAY4 = 888	3,945	82.76	76.85
2	Yes Notes: ALCDAY4 < 300 and DRNK3GE5 = 1	707	14.83	20.94
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY4 = 777 or 999 or Missing	115	2.41	2.21

Computed number of drinks of alcohol beverages per day

Calculated Variables: 15.3 Calculated Variables

Type: Num

Column: 1466-1469

SAS Variable Name: _DRNKDY3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY4 = 888	2,062	43.26	39.46
1 - 9899	Number of drinks per day Notes: ALCDAY4 / 7 per week or ALCDAY4 / 30 per month * AVEDRNK2	2,543	53.35	57.34
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing	162	3.40	3.20

Computed total number drinks a month

Calculated Variables: 15.4 Calculated Variables

Type: Num

Column: 1470-1473

SAS Variable Name: _DRNKMO3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY3 = 0	2,062	43.26	39.46
1 - 9998	Number of Drinks Notes: _DRNKDY3 * 30	2,543	53.35	57.34
9999	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	162	3.40	3.20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 15.5 Calculated Variables

Type: Num

Column: 1474

SAS Variable Name: _RFDRHV3

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	4,418	92.68	91.81
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2 or SEX = 2 and _DRNKDY3 > 1	187	3.92	4.98
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	162	3.40	3.20

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 15.6 Calculated Variables

Type: Num

Column: 1475

SAS Variable Name: _RFDRMN3

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or ALCDAY4 = 888	1,730	91.00	90.23
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2	97	5.10	6.25
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	74	3.89	3.52
BLANK	Respondent is female Notes: SEX = 2	2,866		

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 15.7 Calculated Variables

Type: Num

Column: 1476

SAS Variable Name: _RFDRWM3

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	2,688	93.79	93.40
2	Yes Notes: SEX = 2 and _DRNKDY3 > 1	90	3.14	3.72
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	88	3.07	2.89
BLANK	Respondent is male Notes: SEX = 1	1,901		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Flu Shot Calculated Variable

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 1477

SAS Variable Name: _FLSHOT3

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT3 = 1	997	65.59	65.84
2	No	438	28.82	28.60
9	Don't know/Not Sure Or Refused/Missing	85	5.59	5.56
BLANK	Age Less Than 65	3,247		

Pneumonia Vaccination Calculated Variable

Calculated Variables: 16.2 Calculated Variables

Type: Num

Column: 1478

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value Label	Value Label	Frequency	Percentage	Weighted Percentage
GE = 7	1 Yes Notes: AGE >= 65 and PNEUVAC3 = 1	999	65.72	64.66
	2 No Notes: AGE >= 65 and PNEUVAC3 = 2	393	25.86	26.64
	9 Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	128	8.42	8.70
BLANK	Age Less Than 65 Notes: AGE < 65	3,247		

Respondents diagnosed with arthritis

Calculated Variables: 17.1 Calculated Variables

Type: Num

Column: 1479

SAS Variable Name: _DRDXART

Prologue:

Description: Respondents that have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH2 = 1	1,697	36.68	27.41
2	Not diagnosed with arthritis Notes: HAVARTH2 = 2	2,930	63.32	72.59
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH2 = 7 or 9 or Missing	140		

Computed Fruit Juice Servings per day

Calculated Variables: 18.1 Calculated Variables

Type: Num

Column: 1480-1482

SAS Variable Name: FTJUDAY_

Prologue:

Description: Fruit juice servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= FRUITJUI <= 555 (FRUITJUI-200)/7 per week or (FRUITJUI-300)/30 per month or (FRUITJUI-400)/365 per year	4,568	95.83	95.76
990	Don't know/Not Sure Or Refused/Missing Notes: FRUITJUI = 777 or 999 or Missing	199	4.17	4.24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed Fruit Servings per day

Calculated Variables: 18.2 Calculated Variables

Type: Num

Column: 1483-1485

SAS Variable Name: FRUTDAY_

Prologue:

Description: Fruit servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= FRUIT <= 555 (FRUIT-200)/7 per week or (FRUIT-300)/30 per month or (FRUIT-400)/365 per year	4,561	95.68	95.75
990	Don't know/Not Sure Or Refused/Missing Notes: FRUIT = 777 or 999 or Missing	206	4.32	4.25

Computed Green Salad Servings per day

Calculated Variables: 18.3 Calculated Variables

Type: Num

Column: 1486-1488

SAS Variable Name: GNSLDAY_

Prologue:

Description: Green salad servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= GREENSAL <= 555 (GREENSAL-200)/7 per week or (GREENSAL-300)/30 per month or (GREENSAL-400)/365 per year	4,556	95.57	95.38
990	Don't know/Not Sure Or Refused/Missing Notes: GREENSAL = 777 or 999 or Missing	211	4.43	4.62

Computed Potato Servings per day

Calculated Variables: 18.4 Calculated Variables

Type: Num

Column: 1489-1491

SAS Variable Name: POTADAY_

Prologue:

Description: Potato servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= POTATOES <= 555 (POTATOES-200)/7 per week or (POTATOES-300)/30 per month or (POTATOES-400)/365 per year	4,565	95.76	95.39
990	Don't know/Not Sure Or Refused/Missing Notes: POTATOES = 777 or 999 or Missing	202	4.24	4.61

Computed Carrot Servings per day

Calculated Variables: 18.5 Calculated Variables

Type: Num

Column: 1492-1494

SAS Variable Name: CRTSDAY_

Prologue:

Description: Carrot servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= CARROTS <= 555 (CARROTS-200)/7 per week or (CARROTS-300)/30 per month or (CARROTS-400)/365 per year	4,513	94.67	94.67
990	Don't know/Not Sure Or Refused/Missing Notes: CARROTS = 777 or 999 or Missing	254	5.33	5.33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed Vegetable Servings per day

Calculated Variables: 18.6 Calculated Variables

Type: Num

Column: 1495-1497

SAS Variable Name: VEGEDAY_

Prologue:

Description: Vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= VEGETABL <= 555 (VEGETABL-200)/7 per week or (VEGETABL-300)/30 per month or (VEGETABL-400)/365 per year	4,515	94.71	94.55
990	Don't know/Not Sure Or Refused/Missing Notes: VEGETABL = 777 or 999 or Missing	252	5.29	5.45

Refused/Missing

Calculated Variables: 18.7 Calculated Variables

Type: Num

Column: 1498-1502

SAS Variable Name: _FRTSERV

Prologue:

Description: Fruit and vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of times per day Notes: Sum of FTJUDAY_, FRUTDAY_, GNSLDAY_, POTADAY_, CRTSDAY_, VEGEDAY_ (has two implied decimal places)	4,609	96.69	96.46
99999	Don't know/Refused/Missing	158	3.31	3.54

Summary index for fruits and vegetables calculated variable

Calculated Variables: 18.8 Calculated Variables

Type: Num

Column: 1503

SAS Variable Name: _FRTINDX

Prologue:

Description: Summary index for fruits and vegetables calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once per day or never Notes: _FRTSERV < 1	197	4.13	5.53
2	Once but less than 3 times per day Notes: 1 <= _FRTSERV < 3	1,695	35.56	36.66
3	3 but less than 5 times per day Notes: 3 <= _FRTSERV < 5	1,601	33.59	32.54
4	5 or more times per day Notes: 5 <= _FRTSERV < 999.99	1,116	23.41	21.72
9	Don't know/Refused/Missing Notes: _FRTSERV = 99.99	158	3.31	3.54

Consumed five or more servings of fruits or vegetables per day calculated variable

Calculated Variables: 18.9 Calculated Variables

Type: Num

Column: 1504

SAS Variable Name: _FV5SRV

Prologue:

Description: Consumed five or more servings of fruits or vegetables per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consume < 5 times per day Notes: _FRTSERV < 5	3,493	73.27	74.73
2	Consume 5 or more times per day Notes: 5 <= _FRTSERV < 999.99	1,116	23.41	21.72
9	Don't know/Not sure/Missing Notes: _FRTSERV = 999.99	158	3.31	3.54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed Minutes of Moderate Physical Activity

Calculated Variables
bles:

Column: 1505-1507

Type: Num

SAS Variable Name: _MODPAMN

Prologue:

Description: Total minutes of moderate physical activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of moderate physical activity Notes: MODPACT = 1 and 1 <= MODPADAY <= 7 and 10 <= MODPATIM <= 759 or 800 <= MODPATIM <= 959	4,371	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing Notes: MODPATIM = 777 or 999 or Missing or MODPATIM > 959 or MODPACT = 7 or 9 or Missing or MODPADAY = 77 or 99 or Missing	396		

Computed Minutes of Vigorous Physical Activity

Calculated Variables
bles:

Column: 1508-1510

Type: Num

SAS Variable Name: _VIGPAMN

Prologue:

Description: Total minutes of vigorous physical activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of vigorous physical activity Notes: VIGPACT = 1 and 1 <= VIGPADAY <= 7 and 10 <= VIGPATIM <= 759 or 800 <= VIGPATIM <= 959	4,434	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing Notes: VIGPATIM = 777 or 999 or Missing or VIGPATIM > 959 or VIGPACT = 7 or 9 or Missing or VIGPADAY = 77 or 99 or Missing	333		

Computed Moderate Physical Activity Categories

Calculated Variables
bles:

Column: 1511

Type: Num

SAS Variable Name: MODCAT_

Prologue:

Description: 3 level moderate physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for moderate physical activity Notes: MODPACT = 1 and _MODPAMN >= 30 and MODPADAY >= 5	1,686	35.37	37.69
2	Insufficient activity to meet moderate recommendations Notes: MODPACT = 1 and _MODPAMN < 30 or MODPADAY < 5	2,057	43.15	43.03
3	No moderate physical activity Notes: MODPACT = 2 or _MODPAMN = 0	628	13.17	11.67
9	Don't know/Not sure/Refused/Missing Notes: MODPACT = 7 or 9 or Missing or MODPACT = 1 and MODPADAY = 77 or 99 or Missing or MODPATIM = 777 or 999 or Missing	396	8.31	7.61

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed Vigorous Physical Activity Categories

Calculated Variables: 19.4
Calculated Variables:

Type: Num

Column: 1512

SAS Variable Name: VIGCAT_

Prologue:

Description: 3 level vigorous physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for vigorous physical activity Notes: VIGPACT = 1 and _VIGPAMN >= 20 and VIGPADAY >= 3	1,020	21.40	27.13
2	Insufficient activity to meet vigorous recommendations Notes: VIGPACT = 1 and _VIGPAMN < 20 or VIGPADAY < 3	862	18.08	20.59
3	No vigorous physical activity Notes: VIGPACT = 2 or _VIGPAMN = 0	2,552	53.53	45.10
9	Don't know/Not sure/Refused/Missing Notes: VIGPACT = 7 or 9 or Missing or VIGPACT = 1 and VIGPADAY = 77 or 99 or Missing or VIGPATIM = 777 or 999 or Missing	333	6.99	7.18

Computed Overall Physical Activity Categories

Calculated Variables: 19.5
Calculated Variables:

Type: Num

Column: 1513

SAS Variable Name: PACAT_

Prologue:

Description: 5 level physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for moderate and vigorous physical activity Notes: MODCAT_ = 1 and VIGCAT_ = 1	637	13.36	17.04
2	Meet recommendations for vigorous physical activity Notes: VIGCAT_ = 1 and MODCAT_ not equal to 1	383	8.03	10.10
3	Meet recommendations for moderate physical activity Notes: MODCAT_ = 1 and VIGCAT_ not equal to 1	1,049	22.01	20.65
4	Insufficient activity to meet moderate or vigorous recommendations Notes: MODCAT_ = 2 and VIGCAT_ = 2 or 3 or VIGCAT_ = 2 and MODCAT_ = 3	1,706	35.79	34.05
5	No moderate or vigorous physical activity Notes: MODCAT_ = 3 and VIGCAT_ = 3	558	11.71	9.55
9	Don't know/Not sure/Refused/Missing Notes: MODCAT_ = 9 or VIGCAT_ = 9	434	9.10	8.61

Moderate Physical Activity Calculated Variable

Calculated Variables: 19.6
Calculated Variables:

Type: Num

Column: 1514

SAS Variable Name: _RFPAMOD

Prologue:

Description: Adults that have reported participating in either moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: PACAT_ = 1 or 2 or 3	2,069	43.40	47.79
2	No Notes: PACAT_ = 4 or 5	2,264	47.49	43.60
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	434	9.10	8.61

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Vigorous Physical Activity Calculated Variable

Calculated Variables: 19.7 Calculated Variables

Type: Num

Column: 1515

SAS Variable Name: _RFPVIG

Prologue:

Description: Adults that have reported participating in vigorous activity for 20 or more minutes per day on 3 or more days

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: PACAT_ = 1 or 2	1,020	21.40	27.13
2	No Notes: PACAT_ = 3 or 4 or 5	3,414	71.62	65.69
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	333	6.99	7.18

Recommended Physical Activity Calculated Variable

Calculated Variables: 19.8 Calculated Variables

Type: Num

Column: 1516

SAS Variable Name: _RFPAREC

Prologue:

Description: Adults self reported physical activity level status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet physical activity recommendations Notes: PACAT_ = 1 or 2 or 3	2,069	43.40	47.79
2	Insufficient physical activity Notes: PACAT_ = 4	1,706	35.79	34.05
3	No physical activity Notes: PACAT_ = 5	558	11.71	9.55
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	434	9.10	8.61

No Physical Activity or Exercise Calculated Variable

Calculated Variables: 19.9 Calculated Variables

Type: Num

Column: 1517

SAS Variable Name: _RFNOPA

Prologue:

Description: Adults that have reported participating in physical activity or exercise

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: _RFPAREC = 1 or 2 or _TOTINDA = 1	4,195	88.00	90.33
2	No Notes: _RFPAREC = 3 and _TOTINDA = 2	402	8.43	6.64
9	Don't know/Not Sure/Refused/Missing Notes: _RFPAREC = 9 or _TOTINDA = 9	170	3.57	3.03

Computed Minutes of Moderate Physical Activity per Week

Calculated Variables: 19.10 Calculated Variables

Type: Num

Column: 1518-1522

SAS Variable Name: _MODMNWK

Prologue:

Description: Total minutes of moderate physical activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of physical activity	4,371	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing	396		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Computed Minutes of Vigorous Physical Activity per Week

Calculated Variables: 19.11 Calculated Variables

Type: Num

Column: 1523-1527

SAS Variable Name: _VIGMNWK

Prologue:

Description: Total minutes of vigorous physical activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of vigorous physical activity	4,434	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing	333		

Computed Minutes of Total Physical Activity per Week

Calculated Variables: 19.12 Calculated Variables

Type: Num

Column: 1528-1532

SAS Variable Name: _TOTMNWK

Prologue:

Description: Total minutes of physical activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of physical activity	4,268	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing	499		

150 Minute Physical Activity Calculated Variable

Calculated Variables: 19.13 Calculated Variables

Type: Num

Column: 1533

SAS Variable Name: _PA150RC

Prologue:

Description: Adults that participated in 150 minutes of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	150+ minutes of physical activity	2,645	55.49	60.69
2	1-149 minutes of physical activity	1,149	24.10	21.43
3	0 minutes of physical activity	558	11.71	9.55
9	Don't know/Not Sure/Refused/Missing	415	8.71	8.32

300 Minute Physical Activity Calculated Variable

Calculated Variables: 19.14 Calculated Variables

Type: Num

Column: 1534

SAS Variable Name: _PA300RC

Prologue:

Description: Adults that participated in 300 minutes of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes of physical activity	1,622	34.03	40.50
2	1-300 minutes of physical activity	2,136	44.81	41.06
3	0 minutes of physical activity	558	11.71	9.55
9	Don't know/Not Sure/Refused/Missing	451	9.46	8.88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2009**

Ever been tested for HIV calculated variable

Calculated Variables: 20.1 Calculated Variables

Type: Num

Column: 1535

SAS Variable Name: _AIDTST2

Prologue:

Description: Adults aged 18-64 that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 18 <= AGE <= 64 and HIVTST5 = 1	778	24.68	27.08
2	No Notes: 18 <= AGE <= 64 and HIVTST5 = 2	2,267	71.92	70.83
9	Don't know/Not Sure/Refused Notes: 18 <= AGE <= 64 and HIVTST5 = 7 or 9 or AGE = 7 or 9 or Missing	107	3.39	2.09
BLANK	Missing or Age greater than 64 Notes: 18 <= AGE <= 64 and HIVTST5 = Missing or AGE > 64	1,615		