

NORTH DAKOTA

2010 Core Variables Report

Behavioral Risk Factor Surveillance System

March 21, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4753	498,162	788	18.5	16.7-20.3	1660	37.6	35.4-39.8	1501	30.9	28.9-32.9	601	10.2	09.0-11.4	203	2.9	02.3-03.5
Male	1842	248,843	330	20.1	17.4-22.8	607	36.5	33.2-39.8	600	31.5	28.4-34.6	235	9.5	07.9-11.1	70	2.4	01.8-03.0
Female	2911	249,319	458	16.9	15.1-18.7	1053	38.6	36.1-41.1	901	30.3	27.9-32.7	366	10.8	09.2-12.4	133	3.5	02.7-04.3
Native	109	17,840	10	11.4	03.6-19.2							25	19.9	10.7-29.1	12	6.2	02.3-10.1
Non-Native	4567	470,515	767	18.7	16.9-20.5	1627	38.6	36.4-40.8	1432	30.7	28.7-32.7	558	9.3	08.3-10.3	183	2.7	02.1-03.3
18-24	131	79,953	25	19.2	11.8-26.6	54	41.7	32.3-51.1	42	30.8	22.0-39.6	9	7.4	02.5-12.3	1	1.0	00.0-03.0
25-34	419	83,350	96	23.3	18.8-27.8	177	41.5	36.2-46.8	124	30.5	25.4-35.6	19	4.3	02.1-06.5	3	0.4	00.0-01.0
35-44	605	72,617	139	22.3	18.8-25.8	266	44.1	39.8-48.4	154	25.6	21.9-29.3	40	7.1	04.6-09.6	6	0.9	00.1-01.7
45-54	921	90,548	182	20.4	17.5-23.3	353	39.3	35.8-42.8	258	28.5	25.4-31.6	97	9.2	07.2-11.2	31	2.6	01.6-03.6
55-64	1093	72,853	174	16.6	14.2-19.0	379	34.0	31.1-36.9	348	31.9	29.0-34.8	136	12.5	10.3-14.7	56	5.0	03.6-06.4
65+	1534	96,186	160	10.3	08.7-11.9	412	26.9	24.5-29.3	560	36.7	34.2-39.2	296	19.1	16.9-21.3	106	7.0	05.6-08.4
Less Than H.S.	331	34,196	27	7.2	03.5-10.9	57	20.3	12.1-28.5	139	46.2	36.4-56.0	71	17.7	11.8-23.6	37	8.5	05.2-11.8
H.S. or G.E.D.	1410	152,850	173	15.6	12.1-19.1	425	34.3	30.0-38.6	505	35.0	31.1-38.9	231	11.8	09.6-14.0	76	3.3	02.5-04.1
Some Post-H.S.	1514	156,752	244	18.7	15.8-21.6	551	38.2	34.7-41.7	476	28.8	25.7-31.9	186	11.5	09.1-13.9	57	2.8	01.6-04.0
College Graduate	1491	153,820	343	23.6	21.1-26.1	626	44.1	41.0-47.2	378	25.4	22.5-28.3	111	5.4	04.2-06.6	33	1.5	00.9-02.1
Less than \$15,000	371	30,282	23	9.8	04.7-14.9	71	19.4	13.3-25.5	124	35.9	28.3-43.5	92	22.5	16.0-29.0	61	12.4	08.9-15.9
\$15,000- 24,999	646	55,058	59	11.7	06.8-16.6	167	28.9	23.0-34.8	249	37.9	32.2-43.6	130	16.8	13.3-20.3	41	4.7	03.1-06.3
\$25,000- 34,999	501	49,597	76	20.0	13.9-26.1	148	28.3	22.8-33.8	169	33.5	27.0-40.0	86	14.9	10.4-19.4	22	3.4	01.8-05.0
\$35,000- 49,999	698	71,409	114	17.6	13.5-21.7	248	36.9	31.8-42.0	237	33.9	29.0-38.8	78	8.4	06.2-10.6	21	3.2	00.8-05.6
\$50,000- 74,999	736	84,048	131	20.3	15.4-25.2	317	43.8	39.1-48.5	212	27.4	23.5-31.3	62	6.8	04.8-08.8	14	1.7	00.7-02.7
\$75,000+	1127	136,920	314	26.8	23.7-29.9	492	45.4	41.5-49.3	255	22.7	19.4-26.0	52	4.2	02.4-06.0	14	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	248,843	330	20.1	17.4-22.8	607	36.5	33.2-39.8	600	31.5	28.4-34.6	235	9.5	07.9-11.1	70	2.4	01.8-03.0
Non-Native	1756	233,390	318	20.0	17.3-22.7	595	37.9	34.6-41.2	567	31.3	28.2-34.4	216	8.5	06.9-10.1	60	2.2	01.6-02.8
18-24	57	42,683										3	5.3	00.0-11.4			
25-34	163	44,359	43	25.6	18.5-32.7	63	37.7	29.7-45.7	51	32.9	24.9-40.9	5	3.4	00.5-06.3	1	0.4	00.0-01.2
35-44	254	37,133	57	21.5	16.2-26.8	119	46.4	39.9-52.9	61	24.6	18.9-30.3	16	7.2	03.1-11.3	1	0.4	00.0-01.2
45-54	395	45,105	78	20.8	16.3-25.3	140	38.0	32.7-43.3	124	30.6	25.7-35.5	42	8.8	05.9-11.7	11	1.9	00.7-03.1
55-64	461	37,814	77	17.2	13.5-20.9	137	29.2	24.9-33.5	155	33.6	28.9-38.3	65	13.9	10.6-17.2	27	6.1	03.7-08.5
65+	504	41,223	59	11.1	08.4-13.8	122	25.1	21.2-29.0	189	38.1	33.6-42.6	104	19.7	16.0-23.4	30	6.0	03.8-08.2
Less Than H.S.	146	20,631	11	6.2	01.5-10.9							35	18.7	09.5-27.9	19	9.0	04.3-13.7
H.S. or G.E.D.	521	78,442	76	19.3	13.2-25.4	146	34.6	27.5-41.7	202	35.3	29.0-41.6	81	9.0	06.3-11.7	16	1.7	00.7-02.7
Some Post-H.S.	570	74,089	95	19.5	14.4-24.6	207	39.3	33.8-44.8	175	27.7	23.0-32.4	71	11.2	07.7-14.7	22	2.3	01.3-03.3
College Graduate	603	75,442	148	25.3	21.2-29.4	232	40.5	35.8-45.2	163	27.1	22.6-31.6	47	5.8	04.0-07.6	13	1.4	00.6-02.2
Less than \$15,000	125	15,601	10	12.9	04.3-21.5	21	19.9	09.9-29.9							17	8.1	03.6-12.6
\$15,000- 24,999	191	23,801	17	14.9	04.9-24.9	39	25.7	16.1-35.3	74	36.8	27.0-46.6	44	17.3	10.8-23.8	17	5.3	02.6-08.0
\$25,000- 34,999	193	22,045				57	28.0	19.8-36.2				40	14.0	09.1-18.9	9	3.6	01.1-06.1
\$35,000- 49,999	285	36,121	53	20.2	13.3-27.1	82	31.7	23.9-39.5	107	38.0	30.2-45.8	36	8.3	05.2-11.4	7	1.8	00.4-03.2
\$50,000- 74,999	345	44,520	62	23.5	15.3-31.7	143	41.9	35.0-48.8	104	25.6	20.3-30.9	30	7.3	04.6-10.0	6	1.6	00.2-03.0
\$75,000+	526	76,217	148	26.3	21.6-31.0	219	44.4	38.3-50.5	123	23.4	18.5-28.3	27	4.7	01.8-07.6	9	1.1	00.3-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	249,319	458	16.9	15.1-18.7	1053	38.6	36.1-41.1	901	30.3	27.9-32.7	366	10.8	09.2-12.4	133	3.5	02.7-04.3
Native	61	9,049	4	6.5	00.0-13.9										6	6.6	00.7-12.5
Non-Native	2811	237,125	449	17.4	15.4-19.4	1032	39.3	36.8-41.8	865	30.0	27.6-32.4	342	10.0	08.6-11.4	123	3.3	02.5-04.1
18-24	74	37,270	12	14.5	06.7-22.3							6	9.8	02.2-17.4	1	2.1	00.0-06.2
25-34	256	38,991	53	20.5	15.4-25.6	114	45.8	39.3-52.3	73	27.8	21.9-33.7	14	5.4	02.5-08.3	2	0.4	00.0-01.0
35-44	351	35,484	82	23.2	18.7-27.7	147	41.8	36.5-47.1	93	26.7	21.8-31.6	24	7.0	04.1-09.9	5	1.4	00.0-02.8
45-54	526	45,443	104	20.0	16.3-23.7	213	40.5	36.0-45.0	134	26.4	22.3-30.5	55	9.7	07.0-12.4	20	3.4	01.8-05.0
55-64	632	35,040	97	15.9	12.8-19.0	242	39.2	35.1-43.3	193	30.0	26.3-33.7	71	11.0	08.3-13.7	29	3.9	02.3-05.5
65+	1030	54,963	101	9.7	07.7-11.7	290	28.2	25.3-31.1	371	35.7	32.6-38.8	192	18.7	16.2-21.2	76	7.8	06.0-09.6
Less Than H.S.	185	13,565	16	8.7	03.0-14.4	35	21.3	12.9-29.7	80	45.8	36.0-55.6	36	16.3	10.4-22.2	18	7.8	03.9-11.7
H.S. or G.E.D.	889	74,408	97	11.8	08.7-14.9	279	33.9	29.2-38.6	303	34.8	29.9-39.7	150	14.7	11.4-18.0	60	4.9	03.5-06.3
Some Post-H.S.	944	82,663	149	18.0	14.7-21.3	344	37.3	33.0-41.6	301	29.8	25.9-33.7	115	11.7	08.6-14.8	35	3.2	01.2-05.2
College Graduate	888	78,378	195	22.0	18.9-25.1	394	47.5	43.4-51.6	215	23.8	20.3-27.3	64	5.1	03.7-06.5	20	1.6	00.8-02.4
Less than \$15,000	246	14,681	13	6.5	01.6-11.4	50	19.0	12.5-25.5	77	37.2	28.6-45.8	62	20.4	14.9-25.9	44	16.9	11.4-22.4
\$15,000- 24,999	455	31,258	42	9.3	05.8-12.8	128	31.4	24.1-38.7	175	38.7	32.2-45.2	86	16.3	12.2-20.4	24	4.2	02.4-06.0
\$25,000- 34,999	308	27,552	52	20.4	13.1-27.7	91	28.5	21.1-35.9	106	32.3	24.3-40.3	46	15.6	08.3-22.9	13	3.2	01.2-05.2
\$35,000- 49,999	413	35,288	61	15.0	10.5-19.5	166	42.2	35.5-48.9	130	29.6	23.7-35.5	42	8.5	05.8-11.2	14	4.7	00.2-09.2
\$50,000- 74,999	391	39,528	69	16.6	12.1-21.1	174	45.9	39.6-52.2	108	29.5	23.6-35.4	32	6.3	03.8-08.8	8	1.7	00.5-02.9
\$75,000+	601	60,702	166	27.5	23.2-31.8	273	46.7	41.8-51.6	132	21.7	17.0-26.4	25	3.5	01.9-05.1	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4640	489,616	3047	67.3	65.3-69.3	520	12.9	11.3-14.5	429	9.0	07.8-10.2	370	6.2	05.2-07.2	274	4.5	03.7-05.3
Male	1807	245,279	1265	71.1	68.0-74.2	180	11.3	09.1-13.5	139	7.8	05.8-09.8	120	5.4	03.6-07.2	103	4.4	03.2-05.6
Female	2833	244,337	1782	63.5	61.0-66.0	340	14.6	12.6-16.6	290	10.3	08.7-11.9	250	7.0	05.8-08.2	171	4.6	03.8-05.4
Native	104	17,239				10	12.6	03.4-21.8	8	6.8	00.5-13.1	10	9.9	02.5-17.3	12	6.9	02.4-11.4
Non-Native	4461	462,737	2937	67.6	65.6-69.6	503	13.1	11.5-14.7	413	8.9	07.7-10.1	355	6.1	05.1-07.1	253	4.3	03.5-05.1
18-24	129	78,485	76	60.8	51.6-70.0	34	22.3	15.0-29.6	12	10.0	03.9-16.1	5	4.8	00.0-09.7	2	2.0	00.0-04.9
25-34	418	83,389	302	75.0	70.5-79.5	56	12.5	09.2-15.8	42	9.0	06.1-11.9	11	1.9	00.5-03.3	7	1.6	00.4-02.8
35-44	601	72,132	432	71.1	67.2-75.0	82	13.3	10.4-16.2	42	7.5	05.1-09.9	25	4.7	02.7-06.7	20	3.4	01.4-05.4
45-54	904	89,009	611	70.3	67.2-73.4	101	11.0	08.8-13.2	80	8.3	06.3-10.3	61	5.6	04.0-07.2	51	4.9	03.5-06.3
55-64	1073	71,727	719	67.6	64.7-70.5	110	10.0	08.0-12.0	90	8.2	06.4-10.0	89	8.2	06.4-10.0	65	6.0	04.4-07.6
65+	1466	92,280	872	59.8	57.1-62.5	131	9.1	07.5-10.7	159	10.8	09.0-12.6	176	11.6	09.8-13.4	128	8.8	07.2-10.4
Less Than H.S.	302	32,454				26	11.0	03.6-18.4	41	9.6	05.5-13.7	38	14.6	04.6-24.6	24	6.7	03.6-09.8
H.S. or G.E.D.	1367	149,503	866	65.1	61.0-69.2	129	11.1	08.4-13.8	139	10.9	08.0-13.8	127	6.8	05.0-08.6	106	6.1	04.1-08.1
Some Post-H.S.	1491	154,882	964	65.8	62.3-69.3	178	14.7	11.8-17.6	141	9.4	07.2-11.6	124	6.1	04.7-07.5	84	4.0	03.0-05.0
College Graduate	1475	152,360	1040	72.9	70.2-75.6	187	13.4	11.2-15.6	108	6.7	05.1-08.3	81	4.0	03.0-05.0	59	3.0	02.2-03.8
Less than \$15,000	351	29,235	158	47.5	39.5-55.5	31	11.2	05.9-16.5	39	9.3	05.0-13.6	68	18.0	12.9-23.1	55	14.0	08.9-19.1
\$15,000- 24,999	619	53,585	360	60.5	54.8-66.2	51	10.5	06.6-14.4	71	11.9	07.8-16.0	71	8.9	06.5-11.3	66	8.2	05.8-10.6
\$25,000- 34,999	489	48,897	298	64.7	58.6-70.8	53	13.0	08.1-17.9	60	10.8	07.7-13.9	49	6.8	04.6-09.0	29	4.7	02.7-06.7
\$35,000- 49,999	683	69,481	452	68.5	63.8-73.2	99	15.2	11.5-18.9	62	8.0	05.5-10.5	43	5.1	02.7-07.5	27	3.1	01.7-04.5
\$50,000- 74,999	733	83,298	512	71.5	67.4-75.6	93	12.2	09.3-15.1	68	10.4	07.5-13.3	37	3.8	02.4-05.2	23	2.2	01.2-03.2
\$75,000+	1120	136,357	855	74.6	70.9-78.3	120	12.5	09.6-15.4	74	7.1	04.7-09.5	42	2.7	01.7-03.7	29	3.1	01.3-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1807	245,279	1265	71.1	68.0-74.2	180	11.3	09.1-13.5	139	7.8	05.8-09.8	120	5.4	03.6-07.2	103	4.4	03.2-05.6
Non-Native	1725	230,179	1214	71.3	68.2-74.4	175	11.6	09.2-14.0	133	7.6	05.6-09.6	114	5.5	03.7-07.3	89	3.9	02.7-05.1
18-24	56	41,736				13	17.9	07.9-27.9	5	9.9	00.9-18.9	2	6.0	00.0-14.6	1	2.6	00.0-07.5
25-34	164	44,608	128	79.5	73.2-85.8	22	11.7	06.8-16.6	7	5.3	01.4-09.2	3	1.4	00.0-03.2	4	2.1	00.1-04.1
35-44	253	36,916	193	73.3	67.2-79.4	26	11.0	06.9-15.1	19	8.2	04.5-11.9	8	3.9	01.2-06.6	7	3.6	00.3-06.9
45-54	385	44,270	278	75.8	71.3-80.3	33	8.8	05.7-11.9	28	6.6	04.1-09.1	24	4.5	02.5-06.5	22	4.3	02.3-06.3
55-64	453	37,351	314	69.9	65.4-74.4	43	9.1	06.4-11.8	30	6.8	04.3-09.3	34	7.6	05.1-10.1	32	6.6	04.2-09.0
65+	488	39,872	311	63.7	59.2-68.2	42	9.0	06.3-11.7	49	9.9	07.2-12.6	49	9.6	06.9-12.3	37	7.8	05.3-10.3
Less Than H.S.	135	19,918							16	8.4	02.5-14.3				13	7.4	02.7-12.1
H.S. or G.E.D.	513	77,045	346	69.7	63.6-75.8	48	11.2	07.3-15.1	47	7.9	04.0-11.8	38	5.7	03.2-08.2	34	5.5	02.4-08.6
Some Post-H.S.	562	73,341	398	70.2	64.7-75.7	63	13.4	09.1-17.7	34	8.2	04.3-12.1	34	4.2	02.6-05.8	33	4.1	02.5-05.7
College Graduate	596	74,820	445	77.2	73.5-80.9	58	9.5	07.0-12.0	42	7.0	04.5-09.5	28	3.5	02.1-04.9	23	2.9	01.5-04.3
Less than \$15,000	122	15,426				11	13.3	04.3-22.3	12	8.2	01.3-15.1	22	14.4	07.1-21.7	24	16.1	07.3-24.9
\$15,000- 24,999	182	23,191				15	12.6	05.2-20.0	21	14.2	06.2-22.2	23	7.3	03.8-10.8	25	8.8	04.9-12.7
\$25,000- 34,999	188	21,698	120	71.7	64.1-79.3	17	8.2	03.9-12.5	20	8.0	04.1-11.9	18	6.9	03.6-10.2	13	5.2	02.1-08.3
\$35,000- 49,999	276	34,544	194	71.8	64.7-78.9	40	14.6	09.3-19.9	20	5.9	03.2-08.6	12	4.7	00.4-09.0	10	3.0	00.8-05.2
\$50,000- 74,999	344	44,417	261	76.5	71.0-82.0	33	9.4	06.1-12.7	28	9.1	05.2-13.0	15	3.3	01.5-05.1	7	1.7	00.5-02.9
\$75,000+	521	75,797	419	78.9	73.6-84.2	44	9.7	05.8-13.6	26	5.6	02.5-08.7	16	2.2	01.0-03.4	16	3.6	00.7-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2833	244,337	1782	63.5	61.0-66.0	340	14.6	12.6-16.6	290	10.3	08.7-11.9	250	7.0	05.8-08.2	171	4.6	03.8-05.4
Native	60	8,800							5	5.1	00.0-10.4				3	2.7	00.0-06.0
Non-Native	2736	232,558	1723	63.9	61.4-66.4	328	14.5	12.5-16.5	280	10.2	08.6-11.8	241	6.8	05.8-07.8	164	4.6	03.8-05.4
18-24	73	36,748							7	10.2	02.4-18.0	3	3.6	00.0-07.7	1	1.4	00.0-04.1
25-34	254	38,781	174	69.9	64.0-75.8	34	13.3	09.0-17.6	35	13.3	09.0-17.6	8	2.6	00.6-04.6	3	1.0	00.0-02.2
35-44	348	35,216	239	68.9	63.8-74.0	56	15.7	11.8-19.6	23	6.7	04.0-09.4	17	5.6	02.9-08.3	13	3.1	01.3-04.9
45-54	519	44,739	333	64.8	60.3-69.3	68	13.2	10.1-16.3	52	9.9	07.2-12.6	37	6.7	04.3-09.1	29	5.4	03.2-07.6
55-64	620	34,376	405	65.0	61.1-68.9	67	11.0	08.3-13.7	60	9.8	07.3-12.3	55	8.8	06.4-11.2	33	5.3	03.3-07.3
65+	978	52,409	561	56.8	53.5-60.1	89	9.1	07.1-11.1	110	11.5	09.3-13.7	127	13.0	10.6-15.4	91	9.6	07.6-11.6
Less Than H.S.	167	12,536	98	59.8	50.0-69.6	15	11.0	03.7-18.3	25	11.4	06.5-16.3	18	12.4	05.9-18.9	11	5.5	02.0-09.0
H.S. or G.E.D.	854	72,458	520	60.1	55.0-65.2	81	11.0	07.5-14.5	92	14.1	09.8-18.4	89	8.0	05.8-10.2	72	6.7	04.7-08.7
Some Post-H.S.	929	81,541	566	61.9	57.6-66.2	115	15.9	12.0-19.8	107	10.5	08.1-12.9	90	7.9	05.7-10.1	51	3.9	02.7-05.1
College Graduate	879	77,540	595	68.8	65.1-72.5	129	17.2	13.7-20.7	66	6.5	04.7-08.3	53	4.4	03.0-05.8	36	3.2	02.0-04.4
Less than \$15,000	229	13,809	105	46.9	38.1-55.7	20	8.9	04.0-13.8	27	10.4	05.5-15.3	46	22.0	15.1-28.9	31	11.8	07.3-16.3
\$15,000- 24,999	437	30,394	262	63.2	56.9-69.5	36	8.9	05.0-12.8	50	10.1	06.6-13.6	48	10.1	07.0-13.2	41	7.8	04.9-10.7
\$25,000- 34,999	301	27,199	178	59.2	50.8-67.6	36	16.8	09.2-24.4	40	13.1	08.4-17.8	31	6.7	04.0-09.4	16	4.3	01.9-06.7
\$35,000- 49,999	407	34,938	258	65.3	58.8-71.8	59	15.9	10.6-21.2	42	10.2	06.1-14.3	31	5.5	03.3-07.7	17	3.2	01.4-05.0
\$50,000- 74,999	389	38,882	251	65.7	59.8-71.6	60	15.3	10.8-19.8	40	11.9	07.6-16.2	22	4.3	02.1-06.5	16	2.9	01.3-04.5
\$75,000+	599	60,560	436	69.2	64.1-74.3	76	16.0	11.7-20.3	48	8.9	05.2-12.6	26	3.4	02.0-04.8	13	2.5	00.5-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4675	493,067	3388	71.7	69.7-73.7	405	8.2	07.2-09.2	413	9.9	08.5-11.3	310	7.6	06.2-09.0	159	2.6	02.0-03.2
Male	1825	247,723	1425	77.0	74.1-79.9	116	6.1	04.7-07.5	136	8.6	06.6-10.6	94	6.4	04.2-08.6	54	1.9	01.3-02.5
Female	2850	245,343	1963	66.3	63.8-68.8	289	10.3	08.9-11.7	277	11.3	09.5-13.1	216	8.8	07.2-10.4	105	3.3	02.3-04.3
Native	109	17,704				10	9.5	02.8-16.2				17	13.8	06.4-21.2	6	3.2	00.5-05.9
Non-Native	4494	465,845	3276	72.2	70.2-74.2	386	8.1	07.1-09.1	391	9.7	08.3-11.1	291	7.4	06.0-08.8	150	2.6	02.0-03.2
18-24	130	79,692	82	67.0	58.2-75.8	10	4.9	01.8-08.0	22	14.2	08.1-20.3	15	12.9	05.8-20.0	1	1.0	00.0-03.0
25-34	415	82,935	275	67.5	62.4-72.6	39	8.6	05.9-11.3	49	13.2	09.1-17.3	39	8.8	05.9-11.7	13	2.0	00.8-03.2
35-44	603	72,495	400	67.9	64.0-71.8	77	12.7	10.0-15.4	62	9.6	07.2-12.0	41	6.7	04.5-08.9	23	3.1	01.7-04.5
45-54	913	89,729	630	71.7	68.6-74.8	90	9.5	07.3-11.7	86	8.7	06.7-10.7	69	6.7	04.9-08.5	38	3.4	02.2-04.6
55-64	1083	72,359	787	74.6	71.9-77.3	87	7.3	05.7-08.9	89	8.2	06.4-10.0	73	6.4	04.8-08.0	47	3.5	02.3-04.7
65+	1485	93,355	1178	79.8	77.6-82.0	98	6.5	05.1-07.9	101	6.3	04.9-07.7	72	4.8	03.6-06.0	36	2.6	01.6-03.6
Less Than H.S.	314	33,199	241	72.6	63.8-81.4	17	4.6	01.7-07.5	23	11.8	04.0-19.6	20	7.0	02.9-11.1	13	4.0	01.5-06.5
H.S. or G.E.D.	1375	150,494	982	70.6	66.5-74.7	107	6.5	04.9-08.1	138	11.7	09.0-14.4	94	8.2	04.9-11.5	54	2.9	01.7-04.1
Some Post-H.S.	1498	155,733	1065	69.6	66.3-72.9	130	8.6	06.6-10.6	137	10.3	07.9-12.7	117	9.0	06.6-11.4	49	2.6	01.8-03.4
College Graduate	1482	153,157	1094	74.5	71.8-77.2	151	10.3	08.5-12.1	115	7.4	05.8-09.0	79	5.8	04.0-07.6	43	2.0	01.4-02.6
Less than \$15,000	356	29,205	211	60.5	53.1-67.9	27	6.7	03.2-10.2	32	10.3	04.6-16.0	53	13.6	09.3-17.9	33	8.9	05.4-12.4
\$15,000- 24,999	633	54,282	407	62.8	57.1-68.5	56	10.1	06.6-13.6	68	11.7	07.6-15.8	61	10.3	06.6-14.0	41	5.1	03.1-07.1
\$25,000- 34,999	497	49,365	352	67.8	61.5-74.1	38	7.1	04.4-09.8	56	13.9	08.6-19.2	34	7.2	04.3-10.1	17	4.0	00.7-07.3
\$35,000- 49,999	689	70,704	524	78.2	74.3-82.1	62	6.4	04.6-08.2	56	8.8	05.9-11.7	32	4.7	02.7-06.7	15	1.9	00.9-02.9
\$50,000- 74,999	730	83,517	542	74.0	69.9-78.1	62	9.2	06.7-11.7	72	9.6	07.1-12.1	39	5.8	03.4-08.2	15	1.5	00.7-02.3
\$75,000+	1125	136,955	866	76.1	72.6-79.6	113	9.0	07.2-10.8	77	7.9	05.5-10.3	51	5.8	03.1-08.5	18	1.2	00.6-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	247,723	1425	77.0	74.1-79.9	116	6.1	04.7-07.5	136	8.6	06.6-10.6	94	6.4	04.2-08.6	54	1.9	01.3-02.5
Non-Native	1741	232,456	1371	77.7	74.6-80.8	108	5.8	04.4-07.2	127	8.1	06.1-10.1	85	6.4	04.0-08.8	50	1.9	01.3-02.5
18-24	57	42,683				4	3.3	00.0-06.8	6	9.3	01.3-17.3						
25-34	164	44,608	118	70.9	63.1-78.7	14	7.2	03.3-11.1	21	15.1	08.4-21.8	9	5.9	02.0-09.8	2	1.0	00.0-02.4
35-44	254	37,133	193	76.0	70.3-81.7	27	10.6	06.5-14.7	16	6.5	03.2-09.8	11	4.4	01.9-06.9	7	2.5	00.5-04.5
45-54	390	44,493	303	80.1	76.0-84.2	21	6.1	03.4-08.8	31	6.9	04.4-09.4	22	4.8	02.6-07.0	13	2.2	01.0-03.4
55-64	460	37,814	351	78.1	74.2-82.0	25	4.6	02.6-06.6	37	7.8	05.3-10.3	27	5.9	03.5-08.3	20	3.6	02.0-05.2
65+	492	40,467	415	84.3	81.0-87.6	23	4.8	02.8-06.8	24	5.0	03.0-07.0	18	3.2	01.6-04.8	12	2.6	01.0-04.2
Less Than H.S.	140	20,336				8	4.4	00.1-08.7				9	3.6	00.9-06.3	7	4.4	00.7-08.1
H.S. or G.E.D.	516	78,041	399	76.2	69.7-82.7	30	5.1	02.9-07.3	46	9.7	05.8-13.6	21	7.1	01.4-12.8	20	1.9	00.9-02.9
Some Post-H.S.	568	73,991	436	74.8	69.5-80.1	32	5.4	03.0-07.8	48	9.7	06.0-13.4	37	8.3	04.6-12.0	15	2.0	00.8-03.2
College Graduate	599	75,116	478	80.1	76.4-83.8	46	8.3	05.8-10.8	36	5.7	03.5-07.9	27	4.7	02.5-06.9	12	1.3	00.5-02.1
Less than \$15,000	123	15,536				7	6.1	00.4-11.8	14	11.2	01.6-20.8	20	11.5	05.6-17.4	13	8.1	02.6-13.6
\$15,000- 24,999	187	23,603				15	9.6	03.7-15.5	24	13.5	06.2-20.8	19	10.2	03.3-17.1	12	3.4	01.2-05.6
\$25,000- 34,999	190	21,844	143	76.5	68.7-84.3	14	6.6	02.3-10.9	18	9.0	03.9-14.1	6	4.4	00.1-08.7	9	3.5	01.0-06.0
\$35,000- 49,999	285	36,121	232	82.3	76.4-88.2	12	2.9	01.1-04.7	24	9.6	04.5-14.7	12	3.8	01.3-06.3	5	1.4	00.2-02.6
\$50,000- 74,999	342	44,198	280	80.7	75.6-85.8	24	8.1	04.8-11.4	21	6.4	03.3-09.5	12	3.7	01.2-06.2	5	1.1	00.1-02.1
\$75,000+	524	76,201	440	81.0	75.3-86.7	35	6.3	03.9-08.7	27	6.6	03.3-09.9	18	5.5	00.8-10.2	4	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	245,343	1963	66.3	63.8-68.8	289	10.3	08.9-11.7	277	11.3	09.5-13.1	216	8.8	07.2-10.4	105	3.3	02.3-04.3
Native	62	9,079				5	7.2	00.5-13.9	9	10.7	02.1-19.3				4	3.7	00.0-07.8
Non-Native	2753	233,389	1905	66.7	64.2-69.2	278	10.4	08.8-12.0	264	11.3	09.5-13.1	206	8.3	06.7-09.9	100	3.3	02.3-04.3
18-24	73	37,009				6	6.8	01.3-12.3	16	19.7	10.5-28.9	8	11.5	03.5-19.5	1	2.1	00.0-06.2
25-34	251	38,327	157	63.5	57.2-69.8	25	10.1	06.0-14.2	28	11.0	06.9-15.1	30	12.1	07.8-16.4	11	3.2	01.2-05.2
35-44	349	35,362	207	59.5	54.2-64.8	50	14.8	10.9-18.7	46	12.8	09.3-16.3	30	9.1	05.8-12.4	16	3.8	01.8-05.8
45-54	523	45,236	327	63.4	58.9-67.9	69	13.0	09.9-16.1	55	10.3	07.6-13.0	47	8.7	06.2-11.2	25	4.6	02.6-06.6
55-64	623	34,546	436	70.7	67.0-74.4	62	10.3	07.8-12.8	52	8.5	06.1-10.9	46	6.9	04.7-09.1	27	3.5	02.1-04.9
65+	993	52,889	763	76.4	73.5-79.3	75	7.7	05.9-09.5	77	7.3	05.5-09.1	54	5.9	04.3-07.5	24	2.7	01.5-03.9
Less Than H.S.	174	12,863				9	4.9	01.4-08.4	17	12.4	05.0-19.8	11	12.4	03.4-21.4	6	3.5	00.4-06.6
H.S. or G.E.D.	859	72,453	583	64.6	59.7-69.5	77	8.1	05.9-10.3	92	13.9	10.0-17.8	73	9.4	06.3-12.5	34	4.0	01.6-06.4
Some Post-H.S.	930	81,741	629	65.0	60.7-69.3	98	11.4	08.5-14.3	89	10.8	07.7-13.9	80	9.6	06.9-12.3	34	3.1	01.9-04.3
College Graduate	883	78,042	616	69.2	65.3-73.1	105	12.1	09.7-14.5	79	9.1	06.7-11.5	52	6.8	04.1-09.5	31	2.7	01.7-03.7
Less than \$15,000	233	13,669	142	57.5	49.1-65.9	20	7.4	03.7-11.1	18	9.2	03.5-14.9	33	16.0	09.7-22.3	20	9.8	05.3-14.3
\$15,000- 24,999	446	30,679	290	62.4	55.7-69.1	41	10.6	06.5-14.7	44	10.3	05.8-14.8	42	10.3	06.4-14.2	29	6.4	03.7-09.1
\$25,000- 34,999	307	27,521	209	60.9	52.1-69.7	24	7.5	03.8-11.2	38	17.8	09.6-26.0	28	9.4	05.5-13.3	8	4.4	00.0-09.9
\$35,000- 49,999	404	34,583	292	73.8	68.5-79.1	50	10.2	07.1-13.3	32	7.8	04.7-10.9	20	5.7	02.8-08.6	10	2.5	00.9-04.1
\$50,000- 74,999	388	39,319	262	66.5	60.4-72.6	38	10.4	06.5-14.3	51	13.1	09.2-17.0	27	8.1	04.0-12.2	10	1.9	00.5-03.3
\$75,000+	601	60,754	426	69.9	65.6-74.2	78	12.4	09.5-15.3	50	9.6	06.5-12.7	33	6.1	03.9-08.3	14	2.0	00.8-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2254	237,304	1391	65.6 62.7-68.5	263	12.6	10.6-14.6	227	9.3	07.5-11.1	234	7.8	06.4-09.2	139	4.8	03.6-06.0
Male	755	103,872	475	67.2 62.3-72.1	80	11.5	08.2-14.8	76	8.4	05.9-10.9	70	7.4	04.9-09.9	54	5.5	03.3-07.7
Female	1499	133,432	916	64.3 61.0-67.6	183	13.4	10.9-15.9	151	10.0	07.6-12.4	164	8.0	06.6-09.4	85	4.2	03.2-05.2
Native	67	11,592			3	6.8	00.0-15.8	7	5.7	01.0-10.4	11	10.4	03.1-17.7	9	7.4	01.9-12.9
Non-Native	2148	221,058	1328	65.1 62.2-68.0	259	13.1	10.9-15.3	216	9.5	07.7-11.3	219	7.7	06.3-09.1	126	4.6	03.4-05.8
18-24	79	45,384			12	13.6	06.0-21.2	7	8.9	01.8-16.0	3	3.4	00.0-08.1	1	2.1	00.0-06.2
25-34	200	38,501	137	72.7 65.6-79.8	29	14.6	08.5-20.7	16	6.0	02.9-09.1	15	5.6	02.7-08.5	3	1.1	00.0-02.5
35-44	287	34,686	184	67.5 61.8-73.2	46	14.6	10.5-18.7	28	9.5	06.0-13.0	18	5.5	02.8-08.2	11	2.9	00.9-04.9
45-54	428	39,752	254	60.3 55.2-65.4	62	15.6	11.7-19.5	43	9.8	06.9-12.7	41	8.1	05.4-10.8	28	6.3	03.8-08.8
55-64	498	31,915	275	54.5 49.8-59.2	62	12.1	09.0-15.2	60	12.3	09.2-15.4	57	11.6	08.5-14.7	44	9.5	06.6-12.4
65+	741	45,928	467	63.6 59.9-67.3	50	6.4	04.6-08.2	73	10.0	07.6-12.4	99	12.6	10.1-15.1	52	7.4	05.2-09.6
Less Than H.S.	168	19,189			9	10.0	00.0-20.0	21	6.6	03.1-10.1	25	11.0	05.3-16.7	13	5.7	02.0-09.4
H.S. or G.E.D.	697	76,735	436	66.8 61.1-72.5	66	10.2	06.9-13.5	71	10.4	06.5-14.3	80	8.7	05.6-11.8	44	3.8	02.4-05.2
Some Post-H.S.	717	75,398	442	65.2 60.3-70.1	79	11.9	08.4-15.4	61	7.6	05.1-10.1	79	8.3	06.1-10.5	56	7.0	04.1-09.9
College Graduate	668	65,732	410	64.2 59.9-68.5	109	17.0	13.3-20.7	73	10.6	08.1-13.1	50	5.1	03.5-06.7	26	3.0	01.8-04.2
Less than \$15,000	242	19,724	111	53.0 44.0-62.0	13	3.5	01.3-05.7	29	9.6	05.7-13.5	56	22.1	15.2-29.0	33	11.8	07.3-16.3
\$15,000- 24,999	354	30,147	202	62.2 55.1-69.3	31	9.3	04.8-13.8	36	10.9	05.6-16.2	56	11.5	08.0-15.0	29	6.2	03.5-08.9
\$25,000- 34,999	254	25,164	168	68.5 61.1-75.9	24	11.1	05.6-16.6	27	8.8	04.7-12.9	26	8.2	04.7-11.7	9	3.3	00.9-05.7
\$35,000- 49,999	325	31,387	211	64.9 57.5-72.3	39	14.5	08.2-20.8	32	10.0	04.9-15.1	26	6.5	03.8-09.2	17	4.1	01.9-06.3
\$50,000- 74,999	330	37,554	212	66.4 60.1-72.7	53	15.6	10.9-20.3	35	10.6	06.1-15.1	16	3.5	01.5-05.5	14	3.9	01.7-06.1
\$75,000+	419	53,949	267	66.2 59.7-72.7	71	14.8	10.9-18.7	44	11.0	06.3-15.7	23	5.9	01.8-10.0	14	2.1	00.9-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	755	103,872	475	67.2	62.3-72.1	80	11.5	08.2-14.8	76	8.4	05.9-10.9	70	7.4	04.9-09.9	54	5.5	03.3-07.7
Non-Native	707	95,350	447	66.5	61.4-71.6	78	12.2	08.7-15.7	71	8.7	06.0-11.4	63	7.3	04.6-10.0	48	5.4	03.0-07.8
25-34	66	18,528							3	3.4	00.0-07.3	5	5.0	00.5-09.5	1	1.0	00.0-03.0
35-44	97	15,364	71	74.8	66.0-83.6	11	11.3	04.8-17.8	10	8.7	03.2-14.2	2	2.4	00.0-05.7	3	2.8	00.0-05.9
45-54	158	16,751	93	62.6	54.4-70.8	20	14.3	08.0-20.6	18	10.0	05.3-14.7	14	7.1	03.2-11.0	13	6.0	02.7-09.3
55-64	187	14,739	102	50.7	43.1-58.3	22	12.3	07.2-17.4	20	11.6	06.5-16.7	23	13.6	08.1-19.1	20	11.9	06.6-17.2
65+	214	17,663	136	63.4	56.5-70.3	15	7.1	03.6-10.6	23	11.1	06.6-15.6	24	10.7	06.4-15.0	16	7.7	03.8-11.6
Less Than H.S.	73	11,627							6	3.6	00.3-06.9	11	8.8	01.9-15.7	7	6.2	00.7-11.7
H.S. or G.E.D.	226	34,616	143	65.7	55.9-75.5	23	11.8	05.5-18.1	26	10.4	04.3-16.5	24	9.7	03.2-16.2	10	2.4	00.8-04.0
Some Post-H.S.	227	31,219	139	68.3	60.3-76.3	24	10.0	05.5-14.5	14	4.1	01.7-06.5	26	7.8	04.5-11.1	24	9.7	03.4-16.0
College Graduate	228	26,326	148	66.3	59.2-73.4	29	13.7	08.2-19.2	29	12.6	07.9-17.3	9	3.3	00.9-05.7	13	4.1	01.7-06.5
Less than \$15,000	85	10,371				3	1.9	00.0-04.3	11	8.6	03.1-14.1				13	10.2	03.9-16.5
\$15,000- 24,999	109	13,368				6	9.6	01.0-18.2				14	7.5	03.2-11.8	11	6.2	02.1-10.3
\$25,000- 34,999	91	9,395				6	6.2	00.5-11.9	9	8.4	02.9-13.9	11	10.6	04.1-17.1	6	5.7	00.8-10.6
\$35,000- 49,999	115	14,250				11	10.8	03.0-18.6	12	12.0	02.2-21.8	8	5.1	01.4-08.8	6	3.9	00.6-07.2
\$50,000- 74,999	120	15,428	77	65.1	55.3-74.9	18	17.2	08.8-25.6	11	8.1	03.2-13.0	7	4.4	01.1-07.7	7	5.2	01.3-09.1
\$75,000+	158	25,422	105	71.5	61.5-81.5	25	11.8	06.5-17.1	13	6.7	02.6-10.8	9	7.8	00.0-16.0	6	2.1	00.1-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1499	133,432	916	64.3	61.0-67.6	183	13.4	10.9-15.9	151	10.0	07.6-12.4	164	8.0	06.6-09.4	85	4.2	03.2-05.2
Non-Native	1441	125,707	881	64.1	60.6-67.6	181	13.8	11.3-16.3	145	10.1	07.7-12.5	156	8.0	06.6-09.4	78	4.0	03.0-05.0
18-24	50	24,831							5	10.5	00.5-20.5	1	1.1	00.0-03.3			
25-34	134	19,974	88	69.5	61.5-77.5	21	14.7	08.6-20.8	13	8.5	03.8-13.2	10	6.1	02.2-10.0	2	1.2	00.0-03.0
35-44	190	19,322	113	61.6	54.3-68.9	35	17.2	11.7-22.7	18	10.1	05.6-14.6	16	8.0	03.9-12.1	8	3.0	00.6-05.4
45-54	270	23,001	161	58.6	52.1-65.1	42	16.5	11.6-21.4	25	9.6	05.7-13.5	27	8.8	05.3-12.3	15	6.5	03.0-10.0
55-64	311	17,175	173	57.7	51.8-63.6	40	11.9	08.2-15.6	40	12.9	09.0-16.8	34	10.0	06.7-13.3	24	7.5	04.4-10.6
65+	527	28,265	331	63.7	59.4-68.0	35	5.9	03.9-07.9	50	9.3	06.8-11.8	75	13.8	10.7-16.9	36	7.2	04.7-09.7
Less Than H.S.	95	7,563							15	11.2	04.7-17.7	14	14.4	05.6-23.2	6	5.0	00.5-09.5
H.S. or G.E.D.	471	42,119	293	67.7	61.4-74.0	43	9.0	05.5-12.5	45	10.3	05.0-15.6	56	8.0	05.6-10.4	34	5.0	03.0-07.0
Some Post-H.S.	490	44,179	303	62.9	56.6-69.2	55	13.2	08.1-18.3	47	10.1	06.0-14.2	53	8.6	05.9-11.3	32	5.1	02.9-07.3
College Graduate	440	39,406	262	62.9	57.2-68.6	80	19.3	14.4-24.2	44	9.3	06.4-12.2	41	6.3	04.1-08.5	13	2.3	00.9-03.7
Less than \$15,000	157	9,352	70	44.4	34.8-54.0	10	5.2	01.5-08.9	18	10.7	05.2-16.2	39	26.0	17.6-34.4	20	13.7	07.2-20.2
\$15,000- 24,999	245	16,779	140	62.8	55.2-70.4	25	9.1	04.6-13.6	20	7.4	03.9-10.9	42	14.6	09.7-19.5	18	6.2	02.5-09.9
\$25,000- 34,999	163	15,769				18	14.1	06.1-22.1	18	9.1	03.6-14.6	15	6.8	02.9-10.7	3	1.9	00.0-04.1
\$35,000- 49,999	210	17,136	133	62.2	53.0-71.4	28	17.6	08.4-26.8	20	8.3	04.4-12.2	18	7.7	03.8-11.6	11	4.2	01.5-06.9
\$50,000- 74,999	210	22,126	135	67.3	59.1-75.5	35	14.5	09.0-20.0	24	12.2	05.3-19.1	9	2.9	00.7-05.1	7	3.1	00.7-05.5
\$75,000+	261	28,527	162	61.5	53.5-69.5	46	17.4	11.7-23.1	31	14.9	07.3-22.5	14	4.1	01.7-06.5	8	2.1	00.5-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4743	494,069	4361	88.9	87.1-90.7	382	11.1	09.3-12.9
Male	1840	247,618	1663	86.8	83.9-89.7	177	13.2	10.3-16.1
Female	2903	246,451	2698	91.1	89.5-92.7	205	8.9	07.3-10.5
Non-Native	4557	466,871	4217	89.9	88.1-91.7	340	10.1	08.3-11.9
18-24	124	75,924	104	80.6	72.0-89.2	20	19.4	10.8-28.0
25-34	420	83,599	358	83.7	79.6-87.8	62	16.3	12.2-20.4
35-44	604	72,471	544	89.2	86.3-92.1	60	10.8	07.9-13.7
45-54	920	90,591	816	88.6	86.2-91.0	104	11.4	09.0-13.8
55-64	1092	72,730	988	91.3	89.5-93.1	104	8.7	06.9-10.5
65+	1535	96,214	1504	98.1	97.3-98.9	31	1.9	01.1-02.7
Less Than H.S.	328	33,495	279	77.1	67.1-87.1	49	22.9	12.9-32.9
H.S. or G.E.D.	1405	150,956	1259	85.0	81.3-88.7	146	15.0	11.3-18.7
Some Post-H.S.	1512	155,368	1389	89.1	86.4-91.8	123	10.9	08.2-13.6
College Graduate	1491	153,706	1427	95.3	93.9-96.7	64	4.7	03.3-06.1
Less than \$15,000	373	30,384	300	74.1	67.4-80.8	73	25.9	19.2-32.6
\$15,000- 24,999	645	55,007	545	77.0	71.5-82.5	100	23.0	17.5-28.5
\$25,000- 34,999	501	49,597	446	85.7	80.6-90.8	55	14.3	09.2-19.4
\$35,000- 49,999	696	70,803	652	92.2	89.3-95.1	44	7.8	04.9-10.7
\$50,000- 74,999	736	84,048	700	92.0	88.1-95.9	36	8.0	04.1-11.9
\$75,000+	1129	136,829	1097	95.2	92.1-98.3	32	4.8	01.7-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	1840	247,618	1663	86.8	83.9-89.7	177	13.2	10.3-16.1	
Non-Native	1753	232,081	1603	88.3	85.4-91.2	150	11.7	08.8-14.6	
25-34	164	44,608	136	82.5	76.2-88.8	28	17.5	11.2-23.8	
35-44	254	37,133	228	87.9	83.0-92.8	26	12.1	07.2-17.0	
45-54	396	45,272	340	86.4	82.7-90.1	56	13.6	09.9-17.3	
55-64	462	37,814	413	90.3	87.4-93.2	49	9.7	06.8-12.6	
65+	502	41,087	493	98.3	97.1-99.5	9	1.7	00.5-02.9	
H.S. or G.E.D.	522	78,259	453	81.3	74.8-87.8	69	18.7	12.2-25.2	
Some Post-H.S.	570	73,309	515	87.9	83.4-92.4	55	12.1	07.6-16.6	
College Graduate	601	75,231	572	94.6	92.2-97.0	29	5.4	03.0-07.8	
\$25,000- 34,999	193	22,045	166	86.2	80.3-92.1	27	13.8	07.9-19.7	
\$35,000- 49,999	284	36,037	262	90.9	85.8-96.0	22	9.1	04.0-14.2	
\$50,000- 74,999	345	44,520	332	92.6	86.1-99.1	13	7.4	00.9-13.9	
\$75,000+	527	76,466	512	93.5	88.2-98.8	15	6.5	01.2-11.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2903	246,451	2698	91.1	89.5-92.7	205	8.9	07.3-10.5
Non-Native	2804	234,790	2614	91.5	89.9-93.1	190	8.5	06.9-10.1
18-24	69	34,661	58	85.9	77.5-94.3	11	14.1	05.7-22.5
25-34	256	38,991	222	85.1	80.2-90.0	34	14.9	10.0-19.8
35-44	350	35,338	316	90.6	87.5-93.7	34	9.4	06.3-12.5
45-54	524	45,319	476	90.8	88.1-93.5	48	9.2	06.5-11.9
55-64	630	34,916	575	92.5	90.5-94.5	55	7.5	05.5-09.5
65+	1033	55,127	1011	97.9	96.9-98.9	22	2.1	01.1-03.1
Less Than H.S.	183	12,915	158	79.7	71.5-87.9	25	20.3	12.1-28.5
H.S. or G.E.D.	883	72,697	806	89.0	85.5-92.5	77	11.0	07.5-14.5
Some Post-H.S.	942	82,058	874	90.2	87.1-93.3	68	9.8	06.7-12.9
College Graduate	890	78,475	855	95.9	94.3-97.5	35	4.1	02.5-05.7
Less than \$15,000	247	14,699	216	84.0	77.5-90.5	31	16.0	09.5-22.5
\$15,000- 24,999	455	31,258	396	82.3	76.8-87.8	59	17.7	12.2-23.2
\$25,000- 34,999	308	27,552	280	85.3	77.7-92.9	28	14.7	07.1-22.3
\$35,000- 49,999	412	34,766	390	93.6	90.7-96.5	22	6.4	03.5-09.3
\$50,000- 74,999	391	39,528	368	91.2	86.7-95.7	23	8.8	04.3-13.3
\$75,000+	602	60,363	585	97.4	96.0-98.8	17	2.6	01.2-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4748	497,506	3610	69.9	67.7-72.1	378	7.6	06.4-08.8	760	22.5	20.5-24.5
Male	1841	248,321	1255	61.1	57.6-64.6	154	8.2	06.0-10.4	432	30.7	27.4-34.0
Female	2907	249,185	2355	78.7	76.5-80.9	224	6.9	05.7-08.1	328	14.4	12.4-16.4
Native	108	17,756				21	17.8	08.4-27.2			
Non-Native	4562	469,858	3502	71.2	69.0-73.4	351	7.2	06.0-08.4	709	21.5	19.5-23.5
18-24	130	79,480	83	59.4	49.8-69.0	10	9.1	03.0-15.2	37	31.5	22.3-40.7
25-34	420	83,599	263	58.1	52.8-63.4	25	4.8	02.8-06.8	132	37.1	31.8-42.4
35-44	601	72,086	427	67.8	63.7-71.9	32	5.2	03.4-07.0	142	27.0	22.9-31.1
45-54	921	90,674	671	71.6	68.3-74.9	62	6.8	05.0-08.6	188	21.6	18.7-24.5
55-64	1094	72,918	857	78.4	75.9-80.9	94	8.7	06.9-10.5	143	12.9	10.7-15.1
65+	1532	96,094	1273	82.5	80.3-84.7	154	10.6	08.8-12.4	105	7.0	05.6-08.4
Less Than H.S.	328	34,056				38	8.8	05.3-12.3			
H.S. or G.E.D.	1408	152,540	1043	65.1	60.6-69.6	120	9.9	06.8-13.0	245	25.0	20.9-29.1
Some Post-H.S.	1515	156,854	1167	72.3	69.0-75.6	108	6.3	04.7-07.9	240	21.4	18.1-24.7
College Graduate	1490	153,513	1165	74.5	71.6-77.4	111	6.3	04.9-07.7	214	19.3	16.4-22.2
Less than \$15,000	370	29,795	270	65.6	57.6-73.6	33	7.2	04.3-10.1	67	27.2	19.2-35.2
\$15,000- 24,999	645	54,992	481	67.3	61.2-73.4	64	10.5	07.0-14.0	100	22.2	16.5-27.9
\$25,000- 34,999	500	49,555	355	62.2	55.3-69.1	44	8.1	05.2-11.0	101	29.7	22.8-36.6
\$35,000- 49,999	695	70,999	529	70.3	65.0-75.6	63	8.7	05.8-11.6	103	21.0	15.9-26.1
\$50,000- 74,999	735	83,903	559	68.6	63.5-73.7	50	5.9	03.9-07.9	126	25.5	20.2-30.8
\$75,000+	1130	137,351	881	73.9	70.2-77.6	67	6.8	03.9-09.7	182	19.3	16.4-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	248,321	1255	61.1	57.8-64.4	154	8.2	06.0-10.4	432	30.7	27.4-34.0
Non-Native	1754	232,784	1214	63.1	59.6-66.6	139	7.7	05.5-09.9	401	29.2	25.9-32.5
25-34	164	44,608	82	48.1	39.9-56.3	8	3.8	01.3-06.3	74	48.2	40.0-56.4
35-44	251	36,627	154	58.6	51.9-65.3	13	4.9	02.2-07.6	84	36.5	30.0-43.0
45-54	396	45,272	256	63.1	57.8-68.4	21	5.5	03.1-07.9	119	31.4	26.3-36.5
55-64	463	37,940	337	74.5	70.4-78.6	43	8.8	06.1-11.5	83	16.7	13.2-20.2
65+	503	41,138	393	78.8	75.1-82.5	62	12.7	09.6-15.8	48	8.6	06.1-11.1
Less Than H.S.	146	20,631				17	7.3	03.0-11.6			
H.S. or G.E.D.	522	78,259	321	49.5	42.6-56.4	56	13.7	07.8-19.6	145	36.8	29.9-43.7
Some Post-H.S.	570	74,111	392	66.5	61.2-71.8	44	5.6	03.8-07.4	134	27.9	22.6-33.2
College Graduate	601	75,080	447	70.5	65.8-75.2	37	5.4	03.4-07.4	117	24.1	19.6-28.6
Less than \$15,000	125	15,212				9	4.5	01.4-07.6			
\$15,000- 24,999	190	23,716				28	13.8	06.7-20.9			
\$25,000- 34,999	193	22,045				18	7.8	03.9-11.7			
\$35,000- 49,999	283	35,759	198	64.0	55.6-72.4	27	9.2	04.1-14.3	58	26.8	18.6-35.0
\$50,000- 74,999	344	44,376	247	62.9	55.1-70.7	24	6.6	03.5-09.7	73	30.6	22.6-38.6
\$75,000+	527	76,466	377	66.3	60.4-72.2	35	8.6	03.5-13.7	115	25.1	20.4-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2907	249,185	2355	78.7	76.5-80.9	224	6.9	05.7-08.1	328	14.4	12.4-16.4
Native	60	8,965				10	12.5	03.7-21.3			
Non-Native	2808	237,075	2288	79.2	77.0-81.4	212	6.7	05.5-07.9	308	14.1	12.1-16.1
18-24	74	37,270				3	3.5	00.0-07.6	16	21.5	11.7-31.3
25-34	256	38,991	181	69.5	63.4-75.6	17	6.0	03.1-08.9	58	24.5	18.8-30.2
35-44	350	35,459	273	77.2	72.7-81.7	19	5.5	03.1-07.9	58	17.3	13.2-21.4
45-54	525	45,402	415	80.0	76.3-83.7	41	8.2	05.7-10.7	69	11.8	08.9-14.7
55-64	631	34,978	520	82.7	79.6-85.8	51	8.5	06.1-10.9	60	8.9	06.5-11.3
65+	1029	54,956	880	85.3	82.9-87.7	92	9.0	07.0-11.0	57	5.8	04.2-07.4
Less Than H.S.	182	13,424	137	74.5	66.3-82.7	21	11.2	05.5-16.9	24	14.3	07.6-21.0
H.S. or G.E.D.	886	74,281	722	81.5	78.0-85.0	64	5.9	04.3-07.5	100	12.7	09.4-16.0
Some Post-H.S.	945	82,743	775	77.4	73.3-81.5	64	7.0	04.6-09.4	106	15.6	11.7-19.5
College Graduate	889	78,433	718	78.3	74.6-82.0	74	7.1	05.3-08.9	97	14.7	11.2-18.2
Less than \$15,000	245	14,583	194	78.7	71.6-85.8	24	10.0	04.9-15.1	27	11.3	05.8-16.8
\$15,000- 24,999	455	31,276	368	79.2	74.1-84.3	36	7.9	04.8-11.0	51	12.9	08.6-17.2
\$25,000- 34,999	307	27,511	238	71.2	62.4-80.0	26	8.3	03.8-12.8	43	20.5	12.1-28.9
\$35,000- 49,999	412	35,239	331	76.7	70.8-82.6	36	8.2	05.3-11.1	45	15.1	09.4-20.8
\$50,000- 74,999	391	39,528	312	75.0	69.1-80.9	26	5.1	02.9-07.3	53	19.9	14.0-25.8
\$75,000+	603	60,885	504	83.4	80.1-86.7	32	4.6	03.0-06.2	67	12.1	09.0-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4741	497,800	279	6.5	05.3-07.7	4462	93.5	92.3-94.7
Male	1843	249,063	96	6.1	04.1-08.1	1747	93.9	91.9-95.9
Female	2898	248,737	183	7.0	05.6-08.4	2715	93.0	91.6-94.4
Native	108	17,789	25	17.3	08.9-25.7	83	82.7	74.3-91.1
Non-Native	4558	470,329	247	6.1	04.9-07.3	4311	93.9	92.7-95.1
18-24	131	79,953	14	10.0	03.9-16.1	117	90.0	83.9-96.1
25-34	419	83,412	38	8.5	05.8-11.2	381	91.5	88.8-94.2
35-44	606	72,714	42	6.4	04.4-08.4	564	93.6	91.6-95.6
45-54	919	90,508	70	6.3	04.7-07.9	849	93.7	92.1-95.3
55-64	1091	72,710	68	5.3	03.9-06.7	1023	94.7	93.3-96.1
65+	1525	95,847	45	3.2	02.2-04.2	1480	96.8	95.8-97.8
Less Than H.S.	325	33,936	40	17.5	07.9-27.1	285	82.5	72.9-92.1
H.S. or G.E.D.	1404	152,605	88	7.0	04.8-09.2	1316	93.0	90.8-95.2
Some Post-H.S.	1514	156,892	97	6.8	04.8-08.8	1417	93.2	91.2-95.2
College Graduate	1491	153,822	54	3.4	02.2-04.6	1437	96.6	95.4-97.8
Less than \$15,000	363	29,764	69	22.2	15.9-28.5	294	77.8	71.5-84.1
\$15,000- 24,999	642	54,863	80	13.2	09.5-16.9	562	86.8	83.1-90.5
\$25,000- 34,999	501	49,597	40	9.1	05.2-13.0	461	90.9	87.0-94.8
\$35,000- 49,999	698	71,409	23	4.2	01.8-06.6	675	95.8	93.4-98.2
\$50,000- 74,999	736	84,048	27	3.8	02.2-05.4	709	96.2	94.6-97.8
\$75,000+	1130	137,351	15	2.5	00.5-04.5	1115	97.5	95.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1843	249,063	96	6.1	04.1-08.1	1747	93.9	91.9-95.9
Non-Native	1758	233,661	84	6.0	03.8-08.2	1674	94.0	91.8-96.2
25-34	163	44,421	10	5.8	02.1-09.5	153	94.2	90.5-97.9
35-44	254	37,133	10	3.7	01.3-06.1	244	96.3	93.9-98.7
45-54	396	45,272	23	4.5	02.5-06.5	373	95.5	93.5-97.5
55-64	462	37,856	24	4.8	02.8-06.8	438	95.2	93.2-97.2
65+	503	41,171	21	4.0	02.2-05.8	482	96.0	94.2-97.8
H.S. or G.E.D.	521	78,495	28	5.8	02.7-08.9	493	94.2	91.1-97.3
Some Post-H.S.	571	74,256	29	6.5	03.0-10.0	542	93.5	90.0-97.0
College Graduate	603	75,442	17	2.5	01.1-03.9	586	97.5	96.1-98.9
\$15,000- 24,999	191	23,801	24	10.4	04.7-16.1	167	89.6	83.9-95.3
\$25,000- 34,999	193	22,045	13	6.9	02.8-11.0	180	93.1	89.0-97.2
\$35,000- 49,999	285	36,121	6	3.6	00.0-07.7	279	96.4	92.3-0100
\$50,000- 74,999	345	44,520	8	2.5	00.5-04.5	337	97.5	95.5-99.5
\$75,000+	527	76,466	7	3.3	00.0-06.6	520	96.7	93.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2898	248,737	183	7.0	05.6-08.4	2715	93.0	91.6-94.4
Non-Native	2800	236,668	163	6.3	05.1-07.5	2637	93.7	92.5-94.9
18-24	74	37,270	6	6.3	00.8-11.8	68	93.7	88.2-99.2
25-34	256	38,991	28	11.7	07.4-16.0	228	88.3	84.0-92.6
35-44	352	35,581	32	9.2	06.1-12.3	320	90.8	87.7-93.9
45-54	523	45,236	47	8.1	05.7-10.5	476	91.9	89.5-94.3
55-64	629	34,854	44	5.9	04.1-07.7	585	94.1	92.3-95.9
65+	1022	54,675	24	2.6	01.4-03.8	998	97.4	96.2-98.6
Less Than H.S.	179	13,304	18	15.7	08.1-23.3	161	84.3	76.7-91.9
H.S. or G.E.D.	883	74,110	60	8.3	05.4-11.2	823	91.7	88.8-94.6
Some Post-H.S.	943	82,636	68	7.1	04.9-09.3	875	92.9	90.7-95.1
College Graduate	888	78,381	37	4.2	02.4-06.0	851	95.8	94.0-97.6
Less than \$15,000	239	14,350	37	19.3	12.2-26.4	202	80.7	73.6-87.8
\$15,000- 24,999	451	31,063	56	15.3	10.6-20.0	395	84.7	80.0-89.4
\$25,000- 34,999	308	27,552	27	10.8	04.7-16.9	281	89.2	83.1-95.3
\$35,000- 49,999	413	35,288	17	4.8	02.4-07.2	396	95.2	92.8-97.6
\$50,000- 74,999	391	39,528	19	5.3	02.8-07.8	372	94.7	92.2-97.2
\$75,000+	603	60,885	8	1.4	00.4-02.4	595	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	495,693	3297	64.5	62.3-66.7	607	14.0	12.6-15.4	379	10.5	09.1-11.9	419	10.3	08.9-11.7	24	0.6	00.2-01.0
Male	1834	247,524	1137	56.6	53.3-59.9	254	14.2	11.8-16.6	192	13.1	10.7-15.5	242	15.2	12.7-17.7	9	0.8	00.2-01.4
Female	2892	248,169	2160	72.3	69.9-74.7	353	13.9	12.1-15.7	187	7.9	06.3-09.5	177	5.5	04.5-06.5	15	0.5	00.3-00.7
Native	110	17,871				14	12.4	05.1-19.7	8	5.4	00.5-10.3						
Non-Native	4538	467,930	3178	65.0	62.8-67.2	584	14.2	12.6-15.8	363	10.7	09.1-12.3	391	9.7	08.3-11.1	22	0.5	00.3-00.7
18-24	130	79,006	77	58.2	48.8-67.6	24	16.9	10.2-23.6	20	15.6	08.7-22.5	9	9.3	03.0-15.6			
25-34	417	83,148	237	53.9	48.6-59.2	56	13.0	09.5-16.5	54	14.1	10.4-17.8	62	16.5	12.4-20.6	8	2.5	00.5-04.5
35-44	603	72,471	353	56.5	52.2-60.8	114	19.0	15.7-22.3	63	11.1	08.4-13.8	73	13.4	10.3-16.5			
45-54	917	90,396	578	62.1	58.6-65.6	132	14.7	12.2-17.2	104	12.3	09.9-14.7	99	10.5	08.3-12.7	4	0.4	00.0-00.8
55-64	1092	72,845	796	73.2	70.5-75.9	127	11.6	09.6-13.6	63	6.0	04.4-07.6	100	8.8	07.0-10.6	6	0.3	00.0-00.7
65+	1517	95,171	1218	80.2	78.0-82.4	147	10.1	08.3-11.9	73	4.7	03.5-05.9	74	4.7	03.5-05.9	5	0.4	00.0-00.8
Less Than H.S.	325	33,843	222	67.1	58.7-75.5	35	10.7	06.2-15.2	38	12.1	06.6-17.6	29	9.9	04.4-15.4	1	0.1	00.0-00.3
H.S. or G.E.D.	1403	151,596	987	61.3	57.0-65.6	182	15.1	12.0-18.2	92	9.6	06.9-12.3	134	13.2	09.9-16.5	8	0.9	00.1-01.7
Some Post-H.S.	1507	156,317	1042	64.5	61.0-68.0	195	13.9	11.5-16.3	121	11.4	08.7-14.1	142	9.6	07.6-11.6	7	0.6	00.0-01.2
College Graduate	1485	153,454	1042	67.0	63.9-70.1	194	13.9	11.5-16.3	128	10.3	08.1-12.5	113	8.3	06.5-10.1	8	0.6	00.0-01.2
Less than \$15,000	372	30,268	250	63.4	56.0-70.8	35	9.6	05.5-13.7	39	12.2	06.5-17.9	45	14.4	08.9-19.9	3	0.4	00.0-01.0
\$15,000- 24,999	641	54,808	449	63.5	57.4-69.6	85	13.8	09.7-17.9	37	10.2	05.5-14.9	66	11.8	07.7-15.9	4	0.7	00.0-01.7
\$25,000- 34,999	495	49,221	337	65.2	58.9-71.5	57	12.3	07.8-16.8	37	9.8	05.1-14.5	62	12.2	08.7-15.7	2	0.5	00.0-01.3
\$35,000- 49,999	694	70,304	491	66.5	61.4-71.6	82	13.1	09.4-16.8	62	11.0	07.7-14.3	56	9.1	06.0-12.2	3	0.2	00.0-00.6
\$50,000- 74,999	735	84,005	471	58.5	53.6-63.4	117	16.5	13.2-19.8	70	11.7	08.8-14.6	74	12.8	08.7-16.9	3	0.5	00.0-01.1
\$75,000+	1127	137,041	797	65.8	61.9-69.7	158	15.0	12.3-17.7	91	10.7	07.8-13.6	76	8.0	05.8-10.2	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	247,524	1137	56.6	53.3-59.9	254	14.2	11.8-16.6	192	13.1	10.7-15.5	242	15.2	12.7-17.7	9	0.8	00.2-01.4
Non-Native	1747	231,986	1089	57.7	54.4-61.0	241	14.3	11.9-16.7	185	13.3	10.9-15.7	225	14.2	11.8-16.6	7	0.5	00.1-00.9
18-24	56	41,736				10	15.9	06.1-25.7									
25-34	162	44,297	69	44.2	36.0-52.4	18	10.4	05.7-15.1	30	18.2	12.1-24.3	40	23.6	16.7-30.5	5	3.6	00.3-06.9
35-44	254	37,133	110	42.6	36.1-49.1	55	21.5	16.2-26.8	37	14.7	10.0-19.4	52	21.2	15.9-26.5			
45-54	393	45,077	216	55.0	49.7-60.3	56	14.6	10.7-18.5	57	15.3	11.4-19.2	63	14.9	11.2-18.6	1	0.2	00.0-00.6
55-64	462	37,898	310	68.4	63.9-72.9	61	12.7	09.6-15.8	35	7.6	05.1-10.1	54	10.9	08.0-13.8	2	0.3	00.0-00.7
65+	499	40,856	397	79.1	75.2-83.0	53	11.3	08.4-14.2	23	4.7	02.7-06.7	25	4.4	02.6-06.2	1	0.4	00.0-01.2
Less Than H.S.	144	20,537				17	10.4	04.1-16.7	12	10.4	02.6-18.2	12	10.7	02.5-18.9			
H.S. or G.E.D.	520	77,543	315	51.6	44.5-58.7	79	16.2	11.1-21.3	46	10.3	06.0-14.6	76	20.6	14.5-26.7	4	1.3	00.0-02.7
Some Post-H.S.	569	74,076	344	56.1	50.4-61.8	82	14.1	10.4-17.8	62	16.3	11.4-21.2	78	12.6	09.5-15.7	3	0.9	00.0-02.1
College Graduate	599	75,128	373	59.0	54.1-63.9	76	13.5	10.2-16.8	72	13.6	10.3-16.9	76	13.4	10.1-16.7	2	0.5	00.0-01.3
Less than \$15,000	126	15,685				9	7.8	01.5-14.1				25	19.3	10.1-28.5			
\$15,000- 24,999	187	23,568				25	12.5	05.4-19.6	17	15.6	06.0-25.2	25	16.8	08.4-25.2	1	1.1	00.0-03.3
\$25,000- 34,999	191	21,886	118	57.8	47.8-67.8	24	13.6	06.0-21.2	16	9.4	04.3-14.5	32	18.5	11.4-25.6	1	0.7	00.0-02.1
\$35,000- 49,999	283	35,132	179	60.6	53.0-68.2	31	10.7	06.4-15.0	34	13.7	08.4-19.0	39	15.0	09.1-20.9			
\$50,000- 74,999	345	44,520	201	51.6	44.3-58.9	48	14.1	09.8-18.4	43	14.9	10.2-19.6	51	18.8	11.9-25.7	2	0.7	00.0-01.9
\$75,000+	526	76,381	325	57.2	51.3-63.1	87	16.7	12.4-21.0	57	14.4	09.5-19.3	54	11.1	07.8-14.4	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2892	248,169	2160	72.3	69.9-74.7	353	13.9	12.1-15.7	187	7.9	06.3-09.5	177	5.5	04.5-06.5	15	0.5	00.3-00.7
Native	62	9,079				6	8.6	00.8-16.4	3	1.6	00.0-03.6	8	10.8	01.8-19.8			
Non-Native	2791	235,944	2089	72.1	69.7-74.5	343	14.1	12.1-16.1	178	8.1	06.3-09.9	166	5.2	04.2-06.2	15	0.5	00.3-00.7
18-24	74	37,270				14	18.0	09.0-27.0	10	13.8	05.4-22.2	1	1.9	00.0-05.4			
25-34	255	38,851	168	65.0	58.7-71.3	38	15.9	11.0-20.8	24	9.4	05.7-13.1	22	8.4	04.7-12.1	3	1.3	00.0-02.7
35-44	349	35,338	243	71.0	66.1-75.9	59	16.5	12.6-20.4	26	7.4	04.5-10.3	21	5.2	02.8-07.6			
45-54	524	45,319	362	69.2	64.9-73.5	76	14.8	11.5-18.1	47	9.3	06.6-12.0	36	6.1	03.9-08.3	3	0.5	00.0-01.1
55-64	630	34,947	486	78.4	75.1-81.7	66	10.5	08.0-13.0	28	4.3	02.5-06.1	46	6.5	04.5-08.5	4	0.4	00.0-00.8
65+	1018	54,315	821	81.0	78.5-83.5	94	9.1	07.1-11.1	50	4.6	03.2-06.0	49	4.9	03.5-06.3	4	0.4	00.0-00.8
Less Than H.S.	181	13,306	119	64.9	55.7-74.1	18	11.3	05.4-17.2	26	14.8	07.9-21.7	17	8.7	03.2-14.2	1	0.2	00.0-00.6
H.S. or G.E.D.	883	74,053	672	71.6	66.9-76.3	103	13.9	10.2-17.6	46	8.8	05.3-12.3	58	5.3	03.7-06.9	4	0.4	00.0-00.8
Some Post-H.S.	938	82,241	698	72.1	68.0-76.2	113	13.8	10.7-16.9	59	7.0	04.6-09.4	64	6.9	04.5-09.3	4	0.3	00.0-00.7
College Graduate	886	78,326	669	74.6	70.7-78.5	118	14.3	11.4-17.2	56	7.0	04.3-09.7	37	3.5	02.1-04.9	6	0.7	00.1-01.3
Less than \$15,000	246	14,583	170	68.3	60.7-75.9	26	11.6	06.3-16.9	27	10.1	05.8-14.4	20	9.2	04.1-14.3	3	0.9	00.0-01.9
\$15,000- 24,999	454	31,241	330	70.7	64.6-76.8	60	14.8	10.1-19.5	20	6.0	02.5-09.5	41	8.0	05.1-10.9	3	0.4	00.0-00.8
\$25,000- 34,999	304	27,335	219	71.1	62.9-79.3	33	11.3	06.2-16.4	21	10.2	02.9-17.5	30	7.1	04.2-10.0	1	0.3	00.0-00.9
\$35,000- 49,999	411	35,172	312	72.4	65.7-79.1	51	15.5	09.4-21.6	28	8.4	04.5-12.3	17	3.2	01.4-05.0	3	0.5	00.0-01.1
\$50,000- 74,999	390	39,485	270	66.3	60.2-72.4	69	19.2	13.9-24.5	27	8.0	04.7-11.3	23	6.1	03.4-08.8	1	0.4	00.0-01.2
\$75,000+	601	60,660	472	76.7	72.4-81.0	71	12.9	09.6-16.2	34	6.0	03.8-08.2	22	4.1	01.6-06.6	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 4: SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4666	491,299	133	2.6	02.0-03.2	1356	30.9	28.9-32.9	547	12.6	11.2-14.0	535	12.0	10.6-13.4	413	10.3	08.9-11.7	1682	31.6	29.6-33.6
Male	1819	245,730	47	2.1	01.5-02.7	504	30.5	27.4-33.6	194	12.6	10.2-15.0	187	10.8	08.8-12.8	152	9.5	07.1-11.9	735	34.5	31.4-37.6
Female	2847	245,569	86	3.1	02.1-04.1	852	31.3	28.9-33.7	353	12.6	11.0-14.2	348	13.2	11.4-15.0	261	11.0	09.2-12.8	947	28.7	26.5-30.9
Native	107	17,731	2	4.4	00.0-10.7				18	18.8	09.6-28.0	10	7.9	02.0-13.8						
Non-Native	4487	464,634	129	2.5	01.9-03.1	1320	31.4	29.4-33.4	522	12.2	10.8-13.6	518	12.2	10.8-13.6	384	9.7	08.3-11.1	1614	32.0	30.0-34.0
18-24	130	79,243	3	1.9	00.0-04.1	41	33.2	24.0-42.4	21	14.7	08.4-21.0	18	11.1	05.8-16.4	20	15.8	08.7-22.9	27	23.3	14.9-31.7
25-34	412	82,002	8	1.7	00.5-02.9	126	32.0	26.9-37.1	59	13.4	09.9-16.9	75	16.9	13.0-20.8	60	14.6	10.9-18.3	84	21.4	16.7-26.1
35-44	599	71,868	22	3.3	01.9-04.7	216	37.3	33.2-41.4	101	16.9	13.6-20.2	85	13.8	10.9-16.7	70	11.1	08.6-13.6	105	17.6	14.5-20.7
45-54	919	90,382	28	3.3	01.9-04.7	307	33.3	30.0-36.6	117	12.8	10.4-15.2	123	12.8	10.4-15.2	94	8.9	07.1-10.7	250	28.9	25.6-32.2
55-64	1081	72,187	30	2.5	01.5-03.5	326	29.7	26.8-32.6	118	11.1	08.9-13.3	123	11.3	09.3-13.3	93	8.0	06.2-09.8	391	37.6	34.5-40.7
65+	1478	93,084	41	2.8	01.8-03.8	327	21.8	19.4-24.2	131	8.3	06.7-09.9	106	6.8	05.4-08.2	72	4.5	03.3-05.7	801	55.8	53.1-58.5
Less Than H.S.	310	32,865	4	1.4	00.0-03.2	66	28.0	19.0-37.0	21	6.8	03.1-10.5	27	6.3	03.6-09.0	21	10.4	03.0-17.8	171	47.2	37.2-57.2
H.S. or G.E.D.	1383	150,802	31	2.1	01.1-03.1	348	26.3	22.2-30.4	166	14.9	11.6-18.2	148	10.3	08.1-12.5	121	11.3	08.2-14.4	569	35.1	31.2-39.0
Some Post-H.S.	1500	155,374	43	2.8	01.6-04.0	450	31.8	28.5-35.1	159	10.0	08.0-12.0	190	14.6	11.9-17.3	153	11.1	08.6-13.6	505	29.7	26.6-32.8
College Graduate	1470	151,976	55	3.1	02.1-04.1	491	35.2	32.1-38.3	201	14.3	11.9-16.7	169	12.2	10.2-14.2	118	8.4	06.6-10.2	436	26.7	24.0-29.4
Less than \$15,000	356	29,494	5	1.4	00.0-03.2	86	29.0	21.2-36.8	32	11.7	06.0-17.4	49	14.1	09.0-19.2	41	10.7	06.6-14.8	143	33.1	26.0-40.2
\$15,000- 24,999	637	54,520	13	1.5	00.5-02.5	138	23.0	17.5-28.5	79	13.3	09.2-17.4	70	12.1	08.2-16.0	71	13.7	08.8-18.6	266	36.4	30.9-41.9
\$25,000- 34,999	491	48,760	23	4.3	02.1-06.5	127	25.7	20.2-31.2	57	11.1	06.8-15.4	55	12.5	07.8-17.2	38	10.9	06.0-15.8	191	35.6	29.1-42.1
\$35,000- 49,999	692	71,088	12	1.6	00.0-03.2	218	32.3	27.4-37.2	76	11.9	08.2-15.6	70	9.2	06.5-11.9	68	10.6	07.3-13.9	248	34.4	29.3-39.5
\$50,000- 74,999	731	83,670	25	3.7	01.7-05.7	215	28.9	24.8-33.0	97	13.6	10.5-16.7	95	15.0	11.7-18.3	53	9.2	05.5-12.9	246	29.6	25.1-34.1
\$75,000+	1126	136,998	37	2.8	01.8-03.8	404	36.4	32.5-40.3	144	13.6	10.9-16.3	130	11.7	09.3-14.1	86	9.0	06.5-11.5	325	26.5	23.2-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	245,730	47	2.1	01.5-02.7	504	30.5	27.4-33.6	194	12.6	10.2-15.0	187	10.8	08.8-12.8	152	9.5	07.1-11.9	735	34.5	31.4-37.6
Non-Native	1737	231,046	46	2.2	01.4-03.0	491	31.0	27.7-34.3	182	12.4	10.0-14.8	177	10.9	08.9-12.9	138	8.7	06.5-10.9	703	34.8	31.7-37.9
18-24	56	41,973							12	17.5	07.7-27.3	9	10.1	03.2-17.0						
25-34	161	43,675	3	1.4	00.0-03.0	54	33.7	25.9-41.5	20	12.0	06.7-17.3	25	15.2	09.5-20.9	22	13.2	07.9-18.5	37	24.5	16.9-32.1
35-44	250	36,555	8	2.9	00.9-04.9	92	37.6	31.1-44.1	42	17.4	12.1-22.7	35	14.0	09.5-18.5	25	9.5	05.8-13.2	48	18.7	13.8-23.6
45-54	395	45,105	12	3.3	01.3-05.3	114	29.2	24.3-34.1	49	13.2	09.5-16.9	45	10.5	07.4-13.6	42	8.7	06.0-11.4	133	35.2	29.9-40.5
55-64	455	37,456	12	2.3	00.7-03.9	122	27.2	22.9-31.5	40	9.7	06.6-12.8	48	10.7	07.8-13.6	38	7.2	04.8-09.6	195	42.8	37.9-47.7
65+	494	40,440	11	2.5	00.9-04.1	102	20.7	17.0-24.4	31	6.3	04.1-08.5	23	4.1	02.3-05.9	18	3.1	01.5-04.7	309	63.3	58.8-67.8
Less Than H.S.	139	19,954							8	6.6	01.3-11.9	12	5.2	01.7-08.7						
H.S. or G.E.D.	517	77,663	10	1.6	00.6-02.6	124	27.6	20.7-34.5	57	16.9	11.4-22.4	43	8.1	05.2-11.0	42	10.2	05.3-15.1	241	35.6	29.3-41.9
Some Post-H.S.	568	73,441	16	2.3	00.9-03.7	161	30.8	25.5-36.1	53	8.2	05.7-10.7	72	15.1	10.8-19.4	60	11.0	07.1-14.9	206	32.7	27.6-37.8
College Graduate	593	74,433	21	3.0	01.6-04.4	189	34.1	29.4-38.8	76	14.2	10.7-17.7	59	10.8	07.9-13.7	39	6.8	04.4-09.2	209	31.1	26.8-35.4
Less than \$15,000	123	15,467							10	14.2	04.2-24.2	16	13.6	05.4-21.8	16	8.6	03.5-13.7			
\$15,000- 24,999	189	23,716	3	1.3	00.0-02.9	36	20.2	11.8-28.6	23	14.3	06.7-21.9	17	10.9	04.0-17.8	25	15.3	05.9-24.7	85	38.0	28.2-47.8
\$25,000- 34,999	188	21,413	9	4.2	01.1-07.3	45	24.7	16.1-33.3	17	11.4	03.8-19.0	21	11.3	05.6-17.0	13	5.3	02.0-08.6			
\$35,000- 49,999	284	36,069	2	0.4	00.0-01.0	78	29.0	21.6-36.4	24	12.2	05.7-18.7	21	6.9	03.6-10.2	26	8.5	04.8-12.2	133	43.1	35.1-51.1
\$50,000- 74,999	342	44,352	10	2.8	00.8-04.8	99	28.5	22.6-34.4	38	12.2	08.1-16.3	36	13.1	08.4-17.8	21	9.0	02.5-15.5	138	34.3	27.2-41.4
\$75,000+	525	76,236	17	2.5	01.1-03.9	171	34.7	28.8-40.6	69	14.8	10.5-19.1	57	10.5	07.4-13.6	37	9.8	05.7-13.9	174	27.6	22.9-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	245,569	86	3.1	02.1-04.1	852	31.3	28.9-33.7	353	12.6	11.0-14.2	348	13.2	11.4-15.0	261	11.0	09.2-12.8	947	28.7	26.5-30.9
Native	60	9,003										4	4.5	00.0-09.8				16	16.4	06.6-26.2
Non-Native	2750	233,587	83	2.9	02.1-03.7	829	31.8	29.4-34.2	340	12.0	10.4-13.6	341	13.5	11.7-15.3	246	10.6	08.8-12.4	911	29.1	26.7-31.5
18-24	74	37,270	3	4.0	00.0-08.7				9	11.7	04.3-19.1	9	12.1	04.3-19.9	13	16.8	08.0-25.6			
25-34	251	38,327	5	2.0	00.2-03.8	72	30.0	23.9-36.1	39	15.0	10.3-19.7	50	18.9	14.0-23.8	38	16.2	11.1-21.3	47	18.0	13.1-22.9
35-44	349	35,314	14	3.8	01.8-05.8	124	37.1	31.8-42.4	59	16.3	12.2-20.4	50	13.6	09.9-17.3	45	12.7	09.2-16.2	57	16.4	12.3-20.5
45-54	524	45,277	16	3.3	01.5-05.1	193	37.4	32.9-41.9	68	12.3	09.4-15.2	78	15.1	11.8-18.4	52	9.0	06.5-11.5	117	22.7	18.8-26.6
55-64	626	34,731	18	2.7	01.3-04.1	204	32.3	28.4-36.2	78	12.6	09.9-15.3	75	11.9	09.2-14.6	55	8.7	06.3-11.1	196	31.9	28.0-35.8
65+	984	52,644	30	3.0	01.8-04.2	225	22.7	20.0-25.4	100	9.8	07.8-11.8	83	8.9	06.9-10.9	54	5.5	03.9-07.1	492	50.1	46.8-53.4
Less Than H.S.	171	12,910	4	3.5	00.0-07.8				13	7.1	03.0-11.2	15	8.0	03.5-12.5	10	8.2	01.7-14.7	93	44.5	34.7-54.3
H.S. or G.E.D.	866	73,139	21	2.7	00.9-04.5	224	25.0	21.1-28.9	109	12.8	09.5-16.1	105	12.5	09.2-15.8	79	12.5	08.6-16.4	328	34.5	29.6-39.4
Some Post-H.S.	932	81,933	27	3.2	01.2-05.2	289	32.7	28.4-37.0	106	11.6	08.9-14.3	118	14.2	10.9-17.5	93	11.3	08.2-14.4	299	27.1	23.4-30.8
College Graduate	877	77,544	34	3.3	02.1-04.5	302	36.3	32.2-40.4	125	14.4	11.5-17.3	110	13.6	10.9-16.3	79	10.0	07.5-12.5	227	22.4	19.3-25.5
Less than \$15,000	233	14,027	5	3.0	00.0-06.7	53	24.3	16.9-31.7	22	8.9	05.0-12.8	33	14.6	09.1-20.1	25	13.0	06.9-19.1	95	36.1	27.7-44.5
\$15,000- 24,999	448	30,804	10	1.6	00.6-02.6	102	25.2	18.1-32.3	56	12.5	08.2-16.8	53	13.0	08.5-17.5	46	12.5	07.6-17.4	181	35.1	29.0-41.2
\$25,000- 34,999	303	27,347	14	4.4	01.7-07.1	82	26.5	19.4-33.6	40	10.8	06.1-15.5	34	13.3	06.2-20.4	25	15.2	07.2-23.2	108	29.7	22.3-37.1
\$35,000- 49,999	408	35,019	10	2.9	00.0-05.8	140	35.7	29.2-42.2	52	11.6	08.1-15.1	49	11.7	07.6-15.8	42	12.8	07.5-18.1	115	25.3	19.6-31.0
\$50,000- 74,999	389	39,318	15	4.7	01.0-08.4	116	29.3	23.6-35.0	59	15.0	10.5-19.5	59	17.2	12.5-21.9	32	9.4	05.9-12.9	108	24.3	19.4-29.2
\$75,000+	601	60,763	20	3.1	01.7-04.5	233	38.6	33.7-43.5	75	12.2	09.3-15.1	73	13.1	09.8-16.4	49	8.0	05.6-10.4	151	25.1	20.2-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4755	498,571	3437	75.2	73.4-77.0	1318	24.8	23.0-26.6
Male	1845	249,343	1311	73.3	70.4-76.2	534	26.7	23.8-29.6
Female	2910	249,229	2126	77.2	75.2-79.2	784	22.8	20.8-24.8
Non-Native	4567	470,809	3314	75.6	73.8-77.4	1253	24.4	22.6-26.2
18-24	131	79,953	110	81.9	74.3-89.5	21	18.1	10.5-25.7
25-34	420	83,599	337	80.0	75.7-84.3	83	20.0	15.7-24.3
35-44	606	72,714	470	77.7	74.2-81.2	136	22.3	18.8-25.8
45-54	921	90,632	686	74.2	71.1-77.3	235	25.8	22.7-28.9
55-64	1093	72,845	781	72.2	69.3-75.1	312	27.8	24.9-30.7
65+	1535	96,204	1017	66.9	64.4-69.4	518	33.1	30.6-35.6
Less Than H.S.	331	34,214	180	55.7	45.9-65.5	151	44.3	34.5-54.1
H.S. or G.E.D.	1408	152,931	923	71.8	68.5-75.1	485	28.2	24.9-31.5
Some Post-H.S.	1515	156,903	1080	73.2	70.1-76.3	435	26.8	23.7-29.9
College Graduate	1494	153,979	1249	85.0	82.6-87.4	245	15.0	12.6-17.4
Less than \$15,000	373	30,384	225	64.9	57.8-72.0	148	35.1	28.0-42.2
\$15,000- 24,999	646	55,059	393	64.9	59.6-70.2	253	35.1	29.8-40.4
\$25,000- 34,999	501	49,597	321	65.6	59.5-71.7	180	34.4	28.3-40.5
\$35,000- 49,999	698	71,409	524	74.3	69.4-79.2	174	25.7	20.8-30.6
\$50,000- 74,999	735	83,965	570	80.0	76.7-83.3	165	20.0	16.7-23.3
\$75,000+	1130	137,351	942	85.4	83.0-87.8	188	14.6	12.2-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	249,343	1311	73.3	70.4-76.2	534	26.7	23.8-29.6
Non-Native	1758	233,806	1258	74.0	71.1-76.9	500	26.0	23.1-28.9
25-34	164	44,608	125	77.4	70.5-84.3	39	22.6	15.7-29.5
35-44	254	37,133	189	75.6	70.1-81.1	65	24.4	18.9-29.9
45-54	396	45,272	277	69.6	64.5-74.7	119	30.4	25.3-35.5
55-64	462	37,898	321	70.5	66.2-74.8	141	29.5	25.2-33.8
65+	504	41,223	347	69.1	64.8-73.4	157	30.9	26.6-35.2
H.S. or G.E.D.	523	78,775	341	72.0	66.5-77.5	182	28.0	22.5-33.5
Some Post-H.S.	571	74,256	394	71.6	66.7-76.5	177	28.4	23.5-33.3
College Graduate	603	75,442	495	81.8	77.9-85.7	108	18.2	14.3-22.1
\$15,000- 24,999	190	23,758	117	67.9	59.1-76.7	73	32.1	23.3-40.9
\$35,000- 49,999	285	36,121	207	71.2	63.4-79.0	78	28.8	21.0-36.6
\$50,000- 74,999	345	44,520	257	76.2	70.7-81.7	88	23.8	18.3-29.3
\$75,000+	527	76,466	418	82.7	79.2-86.2	109	17.3	13.8-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	249,229	2126	77.2	75.2-79.2	784	22.8	20.8-24.8
Non-Native	2809	237,004	2056	77.2	75.2-79.2	753	22.8	20.8-24.8
18-24	74	37,270	65	87.6	79.8-95.4	9	12.4	04.6-20.2
25-34	256	38,991	212	83.1	78.2-88.0	44	16.9	12.0-21.8
35-44	352	35,581	281	79.8	75.5-84.1	71	20.2	15.9-24.5
45-54	525	45,360	409	78.7	75.0-82.4	116	21.3	17.6-25.0
55-64	631	34,947	460	74.1	70.6-77.6	171	25.9	22.4-29.4
65+	1031	54,981	670	65.3	62.2-68.4	361	34.7	31.6-37.8
Less Than H.S.	185	13,583	101	60.6	51.6-69.6	84	39.4	30.4-48.4
H.S. or G.E.D.	885	74,156	582	71.6	67.7-75.5	303	28.4	24.5-32.3
Some Post-H.S.	944	82,647	686	74.7	70.8-78.6	258	25.3	21.4-29.2
College Graduate	891	78,537	754	88.1	85.9-90.3	137	11.9	09.7-14.1
Less than \$15,000	247	14,699	147	62.1	53.9-70.3	100	37.9	29.7-46.1
\$15,000- 24,999	456	31,300	276	62.6	56.3-68.9	180	37.4	31.1-43.7
\$25,000- 34,999	308	27,552	210	71.4	64.5-78.3	98	28.6	21.7-35.5
\$35,000- 49,999	413	35,288	317	77.4	71.5-83.3	96	22.6	16.7-28.5
\$50,000- 74,999	390	39,445	313	84.3	80.4-88.2	77	15.7	11.8-19.6
\$75,000+	603	60,885	524	88.7	86.2-91.2	79	11.3	08.8-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 6: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4760	498,863	485	7.4	06.6-08.2	26	0.5	00.3-00.7	4182	91.1	90.3-91.9	67	1.0	00.8-01.2
Male	1846	249,385	226	8.6	07.2-10.0				1601	90.6	89.2-92.0	19	0.7	00.3-01.1
Female	2914	249,478	259	6.2	05.2-07.2	26	1.0	00.6-01.4	2581	91.6	90.6-92.6	48	1.2	00.8-01.6
Native	110	17,871	23	13.2	06.9-19.5				85	86.3	80.0-92.6	2	0.5	00.0-01.3
Non-Native	4573	471,143	447	7.0	06.2-07.8	26	0.5	00.3-00.7	4035	91.5	90.7-92.3	65	1.0	00.8-01.2
18-24	131	79,953	2	1.1	00.0-02.7				129	98.9	97.3-0100			
25-34	420	83,599	5	1.1	00.0-02.3	2	0.5	00.0-01.3	411	98.2	96.8-99.6	2	0.3	00.0-00.7
35-44	606	72,714	22	4.3	02.1-06.5	15	1.8	00.8-02.8	564	93.2	90.8-95.6	5	0.7	00.0-01.5
45-54	922	90,715	61	7.0	05.0-09.0	5	0.5	00.0-01.1	850	91.8	89.6-94.0	6	0.7	00.1-01.3
55-64	1095	72,979	141	13.3	11.1-15.5	2	0.2	00.0-00.6	927	84.1	81.7-86.5	25	2.4	01.4-03.4
65+	1536	96,247	251	16.7	14.7-18.7	2	0.2	00.0-00.4	1255	81.6	79.4-83.8	28	1.6	01.0-02.2
Less Than H.S.	332	34,257	53	11.2	07.3-15.1	1	0.4	00.0-01.2	272	86.8	82.5-91.1	6	1.6	00.0-03.2
H.S. or G.E.D.	1412	153,182	152	7.3	05.7-08.9	4	0.3	00.0-00.7	1240	91.7	90.1-93.3	16	0.8	00.4-01.2
Some Post-H.S.	1515	156,901	174	8.5	07.1-09.9	9	0.4	00.0-00.8	1304	89.8	88.2-91.4	28	1.2	00.6-01.8
College Graduate	1494	153,979	106	5.7	04.3-07.1	12	0.8	00.4-01.2	1360	92.8	91.4-94.2	16	0.7	00.3-01.1
Less than \$15,000	373	30,384	67	13.5	09.0-18.0	1	0.2	00.0-00.6	303	85.4	80.7-90.1	2	0.8	00.0-02.2
\$15,000- 24,999	648	55,162	84	10.3	07.6-13.0				552	88.6	85.7-91.5	12	1.0	00.4-01.6
\$25,000- 34,999	500	49,511	66	8.6	06.2-11.0	4	0.7	00.0-01.5	425	89.6	86.9-92.3	5	1.0	00.0-02.0
\$35,000- 49,999	698	71,409	69	7.4	05.4-09.4	5	0.8	00.0-01.6	612	90.7	88.3-93.1	12	1.1	00.5-01.7
\$50,000- 74,999	736	84,048	65	7.5	05.5-09.5	6	0.9	00.1-01.7	654	90.7	88.5-92.9	11	1.0	00.4-01.6
\$75,000+	1129	137,290	58	4.0	02.8-05.2	6	0.4	00.0-00.8	1053	94.8	93.4-96.2	12	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1846	249,385	226	8.6	07.2-10.0	1601	90.6	89.2-92.0	19	0.7	00.3-01.1
Non-Native	1759	233,848	203	8.1	06.7-09.5	1538	91.2	89.8-92.6	18	0.7	00.3-01.1
18-24	57	42,683	1	0.8	00.0-02.4	56	99.2	97.6-0100			
25-34	164	44,608	1	0.8	00.0-02.4	162	98.9	97.1-0100	1	0.3	00.0-00.9
35-44	254	37,133	14	6.5	02.6-10.4	239	92.9	88.8-97.0	1	0.6	00.0-01.8
45-54	396	45,272	37	9.2	05.9-12.5	356	90.2	86.9-93.5	3	0.6	00.0-01.4
55-64	463	37,940	66	14.8	11.3-18.3	388	83.2	79.5-86.9	9	2.1	00.7-03.5
65+	504	41,223	106	20.9	17.2-24.6	393	78.2	74.5-81.9	5	1.0	00.0-02.0
Less Than H.S.	146	20,631	26	11.5	05.6-17.4	116	86.5	80.0-93.0	4	2.0	00.0-04.4
H.S. or G.E.D.	524	78,817	60	7.0	04.6-09.4	459	92.3	89.9-94.7	5	0.7	00.1-01.3
Some Post-H.S.	571	74,256	85	10.5	08.0-13.0	480	88.8	86.3-91.3	6	0.7	00.1-01.3
College Graduate	603	75,442	55	7.8	05.4-10.2	544	91.7	89.3-94.1	4	0.4	00.0-00.8
Less than \$15,000	126	15,685	26	12.9	05.5-20.3	98	85.5	77.7-93.3	2	1.6	00.0-04.1
\$15,000- 24,999	191	23,801	30	12.3	07.0-17.6	157	86.6	81.1-92.1	4	1.1	00.0-02.3
\$25,000- 34,999	193	22,045	34	11.8	07.3-16.3	157	86.8	81.9-91.7	2	1.4	00.0-03.6
\$35,000- 49,999	285	36,121	35	8.9	05.6-12.2	247	90.5	87.0-94.0	3	0.6	00.0-01.4
\$50,000- 74,999	345	44,520	45	10.8	07.3-14.3	298	88.7	85.2-92.2	2	0.4	00.0-01.0
\$75,000+	527	76,466	32	4.8	02.8-06.8	491	94.7	92.7-96.7	4	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	249,478	259	6.2	05.2-07.2	26	1.0	00.6-01.4	2581	91.6	90.6-92.6	48	1.2	00.8-01.6
Native	62	9,079	11	13.3	04.3-22.3				50	86.4	77.4-95.4	1	0.3	00.0-00.9
Non-Native	2814	237,295	244	6.0	05.0-07.0	26	1.1	00.7-01.5	2497	91.7	90.7-92.7	47	1.2	00.8-01.6
18-24	74	37,270	1	1.4	00.0-04.1				73	98.6	95.9-100.0			
25-34	256	38,991	4	1.3	00.0-02.7	2	1.1	00.0-02.7	249	97.3	95.1-99.5	1	0.3	00.0-00.9
35-44	352	35,581	8	2.0	00.6-03.4	15	3.8	01.8-05.8	325	93.4	90.9-95.9	4	0.8	00.0-01.6
45-54	526	45,443	24	4.8	02.6-07.0	5	1.1	00.1-02.1	494	93.4	90.9-95.9	3	0.7	00.0-01.5
55-64	632	35,040	75	11.7	09.0-14.4	2	0.4	00.0-01.0	539	85.1	82.2-88.0	16	2.8	01.2-04.4
65+	1032	55,024	145	13.5	11.3-15.7	2	0.3	00.0-00.7	862	84.1	81.7-86.5	23	2.1	01.1-03.1
Less Than H.S.	186	13,626	27	10.7	06.4-15.0	1	1.1	00.0-03.3	156	87.1	82.0-92.2	2	1.1	00.0-02.9
H.S. or G.E.D.	888	74,365	92	7.5	05.5-09.5	4	0.7	00.0-01.5	781	91.0	88.8-93.2	11	0.9	00.3-01.5
Some Post-H.S.	944	82,645	89	6.8	05.2-08.4	9	0.8	00.2-01.4	824	90.7	88.7-92.7	22	1.7	00.9-02.5
College Graduate	891	78,537	51	3.7	02.5-04.9	12	1.6	00.6-02.6	816	93.8	92.2-95.4	12	1.0	00.4-01.6
Less than \$15,000	247	14,699	41	14.1	09.4-18.8	1	0.5	00.0-01.5	205	85.4	80.7-90.1			
\$15,000- 24,999	457	31,361	54	8.9	06.2-11.6				395	90.2	87.3-93.1	8	1.0	00.2-01.8
\$25,000- 34,999	307	27,466	32	6.1	03.7-08.5	4	1.3	00.0-02.7	268	91.8	88.9-94.7	3	0.8	00.0-01.8
\$35,000- 49,999	413	35,288	34	5.8	03.6-08.0	5	1.7	00.1-03.3	365	91.0	88.1-93.9	9	1.6	00.4-02.8
\$50,000- 74,999	391	39,528	20	3.8	02.0-05.6	6	1.8	00.2-03.4	356	92.8	90.3-95.3	9	1.6	00.4-02.8
\$75,000+	602	60,824	26	3.1	01.7-04.5	6	0.9	00.1-01.7	562	94.9	93.3-96.5	8	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1 MALES AND FEMALES	42
2 MALES ONLY	43
3 FEMALES ONLY	44
HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4 MALES AND FEMALES	45
5 MALES ONLY	46
6 FEMALES ONLY	47
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)	
7 MALES AND FEMALES	48
8 MALES ONLY	49
9 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4734	496,236	3321	71.1	69.1-73.1	481	11.1	09.7-12.5	433	9.6	08.4-10.8	488	7.8	06.8-08.8	11	0.4	00.0-00.8
Male	1838	247,692	1267	69.2	66.1-72.3	190	10.9	08.5-13.3	187	10.8	08.6-13.0	189	8.4	06.8-10.0	5	0.7	00.0-01.5
Female	2896	248,543	2054	73.1	70.9-75.3	291	11.2	09.4-13.0	246	8.3	06.9-09.7	299	7.2	06.2-08.2	6	0.1	00.0-00.3
Native	110	17,871				20	17.0	08.6-25.4	14	10.6	03.5-17.7	11	7.0	02.1-11.9			
Non-Native	4548	468,568	3213	71.5	69.5-73.5	449	10.9	09.3-12.5	412	9.5	08.3-10.7	464	7.8	06.8-08.8	10	0.4	00.0-00.8
18-24	131	79,953	97	73.2	64.6-81.8	17	13.6	06.5-20.7	13	9.9	04.4-15.4	3	2.4	00.0-05.1	1	0.9	00.0-02.7
25-34	418	82,480	284	67.2	62.3-72.1	63	14.1	10.6-17.6	43	10.6	07.3-13.9	24	6.7	04.0-09.4	4	1.4	00.0-03.0
35-44	605	72,497	452	74.9	71.2-78.6	56	9.3	06.8-11.8	58	9.5	07.0-12.0	39	6.3	04.3-08.3			
45-54	916	90,383	666	72.3	69.2-75.4	91	10.3	08.1-12.5	92	10.8	08.4-13.2	66	6.5	04.9-08.1	1	0.1	00.0-00.3
55-64	1093	72,856	815	75.1	72.4-77.8	89	8.1	06.3-09.9	81	7.1	05.5-08.7	108	9.7	07.7-11.7			
65+	1521	95,411	966	65.4	62.9-67.9	161	10.7	08.9-12.5	143	9.3	07.7-10.9	247	14.4	12.6-16.2	4	0.2	00.0-00.4
Less Than H.S.	326	33,061	139	44.4	34.8-54.0	48	19.3	09.5-29.1	62	20.0	13.3-26.7	73	15.3	10.6-20.0	4	0.9	00.0-02.1
H.S. or G.E.D.	1401	152,494	884	67.4	63.5-71.3	151	11.6	08.7-14.5	155	9.9	07.7-12.1	206	10.0	08.2-11.8	5	1.1	00.0-02.3
Some Post-H.S.	1510	156,606	1094	71.9	68.6-75.2	155	10.6	08.4-12.8	128	10.6	08.1-13.1	132	6.9	05.1-08.7	1	0.0	00.0-00.0
College Graduate	1491	153,592	1200	79.8	77.3-82.3	127	9.2	07.4-11.0	87	5.9	04.3-07.5	76	5.0	03.6-06.4	1	0.0	00.0-00.0
Less than \$15,000	368	30,106	150	46.2	38.4-54.0	50	15.2	09.7-20.7	63	17.3	11.2-23.4	102	19.2	14.7-23.7	3	2.0	00.0-04.7
\$15,000- 24,999	646	54,992	362	59.5	53.8-65.2	91	14.3	10.4-18.2	78	11.8	08.7-14.9	113	14.3	10.8-17.8	2	0.2	00.0-00.4
\$25,000- 34,999	499	49,459	318	61.8	55.3-68.3	55	13.2	08.5-17.9	49	13.0	08.1-17.9	75	11.5	08.4-14.6	2	0.3	00.0-00.7
\$35,000- 49,999	697	71,366	511	73.5	69.0-78.0	68	9.4	06.9-11.9	60	10.1	06.4-13.8	58	7.0	04.8-09.2			
\$50,000- 74,999	734	83,902	547	72.1	67.8-76.4	79	12.5	09.4-15.6	65	9.9	07.2-12.6	42	5.5	03.5-07.5	1	0.1	00.0-00.3
\$75,000+	1130	137,351	973	84.3	81.4-87.2	67	6.5	04.7-08.3	51	5.3	03.3-07.3	38	3.4	02.2-04.6	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	247,692	1267	69.2	66.1-72.3	190	10.9	08.5-13.3	187	10.8	08.6-13.0	189	8.4	06.8-10.0	5	0.7	00.0-01.5
Non-Native	1752	232,207	1223	69.6	66.5-72.7	174	10.8	08.3-13.3	174	10.6	08.4-12.8	177	8.4	06.8-10.0	4	0.6	00.0-01.4
18-24	57	42,683							6	11.4	02.6-20.2	3	4.4	00.0-09.7	1	1.7	00.0-05.0
25-34	162	43,489	107	65.7	58.1-73.3	18	10.9	06.0-15.8	21	12.7	07.4-18.0	13	8.3	03.8-12.8	3	2.4	00.0-05.3
35-44	253	36,916	182	72.3	66.4-78.2	22	9.3	05.6-13.0	27	10.0	06.1-13.9	22	8.3	04.8-11.8			
45-54	395	45,188	270	68.4	63.3-73.5	47	12.3	08.8-15.8	43	12.2	08.5-15.9	34	7.0	04.5-09.5	1	0.1	00.0-00.3
55-64	463	37,940	322	70.8	66.5-75.1	43	8.7	06.0-11.4	41	8.6	05.9-11.3	57	11.9	08.8-15.0			
65+	500	40,950	336	68.0	63.7-72.3	55	11.2	08.3-14.1	49	9.6	06.9-12.3	60	11.3	08.4-14.2			
Less Than H.S.	142	19,521										28	14.5	07.4-21.6	1	1.0	00.0-03.0
H.S. or G.E.D.	522	78,579	337	68.0	61.7-74.3	49	10.7	05.8-15.6	66	10.7	07.2-14.2	67	8.5	06.0-11.0	3	2.0	00.0-04.4
Some Post-H.S.	571	74,256	406	70.1	64.6-75.6	59	9.7	06.8-12.6	54	12.2	07.7-16.7	52	8.1	05.0-11.2			
College Graduate	601	75,097	459	75.8	71.7-79.9	58	9.8	07.1-12.5	41	7.2	04.7-09.7	42	7.1	04.6-09.6	1	0.1	00.0-00.3
Less than \$15,000	125	15,633				16	11.2	03.9-18.5				34	18.0	10.7-25.3	2	3.6	00.0-08.7
\$15,000- 24,999	190	23,673	99	58.5	48.5-68.5	31	14.9	07.6-22.2	22	10.3	05.0-15.6	37	16.1	09.4-22.8	1	0.2	00.0-00.6
\$25,000- 34,999	192	21,993	119	61.2	51.4-71.0	22	10.9	05.2-16.6	26	16.9	08.9-24.9	25	11.0	06.1-15.9			
\$35,000- 49,999	284	36,078	198	70.2	62.9-77.5	26	8.8	05.1-12.5	28	11.9	05.8-18.0	32	9.1	05.4-12.8			
\$50,000- 74,999	344	44,437	240	70.2	64.1-76.3	39	10.4	06.9-13.9	40	12.3	08.0-16.6	25	7.0	03.7-10.3			
\$75,000+	527	76,466	438	81.1	76.6-85.6	36	7.2	04.7-09.7	30	6.7	03.4-10.0	22	4.0	02.0-06.0	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2896	248,543	2054	73.1	70.9-75.3	291	11.2	09.4-13.0	246	8.3	06.9-09.7	299	7.2	06.2-08.2	6	0.1	00.0-00.3
Native	62	9,079										4	3.9	00.0-08.8			
Non-Native	2796	236,361	1990	73.3	71.1-75.5	275	10.9	09.1-12.7	238	8.3	06.9-09.7	287	7.3	06.3-08.3	6	0.1	00.0-00.3
18-24	74	37,270	55	76.9	67.1-86.7	12	14.9	06.7-23.1	7	8.2	02.1-14.3						
25-34	256	38,991	177	69.0	62.9-75.1	45	17.7	12.8-22.6	22	8.2	04.7-11.7	11	5.0	02.1-07.9	1	0.2	00.0-00.6
35-44	352	35,581	270	77.5	73.0-82.0	34	9.4	06.3-12.5	31	9.0	05.9-12.1	17	4.2	02.2-06.2			
45-54	521	45,195	396	76.2	72.3-80.1	44	8.2	05.7-10.7	49	9.4	06.7-12.1	32	6.1	03.9-08.3			
55-64	630	34,916	493	79.8	76.5-83.1	46	7.4	05.2-09.6	40	5.4	03.6-07.2	51	7.3	05.1-09.5			
65+	1021	54,461	630	63.4	60.3-66.5	106	10.4	08.4-12.4	94	9.1	07.1-11.1	187	16.7	14.3-19.1	4	0.4	00.0-00.8
Less Than H.S.	184	13,540	76	44.4	34.6-54.2	24	18.3	09.9-26.7	36	19.9	12.5-27.3	45	16.5	11.2-21.8	3	0.9	00.0-01.9
H.S. or G.E.D.	879	73,915	547	66.8	62.3-71.3	102	12.5	09.0-16.0	89	9.0	06.5-11.5	139	11.5	09.1-13.9	2	0.2	00.0-00.6
Some Post-H.S.	939	82,350	688	73.5	69.6-77.4	96	11.5	08.6-14.4	74	9.2	06.7-11.7	80	5.8	04.4-07.2	1	0.1	00.0-00.3
College Graduate	890	78,494	741	83.5	80.4-86.6	69	8.7	06.3-11.1	46	4.7	02.9-06.5	34	3.1	01.9-04.3			
Less than \$15,000	243	14,473	100	45.1	36.5-53.7	34	19.6	11.8-27.4	40	14.4	09.7-19.1	68	20.5	15.2-25.8	1	0.3	00.0-00.9
\$15,000- 24,999	456	31,319	263	60.2	53.9-66.5	60	13.8	09.5-18.1	56	12.9	09.0-16.8	76	13.0	09.5-16.5	1	0.1	00.0-00.3
\$25,000- 34,999	307	27,466	199	62.4	54.0-70.8	33	15.2	07.9-22.5	23	9.9	04.0-15.8	50	12.0	08.1-15.9	2	0.6	00.0-01.4
\$35,000- 49,999	413	35,288	313	76.8	71.7-81.9	42	9.9	06.6-13.2	32	8.4	04.7-12.1	26	4.9	02.7-07.1			
\$50,000- 74,999	390	39,466	307	74.2	68.3-80.1	40	14.9	09.4-20.4	25	7.1	04.2-10.0	17	3.8	01.8-05.8	1	0.1	00.0-00.3
\$75,000+	603	60,885	535	88.3	85.2-91.4	31	5.6	03.2-08.0	21	3.5	01.7-05.3	16	2.6	01.2-04.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4680	493,388	1680	31.7	29.7-33.7	614	8.5	07.7-09.3	404	5.0	04.4-05.6	1982	54.8	52.8-56.8
Male	1821	247,249	687	33.0	29.9-36.1	243	8.4	07.2-09.6	115	3.7	02.9-04.5	776	54.8	51.5-58.1
Female	2859	246,139	993	30.3	28.1-32.5	371	8.7	07.7-09.7	289	6.3	05.5-07.1	1206	54.7	52.2-57.2
Native	108	17,738				15	6.4	02.7-10.1	6	2.7	00.0-05.4			
Non-Native	4498	465,958	1598	30.5	28.7-32.3	589	8.6	07.8-09.4	382	5.0	04.4-05.6	1929	55.8	53.8-57.8
18-24	130	79,605	20	16.2	08.8-23.6							110	83.8	76.4-91.2
25-34	420	83,599	90	21.1	16.8-25.4	6	1.4	00.0-02.8	1	0.2	00.0-00.6	323	77.3	72.8-81.8
35-44	606	72,714	161	27.5	23.6-31.4	18	3.2	01.6-04.8	5	0.7	00.0-01.5	422	68.5	64.4-72.6
45-54	915	90,252	363	40.3	36.8-43.8	63	6.6	04.8-08.4	23	2.7	01.5-03.9	466	50.5	47.0-54.0
55-64	1089	72,474	486	46.0	42.9-49.1	154	13.2	11.0-15.4	69	5.9	04.5-07.3	380	35.0	31.9-38.1
65+	1474	92,327	543	38.0	35.3-40.7	367	24.8	22.4-27.2	305	18.8	16.6-21.0	259	18.4	16.2-20.6
Less Than H.S.	311	32,555	89	31.3	22.5-40.1	82	18.4	13.1-23.7	93	18.1	13.2-23.0			
H.S. or G.E.D.	1381	151,337	532	34.2	30.3-38.1	242	10.7	09.1-12.3	187	7.4	06.2-08.6	420	47.7	43.2-52.2
Some Post-H.S.	1498	155,870	580	34.3	31.0-37.6	189	8.6	07.2-10.0	94	3.7	02.9-04.5	635	53.4	49.9-56.9
College Graduate	1485	153,298	479	26.6	24.1-29.1	100	4.2	03.2-05.2	29	1.3	00.7-01.9	877	67.9	65.2-70.6
Less than \$15,000	360	29,699	116	41.2	33.2-49.2	89	17.9	13.4-22.4	90	15.6	11.7-19.5	65	25.3	17.9-32.7
\$15,000- 24,999	631	54,195	216	30.3	25.4-35.2	152	17.2	13.9-20.5	95	10.2	07.8-12.6	168	42.3	35.8-48.8
\$25,000- 34,999	491	48,596	199	34.0	28.1-39.9	75	10.7	08.0-13.4	60	7.9	05.5-10.3	157	47.4	40.5-54.3
\$35,000- 49,999	692	70,930	282	35.8	30.9-40.7	102	10.9	08.5-13.3	41	4.1	02.7-05.5	267	49.2	43.9-54.5
\$50,000- 74,999	734	83,941	260	30.9	26.6-35.2	55	5.1	03.7-06.5	34	3.4	02.2-04.6	385	60.6	56.1-65.1
\$75,000+	1122	136,750	354	28.2	24.7-31.7	49	3.2	02.2-04.2	14	1.0	00.4-01.6	705	67.6	63.9-71.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	247,249	687	33.0	29.9-36.1	243	8.4	07.2-09.6	115	3.7	02.9-04.5	776	54.8	51.5-58.1
Non-Native	1735	231,763	643	31.5	28.6-34.4	232	8.6	07.4-09.8	106	3.7	02.9-04.5	754	56.2	52.9-59.5
25-34	164	44,608	39	23.1	16.2-30.0	1	0.6	00.0-01.8				124	76.4	69.3-83.5
35-44	254	37,133	68	28.5	22.4-34.6	8	3.3	00.9-05.7				178	68.3	62.0-74.6
45-54	394	45,161	164	41.4	36.1-46.7	28	6.7	04.0-09.4	11	2.8	01.0-04.6	191	49.2	43.9-54.5
55-64	457	37,435	222	49.0	44.1-53.9	66	14.2	10.9-17.5	29	5.6	03.4-07.8	140	31.3	26.8-35.8
65+	488	39,787	183	38.6	34.1-43.1	139	27.7	23.6-31.8	75	14.8	11.5-18.1	91	18.9	15.2-22.6
Less Than H.S.	139	20,037				39	17.1	09.8-24.4	32	12.9	07.0-18.8			
H.S. or G.E.D.	517	78,250	204	35.4	28.9-41.9	86	9.3	06.9-11.7	50	5.1	03.5-06.7	177	50.2	43.3-57.1
Some Post-H.S.	564	73,730	225	35.2	29.9-40.5	75	8.8	06.4-11.2	19	2.1	01.1-03.1	245	53.9	48.4-59.4
College Graduate	600	75,147	212	28.1	24.2-32.0	43	4.9	03.3-06.5	14	1.4	00.6-02.2	331	65.5	61.4-69.6
Less than \$15,000	125	15,633				30	15.9	09.0-22.8	20	8.7	04.2-13.2			
\$15,000- 24,999	186	23,413	64	31.3	22.5-40.1	49	14.8	09.9-19.7	28	9.2	05.3-13.1			
\$25,000- 34,999	190	21,820	75	35.7	25.9-45.5	34	13.6	08.5-18.7	20	7.2	03.7-10.7			
\$35,000- 49,999	280	35,685	117	36.0	28.6-43.4	48	11.4	07.9-14.9	17	4.6	02.2-07.0	98	47.9	39.7-56.1
\$50,000- 74,999	345	44,520	129	33.4	26.5-40.3	35	7.2	04.7-09.7	14	2.8	01.2-04.4	167	56.7	49.6-63.8
\$75,000+	523	76,115	182	31.2	25.5-36.9	28	3.8	02.2-05.4	8	1.0	00.2-01.8	305	64.0	58.3-69.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	246,139	993	30.3	28.1-32.5	371	8.7	07.7-09.7	289	6.3	05.5-07.1	1206	54.7	52.2-57.2
Native	60	8,946				10	8.8	02.3-15.3	3	3.6	00.0-08.7			
Non-Native	2763	234,195	955	29.5	27.3-31.7	357	8.7	07.7-09.7	276	6.3	05.5-07.1	1175	55.5	53.0-58.0
18-24	73	36,922	11	12.5	05.2-19.8							62	87.5	80.2-94.8
25-34	256	38,991	51	18.9	13.8-24.0	5	2.3	00.0-04.7	1	0.4	00.0-01.2	199	78.4	73.1-83.7
35-44	352	35,581	93	26.6	21.7-31.5	10	3.2	01.2-05.2	5	1.5	00.0-03.1	244	68.7	63.6-73.8
45-54	521	45,091	199	39.2	34.7-43.7	35	6.5	04.1-08.9	12	2.6	01.0-04.2	275	51.7	47.0-56.4
55-64	632	35,040	264	42.8	38.7-46.9	88	12.2	09.7-14.7	40	6.2	04.2-08.2	240	38.9	34.8-43.0
65+	986	52,540	360	37.5	34.2-40.8	228	22.6	19.9-25.3	230	21.9	19.2-24.6	168	18.0	15.5-20.5
Less Than H.S.	172	12,518	43	26.7	18.1-35.3	43	20.6	13.9-27.3	61	26.4	19.1-33.7			
H.S. or G.E.D.	864	73,086	328	33.0	28.9-37.1	156	12.3	10.1-14.5	137	9.8	07.8-11.8	243	45.0	39.7-50.3
Some Post-H.S.	934	82,139	355	33.5	29.6-37.4	114	8.4	06.4-10.4	75	5.0	03.6-06.4	390	53.0	48.5-57.5
College Graduate	885	78,151	267	25.1	22.0-28.2	57	3.6	02.6-04.6	15	1.2	00.4-02.0	546	70.1	66.8-73.4
Less than \$15,000	235	14,065	68	35.8	26.6-45.0	59	20.3	14.6-26.0	70	23.3	17.4-29.2	38	20.7	13.4-28.0
\$15,000- 24,999	445	30,782	152	29.5	24.2-34.8	103	19.1	14.6-23.6	67	10.9	08.0-13.8	123	40.5	33.1-47.9
\$25,000- 34,999	301	26,776	124	32.6	25.5-39.7	41	8.4	05.5-11.3	40	8.5	05.6-11.4	96	50.5	41.9-59.1
\$35,000- 49,999	412	35,245	165	35.7	29.6-41.8	54	10.3	07.4-13.2	24	3.5	01.9-05.1	169	50.5	43.8-57.2
\$50,000- 74,999	389	39,421	131	28.1	23.0-33.2	20	2.7	01.5-03.9	20	4.1	02.1-06.1	218	65.1	59.6-70.6
\$75,000+	599	60,635	172	24.4	20.7-28.1	21	2.4	01.2-03.6	6	1.0	00.0-02.0	400	72.2	68.3-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 7: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic
Denominator excludes: Respondents that have had all of their permanent teeth extracted
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4313	468,390	3026	70.1	68.1-72.1	471	11.8	10.2-13.4	363	8.9	07.7-10.1	383	8.1	06.9-09.3	70	1.1	00.7-01.5
Male	1711	235,920	1144	67.3	64.0-70.6	183	11.5	09.1-13.9	161	9.8	07.8-11.8	190	10.2	08.2-12.2	33	1.2	00.8-01.6
Female	2602	232,470	1882	72.8	70.4-75.2	288	12.1	10.3-13.9	202	8.0	06.6-09.4	193	6.1	05.1-07.1	37	1.0	00.6-01.4
Native	103	17,352							14	10.1	03.8-16.4	16	14.3	06.7-21.9	1	0.2	00.0-00.6
Non-Native	4151	442,809	2941	70.9	68.9-72.9	438	11.3	09.7-12.9	345	8.8	07.6-10.0	360	7.9	06.7-09.1	67	1.1	00.7-01.5
18-24	129	78,296	95	73.4	65.0-81.8	18	14.6	07.5-21.7	12	8.9	03.6-14.2	4	3.1	00.0-06.2			
25-34	413	82,022	270	64.1	58.8-69.4	63	14.0	10.3-17.7	42	10.8	07.5-14.1	33	9.9	06.2-13.6	5	1.1	00.1-02.1
35-44	600	72,035	437	72.6	68.7-76.5	49	8.4	06.0-10.8	61	9.7	07.2-12.2	52	9.1	06.6-11.6	1	0.2	00.0-00.6
45-54	891	87,645	618	68.9	65.6-72.2	109	13.2	10.7-15.7	77	9.1	06.9-11.3	80	8.1	06.3-09.9	7	0.8	00.2-01.4
55-64	1025	68,609	745	73.2	70.3-76.1	97	9.3	07.3-11.3	66	5.9	04.3-07.5	102	10.1	08.1-12.1	15	1.4	00.6-02.2
65+	1208	77,344	824	68.9	66.2-71.6	130	10.5	08.7-12.3	103	8.8	07.0-10.6	110	8.8	07.0-10.6	41	3.0	02.0-04.0
Less Than H.S.	227	27,561							39	16.8	09.4-24.2	42	18.3	09.9-26.7	13	3.9	01.4-06.4
H.S. or G.E.D.	1205	138,104	777	69.0	65.1-72.9	134	10.9	08.2-13.6	114	8.3	06.3-10.3	146	9.8	07.8-11.8	34	1.9	01.1-02.7
Some Post-H.S.	1416	150,735	1002	67.9	64.4-71.4	167	13.8	11.1-16.5	121	10.8	08.1-13.5	109	6.8	05.0-08.6	17	0.7	00.3-01.1
College Graduate	1460	151,550	1146	78.2	75.5-80.9	134	9.4	07.6-11.2	89	6.2	04.6-07.8	86	6.1	04.5-07.7	5	0.2	00.0-00.4
Less than \$15,000	277	24,949	120	46.5	37.5-55.5	39	18.1	10.7-25.5	38	12.8	06.3-19.3	64	17.9	12.6-23.2	16	4.7	02.0-07.4
\$15,000- 24,999	541	48,777	297	55.5	49.0-62.0	80	15.1	10.2-20.0	67	13.7	09.6-17.8	84	14.1	10.0-18.2	13	1.6	00.6-02.6
\$25,000- 34,999	438	45,500	282	58.4	51.1-65.7	50	15.1	09.0-21.2	40	11.4	06.5-16.3	54	12.8	08.7-16.9	12	2.3	00.7-03.9
\$35,000- 49,999	653	67,337	471	73.5	69.2-77.8	68	9.5	07.0-12.0	60	9.5	06.6-12.4	47	6.7	04.5-08.9	7	0.9	00.1-01.7
\$50,000- 74,999	700	81,086	518	70.7	66.4-75.0	84	13.6	10.3-16.9	51	8.5	06.0-11.0	44	6.9	04.5-09.3	3	0.3	00.0-00.7
\$75,000+	1113	135,151	929	82.9	80.0-85.8	81	7.2	05.4-09.0	58	5.8	03.6-08.0	41	3.8	02.4-05.2	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1711	235,920	1144	67.3	64.2-70.4	183	11.5	09.1-13.9	161	9.8	07.8-11.8	190	10.2	08.2-12.2	33	1.2	00.8-01.6
Non-Native	1635	221,593	1111	68.4	65.1-71.7	167	11.0	08.5-13.5	150	9.4	07.4-11.4	175	9.9	07.9-11.9	32	1.2	00.8-01.6
18-24	55	41,026				5	9.5	01.3-17.7	3	4.6	00.0-10.1						
25-34	159	43,240	99	61.3	53.1-69.5	18	11.5	06.0-17.0	20	12.1	06.8-17.4	20	14.2	07.7-20.7	2	0.9	00.0-02.1
35-44	253	36,988	178	70.0	63.9-76.1	19	8.1	04.6-11.6	25	9.4	05.7-13.1	30	12.0	07.7-16.3	1	0.4	00.0-01.2
45-54	382	43,714	245	64.3	59.0-69.6	54	15.6	11.5-19.7	39	10.7	07.4-14.0	39	8.1	05.4-10.8	5	1.3	00.1-02.5
55-64	433	35,730	291	68.0	63.3-72.7	47	10.5	07.4-13.6	29	6.2	03.8-08.6	58	13.5	10.2-16.8	8	1.8	00.4-03.2
65+	421	34,695	283	67.7	63.0-72.4	40	10.0	06.9-13.1	42	10.3	07.2-13.4	40	9.0	06.1-11.9	16	3.0	01.4-04.6
Less Than H.S.	111	17,684				8	4.4	00.9-07.9									
H.S. or G.E.D.	464	71,645	294	69.8	63.9-75.7	49	10.5	06.2-14.8	46	8.1	05.4-10.8	60	9.7	06.8-12.6	15	1.8	00.8-02.8
Some Post-H.S.	549	72,335	367	64.4	58.5-70.3	64	13.6	09.3-17.9	55	11.8	07.3-16.3	55	9.3	06.0-12.6	8	0.8	00.2-01.4
College Graduate	585	74,016	436	74.8	70.7-78.9	57	9.0	06.5-11.5	41	7.6	04.9-10.3	49	8.5	05.8-11.2	2	0.2	00.0-00.4
Less than \$15,000	103	13,711				31	21.1	12.3-29.9									
\$15,000- 24,999	158	21,207				23	16.0	06.6-25.4	22	12.8	06.3-19.3	32	18.5	10.5-26.5	8	2.5	00.7-04.3
\$25,000- 34,999	172	20,324				19	16.2	06.2-26.2	19	13.0	05.2-20.8	27	15.1	08.6-21.6	8	3.2	00.7-05.7
\$35,000- 49,999	266	33,422	180	70.5	63.8-77.2	27	9.7	05.8-13.6	27	10.0	05.7-14.3	30	9.4	05.5-13.3	2	0.4	00.0-01.0
\$50,000- 74,999	330	43,241	226	68.9	62.6-75.2	42	11.2	07.5-14.9	32	10.7	06.6-14.8	27	8.7	04.8-12.6	3	0.5	00.0-01.1
\$75,000+	517	74,941	416	80.3	75.8-84.8	40	7.2	04.7-09.7	34	7.4	04.1-10.7	24	4.6	02.6-06.6	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2602	232,470	1882	72.8	70.4-75.2	288	12.1	10.3-13.9	202	8.0	06.6-09.4	193	6.1	05.1-07.1	37	1.0	00.6-01.4
Native	58	8,715							5	3.3	00.2-06.4	5	8.4	00.6-16.2	1	0.5	00.0-01.5
Non-Native	2516	221,216	1830	73.3	70.9-75.7	271	11.5	09.7-13.3	195	8.3	06.7-09.9	185	5.9	04.9-06.9	35	1.0	00.6-01.4
18-24	74	37,270				13	17.0	08.2-25.8	7	8.2	02.1-14.3	1	1.4	00.0-04.1			
25-34	254	38,781	171	67.1	61.0-73.2	45	16.9	12.2-21.6	22	9.5	05.4-13.6	13	5.1	02.2-08.0	3	1.4	00.0-03.0
35-44	347	35,046	259	75.2	70.5-79.9	30	8.7	05.6-11.8	36	10.0	06.7-13.3	22	6.1	03.6-08.6			
45-54	509	43,931	373	73.5	69.4-77.6	55	10.8	07.9-13.7	38	7.4	04.9-09.9	41	8.0	05.5-10.5	2	0.2	00.0-00.6
55-64	592	32,879	454	78.8	75.5-82.1	50	8.1	05.7-10.5	37	5.6	03.6-07.6	44	6.5	04.5-08.5	7	1.1	00.3-01.9
65+	787	42,649	541	70.0	66.7-73.3	90	10.8	08.4-13.2	61	7.6	05.6-09.6	70	8.6	06.4-10.8	25	3.0	01.8-04.2
Less Than H.S.	116	9,877							20	14.8	06.4-23.2	16	10.3	04.6-16.0	5	3.0	00.3-05.7
H.S. or G.E.D.	741	66,459	483	68.2	63.3-73.1	85	11.4	07.9-14.9	68	8.5	05.8-11.2	86	9.9	07.2-12.6	19	2.0	00.8-03.2
Some Post-H.S.	867	78,400	635	71.0	66.7-75.3	103	13.9	10.4-17.4	66	9.9	07.0-12.8	54	4.5	03.1-05.9	9	0.6	00.2-01.0
College Graduate	875	77,533	710	81.5	78.2-84.8	77	9.7	07.2-12.2	48	4.8	03.0-06.6	37	3.8	02.4-05.2	3	0.1	00.0-00.3
Less than \$15,000	174	11,239	81	53.4	43.4-63.4	25	17.5	09.5-25.5	26	11.3	06.6-16.0	33	14.0	08.7-19.3	9	3.7	01.2-06.2
\$15,000- 24,999	383	27,569	224	59.5	52.4-66.6	57	14.5	09.8-19.2	45	14.4	09.3-19.5	52	10.7	07.4-14.0	5	0.9	00.1-01.7
\$25,000- 34,999	266	25,175	183	63.1	53.7-72.5	31	14.2	06.6-21.8	21	10.1	03.6-16.6	27	10.9	05.6-16.2	4	1.7	00.0-03.7
\$35,000- 49,999	387	33,915	291	76.4	71.1-81.7	41	9.2	06.1-12.3	33	8.9	05.0-12.8	17	4.1	01.9-06.3	5	1.4	00.0-02.8
\$50,000- 74,999	370	37,845	292	72.8	66.7-78.9	42	16.4	10.7-22.1	19	6.0	03.3-08.7	17	4.9	02.4-07.4			
\$75,000+	596	60,210	513	86.1	82.8-89.4	41	7.3	04.8-09.8	24	3.9	02.1-05.7	17	2.7	01.3-04.1	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4738	496,716	273	4.2	03.6-04.8	4465	95.8	95.2-96.4	
Male	1836	247,901	155	5.6	04.6-06.6	1681	94.4	93.4-95.4	
Female	2902	248,815	118	2.8	02.2-03.4	2784	97.2	96.6-97.8	
Native	110	17,871	4	2.3	00.0-04.7	106	97.7	95.3-0100	
Non-Native	4552	469,552	261	4.2	03.6-04.8	4291	95.8	95.2-96.4	
18-24	131	79,953	2	0.7	00.0-01.9	129	99.3	98.1-0100	
25-34	419	83,412	3	0.5	00.0-01.1	416	99.5	98.9-0100	
35-44	605	72,172	4	0.6	00.0-01.2	601	99.4	98.8-0100	
45-54	917	90,160	24	3.2	01.8-04.6	893	96.8	95.4-98.2	
55-64	1091	72,772	46	4.7	03.3-06.1	1045	95.3	93.9-96.7	
65+	1526	95,676	193	13.7	11.7-15.7	1333	86.3	84.3-88.3	
Less Than H.S.	322	33,560	37	8.5	05.4-11.6	285	91.5	88.4-94.6	
H.S. or G.E.D.	1404	151,948	104	5.1	03.9-06.3	1300	94.9	93.7-96.1	
Some Post-H.S.	1513	156,813	83	4.1	03.1-05.1	1430	95.9	94.9-96.9	
College Graduate	1492	153,852	48	2.4	01.6-03.2	1444	97.6	96.8-98.4	
Less than \$15,000	367	29,649	47	11.3	07.0-15.6	320	88.7	84.4-93.0	
\$15,000- 24,999	643	54,829	54	7.0	04.8-09.2	589	93.0	90.8-95.2	
\$25,000- 34,999	497	49,175	35	5.0	03.2-06.8	462	95.0	93.2-96.8	
\$35,000- 49,999	696	71,221	36	3.3	02.1-04.5	660	96.7	95.5-97.9	
\$50,000- 74,999	735	84,005	27	3.4	02.0-04.8	708	96.6	95.2-98.0	
\$75,000+	1129	137,267	28	1.9	01.1-02.7	1101	98.1	97.3-98.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	247,901	155	5.6	04.6-06.6	1681	94.4	93.4-95.4
Non-Native	1751	232,962	147	5.6	04.6-06.6	1604	94.4	93.4-95.4
18-24	57	42,683	2	1.3	00.0-03.5	55	98.7	96.5-0100
25-34	163	44,421				163	100.0	0100-0100
35-44	253	36,591	3	1.0	00.0-02.4	250	99.0	97.6-0100
45-54	393	44,882	19	5.5	02.8-08.2	374	94.5	91.8-97.2
55-64	462	37,856	38	8.2	05.5-10.9	424	91.8	89.1-94.5
65+	501	41,026	93	18.3	14.8-21.8	408	81.7	78.2-85.2
Less Than H.S.	142	20,234	23	9.9	05.0-14.8	119	90.1	85.2-95.0
H.S. or G.E.D.	522	77,996	51	5.8	03.8-07.8	471	94.2	92.2-96.2
Some Post-H.S.	569	74,116	49	6.1	04.1-08.1	520	93.9	91.9-95.9
College Graduate	601	75,315	31	3.6	02.2-05.0	570	96.4	95.0-97.8
Less than \$15,000	125	15,143	24	14.8	07.0-22.6	101	85.2	77.4-93.0
\$15,000- 24,999	190	23,749	27	9.3	05.2-13.4	163	90.7	86.6-94.8
\$25,000- 34,999	190	21,747	21	7.5	04.0-11.0	169	92.5	89.0-96.0
\$35,000- 49,999	283	35,933	26	5.2	03.0-07.4	257	94.8	92.6-97.0
\$50,000- 74,999	344	44,478	22	5.6	03.1-08.1	322	94.4	91.9-96.9
\$75,000+	526	76,382	20	2.7	01.3-04.1	506	97.3	95.9-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	248,815	118	2.8	02.2-03.4	2784	97.2	96.6-97.8
Native	62	9,079	1	0.9	00.0-02.7	61	99.1	97.3-0100
Non-Native	2801	236,590	114	2.8	02.2-03.4	2687	97.2	96.6-97.8
18-24	74	37,270				74	100.0	0100-0100
25-34	256	38,991	3	1.1	00.0-02.5	253	98.9	97.5-0100
35-44	352	35,581	1	0.1	00.0-00.3	351	99.9	99.7-0100
45-54	524	45,277	5	1.0	00.0-02.0	519	99.0	98.0-0100
55-64	629	34,916	8	1.0	00.2-01.8	621	99.0	98.2-99.8
65+	1025	54,651	100	10.2	08.2-12.2	925	89.8	87.8-91.8
Less Than H.S.	180	13,326	14	6.4	02.9-09.9	166	93.6	90.1-97.1
H.S. or G.E.D.	882	73,951	53	4.4	03.0-05.8	829	95.6	94.2-97.0
Some Post-H.S.	944	82,696	34	2.2	01.4-03.0	910	97.8	97.0-98.6
College Graduate	891	78,537	17	1.2	00.6-01.8	874	98.8	98.2-99.4
Less than \$15,000	242	14,506	23	7.7	04.4-11.0	219	92.3	89.0-95.6
\$15,000- 24,999	453	31,080	27	5.2	02.8-07.6	426	94.8	92.4-97.2
\$25,000- 34,999	307	27,428	14	3.1	01.3-04.9	293	96.9	95.1-98.7
\$35,000- 49,999	413	35,288	10	1.4	00.4-02.4	403	98.6	97.6-99.6
\$50,000- 74,999	391	39,528	5	0.8	00.0-01.6	386	99.2	98.4-0100
\$75,000+	603	60,885	8	0.9	00.3-01.5	595	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4720	495,802	302	4.3	03.7-04.9	4418	95.7	95.1-96.3
Male	1832	248,179	160	5.5	04.5-06.5	1672	94.5	93.5-95.5
Female	2888	247,623	142	3.2	02.6-03.8	2746	96.8	96.2-97.4
Native	109	17,349	3	1.9	00.0-04.1	106	98.1	95.9-0100
Non-Native	4535	468,690	292	4.4	03.8-05.0	4243	95.6	95.0-96.2
18-24	130	79,431				130	100.0	0100-0100
25-34	419	83,412				419	100.0	0100-0100
35-44	606	72,714	6	0.9	00.1-01.7	600	99.1	98.3-99.9
45-54	920	90,549	25	2.6	01.4-03.8	895	97.4	96.2-98.6
55-64	1091	72,721	65	6.4	04.8-08.0	1026	93.6	92.0-95.2
65+	1505	94,349	206	14.7	12.7-16.7	1299	85.3	83.3-87.3
Less Than H.S.	324	33,598	38	7.4	04.7-10.1	286	92.6	89.9-95.3
H.S. or G.E.D.	1399	152,362	104	4.6	03.6-05.6	1295	95.4	94.4-96.4
Some Post-H.S.	1506	156,036	88	4.2	03.2-05.2	1418	95.8	94.8-96.8
College Graduate	1485	153,417	72	3.6	02.6-04.6	1413	96.4	95.4-97.4
Less than \$15,000	368	30,106	47	8.3	05.8-10.8	321	91.7	89.2-94.2
\$15,000- 24,999	640	54,657	55	6.3	04.5-08.1	585	93.7	91.9-95.5
\$25,000- 34,999	494	49,127	39	5.7	03.7-07.7	455	94.3	92.3-96.3
\$35,000- 49,999	696	71,202	41	4.2	02.8-05.6	655	95.8	94.4-97.2
\$50,000- 74,999	734	83,975	41	4.3	02.9-05.7	693	95.7	94.3-97.1
\$75,000+	1125	136,884	33	2.1	01.3-02.9	1092	97.9	97.1-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1832	248,179	160	5.5	04.5-06.5	1672	94.5	93.5-95.5
Non-Native	1745	232,641	154	5.7	04.7-06.7	1591	94.3	93.3-95.3
18-24	57	42,683				57	100.0	0100-0100
25-34	163	44,421				163	100.0	0100-0100
35-44	254	37,133	4	1.4	00.0-03.0	250	98.6	97.0-0100
45-54	396	45,272	15	3.4	01.2-05.6	381	96.6	94.4-98.8
55-64	462	37,898	46	10.1	07.2-13.0	416	89.9	87.0-92.8
65+	492	40,245	95	19.6	15.9-23.3	397	80.4	76.7-84.1
Less Than H.S.	143	20,290	19	7.5	03.6-11.4	124	92.5	88.6-96.4
H.S. or G.E.D.	519	78,441	45	4.6	03.0-06.2	474	95.4	93.8-97.0
Some Post-H.S.	570	74,214	50	6.1	04.1-08.1	520	93.9	91.9-95.9
College Graduate	599	75,150	46	5.5	03.7-07.3	553	94.5	92.7-96.3
Less than \$15,000	125	15,643	18	7.8	03.9-11.7	107	92.2	88.3-96.1
\$15,000- 24,999	187	23,509	18	6.2	03.1-09.3	169	93.8	90.7-96.9
\$25,000- 34,999	190	21,765	22	7.8	04.3-11.3	168	92.2	88.7-95.7
\$35,000- 49,999	283	35,914	26	6.0	03.5-08.5	257	94.0	91.5-96.5
\$50,000- 74,999	344	44,478	33	7.1	04.6-09.6	311	92.9	90.4-95.4
\$75,000+	525	76,278	23	2.9	01.5-04.3	502	97.1	95.7-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2888	247,623	142	3.2	02.6-03.8	2746	96.8	96.2-97.4
Native	61	8,557	1	1.1	00.0-03.3	60	98.9	96.7-0100
Non-Native	2790	236,049	138	3.2	02.6-03.8	2652	96.8	96.2-97.4
18-24	73	36,748				73	100.0	0100-0100
25-34	256	38,991				256	100.0	0100-0100
35-44	352	35,581	2	0.4	00.0-01.0	350	99.6	99.0-0100
45-54	524	45,277	10	1.8	00.6-03.0	514	98.2	97.0-99.4
55-64	629	34,823	19	2.5	01.3-03.7	610	97.5	96.3-98.7
65+	1013	54,104	111	11.1	09.1-13.1	902	88.9	86.9-90.9
Less Than H.S.	181	13,308	19	7.2	03.9-10.5	162	92.8	89.5-96.1
H.S. or G.E.D.	880	73,922	59	4.6	03.2-06.0	821	95.4	94.0-96.8
Some Post-H.S.	936	81,822	38	2.5	01.7-03.3	898	97.5	96.7-98.3
College Graduate	886	78,267	26	1.8	01.0-02.6	860	98.2	97.4-99.0
Less than \$15,000	243	14,464	29	8.7	05.4-12.0	214	91.3	88.0-94.6
\$15,000- 24,999	453	31,147	37	6.4	04.2-08.6	416	93.6	91.4-95.8
\$25,000- 34,999	304	27,363	17	3.9	01.9-05.9	287	96.1	94.1-98.1
\$35,000- 49,999	413	35,288	15	2.3	00.9-03.7	398	97.7	96.3-99.1
\$50,000- 74,999	390	39,497	8	1.1	00.3-01.9	382	98.9	98.1-99.7
\$75,000+	600	60,607	10	1.2	00.4-02.0	590	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4745	497,663	164	2.4	02.0-02.8	4581	97.6	97.2-98.0
Male	1842	248,925	76	2.7	01.9-03.5	1766	97.3	96.5-98.1
Female	2903	248,739	88	2.0	01.6-02.4	2815	98.0	97.6-98.4
Native	110	17,871	5	2.2	00.2-04.2	105	97.8	95.8-99.8
Non-Native	4559	470,030	156	2.4	02.0-02.8	4403	97.6	97.2-98.0
18-24	131	79,953	1	0.1	00.0-00.3	130	99.9	99.7-0100
25-34	420	83,599				420	100.0	0100-0100
35-44	605	72,568	4	0.9	00.0-01.9	601	99.1	98.1-0100
45-54	918	90,174	24	2.3	01.1-03.5	894	97.7	96.5-98.9
55-64	1091	72,730	29	2.8	01.6-04.0	1062	97.2	96.0-98.4
65+	1530	95,984	102	6.9	05.5-08.3	1428	93.1	91.7-94.5
Less Than H.S.	327	33,880	29	5.7	03.3-08.1	298	94.3	91.9-96.7
H.S. or G.E.D.	1408	152,682	73	3.2	02.4-04.0	1335	96.8	96.0-97.6
Some Post-H.S.	1510	156,641	37	1.9	01.1-02.7	1473	98.1	97.3-98.9
College Graduate	1493	153,917	25	1.2	00.6-01.8	1468	98.8	98.2-99.4
Less than \$15,000	373	30,341	35	5.9	03.7-08.1	338	94.1	91.9-96.3
\$15,000- 24,999	643	54,961	33	3.6	02.2-05.0	610	96.4	95.0-97.8
\$25,000- 34,999	498	49,397	19	2.8	01.4-04.2	479	97.2	95.8-98.6
\$35,000- 49,999	695	71,161	20	2.6	01.4-03.8	675	97.4	96.2-98.6
\$50,000- 74,999	735	83,902	14	1.6	00.6-02.6	721	98.4	97.4-99.4
\$75,000+	1129	137,267	14	1.2	00.4-02.0	1115	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	248,925	76	2.7	01.9-03.5	1766	97.3	96.5-98.1
Non-Native	1755	233,388	74	2.8	02.0-03.6	1681	97.2	96.4-98.0
18-24	57	42,683	1	0.2	00.0-00.6	56	99.8	99.4-0100
25-34	164	44,608				164	100.0	0100-0100
35-44	254	37,133	3	1.6	00.0-03.4	251	98.4	96.6-0100
45-54	394	44,938	11	2.5	00.7-04.3	383	97.5	95.7-99.3
55-64	461	37,814	20	4.1	02.1-06.1	441	95.9	93.9-97.9
65+	504	41,223	40	7.8	05.3-10.3	464	92.2	89.7-94.7
Less Than H.S.	145	20,589	15	5.2	02.1-08.3	130	94.8	91.7-97.9
H.S. or G.E.D.	521	78,399	27	2.8	01.6-04.0	494	97.2	96.0-98.4
Some Post-H.S.	571	74,256	19	2.6	01.2-04.0	552	97.4	96.0-98.8
College Graduate	603	75,442	15	1.9	00.9-02.9	588	98.1	97.1-99.1
Less than \$15,000	126	15,685	15	6.0	02.7-09.3	111	94.0	90.7-97.3
\$15,000- 24,999	190	23,758	15	4.4	02.0-06.8	175	95.6	93.2-98.0
\$25,000- 34,999	192	21,989	10	3.2	01.0-05.4	182	96.8	94.6-99.0
\$35,000- 49,999	285	36,121	15	4.1	01.9-06.3	270	95.9	93.7-98.1
\$50,000- 74,999	345	44,520	8	2.1	00.5-03.7	337	97.9	96.3-99.5
\$75,000+	526	76,382	7	1.4	00.2-02.6	519	98.6	97.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2903	248,739	88	2.0	01.6-02.4	2815	98.0	97.6-98.4
Native	62	9,079	4	3.4	00.0-07.1	58	96.6	92.9-0100
Non-Native	2804	236,642	82	2.0	01.6-02.4	2722	98.0	97.6-98.4
18-24	74	37,270				74	100.0	0100-0100
25-34	256	38,991				256	100.0	0100-0100
35-44	351	35,435	1	0.3	00.0-00.9	350	99.7	99.1-0100
45-54	524	45,236	13	2.1	00.9-03.3	511	97.9	96.7-99.1
55-64	630	34,916	9	1.3	00.3-02.3	621	98.7	97.7-99.7
65+	1026	54,761	62	6.2	04.6-07.8	964	93.8	92.2-95.4
Less Than H.S.	182	13,291	14	6.3	02.8-09.8	168	93.7	90.2-97.2
H.S. or G.E.D.	887	74,283	46	3.6	02.4-04.8	841	96.4	95.2-97.6
Some Post-H.S.	939	82,385	18	1.3	00.7-01.9	921	98.7	98.1-99.3
College Graduate	890	78,475	10	0.6	00.2-01.0	880	99.4	99.0-99.8
Less than \$15,000	247	14,656	20	5.8	03.1-08.5	227	94.2	91.5-96.9
\$15,000- 24,999	453	31,203	18	2.9	01.3-04.5	435	97.1	95.5-98.7
\$25,000- 34,999	306	27,408	9	2.4	00.6-04.2	297	97.6	95.8-99.4
\$35,000- 49,999	410	35,040	5	1.1	00.1-02.1	405	98.9	97.9-99.9
\$50,000- 74,999	390	39,382	6	1.0	00.2-01.8	384	99.0	98.2-99.8
\$75,000+	603	60,885	7	0.9	00.1-01.7	596	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 9: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	62
2	MALES ONLY	63
3	FEMALES ONLY	64
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	65
5	MALES ONLY	66
6	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4743	497,783	495	10.6	09.0-12.2	4248	89.4	87.8-91.0
Male	1841	248,965	162	9.3	06.9-11.7	1679	90.7	88.3-93.1
Female	2902	248,817	333	11.9	10.1-13.7	2569	88.1	86.3-89.9
Native	110	17,871	14	10.8	03.5-18.1	96	89.2	81.9-96.5
Non-Native	4555	470,020	470	10.5	08.9-12.1	4085	89.5	87.9-91.1
18-24	131	79,953	18	15.2	07.8-22.6	113	84.8	77.4-92.2
25-34	420	83,599	46	9.5	06.6-12.4	374	90.5	87.6-93.4
35-44	605	72,665	71	11.6	08.7-14.5	534	88.4	85.5-91.3
45-54	919	90,508	86	8.6	06.6-10.6	833	91.4	89.4-93.4
55-64	1091	72,655	117	10.3	08.3-12.3	974	89.7	87.7-91.7
65+	1528	95,808	153	9.3	07.7-10.9	1375	90.7	89.1-92.3
Less Than H.S.	327	33,979	29	14.3	04.3-24.3	298	85.7	75.7-95.7
H.S. or G.E.D.	1407	152,850	150	11.3	08.2-14.4	1257	88.7	85.6-91.8
Some Post-H.S.	1512	156,710	167	10.8	08.4-13.2	1345	89.2	86.8-91.6
College Graduate	1490	153,700	148	8.9	07.1-10.7	1342	91.1	89.3-92.9
Less than \$15,000	374	30,427	62	16.8	11.1-22.5	312	83.2	77.5-88.9
\$15,000- 24,999	645	55,004	78	11.8	08.3-15.3	567	88.2	84.7-91.7
\$25,000- 34,999	498	49,335	48	9.4	05.1-13.7	450	90.6	86.3-94.9
\$35,000- 49,999	694	71,171	68	9.3	06.6-12.0	626	90.7	88.0-93.4
\$50,000- 74,999	734	83,882	65	8.2	06.0-10.4	669	91.8	89.6-94.0
\$75,000+	1129	137,267	107	9.8	07.1-12.5	1022	90.2	87.5-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	248,965	162	9.3	06.9-11.7	1679	90.7	88.3-93.1
Non-Native	1754	233,428	153	9.2	06.7-11.7	1601	90.8	88.3-93.3
25-34	164	44,608	16	7.8	03.9-11.7	148	92.2	88.3-96.1
35-44	254	37,133	24	10.1	05.8-14.4	230	89.9	85.6-94.2
45-54	396	45,272	23	5.3	02.9-07.7	373	94.7	92.3-97.1
55-64	460	37,708	48	9.8	07.1-12.5	412	90.2	87.5-92.9
65+	502	41,035	44	8.0	05.6-10.4	458	92.0	89.6-94.4
H.S. or G.E.D.	523	78,732	57	11.2	06.5-15.9	466	88.8	84.1-93.5
Some Post-H.S.	569	74,109	50	9.2	05.5-12.9	519	90.8	87.1-94.5
College Graduate	601	75,254	46	6.5	04.3-08.7	555	93.5	91.3-95.7
Less than \$15,000	126	15,685	22	18.3	08.3-28.3	104	81.7	71.7-91.7
\$15,000- 24,999	190	23,737	18	7.2	03.3-11.1	172	92.8	88.9-96.7
\$25,000- 34,999	191	21,876	17	9.7	01.5-17.9	174	90.3	82.1-98.5
\$35,000- 49,999	284	36,017	28	8.6	05.1-12.1	256	91.4	87.9-94.9
\$50,000- 74,999	345	44,520	23	5.2	02.8-07.6	322	94.8	92.4-97.2
\$75,000+	526	76,382	44	8.4	04.9-11.9	482	91.6	88.1-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2902	248,817	333	11.9	10.1-13.7	2569	88.1	86.3-89.9
Non-Native	2801	236,592	317	11.8	10.0-13.6	2484	88.2	86.4-90.0
18-24	74	37,270	12	15.4	06.8-24.0	62	84.6	76.0-93.2
25-34	256	38,991	30	11.4	07.3-15.5	226	88.6	84.5-92.7
35-44	351	35,532	47	13.1	09.4-16.8	304	86.9	83.2-90.6
45-54	523	45,236	63	11.8	08.7-14.9	460	88.2	85.1-91.3
55-64	631	34,947	69	10.8	08.3-13.3	562	89.2	86.7-91.7
65+	1026	54,773	109	10.2	08.2-12.2	917	89.8	87.8-91.8
Less Than H.S.	181	13,347	20	17.0	07.2-26.8	161	83.0	73.2-92.8
H.S. or G.E.D.	884	74,118	93	11.4	07.7-15.1	791	88.6	84.9-92.3
Some Post-H.S.	943	82,601	117	12.2	09.5-14.9	826	87.8	85.1-90.5
College Graduate	889	78,446	102	11.3	08.8-13.8	787	88.7	86.2-91.2
Less than \$15,000	248	14,742	40	15.2	10.1-20.3	208	84.8	79.7-89.9
\$15,000- 24,999	455	31,267	60	15.2	09.9-20.5	395	84.8	79.5-90.1
\$25,000- 34,999	307	27,459	31	9.2	05.1-13.3	276	90.8	86.7-94.9
\$35,000- 49,999	410	35,154	40	10.0	05.9-14.1	370	90.0	85.9-94.1
\$50,000- 74,999	389	39,362	42	11.6	07.7-15.5	347	88.4	84.5-92.3
\$75,000+	603	60,885	63	11.7	07.6-15.8	540	88.3	84.2-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	472	49,076	358	75.0	68.9-81.1	114	25.0	18.9-31.1
Female	316	28,513	253	80.9	74.6-87.2	63	19.1	12.8-25.4
Non-Native	449	45,741	340	74.3	67.8-80.8	109	25.7	19.2-32.2
45-54	83	7,556	61	77.6	68.4-86.8	22	22.4	13.2-31.6
55-64	112	7,056	85	75.2	66.6-83.8	27	24.8	16.2-33.4
65+	144	8,289	117	84.3	78.4-90.2	27	15.7	09.8-21.6
College Graduate	141	12,942	99	70.7	61.3-80.1	42	29.3	19.9-38.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	316	28,513	253	80.9	74.6-87.2	63	19.1	12.8-25.4
Non-Native	302	26,835	241	80.1	73.6-86.6	61	19.9	13.4-26.4
55-64	65	3,457	53	83.5	74.3-92.7	12	16.5	07.3-25.7
65+	102	5,220	86	87.5	81.2-93.8	16	12.5	06.2-18.8
Some Post-H.S.	112	9,682	93	84.7	77.3-92.1	19	15.3	07.9-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 10: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	69
2	MALES ONLY	70
3	FEMALES ONLY	71
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	72
5	MALES ONLY	73
6	FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4743	497,691	1082	18.0	16.4-19.6	3661	82.0	80.4-83.6
Male	1840	248,735	420	18.2	15.7-20.7	1420	81.8	79.3-84.3
Female	2903	248,956	662	17.7	16.1-19.3	2241	82.3	80.7-83.9
Native	110	17,871	34	20.5	12.3-28.7	76	79.5	71.3-87.7
Non-Native	4557	470,054	1025	17.7	16.1-19.3	3532	82.3	80.7-83.9
18-24	131	79,953	14	11.7	05.0-18.4	117	88.3	81.6-95.0
25-34	420	83,599	35	8.0	04.9-11.1	385	92.0	88.9-95.1
35-44	604	72,352	65	10.4	07.9-12.9	539	89.6	87.1-92.1
45-54	919	90,479	172	16.4	13.9-18.9	747	83.6	81.1-86.1
55-64	1093	72,918	293	26.6	23.7-29.5	800	73.4	70.5-76.3
65+	1526	95,734	494	32.7	30.2-35.2	1032	67.3	64.8-69.8
Less Than H.S.	331	34,171	101	32.3	22.3-42.3	230	67.7	57.7-77.7
H.S. or G.E.D.	1404	152,786	349	17.1	14.7-19.5	1055	82.9	80.5-85.3
Some Post-H.S.	1509	156,373	347	18.9	16.2-21.6	1162	81.1	78.4-83.8
College Graduate	1492	153,816	282	14.6	12.6-16.6	1210	85.4	83.4-87.4
Less than \$15,000	372	30,167	177	39.2	32.1-46.3	195	60.8	53.7-67.9
\$15,000- 24,999	643	54,895	203	24.3	20.2-28.4	440	75.7	71.6-79.8
\$25,000- 34,999	497	49,347	130	18.8	15.1-22.5	367	81.2	77.5-84.9
\$35,000- 49,999	696	71,293	149	18.6	14.9-22.3	547	81.4	77.7-85.1
\$50,000- 74,999	735	83,937	113	13.1	10.4-15.8	622	86.9	84.2-89.6
\$75,000+	1129	137,290	151	11.5	09.0-14.0	978	88.5	86.0-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1840	248,735	420	18.2	15.7-20.7	1420	81.8	79.3-84.3
Non-Native	1753	233,197	389	17.8	15.3-20.3	1364	82.2	79.7-84.7
25-34	164	44,608	12	8.1	02.8-13.4	152	91.9	86.6-97.2
35-44	252	36,771	29	11.0	07.1-14.9	223	89.0	85.1-92.9
45-54	394	45,077	78	16.4	12.7-20.1	316	83.6	79.9-87.3
55-64	463	37,940	129	27.5	23.2-31.8	334	72.5	68.2-76.8
65+	502	41,129	162	32.6	28.3-36.9	340	67.4	63.1-71.7
H.S. or G.E.D.	524	78,817	121	14.9	11.2-18.6	403	85.1	81.4-88.8
Some Post-H.S.	567	73,769	136	19.6	15.1-24.1	431	80.4	75.9-84.9
College Graduate	601	75,279	115	15.3	12.4-18.2	486	84.7	81.8-87.6
\$15,000- 24,999	190	23,656	64	22.0	15.5-28.5	126	78.0	71.5-84.5
\$25,000- 34,999	192	22,002	52	20.6	14.3-26.9	140	79.4	73.1-85.7
\$35,000- 49,999	284	36,069	69	20.1	14.6-25.6	215	79.9	74.4-85.4
\$50,000- 74,999	344	44,409	54	12.3	08.8-15.8	290	87.7	84.2-91.2
\$75,000+	527	76,466	74	12.8	08.5-17.1	453	87.2	82.9-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2903	248,956	662	17.7	16.1-19.3	2241	82.3	80.7-83.9
Native	62	9,079	14	16.3	06.3-26.3	48	83.7	73.7-93.7
Non-Native	2804	236,856	636	17.7	15.9-19.5	2168	82.3	80.5-84.1
18-24	74	37,270	7	8.5	02.0-15.0	67	91.5	85.0-98.0
25-34	256	38,991	23	7.8	04.7-10.9	233	92.2	89.1-95.3
35-44	352	35,581	36	9.7	06.6-12.8	316	90.3	87.2-93.4
45-54	525	45,402	94	16.3	13.0-19.6	431	83.7	80.4-87.0
55-64	630	34,978	164	25.7	22.0-29.4	466	74.3	70.6-78.0
65+	1024	54,605	332	32.8	29.7-35.9	692	67.2	64.1-70.3
Less Than H.S.	185	13,540	54	26.7	18.7-34.7	131	73.3	65.3-81.3
H.S. or G.E.D.	880	73,969	228	19.4	16.5-22.3	652	80.6	77.7-83.5
Some Post-H.S.	942	82,605	211	18.3	15.2-21.4	731	81.7	78.6-84.8
College Graduate	891	78,537	167	14.0	11.5-16.5	724	86.0	83.5-88.5
Less than \$15,000	247	14,699	108	39.7	32.1-47.3	139	60.3	52.7-67.9
\$15,000- 24,999	453	31,239	139	26.1	21.0-31.2	314	73.9	68.8-79.0
\$25,000- 34,999	305	27,344	78	17.3	12.8-21.8	227	82.7	78.2-87.2
\$35,000- 49,999	412	35,224	80	17.1	11.8-22.4	332	82.9	77.6-88.2
\$50,000- 74,999	391	39,528	59	13.9	09.6-18.2	332	86.1	81.8-90.4
\$75,000+	602	60,824	77	9.8	07.4-12.2	525	90.2	87.8-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4760	498,258	409	6.0	05.2-06.8	4351	94.0	93.2-94.8
Male	1845	248,675	132	5.5	04.1-06.9	1713	94.5	93.1-95.9
Female	2915	249,583	277	6.4	05.6-07.2	2638	93.6	92.8-94.4
Native	110	17,871	17	9.0	04.1-13.9	93	91.0	86.1-95.9
Non-Native	4572	470,496	379	5.8	05.0-06.6	4193	94.2	93.4-95.0
18-24	130	79,243	2	1.5	00.0-03.9	128	98.5	96.1-0100
25-34	420	83,599	8	2.5	00.1-04.9	412	97.5	95.1-99.9
35-44	606	72,714	15	2.5	01.1-03.9	591	97.5	96.1-98.9
45-54	921	90,674	54	5.1	03.5-06.7	867	94.9	93.3-96.5
55-64	1095	72,979	84	7.2	05.6-08.8	1011	92.8	91.2-94.4
65+	1538	96,393	241	15.2	13.2-17.2	1297	84.8	82.8-86.8
Less Than H.S.	332	34,257	53	12.7	06.8-18.6	279	87.3	81.4-93.2
H.S. or G.E.D.	1410	152,431	132	5.7	04.5-06.9	1278	94.3	93.1-95.5
Some Post-H.S.	1517	157,047	123	6.2	04.6-07.8	1394	93.8	92.2-95.4
College Graduate	1494	153,979	101	4.5	03.5-05.5	1393	95.5	94.5-96.5
Less than \$15,000	374	30,427	86	16.0	12.1-19.9	288	84.0	80.1-87.9
\$15,000- 24,999	647	54,452	81	9.2	06.8-11.6	566	90.8	88.4-93.2
\$25,000- 34,999	501	49,597	46	6.0	04.0-08.0	455	94.0	92.0-96.0
\$35,000- 49,999	698	71,409	45	5.2	03.4-07.0	653	94.8	93.0-96.6
\$50,000- 74,999	736	84,048	34	3.3	02.1-04.5	702	96.7	95.5-97.9
\$75,000+	1130	137,351	33	2.4	01.4-03.4	1097	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	248,675	132	5.5	04.1-06.9	1713	94.5	93.1-95.9
Non-Native	1758	233,138	117	5.3	03.9-06.7	1641	94.7	93.3-96.1
18-24	56	41,973	2	2.8	00.0-07.3	54	97.2	92.7-0100
25-34	164	44,608	2	2.6	00.0-06.7	162	97.4	93.3-0100
35-44	254	37,133	9	3.1	00.9-05.3	245	96.9	94.7-99.1
45-54	396	45,272	23	4.9	02.5-07.3	373	95.1	92.7-97.5
55-64	463	37,940	33	6.5	04.1-08.9	430	93.5	91.1-95.9
65+	504	41,223	61	13.1	10.0-16.2	443	86.9	83.8-90.0
Less Than H.S.	146	20,631	24	13.0	03.8-22.2	122	87.0	77.8-96.2
H.S. or G.E.D.	523	78,107	28	3.4	02.0-04.8	495	96.6	95.2-98.0
Some Post-H.S.	571	74,256	41	6.6	03.7-09.5	530	93.4	90.5-96.3
College Graduate	603	75,442	39	4.6	03.0-06.2	564	95.4	93.8-97.0
Less than \$15,000	126	15,685	25	10.8	05.7-15.9	101	89.2	84.1-94.3
\$15,000- 24,999	190	23,091	26	9.6	05.5-13.7	164	90.4	86.3-94.5
\$25,000- 34,999	193	22,045	16	6.4	03.1-09.7	177	93.6	90.3-96.9
\$35,000- 49,999	285	36,121	18	4.9	02.4-07.4	267	95.1	92.6-97.6
\$50,000- 74,999	345	44,520	19	4.4	02.2-06.6	326	95.6	93.4-97.8
\$75,000+	527	76,466	15	2.3	00.9-03.7	512	97.7	96.3-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	249,583	277	6.4	05.6-07.2	2638	93.6	92.8-94.4
Native	62	9,079	5	5.9	00.0-12.2	57	94.1	87.8-0100
Non-Native	2814	237,358	262	6.3	05.5-07.1	2552	93.7	92.9-94.5
18-24	74	37,270				74	100.0	0100-0100
25-34	256	38,991	6	2.2	00.2-04.2	250	97.8	95.8-99.8
35-44	352	35,581	6	1.8	00.2-03.4	346	98.2	96.6-99.8
45-54	525	45,402	31	5.3	03.3-07.3	494	94.7	92.7-96.7
55-64	632	35,040	51	8.0	05.6-10.4	581	92.0	89.6-94.4
65+	1034	55,170	180	16.7	14.3-19.1	854	83.3	80.9-85.7
Less Than H.S.	186	13,626	29	12.3	07.6-17.0	157	87.7	83.0-92.4
H.S. or G.E.D.	887	74,324	104	8.2	06.4-10.0	783	91.8	90.0-93.6
Some Post-H.S.	946	82,791	82	5.8	04.2-07.4	864	94.2	92.6-95.8
College Graduate	891	78,537	62	4.4	03.2-05.6	829	95.6	94.4-96.8
Less than \$15,000	248	14,742	61	21.6	15.9-27.3	187	78.4	72.7-84.1
\$15,000- 24,999	457	31,361	55	8.8	06.3-11.3	402	91.2	88.7-93.7
\$25,000- 34,999	308	27,552	30	5.6	03.2-08.0	278	94.4	92.0-96.8
\$35,000- 49,999	413	35,288	27	5.5	03.1-07.9	386	94.5	92.1-96.9
\$50,000- 74,999	391	39,528	15	2.1	00.9-03.3	376	97.9	96.7-99.1
\$75,000+	603	60,885	18	2.5	01.1-03.9	585	97.5	96.1-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	76
2 MALES ONLY	77
3 FEMALES ONLY	78
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	79
5 MALES ONLY	80
6 FEMALES ONLY	81
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	82
8 MALES ONLY	83
9 FEMALES ONLY	84
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)	
10 MALES AND FEMALES	85
11 MALES ONLY	86
12 FEMALES ONLY	87
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	88
14 MALES ONLY	89
15 FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4750	497,055	2118	41.4	39.4-43.4	2632	58.6	56.6-60.6
Male	1840	248,534	968	45.5	42.2-48.8	872	54.5	51.2-57.8
Female	2910	248,521	1150	37.4	35.0-39.8	1760	62.6	60.2-65.0
Non-Native	4562	469,293	2005	40.7	38.7-42.7	2557	59.3	57.3-61.3
18-24	130	79,257	36	26.7	18.1-35.3	94	73.3	64.7-81.9
25-34	418	83,211	179	44.1	38.8-49.4	239	55.9	50.6-61.2
35-44	601	72,086	202	32.4	28.5-36.3	399	67.6	63.7-71.5
45-54	921	90,631	389	42.5	39.0-46.0	532	57.5	54.0-61.0
55-64	1095	72,979	564	52.1	49.0-55.2	531	47.9	44.8-51.0
65+	1535	96,235	730	49.2	46.5-51.9	805	50.8	48.1-53.5
Less Than H.S.	332	34,257	207	62.4	53.0-71.8	125	37.6	28.2-47.0
H.S. or G.E.D.	1412	153,182	731	46.2	42.1-50.3	681	53.8	49.7-57.9
Some Post-H.S.	1510	155,675	700	45.2	41.7-48.7	810	54.8	51.3-58.3
College Graduate	1489	153,397	477	28.2	25.5-30.9	1012	71.8	69.1-74.5
Less than \$15,000	374	30,427	201	52.9	45.3-60.5	173	47.1	39.5-54.7
\$15,000- 24,999	647	55,132	338	51.2	45.1-57.3	309	48.8	42.7-54.9
\$25,000- 34,999	501	49,597	249	47.5	40.8-54.2	252	52.5	45.8-59.2
\$35,000- 49,999	697	71,337	349	46.9	41.6-52.2	348	53.1	47.8-58.4
\$50,000- 74,999	734	83,255	306	38.5	34.0-43.0	428	61.5	57.0-66.0
\$75,000+	1124	136,419	423	34.4	30.9-37.9	701	65.6	62.1-69.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1840	248,534	968	45.5	42.2-48.8	872	54.5	51.2-57.8
Non-Native	1753	232,997	914	45.0	41.7-48.3	839	55.0	51.7-58.3
25-34	163	44,359	72	45.4	37.2-53.6	91	54.6	46.4-62.8
35-44	251	36,699	78	30.2	24.1-36.3	173	69.8	63.7-75.9
45-54	395	45,188	173	44.0	38.7-49.3	222	56.0	50.7-61.3
55-64	463	37,940	281	59.4	54.7-64.1	182	40.6	35.9-45.3
65+	503	41,138	344	67.4	63.1-71.7	159	32.6	28.3-36.9
H.S. or G.E.D.	524	78,817	318	48.4	41.5-55.3	206	51.6	44.7-58.5
Some Post-H.S.	566	73,622	311	50.2	44.5-55.9	255	49.8	44.1-55.5
College Graduate	602	75,225	222	30.7	26.6-34.8	380	69.3	65.2-73.4
\$25,000- 34,999	193	22,045	104	43.6	34.0-53.2	89	56.4	46.8-66.0
\$35,000- 49,999	284	36,049	175	54.2	45.8-62.6	109	45.8	37.4-54.2
\$50,000- 74,999	345	44,520	161	39.5	32.8-46.2	184	60.5	53.8-67.2
\$75,000+	523	75,771	222	37.3	31.8-42.8	301	62.7	57.2-68.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	248,521	1150	37.4	35.0-39.8	1760	62.6	60.2-65.0
Non-Native	2809	236,296	1091	36.4	34.0-38.8	1718	63.6	61.2-66.0
25-34	255	38,851	107	42.7	36.2-49.2	148	57.3	50.8-63.8
35-44	350	35,387	124	34.8	29.5-40.1	226	65.2	59.9-70.5
45-54	526	45,443	216	41.0	36.5-45.5	310	59.0	54.5-63.5
55-64	632	35,040	283	44.2	40.1-48.3	349	55.8	51.7-59.9
65+	1032	55,097	386	35.6	32.5-38.7	646	64.4	61.3-67.5
Less Than H.S.	186	13,626	91	48.8	39.2-58.4	95	51.2	41.6-60.8
H.S. or G.E.D.	888	74,365	413	43.9	39.0-48.8	475	56.1	51.2-61.0
Some Post-H.S.	944	82,053	389	40.7	36.4-45.0	555	59.3	55.0-63.6
College Graduate	887	78,172	255	25.7	22.4-29.0	632	74.3	71.0-77.6
Less than \$15,000	248	14,742	119	48.5	40.1-56.9	129	51.5	43.1-59.9
\$15,000- 24,999	456	31,331	210	44.1	37.4-50.8	246	55.9	49.2-62.6
\$25,000- 34,999	308	27,552	145	50.6	42.0-59.2	163	49.4	40.8-58.0
\$35,000- 49,999	413	35,288	174	39.4	32.9-45.9	239	60.6	54.1-67.1
\$50,000- 74,999	389	38,735	145	37.4	31.7-43.1	244	62.6	56.9-68.3
\$75,000+	601	60,648	201	30.7	26.4-35.0	400	69.3	65.0-73.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2117	205,972	529	29.5	26.6-32.4	206	12.4	10.0-14.8	1382	58.1	55.0-61.2
Male	968	113,049	224	28.2	23.7-32.7	84	11.8	08.7-14.9	660	60.0	55.3-64.7
Female	1149	92,922	305	31.2	27.3-35.1	122	13.1	09.8-16.4	722	55.7	51.6-59.8
Non-Native	2004	190,765	487	28.1	25.0-31.2	192	12.3	09.9-14.7	1325	59.5	56.4-62.6
25-34	179	36,715	71	42.5	34.1-50.9	32	17.6	11.5-23.7	76	39.9	31.9-47.9
35-44	202	23,366	69	31.1	24.4-37.8	30	15.9	10.2-21.6	103	53.0	45.6-60.4
45-54	389	38,480	131	32.2	27.1-37.3	46	12.6	08.9-16.3	212	55.2	49.7-60.7
55-64	564	38,003	134	22.9	19.2-26.6	38	5.6	03.6-07.6	392	71.5	67.4-75.6
65+	729	47,283	103	12.9	10.4-15.4	48	5.9	04.1-07.7	578	81.2	78.3-84.1
Less Than H.S.	207	21,373				12	3.3	01.1-05.5			
H.S. or G.E.D.	730	70,802	205	33.3	28.2-38.4	71	14.2	09.5-18.9	454	52.5	47.0-58.0
Some Post-H.S.	700	70,387	171	26.4	21.5-31.3	83	15.0	11.3-18.7	446	58.6	53.3-63.9
College Graduate	477	43,186	77	17.7	13.6-21.8	40	9.8	06.1-13.5	360	72.5	67.4-77.6
Less than \$15,000	201	16,106	82	49.2	39.2-59.2	18	7.1	02.4-11.8	101	43.6	34.0-53.2
\$15,000- 24,999	338	28,242	95	28.6	21.5-35.7	38	15.8	08.2-23.4	205	55.6	47.4-63.8
\$25,000- 34,999	249	23,556	71	33.2	24.6-41.8	28	17.1	08.1-26.1	150	49.7	40.5-58.9
\$35,000- 49,999	348	33,411	81	30.2	23.1-37.3	32	12.1	07.0-17.2	235	57.7	50.6-64.8
\$50,000- 74,999	306	32,081	73	27.4	21.1-33.7	30	13.5	08.2-18.8	203	59.1	52.4-65.8
\$75,000+	423	46,861	72	21.7	15.6-27.8	46	12.5	08.6-16.4	305	65.7	59.4-72.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	968	113,049	224	28.2	23.7-32.7	84	11.8	08.7-14.9	660	60.0	55.3-64.7
Non-Native	914	104,789	205	26.8	22.1-31.5	78	11.6	08.5-14.7	631	61.6	56.9-66.3
25-34	72	20,144				15	19.8	10.0-29.6			
35-44	78	11,068	25	26.4	16.4-36.4						
45-54	173	19,868	54	30.8	23.2-38.4	24	14.1	08.2-20.0	95	55.0	46.8-63.2
55-64	281	22,520	65	22.3	17.0-27.6	11	3.1	01.1-05.1	205	74.6	69.1-80.1
65+	344	27,714	42	12.2	08.5-15.9	14	3.8	01.8-05.8	288	83.9	79.8-88.0
Less Than H.S.	116	14,729				5	2.6	00.1-05.1			
H.S. or G.E.D.	318	38,174	85	30.1	22.7-37.5	29	13.6	07.1-20.1	204	56.2	48.2-64.2
Some Post-H.S.	311	36,994	67	23.3	16.2-30.4	37	15.5	10.0-21.0	207	61.2	53.6-68.8
College Graduate	222	23,069	36	18.7	12.4-25.0	13	8.7	03.0-14.4	173	72.6	65.0-80.2
Less than \$15,000	82	8,953				3	4.8	00.0-12.1			
\$15,000- 24,999	128	14,437	30	20.2	11.0-29.4						
\$25,000- 34,999	104	9,603				7	7.5	01.2-13.8			
\$35,000- 49,999	175	19,552	39	26.9	18.3-35.5	18	16.0	08.0-24.0	118	57.0	47.8-66.2
\$50,000- 74,999	161	17,587	30	21.3	13.1-29.5	15	14.2	06.2-22.2	116	64.5	54.9-74.1
\$75,000+	222	28,235	42	26.5	17.3-35.7	24	13.4	07.9-18.9	156	60.1	51.3-68.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1149	92,922	305	31.2	27.3-35.1	122	13.1	09.8-16.4	722	55.7	51.8-59.6
Non-Native	1090	85,976	282	29.7	25.8-33.6	114	13.3	09.8-16.8	694	57.0	52.9-61.1
25-34	107	16,571	39	37.6	27.6-47.6	17	15.0	08.1-21.9	51	47.5	37.5-57.5
35-44	124	12,298	44	35.4	26.4-44.4	15	11.1	05.4-16.8	65	53.6	44.4-62.8
45-54	216	18,612	77	33.7	27.0-40.4	22	10.9	06.4-15.4	117	55.4	48.3-62.5
55-64	283	15,483	69	23.7	18.4-29.0	27	9.3	05.6-13.0	187	67.0	61.1-72.9
65+	385	19,569	61	13.8	10.3-17.3	34	8.9	05.8-12.0	290	77.3	72.8-81.8
Less Than H.S.	91	6,644				7	4.8	01.1-08.5			
H.S. or G.E.D.	412	32,628	120	37.1	30.2-44.0	42	14.8	07.7-21.9	250	48.1	41.2-55.0
Some Post-H.S.	389	33,393	104	29.8	22.9-36.7	46	14.4	09.5-19.3	239	55.9	48.8-63.0
College Graduate	255	20,117	41	16.6	11.3-21.9	27	11.0	06.3-15.7	187	72.3	65.8-78.8
Less than \$15,000	119	7,153				15	10.0	04.7-15.3			
\$15,000- 24,999	210	13,805	65	37.3	27.9-46.7	25	15.2	08.1-22.3	120	47.5	38.7-56.3
\$35,000- 49,999	173	13,859				14	6.5	02.6-10.4			
\$50,000- 74,999	145	14,494	43	34.7	25.5-43.9	15	12.8	06.3-19.3	87	52.5	43.3-61.7
\$75,000+	201	18,626	30	14.4	09.1-19.7	22	11.3	06.4-16.2	149	74.3	67.6-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	733	86,186	375	58.6	53.5-63.7	358	41.4	36.3-46.5	
Male	307	45,080	141	58.8	51.0-66.6	166	41.2	33.4-49.0	
Female	426	41,107	234	58.4	51.7-65.1	192	41.6	34.9-48.3	
Non-Native	677	77,111	343	57.6	52.1-63.1	334	42.4	36.9-47.9	
45-54	177	17,234	83	48.5	40.3-56.7	94	51.5	43.3-59.7	
55-64	170	10,723	79	44.0	35.8-52.2	91	56.0	47.8-64.2	
65+	151	8,898	73	48.0	39.2-56.8	78	52.0	43.2-60.8	
H.S. or G.E.D.	274	33,524	131	57.0	48.8-65.2	143	43.0	34.8-51.2	
Some Post-H.S.	254	29,106	133	61.2	53.4-69.0	121	38.8	31.0-46.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	307	45,080	141	58.8	51.2-66.4	166	41.2	33.6-48.8	
Non-Native	282	40,154	127	57.4	49.0-65.8	155	42.6	34.2-51.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	426	41,107	234	58.4	51.7-65.1	192	41.6	34.9-48.3	
Non-Native	395	36,958	216	57.7	50.8-64.6	179	42.3	35.4-49.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1377	119,326	82	9.3	06.2-12.4	157	14.5	11.8-17.2	129	12.1	09.6-14.6	990	62.4	58.7-66.1	19	1.7	00.7-02.7
Male	658	67,679	43	12.1	06.8-17.4	61	12.8	08.9-16.7	50	9.0	06.3-11.7	492	63.9	58.4-69.4	12	2.2	00.6-03.8
Female	719	51,647	39	5.7	03.7-07.7	96	16.7	13.2-20.2	79	16.1	11.8-20.4	498	60.4	55.7-65.1	7	1.0	00.2-01.8
Non-Native	1320	113,194	77	8.9	05.6-12.2	147	14.2	11.5-16.9	125	12.2	09.7-14.7	954	63.1	59.4-66.8	17	1.6	00.6-02.6
25-34	76	14,642										11	12.2	04.9-19.5	2	3.5	00.0-08.8
35-44	103	12,383	9	10.4	03.5-17.3	29	29.0	19.6-38.4	20	20.9	12.3-29.5	43	37.8	28.2-47.4	2	2.0	00.0-04.7
45-54	212	21,246	17	7.9	04.0-11.8	34	16.5	11.0-22.0	23	11.0	06.5-15.5	132	61.7	54.4-69.0	6	2.9	00.5-05.3
55-64	392	27,165	25	5.3	03.1-07.5	30	5.9	03.7-08.1	34	10.2	06.9-13.5	299	77.5	73.2-81.8	4	1.0	00.0-02.0
65+	574	38,072	15	2.4	01.0-03.8	30	5.0	03.2-06.8	29	4.1	02.5-05.7	495	87.5	84.8-90.2	5	1.0	00.0-02.0
Less Than H.S.	117	9,556	7	7.1	01.4-12.8				9	9.5	01.3-17.7						
H.S. or G.E.D.	451	36,952	34	14.0	06.0-22.0	53	13.4	09.5-17.3	42	9.5	06.4-12.6	319	62.5	55.2-69.8	3	0.6	00.0-01.4
Some Post-H.S.	446	41,280	25	9.5	04.6-14.4	55	16.5	11.0-22.0	50	15.3	10.0-20.6	309	57.3	50.8-63.8	7	1.4	00.2-02.6
College Graduate	360	31,313	16	4.3	01.9-06.7	38	12.8	08.3-17.3	28	11.7	07.2-16.2	269	67.4	61.3-73.5	9	3.9	01.0-06.8
Less than \$15,000	101	7,028				16	16.0	06.6-25.4							1	1.6	00.0-04.7
\$15,000- 24,999	205	15,693				17	11.0	03.9-18.1	19	11.3	04.8-17.8				3	1.8	00.0-04.0
\$25,000- 34,999	147	11,508	13	8.7	03.4-14.0	18	14.7	07.4-22.0							1	0.7	00.0-02.1
\$35,000- 49,999	234	19,187	12	4.8	01.9-07.7	31	15.6	09.9-21.3	14	9.1	04.2-14.0	173	66.9	59.5-74.3	4	3.6	00.0-07.7
\$50,000- 74,999	203	18,956	9	6.4	02.1-10.7	27	15.4	09.7-21.1	24	13.7	08.2-19.2	141	63.8	56.2-71.4	2	0.7	00.0-01.9
\$75,000+	305	30,809	15	7.2	03.1-11.3	32	14.0	09.3-18.7	34	13.2	08.7-17.7	218	63.6	57.3-69.9	6	1.9	00.3-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	658	67,679	43	12.1	06.8-17.4	61	12.8	08.9-16.7	50	9.0	06.3-11.7	492	63.9	58.4-69.4	12	2.2	00.6-03.8
Non-Native	629	64,344	40	11.5	06.2-16.8	57	12.9	08.8-17.0	49	9.4	06.5-12.3	473	64.3	58.6-70.0	10	2.0	00.4-03.6
45-54	95	10,936	10	9.4	03.3-15.5	17	17.6	09.4-25.8	6	7.1	01.4-12.8				4	4.1	00.0-08.2
55-64	205	16,795	11	4.3	01.6-07.0	10	3.6	01.2-06.0	21	11.4	06.7-16.1	160	79.4	73.7-85.1	3	1.3	00.0-02.7
65+	286	23,058	7	2.4	00.6-04.2	11	3.9	01.5-06.3	8	1.8	00.4-03.2	257	90.5	87.0-94.0	3	1.4	00.0-03.0
Less Than H.S.	74	6,837	5	7.5	00.4-14.6												
H.S. or G.E.D.	203	21,369				23	11.1	06.2-16.0	14	6.6	02.7-10.5				2	0.9	00.0-02.3
Some Post-H.S.	207	22,630	13	12.3	04.3-20.3	21	16.8	08.0-25.6	21	12.0	06.7-17.3	149	57.5	48.1-66.9	3	1.4	00.0-03.2
College Graduate	173	16,758	7	4.0	00.7-07.3	12	9.4	03.5-15.3	9	7.1	02.0-12.2	138	73.8	65.4-82.2	7	5.8	00.7-10.9
\$15,000- 24,999	85	9,132				3	9.1	00.0-19.9	4	6.5	00.0-14.7				1	1.2	00.0-03.6
\$25,000- 34,999	70	5,980	6	8.3	00.7-15.9										1	1.4	00.0-04.1
\$35,000- 49,999	117	11,046	5	2.8	00.3-05.3	12	12.3	04.9-19.7	5	6.5	00.6-12.4				3	5.5	00.0-12.4
\$50,000- 74,999	116	11,345	7	8.5	01.8-15.2	12	11.9	05.0-18.8	13	13.0	05.7-20.3	83	66.2	56.2-76.2	1	0.4	00.0-01.2
\$75,000+	156	16,969	8	8.0	01.7-14.3	13	11.2	05.1-17.3	12	9.5	04.0-15.0	119	68.5	59.7-77.3	4	2.7	00.0-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	719	51,647	39	5.7	03.7-07.7	96	16.7	13.2-20.2	79	16.1	11.8-20.4	498	60.4	55.7-65.1	7	1.0	00.2-01.8
Non-Native	691	48,849	37	5.6	03.6-07.6	90	15.9	12.6-19.2	76	15.9	11.4-20.4	481	61.5	56.8-66.2	7	1.1	00.1-02.1
25-34	51	7,866	4	7.6	00.2-15.0										1	1.8	00.0-05.3
35-44	65	6,586	5	8.5	00.7-16.3				10	14.0	05.8-22.2				1	1.5	00.0-04.4
45-54	117	10,310	7	6.2	01.3-11.1	17	15.5	08.2-22.8	17	15.1	08.2-22.0	74	61.6	52.0-71.2	2	1.6	00.0-03.8
55-64	187	10,370	14	7.0	03.3-10.7	20	9.7	05.4-14.0	13	8.3	03.8-12.8	139	74.4	67.7-81.1	1	0.6	00.0-01.8
65+	288	15,014	8	2.3	00.7-03.9	19	6.7	03.6-09.8	21	7.7	04.4-11.0	238	82.9	78.2-87.6	2	0.5	00.0-01.1
H.S. or G.E.D.	248	15,583	16	6.2	03.1-09.3	30	16.7	10.8-22.6	28	13.5	08.4-18.6	173	63.4	56.3-70.5	1	0.3	00.0-00.9
Some Post-H.S.	239	18,650	12	6.2	02.3-10.1	34	16.1	10.4-21.8	29	19.3	10.1-28.5	160	57.0	48.2-65.8	4	1.4	00.0-02.8
College Graduate	187	14,554	9	4.6	01.1-08.1	26	16.8	10.1-23.5	19	17.0	09.4-24.6	131	60.0	51.4-68.6	2	1.6	00.0-04.0
Less than \$15,000	58	3,095	4	5.0	00.0-10.3	7	11.3	02.7-19.9									
\$15,000- 24,999	120	6,561	5	2.5	00.3-04.7	14	13.7	05.7-21.7	15	18.0	08.2-27.8				2	2.6	00.0-06.7
\$25,000- 34,999	77	5,528	7	9.1	01.7-16.5												
\$35,000- 49,999	117	8,141	7	7.5	01.4-13.6	19	20.1	11.1-29.1	9	12.7	04.5-20.9				1	1.0	00.0-03.0
\$50,000- 74,999	87	7,610	2	3.1	00.0-07.4	15	20.7	10.7-30.7	11	14.7	06.5-22.9				1	1.3	00.0-03.8
\$75,000+	149	13,840	7	6.2	01.3-11.1	19	17.4	10.0-24.8	22	17.7	10.3-25.1	99	57.6	48.6-66.6	2	1.0	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	498,662	120	3.6	02.6-04.6	90	3.2	02.2-04.2	4548	93.2	91.8-94.6
Male	1842	249,038	114	6.6	05.0-08.2	72	5.6	03.6-07.6	1656	87.8	85.4-90.2
Female	2916	249,624	6	0.5	00.0-01.1	18	0.8	00.2-01.4	2892	98.7	97.9-99.5
Native	109	17,744	2	1.7	00.0-04.2	4	3.9	00.0-08.4	103	94.4	89.1-99.7
Non-Native	4574	471,247	114	3.5	02.5-04.5	86	3.2	02.2-04.2	4374	93.2	91.8-94.6
18-24	131	79,953	4	3.5	00.0-07.4	6	6.1	00.8-11.4	121	90.4	83.9-96.9
25-34	420	83,599	14	4.0	01.8-06.2	18	5.2	02.8-07.6	388	90.8	87.7-93.9
35-44	606	72,714	39	7.8	05.4-10.2	20	4.1	02.3-05.9	547	88.2	85.3-91.1
45-54	922	90,715	29	3.4	02.0-04.8	14	1.9	00.9-02.9	879	94.7	92.9-96.5
55-64	1093	72,769	20	2.3	01.3-03.3	15	1.4	00.6-02.2	1058	96.3	94.9-97.7
65+	1536	96,257	14	1.3	00.5-02.1	16	1.1	00.5-01.7	1506	97.6	96.6-98.6
Less Than H.S.	331	34,214	6	3.1	00.4-05.8						
H.S. or G.E.D.	1411	153,089	44	4.9	02.5-07.3	32	3.2	01.6-04.8	1335	91.9	89.2-94.6
Some Post-H.S.	1515	156,836	42	3.3	02.1-04.5	29	3.4	01.8-05.0	1444	93.3	91.5-95.1
College Graduate	1494	153,979	28	2.6	01.4-03.8	18	1.5	00.7-02.3	1448	95.8	94.4-97.2
Less than \$15,000	372	30,300	12	4.7	01.8-07.6	8	3.5	00.0-07.0	352	91.8	87.3-96.3
\$15,000- 24,999	647	55,036	10	2.4	00.6-04.2	11	2.1	00.5-03.7	626	95.5	93.1-97.9
\$25,000- 34,999	501	49,597	7	2.9	00.0-05.8	15	4.0	00.9-07.1	479	93.1	88.8-97.4
\$35,000- 49,999	697	71,324	19	3.1	01.5-04.7	13	2.7	00.9-04.5	665	94.2	91.8-96.6
\$50,000- 74,999	736	84,048	23	5.3	01.8-08.8	8	1.6	00.4-02.8	705	93.2	89.5-96.9
\$75,000+	1130	137,351	38	3.9	02.5-05.3	24	3.2	01.8-04.6	1068	92.9	90.9-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	249,038	114	6.6	05.0-08.2	72	5.6	03.6-07.6	1656	87.8	85.4-90.2
Non-Native	1759	233,848	108	6.5	04.7-08.3	69	5.7	03.7-07.7	1582	87.7	85.2-90.2
18-24	57	42,683	3	5.0	00.0-11.9	5	9.7	00.5-18.9			
25-34	164	44,608	13	7.2	03.1-11.3	17	9.2	04.7-13.7	134	83.6	77.9-89.3
35-44	254	37,133	38	15.0	10.5-19.5	16	6.9	03.6-10.2	200	78.1	72.8-83.4
45-54	396	45,272	28	6.5	03.8-09.2	14	3.9	01.7-06.1	354	89.7	86.4-93.0
55-64	461	37,729	18	3.8	02.0-05.6	12	2.3	00.9-03.7	431	93.9	91.5-96.3
65+	502	41,087	14	2.9	01.3-04.5	8	1.4	00.2-02.6	480	95.6	93.6-97.6
Less Than H.S.	146	20,631	6	5.2	00.5-09.9						
H.S. or G.E.D.	522	78,681	41	8.4	04.3-12.5	24	4.8	02.4-07.2	457	86.8	82.3-91.3
Some Post-H.S.	569	74,045	41	6.8	04.4-09.2	25	6.8	03.7-09.9	503	86.4	82.7-90.1
College Graduate	603	75,442	26	5.0	02.8-07.2	13	2.7	01.1-04.3	564	92.3	89.6-95.0
Less than \$15,000	125	15,601	10	7.7	02.2-13.2	5	5.0	00.0-11.3	110	87.4	79.4-95.4
\$15,000- 24,999	190	23,674	10	5.6	01.3-09.9	7	3.7	00.2-07.2	173	90.7	85.2-96.2
\$25,000- 34,999	193	22,045	6	3.4	00.5-06.3	11	8.2	01.3-15.1	176	88.4	81.1-95.7
\$35,000- 49,999	284	36,036	19	6.2	03.1-09.3	12	5.1	01.8-08.4	253	88.7	84.2-93.2
\$50,000- 74,999	345	44,520	22	9.7	03.2-16.2	8	2.9	00.7-05.1	315	87.4	80.7-94.1
\$75,000+	527	76,466	37	6.8	04.4-09.2	22	5.4	03.0-07.8	468	87.8	84.5-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	249,624	6	0.5	00.0-01.1	18	0.8	00.2-01.4	2892	98.7	97.9-99.5
Native	62	9,079				1	1.1	00.0-03.3	61	98.9	96.7-0100
Non-Native	2815	237,399	6	0.5	00.0-01.1	17	0.8	00.2-01.4	2792	98.7	97.9-99.5
18-24	74	37,270	1	1.9	00.0-05.4	1	1.9	00.0-05.4	72	96.3	91.2-0100
25-34	256	38,991	1	0.4	00.0-01.2	1	0.5	00.0-01.5	254	99.1	97.9-0100
35-44	352	35,581	1	0.3	00.0-00.9	4	1.1	00.0-02.3	347	98.6	97.4-99.8
45-54	526	45,443	1	0.3	00.0-00.9				525	99.7	99.1-0100
55-64	632	35,040	2	0.6	00.0-01.4	3	0.4	00.0-00.8	627	99.0	98.0-0100
65+	1034	55,170				8	0.9	00.3-01.5	1026	99.1	98.5-99.7
Less Than H.S.	185	13,583				1	1.5	00.0-04.4	184	98.5	95.6-0100
H.S. or G.E.D.	889	74,408	3	1.2	00.0-03.0	8	1.5	00.0-03.3	878	97.3	94.8-99.8
Some Post-H.S.	946	82,791	1	0.1	00.0-00.3	4	0.3	00.0-00.7	941	99.5	99.1-99.9
College Graduate	891	78,537	2	0.3	00.0-00.7	5	0.4	00.0-00.8	884	99.2	98.6-99.8
Less than \$15,000	247	14,699	2	1.5	00.0-03.5	3	2.0	00.0-04.9	242	96.6	93.1-0100
\$15,000- 24,999	457	31,361				4	0.9	00.0-01.9	453	99.1	98.1-0100
\$25,000- 34,999	308	27,552	1	2.5	00.0-07.4	4	0.6	00.0-01.2	303	96.9	92.0-0100
\$35,000- 49,999	413	35,288				1	0.3	00.0-00.9	412	99.7	99.1-0100
\$50,000- 74,999	391	39,528	1	0.4	00.0-01.2				390	99.6	98.8-0100
\$75,000+	603	60,885	1	0.2	00.0-00.6	2	0.4	00.0-01.0	600	99.4	98.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	112
20 MALES ONLY	113
21 FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	115
23	MALES ONLY	116
24	FEMALES ONLY	117
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	118
26	MALES ONLY	119
27	FEMALES ONLY	120
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	121
29	MALES ONLY	122
30	FEMALES ONLY	123
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	124
32	MALES ONLY	125
33	FEMALES ONLY	126
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	127
35	MALES ONLY	128
36	FEMALES ONLY	129
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
37	MALES AND FEMALES	130
38	MALES ONLY	131
39	FEMALES ONLY	132
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	133
41	MALES ONLY	134
42	FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	136
44	MALES ONLY	137
45	FEMALES ONLY	138
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	139
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)	
47	FEMALES ONLY	140
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	145
53	MALES ONLY	146
54	FEMALES ONLY	147
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
55	MALES AND FEMALES	148
56	MALES ONLY	149
57	FEMALES ONLY	150
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
58	MALES AND FEMALES	151
59	MALES ONLY	152
60	FEMALES ONLY	153
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
61	MALES AND FEMALES	154
62	MALES ONLY	155
63	FEMALES ONLY	156
	INDICATE SEX OF RESPONDENT. (SEX)	
64	MALES AND FEMALES	157
65	MALES ONLY	158
66	FEMALES ONLY	159
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
67	MALES AND FEMALES	160

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
68	MALES ONLY	161
69	FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4713	496,396	131	16.1	13.6-18.6	420	16.8	15.2-18.4	606	14.6	13.4-15.8	922	18.3	16.9-19.7	1095	14.7	13.7-15.7	1539	19.4	18.2-20.6
Male	1838	248,859	57	17.2	13.1-21.3	164	17.9	15.2-20.6	254	14.9	12.9-16.9	396	18.2	16.2-20.2	463	15.2	13.6-16.8	504	16.6	15.0-18.2
Female	2875	247,538	74	15.1	12.0-18.2	256	15.8	13.8-17.8	352	14.4	12.8-16.0	526	18.4	16.8-20.0	632	14.2	13.0-15.4	1035	22.3	20.7-23.9
Native	110	17,871							15	11.0	04.7-17.3	35	22.3	13.9-30.7	12	4.5	01.6-07.4	15	5.6	02.5-08.7
Non-Native	4528	468,819	119	15.6	12.9-18.3	391	16.2	14.6-17.8	588	14.9	13.7-16.1	875	18.2	16.8-19.6	1070	15.2	14.2-16.2	1485	19.8	18.6-21.0
Less Than H.S.	328	33,948				18	15.4	07.8-23.0	16	5.8	02.9-08.7	32	10.7	06.6-14.8	38	6.9	04.4-09.4	213	39.3	31.3-47.3
H.S. or G.E.D.	1400	152,543	59	25.4	19.9-30.9	98	12.9	10.2-15.6	113	9.2	07.2-11.2	268	17.1	14.7-19.5	283	12.0	10.2-13.8	579	23.3	20.8-25.8
Some Post-H.S.	1501	156,346	41	15.1	10.8-19.4	126	16.1	13.4-18.8	198	14.8	12.6-17.0	334	21.3	18.9-23.7	369	15.9	14.1-17.7	433	16.7	14.9-18.5
College Graduate	1477	153,015	20	6.6	03.7-09.5	178	21.9	19.0-24.8	278	21.8	19.3-24.3	288	18.1	15.9-20.3	404	17.8	15.8-19.8	309	13.8	12.2-15.4
Less than \$15,000	373	30,396	12	14.2	06.6-21.8	26	19.2	11.6-26.8	21	9.2	04.5-13.9	48	13.8	09.3-18.3	77	13.1	09.6-16.6	189	30.6	25.1-36.1
\$15,000- 24,999	642	54,915	16	16.3	09.0-23.6	46	17.4	12.3-22.5	39	7.4	04.9-09.9	87	12.8	09.7-15.9	119	11.2	08.8-13.6	335	34.9	30.2-39.6
\$25,000- 34,999	495	49,275	18	20.8	12.4-29.2	43	15.5	10.8-20.2	42	9.0	06.1-11.9	85	15.4	11.9-18.9	107	13.1	10.2-16.0	200	26.1	21.6-30.6
\$35,000- 49,999	693	71,170	20	16.1	09.8-22.4	62	17.9	13.4-22.4	76	12.1	09.4-14.8	136	16.8	13.7-19.9	173	15.5	12.8-18.2	226	21.6	18.3-24.9
\$50,000- 74,999	733	83,809	15	10.5	05.0-16.0	95	21.5	17.4-25.6	127	19.2	15.9-22.5	161	19.8	16.7-22.9	194	16.9	14.4-19.4	141	12.2	10.0-14.4
\$75,000+	1126	137,051	21	11.4	06.5-16.3	114	16.5	13.6-19.4	254	23.1	20.2-26.0	314	25.1	22.2-28.0	302	16.9	14.7-19.1	121	6.9	05.5-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	248,859	57	17.2	13.1-21.3	164	17.9	15.4-20.4	254	14.9	12.9-16.9	396	18.2	16.2-20.2	463	15.2	13.6-16.8	504	16.6	15.0-18.2
Non-Native	1751	233,322	54	17.1	12.8-21.4	149	16.9	14.4-19.4	247	15.2	13.2-17.2	372	18.1	16.1-20.1	450	15.8	14.0-17.6	479	16.9	15.1-18.7
Less Than H.S.	146	20,631							6	4.2	00.7-07.7	18	10.9	05.0-16.8	21	7.3	03.4-11.2	83	30.9	20.9-40.9
H.S. or G.E.D.	522	78,691	29	29.0	20.4-37.6	41	14.4	09.9-18.9	55	10.6	07.5-13.7	130	18.7	15.0-22.4	110	11.0	08.6-13.4	157	16.4	13.3-19.5
Some Post-H.S.	569	74,172	16	14.7	08.0-21.4	54	18.1	13.6-22.6	83	15.8	12.3-19.3	136	20.7	17.0-24.4	164	18.3	15.2-21.4	116	12.5	10.0-15.0
College Graduate	599	75,126	7	4.9	01.0-08.8	56	20.8	15.9-25.7	110	21.6	17.9-25.3	112	17.2	13.9-20.5	167	18.8	15.9-21.7	147	16.7	14.0-19.4
Less than \$15,000	126	15,685							10	11.3	03.1-19.5	27	17.6	10.0-25.2	33	13.4	07.9-18.9	36	14.2	08.7-19.7
\$15,000- 24,999	191	23,801				15	19.3	10.5-28.1	9	5.8	01.7-09.9	34	14.0	08.5-19.5	33	9.6	05.9-13.3	92	29.5	22.1-36.9
\$25,000- 34,999	191	21,940				16	17.6	09.6-25.6	16	9.2	04.3-14.1	34	15.1	09.6-20.6	52	17.0	11.7-22.3	68	25.7	18.8-32.6
\$35,000- 49,999	284	36,037	9	16.1	06.7-25.5	26	19.8	12.5-27.1	36	13.0	08.7-17.3	49	13.5	09.4-17.6	64	14.2	10.3-18.1	100	23.3	18.2-28.4
\$50,000- 74,999	344	44,436	5	9.1	00.5-17.7	34	19.0	13.1-24.9	54	18.5	13.6-23.4	69	18.3	13.8-22.8	106	20.5	16.2-24.8	76	14.6	11.1-18.1
\$75,000+	526	76,382	10	12.7	05.3-20.1	47	16.5	12.0-21.0	110	21.5	17.4-25.6	148	24.4	20.3-28.5	145	17.2	14.1-20.3	66	7.6	05.6-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	247,538	74	15.1	12.0-18.2	256	15.8	14.0-17.6	352	14.4	12.8-16.0	526	18.4	16.8-20.0	632	14.2	13.0-15.4	1035	22.3	20.7-23.9
Native	62	9,079							10	11.0	03.4-18.6				8	5.4	01.1-09.7	5	3.0	00.1-05.9
Non-Native	2777	235,498	65	14.1	11.0-17.2	242	15.6	13.6-17.6	341	14.6	13.0-16.2	503	18.3	16.7-19.9	620	14.6	13.4-15.8	1006	22.8	21.2-24.4
Less Than H.S.	182	13,317				5	7.1	00.8-13.4	10	8.2	03.1-13.3	14	10.3	04.6-16.0	17	6.3	03.2-09.4	130	52.2	42.2-62.2
H.S. or G.E.D.	878	73,853	30	21.6	15.1-28.1	57	11.4	08.5-14.3	58	7.8	05.6-10.0	138	15.4	12.7-18.1	173	13.1	10.9-15.3	422	30.7	27.0-34.4
Some Post-H.S.	932	82,174	25	15.6	10.1-21.1	72	14.3	11.2-17.4	115	14.0	11.5-16.5	198	21.8	18.7-24.9	205	13.8	11.6-16.0	317	20.5	18.0-23.0
College Graduate	878	77,889	13	8.3	04.0-12.6	122	23.0	19.3-26.7	168	22.0	18.9-25.1	176	18.9	16.0-21.8	237	16.9	14.5-19.3	162	10.9	09.1-12.7
Less than \$15,000	247	14,711	5	10.1	01.5-18.7	13	12.6	05.3-19.9	11	6.9	02.6-11.2	21	9.7	05.2-14.2	44	12.7	08.6-16.8	153	48.0	39.8-56.2
\$15,000- 24,999	451	31,115	8	12.0	03.8-20.2	31	16.0	10.3-21.7	30	8.6	05.3-11.9	53	12.0	08.5-15.5	86	12.4	09.5-15.3	243	39.1	33.2-45.0
\$25,000- 34,999	304	27,336				27	13.8	08.5-19.1	26	8.8	05.3-12.3	51	15.7	11.0-20.4	55	10.0	06.9-13.1	132	26.5	20.8-32.2
\$35,000- 49,999	409	35,134	11	16.1	07.9-24.3	36	15.9	11.0-20.8	40	11.1	07.6-14.6	87	20.2	15.7-24.7	109	16.8	13.3-20.3	126	19.9	16.0-23.8
\$50,000- 74,999	389	39,373	10	12.0	05.1-18.9	61	24.2	18.7-29.7	73	20.0	15.5-24.5	92	21.5	17.0-26.0	88	12.8	09.9-15.7	65	9.4	06.9-11.9
\$75,000+	600	60,669	11	9.7	04.0-15.4	67	16.6	12.9-20.3	144	25.1	21.2-29.0	166	26.0	22.1-29.9	157	16.6	13.9-19.3	55	6.0	04.4-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4723	494,609	46	1.3	00.7-01.9	4677	98.7	98.1-99.3
Male	1827	246,836	11	1.0	00.2-01.8	1816	99.0	98.2-99.8
Female	2896	247,773	35	1.6	00.8-02.4	2861	98.4	97.6-99.2
18-24	130	79,257	6	3.4	00.3-06.5	124	96.6	93.5-99.7
25-34	418	83,102	8	1.9	00.5-03.3	410	98.1	96.7-99.5
35-44	605	72,172	5	0.7	00.1-01.3	600	99.3	98.7-99.9
45-54	918	90,215	6	0.8	00.2-01.4	912	99.2	98.6-99.8
55-64	1091	72,643	6	0.5	00.1-00.9	1085	99.5	99.1-99.9
65+	1512	94,627	15	0.8	00.4-01.2	1497	99.2	98.8-99.6
Less Than H.S.	322	33,302	11	5.9	00.0-11.8	311	94.1	88.2-0100
H.S. or G.E.D.	1398	150,904	12	0.6	00.2-01.0	1386	99.4	99.0-99.8
Some Post-H.S.	1510	156,581	17	1.7	00.5-02.9	1493	98.3	97.1-99.5
College Graduate	1486	153,278	6	0.7	00.1-01.3	1480	99.3	98.7-99.9
Less than \$15,000	365	29,436	8	1.9	00.3-03.5	357	98.1	96.5-99.7
\$15,000- 24,999	641	54,265	7	1.4	00.2-02.6	634	98.6	97.4-99.8
\$25,000- 34,999	498	49,466	9	2.2	00.4-04.0	489	97.8	96.0-99.6
\$35,000- 49,999	696	71,260	5	1.8	00.0-03.6	691	98.2	96.4-0100
\$50,000- 74,999	733	83,693	4	0.5	00.0-01.1	729	99.5	98.9-0100
\$75,000+	1127	137,095	5	0.4	00.0-00.8	1122	99.6	99.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	246,836	11	1.0	00.2-01.8	1816	99.0	98.2-99.8
18-24	57	42,683	2	2.4	00.0-06.7	55	97.6	93.3-0100
25-34	162	44,111	4	2.1	00.0-04.3	158	97.9	95.7-0100
35-44	253	36,591	1	0.4	00.0-01.2	252	99.6	98.8-0100
45-54	393	44,855	2	0.6	00.0-01.4	391	99.4	98.6-0100
55-64	459	37,603	1	0.2	00.0-00.6	458	99.8	99.4-0100
65+	495	40,468	1	0.2	00.0-00.6	494	99.8	99.4-0100
Less Than H.S.	141	19,973	2	5.7	00.0-14.7	139	94.3	85.3-0100
H.S. or G.E.D.	518	77,662	2	0.2	00.0-00.4	516	99.8	99.6-0100
Some Post-H.S.	569	74,068	3	0.7	00.0-01.5	566	99.3	98.5-0100
College Graduate	597	74,894	4	1.0	00.0-02.2	593	99.0	97.8-0100
Less than \$15,000	123	15,003	2	2.1	00.0-05.0	121	97.9	95.0-0100
\$15,000- 24,999	186	22,989				186	100.0	0100-0100
\$25,000- 34,999	192	22,003	3	1.9	00.0-04.3	189	98.1	95.7-0100
\$35,000- 49,999	284	36,036	1	1.0	00.0-03.0	283	99.0	97.0-0100
\$50,000- 74,999	342	44,165	2	0.6	00.0-01.4	340	99.4	98.6-0100
\$75,000+	525	76,270	2	0.3	00.0-00.7	523	99.7	99.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2896	247,773	35	1.6	00.8-02.4	2861	98.4	97.6-99.2
18-24	73	36,574	4	4.5	00.0-09.0	69	95.5	91.0-0100
25-34	256	38,991	4	1.6	00.0-03.2	252	98.4	96.8-0100
35-44	352	35,581	4	1.0	00.0-02.0	348	99.0	98.0-0100
45-54	525	45,360	4	1.0	00.0-02.0	521	99.0	98.0-0100
55-64	632	35,040	5	0.7	00.0-01.5	627	99.3	98.5-0100
65+	1017	54,159	14	1.2	00.6-01.8	1003	98.8	98.2-99.4
Less Than H.S.	181	13,329	9	6.2	00.5-11.9	172	93.8	88.1-99.5
H.S. or G.E.D.	880	73,242	10	0.9	00.3-01.5	870	99.1	98.5-99.7
Some Post-H.S.	941	82,513	14	2.6	00.6-04.6	927	97.4	95.4-99.4
College Graduate	889	78,385	2	0.4	00.0-01.0	887	99.6	99.0-0100
Less than \$15,000	242	14,433	6	1.6	00.2-03.0	236	98.4	97.0-99.8
\$15,000- 24,999	455	31,276	7	2.4	00.2-04.6	448	97.6	95.4-99.8
\$25,000- 34,999	306	27,463	6	2.4	00.0-05.1	300	97.6	94.9-0100
\$35,000- 49,999	412	35,224	4	2.6	00.0-05.7	408	97.4	94.3-0100
\$50,000- 74,999	391	39,528	2	0.4	00.0-01.0	389	99.6	99.0-0100
\$75,000+	602	60,824	3	0.6	00.0-01.4	599	99.4	98.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	499,052	4744	99.5	99.1-99.9	19	0.5	00.1-00.9
Male	1846	249,385	1837	99.4	98.8-0100	9	0.6	00.0-01.2
Female	2917	249,667	2907	99.6	99.2-0100	10	0.4	00.0-00.8
18-24	131	79,953	130	99.4	98.2-0100	1	0.6	00.0-01.8
25-34	420	83,599	415	98.8	97.6-0100	5	1.2	00.0-02.4
35-44	606	72,714	604	99.6	99.0-0100	2	0.4	00.0-01.0
45-54	922	90,715	922	100.0	0100-0100			
55-64	1095	72,979	1090	99.5	99.1-99.9	5	0.5	00.1-00.9
65+	1539	96,436	1533	99.6	99.2-0100	6	0.4	00.0-00.8
Less Than H.S.	332	34,257	330	99.7	99.3-0100	2	0.3	00.0-00.7
H.S. or G.E.D.	1413	153,225	1405	99.3	98.7-99.9	8	0.7	00.1-01.3
Some Post-H.S.	1517	157,047	1512	99.4	98.8-0100	5	0.6	00.0-01.2
College Graduate	1494	153,979	1490	99.7	99.3-0100	4	0.3	00.0-00.7
Less than \$15,000	374	30,427	369	98.0	95.5-0100	5	2.0	00.0-04.5
\$15,000- 24,999	648	55,162	644	99.3	98.5-0100	4	0.7	00.0-01.5
\$25,000- 34,999	501	49,597	499	99.6	99.0-0100	2	0.4	00.0-01.0
\$35,000- 49,999	698	71,409	697	99.3	97.9-0100	1	0.7	00.0-02.1
\$50,000- 74,999	736	84,048	734	99.7	99.3-0100	2	0.3	00.0-00.7
\$75,000+	1130	137,351	1129	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1846	249,385	1837	99.4	98.8-0100	9	0.6	00.0-01.2
18-24	57	42,683	56	98.9	96.7-0100	1	1.1	00.0-03.3
25-34	164	44,608	163	99.2	97.6-0100	1	0.8	00.0-02.4
35-44	254	37,133	253	99.4	98.2-0100	1	0.6	00.0-01.8
45-54	396	45,272	396	100.0	0100-0100			
55-64	463	37,940	460	99.3	98.5-0100	3	0.7	00.0-01.5
65+	504	41,223	501	99.5	98.9-0100	3	0.5	00.0-01.1
Less Than H.S.	146	20,631	145	99.8	99.4-0100	1	0.2	00.0-00.6
H.S. or G.E.D.	524	78,817	520	99.2	98.2-0100	4	0.8	00.0-01.8
Some Post-H.S.	571	74,256	569	99.2	98.0-0100	2	0.8	00.0-02.0
College Graduate	603	75,442	601	99.7	99.1-0100	2	0.3	00.0-00.9
Less than \$15,000	126	15,685	124	97.4	92.7-0100	2	2.6	00.0-07.3
\$15,000- 24,999	191	23,801	189	99.5	98.7-0100	2	0.5	00.0-01.3
\$25,000- 34,999	193	22,045	193	100.0	0100-0100			
\$35,000- 49,999	285	36,121	284	98.7	96.2-0100	1	1.3	00.0-03.8
\$50,000- 74,999	345	44,520	344	99.8	99.4-0100	1	0.2	00.0-00.6
\$75,000+	527	76,466	526	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	249,667	2907	99.6	99.2-0100	10	0.4	00.0-00.8
18-24	74	37,270	74	100.0	0100-0100			
25-34	256	38,991	252	98.3	96.5-0100	4	1.7	00.0-03.5
35-44	352	35,581	351	99.7	99.1-0100	1	0.3	00.0-00.9
45-54	526	45,443	526	100.0	0100-0100			
55-64	632	35,040	630	99.8	99.4-0100	2	0.2	00.0-00.6
65+	1035	55,213	1032	99.6	99.2-0100	3	0.4	00.0-00.8
Less Than H.S.	186	13,626	185	99.7	99.1-0100	1	0.3	00.0-00.9
H.S. or G.E.D.	889	74,408	885	99.4	98.8-0100	4	0.6	00.0-01.2
Some Post-H.S.	946	82,791	943	99.6	99.0-0100	3	0.4	00.0-01.0
College Graduate	891	78,537	889	99.8	99.4-0100	2	0.2	00.0-00.6
Less than \$15,000	248	14,742	245	98.6	97.0-0100	3	1.4	00.0-03.0
\$15,000- 24,999	457	31,361	455	99.2	97.8-0100	2	0.8	00.0-02.2
\$25,000- 34,999	308	27,552	306	99.3	98.3-0100	2	0.7	00.0-01.7
\$35,000- 49,999	413	35,288	413	100.0	0100-0100			
\$50,000- 74,999	391	39,528	390	99.6	98.8-0100	1	0.4	00.0-01.2
\$75,000+	603	60,885	603	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
Denominator Excludes: Respondents reporting only one race
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4739	497,197	16	0.6	00.2-01.0	17	0.6	00.2-01.0	531	9.8	08.8-10.8	90	2.3	01.5-03.1	4085	86.7	85.3-88.1
Male	1836	248,642	14	1.2	00.6-01.8	11	0.7	00.1-01.3	490	17.9	16.1-19.7	78	3.8	02.4-05.2	1243	76.5	74.1-78.9
Female	2903	248,555	2	0.1	00.0-00.3	6	0.4	00.0-01.0	41	1.7	00.9-02.5	12	0.8	00.0-01.6	2842	96.9	95.7-98.1
18-24	131	79,953	1	0.6	00.0-01.8	3	1.7	00.0-03.7	1	1.0	00.0-03.0	3	4.1	00.0-08.6	123	92.6	87.3-97.9
25-34	418	83,145	9	2.2	00.8-03.6	3	0.6	00.0-01.4	14	3.7	01.7-05.7	3	0.7	00.0-01.5	389	92.7	90.0-95.4
35-44	604	72,400	6	1.3	00.3-02.3	4	0.7	00.0-01.5	26	4.3	02.5-06.1	12	2.3	00.9-03.7	556	91.5	89.1-93.9
45-54	920	90,577							65	8.5	06.3-10.7	13	1.5	00.7-02.3	842	90.0	87.6-92.4
55-64	1088	72,633				3	0.3	00.0-00.7	145	16.1	13.6-18.6	33	3.4	02.2-04.6	907	80.1	77.4-82.8
65+	1528	95,835				4	0.2	00.0-00.4	277	23.0	20.5-25.5	26	2.1	01.3-02.9	1221	74.6	72.1-77.1
Less Than H.S.	326	33,972							43	9.6	06.3-12.9	6	4.9	00.0-11.6	277	85.5	78.4-92.6
H.S. or G.E.D.	1404	152,644	2	0.4	00.0-01.0	7	0.8	00.2-01.4	164	9.7	07.7-11.7	29	2.3	00.7-03.9	1202	86.8	84.3-89.3
Some Post-H.S.	1512	156,432	10	1.1	00.3-01.9	4	0.7	00.0-01.7	165	10.0	08.2-11.8	28	2.2	00.8-03.6	1305	85.9	83.5-88.3
College Graduate	1490	153,605	4	0.5	00.0-01.1	6	0.4	00.0-00.8	158	9.6	08.0-11.2	27	1.8	01.0-02.6	1295	87.7	85.9-89.5
Less than \$15,000	369	30,162							38	8.5	05.6-11.4	5	1.0	00.0-02.0	326	90.5	87.4-93.6
\$15,000- 24,999	645	54,728	1	0.5	00.0-01.5	2	0.9	00.0-02.7	74	10.8	08.1-13.5	5	2.3	00.0-06.0	563	85.5	81.0-90.0
\$25,000- 34,999	495	49,164	2	0.6	00.0-01.6	4	2.1	00.0-04.6	62	12.0	07.9-16.1	9	1.8	00.4-03.2	418	83.5	78.6-88.4
\$35,000- 49,999	695	71,263	4	1.6	00.0-03.2	1	0.3	00.0-00.9	90	11.2	08.7-13.7	15	1.9	00.9-02.9	585	85.1	82.0-88.2
\$50,000- 74,999	736	84,048	4	0.8	00.0-01.6	2	0.3	00.0-00.7	103	11.7	09.3-14.1	18	2.0	01.0-03.0	609	85.2	82.5-87.9
\$75,000+	1127	137,194	4	0.4	00.0-00.8	5	0.5	00.1-00.9	111	8.5	06.7-10.3	28	3.7	01.3-06.1	979	86.9	84.2-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	248,642	14	1.2	00.6-01.8	11	0.7	00.1-01.3	490	17.9	16.1-19.7	78	3.8	02.4-05.2	1243	76.5	74.1-78.9
18-24	57	42,683	1	1.1	00.0-03.3	1	1.1	00.0-03.3				2	5.3	00.0-12.4	53	92.5	84.9-0100
25-34	164	44,608	8	3.6	01.1-06.1	2	1.0	00.0-02.4	10	5.6	02.1-09.1	1	0.6	00.0-01.8	143	89.3	84.8-93.8
35-44	253	36,916	5	2.3	00.3-04.3	4	1.4	00.0-02.8	18	6.6	03.5-09.7	11	4.2	01.7-06.7	215	85.6	81.1-90.1
45-54	395	45,216							53	14.3	10.4-18.2	10	2.4	00.8-04.0	332	83.3	79.2-87.4
55-64	457	37,624				3	0.7	00.0-01.5	138	30.2	25.7-34.7	28	5.8	03.6-08.0	288	63.4	58.7-68.1
65+	502	41,068				1	0.2	00.0-00.6	269	52.6	48.1-57.1	26	5.0	03.0-07.0	206	42.1	37.6-46.6
Less Than H.S.	142	20,432							42	15.7	09.4-22.0	6	8.2	00.0-19.0			
H.S. or G.E.D.	522	78,658	2	0.8	00.0-02.0	5	1.0	00.0-02.0	152	16.8	13.5-20.1	27	4.2	01.5-06.9	336	77.2	72.7-81.7
Some Post-H.S.	568	74,088	9	2.1	00.7-03.5	2	0.7	00.0-01.9	154	19.7	16.2-23.2	22	2.6	01.4-03.8	381	74.9	70.8-79.0
College Graduate	602	75,225	3	0.9	00.0-01.9	4	0.6	00.0-01.2	141	17.8	14.7-20.9	23	3.3	01.9-04.7	431	77.4	73.9-80.9
Less than \$15,000	124	15,570							34	15.1	09.0-21.2	5	1.9	00.1-03.7	85	83.0	76.5-89.5
\$15,000- 24,999	190	23,758	1	1.0	00.0-03.0	1	2.0	00.0-05.9	71	23.6	16.9-30.3	3	0.7	00.0-01.5	114	72.6	65.0-80.2
\$25,000- 34,999	191	21,899	2	1.4	00.0-03.4	2	0.7	00.0-01.7	54	21.4	14.7-28.1	7	2.5	00.5-04.5	126	73.9	66.5-81.3
\$35,000- 49,999	284	36,079	4	3.1	00.0-06.2	1	0.5	00.0-01.5	87	21.2	16.3-26.1	13	3.1	01.3-04.9	179	72.1	66.0-78.2
\$50,000- 74,999	345	44,520	3	1.1	00.0-02.5	2	0.5	00.0-01.3	95	20.2	15.7-24.7	16	3.5	01.5-05.5	229	74.6	69.5-79.7
\$75,000+	525	76,340	3	0.7	00.0-01.5	4	0.7	00.0-01.5	103	14.2	11.1-17.3	24	6.3	02.2-10.4	391	78.1	73.2-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mnths but not now			Yes, active duty in the past but not last 12 mnths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2903	248,555	2	0.1	00.0-00.3	6	0.4	00.0-01.0	41	1.7	00.9-02.5	12	0.8	00.0-01.6	2842	96.9	95.7-98.1
18-24	74	37,270				2	2.3	00.0-05.6	1	2.1	00.0-06.2	1	2.8	00.0-08.1	70	92.8	85.5-0100
25-34	254	38,537	1	0.5	00.0-01.5	1	0.2	00.0-00.6	4	1.6	00.0-03.2	2	0.9	00.0-02.3	246	96.7	94.3-99.1
35-44	351	35,484	1	0.3	00.0-00.9				8	1.9	00.5-03.3	1	0.3	00.0-00.9	341	97.5	95.9-99.1
45-54	525	45,360							12	2.7	01.1-04.3	3	0.6	00.0-01.4	510	96.7	94.9-98.5
55-64	631	35,009							7	1.0	00.2-01.8	5	0.8	00.0-01.6	619	98.2	97.2-99.2
65+	1026	54,767				3	0.3	00.0-00.7	8	0.8	00.2-01.4				1015	99.0	98.4-99.6
Less Than H.S.	184	13,540							1	0.5	00.0-01.5				183	99.5	98.5-0100
H.S. or G.E.D.	882	73,985				2	0.6	00.0-01.6	12	2.1	00.0-04.3	2	0.3	00.0-00.7	866	97.0	94.6-99.4
Some Post-H.S.	944	82,344	1	0.3	00.0-00.9	2	0.7	00.0-01.9	11	1.4	00.4-02.4	6	1.8	00.0-04.3	924	95.9	93.0-98.8
College Graduate	888	78,381	1	0.1	00.0-00.3	2	0.1	00.0-00.3	17	1.8	00.8-02.8	4	0.4	00.0-00.8	864	97.6	96.6-98.6
Less than \$15,000	245	14,592							4	1.5	00.0-03.1				241	98.5	96.9-0100
\$15,000- 24,999	455	30,969				1	0.1	00.0-00.3	3	0.9	00.0-02.3	2	3.5	00.0-10.0	449	95.5	89.0-0100
\$25,000- 34,999	304	27,265				2	3.2	00.0-07.5	8	4.4	00.0-09.9	2	1.2	00.0-03.0	292	91.2	84.1-98.3
\$35,000- 49,999	411	35,184							3	0.9	00.0-02.1	2	0.7	00.0-01.7	406	98.4	97.0-99.8
\$50,000- 74,999	391	39,528	1	0.5	00.0-01.5				8	2.0	00.4-03.6	2	0.3	00.0-00.7	380	97.1	95.1-99.1
\$75,000+	602	60,854	1	0.2	00.0-00.6	1	0.1	00.0-00.3	8	1.3	00.3-02.3	4	0.5	00.0-01.1	588	97.9	96.7-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4745	497,830	2968	64.8	62.4-67.2	483	5.9	05.3-06.5	693	6.3	05.7-06.9	35	0.5	00.3-00.7	514	19.9	17.5-22.3	□□□ *	2.7	01.7-03.7
Male	1837	248,703	1256	65.1	61.4-68.8	185	5.5	04.5-06.5	93	2.2	01.6-02.8	18	0.6	00.2-01.0	266	24.2	20.3-28.1	19	2.4	01.0-03.8
Female	2908	249,126	1712	64.4	61.7-67.1	298	6.2	05.4-07.0	600	10.3	09.3-11.3	17	0.4	00.2-00.6	248	15.7	13.0-18.4	33	2.9	01.5-04.3
Native	110	17,871	31	24.7	15.5-33.9	22	13.3	06.6-20.0	11	4.0	01.3-06.7	4	1.3	00.0-02.7						
Non-Native	4560	470,277	2900	66.9	64.5-69.3	454	5.6	05.0-06.2	663	6.3	05.7-06.9	31	0.5	00.3-00.7	468	18.6	16.2-21.0	44	2.2	01.2-03.2
18-24	131	79,953	24	15.9	09.6-22.2	1	0.4	00.0-01.2							94	74.6	66.8-82.4	12	9.1	03.8-14.4
25-34	418	83,234	284	66.7	61.4-72.0	21	3.4	01.8-05.0	3	0.5	00.0-01.1	4	0.6	00.0-01.2	90	24.1	19.0-29.2	16	4.8	02.4-07.2
35-44	604	72,521	472	83.7	80.8-86.6	49	6.3	04.3-08.3	4	0.3	00.0-00.7	8	1.1	00.3-01.9	64	7.3	05.3-09.3	7	1.3	00.3-02.3
45-54	921	90,659	663	81.0	78.5-83.5	130	9.9	07.9-11.9	11	0.8	00.4-01.2	6	0.4	00.0-00.8	105	7.4	05.8-09.0	6	0.5	00.1-00.9
55-64	1092	72,801	750	79.3	76.9-81.7	153	8.9	07.3-10.5	85	4.9	03.7-06.1	9	0.5	00.1-00.9	88	5.7	04.3-07.1	7	0.6	00.2-01.0
65+	1532	96,141	750	63.2	60.8-65.6	123	5.9	04.7-07.1	581	27.0	24.8-29.2	8	0.4	00.2-00.6	66	3.2	02.4-04.0	4	0.3	00.1-00.5
Less Than H.S.	332	34,257	129	39.3	30.9-47.7	34	5.8	03.4-08.2	122	17.3	13.0-21.6	4	0.9	00.0-01.9				5	3.9	00.2-07.6
H.S. or G.E.D.	1406	152,824	812	55.4	50.9-59.9	150	6.2	04.8-07.6	269	7.8	06.6-09.0	10	0.5	00.1-00.9	149	27.8	22.7-32.9	16	2.4	00.4-04.4
Some Post-H.S.	1509	156,568	952	66.2	62.5-69.9	166	6.5	05.3-07.7	192	5.4	04.6-06.2	14	0.6	00.2-01.0	168	18.3	14.4-22.2	17	3.0	01.2-04.8
College Graduate	1492	153,720	1071	78.3	75.4-81.2	133	4.9	03.9-05.9	109	3.2	02.4-04.0	7	0.3	00.1-00.5	158	11.0	08.5-13.5	14	2.3	00.7-03.9
Less than \$15,000	373	30,397	59	25.4	18.3-32.5	86	15.1	11.4-18.8	130	19.0	15.1-22.9	6	1.4	00.2-02.6	88	36.4	28.2-44.6	4	2.6	00.0-05.7
\$15,000- 24,999	646	55,077	215	38.4	32.9-43.9	116	13.0	09.9-16.1	197	15.8	13.1-18.5	7	0.5	00.1-00.9	98	27.0	20.3-33.7	13	5.2	01.1-09.3
\$25,000- 34,999	500	49,566	243	53.1	46.4-59.8	77	10.6	07.5-13.7	89	7.9	05.9-09.9	6	0.9	00.1-01.7	79	22.9	15.8-30.0	6	4.6	00.1-09.1
\$35,000- 49,999	693	70,923	441	67.2	61.7-72.7	76	6.2	04.6-07.8	83	5.1	03.9-06.3	3	0.4	00.0-00.8	82	18.2	12.5-23.9	8	2.9	00.4-05.4
\$50,000- 74,999	736	84,048	602	81.0	75.9-86.1	43	3.4	02.2-04.6	29	1.6	01.0-02.2	4	0.5	00.0-01.1	50	11.1	06.0-16.2	8	2.3	00.3-04.3
\$75,000+	1128	137,204	1012	83.8	79.3-88.3	40	2.1	01.3-02.9	19	0.9	00.3-01.5	4	0.2	00.0-00.4	43	11.2	06.7-15.7	10	1.9	00.1-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	248,703	1256	65.1	61.4-68.8	185	5.5	0.4-06.5	93	2.2	0.1-02.8	18	0.6	0.0-01.0	266	24.2	20.3-28.1	19	2.4	0.1-03.8
Non-Native	1752	233,314	1227	67.7	64.0-71.4	169	5.0	0.4-0-06.0	83	2.1	0.1-02.7	16	0.6	0.0-01.0	242	22.7	18.8-26.6	15	2.0	0.0-03.4
18-24	57	42,683	9	13.3	0.4-22.1													5	7.2	0.0-13.7
25-34	163	44,453	96	58.9	50.7-67.1	6	2.7	0.0-05.1	1	0.6	0.0-01.8	3	0.8	0.0-01.8	50	32.2	24.2-40.2	7	4.9	0.1-08.6
35-44	253	36,988	194	84.1	79.8-88.4	20	6.1	0.3-09.0				4	1.3	0.0-02.7	34	8.0	0.5-10.7	1	0.6	0.0-01.8
45-54	395	45,216	267	77.9	74.0-81.8	59	10.6	0.7-13.5	1	0.2	0.0-00.6	4	0.7	0.0-01.5	62	10.2	0.7-12.9	2	0.4	0.0-01.0
55-64	461	37,793	337	81.8	78.5-85.1	56	7.8	0.5-10.0	16	2.5	0.1-03.9	3	0.3	0.0-00.7	46	7.0	0.4-09.2	3	0.6	0.0-01.2
65+	501	41,087	349	79.3	76.0-82.6	44	6.1	0.4-08.1	75	10.1	0.7-12.5	4	0.5	0.0-01.1	28	3.7	0.2-05.3	1	0.2	0.0-00.6
Less Than H.S.	146	20,631				20	6.5	0.2-10.2	31	8.2	0.4-11.9	4	1.5	0.0-03.1				2	3.6	0.0-08.5
H.S. or G.E.D.	520	78,532	332	54.2	46.9-61.5	61	5.9	0.3-07.9	27	1.8	0.1-02.6	4	0.5	0.0-01.1	90	35.6	27.6-43.6	6	2.0	0.0-04.5
Some Post-H.S.	567	73,943	374	65.7	59.6-71.8	71	7.2	0.5-09.2	18	1.5	0.0-02.3	5	0.6	0.0-01.2	93	22.4	16.3-28.5	6	2.7	0.0-05.1
College Graduate	603	75,442	483	83.5	79.8-87.2	33	3.2	0.2-04.4	17	1.6	0.0-02.6	5	0.5	0.0-01.1	60	9.0	0.6-11.9	5	2.2	0.0-04.6
Less than \$15,000	126	15,685				26	10.5	0.6-15.0	15	5.2	0.2-08.1	4	1.9	0.0-03.9				2	2.7	0.0-07.4
\$15,000- 24,999	190	23,758	82	41.6	31.8-51.4	40	13.2	0.7-18.5	21	4.7	0.2-06.9	4	0.7	0.0-01.5				5	8.8	0.0-17.6
\$25,000- 34,999	193	22,045	95	47.9	37.9-57.9	34	13.1	0.7-18.6	16	4.2	0.1-06.6	4	1.5	0.0-03.1				2	4.3	0.0-10.8
\$35,000- 49,999	283	35,925	191	69.0	60.6-77.4	30	5.0	0.3-07.0	17	2.6	0.1-04.0	1	0.3	0.0-00.9	41	20.7	12.1-29.3	3	2.3	0.0-05.2
\$50,000- 74,999	345	44,520	284	79.9	71.7-88.1	22	3.7	0.1-05.5	4	0.6	0.0-01.2	3	0.9	0.0-02.1	29	12.3	0.4-20.5	3	2.5	0.0-05.4
\$75,000+	525	76,318	460	81.7	74.8-88.6	26	2.8	0.1-04.0	8	0.9	0.0-1.7	2	0.2	0.0-00.6	27	14.0	0.6-21.1	2	0.4	0.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	249,126	1712	64.4	61.7-67.1	298	6.2	05.4-07.0	600	10.3	09.3-11.3	17	0.4	00.2-00.6	248	15.7	13.0-18.4	33	2.9	01.5-04.3
Native	62	9,079				11	10.2	02.9-17.5	6	3.9	00.2-07.6	2	1.5	00.0-03.7						
Non-Native	2808	236,963	1673	66.1	63.4-68.8	285	6.1	05.3-06.9	580	10.5	09.5-11.5	15	0.3	00.1-00.5	226	14.6	11.9-17.3	29	2.4	01.0-03.8
18-24	74	37,270	15	18.9	09.9-27.9	1	0.9	00.0-02.7										7	11.2	02.8-19.6
25-34	255	38,781	188	75.6	69.9-81.3	15	4.3	01.9-06.7	2	0.4	00.0-01.0	1	0.4	00.0-01.2	40	14.8	10.1-19.5	9	4.6	01.5-07.7
35-44	351	35,532	278	83.2	79.3-87.1	29	6.6	04.1-09.1	4	0.7	00.1-01.3	4	0.8	00.0-01.6	30	6.6	04.1-09.1	6	2.1	00.5-03.7
45-54	526	45,443	396	84.1	81.2-87.0	71	9.2	06.8-11.6	10	1.3	00.3-02.3	2	0.2	00.0-00.4	43	4.6	03.2-06.0	4	0.5	00.0-01.1
55-64	631	35,009	413	76.7	73.6-79.8	97	10.2	08.0-12.4	69	7.6	05.6-09.6	6	0.7	00.1-01.3	42	4.3	02.9-05.7	4	0.6	00.0-01.2
65+	1031	55,054	401	51.2	47.9-54.5	79	5.8	04.4-07.2	506	39.6	36.5-42.7	4	0.3	00.1-00.5	38	2.9	01.9-03.9	3	0.3	00.0-00.7
Less Than H.S.	186	13,626	63	42.4	33.0-51.8	14	4.7	02.2-07.2	91	31.1	23.8-38.4							3	4.4	00.0-09.7
H.S. or G.E.D.	886	74,292	480	56.6	51.3-61.9	89	6.5	04.7-08.3	242	14.0	11.8-16.2	6	0.5	00.1-00.9	59	19.6	13.9-25.3	10	2.9	00.0-05.8
Some Post-H.S.	942	82,625	578	66.7	62.0-71.4	95	5.9	04.5-07.3	174	9.0	07.4-10.6	9	0.6	00.2-01.0	75	14.6	09.9-19.3	11	3.3	00.6-06.0
College Graduate	889	78,279	588	73.3	69.2-77.4	100	6.6	05.0-08.2	92	4.7	03.7-05.7	2	0.1	00.0-00.3	98	12.9	09.0-16.8	9	2.4	00.4-04.4
Less than \$15,000	247	14,711	32	21.3	13.1-29.5	60	20.1	14.6-25.6	115	33.8	27.1-40.5	2	0.8	00.0-02.0	36	21.4	13.4-29.4	2	2.6	00.0-06.7
\$15,000- 24,999	456	31,319	133	36.0	29.9-42.1	76	12.9	09.2-16.6	176	24.3	20.0-28.6	3	0.4	00.0-00.8	60	23.9	15.9-31.9	8	2.4	00.6-04.2
\$25,000- 34,999	307	27,521	148	57.2	48.4-66.0	43	8.7	05.2-12.2	73	10.8	07.9-13.7	2	0.4	00.0-01.0	37	18.1	09.9-26.3	4	4.8	00.0-11.1
\$35,000- 49,999	410	34,999	250	65.3	58.0-72.6	46	7.4	04.9-09.9	66	7.7	05.5-09.9	2	0.4	00.0-01.0	41	15.7	08.4-23.0	5	3.6	00.0-07.7
\$50,000- 74,999	391	39,528	318	82.3	76.6-88.0	21	3.1	01.5-04.7	25	2.6	01.4-03.8	1	0.1	00.0-00.3	21	9.8	04.3-15.3	5	2.1	00.0-04.3
\$75,000+	603	60,885	552	86.4	80.9-91.9	14	1.1	00.5-01.7	11	0.9	00.3-01.5	2	0.2	00.0-00.4	16	7.7	03.2-12.2	8	3.7	00.0-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	498,877	438	14.6	12.8-16.4	443	14.3	12.7-15.9	235	7.3	06.1-08.5	94	2.7	02.1-03.3	32	0.8	00.4-01.2	3519	60.3	58.1-62.5
Male	1845	249,240	175	15.0	12.3-17.7	186	14.6	12.2-17.0	93	7.5	05.5-09.5	37	2.8	01.8-03.8	5	0.4	00.0-00.8	1349	59.6	56.3-62.9
Female	2916	249,636	263	14.1	11.9-16.3	257	13.9	11.9-15.9	142	7.1	05.7-08.5	57	2.6	01.8-03.4	27	1.2	00.6-01.8	2170	61.0	58.5-63.5
Native	110	17,871	21	19.6	10.2-29.0				7	10.7	02.3-19.1	5	4.0	00.3-07.7	6	6.3	00.6-12.0			
Non-Native	4573	471,114	411	14.2	12.4-16.0	428	14.3	12.7-15.9	225	7.2	06.0-08.4	88	2.6	02.0-03.2	26	0.6	00.4-00.8	3395	61.0	58.8-63.2
18-24	131	79,953	30	23.3	15.7-30.9	24	16.8	10.1-23.5	6	4.7	00.0-09.6	1	0.9	00.0-02.7	1	0.3	00.0-00.9	69	53.9	44.5-63.3
25-34	420	83,599	89	22.5	17.8-27.2	105	26.1	21.4-30.8	77	17.4	13.5-21.3	30	6.0	03.6-08.4	10	2.0	00.6-03.4	109	26.0	21.3-30.7
35-44	605	72,569	119	20.7	17.2-24.2	191	32.5	28.6-36.4	117	19.8	16.5-23.1	54	9.0	06.6-11.4	17	2.3	01.1-03.5	107	15.6	12.7-18.5
45-54	922	90,715	148	17.5	14.8-20.2	101	12.0	09.6-14.4	28	3.4	02.0-04.8	8	1.2	00.4-02.0	2	0.4	00.0-01.0	635	65.6	62.3-68.9
55-64	1095	72,979	38	4.4	02.8-06.0	16	1.4	00.6-02.2	6	0.8	00.0-01.6	1	0.2	00.0-00.6	2	0.3	00.0-00.7	1032	93.0	91.2-94.8
65+	1539	96,436	9	0.9	00.3-01.5	3	0.2	00.0-00.4	1	0.1	00.0-00.3							1526	98.8	98.2-99.4
Less Than H.S.	332	34,257	19	14.8	06.6-23.0	14	7.3	03.0-11.6	4	6.9	00.0-16.7	6	4.6	00.1-09.1	2	1.9	00.0-04.4			
H.S. or G.E.D.	1413	153,225	120	16.1	12.6-19.6	99	13.9	10.6-17.2	43	4.5	02.9-06.1	15	1.5	00.7-02.3	10	0.8	00.2-01.4	1126	63.3	59.0-67.6
Some Post-H.S.	1516	157,016	127	12.7	10.0-15.4	127	13.8	11.1-16.5	85	7.9	06.1-09.7	35	3.1	01.9-04.3	13	1.0	00.4-01.6	1129	61.5	58.0-65.0
College Graduate	1493	153,834	172	14.9	12.5-17.3	203	16.8	14.4-19.2	102	9.5	07.5-11.5	38	3.1	02.1-04.1	7	0.5	00.1-00.9	971	55.2	52.1-58.3
Less than \$15,000	374	30,427	13	8.7	03.2-14.2	11	8.7	02.4-15.0	9	5.5	01.2-09.8	5	4.4	00.0-09.3	4	2.8	00.0-05.7	332	70.0	61.4-78.6
\$15,000- 24,999	648	55,162	40	12.5	07.6-17.4	18	6.0	02.9-09.1	16	4.3	01.8-06.8	11	2.5	00.9-04.1	2	0.2	00.0-00.6	561	74.5	68.8-80.2
\$25,000- 34,999	501	49,597	38	11.3	06.4-16.2	29	11.6	06.3-16.9	14	4.7	01.8-07.6	10	3.6	01.1-06.1	6	1.5	00.3-02.7	404	67.3	60.6-74.0
\$35,000- 49,999	698	71,409	55	13.1	08.6-17.6	62	13.5	09.6-17.4	34	6.9	04.4-09.4	11	1.8	00.6-03.0	2	0.2	00.0-00.6	534	64.5	59.2-69.8
\$50,000- 74,999	736	84,048	87	14.1	11.0-17.2	91	15.6	12.3-18.9	45	8.6	06.1-11.1	17	2.7	01.3-04.1	8	1.2	00.4-02.0	488	57.8	53.1-62.5
\$75,000+	1129	137,207	153	17.4	14.3-20.5	199	21.3	18.2-24.4	95	9.6	07.6-11.6	35	3.5	02.3-04.7	6	0.5	00.1-00.9	641	47.7	43.8-51.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	249,240	175	15.0	12.3-17.7	186	14.6	12.2-17.0	93	7.5	05.5-09.5	37	2.8	01.8-03.8	5	0.4	00.0-00.8	1349	59.6	56.3-62.9
Non-Native	1758	233,703	166	15.0	12.3-17.7	178	14.5	12.1-16.9	88	7.4	05.4-09.4	34	2.6	01.6-03.6	4	0.3	00.0-00.7	1288	60.3	56.8-63.8
18-24	57	42,683				7	12.8	03.8-21.8	2	4.3	00.0-12.1	1	1.7	00.0-05.0						
25-34	164	44,608	33	23.3	15.9-30.7	42	26.3	19.0-33.6	27	15.9	10.2-21.6	7	4.2	01.1-07.3	2	1.4	00.0-03.4	53	28.9	21.6-36.2
35-44	253	36,988	42	18.7	13.2-24.2	83	34.4	28.1-40.7	45	19.6	14.3-24.9	22	9.4	05.5-13.3	2	0.8	00.0-02.0	59	17.2	12.7-21.7
45-54	396	45,272	66	18.5	14.2-22.8	44	12.4	08.9-15.9	17	4.6	02.4-06.8	6	2.0	00.4-03.6				263	62.6	57.3-67.9
55-64	463	37,940	17	4.4	02.2-06.6	8	1.8	00.6-03.0	2	0.7	00.0-01.7	1	0.3	00.0-00.9	1	0.4	00.0-01.2	434	92.3	89.4-95.2
65+	504	41,223	2	0.5	00.0-01.3	1	0.3	00.0-00.9										501	99.2	98.2-0100
Less Than H.S.	146	20,631				6	5.3	00.6-10.0				5	7.2	00.0-14.6	1	1.8	00.0-05.3			
H.S. or G.E.D.	524	78,817	55	17.7	12.2-23.2	45	13.3	08.6-18.0	17	3.6	01.8-05.4	6	1.5	00.3-02.7	1	0.3	00.0-00.9	400	63.6	56.9-70.3
Some Post-H.S.	571	74,256	47	13.5	09.0-18.0	63	17.7	12.8-22.6	32	7.8	05.1-10.5	13	3.3	01.3-05.3	2	0.4	00.0-01.0	414	57.4	51.7-63.1
College Graduate	602	75,297	65	13.3	09.8-16.8	72	15.5	12.0-19.0	41	10.2	07.1-13.3	13	2.6	01.0-04.2	1	0.2	00.0-00.6	410	58.2	53.3-63.1
Less than \$15,000	126	15,685	6	10.3	01.1-19.5				1	1.2	00.0-03.6	4	8.0	00.0-17.2	1	2.4	00.0-06.9			
\$15,000- 24,999	191	23,801	11	14.8	05.6-24.0	4	5.1	00.0-10.2	7	6.7	01.4-12.0	3	1.8	00.0-04.0						
\$25,000- 34,999	193	22,045	12	12.4	03.4-21.4	7	5.2	01.3-09.1	4	2.2	00.0-04.4	6	6.1	01.0-11.2	1	0.7	00.0-02.1	163	73.5	63.5-83.5
\$35,000- 49,999	285	36,121	17	12.0	05.5-18.5	20	10.8	05.3-16.3	14	7.3	03.4-11.2	5	1.8	00.2-03.4				229	68.1	60.1-76.1
\$50,000- 74,999	345	44,520	37	13.3	08.8-17.8	34	13.1	08.6-17.6	20	8.9	05.0-12.8	6	2.3	00.3-04.3	2	0.7	00.0-01.7	246	61.7	54.8-68.6
\$75,000+	526	76,321	74	17.1	12.6-21.6	98	22.5	17.8-27.2	41	9.4	06.5-12.3	12	2.8	01.0-04.6	1	0.3	00.0-00.9	300	48.0	42.1-53.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	249,636	263	14.1	11.9-16.3	257	13.9	11.9-15.9	142	7.1	05.7-08.5	57	2.6	01.8-03.4	27	1.2	00.6-01.8	2170	61.0	58.5-63.5
Native	62	9,079										3	4.2	00.0-09.3	5	8.3	00.1-16.5			
Non-Native	2815	237,411	245	13.5	11.3-15.7	250	14.1	12.1-16.1	137	7.0	05.6-08.4	54	2.6	01.8-03.4	22	1.0	00.6-01.4	2107	61.8	59.3-64.3
18-24	74	37,270				17	21.5	11.9-31.1	4	5.1	00.2-10.0				1	0.7	00.0-02.1			
25-34	256	38,991	56	21.6	16.3-26.9	63	25.8	20.1-31.5	50	19.0	13.9-24.1	23	8.2	04.9-11.5	8	2.7	00.7-04.7	56	22.7	17.0-28.4
35-44	352	35,581	77	22.8	18.1-27.5	108	30.6	25.7-35.5	72	20.0	15.7-24.3	32	8.7	05.8-11.6	15	3.9	01.9-05.9	48	14.0	10.1-17.9
45-54	526	45,443	82	16.4	12.9-19.9	57	11.6	08.5-14.7	11	2.2	00.8-03.6	2	0.5	00.0-01.1	2	0.7	00.0-01.9	372	68.6	64.3-72.9
55-64	632	35,040	21	4.4	02.4-06.4	8	0.9	00.3-01.5	4	0.9	00.1-01.7				1	0.1	00.0-00.3	598	93.7	91.5-95.9
65+	1035	55,213	7	1.2	00.4-02.0	2	0.2	00.0-00.4	1	0.1	00.0-00.3							1025	98.6	97.6-99.6
Less Than H.S.	186	13,626	11	11.6	04.3-18.9	8	10.4	02.8-18.0	1	0.5	00.0-01.5	1	0.7	00.0-02.1	1	1.9	00.0-05.6	164	74.9	65.1-84.7
H.S. or G.E.D.	889	74,408	65	14.5	09.8-19.2	54	14.4	09.9-18.9	26	5.4	02.9-07.9	9	1.4	00.4-02.4	9	1.4	00.4-02.4	726	62.9	57.4-68.4
Some Post-H.S.	945	82,760	80	12.0	08.7-15.3	64	10.3	07.4-13.2	53	8.0	05.6-10.4	22	3.0	01.6-04.4	11	1.4	00.4-02.4	715	65.2	60.9-69.5
College Graduate	891	78,537	107	16.5	13.2-19.8	131	18.0	15.1-20.9	61	8.9	06.5-11.3	25	3.6	02.2-05.0	6	0.7	00.1-01.3	561	52.3	48.2-56.4
Less than \$15,000	248	14,742	7	6.9	01.0-12.8	5	3.0	00.0-06.1	8	10.0	01.8-18.2	1	0.5	00.0-01.5	3	3.2	00.0-07.1	224	76.3	66.7-85.9
\$15,000- 24,999	457	31,361	29	10.7	06.0-15.4	14	6.7	02.6-10.8	9	2.5	00.5-04.5	8	3.0	00.8-05.2	2	0.4	00.0-01.0	395	76.7	70.4-83.0
\$25,000- 34,999	308	27,552	26	10.4	05.5-15.3	22	16.7	08.3-25.1	10	6.7	01.8-11.6	4	1.6	00.0-03.4	5	2.1	00.1-04.1	241	62.4	53.4-71.4
\$35,000- 49,999	413	35,288	38	14.2	08.1-20.3	42	16.3	10.8-21.8	20	6.5	03.6-09.4	6	1.8	00.2-03.4	2	0.4	00.0-01.0	305	60.7	53.6-67.8
\$50,000- 74,999	391	39,528	50	15.1	11.0-19.2	57	18.4	13.7-23.1	25	8.2	04.9-11.5	11	3.2	01.2-05.2	6	1.7	00.3-03.1	242	53.4	47.3-59.5
\$75,000+	603	60,885	79	17.7	13.0-22.4	101	19.9	15.8-24.0	54	9.9	07.2-12.6	23	4.3	02.5-06.1	5	0.8	00.2-01.4	341	47.4	42.5-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	498,508	1	0.0	00.0-00.0	153	2.1	01.7-02.5	178	4.7	03.5-05.9	1413	30.7	28.5-32.9	1517	31.5	29.5-33.5	1494	30.9	29.1-32.7
Male	1844	249,146				62	2.1	01.5-02.7	84	6.1	03.9-08.3	524	31.6	28.3-34.9	571	29.8	26.9-32.7	603	30.3	27.6-33.0
Female	2912	249,362	1	0.1	00.0-00.3	91	2.1	01.7-02.5	94	3.3	02.3-04.3	889	29.8	27.4-32.2	946	33.2	30.8-35.6	891	31.5	29.3-33.7
Native	110	17,871							14	11.4	04.3-18.5							23	15.8	08.4-23.2
Non-Native	4569	470,830	1	0.0	00.0-00.0	146	2.2	01.8-02.6	155	4.2	03.0-05.4	1347	29.9	27.7-32.1	1468	31.9	29.9-33.9	1452	31.7	29.9-33.5
18-24	131	79,953							11	9.3	03.0-15.6	59	48.4	39.0-57.8	41	29.6	21.2-38.0	20	12.6	06.9-18.3
25-34	420	83,599				3	0.7	00.0-01.5	15	5.6	02.5-08.7	98	23.6	19.1-28.1	126	30.0	25.1-34.9	178	40.1	35.0-45.2
35-44	605	72,617				5	0.8	00.0-01.6	11	1.9	00.7-03.1	113	19.4	15.9-22.9	198	32.0	28.1-35.9	278	45.9	41.6-50.2
45-54	922	90,715	1	0.2	00.0-00.6	1	0.2	00.0-00.6	30	3.6	02.2-05.0	268	28.8	25.7-31.9	334	36.7	33.4-40.0	288	30.5	27.4-33.6
55-64	1094	72,895				12	1.2	00.4-02.0	26	2.0	01.2-02.8	283	25.2	22.5-27.9	369	34.2	31.1-37.3	404	37.4	34.3-40.5
65+	1534	96,073				130	8.5	06.9-10.1	83	5.3	04.1-06.5	579	37.0	34.5-39.5	433	27.2	24.8-29.6	309	22.0	19.6-24.4
Less than \$15,000	373	30,384				43	8.3	05.4-11.2	53	18.3	11.8-24.8	144	38.9	31.3-46.5	91	23.6	17.3-29.9	42	10.8	06.3-15.3
\$15,000- 24,999	647	55,119				32	3.9	02.3-05.5	45	7.6	04.5-10.7	287	43.8	37.9-49.7	191	30.1	24.4-35.8	92	14.5	10.8-18.2
\$25,000- 34,999	501	49,597				26	4.1	02.3-05.9	23	4.4	02.2-06.6	172	37.6	30.9-44.3	179	36.0	29.5-42.5	101	18.0	13.3-22.7
\$35,000- 49,999	698	71,409				10	1.1	00.3-01.9	15	2.7	01.1-04.3	210	33.2	27.9-38.5	259	34.9	30.0-39.8	204	28.1	23.4-32.8
\$50,000- 74,999	736	84,048				3	0.4	00.0-00.8	11	1.9	00.5-03.3	168	24.1	19.2-29.0	245	33.7	29.4-38.0	309	39.9	35.4-44.4
\$75,000+	1129	137,267	1	0.1	00.0-00.3	6	0.5	00.1-00.9	7	1.4	00.0-03.2	186	20.8	16.7-24.9	333	29.0	25.7-32.3	596	48.1	44.2-52.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	249,146	62	2.1	01.5-02.7	84	6.1	03.9-08.3	524	31.6	28.3-34.9	571	29.8	26.9-32.7	603	30.3	27.6-33.0
Non-Native	1758	233,693	59	2.2	01.6-02.8	72	5.6	03.2-08.0	491	30.3	27.0-33.6	550	30.4	27.5-33.3	586	31.5	28.6-34.4
18-24	57	42,683													7	8.6	01.7-15.5
25-34	164	44,608	2	1.0	00.0-02.4	11	8.6	03.1-14.1	41	25.4	18.1-32.7	54	30.0	22.7-37.3	56	35.0	27.2-42.8
35-44	254	37,133	1	0.4	00.0-01.2	5	1.9	00.1-03.7	55	22.5	16.8-28.2	83	31.5	25.4-37.6	110	43.6	37.1-50.1
45-54	396	45,272	1	0.4	00.0-01.2	17	4.6	02.2-07.0	130	32.5	27.4-37.6	136	34.0	28.9-39.1	112	28.6	23.7-33.5
55-64	462	37,856	9	1.9	00.5-03.3	12	2.1	00.9-03.3	110	22.9	19.0-26.8	164	35.8	31.1-40.5	167	37.3	32.6-42.0
65+	503	41,068	49	9.4	06.7-12.1	34	6.2	04.0-08.4	157	31.3	27.0-35.6	116	22.5	18.8-26.2	147	30.6	26.3-34.9
Less than \$15,000	126	15,685	13	7.1	02.8-11.4							34	23.7	13.9-33.5	16	11.1	04.2-18.0
\$15,000- 24,999	191	23,801	15	5.2	02.3-08.1	18	9.5	03.6-15.4				55	27.2	18.0-36.4	30	15.8	08.9-22.7
\$25,000- 34,999	193	22,045	13	5.2	02.1-08.3	14	5.5	02.2-08.8	67	34.4	24.6-44.2				29	16.2	08.6-23.8
\$35,000- 49,999	285	36,121	8	1.7	00.5-02.9	10	3.7	01.0-06.4	97	37.6	29.4-45.8	95	31.0	23.7-38.3	75	26.0	19.1-32.9
\$50,000- 74,999	345	44,520				8	2.0	00.2-03.8	79	27.0	19.0-35.0	114	31.2	25.1-37.3	144	39.9	33.2-46.6
\$75,000+	526	76,382	4	0.7	00.0-01.5	6	2.5	00.0-05.6	103	24.2	18.1-30.3	154	28.8	23.7-33.9	259	43.7	38.0-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	249,362	1	0.1	00.0-00.3	91	2.1	01.7-02.5	94	3.3	02.3-04.3	889	29.8	27.4-32.2	946	33.2	30.8-35.6	891	31.5	29.3-33.7
Non-Native	2811	237,137	1	0.1	00.0-00.3	87	2.1	01.5-02.7	83	2.9	02.1-03.7	856	29.5	27.1-31.9	918	33.5	31.0-36.0	866	32.0	29.6-34.4
18-24	74	37,270							6	5.7	01.0-10.4							13	17.3	08.5-26.1
25-34	256	38,991				1	0.4	00.0-01.2	4	2.1	00.0-04.3	57	21.6	16.3-26.9	72	30.0	23.9-36.1	122	45.9	39.4-52.4
35-44	351	35,484				4	1.3	00.0-02.7	6	1.8	00.4-03.2	58	16.2	12.3-20.1	115	32.4	27.3-37.5	168	48.4	42.9-53.9
45-54	526	45,443	1	0.4	00.0-01.2				13	2.6	01.0-04.2	138	25.1	21.2-29.0	198	39.5	35.0-44.0	176	32.4	28.1-36.7
55-64	632	35,040				3	0.4	00.0-00.8	14	2.0	00.8-03.2	173	27.7	24.0-31.4	205	32.5	28.6-36.4	237	37.5	33.6-41.4
65+	1031	55,005				81	7.9	06.1-09.7	49	4.7	03.3-06.1	422	41.2	38.1-44.3	317	30.7	27.8-33.6	162	15.5	13.1-17.9
Less than \$15,000	247	14,699				30	9.7	06.0-13.4	33	18.0	10.7-25.3	101	38.3	30.7-45.9	57	23.5	15.5-31.5	26	10.5	05.0-16.0
\$15,000- 24,999	456	31,319				17	2.9	01.3-04.5	27	6.2	03.3-09.1	214	45.0	38.3-51.7	136	32.3	25.2-39.4	62	13.5	09.4-17.6
\$25,000- 34,999	308	27,552				13	3.2	01.2-05.2	9	3.4	00.5-06.3	105	40.1	31.3-48.9	109	33.8	25.8-41.8	72	19.5	13.6-25.4
\$35,000- 49,999	413	35,288				2	0.4	00.0-01.0	5	1.7	00.1-03.3	113	28.8	22.7-34.9	164	38.9	32.2-45.6	129	30.2	24.1-36.3
\$50,000- 74,999	391	39,528				3	0.8	00.0-01.8	3	1.7	00.0-03.9	89	20.9	16.2-25.6	131	36.5	30.4-42.6	165	40.0	33.9-46.1
\$75,000+	603	60,885	1	0.3	00.0-00.9	2	0.2	00.0-00.4	1	0.1	00.0-00.3	83	16.5	11.6-21.4	179	29.2	24.7-33.7	337	53.6	48.5-58.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4736	496,526	2769	64.6	62.6-66.6	136	4.3	03.1-05.5	362	6.6	05.6-07.6	69	6.0	04.2-07.8	1192	15.4	14.4-16.4	208	3.1	02.5-03.7
Male	1838	248,451	1214	70.7	67.4-74.0	67	5.1	03.1-07.1	3	0.1	00.0-00.3	29	6.2	03.5-08.9	447	14.8	13.2-16.4	78	3.0	02.0-04.0
Female	2898	248,076	1555	58.4	55.9-60.9	69	3.5	02.1-04.9	359	13.2	11.4-15.0	40	5.8	03.8-07.8	745	15.9	14.5-17.3	130	3.2	02.6-03.8
Native	109	17,349							4	4.5	00.0-09.0				11	3.9	01.4-06.4	18	8.4	04.1-12.7
Non-Native	4550	469,337	2688	65.6	63.4-67.8	120	3.5	02.3-04.7	350	6.7	05.7-07.7	58	5.6	03.8-07.4	1153	15.7	14.7-16.7	181	2.9	02.3-03.5
18-24	130	79,431	72	54.7	45.1-64.3	9	8.9	02.8-15.0	9	5.6	01.9-09.3	39	30.6	21.8-39.4				1	0.3	00.0-00.9
25-34	418	83,288	342	81.1	76.6-85.6	14	4.6	01.9-07.3	38	7.1	04.7-09.5	20	5.5	03.0-08.0	1	0.3	00.0-00.9	3	1.4	00.0-03.6
35-44	603	72,207	529	88.5	85.8-91.2	17	3.6	01.4-05.8	38	5.3	03.5-07.1	3	0.5	00.0-01.1	2	0.3	00.0-00.7	14	1.8	00.8-02.8
45-54	917	90,342	756	83.0	80.3-85.7	41	4.9	03.3-06.5	48	4.9	03.5-06.3	4	0.5	00.0-01.1	12	1.2	00.4-02.0	56	5.6	04.0-07.2
55-64	1091	72,814	765	70.3	67.4-73.2	41	3.6	02.4-04.8	51	4.6	03.2-06.0	1	0.0	00.0-00.0	162	15.7	13.3-18.1	71	5.7	04.3-07.1
65+	1527	95,789	274	18.6	16.4-20.8	14	0.8	00.4-01.2	176	11.3	09.5-13.1	2	0.1	00.0-00.3	999	65.4	62.9-67.9	62	3.7	02.7-04.7
Less Than H.S.	327	33,933	88	30.9	22.9-38.9				46	10.8	06.7-14.9	7	11.2	02.2-20.2	137	25.7	19.6-31.8	37	10.0	04.3-15.7
H.S. or G.E.D.	1402	151,897	711	58.1	53.8-62.4	47	5.4	03.2-07.6	142	7.8	06.0-09.6	22	8.8	04.7-12.9	407	16.6	14.6-18.6	73	3.2	02.4-04.0
Some Post-H.S.	1511	156,639	916	66.2	62.9-69.5	41	3.5	01.9-05.1	102	6.7	04.9-08.5	27	6.2	03.5-08.9	357	14.1	12.3-15.9	68	3.3	02.3-04.3
College Graduate	1489	153,513	1052	76.8	74.3-79.3	34	2.4	01.0-03.8	72	4.6	03.4-05.8	13	1.9	00.7-03.1	289	13.0	11.4-14.6	29	1.3	00.7-01.9
Less than \$15,000	370	30,176	72	24.4	17.5-31.3	46	21.6	13.4-29.8	22	5.2	02.7-07.7	15	10.7	05.0-16.4	139	22.6	18.1-27.1	76	15.5	11.4-19.6
\$15,000- 24,999	641	54,878	270	50.3	44.2-56.4	18	3.6	01.4-05.8	42	5.9	03.9-07.9	13	7.4	02.3-12.5	247	25.5	21.6-29.4	51	7.3	04.9-09.7
\$25,000- 34,999	498	49,283	258	56.7	50.2-63.2	21	6.6	02.7-10.5	47	11.6	06.9-16.3	5	2.9	00.4-05.4	152	20.1	16.4-23.8	15	2.2	01.0-03.4
\$35,000- 49,999	698	71,409	430	67.3	62.6-72.0	11	2.1	00.7-03.5	37	5.4	02.9-07.9	7	4.2	00.7-07.7	199	19.5	16.4-22.6	14	1.6	00.8-02.4
\$50,000- 74,999	735	83,924	547	79.3	76.0-82.6	14	1.6	00.8-02.4	36	4.5	02.7-06.3	5	2.1	00.1-04.1	119	11.0	08.8-13.2	14	1.5	00.7-02.3
\$75,000+	1128	137,176	922	81.7	77.8-85.6	10	0.8	00.2-01.4	77	5.1	03.9-06.3	10	5.9	02.0-09.8	101	6.0	04.8-07.2	8	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	248,451	1214	70.7	67.4-74.0	67	5.1	03.1-07.1	3	0.1	00.0-00.3	29	6.2	03.5-08.9	447	14.8	13.2-16.4	78	3.0	02.0-04.0
Non-Native	1752	232,965	1177	72.1	68.8-75.4	55	3.6	01.8-05.4	2	0.1	00.0-00.3	26	6.3	03.4-09.2	427	15.2	13.6-16.8	65	2.7	01.7-03.7
18-24	57	42,683				4	9.2	00.0-18.6										1	0.6	00.0-01.8
25-34	162	44,297	145	86.0	79.1-92.9	8	6.2	01.5-10.9				8	5.6	01.7-09.5				1	2.1	00.0-06.2
35-44	252	36,772	238	93.7	89.8-97.6	8	4.4	00.9-07.9				3	1.0	00.0-02.2	2	0.5	00.0-01.3	1	0.4	00.0-01.2
45-54	395	45,188	337	86.7	83.2-90.2	19	5.0	02.5-07.5	1	0.2	00.0-00.6	2	0.2	00.0-00.6	7	1.4	00.4-02.4	29	6.4	03.9-08.9
55-64	462	37,898	335	73.1	68.8-77.4	24	4.9	02.9-06.9	2	0.6	00.0-01.4				72	16.2	12.5-19.9	29	5.3	03.1-07.5
65+	502	41,087	114	23.2	19.3-27.1	4	0.7	00.0-01.5				1	0.1	00.0-00.3	366	72.9	68.8-77.0	17	3.1	01.5-04.7
Less Than H.S.	145	20,507													67	25.3	16.5-34.1	15	10.1	01.1-19.1
H.S. or G.E.D.	520	78,452	330	67.9	61.0-74.8	23	5.5	02.4-08.6				11	10.4	03.7-17.1	132	13.7	11.0-16.4	24	2.6	01.4-03.8
Some Post-H.S.	570	74,173	393	73.9	69.0-78.8	20	4.8	01.7-07.9	1	0.1	00.0-00.3	10	4.9	01.2-08.6	115	12.7	10.2-15.2	31	3.7	02.3-05.1
College Graduate	601	75,080	436	79.9	76.6-83.2	18	2.1	01.1-03.1	2	0.3	00.0-00.7	5	1.5	00.0-03.1	132	15.2	12.5-17.9	8	0.9	00.1-01.7
Less than \$15,000	125	15,561				7	2.7	00.0-05.8				8	12.6	03.6-21.6	37	14.7	09.0-20.4	27	13.7	07.4-20.0
\$15,000- 24,999	190	23,758	82	62.1	53.1-71.1	7	2.7	00.0-05.8	1	0.4	00.0-01.2	3	2.5	00.0-06.4	76	24.4	17.7-31.1	21	8.0	04.1-11.9
\$25,000- 34,999	192	21,960	106	62.9	54.1-71.7	13	6.9	02.8-11.0				3	4.0	00.0-08.5	61	23.3	16.6-30.0	9	2.9	00.7-05.1
\$35,000- 49,999	285	36,121	180	72.4	65.7-79.1	5	1.6	00.0-03.2				1	2.6	00.0-07.7	94	22.1	17.0-27.2	5	1.2	00.0-02.4
\$50,000- 74,999	345	44,520	259	82.6	78.7-86.5	6	1.2	00.2-02.2				1	0.3	00.0-00.9	73	14.6	11.1-18.1	6	1.3	00.1-02.5
\$75,000+	526	76,321	459	85.1	78.8-91.4	4	0.5	00.0-01.1	2	0.3	00.0-00.7	5	7.4	00.9-13.9	53	6.2	04.4-08.0	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2898	248,076	1555	58.4	55.9-60.9	69	3.5	02.1-04.9	359	13.2	11.4-15.0	40	5.8	03.8-07.8	745	15.9	14.5-17.3	130	3.2	02.6-03.8
Native	61	8,557				4	4.7	00.0-09.8	4	9.0	00.0-18.0				5	3.4	00.3-06.5	8	7.8	01.9-13.7
Non-Native	2798	236,372	1511	59.1	56.6-61.6	65	3.5	02.1-04.9	348	13.3	11.5-15.1	32	4.9	02.9-06.9	726	16.2	14.8-17.6	116	3.0	02.4-03.6
18-24	73	36,748				5	8.5	01.1-15.9	9	12.1	04.3-19.9							2	0.6	00.0-01.4
25-34	256	38,991	197	75.4	69.7-81.1	6	2.8	00.4-05.2	38	15.1	10.6-19.6	12	5.4	02.1-08.7	1	0.7	00.0-02.1			
35-44	351	35,435	291	83.1	79.0-87.2	9	2.8	00.8-04.8	38	10.8	07.5-14.1							13	3.2	01.2-05.2
45-54	522	45,153	419	79.2	75.3-83.1	22	4.7	02.5-06.9	47	9.6	06.9-12.3	2	0.7	00.0-01.7	5	1.0	00.0-02.0	27	4.8	02.8-06.8
55-64	629	34,916	430	67.3	63.4-71.2	17	2.2	01.0-03.4	49	9.1	06.6-11.6	1	0.1	00.0-00.3	90	15.1	12.2-18.0	42	6.2	04.2-08.2
65+	1025	54,703	160	15.2	12.8-17.6	10	0.9	00.3-01.5	176	19.9	17.2-22.6	1	0.1	00.0-00.3	633	59.7	56.4-63.0	45	4.2	03.0-05.4
Less Than H.S.	182	13,427	34	22.8	14.4-31.2	6	4.1	00.6-07.6	46	27.2	18.8-35.6	4	9.6	00.0-19.4	70	26.3	19.4-33.2	22	9.9	05.4-14.4
H.S. or G.E.D.	882	73,445	381	47.6	42.7-52.5	24	5.3	02.0-08.6	142	16.1	12.8-19.4	11	7.1	03.0-11.2	275	19.8	17.1-22.5	49	4.0	02.8-05.2
Some Post-H.S.	941	82,466	523	59.2	54.7-63.7	21	2.3	01.1-03.5	101	12.6	09.5-15.7	17	7.5	03.6-11.4	242	15.5	13.3-17.7	37	3.0	01.8-04.2
College Graduate	888	78,433	616	73.9	70.2-77.6	16	2.7	00.3-05.1	70	8.7	06.3-11.1	8	2.2	00.4-04.0	157	10.9	08.9-12.9	21	1.7	00.9-02.5
Less than \$15,000	245	14,615	44	23.7	15.3-32.1	21	8.5	04.2-12.8	22	10.8	05.7-15.9	7	8.7	01.6-15.8	102	30.9	24.4-37.4	49	17.5	12.2-22.8
\$15,000- 24,999	451	31,119	188	41.3	34.8-47.8	11	4.3	01.2-07.4	41	10.1	06.8-13.4	10	11.1	03.1-19.1	171	26.4	21.7-31.1	30	6.7	04.0-09.4
\$25,000- 34,999	306	27,323	152	51.7	43.1-60.3	8	6.3	00.2-12.4	47	20.8	12.8-28.8	2	2.0	00.0-04.9	91	17.5	13.2-21.8	6	1.6	00.2-03.0
\$35,000- 49,999	413	35,288	250	62.1	55.4-68.8	6	2.5	00.1-04.9	37	10.9	05.8-16.0	6	5.8	00.7-10.9	105	16.8	13.3-20.3	9	1.9	00.5-03.3
\$50,000- 74,999	390	39,403	288	75.6	70.1-81.1	8	2.0	00.4-03.6	36	9.6	06.1-13.1	4	4.2	00.1-08.3	46	6.9	04.7-09.1	8	1.8	00.4-03.2
\$75,000+	602	60,855	463	77.3	73.0-81.6	6	1.1	00.1-02.1	75	11.2	08.7-13.7	5	4.0	00.5-07.5	48	5.9	04.1-07.7	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4087	427,993	187	4.0	03.2-04.8	187	3.1	02.5-03.7	260	4.6	03.8-05.4	388	8.2	07.0-09.4	501	11.6	10.2-13.0	2564	68.4	66.4-70.4
Male	1667	218,637	65	4.2	02.6-05.8	61	3.0	02.0-04.0	78	3.6	02.4-04.8	113	7.3	05.3-09.3	193	10.1	08.1-12.1	1157	71.9	68.8-75.0
Female	2420	209,356	122	3.8	02.8-04.8	126	3.2	02.4-04.0	182	5.7	04.7-06.7	275	9.3	07.7-10.9	308	13.2	11.0-15.4	1407	64.8	62.3-67.3
Native	99	14,887				12	14.4	04.8-24.0	9	11.1	03.3-18.9	15	9.4	03.5-15.3	10	6.4	01.7-11.1			
Non-Native	3936	406,236	155	2.9	02.3-03.5	170	2.7	02.1-03.3	246	4.4	03.6-05.2	368	8.1	06.7-09.5	486	11.9	10.3-13.5	2511	70.0	68.0-72.0
18-24	102	59,367	10	6.3	02.2-10.4	2	1.0	00.0-02.4	5	3.4	00.3-06.5	11	11.7	04.8-18.6	18	17.3	09.5-25.1			
25-34	386	76,435	15	4.4	01.7-07.1	11	3.2	01.0-05.4	18	3.6	01.6-05.6	28	8.9	05.6-12.2	43	10.0	06.9-13.1	271	69.9	64.8-75.0
35-44	559	67,657	13	2.5	00.7-04.3	8	1.7	00.5-02.9	9	1.7	00.3-03.1	30	4.3	02.7-05.9	42	6.5	04.3-08.7	457	83.3	80.0-86.6
45-54	831	81,807	35	3.3	02.1-04.5	13	1.8	00.6-03.0	41	4.4	02.8-06.0	46	4.2	02.8-05.6	85	9.3	07.3-11.3	611	77.0	73.9-80.1
55-64	972	64,976	42	3.1	02.1-04.1	35	3.0	01.8-04.2	38	2.6	01.6-03.6	81	6.8	05.2-08.4	107	10.0	08.0-12.0	669	74.5	71.8-77.2
65+	1212	76,377	71	4.6	03.4-05.8	118	7.6	06.2-09.0	145	11.1	09.1-13.1	190	14.0	12.0-16.0	200	16.9	14.5-19.3	488	45.9	42.8-49.0
Less Than H.S.	275	26,077	47	17.4	10.5-24.3	49	13.7	08.8-18.6	33	9.6	05.9-13.3	44	14.7	08.8-20.6	49	16.1	10.8-21.4	53	28.5	19.3-37.7
H.S. or G.E.D.	1167	127,195	73	5.5	03.5-07.5	71	3.8	02.6-05.0	122	7.4	05.6-09.2	165	11.6	08.9-14.3	172	14.7	11.6-17.8	564	57.1	52.6-61.6
Some Post-H.S.	1298	134,646	41	2.5	01.3-03.7	50	2.8	01.6-04.0	73	3.8	02.6-05.0	118	8.5	06.0-11.0	179	13.2	10.5-15.9	837	69.1	65.6-72.6
College Graduate	1344	139,906	25	1.5	00.7-02.3	17	0.8	00.2-01.4	32	2.0	01.0-03.0	60	3.7	02.5-04.9	101	6.4	04.6-08.2	1109	85.5	83.1-87.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1667	218,637	65	4.2	02.8-05.6	61	3.0	02.0-04.0	78	3.6	02.4-04.8	113	7.3	05.3-09.3	193	10.1	08.1-12.1	1157	71.9	68.8-75.0
Non-Native	1593	205,181	49	2.9	01.9-03.9	53	2.5	01.7-03.3	67	3.0	02.0-04.0	106	7.1	05.1-09.1	187	10.4	08.2-12.6	1131	74.2	71.3-77.1
25-34	151	40,660	8	6.1	01.4-10.8	5	3.7	00.4-07.0	2	1.8	00.0-04.3	13	9.5	04.4-14.6	16	9.5	04.8-14.2	107	69.4	61.4-77.4
35-44	235	34,530	7	3.6	00.1-07.1	3	1.6	00.0-03.4	3	1.6	00.0-03.6	6	2.4	00.4-04.4	16	5.9	03.0-08.8	200	85.0	79.7-90.3
45-54	361	41,043	19	3.9	01.9-05.9	8	2.8	00.4-05.2	18	5.1	02.6-07.6	16	3.0	01.4-04.6	34	8.1	05.4-10.8	266	77.1	72.4-81.8
55-64	433	35,491	17	2.8	01.4-04.2	16	3.1	01.3-04.9	11	1.8	00.6-03.0	22	4.6	02.6-06.6	52	10.5	07.6-13.4	315	77.2	73.3-81.1
65+	438	35,588	9	1.5	00.5-02.5	27	4.8	02.8-06.8	43	9.0	06.3-11.7	49	10.7	07.6-13.8	68	15.8	12.1-19.5	242	58.2	53.3-63.1
Less Than H.S.	129	15,201				15	9.6	03.7-15.5	15	8.6	03.5-13.7	18	14.5	05.9-23.1	27	15.6	08.7-22.5			
H.S. or G.E.D.	462	67,897	18	5.6	02.1-09.1	25	3.5	01.5-05.5	31	5.3	02.6-08.0	42	9.6	05.3-13.9	67	11.2	07.5-14.9	279	64.9	58.2-71.6
Some Post-H.S.	522	65,841	20	2.5	01.1-03.9	14	3.1	00.9-05.3	24	3.2	01.6-04.8	31	6.6	03.3-09.9	70	12.9	08.6-17.2	363	71.6	66.3-76.9
College Graduate	553	69,614	9	1.5	00.1-02.9	7	1.0	00.0-02.0	8	1.4	00.2-02.6	22	4.0	02.0-06.0	29	5.1	02.6-07.6	478	87.0	83.3-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2420	209,356	122	3.8	02.8-04.8	126	3.2	02.4-04.0	182	5.7	04.7-06.7	275	9.3	07.7-10.9	308	13.2	11.0-15.4	1407	64.8	62.3-67.3
Native	55	6,955				5	9.5	00.0-19.3	2	4.5	00.0-11.0	11	11.5	03.3-19.7	6	5.8	00.7-10.9			
Non-Native	2343	201,056	106	3.0	02.2-03.8	117	3.0	02.4-03.6	179	5.8	04.8-06.8	262	9.2	07.4-11.0	299	13.4	11.2-15.6	1380	65.7	63.0-68.4
18-24	58	28,399	5	5.2	00.3-10.1				4	4.6	00.1-09.1	4	8.6	00.0-17.2						
25-34	235	35,775	7	2.5	00.1-04.9	6	2.6	00.2-05.0	16	5.6	02.9-08.3	15	8.3	03.8-12.8	27	10.6	06.5-14.7	164	70.4	64.1-76.7
35-44	324	33,126	6	1.3	00.1-02.5	5	1.8	00.2-03.4	6	1.8	00.2-03.4	24	6.3	03.6-09.0	26	7.3	04.4-10.2	257	81.6	77.3-85.9
45-54	470	40,764	16	2.7	01.3-04.1	5	0.8	00.0-01.6	23	3.8	02.0-05.6	30	5.4	03.4-07.4	51	10.5	07.6-13.4	345	76.8	72.9-80.7
55-64	539	29,484	25	3.5	01.9-05.1	19	2.9	01.5-04.3	27	3.6	02.2-05.0	59	9.5	07.0-12.0	55	9.3	06.8-11.8	354	71.3	67.4-75.2
65+	774	40,789	62	7.3	05.3-09.3	91	10.0	07.8-12.2	102	13.0	10.5-15.5	141	16.8	14.1-19.5	132	17.8	14.9-20.7	246	35.1	31.4-38.8
Less Than H.S.	146	10,875	29	18.0	10.2-25.8	34	19.4	11.4-27.4	18	11.1	05.4-16.8	26	15.2	07.8-22.6	22	16.7	08.7-24.7	17	19.6	10.2-29.0
H.S. or G.E.D.	705	59,297	55	5.3	03.7-06.9	46	4.2	02.8-05.6	91	9.8	07.4-12.2	123	13.9	10.4-17.4	105	18.7	13.6-23.8	285	48.1	42.6-53.6
Some Post-H.S.	776	68,805	21	2.5	00.7-04.3	36	2.5	01.5-03.5	49	4.4	02.6-06.2	87	10.3	06.8-13.8	109	13.5	10.0-17.0	474	66.7	61.8-71.6
College Graduate	791	70,292	16	1.5	00.3-02.7	10	0.6	00.2-01.0	24	2.7	01.1-04.3	38	3.3	02.1-04.5	72	7.6	05.2-10.0	631	84.1	81.0-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4506	477,374	46	1.0	00.4-01.6	1384	28.6	26.6-30.6	2073	45.6	43.4-47.8	800	19.5	17.9-21.1	203	5.4	04.2-06.6
Male	1830	245,707	2	0.3	00.0-00.9	137	10.2	07.8-12.6	954	51.2	47.9-54.5	586	29.5	26.8-32.2	151	8.8	06.8-10.8
Female	2676	231,667	44	1.7	00.9-02.5	1247	48.1	45.4-50.8	1119	39.6	37.1-42.1	214	8.8	07.2-10.4	52	1.7	01.1-02.3
Native	107	17,249	2	4.6	00.0-12.8	22	19.2	09.2-29.2							10	6.5	02.0-11.0
Non-Native	4331	451,515	43	0.9	00.5-01.3	1342	28.9	26.9-30.9	1996	45.8	43.6-48.0	760	19.1	17.5-20.7	190	5.4	04.2-06.6
18-24	127	78,175	3	1.8	00.0-03.8	57	39.8	30.6-49.0	47	40.9	31.3-50.5	17	13.7	07.2-20.2	3	3.8	00.0-08.7
25-34	397	78,549	6	1.9	00.0-03.9	120	26.0	21.5-30.5	176	45.8	40.3-51.3	72	19.6	15.3-23.9	23	6.7	03.8-09.6
35-44	582	70,504				161	25.2	21.7-28.7	256	44.1	39.8-48.4	130	23.7	20.0-27.4	35	7.0	04.6-09.4
45-54	879	86,770	2	0.2	00.0-00.6	239	24.5	21.6-27.4	406	46.4	42.9-49.9	181	22.7	19.6-25.8	51	6.2	04.4-08.0
55-64	1023	68,941	5	0.4	00.0-00.8	250	21.3	18.8-23.8	476	45.8	42.5-49.1	233	25.8	22.9-28.7	59	6.7	04.9-08.5
65+	1469	92,800	28	1.5	00.9-02.1	545	32.9	30.4-35.4	700	49.5	46.8-52.2	164	13.5	11.5-15.5	32	2.6	01.6-03.6
Less Than H.S.	315	32,079	4	0.7	00.0-01.5	100	29.7	21.7-37.7	142	41.4	32.0-50.8	57	19.7	12.4-27.0	12	8.5	00.0-18.7
H.S. or G.E.D.	1328	146,760	22	2.2	00.6-03.8	411	28.7	24.8-32.6	612	45.6	41.1-50.1	215	17.3	14.2-20.4	68	6.2	04.2-08.2
Some Post-H.S.	1434	149,960	12	0.6	00.2-01.0	438	27.5	24.4-30.6	627	43.7	40.0-47.4	287	23.4	20.3-26.5	70	4.9	03.5-06.3
College Graduate	1425	148,232	8	0.3	00.1-00.5	435	29.5	26.4-32.6	688	48.2	44.9-51.5	241	17.6	15.2-20.0	53	4.4	03.0-05.8
Less than \$15,000	353	29,093	5	3.1	00.0-08.0	123	34.2	26.8-41.6	146	36.7	29.4-44.0	57	20.0	13.5-26.5	22	5.9	03.0-08.8
\$15,000- 24,999	620	52,806	14	2.1	00.1-04.1	212	35.1	28.8-41.4	264	37.6	32.1-43.1	100	19.4	14.7-24.1	30	5.8	02.7-08.9
\$25,000- 34,999	484	48,037	6	1.3	00.0-02.9	143	30.6	24.1-37.1	234	41.4	35.1-47.7	81	22.6	15.9-29.3	20	4.1	02.1-06.1
\$35,000- 49,999	667	68,977	2	0.4	00.0-01.0	185	27.1	22.2-32.0	335	47.1	41.6-52.6	121	21.0	16.7-25.3	24	4.4	02.4-06.4
\$50,000- 74,999	705	81,655	6	0.7	00.1-01.3	183	24.3	20.4-28.2	322	49.8	44.9-54.7	155	19.4	16.1-22.7	39	5.9	03.9-07.9
\$75,000+	1100	134,142	1	0.1	00.0-00.3	297	24.2	21.1-27.3	540	51.4	47.5-55.3	211	19.0	16.3-21.7	51	5.3	03.7-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	245,707	2	0.3	00.0-00.9	137	10.2	07.8-12.6	954	51.2	47.9-54.5	586	29.5	26.8-32.2	151	8.8	06.8-10.8
Non-Native	1748	231,238	1	0.0	00.0-00.0	131	10.3	07.8-12.8	914	51.6	48.3-54.9	560	29.1	26.4-31.8	142	8.9	06.7-11.1
18-24	56	42,210										11	17.1	07.3-26.9	3	7.0	00.0-15.8
25-34	159	42,494	1	1.8	00.0-05.1	18	10.8	05.9-15.7	76	48.9	40.7-57.1	46	27.7	20.4-35.0	18	11.0	05.9-16.1
35-44	253	36,916				11	4.9	02.0-07.8	129	50.3	43.8-56.8	88	34.1	28.0-40.2	25	10.7	06.6-14.8
45-54	392	44,743				21	5.0	02.6-07.4	199	50.8	45.3-56.3	135	34.6	29.5-39.7	37	9.5	06.4-12.6
55-64	462	37,898				31	6.6	04.1-09.1	214	44.8	39.9-49.7	175	38.9	34.2-43.6	42	9.7	06.8-12.6
65+	501	40,983	1	0.3	00.0-00.9	41	8.5	06.0-11.0	305	60.4	55.9-64.9	128	25.6	21.5-29.7	26	5.3	03.1-07.5
Less Than H.S.	144	19,656				20	17.6	07.8-27.4									
H.S. or G.E.D.	519	77,360	2	1.1	00.0-03.1	38	13.6	07.9-19.3	279	51.5	44.4-58.6	151	23.9	18.8-29.0	49	9.9	06.6-13.2
Some Post-H.S.	565	73,394				37	6.8	03.7-09.9	260	46.4	40.7-52.1	216	38.7	33.2-44.2	52	8.1	05.6-10.6
College Graduate	600	75,058				42	8.1	05.0-11.2	338	56.8	52.1-61.5	178	27.5	23.4-31.6	42	7.5	05.0-10.0
Less than \$15,000	124	15,170	1	4.9	00.0-14.1										10	6.2	01.7-10.7
\$15,000- 24,999	190	23,717							96	40.1	30.3-49.9	59	30.2	21.2-39.2	13	8.5	01.8-15.2
\$25,000- 34,999	190	21,648	1	0.5	00.0-01.5	18	14.6	04.6-24.6	103	45.7	35.7-55.7				15	6.7	03.2-10.2
\$35,000- 49,999	283	35,793				16	8.5	02.4-14.6	154	50.6	42.4-58.8	97	34.5	26.9-42.1	16	6.5	03.0-10.0
\$50,000- 74,999	345	44,520				24	6.6	03.7-09.5	161	53.7	46.6-60.8	123	29.1	23.6-34.6	37	10.6	06.9-14.3
\$75,000+	527	76,466				26	5.3	02.8-07.8	291	58.6	53.1-64.1	164	27.6	22.9-32.3	46	8.4	05.7-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2676	231,667	44	1.7	00.9-02.5	1247	48.1	45.4-50.8	1119	39.6	37.1-42.1	214	8.8	07.2-10.4	52	1.7	01.1-02.3
Native	60	8,706	1	0.5	00.0-01.5										4	3.2	00.0-06.7
Non-Native	2583	220,277	42	1.7	00.9-02.5	1211	48.4	45.7-51.1	1082	39.6	37.1-42.1	200	8.5	06.9-10.1	48	1.7	01.1-02.3
18-24	71	35,965	3	3.9	00.0-08.2							6	9.7	01.9-17.5			
25-34	238	36,054	5	2.1	00.1-04.1	102	44.0	37.3-50.7	100	42.1	35.4-48.8	26	10.1	06.2-14.0	5	1.7	00.1-03.3
35-44	329	33,588				150	47.6	41.9-53.3	127	37.3	31.8-42.8	42	12.2	08.7-15.7	10	2.9	00.9-04.9
45-54	487	42,027	2	0.4	00.0-01.0	218	45.2	40.5-49.9	207	41.7	37.0-46.4	46	9.9	07.0-12.8	14	2.8	01.2-04.4
55-64	561	31,043	5	0.8	00.0-01.6	219	39.3	35.0-43.6	262	47.1	42.6-51.6	58	9.9	07.4-12.4	17	2.9	01.3-04.5
65+	968	51,817	27	2.5	01.5-03.5	504	52.3	49.0-55.6	395	40.9	37.6-44.2	36	3.8	02.4-05.2	6	0.5	00.1-00.9
Less Than H.S.	171	12,423	4	1.7	00.0-03.5	80	48.8	38.8-58.8	67	35.3	26.1-44.5	16	11.7	05.2-18.2	4	2.5	00.0-05.0
H.S. or G.E.D.	809	69,400	20	3.5	01.1-05.9	373	45.5	40.2-50.8	333	39.0	33.9-44.1	64	9.9	06.4-13.4	19	2.2	01.0-03.4
Some Post-H.S.	869	76,566	12	1.1	00.3-01.9	401	47.3	42.6-52.0	367	41.1	36.6-45.6	71	8.7	05.8-11.6	18	1.7	00.7-02.7
College Graduate	825	73,174	8	0.6	00.0-01.2	393	51.4	47.1-55.7	350	39.4	35.3-43.5	63	7.5	05.5-09.5	11	1.1	00.3-01.9
Less than \$15,000	229	13,923	4	1.2	00.0-02.4	103	45.4	36.8-54.0	91	38.6	30.0-47.2	19	9.2	04.1-14.3	12	5.7	02.2-09.2
\$15,000- 24,999	430	29,089	14	3.7	00.2-07.2	190	46.5	39.4-53.6	168	35.6	29.5-41.7	41	10.7	06.4-15.0	17	3.5	01.7-05.3
\$25,000- 34,999	294	26,389	5	1.9	00.0-04.4	125	43.8	35.0-52.6	131	37.9	29.7-46.1	28	14.5	06.1-22.9	5	1.9	00.1-03.7
\$35,000- 49,999	384	33,185	2	0.8	00.0-02.2	169	47.3	40.2-54.4	181	43.3	36.4-50.2	24	6.4	03.7-09.1	8	2.3	00.5-04.1
\$50,000- 74,999	360	37,135	6	1.6	00.2-03.0	159	45.5	39.0-52.0	161	45.1	38.6-51.6	32	7.7	04.8-10.6	2	0.2	00.0-00.4
\$75,000+	573	57,676	1	0.2	00.0-00.6	271	49.2	44.1-54.3	249	41.9	36.8-47.0	47	7.6	05.4-09.8	5	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	496,743	228	3.5	02.9-04.1	2276	39.9	37.9-41.9	1844	44.5	42.3-46.7	379	11.9	10.3-13.5	4	0.2	00.0-00.4
Male	1841	248,763	3	0.1	00.0-00.3	154	7.9	06.3-09.5	1304	68.0	64.9-71.1	376	23.7	20.8-26.6	4	0.3	00.0-00.7
Female	2890	247,979	225	7.0	05.6-08.4	2122	72.1	69.7-74.5	540	20.9	18.7-23.1	3	0.1	00.1-00.1			
Native	109	17,819	2	0.7	00.0-01.9							5	4.8	00.1-09.5			
Non-Native	4546	469,180	219	3.5	02.9-04.1	2197	40.2	38.2-42.2	1758	44.0	41.8-46.2	369	12.3	10.5-14.1	3	0.1	00.1-00.1
18-24	131	79,953	7	4.6	01.3-07.9	57	35.8	27.2-44.4	49	43.1	33.5-52.7	18	16.6	09.0-24.2			
25-34	418	83,273	13	2.2	01.0-03.4	175	35.2	30.3-40.1	179	46.8	41.5-52.1	50	15.2	11.1-19.3	1	0.6	00.0-01.8
35-44	602	72,205	8	1.4	00.4-02.4	260	36.9	33.0-40.8	263	47.3	43.0-51.6	69	14.0	10.9-17.1	2	0.4	00.0-01.0
45-54	921	90,632	23	2.0	01.2-02.8	405	39.3	36.0-42.6	410	48.3	44.8-51.8	83	10.4	08.0-12.8			
55-64	1088	72,594	41	2.9	01.9-03.9	522	42.0	38.9-45.1	424	42.7	39.6-45.8	101	12.4	10.0-14.8			
65+	1526	95,710	133	7.3	05.9-08.7	825	48.1	45.4-50.8	509	39.6	36.9-42.3	58	5.0	03.6-06.4	1	0.1	00.0-00.3
Less Than H.S.	323	33,719	26	5.1	02.4-07.8	159	43.8	34.6-53.0	125	42.1	32.5-51.7	13	8.9	00.0-18.7			
H.S. or G.E.D.	1406	152,623	100	5.8	04.0-07.6	707	39.0	35.1-42.9	503	43.2	38.7-47.7	95	11.7	08.6-14.8	1	0.3	00.0-00.9
Some Post-H.S.	1514	156,924	58	2.7	01.7-03.7	730	40.7	37.4-44.0	605	45.3	41.8-48.8	120	11.3	08.6-14.0	1	0.1	00.0-00.3
College Graduate	1483	153,072	43	1.8	01.2-02.4	677	39.3	36.2-42.4	610	45.4	42.3-48.5	151	13.5	11.1-15.9	2	0.1	00.0-00.3
Less than \$15,000	368	30,143	27	4.2	02.4-06.0	202	50.0	42.4-57.6	116	36.5	28.9-44.1	22	8.9	04.2-13.6	1	0.4	00.0-01.2
\$15,000- 24,999	645	55,027	46	6.3	03.4-09.2	351	44.0	38.3-49.7	219	41.1	35.2-47.0	29	8.7	04.2-13.2			
\$25,000- 34,999	497	49,259	22	3.9	01.2-06.6	244	42.3	35.8-48.8	206	43.7	37.2-50.2	25	10.2	04.3-16.1			
\$35,000- 49,999	694	70,996	31	3.6	01.8-05.4	336	40.7	35.6-45.8	276	44.5	39.2-49.8	51	11.3	07.4-15.2			
\$50,000- 74,999	735	83,986	20	2.4	01.2-03.6	309	37.1	32.6-41.6	333	49.6	44.7-54.5	72	10.8	08.1-13.5	1	0.1	00.0-00.3
\$75,000+	1130	137,351	23	1.3	00.7-01.9	456	33.7	30.2-37.2	506	49.5	45.6-53.4	144	15.4	12.5-18.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	248,763	3	0.1	00.0-00.3	154	7.9	06.3-09.5	1304	68.0	64.9-71.1	376	23.7	20.8-26.6	4	0.3	00.0-00.7
Non-Native	1755	233,278	2	0.0	00.0-00.0	145	7.5	05.9-09.1	1239	67.6	64.3-70.9	366	24.7	21.6-27.8	3	0.1	00.0-00.3
18-24	57	42,683				5	5.8	00.3-11.3									
25-34	163	44,421	1	0.3	00.0-00.9	13	9.1	03.8-14.4	98	61.0	53.0-69.0	50	28.6	21.3-35.9	1	1.1	00.0-03.3
35-44	253	36,916				14	5.4	02.5-08.3	169	66.7	60.6-72.8	68	27.2	21.3-33.1	2	0.7	00.0-01.7
45-54	396	45,272				29	6.9	04.4-09.4	284	72.4	67.7-77.1	83	20.7	16.4-25.0			
55-64	463	37,940	1	0.2	00.0-00.6	41	8.9	06.0-11.8	321	67.3	62.6-72.0	100	23.6	19.3-27.9			
65+	502	41,068	1	0.1	00.0-00.3	51	11.1	08.2-14.0	392	77.2	73.3-81.1	57	11.4	08.5-14.3	1	0.2	00.0-00.6
H.S. or G.E.D.	522	78,579	2	0.2	00.0-00.6	48	7.4	04.5-10.3	377	69.2	62.9-75.5	94	22.6	16.9-28.3	1	0.6	00.0-01.8
Some Post-H.S.	571	74,256	1	0.1	00.0-00.3	26	3.5	02.1-04.9	425	72.6	67.3-77.9	118	23.7	18.4-29.0	1	0.1	00.0-00.3
College Graduate	601	75,161				45	7.4	05.0-09.8	403	64.9	60.2-69.6	151	27.4	22.9-31.9	2	0.3	00.0-00.7
Less than \$15,000	125	15,633	1	0.4	00.0-01.2							19	16.4	07.8-25.0	1	0.7	00.0-02.1
\$15,000- 24,999	191	23,801				15	7.6	02.7-12.5	147	72.3	62.3-82.3	29	20.0	10.4-29.6			
\$25,000- 34,999	192	21,982	1	0.2	00.0-00.6	15	5.8	02.5-09.1									
\$35,000- 49,999	283	35,801				32	10.3	06.2-14.4	200	67.4	59.6-75.2	51	22.3	15.0-29.6			
\$50,000- 74,999	345	44,520	1	0.3	00.0-00.9	19	5.6	02.9-08.3	252	73.5	67.8-79.2	72	20.4	15.3-25.5	1	0.2	00.0-00.6
\$75,000+	527	76,466				30	4.2	02.6-05.8	352	68.0	62.9-73.1	144	27.6	22.7-32.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2890	247,979	225	7.0	05.6-08.4	2122	72.1	69.7-74.5	540	20.9	18.7-23.1	3	0.1	00.1-00.1
Native	62	9,079	2	1.4	00.0-03.6									
Non-Native	2791	235,902	217	6.9	05.5-08.3	2052	72.5	70.1-74.9	519	20.6	18.4-22.8	3	0.1	00.1-00.1
18-24	74	37,270	7	9.8	02.7-16.9				15	20.1	10.5-29.7			
25-34	255	38,851	12	4.3	01.8-06.8	162	65.1	59.0-71.2	81	30.6	24.7-36.5			
35-44	349	35,289	8	3.0	00.8-05.2	246	69.9	64.8-75.0	94	27.0	22.1-31.9	1	0.1	00.0-00.3
45-54	525	45,360	23	4.1	02.3-05.9	376	71.7	67.6-75.8	126	24.2	20.3-28.1			
55-64	625	34,654	40	5.9	03.9-07.9	481	78.3	75.0-81.6	103	15.8	12.9-18.7	1	0.0	00.0-00.0
65+	1024	54,642	132	12.6	10.4-14.8	774	75.9	73.2-78.6	117	11.4	09.2-13.6	1	0.1	00.0-00.3
Less Than H.S.	178	13,191	26	13.1	06.6-19.6	125	69.7	60.5-78.9	27	17.3	09.5-25.1			
H.S. or G.E.D.	884	74,045	98	11.8	08.3-15.3	659	72.5	67.8-77.2	126	15.6	11.9-19.3	1	0.1	00.0-00.3
Some Post-H.S.	943	82,668	57	5.0	03.2-06.8	704	74.0	70.1-77.9	180	20.9	17.2-24.6	2	0.1	00.0-00.3
College Graduate	882	77,911	43	3.4	02.2-04.6	632	70.0	66.1-73.9	207	26.5	22.6-30.4			
Less than \$15,000	243	14,510	26	8.4	04.9-11.9	178	74.8	67.5-82.1	36	16.0	09.3-22.7	3	0.9	00.0-01.9
\$15,000- 24,999	454	31,226	46	11.0	06.1-15.9	336	71.7	65.4-78.0	72	17.2	12.3-22.1			
\$25,000- 34,999	305	27,277	21	6.8	02.1-11.5	229	71.7	63.5-79.9	55	21.5	13.9-29.1			
\$35,000- 49,999	411	35,195	31	7.3	03.6-11.0	304	71.6	65.5-77.7	76	21.1	15.6-26.6			
\$50,000- 74,999	390	39,466	19	4.7	02.5-06.9	290	72.7	67.0-78.4	81	22.6	17.1-28.1			
\$75,000+	603	60,885	23	3.0	01.6-04.4	426	70.8	66.5-75.1	154	26.2	22.1-30.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	499,052	4717	98.7	98.1-99.3	23	0.8	00.4-01.2	23	0.5	00.3-00.7
Male	1846	249,385	1829	99.2	98.6-99.8	10	0.6	00.0-01.2	7	0.2	00.0-00.4
Female	2917	249,667	2888	98.2	97.2-99.2	13	1.0	00.2-01.8	16	0.8	00.2-01.4
Native	110	17,871	107	95.8	89.9-0100	1	0.6	00.0-01.8	2	3.6	00.0-09.3
Non-Native	4575	471,290	4535	98.9	98.3-99.5	22	0.8	00.2-01.4	18	0.3	00.1-00.5
18-24	131	79,953	125	96.3	93.4-99.2	4	2.6	00.1-05.1	2	1.1	00.0-02.7
25-34	420	83,599	416	99.0	98.0-0100	3	0.8	00.0-01.8	1	0.2	00.0-00.6
35-44	606	72,714	602	99.5	98.9-0100	1	0.1	00.0-00.3	3	0.4	00.0-00.8
45-54	922	90,715	914	99.3	98.7-99.9	5	0.5	00.1-00.9	3	0.3	00.0-00.7
55-64	1095	72,979	1091	99.7	99.3-0100	2	0.2	00.0-00.4	2	0.1	00.0-00.3
65+	1539	96,436	1524	98.9	98.3-99.5	8	0.5	00.1-00.9	7	0.6	00.2-01.0
Less Than H.S.	332	34,257	327	99.2	98.4-0100	3	0.5	00.0-01.1	2	0.4	00.0-01.0
H.S. or G.E.D.	1413	153,225	1403	98.8	97.8-99.8	5	0.6	00.0-01.4	5	0.6	00.0-01.4
Some Post-H.S.	1517	157,047	1505	99.1	98.3-99.9	7	0.8	00.0-01.6	5	0.2	00.0-00.4
College Graduate	1494	153,979	1475	98.1	96.9-99.3	8	1.0	00.0-02.0	11	0.8	00.2-01.4
Less than \$15,000	374	30,427	372	99.7	99.1-0100	1	0.2	00.0-00.6	1	0.1	00.0-00.3
\$15,000- 24,999	648	55,162	642	98.2	96.4-0100	3	0.9	00.0-02.3	3	0.9	00.0-02.3
\$25,000- 34,999	501	49,597	495	97.1	93.8-0100	3	2.6	00.0-05.9	3	0.3	00.0-00.7
\$35,000- 49,999	698	71,409	691	98.1	96.3-99.9	6	1.8	00.0-03.6	1	0.1	00.0-00.3
\$50,000- 74,999	736	84,048	735	99.9	99.7-0100	1	0.1	00.0-00.3			
\$75,000+	1130	137,351	1123	99.5	99.1-99.9	6	0.4	00.0-00.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1846	249,385	1829	99.2	98.6-99.8	10	0.6	00.0-01.2	7	0.2	00.0-00.4
Non-Native	1759	233,848	1744	99.2	98.6-99.8	10	0.6	00.0-01.2	5	0.2	00.0-00.4
18-24	57	42,683	56	98.3	95.0-0100	1	1.7	00.0-05.0			
25-34	164	44,608	164	100.0	0100-0100						
35-44	254	37,133	253	99.6	98.8-0100				1	0.4	00.0-01.2
45-54	396	45,272	393	99.3	98.5-0100	3	0.7	00.0-01.5			
55-64	463	37,940	460	99.6	99.0-0100	2	0.3	00.0-00.7	1	0.1	00.0-00.3
65+	504	41,223	497	98.7	97.7-99.7	4	0.7	00.0-01.5	3	0.6	00.0-01.4
Less Than H.S.	146	20,631	143	99.3	98.5-0100	2	0.5	00.0-01.1	1	0.2	00.0-00.6
H.S. or G.E.D.	524	78,817	522	99.8	99.4-0100	2	0.2	00.0-00.6			
Some Post-H.S.	571	74,256	568	99.8	99.6-0100	2	0.2	00.0-00.4	1	0.1	00.0-00.3
College Graduate	603	75,442	594	98.1	96.1-0100	4	1.3	00.0-03.3	5	0.6	00.0-01.2
Less than \$15,000	126	15,685	125	99.7	99.1-0100				1	0.3	00.0-00.9
\$15,000- 24,999	191	23,801	191	100.0	0100-0100						
\$25,000- 34,999	193	22,045	189	96.0	89.9-0100	2	3.5	00.0-09.6	2	0.5	00.0-01.1
\$35,000- 49,999	285	36,121	284	99.8	99.4-0100	1	0.2	00.0-00.6			
\$50,000- 74,999	345	44,520	344	99.9	99.7-0100	1	0.1	00.0-00.3			
\$75,000+	527	76,466	522	99.2	98.4-0100	4	0.6	00.0-01.2	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	249,667	2888	98.2	97.2-99.2	13	1.0	00.2-01.8	16	0.8	00.2-01.4
Native	62	9,079	59	91.7	80.5-0100	1	1.2	00.0-03.6	2	7.1	00.0-18.1
Non-Native	2816	237,442	2791	98.5	97.7-99.3	12	1.0	00.2-01.8	13	0.5	00.1-00.9
18-24	74	37,270	69	93.9	88.6-99.2	3	3.7	00.0-08.0	2	2.3	00.0-05.6
25-34	256	38,991	252	97.9	95.7-0100	3	1.7	00.0-03.9	1	0.4	00.0-01.2
35-44	352	35,581	349	99.3	98.5-0100	1	0.3	00.0-00.9	2	0.4	00.0-01.0
45-54	526	45,443	521	99.2	98.4-0100	2	0.3	00.0-00.7	3	0.5	00.0-01.1
55-64	632	35,040	631	99.8	99.4-0100				1	0.2	00.0-00.6
65+	1035	55,213	1027	99.0	98.4-99.6	4	0.4	00.0-00.8	4	0.6	00.0-01.2
Less Than H.S.	186	13,626	184	98.9	97.3-0100	1	0.5	00.0-01.5	1	0.6	00.0-01.8
H.S. or G.E.D.	889	74,408	881	97.8	95.8-99.8	3	1.0	00.0-02.6	5	1.1	00.0-02.5
Some Post-H.S.	946	82,791	937	98.5	96.9-0100	5	1.3	00.0-02.9	4	0.2	00.0-00.4
College Graduate	891	78,537	881	98.2	96.8-99.6	4	0.7	00.0-01.7	6	1.1	00.1-02.1
Less than \$15,000	248	14,742	247	99.6	98.8-0100	1	0.4	00.0-01.2			
\$15,000- 24,999	457	31,361	451	96.8	93.7-99.9	3	1.7	00.0-04.1	3	1.5	00.0-03.7
\$25,000- 34,999	308	27,552	306	97.9	94.2-0100	1	1.9	00.0-05.6	1	0.2	00.0-00.6
\$35,000- 49,999	413	35,288	407	96.5	93.0-0100	5	3.4	00.0-06.9	1	0.1	00.0-00.3
\$50,000- 74,999	391	39,528	391	100.0	0100-0100						
\$75,000+	603	60,885	601	99.8	99.4-0100	2	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	499,052	4622	96.9	96.1-97.7	49	1.1	00.5-01.7	92	2.0	01.2-02.8
Male	1846	249,385	1798	97.1	95.7-98.5	19	1.3	00.3-02.3	29	1.6	00.6-02.6
Female	2917	249,667	2824	96.7	95.5-97.9	30	1.0	00.4-01.6	63	2.3	01.3-03.3
Native	110	17,871	109	97.1	91.4-0100				1	2.9	00.0-08.6
Non-Native	4575	471,290	4445	97.1	96.3-97.9	42	1.0	00.4-01.6	88	1.9	01.1-02.7
18-24	131	79,953	125	95.3	91.4-99.2	1	0.7	00.0-02.1	5	4.1	00.4-07.8
25-34	420	83,599	412	96.6	93.9-99.3	4	2.5	00.0-05.0	4	0.9	00.0-01.9
35-44	606	72,714	592	97.9	96.7-99.1	3	0.4	00.0-00.8	11	1.7	00.5-02.9
45-54	922	90,715	901	97.9	96.9-98.9	5	0.5	00.1-00.9	16	1.6	00.8-02.4
55-64	1095	72,979	1073	98.2	97.4-99.0	5	0.4	00.0-00.8	17	1.4	00.8-02.0
65+	1539	96,436	1481	96.5	95.5-97.5	30	1.9	01.1-02.7	28	1.6	01.0-02.2
Less Than H.S.	332	34,257	313	94.3	89.0-99.6	14	4.8	00.0-10.1	5	0.9	00.1-01.7
H.S. or G.E.D.	1413	153,225	1366	97.1	95.7-98.5	16	1.4	00.4-02.4	31	1.6	00.8-02.4
Some Post-H.S.	1517	157,047	1486	97.9	96.7-99.1	11	0.5	00.1-00.9	20	1.6	00.4-02.8
College Graduate	1494	153,979	1451	96.4	94.6-98.2	7	0.6	00.0-01.2	36	3.0	01.4-04.6
Less than \$15,000	374	30,427	361	97.5	96.1-98.9	9	1.8	00.6-03.0	4	0.6	00.0-01.2
\$15,000- 24,999	648	55,162	629	96.8	94.8-98.8	10	1.2	00.4-02.0	9	2.0	00.0-04.0
\$25,000- 34,999	501	49,597	489	96.6	93.7-99.5	3	1.3	00.0-03.5	9	2.1	00.0-04.3
\$35,000- 49,999	698	71,409	682	97.4	95.0-99.8	4	0.5	00.0-01.1	12	2.1	00.0-04.3
\$50,000- 74,999	736	84,048	727	99.1	98.5-99.7	3	0.3	00.0-00.7	6	0.5	00.1-00.9
\$75,000+	1130	137,351	1112	97.5	95.7-99.3	5	0.7	00.0-01.5	13	1.8	00.2-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1846	249,385	1798	97.1	95.7-98.5	19	1.3	00.3-02.3	29	1.6	00.6-02.6
Non-Native	1759	233,848	1715	97.2	95.8-98.6	17	1.1	00.1-02.1	27	1.7	00.7-02.7
18-24	57	42,683	56	97.5	92.6-0100				1	2.5	00.0-07.4
25-34	164	44,608	158	94.3	89.2-99.4	4	4.6	00.0-09.5	2	1.1	00.0-02.9
35-44	254	37,133	247	97.5	95.5-99.5	1	0.2	00.0-00.6	6	2.3	00.3-04.3
45-54	396	45,272	389	98.4	97.0-99.8	3	0.5	00.0-01.1	4	1.1	00.0-02.3
55-64	463	37,940	456	98.8	97.8-99.8				7	1.2	00.2-02.2
65+	504	41,223	487	97.0	95.4-98.6	11	2.0	00.8-03.2	6	1.1	00.3-01.9
Less Than H.S.	146	20,631	141	94.4	85.8-0100	5	5.6	00.0-14.2			
H.S. or G.E.D.	524	78,817	511	98.1	96.5-99.7	6	1.3	00.0-02.7	7	0.6	00.0-01.2
Some Post-H.S.	571	74,256	562	99.1	98.5-99.7	3	0.3	00.0-00.7	6	0.6	00.0-01.2
College Graduate	603	75,442	582	95.0	91.9-98.1	5	0.9	00.0-01.9	16	4.1	01.0-07.2
Less than \$15,000	126	15,685	123	98.9	97.5-0100	3	1.1	00.0-02.5			
\$15,000- 24,999	191	23,801	186	97.0	93.7-0100	3	1.1	00.0-02.5	2	1.9	00.0-05.0
\$25,000- 34,999	193	22,045	189	98.8	97.4-0100	1	0.2	00.0-00.6	3	1.0	00.0-02.2
\$35,000- 49,999	285	36,121	279	98.6	97.4-99.8	1	0.3	00.0-00.9	5	1.1	00.1-02.1
\$50,000- 74,999	345	44,520	343	99.7	99.3-0100	1	0.1	00.0-00.3	1	0.2	00.0-00.6
\$75,000+	527	76,466	512	96.0	92.9-99.1	4	1.0	00.0-02.2	11	3.0	00.1-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2917	249,667	2824	96.7	95.5-97.9	30	1.0	00.4-01.6	63	2.3	01.3-03.3
Native	62	9,079	61	94.3	83.5-0100				1	5.7	00.0-16.5
Non-Native	2816	237,442	2730	96.9	95.9-97.9	25	0.9	00.3-01.5	61	2.2	01.2-03.2
18-24	74	37,270	69	92.8	86.5-99.1	1	1.4	00.0-04.1	4	5.8	00.1-11.5
25-34	256	38,991	254	99.3	98.3-0100				2	0.7	00.0-01.7
35-44	352	35,581	345	98.4	97.2-99.6	2	0.5	00.0-01.3	5	1.1	00.1-02.1
45-54	526	45,443	512	97.4	96.0-98.8	2	0.5	00.0-01.3	12	2.0	00.8-03.2
55-64	632	35,040	617	97.5	96.1-98.9	5	0.9	00.0-01.9	10	1.5	00.5-02.5
65+	1035	55,213	994	96.1	94.9-97.3	19	1.9	01.1-02.7	22	2.0	01.0-03.0
Less Than H.S.	186	13,626	172	94.2	91.1-97.3	9	3.6	01.2-06.0	5	2.2	00.0-04.4
H.S. or G.E.D.	889	74,408	855	96.0	93.8-98.2	10	1.4	00.0-02.8	24	2.6	01.0-04.2
Some Post-H.S.	946	82,791	924	96.8	94.4-99.2	8	0.8	00.2-01.4	14	2.4	00.2-04.6
College Graduate	891	78,537	869	97.7	96.5-98.9	2	0.2	00.0-00.6	20	2.0	00.8-03.2
Less than \$15,000	248	14,742	238	96.1	93.6-98.6	6	2.5	00.3-04.7	4	1.3	00.0-02.7
\$15,000- 24,999	457	31,361	443	96.7	94.2-99.2	7	1.2	00.2-02.2	7	2.1	00.0-04.5
\$25,000- 34,999	308	27,552	300	94.8	89.7-99.9	2	2.1	00.0-05.8	6	3.1	00.0-06.8
\$35,000- 49,999	413	35,288	403	96.3	92.0-0100	3	0.7	00.0-01.5	7	3.0	00.0-07.3
\$50,000- 74,999	391	39,528	384	98.5	97.3-99.7	2	0.6	00.0-01.4	5	0.9	00.0-01.9
\$75,000+	603	60,885	600	99.5	98.9-0100	1	0.2	00.0-00.6	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	498,435	146	2.5	01.9-03.1	4612	97.5	96.9-98.1
Male	1842	248,830	74	2.8	02.0-03.6	1768	97.2	96.4-98.0
Female	2916	249,605	72	2.2	01.4-03.0	2844	97.8	97.0-98.6
Native	110	17,871	1	0.6	00.0-01.8	109	99.4	98.2-0100
Non-Native	4571	470,757	143	2.6	02.0-03.2	4428	97.4	96.8-98.0
18-24	131	79,953	5	2.3	00.1-04.5	126	97.7	95.5-99.9
25-34	419	83,350	6	1.0	00.0-02.0	413	99.0	98.0-0100
35-44	606	72,714	25	4.0	02.2-05.8	581	96.0	94.2-97.8
45-54	920	90,492	28	2.7	01.7-03.7	892	97.3	96.3-98.3
55-64	1093	72,833	46	3.8	02.6-05.0	1047	96.2	95.0-97.4
65+	1539	96,436	33	1.5	00.9-02.1	1506	98.5	97.9-99.1
Less Than H.S.	332	34,257	6	3.6	00.0-07.3	326	96.4	92.7-0100
H.S. or G.E.D.	1410	152,781	35	2.2	01.2-03.2	1375	97.8	96.8-98.8
Some Post-H.S.	1516	156,985	55	2.4	01.6-03.2	1461	97.6	96.8-98.4
College Graduate	1493	153,867	50	2.7	01.7-03.7	1443	97.3	96.3-98.3
Less than \$15,000	373	30,343	7	1.8	00.0-04.2	366	98.2	95.8-0100
\$15,000- 24,999	648	55,162	8	0.9	00.1-01.7	640	99.1	98.3-99.9
\$25,000- 34,999	500	49,485	12	1.8	00.4-03.2	488	98.2	96.8-99.6
\$35,000- 49,999	698	71,409	24	2.0	01.0-03.0	674	98.0	97.0-99.0
\$50,000- 74,999	736	84,048	32	3.2	01.8-04.6	704	96.8	95.4-98.2
\$75,000+	1130	137,351	49	3.5	02.3-04.7	1081	96.5	95.3-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	1842	248,830	74	2.8	02.0-03.6	1768	97.2	96.4-98.0	
Non-Native	1756	233,376	72	3.0	02.2-03.8	1684	97.0	96.2-97.8	
18-24	57	42,683	2	1.0	00.0-02.8	55	99.0	97.2-0100	
25-34	163	44,359	2	0.9	00.0-02.3	161	99.1	97.7-0100	
35-44	254	37,133	18	6.2	03.1-09.3	236	93.8	90.7-96.9	
45-54	394	45,049	13	3.0	01.2-04.8	381	97.0	95.2-98.8	
55-64	462	37,856	25	4.9	02.9-06.9	437	95.1	93.1-97.1	
65+	504	41,223	14	1.8	00.6-03.0	490	98.2	97.0-99.4	
Less Than H.S.	146	20,631	4	1.5	00.0-03.1	142	98.5	96.9-0100	
H.S. or G.E.D.	521	78,373	22	2.9	01.5-04.3	499	97.1	95.7-98.5	
Some Post-H.S.	571	74,256	24	2.6	01.4-03.8	547	97.4	96.2-98.6	
College Graduate	602	75,330	24	3.4	01.8-05.0	578	96.6	95.0-98.2	
Less than \$15,000	125	15,601	4	3.0	00.0-07.5	121	97.0	92.5-0100	
\$15,000- 24,999	191	23,801	5	1.8	00.0-03.6	186	98.2	96.4-0100	
\$25,000- 34,999	192	21,934	7	2.1	00.3-03.9	185	97.9	96.1-99.7	
\$35,000- 49,999	285	36,121	11	2.2	00.8-03.6	274	97.8	96.4-99.2	
\$50,000- 74,999	345	44,520	14	3.1	01.1-05.1	331	96.9	94.9-98.9	
\$75,000+	527	76,466	25	3.5	01.9-05.1	502	96.5	94.9-98.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	249,605	72	2.2	01.4-03.0	2844	97.8	97.0-98.6
Native	62	9,079				62	100.0	0100-0100
Non-Native	2815	237,380	71	2.3	01.5-03.1	2744	97.7	96.9-98.5
18-24	74	37,270	3	3.9	00.0-08.2	71	96.1	91.8-0100
25-34	256	38,991	4	1.2	00.0-02.6	252	98.8	97.4-0100
35-44	352	35,581	7	1.8	00.4-03.2	345	98.2	96.8-99.6
45-54	526	45,443	15	2.3	01.1-03.5	511	97.7	96.5-98.9
55-64	631	34,978	21	2.6	01.4-03.8	610	97.4	96.2-98.6
65+	1035	55,213	19	1.3	00.7-01.9	1016	98.7	98.1-99.3
Less Than H.S.	186	13,626	2	6.7	00.0-15.5	184	93.3	84.5-0100
H.S. or G.E.D.	889	74,408	13	1.5	00.1-02.9	876	98.5	97.1-99.9
Some Post-H.S.	945	82,729	31	2.1	01.1-03.1	914	97.9	96.9-98.9
College Graduate	891	78,537	26	2.1	01.1-03.1	865	97.9	96.9-98.9
Less than \$15,000	248	14,742	3	0.5	00.0-01.1	245	99.5	98.9-0100
\$15,000- 24,999	457	31,361	3	0.2	00.0-00.4	454	99.8	99.6-0100
\$25,000- 34,999	308	27,552	5	1.6	00.0-03.4	303	98.4	96.6-0100
\$35,000- 49,999	413	35,288	13	1.8	00.6-03.0	400	98.2	97.0-99.4
\$50,000- 74,999	391	39,528	18	3.3	01.1-05.5	373	96.7	94.5-98.9
\$75,000+	603	60,885	24	3.5	01.5-05.5	579	96.5	94.5-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	143	12,190	77	68.7	58.9-78.5	51	26.4	17.2-35.6	11	3.2	01.0-05.4	4	1.7	00.0-04.2
Male	72	6,805							6	3.8	00.5-07.1	3	2.9	00.0-07.4
Female	71	5,384							5	2.4	00.0-04.8	1	0.3	00.0-00.9
Non-Native	140	11,984	75	68.5	58.7-78.3	50	26.5	17.1-35.9	11	3.2	01.0-05.4	4	1.7	00.0-04.2
Some Post-H.S.	54	3,651							4	2.4	00.0-04.9	1	4.3	00.0-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Three Numbers			Four Numbers		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	72	6,805	6	3.8	00.5-07.1	3	2.9	00.0-07.4	
Non-Native	70	6,631	6	3.9	00.6-07.2	3	2.9	00.0-07.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	71	5,384	5	2.4	00.0-04.9	1	0.3	00.0-00.9	
Non-Native	70	5,353	5	2.4	00.0-04.9	1	0.3	00.0-00.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 49: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4750	497,825	112	3.9	02.9-04.9	4638	96.1	95.1-97.1	
Male	1839	248,664	46	3.7	02.3-05.1	1793	96.3	94.9-97.7	
Female	2911	249,161	66	4.1	02.7-05.5	2845	95.9	94.5-97.3	
Native	109	17,779	7	9.1	01.5-16.7	102	90.9	83.3-98.5	
Non-Native	4564	470,206	103	3.6	02.6-04.6	4461	96.4	95.4-97.4	
18-24	131	79,953	14	9.9	04.6-15.2	117	90.1	84.8-95.4	
25-34	419	83,459	22	6.1	03.4-08.8	397	93.9	91.2-96.6	
35-44	605	72,497	19	3.0	01.6-04.4	586	97.0	95.6-98.4	
45-54	919	90,368	20	2.3	01.1-03.5	899	97.7	96.5-98.9	
55-64	1092	72,807	13	1.0	00.4-01.6	1079	99.0	98.4-99.6	
65+	1534	96,086	24	1.4	00.8-02.0	1510	98.6	98.0-99.2	
Less Than H.S.	329	34,059	6	3.3	00.0-07.4	323	96.7	92.6-0100	
H.S. or G.E.D.	1408	152,743	29	3.2	01.4-05.0	1379	96.8	95.0-98.6	
Some Post-H.S.	1517	157,047	39	5.2	03.0-07.4	1478	94.8	92.6-97.0	
College Graduate	1489	153,433	38	3.5	02.1-04.9	1451	96.5	95.1-97.9	
Less than \$15,000	371	30,277	18	7.5	02.2-12.8	353	92.5	87.2-97.8	
\$15,000- 24,999	647	55,110	14	3.3	01.1-05.5	633	96.7	94.5-98.9	
\$25,000- 34,999	498	49,177	9	5.8	01.3-10.3	489	94.2	89.7-98.7	
\$35,000- 49,999	697	71,269	21	6.8	03.1-10.5	676	93.2	89.5-96.9	
\$50,000- 74,999	735	83,964	20	4.1	01.9-06.3	715	95.9	93.7-98.1	
\$75,000+	1129	137,227	19	1.9	00.9-02.9	1110	98.1	97.1-99.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 50: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1839	248,664	46	3.7	02.3-05.1	1793	96.3	94.9-97.7
Non-Native	1753	233,179	40	3.2	01.8-04.6	1713	96.8	95.4-98.2
18-24	57	42,683	5	7.2	00.7-13.7	52	92.8	86.3-99.3
25-34	164	44,608	11	7.2	02.9-11.5	153	92.8	88.5-97.1
35-44	253	36,916	4	2.0	00.0-04.0	249	98.0	96.0-0100
45-54	394	45,049	11	2.5	00.9-04.1	383	97.5	95.9-99.1
55-64	461	37,814	7	1.1	00.3-01.9	454	98.9	98.1-99.7
65+	502	41,068	8	1.3	00.3-02.3	494	98.7	97.7-99.7
Less Than H.S.	144	20,476	4	4.6	00.0-11.5	140	95.4	88.5-0100
H.S. or G.E.D.	523	78,706	9	1.8	00.2-03.4	514	98.2	96.6-99.8
Some Post-H.S.	571	74,256	16	5.1	01.8-08.4	555	94.9	91.6-98.2
College Graduate	599	74,987	17	3.9	01.7-06.1	582	96.1	93.9-98.3
Less than \$15,000	126	15,685	11	11.8	02.0-21.6	115	88.2	78.4-98.0
\$15,000- 24,999	190	23,749	5	4.0	00.0-08.3	185	96.0	91.7-0100
\$25,000- 34,999	191	21,717				191	100.0	0100-0100
\$35,000- 49,999	285	36,121	10	6.3	01.8-10.8	275	93.7	89.2-98.2
\$50,000- 74,999	344	44,436	9	3.7	00.8-06.6	335	96.3	93.4-99.2
\$75,000+	527	76,466	9	1.8	00.4-03.2	518	98.2	96.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 51: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	249,161	66	4.1	02.7-05.5	2845	95.9	94.5-97.3
Non-Native	2811	237,028	63	4.0	02.6-05.4	2748	96.0	94.6-97.4
18-24	74	37,270	9	13.1	04.9-21.3	65	86.9	78.7-95.1
25-34	255	38,851	11	4.7	02.0-07.4	244	95.3	92.6-98.0
35-44	352	35,581	15	4.0	01.8-06.2	337	96.0	93.8-98.2
45-54	525	45,319	9	2.2	00.6-03.8	516	97.8	96.2-99.4
55-64	631	34,993	6	1.0	00.2-01.8	625	99.0	98.2-99.8
65+	1032	55,018	16	1.6	00.8-02.4	1016	98.4	97.6-99.2
Less Than H.S.	185	13,583	2	1.2	00.0-03.2	183	98.8	96.8-100.0
H.S. or G.E.D.	885	74,037	20	4.7	01.8-07.6	865	95.3	92.4-98.2
Some Post-H.S.	946	82,791	23	5.2	02.5-07.9	923	94.8	92.1-97.5
College Graduate	890	78,446	21	3.0	01.2-04.8	869	97.0	95.2-98.8
Less than \$15,000	245	14,592	7	2.9	00.5-05.3	238	97.1	94.7-99.5
\$15,000- 24,999	457	31,361	9	2.7	00.7-04.7	448	97.3	95.3-99.3
\$25,000- 34,999	307	27,460	9	10.4	02.8-18.0	298	89.6	82.0-97.2
\$35,000- 49,999	412	35,148	11	7.4	01.5-13.3	401	92.6	86.7-98.5
\$50,000- 74,999	391	39,528	11	4.6	01.5-07.7	380	95.4	92.3-98.5
\$75,000+	602	60,761	10	1.9	00.5-03.3	592	98.1	96.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 52: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	498,116	3748	84.0	82.6-85.4	1001	16.0	14.6-17.4
Male	1838	248,769	1489	84.5	82.3-86.7	349	15.5	13.3-17.7
Female	2911	249,346	2259	83.5	81.9-85.1	652	16.5	14.9-18.1
Non-Native	4562	470,438	3631	84.9	83.5-86.3	931	15.1	13.7-16.5
18-24	131	79,953	120	92.3	87.4-97.2	11	7.7	02.8-12.6
25-34	420	83,599	363	85.9	82.0-89.8	57	14.1	10.2-18.0
35-44	606	72,714	544	90.1	87.4-92.8	62	9.9	07.2-12.6
45-54	917	90,313	759	84.8	82.3-87.3	158	15.2	12.7-17.7
55-64	1090	72,718	921	87.1	85.1-89.1	169	12.9	10.9-14.9
65+	1536	96,247	1009	68.0	65.5-70.5	527	32.0	29.5-34.5
Less Than H.S.	332	34,257	179	65.1	56.9-73.3	153	34.9	26.7-43.1
H.S. or G.E.D.	1410	152,997	1029	80.3	77.6-83.0	381	19.7	17.0-22.4
Some Post-H.S.	1515	156,943	1222	84.2	81.7-86.7	293	15.8	13.3-18.3
College Graduate	1486	153,459	1314	91.8	90.4-93.2	172	8.2	06.8-09.6
Less than \$15,000	374	30,427	160	48.3	40.7-55.9	214	51.7	44.1-59.3
\$15,000- 24,999	648	55,162	405	70.3	65.6-75.0	243	29.7	25.0-34.4
\$25,000- 34,999	499	49,403	387	80.6	75.5-85.7	112	19.4	14.3-24.5
\$35,000- 49,999	696	71,294	576	86.2	83.3-89.1	120	13.8	10.9-16.7
\$50,000- 74,999	735	84,006	668	91.7	89.5-93.9	67	8.3	06.1-10.5
\$75,000+	1129	137,267	1072	95.4	94.0-96.8	57	4.6	03.2-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 53: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	248,769	1489	84.5	82.3-86.7	349	15.5	13.3-17.7
Non-Native	1752	233,316	1436	85.8	83.6-88.0	316	14.2	12.0-16.4
18-24	57	42,683	52	91.7	84.1-99.3	5	8.3	00.7-15.9
25-34	164	44,608	134	82.5	76.2-88.8	30	17.5	11.2-23.8
35-44	254	37,133	230	90.4	86.1-94.7	24	9.6	05.3-13.9
45-54	393	44,994	314	82.7	78.8-86.6	79	17.3	13.4-21.2
55-64	460	37,771	387	87.0	83.9-90.1	73	13.0	09.9-16.1
65+	503	41,138	366	73.3	69.2-77.4	137	26.7	22.6-30.8
H.S. or G.E.D.	522	78,650	401	82.8	78.7-86.9	121	17.2	13.1-21.3
Some Post-H.S.	571	74,256	463	82.9	78.4-87.4	108	17.1	12.6-21.6
College Graduate	598	75,077	532	91.5	89.1-93.9	66	8.5	06.1-10.9
\$15,000- 24,999	191	23,801	119	73.9	66.1-81.7	72	26.1	18.3-33.9
\$25,000- 34,999	192	21,934	138	75.1	66.1-84.1	54	24.9	15.9-33.9
\$35,000- 49,999	284	36,037	229	86.0	81.7-90.3	55	14.0	09.7-18.3
\$50,000- 74,999	344	44,478	309	90.7	87.2-94.2	35	9.3	05.8-12.8
\$75,000+	526	76,382	498	95.1	92.9-97.3	28	4.9	02.7-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 54: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	249,346	2259	83.5	81.9-85.1	652	16.5	14.9-18.1
Non-Native	2810	237,121	2195	84.0	82.4-85.6	615	16.0	14.4-17.6
18-24	74	37,270	68	93.0	87.3-98.7	6	7.0	01.3-12.7
25-34	256	38,991	229	89.8	85.7-93.9	27	10.2	06.1-14.3
35-44	352	35,581	314	89.9	86.6-93.2	38	10.1	06.8-13.4
45-54	524	45,319	445	86.8	83.9-89.7	79	13.2	10.3-16.1
55-64	630	34,947	534	87.3	84.8-89.8	96	12.7	10.2-15.2
65+	1033	55,109	643	64.1	61.0-67.2	390	35.9	32.8-39.0
Less Than H.S.	186	13,626	87	56.6	47.6-65.6	99	43.4	34.4-52.4
H.S. or G.E.D.	888	74,347	628	77.6	74.1-81.1	260	22.4	18.9-25.9
Some Post-H.S.	944	82,687	759	85.3	82.6-88.0	185	14.7	12.0-17.4
College Graduate	888	78,382	782	92.0	90.2-93.8	106	8.0	06.2-09.8
Less than \$15,000	248	14,742	100	45.2	36.8-53.6	148	54.8	46.4-63.2
\$15,000- 24,999	457	31,361	286	67.6	61.9-73.3	171	32.4	26.7-38.1
\$25,000- 34,999	307	27,469	249	85.0	79.7-90.3	58	15.0	09.7-20.3
\$35,000- 49,999	412	35,257	347	86.3	82.0-90.6	65	13.7	09.4-18.0
\$50,000- 74,999	391	39,528	359	93.0	90.5-95.5	32	7.0	04.5-09.5
\$75,000+	603	60,885	574	95.8	94.2-97.4	29	4.2	02.6-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 55: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	997	79,255	59	8.5	05.8-11.2	938	91.5	88.8-94.2
Male	346	38,282	25	9.8	05.1-14.5	321	90.2	85.5-94.9
Female	651	40,973	34	7.4	04.3-10.5	617	92.6	89.5-95.7
Non-Native	928	70,714	53	7.7	05.2-10.2	875	92.3	89.8-94.8
25-34	57	11,788	4	7.6	00.0-16.2	53	92.4	83.8-0100
45-54	158	13,747	13	10.6	04.5-16.7	145	89.4	83.3-95.5
55-64	168	9,264	9	9.4	03.1-15.7	159	90.6	84.3-96.9
65+	525	30,496	28	6.7	04.2-09.2	497	93.3	90.8-95.8
Less Than H.S.	151	11,694	7	5.8	00.9-10.7	144	94.2	89.3-99.1
H.S. or G.E.D.	380	30,053	21	8.4	03.3-13.5	359	91.6	86.5-96.7
Some Post-H.S.	293	24,871	22	10.6	05.3-15.9	271	89.4	84.1-94.7
College Graduate	171	12,534	9	7.2	02.3-12.1	162	92.8	87.9-97.7
Less than \$15,000	213	15,620	10	12.4	03.0-21.8	203	87.6	78.2-97.0
\$15,000- 24,999	242	16,217	12	6.2	02.5-09.9	230	93.8	90.1-97.5
\$25,000- 34,999	112	9,590	3	2.4	00.0-05.1	109	97.6	94.9-0100
\$50,000- 74,999	67	6,935	6	8.0	01.7-14.3	61	92.0	85.7-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 56: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	346	38,282	25	9.8	05.1-14.5	321	90.2	85.5-94.9
Non-Native	314	32,906	22	8.1	04.6-11.6	292	91.9	88.4-95.4
45-54	79	7,763	8	12.9	03.7-22.1	71	87.1	77.9-96.3
65+	135	10,725	5	4.9	00.6-09.2	130	95.1	90.8-99.4
Less Than H.S.	52	5,783	3	5.7	00.0-13.5	49	94.3	86.5-100.0
H.S. or G.E.D.	121	13,494	8	9.6	01.2-18.0	113	90.4	82.0-98.8
Some Post-H.S.	108	12,731	10	12.3	03.1-21.5	98	87.7	78.5-96.9
College Graduate	65	6,275	4	8.8	00.2-17.4	61	91.2	82.6-99.8
\$15,000- 24,999	71	6,056	5	8.4	01.0-15.8	66	91.6	84.2-99.0
\$25,000- 34,999	54	5,458	2	2.6	00.0-06.3	52	97.4	93.7-100.0
\$35,000- 49,999	54	4,938	4	8.1	00.3-15.9	50	91.9	84.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 57: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	651	40,973	34	7.4	04.3-10.5	617	92.6	89.5-95.7
Non-Native	614	37,808	31	7.4	04.1-10.7	583	92.6	89.3-95.9
45-54	79	5,983	5	7.6	01.1-14.1	74	92.4	85.9-98.9
55-64	96	4,444	1	0.7	00.0-02.1	95	99.3	97.9-100
65+	390	19,772	23	7.8	04.5-11.1	367	92.2	88.9-95.5
Less Than H.S.	99	5,911	4	6.0	00.0-12.1	95	94.0	87.9-100
H.S. or G.E.D.	259	16,559	13	7.5	01.2-13.8	246	92.5	86.2-98.8
Some Post-H.S.	185	12,141	12	8.8	03.7-13.9	173	91.2	86.1-96.3
College Graduate	106	6,259	5	5.6	00.7-10.5	101	94.4	89.5-99.3
Less than \$15,000	147	7,986	3	3.4	00.0-07.5	144	96.6	92.5-100
\$15,000- 24,999	171	10,160	7	5.0	00.9-09.1	164	95.0	90.9-99.1
\$25,000- 34,999	58	4,132	1	2.1	00.0-06.2	57	97.9	93.8-100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 58: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3736	417,524	578	15.1	13.5-16.7	3158	84.9	83.3-86.5
Male	1480	209,383	240	14.6	12.2-17.0	1240	85.4	83.0-87.8
Female	2256	208,141	338	15.7	13.5-17.9	1918	84.3	82.1-86.5
Non-Native	3621	398,640	550	14.8	13.2-16.4	3071	85.2	83.6-86.8
18-24	120	73,793	16	12.5	06.4-18.6	104	87.5	81.4-93.6
25-34	363	71,811	40	11.0	07.5-14.5	323	89.0	85.5-92.5
35-44	544	65,538	59	11.0	08.3-13.7	485	89.0	86.3-91.7
45-54	757	76,371	111	15.2	12.5-17.9	646	84.8	82.1-87.5
55-64	915	62,930	127	15.5	13.0-18.0	788	84.5	82.0-87.0
65+	1005	65,231	217	26.0	22.9-29.1	788	74.0	70.9-77.1
Less Than H.S.	177	22,179	30	14.7	08.4-21.0	147	85.3	79.0-91.6
H.S. or G.E.D.	1027	122,679	194	18.6	14.9-22.3	833	81.4	77.7-85.1
Some Post-H.S.	1218	131,852	186	14.8	12.3-17.3	1032	85.2	82.7-87.7
College Graduate	1310	140,458	167	12.5	10.3-14.7	1143	87.5	85.3-89.7
Less than \$15,000	157	14,499	23	20.1	10.3-29.9	134	79.9	70.1-89.7
\$15,000- 24,999	404	38,760	64	17.9	12.2-23.6	340	82.1	76.4-87.8
\$25,000- 34,999	386	39,701	71	16.9	12.6-21.2	315	83.1	78.8-87.4
\$35,000- 49,999	573	61,221	111	19.7	15.4-24.0	462	80.3	76.0-84.6
\$50,000- 74,999	667	76,987	112	14.8	11.7-17.9	555	85.2	82.1-88.3
\$75,000+	1069	130,716	116	10.4	08.0-12.8	953	89.6	87.2-92.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 59: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	209,383	240	14.6	12.2-17.0	1240	85.4	83.0-87.8
Non-Native	1429	199,558	228	14.5	12.1-16.9	1201	85.5	83.1-87.9
18-24	52	39,133	6	10.0	01.8-18.2	46	90.0	81.8-98.2
25-34	134	36,805	15	10.1	05.0-15.2	119	89.9	84.8-95.0
35-44	230	33,554	23	10.8	06.5-15.1	207	89.2	84.9-93.5
45-54	312	37,036	39	13.1	09.2-17.0	273	86.9	83.0-90.8
55-64	382	32,489	49	14.3	10.4-18.2	333	85.7	81.8-89.6
65+	364	29,967	106	31.9	26.8-37.0	258	68.1	63.0-73.2
Less Than H.S.	91	14,506	18	14.4	06.4-22.4	73	85.6	77.6-93.6
H.S. or G.E.D.	399	64,988	80	18.0	12.5-23.5	319	82.0	76.5-87.5
Some Post-H.S.	461	61,398	62	12.9	09.2-16.6	399	87.1	83.4-90.8
College Graduate	528	68,335	79	12.7	09.8-15.6	449	87.3	84.4-90.2
\$15,000- 24,999	119	17,589	27	19.8	10.0-29.6	92	80.2	70.4-90.0
\$25,000- 34,999	137	16,364	22	15.0	08.3-21.7	115	85.0	78.3-91.7
\$35,000- 49,999	227	30,849	51	20.6	13.9-27.3	176	79.4	72.7-86.1
\$50,000- 74,999	308	40,241	53	14.9	10.4-19.4	255	85.1	80.6-89.6
\$75,000+	495	72,359	54	10.5	06.8-14.2	441	89.5	85.8-93.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 60: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2256	208,141	338	15.7	13.5-17.9	1918	84.3	82.1-86.5
Non-Native	2192	199,082	322	15.0	13.0-17.0	1870	85.0	83.0-87.0
18-24	68	34,660	10	15.3	06.3-24.3	58	84.7	75.7-93.7
25-34	229	35,005	25	11.9	07.4-16.4	204	88.1	83.6-92.6
35-44	314	31,984	36	11.2	07.7-14.7	278	88.8	85.3-92.3
45-54	445	39,335	72	17.1	13.2-21.0	373	82.9	79.0-86.8
55-64	533	30,441	78	16.8	13.3-20.3	455	83.2	79.7-86.7
65+	641	35,264	111	21.1	17.6-24.6	530	78.9	75.4-82.4
Less Than H.S.	86	7,672	12	15.2	05.8-24.6	74	84.8	75.4-94.2
H.S. or G.E.D.	628	57,691	114	19.3	14.6-24.0	514	80.7	76.0-85.4
Some Post-H.S.	757	70,454	124	16.4	13.1-19.7	633	83.6	80.3-86.9
College Graduate	782	72,123	88	12.3	09.0-15.6	694	87.7	84.4-91.0
\$15,000- 24,999	285	21,171	37	16.2	09.7-22.7	248	83.8	77.3-90.3
\$25,000- 34,999	249	23,337	49	18.2	12.5-23.9	200	81.8	76.1-87.5
\$35,000- 49,999	346	30,371	60	18.7	13.0-24.4	286	81.3	75.6-87.0
\$50,000- 74,999	359	36,746	59	14.6	10.3-18.9	300	85.4	81.1-89.7
\$75,000+	574	58,357	62	10.2	07.5-12.9	512	89.8	87.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 61: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO			41-60%			61-80%		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	51	5,972	8	8.3	01.6-15.0	3	7.3	00.0-15.9	1	1.4	00.0-04.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 62: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS

TABLE 63: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4763	499,052	1846	50.0	47.8-52.2	2917	50.0	47.8-52.2
Non-Native	4575	471,290	1759	49.6	47.4-51.8	2816	50.4	48.2-52.6
18-24	131	79,953	57	53.4	44.0-62.8	74	46.6	37.2-56.0
25-34	420	83,599	164	53.4	48.1-58.7	256	46.6	41.3-51.9
35-44	606	72,714	254	51.1	46.8-55.4	352	48.9	44.6-53.2
45-54	922	90,715	396	49.9	46.4-53.4	526	50.1	46.6-53.6
55-64	1095	72,979	463	52.0	48.9-55.1	632	48.0	44.9-51.1
65+	1539	96,436	504	42.7	40.0-45.4	1035	57.3	54.6-60.0
Less Than H.S.	332	34,257	146	60.2	51.8-68.6	186	39.8	31.4-48.2
H.S. or G.E.D.	1413	153,225	524	51.4	47.1-55.7	889	48.6	44.3-52.9
Some Post-H.S.	1517	157,047	571	47.3	43.8-50.8	946	52.7	49.2-56.2
College Graduate	1494	153,979	603	49.0	45.9-52.1	891	51.0	47.9-54.1
Less than \$15,000	374	30,427	126	51.6	44.0-59.2	248	48.4	40.8-56.0
\$15,000- 24,999	648	55,162	191	43.1	37.0-49.2	457	56.9	50.8-63.0
\$25,000- 34,999	501	49,597	193	44.4	37.7-51.1	308	55.6	48.9-62.3
\$35,000- 49,999	698	71,409	285	50.6	45.3-55.9	413	49.4	44.1-54.7
\$50,000- 74,999	736	84,048	345	53.0	48.3-57.7	391	47.0	42.3-51.7
\$75,000+	1130	137,351	527	55.7	52.0-59.4	603	44.3	40.6-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	679	111,283	33	6.5	03.6-09.4	646	93.5	90.6-96.4
Non-Native	645	103,845	31	6.3	03.4-09.2	614	93.7	90.8-96.6
18-24	74	37,270	6	9.6	01.8-17.4	68	90.4	82.6-98.2
25-34	253	38,432	20	7.8	04.5-11.1	233	92.2	88.9-95.5
35-44	352	35,581	7	1.8	00.4-03.2	345	98.2	96.8-99.6
H.S. or G.E.D.	145	30,078	4	5.9	00.0-13.2	141	94.1	86.8-0100
Some Post-H.S.	211	35,783	13	9.1	03.0-15.2	198	90.9	84.8-97.0
College Graduate	301	41,156	15	4.9	02.4-07.4	286	95.1	92.6-97.6
\$15,000- 24,999	69	11,378	3	2.5	00.0-05.6	66	97.5	94.4-0100
\$25,000- 34,999	66	13,053	2	2.4	00.0-05.9	64	97.6	94.1-0100
\$50,000- 74,999	143	21,949	11	9.3	03.0-15.6	132	90.7	84.4-97.0
\$75,000+	220	30,848	9	6.9	00.2-13.6	211	93.1	86.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1	MALES AND FEMALES	160
2	MALES ONLY	161
3	FEMALES ONLY	162
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4	MALES AND FEMALES	163
5	MALES ONLY	164
6	FEMALES ONLY	165
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
7	MALES AND FEMALES	166
8	MALES ONLY	167
9	FEMALES ONLY	168
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10	MALES AND FEMALES	169
11	MALES ONLY	170
12	FEMALES ONLY	171
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13	MALES AND FEMALES	172
14	MALES ONLY	173
15	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4747	497,687	2591	58.5	56.3-60.7	2156	41.5	39.3-43.7
Male	1837	248,546	1167	63.9	60.6-67.2	670	36.1	32.8-39.4
Female	2910	249,141	1424	53.2	50.7-55.7	1486	46.8	44.3-49.3
Non-Native	4560	470,049	2509	59.4	57.2-61.6	2051	40.6	38.4-42.8
18-24	131	79,953	72	51.3	41.9-60.7	59	48.7	39.3-58.1
25-34	420	83,599	275	66.8	61.7-71.9	145	33.2	28.1-38.3
35-44	606	72,714	421	70.4	66.5-74.3	185	29.6	25.7-33.5
45-54	915	89,993	588	66.3	63.0-69.6	327	33.7	30.4-37.0
55-64	1090	72,637	619	59.1	56.0-62.2	471	40.9	37.8-44.0
65+	1536	96,196	593	41.1	38.4-43.8	943	58.9	56.2-61.6
Less Than H.S.	329	34,039	112	40.5	30.5-50.5	217	59.5	49.5-69.5
H.S. or G.E.D.	1410	152,863	656	47.9	43.6-52.2	754	52.1	47.8-56.4
Some Post-H.S.	1514	156,839	862	62.5	59.2-65.8	652	37.5	34.2-40.8
College Graduate	1487	153,401	960	69.2	66.5-71.9	527	30.8	28.1-33.5
Less than \$15,000	371	30,094	109	35.2	27.8-42.6	262	64.8	57.4-72.2
\$15,000- 24,999	647	55,110	262	46.3	40.2-52.4	385	53.7	47.6-59.8
\$25,000- 34,999	501	49,597	236	52.4	45.9-58.9	265	47.6	41.1-54.1
\$35,000- 49,999	696	71,264	388	56.4	51.1-61.7	308	43.6	38.3-48.9
\$50,000- 74,999	735	83,964	484	69.1	64.6-73.6	251	30.9	26.4-35.4
\$75,000+	1129	137,240	830	72.1	68.0-76.2	299	27.9	23.8-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	248,546	1167	63.9	60.6-67.2	670	36.1	32.8-39.4
Non-Native	1750	233,009	1123	64.7	61.2-68.2	627	35.3	31.8-38.8
25-34	164	44,608	126	74.8	67.4-82.2	38	25.2	17.8-32.6
35-44	254	37,133	192	75.9	70.4-81.4	62	24.1	18.6-29.6
45-54	392	44,799	258	68.3	63.2-73.4	134	31.7	26.6-36.8
55-64	461	37,814	295	65.6	61.1-70.1	166	34.4	29.9-38.9
65+	501	40,983	259	52.2	47.5-56.9	242	47.8	43.1-52.5
H.S. or G.E.D.	521	78,455	307	54.1	47.0-61.2	214	45.9	38.8-53.0
Some Post-H.S.	570	74,173	378	69.4	64.1-74.7	192	30.6	25.3-35.9
College Graduate	600	75,142	416	72.9	68.8-77.0	184	27.1	23.0-31.2
\$35,000- 49,999	284	36,017	175	60.9	52.7-69.1	109	39.1	30.9-47.3
\$50,000- 74,999	344	44,436	239	72.4	65.5-79.3	105	27.6	20.7-34.5
\$75,000+	526	76,355	407	74.8	68.7-80.9	119	25.2	19.1-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	249,141	1424	53.2	50.7-55.7	1486	46.8	44.3-49.3
Non-Native	2810	237,040	1386	54.1	51.6-56.6	1424	45.9	43.4-48.4
25-34	256	38,991	149	57.6	51.1-64.1	107	42.4	35.9-48.9
35-44	352	35,581	229	64.6	59.3-69.9	123	35.4	30.1-40.7
45-54	523	45,195	330	64.3	60.0-68.6	193	35.7	31.4-40.0
55-64	629	34,823	324	52.0	47.9-56.1	305	48.0	43.9-52.1
65+	1035	55,213	334	32.9	29.8-36.0	701	67.1	64.0-70.2
Less Than H.S.	185	13,502	46	27.1	18.3-35.9	139	72.9	64.1-81.7
H.S. or G.E.D.	889	74,408	349	41.4	36.5-46.3	540	58.6	53.7-63.5
Some Post-H.S.	944	82,667	484	56.2	51.7-60.7	460	43.8	39.3-48.3
College Graduate	887	78,259	544	65.7	62.0-69.4	343	34.3	30.6-38.0
Less than \$15,000	247	14,618	53	23.7	16.3-31.1	194	76.3	68.9-83.7
\$15,000- 24,999	457	31,361	168	39.9	32.8-47.0	289	60.1	53.0-67.2
\$25,000- 34,999	308	27,552	135	50.4	41.8-59.0	173	49.6	41.0-58.2
\$35,000- 49,999	412	35,247	213	51.7	45.0-58.4	199	48.3	41.6-55.0
\$50,000- 74,999	391	39,528	245	65.4	59.7-71.1	146	34.6	28.9-40.3
\$75,000+	603	60,885	423	68.7	63.6-73.8	180	31.3	26.2-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2518	285,554	653	27.0	24.6-29.4	67	2.2	01.6-02.8	1498	60.9	58.4-63.4	281	9.1	07.9-10.3	19	0.7	00.3-01.1
Male	1132	155,334	310	27.0	23.5-30.5	45	3.1	02.1-04.1	585	57.0	53.1-60.9	188	12.3	10.3-14.3	4	0.7	00.0-01.5
Female	1386	130,221	343	27.1	23.8-30.4	22	1.2	00.6-01.8	913	65.7	62.4-69.0	93	5.4	04.2-06.6	15	0.7	00.3-01.1
Non-Native	2440	273,542	631	27.1	24.6-29.6	66	2.3	01.7-02.9	1449	60.7	58.2-63.2	277	9.4	08.2-10.6	17	0.4	00.2-00.6
18-24	72	40,985										1	0.2	00.0-00.6			
25-34	270	54,904	73	26.1	20.4-31.8	4	2.0	00.0-04.0	176	65.3	59.0-71.6	16	5.7	02.8-08.6	1	0.9	00.0-02.7
35-44	416	50,482	119	29.4	24.7-34.1	3	0.7	00.0-01.5	265	62.2	57.1-67.3	28	7.1	04.4-09.8	1	0.6	00.0-01.8
45-54	580	58,743	169	29.5	25.4-33.6	14	2.5	01.1-03.9	351	59.4	55.1-63.7	42	8.1	05.6-10.6	4	0.5	00.0-01.1
55-64	597	41,415	141	23.8	20.1-27.5	15	2.6	01.2-04.0	354	57.4	53.1-61.7	83	15.7	12.4-19.0	4	0.6	00.0-01.2
65+	566	38,020	123	22.2	18.5-25.9	31	6.1	03.9-08.3	295	49.7	45.2-54.2	109	20.8	17.1-24.5	8	1.2	00.2-02.2
Less Than H.S.	104	13,399				3	3.1	00.0-07.0				15	9.1	03.2-15.0	2	0.7	00.0-01.7
H.S. or G.E.D.	629	71,062	166	29.1	23.6-34.6	20	2.5	01.3-03.7	361	57.9	52.2-63.6	73	8.8	06.4-11.2	9	1.7	00.0-03.5
Some Post-H.S.	839	96,167	212	25.6	21.7-29.5	19	1.5	00.7-02.3	522	63.8	59.5-68.1	81	8.8	06.6-11.0	5	0.4	00.0-00.8
College Graduate	945	104,829	248	27.3	23.6-31.0	25	2.6	01.4-03.8	557	60.1	56.2-64.0	112	9.8	07.8-11.8	3	0.3	00.0-00.7
Less than \$15,000	103	10,273	20	17.9	08.5-27.3	6	6.1	00.0-12.4				11	8.0	02.9-13.1	2	1.1	00.0-02.9
\$15,000- 24,999	252	25,036	52	27.2	17.4-37.0	7	1.7	00.3-03.1	160	61.6	51.8-71.4	28	7.2	03.9-10.5	5	2.2	00.0-04.9
\$25,000- 34,999	232	25,740	55	20.8	13.9-27.7	7	2.1	00.5-03.7	146	69.6	61.6-77.6	24	7.5	04.2-10.8			
\$35,000- 49,999	375	39,191	100	27.9	21.8-34.0	7	2.0	00.0-04.0	225	60.3	53.8-66.8	41	9.5	06.4-12.6	2	0.4	00.0-01.0
\$50,000- 74,999	479	57,441	126	28.4	22.5-34.3	14	2.1	00.9-03.3	281	59.7	53.8-65.6	57	9.7	07.0-12.4	1	0.2	00.0-00.6
\$75,000+	825	98,453	237	30.1	26.2-34.0	19	2.1	01.1-03.1	466	56.5	52.4-60.6	100	11.0	08.6-13.4	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1132	155,334	310	27.0	23.5-30.5	45	3.1	02.1-04.1	585	57.0	53.1-60.9	188	12.3	10.3-14.3	4	0.7	00.0-01.5
Non-Native	1090	147,441	301	27.3	23.8-30.8	44	3.2	02.0-04.4	558	56.6	52.7-60.5	185	12.8	10.8-14.8	2	0.1	00.0-00.3
25-34	123	32,764	36	26.4	18.4-34.4	4	3.4	00.1-06.7	72	61.9	52.9-70.9	10	6.8	02.5-11.1	1	1.5	00.0-04.4
35-44	190	27,734	59	30.4	23.5-37.3	3	1.3	00.0-02.9	108	57.4	50.0-64.8	19	9.7	05.2-14.2	1	1.2	00.0-03.6
45-54	252	29,801	71	28.6	22.5-34.7	11	4.0	01.5-06.5	142	55.9	49.2-62.6	27	11.1	07.0-15.2	1	0.4	00.0-01.2
55-64	283	23,859	76	26.2	20.9-31.5	11	3.5	01.3-05.7	138	49.6	43.5-55.7	58	20.6	15.7-25.5			
65+	249	20,683	60	23.6	18.1-29.1	16	6.0	03.1-08.9	100	41.8	35.3-48.3	72	28.0	22.3-33.7	1	0.5	00.0-01.5
Less Than H.S.	61	9,885				3	4.1	00.0-09.4				9	8.4	01.7-15.1			
H.S. or G.E.D.	293	40,923	88	32.6	24.4-40.8	11	2.5	00.7-04.3	142	51.3	43.1-59.5	49	11.3	07.6-15.0	3	2.3	00.0-05.2
Some Post-H.S.	368	50,418	93	22.7	17.8-27.6	11	1.8	00.4-03.2	205	62.3	56.2-68.4	59	13.2	09.5-16.9			
College Graduate	410	54,107	113	28.2	22.5-33.9	20	4.4	02.2-06.6	205	54.2	48.3-60.1	71	13.0	09.9-16.1	1	0.2	00.0-00.6
Less than \$15,000	53	6,922	10	13.6	03.6-23.6	5	8.6	00.0-18.0				7	8.4	01.7-15.1			
\$15,000- 24,999	90	12,746				3	1.1	00.0-02.5				17	9.1	04.2-14.0	2	3.4	00.0-08.5
\$25,000- 34,999	98	11,913	21	16.6	08.6-24.6	4	2.7	00.0-05.4				17	12.6	05.9-19.3			
\$35,000- 49,999	169	21,442	46	27.1	18.3-35.9	4	2.8	00.0-06.3	87	55.7	46.1-65.3	32	14.4	09.1-19.7			
\$50,000- 74,999	235	31,637	69	31.5	22.7-40.3	9	2.7	00.7-04.7	115	52.1	43.7-60.5	41	13.4	08.9-17.9	1	0.4	00.0-01.2
\$75,000+	405	56,937	119	31.0	25.3-36.7	16	3.3	01.5-05.1	205	52.0	45.9-58.1	65	13.7	10.2-17.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1386	130,221	343	27.1	23.8-30.4	22	1.2	00.6-01.8	913	65.7	62.4-69.0	93	5.4	04.2-06.6	15	0.7	00.3-01.1
Non-Native	1350	126,102	330	27.0	23.7-30.3	22	1.2	00.6-01.8	891	65.6	62.1-69.1	92	5.5	04.3-06.7	15	0.7	00.3-01.1
25-34	147	22,140	37	25.6	18.2-33.0				104	70.3	62.5-78.1	6	4.1	00.8-07.4			
35-44	226	22,748	60	28.2	21.9-34.5				157	67.9	61.4-74.4	9	3.8	01.3-06.3			
45-54	328	28,943	98	30.5	25.2-35.8	3	1.0	00.0-02.2	209	62.9	57.2-68.6	15	4.9	02.2-07.6	3	0.7	00.0-01.5
55-64	314	17,556	65	20.6	15.9-25.3	4	1.2	00.0-02.4	216	67.9	62.4-73.4	25	9.0	05.5-12.5	4	1.3	00.0-02.7
65+	317	17,337	63	20.6	15.9-25.3	15	6.1	03.0-09.2	195	59.0	53.1-64.9	37	12.3	08.4-16.2	7	2.1	00.3-03.9
H.S. or G.E.D.	336	30,138	78	24.3	17.8-30.8	9	2.6	00.8-04.4	219	66.8	59.9-73.7	24	5.3	02.9-07.7	6	1.0	00.2-01.8
Some Post-H.S.	471	45,749	119	28.8	22.5-35.1	8	1.0	00.2-01.8	317	65.5	59.2-71.8	22	3.9	01.9-05.9	5	0.8	00.0-01.6
College Graduate	535	50,722	135	26.4	21.7-31.1	5	0.6	00.0-01.2	352	66.4	61.3-71.5	41	6.3	04.1-08.5	2	0.3	00.0-00.7
Less than \$15,000	50	3,351				1	0.9	00.0-02.7				4	7.1	00.0-14.7	2	3.4	00.0-08.5
\$15,000- 24,999	162	12,290				4	2.3	00.0-04.8				11	5.3	00.8-09.8	3	1.1	00.0-02.3
\$25,000- 34,999	134	13,827				3	1.5	00.0-03.3				7	3.0	00.6-05.4			
\$35,000- 49,999	206	17,748	54	28.8	20.4-37.2	3	1.1	00.0-02.3	138	65.8	57.2-74.4	9	3.5	01.0-06.0	2	0.8	00.0-02.0
\$50,000- 74,999	244	25,804	57	24.5	17.8-31.2	5	1.3	00.1-02.5	166	69.0	61.9-76.1	16	5.2	02.3-08.1			
\$75,000+	420	41,516	118	28.9	23.8-34.0	3	0.6	00.0-01.4	261	62.7	57.4-68.0	35	7.3	04.8-09.8	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNC2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2494	280,402	1088	36.8	34.3-39.3	738	30.1	27.6-32.6	299	13.5	11.7-15.3	153	7.1	05.7-08.5	216	12.5	10.3-14.7
Male	1117	150,901	364	29.9	26.2-33.6	349	30.2	26.7-33.7	173	15.4	12.9-17.9	76	6.4	04.8-08.0	155	18.1	14.6-21.6
Female	1377	129,501	724	44.9	41.4-48.4	389	30.1	26.6-33.6	126	11.3	08.8-13.8	77	7.8	05.4-10.2	61	5.9	03.9-07.9
Non-Native	2419	269,278	1066	37.2	34.7-39.7	723	30.7	28.2-33.2	292	13.8	11.8-15.8	148	7.0	05.6-08.4	190	11.2	09.0-13.4
18-24	71	40,039							10	11.8	04.2-19.4	6	8.1	01.6-14.6			
25-34	271	54,026	63	21.2	16.1-26.3	83	30.9	24.8-37.0	44	17.0	12.1-21.9	30	10.0	06.3-13.7	51	21.0	15.5-26.5
35-44	412	49,867	115	26.7	22.2-31.2	126	30.9	26.2-35.6	76	18.5	14.4-22.6	36	7.8	05.3-10.3	59	16.1	12.0-20.2
45-54	568	56,889	217	36.2	32.1-40.3	188	33.3	29.2-37.4	74	14.3	11.2-17.4	45	8.2	05.7-10.7	44	7.9	05.5-10.3
55-64	593	41,168	275	45.4	41.1-49.7	184	31.5	27.4-35.6	73	12.5	09.8-15.2	27	4.5	02.7-06.3	34	6.3	04.1-08.5
65+	560	37,367	382	67.8	63.7-71.9	134	24.0	20.3-27.7	21	3.9	02.1-05.7	9	2.0	00.6-03.4	14	2.3	00.9-03.7
Less Than H.S.	100	11,980							11	9.3	02.8-15.8	10	8.6	01.9-15.3			
H.S. or G.E.D.	625	69,088	261	35.0	29.7-40.3	167	26.1	21.2-31.0	70	11.7	08.6-14.8	57	12.3	08.2-16.4	70	14.8	09.9-19.7
Some Post-H.S.	831	95,178	354	34.3	30.2-38.4	239	29.3	25.0-33.6	112	15.1	11.6-18.6	42	5.2	03.4-07.0	84	16.1	12.0-20.2
College Graduate	937	104,060	440	40.7	36.8-44.6	305	34.2	30.3-38.1	106	13.8	10.9-16.7	44	5.1	03.5-06.7	42	6.2	04.0-08.4
Less than \$15,000	98	9,711							11	8.8	02.9-14.7	8	6.2	00.9-11.5			
\$15,000- 24,999	252	24,561	132	40.2	31.4-49.0	52	21.7	12.1-31.3	29	15.0	08.7-21.3	15	5.5	02.4-08.6	24	17.5	09.1-25.9
\$25,000- 34,999	229	25,468				59	24.2	16.2-32.2	18	10.1	02.5-17.7	13	10.3	02.7-17.9	24	9.2	05.1-13.3
\$35,000- 49,999	379	39,541	166	37.9	31.6-44.2	110	30.5	24.0-37.0	43	11.5	07.4-15.6	25	7.6	04.1-11.1	35	12.5	08.0-17.0
\$50,000- 74,999	476	57,078	180	32.5	27.4-37.6	161	31.3	26.2-36.4	61	14.7	10.6-18.8	33	7.1	04.6-09.6	41	14.5	08.6-20.4
\$75,000+	814	96,278	308	31.7	28.2-35.2	274	34.2	30.1-38.3	119	16.3	13.2-19.4	52	7.1	04.9-09.3	61	10.9	07.6-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1117	150,901	364	29.9	26.2-33.6	349	30.2	26.7-33.7	173	15.4	12.9-17.9	76	6.4	04.8-08.0	155	18.1	14.6-21.6
Non-Native	1078	143,914	355	30.4	26.7-34.1	343	31.2	27.5-34.9	172	16.1	13.6-18.6	73	6.3	04.5-08.1	135	16.1	12.6-19.6
25-34	123	31,676	14	12.6	06.3-18.9	39	32.6	24.0-41.2	22	18.3	11.0-25.6	10	7.3	02.8-11.8	38	29.3	20.9-37.7
35-44	187	27,191	36	20.1	13.8-26.4	50	26.5	20.0-33.0	46	24.2	17.7-30.7	14	6.6	03.1-10.1	41	22.6	15.9-29.3
45-54	244	28,381	64	25.3	19.6-31.0	84	33.7	27.4-40.0	39	18.0	12.7-23.3	27	11.0	06.7-15.3	30	12.0	07.7-16.3
55-64	286	24,091	96	35.4	29.5-41.3	99	34.3	28.6-40.0	49	16.1	11.8-20.4	16	5.3	02.6-08.0	26	8.8	05.3-12.3
65+	242	19,973	140	59.9	53.4-66.4	68	26.7	21.0-32.4	15	5.9	03.0-08.8	8	3.6	01.1-06.1	11	3.9	01.5-06.3
Less Than H.S.	59	8,585							8	10.3	01.7-18.9	7	9.7	00.7-18.7			
H.S. or G.E.D.	290	39,134	90	28.8	21.5-36.1	82	26.9	20.0-33.8	38	13.0	08.3-17.7	33	10.9	06.4-15.4	47	20.4	12.6-28.2
Some Post-H.S.	365	49,905	116	26.5	21.0-32.0	110	29.7	23.6-35.8	59	14.5	10.6-18.4	16	4.2	01.8-06.6	64	25.1	18.2-32.0
College Graduate	403	53,276	141	32.9	27.4-38.4	144	35.3	29.4-41.2	68	18.8	14.3-23.3	20	4.7	02.5-06.9	30	8.2	05.1-11.3
\$15,000- 24,999	90	12,267							12	14.1	05.3-22.9	7	5.8	00.5-11.1			
\$25,000- 34,999	97	11,749							9	6.6	01.9-11.3	6	5.3	00.4-10.2	16	13.9	06.3-21.5
\$35,000- 49,999	172	21,651	57	30.2	21.4-39.0	47	27.1	18.3-35.9	25	13.1	07.4-18.8	16	10.5	04.4-16.6	27	19.0	11.4-26.6
\$50,000- 74,999	233	31,523	67	26.0	19.3-32.7	89	34.2	26.9-41.5	38	17.5	11.6-23.4	11	3.5	01.1-05.9	28	18.8	09.6-28.0
\$75,000+	398	55,010	114	24.7	20.0-29.4	134	32.5	26.8-38.2	77	20.2	15.5-24.9	27	7.3	04.4-10.2	46	15.4	10.1-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1377	129,501	724	44.9	41.4-48.4	389	30.1	26.6-33.6	126	11.3	08.8-13.8	77	7.8	05.4-10.2	61	5.9	03.9-07.9
Non-Native	1341	125,364	711	45.1	41.6-48.6	380	30.2	26.7-33.7	120	11.3	08.6-14.0	75	7.9	05.5-10.3	55	5.5	03.5-07.5
25-34	148	22,350	49	33.5	25.5-41.5	44	28.5	20.9-36.1	22	15.2	09.1-21.3	20	13.8	07.9-19.7	13	9.1	04.2-14.0
35-44	225	22,676	79	34.6	28.1-41.1	76	36.3	29.6-43.0	30	11.7	07.6-15.8	22	9.2	05.3-13.1	18	8.1	04.4-11.8
45-54	324	28,508	153	47.1	41.2-53.0	104	32.9	27.4-38.4	35	10.7	07.2-14.2	18	5.5	03.0-08.0	14	3.8	01.6-06.0
55-64	307	17,077	179	59.4	53.5-65.3	85	27.4	22.1-32.7	24	7.3	04.4-10.2	11	3.3	01.3-05.3	8	2.6	00.6-04.6
65+	318	17,394	242	76.8	71.9-81.7	66	20.8	15.9-25.7	6	1.6	00.2-03.0	1	0.2	00.0-00.6	3	0.5	00.0-01.1
H.S. or G.E.D.	335	29,953	171	43.1	35.5-50.7	85	25.1	18.4-31.8	32	10.0	06.1-13.9	24	14.1	06.7-21.5	23	7.6	04.3-10.9
Some Post-H.S.	466	45,273	238	42.9	36.8-49.0	129	28.9	22.8-35.0	53	15.7	09.8-21.6	26	6.4	03.7-09.1	20	6.1	02.4-09.8
College Graduate	534	50,783	299	48.9	43.4-54.4	161	33.1	27.6-38.6	38	8.5	05.4-11.6	24	5.5	03.1-07.9	12	4.0	01.3-06.7
\$15,000- 24,999	162	12,293							17	15.8	07.0-24.6	8	5.3	01.4-09.2	10	5.9	01.6-10.2
\$25,000- 34,999	132	13,719				30	16.5	09.1-23.9							8	5.1	01.2-09.0
\$35,000- 49,999	207	17,890	109	47.1	38.1-56.1	63	34.6	25.6-43.6	18	9.5	03.2-15.8	9	4.2	01.3-07.1	8	4.5	01.0-08.0
\$50,000- 74,999	243	25,556	113	40.4	32.8-48.0	72	27.8	20.9-34.7	23	11.2	05.1-17.3	22	11.6	06.7-16.5	13	9.1	03.4-14.8
\$75,000+	416	41,268	194	41.0	35.7-46.3	140	36.4	30.9-41.9	42	11.0	07.5-14.5	25	6.8	03.9-09.7	15	4.8	01.7-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2515	283,852	269	12.5	10.7-14.3	153	7.9	06.3-09.5	48	2.9	01.5-04.3	64	3.3	02.3-04.3	128	5.8	04.4-07.2	1853	67.5	64.8-70.2
Male	1130	153,734	133	12.5	10.0-15.0	93	9.4	07.0-11.8	30	4.1	01.7-06.5	34	3.4	01.8-05.0	93	9.0	06.6-11.4	747	61.7	57.8-65.6
Female	1385	130,118	136	12.6	10.1-15.1	60	6.1	03.9-08.3	18	1.6	00.6-02.6	30	3.3	01.9-04.7	35	2.1	01.3-02.9	1106	74.4	71.1-77.7
Non-Native	2439	273,093	256	12.3	10.5-14.1	144	7.5	05.9-09.1	45	3.0	01.6-04.4	60	3.3	02.3-04.3	120	5.7	04.3-07.1	1814	68.3	65.6-71.0
18-24	72	40,985	13	15.0	06.8-23.2	10	13.3	05.1-21.5	3	5.9	00.0-13.2	4	5.0	00.1-09.9	3	3.9	00.0-09.4			
25-34	271	54,691	42	14.7	10.4-19.0	33	12.8	08.3-17.3	8	4.4	00.7-08.1	17	5.7	02.8-08.6	19	8.3	04.6-12.0	152	54.1	47.4-60.8
35-44	408	48,980	62	15.6	11.9-19.3	27	6.2	03.8-08.6	11	2.5	00.9-04.1	16	4.1	02.1-06.1	27	7.4	04.5-10.3	265	64.2	59.3-69.1
45-54	573	58,099	77	14.0	10.9-17.1	34	5.8	03.8-07.8	13	2.4	01.0-03.8	12	1.9	00.7-03.1	36	6.2	04.0-08.4	401	69.8	65.7-73.9
55-64	605	42,014	54	9.4	06.9-11.9	35	6.1	03.9-08.3	11	1.8	00.6-03.0	12	2.3	00.9-03.7	31	5.7	03.5-07.9	462	74.7	71.0-78.4
65+	567	38,035	18	3.8	02.0-05.6	14	2.5	01.1-03.9	2	0.3	00.0-00.7	3	0.6	00.0-01.2	12	2.0	00.8-03.2	518	90.8	88.3-93.3
Less Than H.S.	102	13,145				10	8.9	01.5-16.3				2	1.3	00.0-03.3	10	9.5	01.7-17.3			
H.S. or G.E.D.	625	69,708	68	13.8	09.7-17.9	45	9.3	05.4-13.2	12	3.6	00.0-07.5	20	3.6	01.6-05.6	35	5.5	03.3-07.7	445	64.1	58.2-70.0
Some Post-H.S.	843	96,462	106	14.8	11.5-18.1	49	8.0	05.1-10.9	23	3.5	01.7-05.3	20	3.7	01.5-05.9	53	7.6	04.9-10.3	592	62.4	57.7-67.1
College Graduate	945	104,537	84	9.1	06.9-11.3	49	6.7	04.5-08.9	9	1.0	00.2-01.8	22	3.1	01.5-04.7	30	3.9	02.3-05.5	751	76.2	72.7-79.7
Less than \$15,000	96	9,226							2	1.8	00.0-04.3	1	0.7	00.0-02.1						
\$15,000- 24,999	252	24,668	21	11.4	04.5-18.3	10	5.1	01.2-09.0	6	3.5	00.0-07.6	6	4.5	00.2-08.8	11	5.1	01.2-09.0	198	70.5	61.5-79.5
\$25,000- 34,999	232	25,753	15	10.2	03.1-17.3	14	10.7	03.3-18.1	2	0.6	00.0-01.4	8	2.9	00.7-05.1	16	5.6	02.5-08.7	177	70.0	60.4-79.6
\$35,000- 49,999	376	39,134	41	11.4	06.9-15.9	28	9.9	05.6-14.2	11	3.3	01.1-05.5	7	2.2	00.4-04.0	15	5.2	02.1-08.3	274	68.0	61.5-74.5
\$50,000- 74,999	479	57,486	56	13.3	09.6-17.0	33	9.0	05.1-12.9	7	5.0	00.0-10.1	14	3.1	01.3-04.9	25	6.0	03.5-08.5	344	63.7	57.6-69.8
\$75,000+	818	97,696	106	13.6	10.9-16.3	49	7.0	04.5-09.5	18	2.0	01.0-03.0	26	4.8	02.4-07.2	43	6.8	04.1-09.5	576	65.9	61.6-70.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1130	153,734	133	12.5	10.0-15.0	93	9.4	07.0-11.8	30	4.1	01.7-06.5	34	3.4	01.8-05.0	93	9.0	06.6-11.4	747	61.7	57.8-65.6
Non-Native	1091	147,186	127	12.4	09.9-14.9	85	8.5	06.1-10.9	29	4.2	01.7-06.7	32	3.3	01.9-04.7	85	8.8	06.4-11.2	733	62.8	58.7-66.9
25-34	122	32,236	19	13.7	07.6-19.8	22	17.5	10.2-24.8	6	6.4	00.1-12.7	5	3.9	00.4-07.4	17	13.0	06.9-19.1	53	45.5	36.1-54.9
35-44	184	26,378	31	17.5	11.8-23.2	18	8.4	04.3-12.5	6	2.9	00.5-05.3	8	4.1	01.4-06.8	19	11.0	06.1-15.9	102	56.1	48.7-63.5
45-54	249	29,550	34	14.0	09.3-18.7	17	6.2	03.3-09.1	8	3.0	00.6-05.4	7	2.4	00.4-04.4	23	8.7	05.0-12.4	160	65.6	59.3-71.9
55-64	290	24,428	33	11.4	07.7-15.1	23	7.7	04.6-10.8	6	2.2	00.4-04.0	10	3.4	01.2-05.6	22	7.7	04.4-11.0	196	67.7	62.0-73.4
65+	249	20,608	12	5.1	02.2-08.0	9	3.3	01.1-05.5	2	0.6	00.0-01.6	2	0.8	00.0-02.0	9	3.3	01.1-05.5	215	86.8	82.5-91.1
Less Than H.S.	62	9,751	4	9.1	00.0-18.9	7	10.6	00.6-20.6				2	1.8	00.0-04.5	6	9.9	00.0-19.9			
H.S. or G.E.D.	291	39,704	30	11.9	06.8-17.0	24	8.6	03.5-13.7	7	5.3	00.0-12.2	9	3.3	00.6-06.0	23	7.4	03.7-11.1	198	63.5	55.1-71.9
Some Post-H.S.	371	50,803	63	17.6	12.5-22.7	29	9.8	05.7-13.9	13	3.8	01.3-06.3	12	4.7	01.2-08.2	40	12.5	07.4-17.6	214	51.6	44.9-58.3
College Graduate	406	53,476	36	8.7	05.8-11.6	33	9.3	05.8-12.8	6	1.6	00.2-03.0	11	2.5	00.9-04.1	24	6.7	03.8-09.6	296	71.2	65.9-76.5
\$15,000- 24,999	92	12,558				5	6.6	00.0-13.7	4	6.3	00.0-14.1	1	3.0	00.0-08.7	8	9.1	01.5-16.7			
\$25,000- 34,999	100	12,021				8	6.7	01.6-11.8				3	2.3	00.0-05.0	14	11.2	04.5-17.9			
\$35,000- 49,999	169	21,367	19	12.2	04.9-19.5	17	13.2	06.3-20.1	7	3.9	00.8-07.0	6	3.4	00.5-06.3	11	8.0	02.5-13.5	109	59.3	49.7-68.9
\$50,000- 74,999	235	31,749	29	13.5	08.2-18.8	23	10.4	05.3-15.5	4	6.8	00.0-15.4	8	2.4	00.6-04.2	16	7.5	03.6-11.4	155	59.3	50.5-68.1
\$75,000+	400	56,223	56	14.1	10.2-18.0	31	9.4	05.1-13.7	11	2.2	00.8-03.6	14	5.2	01.9-08.5	32	10.2	05.7-14.7	256	58.9	52.6-65.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1385	130,118	136	12.6	10.1-15.1	60	6.1	03.9-08.3	18	1.6	00.6-02.6	30	3.3	01.9-04.7	35	2.1	01.3-02.9	1106	74.4	71.1-77.7
Non-Native	1348	125,907	129	12.1	09.6-14.6	59	6.3	03.9-08.7	16	1.5	00.5-02.5	28	3.3	01.9-04.7	35	2.2	01.4-03.0	1081	74.6	71.1-78.1
25-34	149	22,455	23	16.2	09.9-22.5	11	5.9	02.2-09.6	2	1.6	00.0-03.8	12	8.4	03.7-13.1	2	1.6	00.0-03.8	99	66.4	58.4-74.4
35-44	224	22,603	31	13.4	08.9-17.9	9	3.7	01.3-06.1	5	2.0	00.0-04.0	8	4.1	01.4-06.8	8	3.2	00.8-05.6	163	73.5	67.6-79.4
45-54	324	28,549	43	14.0	09.9-18.1	17	5.3	02.8-07.8	5	1.7	00.1-03.3	5	1.3	00.1-02.5	13	3.6	01.6-05.6	241	74.0	68.9-79.1
55-64	315	17,586	21	6.6	03.7-09.5	12	4.0	01.6-06.4	5	1.2	00.0-02.4	2	0.9	00.0-02.1	9	2.9	00.7-05.1	266	84.4	80.1-88.7
65+	318	17,428	6	2.2	00.2-04.2	5	1.6	00.0-03.2				1	0.2	00.0-00.6	3	0.5	00.0-01.1	303	95.4	92.9-97.9
H.S. or G.E.D.	334	30,004	38	16.5	10.0-23.0	21	10.2	04.3-16.1	5	1.4	00.0-02.8	11	3.9	01.5-06.3	12	3.0	01.2-04.8	247	65.0	57.2-72.8
Some Post-H.S.	472	45,659	43	11.7	07.6-15.8	20	6.0	02.1-09.9	10	3.1	00.6-05.6	8	2.6	00.4-04.8	13	2.2	00.8-03.6	378	74.3	68.4-80.2
College Graduate	539	51,061	48	9.6	06.7-12.5	16	3.9	01.2-06.6	3	0.4	00.0-00.8	11	3.7	01.2-06.2	6	1.0	00.2-01.8	455	81.4	76.9-85.9
\$15,000- 24,999	160	12,110	12	10.5	03.1-17.9	5	3.5	00.2-06.8	2	0.5	00.0-01.3	5	6.1	00.0-12.4	3	0.9	00.0-01.9	133	78.5	68.7-88.3
\$25,000- 34,999	132	13,732	8	10.2	01.2-19.2				2	1.1	00.0-02.7	5	3.5	00.2-06.8	2	0.8	00.0-01.8			
\$35,000- 49,999	207	17,767	22	10.5	05.8-15.2	11	5.8	01.3-10.3	4	2.5	00.0-05.2	1	0.8	00.0-02.4	4	1.9	00.0-03.9	165	78.4	71.3-85.5
\$50,000- 74,999	244	25,738	27	13.0	07.9-18.1	10	7.2	01.3-13.1	3	2.8	00.0-06.9	6	3.9	00.6-07.2	9	4.0	01.3-06.7	189	69.2	61.2-77.2
\$75,000+	418	41,473	50	12.9	09.2-16.6	18	3.8	02.0-05.6	7	1.6	00.4-02.8	12	4.3	01.4-07.2	11	2.1	00.7-03.5	320	75.3	70.4-80.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2462	275,874	645	21.8	19.6-24.0	659	24.2	22.0-26.4	412	17.2	15.0-19.4	218	9.1	07.5-10.7	528	27.7	25.2-30.2
Male	1106	149,145	189	16.3	13.0-19.6	227	19.1	16.2-22.0	222	18.4	15.5-21.3	99	8.9	06.7-11.1	369	37.3	33.4-41.2
Female	1356	126,730	456	28.3	25.2-31.4	432	30.1	27.0-33.2	190	15.8	12.7-18.9	119	9.4	07.2-11.6	159	16.4	13.5-19.3
Non-Native	2388	265,241	629	22.0	19.6-24.4	644	24.4	22.2-26.6	408	17.7	15.5-19.9	210	9.1	07.5-10.7	497	26.9	24.4-29.4
18-24	68	38,491				12	17.0	07.8-26.2				8	9.6	02.7-16.5			
25-34	264	53,141	33	10.8	07.1-14.5	56	20.3	15.0-25.6	44	16.1	11.2-21.0	24	8.9	05.2-12.6	107	43.9	37.2-50.6
35-44	405	48,431	70	16.2	12.5-19.9	92	22.8	18.5-27.1	75	18.1	14.2-22.0	44	10.9	07.8-14.0	124	31.9	27.0-36.8
45-54	560	56,713	126	21.7	18.0-25.4	158	26.9	23.0-30.8	88	17.0	13.5-20.5	65	11.0	08.3-13.7	123	23.3	19.4-27.2
55-64	592	40,906	149	22.9	19.4-26.4	168	27.9	24.0-31.8	114	19.8	16.3-23.3	48	7.8	05.6-10.0	113	21.6	17.9-25.3
65+	555	37,228	246	42.7	38.2-47.2	169	30.6	26.5-34.7	78	14.7	11.6-17.8	27	5.2	03.2-07.2	35	6.9	04.5-09.3
Less Than H.S.	99	13,008				17	9.7	03.8-15.6	14	10.8	03.2-18.4	12	11.6	03.0-20.2			
H.S. or G.E.D.	616	67,159	161	21.4	17.1-25.7	144	21.7	17.0-26.4	109	16.4	12.7-20.1	60	12.1	08.0-16.2	142	28.3	23.0-33.6
Some Post-H.S.	815	92,991	209	20.1	16.8-23.4	214	23.0	19.5-26.5	129	16.9	12.8-21.0	57	6.0	04.2-07.8	206	34.1	29.4-38.8
College Graduate	932	102,717	250	23.1	19.8-26.4	284	28.6	25.1-32.1	160	18.8	15.3-22.3	89	9.7	07.5-11.9	149	19.8	16.5-23.1
Less than \$15,000	93	9,116	23	15.3	08.2-22.4				15	13.3	05.3-21.3	10	11.5	02.7-20.3			
\$15,000- 24,999	245	23,918	90	27.1	19.5-34.7	60	17.4	11.9-22.9	33	17.7	08.7-26.7	26	13.0	05.9-20.1	36	24.7	15.5-33.9
\$25,000- 34,999	225	24,692	81	30.6	21.4-39.8	53	22.8	14.0-31.6	30	14.0	06.4-21.6	17	9.8	03.9-15.7	44	22.9	14.1-31.7
\$35,000- 49,999	370	38,390	96	21.7	16.8-26.6	101	26.5	20.2-32.8	59	15.1	10.6-19.6	37	10.2	06.1-14.3	77	26.5	20.2-32.8
\$50,000- 74,999	470	54,500	106	19.3	15.2-23.4	138	28.1	23.2-33.0	80	14.7	11.2-18.2	33	7.7	04.8-10.6	113	30.2	24.9-35.5
\$75,000+	812	96,706	142	14.8	12.3-17.3	225	24.7	21.4-28.0	165	20.9	17.2-24.6	83	9.1	07.1-11.1	197	30.5	26.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1106	149,145	189	16.3	13.0-19.6	227	19.1	16.2-22.0	222	18.4	15.5-21.3	99	8.9	06.7-11.1	369	37.3	33.4-41.2
Non-Native	1068	142,681	183	16.6	13.3-19.9	222	19.2	16.3-22.1	221	19.1	16.0-22.2	97	9.0	06.8-11.2	345	36.1	32.2-40.0
25-34	122	32,049	5	4.7	00.6-08.8	21	18.0	10.7-25.3	16	14.0	07.3-20.7	10	8.0	03.1-12.9	70	55.4	46.0-64.8
35-44	182	25,926	17	10.5	05.6-15.4	25	14.5	09.0-20.0	37	19.6	13.5-25.7	22	12.3	07.4-17.2	81	43.2	35.8-50.6
45-54	242	28,743	35	14.8	10.1-19.5	55	21.8	16.3-27.3	43	19.8	14.1-25.5	26	10.5	06.4-14.6	83	33.1	26.8-39.4
55-64	282	23,628	43	15.6	10.9-20.3	58	21.2	16.1-26.3	68	23.5	18.4-28.6	22	7.6	04.5-10.7	91	32.2	26.5-37.9
65+	244	20,194	80	34.7	28.4-41.0	64	26.6	20.9-32.3	53	20.3	15.2-25.4	15	6.1	03.0-09.2	32	12.3	08.2-16.4
Less Than H.S.	60	9,656				8	6.7	01.0-12.4				4	4.9	00.0-10.6			
H.S. or G.E.D.	286	37,821	50	15.4	10.5-20.3	53	19.9	13.0-26.8	63	18.7	13.4-24.0	28	11.0	05.7-16.3	92	35.1	27.5-42.7
Some Post-H.S.	359	49,165	57	14.6	09.9-19.3	76	17.9	13.4-22.4	58	15.4	10.3-20.5	19	4.5	02.1-06.9	149	47.6	40.7-54.5
College Graduate	401	52,502	68	16.4	11.9-20.9	90	22.1	17.4-26.8	90	21.9	16.6-27.2	48	12.2	08.5-15.9	105	27.5	22.4-32.6
\$15,000- 24,999	91	12,516				19	11.8	05.5-18.1	14	12.9	04.1-21.7						
\$25,000- 34,999	95	11,532							17	15.0	06.2-23.8	8	8.8	01.9-15.7			
\$35,000- 49,999	168	21,005	30	15.9	09.4-22.4	32	17.5	09.7-25.3	32	16.6	10.3-22.9	16	11.6	04.9-18.3	58	38.4	28.8-48.0
\$50,000- 74,999	229	29,107	34	12.7	08.4-17.0	60	27.4	20.7-34.1	45	17.0	11.7-22.3	15	7.0	03.1-10.9	75	35.9	28.6-43.2
\$75,000+	397	55,810	46	10.1	07.0-13.2	77	17.3	13.2-21.4	92	22.2	16.9-27.5	40	9.0	06.1-11.9	142	41.3	35.0-47.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1356	126,730	456	28.3	25.2-31.4	432	30.1	27.0-33.2	190	15.8	12.7-18.9	119	9.4	07.2-11.6	159	16.4	13.5-19.3
Non-Native	1320	122,560	446	28.2	25.1-31.3	422	30.4	27.1-33.7	187	16.1	13.0-19.2	113	9.1	06.9-11.3	152	16.3	13.2-19.4
25-34	142	21,092	28	20.1	13.2-27.0	35	23.7	16.4-31.0	28	19.2	12.5-25.9	14	10.4	04.9-15.9	37	26.5	18.9-34.1
35-44	223	22,505	53	22.9	17.2-28.6	67	32.4	25.9-38.9	38	16.4	11.3-21.5	22	9.4	05.5-13.3	43	18.9	13.6-24.2
45-54	318	27,969	91	28.9	23.6-34.2	103	32.2	26.7-37.7	45	14.2	10.3-18.1	39	11.5	08.0-15.0	40	13.2	09.1-17.3
55-64	310	17,278	106	33.0	27.5-38.5	110	37.0	31.3-42.7	46	14.7	10.6-18.8	26	8.2	05.1-11.3	22	7.1	04.0-10.2
65+	311	17,033	166	52.1	46.2-58.0	105	35.3	29.6-41.0	25	8.0	04.9-11.1	12	4.0	01.6-06.4	3	0.5	00.0-01.1
H.S. or G.E.D.	330	29,338	111	29.2	21.9-36.5	91	24.1	17.8-30.4	46	13.6	08.7-18.5	32	13.6	07.1-20.1	50	19.5	13.2-25.8
Some Post-H.S.	456	43,826	152	26.2	21.3-31.1	138	28.8	23.3-34.3	71	18.5	12.2-24.8	38	7.6	04.9-10.3	57	18.9	13.0-24.8
College Graduate	531	50,214	182	30.1	25.4-34.8	194	35.5	30.4-40.6	70	15.5	11.0-20.0	41	7.1	04.7-09.5	44	11.8	07.7-15.9
\$15,000- 24,999	154	11,402				41	23.5	14.7-32.3				15	11.8	04.4-19.2	9	9.0	01.7-16.3
\$25,000- 34,999	130	13,160										9	10.6	01.4-19.8			
\$35,000- 49,999	202	17,384	66	28.7	21.4-36.0	69	37.4	28.0-46.8	27	13.2	06.5-19.9	21	8.6	04.5-12.7	19	12.1	06.0-18.2
\$50,000- 74,999	241	25,393	72	26.8	19.7-33.9	78	28.9	22.0-35.8	35	12.2	07.9-16.5	18	8.5	04.4-12.6	38	23.7	15.7-31.7
\$75,000+	415	40,896	96	21.2	16.9-25.5	148	34.9	29.6-40.2	73	19.1	14.4-23.8	43	9.2	06.5-11.9	55	15.6	11.1-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)	
1	MALES AND FEMALES	176
2	MALES ONLY	177
3	FEMALES ONLY	178
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)	
4	MALES AND FEMALES	179
5	MALES ONLY	180
6	FEMALES ONLY	181
	THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)	
7	MALES AND FEMALES	182
8	MALES ONLY	183
9	FEMALES ONLY	184
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)	
10	MALES AND FEMALES	185
11	MALES ONLY	186
12	FEMALES ONLY	187
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
13	MALES AND FEMALES	188
14	MALES ONLY	189
15	FEMALES ONLY	190

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4677	490,086	2340	44.5	42.3-46.7	2337	55.5	53.3-57.7
Male	1806	244,343	802	39.2	35.9-42.5	1004	60.8	57.5-64.1
Female	2871	245,743	1538	49.8	47.3-52.3	1333	50.2	47.7-52.7
Non-Native	4494	463,363	2269	45.1	42.9-47.3	2225	54.9	52.7-57.1
18-24	130	79,431	46	36.1	26.9-45.3	84	63.9	54.7-73.1
25-34	411	81,726	157	34.8	29.7-39.9	254	65.2	60.1-70.3
35-44	597	71,517	231	38.9	34.8-43.0	366	61.1	57.0-65.2
45-54	898	88,211	348	37.1	33.8-40.4	550	62.9	59.6-66.2
55-64	1078	71,796	554	50.6	47.3-53.9	524	49.4	46.1-52.7
65+	1517	94,965	981	66.4	63.9-68.9	536	33.6	31.1-36.1
Less Than H.S.	323	33,476	148	40.9	31.1-50.7	175	59.1	49.3-68.9
H.S. or G.E.D.	1383	149,928	649	39.3	35.2-43.4	734	60.7	56.6-64.8
Some Post-H.S.	1490	154,387	716	43.9	40.4-47.4	774	56.1	52.6-59.6
College Graduate	1474	151,751	824	51.1	48.0-54.2	650	48.9	45.8-52.0
Less than \$15,000	364	29,598	173	42.6	35.0-50.2	191	57.4	49.8-65.0
\$15,000- 24,999	639	54,576	311	45.6	39.7-51.5	328	54.4	48.5-60.3
\$25,000- 34,999	493	48,931	234	42.1	35.6-48.6	259	57.9	51.4-64.4
\$35,000- 49,999	684	69,678	354	46.1	40.8-51.4	330	53.9	48.6-59.2
\$50,000- 74,999	728	83,097	339	41.4	36.9-45.9	389	58.6	54.1-63.1
\$75,000+	1117	136,167	561	43.9	40.0-47.8	556	56.1	52.2-60.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	244,343	802	39.2	35.9-42.5	1004	60.8	57.5-64.1
Non-Native	1721	229,137	775	40.2	36.9-43.5	946	59.8	56.5-63.1
25-34	159	43,365	47	27.4	20.1-34.7	112	72.6	65.3-79.9
35-44	250	36,374	86	35.0	28.7-41.3	164	65.0	58.7-71.3
45-54	381	43,658	120	30.5	25.6-35.4	261	69.5	64.6-74.4
55-64	455	37,224	204	45.6	40.7-50.5	251	54.4	49.5-59.3
65+	496	40,513		67.3	63.0-71.6	170	32.7	28.4-37.0
H.S. or G.E.D.	513	77,450	203	33.4	26.7-40.1	310	66.6	59.9-73.3
Some Post-H.S.	557	72,547	237	38.9	33.4-44.4	320	61.1	55.6-66.6
College Graduate	593	73,880	300	45.3	40.6-50.0	293	54.7	50.0-59.4
\$15,000- 24,999	188	23,608	94	41.1	31.1-51.1			
\$35,000- 49,999	280	35,328	131	41.3	33.5-49.1	149	58.7	50.9-66.5
\$50,000- 74,999	343	44,105	155	39.5	33.0-46.0	188	60.5	54.0-67.0
\$75,000+	517	75,487	229	38.0	32.3-43.7	288	62.0	56.3-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2871	245,743	1538	49.8	47.3-52.3	1333	50.2	47.7-52.7
Non-Native	2773	234,226	1494	50.0	47.5-52.5	1279	50.0	47.5-52.5
25-34	252	38,362	110	43.1	36.6-49.6	142	56.9	50.4-63.4
35-44	347	35,144	145	43.0	37.5-48.5	202	57.0	51.5-62.5
45-54	517	44,553	228	43.6	39.1-48.1	289	56.4	51.9-60.9
55-64	623	34,571	350	56.1	52.0-60.2	273	43.9	39.8-48.0
65+	1021	54,452	655	65.8	62.7-68.9	366	34.2	31.1-37.3
Less Than H.S.	182	13,250	88	43.8	34.4-53.2	94	56.2	46.8-65.6
H.S. or G.E.D.	870	72,477	446	45.5	40.6-50.4	424	54.5	49.6-59.4
Some Post-H.S.	933	81,840	479	48.3	43.8-52.8	454	51.7	47.2-56.2
College Graduate	881	77,871	524	56.6	52.5-60.7	357	43.4	39.3-47.5
Less than \$15,000	245	14,544	129	52.5	44.1-60.9	116	47.5	39.1-55.9
\$15,000- 24,999	451	30,968	217	49.0	42.1-55.9	234	51.0	44.1-57.9
\$25,000- 34,999	302	27,098	159	44.5	35.9-53.1	143	55.5	46.9-64.1
\$35,000- 49,999	404	34,350	223	51.1	44.2-58.0	181	48.9	42.0-55.8
\$50,000- 74,999	385	38,993	184	43.6	37.5-49.7	201	56.4	50.3-62.5
\$75,000+	600	60,680	332	51.1	46.0-56.2	268	48.9	43.8-54.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2183	197,472	5	0.2	00.0-00.4	12	0.6	00.2-01.0	1607	73.8	71.4-76.2	122	7.2	05.4-09.0	11	0.4	00.2-00.6	426	17.8	15.8-19.8
Male	743	83,672	2	0.2	00.0-00.6	7	0.9	00.1-01.7	533	71.3	67.2-75.4	56	9.1	06.2-12.0	6	0.7	00.1-01.3	139	17.8	14.5-21.1
Female	1440	113,801	3	0.2	00.0-00.4	5	0.4	00.0-00.8	1074	75.7	72.8-78.6	66	5.7	03.7-07.7	5	0.2	00.0-00.4	287	17.9	15.5-20.3
Non-Native	2119	189,247	4	0.2	00.0-00.4	11	0.6	00.2-01.0	1563	73.6	71.1-76.1	119	7.3	05.5-09.1	11	0.4	00.2-00.6	411	17.9	15.9-19.9
25-34	140	24,742	1	0.5	00.0-01.5	1	0.8	00.0-02.4	108	76.3	68.5-84.1	15	12.6	06.3-18.9				15	9.8	04.5-15.1
35-44	215	25,678	1	0.4	00.0-01.2	1	0.4	00.0-01.2	158	72.5	66.2-78.8	14	7.0	03.3-10.7	2	1.1	00.0-02.7	39	18.6	13.1-24.1
45-54	333	31,207	1	0.4	00.0-01.2	4	1.2	00.0-02.4	241	73.1	68.0-78.2	20	6.4	03.5-09.3	3	0.7	00.0-01.5	64	18.3	13.8-22.8
55-64	523	34,430				3	0.7	00.0-01.5	395	75.3	71.4-79.2	26	5.5	03.1-07.9	2	0.2	00.0-00.6	97	18.3	14.8-21.8
65+	917	59,315	2	0.2	00.0-00.6	3	0.4	00.0-00.8	665	72.0	68.9-75.1	42	4.3	02.9-05.7	4	0.4	00.0-00.8	201	22.7	19.8-25.6
Less Than H.S.	130	10,430	2	1.2	00.0-03.2							7	3.6	00.9-06.3				36	28.3	18.3-38.3
H.S. or G.E.D.	597	52,066				6	1.2	00.2-02.2	444	74.1	68.8-79.4	36	8.7	04.6-12.8	4	0.4	00.0-00.8	107	15.6	11.7-19.5
Some Post-H.S.	678	62,721	1	0.2	00.0-00.6	3	0.4	00.0-00.8	500	72.1	67.4-76.8	39	8.6	05.1-12.1	4	0.5	00.0-01.1	131	18.2	14.5-21.9
College Graduate	775	71,973	2	0.3	00.0-00.7	3	0.4	00.0-00.8	575	75.9	72.6-79.2	40	5.3	03.5-07.1	3	0.4	00.0-00.8	152	17.7	14.8-20.6
Less than \$15,000	152	10,389	2	1.5	00.0-03.9							7	5.1	00.4-09.8	3	1.5	00.0-03.3			
\$15,000- 24,999	292	23,819				4	1.5	00.0-03.1	218	77.0	70.1-83.9	13	4.5	00.8-08.2	3	0.5	00.0-01.1	54	16.5	10.6-22.4
\$25,000- 34,999	225	18,858							164	73.9	66.5-81.3	10	6.2	01.3-11.1				51	19.9	13.8-26.0
\$35,000- 49,999	336	29,002	2	0.6	00.0-01.4	3	1.2	00.0-02.8	252	73.4	66.9-79.9	19	7.9	03.0-12.8				60	16.8	11.9-21.7
\$50,000- 74,999	319	31,854				4	1.1	00.1-02.1	215	69.1	63.0-75.2	21	8.5	03.6-13.4	2	0.6	00.0-01.4	77	20.7	16.0-25.4
\$75,000+	538	57,143	1	0.2	00.0-00.6				413	75.9	71.6-80.2	35	7.8	05.1-10.5	2	0.5	00.0-01.3	87	15.5	12.0-19.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	743	83,672	2	0.2	00.0-00.6	7	0.9	00.1-01.7	533	71.3	67.2-75.4	56	9.1	06.2-12.0	6	0.7	00.1-01.3	139	17.8	14.5-21.1
Non-Native	719	80,168	2	0.3	00.0-00.7	6	0.8	00.0-01.6	518	71.2	66.9-75.5	56	9.5	06.4-12.6	6	0.7	00.1-01.3	131	17.5	14.2-20.8
35-44	78	11,435				1	0.9	00.0-02.7				8	10.4	03.3-17.5	2	2.5	00.0-06.0	11	15.2	06.6-23.8
45-54	111	12,326				1	0.9	00.0-02.7	81	73.4	64.4-82.4	9	7.9	02.6-13.2	2	1.4	00.0-03.4	18	16.5	08.7-24.3
55-64	193	16,129				2	1.0	00.0-02.4	146	75.8	69.5-82.1	16	8.5	04.2-12.8				29	14.6	09.5-19.7
65+	310	26,155	1	0.3	00.0-00.9	2	0.6	00.0-01.4	218	69.7	64.4-75.0	14	4.0	01.8-06.2	2	0.5	00.0-01.3	73	24.9	19.8-30.0
Less Than H.S.	53	5,663										2	1.7	00.0-04.1						
H.S. or G.E.D.	186	22,512				5	2.4	00.0-04.8				15	13.3	04.9-21.7	1	0.2	00.0-00.6	31	14.2	07.9-20.5
Some Post-H.S.	223	25,152	1	0.5	00.0-01.5	1	0.3	00.0-00.9	159	69.9	62.3-77.5	20	9.9	05.0-14.8	2	1.0	00.0-02.4	40	18.3	11.8-24.8
College Graduate	279	30,105	1	0.3	00.0-00.9	1	0.4	00.0-01.2	203	73.9	68.4-79.4	19	6.8	03.7-09.9	3	0.9	00.0-02.1	52	17.7	13.0-22.4
\$15,000- 24,999	88	9,365				2	2.0	00.0-04.7				3	5.5	00.0-13.3	1	0.6	00.0-01.8			
\$25,000- 34,999	71	7,559										4	6.6	00.0-14.0				15	18.0	08.0-28.0
\$35,000- 49,999	125	13,218	1	0.6	00.0-01.8	3	2.7	00.0-06.0				8	7.5	00.2-14.8				25	19.4	10.6-28.2
\$50,000- 74,999	146	15,898				2	1.2	00.0-03.0	102	70.6	62.8-78.4	13	8.4	03.7-13.1	2	1.2	00.0-03.0	27	18.5	11.6-25.4
\$75,000+	214	26,813							159	73.3	65.9-80.7	21	11.2	05.9-16.5	2	1.1	00.0-02.7	32	14.3	08.8-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1440	113,801	3	0.2	00.0-00.4	5	0.4	00.0-00.8	1074	75.7	72.8-78.6	66	5.7	03.7-07.7	5	0.2	00.0-00.4	287	17.9	15.5-20.3
Non-Native	1400	109,079	2	0.2	00.0-00.4	5	0.4	00.0-00.8	1045	75.3	72.4-78.2	63	5.7	03.7-07.7	5	0.2	00.0-00.4	280	18.2	15.7-20.7
25-34	103	15,603							85	84.3	77.2-91.4	8	8.1	02.6-13.6				10	7.6	02.9-12.3
35-44	137	14,242	1	0.7	00.0-02.1				102	73.7	66.1-81.3	6	4.3	01.0-07.6				28	21.3	14.0-28.6
45-54	222	18,881	1	0.7	00.0-02.1	3	1.3	00.0-02.9	160	72.9	66.8-79.0	11	5.5	02.4-08.6	1	0.2	00.0-00.6	46	19.4	14.1-24.7
55-64	330	18,302				1	0.3	00.0-00.9	249	74.9	69.8-80.0	10	2.9	00.9-04.9	2	0.4	00.0-01.0	68	21.5	16.6-26.4
65+	607	33,160	1	0.1	00.0-00.3	1	0.3	00.0-00.9	447	73.9	70.2-77.6	28	4.5	02.7-06.3	2	0.3	00.0-00.7	128	20.9	17.4-24.4
Less Than H.S.	77	4,767	2	2.7	00.0-06.8							5	5.9	00.6-11.2						
H.S. or G.E.D.	411	29,554				1	0.3	00.0-00.9	310	77.3	71.8-82.8	21	5.3	02.4-08.2	3	0.5	00.0-01.1	76	16.6	11.9-21.3
Some Post-H.S.	455	37,569				2	0.5	00.0-01.1	341	73.6	67.5-79.7	19	7.6	02.9-12.3	2	0.2	00.0-00.4	91	18.1	13.6-22.6
College Graduate	496	41,868	1	0.3	00.0-00.9	2	0.3	00.0-00.7	372	77.4	73.3-81.5	21	4.2	02.2-06.2				100	17.7	14.2-21.2
Less than \$15,000	112	6,247	1	0.5	00.0-01.5							5	4.3	00.2-08.4	2	1.7	00.0-04.1			
\$15,000- 24,999	204	14,454				2	1.2	00.0-03.0	153	82.0	75.9-88.1	10	3.8	00.7-06.9	2	0.5	00.0-01.3	37	12.6	07.9-17.3
\$25,000- 34,999	154	11,299							112	72.9	63.5-82.3	6	5.9	00.0-12.2				36	21.2	13.6-28.8
\$35,000- 49,999	211	15,784	1	0.6	00.0-01.8				164	76.4	68.6-84.2	11	8.2	01.3-15.1				35	14.7	09.4-20.0
\$50,000- 74,999	173	15,956				2	0.9	00.0-02.1	113	67.7	58.5-76.9	8	8.6	00.0-17.2				50	22.8	16.1-29.5
\$75,000+	324	30,330	1	0.4	00.0-01.2				254	78.2	73.1-83.3	14	4.8	02.3-07.3				55	16.6	12.1-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 7. THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4680	489,834	66	2.1	01.5-02.7	4614	97.9	97.3-98.5	
Male	1806	244,527	26	2.0	01.2-02.8	1780	98.0	97.2-98.8	
Female	2874	245,307	40	2.3	01.3-03.3	2834	97.7	96.7-98.7	
Native	105	16,358	2	2.0	00.0-05.1	103	98.0	94.9-0100	
Non-Native	4499	463,772	64	2.2	01.6-02.8	4435	97.8	97.2-98.4	
18-24	128	78,648	6	3.4	00.7-06.1	122	96.6	93.9-99.3	
25-34	412	81,928	17	4.0	02.0-06.0	395	96.0	94.0-98.0	
35-44	598	71,578	25	4.6	02.8-06.4	573	95.4	93.6-97.2	
45-54	898	88,295	9	0.8	00.2-01.4	889	99.2	98.6-99.8	
55-64	1079	71,800	3	0.2	00.0-00.6	1076	99.8	99.4-0100	
65+	1519	95,145	6	0.4	00.0-00.8	1513	99.6	99.2-0100	
Less Than H.S.	320	33,047	3	1.1	00.0-02.7	317	98.9	97.3-0100	
H.S. or G.E.D.	1381	149,368	12	1.3	00.3-02.3	1369	98.7	97.7-99.7	
Some Post-H.S.	1494	154,712	19	2.1	00.9-03.3	1475	97.9	96.7-99.1	
College Graduate	1478	152,163	32	3.1	01.7-04.5	1446	96.9	95.5-98.3	
Less than \$15,000	362	29,295	6	2.2	00.0-04.4	356	97.8	95.6-0100	
\$15,000- 24,999	640	54,707	5	0.9	00.0-01.9	635	99.1	98.1-0100	
\$25,000- 34,999	494	49,039	7	2.9	00.4-05.4	487	97.1	94.6-99.6	
\$35,000- 49,999	682	69,105	9	2.5	00.5-04.5	673	97.5	95.5-99.5	
\$50,000- 74,999	730	83,362	13	2.0	00.8-03.2	717	98.0	96.8-99.2	
\$75,000+	1119	136,238	22	2.8	01.4-04.2	1097	97.2	95.8-98.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 8: THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	244,527	26	2.0	01.2-02.8	1780	98.0	97.2-98.8
Non-Native	1721	229,199	26	2.1	01.1-03.1	1695	97.9	96.9-98.9
18-24	57	42,683	1	1.1	00.0-03.3	56	98.9	96.7-0100
25-34	159	43,427	9	4.7	01.6-07.8	150	95.3	92.2-98.4
35-44	250	36,338	12	5.5	02.4-08.6	238	94.5	91.4-97.6
45-54	382	43,825				382	100.0	0100-0100
55-64	455	37,182	1	0.2	00.0-00.6	454	99.8	99.4-0100
65+	495	40,546	3	0.6	00.0-01.4	492	99.4	98.6-0100
Less Than H.S.	138	20,015	1	0.3	00.0-00.9	137	99.7	99.1-0100
H.S. or G.E.D.	512	77,368	7	2.0	00.2-03.8	505	98.0	96.2-99.8
Some Post-H.S.	559	72,740	9	1.9	00.5-03.3	550	98.1	96.7-99.5
College Graduate	595	74,165	9	2.5	00.9-04.1	586	97.5	95.9-99.1
Less than \$15,000	118	15,011	1	0.3	00.0-00.9	117	99.7	99.1-0100
\$15,000- 24,999	188	23,608	2	1.5	00.0-03.7	186	98.5	96.3-0100
\$25,000- 34,999	192	21,941	1	0.5	00.0-01.5	191	99.5	98.5-0100
\$35,000- 49,999	279	35,276	6	4.2	00.7-07.7	273	95.8	92.3-99.3
\$50,000- 74,999	344	44,271	4	1.1	00.0-02.3	340	98.9	97.7-0100
\$75,000+	518	75,512	10	2.8	01.0-04.6	508	97.2	95.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 9: THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2874	245,307	40	2.3	01.3-03.3	2834	97.7	96.7-98.7	
Native	58	7,650	2	4.4	00.0-11.3	56	95.6	88.7-0100	
Non-Native	2778	234,573	38	2.2	01.2-03.2	2740	97.8	96.8-98.8	
18-24	71	35,965	5	6.0	00.7-11.3	66	94.0	88.7-99.3	
25-34	253	38,502	8	3.2	01.0-05.4	245	96.8	94.6-99.0	
35-44	348	35,241	13	3.7	01.7-05.7	335	96.3	94.3-98.3	
45-54	516	44,470	9	1.6	00.4-02.8	507	98.4	97.2-99.6	
55-64	624	34,618	2	0.3	00.0-00.7	622	99.7	99.3-0100	
65+	1024	54,599	3	0.2	00.0-00.4	1021	99.8	99.6-0100	
Less Than H.S.	182	13,032	2	2.3	00.0-06.2	180	97.7	93.8-0100	
H.S. or G.E.D.	869	72,000	5	0.6	00.0-01.2	864	99.4	98.8-0100	
Some Post-H.S.	935	81,972	10	2.3	00.3-04.3	925	97.7	95.7-99.7	
College Graduate	883	77,999	23	3.8	01.8-05.8	860	96.2	94.2-98.2	
Less than \$15,000	244	14,283	5	4.1	00.0-08.2	239	95.9	91.8-0100	
\$15,000- 24,999	452	31,098	3	0.4	00.0-00.8	449	99.6	99.2-0100	
\$25,000- 34,999	302	27,098	6	4.8	00.3-09.3	296	95.2	90.7-99.7	
\$35,000- 49,999	403	33,828	3	0.7	00.0-01.5	400	99.3	98.5-0100	
\$50,000- 74,999	386	39,090	9	3.0	00.8-05.2	377	97.0	94.8-99.2	
\$75,000+	601	60,726	12	2.8	00.8-04.8	589	97.2	95.2-99.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 10: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		May-Aug 2009			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	56	8,857	2	3.8	00.0-09.5	1	2.8	00.0-08.3	5	6.6	00.5-12.7
Non-Native	54	8,523	2	3.9	00.0-09.8	1	2.9	00.0-08.6	5	6.8	00.5-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION

TABLE 11: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION

TABLE 12: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 13: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4295	429,954	1560	28.6	26.8-30.4	2735	71.4	69.6-73.2	
Male	1595	208,443	536	27.4	24.3-30.5	1059	72.6	69.5-75.7	
Female	2700	221,510	1024	29.7	27.5-31.9	1676	70.3	68.1-72.5	
Non-Native	4135	409,236	1499	28.5	26.5-30.5	2636	71.5	69.5-73.5	
18-24	100	61,587	18	19.0	10.2-27.8	82	81.0	72.2-89.8	
25-34	324	64,694	43	12.3	08.6-16.0	281	87.7	84.0-91.4	
35-44	514	60,875	60	12.5	09.2-15.8	454	87.5	84.2-90.8	
45-54	834	81,699	128	15.0	12.3-17.7	706	85.0	82.3-87.7	
55-64	1019	67,630	271	26.6	23.7-29.5	748	73.4	70.5-76.3	
65+	1462	91,258	1024	70.9	68.4-73.4	438	29.1	26.6-31.6	
H.S. or G.E.D.	1284	130,841	529	30.3	26.8-33.8	755	69.7	66.2-73.2	
Some Post-H.S.	1369	135,438	484	26.8	23.9-29.7	885	73.2	70.3-76.1	
College Graduate	1335	132,769	389	24.1	21.4-26.8	946	75.9	73.2-78.6	
Less than \$15,000	336	25,301	172	40.0	32.6-47.4	164	60.0	52.6-67.4	
\$15,000- 24,999	598	47,590	313	42.2	36.5-47.9	285	57.8	52.1-63.5	
\$25,000- 34,999	439	42,821	182	31.5	25.8-37.2	257	68.5	62.8-74.2	
\$35,000- 49,999	642	63,026	225	28.1	23.8-32.4	417	71.9	67.6-76.2	
\$50,000- 74,999	657	70,953	172	21.7	18.2-25.2	485	78.3	74.8-81.8	
\$75,000+	1028	123,477	226	19.8	16.5-23.1	802	80.2	76.9-83.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 14: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1595	208,443	536	27.4	24.3-30.5	1059	72.6	69.5-75.7
Non-Native	1524	197,248	511	27.0	23.9-30.1	1013	73.0	69.9-76.1
25-34	115	32,205	17	12.7	06.6-18.8	98	87.3	81.2-93.4
35-44	211	30,228	25	12.8	07.3-18.3	186	87.2	81.7-92.7
45-54	338	38,803	58	17.1	12.6-21.6	280	82.9	78.4-87.4
55-64	416	34,046	109	27.0	22.3-31.7	307	73.0	68.3-77.7
65+	463	37,986	318	69.9	65.6-74.2	145	30.1	25.8-34.4
H.S. or G.E.D.	449	63,267	158	25.5	20.2-30.8	291	74.5	69.2-79.8
Some Post-H.S.	498	63,199	162	25.6	21.1-30.1	336	74.4	69.9-78.9
College Graduate	517	63,143	151	24.0	20.1-27.9	366	76.0	72.1-79.9
\$25,000- 34,999	162	18,861	61	27.5	19.5-35.5	101	72.5	64.5-80.5
\$35,000- 49,999	254	30,995	99	30.2	23.5-36.9	155	69.8	63.1-76.5
\$50,000- 74,999	305	37,235	94	24.7	19.4-30.0	211	75.3	70.0-80.6
\$75,000+	467	68,052	101	19.8	14.9-24.7	366	80.2	75.3-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 15: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2700	221,510	1024	29.7	27.5-31.9	1676	70.3	68.1-72.5	
Non-Native	2611	211,989	988	29.9	27.7-32.1	1623	70.1	67.9-72.3	
25-34	209	32,489	26	11.8	07.3-16.3	183	88.2	83.7-92.7	
35-44	303	30,647	35	12.2	08.3-16.1	268	87.8	83.9-91.7	
45-54	496	42,896	70	13.1	10.0-16.2	426	86.9	83.8-90.0	
55-64	603	33,584	162	26.2	22.5-29.9	441	73.8	70.1-77.5	
65+	999	53,272	706	71.6	68.7-74.5	293	28.4	25.5-31.3	
Less Than H.S.	172	11,827	92	44.5	35.3-53.7	80	55.5	46.3-64.7	
H.S. or G.E.D.	835	67,574	371	34.8	30.5-39.1	464	65.2	60.9-69.5	
Some Post-H.S.	871	72,239	322	27.9	24.4-31.4	549	72.1	68.6-75.6	
College Graduate	818	69,626	238	24.2	20.5-27.9	580	75.8	72.1-79.5	
Less than \$15,000	235	13,717	131	47.2	38.8-55.6	104	52.8	44.4-61.2	
\$15,000- 24,999	434	28,540	229	42.2	36.3-48.1	205	57.8	51.9-63.7	
\$25,000- 34,999	277	23,961	121	34.6	26.8-42.4	156	65.4	57.6-73.2	
\$35,000- 49,999	388	32,031	126	26.1	20.6-31.6	262	73.9	68.4-79.4	
\$50,000- 74,999	352	33,718	78	18.3	13.4-23.2	274	81.7	76.8-86.6	
\$75,000+	561	55,424	125	19.7	15.8-23.6	436	80.3	76.4-84.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 15: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	192
2	MALES ONLY	193
3	FEMALES ONLY	194
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	195
5	MALES ONLY	196
6	FEMALES ONLY	197

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 1: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3525	256,490	343	9.3	08.3-10.3	127	4.2	03.4-05.0	45	1.2	00.8-01.6	17	0.5	00.3-00.7	40	1.3	00.9-01.7	2953	83.5	82.1-84.9
Male	1336	121,670	116	8.1	06.5-09.7	75	6.1	04.7-07.5	20	1.3	00.7-01.9	5	0.4	00.0-00.8	20	1.7	00.9-02.5	1100	82.3	80.1-84.5
Female	2189	134,820	227	10.5	09.1-11.9	52	2.4	01.6-03.2	25	1.1	00.7-01.5	12	0.6	00.2-01.0	20	0.9	00.5-01.3	1853	84.6	83.0-86.2
Native	59	5,547	6	9.2	01.2-17.2	5	6.0	00.7-11.3	1	1.5	00.0-04.4	1	1.6	00.0-04.7	3	5.8	00.0-12.3			
Non-Native	3401	246,226	333	9.4	08.4-10.4	117	4.1	03.3-04.9	44	1.2	00.8-01.6	15	0.5	00.3-00.7	35	1.1	00.7-01.5	2857	83.7	82.3-85.1
45-54	891	87,803	104	10.6	08.4-12.8	41	5.1	03.5-06.7	9	0.8	00.2-01.4	4	0.5	00.0-01.1	13	1.4	00.6-02.2	720	81.8	79.1-84.5
55-64	1071	71,354	107	9.3	07.5-11.1	35	4.1	02.7-05.5	14	1.2	00.6-01.8	5	0.4	00.0-00.8	12	1.5	00.5-02.5	898	83.5	81.0-86.0
65+	1517	94,955	129	8.3	06.7-09.9	50	3.5	02.5-04.5	22	1.7	00.9-02.5	8	0.6	00.2-01.0	15	1.0	00.4-01.6	1293	84.9	82.9-86.9
Less Than H.S.	274	18,559	21	7.4	04.1-10.7	9	4.3	01.0-07.6	8	3.3	00.8-05.8	3	0.9	00.0-01.9	3	1.0	00.0-02.4	230	83.1	78.0-88.2
H.S. or G.E.D.	1113	78,388	102	8.9	07.1-10.7	41	4.3	02.9-05.7	14	1.4	00.6-02.2	6	0.5	00.1-00.9	16	1.6	00.8-02.4	934	83.3	80.8-85.8
Some Post-H.S.	1129	83,324	112	9.5	07.5-11.5	40	4.0	02.6-05.4	13	0.9	00.3-01.5	6	0.7	00.1-01.3	13	1.4	00.6-02.2	945	83.6	81.2-86.0
College Graduate	1003	75,773	108	10.2	08.2-12.2	36	4.2	02.8-05.6	9	0.8	00.2-01.4	2	0.2	00.0-00.6	8	0.9	00.3-01.5	840	83.7	81.2-86.2
Less than \$15,000	301	16,506	30	7.5	04.8-10.2	15	5.8	02.5-09.1	12	4.6	02.1-07.1	2	0.6	00.0-01.4	11	3.7	01.3-06.1	231	77.8	72.5-83.1
\$15,000- 24,999	537	32,024	55	9.1	06.6-11.6	24	5.5	03.1-07.9	8	1.5	00.3-02.7	4	0.9	00.1-01.7	10	2.5	00.9-04.1	436	80.5	76.8-84.2
\$25,000- 34,999	387	26,466	39	10.6	07.1-14.1	15	3.8	01.8-05.8	6	1.6	00.2-03.0	4	0.9	00.0-01.9	8	2.9	00.9-04.9	315	80.1	75.6-84.6
\$35,000- 49,999	525	37,336	63	11.6	08.7-14.5	21	4.5	02.5-06.5	6	0.9	00.1-01.7	2	0.5	00.0-01.3	3	1.0	00.0-02.2	430	81.4	77.7-85.1
\$50,000- 74,999	494	40,856	57	11.3	08.4-14.2	20	4.9	02.7-07.1	4	0.9	00.0-01.9	2	0.4	00.0-01.0	4	1.3	00.0-02.7	407	81.2	77.3-85.1
\$75,000+	730	66,312	57	7.5	05.5-09.5	22	3.7	02.1-05.3	3	0.4	00.0-01.0	1	0.3	00.0-00.9	1	0.1	00.0-00.3	646	87.9	85.4-90.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 2: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1336	121,670	116	8.1	06.5-09.7	75	6.1	04.7-07.5	20	1.3	00.7-01.9	5	0.4	00.0-00.8	20	1.7	00.9-02.5	1100	82.3	80.1-84.5
Non-Native	1275	115,881	113	8.3	06.7-09.9	68	6.1	04.5-07.7	19	1.3	00.7-01.9	5	0.4	00.0-00.8	16	1.4	00.6-02.2	1054	82.4	80.0-84.8
45-54	379	43,602	39	8.7	06.0-11.4	28	7.6	04.7-10.5	3	0.6	00.0-01.2	2	0.6	00.0-01.6	8	1.9	00.5-03.3	299	80.6	76.5-84.7
55-64	453	37,014	41	8.9	06.2-11.6	25	6.3	03.8-08.8	7	1.3	00.3-02.3	2	0.3	00.0-00.9	6	1.9	00.3-03.5	372	81.3	77.4-85.2
65+	496	40,527	35	6.7	04.3-09.1	22	4.6	02.6-06.6	10	2.1	00.7-03.5	1	0.3	00.0-00.9	6	1.4	00.2-02.6	422	85.0	81.7-88.3
Less Than H.S.	115	9,656	6	4.2	00.7-07.7	6	6.1	00.6-11.6	5	4.3	00.2-08.4	2	1.0	00.0-02.4	1	1.3	00.0-03.8	95	83.1	75.5-90.7
H.S. or G.E.D.	388	35,167	39	9.5	06.6-12.4	22	6.3	03.4-09.2	7	1.8	00.4-03.2				6	1.9	00.3-03.5	314	80.6	76.3-84.9
Some Post-H.S.	408	37,373	34	7.7	05.0-10.4	23	5.9	03.4-08.4	3	0.5	00.0-01.1	3	1.1	00.0-02.5	10	2.6	00.8-04.4	335	82.2	78.1-86.3
College Graduate	423	39,235	37	8.2	05.5-10.9	24	6.2	03.7-08.7	5	1.0	00.2-01.8				3	0.8	00.0-01.8	354	83.8	80.1-87.5
Less than \$15,000	89	6,535	6	4.7	00.8-08.6	7	8.1	01.2-15.0	6	6.1	01.0-11.2				1	1.3	00.0-03.8	69	79.7	70.5-88.9
\$15,000- 24,999	156	12,427	9	4.2	01.3-07.1	14	10.2	04.7-15.7	3	1.6	00.0-03.6				6	4.6	00.9-08.3	124	79.4	72.3-86.5
\$25,000- 34,999	154	12,586	16	9.1	04.4-13.8	7	4.5	01.2-07.8	3	1.7	00.0-03.7	2	0.8	00.0-02.0	7	5.4	01.5-09.3	119	78.5	71.6-85.4
\$35,000- 49,999	208	17,942	24	10.1	06.0-14.2	12	5.8	02.5-09.1	2	0.9	00.0-02.3	1	0.6	00.0-01.8	2	1.4	00.0-03.4	167	81.2	75.7-86.7
\$50,000- 74,999	250	23,621	23	9.7	05.6-13.8	14	6.7	03.2-10.2	3	1.2	00.0-02.6	1	0.4	00.0-01.2	3	1.9	00.0-04.1	206	80.2	74.7-85.7
\$75,000+	351	36,769	26	7.1	04.4-09.8	18	5.6	03.1-08.1	1	0.4	00.0-01.2	1	0.6	00.0-01.8	1	0.1	00.0-00.3	304	86.2	82.3-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 3: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2189	134,820	227	10.5	09.1-11.9	52	2.4	01.6-03.2	25	1.1	00.7-01.5	12	0.6	00.2-01.0	20	0.9	00.5-01.3	1853	84.6	83.0-86.2
Non-Native	2126	130,346	220	10.4	09.0-11.8	49	2.3	01.5-03.1	25	1.2	00.8-01.6	10	0.5	00.1-00.9	19	0.8	00.4-01.2	1803	84.8	83.0-86.6
45-54	512	44,201	65	12.4	09.5-15.3	13	2.6	01.0-04.2	6	0.9	00.1-01.7	2	0.3	00.0-00.7	5	0.8	00.0-01.6	421	82.9	79.4-86.4
55-64	618	34,340	66	9.8	07.4-12.2	10	1.7	00.5-02.9	7	1.1	00.3-01.9	3	0.5	00.0-01.1	6	1.1	00.1-02.1	526	85.8	82.9-88.7
65+	1021	54,427	94	9.6	07.6-11.6	28	2.6	01.6-03.6	12	1.3	00.5-02.1	7	0.9	00.3-01.5	9	0.8	00.2-01.4	871	84.8	82.4-87.2
Less Than H.S.	159	8,903	15	10.9	05.2-16.6	3	2.4	00.0-05.5	3	2.1	00.0-04.6	1	0.7	00.0-02.1	2	0.7	00.0-01.7	135	83.2	76.5-89.9
H.S. or G.E.D.	725	43,221	63	8.4	06.2-10.6	19	2.6	01.4-03.8	7	1.1	00.3-01.9	6	0.9	00.1-01.7	10	1.5	00.5-02.5	620	85.6	82.9-88.3
Some Post-H.S.	721	45,951	78	10.9	08.4-13.4	17	2.4	01.2-03.6	10	1.3	00.5-02.1	3	0.3	00.0-00.7	3	0.3	00.0-00.7	610	84.8	81.9-87.7
College Graduate	580	36,537	71	12.4	09.5-15.3	12	1.9	00.7-03.1	4	0.6	00.0-01.2	2	0.5	00.0-01.3	5	0.9	00.1-01.7	486	83.7	80.4-87.0
Less than \$15,000	212	9,971	24	9.2	05.5-12.9	8	4.2	00.9-07.5	6	3.6	00.7-06.5	2	1.0	00.0-02.4	10	5.4	01.9-08.9	162	76.6	70.3-82.9
\$15,000- 24,999	381	19,596	46	12.2	08.7-15.7	10	2.5	00.9-04.1	5	1.5	00.1-02.9	4	1.4	00.0-02.8	4	1.1	00.0-02.3	312	81.3	77.0-85.6
\$25,000- 34,999	233	13,880	23	12.0	06.9-17.1	8	3.2	01.0-05.4	3	1.5	00.0-03.3	2	1.1	00.0-02.7	1	0.6	00.0-01.8	196	81.6	75.7-87.5
\$35,000- 49,999	317	19,395	39	13.0	08.9-17.1	9	3.3	00.9-05.7	4	0.9	00.0-01.9	1	0.5	00.0-01.5	1	0.6	00.0-01.8	263	81.7	76.8-86.6
\$50,000- 74,999	244	17,235	34	13.5	09.0-18.0	6	2.4	00.2-04.6	1	0.5	00.0-01.5	1	0.5	00.0-01.5	1	0.5	00.0-01.5	201	82.5	77.4-87.6
\$75,000+	379	29,543	31	8.1	05.2-11.0	4	1.5	00.0-03.1	2	0.4	00.0-01.0							342	90.0	86.7-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	571	42,214	131	21.6	17.9-25.3	16	2.2	01.0-03.4	8	0.9	00.3-01.5	4	0.7	00.0-01.5	8	1.7	00.5-02.9	404	73.0	69.1-76.9
Male	235	21,431	44	17.9	12.8-23.0	8	2.5	00.7-04.3	1	0.2	00.0-00.6	1	0.2	00.0-00.6	6	2.7	00.5-04.9	175	76.6	70.9-82.3
Female	336	20,783	87	25.4	20.3-30.5	8	1.9	00.5-03.3	7	1.6	00.4-02.8	3	1.2	00.0-02.6	2	0.6	00.0-01.6	229	69.4	64.1-74.7
Non-Native	544	40,196	123	21.0	17.3-24.7	14	2.1	00.9-03.3	8	0.9	00.1-01.7	3	0.5	00.0-01.1	6	1.2	00.2-02.2	390	74.3	70.4-78.2
45-54	171	16,001	35	19.4	13.1-25.7	5	2.1	00.1-04.1						3	1.7	00.0-03.7	128	76.7	70.0-83.4	
55-64	173	11,785	50	27.2	19.9-34.5	2	0.8	00.0-02.0	6	2.3	00.3-04.3	1	0.8	00.0-02.4	1	0.3	00.0-00.9	113	68.6	61.2-76.0
65+	223	14,292	45	19.2	13.7-24.7	9	3.5	01.1-05.9	2	0.6	00.0-01.6	3	1.4	00.0-03.0	4	2.7	00.0-05.4	160	72.6	66.3-78.9
H.S. or G.E.D.	179	13,059	44	23.5	16.8-30.2	8	3.7	01.0-06.4	2	0.7	00.0-01.7	1	0.5	00.0-01.5	2	1.6	00.0-03.8	122	70.0	62.7-77.3
Some Post-H.S.	184	13,649	44	22.8	15.9-29.7	6	2.6	00.4-04.8	3	1.2	00.0-02.8	1	0.3	00.0-00.9	3	1.8	00.0-04.0	127	71.2	63.9-78.5
College Graduate	163	12,319	34	18.7	12.4-25.0	1	0.3	00.0-00.9				2	1.5	00.0-03.5	3	2.0	00.0-04.5	123	77.6	70.7-84.5
Less than \$15,000	70	3,659				6	7.8	01.5-14.1	3	3.8	00.0-08.1				1	2.5	00.0-07.4			
\$15,000- 24,999	100	6,180	20	20.3	11.7-28.9	6	7.2	01.5-12.9	3	2.5	00.0-05.6	1	1.0	00.0-03.0	3	3.6	00.0-07.7			
\$25,000- 34,999	72	5,254				1	1.1	00.0-03.3				1	1.7	00.0-05.0	2	4.2	00.0-09.9			
\$35,000- 49,999	95	6,931	19	17.7	09.9-25.5	1	0.9	00.0-02.7				1	1.3	00.0-03.8				74	80.1	71.9-88.3
\$50,000- 74,999	87	7,687	18	19.2	10.2-28.2				1	0.5	00.0-01.5				1	1.7	00.0-04.8	67	78.6	69.2-88.0
\$75,000+	84	8,026	15	17.1	08.9-25.3							1	0.5	00.0-01.5				68	82.4	74.2-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	235	21,431	44	17.9	12.8-23.0	8	2.5	00.7-04.3	1	0.2	00.0-00.6	1	0.2	00.0-00.6	6	2.7	00.5-04.9	175	76.6	71.1-82.1
Non-Native	221	20,377	40	17.6	12.3-22.9	6	2.1	00.3-03.9	1	0.2	00.0-00.6	1	0.2	00.0-00.6	4	1.8	00.0-03.6	169	78.1	72.4-83.8
45-54	80	8,445	15	17.0	08.8-25.2	3	2.3	00.0-05.0							3	3.3	00.0-07.2	59	77.4	68.2-86.6
55-64	81	6,924	16	20.1	10.7-29.5	1	0.9	00.0-02.7	1	0.6	00.0-01.8							63	78.4	68.8-88.0
65+	73	6,020	13	16.7	07.9-25.5	4	4.5	00.0-09.2				1	0.7	00.0-02.1	3	4.9	00.0-10.4			
H.S. or G.E.D.	74	6,834	17	20.8	11.4-30.2	4	4.3	00.0-08.6							1	1.6	00.0-04.7			
Some Post-H.S.	73	6,645	9	13.7	04.9-22.5	3	2.7	00.0-05.8	1	0.6	00.0-01.8	1	0.6	00.0-01.8	3	3.8	00.0-08.1	56	78.5	68.5-88.5
College Graduate	69	6,367	13	17.6	08.2-27.0										2	3.3	00.0-08.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	20,783	87	25.4	20.3-30.5	8	1.9	00.5-03.3	7	1.6	00.4-02.8	3	1.2	00.0-02.6	2	0.6	00.0-01.6	229	69.4	64.1-74.7
Non-Native	323	19,819	83	24.5	19.4-29.6	8	2.0	00.6-03.4	7	1.6	00.2-03.0	2	0.8	00.0-02.0	2	0.6	00.0-01.6	221	70.4	65.1-75.7
45-54	91	7,557	20	22.2	12.8-31.6	2	1.9	00.0-04.6										69	75.9	66.3-85.5
55-64	92	4,861				1	0.6	00.0-01.8	5	4.8	00.3-09.3	1	1.9	00.0-05.6	1	0.6	00.0-01.8			
65+	150	8,273	32	21.1	14.2-28.0	5	2.7	00.3-05.1	2	1.1	00.0-02.7	2	1.9	00.0-04.4	1	1.1	00.0-03.3	108	72.2	64.6-79.8
H.S. or G.E.D.	105	6,224	27	26.5	17.3-35.7	4	3.1	00.0-06.2	2	1.5	00.0-03.7	1	1.0	00.0-03.0	1	1.5	00.0-04.4	70	66.4	56.8-76.0
Some Post-H.S.	111	7,004	35	31.5	21.7-41.3	3	2.5	00.0-05.4	2	1.8	00.0-04.5									
College Graduate	94	5,952	21	19.9	11.7-28.1	1	0.5	00.0-01.5				2	3.1	00.0-07.2	1	0.5	00.0-01.5	69	76.0	67.0-85.0
Less than \$15,000	50	2,332				4	7.1	00.0-14.4	3	5.9	00.0-12.8				1	3.9	00.0-11.3			
\$15,000- 24,999	69	3,671				2	3.5	00.0-08.4	3	4.2	00.0-09.5	1	1.7	00.0-05.0						
\$35,000- 49,999	54	3,552	11	17.1	07.1-27.1	1	1.7	00.0-05.0				1	2.6	00.0-07.7						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

SECTION 16: SEATBELT USE CONTENTS

*** NOTE *** *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	PAGE
1	MALES AND FEMALES	199
2	MALES ONLY	200
3	FEMALES ONLY	201

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4663	488,147	3111	62.2	60.0-64.4	993	23.6	21.6-25.6	318	8.3	06.9-09.7	135	3.6	02.8-04.4	99	2.1	01.5-02.7	7	0.1	00.1-00.1
Male	1802	243,826	959	50.2	46.9-53.5	476	28.1	24.8-31.4	200	12.3	09.9-14.7	100	6.0	04.4-07.6	65	3.4	02.4-04.4	2	0.0	00.0-00.0
Female	2861	244,321	2152	74.3	72.1-76.5	517	19.1	17.1-21.1	118	4.4	03.2-05.6	35	1.2	00.6-01.8	34	0.9	00.5-01.3	5	0.1	00.0-00.3
Native	103	16,068							5	4.2	00.0-08.7	4	2.9	00.0-06.2	5	3.5	00.0-07.0			
Non-Native	4484	462,292	3011	63.0	60.8-65.2	944	23.0	21.0-25.0	306	8.4	07.0-09.8	125	3.4	02.6-04.2	92	2.1	01.5-02.7	6	0.1	00.1-00.1
18-24	128	78,648	76	55.7	46.1-65.3	33	28.3	19.3-37.3	13	11.2	05.1-17.3	4	3.4	00.1-06.7	2	1.5	00.0-03.7			
25-34	409	81,400	257	59.1	53.6-64.6	94	23.6	18.9-28.3	34	9.5	06.0-13.0	16	5.5	02.8-08.2	8	2.2	00.6-03.8			
35-44	599	71,676	376	61.5	57.2-65.8	141	23.9	20.2-27.6	45	7.8	05.3-10.3	19	3.8	02.0-05.6	18	2.9	01.3-04.5			
45-54	892	87,617	551	60.7	57.2-64.2	205	23.6	20.5-26.7	68	8.4	06.2-10.6	44	4.7	03.3-06.1	24	2.6	01.4-03.8			
55-64	1071	71,338	715	64.0	60.9-67.1	217	21.7	19.0-24.4	87	9.1	07.1-11.1	29	2.9	01.7-04.1	22	2.2	01.2-03.2	1	0.1	00.0-00.3
65+	1517	94,998	1097	70.4	67.9-72.9	300	21.3	18.9-23.7	68	4.9	03.7-06.1	23	1.7	00.9-02.5	23	1.4	00.8-02.0	6	0.3	00.1-00.5
Less Than H.S.	317	32,834	192	44.9	35.5-54.3				27	9.1	03.2-15.0	16	7.7	02.4-13.0	8	3.5	00.6-06.4	1	0.2	00.0-00.6
H.S. or G.E.D.	1374	148,486	876	56.5	52.0-61.0	277	23.2	19.3-27.1	117	12.0	08.7-15.3	53	5.0	03.0-07.0	48	3.1	01.9-04.3	3	0.1	00.0-00.3
Some Post-H.S.	1491	154,401	990	63.3	59.8-66.8	330	23.9	20.8-27.0	102	7.8	05.8-09.8	39	2.9	01.9-03.9	29	2.2	01.0-03.4	1	0.0	00.0-00.0
College Graduate	1474	151,882	1048	70.5	67.8-73.2	312	21.3	18.8-23.8	71	5.2	03.8-06.6	27	2.1	01.1-03.1	14	0.8	00.4-01.2	2	0.1	00.0-00.3
Less than \$15,000	360	29,200	253	61.0	52.8-69.2	61	18.6	12.1-25.1	20	9.4	03.9-14.9	11	6.7	01.4-12.0	13	3.9	00.6-07.2	2	0.4	00.0-01.0
\$15,000- 24,999	637	54,475	437	65.1	59.2-71.0	125	19.2	14.9-23.5	43	7.2	04.1-10.3	13	3.9	00.2-07.6	18	4.6	01.5-07.7	1	0.1	00.0-00.3
\$25,000- 34,999	491	48,883	303	62.0	55.7-68.3	113	19.8	15.3-24.3	50	12.9	08.0-17.8	14	3.5	00.8-06.2	11	1.8	00.6-03.0			
\$35,000- 49,999	678	68,790	459	63.7	58.4-69.0	132	21.1	16.8-25.4	52	10.1	06.0-14.2	28	4.1	02.3-05.9	7	1.0	00.2-01.8			
\$50,000- 74,999	726	82,967	460	58.7	53.6-63.8	179	26.5	22.0-31.0	36	7.5	03.6-11.4	25	4.1	02.3-05.9	26	3.1	01.7-04.5			
\$75,000+	1119	136,238	745	64.0	60.3-67.7	256	24.8	21.3-28.3	73	6.7	04.9-08.5	30	3.2	01.8-04.6	13	1.3	00.5-02.1	2	0.1	00.0-00.3
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Always %	C.I. (95%)	N	Nearly Always %	C.I. (95%)	N	Sometimes %	C.I. (95%)	N	Seldom %	C.I. (95%)	N	Never %	C.I. (95%)	N	Never Ride in Car %	C.I. (95%)
Male	1802	243,826	959	50.2	46.9-53.5	476	28.1	24.8-31.4	200	12.3	09.9-14.7	100	6.0	04.4-07.6	65	3.4	02.4-04.4	2	0.0	00.0-00.0

NOTE: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

SECTION 16: SEATBELT USE CONTENTS

* **NOTE** * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE																				
Non-Native	1717	228,621	923	51.4	47.9-54.9	447	27.2	24.1-30.3	191	12.4	09.9-14.9	93	5.6	04.0-07.2	61	3.4	02.2-04.6	2	0.0	00.0-00.0	
18-24	57	42,683										3	5.0	00.0-10.7	2	2.8	00.0-06.7				
25-34	158	43,178	76	47.2	38.8-55.6	39	25.2	17.9-32.5	21	13.8	07.5-20.1	15	10.1	05.2-15.0	7	3.7	00.8-06.6				
35-44	250	36,338	121	50.6	43.9-57.3	73	27.5	21.8-33.2	28	11.0	06.5-15.5	15	6.3	03.2-09.4	13	4.7	02.0-07.4				
45-54	381	43,602	187	49.4	43.9-54.9	102	27.2	22.3-32.1	43	12.0	08.3-15.7	34	7.8	05.1-10.5	15	3.6	01.6-05.6				
55-64	453	37,014	249	54.5	49.6-59.4	106	24.1	19.8-28.4	60	13.5	10.2-16.8	21	4.2	02.2-06.2	17	3.7	01.9-05.5				
65+	495	40,485	294	59.6	55.1-64.1	136	27.7	23.6-31.8	40	8.2	05.7-10.7	12	2.5	00.9-04.1	11	1.8	00.6-03.0	2	0.3	00.0-00.7	
Less Than H.S.	138	20,015							16	10.7	01.5-19.9	9	9.3	01.1-17.5	6	5.0	00.3-09.7	1	0.3	00.0-00.9	
H.S. or G.E.D.	509	76,742	249	43.6	36.7-50.5	125	26.9	20.2-33.6	69	17.2	11.3-23.1	36	7.6	04.1-11.1	30	4.6	02.4-06.8				
Some Post-H.S.	559	72,740	284	49.5	43.8-55.2	160	29.8	24.5-35.1	64	11.5	08.2-14.8	33	5.5	03.3-07.7	18	3.7	01.3-06.1				
College Graduate	594	74,090	359	62.2	57.7-66.7	150	24.0	20.1-27.9	51	8.3	05.8-10.8	22	4.0	02.0-06.0	11	1.4	00.6-02.2	1	0.1	00.0-00.3	
Less than \$15,000	118	15,002										8	11.1	01.1-21.1	7	5.5	00.0-11.8	1	0.3	00.0-00.9	
\$15,000- 24,999	188	23,608				44	21.1	13.3-28.9	19	10.9	04.2-17.6	11	8.5	00.3-16.7	11	9.0	01.9-16.1				
\$25,000- 34,999	191	21,857	94	55.2	45.2-65.2	49	20.0	13.5-26.5	33	18.2	10.4-26.0	8	3.9	00.2-07.6	7	2.8	00.6-05.0				
\$35,000- 49,999	278	35,230	154	52.8	44.6-61.0	66	24.1	17.2-31.0	34	15.5	08.1-22.9	19	6.0	03.1-08.9	5	1.5	00.1-02.9				
\$50,000- 74,999	343	44,187	169	43.7	36.8-50.6	103	32.8	25.5-40.1	29	11.7	05.0-18.4	22	7.1	03.8-10.4	20	4.7	02.3-07.1				
\$75,000+	518	75,497	279	53.6	47.7-59.5	150	30.0	24.5-35.5	51	8.9	06.2-11.6	27	5.4	03.0-07.8	11	2.1	00.7-03.5				
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Always	Nearly Always	Sometimes	Seldom	Never	Never Ride in Car														
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2861	244,321	2152	74.3	72.1-76.5	517	19.1	17.1-21.1	118	4.4	03.2-05.6	35	1.2	00.6-01.8	34	0.9	00.5-01.3	5	0.1	00.0-00.3	
Native	57	7,608							2	2.2	00.0-05.3	2	1.4	00.0-03.4	2	1.9	00.0-04.6				
Non-Native	2767	233,672	2088	74.4	72.0-76.8	497	18.9	16.9-20.9	115	4.6	03.4-05.8	32	1.2	00.6-01.8	31	0.8	00.4-01.2	4	0.1	00.0-00.3	
18-24	71	35,965				14	18.0	09.0-27.0	5	6.8	00.9-12.7	1	1.5	00.0-04.2							
25-34	251	38,222	181	72.7	67.0-78.4	55	21.8	16.5-27.1	13	4.7	02.2-07.2	1	0.4	00.0-01.2	1	0.5	00.0-01.5				
35-44	349	35,338	255	72.8	67.9-77.7	68	20.3	15.8-24.8	17	4.5	02.3-06.7	4	1.2	00.0-02.4	5	1.1	00.1-02.1				
45-54	511	44,014	364	72.0	67.9-76.1	103	20.1	16.4-23.8	25	4.8	02.8-06.8	10	1.6	00.6-02.6	9	1.5	00.5-02.5				
55-64	618	34,325	466	74.1	70.4-77.8	111	19.2	15.9-22.5	27	4.3	02.5-06.1	8	1.5	00.3-02.7	5	0.5	00.0-01.1	1	0.3	00.0-00.9	
65+	1022	54,513	803	78.4	75.7-81.1	164	16.6	14.1-19.1	28	2.4	01.4-03.4	11	1.1	00.3-01.9	12	1.1	00.5-01.7	4	0.4	00.0-00.8	
Less Than H.S.	179	12,819	127	64.5	54.5-74.5	32	22.3	12.5-32.1	11	6.6	02.1-11.1	7	5.2	01.1-09.3	2	1.3	00.0-03.3				
H.S. or G.E.D.	865	71,744	627	70.3	65.8-74.8	152	19.3	15.4-23.2	48	6.5	03.8-09.2	17	2.3	00.7-03.9	18	1.5	00.7-02.3	3	0.2	00.0-00.4	
Some Post-H.S.	932	81,661	706	75.6	71.9-79.3	170	18.7	15.4-22.0	38	4.4	02.4-06.4	6	0.5	00.1-00.9	11	0.8	00.2-01.4	1	0.0	00.0-00.0	

NOTE: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

SECTION 16: SEATBELT USE CONTENTS

* NOTE * * * * *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE																			PAGE	
College Graduate	880	77,792	689	78.4	75.1-81.7	162	18.7	15.6-21.8	20	2.2	01.0-03.4	5	0.4	00.0-00.8	3	0.3	00.0-00.7	1	0.1	00.0-00.3
Less than \$15,000	242	14,198	185	72.8	65.4-80.2	40	19.2	12.3-26.1	7	3.3	00.8-05.8	3	2.0	00.0-04.4	6	2.3	00.1-04.5	1	0.5	00.0-01.5
\$15,000- 24,999	449	30,866	334	76.2	71.3-81.1	81	17.8	13.3-22.3	24	4.4	02.4-06.4	2	0.4	00.0-01.0	7	1.2	00.2-02.2	1	0.1	00.0-00.3
\$25,000- 34,999	300	27,025	209	67.5	59.3-75.7	64	19.6	13.3-25.9	17	8.7	02.4-15.0	6	3.2	00.0-07.1	4	1.0	00.0-02.0			
\$35,000- 49,999	400	33,560	305	75.2	69.7-80.7	66	17.9	12.8-23.0	18	4.5	02.1-06.9	9	2.0	00.6-03.4	2	0.5	00.0-01.3			
\$50,000- 74,999	383	38,780	291	75.7	70.4-81.0	76	19.5	14.8-24.2	7	2.8	00.0-05.7	3	0.7	00.0-01.7	6	1.3	00.0-02.7			
\$75,000+	601	60,741	466	76.9	72.8-81.0	106	18.4	14.5-22.3	22	3.9	01.9-05.9	3	0.4	00.0-00.8	2	0.2	00.0-00.6	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 17: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	203
2	MALES ONLY	204
3	FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2526	284,303	85	3.6	02.6-04.6	29	1.5	00.7-02.3	1	0.1	00.0-00.3	2	0.1	00.0-00.3	13	0.9	00.1-01.7	2396	93.7	92.3-95.1
Male	1132	154,379	65	5.5	03.9-07.1	26	2.4	01.2-03.6	1	0.1	00.0-00.3	2	0.2	00.0-00.6	10	1.3	00.0-02.7	1028	90.5	88.1-92.9
Female	1394	129,924	20	1.5	00.7-02.3	3	0.5	00.0-01.3							3	0.5	00.0-01.3	1368	97.6	96.2-99.0
Non-Native	2449	272,482	78	3.4	02.4-04.4	26	1.1	00.5-01.7	1	0.1	00.0-00.3	2	0.1	00.0-00.3	13	0.9	00.1-01.7	2329	94.3	92.9-95.7
18-24	71	40,724	2	2.3	00.0-05.8	1	1.3	00.0-03.8							3	4.1	00.0-09.6	65	92.3	85.4-99.2
25-34	266	54,069	14	5.1	02.4-07.8	6	3.4	00.5-06.3				1	0.5	00.0-01.5	1	0.2	00.0-00.6	244	90.7	86.6-94.8
35-44	412	49,831	22	5.2	03.0-07.4	3	0.7	00.0-01.5	1	0.4	00.0-01.2				1	0.3	00.0-00.9	385	93.3	90.8-95.8
45-54	570	57,907	25	4.7	02.7-06.7	9	1.6	00.6-02.6							1	0.1	00.0-00.3	535	93.7	91.5-95.9
55-64	604	41,698	15	2.3	01.1-03.5	7	1.3	00.3-02.3				1	0.2	00.0-00.6	5	1.1	00.0-02.3	576	95.1	93.1-97.1
65+	582	38,893	7	1.1	00.3-01.9	3	0.4	00.0-01.0							2	0.3	00.0-00.7	570	98.2	97.0-99.4
Less Than H.S.	106	13,129	2	2.2	00.0-05.3							1	1.9	00.0-05.6	1	0.2	00.0-00.6	102	95.7	90.8-0100
H.S. or G.E.D.	633	71,057	32	4.7	02.9-06.5	7	1.7	00.1-03.3	1	0.3	00.0-00.9				3	0.3	00.0-00.7	590	93.0	90.5-95.5
Some Post-H.S.	840	95,507	28	4.6	02.4-06.8	13	2.0	00.6-03.4							6	2.1	00.0-04.5	793	91.3	88.0-94.6
College Graduate	946	104,513	23	2.3	01.3-03.3	9	1.2	00.0-02.4				1	0.1	00.0-00.3	3	0.3	00.0-00.7	910	96.2	94.6-97.8
Less than \$15,000	100	9,756	3	1.1	00.0-02.3	1	0.9	00.0-02.7				1	2.5	00.0-07.4	1	0.3	00.0-00.9	94	95.2	89.9-0100
\$15,000- 24,999	256	25,198	8	7.2	00.9-13.5	5	2.5	00.0-05.6										243	90.3	83.4-97.2
\$25,000- 34,999	229	25,447	9	3.5	01.0-06.0	1	0.2	00.0-00.6							2	0.8	00.0-02.0	217	95.6	92.9-98.3
\$35,000- 49,999	377	38,681	19	5.1	02.4-07.8	3	1.4	00.0-03.4							3	0.6	00.0-01.4	352	92.8	89.3-96.3
\$50,000- 74,999	476	57,036	17	3.7	01.7-05.7	6	1.3	00.1-02.5	1	0.4	00.0-01.2	1	0.1	00.0-00.3	1	0.9	00.0-02.7	450	93.5	90.6-96.4
\$75,000+	819	97,730	24	3.1	01.7-04.5	11	1.7	00.3-03.1							6	1.6	00.0-03.8	778	93.7	91.0-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1132	154,379	65	5.5	03.9-07.1	26	2.4	01.2-03.6	1	0.1	00.0-00.3	2	0.2	00.0-00.6	10	1.3	00.0-02.7	1028	90.5	88.1-92.9
Non-Native	1090	146,466	59	5.2	03.6-06.8	23	1.7	00.9-02.5	1	0.1	00.0-00.3	2	0.2	00.0-00.6	10	1.3	00.0-02.9	995	91.4	89.0-93.8
25-34	121	32,173	10	6.8	02.5-11.1	6	5.8	00.9-10.7				1	0.8	00.0-02.4	1	0.4	00.0-01.2	103	86.3	79.8-92.8
35-44	186	27,083	17	7.6	03.9-11.3	3	1.3	00.0-02.9	1	0.8	00.0-02.4				1	0.5	00.0-01.5	164	89.7	85.4-94.0
45-54	248	29,606	20	7.4	04.1-10.7	8	2.8	00.8-04.8										220	89.8	85.9-93.7
55-64	285	23,838	11	3.2	01.2-05.2	6	2.1	00.3-03.9				1	0.4	00.0-01.2	5	1.9	00.0-03.9	262	92.4	89.3-95.5
65+	255	21,102	5	1.6	00.2-03.0	3	0.8	00.0-01.8							1	0.4	00.0-01.2	246	97.2	95.2-99.2
Less Than H.S.	62	9,771	2	3.0	00.0-07.3							1	2.5	00.0-07.6				59	94.5	87.8-0100
H.S. or G.E.D.	296	41,251	24	6.5	03.6-09.4	7	2.9	00.2-05.6	1	0.5	00.0-01.5				3	0.6	00.0-01.4	261	89.5	85.4-93.6
Some Post-H.S.	365	49,726	22	7.6	03.7-11.5	12	3.8	01.3-06.3							5	3.0	00.0-07.1	326	85.6	79.7-91.5
College Graduate	409	53,631	17	3.2	01.6-04.8	7	1.2	00.2-02.2				1	0.2	00.0-00.6	2	0.4	00.0-01.0	382	95.0	93.0-97.0
Less than \$15,000	50	6,620	1	0.6	00.0-01.8	1	1.3	00.0-03.8				1	3.8	00.0-11.1				47	94.3	86.7-0100
\$15,000- 24,999	92	12,847				4	4.8	00.0-10.9												
\$25,000- 34,999	100	12,021	7	6.5	01.4-11.6	1	0.4	00.0-01.2							2	1.7	00.0-04.1	90	91.4	85.7-97.1
\$35,000- 49,999	171	21,243	17	8.8	03.9-13.7	3	2.6	00.0-06.1							3	1.2	00.0-02.6	148	87.4	81.3-93.5
\$50,000- 74,999	236	31,638	14	5.8	02.5-09.1	6	2.4	00.2-04.6	1	0.7	00.0-02.1	1	0.3	00.0-00.9				214	90.8	86.7-94.9
\$75,000+	398	56,072	18	4.0	02.0-06.0	9	1.8	00.4-03.2							5	2.7	00.0-06.4	366	91.4	87.1-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1394	129,924	20	1.5	00.7-02.3	3	0.5	00.0-01.3	3	0.5	00.0-01.3	1368	97.6	96.2-99.0
Non-Native	1359	126,015	19	1.4	00.6-02.2	3	0.5	00.0-01.3	3	0.5	00.0-01.3	1334	97.6	96.2-99.0
25-34	145	21,896	4	2.7	00.0-05.4							141	97.3	94.6-0100
35-44	226	22,748	5	2.4	00.2-04.6							221	97.6	95.4-99.8
45-54	322	28,301	5	1.8	00.0-03.8	1	0.3	00.0-00.9	1	0.1	00.0-00.3	315	97.8	95.8-99.8
55-64	319	17,859	4	1.0	00.0-02.0	1	0.2	00.0-00.6				314	98.8	97.6-0100
65+	327	17,791	2	0.4	00.0-01.0				1	0.2	00.0-00.6	324	99.4	98.8-0100
H.S. or G.E.D.	337	29,806	8	2.1	00.5-03.7							329	97.9	96.3-99.5
Some Post-H.S.	475	45,781	6	1.3	00.1-02.5	1	0.1	00.0-00.3	1	1.1	00.0-03.3	467	97.5	95.0-0100
College Graduate	537	50,882	6	1.3	00.1-02.5	2	1.2	00.0-03.2	1	0.1	00.0-00.3	528	97.4	95.0-99.8
Less than \$15,000	50	3,136	2	2.0	00.0-04.7				1	1.0	00.0-03.0	47	97.1	93.8-0100
\$15,000- 24,999	164	12,352	2	2.9	00.0-07.2	1	0.2	00.0-00.8				161	96.9	92.6-0100
\$25,000- 34,999	129	13,426	2	0.8	00.0-02.0							127	99.2	98.0-0100
\$35,000- 49,999	206	17,438	2	0.5	00.0-01.3							204	99.5	98.7-0100
\$50,000- 74,999	240	25,397	3	1.1	00.0-02.5				1	2.1	00.0-06.0	236	96.9	92.8-0100
\$75,000+	421	41,658	6	1.7	00.3-03.1	2	1.5	00.0-04.0	1	0.1	00.0-00.3	412	96.7	94.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	207
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	208
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	209
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	210
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	211
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	212
7	HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	213

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2848	243,062	2294	63.5	60.8-66.2	554	36.5	33.8-39.2
Non-Native	2753	232,369	2222	63.7	60.8-66.6	531	36.3	33.4-39.2
18-24	70	35,617	8	10.3	03.4-17.2	62	89.7	82.8-96.6
25-34	247	37,837	29	11.2	07.1-15.3	218	88.8	84.7-92.9
35-44	348	35,241	187	54.1	48.6-59.6	161	45.9	40.4-51.4
45-54	510	43,932	476	93.5	91.1-95.9	34	6.5	04.1-08.9
55-64	616	34,217	595	97.0	95.6-98.4	21	3.0	01.6-04.4
65+	1019	54,336	961	94.4	92.8-96.0	58	5.6	04.0-07.2
H.S. or G.E.D.	860	71,428	717	64.7	59.0-70.4	143	35.3	29.6-41.0
Some Post-H.S.	929	81,166	764	64.7	59.6-69.8	165	35.3	30.2-40.4
College Graduate	876	77,403	666	60.5	56.0-65.0	210	39.5	35.0-44.0
Less than \$15,000	242	14,171	201	69.1	59.5-78.7	41	30.9	21.3-40.5
\$15,000- 24,999	448	30,522	376	68.5	60.7-76.3	72	31.5	23.7-39.3
\$25,000- 34,999	300	27,025	240	55.7	46.3-65.1	60	44.3	34.9-53.7
\$35,000- 49,999	397	33,297	326	66.6	59.0-74.2	71	33.4	25.8-41.0
\$50,000- 74,999	382	38,710	277	55.4	48.7-62.1	105	44.6	37.9-51.3
\$75,000+	600	60,658	456	63.3	57.8-68.8	144	36.7	31.2-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2269	152,875	1444	63.8	61.4-66.2	376	16.5	14.7-18.3	143	6.7	05.3-08.1	125	5.9	04.7-07.1	181	7.1	05.9-08.3
Non-Native	2199	146,646	1405	63.7	61.3-66.1	365	16.6	14.8-18.4	134	6.6	05.2-08.0	122	5.9	04.7-07.1	173	7.1	05.9-08.3
35-44	187	19,054	96	55.5	48.2-62.8	40	19.5	13.8-25.2	19	9.2	05.3-13.1	11	5.4	02.1-08.7	21	10.5	06.0-15.0
45-54	474	40,909	311	66.1	61.6-70.6	72	15.2	11.7-18.7	30	5.7	03.5-07.9	33	7.5	04.8-10.2	28	5.5	03.3-07.7
55-64	592	33,028	388	65.7	61.6-69.8	103	17.3	14.2-20.4	33	6.4	04.0-08.8	24	3.6	02.0-05.2	44	7.1	04.9-09.3
65+	943	50,358	609	65.5	62.2-68.8	148	15.4	12.9-17.9	53	5.8	04.2-07.4	50	5.6	04.0-07.2	83	7.7	05.9-09.5
Less Than H.S.	139	8,377	76	52.7	42.9-62.5	20	18.4	08.8-28.0	8	6.3	01.4-11.2	7	4.8	00.9-08.7	28	17.8	11.1-24.5
H.S. or G.E.D.	709	45,941	457	65.1	61.0-69.2	114	15.9	13.0-18.8	48	7.6	04.9-10.3	33	4.5	02.9-06.1	57	6.9	04.9-08.9
Some Post-H.S.	757	52,027	491	64.0	60.1-67.9	133	17.5	14.4-20.6	33	4.5	02.9-06.1	43	6.9	04.7-09.1	57	7.1	05.1-09.1
College Graduate	661	46,383	418	64.1	60.0-68.2	109	15.8	12.9-18.7	54	8.5	06.1-10.9	42	6.3	04.1-08.5	38	5.3	03.5-07.1
Less than \$15,000	197	9,614	95	46.0	38.2-53.8	36	17.7	12.0-23.4	15	9.5	04.6-14.4	20	11.9	06.8-17.0	31	15.0	09.7-20.3
\$15,000- 24,999	372	20,663	222	59.4	53.3-65.5	67	18.8	13.9-23.7	22	5.9	03.2-08.6	21	6.4	03.1-09.7	40	9.5	06.4-12.6
\$25,000- 34,999	239	15,016	144	61.2	54.5-67.9	38	14.5	09.8-19.2	19	8.4	04.5-12.3	12	4.9	02.0-07.8	26	10.9	06.6-15.2
\$35,000- 49,999	324	21,876	224	69.0	63.1-74.9	49	15.1	10.6-19.6	21	6.7	03.8-09.6	18	5.6	02.7-08.5	12	3.6	01.2-06.0
\$50,000- 74,999	275	21,320	187	64.9	58.6-71.2	51	19.1	13.8-24.4	16	6.0	03.1-08.9	10	5.4	02.1-08.7	11	4.6	01.9-07.3
\$75,000+	455	38,391	307	66.4	61.7-71.1	72	16.2	12.5-19.9	28	6.4	03.9-08.9	19	4.7	02.5-06.9	29	6.4	04.0-08.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2845	243,047	2663	89.6	87.2-92.0	182	10.4	08.0-12.8	
Native	56	7,535	52	95.6	91.1-0100	4	4.4	00.0-08.9	
Non-Native	2752	232,513	2579	89.4	87.0-91.8	173	10.6	08.2-13.0	
25-34	250	38,152	234	93.8	90.7-96.9	16	6.2	03.1-09.3	
35-44	347	35,168	335	96.6	94.6-98.6	12	3.4	01.4-05.4	
45-54	510	43,932	496	97.5	96.1-98.9	14	2.5	01.1-03.9	
55-64	616	34,217	604	98.6	97.6-99.6	12	1.4	00.4-02.4	
65+	1014	54,079	919	91.7	89.9-93.5	95	8.3	06.5-10.1	
Less Than H.S.	174	12,516	141	77.4	67.4-87.4	33	22.6	12.6-32.6	
H.S. or G.E.D.	859	71,448	781	81.3	75.4-87.2	78	18.7	12.8-24.6	
Some Post-H.S.	929	81,166	891	93.1	90.0-96.2	38	6.9	03.8-10.0	
College Graduate	878	77,612	847	95.7	93.5-97.9	31	4.3	02.1-06.5	
Less than \$15,000	239	13,969	203	86.5	81.0-92.0	36	13.5	08.0-19.0	
\$15,000- 24,999	448	30,522	416	90.2	84.9-95.5	32	9.8	04.5-15.1	
\$25,000- 34,999	300	27,025	266	78.0	68.6-87.4	34	22.0	12.6-31.4	
\$35,000- 49,999	398	33,437	385	92.5	86.6-98.4	13	7.5	01.6-13.4	
\$50,000- 74,999	383	38,780	368	92.7	88.0-97.4	15	7.3	02.6-12.0	
\$75,000+	600	60,658	589	94.5	90.0-99.0	11	5.5	01.0-10.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2624	215,626	1760	67.3	64.9-69.7	419	16.7	14.7-18.7	144	5.8	04.8-06.8	135	5.0	04.0-06.0	166	5.2	04.2-06.2
Native	51	7,166							4	8.8	00.0-19.0	3	6.1	00.0-13.5	4	5.6	00.0-12.1
Non-Native	2541	205,712	1710	67.5	65.1-69.9	409	16.8	14.8-18.8	134	5.6	04.6-06.6	130	5.0	04.0-06.0	158	5.1	04.1-06.1
25-34	233	35,670	156	64.3	57.6-71.0	33	15.5	10.4-20.6	18	8.1	04.2-12.0	16	7.3	03.6-11.0	10	4.8	01.7-07.9
35-44	334	33,831	213	64.9	59.6-70.2	57	16.6	12.5-20.7	29	8.8	05.7-11.9	19	5.5	03.0-08.0	16	4.2	02.0-06.4
45-54	493	42,627	330	66.9	62.4-71.4	78	16.2	12.7-19.7	28	5.5	03.3-07.7	27	5.8	03.4-08.2	30	5.5	03.5-07.5
55-64	600	33,491	413	70.1	66.2-74.0	99	16.5	13.4-19.6	25	4.2	02.4-06.0	23	2.9	01.7-04.1	40	6.2	04.2-08.2
65+	891	48,136	595	67.0	63.7-70.3	136	14.4	12.0-16.8	42	5.4	03.6-07.2	49	5.8	04.0-07.6	69	7.4	05.6-09.2
Less Than H.S.	129	9,108							7	5.5	01.0-10.0	4	2.3	00.0-04.7	16	11.4	05.5-17.3
H.S. or G.E.D.	774	57,630	494	64.3	60.0-68.6	130	16.4	13.1-19.7	46	6.2	04.2-08.2	41	5.8	03.8-07.8	63	7.4	05.2-09.6
Some Post-H.S.	878	74,812	589	66.2	61.9-70.5	124	15.2	11.7-18.7	48	6.4	04.4-08.4	60	6.6	04.4-08.8	57	5.6	03.8-07.4
College Graduate	840	73,893	592	71.6	67.9-75.3	146	18.1	14.8-21.4	42	4.9	03.1-06.7	30	3.1	01.9-04.3	30	2.4	01.4-03.4
Less than \$15,000	195	11,737	111	55.5	46.1-64.9	33	16.6	09.7-23.5	18	13.6	06.2-21.0	10	4.3	01.4-07.2	23	10.0	05.7-14.3
\$15,000- 24,999	410	27,249	248	58.5	51.6-65.4	70	16.2	11.5-20.9	23	6.0	03.1-08.9	29	9.3	04.8-13.8	40	10.0	06.1-13.9
\$25,000- 34,999	262	20,824	179	73.4	66.3-80.5	34	11.2	05.7-16.7	12	4.6	01.3-07.9	13	3.6	01.4-05.8	24	7.1	04.0-10.2
\$35,000- 49,999	384	30,854	266	68.9	62.6-75.2	51	14.3	08.8-19.8	21	5.8	03.1-08.5	22	6.3	03.6-09.0	24	4.7	02.7-06.7
\$50,000- 74,999	365	35,755	249	65.6	59.5-71.7	65	19.7	14.2-25.2	18	5.2	02.7-07.7	14	4.4	02.0-06.8	19	5.2	02.7-07.7
\$75,000+	588	57,156	423	71.0	66.9-75.1	94	17.6	14.1-21.1	32	5.4	03.4-07.4	23	3.7	02.1-05.3	16	2.2	01.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2835	242,245	2728	93.5	91.5-95.5	107	6.5	04.5-08.5
Native	56	7,578	55	99.1	97.3-0100	1	0.9	00.0-02.7
Non-Native	2742	231,669	2641	93.3	91.1-95.5	101	6.7	04.5-08.9
25-34	249	38,012	240	96.8	94.4-99.2	9	3.2	00.8-05.6
35-44	347	35,144	344	99.4	98.8-0100	3	0.6	00.0-01.2
45-54	508	43,849	497	98.4	97.4-99.4	11	1.6	00.6-02.6
55-64	615	34,124	607	99.1	98.3-99.9	8	0.9	00.1-01.7
65+	1009	53,709	953	95.2	93.8-96.6	56	4.8	03.4-06.2
Less Than H.S.	176	12,614	149	82.4	72.6-92.2	27	17.6	07.8-27.4
H.S. or G.E.D.	854	71,017	809	86.3	80.8-91.8	45	13.7	08.2-19.2
Some Post-H.S.	925	80,812	908	97.4	95.2-99.6	17	2.6	00.4-04.8
College Graduate	875	77,498	859	98.0	96.4-99.6	16	2.0	00.4-03.6
Less than \$15,000	239	14,012	218	92.6	88.7-96.5	21	7.4	03.5-11.3
\$15,000- 24,999	446	30,298	423	93.6	89.5-97.7	23	6.4	02.3-10.5
\$25,000- 34,999	300	27,025	287	90.5	83.2-97.8	13	9.5	02.2-16.8
\$35,000- 49,999	398	33,437	391	97.6	94.5-0100	7	2.4	00.0-05.5
\$50,000- 74,999	383	38,780	378	96.1	92.0-0100	5	3.9	00.0-08.0
\$75,000+	600	60,658	590	92.9	87.8-98.0	10	7.1	02.0-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2682	224,210	1201	51.8	49.3-54.3	516	19.2	17.2-21.2	257	8.9	07.5-10.3	197	6.6	05.4-07.8	511	13.5	12.1-14.9
Native	55	7,508							4	7.7	00.1-15.3	4	4.6	00.0-09.7	6	5.0	00.7-09.3
Non-Native	2595	213,911	1156	51.1	48.6-53.6	505	19.6	17.4-21.8	248	8.9	07.5-10.3	190	6.7	05.5-07.9	496	13.7	12.3-15.1
18-24	51	24,963							2	3.1	00.0-07.6	1	1.4	00.0-04.1			
25-34	240	36,788	170	69.7	63.4-76.0	29	11.8	07.5-16.1	25	11.4	06.9-15.9	12	5.4	02.3-08.5	4	1.7	00.0-03.5
35-44	344	34,949	205	60.5	55.2-65.8	65	18.8	14.5-23.1	26	7.6	04.7-10.5	22	6.7	03.8-09.6	26	6.3	03.8-08.8
45-54	497	43,145	264	53.2	48.5-57.9	94	19.2	15.5-22.9	45	8.2	05.7-10.7	35	7.8	05.1-10.5	59	11.5	08.6-14.4
55-64	603	33,599	302	50.8	46.5-55.1	123	20.8	17.3-24.3	44	7.7	05.3-10.1	36	5.5	03.7-07.3	98	15.3	12.2-18.4
65+	916	49,284	210	23.4	20.5-26.3	185	19.6	16.9-22.3	113	12.5	10.1-14.9	89	10.0	07.8-12.2	319	34.5	31.2-37.8
Less Than H.S.	138	9,844				22	17.8	09.0-26.6	9	5.6	01.7-09.5	11	8.6	03.3-13.9	59	35.9	26.7-45.1
H.S. or G.E.D.	798	60,853	320	47.3	42.6-52.0	153	18.4	14.9-21.9	76	8.4	06.2-10.6	67	7.8	05.6-10.0	182	18.1	15.2-21.0
Some Post-H.S.	894	77,934	379	48.1	43.4-52.8	162	19.4	15.5-23.3	101	11.0	08.5-13.5	80	8.2	06.0-10.4	172	13.3	10.9-15.7
College Graduate	849	75,396	463	61.7	57.8-65.6	179	20.0	16.7-23.3	70	7.5	05.3-09.7	39	3.8	02.4-05.2	98	7.1	05.5-08.7
Less than \$15,000	209	12,591	67	42.0	32.2-51.8	34	15.1	09.6-20.6	25	10.3	06.0-14.6	12	6.3	02.4-10.2	71	26.4	19.7-33.1
\$15,000- 24,999	414	27,929	134	37.7	30.4-45.0	80	18.7	13.2-24.2	51	12.7	08.2-17.2	37	9.2	05.3-13.1	112	21.6	17.1-26.1
\$25,000- 34,999	282	24,103	121	57.4	49.4-65.4	40	11.5	06.4-16.6	24	7.7	04.0-11.4	25	6.6	03.7-09.5	72	16.8	12.3-21.3
\$35,000- 49,999	388	32,469	192	53.3	46.4-60.2	69	18.6	12.5-24.7	38	9.8	05.7-13.9	31	7.8	04.9-10.7	58	10.5	07.6-13.4
\$50,000- 74,999	377	37,211	197	55.3	49.2-61.4	80	21.2	15.7-26.7	30	7.6	04.7-10.5	20	5.4	02.9-07.9	50	10.5	07.4-13.6
\$75,000+	589	56,273	333	58.7	54.4-63.0	128	21.5	17.8-25.2	46	7.6	05.2-10.0	31	5.4	03.2-07.6	51	6.8	04.8-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2811	235,928	833	22.6	20.8-24.4	1978	77.4	75.6-79.2
Native	55	6,947	7	6.6	00.9-12.3	48	93.4	87.7-99.1
Non-Native	2719	225,959	814	23.1	21.3-24.9	1905	76.9	75.1-78.7
18-24	64	32,050				64	100.0	0100-0100
25-34	232	35,425	5	2.8	00.3-05.3	227	97.2	94.7-99.7
35-44	340	34,512	45	13.7	09.8-17.6	295	86.3	82.4-90.2
45-54	509	43,849	147	29.1	24.8-33.4	362	70.9	66.6-75.2
55-64	616	34,217	200	33.0	29.1-36.9	416	67.0	63.1-70.9
65+	1014	54,147	427	42.9	39.6-46.2	587	57.1	53.8-60.4
Less Than H.S.	176	12,603	62	28.8	21.2-36.4	114	71.2	63.6-78.8
H.S. or G.E.D.	854	69,531	297	25.9	22.6-29.2	557	74.1	70.8-77.4
Some Post-H.S.	917	78,131	296	25.2	22.1-28.3	621	74.8	71.7-77.9
College Graduate	859	75,358	176	15.7	13.2-18.2	683	84.3	81.8-86.8
Less than \$15,000	242	14,171	93	33.1	26.0-40.2	149	66.9	59.8-74.0
\$15,000- 24,999	444	30,206	155	27.4	22.5-32.3	289	72.6	67.7-77.5
\$25,000- 34,999	298	26,718	94	22.0	16.7-27.3	204	78.0	72.7-83.3
\$35,000- 49,999	390	31,212	109	22.3	17.8-26.8	281	77.7	73.2-82.2
\$50,000- 74,999	373	36,954	95	20.0	15.7-24.3	278	80.0	75.7-84.3
\$75,000+	591	58,538	124	18.1	14.8-21.4	467	81.9	78.6-85.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)	
1	MALES ONLY HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	215
2	MALES ONLY A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)	216
3	MALES ONLY HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	217
4	MALES ONLY HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	218
5	MALES ONLY	219

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1399	132,562	985	67.8	65.1-70.5	414	32.2	29.5-34.9
Non-Native	1339	126,811	952	68.6	65.9-71.3	387	31.4	28.7-34.1
35-44	129	17,322	34	24.6	17.0-32.2	95	75.4	67.8-83.0
45-54	356	40,486	189	54.2	48.5-59.9	167	45.8	40.1-51.5
55-64	434	35,435	335	79.5	75.6-83.4	99	20.5	16.6-24.4
65+	480	39,319	427	90.2	87.5-92.9	53	9.8	07.1-12.5
Less Than H.S.	111	9,314	76	68.5	58.7-78.3	35	31.5	21.7-41.3
H.S. or G.E.D.	391	35,896	269	66.0	60.7-71.3	122	34.0	28.7-39.3
Some Post-H.S.	434	41,951	288	64.1	59.0-69.2	146	35.9	30.8-41.0
College Graduate	461	45,162	350	72.2	67.7-76.7	111	27.8	23.3-32.3
\$15,000- 24,999	148	11,894	96	63.9	55.3-72.5	52	36.1	27.5-44.7
\$25,000- 34,999	157	13,114	107	67.3	59.3-75.3	50	32.7	24.7-40.7
\$35,000- 49,999	218	19,281	156	71.4	64.9-77.9	62	28.6	22.1-35.1
\$50,000- 74,999	265	26,047	203	73.3	67.2-79.4	62	26.7	20.6-32.8
\$75,000+	402	44,367	274	63.0	57.7-68.3	128	37.0	31.7-42.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	969	88,431	623	63.3	60.0-66.6	160	16.7	14.2-19.2	85	9.8	07.6-12.0	61	6.4	04.6-08.2	40	3.9	02.5-05.3
Non-Native	938	85,702	604	63.4	60.1-66.7	153	16.4	13.9-18.9	84	10.0	07.8-12.2	60	6.4	04.6-08.2	37	3.8	02.4-05.2
45-54	184	21,425	90	47.1	39.3-54.9	37	21.0	14.3-27.7	31	17.3	11.6-23.0	18	10.0	05.5-14.5	8	4.5	01.4-07.6
55-64	331	27,851	217	66.8	61.5-72.1	55	15.8	11.9-19.7	27	8.3	05.2-11.4	17	4.6	02.2-07.0	15	4.5	02.1-06.9
65+	420	34,889	294	70.0	65.5-74.5	64	15.5	11.8-19.2	21	5.2	02.8-07.6	25	5.9	03.5-08.3	16	3.3	01.5-05.1
Less Than H.S.	72	5,988							2	4.5	00.0-10.8	2	2.6	00.0-06.3	4	5.4	00.0-11.1
H.S. or G.E.D.	265	23,423	171	62.2	55.9-68.5	34	12.6	08.5-16.7	33	14.3	09.6-19.0	16	6.9	03.4-10.4	11	4.1	01.6-06.6
Some Post-H.S.	287	26,799	182	63.2	57.1-69.3	58	20.2	15.1-25.3	22	7.7	04.4-11.0	15	5.6	02.7-08.5	10	3.2	01.0-05.4
College Graduate	343	31,981	222	64.6	59.1-70.1	51	15.2	10.9-19.5	28	9.3	05.8-12.8	28	7.3	04.6-10.0	14	3.6	01.6-05.6
Less than \$15,000	52	3,674				6	12.2	02.8-21.6	3	4.4	00.0-09.9	5	10.1	01.1-19.1	5	11.5	01.7-21.3
\$15,000- 24,999	96	7,601	64	68.4	58.6-78.2	16	14.4	07.3-21.5	4	6.3	00.2-12.4	7	6.8	01.7-11.9	5	4.1	00.2-08.0
\$25,000- 34,999	103	8,476				11	9.7	03.6-15.8	9	11.3	04.0-18.6	7	9.0	02.5-15.5	7	6.3	01.4-11.2
\$35,000- 49,999	155	13,663	102	65.6	57.6-73.6	20	13.2	07.3-19.1	19	12.8	07.1-18.5	8	4.8	01.3-08.3	6	3.6	00.5-06.7
\$50,000- 74,999	201	18,902	130	63.9	56.8-71.0	39	18.4	12.9-23.9	16	9.2	04.7-13.7	11	5.7	02.2-09.2	5	2.8	00.3-05.3
\$75,000+	270	27,576	173	63.2	57.1-69.3	46	17.5	12.6-22.4	23	9.1	05.4-12.8	20	7.4	04.1-10.7	8	2.9	00.7-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1449	138,293	1140	76.4	73.9-78.9	309	23.6	21.1-26.1
Non-Native	1386	132,393	1093	76.7	74.2-79.2	293	23.3	20.8-25.8
35-44	139	18,948	59	43.1	34.3-51.9	80	56.9	48.1-65.7
45-54	373	42,767	255	69.2	64.1-74.3	118	30.8	25.7-35.9
55-64	447	36,572	377	84.6	81.1-88.1	70	15.4	11.9-18.9
65+	490	40,005	449	92.3	89.9-94.7	41	7.7	05.3-10.1
Less Than H.S.	115	9,602	89	73.4	63.8-83.0	26	26.6	17.0-36.2
H.S. or G.E.D.	409	38,000	306	72.8	67.9-77.7	103	27.2	22.3-32.1
Some Post-H.S.	447	43,234	338	74.3	69.8-78.8	109	25.7	21.2-30.2
College Graduate	476	47,218	405	81.6	77.5-85.7	71	18.4	14.3-22.5
\$15,000- 24,999	156	12,513	117	72.1	63.9-80.3	39	27.9	19.7-36.1
\$25,000- 34,999	159	13,098	119	75.9	68.8-83.0	40	24.1	17.0-31.2
\$35,000- 49,999	224	20,088	180	77.8	71.5-84.1	44	22.2	15.9-28.5
\$50,000- 74,999	276	27,470	225	78.1	72.6-83.6	51	21.9	16.4-27.4
\$75,000+	413	46,017	325	75.6	70.9-80.3	88	24.4	19.7-29.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRE) TIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1125	104,488	551	47.8	44.7-50.9	218	19.8	17.3-22.3	108	10.3	08.3-12.3	104	9.7	07.7-11.7	144	12.4	10.2-14.6
Non-Native	1079	100,457	534	48.4	45.3-51.5	209	19.7	17.2-22.2	105	10.5	08.3-12.7	102	10.0	08.0-12.0	129	11.5	09.3-13.7
35-44	59	8,164	9	15.9	06.1-25.7							9	14.2	05.4-23.0			
45-54	253	29,439	94	37.1	30.6-43.6	54	21.1	15.6-26.6	38	14.6	10.1-19.1	29	13.3	08.4-18.2	38	13.8	09.3-18.3
55-64	372	30,650	190	52.4	47.1-57.7	74	20.5	16.2-24.8	32	8.7	05.8-11.6	30	7.2	04.7-09.7	46	11.3	08.0-14.6
65+	441	36,235	258	59.8	54.9-64.7	73	16.5	12.8-20.2	29	6.5	04.0-09.0	36	7.9	05.2-10.6	45	9.4	06.7-12.1
Less Than H.S.	87	6,738							7	10.3	02.5-18.1	6	6.6	01.1-12.1	11	10.5	04.0-17.0
H.S. or G.E.D.	301	27,316	145	46.4	40.3-52.5	59	19.5	14.8-24.2	40	14.9	10.2-19.6	20	7.0	03.7-10.3	37	12.3	08.4-16.2
Some Post-H.S.	334	31,890	153	45.2	39.3-51.1	69	21.5	16.6-26.4	33	9.1	05.8-12.4	32	9.8	06.3-13.3	47	14.5	10.0-19.0
College Graduate	401	38,305	211	51.3	46.0-56.6	68	17.6	13.5-21.7	28	8.1	05.0-11.2	46	12.3	08.6-16.0	48	10.8	07.7-13.9
Less than \$15,000	67	4,592							7	10.2	02.6-17.8	6	8.9	01.6-16.2			
\$15,000- 24,999	113	8,677	54	46.6	36.8-56.4	23	20.7	12.5-28.9	13	12.6	05.5-19.7	7	4.9	01.2-08.6	16	15.2	07.9-22.5
\$25,000- 34,999	117	9,729	59	50.8	41.2-60.4	16	13.3	06.8-19.8	15	13.7	06.6-20.8	10	9.2	03.3-15.1	17	13.0	06.7-19.3
\$35,000- 49,999	180	15,620	93	53.4	45.6-61.2	30	16.5	10.8-22.2	14	8.4	03.7-13.1	16	9.1	04.6-13.6	27	12.6	07.9-17.3
\$50,000- 74,999	224	21,407	116	51.3	44.2-58.4	43	18.9	13.6-24.2	19	9.2	05.1-13.3	19	9.7	04.8-14.6	27	10.9	06.6-15.2
\$75,000+	324	34,695	157	45.9	40.0-51.8	70	22.0	17.1-26.9	27	9.7	06.0-13.4	34	10.6	07.1-14.1	36	11.7	07.6-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1462	139,951	82	5.2	04.0-06.4	1380	94.8	93.6-96.0
Non-Native	1399	133,927	77	5.2	04.0-06.4	1322	94.8	93.6-96.0
35-44	141	19,238				141	100.0	0100-0100
45-54	382	43,992	2	0.8	00.0-02.0	380	99.2	98.0-0100
55-64	446	36,424	10	2.3	00.9-03.7	436	97.7	96.3-99.1
65+	493	40,297	70	15.1	11.8-18.4	423	84.9	81.6-88.2
Less Than H.S.	116	9,788	10	8.4	02.9-13.9	106	91.6	86.1-97.1
H.S. or G.E.D.	414	38,735	25	5.5	03.3-07.7	389	94.5	92.3-96.7
Some Post-H.S.	448	43,324	19	4.0	02.0-06.0	429	96.0	94.0-98.0
College Graduate	482	47,865	27	5.0	03.0-07.0	455	95.0	93.0-97.0
Less than \$15,000	93	6,953	9	8.4	02.9-13.9	84	91.6	86.1-97.1
\$15,000- 24,999	156	12,721	11	8.2	03.3-13.1	145	91.8	86.9-96.7
\$25,000- 34,999	161	13,420	9	6.0	01.9-10.1	152	94.0	89.9-98.1
\$35,000- 49,999	226	20,275	17	7.4	03.9-10.9	209	92.6	89.1-96.1
\$50,000- 74,999	277	27,522	12	3.7	01.5-05.9	265	96.3	94.1-98.5
\$75,000+	417	46,552	12	2.7	01.1-04.3	405	97.3	95.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	221
2	MALES ONLY	222
3	FEMALES ONLY	223
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	224
5	MALES ONLY	225
6	FEMALES ONLY	226
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	227
8	MALES ONLY	228
9	FEMALES ONLY	229
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	230
11	MALES ONLY	231
12	FEMALES ONLY	232
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	233
14	MALES ONLY	234
15	FEMALES ONLY	235

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3056	212,985	1228	38.4	36.4-40.4	1828	61.6	59.6-63.6	
Male	1149	101,132	414	34.9	32.0-37.8	735	65.1	62.2-68.0	
Female	1907	111,853	814	41.5	39.1-43.9	1093	58.5	56.1-60.9	
Non-Native	2954	205,472	1196	38.8	36.8-40.8	1758	61.2	59.2-63.2	
45-54	506	49,355	120	22.9	19.0-26.8	386	77.1	73.2-81.0	
55-64	1054	69,946	390	35.7	32.6-38.8	664	64.3	61.2-67.4	
65+	1496	93,684	718	48.6	45.9-51.3	778	51.4	48.7-54.1	
Less Than H.S.	255	16,720	84	32.8	26.3-39.3	171	67.2	60.7-73.7	
H.S. or G.E.D.	986	66,641	388	37.3	34.0-40.6	598	62.7	59.4-66.0	
Some Post-H.S.	956	66,897	399	39.7	36.4-43.0	557	60.3	57.0-63.6	
College Graduate	854	62,341	356	39.8	36.3-43.3	498	60.2	56.7-63.7	
Less than \$15,000	285	15,193	106	36.4	30.1-42.7	179	63.6	57.3-69.9	
\$15,000- 24,999	494	28,894	194	38.1	33.4-42.8	300	61.9	57.2-66.6	
\$25,000- 34,999	354	23,697	130	35.3	29.8-40.8	224	64.7	59.2-70.2	
\$35,000- 49,999	450	31,585	202	43.9	39.0-48.8	248	56.1	51.2-61.0	
\$50,000- 74,999	423	33,380	181	40.7	35.6-45.8	242	59.3	54.2-64.4	
\$75,000+	573	49,158	208	33.1	29.0-37.2	365	66.9	62.8-71.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1149	101,132	414	34.9	32.0-37.8	735	65.1	62.2-68.0
Non-Native	1100	96,916	400	35.2	32.3-38.1	700	64.8	61.9-67.7
45-54	216	25,029	41	19.5	13.6-25.4	175	80.5	74.6-86.4
55-64	441	35,961	148	32.7	28.2-37.2	293	67.3	62.8-71.8
65+	492	40,142	225	46.5	41.8-51.2	267	53.5	48.8-58.2
Less Than H.S.	107	8,703	28	25.0	16.0-34.0	79	75.0	66.0-84.0
H.S. or G.E.D.	330	28,912	115	32.5	27.2-37.8	215	67.5	62.2-72.8
Some Post-H.S.	341	29,980	124	35.8	30.3-41.3	217	64.2	58.7-69.7
College Graduate	369	33,298	146	38.8	33.5-44.1	223	61.2	55.9-66.5
\$15,000- 24,999	140	10,937	43	30.2	22.0-38.4	97	69.8	61.6-78.0
\$25,000- 34,999	140	11,375	44	32.2	24.0-40.4	96	67.8	59.6-76.0
\$35,000- 49,999	180	15,512	75	41.9	34.3-49.5	105	58.1	50.5-65.7
\$50,000- 74,999	225	20,595	88	38.1	31.4-44.8	137	61.9	55.2-68.6
\$75,000+	273	27,219	91	29.8	24.1-35.5	182	70.2	64.5-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1907	111,853	814	41.5	39.1-43.9	1093	58.5	56.1-60.9
Non-Native	1854	108,555	796	41.9	39.5-44.3	1058	58.1	55.7-60.5
45-54	290	24,326	79	26.4	21.1-31.7	211	73.6	68.3-78.9
55-64	613	33,985	242	38.9	34.8-43.0	371	61.1	57.0-65.2
65+	1004	53,542	493	50.1	46.8-53.4	511	49.9	46.6-53.2
Less Than H.S.	148	8,016	56	41.2	32.6-49.8	92	58.8	50.2-67.4
H.S. or G.E.D.	656	37,729	273	40.9	36.8-45.0	383	59.1	55.0-63.2
Some Post-H.S.	615	36,918	275	42.8	38.5-47.1	340	57.2	52.9-61.5
College Graduate	485	29,044	210	41.0	36.3-45.7	275	59.0	54.3-63.7
Less than \$15,000	205	9,496	78	38.2	30.9-45.5	127	61.8	54.5-69.1
\$15,000- 24,999	354	17,957	151	42.9	37.2-48.6	203	57.1	51.4-62.8
\$25,000- 34,999	214	12,323	86	38.1	31.0-45.2	128	61.9	54.8-69.0
\$35,000- 49,999	270	16,073	127	45.8	39.3-52.3	143	54.2	47.7-60.7
\$50,000- 74,999	198	12,786	93	44.8	37.4-52.2	105	55.2	47.8-62.6
\$75,000+	300	21,939	117	37.1	31.4-42.8	183	62.9	57.2-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1203	80,215	348	29.4	26.7-32.1	209	18.4	16.0-20.8	171	14.0	11.8-16.2	169	13.4	11.2-15.6	306	24.9	22.4-27.4
Male	406	34,588	130	32.5	27.6-37.4	78	20.1	16.0-24.2	56	13.8	10.3-17.3	45	11.2	07.7-14.7	97	22.5	18.4-26.6
Female	797	45,627	218	27.0	23.7-30.3	131	17.1	14.2-20.0	115	14.1	11.6-16.6	124	15.0	12.5-17.5	209	26.7	23.4-30.0
Non-Native	1174	78,321	340	29.4	26.5-32.3	206	18.5	16.0-21.0	169	14.2	12.0-16.4	165	13.4	11.2-15.6	294	24.5	21.8-27.2
45-54	119	11,246	42	34.1	24.9-43.3	27	23.5	15.3-31.7	14	12.8	06.3-19.3	14	12.7	05.4-20.0	22	17.0	09.9-24.1
55-64	387	24,844	124	32.5	27.6-37.4	55	14.6	10.7-18.5	64	16.0	12.1-19.9	55	14.2	10.5-17.9	89	22.6	18.3-26.9
65+	697	44,126	182	26.4	22.9-29.9	127	19.3	16.0-22.6	93	13.1	10.4-15.8	100	13.1	10.6-15.6	195	28.2	24.5-31.9
Less Than H.S.	79	5,150				16	19.3	10.3-28.3	9	13.5	04.5-22.5	12	14.0	05.8-22.2			
H.S. or G.E.D.	376	24,127	123	34.0	28.7-39.3	58	16.6	12.3-20.9	55	13.9	10.2-17.6	47	11.9	08.6-15.2	93	23.7	19.0-28.4
Some Post-H.S.	395	26,352	92	23.0	18.5-27.5	73	20.5	16.0-25.0	64	15.9	12.0-19.8	56	14.3	10.2-18.4	110	26.4	21.7-31.1
College Graduate	352	24,502	110	31.6	26.3-36.9	62	17.8	13.5-22.1	43	12.2	08.5-15.9	54	13.8	10.1-17.5	83	24.6	19.7-29.5
Less than \$15,000	104	5,438				13	11.7	05.0-18.4	12	9.2	03.9-14.5	20	20.5	11.5-29.5	23	23.8	14.8-32.8
\$15,000- 24,999	190	10,860	46	24.1	17.4-30.8	42	24.2	17.3-31.1	22	12.4	06.9-17.9	23	10.4	05.9-14.9	57	29.0	21.9-36.1
\$25,000- 34,999	125	8,008	39	31.7	22.9-40.5	21	15.9	09.0-22.8	14	8.6	04.1-13.1	15	14.3	07.2-21.4	36	29.5	20.7-38.3
\$35,000- 49,999	200	13,721	54	28.0	21.1-34.9	39	21.3	14.8-27.8	30	16.0	10.5-21.5	26	10.1	06.2-14.0	51	24.7	18.4-31.0
\$50,000- 74,999	180	13,474	60	32.9	25.6-40.2	28	17.4	11.3-23.5	30	17.5	11.4-23.6	22	11.3	06.6-16.0	40	20.9	14.6-27.2
\$75,000+	207	16,171	56	27.4	21.1-33.7	36	17.9	12.4-23.4	35	15.5	10.6-20.4	31	16.2	10.3-22.1	49	23.1	17.2-29.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	406	34,588	130	32.5	27.6-37.4	78	20.1	16.0-24.2	56	13.8	10.3-17.3	45	11.2	07.7-14.7	97	22.5	18.2-26.8
Non-Native	395	33,679	125	32.1	27.2-37.0	77	20.3	16.0-24.6	55	14.0	10.5-17.5	45	11.5	08.0-15.0	93	22.2	17.9-26.5
55-64	148	11,758	52	35.3	27.3-43.3	26	18.0	11.3-24.7	23	15.2	09.1-21.3	16	11.7	06.0-17.4	31	19.9	13.4-26.4
65+	217	17,961	63	29.5	23.0-36.0	42	20.4	14.7-26.1	28	13.3	08.6-18.0	24	9.8	05.9-13.7	60	27.0	20.7-33.3
H.S. or G.E.D.	111	9,053	39	36.9	27.3-46.5	24	24.4	15.8-33.0	15	12.7	06.4-19.0	9	7.7	02.6-12.8	24	18.3	11.2-25.4
Some Post-H.S.	124	10,744	35	27.7	19.3-36.1	23	20.5	12.5-28.5	21	16.3	09.6-23.0	15	13.6	06.0-21.2	30	22.0	14.4-29.6
College Graduate	143	12,631	47	32.8	25.0-40.6	26	17.8	11.3-24.3	15	11.0	05.5-16.5	16	10.7	05.4-16.0	39	27.7	20.1-35.3
\$35,000- 49,999	74	6,391							15	19.7	10.5-28.9	9	9.0	02.9-15.1	14	19.0	09.6-28.4
\$50,000- 74,999	87	7,743				17	21.8	12.4-31.2	16	20.2	11.0-29.4	7	7.6	01.9-13.3	19	19.1	10.9-27.3
\$75,000+	90	8,037				14	14.8	07.5-22.1	12	11.8	05.3-18.3	13	18.0	08.0-28.0	23	23.2	14.6-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	797	45,627	218	27.0	23.7-30.3	131	17.1	14.2-20.0	115	14.1	11.6-16.6	124	15.0	12.5-17.5	209	26.7	23.4-30.0
Non-Native	779	44,643	215	27.3	24.0-30.6	129	17.2	14.3-20.1	114	14.3	11.8-16.8	120	14.9	12.2-17.6	201	26.2	22.9-29.5
45-54	78	6,376				17	23.1	13.1-33.1	9	13.0	05.0-21.0	9	11.0	04.1-17.9	16	20.8	11.2-30.4
55-64	239	13,086	72	30.1	24.0-36.2	29	11.7	07.4-16.0	41	16.7	11.8-21.6	39	16.4	11.5-21.3	58	25.1	19.2-31.0
65+	480	26,165	119	24.2	20.1-28.3	85	18.4	14.7-22.1	65	13.0	09.9-16.1	76	15.3	11.8-18.8	135	29.0	24.5-33.5
Less Than H.S.	52	3,074							4	6.5	00.0-13.0	7	12.2	02.4-22.0			
H.S. or G.E.D.	265	15,074	84	32.2	26.1-38.3	34	11.9	07.8-16.0	40	14.6	10.1-19.1	38	14.4	09.9-18.9	69	27.0	21.1-32.9
Some Post-H.S.	271	15,608	57	19.7	14.8-24.6	50	20.6	15.1-26.1	43	15.6	11.1-20.1	41	14.7	10.2-19.2	80	29.5	23.8-35.2
College Graduate	209	11,871	63	30.4	23.7-37.1	36	17.9	12.2-23.6	28	13.5	08.6-18.4	38	17.0	11.7-22.3	44	21.2	15.3-27.1
Less than \$15,000	76	3,538				10	13.1	04.7-21.5	10	11.8	04.5-19.1						
\$15,000- 24,999	147	7,556	33	21.2	14.1-28.3	29	21.2	13.6-28.8	18	11.6	06.3-16.9	20	13.1	07.2-19.0	47	32.8	24.4-41.2
\$25,000- 34,999	82	4,444				15	16.1	08.3-23.9	12	13.1	05.7-20.5	9	13.8	05.2-22.4			
\$35,000- 49,999	126	7,330	34	26.8	18.4-35.2	23	19.9	12.1-27.7	15	12.7	06.2-19.2	17	11.0	05.7-16.3	37	29.6	21.2-38.0
\$50,000- 74,999	93	5,731				11	11.4	04.7-18.1	14	13.7	06.6-20.8	15	16.2	08.2-24.2	21	23.5	14.1-32.9
\$75,000+	117	8,134	28	22.6	15.0-30.2	22	20.9	12.9-28.9	23	19.0	11.7-26.3	18	14.4	08.1-20.7	26	23.1	15.1-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3043	212,046	1903	61.1	59.1-63.1	1140	38.9	36.9-40.9	
Male	1143	100,530	688	59.3	56.2-62.4	455	40.7	37.6-43.8	
Female	1900	111,516	1215	62.8	60.4-65.2	685	37.2	34.8-39.6	
Non-Native	2941	204,533	1861	61.9	59.9-63.9	1080	38.1	36.1-40.1	
45-54	503	48,862	193	37.5	33.0-42.0	310	62.5	58.0-67.0	
55-64	1049	69,596	646	61.7	58.6-64.8	403	38.3	35.2-41.4	
65+	1491	93,589	1064	73.0	70.6-75.4	427	27.0	24.6-29.4	
Less Than H.S.	246	16,195	125	50.7	43.6-57.8	121	49.3	42.2-56.4	
H.S. or G.E.D.	979	66,068	573	56.8	53.3-60.3	406	43.2	39.7-46.7	
Some Post-H.S.	957	66,816	622	62.4	58.9-65.9	335	37.6	34.1-41.1	
College Graduate	855	62,520	579	67.0	63.5-70.5	276	33.0	29.5-36.5	
Less than \$15,000	281	14,876	148	48.8	42.1-55.5	133	51.2	44.5-57.9	
\$15,000- 24,999	490	28,643	294	57.9	52.8-63.0	196	42.1	37.0-47.2	
\$25,000- 34,999	353	23,614	211	57.8	52.1-63.5	142	42.2	36.5-47.9	
\$35,000- 49,999	448	31,513	294	64.9	60.0-69.8	154	35.1	30.2-40.0	
\$50,000- 74,999	422	33,311	260	59.6	54.5-64.7	162	40.4	35.3-45.5	
\$75,000+	574	49,250	371	62.7	58.4-67.0	203	37.3	33.0-41.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1143	100,530	688	59.3	56.2-62.4	455	40.7	37.6-43.8
Non-Native	1094	96,314	669	60.2	57.1-63.3	425	39.8	36.7-42.9
45-54	214	24,639	64	30.3	23.8-36.8	150	69.7	63.2-76.2
55-64	438	35,688	265	61.5	56.6-66.4	173	38.5	33.6-43.4
65+	491	40,203	359	75.1	71.2-79.0	132	24.9	21.0-28.8
H.S. or G.E.D.	328	28,611	179	52.5	46.6-58.4	149	47.5	41.6-53.4
Some Post-H.S.	340	29,763	194	57.0	51.3-62.7	146	43.0	37.3-48.7
College Graduate	371	33,504	261	69.0	63.9-74.1	110	31.0	25.9-36.1
\$15,000- 24,999	139	10,895	75	52.6	43.4-61.8	64	47.4	38.2-56.6
\$25,000- 34,999	139	11,291	74	52.7	43.9-61.5	65	47.3	38.5-56.1
\$35,000- 49,999	180	15,531	114	64.5	57.1-71.9	66	35.5	28.1-42.9
\$50,000- 74,999	225	20,587	134	57.6	50.5-64.7	91	42.4	35.3-49.5
\$75,000+	273	27,251	184	64.4	58.1-70.7	89	35.6	29.3-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1900	111,516	1215	62.8	60.4-65.2	685	37.2	34.8-39.6	
Non-Native	1847	108,219	1192	63.4	61.0-65.8	655	36.6	34.2-39.0	
45-54	289	24,222	129	45.0	38.7-51.3	160	55.0	48.7-61.3	
55-64	611	33,908	381	62.0	57.9-66.1	230	38.0	33.9-42.1	
65+	1000	53,386	705	71.5	68.6-74.4	295	28.5	25.6-31.4	
Less Than H.S.	144	7,783	73	51.2	42.4-60.0	71	48.8	40.0-57.6	
H.S. or G.E.D.	651	37,458	394	60.1	56.0-64.2	257	39.9	35.8-44.0	
Some Post-H.S.	617	37,053	428	66.7	62.4-71.0	189	33.3	29.0-37.6	
College Graduate	484	29,016	318	64.7	60.0-69.4	166	35.3	30.6-40.0	
Less than \$15,000	204	9,463	112	52.7	45.3-60.1	92	47.3	39.9-54.7	
\$15,000- 24,999	351	17,748	219	61.1	55.4-66.8	132	38.9	33.2-44.6	
\$25,000- 34,999	214	12,323	137	62.6	55.3-69.9	77	37.4	30.1-44.7	
\$35,000- 49,999	268	15,981	180	65.2	58.9-71.5	88	34.8	28.5-41.1	
\$50,000- 74,999	197	12,724	126	63.0	55.7-70.3	71	37.0	29.7-44.3	
\$75,000+	301	21,999	187	60.8	54.9-66.7	114	39.2	33.3-45.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1839	125,322	172	9.1	07.7-10.5	1667	90.9	89.5-92.3
Male	657	57,052	63	8.9	06.7-11.1	594	91.1	88.9-93.3
Female	1182	68,269	109	9.3	07.3-11.3	1073	90.7	88.7-92.7
Non-Native	1800	122,352	170	9.2	07.8-10.6	1630	90.8	89.4-92.2
45-54	190	18,028	20	11.1	06.0-16.2	170	88.9	83.8-94.0
55-64	633	42,223	83	12.6	09.9-15.3	550	87.4	84.7-90.1
65+	1016	65,070	69	6.3	04.7-07.9	947	93.7	92.1-95.3
Less Than H.S.	117	7,627	5	5.4	00.3-10.5	112	94.6	89.5-99.7
H.S. or G.E.D.	551	36,125	45	7.8	05.4-10.2	506	92.2	89.8-94.6
Some Post-H.S.	605	40,655	53	8.1	05.9-10.3	552	91.9	89.7-94.1
College Graduate	563	40,745	69	12.1	09.2-15.0	494	87.9	85.0-90.8
Less than \$15,000	141	6,859	12	7.2	03.1-11.3	129	92.8	88.7-96.9
\$15,000- 24,999	280	15,768	26	9.5	05.6-13.4	254	90.5	86.6-94.4
\$25,000- 34,999	203	13,120	20	9.7	05.4-14.0	183	90.3	86.0-94.6
\$35,000- 49,999	289	20,174	31	9.5	06.0-13.0	258	90.5	87.0-94.0
\$50,000- 74,999	251	19,155	23	8.9	05.2-12.6	228	91.1	87.4-94.8
\$75,000+	365	30,394	40	10.8	07.3-14.3	325	89.2	85.7-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	657	57,052	63	8.9	06.7-11.1	594	91.1	88.9-93.3
Non-Native	639	55,461	62	8.9	06.7-11.1	577	91.1	88.9-93.3
45-54	63	7,346	5	7.6	01.1-14.1	58	92.4	85.9-98.9
55-64	258	21,509	37	13.4	09.3-17.5	221	86.6	82.5-90.7
65+	336	28,197	21	5.8	03.3-08.3	315	94.2	91.7-96.7
H.S. or G.E.D.	169	14,342	10	5.1	01.8-08.4	159	94.9	91.6-98.2
Some Post-H.S.	188	16,507	17	8.0	04.3-11.7	171	92.0	88.3-95.7
College Graduate	251	22,286	32	11.9	07.8-16.0	219	88.1	84.0-92.2
\$15,000- 24,999	69	5,285	7	11.4	03.0-19.8	62	88.6	80.2-97.0
\$25,000- 34,999	71	5,655	6	6.7	01.2-12.2	65	93.3	87.8-98.8
\$35,000- 49,999	113	9,912	15	11.7	05.6-17.8	98	88.3	82.2-94.4
\$50,000- 74,999	129	11,411	10	7.3	02.8-11.8	119	92.7	88.2-97.2
\$75,000+	179	17,111	21	10.5	06.2-14.8	158	89.5	85.2-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1182	68,269	109	9.3	07.3-11.3	1073	90.7	88.7-92.7
Non-Native	1161	66,891	108	9.5	07.5-11.5	1053	90.5	88.5-92.5
45-54	127	10,683	15	13.6	06.5-20.7	112	86.4	79.3-93.5
55-64	375	20,714	46	11.7	08.4-15.0	329	88.3	85.0-91.6
65+	680	36,873	48	6.8	04.8-08.8	632	93.2	91.2-95.2
Less Than H.S.	69	3,794	1	1.1	00.0-03.3	68	98.9	96.7-0100
H.S. or G.E.D.	382	21,783	35	9.6	06.5-12.7	347	90.4	87.3-93.5
Some Post-H.S.	417	24,147	36	8.2	05.5-10.9	381	91.8	89.1-94.5
College Graduate	312	18,459	37	12.4	07.9-16.9	275	87.6	83.1-92.1
Less than \$15,000	109	4,810	11	9.5	04.0-15.0	98	90.5	85.0-96.0
\$15,000- 24,999	211	10,483	19	8.5	04.6-12.4	192	91.5	87.6-95.4
\$25,000- 34,999	132	7,466	14	12.0	05.9-18.1	118	88.0	81.9-94.1
\$35,000- 49,999	176	10,262	16	7.5	03.8-11.2	160	92.5	88.8-96.2
\$50,000- 74,999	122	7,744	13	11.3	05.0-17.6	109	88.7	82.4-95.0
\$75,000+	186	13,282	19	11.1	05.6-16.6	167	88.9	83.4-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1880	128,207	407	21.5	19.5-23.5	347	18.4	16.4-20.4	299	16.4	14.6-18.2	422	22.5	20.3-24.7	283	14.8	13.0-16.6	122	6.4	05.2-07.6
Male	682	59,072	141	20.3	17.2-23.4	141	20.5	17.4-23.6	113	16.8	13.9-19.7	150	22.5	19.2-25.8	100	14.5	11.8-17.2	37	5.4	03.6-07.2
Female	1198	69,135	266	22.5	20.0-25.0	206	16.7	14.3-19.1	186	16.2	13.8-18.6	272	22.4	19.9-24.9	183	15.0	12.8-17.2	85	7.2	05.6-08.8
Non-Native	1838	125,078	396	21.5	19.5-23.5	340	18.5	16.5-20.5	296	16.6	14.6-18.6	416	22.7	20.5-24.9	273	14.5	12.7-16.3	117	6.2	05.0-07.4
45-54	190	18,139	53	27.8	20.9-34.7	40	20.5	14.4-26.6	32	16.6	11.1-22.1	27	13.6	08.5-18.7	18	10.2	05.5-14.9	20	11.4	06.1-16.7
55-64	646	42,974	129	19.5	16.2-22.8	113	18.3	15.2-21.4	98	15.2	12.3-18.1	153	23.6	19.9-27.3	111	17.2	14.1-20.3	42	6.2	04.2-08.2
65+	1044	67,093	225	21.1	18.6-23.6	194	18.0	15.5-20.5	169	17.2	14.7-19.7	242	24.1	21.4-26.8	154	14.4	12.0-16.8	60	5.1	03.7-06.5
Less Than H.S.	120	7,904	28	21.5	13.9-29.1	16	13.8	06.9-20.7	23	22.8	13.8-31.8	31	27.7	18.7-36.7	17	10.9	05.4-16.4	5	3.4	00.3-06.5
H.S. or G.E.D.	567	37,125	131	22.9	19.2-26.6	120	20.2	16.7-23.7	89	16.0	12.7-19.3	119	20.7	17.2-24.2	74	13.8	10.7-16.9	34	6.2	04.0-08.4
Some Post-H.S.	613	41,188	134	22.0	18.5-25.5	121	19.8	16.3-23.3	97	17.3	14.0-20.6	120	19.0	15.7-22.3	99	15.2	12.3-18.1	42	6.7	04.5-08.9
College Graduate	576	41,665	113	19.9	16.4-23.4	90	16.5	13.2-19.8	90	14.9	11.8-18.0	151	26.5	22.6-30.4	91	15.4	12.3-18.5	41	6.8	04.4-09.2
Less than \$15,000	145	7,091	35	23.6	16.2-31.0	27	18.8	11.9-25.7	15	9.7	04.6-14.8	26	16.9	10.6-23.2	25	19.0	11.7-26.3	17	12.0	06.3-17.7
\$15,000- 24,999	292	16,500	62	20.9	15.8-26.0	52	17.5	12.8-22.2	43	15.1	10.4-19.8	67	24.0	18.5-29.5	45	14.3	10.2-18.4	23	8.2	04.7-11.7
\$25,000- 34,999	208	13,333	49	24.7	18.2-31.2	38	18.0	12.3-23.7	34	16.8	11.3-22.3	36	19.5	13.4-25.6	38	15.2	10.3-20.1	13	5.7	02.4-09.0
\$35,000- 49,999	291	20,211	52	15.7	11.4-20.0	55	19.4	14.5-24.3	52	19.6	14.5-24.7	69	24.4	18.9-29.9	43	15.4	10.7-20.1	20	5.5	03.0-08.0
\$50,000- 74,999	258	19,722	63	25.3	19.6-31.0	54	21.3	16.0-26.6	34	13.3	08.8-17.8	57	19.8	14.9-24.7	36	14.2	09.7-18.7	14	6.1	02.8-09.4
\$75,000+	371	30,903	73	19.9	15.6-24.2	65	17.6	13.5-21.7	64	16.7	12.8-20.6	96	25.5	20.8-30.2	50	13.3	09.8-16.8	23	7.1	04.0-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	682	59,072	141	20.3	17.2-23.4	141	20.5	17.4-23.6	113	16.8	13.9-19.7	150	22.5	19.2-25.8	100	14.5	11.8-17.2	37	5.4	03.6-07.2
Non-Native	663	57,429	139	20.6	17.3-23.9	136	20.4	17.3-23.5	112	17.1	14.2-20.0	147	22.7	19.4-26.0	94	14.0	11.3-16.7	35	5.2	03.4-07.0
45-54	64	7,457							11	15.7	06.9-24.5	10	14.9	06.1-23.7	5	9.0	01.4-16.6	6	10.4	02.0-18.8
55-64	265	21,951	52	19.3	14.4-24.2	57	21.5	16.4-26.6	40	15.0	10.7-19.3	51	20.8	15.3-26.3	47	16.8	12.3-21.3	18	6.7	03.6-09.8
65+	353	29,664	71	19.3	15.2-23.4	70	19.3	15.0-23.6	62	18.4	14.1-22.7	89	25.7	21.0-30.4	48	14.1	10.2-18.0	13	3.2	01.4-05.0
Less Than H.S.	51	4,081	10	14.3	05.3-23.3										6	9.0	01.4-16.6	2	3.6	00.0-08.9
H.S. or G.E.D.	177	14,884	37	21.3	15.0-27.6	38	20.6	14.3-26.9	36	19.4	13.3-25.5	34	19.7	13.4-26.0	24	14.2	08.7-19.7	8	4.9	01.6-08.2
Some Post-H.S.	194	16,977	40	21.4	15.1-27.7	46	23.4	17.1-29.7	33	17.9	12.2-23.6	36	17.9	12.2-23.6	29	14.0	09.1-18.9	10	5.4	01.7-09.1
College Graduate	258	22,890	54	20.3	15.2-25.4	50	19.6	14.5-24.7	31	11.7	07.8-15.6	67	27.2	21.3-33.1	39	15.1	10.6-19.6	17	6.1	03.0-09.2
\$15,000- 24,999	74	5,689	15	18.6	09.6-27.6	16	21.5	11.7-31.3							9	11.4	04.0-18.8	3	4.2	00.0-09.1
\$25,000- 34,999	73	5,791	16	20.9	11.3-30.5				14	18.9	09.5-28.3				10	10.9	03.6-18.2	5	6.0	00.7-11.3
\$35,000- 49,999	113	9,912	17	13.1	07.0-19.2	25	21.6	13.8-29.4	21	20.6	12.6-28.6	29	25.5	16.9-34.1	17	15.9	08.6-23.2	4	3.3	00.0-06.6
\$50,000- 74,999	134	11,850	35	26.5	18.7-34.3	29	21.6	14.3-28.9	19	14.9	08.6-21.2	24	16.5	10.0-23.0	20	14.4	08.3-20.5	7	6.0	01.5-10.5
\$75,000+	184	17,538	34	19.0	13.1-24.9	35	18.8	12.9-24.7	29	14.6	09.5-19.7	45	25.9	19.0-32.8	28	14.7	09.6-19.8	13	7.0	02.9-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1198	69,135	266	22.5	20.0-25.0	206	16.7	14.3-19.1	186	16.2	13.8-18.6	272	22.4	19.9-24.9	183	15.0	12.8-17.2	85	7.2	05.6-08.8
Non-Native	1175	67,649	257	22.1	19.6-24.6	204	16.8	14.4-19.2	184	16.3	13.9-18.7	269	22.7	20.2-25.2	179	14.9	12.7-17.1	82	7.1	05.3-08.9
45-54	126	10,683	35	27.9	19.5-36.3	26	19.2	11.9-26.5	21	17.2	10.1-24.3	17	12.6	06.7-18.5	13	11.0	05.1-16.9	14	12.0	05.3-18.7
55-64	381	21,023	77	19.8	15.7-23.9	56	14.9	11.2-18.6	58	15.4	11.5-19.3	102	26.6	21.9-31.3	64	17.6	13.5-21.7	24	5.7	03.3-08.1
65+	691	37,429	154	22.5	19.2-25.8	124	17.0	14.1-19.9	107	16.3	13.4-19.2	153	22.9	19.6-26.2	106	14.7	12.0-17.4	47	6.7	04.7-08.7
Less Than H.S.	69	3,822				9	12.7	04.5-20.9	10	13.3	05.1-21.5				11	13.1	05.3-20.9	3	3.1	00.0-06.6
H.S. or G.E.D.	390	22,241	94	24.1	19.6-28.6	82	20.0	15.9-24.1	53	13.8	10.1-17.5	85	21.4	17.1-25.7	50	13.6	09.9-17.3	26	7.1	04.4-09.8
Some Post-H.S.	419	24,211	94	22.5	18.2-26.8	75	17.3	13.4-21.2	64	16.9	13.0-20.8	84	19.8	15.7-23.9	70	16.0	12.3-19.7	32	7.5	04.8-10.2
College Graduate	318	18,775	59	19.4	14.7-24.1	40	12.8	08.7-16.9	59	18.7	14.0-23.4	84	25.6	20.5-30.7	52	15.8	11.3-20.3	24	7.7	04.2-11.2
Less than \$15,000	109	4,822	25	21.9	13.9-29.9	21	19.4	11.4-27.4	11	10.5	04.2-16.8	20	18.0	10.4-25.6	19	17.5	10.1-24.9	13	12.7	06.0-19.4
\$15,000- 24,999	218	10,811	47	22.1	16.0-28.2	36	15.4	10.5-20.3	30	12.7	08.2-17.2	49	23.7	17.4-30.0	36	15.8	10.7-20.9	20	10.3	05.6-15.0
\$25,000- 34,999	135	7,542	33	27.5	19.1-35.9	21	13.5	07.6-19.4	20	15.3	08.6-22.0	25	19.6	12.3-26.9	28	18.6	11.9-25.3	8	5.5	01.4-09.6
\$35,000- 49,999	178	10,299	35	18.2	12.1-24.3	30	17.3	11.2-23.4	31	18.7	12.4-25.0	40	23.2	16.3-30.1	26	15.0	09.3-20.7	16	7.7	03.8-11.6
\$50,000- 74,999	124	7,872	28	23.6	15.4-31.8	25	20.8	13.0-28.6	15	10.9	05.2-16.6	33	24.7	16.9-32.5	16	13.8	06.7-20.9	7	6.3	01.6-11.0
\$75,000+	187	13,365	39	21.0	14.7-27.3	30	15.9	10.4-21.4	35	19.6	13.5-25.7	51	24.8	18.5-31.1	22	11.6	06.9-16.3	10	7.1	02.2-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1	MALES AND FEMALES	237
2	MALES ONLY	238
3	FEMALES ONLY	239
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4	MALES AND FEMALES	240
5	MALES ONLY	241
6	FEMALES ONLY	242
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7	MALES AND FEMALES	243
8	MALES ONLY	244
9	FEMALES ONLY	245
	WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10	MALES AND FEMALES	246
11	MALES ONLY	247
12	FEMALES ONLY	248
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
13	MALES AND FEMALES	249
14	MALES ONLY	250
15	FEMALES ONLY	251

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2988	379,036	687	23.8	21.6-26.0	2301	76.2	74.0-78.4
Male	1240	195,998	275	21.1	18.2-24.0	965	78.9	76.0-81.8
Female	1748	183,037	412	26.7	23.8-29.6	1336	73.3	70.4-76.2
Non-Native	2869	357,789	643	23.2	21.0-25.4	2226	76.8	74.6-79.0
18-24	126	77,590	26	17.5	10.6-24.4	100	82.5	75.6-89.4
25-34	395	78,832	150	33.4	28.3-38.5	245	66.6	61.5-71.7
35-44	581	69,714	222	36.7	32.6-40.8	359	63.3	59.2-67.4
45-54	869	85,663	173	19.6	16.7-22.5	696	80.4	77.5-83.3
55-64	1017	67,236	116	11.6	09.4-13.8	901	88.4	86.2-90.6
Less Than H.S.	101	18,958	17	15.0	06.6-23.4	84	85.0	76.6-93.4
H.S. or G.E.D.	770	110,096	150	21.0	16.7-25.3	620	79.0	74.7-83.3
Some Post-H.S.	1006	124,050	239	26.0	22.3-29.7	767	74.0	70.3-77.7
College Graduate	1109	125,751	281	25.4	22.5-28.3	828	74.6	71.7-77.5
\$15,000- 24,999	288	33,725	73	27.5	19.5-35.5	215	72.5	64.5-80.5
\$25,000- 34,999	286	35,762	64	26.6	18.8-34.4	222	73.4	65.6-81.2
\$35,000- 49,999	432	50,912	98	28.6	22.1-35.1	334	71.4	64.9-77.9
\$50,000- 74,999	558	70,418	119	20.3	16.4-24.2	439	79.7	75.8-83.6
\$75,000+	965	123,405	236	25.3	21.8-28.8	729	74.7	71.2-78.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1240	195,998	275	21.1	18.2-24.0	965	78.9	76.0-81.8
Non-Native	1184	183,619	260	20.7	17.8-23.6	924	79.3	76.4-82.2
18-24	56	41,973	10	13.2	04.6-21.8	46	86.8	78.2-95.4
25-34	154	42,183	36	22.6	15.5-29.7	118	77.4	70.3-84.5
35-44	244	35,470	76	31.4	25.1-37.7	168	68.6	62.3-74.9
45-54	371	42,684	93	24.2	19.5-28.9	278	75.8	71.1-80.5
55-64	415	33,688	60	14.4	10.9-17.9	355	85.6	82.1-89.1
H.S. or G.E.D.	342	62,305	74	19.9	13.6-26.2	268	80.1	73.8-86.4
Some Post-H.S.	421	61,500	100	23.2	18.1-28.3	321	76.8	71.7-81.9
College Graduate	420	58,582	91	21.8	17.3-26.3	329	78.2	73.7-82.7
\$15,000- 24,999	91	15,980	19	15.9	06.5-25.3	72	84.1	74.7-93.5
\$35,000- 49,999	171	25,247	46	30.5	20.7-40.3	125	69.5	59.7-79.3
\$50,000- 74,999	250	36,295	46	15.7	10.8-20.6	204	84.3	79.4-89.2
\$75,000+	435	67,932	103	23.8	18.7-28.9	332	76.2	71.1-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1748	183,037	412	26.7	23.8-29.6	1336	73.3	70.4-76.2
Non-Native	1685	174,170	383	25.8	22.9-28.7	1302	74.2	71.3-77.1
25-34	241	36,649	114	45.9	39.2-52.6	127	54.1	47.4-60.8
35-44	337	34,244	146	42.2	36.7-47.7	191	57.8	52.3-63.3
45-54	498	42,979	80	15.1	11.8-18.4	418	84.9	81.6-88.2
55-64	602	33,548	56	8.8	06.4-11.2	546	91.2	88.8-93.6
H.S. or G.E.D.	428	47,791	76	22.4	16.5-28.3	352	77.6	71.7-83.5
Some Post-H.S.	585	62,550	139	28.7	23.2-34.2	446	71.3	65.8-76.8
College Graduate	689	67,169	190	28.6	24.7-32.5	499	71.4	67.5-75.3
\$35,000- 49,999	261	25,665	52	26.8	18.4-35.2	209	73.2	64.8-81.6
\$50,000- 74,999	308	34,122	73	25.3	19.2-31.4	235	74.7	68.6-80.8
\$75,000+	530	55,473	133	27.2	22.7-31.7	397	72.8	68.3-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	503	65,572	39	5.1	03.3-06.9	61	8.8	06.4-11.2	83	12.7	09.6-15.8	230	52.2	46.5-57.9	90	21.3	16.4-26.2
Male	189	27,470	16	5.3	02.6-08.0	29	11.9	07.2-16.6	29	12.0	07.1-16.9	76	48.0	39.0-57.0	39	22.7	15.3-30.1
Female	314	38,102	23	4.9	02.5-07.3	32	6.6	04.1-09.1	54	13.2	09.3-17.1	154	55.1	47.8-62.4	51	20.2	13.7-26.7
Non-Native	468	59,251	38	5.5	03.5-07.5	58	9.2	06.7-11.7	81	13.7	10.4-17.0	213	50.9	45.0-56.8	78	20.6	15.5-25.7
25-34	119	20,932				1	0.9	00.0-02.7	17	12.2	06.1-18.3	70	61.1	51.5-70.7	31	25.8	17.2-34.4
35-44	168	19,446	9	4.9	01.6-08.2	31	18.1	11.8-24.4	25	14.5	08.8-20.2	82	49.1	40.9-57.3	21	13.4	07.9-18.9
45-54	115	11,129	17	14.8	07.4-22.2	15	9.8	04.5-15.1	16	11.5	05.8-17.2				20	18.6	10.8-26.4
55-64	84	5,388	13	13.5	06.2-20.8	14	18.2	09.0-27.4				21	25.8	15.8-35.8	11	11.2	04.5-17.9
H.S. or G.E.D.	107	15,715	8	4.4	01.3-07.5	11	8.5	03.0-14.0	15	8.6	03.7-13.5				22	17.9	08.9-26.9
Some Post-H.S.	165	22,276	15	6.2	02.7-09.7	17	6.1	03.0-09.2	30	12.6	07.5-17.7						
College Graduate	215	24,956	16	5.0	02.1-07.9	33	12.4	07.9-16.9	33	14.7	09.4-20.0	101	49.7	42.1-57.3	32	18.2	11.9-24.5
\$15,000- 24,999	55	6,954	5	3.3	00.2-06.4	5	3.6	00.1-07.1	7	6.7	01.0-12.4						
\$35,000- 49,999	64	10,168	7	4.7	00.6-08.8	9	7.0	01.9-12.1	9	11.6	02.4-20.8						
\$50,000- 74,999	84	10,502	7	5.7	01.4-10.0	11	10.8	03.9-17.7	20	22.5	12.9-32.1				11	12.0	04.9-19.1
\$75,000+	186	23,551	13	6.1	02.4-09.8	23	10.6	06.1-15.1	30	13.0	08.1-17.9	91	50.5	42.5-58.5	29	19.8	12.5-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	189	27,470	16	5.3	02.6-08.0	29	11.9	07.2-16.6	29	12.0	07.1-16.9	76	48.0	38.8-57.2	39	22.7	15.1-30.3
Non-Native	178	24,739	16	5.9	02.8-09.0	28	12.5	07.6-17.4	29	13.4	07.9-18.9	69	44.0	35.2-52.8	36	24.3	16.3-32.3
35-44	56	8,387	2	2.6	00.0-06.3				8	13.4	04.2-22.6						
45-54	62	6,595	7	11.8	03.2-20.4	7	8.4	01.9-14.9	7	8.4	01.9-14.9						
H.S. or G.E.D.	52	8,346	4	4.3	00.0-08.8				7	6.4	00.9-11.9						
Some Post-H.S.	64	8,223	9	10.1	03.0-17.2	7	6.4	01.3-11.5	9	11.0	03.2-18.8						
College Graduate	64	9,199	3	2.9	00.0-06.6	14	17.5	08.1-26.9									
\$75,000+	79	11,716	6	6.0	01.1-10.9	12	13.4	05.8-21.0	11	10.8	03.9-17.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	314	38,102	23	4.9	02.5-07.3	32	6.6	04.1-09.1	54	13.2	09.3-17.1	154	55.1	47.8-62.4	51	20.2	13.7-26.7
Non-Native	290	34,513	22	5.3	02.8-07.8	30	6.9	04.2-09.6	52	14.0	09.9-18.1	144	55.8	48.4-63.2	42	18.0	11.3-24.7
25-34	94	13,844							15	13.9	07.0-20.8				24	24.2	15.4-33.0
35-44	112	11,058	7	6.6	01.7-11.5	18	14.5	08.0-21.0	17	15.4	08.1-22.7	59	53.4	43.8-63.0	11	10.1	04.4-15.8
45-54	53	4,534				8	11.9	03.3-20.5									
H.S. or G.E.D.	55	7,369	4	4.5	00.0-09.2	3	2.6	00.0-05.7	8	11.1	02.7-19.5				11	14.9	05.3-24.5
Some Post-H.S.	101	14,053	6	4.0	00.5-07.5	10	5.9	02.0-09.8	21	13.6	06.7-20.5						
College Graduate	151	15,757	13	6.1	02.0-10.2	19	9.5	05.0-14.0	23	13.8	08.1-19.5	73	53.1	44.1-62.1	23	17.4	10.3-24.5
\$50,000- 74,999	55	6,933	3	3.2	00.0-07.1	5	7.9	01.0-14.8							7	11.3	02.7-19.9
\$75,000+	107	11,835	7	6.3	01.0-11.6	11	7.8	03.1-12.5	19	15.3	08.2-22.4				15	15.7	08.1-23.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	679	89,549	132	18.2	14.5-21.9	10	1.1	00.3-01.9	391	57.6	52.7-62.5	8	1.5	00.3-02.7	36	5.5	03.3-07.7	102	16.2	12.1-20.3
Male	273	41,143	35	14.3	08.4-20.2	5	1.2	00.0-02.4	148	53.0	45.4-60.6	8	3.2	00.8-05.6	20	7.4	03.5-11.3	57	20.9	14.2-27.6
Female	406	48,406	97	21.6	16.9-26.3	5	1.0	00.0-02.0	243	61.4	55.1-67.7				16	3.8	01.3-06.3	45	12.2	06.9-17.5
Non-Native	637	82,396	131	18.9	15.2-22.6	10	1.2	00.4-02.0	361	56.8	51.7-61.9	6	1.3	00.1-02.5	34	5.2	03.0-07.4	95	16.6	12.3-20.9
25-34	150	26,359	32	22.4	14.4-30.4	2	1.1	00.0-02.5	101	66.9	58.3-75.5	2	1.5	00.0-03.7	3	2.2	00.0-04.7	10	5.9	01.8-10.0
35-44	219	25,352	42	19.4	13.7-25.1	3	1.4	00.0-03.0	124	54.8	47.5-62.1	3	2.6	00.0-05.5	13	6.8	02.1-11.5	34	15.1	10.2-20.0
45-54	169	16,498	31	15.9	10.2-21.6	2	0.9	00.0-02.3	93	54.4	46.0-62.8	2	1.0	00.0-02.6	13	9.5	03.8-15.2	28	18.2	11.5-24.9
55-64	115	7,727	24	18.9	11.5-26.3	3	2.5	00.0-05.4	59	50.1	40.1-60.1	1	1.1	00.0-03.3	6	6.4	01.1-11.7	22	21.0	12.2-29.8
H.S. or G.E.D.	147	22,840	25	17.3	08.7-25.9							1	0.4	00.0-01.2	10	6.2	00.9-11.5			
Some Post-H.S.	238	32,148	45	17.9	11.6-24.2	3	0.8	00.0-01.8	147	60.6	52.2-69.0	4	1.7	00.0-03.5	9	5.2	01.1-09.3	30	13.8	07.5-20.1
College Graduate	277	31,714	60	20.4	15.3-25.5	7	2.3	00.5-04.1	152	58.6	52.1-65.1	1	0.7	00.0-02.1	16	5.1	02.6-07.6	41	12.9	08.6-17.2
Less than \$15,000	52	6,524				1	0.7	00.0-02.1				2	5.1	00.0-12.7				6	8.9	00.9-16.9
\$15,000- 24,999	71	9,176	7	9.5	00.9-18.1	1	0.7	00.0-02.1				2	1.8	00.0-04.5	2	0.9	00.0-02.1			
\$25,000- 34,999	64	9,507										2	4.6	00.0-10.9	1	5.5	00.0-15.9			
\$35,000- 49,999	97	14,447	22	17.7	09.1-26.3	1	0.3	00.0-00.9							6	5.3	00.6-10.0			
\$50,000- 74,999	119	14,326	27	21.2	13.2-29.2	2	1.4	00.0-03.4				1	1.5	00.0-04.4	2	1.1	00.0-02.7	16	14.4	07.3-21.5
\$75,000+	233	30,985	47	18.2	12.7-23.7	4	1.6	00.0-03.2	123	54.8	47.0-62.6				20	7.5	04.0-11.0	39	17.9	10.3-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	273	41,143	35	14.3	08.4-20.2	5	1.2	00.0-02.4	148	53.0	45.4-60.6	8	3.2	00.8-05.6	20	7.4	03.5-11.3	57	20.9	14.2-27.6
Non-Native	258	37,816	34	13.6	08.1-19.1	5	1.4	00.2-02.6	139	53.3	45.7-60.9	6	2.9	00.4-05.4	18	6.5	03.2-09.8	56	22.4	15.3-29.5
35-44	76	11,135	11	15.9	06.9-24.9	2	2.3	00.0-05.4				3	5.8	00.0-12.3	5	9.4	00.0-19.2	20	22.7	13.3-32.1
45-54	91	10,101	8	9.6	03.1-16.1	1	1.1	00.0-03.3				2	1.7	00.0-04.1	8	11.0	02.8-19.2	19	21.5	12.5-30.5
55-64	60	4,841	11	16.5	07.1-25.9	2	3.0	00.0-07.3				1	1.7	00.0-05.0	5	9.6	01.6-17.6			
H.S. or G.E.D.	73	12,285										1	0.7	00.0-02.1	6	8.6	00.0-17.8			
Some Post-H.S.	100	14,261				1	0.4	00.0-01.2				4	3.8	00.0-07.7	5	6.5	00.4-12.6	21	19.6	10.6-28.6
College Graduate	90	12,672	13	13.3	05.7-20.9	4	3.5	00.0-07.0				1	1.7	00.0-05.0	8	7.0	01.9-12.1	19	19.3	10.3-28.3
\$75,000+	102	16,044	13	12.0	04.7-19.3	2	1.6	00.0-03.8							10	8.3	02.4-14.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	406	48,406	97	21.6	16.9-26.3	5	1.0	00.0-02.0	243	61.4	55.1-67.7	16	3.8	01.3-06.3	45	12.2	06.9-17.5
Non-Native	379	44,581	97	23.4	18.3-28.5	5	1.0	00.0-02.0	222	59.7	53.0-66.4	16	4.1	01.4-06.8	39	11.7	06.2-17.2
25-34	114	16,816	28	25.6	17.0-34.2	2	1.7	00.0-04.1	77	68.2	59.2-77.2	1	0.8	00.0-02.4	6	3.7	00.6-06.8
35-44	143	14,218	31	22.1	15.0-29.2	1	0.7	00.0-02.1	89	63.4	55.2-71.6	8	4.8	01.5-08.1	14	9.1	04.4-13.8
45-54	78	6,398				1	0.6	00.0-01.8				5	7.1	01.0-13.2	9	12.9	03.7-22.1
55-64	55	2,886				1	1.6	00.0-04.7				1	1.1	00.0-03.3			
H.S. or G.E.D.	74	10,555										4	3.3	00.0-06.8			
Some Post-H.S.	138	17,887	28	15.6	09.1-22.1	2	1.0	00.0-02.6				4	4.2	00.0-10.1	9	9.1	00.3-17.9
College Graduate	187	19,041	47	25.1	18.2-32.0	3	1.5	00.0-03.3	107	60.9	53.3-68.5	8	3.8	01.1-06.5	22	8.7	04.8-12.6
\$15,000- 24,999	52	6,631										2	1.2	00.0-03.0	5	3.9	00.0-08.0
\$35,000- 49,999	52	6,868				1	0.6	00.0-01.8				1	1.4	00.0-04.1			
\$50,000- 74,999	73	8,633										1	0.6	00.0-01.8	7	8.8	02.1-15.5
\$75,000+	131	14,941	34	24.9	16.9-32.9	2	1.6	00.0-03.8	71	57.4	47.8-67.0	10	6.7	02.6-10.8	14	9.5	02.4-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS

TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS

TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	58	9,117	8	7.5	01.4-13.6	50	92.5	86.4-98.6	
Non-Native	50	7,834	6	4.8	00.1-09.5	44	95.2	90.5-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 13: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3051	384,573	32	2.1	00.9-03.3	3019	97.9	96.7-99.1
Male	1274	198,773	9	2.0	00.0-04.0	1265	98.0	96.0-0100
Female	1777	185,800	23	2.1	00.5-03.7	1754	97.9	96.3-99.5
Native	86	14,911	5	9.7	00.0-19.9	81	90.3	80.1-0100
Non-Native	2931	363,059	27	1.8	00.6-03.0	2904	98.2	97.0-99.4
18-24	126	77,353	6	6.3	00.6-12.0	120	93.7	88.0-99.4
25-34	404	79,752	10	2.3	00.7-03.9	394	97.7	96.1-99.3
35-44	589	70,657	5	0.7	00.1-01.3	584	99.3	98.7-99.9
45-54	884	87,237	3	0.3	00.0-00.7	881	99.7	99.3-0100
55-64	1048	69,573	8	0.7	00.1-01.3	1040	99.3	98.7-99.9
H.S. or G.E.D.	782	111,888	9	2.3	00.0-04.7	773	97.7	95.3-0100
Some Post-H.S.	1030	125,309	12	2.0	00.4-03.6	1018	98.0	96.4-99.6
College Graduate	1133	127,924	9	0.6	00.2-01.0	1124	99.4	99.0-99.8
Less than \$15,000	169	19,507	5	2.8	00.0-06.1	164	97.2	93.9-0100
\$15,000- 24,999	296	34,596	3	1.7	00.0-04.4	293	98.3	95.6-0100
\$25,000- 34,999	288	35,928	6	1.9	00.1-03.7	282	98.1	96.3-99.9
\$35,000- 49,999	443	52,242	6	3.9	00.0-07.8	437	96.1	92.2-0100
\$50,000- 74,999	576	72,139	3	0.3	00.0-00.7	573	99.7	99.3-0100
\$75,000+	980	125,133	6	1.4	00.0-03.2	974	98.6	96.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 14: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1274	198,773	9	2.0	00.0-04.0	1265	98.0	96.0-0100
Non-Native	1217	186,145	7	1.6	00.0-03.6	1210	98.4	96.4-0100
18-24	56	41,736	4	7.3	00.0-16.1	52	92.7	83.9-0100
25-34	155	41,810	3	1.6	00.0-03.4	152	98.4	96.6-0100
35-44	248	36,048				248	100.0	0100-0100
45-54	378	43,575	1	0.3	00.0-00.9	377	99.7	99.1-0100
55-64	437	35,603	1	0.4	00.0-01.2	436	99.6	98.8-0100
H.S. or G.E.D.	347	63,379	4	1.9	00.0-04.3	343	98.1	95.7-0100
Some Post-H.S.	431	61,649	4	1.6	00.0-03.4	427	98.4	96.6-0100
College Graduate	437	59,923				437	100.0	0100-0100
Less than \$15,000	80	12,483				80	100.0	0100-0100
\$15,000- 24,999	96	16,626	1	2.8	00.0-08.3	95	97.2	91.7-0100
\$25,000- 34,999	123	16,308	4	3.5	00.0-07.2	119	96.5	92.8-0100
\$35,000- 49,999	175	25,876	2	3.5	00.0-09.0	173	96.5	91.0-0100
\$50,000- 74,999	263	37,468				263	100.0	0100-0100
\$75,000+	442	68,660	1	0.4	00.0-01.2	441	99.6	98.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 15: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1777	185,800	23	2.1	00.5-03.7	1754	97.9	96.3-99.5
Native	51	7,264	3	6.6	00.0-15.4	48	93.4	84.6-0100
Non-Native	1714	176,913	20	2.0	00.4-03.6	1694	98.0	96.4-99.6
18-24	70	35,617	2	5.1	00.0-12.0	68	94.9	88.0-0100
25-34	249	37,942	7	2.9	00.5-05.3	242	97.1	94.7-99.5
35-44	341	34,609	5	1.4	00.0-02.8	336	98.6	97.2-0100
45-54	506	43,662	2	0.4	00.0-01.0	504	99.6	99.0-0100
55-64	611	33,970	7	1.1	00.3-01.9	604	98.9	98.1-99.7
H.S. or G.E.D.	435	48,509	5	2.9	00.0-07.0	430	97.1	93.0-0100
Some Post-H.S.	599	63,660	8	2.4	00.0-04.9	591	97.6	95.1-0100
College Graduate	696	68,000	9	1.1	00.3-01.9	687	98.9	98.1-99.7
Less than \$15,000	89	7,023	5	7.8	00.0-16.8	84	92.2	83.2-0100
\$15,000- 24,999	200	17,970	2	0.6	00.0-01.4	198	99.4	98.6-0100
\$25,000- 34,999	165	19,620	2	0.6	00.0-01.4	163	99.4	98.6-0100
\$35,000- 49,999	268	26,366	4	4.4	00.0-10.3	264	95.6	89.7-0100
\$50,000- 74,999	313	34,671	3	0.7	00.0-01.7	310	99.3	98.3-0100
\$75,000+	538	56,473	5	2.6	00.0-06.1	533	97.4	93.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	253
2	MALES ONLY	254
3	FEMALES ONLY	255
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	256
5	MALES ONLY	257
6	FEMALES ONLY	258

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4507	474,889	2315	53.7	51.5-55.9	1455	32.0	30.0-34.0	393	8.1	07.1-09.1	131	2.8	02.0-03.6	213	3.4	02.8-04.0
Male	1731	236,738	890	55.5	52.2-58.8	497	28.1	25.2-31.0	169	8.8	07.0-10.6	67	3.4	02.0-04.8	108	4.2	03.2-05.2
Female	2776	238,151	1425	51.9	49.4-54.4	958	35.8	33.3-38.3	224	7.5	06.3-08.7	64	2.2	01.2-03.2	105	2.6	02.0-03.2
Native	99	15,829				18	15.1	06.9-23.3				9	6.1	00.8-11.4	8	4.6	01.1-08.1
Non-Native	4337	450,107	2241	54.1	51.9-56.3	1418	32.6	30.6-34.6	365	7.6	06.6-08.6	117	2.5	01.7-03.3	196	3.3	02.7-03.9
18-24	126	77,952	73	60.9	51.7-70.1	39	27.7	19.3-36.1	9	6.2	02.1-10.3	5	5.2	00.7-09.7			
25-34	402	79,216	216	55.9	50.6-61.2	139	32.3	27.4-37.2	35	8.9	05.8-12.0	7	1.5	00.1-02.9	5	1.4	00.0-02.8
35-44	587	70,513	252	44.7	40.4-49.0	253	43.1	38.8-47.4	56	8.2	05.8-10.6	8	1.3	00.3-02.3	18	2.8	01.4-04.2
45-54	875	86,064	414	49.9	46.4-53.4	318	35.5	32.0-39.0	85	9.2	07.2-11.2	33	3.0	01.8-04.2	25	2.4	01.4-03.4
55-64	1025	68,037	535	54.1	50.8-57.4	338	31.5	28.4-34.6	88	8.1	06.3-09.9	25	2.2	01.2-03.2	39	4.0	02.6-05.4
65+	1457	91,341	807	56.1	53.4-58.8	357	23.7	21.3-26.1	119	8.2	06.6-09.8	51	3.3	02.3-04.3	123	8.7	07.1-10.3
Less Than H.S.	298	31,320	141	53.5	43.5-63.5	45	14.9	08.8-21.0	45	14.4	09.1-19.7	16	5.6	00.9-10.3	51	11.5	07.6-15.4
H.S. or G.E.D.	1320	144,356	669	51.4	46.9-55.9	373	31.0	26.9-35.1	135	9.8	07.3-12.3	50	2.9	01.5-04.3	93	4.9	03.7-06.1
Some Post-H.S.	1446	150,173	752	54.6	51.1-58.1	484	31.5	28.2-34.8	116	7.5	05.7-09.3	46	3.9	01.9-05.9	48	2.5	01.7-03.3
College Graduate	1436	148,496	751	55.3	52.2-58.4	550	36.9	33.8-40.0	96	5.7	04.3-07.1	19	1.0	00.6-01.4	20	1.1	00.5-01.7
Less than \$15,000	344	28,164	142	39.5	31.5-47.5	70	19.3	13.2-25.4	63	22.2	15.3-29.1	28	9.3	04.0-14.6	41	9.7	05.8-13.6
\$15,000- 24,999	615	52,514	271	46.0	39.9-52.1	184	32.1	25.8-38.4	70	10.4	07.5-13.3	35	4.6	02.6-06.6	55	6.8	04.8-08.8
\$25,000- 34,999	479	47,781	213	45.9	39.0-52.8	173	36.7	30.2-43.2	47	8.7	05.4-12.0	20	4.9	01.4-08.4	26	3.9	02.1-05.7
\$35,000- 49,999	654	66,253	343	57.3	52.2-62.4	218	30.8	26.1-35.5	51	7.0	04.6-09.4	15	1.5	00.7-02.3	27	3.4	02.0-04.8
\$50,000- 74,999	712	81,986	384	56.1	51.4-60.8	247	33.8	29.5-38.1	56	7.3	05.1-09.5	11	1.2	00.4-02.0	14	1.7	00.7-02.7
\$75,000+	1098	134,033	635	60.4	56.7-64.1	386	32.0	28.7-35.3	49	4.5	02.9-06.1	9	1.4	00.0-03.0	19	1.7	00.9-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1731	236,738	890	55.5	52.2-58.8	497	28.1	25.2-31.0	169	8.8	07.0-10.6	67	3.4	02.0-04.8	108	4.2	03.2-05.2
Non-Native	1653	222,483	859	56.0	52.5-59.5	480	28.6	25.5-31.7	155	8.4	06.6-10.2	58	2.9	01.5-04.3	101	4.2	03.2-05.2
18-24	57	42,683							4	6.1	00.0-12.2	3	6.4	00.0-13.5			
25-34	154	41,624	81	55.2	46.8-63.6	47	29.4	22.0-36.8	18	10.9	05.8-16.0	3	1.8	00.0-04.0	5	2.7	00.2-05.2
35-44	246	35,904	118	48.5	41.8-55.2	91	38.1	31.6-44.6	24	8.5	05.0-12.0	3	1.1	00.0-02.3	10	3.8	01.4-06.2
45-54	373	42,712	179	51.0	45.5-56.5	120	32.1	27.0-37.2	46	11.2	07.9-14.5	18	3.3	01.7-04.9	10	2.3	00.7-03.9
55-64	422	34,530	224	54.8	49.7-59.9	123	29.1	24.6-33.6	33	6.9	04.4-09.4	15	3.2	01.4-05.0	27	6.0	03.6-08.4
65+	474	38,970	250	54.9	50.2-59.6	100	21.0	17.1-24.9	44	8.9	06.2-11.6	24	4.1	02.3-05.9	56	11.1	08.2-14.0
Less Than H.S.	131	19,397				20	12.1	04.7-19.5	28	14.8	07.7-21.9	9	6.7	00.0-14.0	25	10.8	05.3-16.3
H.S. or G.E.D.	486	74,580	227	50.9	43.6-58.2	137	30.7	24.0-37.4	53	10.4	06.3-14.5	23	2.2	01.2-03.2	46	5.8	03.8-07.8
Some Post-H.S.	535	70,602	284	55.0	49.3-60.7	153	27.4	22.7-32.1	47	8.3	05.6-11.0	26	6.0	01.9-10.1	25	3.3	01.9-04.7
College Graduate	577	71,919	328	60.8	56.1-65.5	187	30.4	26.1-34.7	41	6.1	03.9-08.3	9	1.1	00.3-01.9	12	1.6	00.6-02.6
Less than \$15,000	111	14,394										13	11.6	01.8-21.4	13	9.1	02.4-15.8
\$15,000- 24,999	181	23,276							28	11.2	06.3-16.1	19	7.0	02.9-11.1	26	9.1	05.2-13.0
\$25,000- 34,999	185	21,453				60	29.8	20.8-38.8	19	8.5	04.2-12.8	12	4.8	01.5-08.1	17	5.7	02.6-08.8
\$35,000- 49,999	263	33,197	141	60.7	53.1-68.3	71	25.1	18.6-31.6	23	7.2	03.7-10.7	9	1.9	00.5-03.3	19	5.1	02.6-07.6
\$50,000- 74,999	333	43,504	186	56.4	49.3-63.5	103	31.8	25.5-38.1	26	7.9	04.6-11.2	5	0.9	00.1-01.7	13	2.9	01.3-04.5
\$75,000+	506	73,996	313	63.6	58.1-69.1	148	26.8	22.1-31.5	27	5.3	02.8-07.8	5	2.0	00.0-04.7	13	2.3	00.9-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2776	238,151	1425	51.9	49.4-54.4	958	35.8	33.3-38.3	224	7.5	06.3-08.7	64	2.2	01.2-03.2	105	2.6	02.0-03.2
Native	55	7,505				10	12.9	03.7-22.1				3	2.1	00.0-04.6	3	3.8	00.0-08.7
Non-Native	2684	227,624	1382	52.2	49.7-54.7	938	36.5	34.0-39.0	210	6.8	05.6-08.0	59	2.2	01.2-03.2	95	2.3	01.7-02.9
18-24	69	35,269							5	6.4	00.9-11.9	2	3.7	00.0-08.8			
25-34	248	37,593	135	56.6	50.1-63.1	92	35.6	29.3-41.9	17	6.6	03.3-09.9	4	1.2	00.0-02.4			
35-44	341	34,609	134	40.7	35.2-46.2	162	48.2	42.7-53.7	32	7.9	05.2-10.6	5	1.5	00.1-02.9	8	1.8	00.4-03.2
45-54	502	43,352	235	48.8	44.1-53.5	198	38.9	34.4-43.4	39	7.2	04.8-09.6	15	2.7	01.3-04.1	15	2.5	01.1-03.9
55-64	603	33,507	311	53.4	49.1-57.7	215	34.1	30.2-38.0	55	9.3	06.8-11.8	10	1.2	00.4-02.0	12	2.0	00.8-03.2
65+	983	52,371	557	57.1	53.8-60.4	257	25.7	22.8-28.6	75	7.7	05.9-09.5	27	2.7	01.5-03.9	67	6.9	05.1-08.7
Less Than H.S.	167	11,923				25	19.6	10.2-29.0	17	13.8	05.6-22.0	7	3.9	00.8-07.0	26	12.7	07.4-18.0
H.S. or G.E.D.	834	69,776	442	51.9	46.8-57.0	236	31.3	26.4-36.2	82	9.3	06.6-12.0	27	3.7	01.0-06.4	47	3.9	02.7-05.1
Some Post-H.S.	911	79,570	468	54.3	49.8-58.8	331	35.2	30.9-39.5	69	6.9	04.9-08.9	20	2.0	01.0-03.0	23	1.7	00.9-02.5
College Graduate	859	76,576	423	50.1	45.8-54.4	363	43.0	38.9-47.1	55	5.4	03.6-07.2	10	0.8	00.2-01.4	8	0.6	00.2-01.0
Less than \$15,000	233	13,770	108	46.0	37.4-54.6	47	19.5	12.8-26.2	35	17.4	10.7-24.1	15	7.0	03.1-10.9	28	10.2	06.3-14.1
\$15,000- 24,999	434	29,238	209	51.1	44.0-58.2	138	31.4	24.1-38.7	42	9.8	06.1-13.5	16	2.6	01.2-04.0	29	5.1	03.1-07.1
\$25,000- 34,999	294	26,328	136	41.6	33.2-50.0	113	42.3	33.3-51.3	28	8.7	04.0-13.4	8	4.9	00.0-10.8	9	2.4	00.6-04.2
\$35,000- 49,999	391	33,055	202	53.9	47.0-60.8	147	36.7	30.2-43.2	28	6.8	03.7-09.9	6	1.1	00.1-02.1	8	1.6	00.4-02.8
\$50,000- 74,999	379	38,481	198	55.7	49.6-61.8	144	36.0	30.1-41.9	30	6.7	04.2-09.2	6	1.4	00.2-02.6	1	0.2	00.0-00.6
\$75,000+	592	60,037	322	56.5	51.6-61.4	238	38.5	33.8-43.2	22	3.5	01.9-05.1	4	0.5	00.0-01.1	6	0.9	00.1-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4571	479,733	2183	50.2	48.0-52.4	2216	46.8	44.6-49.0	138	2.4	01.8-03.0	34	0.6	00.4-00.8
Male	1758	238,966	825	49.1	45.6-52.6	861	47.7	44.2-51.2	58	2.6	01.6-03.6	14	0.6	00.2-01.0
Female	2813	240,767	1358	51.4	48.9-53.9	1355	45.9	43.4-48.4	80	2.2	01.6-02.8	20	0.6	00.4-00.8
Native	99	15,669							6	5.8	00.0-12.3	2	1.1	00.0-02.7
Non-Native	4400	455,045	2116	50.5	48.3-52.7	2123	46.7	44.5-48.9	130	2.3	01.7-02.9	31	0.6	00.4-00.8
18-24	127	78,300	68	53.7	44.1-63.3	57	44.8	35.2-54.4	2	1.5	00.0-03.9			
25-34	402	79,317	191	48.2	42.7-53.7	203	50.0	44.5-55.5	6	1.4	00.0-02.8	2	0.4	00.0-01.0
35-44	588	70,513	286	50.0	45.7-54.3	276	46.4	42.1-50.7	22	3.0	01.6-04.4	4	0.6	00.0-01.2
45-54	880	86,919	443	53.6	50.1-57.1	394	42.5	39.0-46.0	34	3.2	02.0-04.4	9	0.8	00.2-01.4
55-64	1038	68,932	501	49.6	46.3-52.9	483	45.6	42.3-48.9	47	4.2	02.8-05.6	7	0.6	00.0-01.2
65+	1496	93,736	673	46.3	43.6-49.0	785	51.1	48.4-53.8	26	1.5	00.9-02.1	12	1.0	00.4-01.6
Less Than H.S.	313	32,428							11	3.1	00.9-05.3	5	1.2	00.0-02.6
H.S. or G.E.D.	1347	146,125	575	43.8	39.5-48.1	728	54.1	49.8-58.4	34	1.6	01.0-02.2	10	0.6	00.2-01.0
Some Post-H.S.	1464	151,935	678	49.9	46.2-53.6	722	46.0	42.5-49.5	54	3.5	01.9-05.1	10	0.6	00.2-01.0
College Graduate	1440	148,701	813	58.9	55.8-62.0	579	38.8	35.7-41.9	39	1.9	01.3-02.5	9	0.4	00.2-00.6
Less than \$15,000	353	28,542	102	28.6	21.0-36.2	204	57.6	49.6-65.6	35	10.1	05.6-14.6	12	3.7	01.3-06.1
\$15,000- 24,999	624	53,279	204	40.3	33.8-46.8	373	54.4	48.1-60.7	40	4.4	02.8-06.0	7	0.9	00.1-01.7
\$25,000- 34,999	485	48,476	178	37.6	30.9-44.3	293	60.0	53.3-66.7	11	1.6	00.6-02.6	3	0.9	00.0-01.9
\$35,000- 49,999	666	67,140	318	47.9	42.6-53.2	331	49.9	44.6-55.2	17	2.2	01.0-03.4			
\$50,000- 74,999	716	82,299	386	52.4	47.5-57.3	318	46.2	41.3-51.1	11	1.4	00.6-02.2	1	0.1	00.0-00.3
\$75,000+	1103	134,816	727	65.6	61.7-69.5	359	33.2	29.3-37.1	12	0.9	00.3-01.5	5	0.3	00.1-00.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1758	238,966	825	49.1	45.6-52.6	861	47.7	44.2-51.2	58	2.6	01.6-03.6	14	0.6	00.2-01.0
Non-Native	1680	224,837	795	49.2	45.7-52.7	819	47.9	44.4-51.4	53	2.3	01.3-03.3	13	0.6	00.2-01.0
18-24	57	42,683							2	2.8	00.0-07.3			
25-34	153	41,375	70	45.8	37.4-54.2	78	51.4	43.0-59.8	3	2.0	00.0-04.5	2	0.8	00.0-02.0
35-44	247	35,904	123	50.9	44.2-57.6	120	47.9	41.2-54.6	3	0.9	00.0-01.9	1	0.3	00.0-00.9
45-54	376	43,463	182	53.0	47.5-58.5	173	42.8	37.3-48.3	18	3.6	01.8-05.4	3	0.6	00.0-01.4
55-64	428	34,993	196	47.2	42.1-52.3	203	46.9	41.8-52.0	27	5.4	03.2-07.6	2	0.5	00.0-01.1
65+	490	40,106	224	46.6	41.9-51.3	255	51.0	46.3-55.7	5	0.9	00.0-01.9	6	1.4	00.2-02.6
Less Than H.S.	137	19,814							8	3.9	00.8-07.0	2	1.0	00.0-02.6
H.S. or G.E.D.	498	75,486	203	42.3	35.2-49.4	278	55.5	48.4-62.6	14	1.6	00.6-02.6	3	0.5	00.0-01.1
Some Post-H.S.	543	71,383	246	47.8	42.1-53.5	269	47.0	41.3-52.7	22	4.2	01.3-07.1	6	1.0	00.2-01.8
College Graduate	578	72,044	328	59.0	54.1-63.9	233	39.2	34.5-43.9	14	1.6	00.8-02.4	3	0.3	00.0-00.7
Less than \$15,000	113	14,474							21	15.4	06.8-24.0	7	4.6	00.9-08.3
\$15,000- 24,999	184	23,405							14	3.9	01.5-06.3	2	0.9	00.0-02.3
\$25,000- 34,999	189	21,711							4	1.5	00.0-03.3	2	1.2	00.0-03.0
\$35,000- 49,999	271	33,808	120	46.7	38.5-54.9	143	51.2	43.0-59.4	8	2.1	00.5-03.7			
\$50,000- 74,999	336	43,757	180	50.4	43.1-57.7	151	48.5	41.2-55.8	4	1.0	00.0-02.0	1	0.2	00.0-00.6
\$75,000+	507	74,497	323	62.6	56.5-68.7	179	36.7	30.6-42.8	5	0.7	00.1-01.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2813	240,767	1358	51.4	48.9-53.9	1355	45.9	43.4-48.4	80	2.2	01.6-02.8	20	0.6	00.4-00.8
Native	56	7,535							2	1.1	00.0-02.7	1	0.8	00.0-02.4
Non-Native	2720	230,209	1321	51.7	49.2-54.2	1304	45.5	43.0-48.0	77	2.2	01.6-02.8	18	0.6	00.4-00.8
25-34	249	37,942	121	50.8	44.1-57.5	125	48.5	42.0-55.0	3	0.7	00.0-01.5			
35-44	341	34,609	163	49.2	43.7-54.7	156	44.8	39.3-50.3	19	5.2	02.7-07.7	3	0.8	00.0-01.8
45-54	504	43,455	261	54.2	49.5-58.9	221	42.2	37.5-46.9	16	2.7	01.3-04.1	6	1.0	00.2-01.8
55-64	610	33,939	305	52.0	47.7-56.3	280	44.3	40.2-48.4	20	2.9	01.5-04.3	5	0.8	00.0-01.6
65+	1006	53,630	449	46.1	42.8-49.4	530	51.2	47.9-54.5	21	1.9	01.1-02.7	6	0.8	00.0-01.6
Less Than H.S.	176	12,614	68	37.5	27.9-47.1	102	59.1	49.5-68.7	3	1.8	00.0-04.0	3	1.6	00.0-03.8
H.S. or G.E.D.	849	70,639	372	45.3	40.2-50.4	450	52.5	47.4-57.6	20	1.5	00.7-02.3	7	0.7	00.1-01.3
Some Post-H.S.	921	80,552	432	51.7	47.2-56.2	453	45.0	40.5-49.5	32	2.9	01.7-04.1	4	0.3	00.0-00.7
College Graduate	862	76,657	485	58.9	54.8-63.0	346	38.4	34.5-42.3	25	2.2	01.2-03.2	6	0.5	00.1-00.9
Less than \$15,000	240	14,067	78	33.2	24.6-41.8	143	59.4	50.8-68.0	14	4.7	02.2-07.2	5	2.7	00.2-05.2
\$15,000- 24,999	440	29,873	153	42.7	35.4-50.0	256	51.6	44.5-58.7	26	4.8	02.6-07.0	5	0.9	00.1-01.7
\$25,000- 34,999	296	26,765	124	40.1	31.9-48.3	164	57.7	49.3-66.1	7	1.7	00.3-03.1	1	0.5	00.0-01.5
\$35,000- 49,999	395	33,332	198	49.0	42.1-55.9	188	48.6	41.7-55.5	9	2.4	00.8-04.0			
\$50,000- 74,999	380	38,542	206	54.6	48.3-60.9	167	43.5	37.2-49.8	7	1.9	00.5-03.3			
\$75,000+	596	60,319	404	69.3	65.0-73.6	180	28.9	24.8-33.0	7	1.1	00.3-01.9	5	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2010**

End of Core Data Report