

NORTH DAKOTA

2012 Core Variables Report

Behavioral Risk Factor Surveillance System

July 5, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	537,139	724	16.6	15.0-18.2	1796	37.2	35.4-39.0	1565	32.8	31.0-34.6	576	10.2	09.2-11.2	184	3.2	02.6-03.8
Male	2129	270,212	305	15.7	13.5-17.9	786	37.3	34.6-40.0	708	33.4	30.7-36.1	258	10.6	09.0-12.2	72	2.9	01.9-03.9
Female	2716	266,926	419	17.5	15.5-19.5	1010	37.1	34.6-39.6	857	32.2	29.8-34.6	318	9.8	08.4-11.2	112	3.5	02.5-04.5
Native	126	24,600	12	8.8	02.1-15.5	38	29.2	19.2-39.2	37	33.6	22.2-45.0	25	17.7	09.1-26.3	14	10.7	03.4-18.0
Non-Native	4653	504,649	706	17.1	15.5-18.7	1737	37.8	35.8-39.8	1500	32.5	30.7-34.3	542	9.8	08.8-10.8	168	2.9	02.3-03.5
18-24	253	80,808	60	22.9	17.2-28.6	106	42.5	35.8-49.2	77	31.4	24.9-37.9	9	2.6	00.8-04.4	1	0.6	00.0-01.8
25-34	517	92,911	126	23.4	19.1-27.7	219	40.1	35.0-45.2	145	29.3	24.6-34.0	27	7.2	04.1-10.3			
35-44	548	77,041	100	17.3	13.4-21.2	232	38.3	33.2-43.4	176	36.2	31.1-41.3	32	5.7	03.3-08.1	8	2.4	00.2-04.6
45-54	859	91,043	150	16.3	13.4-19.2	360	40.0	36.1-43.9	240	30.0	26.3-33.7	83	10.7	08.0-13.4	26	3.2	01.6-04.8
55-64	1051	86,707	152	13.0	10.6-15.4	391	36.5	33.0-40.0	336	32.2	28.7-35.7	125	12.6	10.1-15.1	47	5.7	03.5-07.9
65+	1574	104,950	128	8.2	06.6-09.8	477	28.4	25.7-31.1	575	37.3	34.4-40.2	293	19.5	17.0-22.0	101	6.6	05.0-08.2
Less Than H.S.	334	52,542	19	7.5	03.4-11.6	65	19.9	14.2-25.6	131	43.6	36.3-50.9	85	20.1	15.0-25.2	34	8.9	05.0-12.8
H.S. or G.E.D.	1402	145,999	157	13.4	10.9-15.9	439	32.8	29.5-36.1	516	37.5	34.2-40.8	220	12.8	10.6-15.0	70	3.5	02.5-04.5
Some Post-H.S.	1548	208,709	228	17.5	14.8-20.2	600	40.0	36.9-43.1	496	30.3	27.4-33.2	175	9.7	07.9-11.5	49	2.5	01.5-03.5
College Graduate	1556	128,612	320	22.6	19.9-25.3	692	45.1	42.0-48.2	418	26.6	23.9-29.3	95	4.1	03.1-05.1	31	1.6	00.8-02.4
Less than \$15,000	350	40,590	27	11.5	06.2-16.8	66	22.2	15.3-29.1	104	31.7	24.3-39.1	110	26.2	19.7-32.7	43	8.5	05.4-11.6
\$15,000- 24,999	608	65,710	55	11.4	07.3-15.5	177	28.8	23.7-33.9	206	35.5	30.2-40.8	127	18.1	14.2-22.0	43	6.2	03.5-08.9
\$25,000- 34,999	502	55,889	55	15.8	10.7-20.9	167	32.4	26.5-38.3	195	38.9	33.0-44.8	67	11.0	07.5-14.5	18	2.0	01.0-03.0
\$35,000- 49,999	710	79,840	84	13.7	10.2-17.2	286	41.7	36.8-46.6	246	34.1	29.6-38.6	73	8.5	06.3-10.7	21	2.1	01.1-03.1
\$50,000- 74,999	746	81,185	117	16.3	12.8-19.8	308	43.5	38.8-48.2	255	31.4	27.3-35.5	52	6.1	03.9-08.3	14	2.7	00.9-04.5
\$75,000+	1310	143,917	314	23.9	21.0-26.8	599	44.1	40.6-47.6	326	26.6	23.5-29.7	60	4.4	03.0-05.8	11	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	270,212	305	15.7	13.5-17.9	786	37.3	34.6-40.0	708	33.4	30.7-36.1	258	10.6	09.0-12.2	72	2.9	01.9-03.9
Native	54	12,987	6	9.2	00.0-20.4	14	26.2	11.9-40.5	13	27.7	12.6-42.8	15	25.6	10.9-40.3	6	11.3	00.3-22.3
Non-Native	2037	252,862	297	16.3	14.1-18.5	760	38.1	35.4-40.8	679	33.4	30.7-36.1	236	9.8	08.2-11.4	65	2.5	01.7-03.3
18-24	125	42,838	32	26.2	17.6-34.8	53	42.5	32.9-52.1	37	30.0	21.0-39.0	3	1.3	00.0-02.9			
25-34	272	49,581	58	20.1	14.6-25.6	114	39.0	32.1-45.9	84	31.9	25.2-38.6	16	9.0	04.3-13.7			
35-44	260	40,186	41	16.4	10.7-22.1	115	39.2	31.9-46.5	83	35.3	27.9-42.7	17	6.5	03.0-10.0	4	2.7	00.0-05.8
45-54	407	45,862	61	13.2	09.3-17.1	171	41.8	35.9-47.7	119	30.9	25.4-36.4	45	11.8	07.9-15.7	11	2.3	00.7-03.9
55-64	493	44,415	63	10.6	07.7-13.5	183	37.6	32.3-42.9	157	30.0	25.1-34.9	68	15.4	11.3-19.5	22	6.4	03.1-09.7
65+	561	46,309	49	8.4	05.9-10.9	147	24.7	20.4-29.0	224	42.1	37.2-47.0	106	18.5	14.8-22.2	35	6.3	03.6-09.0
Less Than H.S.	167	32,344	9	6.6	01.5-11.7	29	21.9	13.5-30.3	73	46.1	36.3-55.9	41	17.5	11.2-23.8	15	8.0	02.7-13.3
H.S. or G.E.D.	652	83,032	78	13.7	10.0-17.4	191	31.4	26.7-36.1	256	39.9	35.0-44.8	102	12.4	09.7-15.1	25	2.6	01.4-03.8
Some Post-H.S.	650	96,399	91	16.8	12.7-20.9	266	41.8	36.9-46.7	200	28.6	24.3-32.9	74	10.4	07.5-13.3	19	2.3	00.9-03.7
College Graduate	658	57,954	127	22.1	18.0-26.2	300	47.0	42.1-51.9	177	24.5	20.4-28.6	41	4.7	02.9-06.5	13	1.6	00.6-02.6
Less than \$15,000	122	17,676	9	12.8	03.8-21.8	25	22.8	12.4-33.2	35	26.9	16.9-36.9	41	30.9	20.1-41.7	12	6.6	02.5-10.7
\$15,000- 24,999	235	32,563	25	13.4	06.7-20.1	60	29.4	21.4-37.4	79	32.5	24.7-40.3	55	20.0	13.9-26.1	16	4.7	01.4-08.0
\$25,000- 34,999	211	28,319	21	14.4	06.6-22.2	57	29.0	20.2-37.8	93	44.2	35.0-53.4	32	10.7	05.4-16.0	8	1.8	00.4-03.2
\$35,000- 49,999	373	46,455	42	13.9	09.2-18.6	135	38.8	32.3-45.3	140	35.0	28.9-41.1	44	10.4	06.9-13.9	12	2.0	00.8-03.2
\$50,000- 74,999	340	41,135	44	14.6	09.3-19.9	147	45.7	38.8-52.6	110	30.5	24.4-36.6	30	5.8	03.3-08.3	9	3.4	00.9-05.9
\$75,000+	688	79,283	149	21.3	17.4-25.2	309	44.4	39.7-49.1	187	27.6	23.1-32.1	36	5.3	03.1-07.5	7	1.4	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	266,926	419	17.5	15.5-19.5	1010	37.1	34.6-39.6	857	32.2	29.8-34.6	318	9.8	08.4-11.2	112	3.5	02.5-04.5
Native	72	11,612	6	8.4	01.5-15.3	24	32.6	18.9-46.3	24	40.1	24.0-56.2	10	8.8	02.7-14.9	8	10.1	00.7-19.5
Non-Native	2616	251,787	409	17.9	15.7-20.1	977	37.6	35.1-40.1	821	31.6	29.2-34.0	306	9.8	08.4-11.2	103	3.2	02.4-04.0
18-24	128	37,970	28	19.2	11.9-26.5	53	42.4	33.0-51.8	40	32.9	23.7-42.1	6	4.1	00.8-07.4	1	1.3	00.0-03.8
25-34	245	43,329	68	27.2	20.5-33.9	105	41.4	34.1-48.7	61	26.3	19.6-33.0	11	5.1	01.4-08.8			
35-44	288	36,855	59	18.3	13.0-23.6	117	37.4	30.5-44.3	93	37.3	30.2-44.4	15	4.9	01.8-08.0	4	2.1	00.0-05.0
45-54	452	45,182	89	19.4	14.9-23.9	189	38.1	32.8-43.4	121	29.1	23.8-34.4	38	9.5	05.8-13.2	15	4.0	01.5-06.5
55-64	558	42,291	89	15.6	12.1-19.1	208	35.3	30.6-40.0	179	34.6	29.9-39.3	57	9.6	06.7-12.5	25	4.9	02.5-07.3
65+	1013	58,641	79	8.0	06.0-10.0	330	31.3	28.0-34.6	351	33.5	30.0-37.0	187	20.3	17.0-23.6	66	6.8	05.0-08.6
Less Than H.S.	167	20,199	10	9.0	02.3-15.7	36	16.7	10.8-22.6	58	39.6	28.8-50.4	44	24.3	15.9-32.7	19	10.4	04.5-16.3
H.S. or G.E.D.	750	62,968	79	13.0	09.5-16.5	248	34.6	29.9-39.3	260	34.2	29.7-38.7	118	13.4	10.3-16.5	45	4.8	03.2-06.4
Some Post-H.S.	898	112,309	137	18.1	14.6-21.6	334	38.4	34.1-42.7	296	31.9	28.0-35.8	101	9.0	06.8-11.2	30	2.7	01.1-04.3
College Graduate	898	70,658	193	23.0	19.5-26.5	392	43.5	39.4-47.6	241	28.2	24.3-32.1	54	3.6	02.4-04.8	18	1.7	00.7-02.7
Less than \$15,000	228	22,914	18	10.5	04.2-16.8	41	21.7	12.9-30.5	69	35.4	25.0-45.8	69	22.5	14.9-30.1	31	9.9	05.4-14.4
\$15,000- 24,999	373	33,146	30	9.4	04.7-14.1	117	28.2	21.7-34.7	127	38.5	31.2-45.8	72	16.2	11.3-21.1	27	7.7	03.4-12.0
\$25,000- 34,999	291	27,570	34	17.2	10.5-23.9	110	35.9	28.5-43.3	102	33.4	26.1-40.7	35	11.3	06.6-16.0	10	2.1	00.5-03.7
\$35,000- 49,999	337	33,385	42	13.6	08.3-18.9	151	45.7	38.4-53.0	106	32.9	26.0-39.8	29	5.8	03.4-08.2	9	2.1	00.5-03.7
\$50,000- 74,999	406	40,050	73	18.0	13.3-22.7	161	41.3	35.2-47.4	145	32.2	26.7-37.7	22	6.4	03.1-09.7	5	2.1	00.0-04.6
\$75,000+	622	64,634	165	27.2	22.7-31.7	290	43.7	38.6-48.8	139	25.3	20.6-30.0	24	3.4	01.6-05.2	4	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4753	526,131	3087	65.5	63.7-67.3	545	12.7	11.3-14.1	467	10.1	08.9-11.3	402	7.5	06.5-08.5	252	4.2	03.4-05.0	
Male	2085	263,236	1470	70.9	68.4-73.4	212	10.6	08.8-12.4	175	8.7	07.1-10.3	142	6.4	05.2-07.6	86	3.5	02.5-04.5	
Female	2668	262,895	1617	60.1	57.6-62.6	333	14.8	12.8-16.8	292	11.4	09.8-13.0	260	8.7	07.3-10.1	166	4.9	03.9-05.9	
Native	118	23,442	85	74.7	64.5-84.9	7	6.4	00.5-12.3	8	5.2	00.0-10.5	13	8.1	02.2-14.0	5	5.6	00.0-11.3	
Non-Native	4578	496,385	2962	65.1	63.3-66.9	534	13.1	11.7-14.5	453	10.2	09.0-11.4	384	7.4	06.4-08.4	245	4.2	03.4-05.0	
18-24	248	78,827	153	60.4	53.7-67.1	46	19.3	14.0-24.6	26	11.0	06.7-15.3	16	6.4	03.1-09.7	7	3.0	00.5-05.5	
25-34	514	92,488	366	71.2	66.5-75.9	85	16.5	12.6-20.4	42	8.8	05.7-11.9	16	3.1	01.3-04.9	5	0.4	00.0-01.0	
35-44	543	75,808	378	68.6	63.7-73.5	59	9.6	06.7-12.5	54	11.8	08.3-15.3	34	6.7	04.0-09.4	18	3.3	01.3-05.3	
45-54	855	89,794	578	67.6	63.7-71.5	109	12.9	10.2-15.6	81	8.4	06.2-10.6	55	7.5	05.1-09.9	32	3.6	02.0-05.2	
55-64	1044	85,691	688	65.8	62.3-69.3	112	9.9	07.7-12.1	93	9.3	06.9-11.7	98	9.0	06.8-11.2	53	6.0	04.0-08.0	
65+	1506	99,844	894	59.3	56.4-62.2	131	9.0	07.2-10.8	166	11.4	09.4-13.4	182	12.2	10.2-14.2	133	8.2	06.6-09.8	
Less Than H.S.	304	47,797	164	58.8	51.5-66.1	29	9.7	05.4-14.0	36	12.5	07.6-17.4	49	11.5	07.8-15.2	26	7.4	03.3-11.5	
H.S. or G.E.D.	1374	143,091	870	67.1	63.8-70.4	137	10.3	08.1-12.5	129	8.4	06.6-10.2	145	8.9	06.9-10.9	93	5.4	04.0-06.8	
Some Post-H.S.	1527	206,322	1001	64.3	61.2-67.4	162	14.0	11.5-16.5	159	10.6	08.4-12.8	118	7.2	05.6-08.8	87	3.9	02.9-04.9	
College Graduate	1543	127,645	1050	68.5	65.6-71.4	216	14.6	12.4-16.8	142	10.1	08.1-12.1	89	4.7	03.5-05.9	46	2.1	01.3-02.9	
Less than \$15,000	331	38,718	118	38.0	30.2-45.8	32	16.2	09.7-22.7	51	14.4	08.5-20.3	79	20.5	14.6-26.4	51	11.0	06.9-15.1	
\$15,000- 24,999	587	63,198	309	52.8	47.1-58.5	71	12.6	08.7-16.5	78	15.4	11.1-19.7	72	11.7	08.2-15.2	57	7.6	04.9-10.3	
\$25,000- 34,999	493	55,188	342	71.9	66.4-77.4	44	8.8	05.5-12.1	42	9.6	05.7-13.5	40	7.1	04.2-10.0	25	2.7	01.5-03.9	
\$35,000- 49,999	702	78,865	466	66.1	61.4-70.8	82	14.6	10.7-18.5	68	9.7	07.0-12.4	56	6.4	04.4-08.4	30	3.2	01.8-04.6	
\$50,000- 74,999	739	80,055	503	69.0	64.7-73.3	100	13.5	10.2-16.8	69	9.6	06.9-12.3	47	6.0	04.0-08.0	20	1.9	00.9-02.9	
\$75,000+	1315	144,683	970	73.7	70.6-76.8	162	12.4	10.0-14.8	105	7.7	05.9-09.5	52	4.2	02.6-05.8	26	2.0	00.8-03.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2085	263,236	1470	70.9	68.4-73.4	212	10.6	08.8-12.4	175	8.7	07.1-10.3	142	6.4	05.2-07.6	86	3.5	02.5-04.5	
Non-Native	2003	247,867	1413	70.7	68.2-73.2	204	10.7	08.9-12.5	170	8.8	07.0-10.6	134	6.3	04.9-07.7	82	3.4	02.4-04.4	
18-24	122	41,606	87	72.0	63.4-80.6	15	11.2	05.5-16.9	12	10.7	04.8-16.6	4	2.6	00.0-05.5	4	3.6	00.0-07.5	
25-34	268	48,761	206	74.9	68.4-81.4	39	16.1	10.6-21.6	15	6.1	02.4-09.8	5	2.2	00.2-04.2	3	0.6	00.0-01.6	
35-44	257	39,151	192	72.6	65.7-79.5	21	8.0	03.9-12.1	21	10.3	05.2-15.4	16	6.5	03.0-10.0	7	2.7	00.3-05.1	
45-54	405	45,191	289	72.9	67.8-78.0	46	11.3	07.6-15.0	34	6.7	04.2-09.2	24	6.4	03.5-09.3	12	2.7	00.9-04.5	
55-64	490	43,720	340	67.9	62.6-73.2	52	9.4	06.5-12.3	35	7.6	04.3-10.9	39	9.5	06.2-12.8	24	5.6	02.7-08.5	
65+	532	43,786	346	64.0	59.1-68.9	39	7.1	04.6-09.6	58	11.6	08.3-14.9	54	11.5	08.0-15.0	35	5.9	03.5-08.3	
Less Than H.S.	153	29,403	97	65.2	55.6-74.8	10	6.4	01.7-11.1	16	11.9	05.2-18.6	22	10.3	05.4-15.2	8	6.2	00.5-11.9	
H.S. or G.E.D.	640	81,461	449	73.0	68.7-77.3	56	8.2	05.5-10.9	45	6.3	03.9-08.7	60	8.2	05.7-10.7	30	4.3	02.3-06.3	
Some Post-H.S.	643	94,805	448	69.1	64.4-73.8	69	13.2	09.7-16.7	61	9.5	06.4-12.6	36	5.2	03.2-07.2	29	2.9	01.5-04.3	
College Graduate	647	57,083	474	73.4	69.1-77.7	77	12.1	09.0-15.2	53	9.0	05.9-12.1	24	3.5	01.7-05.3	19	1.9	00.9-02.9	
Less than \$15,000	113	16,718	47	39.5	27.5-51.5	17	20.0	09.6-30.4	12	11.8	02.6-21.0	25	22.0	12.4-31.6	12	6.7	02.0-11.4	
\$15,000- 24,999	222	30,793	127	59.6	51.2-68.0	23	8.4	03.9-12.9	34	18.0	10.7-25.3	21	7.5	04.0-11.0	17	6.5	02.2-10.8	
\$25,000- 34,999	207	28,149	157	80.8	73.7-87.9	10	2.8	00.4-05.2	15	8.1	02.4-13.8	19	6.7	02.6-10.8	6	1.7	00.3-03.1	
\$35,000- 49,999	366	45,552	256	71.8	66.1-77.5	35	9.9	06.0-13.8	32	8.6	05.1-12.1	26	6.3	03.6-09.0	17	3.4	01.4-05.4	
\$50,000- 74,999	335	40,057	236	70.2	63.7-76.7	51	16.9	11.4-22.4	23	6.6	02.9-10.3	20	5.3	02.6-08.0	5	1.0	00.0-02.0	
\$75,000+	691	79,583	536	77.0	72.9-81.1	70	11.0	07.9-14.1	47	5.9	03.9-07.9	20	3.4	01.6-05.2	18	2.8	00.8-04.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2668	262,895	1617	60.1	57.6-62.6	333	14.8	12.8-16.8	292	11.4	09.8-13.0	260	8.7	07.3-10.1	166	4.9	03.9-05.9
Native	70	11,330	53	78.4	65.9-90.9	2	2.8	00.0-06.9	4	3.1	00.0-06.4	8	9.5	00.1-18.9	3	6.1	00.0-14.3
Non-Native	2575	248,517	1549	59.4	56.9-61.9	330	15.5	13.3-17.7	283	11.6	09.8-13.4	250	8.5	07.1-09.9	163	4.9	03.9-05.9
18-24	126	37,221	66	47.4	37.8-57.0	31	28.3	19.5-37.1	14	11.3	05.4-17.2	12	10.8	04.9-16.7	3	2.3	00.0-05.0
25-34	246	43,727	160	67.0	59.9-74.1	46	17.0	11.3-22.7	27	11.8	06.9-16.7	11	4.0	01.1-06.9	2	0.2	00.0-00.4
35-44	286	36,657	186	64.3	57.4-71.2	38	11.3	07.2-15.4	33	13.4	08.3-18.5	18	6.9	03.0-10.8	11	4.0	00.9-07.1
45-54	450	44,603	289	62.2	56.7-67.7	63	14.5	10.6-18.4	47	10.2	06.9-13.5	31	8.6	04.9-12.3	20	4.5	02.0-07.0
55-64	554	41,972	348	63.7	59.0-68.4	60	10.5	07.6-13.4	58	11.1	08.0-14.2	59	8.4	05.9-10.9	29	6.4	03.7-09.1
65+	974	56,058	548	55.6	51.9-59.3	92	10.4	07.9-12.9	108	11.3	08.9-13.7	128	12.7	10.3-15.1	98	9.9	07.7-12.1
Less Than H.S.	151	18,394	67	48.6	37.4-59.8	19	15.1	07.1-23.1	20	13.4	06.7-20.1	27	13.5	07.6-19.4	18	9.4	03.5-15.3
H.S. or G.E.D.	734	61,630	421	59.4	54.7-64.1	81	13.0	09.3-16.7	84	11.1	08.2-14.0	85	9.7	07.0-12.4	63	6.9	04.5-09.3
Some Post-H.S.	884	111,517	553	60.2	55.9-64.5	93	14.7	11.2-18.2	98	11.5	08.6-14.4	82	8.9	06.4-11.4	58	4.8	03.2-06.4
College Graduate	896	70,562	576	64.4	60.3-68.5	139	16.6	13.5-19.7	89	11.0	08.3-13.7	65	5.6	03.8-07.4	27	2.3	01.3-03.3
Less than \$15,000	218	22,000	71	36.8	26.2-47.4	15	13.3	05.1-21.5	39	16.3	08.9-23.7	54	19.3	12.0-26.6	39	14.2	07.9-20.5
\$15,000- 24,999	365	32,405	182	46.3	38.9-53.7	48	16.5	10.6-22.4	44	13.0	07.9-18.1	51	15.6	09.7-21.5	40	8.6	04.9-12.3
\$25,000- 34,999	286	27,039	185	62.6	55.0-70.2	34	15.0	08.9-21.1	27	11.2	06.1-16.3	21	7.5	03.2-11.8	19	3.7	01.9-05.5
\$35,000- 49,999	336	33,313	210	58.4	51.1-65.7	47	20.9	13.8-28.0	36	11.3	07.0-15.6	30	6.4	03.7-09.1	13	3.0	01.2-04.8
\$50,000- 74,999	404	39,998	267	67.8	62.1-73.5	49	10.1	06.4-13.8	46	12.7	08.4-17.0	27	6.6	03.5-09.7	15	2.8	01.2-04.4
\$75,000+	624	65,100	434	69.8	65.1-74.5	92	14.2	10.9-17.5	58	9.9	06.8-13.0	32	5.2	02.7-07.7	8	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4776	530,925	3389	68.0	66.2-69.8	473	11.0	09.8-12.2	474	10.4	09.2-11.6	303	7.4	06.4-08.4	137	3.1	02.3-03.9	
Male	2106	267,648	1621	73.5	71.0-76.0	182	9.8	08.0-11.6	151	7.9	06.3-09.5	103	5.9	04.3-07.5	49	2.9	01.9-03.9	
Female	2670	263,276	1768	62.5	60.0-65.0	291	12.2	10.4-14.0	323	13.0	11.2-14.8	200	8.9	07.3-10.5	88	3.4	02.4-04.4	
Native	122	24,160	80	64.2	53.0-75.4	6	2.8	00.1-05.5	16	14.7	06.1-23.3	14	14.5	06.1-22.9	6	3.8	00.1-07.5	
Non-Native	4593	499,381	3265	68.2	66.4-70.0	462	11.3	09.9-12.7	454	10.3	09.1-11.5	285	7.1	06.1-08.1	127	3.1	02.3-03.9	
18-24	251	80,065	142	54.7	47.8-61.6	35	15.7	10.6-20.8	41	15.8	10.7-20.9	27	11.2	06.7-15.7	6	2.6	00.4-04.8	
25-34	518	92,925	341	66.3	61.4-71.2	53	9.5	06.6-12.4	71	12.9	09.4-16.4	35	7.4	04.7-10.1	18	3.8	01.8-05.8	
35-44	546	76,986	357	65.6	60.7-70.5	74	13.5	10.0-17.0	57	8.7	06.0-11.4	40	8.3	05.2-11.4	18	3.9	01.7-06.1	
45-54	853	90,579	576	68.9	65.2-72.6	111	13.0	10.3-15.7	80	7.7	05.7-09.7	54	6.8	04.6-09.0	32	3.5	02.1-04.9	
55-64	1046	86,173	736	69.9	66.4-73.4	90	8.3	06.1-10.5	115	11.5	09.1-13.9	71	6.8	05.0-08.6	34	3.6	02.0-05.2	
65+	1524	100,920	1208	79.8	77.4-82.2	107	6.9	05.3-08.5	107	6.9	05.3-08.5	74	4.7	03.5-05.9	28	1.8	01.0-02.6	
Less Than H.S.	321	50,468	218	65.9	58.6-73.2	33	11.4	06.5-16.3	31	12.1	06.6-17.6	26	7.4	03.5-11.3	13	3.2	01.0-05.4	
H.S. or G.E.D.	1370	143,791	988	70.6	67.3-73.9	108	8.6	06.4-10.8	131	8.9	06.9-10.9	104	8.3	06.3-10.3	39	3.6	02.2-05.0	
Some Post-H.S.	1536	207,595	1084	66.7	63.6-69.8	156	11.8	09.6-14.0	152	10.4	08.2-12.6	92	7.5	05.5-09.5	52	3.6	02.4-04.8	
College Graduate	1544	127,828	1097	68.4	65.5-71.3	176	12.1	09.9-14.3	158	11.3	09.1-13.5	80	6.2	04.4-08.0	33	2.0	01.0-03.0	
Less than \$15,000	336	39,559	198	54.4	46.6-62.2	24	8.6	03.9-13.3	46	17.5	11.0-24.0	45	14.1	08.6-19.6	23	5.4	02.5-08.3	
\$15,000- 24,999	596	64,880	391	60.2	54.5-65.9	68	14.9	10.6-19.2	64	10.3	06.8-13.8	47	10.0	06.3-13.7	26	4.6	02.2-07.0	
\$25,000- 34,999	495	55,006	353	71.8	66.3-77.3	49	10.9	06.8-15.0	54	10.1	06.6-13.6	30	5.4	03.2-07.6	9	1.9	00.3-03.5	
\$35,000- 49,999	704	79,351	522	73.6	69.3-77.9	57	7.7	05.2-10.2	69	9.8	06.9-12.7	44	6.9	04.4-09.4	12	2.0	00.6-03.4	
\$50,000- 74,999	745	81,105	525	68.6	64.3-72.9	90	13.7	10.2-17.2	69	8.9	06.2-11.6	38	5.2	03.2-07.2	23	3.6	01.8-05.4	
\$75,000+	1309	144,254	974	71.1	67.8-74.4	142	10.7	08.5-12.9	116	10.1	07.9-12.3	56	6.1	04.1-08.1	21	2.0	00.8-03.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2106	267,648	1621	73.5	71.0-76.0	182	9.8	08.0-11.6	151	7.9	06.3-09.5	103	5.9	04.3-07.5	49	2.9	01.9-03.9
Native	51	12,679	33	61.5	44.6-78.4	4	4.0	00.0-08.9	6	15.0	01.7-28.3	5	15.4	02.5-28.3	3	4.1	00.0-09.8
Non-Native	2017	250,607	1559	74.2	71.7-76.7	174	9.9	08.1-11.7	145	7.7	06.1-09.3	95	5.5	04.1-06.9	44	2.8	01.8-03.8
18-24	123	42,095	81	64.3	54.7-73.9	12	12.1	05.0-19.2	17	12.4	05.7-19.1	11	9.5	03.6-15.4	2	1.7	00.0-04.1
25-34	272	49,518	195	70.0	63.3-76.7	29	10.5	06.2-14.8	28	9.8	05.3-14.3	13	6.9	03.0-10.8	7	2.8	00.3-05.3
35-44	261	40,341	189	71.1	64.2-78.0	27	10.8	06.1-15.5	22	7.1	03.4-10.8	16	7.4	03.3-11.5	7	3.6	00.5-06.7
45-54	404	45,794	300	74.9	69.8-80.0	45	12.2	08.1-16.3	27	4.7	02.5-06.9	18	4.0	01.8-06.2	14	4.2	01.8-06.6
55-64	490	44,273	385	75.5	70.6-80.4	32	7.1	04.0-10.2	33	8.5	05.2-11.8	25	4.6	02.6-06.6	15	4.3	01.8-06.8
65+	548	44,872	464	84.3	80.6-88.0	36	6.2	03.8-08.6	24	5.1	02.6-07.6	20	3.6	01.6-05.6	4	0.8	00.0-01.6
Less Than H.S.	164	31,650	112	64.3	54.3-74.3	17	12.1	05.2-19.0	19	14.0	06.4-21.6	10	6.1	00.8-11.4	6	3.6	00.3-06.9
H.S. or G.E.D.	643	81,920	495	75.3	70.8-79.8	53	8.7	05.6-11.8	39	6.4	03.9-08.9	43	7.3	04.6-10.0	13	2.4	00.8-04.0
Some Post-H.S.	645	96,057	503	74.0	69.5-78.5	56	10.1	07.0-13.2	43	6.8	04.3-09.3	25	5.6	02.9-08.3	18	3.5	01.5-05.5
College Graduate	652	57,537	509	75.0	70.7-79.3	56	9.6	06.7-12.5	50	8.6	05.7-11.5	25	4.6	02.4-06.8	12	2.2	00.6-03.8
Less than \$15,000	115	16,987	74	59.6	47.4-71.8	5	6.0	00.1-11.9	13	13.2	04.0-22.4	14	14.1	04.9-23.3	9	7.2	01.5-12.9
\$15,000- 24,999	232	32,450	160	65.1	57.1-73.1	29	14.5	08.4-20.6	22	10.8	05.3-16.3	13	5.4	01.9-08.9	8	4.3	01.2-07.4
\$25,000- 34,999	212	28,381	159	80.4	73.1-87.7	21	9.7	03.6-15.8	15	5.1	01.2-09.0	14	4.1	01.7-06.5	3	0.7	00.0-01.5
\$35,000- 49,999	365	45,832	280	77.1	71.6-82.6	36	8.9	05.2-12.6	24	6.1	03.2-09.0	20	5.6	02.5-08.7	5	2.3	00.1-04.5
\$50,000- 74,999	341	41,118	271	75.3	69.0-81.6	35	14.0	08.5-19.5	17	4.3	01.8-06.8	10	3.4	01.0-05.8	8	3.0	00.6-05.4
\$75,000+	688	79,320	560	76.1	71.6-80.6	46	7.5	04.8-10.2	49	8.6	05.7-11.5	23	5.8	02.9-08.7	10	2.0	00.4-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2670	263,276	1768	62.5	60.0-65.0	291	12.2	10.4-14.0	323	13.0	11.2-14.8	200	8.9	07.3-10.5	88	3.4	02.4-04.4
Native	71	11,481	47	67.1	53.0-81.2	2	1.4	00.0-03.4	10	14.4	04.0-24.8	9	13.5	03.1-23.9	3	3.6	00.0-08.1
Non-Native	2576	248,774	1706	62.3	59.8-64.8	288	12.7	10.9-14.5	309	12.9	11.1-14.7	190	8.7	07.1-10.3	83	3.4	02.4-04.4
18-24	128	37,970	61	44.1	34.5-53.7	23	19.6	12.0-27.2	24	19.5	11.9-27.1	16	13.2	06.7-19.7	4	3.6	00.0-07.3
25-34	246	43,407	146	62.1	54.8-69.4	24	8.4	04.5-12.3	43	16.5	10.8-22.2	22	8.1	04.4-11.8	11	4.9	01.6-08.2
35-44	285	36,644	168	59.6	52.5-66.7	47	16.4	11.3-21.5	35	10.6	06.7-14.5	24	9.2	04.7-13.7	11	4.3	01.4-07.2
45-54	449	44,785	276	62.8	57.3-68.3	66	13.9	10.2-17.6	53	10.8	07.5-14.1	36	9.7	06.2-13.2	18	2.7	01.3-04.1
55-64	556	41,900	351	63.8	59.1-68.5	58	9.5	06.6-12.4	82	14.7	11.2-18.2	46	9.1	06.2-12.0	19	2.8	01.2-04.4
65+	976	56,048	744	76.1	73.0-79.2	71	7.5	05.5-09.5	83	8.4	06.4-10.4	54	5.5	03.9-07.1	24	2.6	01.2-04.0
Less Than H.S.	157	18,817	106	68.5	58.9-78.1	16	10.3	04.6-16.0	12	9.1	02.0-16.2	16	9.7	04.4-15.0	7	2.4	00.4-04.4
H.S. or G.E.D.	727	61,871	493	64.5	59.6-69.4	55	8.6	05.5-11.7	92	12.2	09.1-15.3	61	9.5	06.6-12.4	26	5.1	02.6-07.6
Some Post-H.S.	891	111,538	581	60.4	56.1-64.7	100	13.3	10.2-16.4	109	13.5	10.4-16.6	67	9.2	06.5-11.9	34	3.7	01.9-05.5
College Graduate	892	70,291	588	63.1	59.0-67.2	120	14.1	11.2-17.0	108	13.5	10.6-16.4	55	7.6	05.2-10.0	21	1.7	00.7-02.7
Less than \$15,000	221	22,572	124	50.5	40.1-60.9	19	10.6	03.7-17.5	33	20.7	11.7-29.7	31	14.2	07.5-20.9	14	4.0	01.5-06.5
\$15,000- 24,999	364	32,430	231	55.3	47.7-62.9	39	15.4	09.3-21.5	42	9.8	05.5-14.1	34	14.6	08.5-20.7	18	4.9	01.6-08.2
\$25,000- 34,999	283	26,625	194	62.6	54.8-70.4	28	12.2	06.7-17.7	39	15.4	09.5-21.3	16	6.8	03.1-10.5	6	3.1	00.0-06.2
\$35,000- 49,999	339	33,519	242	68.8	62.1-75.5	21	6.1	03.0-09.2	45	15.0	09.7-20.3	24	8.6	04.3-12.9	7	1.5	00.3-02.7
\$50,000- 74,999	404	39,987	254	61.7	55.6-67.8	55	13.4	09.3-17.5	52	13.7	09.2-18.2	28	7.1	04.2-10.0	15	4.1	01.2-07.0
\$75,000+	621	64,934	414	65.0	60.1-69.9	96	14.7	11.2-18.2	67	11.8	08.3-15.3	33	6.5	03.8-09.2	11	2.0	00.4-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2433	274,318	1528	62.5	60.0-65.0	289	12.5	10.7-14.3	244	11.0	09.2-12.8	265	10.1	08.5-11.7	107	3.9	02.9-04.9
Male	930	122,906	592	63.7	59.6-67.8	121	13.6	10.7-16.5	83	9.5	07.0-12.0	92	9.3	06.9-11.7	42	3.8	02.2-05.4
Female	1503	151,411	936	61.5	58.2-64.8	168	11.7	09.3-14.1	161	12.1	09.7-14.5	173	10.7	08.5-12.9	65	4.0	02.6-05.4
Native	63	11,039	42	54.9	38.4-71.4	3	8.4	00.0-19.2	7	12.5	00.7-24.3	7	16.2	02.9-29.5	4	8.0	00.0-17.0
Non-Native	2344	260,071	1474	63.2	60.5-65.9	283	12.7	10.9-14.5	230	10.7	08.9-12.5	256	9.7	08.1-11.3	101	3.8	02.8-04.8
18-24	151	50,061	98	64.8	56.6-73.0	21	13.2	07.5-18.9	19	12.4	06.9-17.9	10	7.1	02.4-11.8	3	2.5	00.0-05.2
25-34	247	43,003	149	60.6	53.2-68.0	49	15.8	10.7-20.9	27	13.9	08.0-19.8	18	8.5	04.0-13.0	4	1.2	00.0-02.8
35-44	280	38,673	186	65.1	58.0-72.2	34	12.2	07.3-17.1	29	10.5	06.0-15.0	23	8.9	04.4-13.4	8	3.3	00.6-06.0
45-54	429	45,103	269	60.7	55.0-66.4	59	14.1	10.0-18.2	41	10.1	06.4-13.8	45	11.5	07.6-15.4	15	3.7	01.3-06.1
55-64	527	44,169	323	60.4	55.1-65.7	70	13.3	09.4-17.2	45	8.3	05.6-11.0	61	11.7	08.4-15.0	28	6.3	03.2-09.4
65+	779	51,413	489	63.0	58.9-67.1	56	7.7	05.3-10.1	80	10.4	07.5-13.3	105	12.5	09.8-15.2	49	6.5	04.3-08.7
Less Than H.S.	187	27,840	111	56.6	47.0-66.2	16	9.8	04.3-15.3	14	11.2	04.3-18.1	32	14.9	08.2-21.6	14	7.5	02.4-12.6
H.S. or G.E.D.	725	74,145	458	64.5	59.8-69.2	74	11.0	07.9-14.1	65	8.7	06.0-11.4	91	11.2	08.3-14.1	37	4.6	02.4-06.8
Some Post-H.S.	776	109,157	483	61.9	57.4-66.4	86	12.5	09.4-15.6	89	12.2	09.1-15.3	84	10.0	07.3-12.7	34	3.4	01.8-05.0
College Graduate	741	62,311	475	64.6	60.1-69.1	113	15.7	12.2-19.2	75	11.2	08.1-14.3	57	6.1	04.1-08.1	21	2.4	01.2-03.6
Less than \$15,000	255	29,655	113	43.6	35.0-52.2	25	12.1	05.8-18.4	29	13.1	06.2-20.0	60	21.3	14.2-28.4	28	9.9	05.2-14.6
\$15,000- 24,999	367	41,217	221	59.9	52.6-67.2	41	14.0	08.7-19.3	37	10.5	06.0-15.0	46	10.7	06.4-15.0	22	4.9	01.8-08.0
\$25,000- 34,999	245	25,926	161	67.2	59.2-75.2	30	11.9	06.6-17.2	19	8.4	03.5-13.3	26	8.2	04.5-11.9	9	4.3	00.6-08.0
\$35,000- 49,999	333	37,716	205	62.7	56.0-69.4	45	14.5	09.6-19.4	38	11.9	07.2-16.6	40	9.9	06.4-13.4	5	1.0	00.0-02.0
\$50,000- 74,999	369	40,185	246	66.3	60.0-72.6	51	13.1	08.8-17.4	30	9.0	04.9-13.1	29	8.4	04.9-11.9	13	3.2	00.5-05.9
\$75,000+	554	63,857	381	66.9	61.6-72.2	74	12.2	08.9-15.5	57	11.0	07.5-14.5	31	7.9	04.2-11.6	11	2.0	00.6-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	930	122,906	592	63.7	59.6-67.8	121	13.6	10.7-16.5	83	9.5	07.0-12.0	92	9.3	06.9-11.7	42	3.8	02.2-05.4
Non-Native	889	116,024	566	64.5	60.4-68.6	118	13.9	11.0-16.8	80	9.2	06.7-11.7	87	9.0	06.6-11.4	38	3.4	02.0-04.8
18-24	64	22,444	43	69.2	56.9-81.5	12	16.2	07.0-25.4	6	8.6	01.2-16.0	3	6.1	00.0-13.4			
25-34	113	20,865	70	64.6	53.8-75.4	24	16.5	08.9-24.1	10	9.7	02.3-17.1	7	8.5	01.6-15.4	2	0.7	00.0-01.7
35-44	116	18,182	80	65.4	54.6-76.2	12	12.5	04.9-20.1	15	12.9	05.5-20.3	6	4.9	00.0-09.8	3	4.3	00.0-09.8
45-54	178	20,014	109	61.1	52.5-69.7	29	16.2	09.5-22.9	15	8.2	03.5-12.9	18	11.5	05.6-17.4	7	3.0	00.6-05.4
55-64	212	20,862	128	57.3	48.7-65.9	26	12.5	06.2-18.8	19	8.2	04.1-12.3	27	14.1	08.4-19.8	12	7.9	02.2-13.6
65+	244	20,290	159	64.1	56.7-71.5	18	7.4	03.5-11.3	18	10.1	04.0-16.2	31	10.9	06.8-15.0	18	7.6	03.5-11.7
Less Than H.S.	84	16,059	53	61.7	48.2-75.2	10	11.2	02.8-19.6	6	10.5	01.7-19.3	11	11.5	02.3-20.7	4	5.1	00.0-11.2
H.S. or G.E.D.	288	36,901	182	66.4	59.3-73.5	32	10.8	06.1-15.5	21	7.2	03.5-10.9	39	12.4	07.7-17.1	14	3.4	01.0-05.8
Some Post-H.S.	294	45,750	183	62.3	55.2-69.4	37	13.2	08.1-18.3	32	11.4	06.5-16.3	25	8.5	04.6-12.4	17	4.5	01.8-07.2
College Graduate	264	24,196	174	63.7	56.1-71.3	42	20.0	13.3-26.7	24	8.9	04.4-13.4	17	4.9	02.0-07.8	7	2.5	00.5-04.5
Less than \$15,000	84	12,640	42	47.6	33.7-61.5	10	15.1	04.7-25.5	4	6.7	00.0-15.7	18	22.1	10.5-33.7	10	8.5	01.8-15.2
\$15,000- 24,999	132	18,756	84	66.0	55.4-76.6	16	14.2	05.8-22.6	14	9.8	03.3-16.3	8	4.4	01.1-07.7	10	5.5	00.2-10.8
\$25,000- 34,999	87	9,837	53	71.9	60.3-83.5	12	11.7	03.3-20.1	7	5.5	00.4-10.6	12	8.5	03.2-13.8	3	2.3	00.0-05.0
\$35,000- 49,999	166	19,598	102	58.2	48.6-67.8	22	15.9	08.5-23.3	18	14.7	07.1-22.3	21	9.8	05.1-14.5	3	1.5	00.0-03.3
\$50,000- 74,999	144	18,866	88	61.8	51.6-72.0	27	18.4	10.4-26.4	10	8.4	01.7-15.1	15	10.1	04.4-15.8	4	1.3	00.0-02.7
\$75,000+	249	32,015	179	69.5	61.7-77.3	30	10.9	06.0-15.8	23	8.7	04.4-13.0	10	8.1	02.2-14.0	7	2.8	00.3-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1503	151,411	936	61.5	58.2-64.8	168	11.7	09.3-14.1	161	12.1	09.7-14.5	173	10.7	08.5-12.9	65	4.0	02.6-05.4
Non-Native	1455	144,047	908	62.0	58.5-65.5	165	11.7	09.3-14.1	150	11.9	09.4-14.4	169	10.3	08.3-12.3	63	4.0	02.6-05.4
18-24	87	27,617	55	61.2	50.2-72.2	9	10.8	03.5-18.1	13	15.5	07.5-23.5	7	7.9	02.0-13.8	3	4.5	00.0-09.6
25-34	134	22,138	79	56.8	46.4-67.2	25	15.2	08.1-22.3	17	18.0	09.2-26.8	11	8.5	02.8-14.2	2	1.6	00.0-04.5
35-44	164	20,490	106	64.8	55.6-74.0	22	12.0	05.9-18.1	14	8.4	03.3-13.5	17	12.4	05.3-19.5	5	2.5	00.1-04.9
45-54	251	25,089	160	60.4	52.8-68.0	30	12.4	07.3-17.5	26	11.5	06.2-16.8	27	11.6	06.3-16.9	8	4.2	00.5-07.9
55-64	315	23,307	195	63.1	56.6-69.6	44	14.0	09.1-18.9	26	8.5	04.8-12.2	34	9.6	05.9-13.3	16	4.8	01.9-07.7
65+	535	31,123	330	62.2	57.3-67.1	38	8.0	05.1-10.9	62	10.5	07.8-13.2	74	13.5	10.0-17.0	31	5.8	03.6-08.0
Less Than H.S.	103	11,781	58	49.7	37.5-61.9	6	7.8	01.5-14.1	8	12.2	01.6-22.8	21	19.6	10.6-28.6	10	10.7	02.3-19.1
H.S. or G.E.D.	437	37,243	276	62.6	56.3-68.9	42	11.1	06.8-15.4	44	10.3	06.4-14.2	52	10.1	06.2-14.0	23	5.9	02.4-09.4
Some Post-H.S.	482	63,408	300	61.6	55.7-67.5	49	12.1	08.0-16.2	57	12.8	08.7-16.9	59	11.0	07.5-14.5	17	2.6	00.6-04.6
College Graduate	477	38,115	301	65.2	59.7-70.7	71	13.0	09.5-16.5	51	12.7	08.6-16.8	40	6.8	04.3-09.3	14	2.3	00.9-03.7
Less than \$15,000	171	17,015	71	40.6	29.6-51.6	15	9.9	01.9-17.9	25	17.8	08.2-27.4	42	20.8	12.2-29.4	18	10.9	04.2-17.6
\$15,000- 24,999	235	22,461	137	54.7	45.3-64.1	25	13.8	06.9-20.7	23	11.1	04.8-17.4	38	16.0	08.7-23.3	12	4.4	00.5-08.3
\$25,000- 34,999	158	16,089	108	64.3	54.1-74.5	18	12.0	05.1-18.9	12	10.1	03.0-17.2	14	8.0	02.9-13.1	6	5.5	00.0-11.2
\$35,000- 49,999	167	18,118	103	67.5	58.9-76.1	23	12.9	06.8-19.0	20	8.9	04.2-13.6	19	10.2	05.1-15.3	2	0.5	00.0-01.3
\$50,000- 74,999	225	21,319	158	70.2	62.4-78.0	24	8.3	04.4-12.2	20	9.6	04.5-14.7	14	7.0	02.9-11.1	9	4.9	00.2-09.6
\$75,000+	305	31,842	202	64.4	57.3-71.5	44	13.5	08.8-18.2	34	13.3	07.8-18.8	21	7.6	03.3-11.9	4	1.1	00.0-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4861	537,335	4431	86.5	84.9-88.1	430	13.5	11.9-15.1
Male	2139	270,068	1906	84.1	81.7-86.5	233	15.9	13.5-18.3
Female	2722	267,267	2525	89.0	87.2-90.8	197	11.0	09.2-12.8
Native	126	24,600	115	89.8	83.1-96.5	11	10.2	03.5-16.9
Non-Native	4669	504,846	4258	86.4	84.8-88.0	411	13.6	12.0-15.2
18-24	245	78,667	190	75.8	69.7-81.9	55	24.2	18.1-30.3
25-34	520	93,489	446	82.8	78.7-86.9	74	17.2	13.1-21.3
35-44	551	77,332	486	84.1	80.0-88.2	65	15.9	11.8-20.0
45-54	863	91,558	766	86.1	83.0-89.2	97	13.9	10.8-17.0
55-64	1061	87,433	971	90.1	87.6-92.6	90	9.9	07.4-12.4
65+	1581	105,519	1537	96.7	95.5-97.9	44	3.3	02.1-04.5
Less Than H.S.	337	52,786	295	81.3	74.8-87.8	42	18.7	12.2-25.2
H.S. or G.E.D.	1405	145,653	1223	79.0	75.9-82.1	182	21.0	17.9-24.1
Some Post-H.S.	1555	208,797	1428	88.3	85.9-90.7	127	11.7	09.3-14.1
College Graduate	1559	128,856	1481	94.5	92.9-96.1	78	5.5	03.9-07.1
Less than \$15,000	347	40,189	282	78.3	71.8-84.8	65	21.7	15.2-28.2
\$15,000- 24,999	610	65,885	509	73.3	68.0-78.6	101	26.7	21.4-32.0
\$25,000- 34,999	503	55,792	441	78.7	72.8-84.6	62	21.3	15.4-27.2
\$35,000- 49,999	712	79,558	652	87.8	84.3-91.3	60	12.2	08.7-15.7
\$50,000- 74,999	751	81,615	708	92.3	89.6-95.0	43	7.7	05.0-10.4
\$75,000+	1320	145,234	1277	95.3	93.5-97.1	43	4.7	02.9-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2139	270,068	1906	84.1	81.7-86.5	233	15.9	13.5-18.3
Native	54	12,987	48	87.4	76.2-98.6	6	12.6	01.4-23.8
Non-Native	2047	252,718	1825	84.0	81.6-86.4	222	16.0	13.6-18.4
18-24	120	41,361	90	73.5	64.5-82.5	30	26.5	17.5-35.5
25-34	273	49,656	223	77.7	71.4-84.0	50	22.3	16.0-28.6
35-44	263	40,477	227	81.7	75.4-88.0	36	18.3	12.0-24.6
45-54	410	46,335	355	84.0	79.5-88.5	55	16.0	11.5-20.5
55-64	497	44,780	451	89.7	86.0-93.4	46	10.3	06.6-14.0
65+	566	46,634	550	96.7	94.7-98.7	16	3.3	01.3-05.3
Less Than H.S.	169	32,451	139	74.9	65.5-84.3	30	25.1	15.7-34.5
H.S. or G.E.D.	655	82,829	552	76.5	71.8-81.2	103	23.5	18.8-28.2
Some Post-H.S.	653	96,214	592	88.1	84.6-91.6	61	11.9	08.4-15.4
College Graduate	660	58,090	622	93.9	91.4-96.4	38	6.1	03.6-08.6
Less than \$15,000	121	17,581	92	76.5	66.1-86.9	29	23.5	13.1-33.9
\$15,000- 24,999	236	32,712	182	69.9	61.9-77.9	54	30.1	22.1-38.1
\$25,000- 34,999	211	28,185	173	70.0	60.2-79.8	38	30.0	20.2-39.8
\$35,000- 49,999	373	45,988	333	85.8	80.9-90.7	40	14.2	09.3-19.1
\$50,000- 74,999	342	41,316	316	88.9	84.0-93.8	26	11.1	06.2-16.0
\$75,000+	697	80,238	671	95.6	93.6-97.6	26	4.4	02.4-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	267,267	2525	89.0	87.2-90.8	197	11.0	09.2-12.8
Native	72	11,612	67	92.5	85.8-99.2	5	7.5	00.8-14.2
Non-Native	2622	252,128	2433	88.9	86.9-90.9	189	11.1	09.1-13.1
18-24	125	37,306	100	78.3	70.3-86.3	25	21.7	13.7-29.7
25-34	247	43,833	223	88.5	83.2-93.8	24	11.5	06.2-16.8
35-44	288	36,855	259	86.8	81.9-91.7	29	13.2	08.3-18.1
45-54	453	45,223	411	88.3	84.2-92.4	42	11.7	07.6-15.8
55-64	564	42,652	520	90.6	87.5-93.7	44	9.4	06.3-12.5
65+	1015	58,884	987	96.8	95.4-98.2	28	3.2	01.8-04.6
Less Than H.S.	168	20,335	156	91.4	85.5-97.3	12	8.6	02.7-14.5
H.S. or G.E.D.	750	62,824	671	82.3	78.0-86.6	79	17.7	13.4-22.0
Some Post-H.S.	902	112,583	836	88.4	85.3-91.5	66	11.6	08.5-14.7
College Graduate	899	70,766	859	95.0	93.2-96.8	40	5.0	03.2-06.8
Less than \$15,000	226	22,608	190	79.7	71.5-87.9	36	20.3	12.1-28.5
\$15,000- 24,999	374	33,173	327	76.6	69.5-83.7	47	23.4	16.3-30.5
\$25,000- 34,999	292	27,607	268	87.7	82.2-93.2	24	12.3	06.8-17.8
\$35,000- 49,999	339	33,570	319	90.6	85.5-95.7	20	9.4	04.3-14.5
\$50,000- 74,999	409	40,298	392	95.8	93.4-98.2	17	4.2	01.8-06.6
\$75,000+	623	64,996	606	95.0	92.1-97.9	17	5.0	02.1-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4854	536,499	3531	65.1	63.1-67.1	449	8.5	07.5-09.5	874	26.4	24.6-28.2
Male	2129	268,998	1363	56.0	53.3-58.7	208	8.9	07.3-10.5	558	35.1	32.4-37.8
Female	2725	267,501	2168	74.3	71.9-76.7	241	8.0	06.8-09.2	316	17.7	15.5-19.9
Native	125	24,496	61	41.5	30.3-52.7	15	9.9	04.0-15.8	49	48.5	36.9-60.1
Non-Native	4664	504,192	3428	66.4	64.4-68.4	426	8.3	07.3-09.3	810	25.2	23.4-27.0
18-24	247	78,921	122	46.8	39.9-53.7	21	8.8	04.9-12.7	104	44.4	37.5-51.3
25-34	518	93,172	274	49.6	44.5-54.7	42	6.7	04.3-09.1	202	43.8	38.7-48.9
35-44	550	77,203	364	62.4	57.3-67.5	50	9.2	06.3-12.1	136	28.4	23.5-33.3
45-54	864	91,658	619	69.5	65.8-73.2	74	7.0	05.2-08.8	171	23.5	19.8-27.2
55-64	1059	87,346	803	74.7	71.4-78.0	102	8.9	06.9-10.9	154	16.5	13.6-19.4
65+	1574	104,716	1318	83.3	80.9-85.7	156	10.2	08.4-12.0	100	6.5	04.9-08.1
Less Than H.S.	332	52,323	242	65.9	58.6-73.2	34	7.8	04.7-10.9	56	26.3	19.0-33.6
H.S. or G.E.D.	1400	145,042	985	61.1	57.6-64.6	128	7.7	06.1-09.3	287	31.1	27.6-34.6
Some Post-H.S.	1557	208,941	1127	65.0	61.7-68.3	148	9.1	07.3-10.9	282	25.9	22.8-29.0
College Graduate	1559	128,845	1172	69.5	66.4-72.6	139	8.6	06.8-10.4	248	21.9	19.0-24.8
Less than \$15,000	345	39,847	232	58.5	50.5-66.5	37	7.9	04.4-11.4	76	33.6	25.4-41.8
\$15,000- 24,999	608	65,683	439	61.9	56.2-67.6	49	6.4	04.2-08.6	120	31.7	26.0-37.4
\$25,000- 34,999	501	55,204	370	63.1	56.8-69.4	34	7.3	04.0-10.6	97	29.6	23.3-35.9
\$35,000- 49,999	712	79,804	503	63.6	58.7-68.5	75	8.3	05.9-10.7	134	28.0	23.3-32.7
\$50,000- 74,999	750	81,561	550	67.4	62.9-71.9	72	8.7	06.2-11.2	128	23.9	19.6-28.2
\$75,000+	1319	145,199	989	68.9	65.4-72.4	110	8.6	06.6-10.6	220	22.5	19.4-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	268,998	1363	56.0	53.3-58.7	208	8.9	07.3-10.5	558	35.1	32.4-37.8
Native	54	12,987	19	31.0	15.9-46.1	9	12.3	02.7-21.9	26	56.7	40.2-73.2
Non-Native	2037	251,648	1317	57.1	54.4-59.8	196	8.7	07.1-10.3	524	34.1	31.4-36.8
18-24	120	41,296	46	36.3	26.9-45.7	14	11.4	05.3-17.5	60	52.3	42.5-62.1
25-34	271	49,339	96	31.8	25.3-38.3	30	9.2	05.1-13.3	145	59.0	51.9-66.1
35-44	262	40,348	145	51.2	43.6-58.8	23	8.4	04.5-12.3	94	40.4	33.0-47.8
45-54	410	46,335	275	65.2	59.5-70.9	30	5.0	03.0-07.0	105	29.8	24.1-35.5
55-64	496	44,756	350	70.2	65.1-75.3	48	9.1	06.0-12.2	98	20.7	16.0-25.4
65+	560	46,099	444	80.9	77.2-84.6	63	10.5	07.6-13.4	53	8.6	05.9-11.3
Less Than H.S.	166	32,179	110	60.9	51.1-70.7	13	5.9	02.2-09.6	43	33.2	23.6-42.8
H.S. or G.E.D.	649	82,037	374	49.3	44.4-54.2	74	8.6	06.2-11.0	201	42.0	36.9-47.1
Some Post-H.S.	653	96,232	417	54.7	49.8-59.6	68	11.1	08.0-14.2	168	34.2	29.3-39.1
College Graduate	659	58,066	461	65.3	60.6-70.0	53	7.3	04.8-09.8	145	27.4	22.9-31.9
Less than \$15,000	119	17,041	65	47.0	35.2-58.8	16	10.9	04.0-17.8	38	42.1	29.9-54.3
\$15,000- 24,999	235	32,613	134	53.5	45.1-61.9	26	7.1	03.8-10.4	75	39.4	31.0-47.8
\$25,000- 34,999	210	27,943	141	55.6	45.8-65.4	17	9.5	03.4-15.6	52	35.0	25.2-44.8
\$35,000- 49,999	372	46,199	234	56.7	50.0-63.4	39	8.2	05.1-11.3	99	35.1	28.4-41.8
\$50,000- 74,999	340	41,163	219	54.9	48.0-61.8	35	10.7	06.2-15.2	86	34.4	27.5-41.3
\$75,000+	695	80,081	478	59.5	54.6-64.4	58	8.7	05.8-11.6	159	31.7	26.8-36.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	267,501	2168	74.3	71.9-76.7	241	8.0	06.8-09.2	316	17.7	15.5-19.9
Native	71	11,509	42	53.4	37.7-69.1	6	7.3	01.0-13.6	23	39.3	23.4-55.2
Non-Native	2627	252,544	2111	75.7	73.3-78.1	230	7.9	06.5-09.3	286	16.4	14.2-18.6
18-24	127	37,625	76	58.3	48.7-67.9	7	6.0	01.5-10.5	44	35.8	26.4-45.2
25-34	247	43,833	178	69.6	62.7-76.5	12	3.8	01.4-06.2	57	26.7	20.0-33.4
35-44	288	36,855	219	74.6	68.1-81.1	27	10.1	05.8-14.4	42	15.3	10.0-20.6
45-54	454	45,323	344	73.9	69.0-78.8	44	9.0	06.1-11.9	66	17.1	12.6-21.6
55-64	563	42,590	453	79.4	75.3-83.5	54	8.6	06.1-11.1	56	12.0	08.5-15.5
65+	1014	58,617	874	85.2	82.5-87.9	93	10.0	07.6-12.4	47	4.8	03.2-06.4
Less Than H.S.	166	20,144	132	73.8	63.0-84.6	21	10.9	05.4-16.4	13	15.3	04.5-26.1
H.S. or G.E.D.	751	63,005	611	76.4	72.1-80.7	54	6.6	04.6-08.6	86	16.9	13.0-20.8
Some Post-H.S.	904	112,708	710	73.8	69.9-77.7	80	7.4	05.4-09.4	114	18.8	15.1-22.5
College Graduate	900	70,779	711	73.0	69.1-76.9	86	9.6	07.1-12.1	103	17.4	13.9-20.9
Less than \$15,000	226	22,806	167	67.1	56.3-77.9	21	5.7	02.6-08.8	38	27.3	16.5-38.1
\$15,000- 24,999	373	33,070	305	70.1	62.8-77.4	23	5.7	03.0-08.4	45	24.2	17.1-31.3
\$25,000- 34,999	291	27,261	229	70.8	63.4-78.2	17	5.1	02.2-08.0	45	24.1	16.8-31.4
\$35,000- 49,999	340	33,605	269	73.1	66.2-80.0	36	8.6	05.3-11.9	35	18.3	11.8-24.8
\$50,000- 74,999	410	40,398	331	80.2	75.3-85.1	37	6.6	04.1-09.1	42	13.2	08.9-17.5
\$75,000+	624	65,118	511	80.5	76.4-84.6	52	8.5	05.6-11.4	61	11.0	07.9-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4869	538,441	273	8.1	06.9-09.3	4596	91.9	90.7-93.1
Male	2140	270,952	98	6.3	04.7-07.9	2042	93.7	92.1-95.3
Female	2729	267,489	175	9.9	08.1-11.7	2554	90.1	88.3-91.9
Native	126	24,600	15	15.9	06.3-25.5	111	84.1	74.5-93.7
Non-Native	4678	506,200	252	7.7	06.5-08.9	4426	92.3	91.1-93.5
18-24	253	80,808	22	9.5	05.4-13.6	231	90.5	86.4-94.6
25-34	518	92,902	47	12.2	08.5-15.9	471	87.8	84.1-91.5
35-44	548	76,802	42	10.4	06.9-13.9	506	89.6	86.1-93.1
45-54	863	91,410	62	8.2	05.8-10.6	801	91.8	89.4-94.2
55-64	1061	87,331	55	6.8	04.4-09.2	1006	93.2	90.8-95.6
65+	1583	105,509	43	2.7	01.7-03.7	1540	97.3	96.3-98.3
Less Than H.S.	337	52,425	24	11.9	06.2-17.6	313	88.1	82.4-93.8
H.S. or G.E.D.	1408	146,644	82	8.7	06.5-10.9	1326	91.3	89.1-93.5
Some Post-H.S.	1559	209,338	95	8.2	06.2-10.2	1464	91.8	89.8-93.8
College Graduate	1559	128,685	71	5.7	04.1-07.3	1488	94.3	92.7-95.9
Less than \$15,000	350	40,590	49	17.5	11.0-24.0	301	82.5	76.0-89.0
\$15,000- 24,999	609	65,865	77	21.0	15.9-26.1	532	79.0	73.9-84.1
\$25,000- 34,999	501	54,950	26	7.5	04.2-10.8	475	92.5	89.2-95.8
\$35,000- 49,999	712	79,917	42	8.0	05.3-10.7	670	92.0	89.3-94.7
\$50,000- 74,999	752	81,714	27	4.4	02.2-06.6	725	95.6	93.4-97.8
\$75,000+	1321	145,333	21	2.4	01.0-03.8	1300	97.6	96.2-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	270,952	98	6.3	04.7-07.9	2042	93.7	92.1-95.3
Native	54	12,987	4	9.6	00.0-19.8	50	90.4	80.2-0100
Non-Native	2048	253,602	91	6.2	04.6-07.8	1957	93.8	92.2-95.4
18-24	125	42,838	6	4.2	00.7-07.7	119	95.8	92.3-99.3
25-34	272	49,495	22	9.6	05.3-13.9	250	90.4	86.1-94.7
35-44	262	40,113	18	10.9	05.4-16.4	244	89.1	83.6-94.6
45-54	410	46,335	20	5.0	02.5-07.5	390	95.0	92.5-97.5
55-64	496	44,584	18	6.0	02.1-09.9	478	94.0	90.1-97.9
65+	564	46,566	14	2.7	00.9-04.5	550	97.3	95.5-99.1
Less Than H.S.	169	32,451	12	10.6	03.9-17.3	157	89.4	82.7-96.1
H.S. or G.E.D.	656	83,561	35	7.1	04.4-09.8	621	92.9	90.2-95.6
Some Post-H.S.	654	96,527	30	5.8	03.3-08.3	624	94.2	91.7-96.7
College Graduate	659	57,929	21	3.8	01.8-05.8	638	96.2	94.2-98.2
Less than \$15,000	122	17,676	18	14.0	06.2-21.8	104	86.0	78.2-93.8
\$15,000- 24,999	235	32,692	28	20.9	13.3-28.5	207	79.1	71.5-86.7
\$25,000- 34,999	211	28,017	6	2.6	00.2-05.0	205	97.4	95.0-99.8
\$35,000- 49,999	373	46,401	15	4.3	01.8-06.8	358	95.7	93.2-98.2
\$50,000- 74,999	342	41,316	10	3.8	01.1-06.5	332	96.2	93.5-98.9
\$75,000+	697	80,238	11	1.7	00.3-03.1	686	98.3	96.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	267,489	175	9.9	08.1-11.7	2554	90.1	88.3-91.9
Native	72	11,612	11	23.0	07.1-38.9	61	77.0	61.1-92.9
Non-Native	2630	252,598	161	9.2	07.4-11.0	2469	90.8	89.0-92.6
18-24	128	37,970	16	15.5	07.9-23.1	112	84.5	76.9-92.1
25-34	246	43,407	25	15.2	09.1-21.3	221	84.8	78.7-90.9
35-44	286	36,689	24	9.9	05.4-14.4	262	90.1	85.6-94.6
45-54	453	45,075	42	11.5	07.6-15.4	411	88.5	84.6-92.4
55-64	565	42,747	37	7.7	04.8-10.6	528	92.3	89.4-95.2
65+	1019	58,943	29	2.7	01.5-03.9	990	97.3	96.1-98.5
Less Than H.S.	168	19,973	12	13.9	03.7-24.1	156	86.1	75.9-96.3
H.S. or G.E.D.	752	63,084	47	10.7	07.2-14.2	705	89.3	85.8-92.8
Some Post-H.S.	905	112,811	65	10.3	07.4-13.2	840	89.7	86.8-92.6
College Graduate	900	70,756	50	7.2	04.8-09.6	850	92.8	90.4-95.2
Less than \$15,000	228	22,914	31	20.2	10.4-30.0	197	79.8	70.0-89.6
\$15,000- 24,999	374	33,173	49	21.0	14.1-27.9	325	79.0	72.1-85.9
\$25,000- 34,999	290	26,933	20	12.7	06.6-18.8	270	87.3	81.2-93.4
\$35,000- 49,999	339	33,516	27	13.1	07.4-18.8	312	86.9	81.2-92.6
\$50,000- 74,999	410	40,398	17	5.1	02.0-08.2	393	94.9	91.8-98.0
\$75,000+	624	65,095	10	3.2	00.8-05.6	614	96.8	94.4-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	536,194	3352	62.5	60.5-64.5	600	14.8	13.4-16.2	407	10.2	09.0-11.4	460	11.9	10.5-13.3	30	0.7	00.3-01.1
Male	2134	269,569	1307	55.2	52.5-57.9	295	16.4	14.2-18.6	232	12.2	10.2-14.2	283	15.1	12.9-17.3	17	1.0	00.4-01.6
Female	2715	266,624	2045	69.8	67.3-72.3	305	13.1	11.3-14.9	175	8.1	06.5-09.7	177	8.6	07.0-10.2	13	0.4	00.2-00.6
Native	126	24,600	82	59.5	48.1-70.9	11	10.3	03.4-17.2	17	16.1	07.3-24.9	15	13.6	06.0-21.2	1	0.4	00.0-01.2
Non-Native	4659	504,147	3228	62.6	60.6-64.6	581	15.0	13.4-16.6	382	9.8	08.6-11.0	439	11.8	10.4-13.2	29	0.7	00.3-01.1
18-24	249	79,414	129	52.4	45.5-59.3	44	18.1	12.6-23.6	43	16.0	11.1-20.9	30	12.3	07.8-16.8	3	1.2	00.0-02.8
25-34	516	92,479	257	47.9	42.8-53.0	82	18.8	14.5-23.1	65	12.8	09.3-16.3	110	20.1	16.0-24.2	2	0.3	00.0-00.9
35-44	549	77,156	331	57.3	52.0-62.6	86	16.2	12.3-20.1	63	12.5	08.8-16.2	65	13.2	09.7-16.7	4	0.7	00.0-01.5
45-54	863	91,516	522	58.3	54.2-62.4	136	16.4	13.3-19.5	87	10.5	08.0-13.0	114	14.3	11.4-17.2	4	0.4	00.0-00.8
55-64	1059	87,296	767	71.4	68.1-74.7	121	11.7	09.3-14.1	87	7.9	05.9-09.9	76	7.6	05.4-09.8	8	1.3	00.3-02.3
65+	1573	104,991	1320	83.1	80.7-85.5	122	8.1	06.5-09.7	60	3.6	02.6-04.6	63	4.8	03.2-06.4	8	0.4	00.0-00.8
Less Than H.S.	335	52,639	237	63.3	56.0-70.6	36	13.2	08.1-18.3	21	7.8	03.7-11.9	39	15.4	09.7-21.1	2	0.3	00.0-00.7
H.S. or G.E.D.	1401	144,797	959	58.8	55.3-62.3	173	16.1	13.2-19.0	109	9.9	07.5-12.3	145	13.6	11.1-16.1	15	1.6	00.6-02.6
Some Post-H.S.	1552	209,079	1072	62.8	59.7-65.9	204	15.4	12.9-17.9	133	10.6	08.4-12.8	136	10.7	08.5-12.9	7	0.4	00.0-00.8
College Graduate	1556	128,436	1081	65.7	62.6-68.8	186	12.9	10.7-15.1	143	10.4	08.4-12.4	140	10.7	08.5-12.9	6	0.4	00.0-00.8
Less than \$15,000	346	39,875	238	60.3	52.7-67.9	42	18.1	11.8-24.4	20	7.9	03.4-12.4	41	12.1	07.2-17.0	5	1.6	00.0-03.6
\$15,000- 24,999	605	65,356	425	59.8	54.1-65.5	68	15.0	10.7-19.3	45	10.5	07.0-14.0	65	14.3	10.0-18.6	2	0.3	00.0-00.7
\$25,000- 34,999	499	55,543	346	61.6	55.3-67.9	61	14.0	09.5-18.5	36	9.1	05.4-12.8	52	14.8	09.9-19.7	4	0.6	00.0-01.2
\$35,000- 49,999	714	79,995	483	60.0	55.1-64.9	94	16.5	12.6-20.4	64	11.3	08.0-14.6	71	11.6	08.5-14.7	2	0.5	00.0-01.3
\$50,000- 74,999	752	81,714	512	64.9	60.4-69.4	80	11.4	08.5-14.3	85	11.9	08.8-15.0	72	11.2	08.1-14.3	3	0.6	00.0-01.4
\$75,000+	1319	144,851	892	63.3	59.8-66.8	190	15.1	12.6-17.6	117	10.8	08.3-13.3	114	10.3	07.9-12.7	6	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2134	269,569	1307	55.2	52.5-57.9	295	16.4	14.2-18.6	232	12.2	10.2-14.2	283	15.1	12.9-17.3	17	1.0	0.4-01.6
Native	54	12,987	31	46.0	29.1-62.9	5	13.4	01.8-25.0	10	22.8	07.9-37.7	7	17.0	04.1-29.9	1	0.8	00.0-02.4
Non-Native	2043	252,336	1253	55.4	52.5-58.3	283	16.6	14.2-19.0	218	11.7	09.7-13.7	273	15.2	13.0-17.4	16	1.1	00.5-01.7
18-24	123	42,095	54	45.7	35.9-55.5	22	18.7	10.9-26.5	25	17.6	10.5-24.7	19	15.7	08.4-23.0	3	2.3	00.0-05.0
25-34	270	48,866	103	38.0	30.9-45.1	48	21.4	15.3-27.5	46	15.7	10.4-21.0	71	24.2	18.1-30.3	2	0.6	00.0-01.8
35-44	261	40,301	126	47.2	39.6-54.8	54	20.9	14.8-27.0	32	13.8	07.9-19.7	45	16.8	11.5-22.1	4	1.3	00.0-03.1
45-54	409	46,193	224	53.1	47.2-59.0	61	16.9	12.2-21.6	47	11.7	08.0-15.4	75	17.9	13.4-22.4	2	0.4	00.0-01.0
55-64	496	44,697	337	66.5	61.2-71.8	56	11.1	08.0-14.2	53	10.7	07.4-14.0	44	9.9	06.2-13.6	6	1.9	00.3-03.5
65+	565	46,591	458	80.0	75.9-84.1	51	9.5	06.6-12.4	28	4.5	02.7-06.3	28	6.0	03.1-08.9			
Less Than H.S.	168	32,368	104	53.8	44.0-63.6	24	17.7	09.9-25.5	15	10.6	04.3-16.9	24	17.5	09.3-25.7	1	0.3	00.0-00.9
H.S. or G.E.D.	653	82,224	392	51.8	46.7-56.9	97	18.7	14.6-22.8	64	10.7	07.6-13.8	91	16.3	12.6-20.0	9	2.4	00.6-04.2
Some Post-H.S.	654	96,621	396	56.3	51.4-61.2	94	15.9	12.2-19.6	77	13.7	10.2-17.2	84	13.7	10.4-17.0	3	0.4	00.0-00.8
College Graduate	657	57,871	413	58.4	53.5-63.3	80	13.4	09.9-16.9	76	12.9	09.6-16.2	84	14.6	11.1-18.1	4	0.7	00.0-01.5
Less than \$15,000	119	17,014	70	46.6	34.8-58.4	18	24.4	13.4-35.4	10	11.3	03.1-19.5	18	14.2	05.4-23.0	3	3.5	00.0-08.2
\$15,000- 24,999	233	32,259	143	54.5	46.1-62.9	34	16.5	10.2-22.8	20	11.8	06.3-17.3	34	16.6	09.9-23.3	2	0.6	00.0-01.4
\$25,000- 34,999	211	28,185	132	57.8	48.2-67.4	28	15.6	08.0-23.2	17	7.5	02.8-12.2	33	18.9	10.9-26.9	1	0.2	00.0-00.6
\$35,000- 49,999	374	46,390	233	54.0	47.5-60.5	46	16.8	11.5-22.1	46	15.2	10.1-20.3	47	13.0	08.7-17.3	2	0.9	00.0-02.3
\$50,000- 74,999	342	41,316	207	58.3	51.4-65.2	37	11.7	07.2-16.2	48	13.1	08.4-17.8	48	15.8	10.7-20.9	2	1.0	00.0-02.6
\$75,000+	695	79,899	428	56.9	52.0-61.8	109	16.8	13.1-20.5	70	12.4	08.9-15.9	82	13.1	09.8-16.4	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2715	266,624	2045	69.8	67.3-72.3	305	13.1	11.3-14.9	175	8.1	06.5-09.7	177	8.6	07.0-10.2	13	0.4	00.2-00.6
Native	72	11,612	51	74.5	63.1-85.9	6	7.0	01.1-12.9	7	8.7	01.8-15.6	8	9.9	02.5-17.3			
Non-Native	2616	251,811	1975	69.8	67.3-72.3	298	13.5	11.5-15.5	164	7.8	06.2-09.4	166	8.4	06.8-10.0	13	0.4	00.2-00.6
18-24	126	37,320	75	59.9	50.5-69.3	22	17.5	10.2-24.8	18	14.2	07.5-20.9	11	8.4	03.1-13.7			
25-34	246	43,613	154	59.1	51.7-66.5	34	16.0	10.3-21.7	19	9.5	04.8-14.2	39	15.4	10.1-20.7			
35-44	288	36,855	205	68.4	61.5-75.3	32	11.1	06.6-15.6	31	11.1	06.8-15.4	20	9.3	04.6-14.0			
45-54	454	45,323	298	63.6	58.1-69.1	75	16.0	11.9-20.1	40	9.3	06.0-12.6	39	10.7	06.8-14.6	2	0.4	00.0-01.0
55-64	563	42,599	430	76.6	72.5-80.7	65	12.4	09.1-15.7	34	5.0	03.0-07.0	32	5.3	03.1-07.5	2	0.7	00.0-02.1
65+	1008	58,400	862	85.6	83.1-88.1	71	7.0	05.2-08.8	32	2.8	01.8-03.8	35	3.8	02.2-05.4	8	0.8	00.2-01.4
Less Than H.S.	167	20,271	133	78.4	70.4-86.4	12	6.0	02.3-09.7	6	3.3	00.4-06.2	15	12.0	05.1-18.9	1	0.3	00.0-00.9
H.S. or G.E.D.	748	62,572	567	68.0	63.1-72.9	76	12.7	09.2-16.2	45	8.9	05.8-12.0	54	9.9	06.8-13.0	6	0.4	00.0-00.8
Some Post-H.S.	898	112,458	676	68.4	64.1-72.7	110	14.9	11.6-18.2	56	8.0	05.5-10.5	52	8.1	05.6-10.6	4	0.5	00.0-01.1
College Graduate	899	70,565	668	71.7	67.8-75.6	106	12.5	09.8-15.2	67	8.3	05.9-10.7	56	7.4	05.0-09.8	2	0.1	00.0-00.3
Less than \$15,000	227	22,861	168	70.5	61.3-79.7	24	13.4	06.3-20.5	10	5.4	00.5-10.3	23	10.5	04.8-16.2	2	0.2	00.0-00.4
\$15,000- 24,999	372	33,098	282	64.9	57.5-72.3	34	13.6	07.9-19.3	25	9.3	04.8-13.8	31	12.1	06.8-17.4			
\$25,000- 34,999	288	27,358	214	65.4	57.6-73.2	33	12.3	07.2-17.4	19	10.8	04.9-16.7	19	10.6	05.1-16.1	3	0.9	00.0-01.9
\$35,000- 49,999	340	33,605	250	68.3	61.2-75.4	48	16.1	10.2-22.0	18	5.9	02.2-09.6	24	9.7	05.0-14.4			
\$50,000- 74,999	410	40,398	305	71.6	65.9-77.3	43	11.1	07.2-15.0	37	10.7	07.0-14.4	24	6.5	03.2-09.8	1	0.1	00.0-00.3
\$75,000+	624	64,952	464	71.3	66.4-76.2	81	13.1	09.8-16.4	47	8.7	05.4-12.0	32	6.8	04.1-09.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	539,210	3653	76.2	74.6-77.8	1220	23.8	22.2-25.4
Male	2142	271,321	1604	75.6	73.2-78.0	538	24.4	22.0-26.8
Female	2731	267,889	2049	76.8	74.6-79.0	682	23.2	21.0-25.4
Native	126	24,600	85	77.1	68.7-85.5	41	22.9	14.5-31.3
Non-Native	4681	506,721	3519	76.1	74.5-77.7	1162	23.9	22.3-25.5
18-24	252	80,403	218	86.7	82.0-91.4	34	13.3	08.6-18.0
25-34	519	93,188	415	78.6	74.3-82.9	104	21.4	17.1-25.7
35-44	551	77,332	453	79.4	74.9-83.9	98	20.6	16.1-25.1
45-54	864	91,658	667	74.4	70.7-78.1	197	25.6	21.9-29.3
55-64	1062	87,528	793	73.8	70.5-77.1	269	26.2	22.9-29.5
65+	1582	105,422	1073	67.5	64.6-70.4	509	32.5	29.6-35.4
Less Than H.S.	339	53,047	205	59.7	52.6-66.8	134	40.3	33.2-47.4
H.S. or G.E.D.	1411	146,750	950	70.1	67.0-73.2	461	29.9	26.8-33.0
Some Post-H.S.	1557	209,221	1186	78.8	76.3-81.3	371	21.2	18.7-23.7
College Graduate	1560	128,844	1308	85.5	83.3-87.7	252	14.5	12.3-16.7
Less than \$15,000	348	40,144	206	70.0	63.5-76.5	142	30.0	23.5-36.5
\$15,000- 24,999	610	65,885	409	68.8	63.7-73.9	201	31.2	26.1-36.3
\$25,000- 34,999	504	55,988	333	68.7	63.2-74.2	171	31.3	25.8-36.8
\$35,000- 49,999	715	80,216	545	77.0	72.9-81.1	170	23.0	18.9-27.1
\$50,000- 74,999	752	81,714	591	76.9	73.0-80.8	161	23.1	19.2-27.0
\$75,000+	1322	145,410	1132	85.2	82.7-87.7	190	14.8	12.3-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	271,321	1604	75.6	73.2-78.0	538	24.4	22.0-26.8
Native	54	12,987	38	83.8	73.4-94.2	16	16.2	05.8-26.6
Non-Native	2050	253,971	1537	75.1	72.6-77.6	513	24.9	22.4-27.4
18-24	125	42,838	103	83.6	76.3-90.9	22	16.4	09.1-23.7
25-34	272	49,356	214	77.1	70.8-83.4	58	22.9	16.6-29.2
35-44	263	40,477	213	79.5	73.2-85.8	50	20.5	14.2-26.8
45-54	410	46,335	305	73.3	68.0-78.6	105	26.7	21.4-32.0
55-64	497	44,780	366	71.7	66.6-76.8	131	28.3	23.2-33.4
65+	564	46,514	395	69.6	65.1-74.1	169	30.4	25.9-34.9
Less Than H.S.	170	32,648	100	60.6	51.2-70.0	70	39.4	30.0-48.8
H.S. or G.E.D.	657	83,329	447	70.4	66.1-74.7	210	29.6	25.3-33.9
Some Post-H.S.	654	96,849	503	79.5	75.8-83.2	151	20.5	16.8-24.2
College Graduate	659	58,011	552	85.0	81.7-88.3	107	15.0	11.7-18.3
Less than \$15,000	121	17,635	70	71.4	62.2-80.6	51	28.6	19.4-37.8
\$15,000- 24,999	236	32,712	154	67.7	60.1-75.3	82	32.3	24.7-39.9
\$25,000- 34,999	212	28,381	138	70.0	61.8-78.2	74	30.0	21.8-38.2
\$35,000- 49,999	375	46,610	281	76.7	71.4-82.0	94	23.3	18.0-28.6
\$50,000- 74,999	342	41,316	258	73.8	67.7-79.9	84	26.2	20.1-32.3
\$75,000+	697	80,238	594	84.4	80.9-87.9	103	15.6	12.1-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	267,889	2049	76.8	74.6-79.0	682	23.2	21.0-25.4
Native	72	11,612	47	69.6	56.5-82.7	25	30.4	17.3-43.5
Non-Native	2631	252,750	1982	77.2	75.0-79.4	649	22.8	20.6-25.0
18-24	127	37,565	115	90.2	84.5-95.9	12	9.8	04.1-15.5
25-34	247	43,833	201	80.4	74.5-86.3	46	19.6	13.7-25.5
35-44	288	36,855	240	79.2	72.7-85.7	48	20.8	14.3-27.3
45-54	454	45,323	362	75.5	70.2-80.8	92	24.5	19.2-29.8
55-64	565	42,747	427	76.0	71.9-80.1	138	24.0	19.9-28.1
65+	1018	58,908	678	65.7	62.2-69.2	340	34.3	30.8-37.8
Less Than H.S.	169	20,399	105	58.4	48.0-68.8	64	41.6	31.2-52.0
H.S. or G.E.D.	754	63,421	503	69.6	65.3-73.9	251	30.4	26.1-34.7
Some Post-H.S.	903	112,371	683	78.3	75.0-81.6	220	21.7	18.4-25.0
College Graduate	901	70,833	756	86.0	83.3-88.7	145	14.0	11.3-16.7
Less than \$15,000	227	22,509	136	68.9	60.1-77.7	91	31.1	22.3-39.9
\$15,000- 24,999	374	33,173	255	69.9	63.2-76.6	119	30.1	23.4-36.8
\$25,000- 34,999	292	27,607	195	67.3	60.0-74.6	97	32.7	25.4-40.0
\$35,000- 49,999	340	33,605	264	77.3	71.2-83.4	76	22.7	16.6-28.8
\$50,000- 74,999	410	40,398	333	80.1	75.2-85.0	77	19.9	15.0-24.8
\$75,000+	625	65,172	538	86.2	82.5-89.9	87	13.8	10.1-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	50
17 MALES ONLY	51
18 FEMALES ONLY	52
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	53
20 MALES ONLY	54
21 FEMALES ONLY	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	56
23 MALES ONLY	57
24 FEMALES ONLY	58
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	59
26 MALES ONLY	60
27 FEMALES ONLY	61
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	62
29 MALES ONLY	63
30 FEMALES ONLY	64
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	65
32 MALES ONLY	66
33 FEMALES ONLY	67
DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)	
34 MALES AND FEMALES	68
35 MALES ONLY	69
36 FEMALES ONLY	70
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37 MALES AND FEMALES	71
38 MALES ONLY	72
39 FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4857	537,267	294	4.6	04.0-05.2	4563	95.4	94.8-96.0
Male	2137	270,110	173	5.9	04.9-06.9	1964	94.1	93.1-95.1
Female	2720	267,157	121	3.2	02.4-04.0	2599	96.8	96.0-97.6
Native	125	24,506	6	3.9	00.0-08.0	119	96.1	92.0-0100
Non-Native	4667	504,932	281	4.6	04.0-05.2	4386	95.4	94.8-96.0
18-24	251	79,632	1	0.1	00.0-00.3	250	99.9	99.7-0100
25-34	520	93,489				520	100.0	0100-0100
35-44	551	77,332	5	1.4	00.0-02.8	546	98.6	97.2-0100
45-54	862	91,437	20	3.3	01.5-05.1	842	96.7	94.9-98.5
55-64	1057	87,161	65	7.0	05.0-09.0	992	93.0	91.0-95.0
65+	1574	104,586	203	13.6	11.4-15.8	1371	86.4	84.2-88.6
Less Than H.S.	331	51,338	44	10.1	06.4-13.8	287	89.9	86.2-93.6
H.S. or G.E.D.	1407	146,434	100	4.9	03.7-06.1	1307	95.1	93.9-96.3
Some Post-H.S.	1555	209,399	100	4.6	03.4-05.8	1455	95.4	94.2-96.6
College Graduate	1558	128,747	50	1.9	01.3-02.5	1508	98.1	97.5-98.7
Less than \$15,000	349	40,510	55	10.9	07.2-14.6	294	89.1	85.4-92.8
\$15,000- 24,999	602	65,571	58	8.0	05.3-10.7	544	92.0	89.3-94.7
\$25,000- 34,999	504	55,988	38	4.4	02.8-06.0	466	95.6	94.0-97.2
\$35,000- 49,999	712	79,916	43	4.4	02.8-06.0	669	95.6	94.0-97.2
\$50,000- 74,999	751	81,556	32	3.6	02.2-05.0	719	96.4	95.0-97.8
\$75,000+	1318	144,419	30	1.8	01.0-02.6	1288	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2137	270,110	173	5.9	04.9-06.9	1964	94.1	93.1-95.1
Native	54	12,987	5	6.8	00.0-14.4	49	93.2	85.6-0100
Non-Native	2046	252,821	163	5.8	04.8-06.8	1883	94.2	93.2-95.2
18-24	123	41,662	1	0.3	00.0-00.9	122	99.7	99.1-0100
25-34	273	49,656				273	100.0	0100-0100
35-44	263	40,477	4	2.5	00.0-05.0	259	97.5	95.0-0100
45-54	409	46,273	10	2.9	00.7-05.1	399	97.1	94.9-99.3
55-64	495	44,639	48	10.8	07.3-14.3	447	89.2	85.7-92.7
65+	563	46,382	110	18.6	14.9-22.3	453	81.4	77.7-85.1
Less Than H.S.	166	31,642	26	11.4	06.1-16.7	140	88.6	83.3-93.9
H.S. or G.E.D.	654	83,003	56	5.5	03.7-07.3	598	94.5	92.7-96.3
Some Post-H.S.	655	96,891	59	6.2	04.4-08.0	596	93.8	92.0-95.6
College Graduate	660	58,090	32	3.1	01.9-04.3	628	96.9	95.7-98.1
Less than \$15,000	121	17,596	22	12.7	06.4-19.0	99	87.3	81.0-93.6
\$15,000- 24,999	234	32,631	27	10.0	05.3-14.7	207	90.0	85.3-94.7
\$25,000- 34,999	212	28,381	26	6.2	03.5-08.9	186	93.8	91.1-96.5
\$35,000- 49,999	374	46,460	38	7.1	04.6-09.6	336	92.9	90.4-95.4
\$50,000- 74,999	342	41,316	25	5.5	03.0-08.0	317	94.5	92.0-97.0
\$75,000+	694	79,382	22	2.4	01.2-03.6	672	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	267,157	121	3.2	02.4-04.0	2599	96.8	96.0-97.6
Native	71	11,519	1	0.6	00.0-01.8	70	99.4	98.2-0100
Non-Native	2621	252,112	118	3.3	02.5-04.1	2503	96.7	95.9-97.5
18-24	128	37,970				128	100.0	0100-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	1	0.1	00.0-00.3	287	99.9	99.7-0100
45-54	453	45,164	10	3.7	01.0-06.4	443	96.3	93.6-99.0
55-64	562	42,522	17	2.9	01.3-04.5	545	97.1	95.5-98.7
65+	1011	58,203	93	9.6	07.2-12.0	918	90.4	88.0-92.8
Less Than H.S.	165	19,696	18	8.0	03.5-12.5	147	92.0	87.5-96.5
H.S. or G.E.D.	753	63,431	44	4.1	02.7-05.5	709	95.9	94.5-97.3
Some Post-H.S.	900	112,509	41	3.3	01.9-04.7	859	96.7	95.3-98.1
College Graduate	898	70,657	18	1.0	00.4-01.6	880	99.0	98.4-99.6
Less than \$15,000	228	22,914	33	9.5	05.2-13.8	195	90.5	86.2-94.8
\$15,000- 24,999	368	32,940	31	6.1	03.2-09.0	337	93.9	91.0-96.8
\$25,000- 34,999	292	27,607	12	2.5	00.9-04.1	280	97.5	95.9-99.1
\$35,000- 49,999	338	33,456	5	0.7	00.0-01.5	333	99.3	98.5-0100
\$50,000- 74,999	409	40,240	7	1.7	00.1-03.3	402	98.3	96.7-99.9
\$75,000+	624	65,037	8	1.2	00.0-02.4	616	98.8	97.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4837	536,553	286	4.1	03.5-04.7	4551	95.9	95.3-96.5
Male	2121	269,470	160	5.2	04.2-06.2	1961	94.8	93.8-95.8
Female	2716	267,084	126	3.0	02.4-03.6	2590	97.0	96.4-97.6
Native	124	24,357	6	2.2	00.2-04.2	118	97.8	95.8-99.8
Non-Native	4649	504,422	278	4.3	03.7-04.9	4371	95.7	95.1-96.3
18-24	253	80,808	1	0.4	00.0-01.2	252	99.6	98.8-0100
25-34	520	93,489				520	100.0	0100-0100
35-44	551	77,332	4	0.7	00.0-01.7	547	99.3	98.3-0100
45-54	860	90,966	22	3.2	01.6-04.8	838	96.8	95.2-98.4
55-64	1053	86,487	60	5.8	04.0-07.6	993	94.2	92.4-96.0
65+	1557	103,792	199	12.9	10.9-14.9	1358	87.1	85.1-89.1
Less Than H.S.	330	51,787	33	6.5	04.1-08.9	297	93.5	91.1-95.9
H.S. or G.E.D.	1399	146,466	99	5.2	04.0-06.4	1300	94.8	93.6-96.0
Some Post-H.S.	1548	208,414	96	3.9	02.9-04.9	1452	96.1	95.1-97.1
College Graduate	1554	128,538	58	2.4	01.6-03.2	1496	97.6	96.8-98.4
Less than \$15,000	341	39,612	35	6.6	03.9-09.3	306	93.4	90.7-96.1
\$15,000- 24,999	606	65,734	52	6.0	03.8-08.2	554	94.0	91.8-96.2
\$25,000- 34,999	496	55,463	42	5.4	03.2-07.6	454	94.6	92.4-96.8
\$35,000- 49,999	710	79,931	45	4.4	03.0-05.8	665	95.6	94.2-97.0
\$50,000- 74,999	748	81,156	35	3.9	02.5-05.3	713	96.1	94.7-97.5
\$75,000+	1317	144,891	46	2.4	01.6-03.2	1271	97.6	96.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2121	269,470	160	5.2	04.2-06.2	1961	94.8	93.8-95.8
Native	53	12,819	2	1.2	00.0-03.0	51	98.8	97.0-0100
Non-Native	2032	252,403	156	5.5	04.5-06.5	1876	94.5	93.5-95.5
18-24	125	42,838				125	100.0	0100-0100
25-34	273	49,656				273	100.0	0100-0100
35-44	263	40,477	2	1.0	00.0-02.6	261	99.0	97.4-0100
45-54	407	45,795	13	3.5	01.3-05.7	394	96.5	94.3-98.7
55-64	490	43,948	43	9.1	06.2-12.0	447	90.9	88.0-93.8
65+	552	45,735	102	17.6	14.1-21.1	450	82.4	78.9-85.9
Less Than H.S.	165	32,132	17	6.5	03.2-09.8	148	93.5	90.2-96.8
H.S. or G.E.D.	649	83,094	57	6.2	04.2-08.2	592	93.8	91.8-95.8
Some Post-H.S.	647	95,761	49	5.0	03.4-06.6	598	95.0	93.4-96.6
College Graduate	658	57,999	37	3.6	02.2-05.0	621	96.4	95.0-97.8
Less than \$15,000	116	16,936	10	6.5	02.0-11.0	106	93.5	89.0-98.0
\$15,000- 24,999	233	32,602	17	5.6	02.5-08.7	216	94.4	91.3-97.5
\$25,000- 34,999	208	28,097	23	6.6	03.5-09.7	185	93.4	90.3-96.5
\$35,000- 49,999	372	46,417	35	6.1	03.9-08.3	337	93.9	91.7-96.1
\$50,000- 74,999	338	40,757	25	5.3	02.9-07.7	313	94.7	92.3-97.1
\$75,000+	693	79,854	36	3.8	02.4-05.2	657	96.2	94.8-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	267,084	126	3.0	02.4-03.6	2590	97.0	96.4-97.6
Native	71	11,538	4	3.3	00.0-06.8	67	96.7	93.2-0100
Non-Native	2617	252,019	122	3.1	02.3-03.9	2495	96.9	96.1-97.7
18-24	128	37,970	1	0.9	00.0-02.7	127	99.1	97.3-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	2	0.4	00.0-01.0	286	99.6	99.0-0100
45-54	453	45,171	9	2.8	00.6-05.0	444	97.2	95.0-99.4
55-64	563	42,539	17	2.5	01.1-03.9	546	97.5	96.1-98.9
65+	1005	58,058	97	9.2	07.2-11.2	908	90.8	88.8-92.8
Less Than H.S.	165	19,656	16	6.6	03.1-10.1	149	93.4	89.9-96.9
H.S. or G.E.D.	750	63,372	42	3.9	02.3-05.5	708	96.1	94.5-97.7
Some Post-H.S.	901	112,652	47	3.0	02.0-04.0	854	97.0	96.0-98.0
College Graduate	896	70,539	21	1.4	00.6-02.2	875	98.6	97.8-99.4
Less than \$15,000	225	22,676	25	6.7	03.4-10.0	200	93.3	90.0-96.6
\$15,000- 24,999	373	33,133	35	6.3	03.6-09.0	338	93.7	91.0-96.4
\$25,000- 34,999	288	27,365	19	4.3	01.6-07.0	269	95.7	93.0-98.4
\$35,000- 49,999	338	33,514	10	2.2	00.6-03.8	328	97.8	96.2-99.4
\$50,000- 74,999	410	40,398	10	2.4	00.6-04.2	400	97.6	95.8-99.4
\$75,000+	624	65,037	10	0.7	00.3-01.1	614	99.3	98.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4869	539,475	160	2.5	01.9-03.1	4709	97.5	96.9-98.1
Male	2140	271,438	71	2.7	01.9-03.5	2069	97.3	96.5-98.1
Female	2729	268,037	89	2.2	01.6-02.8	2640	97.8	97.2-98.4
Native	126	24,600	4	3.5	00.0-08.2	122	96.5	91.8-0100
Non-Native	4677	506,985	156	2.4	01.8-03.0	4521	97.6	97.0-98.2
18-24	253	80,808	1	0.4	00.0-01.2	252	99.6	98.8-0100
25-34	520	93,489	1	0.1	00.0-00.3	519	99.9	99.7-0100
35-44	551	77,332	4	1.3	00.0-02.9	547	98.7	97.1-0100
45-54	863	91,596	13	2.1	00.9-03.3	850	97.9	96.7-99.1
55-64	1062	87,528	24	2.5	01.3-03.7	1038	97.5	96.3-98.7
65+	1578	105,086	117	7.4	05.6-09.2	1461	92.6	90.8-94.4
Less Than H.S.	338	52,983	16	5.4	02.1-08.7	322	94.6	91.3-97.9
H.S. or G.E.D.	1408	146,943	66	3.1	02.1-04.1	1342	96.9	95.9-97.9
Some Post-H.S.	1557	209,309	49	2.1	01.3-02.9	1508	97.9	97.1-98.7
College Graduate	1560	128,891	29	1.2	00.6-01.8	1531	98.8	98.2-99.4
Less than \$15,000	349	40,526	34	6.0	03.5-08.5	315	94.0	91.5-96.5
\$15,000- 24,999	607	65,721	32	3.3	01.7-04.9	575	96.7	95.1-98.3
\$25,000- 34,999	504	55,988	12	1.8	00.4-03.2	492	98.2	96.8-99.6
\$35,000- 49,999	714	80,184	22	2.3	01.1-03.5	692	97.7	96.5-98.9
\$50,000- 74,999	752	81,714	8	0.8	00.0-01.6	744	99.2	98.4-0100
\$75,000+	1320	145,269	21	1.5	00.7-02.3	1299	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	271,438	71	2.7	01.9-03.5	2069	97.3	96.5-98.1
Native	54	12,987	4	6.6	00.0-15.4	50	93.4	84.6-0100
Non-Native	2048	254,087	67	2.6	01.8-03.4	1981	97.4	96.6-98.2
18-24	125	42,838				125	100.0	0100-0100
25-34	273	49,656	1	0.3	00.0-00.9	272	99.7	99.1-0100
35-44	263	40,477	2	2.1	00.0-05.2	261	97.9	94.8-0100
45-54	409	46,273	6	2.0	00.2-03.8	403	98.0	96.2-99.8
55-64	497	44,780	12	3.3	01.1-05.5	485	96.7	94.5-98.9
65+	563	46,435	50	8.6	05.9-11.3	513	91.4	88.7-94.1
Less Than H.S.	170	32,648	7	4.6	00.3-08.9	163	95.4	91.1-99.7
H.S. or G.E.D.	654	83,426	30	3.0	01.8-04.2	624	97.0	95.8-98.2
Some Post-H.S.	654	96,790	22	2.8	01.4-04.2	632	97.2	95.8-98.6
College Graduate	660	58,090	12	1.1	00.5-01.7	648	98.9	98.3-99.5
Less than \$15,000	122	17,676	14	6.0	02.3-09.7	108	94.0	90.3-97.7
\$15,000- 24,999	234	32,591	14	4.1	01.6-06.6	220	95.9	93.4-98.4
\$25,000- 34,999	212	28,381	5	1.6	00.0-03.2	207	98.4	96.8-0100
\$35,000- 49,999	375	46,610	11	2.1	00.5-03.7	364	97.9	96.3-99.5
\$50,000- 74,999	342	41,316	4	1.1	00.0-02.5	338	98.9	97.5-0100
\$75,000+	695	80,098	15	2.4	01.0-03.8	680	97.6	96.2-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	268,037	89	2.2	01.6-02.8	2640	97.8	97.2-98.4
Native	72	11,612				72	100.0	0100-0100
Non-Native	2629	252,898	89	2.3	01.7-02.9	2540	97.7	97.1-98.3
18-24	128	37,970	1	0.9	00.0-02.7	127	99.1	97.3-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	2	0.4	00.0-01.0	286	99.6	99.0-0100
45-54	454	45,323	7	2.1	00.3-03.9	447	97.9	96.1-99.7
55-64	565	42,747	12	1.7	00.7-02.7	553	98.3	97.3-99.3
65+	1015	58,651	67	6.4	04.4-08.4	948	93.6	91.6-95.6
Less Than H.S.	168	20,335	9	6.7	01.4-12.0	159	93.3	88.0-98.6
H.S. or G.E.D.	754	63,518	36	3.1	01.7-04.5	718	96.9	95.5-98.3
Some Post-H.S.	903	112,519	27	1.5	00.9-02.1	876	98.5	97.9-99.1
College Graduate	900	70,801	17	1.2	00.4-02.0	883	98.8	98.0-99.6
Less than \$15,000	227	22,850	20	5.9	02.2-09.6	207	94.1	90.4-97.8
\$15,000- 24,999	373	33,130	18	2.5	01.1-03.9	355	97.5	96.1-98.9
\$25,000- 34,999	292	27,607	7	2.1	00.0-04.5	285	97.9	95.5-0100
\$35,000- 49,999	339	33,573	11	2.4	00.8-04.0	328	97.6	96.0-99.2
\$50,000- 74,999	410	40,398	4	0.6	00.0-01.2	406	99.4	98.8-0100
\$75,000+	625	65,172	6	0.4	00.0-00.8	619	99.6	99.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	539,539	463	10.5	09.3-11.7	4405	89.5	88.3-90.7
Male	2140	271,382	168	9.5	07.7-11.3	1972	90.5	88.7-92.3
Female	2728	268,157	295	11.6	09.8-13.4	2433	88.4	86.6-90.2
Native	126	24,600	15	17.2	07.6-26.8	111	82.8	73.2-92.4
Non-Native	4677	507,127	438	10.2	09.0-11.4	4239	89.8	88.6-91.0
18-24	253	80,808	40	17.2	11.9-22.5	213	82.8	77.5-88.1
25-34	520	93,489	56	11.1	07.8-14.4	464	88.9	85.6-92.2
35-44	550	77,254	51	9.8	06.7-12.9	499	90.2	87.1-93.3
45-54	861	91,421	65	6.7	04.9-08.5	796	93.3	91.5-95.1
55-64	1060	87,369	95	9.4	07.0-11.8	965	90.6	88.2-93.0
65+	1581	105,518	154	10.2	08.2-12.2	1427	89.8	87.8-91.8
Less Than H.S.	338	52,981	42	12.6	07.7-17.5	296	87.4	82.5-92.3
H.S. or G.E.D.	1409	147,069	125	9.7	07.3-12.1	1284	90.3	87.9-92.7
Some Post-H.S.	1559	209,567	162	11.5	09.3-13.7	1397	88.5	86.3-90.7
College Graduate	1556	128,573	134	9.2	07.2-11.2	1422	90.8	88.8-92.8
Less than \$15,000	350	40,590	60	19.7	13.0-26.4	290	80.3	73.6-87.0
\$15,000- 24,999	608	65,803	82	16.7	12.0-21.4	526	83.3	78.6-88.0
\$25,000- 34,999	504	55,988	42	8.5	04.8-12.2	462	91.5	87.8-95.2
\$35,000- 49,999	713	80,139	53	7.1	04.9-09.3	660	92.9	90.7-95.1
\$50,000- 74,999	751	81,580	67	10.2	07.3-13.1	684	89.8	86.9-92.7
\$75,000+	1318	145,092	110	8.8	06.6-11.0	1208	91.2	89.0-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	271,382	168	9.5	07.7-11.3	1972	90.5	88.7-92.3
Native	54	12,987	8	20.5	05.2-35.8	46	79.5	64.2-94.8
Non-Native	2049	254,109	155	8.9	07.1-10.7	1894	91.1	89.3-92.9
18-24	125	42,838	17	16.0	08.4-23.6	108	84.0	76.4-91.6
25-34	273	49,656	28	11.3	06.6-16.0	245	88.7	84.0-93.4
35-44	262	40,399	15	7.3	03.0-11.6	247	92.7	88.4-97.0
45-54	408	46,178	25	5.6	03.1-08.1	383	94.4	91.9-96.9
55-64	497	44,780	35	8.7	05.2-12.2	462	91.3	87.8-94.8
65+	564	46,509	47	8.0	05.3-10.7	517	92.0	89.3-94.7
Less Than H.S.	169	32,582	22	12.4	05.5-19.3	147	87.6	80.7-94.5
H.S. or G.E.D.	657	83,567	51	9.9	06.4-13.4	606	90.1	86.6-93.6
Some Post-H.S.	655	96,891	47	8.9	05.8-12.0	608	91.1	88.0-94.2
College Graduate	657	57,858	48	8.2	05.3-11.1	609	91.8	88.9-94.7
Less than \$15,000	122	17,676	17	17.6	07.6-27.6	105	82.4	72.4-92.4
\$15,000- 24,999	236	32,712	27	15.4	08.1-22.7	209	84.6	77.3-91.9
\$25,000- 34,999	212	28,381	17	8.4	02.3-14.5	195	91.6	85.5-97.7
\$35,000- 49,999	374	46,550	22	5.8	02.9-08.7	352	94.2	91.3-97.1
\$50,000- 74,999	342	41,316	28	10.6	05.9-15.3	314	89.4	84.7-94.1
\$75,000+	694	80,001	47	8.2	05.1-11.3	647	91.8	88.7-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	268,157	295	11.6	09.8-13.4	2433	88.4	86.6-90.2
Native	72	11,612	7	13.4	02.8-24.0	65	86.6	76.0-97.2
Non-Native	2628	253,018	283	11.5	09.7-13.3	2345	88.5	86.7-90.3
18-24	128	37,970	23	18.5	11.1-25.9	105	81.5	74.1-88.9
25-34	247	43,833	28	10.9	06.0-15.8	219	89.1	84.2-94.0
35-44	288	36,855	36	12.4	07.9-16.9	252	87.6	83.1-92.1
45-54	453	45,243	40	7.8	05.1-10.5	413	92.2	89.5-94.9
55-64	563	42,589	60	10.1	07.2-13.0	503	89.9	87.0-92.8
65+	1017	59,010	107	11.8	09.3-14.3	910	88.2	85.7-90.7
Less Than H.S.	169	20,399	20	12.9	06.0-19.8	149	87.1	80.2-94.0
H.S. or G.E.D.	752	63,502	74	9.5	06.6-12.4	678	90.5	87.6-93.4
Some Post-H.S.	904	112,677	115	13.8	10.7-16.9	789	86.2	83.1-89.3
College Graduate	899	70,715	86	9.9	07.4-12.4	813	90.1	87.6-92.6
Less than \$15,000	228	22,914	43	21.4	12.8-30.0	185	78.6	70.0-87.2
\$15,000- 24,999	372	33,090	55	17.9	11.6-24.2	317	82.1	75.8-88.4
\$25,000- 34,999	292	27,607	25	8.6	04.3-12.9	267	91.4	87.1-95.7
\$35,000- 49,999	339	33,589	31	8.9	05.6-12.2	308	91.1	87.8-94.4
\$50,000- 74,999	409	40,264	39	9.8	06.1-13.5	370	90.2	86.5-93.9
\$75,000+	624	65,092	63	9.6	06.7-12.5	561	90.4	87.5-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	445	54,770	351	74.5	68.2-80.8	94	25.5	19.2-31.8
Male	158	24,311	124	71.9	61.1-82.7	34	28.1	17.3-38.9
Female	287	30,459	227	76.5	69.2-83.8	60	23.5	16.2-30.8
Non-Native	421	49,795	334	75.4	68.9-81.9	87	24.6	18.1-31.1
25-34	52	9,780	38	70.4	54.3-86.5	14	29.6	13.5-45.7
45-54	62	5,747	54	87.2	78.0-96.4	8	12.8	03.6-22.0
55-64	93	7,817	72	78.8	69.2-88.4	21	21.2	11.6-30.8
65+	149	10,346	120	81.3	73.7-88.9	29	18.7	11.1-26.3
H.S. or G.E.D.	121	14,053	98	75.9	63.4-88.4	23	24.1	11.6-36.6
Some Post-H.S.	155	22,910	126	76.1	65.9-86.3	29	23.9	13.7-34.1
College Graduate	130	11,540	97	75.7	66.1-85.3	33	24.3	14.7-33.9
Less than \$15,000	58	7,805	49	73.1	54.1-92.1	9	26.9	07.9-45.9
\$15,000- 24,999	81	10,597	66	75.3	59.8-90.8	15	24.7	09.2-40.2
\$35,000- 49,999	53	5,680	46	85.8	74.6-97.0	7	14.2	03.0-25.4
\$50,000- 74,999	62	7,562	45	70.4	54.9-85.9	17	29.6	14.1-45.1
\$75,000+	104	12,279	78	72.5	59.2-85.8	26	27.5	14.2-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	158	24,311	124	71.9	60.9-82.9	34	28.1	17.1-39.1
Non-Native	146	21,367	116	72.9	61.7-84.1	30	27.1	15.9-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	287	30,459	227	76.5	69.2-83.8	60	23.5	16.2-30.8
Non-Native	275	28,428	218	77.3	69.9-84.7	57	22.7	15.3-30.1
55-64	60	4,288	45	72.5	58.6-86.4	15	27.5	13.6-41.4
65+	104	6,743	84	82.5	74.1-90.9	20	17.5	09.1-25.9
H.S. or G.E.D.	73	6,031	58	81.6	69.6-93.6	15	18.4	06.4-30.4
Some Post-H.S.	112	15,240	92	79.7	68.9-90.5	20	20.3	09.5-31.1
College Graduate	84	6,872	63	71.6	58.3-84.9	21	28.4	15.1-41.7
\$15,000- 24,999	55	5,923	45	77.1	59.7-94.5	10	22.9	05.5-40.3
\$75,000+	61	6,108	48	80.9	67.6-94.2	13	19.1	05.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4872	539,455	298	4.3	03.7-04.9	4574	95.7	95.1-96.3
Male	2142	271,207	151	5.1	04.1-06.1	1991	94.9	93.9-95.9
Female	2730	268,248	147	3.4	02.6-04.2	2583	96.6	95.8-97.4
Native	126	24,600	4	1.3	00.0-02.7	122	98.7	97.3-0100
Non-Native	4681	507,032	290	4.4	03.8-05.0	4391	95.6	95.0-96.2
18-24	253	80,808				253	100.0	0100-0100
25-34	520	93,489	4	0.5	00.0-01.1	516	99.5	98.9-0100
35-44	551	77,332	7	0.7	00.1-01.3	544	99.3	98.7-99.9
45-54	864	91,658	24	2.9	01.5-04.3	840	97.1	95.7-98.5
55-64	1060	86,951	60	5.8	04.2-07.4	1000	94.2	92.6-95.8
65+	1581	105,539	201	13.4	11.2-15.6	1380	86.6	84.4-88.8
Less Than H.S.	336	52,475	41	8.5	05.6-11.4	295	91.5	88.6-94.4
H.S. or G.E.D.	1411	147,190	90	4.1	03.1-05.1	1321	95.9	94.9-96.9
Some Post-H.S.	1559	209,567	94	4.0	03.0-05.0	1465	96.0	95.0-97.0
College Graduate	1560	128,875	73	3.2	02.2-04.2	1487	96.8	95.8-97.8
Less than \$15,000	349	40,556	21	3.2	01.6-04.8	328	96.8	95.2-98.4
\$15,000- 24,999	609	65,443	51	5.8	03.8-07.8	558	94.2	92.2-96.2
\$25,000- 34,999	504	55,988	40	6.0	03.6-08.4	464	94.0	91.6-96.4
\$35,000- 49,999	715	80,216	50	5.2	03.4-07.0	665	94.8	93.0-96.6
\$50,000- 74,999	750	81,532	38	3.4	02.2-04.6	712	96.6	95.4-97.8
\$75,000+	1322	145,410	58	3.2	02.2-04.2	1264	96.8	95.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	271,207	151	5.1	04.1-06.1	1991	94.9	93.9-95.9
Native	54	12,987	3	2.0	00.0-04.4	51	98.0	95.6-0100
Non-Native	2051	253,922	145	5.2	04.2-06.2	1906	94.8	93.8-95.8
18-24	125	42,838				125	100.0	0100-0100
25-34	273	49,656	2	0.6	00.0-01.6	271	99.4	98.4-0100
35-44	263	40,477	2	0.5	00.0-01.1	261	99.5	98.9-0100
45-54	410	46,335	14	2.9	00.9-04.9	396	97.1	95.1-99.1
55-64	496	44,338	32	6.9	04.4-09.4	464	93.1	90.6-95.6
65+	564	46,542	101	18.9	15.0-22.8	463	81.1	77.2-85.0
Less Than H.S.	168	32,140	25	9.9	05.8-14.0	143	90.1	86.0-94.2
H.S. or G.E.D.	657	83,602	47	4.4	02.8-06.0	610	95.6	94.0-97.2
Some Post-H.S.	655	96,891	46	4.9	03.3-06.5	609	95.1	93.5-96.7
College Graduate	660	58,090	33	3.7	02.1-05.3	627	96.3	94.7-97.9
Less than \$15,000	122	17,676	8	3.0	00.8-05.2	114	97.0	94.8-99.2
\$15,000- 24,999	235	32,270	25	7.7	04.4-11.0	210	92.3	89.0-95.6
\$25,000- 34,999	212	28,381	18	6.7	03.0-10.4	194	93.3	89.6-97.0
\$35,000- 49,999	375	46,610	31	6.2	03.7-08.7	344	93.8	91.3-96.3
\$50,000- 74,999	342	41,316	18	3.7	01.7-05.7	324	96.3	94.3-98.3
\$75,000+	697	80,238	42	4.2	02.6-05.8	655	95.8	94.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	268,248	147	3.4	02.6-04.2	2583	96.6	95.8-97.4
Native	72	11,612	1	0.6	00.0-01.8	71	99.4	98.2-0100
Non-Native	2630	253,109	145	3.6	02.8-04.4	2485	96.4	95.6-97.2
18-24	128	37,970				128	100.0	0100-0100
25-34	247	43,833	2	0.3	00.0-00.7	245	99.7	99.3-0100
35-44	288	36,855	5	0.9	00.1-01.7	283	99.1	98.3-99.9
45-54	454	45,323	10	3.0	00.8-05.2	444	97.0	94.8-99.2
55-64	564	42,613	28	4.7	02.9-06.5	536	95.3	93.5-97.1
65+	1017	58,997	100	9.1	06.9-11.3	917	90.9	88.7-93.1
Less Than H.S.	168	20,335	16	6.3	03.0-09.6	152	93.7	90.4-97.0
H.S. or G.E.D.	754	63,587	43	3.7	02.3-05.1	711	96.3	94.9-97.7
Some Post-H.S.	904	112,677	48	3.2	02.0-04.4	856	96.8	95.6-98.0
College Graduate	900	70,784	40	2.9	01.9-03.9	860	97.1	96.1-98.1
Less than \$15,000	227	22,880	13	3.3	01.1-05.5	214	96.7	94.5-98.9
\$15,000- 24,999	374	33,173	26	3.9	02.3-05.5	348	96.1	94.5-97.7
\$25,000- 34,999	292	27,607	22	5.4	02.5-08.3	270	94.6	91.7-97.5
\$35,000- 49,999	340	33,605	19	3.8	01.8-05.8	321	96.2	94.2-98.2
\$50,000- 74,999	408	40,215	20	3.1	01.5-04.7	388	96.9	95.3-98.5
\$75,000+	625	65,172	16	1.9	00.7-03.1	609	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4869	539,030	454	6.5	05.7-07.3	4415	93.5	92.7-94.3
Male	2141	271,308	181	6.1	04.9-07.3	1960	93.9	92.7-95.1
Female	2728	267,722	273	6.8	05.8-07.8	2455	93.2	92.2-94.2
Native	126	24,600	6	4.1	00.0-08.6	120	95.9	91.4-0100
Non-Native	4678	506,606	440	6.6	05.8-07.4	4238	93.4	92.6-94.2
18-24	253	80,808	1	0.4	00.0-01.2	252	99.6	98.8-0100
25-34	519	93,272	10	1.6	00.2-03.0	509	98.4	97.0-99.8
35-44	551	77,332	22	4.9	02.4-07.4	529	95.1	92.6-97.6
45-54	863	91,578	40	3.7	02.3-05.1	823	96.3	94.9-97.7
55-64	1060	87,296	98	7.7	05.9-09.5	962	92.3	90.5-94.1
65+	1581	105,171	279	17.8	15.4-20.2	1302	82.2	79.8-84.6
Less Than H.S.	337	52,836	42	9.5	06.0-13.0	295	90.5	87.0-94.0
H.S. or G.E.D.	1407	146,365	146	6.0	04.8-07.2	1261	94.0	92.8-95.2
Some Post-H.S.	1560	209,702	126	5.7	04.3-07.1	1434	94.3	92.9-95.7
College Graduate	1560	128,885	140	7.1	05.5-08.7	1420	92.9	91.3-94.5
Less than \$15,000	349	40,434	42	6.1	03.7-08.5	307	93.9	91.5-96.3
\$15,000- 24,999	608	65,582	67	8.7	05.8-11.6	541	91.3	88.4-94.2
\$25,000- 34,999	504	55,988	64	7.6	05.1-10.1	440	92.4	89.9-94.9
\$35,000- 49,999	712	79,789	72	7.5	05.3-09.7	640	92.5	90.3-94.7
\$50,000- 74,999	751	81,634	55	5.7	03.9-07.5	696	94.3	92.5-96.1
\$75,000+	1322	145,410	86	4.8	03.6-06.0	1236	95.2	94.0-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2141	271,308	181	6.1	04.9-07.3	1960	93.9	92.7-95.1
Native	54	12,987	2	1.6	00.0-04.0	52	98.4	96.0-100
Non-Native	2050	254,023	173	6.3	05.1-07.5	1877	93.7	92.5-94.9
18-24	125	42,838	1	0.8	00.0-02.4	124	99.2	97.6-100
25-34	273	49,656	2	1.4	00.0-03.4	271	98.6	96.6-100
35-44	263	40,477	8	3.4	00.7-06.1	255	96.6	93.9-99.3
45-54	410	46,335	18	3.6	01.6-05.6	392	96.4	94.4-98.4
55-64	496	44,694	46	8.1	05.4-10.8	450	91.9	89.2-94.6
65+	563	46,288	106	19.3	15.4-23.2	457	80.7	76.8-84.6
Less Than H.S.	169	32,582	25	10.9	05.8-16.0	144	89.1	84.0-94.2
H.S. or G.E.D.	656	83,299	57	5.2	03.6-06.8	599	94.8	93.2-96.4
Some Post-H.S.	655	96,891	44	4.5	02.9-06.1	611	95.5	93.9-97.1
College Graduate	659	58,052	55	7.4	05.0-09.8	604	92.6	90.2-95.0
Less than \$15,000	122	17,676	13	5.1	02.0-08.2	109	94.9	91.8-98.0
\$15,000- 24,999	235	32,626	31	9.3	05.4-13.2	204	90.7	86.8-94.6
\$25,000- 34,999	212	28,381	21	6.6	02.7-10.5	191	93.4	89.5-97.3
\$35,000- 49,999	373	46,329	40	9.1	05.8-12.4	333	90.9	87.6-94.2
\$50,000- 74,999	342	41,316	26	6.1	03.4-08.8	316	93.9	91.2-96.6
\$75,000+	697	80,238	41	4.2	02.6-05.8	656	95.8	94.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	267,722	273	6.8	05.8-07.8	2455	93.2	92.2-94.2
Native	72	11,612	4	6.9	00.0-15.7	68	93.1	84.3-0100
Non-Native	2628	252,583	267	6.9	05.9-07.9	2361	93.1	92.1-94.1
18-24	128	37,970				128	100.0	0100-0100
25-34	246	43,616	8	2.0	00.2-03.8	238	98.0	96.2-99.8
35-44	288	36,855	14	6.6	02.3-10.9	274	93.4	89.1-97.7
45-54	453	45,243	22	3.9	01.9-05.9	431	96.1	94.1-98.1
55-64	564	42,602	52	7.2	05.0-09.4	512	92.8	90.6-95.0
65+	1018	58,884	173	16.7	14.0-19.4	845	83.3	80.6-86.0
Less Than H.S.	168	20,254	17	7.1	03.4-10.8	151	92.9	89.2-96.6
H.S. or G.E.D.	751	63,065	89	7.0	05.2-08.8	662	93.0	91.2-94.8
Some Post-H.S.	905	112,811	82	6.6	04.6-08.6	823	93.4	91.4-95.4
College Graduate	901	70,833	85	6.9	05.1-08.7	816	93.1	91.3-94.9
Less than \$15,000	227	22,758	29	6.9	03.6-10.2	198	93.1	89.8-96.4
\$15,000- 24,999	373	32,957	36	8.2	04.1-12.3	337	91.8	87.7-95.9
\$25,000- 34,999	292	27,607	43	8.6	05.3-11.9	249	91.4	88.1-94.7
\$35,000- 49,999	339	33,460	32	5.4	03.2-07.6	307	94.6	92.4-96.8
\$50,000- 74,999	409	40,318	29	5.3	02.8-07.8	380	94.7	92.2-97.2
\$75,000+	625	65,172	45	5.4	03.4-07.4	580	94.6	92.6-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	536,963	267	4.2	03.6-04.8	4582	95.8	95.2-96.4
Male	2128	269,642	104	4.1	03.1-05.1	2024	95.9	94.9-96.9
Female	2721	267,321	163	4.3	03.5-05.1	2558	95.7	94.9-96.5
Native	126	24,600	10	5.9	01.0-10.8	116	94.1	89.2-99.0
Non-Native	4659	504,601	254	4.1	03.5-04.7	4405	95.9	95.3-96.5
18-24	251	80,298				251	100.0	0100-0100
25-34	519	93,392	8	2.1	00.3-03.9	511	97.9	96.1-99.7
35-44	549	76,852	12	2.4	00.8-04.0	537	97.6	96.0-99.2
45-54	860	91,115	17	2.0	00.8-03.2	843	98.0	96.8-99.2
55-64	1060	87,304	66	7.2	05.0-09.4	994	92.8	90.6-95.0
65+	1568	104,366	164	10.0	08.2-11.8	1404	90.0	88.2-91.8
Less Than H.S.	333	52,322	38	8.1	04.8-11.4	295	91.9	88.6-95.2
H.S. or G.E.D.	1404	146,286	95	5.0	03.6-06.4	1309	95.0	93.6-96.4
Some Post-H.S.	1551	208,649	82	3.5	02.5-04.5	1469	96.5	95.5-97.5
College Graduate	1555	128,357	52	2.7	01.7-03.7	1503	97.3	96.3-98.3
Less than \$15,000	347	40,318	49	9.2	05.9-12.5	298	90.8	87.5-94.1
\$15,000- 24,999	605	65,085	63	7.9	05.4-10.4	542	92.1	89.6-94.6
\$25,000- 34,999	502	55,793	40	5.7	03.5-07.9	462	94.3	92.1-96.5
\$35,000- 49,999	712	79,938	28	3.2	01.6-04.8	684	96.8	95.2-98.4
\$50,000- 74,999	748	81,369	25	2.8	01.4-04.2	723	97.2	95.8-98.6
\$75,000+	1320	145,263	24	1.5	00.7-02.3	1296	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2128	269,642	104	4.1	03.1-05.1	2024	95.9	94.9-96.9
Native	54	12,987	3	3.9	00.0-09.8	51	96.1	90.2-0100
Non-Native	2038	252,419	99	4.1	03.1-05.1	1939	95.9	94.9-96.9
18-24	124	42,652				124	100.0	0100-0100
25-34	272	49,559	4	2.2	00.0-04.7	268	97.8	95.3-0100
35-44	262	40,113	7	3.1	00.4-05.8	255	96.9	94.2-99.6
45-54	409	46,074	7	1.6	00.2-03.0	402	98.4	97.0-99.8
55-64	496	44,637	27	7.4	04.1-10.7	469	92.6	89.3-95.9
65+	555	45,627	59	9.9	07.2-12.6	496	90.1	87.4-92.8
Less Than H.S.	165	32,003	16	7.6	02.9-12.3	149	92.4	87.7-97.1
H.S. or G.E.D.	652	82,930	30	3.7	01.9-05.5	622	96.3	94.5-98.1
Some Post-H.S.	652	96,445	33	3.5	02.1-04.9	619	96.5	95.1-97.9
College Graduate	657	57,781	25	3.5	01.9-05.1	632	96.5	94.9-98.1
Less than \$15,000	121	17,635	14	9.2	03.3-15.1	107	90.8	84.9-96.7
\$15,000- 24,999	231	31,912	25	7.6	03.9-11.3	206	92.4	88.7-96.1
\$25,000- 34,999	210	28,186	16	5.7	02.6-08.8	194	94.3	91.2-97.4
\$35,000- 49,999	373	46,414	12	3.0	00.6-05.4	361	97.0	94.6-99.4
\$50,000- 74,999	340	41,132	13	3.1	01.1-05.1	327	96.9	94.9-98.9
\$75,000+	696	80,141	14	1.7	00.5-02.9	682	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2721	267,321	163	4.3	03.5-05.1	2558	95.7	94.9-96.5
Native	72	11,612	7	8.3	00.3-16.3	65	91.7	83.7-99.7
Non-Native	2621	252,183	155	4.0	03.2-04.8	2466	96.0	95.2-96.8
18-24	127	37,646				127	100.0	0100-0100
25-34	247	43,833	4	2.0	00.0-04.4	243	98.0	95.6-0100
35-44	287	36,738	5	1.6	00.0-03.2	282	98.4	96.8-0100
45-54	451	45,041	10	2.4	00.6-04.2	441	97.6	95.8-99.4
55-64	564	42,667	39	6.9	04.4-09.4	525	93.1	90.6-95.6
65+	1013	58,739	105	10.0	07.8-12.2	908	90.0	87.8-92.2
Less Than H.S.	168	20,320	22	9.0	04.7-13.3	146	91.0	86.7-95.3
H.S. or G.E.D.	752	63,356	65	6.7	04.5-08.9	687	93.3	91.1-95.5
Some Post-H.S.	899	112,205	49	3.4	02.2-04.6	850	96.6	95.4-97.8
College Graduate	898	70,576	27	2.0	01.0-03.0	871	98.0	97.0-99.0
Less than \$15,000	226	22,683	35	9.2	05.3-13.1	191	90.8	86.9-94.7
\$15,000- 24,999	374	33,173	38	8.1	04.4-11.8	336	91.9	88.2-95.6
\$25,000- 34,999	292	27,607	24	5.6	02.9-08.3	268	94.4	91.7-97.1
\$35,000- 49,999	339	33,525	16	3.6	01.4-05.8	323	96.4	94.2-98.6
\$50,000- 74,999	408	40,237	12	2.6	01.0-04.2	396	97.4	95.8-99.0
\$75,000+	624	65,122	10	1.2	00.2-02.2	614	98.8	97.8-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4854	538,242	1599	24.5	23.1-25.9	3255	75.5	74.1-76.9
Male	2129	270,487	564	20.4	18.4-22.4	1565	79.6	77.6-81.6
Female	2725	267,754	1035	28.7	26.5-30.9	1690	71.3	69.1-73.5
Native	126	24,600	33	22.1	12.7-31.5	93	77.9	68.5-87.3
Non-Native	4664	505,881	1546	24.6	23.2-26.0	3118	75.4	74.0-76.8
18-24	253	80,808	2	1.5	00.0-03.7	251	98.5	96.3-100.0
25-34	519	93,402	30	5.8	03.3-08.3	489	94.2	91.7-96.7
35-44	547	76,955	67	14.8	10.7-18.9	480	85.2	81.1-89.3
45-54	860	91,322	210	24.1	20.6-27.6	650	75.9	72.4-79.4
55-64	1056	86,978	400	38.9	35.4-42.4	656	61.1	57.6-64.6
65+	1577	105,139	879	54.6	51.7-57.5	698	45.4	42.5-48.3
Less Than H.S.	336	52,608	160	37.0	30.3-43.7	176	63.0	56.3-69.7
H.S. or G.E.D.	1406	146,578	543	27.6	24.9-30.3	863	72.4	69.7-75.1
Some Post-H.S.	1552	209,093	495	22.9	20.5-25.3	1057	77.1	74.7-79.5
College Graduate	1554	128,614	399	18.6	16.4-20.8	1155	81.4	79.2-83.6
Less than \$15,000	349	40,558	161	27.3	21.8-32.8	188	72.7	67.2-78.2
\$15,000- 24,999	607	65,598	272	31.7	27.0-36.4	335	68.3	63.6-73.0
\$25,000- 34,999	504	55,988	200	27.9	23.2-32.6	304	72.1	67.4-76.8
\$35,000- 49,999	711	80,002	223	24.1	20.4-27.8	488	75.9	72.2-79.6
\$50,000- 74,999	749	81,393	219	23.5	20.0-27.0	530	76.5	73.0-80.0
\$75,000+	1315	144,776	280	17.1	14.7-19.5	1035	82.9	80.5-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	270,487	564	20.4	18.4-22.4	1565	79.6	77.6-81.6
Native	54	12,987	14	17.3	05.3-29.3	40	82.7	70.7-94.7
Non-Native	2039	253,265	538	20.4	18.4-22.4	1501	79.6	77.6-81.6
18-24	125	42,838	1	1.7	00.0-04.8	124	98.3	95.2-100
25-34	272	49,569	10	3.8	01.1-06.5	262	96.2	93.5-98.9
35-44	260	40,314	31	15.6	09.5-21.7	229	84.4	78.3-90.5
45-54	407	46,079	93	21.0	16.3-25.7	314	79.0	74.3-83.7
55-64	493	44,384	170	35.8	30.5-41.1	323	64.2	58.9-69.5
65+	562	46,324	256	44.4	39.5-49.3	306	55.6	50.7-60.5
Less Than H.S.	169	32,582	57	28.6	20.2-37.0	112	71.4	63.0-79.8
H.S. or G.E.D.	652	83,036	194	21.8	18.3-25.3	458	78.2	74.7-81.7
Some Post-H.S.	650	96,502	162	18.7	15.4-22.0	488	81.3	78.0-84.6
College Graduate	656	57,882	151	16.8	13.7-19.9	505	83.2	80.1-86.3
Less than \$15,000	121	17,644	43	22.7	14.9-30.5	78	77.3	69.5-85.1
\$15,000- 24,999	235	32,602	81	24.8	18.3-31.3	154	75.2	68.7-81.7
\$25,000- 34,999	212	28,381	73	22.5	16.2-28.8	139	77.5	71.2-83.8
\$35,000- 49,999	373	46,454	105	21.8	16.9-26.7	268	78.2	73.3-83.1
\$50,000- 74,999	340	41,129	85	19.4	14.5-24.3	255	80.6	75.7-85.5
\$75,000+	691	79,684	136	15.9	12.8-19.0	555	84.1	81.0-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	267,754	1035	28.7	26.5-30.9	1690	71.3	69.1-73.5
Native	72	11,612	19	27.4	13.1-41.7	53	72.6	58.3-86.9
Non-Native	2625	252,615	1008	28.9	26.7-31.1	1617	71.1	68.9-73.3
18-24	128	37,970	1	1.3	00.0-03.8	127	98.7	96.2-0100
25-34	247	43,833	20	8.1	04.0-12.2	227	91.9	87.8-96.0
35-44	287	36,640	36	13.9	08.4-19.4	251	86.1	80.6-91.6
45-54	453	45,243	117	27.2	21.9-32.5	336	72.8	67.5-78.1
55-64	563	42,595	230	42.1	37.2-47.0	333	57.9	53.0-62.8
65+	1015	58,815	623	62.7	59.2-66.2	392	37.3	33.8-40.8
Less Than H.S.	167	20,025	103	50.6	40.0-61.2	64	49.4	38.8-60.0
H.S. or G.E.D.	754	63,542	349	35.1	30.8-39.4	405	64.9	60.6-69.2
Some Post-H.S.	902	112,591	333	26.6	23.1-30.1	569	73.4	69.9-76.9
College Graduate	898	70,732	248	20.0	17.1-22.9	650	80.0	77.1-82.9
Less than \$15,000	228	22,914	118	30.8	23.2-38.4	110	69.2	61.6-76.8
\$15,000- 24,999	372	32,996	191	38.6	31.7-45.5	181	61.4	54.5-68.3
\$25,000- 34,999	292	27,607	127	33.3	26.6-40.0	165	66.7	60.0-73.4
\$35,000- 49,999	338	33,548	118	27.4	21.7-33.1	220	72.6	66.9-78.3
\$50,000- 74,999	409	40,264	134	27.6	22.3-32.9	275	72.4	67.1-77.7
\$75,000+	624	65,092	144	18.5	14.8-22.2	480	81.5	77.8-85.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4850	536,439	709	15.0	13.6-16.4	4141	85.0	83.6-86.4
Male	2131	269,861	226	10.9	09.1-12.7	1905	89.1	87.3-90.9
Female	2719	266,579	483	19.2	17.0-21.4	2236	80.8	78.6-83.0
Native	125	24,464	20	23.2	12.0-34.4	105	76.8	65.6-88.0
Non-Native	4660	504,139	678	14.7	13.3-16.1	3982	85.3	83.9-86.7
18-24	251	79,987	40	17.1	11.8-22.4	211	82.9	77.6-88.2
25-34	517	92,856	70	15.6	11.7-19.5	447	84.4	80.5-88.3
35-44	550	77,255	81	15.6	11.7-19.5	469	84.4	80.5-88.3
45-54	861	91,307	141	15.2	12.3-18.1	720	84.8	81.9-87.7
55-64	1058	87,017	177	16.1	13.4-18.8	881	83.9	81.2-86.6
65+	1572	104,507	197	11.7	09.9-13.5	1375	88.3	86.5-90.1
Less Than H.S.	335	52,526	50	15.6	09.7-21.5	285	84.4	78.5-90.3
H.S. or G.E.D.	1404	145,938	205	14.5	12.0-17.0	1199	85.5	83.0-88.0
Some Post-H.S.	1552	208,384	254	17.3	14.8-19.8	1298	82.7	80.2-85.2
College Graduate	1554	128,348	198	11.6	09.6-13.6	1356	88.4	86.4-90.4
Less than \$15,000	348	40,345	97	28.8	21.4-36.2	251	71.2	63.8-78.6
\$15,000- 24,999	602	64,912	122	21.1	16.4-25.8	480	78.9	74.2-83.6
\$25,000- 34,999	500	55,444	72	12.9	09.2-16.6	428	87.1	83.4-90.8
\$35,000- 49,999	712	79,954	99	14.1	10.8-17.4	613	85.9	82.6-89.2
\$50,000- 74,999	752	81,714	99	13.1	10.0-16.2	653	86.9	83.8-90.0
\$75,000+	1320	145,251	138	11.4	09.0-13.8	1182	88.6	86.2-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2131	269,861	226	10.9	09.1-12.7	1905	89.1	87.3-90.9
Native	53	12,852	9	21.7	06.8-36.6	44	78.3	63.4-93.2
Non-Native	2040	252,646	210	10.3	08.5-12.1	1830	89.7	87.9-91.5
18-24	124	42,362	10	7.4	02.3-12.5	114	92.6	87.5-97.7
25-34	271	49,102	27	12.2	07.1-17.3	244	87.8	82.7-92.9
35-44	262	40,400	25	12.9	07.2-18.6	237	87.1	81.4-92.8
45-54	407	45,984	45	10.3	06.8-13.8	362	89.7	86.2-93.2
55-64	496	44,671	62	13.3	09.6-17.0	434	86.7	83.0-90.4
65+	561	46,382	57	9.2	06.7-11.7	504	90.8	88.3-93.3
Less Than H.S.	167	32,321	21	13.3	06.2-20.4	146	86.7	79.6-93.8
H.S. or G.E.D.	654	82,990	67	10.7	07.8-13.6	587	89.3	86.4-92.2
Some Post-H.S.	651	96,273	79	11.9	08.8-15.0	572	88.1	85.0-91.2
College Graduate	657	57,793	58	7.9	05.4-10.4	599	92.1	89.6-94.6
Less than \$15,000	120	17,431	27	21.1	11.3-30.9	93	78.9	69.1-88.7
\$15,000- 24,999	232	32,175	38	14.7	09.0-20.4	194	85.3	79.6-91.0
\$25,000- 34,999	210	28,223	26	8.9	04.8-13.0	184	91.1	87.0-95.2
\$35,000- 49,999	373	46,392	41	12.3	08.0-16.6	332	87.7	83.4-92.0
\$50,000- 74,999	342	41,316	26	8.5	04.6-12.4	316	91.5	87.6-95.4
\$75,000+	697	80,238	49	8.0	05.1-10.9	648	92.0	89.1-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	266,579	483	19.2	17.0-21.4	2236	80.8	78.6-83.0
Native	72	11,612	11	24.8	07.9-41.7	61	75.2	58.3-92.1
Non-Native	2620	251,493	468	19.1	16.9-21.3	2152	80.9	78.7-83.1
18-24	127	37,625	30	28.1	18.9-37.3	97	71.9	62.7-81.1
25-34	246	43,754	43	19.3	13.2-25.4	203	80.7	74.6-86.8
35-44	288	36,855	56	18.6	13.1-24.1	232	81.4	75.9-86.9
45-54	454	45,323	96	20.1	15.6-24.6	358	79.9	75.4-84.4
55-64	562	42,346	115	19.1	15.2-23.0	447	80.9	77.0-84.8
65+	1011	58,124	140	13.6	11.1-16.1	871	86.4	83.9-88.9
Less Than H.S.	168	20,205	29	19.3	09.5-29.1	139	80.7	70.9-90.5
H.S. or G.E.D.	750	62,948	138	19.4	15.5-23.3	612	80.6	76.7-84.5
Some Post-H.S.	901	112,111	175	22.0	18.3-25.7	726	78.0	74.3-81.7
College Graduate	897	70,556	140	14.6	11.7-17.5	757	85.4	82.5-88.3
Less than \$15,000	228	22,914	70	34.6	24.2-45.0	158	65.4	55.0-75.8
\$15,000- 24,999	370	32,738	84	27.5	20.2-34.8	286	72.5	65.2-79.8
\$25,000- 34,999	290	27,222	46	17.1	11.2-23.0	244	82.9	77.0-88.8
\$35,000- 49,999	339	33,562	58	16.7	11.4-22.0	281	83.3	78.0-88.6
\$50,000- 74,999	410	40,398	73	17.9	13.0-22.8	337	82.1	77.2-87.0
\$75,000+	623	65,012	89	15.6	11.7-19.5	534	84.4	80.5-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	539,341	134	2.1	01.7-02.5	4734	97.9	97.5-98.3
Male	2139	271,150	52	1.7	01.1-02.3	2087	98.3	97.7-98.9
Female	2729	268,192	82	2.4	01.8-03.0	2647	97.6	97.0-98.2
Native	125	24,509	6	4.1	00.0-09.0	119	95.9	91.0-0100
Non-Native	4678	507,008	126	2.0	01.6-02.4	4552	98.0	97.6-98.4
18-24	253	80,808	4	1.2	00.0-02.6	249	98.8	97.4-0100
25-34	520	93,489	4	0.7	00.0-01.5	516	99.3	98.5-0100
35-44	551	77,332	6	1.7	00.0-03.5	545	98.3	96.5-0100
45-54	864	91,658	16	1.6	00.6-02.6	848	98.4	97.4-99.4
55-64	1060	87,357	20	1.5	00.7-02.3	1040	98.5	97.7-99.3
65+	1577	105,019	83	5.2	04.0-06.4	1494	94.8	93.6-96.0
Less Than H.S.	334	52,682	16	3.5	01.0-06.0	318	96.5	94.0-99.0
H.S. or G.E.D.	1408	146,728	42	2.1	01.3-02.9	1366	97.9	97.1-98.7
Some Post-H.S.	1560	209,702	47	2.2	01.4-03.0	1513	97.8	97.0-98.6
College Graduate	1560	128,880	29	1.4	00.8-02.0	1531	98.6	98.0-99.2
Less than \$15,000	348	40,431	15	2.7	01.1-04.3	333	97.3	95.7-98.9
\$15,000- 24,999	609	65,851	20	2.2	01.0-03.4	589	97.8	96.6-99.0
\$25,000- 34,999	504	55,988	20	2.8	01.2-04.4	484	97.2	95.6-98.8
\$35,000- 49,999	712	79,839	25	2.6	01.4-03.8	687	97.4	96.2-98.6
\$50,000- 74,999	751	81,636	12	1.5	00.3-02.7	739	98.5	97.3-99.7
\$75,000+	1322	145,410	21	1.1	00.5-01.7	1301	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2139	271,150	52	1.7	01.1-02.3	2087	98.3	97.7-98.9
Native	53	12,897	2	5.5	00.0-14.3	51	94.5	85.7-0100
Non-Native	2049	253,955	49	1.5	00.9-02.1	2000	98.5	97.9-99.1
18-24	125	42,838	1	0.1	00.0-00.3	124	99.9	99.7-0100
25-34	273	49,656	4	1.3	00.0-02.7	269	98.7	97.3-0100
35-44	263	40,477	1	1.4	00.0-04.1	262	98.6	95.9-0100
45-54	410	46,335	5	0.6	00.0-01.2	405	99.4	98.8-0100
55-64	495	44,610	7	1.2	00.2-02.2	488	98.8	97.8-99.8
65+	562	46,213	34	5.7	03.5-07.9	528	94.3	92.1-96.5
Less Than H.S.	167	32,411	5	3.2	00.0-06.9	162	96.8	93.1-0100
H.S. or G.E.D.	655	83,273	16	1.6	00.6-02.6	639	98.4	97.4-99.4
Some Post-H.S.	655	96,891	18	1.6	00.8-02.4	637	98.4	97.6-99.2
College Graduate	660	58,090	13	1.5	00.5-02.5	647	98.5	97.5-99.5
Less than \$15,000	121	17,596	3	1.6	00.0-03.6	118	98.4	96.4-0100
\$15,000- 24,999	235	32,679	4	0.7	00.0-01.5	231	99.3	98.5-0100
\$25,000- 34,999	212	28,381	9	2.2	00.4-04.0	203	97.8	96.0-99.6
\$35,000- 49,999	373	46,277	14	3.0	01.2-04.8	359	97.0	95.2-98.8
\$50,000- 74,999	341	41,238	4	0.7	00.0-01.5	337	99.3	98.5-0100
\$75,000+	697	80,238	13	1.3	00.5-02.1	684	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	268,192	82	2.4	01.8-03.0	2647	97.6	97.0-98.2
Native	72	11,612	4	2.6	00.0-05.5	68	97.4	94.5-0100
Non-Native	2629	253,053	77	2.4	01.6-03.2	2552	97.6	96.8-98.4
18-24	128	37,970	3	2.4	00.0-05.1	125	97.6	94.9-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	5	1.9	00.1-03.7	283	98.1	96.3-99.9
45-54	454	45,323	11	2.6	00.8-04.4	443	97.4	95.6-99.2
55-64	565	42,747	13	1.7	00.7-02.7	552	98.3	97.3-99.3
65+	1015	58,806	49	4.9	03.3-06.5	966	95.1	93.5-96.7
Less Than H.S.	167	20,271	11	3.9	01.5-06.3	156	96.1	93.7-98.5
H.S. or G.E.D.	753	63,455	26	2.7	01.3-04.1	727	97.3	95.9-98.7
Some Post-H.S.	905	112,811	29	2.7	01.5-03.9	876	97.3	96.1-98.5
College Graduate	900	70,790	16	1.3	00.5-02.1	884	98.7	97.9-99.5
Less than \$15,000	227	22,835	12	3.6	01.2-06.0	215	96.4	94.0-98.8
\$15,000- 24,999	374	33,173	16	3.7	01.5-05.9	358	96.3	94.1-98.5
\$25,000- 34,999	292	27,607	11	3.4	00.7-06.1	281	96.6	93.9-99.3
\$35,000- 49,999	339	33,562	11	2.0	00.6-03.4	328	98.0	96.6-99.4
\$50,000- 74,999	410	40,398	8	2.2	00.0-04.4	402	97.8	95.6-0100
\$75,000+	625	65,172	8	0.8	00.0-01.6	617	99.2	98.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 34: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	537,462	616	11.3	10.1-12.5	4225	88.6	87.4-89.8	8	0.1	0.1-00.1
Male	2133	270,452	227	10.4	08.6-12.2	1903	89.5	87.7-91.3	3	0.1	00.0-00.3
Female	2716	267,010	389	12.2	10.6-13.8	2322	87.7	86.1-89.3	5	0.1	00.0-00.3
Native	126	24,600	22	14.7	06.7-22.7	104	85.3	77.3-93.3			
Non-Native	4658	505,221	583	11.1	09.9-12.3	4067	88.8	87.6-90.0	8	0.1	00.1-00.1
18-24	252	80,316	17	7.2	03.7-10.7	235	92.8	89.3-96.3			
25-34	517	92,979	27	5.1	02.7-07.5	488	94.8	92.4-97.2	2	0.2	00.0-00.4
35-44	551	77,332	29	7.4	04.1-10.7	522	92.6	89.3-95.9			
45-54	860	91,172	118	15.0	11.9-18.1	741	84.9	81.8-88.0	1	0.1	00.0-00.3
55-64	1061	87,474	134	12.7	10.2-15.2	924	86.9	84.4-89.4	3	0.3	00.0-00.7
65+	1566	104,534	289	18.7	16.3-21.1	1275	81.2	78.8-83.6	2	0.1	00.0-00.3
Less Than H.S.	337	52,788	76	21.0	15.3-26.7	259	78.7	73.0-84.4	2	0.3	00.0-00.7
H.S. or G.E.D.	1400	146,417	191	11.9	09.7-14.1	1207	88.1	85.9-90.3	2	0.1	00.1-00.1
Some Post-H.S.	1551	208,398	193	10.2	08.4-12.0	1355	89.6	87.6-91.6	3	0.1	00.0-00.3
College Graduate	1555	128,511	156	8.4	06.8-10.0	1398	91.5	89.9-93.1	1	0.0	00.0-00.0
Less than \$15,000	348	40,493	87	16.4	11.9-20.9	260	83.3	78.8-87.8	1	0.3	00.0-00.9
\$15,000- 24,999	605	65,672	112	17.1	13.0-21.2	492	82.8	78.7-86.9	1	0.1	00.0-00.3
\$25,000- 34,999	499	55,616	64	12.3	08.2-16.4	435	87.7	83.6-91.8			
\$35,000- 49,999	712	79,733	82	9.8	07.3-12.3	629	90.1	87.6-92.6	1	0.1	00.0-00.3
\$50,000- 74,999	751	81,537	80	10.1	07.2-13.0	669	89.7	86.8-92.6	2	0.2	00.0-00.4
\$75,000+	1320	145,249	91	6.6	04.8-08.4	1227	93.3	91.5-95.1	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 35: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2133	270,452	227	10.4	08.6-12.2	1903	89.5	87.7-91.3	3	0.1	00.0-00.3
Native	54	12,987	8	14.6	02.4-26.8	46	85.4	73.2-97.6			
Non-Native	2041	253,102	212	10.1	08.5-11.7	1826	89.8	88.2-91.4	3	0.1	00.0-00.3
18-24	125	42,838	5	4.4	00.5-08.3	120	95.6	91.7-99.5			
25-34	270	49,146	17	7.2	03.1-11.3	253	92.8	88.7-96.9			
35-44	263	40,477	11	6.9	02.4-11.4	252	93.1	88.6-97.6			
45-54	408	46,167	52	14.0	09.7-18.3	355	85.8	81.5-90.1	1	0.1	00.0-00.3
55-64	497	44,780	48	11.3	07.6-15.0	447	88.2	84.5-91.9	2	0.5	00.0-01.1
65+	559	46,023	94	18.0	14.1-21.9	465	82.0	78.1-85.9			
Less Than H.S.	169	32,449	35	22.1	14.1-30.1	133	77.6	69.6-85.6	1	0.3	00.0-00.9
H.S. or G.E.D.	653	83,318	72	9.6	06.9-12.3	581	90.4	87.7-93.1			
Some Post-H.S.	652	96,419	69	8.9	06.4-11.4	581	90.9	88.4-93.4	2	0.2	00.0-00.4
College Graduate	657	57,783	51	7.4	04.9-09.9	606	92.6	90.1-95.1			
Less than \$15,000	122	17,676	23	12.8	06.3-19.3	98	86.6	79.9-93.3	1	0.6	00.0-01.8
\$15,000- 24,999	234	32,643	43	15.4	09.9-20.9	190	84.4	78.9-89.9	1	0.2	00.0-00.6
\$25,000- 34,999	211	28,348	31	15.7	08.6-22.8	180	84.3	77.2-91.4			
\$35,000- 49,999	372	46,128	44	11.0	07.1-14.9	327	88.8	84.9-92.7	1	0.2	00.0-00.6
\$50,000- 74,999	341	41,139	32	9.3	05.4-13.2	309	90.7	86.8-94.6			
\$75,000+	695	80,078	32	5.1	02.9-07.3	663	94.9	92.7-97.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 36: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	267,010	389	12.2	10.6-13.8	2322	87.7	86.1-89.3	5	0.1	00.0-00.3
Native	72	11,612	14	14.8	04.6-25.0	58	85.2	75.0-95.4			
Non-Native	2617	252,119	371	12.1	10.5-13.7	2241	87.8	86.2-89.4	5	0.1	00.0-00.3
18-24	127	37,478	12	10.3	04.4-16.2	115	89.7	83.8-95.6			
25-34	247	43,833	10	2.6	00.6-04.6	235	97.0	95.0-99.0	2	0.4	00.0-01.0
35-44	288	36,855	18	8.0	03.3-12.7	270	92.0	87.3-96.7			
45-54	452	45,005	66	16.0	11.5-20.5	386	84.0	79.5-88.5			
55-64	564	42,693	86	14.3	11.0-17.6	477	85.6	82.3-88.9	1	0.2	00.0-00.6
65+	1007	58,511	195	19.3	16.6-22.0	810	80.6	77.9-83.3	2	0.1	00.0-00.3
Less Than H.S.	168	20,339	41	19.3	11.7-26.9	126	80.4	72.8-88.0	1	0.3	00.0-00.9
H.S. or G.E.D.	747	63,100	119	14.9	11.6-18.2	626	84.9	81.6-88.2	2	0.1	00.0-00.3
Some Post-H.S.	899	111,979	124	11.4	08.9-13.9	774	88.5	86.0-91.0	1	0.1	00.0-00.3
College Graduate	898	70,728	105	9.2	07.0-11.4	792	90.7	88.5-92.9	1	0.1	00.0-00.3
Less than \$15,000	226	22,816	64	19.3	13.0-25.6	162	80.7	74.4-87.0			
\$15,000- 24,999	371	33,028	69	18.8	12.7-24.9	302	81.2	75.1-87.3			
\$25,000- 34,999	288	27,268	33	8.8	05.1-12.5	255	91.2	87.5-94.9			
\$35,000- 49,999	340	33,605	38	8.1	05.2-11.0	302	91.9	89.0-94.8			
\$50,000- 74,999	410	40,398	48	11.0	06.9-15.1	360	88.7	84.4-93.0	2	0.3	00.0-00.7
\$75,000+	625	65,172	59	8.4	05.5-11.3	564	91.4	88.5-94.3	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	539,951	548	8.6	07.6-09.6	26	0.6	00.2-01.0	4251	90.0	89.0-91.0	48	0.8	00.4-01.2
Male	2144	271,701	257	9.0	07.6-10.4				1869	90.3	88.9-91.7	18	0.6	00.2-01.0
Female	2729	268,250	291	8.2	07.0-09.4	26	1.2	00.6-01.8	2382	89.6	88.2-91.0	30	1.0	00.6-01.4
Native	126	24,600	23	14.4	06.8-22.0	1	0.6	00.0-01.8	101	84.5	76.7-92.3	1	0.5	00.0-01.5
Non-Native	4681	507,462	520	8.4	07.6-09.2	24	0.6	00.2-01.0	4091	90.2	89.2-91.2	46	0.8	00.4-01.2
18-24	253	80,808	2	0.4	00.0-01.0				251	99.6	99.0-100.0			
25-34	520	93,489	4	1.2	00.0-02.4	6	1.6	00.0-03.2	510	97.2	95.2-99.2			
35-44	550	77,215	20	4.6	02.1-07.1	6	0.9	00.1-01.7	521	93.9	91.2-96.6	3	0.6	00.0-01.4
45-54	864	91,658	58	5.9	03.9-07.9	5	0.4	00.0-00.8	792	92.5	90.3-94.7	9	1.2	00.2-02.2
55-64	1061	87,487	147	15.1	12.4-17.8	4	0.4	00.0-01.0	899	83.1	80.2-86.0	11	1.4	00.2-02.6
65+	1582	105,615	313	21.4	18.9-23.9	5	0.3	00.0-00.7	1239	76.7	74.2-79.2	25	1.5	00.7-02.3
Less Than H.S.	338	52,983	75	17.7	13.0-22.4	1	0.1	00.0-00.5	256	80.3	75.2-85.4	6	1.8	00.0-03.8
H.S. or G.E.D.	1410	147,069	174	9.4	07.6-11.2	8	0.7	00.1-01.3	1216	89.1	87.1-91.1	12	0.9	00.3-01.5
Some Post-H.S.	1558	209,628	165	7.5	06.1-08.9	9	0.8	00.2-01.4	1369	91.1	89.5-92.7	15	0.7	00.3-01.1
College Graduate	1561	128,923	134	6.0	04.8-07.2	8	0.5	00.1-00.9	1404	92.9	91.5-94.3	15	0.6	00.2-01.0
Less than \$15,000	349	40,526	70	12.3	08.8-15.8	4	0.9	00.0-01.9	274	86.4	82.7-90.1	1	0.4	00.0-01.2
\$15,000- 24,999	608	65,826	94	12.6	09.3-15.9	5	0.8	00.0-01.8	499	84.7	81.0-88.4	10	1.8	00.2-03.4
\$25,000- 34,999	502	55,907	82	12.9	09.4-16.4	3	0.6	00.0-01.6	410	85.5	81.8-89.2	7	1.0	00.0-02.0
\$35,000- 49,999	715	80,216	76	7.3	05.3-09.3	1	0.2	00.0-00.6	628	91.5	89.5-93.5	10	0.9	00.3-01.5
\$50,000- 74,999	752	81,714	58	5.2	03.6-06.8	2	0.2	00.0-00.4	685	94.0	92.4-95.6	7	0.6	00.2-01.0
\$75,000+	1322	145,410	80	4.7	03.5-05.9	9	0.9	00.1-01.7	1224	93.6	92.0-95.2	9	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2144	271,701	257	9.0	07.6-10.4	1869	90.3	88.9-91.7	18	0.6	00.2-01.0
Native	54	12,987	11	17.3	05.1-29.5	43	82.7	70.5-94.9			
Non-Native	2052	254,350	244	8.7	07.3-10.1	1790	90.6	89.2-92.0	18	0.7	00.3-01.1
18-24	125	42,838	1	0.3	00.0-00.9	124	99.7	99.1-0100			
25-34	273	49,656	2	1.1	00.0-02.7	271	98.9	97.3-0100			
35-44	263	40,477	10	5.0	01.3-08.7	252	94.7	91.0-98.4	1	0.3	00.0-00.9
45-54	410	46,335	36	7.3	04.4-10.2	371	91.9	89.0-94.8	3	0.8	00.0-01.8
55-64	496	44,740	74	16.1	11.8-20.4	418	82.6	78.1-87.1	4	1.3	00.0-03.3
65+	566	46,634	133	23.9	19.8-28.0	423	74.6	70.3-78.9	10	1.5	00.3-02.7
Less Than H.S.	170	32,648	33	15.7	09.4-22.0	134	82.1	75.4-88.8	3	2.2	00.0-05.1
H.S. or G.E.D.	658	83,629	85	9.5	07.1-11.9	567	89.8	87.3-92.3	6	0.7	00.1-01.3
Some Post-H.S.	654	96,850	71	7.9	05.7-10.1	582	91.9	89.7-94.1	1	0.1	00.0-00.3
College Graduate	660	58,090	68	6.5	04.7-08.3	584	92.9	91.1-94.7	8	0.6	00.2-01.0
Less than \$15,000	122	17,676	19	10.1	04.8-15.4	103	89.9	84.6-95.2			
\$15,000- 24,999	236	32,712	37	13.1	07.8-18.4	195	84.2	78.3-90.1	4	2.7	00.0-05.6
\$25,000- 34,999	211	28,340	48	16.7	11.0-22.4	161	83.0	77.3-88.7	2	0.2	00.0-00.6
\$35,000- 49,999	375	46,610	43	7.7	05.2-10.2	327	91.9	89.2-94.6	5	0.4	00.0-00.8
\$50,000- 74,999	342	41,316	27	5.1	02.7-07.5	315	94.9	92.5-97.3			
\$75,000+	697	80,238	59	6.1	04.3-07.9	632	93.1	91.1-95.1	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	268,250	291	8.2	07.0-09.4	26	1.2	00.6-01.8	2382	89.6	88.2-91.0	30	1.0	00.6-01.4
Native	72	11,612	12	11.1	02.3-19.9	1	1.4	00.0-04.1	58	86.4	77.2-95.6	1	1.1	00.0-03.3
Non-Native	2629	253,111	276	8.1	06.9-09.3	24	1.2	00.6-01.8	2301	89.8	88.4-91.2	28	1.0	00.6-01.4
18-24	128	37,970	1	0.5	00.0-01.5				127	99.5	98.5-100.0			
25-34	247	43,833	2	1.3	00.0-03.1	6	3.4	00.3-06.5	239	95.3	91.8-98.8			
35-44	287	36,738	10	4.2	01.1-07.3	6	1.8	00.0-03.6	269	92.9	89.0-96.8	2	1.0	00.0-02.6
45-54	454	45,323	22	4.5	02.1-06.9	5	0.8	00.0-01.6	421	93.1	90.2-96.0	6	1.6	00.0-03.2
55-64	565	42,747	73	13.9	10.2-17.6	4	0.9	00.0-02.3	481	83.7	79.8-87.6	7	1.5	00.3-02.7
65+	1016	58,981	180	19.5	16.4-22.6	5	0.6	00.0-01.2	816	78.4	75.3-81.5	15	1.5	00.7-02.3
Less Than H.S.	168	20,335	42	20.9	13.8-28.0	1	0.4	00.0-01.2	122	77.4	70.1-84.7	3	1.3	00.0-02.9
H.S. or G.E.D.	752	63,439	89	9.1	06.7-11.5	8	1.5	00.1-02.9	649	88.3	85.6-91.0	6	1.1	00.1-02.1
Some Post-H.S.	904	112,778	94	7.0	05.2-08.8	9	1.4	00.2-02.6	787	90.4	88.0-92.8	14	1.1	00.3-01.9
College Graduate	901	70,833	66	5.6	03.8-07.4	8	0.8	00.0-01.6	820	92.9	90.9-94.9	7	0.6	00.0-01.2
Less than \$15,000	227	22,850	51	14.0	09.3-18.7	4	1.6	00.0-03.4	171	83.7	78.4-89.0	1	0.7	00.0-02.1
\$15,000- 24,999	372	33,114	57	12.1	08.2-16.0	5	1.7	00.0-03.7	304	85.2	80.9-89.5	6	1.0	00.2-01.8
\$25,000- 34,999	291	27,567	34	9.0	04.9-13.1	3	1.2	00.0-03.2	249	88.1	83.2-93.0	5	1.7	00.0-03.7
\$35,000- 49,999	340	33,605	33	6.8	04.1-09.5	1	0.5	00.0-01.5	301	91.0	87.9-94.1	5	1.6	00.2-03.0
\$50,000- 74,999	410	40,398	31	5.4	03.2-07.6	2	0.3	00.0-00.9	370	93.1	90.7-95.5	7	1.2	00.2-02.2
\$75,000+	625	65,172	21	3.1	01.5-04.7	9	2.1	00.1-04.1	592	94.2	91.7-96.7	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1 MALES AND FEMALES	71
2 MALES ONLY	72
3 FEMALES ONLY	73
HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4 MALES AND FEMALES	74
5 MALES ONLY	75
6 FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	534,804	3389	67.2	65.4-69.0	490	11.4	10.0-12.8	447	10.8	09.6-12.0	511	10.2	09.0-11.4	8	0.3	00.1-00.5
Male	2130	268,500	1419	63.6	60.9-66.3	226	11.6	09.6-13.6	227	12.6	10.6-14.6	253	11.9	10.1-13.7	5	0.3	00.0-00.7
Female	2715	266,304	1970	70.7	68.3-73.1	264	11.3	09.5-13.1	220	9.1	07.5-10.7	258	8.6	07.2-10.0	3	0.3	00.0-00.7
Native	124	24,268	67	52.5	40.9-64.1	17	15.3	07.1-23.5	24	21.6	11.8-31.4	16	10.6	04.3-16.9			
Non-Native	4657	503,685	3282	67.9	66.1-69.7	465	11.2	09.8-12.6	414	10.3	09.1-11.5	489	10.2	09.0-11.4	7	0.3	00.1-00.5
18-24	249	78,902	170	68.3	61.8-74.8	38	15.6	10.5-20.7	26	10.8	06.5-15.1	12	4.0	01.6-06.4	3	1.4	00.0-03.0
25-34	516	92,798	345	64.3	59.2-69.4	61	11.2	07.9-14.5	59	12.9	09.2-16.6	50	11.5	08.2-14.8	1	0.1	00.0-00.3
35-44	548	76,746	385	63.8	58.7-68.9	60	13.9	10.0-17.8	56	12.2	08.5-15.9	45	9.6	06.5-12.7	2	0.4	00.0-01.0
45-54	863	91,544	633	72.6	68.9-76.3	82	9.0	06.8-11.2	78	9.6	07.1-12.1	70	8.8	06.4-11.2			
55-64	1055	86,642	791	72.4	68.9-75.9	95	8.2	06.2-10.2	79	9.3	06.8-11.8	88	9.7	07.3-12.1	2	0.4	00.0-01.0
65+	1572	104,599	1034	62.0	59.1-64.9	153	11.7	09.5-13.9	142	10.0	08.0-12.0	243	16.3	13.9-18.7			
Less Than H.S.	334	51,812	139	43.4	36.1-50.7	52	17.1	11.4-22.8	58	18.4	12.9-23.9	85	21.1	15.6-26.6			
H.S. or G.E.D.	1399	145,158	883	60.7	57.2-64.2	150	12.0	09.6-14.4	164	14.0	11.3-16.7	201	13.2	10.8-15.6	1	0.1	00.0-00.3
Some Post-H.S.	1550	207,953	1124	71.3	68.4-74.2	159	11.5	09.3-13.7	134	9.4	07.4-11.4	132	7.6	06.0-09.2	1	0.2	00.0-00.6
College Graduate	1557	128,639	1239	77.4	74.7-80.1	129	8.6	06.8-10.4	91	6.7	04.9-08.5	92	6.5	04.9-08.1	6	0.9	00.1-01.7
Less than \$15,000	346	40,239	155	50.3	42.5-58.1	40	13.6	08.1-19.1	52	16.2	10.5-21.9	95	17.7	13.0-22.4	4	2.2	00.0-04.6
\$15,000- 24,999	603	65,322	329	50.9	45.2-56.6	87	14.4	10.7-18.1	78	16.7	12.2-21.2	108	18.1	14.0-22.2	1	0.1	00.0-00.3
\$25,000- 34,999	504	55,988	317	57.2	50.9-63.5	53	14.0	09.3-18.7	70	16.6	11.7-21.5	63	11.8	08.1-15.5	1	0.4	00.0-01.2
\$35,000- 49,999	714	79,812	499	67.6	63.1-72.1	86	12.3	09.0-15.6	63	10.3	07.2-13.4	66	9.8	06.9-12.7			
\$50,000- 74,999	748	81,023	580	74.1	70.0-78.2	68	11.8	08.5-15.1	59	8.2	05.8-10.6	41	5.9	03.7-08.1			
\$75,000+	1319	144,929	1088	80.3	77.4-83.2	95	7.1	05.3-08.9	77	7.3	05.3-09.3	58	5.2	03.6-06.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2130	268,500	1419	63.6	60.9-66.3	226	11.6	09.6-13.6	227	12.6	10.6-14.6	253	11.9	10.1-13.7	5	0.3	00.0-00.7
Native	54	12,987	28	52.0	35.1-68.9	4	11.8	00.4-23.2	15	27.0	11.5-42.5	7	9.2	01.0-17.4			
Non-Native	2039	251,864	1371	64.5	61.8-67.2	216	11.5	09.5-13.5	206	11.8	09.8-13.8	242	11.9	10.1-13.7	4	0.3	00.0-00.7
18-24	123	41,662	80	65.3	55.9-74.7	21	17.0	09.6-24.4	16	13.8	06.9-20.7	4	2.4	00.0-04.9	2	1.4	00.0-03.4
25-34	270	49,214	170	60.8	53.7-67.9	33	10.2	06.1-14.3	33	13.8	08.5-19.1	33	15.1	09.8-20.4	1	0.1	00.0-00.3
35-44	261	39,969	159	55.5	47.9-63.1	34	15.4	09.5-21.3	39	16.3	10.6-22.0	28	12.5	07.4-17.6	1	0.3	00.0-00.9
45-54	409	46,221	285	70.3	65.0-75.6	37	7.3	04.8-09.8	43	11.7	07.8-15.6	44	10.7	07.0-14.4			
55-64	493	44,177	350	68.8	63.5-74.1	46	8.0	05.3-10.7	45	11.3	07.2-15.4	51	11.6	07.9-15.3	1	0.3	00.0-00.9
65+	563	46,237	368	60.6	55.7-65.5	54	12.5	08.8-16.2	48	8.8	06.1-11.5	93	18.1	14.2-22.0			
Less Than H.S.	169	31,934	68	40.0	30.6-49.4	24	16.9	08.7-25.1	33	20.9	13.1-28.7	44	22.1	14.5-29.7			
H.S. or G.E.D.	651	82,367	401	57.8	52.9-62.7	71	11.7	08.4-15.0	83	16.0	11.9-20.1	96	14.5	11.2-17.8			
Some Post-H.S.	651	95,832	455	70.7	66.2-75.2	73	11.3	08.2-14.4	62	9.7	06.8-12.6	61	8.2	05.8-10.6			
College Graduate	657	57,883	494	73.7	69.4-78.0	58	8.9	06.2-11.6	49	8.0	05.3-10.7	51	7.8	05.3-10.3	5	1.5	00.0-03.1
Less than \$15,000	121	17,473	50	41.4	29.6-53.2	10	9.7	02.6-16.8	23	23.3	12.3-34.3	35	21.5	13.1-29.9	3	4.1	00.0-09.0
\$15,000- 24,999	233	32,380	109	49.6	41.2-58.0	38	13.0	08.1-17.9	38	19.3	12.2-26.4	47	18.0	12.1-23.9	1	0.1	00.0-00.3
\$25,000- 34,999	212	28,381	127	53.0	43.4-62.6	21	14.0	06.4-21.6	31	20.0	11.8-28.2	33	13.0	07.1-18.9			
\$35,000- 49,999	374	46,207	243	65.0	58.7-71.3	46	12.2	07.9-16.5	40	10.6	06.5-14.7	45	12.1	07.8-16.4			
\$50,000- 74,999	341	41,202	254	71.0	64.7-77.3	36	13.5	08.4-18.6	25	7.2	03.9-10.5	26	8.3	04.6-12.0			
\$75,000+	695	79,892	535	75.6	71.5-79.7	55	7.1	04.7-09.5	58	9.8	06.7-12.9	46	7.4	04.9-09.9	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2715	266,304	1970	70.7	68.3-73.1	264	11.3	09.5-13.1	220	9.1	07.5-10.7	258	8.6	07.2-10.0	3	0.3	00.0-00.7
Native	70	11,281	39	53.1	37.4-68.8	13	19.4	07.6-31.2	9	15.3	04.1-26.5	9	12.2	02.6-21.8			
Non-Native	2618	251,821	1911	71.3	68.9-73.7	249	11.0	09.2-12.8	208	8.8	07.2-10.4	247	8.5	07.1-09.9	3	0.4	00.0-00.8
18-24	126	37,240	90	71.7	63.1-80.3	17	13.9	07.2-20.6	10	7.4	02.7-12.1	8	5.7	01.6-09.8	1	1.3	00.0-03.8
25-34	246	43,584	175	68.3	61.2-75.4	28	12.3	07.2-17.4	26	11.9	06.6-17.2	17	7.5	03.6-11.4			
35-44	287	36,778	226	72.9	66.0-79.8	26	12.3	07.0-17.6	17	7.8	03.5-12.1	17	6.4	03.1-09.7	1	0.6	00.0-01.8
45-54	454	45,323	348	75.0	69.9-80.1	45	10.8	07.1-14.5	35	7.5	04.6-10.4	26	6.8	03.7-09.9			
55-64	562	42,465	441	76.3	72.0-80.6	49	8.4	05.9-10.9	34	7.1	04.6-09.6	37	7.8	04.9-10.7	1	0.4	00.0-01.2
65+	1009	58,362	666	63.2	59.5-66.9	99	11.1	08.6-13.6	94	10.9	08.4-13.4	150	14.8	12.3-17.3			
Less Than H.S.	165	19,878	71	48.8	38.2-59.4	28	17.5	10.4-24.6	25	14.2	07.7-20.7	41	19.5	12.2-26.8			
H.S. or G.E.D.	748	62,790	482	64.5	59.8-69.2	79	12.3	08.8-15.8	81	11.4	08.3-14.5	105	11.6	08.7-14.5	1	0.3	00.0-00.9
Some Post-H.S.	899	112,121	669	71.9	67.8-76.0	86	11.6	08.5-14.7	72	9.1	06.4-11.8	71	7.0	05.0-09.0	1	0.4	00.0-01.2
College Graduate	900	70,756	745	80.4	76.9-83.9	71	8.3	05.9-10.7	42	5.5	03.3-07.7	41	5.5	03.3-07.7	1	0.3	00.0-00.9
Less than \$15,000	225	22,765	105	57.1	47.3-66.9	30	16.6	08.6-24.6	29	10.7	05.6-15.8	60	14.8	10.1-19.5	1	0.8	00.0-02.4
\$15,000- 24,999	370	32,942	220	52.1	44.7-59.5	49	15.7	10.0-21.4	40	14.1	08.4-19.8	61	18.2	12.3-24.1			
\$25,000- 34,999	292	27,607	190	61.5	53.9-69.1	32	14.0	08.3-19.7	39	13.1	07.8-18.4	30	10.6	06.1-15.1	1	0.8	00.0-02.4
\$35,000- 49,999	340	33,605	256	71.2	64.5-77.9	40	12.3	07.6-17.0	23	9.8	04.9-14.7	21	6.7	03.4-10.0			
\$50,000- 74,999	407	39,821	326	77.3	71.8-82.8	32	10.1	05.8-14.4	34	9.1	05.6-12.6	15	3.4	01.4-05.4			
\$75,000+	624	65,037	553	86.2	82.3-90.1	40	7.0	04.3-09.7	19	4.2	01.7-06.7	12	2.6	00.8-04.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4794	533,286	1539	27.7	26.1-29.3	630	10.5	09.5-11.5	351	5.0	04.4-05.6	2274	56.8	55.0-58.6
Male	2121	268,966	710	28.7	26.3-31.1	278	11.1	09.5-12.7	115	3.8	03.0-04.6	1018	56.3	53.6-59.0
Female	2673	264,320	829	26.6	24.4-28.8	352	9.8	08.4-11.2	236	6.3	05.3-07.3	1256	57.3	54.8-59.8
Native	123	24,272	33	24.9	15.3-34.5	26	17.8	09.6-26.0	11	4.6	00.9-08.3	53	52.8	41.2-64.4
Non-Native	4609	501,665	1488	27.9	26.3-29.5	597	10.2	09.2-11.2	332	4.9	04.3-05.5	2192	57.0	55.2-58.8
18-24	251	80,187	21	7.0	03.9-10.1	2	0.7	00.0-01.7				228	92.3	89.0-95.6
25-34	519	93,392	97	21.4	16.9-25.9	8	1.5	00.3-02.7	1	0.2	00.0-00.6	413	77.0	72.5-81.5
35-44	546	76,782	117	23.1	18.6-27.6	17	6.3	03.0-09.6	8	2.2	00.4-04.0	404	68.4	63.3-73.5
45-54	857	90,438	308	33.9	30.0-37.8	79	11.0	08.3-13.7	16	2.1	00.9-03.3	454	53.0	48.9-57.1
55-64	1053	86,787	440	41.7	38.0-45.4	146	14.7	12.0-17.4	59	6.4	04.4-08.4	408	37.2	33.7-40.7
65+	1528	102,253	547	35.8	32.9-38.7	373	25.6	22.9-28.3	265	17.1	14.7-19.5	343	21.5	19.1-23.9
Less Than H.S.	325	51,682	94	31.7	24.8-38.6	85	23.3	17.6-29.0	78	15.4	11.3-19.5	68	29.6	22.2-37.0
H.S. or G.E.D.	1379	144,186	477	28.7	25.8-31.6	255	14.6	12.4-16.8	148	6.4	05.0-07.8	499	50.3	46.8-53.8
Some Post-H.S.	1535	208,040	489	27.5	24.8-30.2	185	8.1	06.7-09.5	87	3.7	02.7-04.7	774	60.7	57.6-63.8
College Graduate	1550	128,135	477	25.2	22.7-27.7	105	4.7	03.5-05.9	38	1.6	01.0-02.2	930	68.4	65.7-71.1
Less than \$15,000	336	39,353	86	22.8	16.5-29.1	76	16.0	11.1-20.9	78	13.0	09.3-16.7	96	48.1	40.1-56.1
\$15,000- 24,999	599	65,289	191	28.7	23.8-33.6	138	19.1	15.0-23.2	89	10.2	07.5-12.9	181	41.9	36.2-47.6
\$25,000- 34,999	493	55,236	192	32.3	26.8-37.8	82	13.9	10.2-17.6	40	5.2	03.2-07.2	179	48.6	42.3-54.9
\$35,000- 49,999	711	79,875	255	31.1	26.8-35.4	98	10.4	08.0-12.8	43	4.7	02.9-06.5	315	53.7	49.0-58.4
\$50,000- 74,999	744	80,835	255	28.5	24.6-32.4	69	8.3	05.9-10.7	19	1.8	00.8-02.8	401	61.4	57.1-65.7
\$75,000+	1314	144,785	396	26.8	23.9-29.7	57	3.5	02.5-04.5	22	1.6	00.8-02.4	839	68.0	64.9-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2121	268,966	710	28.7	26.3-31.1	278	11.1	09.5-12.7	115	3.8	03.0-04.6	1018	56.3	53.6-59.0
Native	53	12,803	14	23.6	09.7-37.5	8	15.8	03.5-28.1	8	6.0	00.0-12.3	23	54.6	37.7-71.5
Non-Native	2031	251,866	685	29.0	26.6-31.4	266	11.0	09.4-12.6	104	3.7	02.9-04.5	976	56.3	53.6-59.0
18-24	124	42,493	10	4.8	01.5-08.1	1	0.9	00.0-02.7				113	94.3	90.6-98.0
25-34	272	49,559	51	21.8	15.5-28.1	5	1.8	00.0-03.6				216	76.4	69.9-82.9
35-44	260	40,121	51	22.5	16.0-29.0	10	7.8	02.7-12.9	1	0.3	00.0-00.9	198	69.4	62.0-76.8
45-54	406	45,623	150	35.4	29.7-41.1	46	12.9	08.8-17.0	9	3.0	00.6-05.4	201	48.7	42.8-54.6
55-64	495	44,485	215	43.7	38.2-49.2	71	16.2	11.9-20.5	28	6.0	03.3-08.7	181	34.2	29.1-39.3
65+	554	45,750	228	42.0	37.1-46.9	145	27.2	22.7-31.7	77	13.6	10.3-16.9	104	17.1	13.6-20.6
Less Than H.S.	164	31,906	57	37.3	27.9-46.7	41	22.5	14.7-30.3	31	11.1	06.6-15.6	35	29.1	19.1-39.1
H.S. or G.E.D.	649	82,503	223	26.0	22.1-29.9	120	14.8	11.7-17.9	43	4.3	02.7-05.9	263	55.0	50.3-59.7
Some Post-H.S.	651	96,559	220	30.4	26.1-34.7	74	7.9	05.7-10.1	24	2.3	01.3-03.3	333	59.5	54.8-64.2
College Graduate	655	57,515	210	25.3	21.6-29.0	43	5.2	03.4-07.0	17	1.8	00.8-02.8	385	67.6	63.5-71.7
Less than \$15,000	118	17,000	32	22.6	13.2-32.0	30	18.3	10.5-26.1	15	6.8	03.1-10.5	41	52.4	40.6-64.2
\$15,000- 24,999	234	32,561	73	28.7	21.4-36.0	60	22.6	15.7-29.5	31	8.0	04.5-11.5	70	40.7	32.1-49.3
\$25,000- 34,999	210	28,225	78	28.0	20.2-35.8	34	13.5	08.2-18.8	18	5.6	02.5-08.7	80	52.9	43.7-62.1
\$35,000- 49,999	371	46,270	139	34.6	28.5-40.7	53	10.4	07.1-13.7	25	5.2	02.7-07.7	154	49.8	43.3-56.3
\$50,000- 74,999	340	40,955	108	26.0	20.5-31.5	43	11.6	07.7-15.5	6	0.9	00.1-01.7	183	61.4	54.9-67.9
\$75,000+	691	79,694	233	30.0	25.7-34.3	33	3.8	02.2-05.4	14	1.9	00.7-03.1	411	64.2	59.7-68.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2673	264,320	829	26.6	24.4-28.8	352	9.8	08.4-11.2	236	6.3	05.3-07.3	1256	57.3	54.9-59.7
Native	70	11,469	19	26.3	13.2-39.4	18	19.9	09.5-30.3	3	3.0	00.0-06.5	30	50.8	35.3-66.3
Non-Native	2578	249,799	803	26.8	24.6-29.0	331	9.4	08.0-10.8	228	6.2	05.2-07.2	1216	57.6	55.1-60.1
18-24	127	37,694	11	9.5	03.8-15.2	1	0.4	00.0-01.2				115	90.1	84.4-95.8
25-34	247	43,833	46	20.9	14.6-27.2	3	1.0	00.0-02.4	1	0.4	00.0-01.2	197	77.6	71.3-83.9
35-44	286	36,662	66	23.8	17.5-30.1	7	4.7	00.8-08.6	7	4.3	00.8-07.8	206	67.2	60.1-74.3
45-54	451	44,815	158	32.5	27.2-37.8	33	9.0	05.5-12.5	7	1.3	00.3-02.3	253	57.3	51.6-63.0
55-64	558	42,302	225	39.7	34.8-44.6	75	13.1	09.8-16.4	31	6.8	04.3-09.3	227	40.4	35.5-45.3
65+	974	56,503	319	30.8	27.5-34.1	228	24.3	21.0-27.6	188	19.9	16.8-23.0	239	25.0	21.7-28.3
Less Than H.S.	161	19,777	37	22.7	13.9-31.5	44	24.4	16.0-32.8	47	22.4	15.0-29.8	33	30.5	19.5-41.5
H.S. or G.E.D.	730	61,683	254	32.4	28.1-36.7	135	14.3	11.4-17.2	105	9.2	07.0-11.4	236	44.1	39.2-49.0
Some Post-H.S.	884	111,482	269	25.0	21.5-28.5	111	8.4	06.4-10.4	63	4.8	03.2-06.4	441	61.8	57.7-65.9
College Graduate	895	70,620	267	25.1	21.6-28.6	62	4.3	03.1-05.5	21	1.5	00.7-02.3	545	69.1	65.4-72.8
Less than \$15,000	218	22,353	54	22.9	14.9-30.9	46	14.3	08.0-20.6	63	17.8	11.9-23.7	55	44.9	34.1-55.7
\$15,000- 24,999	365	32,728	118	28.7	22.0-35.4	78	15.7	11.4-20.0	58	12.4	08.3-16.5	111	43.2	35.6-50.8
\$25,000- 34,999	283	27,011	114	36.8	29.2-44.4	48	14.4	09.5-19.3	22	4.7	02.3-07.1	99	44.1	36.1-52.1
\$35,000- 49,999	340	33,605	116	26.4	20.7-32.1	45	10.4	06.7-14.1	18	4.1	01.9-06.3	161	59.2	52.5-65.9
\$50,000- 74,999	404	39,879	147	31.1	25.8-36.4	26	4.9	02.7-07.1	13	2.6	01.0-04.2	218	61.4	55.7-67.1
\$75,000+	623	65,092	163	23.0	18.9-27.1	24	3.0	01.4-04.6	8	1.3	00.1-02.5	428	72.7	68.4-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	80
2 MALES ONLY	81
3 FEMALES ONLY	82
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	83
5 MALES ONLY	84
6 FEMALES ONLY	85
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	86
8 MALES ONLY	87
9 FEMALES ONLY	88
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	89
11 MALES ONLY	90
12 FEMALES ONLY	91
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13 MALES AND FEMALES	92
14 MALES ONLY	93
15 FEMALES ONLY	94
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	95
17 MALES ONLY	96
18 FEMALES ONLY	97
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	98
20 MALES ONLY	99
21 FEMALES ONLY	100

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	101
23	MALES ONLY	102
24	FEMALES ONLY	103
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	104
26	MALES ONLY	105
27	FEMALES ONLY	106
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	107
29	MALES ONLY	108
30	FEMALES ONLY	109
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	110
32	MALES ONLY	111
33	FEMALES ONLY	112
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	113
35	MALES ONLY	114
36	FEMALES ONLY	115
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	116
38	MALES ONLY	117
39	FEMALES ONLY	118
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	119
41	MALES ONLY	120
42	FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43 MALES AND FEMALES	122
44 MALES ONLY	123
45 FEMALES ONLY	124
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46 MALES AND FEMALES	125
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47 FEMALES ONLY	126
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52 MALES AND FEMALES	131
53 MALES ONLY	132
54 FEMALES ONLY	133
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
55 MALES AND FEMALES	134
56 MALES ONLY	135
57 FEMALES ONLY	136
INDICATE SEX OF RESPONDENT. (SEX)	
58 MALES AND FEMALES	137
59 MALES ONLY	138
60 FEMALES ONLY	139
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 MALES AND FEMALES	140
62 MALES ONLY	141
63 FEMALES ONLY	142
85	
64 MALES AND FEMALES	143
65 MALES ONLY	144
66 FEMALES ONLY	145

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	89	
67	MALES AND FEMALES	146
68	MALES ONLY	147
69	FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4836	536,591	253	15.1	13.3-16.9	520	17.4	15.8-19.0	551	14.4	13.0-15.8	864	17.1	15.7-18.5	1062	16.3	15.1-17.5	1586	19.7	18.5-20.9
Male	2134	270,720	125	15.8	13.1-18.5	273	18.3	15.9-20.7	263	15.0	12.8-17.2	410	17.1	15.1-19.1	497	16.5	14.7-18.3	566	17.2	15.6-18.8
Female	2702	265,871	128	14.3	11.9-16.7	247	16.5	14.3-18.7	288	13.9	12.1-15.7	454	17.0	15.2-18.8	565	16.1	14.5-17.7	1020	22.2	20.6-23.8
Native	125	24,541	7	15.0	04.0-26.0	25	28.4	17.8-39.0	22	23.4	13.6-33.2	24	14.5	08.2-20.8	23	10.6	04.7-16.5	24	8.1	04.2-12.0
Non-Native	4650	504,582	242	14.9	13.1-16.7	493	17.0	15.4-18.6	524	14.0	12.6-15.4	828	17.1	15.7-18.5	1026	16.7	15.5-17.9	1537	20.2	19.0-21.4
Less Than H.S.	335	52,513	16	14.1	07.2-21.0	17	11.5	06.0-17.0	9	5.6	01.5-09.7	34	13.0	08.3-17.7	45	13.8	09.1-18.5	214	41.9	35.2-48.6
H.S. or G.E.D.	1406	146,879	92	19.2	15.7-22.7	114	14.3	11.6-17.0	111	11.0	08.6-13.4	237	17.3	14.9-19.7	258	14.5	12.5-16.5	594	23.7	21.3-26.1
Some Post-H.S.	1543	207,884	91	15.4	12.5-18.3	170	17.9	15.2-20.6	184	16.5	14.0-19.0	294	17.8	15.4-20.2	352	16.5	14.5-18.5	452	15.9	14.1-17.7
College Graduate	1547	128,073	53	9.9	07.4-12.4	218	22.5	19.6-25.4	247	18.8	16.3-21.3	299	17.5	15.3-19.7	405	19.0	16.8-21.2	325	12.4	10.8-14.0
Less than \$15,000	346	40,266	40	35.1	26.7-43.5	23	10.9	05.6-16.2	22	9.6	04.9-14.3	52	12.5	08.2-16.8	58	11.5	07.8-15.2	151	20.4	16.1-24.7
\$15,000- 24,999	606	65,611	38	17.6	12.3-22.9	43	13.7	09.6-17.8	31	11.0	06.9-15.1	62	11.1	07.8-14.4	91	12.3	08.8-15.8	341	34.4	29.9-38.9
\$25,000- 34,999	498	55,509	25	15.0	09.1-20.9	52	21.3	15.6-27.0	38	10.3	06.6-14.0	69	13.9	10.0-17.8	95	13.3	10.0-16.6	219	26.2	21.9-30.5
\$35,000- 49,999	711	79,843	34	12.8	08.7-16.9	81	17.7	13.6-21.8	66	13.2	09.5-16.9	106	16.6	13.1-20.1	178	19.5	16.2-22.8	246	20.2	17.3-23.1
\$50,000- 74,999	750	81,197	25	10.5	06.4-14.6	101	19.3	15.4-23.2	109	16.3	12.8-19.8	163	21.0	17.5-24.5	205	20.1	17.0-23.2	147	12.8	10.4-15.2
\$75,000+	1316	145,060	36	7.5	05.0-10.0	181	21.2	18.1-24.3	244	20.6	17.9-23.3	357	24.3	21.6-27.0	338	18.7	16.3-21.1	160	7.6	06.2-09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2134	270,720	125	15.8	13.1-18.5	273	18.3	15.9-20.7	263	15.0	12.8-17.2	410	17.1	15.1-19.1	497	16.5	14.7-18.3	566	17.2	15.6-18.8
Native	54	12,987	3	14.7	00.0-29.6	14	36.5	19.8-53.2	10	22.4	08.5-36.3	8	10.5	02.9-18.1	11	12.6	02.8-22.4	8	3.4	00.9-05.9
Non-Native	2044	253,626	121	15.9	13.2-18.6	257	17.5	15.3-19.7	250	14.7	12.5-16.9	394	17.3	15.3-19.3	477	16.8	15.0-18.6	545	17.9	16.3-19.5
Less Than H.S.	167	32,169	9	15.0	05.8-24.2	15	15.7	07.7-23.7	5	6.2	00.3-12.1	20	12.1	06.4-17.8	29	16.6	09.7-23.5	89	34.3	26.1-42.5
H.S. or G.E.D.	656	83,482	56	22.0	16.9-27.1	77	16.3	12.6-20.0	66	11.9	08.6-15.2	135	19.0	15.5-22.5	128	13.6	10.9-16.3	194	17.2	14.5-19.9
Some Post-H.S.	652	96,674	31	12.3	08.0-16.6	88	20.1	15.8-24.4	99	19.6	15.5-23.7	145	18.8	15.3-22.3	149	15.9	13.0-18.8	140	13.3	10.8-15.8
College Graduate	657	57,912	29	13.3	08.8-17.8	92	19.4	15.5-23.3	93	16.5	13.0-20.0	110	14.6	11.5-17.7	191	22.0	18.7-25.3	142	14.3	11.8-16.8
Less than \$15,000	121	17,480	20	36.7	24.4-49.0	16	17.1	07.5-26.7	7	7.8	01.3-14.3	22	12.3	06.2-18.4	27	13.9	07.8-20.0	29	12.2	06.9-17.5
\$15,000- 24,999	235	32,607	21	21.1	12.7-29.5	19	11.0	05.9-16.1	15	11.8	05.5-18.1	31	11.6	06.9-16.3	32	12.8	06.9-18.7	117	31.7	25.0-38.4
\$25,000- 34,999	211	28,185	13	19.4	09.6-29.2	26	22.2	13.6-30.8	17	10.3	04.6-16.0	28	10.8	05.9-15.7	43	13.1	08.2-18.0	84	24.3	17.8-30.8
\$35,000- 49,999	375	46,610	16	10.7	05.6-15.8	45	16.8	11.5-22.1	37	14.4	09.1-19.7	59	18.5	13.4-23.6	97	19.9	15.4-24.4	121	19.6	15.7-23.5
\$50,000- 74,999	342	41,316	12	10.5	04.6-16.4	47	20.1	14.2-26.0	53	18.0	12.5-23.5	76	20.6	15.5-25.7	92	19.2	14.7-23.7	62	11.6	08.3-14.9
\$75,000+	695	80,119	21	8.5	04.6-12.4	102	21.0	16.7-25.3	122	19.8	15.9-23.7	176	22.8	19.1-26.5	179	18.5	15.4-21.6	95	9.3	07.1-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	265,871	128	14.3	11.9-16.7	247	16.5	14.3-18.7	288	13.9	12.1-15.7	454	17.0	15.2-18.8	565	16.1	14.5-17.7	1020	22.2	20.6-23.8
Native	71	11,554	4	15.2	00.0-31.3	11	19.3	07.7-30.9	12	24.6	10.7-38.5	16	19.0	08.8-29.2	12	8.3	02.6-14.0	16	13.5	05.9-21.1
Non-Native	2606	250,956	121	14.0	11.6-16.4	236	16.6	14.4-18.8	274	13.4	11.6-15.2	434	17.0	15.2-18.8	549	16.5	14.9-18.1	992	22.5	20.9-24.1
Less Than H.S.	168	20,344	7	12.8	02.6-23.0	2	4.8	00.0-11.3	4	4.7	00.0-10.4	14	14.5	06.5-22.5	16	9.5	04.6-14.4	125	53.7	42.9-64.5
H.S. or G.E.D.	750	63,397	36	15.6	10.9-20.3	37	11.7	08.0-15.4	45	9.8	06.7-12.9	102	15.1	12.0-18.2	130	15.7	12.8-18.6	400	32.1	28.4-35.8
Some Post-H.S.	891	111,210	60	18.1	14.0-22.2	82	16.1	12.4-19.8	85	13.7	10.6-16.8	149	16.9	14.0-19.8	203	17.0	14.3-19.7	312	18.2	15.8-20.6
College Graduate	890	70,162	24	7.0	04.1-09.9	126	25.1	21.0-29.2	154	20.6	17.3-23.9	189	19.9	16.8-23.0	214	16.6	14.1-19.1	183	10.8	09.0-12.6
Less than \$15,000	225	22,786	20	33.8	22.4-45.2	7	6.2	00.5-11.9	15	10.9	04.2-17.6	30	12.7	06.8-18.6	31	9.7	05.4-14.0	122	26.7	20.2-33.2
\$15,000- 24,999	371	33,004	17	14.2	07.5-20.9	24	16.4	09.9-22.9	16	10.1	04.4-15.8	31	10.5	06.0-15.0	59	11.7	08.0-15.4	224	37.1	31.0-43.2
\$25,000- 34,999	287	27,324	12	10.5	04.4-16.6	26	20.3	12.7-27.9	21	10.3	05.4-15.2	41	17.1	11.2-23.0	52	13.6	09.1-18.1	135	28.2	22.5-33.9
\$35,000- 49,999	336	33,233	18	15.7	08.8-22.6	36	18.9	12.6-25.2	29	11.5	06.6-16.4	47	14.0	09.5-18.5	81	18.9	14.4-23.4	125	21.0	16.7-25.3
\$50,000- 74,999	408	39,881	13	10.5	05.0-16.0	54	18.6	13.5-23.7	56	14.7	10.6-18.8	87	21.5	16.6-26.4	113	20.9	16.6-25.2	85	13.9	10.6-17.2
\$75,000+	621	64,941	15	6.3	02.8-09.8	79	21.5	16.6-26.4	122	21.6	17.5-25.7	181	26.2	22.1-30.3	159	18.9	15.6-22.2	65	5.5	03.9-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	536,778	59	1.8	01.2-02.4	4790	98.2	97.6-98.8
Male	2130	269,378	30	2.0	01.0-03.0	2100	98.0	97.0-99.0
Female	2719	267,400	29	1.6	00.8-02.4	2690	98.4	97.6-99.2
18-24	252	80,094	9	4.3	01.4-07.2	243	95.7	92.8-98.6
25-34	520	93,489	7	1.8	00.4-03.2	513	98.2	96.8-99.6
35-44	550	77,202	7	1.5	00.1-02.9	543	98.5	97.1-99.9
45-54	860	90,965	6	1.5	00.0-03.1	854	98.5	96.9-0100
55-64	1054	86,898	12	0.9	00.3-01.5	1042	99.1	98.5-99.7
65+	1573	104,748	18	1.2	00.4-02.0	1555	98.8	98.0-99.6
Less Than H.S.	329	51,392	8	3.0	00.5-05.5	321	97.0	94.5-99.5
H.S. or G.E.D.	1405	146,535	23	1.6	00.6-02.6	1382	98.4	97.4-99.4
Some Post-H.S.	1551	208,750	13	1.7	00.5-02.9	1538	98.3	97.1-99.5
College Graduate	1558	128,752	15	1.6	00.6-02.6	1543	98.4	97.4-99.4
Less than \$15,000	348	40,312	7	2.0	00.0-04.0	341	98.0	96.0-0100
\$15,000- 24,999	602	65,410	8	1.4	00.0-03.0	594	98.6	97.0-0100
\$25,000- 34,999	503	55,903	9	3.8	00.7-06.9	494	96.2	93.1-99.3
\$35,000- 49,999	708	79,466	14	2.3	00.5-04.1	694	97.7	95.9-99.5
\$50,000- 74,999	749	81,272	5	1.1	00.0-02.3	744	98.9	97.7-0100
\$75,000+	1321	145,310	13	1.3	00.3-02.3	1308	98.7	97.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2130	269,378	30	2.0	01.0-03.0	2100	98.0	97.0-99.0
18-24	124	42,124	5	4.8	00.5-09.1	119	95.2	90.9-99.5
25-34	273	49,656	3	1.9	00.0-04.1	270	98.1	95.9-0100
35-44	262	40,347	4	1.9	00.0-04.1	258	98.1	95.9-0100
45-54	407	45,672	3	0.8	00.0-02.0	404	99.2	98.0-0100
55-64	492	44,394	8	1.0	00.2-01.8	484	99.0	98.2-99.8
65+	562	46,361	7	1.5	00.1-02.9	555	98.5	97.1-99.9
Less Than H.S.	164	31,463	5	2.6	00.1-05.1	159	97.4	94.9-99.9
H.S. or G.E.D.	655	83,213	13	2.3	00.5-04.1	642	97.7	95.9-99.5
Some Post-H.S.	650	96,197	5	1.8	00.0-03.6	645	98.2	96.4-0100
College Graduate	659	58,020	7	1.4	00.0-02.8	652	98.6	97.2-0100
Less than \$15,000	120	17,398	2	2.1	00.0-06.0	118	97.9	94.0-0100
\$15,000- 24,999	232	32,442	4	2.0	00.0-04.9	228	98.0	95.1-0100
\$25,000- 34,999	211	28,297	7	5.0	00.0-10.1	204	95.0	89.9-0100
\$35,000- 49,999	372	46,091	6	2.2	00.0-04.4	366	97.8	95.6-0100
\$50,000- 74,999	341	41,027	2	1.2	00.0-03.0	339	98.8	97.0-0100
\$75,000+	696	80,138	8	1.3	00.1-02.5	688	98.7	97.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	267,400	29	1.6	00.8-02.4	2690	98.4	97.6-99.2
18-24	128	37,970	4	3.7	00.0-07.6	124	96.3	92.4-0100
25-34	247	43,833	4	1.6	00.0-03.4	243	98.4	96.6-0100
35-44	288	36,855	3	1.1	00.0-02.7	285	98.9	97.3-0100
45-54	453	45,293	3	2.1	00.0-04.8	450	97.9	95.2-0100
55-64	562	42,504	4	0.7	00.0-01.5	558	99.3	98.5-0100
65+	1011	58,388	11	1.0	00.4-01.6	1000	99.0	98.4-99.6
Less Than H.S.	165	19,929	3	3.6	00.0-08.7	162	96.4	91.3-0100
H.S. or G.E.D.	750	63,322	10	0.7	00.1-01.3	740	99.3	98.7-99.9
Some Post-H.S.	901	112,553	8	1.7	00.3-03.1	893	98.3	96.9-99.7
College Graduate	899	70,732	8	1.8	00.4-03.2	891	98.2	96.8-99.6
Less than \$15,000	228	22,914	5	1.9	00.1-03.7	223	98.1	96.3-99.9
\$15,000- 24,999	370	32,968	4	0.9	00.0-01.9	366	99.1	98.1-0100
\$25,000- 34,999	292	27,607	2	2.5	00.0-05.8	290	97.5	94.2-0100
\$35,000- 49,999	336	33,375	8	2.5	00.0-05.4	328	97.5	94.6-0100
\$50,000- 74,999	408	40,245	3	1.0	00.0-02.4	405	99.0	97.6-0100
\$75,000+	625	65,172	5	1.4	00.0-03.0	620	98.6	97.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4879	540,271	4831	98.6	98.0-99.2	48	1.4	00.8-02.0
Male	2145	271,742	2123	98.8	98.0-99.6	22	1.2	00.4-02.0
Female	2734	268,529	2708	98.3	97.3-99.3	26	1.7	00.7-02.7
18-24	253	80,808	247	97.7	95.5-99.9	6	2.3	00.1-04.5
25-34	520	93,489	505	95.6	93.1-98.1	15	4.4	01.9-06.9
35-44	551	77,332	547	99.5	98.9-0100	4	0.5	00.0-01.1
45-54	864	91,658	860	99.5	98.9-0100	4	0.5	00.0-01.1
55-64	1062	87,528	1057	99.6	99.2-0100	5	0.4	00.0-00.8
65+	1586	105,778	1574	99.6	99.4-99.8	12	0.4	00.2-00.6
Less Than H.S.	339	53,047	335	99.4	98.8-0100	4	0.6	00.0-01.2
H.S. or G.E.D.	1413	147,251	1398	98.9	98.1-99.7	15	1.1	00.3-01.9
Some Post-H.S.	1560	209,702	1546	97.9	96.5-99.3	14	2.1	00.7-03.5
College Graduate	1561	128,923	1546	99.0	98.2-99.8	15	1.0	00.2-01.8
Less than \$15,000	350	40,590	342	96.6	93.1-0100	8	3.4	00.0-06.9
\$15,000- 24,999	610	65,885	601	97.8	96.0-99.6	9	2.2	00.4-04.0
\$25,000- 34,999	504	55,988	500	97.6	94.9-0100	4	2.4	00.0-05.1
\$35,000- 49,999	715	80,216	708	98.1	96.1-0100	7	1.9	00.0-03.9
\$50,000- 74,999	752	81,714	746	99.6	99.2-0100	6	0.4	00.0-00.8
\$75,000+	1322	145,410	1314	99.1	98.3-99.9	8	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	271,742	2123	98.8	98.0-99.6	22	1.2	00.4-02.0
18-24	125	42,838	121	97.1	93.8-0100	4	2.9	00.0-06.2
25-34	273	49,656	268	98.0	95.8-0100	5	2.0	00.0-04.2
35-44	263	40,477	260	99.2	98.2-0100	3	0.8	00.0-01.8
45-54	410	46,335	407	99.2	98.0-0100	3	0.8	00.0-02.0
55-64	497	44,780	495	99.7	99.3-0100	2	0.3	00.0-00.7
65+	566	46,634	563	99.8	99.6-0100	3	0.2	00.0-00.4
Less Than H.S.	170	32,648	168	99.3	98.3-0100	2	0.7	00.0-01.7
H.S. or G.E.D.	658	83,629	650	98.7	97.3-0100	8	1.3	00.0-02.7
Some Post-H.S.	655	96,891	650	98.6	97.2-0100	5	1.4	00.0-02.8
College Graduate	660	58,090	653	98.9	97.9-99.9	7	1.1	00.1-02.1
Less than \$15,000	122	17,676	120	97.2	92.1-0100	2	2.8	00.0-07.9
\$15,000- 24,999	236	32,712	233	98.9	97.5-0100	3	1.1	00.0-02.5
\$25,000- 34,999	212	28,381	210	97.0	92.7-0100	2	3.0	00.0-07.3
\$35,000- 49,999	375	46,610	372	99.0	97.2-0100	3	1.0	00.0-02.8
\$50,000- 74,999	342	41,316	340	99.6	99.0-0100	2	0.4	00.0-01.0
\$75,000+	697	80,238	691	99.1	98.3-99.9	6	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2734	268,529	2708	98.3	97.3-99.3	26	1.7	00.7-02.7
18-24	128	37,970	126	98.4	95.9-0100	2	1.6	00.0-04.1
25-34	247	43,833	237	92.8	87.9-97.7	10	7.2	02.3-12.1
35-44	288	36,855	287	99.8	99.4-0100	1	0.2	00.0-00.6
45-54	454	45,323	453	99.8	99.4-0100	1	0.2	00.0-00.6
55-64	565	42,747	562	99.4	98.6-0100	3	0.6	00.0-01.4
65+	1020	59,144	1011	99.5	99.1-99.9	9	0.5	00.1-00.9
Less Than H.S.	169	20,399	167	99.6	99.0-0100	2	0.4	00.0-01.0
H.S. or G.E.D.	755	63,622	748	99.2	98.2-0100	7	0.8	00.0-01.8
Some Post-H.S.	905	112,811	896	97.2	95.2-99.2	9	2.8	00.8-04.8
College Graduate	901	70,833	893	99.0	98.0-0100	8	1.0	00.0-02.0
Less than \$15,000	228	22,914	222	96.1	91.4-0100	6	3.9	00.0-08.6
\$15,000- 24,999	374	33,173	368	96.7	93.4-0100	6	3.3	00.0-06.6
\$25,000- 34,999	292	27,607	290	98.2	95.1-0100	2	1.8	00.0-04.9
\$35,000- 49,999	340	33,605	336	96.7	93.0-0100	4	3.3	00.0-07.0
\$50,000- 74,999	410	40,398	406	99.5	99.1-99.9	4	0.5	00.1-00.9
\$75,000+	625	65,172	623	99.1	97.5-0100	2	0.9	00.0-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	539,148	619	11.6	10.4-12.8	4254	88.4	87.2-89.6
Male	2140	270,670	568	21.5	19.3-23.7	1572	78.5	76.3-80.7
Female	2733	268,477	51	1.7	01.1-02.3	2682	98.3	97.7-98.9
18-24	252	80,345	6	3.2	00.7-05.7	246	96.8	94.3-99.3
25-34	519	93,085	32	6.3	03.9-08.7	487	93.7	91.3-96.1
35-44	551	77,332	56	12.1	08.6-15.6	495	87.9	84.4-91.4
45-54	864	91,658	69	8.1	05.9-10.3	795	91.9	89.7-94.1
55-64	1060	87,393	138	13.6	11.1-16.1	922	86.4	83.9-88.9
65+	1584	105,655	314	24.0	21.3-26.7	1270	76.0	73.3-78.7
Less Than H.S.	338	52,971	42	10.8	06.9-14.7	296	89.2	85.3-93.1
H.S. or G.E.D.	1410	146,689	203	14.2	11.8-16.6	1207	85.8	83.4-88.2
Some Post-H.S.	1559	209,619	200	11.1	09.1-13.1	1359	88.9	86.9-90.9
College Graduate	1561	128,923	173	9.9	08.1-11.7	1388	90.1	88.3-91.9
Less than \$15,000	350	40,590	27	6.0	03.3-08.7	323	94.0	91.3-96.7
\$15,000- 24,999	610	65,885	96	13.9	10.4-17.4	514	86.1	82.6-89.6
\$25,000- 34,999	503	55,912	82	16.3	11.8-20.8	421	83.7	79.2-88.2
\$35,000- 49,999	714	80,168	103	13.6	10.5-16.7	611	86.4	83.3-89.5
\$50,000- 74,999	751	81,632	106	12.3	09.6-15.0	645	87.7	85.0-90.4
\$75,000+	1322	145,410	162	11.6	09.4-13.8	1160	88.4	86.2-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	270,670	568	21.5	19.3-23.7	1572	78.5	76.3-80.7
18-24	124	42,375	5	5.3	00.8-09.8	119	94.7	90.2-99.2
25-34	272	49,253	26	10.7	06.4-15.0	246	89.3	85.0-93.6
35-44	263	40,477	42	18.7	12.6-24.8	221	81.3	75.2-87.4
45-54	410	46,335	57	14.1	10.0-18.2	353	85.9	81.8-90.0
55-64	496	44,698	130	25.6	20.9-30.3	366	74.4	69.7-79.1
65+	564	46,511	304	53.3	48.4-58.2	260	46.7	41.8-51.6
Less Than H.S.	169	32,572	42	17.6	11.1-24.1	127	82.4	75.9-88.9
H.S. or G.E.D.	656	83,119	191	23.8	19.9-27.7	465	76.2	72.3-80.1
Some Post-H.S.	654	96,808	187	22.8	18.9-26.7	467	77.2	73.3-81.1
College Graduate	660	58,090	147	18.0	14.7-21.3	513	82.0	78.7-85.3
Less than \$15,000	122	17,676	26	13.7	07.4-20.0	96	86.3	80.0-92.6
\$15,000- 24,999	236	32,712	89	25.9	19.2-32.6	147	74.1	67.4-80.8
\$25,000- 34,999	211	28,306	76	30.6	22.2-39.0	135	69.4	61.0-77.8
\$35,000- 49,999	374	46,563	99	22.6	17.5-27.7	275	77.4	72.3-82.5
\$50,000- 74,999	341	41,234	97	22.9	17.8-28.0	244	77.1	72.0-82.2
\$75,000+	697	80,238	148	19.1	15.4-22.8	549	80.9	77.2-84.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2733	268,477	51	1.7	01.1-02.3	2682	98.3	97.7-98.9
18-24	128	37,970	1	0.9	00.0-02.7	127	99.1	97.3-0100
25-34	247	43,833	6	1.4	00.0-02.8	241	98.6	97.2-0100
35-44	288	36,855	14	4.9	02.0-07.8	274	95.1	92.2-98.0
45-54	454	45,323	12	1.9	00.7-03.1	442	98.1	96.9-99.3
55-64	564	42,695	8	0.9	00.1-01.7	556	99.1	98.3-99.9
65+	1020	59,144	10	0.9	00.3-01.5	1010	99.1	98.5-99.7
Less Than H.S.	169	20,399				169	100.0	0100-0100
H.S. or G.E.D.	754	63,570	12	1.7	00.5-02.9	742	98.3	97.1-99.5
Some Post-H.S.	905	112,811	13	1.0	00.4-01.6	892	99.0	98.4-99.6
College Graduate	901	70,833	26	3.3	01.7-04.9	875	96.7	95.1-98.3
Less than \$15,000	228	22,914	1	0.1	00.0-00.3	227	99.9	99.7-0100
\$15,000- 24,999	374	33,173	7	2.1	00.0-04.3	367	97.9	95.7-0100
\$25,000- 34,999	292	27,607	6	1.5	00.0-03.1	286	98.5	96.9-0100
\$35,000- 49,999	340	33,605	4	1.0	00.0-02.2	336	99.0	97.8-0100
\$50,000- 74,999	410	40,398	9	1.5	00.5-02.5	401	98.5	97.5-99.5
\$75,000+	625	65,172	14	2.4	00.8-04.0	611	97.6	96.0-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4859	536,442	2799	57.0	55.0-59.0	533	8.1	07.1-09.1	735	6.5	05.9-07.1	43	1.0	00.6-01.4	657	23.9	21.9-25.9	92	3.5	02.7-04.3
Male	2131	268,252	1293	55.6	52.9-58.3	246	8.9	07.5-10.3	126	2.8	02.0-03.6	21	1.3	00.5-02.1	403	28.1	25.2-31.0	42	3.4	02.2-04.6
Female	2728	268,190	1506	58.4	55.9-60.9	287	7.3	06.1-08.5	609	10.1	09.1-11.1	22	0.8	00.4-01.2	254	19.7	17.2-22.2	50	3.6	02.4-04.8
Native	124	23,713	39	29.1	19.1-39.1	21	13.7	06.4-21.0	21	7.9	03.2-12.6	7	7.9	01.2-14.6	34	40.7	28.7-52.7	2	0.7	00.0-01.7
Non-Native	4673	506,036	2727	58.2	56.2-60.2	505	7.9	06.9-08.9	699	6.3	05.7-06.9	35	0.7	00.3-01.1	617	23.2	21.2-25.2	90	3.7	02.7-04.7
18-24	249	78,742	30	10.8	06.7-14.9	3	0.8	00.0-01.8				1	0.3	00.0-00.9	201	82.8	77.7-87.9	14	5.4	02.3-08.5
25-34	517	92,441	302	51.8	46.7-56.9	41	7.1	04.6-09.6				9	1.4	00.4-02.4	125	29.4	24.5-34.3	40	10.2	06.7-13.7
35-44	548	77,152	403	67.7	62.4-73.0	49	7.3	04.8-09.8	1	0.1	00.0-00.3	11	3.2	01.0-05.4	70	19.0	14.3-23.7	14	2.8	01.0-04.6
45-54	863	91,628	589	71.8	68.1-75.5	144	14.8	11.9-17.7	16	1.0	00.4-01.6	9	0.9	00.1-01.7	92	9.2	06.8-11.6	13	2.3	00.7-03.9
55-64	1059	87,344	721	74.5	71.2-77.8	154	11.6	09.2-14.0	75	4.4	03.0-05.8	8	0.7	00.1-01.3	92	8.0	05.8-10.2	9	0.8	00.2-01.4
65+	1581	105,517	732	60.3	57.4-63.2	136	6.3	04.9-07.7	634	27.9	25.4-30.4	5	0.2	00.0-00.4	72	5.1	03.3-06.9	2	0.3	00.0-00.7
Less Than H.S.	337	52,259	115	36.0	29.5-42.5	39	10.7	06.6-14.8	124	19.0	14.9-23.1	8	2.7	00.2-05.2	43	26.2	18.6-33.8	8	5.3	01.6-09.0
H.S. or G.E.D.	1405	145,348	733	52.1	48.6-55.6	161	8.9	07.1-10.7	267	7.1	06.1-08.1	12	1.2	00.4-02.0	210	27.9	24.2-31.6	22	2.7	01.3-04.1
Some Post-H.S.	1554	209,100	891	58.7	55.4-62.0	203	8.5	06.9-10.1	219	5.1	04.3-05.9	14	0.6	00.2-01.0	196	23.4	20.1-26.7	31	3.6	02.0-05.2
College Graduate	1559	128,862	1059	68.4	65.3-71.5	130	5.5	04.1-06.9	124	2.9	02.3-03.5	9	0.8	00.2-01.4	206	19.0	16.1-21.9	31	3.5	02.1-04.9
Less than \$15,000	348	39,973	48	14.4	09.9-18.9	84	16.5	11.8-21.2	102	12.5	09.6-15.4	9	2.6	00.4-04.8	101	50.7	43.1-58.3	4	3.3	00.0-06.8
\$15,000- 24,999	609	65,460	172	30.4	25.5-35.3	115	15.5	11.8-19.2	196	15.6	12.7-18.5	6	1.3	00.0-02.7	109	33.0	27.1-38.9	11	4.2	01.7-06.7
\$25,000- 34,999	502	55,893	207	42.7	36.8-48.6	66	11.0	07.3-14.7	119	9.2	07.0-11.4	3	1.0	00.0-02.2	96	32.5	26.0-39.0	11	3.5	01.0-06.0
\$35,000- 49,999	712	79,833	418	59.0	54.1-63.9	80	8.0	05.6-10.4	79	3.8	02.8-04.8	4	0.8	00.0-01.8	113	23.8	19.1-28.5	18	4.5	02.1-06.9
\$50,000- 74,999	751	81,657	549	73.0	68.5-77.5	75	6.1	04.1-08.1	38	1.7	01.1-02.3	6	0.8	00.0-01.6	67	14.6	10.5-18.7	16	3.8	01.4-06.2
\$75,000+	1320	145,267	1094	78.7	75.4-82.0	73	4.1	02.7-05.5	39	1.4	00.6-02.2	7	0.4	00.0-00.8	81	11.8	08.9-14.7	26	3.5	01.9-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2131	268,252	1293	55.6	52.9-58.3	246	8.9	07.5-10.3	126	2.8	02.0-03.6	21	1.3	00.5-02.1	403	28.1	25.4-30.8	42	3.4	02.2-04.6
Native	52	12,100	15	26.2	11.9-40.5	9	12.6	02.0-23.2	7	6.0	00.0-12.7	5	13.0	01.0-25.0	15	41.8	24.2-59.4	1	0.5	00.0-01.5
Non-Native	2044	252,956	1257	56.7	54.0-59.4	234	8.7	07.3-10.1	113	2.5	01.9-03.1	15	0.7	00.3-01.1	384	27.7	24.8-30.6	41	3.6	02.2-05.0
18-24	121	40,772	10	8.9	03.2-14.6	2	1.4	00.0-03.4							101	82.1	74.5-89.7	8	7.6	02.1-13.1
25-34	270	48,608	145	46.9	39.8-54.0	21	7.6	03.7-11.5				5	1.7	00.1-03.3	82	36.3	29.0-43.6	17	7.6	03.5-11.7
35-44	262	40,421	179	61.4	53.8-69.0	27	7.9	04.2-11.6	1	0.1	00.0-00.3	6	4.3	00.4-08.2	42	23.7	16.4-31.0	7	2.6	00.4-04.8
45-54	410	46,335	263	67.8	62.3-73.3	74	16.9	12.4-21.4	4	0.7	00.0-01.5	2	0.7	00.0-02.1	62	12.1	08.4-15.8	5	1.8	00.0-03.6
55-64	495	44,669	330	70.8	65.7-75.9	73	13.1	09.4-16.8	18	2.6	00.6-04.6	4	1.0	00.0-02.2	66	11.8	08.1-15.5	4	0.8	00.0-01.6
65+	563	46,486	359	73.1	68.8-77.4	49	5.7	03.7-07.7	102	12.7	09.6-15.8	4	0.3	00.1-00.5	48	8.0	04.9-11.1	1	0.2	00.0-00.6
Less Than H.S.	169	31,934	72	40.0	31.0-49.0	17	9.3	03.8-14.8	38	11.4	06.5-16.3	4	3.5	00.0-07.6	32	30.1	20.1-40.1	6	5.7	01.0-10.4
H.S. or G.E.D.	650	81,726	359	49.4	44.5-54.3	85	10.1	07.4-12.8	37	2.0	01.2-02.8	8	1.6	00.2-03.0	150	34.6	29.3-39.9	11	2.4	00.6-04.2
Some Post-H.S.	651	96,421	400	59.3	54.4-64.2	94	10.1	07.6-12.6	30	1.6	00.8-02.4	8	0.9	00.0-01.9	105	24.1	19.2-29.0	14	4.0	01.6-06.4
College Graduate	660	58,090	461	66.6	61.7-71.5	50	4.9	03.1-06.7	21	1.2	00.6-01.8	1	0.2	00.0-00.6	116	24.5	19.8-29.2	11	2.6	00.8-04.4
Less than \$15,000	121	17,133	20	14.4	07.7-21.1	23	14.3	07.2-21.4	12	4.9	01.6-08.2	3	3.5	00.0-08.2	63	62.8	52.2-73.4			
\$15,000- 24,999	235	32,287	79	32.2	24.9-39.5	44	13.5	08.4-18.6	39	9.7	05.6-13.8	4	1.9	00.0-04.3	65	39.1	30.3-47.9	4	3.6	00.0-07.3
\$25,000- 34,999	210	28,286	92	38.1	29.7-46.5	28	12.0	06.1-17.9	27	4.5	02.5-06.5	1	0.8	00.0-02.4	56	40.8	30.8-50.8	6	3.9	00.0-07.8
\$35,000- 49,999	373	46,258	231	59.1	52.4-65.8	37	7.8	04.7-10.9	16	1.3	00.7-01.9	2	1.2	00.0-03.0	78	26.4	19.9-32.9	9	4.2	01.3-07.1
\$50,000- 74,999	341	41,259	234	66.3	59.4-73.2	46	9.5	05.8-13.2	10	0.8	00.2-01.4	4	1.0	00.0-02.2	39	17.3	11.2-23.4	8	5.1	00.8-09.4
\$75,000+	696	80,189	550	74.3	69.6-79.0	54	5.9	03.7-08.1	15	1.3	00.3-02.3	3	0.4	00.0-01.0	62	15.4	10.9-19.9	12	2.7	00.7-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	268,190	1506	58.4	55.9-60.9	287	7.3	06.1-08.5	609	10.1	09.1-11.1	22	0.8	00.4-01.2	254	19.7	17.2-22.2	50	3.6	02.4-04.8
Native	72	11,612	24	32.0	18.5-45.5	12	14.8	04.8-24.8	14	9.9	03.4-16.4	2	2.7	00.0-06.4	19	39.6	23.3-55.9	1	1.0	00.0-03.0
Non-Native	2629	253,081	1470	59.7	57.2-62.2	271	7.0	05.8-08.2	586	10.0	09.0-11.0	20	0.7	00.3-01.1	233	18.8	16.3-21.3	49	3.8	02.6-05.0
18-24	128	37,970	20	12.8	06.7-18.9	1	0.2	00.0-00.6				1	0.6	00.0-01.8	100	83.5	77.0-90.0	6	2.9	00.4-05.4
25-34	247	43,833	157	57.3	49.9-64.7	20	6.6	03.1-10.1				4	1.2	00.0-02.6	43	21.7	15.2-28.2	23	13.2	07.5-18.9
35-44	286	36,731	224	74.5	67.6-81.4	22	6.7	03.2-10.2				5	2.0	00.2-03.8	28	13.9	07.8-20.0	7	2.9	00.2-05.6
45-54	453	45,293	326	75.8	70.9-80.7	70	12.7	09.2-16.2	12	1.4	00.4-02.4	7	1.0	00.0-02.0	30	6.3	03.2-09.4	8	2.8	00.3-05.3
55-64	564	42,675	391	78.3	74.4-82.2	81	10.1	07.4-12.8	57	6.4	04.2-08.6	4	0.4	00.0-00.8	26	4.0	02.0-06.0	5	0.8	00.0-01.6
65+	1018	59,030	373	50.2	46.5-53.9	87	6.8	05.0-08.6	532	39.8	36.3-43.3	1	0.1	00.0-00.3	24	2.8	01.0-04.6	1	0.3	00.0-00.9
Less Than H.S.	168	20,325	43	29.7	20.9-38.5	22	13.0	06.7-19.3	86	31.0	23.2-38.8	4	1.5	00.0-03.3	11	20.1	08.5-31.7	2	4.8	00.0-11.3
H.S. or G.E.D.	755	63,622	374	55.6	50.7-60.5	76	7.5	05.1-09.9	230	13.6	11.4-15.8	4	0.8	00.0-01.6	60	19.3	14.4-24.2	11	3.2	01.0-05.4
Some Post-H.S.	903	112,679	491	58.3	54.0-62.6	109	7.2	05.2-09.2	189	8.0	06.6-09.4	6	0.4	00.0-00.8	91	22.8	18.5-27.1	17	3.3	01.3-05.3
College Graduate	899	70,772	598	69.9	66.0-73.8	80	5.9	04.1-07.7	103	4.2	03.2-05.2	8	1.2	00.2-02.2	90	14.5	11.0-18.0	20	4.3	02.1-06.5
Less than \$15,000	227	22,840	28	14.4	08.3-20.5	61	18.2	11.9-24.5	90	18.2	13.3-23.1	6	1.8	00.0-03.6	38	41.5	30.5-52.5	4	5.8	00.0-11.9
\$15,000- 24,999	374	33,173	93	28.6	22.3-34.9	71	17.5	12.2-22.8	157	21.3	17.0-25.6	2	0.8	00.0-02.2	44	27.1	19.3-34.9	7	4.7	01.0-08.4
\$25,000- 34,999	292	27,607	115	47.5	39.7-55.3	38	10.1	06.0-14.2	92	14.1	10.4-17.8	2	1.3	00.0-03.1	40	24.0	16.4-31.6	5	3.0	00.1-05.9
\$35,000- 49,999	339	33,575	187	58.8	51.5-66.1	43	8.4	05.1-11.7	63	7.4	05.0-09.8	2	0.2	00.0-00.6	35	20.3	13.0-27.6	9	4.9	01.0-08.8
\$50,000- 74,999	410	40,398	315	79.9	74.2-85.6	29	2.6	01.4-03.8	28	2.5	01.3-03.7	2	0.6	00.0-01.6	28	11.7	06.4-17.0	8	2.6	00.4-04.8
\$75,000+	624	65,079	544	84.0	79.5-88.5	19	2.1	00.9-03.3	24	1.6	00.8-02.4	4	0.5	00.0-01.1	19	7.4	03.7-11.1	14	4.5	01.8-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4875	539,927	463	13.3	11.9-14.7	427	10.9	09.7-12.1	225	5.2	04.4-06.0	68	2.0	01.4-02.6	34	1.1	00.7-01.5	3658	67.4	65.6-69.2
Male	2144	271,611	192	12.5	10.3-14.7	201	9.9	08.1-11.7	97	4.6	03.4-05.8	31	1.8	01.0-02.6	11	0.7	00.1-01.3	1612	70.5	68.0-73.0
Female	2731	268,316	271	14.1	12.1-16.1	226	12.0	10.0-14.0	128	5.9	04.7-07.1	37	2.2	01.2-03.2	23	1.5	00.7-02.3	2046	64.4	61.9-66.9
Native	126	24,600	20	18.7	09.7-27.7	21	24.8	13.4-36.2	8	4.7	01.2-08.2	6	7.5	01.2-13.8	1	0.6	00.0-01.8	70	43.8	32.6-55.0
Non-Native	4684	507,468	439	13.1	11.7-14.5	399	10.2	09.0-11.4	215	5.3	04.5-06.1	62	1.8	01.2-02.4	30	1.1	00.7-01.5	3539	68.5	66.7-70.3
18-24	253	80,808	48	18.4	13.1-23.7	19	7.8	03.7-11.9	7	2.1	00.3-03.9	2	1.0	00.0-02.4	2	1.0	00.0-02.4	175	69.8	63.3-76.3
25-34	520	93,489	110	21.9	17.6-26.2	119	19.3	15.4-23.2	72	11.3	08.2-14.4	17	3.9	01.7-06.1	9	2.2	00.6-03.8	193	41.4	36.3-46.5
35-44	550	77,202	87	16.7	12.8-20.6	177	31.0	26.3-35.7	104	14.5	11.4-17.6	41	7.7	04.8-10.6	15	2.9	01.3-04.5	126	27.2	22.3-32.1
45-54	863	91,628	164	19.7	16.4-23.0	94	9.7	07.3-12.1	35	4.6	02.8-06.4	8	0.7	00.1-01.3	6	0.6	00.0-01.2	556	64.7	60.8-68.6
55-64	1060	87,344	41	5.2	03.0-07.4	11	0.9	00.3-01.5	2	0.3	00.0-00.9				1	0.1	00.0-00.3	1005	93.5	91.3-95.7
65+	1586	105,778	12	0.8	00.2-01.4	3	0.3	00.0-00.7	3	0.3	00.0-00.7				1	0.1	00.0-00.3	1567	98.5	97.7-99.3
Less Than H.S.	339	53,047	18	11.9	06.2-17.6	11	5.5	01.2-09.8	4	2.1	00.0-04.5	3	2.4	00.0-05.1	5	2.2	00.0-04.4	298	75.9	68.6-83.2
H.S. or G.E.D.	1412	147,139	109	12.3	09.6-15.0	73	7.1	05.1-09.1	47	4.6	03.0-06.2	12	1.6	00.6-02.6	10	1.0	00.2-01.8	1161	73.4	70.1-76.7
Some Post-H.S.	1559	209,572	163	14.6	12.1-17.1	151	13.2	10.8-15.6	68	5.3	03.9-06.7	23	2.4	01.2-03.6	8	0.9	00.1-01.7	1146	63.6	60.3-66.9
College Graduate	1560	128,893	173	13.0	10.8-15.2	192	13.9	11.7-16.1	106	7.2	05.6-08.8	30	1.9	01.1-02.7	11	1.0	00.4-01.6	1048	63.0	59.9-66.1
Less than \$15,000	350	40,590	19	10.2	04.9-15.5	14	8.4	02.5-14.3	5	1.6	00.0-03.2	2	1.5	00.0-04.0	1	0.3	00.0-00.9	309	78.0	70.4-85.6
\$15,000- 24,999	610	65,885	33	9.1	05.4-12.8	27	8.1	04.2-12.0	14	4.2	01.8-06.6	3	1.0	00.0-02.2	2	0.3	00.0-00.7	531	77.2	71.9-82.5
\$25,000- 34,999	504	55,988	44	13.4	08.7-18.1	29	8.2	04.5-11.9	7	2.6	00.4-04.8	2	0.8	00.0-02.0	3	0.6	00.0-01.4	419	74.4	68.7-80.1
\$35,000- 49,999	714	80,186	58	12.4	08.9-15.9	41	8.6	05.5-11.7	30	4.4	02.6-06.2	7	1.3	00.0-02.7	8	2.0	00.4-03.6	570	71.4	66.7-76.1
\$50,000- 74,999	752	81,714	89	15.4	11.9-18.9	83	12.8	09.7-15.9	50	6.5	04.3-08.7	10	1.2	00.4-02.0	7	1.0	00.2-01.8	513	63.1	58.6-67.6
\$75,000+	1321	145,299	185	17.5	14.6-20.4	204	16.2	13.7-18.7	98	7.7	05.9-09.5	37	3.6	02.0-05.2	9	1.1	00.1-02.1	788	53.9	50.4-57.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2144	271,611	192	12.5	10.3-14.7	201	9.9	08.1-11.7	97	4.6	03.4-05.8	31	1.8	01.0-02.6	11	0.7	00.1-01.3	1612	70.5	68.0-73.0
Native	54	12,987	11	25.4	10.7-40.1	8	19.4	04.5-34.3				3	7.7	00.0-16.7				32	47.4	30.5-64.3
Non-Native	2052	254,261	180	12.0	09.8-14.2	188	9.4	07.8-11.0	95	4.9	03.7-06.1	28	1.6	00.8-02.4	9	0.7	00.1-01.3	1552	71.5	69.0-74.0
18-24	125	42,838	19	16.9	09.1-24.7	5	4.6	00.1-09.1	1	0.9	00.0-02.7				1	0.7	00.0-02.1	99	76.9	68.3-85.5
25-34	273	49,656	48	18.8	13.1-24.5	59	15.9	11.0-20.8	26	8.4	04.5-12.3	11	4.3	01.4-07.2	1	0.9	00.0-02.7	128	51.8	44.7-58.9
35-44	262	40,347	44	17.5	11.6-23.4	77	28.8	22.1-35.5	46	11.7	08.2-15.2	17	6.3	02.6-10.0	6	2.2	00.2-04.2	72	33.6	26.2-41.0
45-54	410	46,335	59	15.4	11.1-19.7	50	9.7	06.6-12.8	21	6.3	03.2-09.4	3	0.8	00.0-02.0	2	0.4	00.0-01.0	275	67.4	61.9-72.9
55-64	497	44,780	19	6.7	03.0-10.4	8	1.1	00.3-01.9	1	0.5	00.0-01.5							469	91.6	87.7-95.5
65+	566	46,634	3	0.5	00.0-01.1	2	0.6	00.0-01.4	1	0.2	00.0-00.6				1	0.2	00.0-00.6	559	98.4	97.2-99.6
Less Than H.S.	170	32,648	10	11.9	04.3-19.5	5	2.8	00.0-05.7	1	1.5	00.0-04.4	2	2.2	00.0-05.3	4	3.0	00.0-06.3	148	78.6	69.8-87.4
H.S. or G.E.D.	658	83,629	56	13.3	09.4-17.2	46	7.5	05.0-10.0	25	4.3	02.3-06.3	7	1.7	00.3-03.1	4	0.8	00.0-01.6	520	72.5	67.8-77.2
Some Post-H.S.	654	96,760	68	13.5	10.0-17.0	68	12.6	09.1-16.1	36	5.6	03.4-07.8	7	1.7	00.3-03.1	2	0.2	00.0-00.6	473	66.4	61.7-71.1
College Graduate	660	58,090	58	10.3	07.4-13.2	82	12.8	09.7-15.9	35	5.2	03.2-07.2	15	2.2	01.0-03.4	1	0.1	00.0-00.3	469	69.4	65.1-73.7
Less than \$15,000	122	17,676	8	10.9	02.7-19.1	3	4.7	00.0-11.4	2	1.1	00.0-02.7							109	83.3	73.3-93.3
\$15,000- 24,999	236	32,712	6	6.5	01.2-11.8	11	8.1	02.2-14.0	4	2.8	00.1-05.5	3	1.9	00.0-04.3	2	0.7	00.0-01.7	210	80.0	72.2-87.8
\$25,000- 34,999	212	28,381	14	9.6	03.1-16.1	12	7.2	01.9-12.5	4	2.9	00.0-05.8				2	0.8	00.0-02.0	180	79.4	71.2-87.6
\$35,000- 49,999	375	46,610	25	11.5	06.8-16.2	19	6.0	02.7-09.3	13	3.3	01.1-05.5	4	1.7	00.0-03.7	2	1.3	00.0-03.1	312	76.2	70.1-82.3
\$50,000- 74,999	342	41,316	41	15.6	10.3-20.9	37	12.0	07.5-16.5	25	6.8	03.7-09.9	7	1.8	00.2-03.4	2	0.5	00.0-01.3	230	63.4	56.7-70.1
\$75,000+	697	80,238	81	14.4	10.7-18.1	111	15.8	12.5-19.1	43	6.7	04.3-09.1	13	1.9	00.5-03.3	2	0.7	00.0-01.9	447	60.5	55.8-65.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	268,316	271	14.1	12.1-16.1	226	12.0	10.0-14.0	128	5.9	04.7-07.1	37	2.2	01.2-03.2	23	1.5	00.7-02.3	2046	64.4	61.9-66.9
Native	72	11,612	9	11.2	02.4-20.0	13	30.9	14.2-47.6	8	9.9	02.5-17.3	3	7.1	00.0-15.7	1	1.2	00.0-03.6	38	39.7	25.6-53.8
Non-Native	2632	253,207	259	14.2	12.2-16.2	211	11.0	09.2-12.8	120	5.8	04.6-07.0	34	2.0	01.0-03.0	21	1.5	00.7-02.3	1987	65.5	63.0-68.0
18-24	128	37,970	29	20.1	12.7-27.5	14	11.5	04.6-18.4	6	3.4	00.5-06.3	2	2.1	00.0-05.0	1	1.3	00.0-03.8	76	61.7	52.3-71.1
25-34	247	43,833	62	25.5	18.8-32.2	60	23.2	16.9-29.5	46	14.6	09.7-19.5	6	3.4	00.1-06.7	8	3.8	00.9-06.7	65	29.6	22.9-36.3
35-44	288	36,855	43	15.9	10.4-21.4	100	33.4	26.7-40.1	58	17.5	12.6-22.4	24	9.2	04.7-13.7	9	3.7	01.0-06.4	54	20.3	14.4-26.2
45-54	453	45,293	105	24.0	19.1-28.9	44	9.6	06.3-12.9	14	2.8	01.2-04.4	5	0.7	00.1-01.3	4	0.9	00.0-01.9	281	62.0	56.5-67.5
55-64	563	42,563	22	3.6	01.8-05.4	3	0.6	00.0-01.4	1	0.2	00.0-00.6				1	0.1	00.0-00.3	536	95.5	93.5-97.5
65+	1020	59,144	9	1.1	00.3-01.9	1	0.0	00.0-00.0	2	0.4	00.0-01.0							1008	98.5	97.5-99.5
Less Than H.S.	169	20,399	8	11.9	03.5-20.3	6	9.6	00.0-19.2	3	3.1	00.0-06.6	1	2.7	00.0-07.8	1	1.1	00.0-03.1	150	71.7	59.9-83.5
H.S. or G.E.D.	754	63,510	53	10.9	07.6-14.2	27	6.7	04.0-09.4	22	5.0	02.6-07.4	5	1.4	00.0-02.8	6	1.4	00.2-02.6	641	74.6	69.9-79.3
Some Post-H.S.	905	112,811	95	15.6	12.1-19.1	83	13.7	10.4-17.0	32	5.1	03.1-07.1	16	3.0	01.2-04.8	6	1.5	00.1-02.9	673	61.2	56.7-65.7
College Graduate	900	70,803	115	15.3	12.2-18.4	110	14.8	11.7-17.9	71	8.8	06.4-11.2	15	1.6	00.6-02.6	10	1.7	00.5-02.9	579	57.8	53.7-61.9
Less than \$15,000	228	22,914	11	9.6	02.5-16.7	11	11.3	02.3-20.3	3	2.0	00.0-04.4	2	2.6	00.0-07.3	1	0.5	00.0-01.5	200	74.0	63.2-84.8
\$15,000- 24,999	374	33,173	27	11.7	06.4-17.0	16	8.2	03.1-13.3	10	5.7	01.8-09.6							321	74.4	67.1-81.7
\$25,000- 34,999	292	27,607	30	17.2	10.5-23.9	17	9.2	04.1-14.3	3	2.3	00.0-05.2	2	1.6	00.0-04.1	1	0.5	00.0-01.5	239	69.2	61.4-77.0
\$35,000- 49,999	339	33,575	33	13.7	08.2-19.2	22	12.2	06.3-18.1	17	5.8	02.7-08.9	3	0.8	00.0-02.0	6	2.9	00.4-05.4	258	64.6	57.2-72.0
\$50,000- 74,999	410	40,398	48	15.2	10.5-19.9	46	13.8	09.3-18.3	25	6.3	03.6-09.0	3	0.6	00.0-01.4	5	1.4	00.0-02.8	283	62.8	56.7-68.9
\$75,000+	624	65,060	104	21.2	16.5-25.9	93	16.7	13.0-20.4	55	8.9	06.2-11.6	24	5.7	02.8-08.6	7	1.6	00.2-03.0	341	45.8	40.7-50.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	538,922	1	0.0	00.0-00.0	146	3.6	02.8-04.4	192	6.2	05.0-07.4	1413	27.3	25.7-28.9	1560	38.9	36.9-40.9	1561	23.9	22.5-25.3
Male	2143	271,258	1	0.0	00.0-00.0	72	4.3	02.9-05.7	97	7.7	05.9-09.5	658	30.8	28.3-33.3	655	35.7	33.0-38.4	660	21.4	19.4-23.4
Female	2730	267,665				74	3.0	02.2-03.8	95	4.7	03.3-06.1	755	23.8	21.8-25.8	905	42.1	39.6-44.6	901	26.5	24.5-28.5
Native	126	24,600				7	5.3	00.2-10.4	18	16.3	06.5-26.1	32	25.9	16.1-35.7	43	42.0	30.4-53.6	26	10.5	05.4-15.6
Non-Native	4683	507,339	1	0.0	00.0-00.0	128	3.4	02.6-04.2	167	5.5	04.5-06.5	1366	27.4	25.6-29.2	1501	39.0	37.0-41.0	1520	24.7	23.1-26.3
18-24	252	80,305				2	1.9	00.0-04.6	14	7.3	03.2-11.4	92	35.2	28.7-41.7	91	39.8	32.9-46.7	53	15.7	11.4-20.0
25-34	519	93,085				2	0.5	00.0-01.3	15	6.0	02.9-09.1	114	22.5	18.4-26.6	170	40.1	34.8-45.4	218	30.9	26.6-35.2
35-44	551	77,332				3	1.2	00.0-02.8	6	2.6	00.1-05.1	111	20.9	16.8-25.0	184	44.2	38.9-49.5	247	31.1	26.8-35.4
45-54	864	91,658				5	1.1	00.0-02.3	29	6.4	03.9-08.9	237	27.8	24.3-31.3	294	40.3	36.2-44.4	299	24.5	21.4-27.6
55-64	1060	87,272				12	2.8	00.8-04.8	33	5.5	03.3-07.7	258	24.4	21.3-27.5	352	39.3	35.6-43.0	405	28.0	25.1-30.9
65+	1585	105,697	1	0.1	00.0-00.3	119	12.1	09.7-14.5	94	8.6	06.6-10.6	594	32.9	30.2-35.6	452	31.3	28.6-34.0	325	15.0	13.2-16.8
Less than \$15,000	350	40,590				24	6.2	02.9-09.5	43	13.7	07.8-19.6	127	29.0	22.3-35.7	112	38.3	30.5-46.1	44	12.8	08.1-17.5
\$15,000- 24,999	609	65,805				38	7.2	04.5-09.9	37	9.1	05.6-12.6	259	35.5	30.4-40.6	185	36.0	30.3-41.7	90	12.2	08.9-15.5
\$25,000- 34,999	504	55,988	1	0.2	00.0-00.6	18	4.5	01.6-07.4	30	11.0	06.5-15.5	190	35.8	29.9-41.7	154	31.9	26.2-37.6	111	16.6	12.7-20.5
\$35,000- 49,999	715	80,216				11	2.3	00.7-03.9	19	4.5	02.1-06.9	225	28.1	24.0-32.2	242	41.6	36.7-46.5	218	23.5	19.8-27.2
\$50,000- 74,999	752	81,714				3	0.6	00.0-01.2	14	2.6	01.0-04.2	167	21.6	18.1-25.1	277	47.2	42.5-51.9	291	28.0	24.3-31.7
\$75,000+	1321	144,907				6	0.6	00.0-01.2	12	2.7	00.9-04.5	232	19.6	16.9-22.3	396	39.4	35.9-42.9	675	37.7	34.6-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2143	271,258	1	0.0	00.0-00.0	72	4.3	02.9-05.7	97	7.7	05.9-09.5	658	30.8	28.3-33.3	655	35.7	33.0-38.4	660	21.4	19.4-23.4
Native	54	12,987				5	8.4	00.0-17.4	9	14.4	02.6-26.2	12	25.1	10.4-39.8	23	50.0	33.1-66.9	5	2.1	00.0-04.3
Non-Native	2052	254,311	1	0.0	00.0-00.0	61	3.9	02.7-05.1	83	7.1	05.3-08.9	639	31.3	28.8-33.8	624	35.2	32.5-37.9	644	22.5	20.3-24.7
18-24	125	42,838				2	3.6	00.0-08.5	7	7.6	01.9-13.3	56	42.9	33.3-52.5	31	27.8	18.8-36.8	29	18.0	11.5-24.5
25-34	272	49,253				2	0.9	00.0-02.5	13	9.4	04.1-14.7	77	27.6	21.5-33.7	88	39.4	32.1-46.7	92	22.8	17.7-27.9
35-44	263	40,477							5	4.9	00.2-09.6	66	24.6	18.3-30.9	99	46.8	39.2-54.4	93	23.6	18.1-29.1
45-54	410	46,335				2	0.8	00.0-02.0	18	7.6	03.9-11.3	135	34.2	28.5-39.9	145	39.2	33.3-45.1	110	18.2	14.3-22.1
55-64	497	44,780				7	4.3	00.8-07.8	22	7.7	04.0-11.4	128	25.3	20.8-29.8	149	34.4	29.1-39.7	191	28.4	24.1-32.7
65+	565	46,554	1	0.2	00.0-00.6	57	15.0	11.1-18.9	31	8.5	05.0-12.0	194	30.9	26.6-35.2	140	27.6	23.1-32.1	142	17.7	14.6-20.8
Less than \$15,000	122	17,676				4	2.3	00.0-04.8	14	9.2	04.1-14.3	40	30.9	19.9-41.9	39	37.1	25.1-49.1	25	20.4	11.2-29.6
\$15,000- 24,999	235	32,632				25	9.8	05.1-14.5	23	13.3	06.8-19.8	96	36.9	28.9-44.9	57	26.4	18.6-34.2	34	13.6	08.1-19.1
\$25,000- 34,999	212	28,381	1	0.3	00.0-00.9	11	6.5	01.0-12.0	21	17.1	09.1-25.1	82	35.8	26.8-44.8	57	28.2	19.6-36.8	40	12.1	07.2-17.0
\$35,000- 49,999	375	46,610				10	3.8	01.1-06.5	14	6.4	02.7-10.1	135	32.0	26.1-37.9	120	40.3	33.6-47.0	96	17.6	13.3-21.9
\$50,000- 74,999	342	41,316				3	1.1	00.0-02.5	6	2.5	00.1-04.9	89	25.7	19.8-31.6	132	47.9	41.0-54.8	112	22.8	17.9-27.7
\$75,000+	697	80,238				5	0.9	00.0-01.9	9	3.9	01.2-06.6	154	25.5	21.2-29.8	213	37.1	32.4-41.8	316	32.6	28.5-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	267,665	74	3.0	02.2-03.8	95	4.7	03.3-06.1	755	23.8	21.8-25.8	905	42.1	39.6-44.6	901	26.5	24.5-28.5
Native	72	11,612	2	1.9	00.0-04.6	9	18.5	03.0-34.0	20	26.7	14.4-39.0	20	33.1	18.6-47.6	21	19.9	09.7-30.1
Non-Native	2631	253,029	67	2.8	02.0-03.6	84	4.0	02.8-05.2	727	23.5	21.3-25.7	877	42.8	40.3-45.3	876	27.0	24.8-29.2
18-24	127	37,467				7	6.9	01.0-12.8	36	26.3	18.3-34.3	60	53.6	44.0-63.2	24	13.1	07.6-18.6
25-34	247	43,833				2	2.2	00.0-05.3	37	16.9	11.4-22.4	82	40.8	33.4-48.2	126	40.1	33.0-47.2
35-44	288	36,855	3	2.5	00.0-05.6	1	0.1	00.0-00.3	45	16.8	11.5-22.1	85	41.4	34.0-48.8	154	39.2	32.5-45.9
45-54	454	45,323	3	1.3	00.0-03.3	11	5.2	01.9-08.5	102	21.2	16.9-25.5	149	41.5	35.8-47.2	189	30.8	26.1-35.5
55-64	563	42,491	5	1.3	00.1-02.5	11	3.3	01.1-05.5	130	23.5	19.4-27.6	203	44.6	39.7-49.5	214	27.4	23.5-31.3
65+	1020	59,144	62	9.8	07.1-12.5	63	8.7	06.3-11.1	400	34.4	31.1-37.7	312	34.3	30.8-37.8	183	12.8	10.6-15.0
Less than \$15,000	228	22,914	20	9.2	03.7-14.7	29	17.2	07.8-26.6	87	27.6	19.4-35.8	73	39.2	29.0-49.4	19	6.8	02.5-11.1
\$15,000- 24,999	374	33,173	13	4.6	01.5-07.7	14	5.0	02.1-07.9	163	34.1	27.6-40.6	128	45.4	38.0-52.8	56	10.7	06.8-14.6
\$25,000- 34,999	292	27,607	7	2.3	00.3-04.3	9	4.8	01.1-08.5	108	35.9	28.5-43.3	97	35.7	28.1-43.3	71	21.3	15.2-27.4
\$35,000- 49,999	340	33,605	1	0.2	00.0-00.6	5	1.8	00.0-03.6	90	22.7	17.2-28.2	122	43.5	36.2-50.8	122	31.8	25.3-38.3
\$50,000- 74,999	410	40,398				8	2.7	00.5-04.9	78	17.3	13.2-21.4	145	46.5	40.2-52.8	179	33.4	27.9-38.9
\$75,000+	624	64,669	1	0.2	00.0-00.6	3	1.3	00.0-03.1	78	12.2	08.9-15.5	183	42.3	37.0-47.6	359	44.0	39.1-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4858	538,051	2858	65.0	63.2-66.8	109	3.1	02.3-03.9	297	5.7	04.9-06.5	115	6.0	04.8-07.2	1293	16.6	15.6-17.6	186	3.6	02.8-04.4
Male	2136	270,617	1451	72.1	69.6-74.6	55	3.2	02.0-04.4	3	0.1	00.1-00.1	49	5.4	03.8-07.0	500	15.7	14.1-17.3	78	3.6	02.6-04.6
Female	2722	267,434	1407	57.9	55.4-60.4	54	3.1	02.1-04.1	294	11.3	09.7-12.9	66	6.6	04.8-08.4	793	17.5	16.1-18.9	108	3.6	02.6-04.6
Native	124	24,006	69	59.3	47.9-70.7	13	14.0	05.6-22.4	7	4.7	00.8-08.6	3	5.0	00.0-11.5	15	4.2	01.8-06.6	17	12.9	05.5-20.3
Non-Native	4670	506,560	2756	65.5	63.7-67.3	93	2.5	01.9-03.1	286	5.7	04.9-06.5	110	6.0	04.8-07.2	1259	17.2	16.0-18.4	166	3.1	02.5-03.7
18-24	251	79,939	149	58.7	51.8-65.6	13	4.9	02.0-07.8	6	1.8	00.2-03.4	79	32.5	26.0-39.0				4	2.1	00.0-04.5
25-34	518	93,363	433	82.2	78.1-86.3	16	3.3	01.3-05.3	41	9.3	06.2-12.4	23	4.7	02.7-06.7				5	0.6	00.0-01.2
35-44	550	77,300	486	86.4	82.5-90.3	12	3.5	01.1-05.9	32	5.3	03.3-07.3	9	1.7	00.3-03.1	1	0.1	00.0-00.3	10	3.1	00.7-05.5
45-54	862	91,523	748	85.9	83.0-88.8	27	4.0	02.2-05.8	30	3.4	02.0-04.8	2	0.1	00.0-00.3	11	1.0	00.2-01.8	44	5.6	03.6-07.6
55-64	1059	87,158	740	67.5	64.0-71.0	25	2.7	01.5-03.9	39	4.0	02.6-05.4	1	0.4	00.0-01.2	181	18.3	15.4-21.2	73	7.2	05.2-09.2
65+	1577	105,189	277	18.6	16.2-21.0	15	1.0	00.4-01.6	148	9.2	07.6-10.8	1	0.1	00.0-00.3	1088	68.0	65.3-70.7	48	3.1	01.9-04.3
Less Than H.S.	336	52,842	89	39.1	31.7-46.5	20	7.5	03.6-11.4	35	6.2	03.8-08.6	6	4.7	00.6-08.8	154	31.0	25.1-36.9	32	11.4	06.5-16.3
H.S. or G.E.D.	1407	146,071	750	65.1	62.0-68.2	35	3.6	02.2-05.0	98	5.9	04.3-07.5	21	3.6	01.8-05.4	449	18.5	16.5-20.5	54	3.3	02.1-04.5
Some Post-H.S.	1554	209,238	915	64.6	61.5-67.7	36	2.9	01.7-04.1	103	6.6	05.0-08.2	50	8.2	05.8-10.6	380	14.5	12.7-16.3	70	3.3	02.3-04.3
College Graduate	1555	128,551	1100	76.4	73.9-78.9	18	1.3	00.5-02.1	61	3.7	02.5-04.9	37	5.2	03.4-07.0	309	12.1	10.5-13.7	30	1.3	00.7-01.9
Less than \$15,000	346	39,822	71	27.4	20.0-34.8	29	8.8	04.5-13.1	18	3.7	01.7-05.7	30	23.0	15.6-30.4	115	16.5	12.6-20.4	83	20.5	14.8-26.2
\$15,000- 24,999	607	65,658	217	48.9	43.2-54.6	19	4.5	02.0-07.0	37	5.3	02.9-07.7	17	6.5	03.0-10.0	277	28.8	24.5-33.1	40	6.1	03.6-08.6
\$25,000- 34,999	503	55,912	266	64.2	58.7-69.7	14	3.2	01.4-05.0	35	7.8	04.7-10.9	5	2.2	00.0-04.4	170	20.9	17.0-24.8	13	1.8	00.8-02.8
\$35,000- 49,999	711	79,964	437	71.1	67.2-75.0	9	1.7	00.5-02.9	36	4.4	02.4-06.4	10	2.9	00.9-04.9	206	18.1	15.2-21.0	13	1.7	00.7-02.7
\$50,000- 74,999	750	81,579	558	78.5	75.0-82.0	6	0.9	00.0-01.9	38	4.5	02.7-06.3	10	3.2	01.0-05.4	129	11.3	09.1-13.5	9	1.5	00.1-02.9
\$75,000+	1320	145,264	1065	80.4	77.5-83.3	10	1.3	00.3-02.3	63	5.5	03.7-07.3	20	3.9	01.9-05.9	157	8.1	06.5-09.7	5	0.7	00.0-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2136	270,617	1451	72.1	69.7-74.5	55	3.2	02.0-04.4	3	0.1	00.1-00.1	49	5.4	03.8-07.0	500	15.7	14.1-17.3	78	3.6	02.6-04.6
Native	53	12,444	31	63.6	46.7-80.5	3	7.1	00.0-16.5				1	6.1	00.0-17.5	6	2.6	00.4-04.8	12	20.7	07.4-34.0
Non-Native	2045	253,810	1400	72.8	70.4-75.2	49	2.7	01.7-03.7	3	0.1	00.1-00.1	47	5.4	03.6-07.2	482	16.3	14.7-17.9	64	2.7	01.7-03.7
18-24	124	42,294	85	66.8	57.4-76.2	5	4.2	00.1-08.3				32	27.2	18.4-36.0				2	1.8	00.0-05.1
25-34	271	49,530	251	92.3	88.4-96.2	5	2.7	00.0-05.4				12	4.3	01.6-07.0				3	0.6	00.0-01.4
35-44	263	40,477	252	92.9	88.2-97.6	5	2.4	00.0-04.8	1	0.2	00.0-00.6	2	1.2	00.0-03.0				3	3.3	00.0-07.0
45-54	410	46,335	371	90.0	86.5-93.5	13	4.0	01.5-06.5				1	0.1	00.0-00.3	2	0.4	00.0-01.0	23	5.5	03.0-08.0
55-64	496	44,721	363	68.5	63.2-73.8	15	3.5	01.3-05.7	1	0.1	00.0-00.3	1	0.7	00.0-02.1	80	18.4	13.9-22.9	36	8.7	05.4-12.0
65+	562	46,300	124	23.2	19.1-27.3	11	1.8	00.6-03.0	1	0.1	00.0-00.3	1	0.3	00.0-00.9	415	73.1	68.8-77.4	10	1.6	00.4-02.8
Less Than H.S.	169	32,572	64	46.7	36.9-56.5	13	7.8	02.5-13.1	1	0.2	00.0-00.6	4	6.0	00.0-12.1	73	29.8	22.0-37.6	14	9.5	03.2-15.8
H.S. or G.E.D.	654	82,854	430	74.7	70.8-78.6	19	3.3	01.5-05.1				10	3.5	01.1-05.9	167	15.0	12.5-17.5	28	3.6	02.0-05.2
Some Post-H.S.	653	96,729	463	75.1	71.0-79.2	15	2.7	00.9-04.5				15	6.1	03.0-09.2	130	12.9	10.4-15.4	30	3.3	01.9-04.7
College Graduate	658	57,978	493	77.6	73.7-81.5	8	1.1	00.1-02.1	2	0.2	00.0-00.6	20	6.7	03.6-09.8	129	13.6	10.9-16.3	6	0.7	00.1-01.3
Less than \$15,000	121	17,133	29	24.9	14.9-34.9	16	14.7	06.1-23.3				17	27.3	15.5-39.1	25	11.2	05.9-16.5	34	21.9	13.3-30.5
\$15,000- 24,999	235	32,660	94	51.9	43.5-60.3	10	2.9	00.5-05.3	1	0.2	00.0-00.6	10	8.5	02.4-14.6	104	29.6	22.7-36.5	16	6.9	02.8-11.0
\$25,000- 34,999	211	28,306	117	70.9	63.6-78.2	7	2.8	00.4-05.2				1	0.6	00.0-01.8	77	23.3	16.6-30.0	9	2.4	00.6-04.2
\$35,000- 49,999	373	46,465	245	75.7	71.0-80.4	4	1.1	00.0-02.3	1	0.2	00.0-00.6	4	2.4	00.0-04.8	114	19.4	15.5-23.3	5	1.2	00.2-02.2
\$50,000- 74,999	342	41,316	278	85.9	81.8-90.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	3	2.2	00.0-04.7	54	10.3	07.2-13.4	5	1.3	00.0-02.9
\$75,000+	695	80,092	599	85.6	81.9-89.3	7	1.8	00.4-03.2				8	3.5	01.0-06.0	79	8.1	05.9-10.3	2	1.0	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	267,434	1407	57.9	55.4-60.4	54	3.1	02.1-04.1	294	11.3	09.7-12.9	66	6.6	04.8-08.4	793	17.5	16.1-18.9	108	3.6	02.6-04.6
Native	71	11,562	38	54.6	39.3-69.9	10	21.3	07.8-34.8	7	9.8	01.8-17.8	2	3.9	00.0-09.4	9	5.9	01.4-10.4	5	4.5	00.2-08.8
Non-Native	2625	252,750	1356	58.2	55.7-60.7	44	2.3	01.5-03.1	283	11.3	09.7-12.9	63	6.6	04.8-08.4	777	18.0	16.4-19.6	102	3.5	02.5-04.5
18-24	127	37,645	64	49.6	40.0-59.2	8	5.7	01.8-09.6	6	3.7	00.2-07.2	47	38.5	29.1-47.9				2	2.4	00.0-05.7
25-34	247	43,833	182	70.7	63.6-77.8	11	4.0	01.3-06.7	41	19.7	13.2-26.2	11	5.0	01.9-08.1				2	0.5	00.0-01.3
35-44	287	36,823	234	79.2	73.1-85.3	7	4.7	00.8-08.6	31	10.9	06.8-15.0	7	2.2	00.2-04.2	1	0.2	00.0-00.6	7	2.8	00.0-05.9
45-54	452	45,188	377	81.7	77.2-86.2	14	3.9	01.5-06.3	30	6.9	04.4-09.4	1	0.2	00.0-00.6	9	1.7	00.3-03.1	21	5.8	02.7-08.9
55-64	563	42,437	377	66.3	61.6-71.0	10	1.8	00.6-03.0	38	8.2	05.5-10.9				101	18.1	14.2-22.0	37	5.6	03.4-07.8
65+	1015	58,889	153	15.1	12.4-17.8	4	0.4	00.0-00.8	147	16.3	13.6-19.0				673	64.0	60.3-67.7	38	4.3	02.5-06.1
Less Than H.S.	167	20,270	25	26.8	15.4-38.2	7	7.0	01.5-12.5	34	16.0	10.1-21.9	2	2.6	00.0-06.1	81	33.0	24.6-41.4	18	14.5	06.7-22.3
H.S. or G.E.D.	753	63,218	320	52.5	47.8-57.2	16	3.9	01.5-06.3	98	13.7	10.4-17.0	11	3.8	01.3-06.3	282	23.1	20.0-26.2	26	2.9	01.3-04.5
Some Post-H.S.	901	112,510	452	55.5	51.2-59.8	21	3.1	01.5-04.7	103	12.2	09.3-15.1	35	10.1	06.8-13.4	250	15.8	13.4-18.2	40	3.3	01.9-04.7
College Graduate	897	70,572	607	75.5	72.2-78.8	10	1.4	00.4-02.4	59	6.6	04.6-08.6	17	3.9	01.9-05.9	180	10.8	09.0-12.6	24	1.8	01.0-02.6
Less than \$15,000	225	22,689	42	29.3	18.7-39.9	13	4.4	01.1-07.7	18	6.5	03.2-09.8	13	19.8	10.0-29.6	90	20.6	14.9-26.3	49	19.5	11.9-27.1
\$15,000- 24,999	372	32,998	123	45.9	38.5-53.3	9	6.1	01.4-10.8	36	10.3	05.8-14.8	7	4.5	00.8-08.2	173	28.0	22.7-33.3	24	5.2	02.1-08.3
\$25,000- 34,999	292	27,607	149	57.4	49.8-65.0	7	3.6	00.7-06.5	35	15.7	09.8-21.6	4	3.9	00.0-08.0	93	18.4	13.9-22.9	4	1.1	00.0-02.3
\$35,000- 49,999	338	33,499	192	64.8	58.1-71.5	5	2.5	00.3-04.7	35	10.3	05.6-15.0	6	3.6	00.5-06.7	92	16.4	12.3-20.5	8	2.5	00.7-04.3
\$50,000- 74,999	408	40,263	280	71.0	65.3-76.7	5	1.7	00.0-03.5	37	9.1	05.8-12.4	7	4.2	00.9-07.5	75	12.3	09.2-15.4	4	1.7	00.0-04.2
\$75,000+	625	65,172	466	74.1	69.4-78.8	3	0.7	00.0-01.5	63	12.3	08.6-16.0	12	4.4	01.5-07.3	78	8.1	05.9-10.3	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4253	469,803	169	4.5	03.5-05.5	181	4.1	03.3-04.9	263	6.4	05.4-07.4	347	7.6	06.4-08.8	504	11.9	10.5-13.3	2789	65.4	63.4-67.4
Male	1984	246,935	58	3.8	02.6-05.0	64	3.4	02.4-04.4	110	6.6	05.0-08.2	126	6.6	05.2-08.0	212	11.5	09.5-13.5	1414	68.1	65.4-70.8
Female	2269	222,868	111	5.4	03.8-07.0	117	4.9	03.5-06.3	153	6.1	04.7-07.5	221	8.7	07.1-10.3	292	12.4	10.6-14.2	1375	62.4	59.7-65.1
Native	105	19,863	19	20.1	09.9-30.3	8	8.2	00.0-17.6	12	13.0	03.6-22.4	9	9.2	01.9-16.5	18	17.3	07.9-26.7	39	32.3	20.9-43.7
Non-Native	4096	444,597	147	3.8	02.8-04.8	169	3.8	03.0-04.6	243	6.0	05.0-07.0	335	7.6	06.4-08.8	476	11.6	10.2-13.0	2726	67.1	65.1-69.1
18-24	198	63,656	21	11.3	06.4-16.2	19	10.8	05.7-15.9	17	8.8	04.5-13.1	21	9.4	05.1-13.7	25	13.1	07.6-18.6	95	46.6	39.0-54.2
25-34	481	85,830	15	3.5	01.1-05.9	8	1.6	00.4-02.8	16	4.2	01.8-06.6	27	6.3	03.8-08.8	52	13.7	09.8-17.6	363	70.6	65.5-75.7
35-44	510	70,531	17	4.2	01.8-06.6	5	1.2	00.0-02.6	16	5.3	02.4-08.2	15	4.8	02.1-07.5	38	8.1	05.2-11.0	419	76.2	71.1-81.3
45-54	809	85,613	30	3.4	01.8-05.0	22	2.5	01.3-03.7	28	3.8	02.0-05.6	34	4.7	02.7-06.7	69	9.0	06.5-11.5	626	76.6	72.9-80.3
55-64	965	79,065	27	2.5	01.3-03.7	31	3.3	01.9-04.7	34	4.1	02.1-06.1	57	6.0	03.8-08.2	95	9.4	07.0-11.8	721	74.6	71.1-78.1
65+	1264	82,794	57	3.6	02.6-04.6	94	6.3	04.7-07.9	152	12.7	10.3-15.1	189	14.5	12.1-16.9	219	17.6	15.1-20.1	553	45.2	41.9-48.5
Less Than H.S.	256	40,402	36	10.7	06.0-15.4	31	9.3	04.2-14.4	43	15.3	09.6-21.0	32	11.3	06.8-15.8	49	21.7	14.6-28.8	65	31.7	23.9-39.5
H.S. or G.E.D.	1200	123,739	62	4.9	03.1-06.7	65	4.6	02.8-06.4	110	8.0	06.0-10.0	149	10.9	08.5-13.3	190	16.2	13.3-19.1	624	55.4	51.7-59.1
Some Post-H.S.	1366	186,162	56	5.0	03.2-06.8	56	3.3	02.1-04.5	75	5.5	03.7-07.3	110	7.2	05.4-09.0	154	9.6	07.6-11.6	915	69.3	66.0-72.6
College Graduate	1429	118,917	15	1.4	00.4-02.4	29	3.0	01.6-04.4	35	3.1	01.7-04.5	55	3.6	02.2-05.0	111	7.8	05.8-09.8	1184	81.1	78.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	246,935	58	3.8	02.6-05.0	64	3.4	02.4-04.4	110	6.6	05.0-08.2	126	6.6	05.2-08.0	212	11.5	09.5-13.5	1414	68.1	65.4-70.8
Non-Native	1903	232,281	43	2.6	01.6-03.6	59	3.4	02.2-04.6	101	6.2	04.6-07.8	121	6.7	05.1-08.3	199	11.3	09.3-13.3	1380	69.8	67.1-72.5
18-24	103	34,903	8	7.9	02.2-13.6	12	10.5	04.4-16.6	9	9.9	03.2-16.6	12	9.8	03.9-15.7	13	15.6	07.2-24.0	49	46.3	35.7-56.9
25-34	255	45,813	9	4.1	00.6-07.6	7	2.5	00.3-04.7	6	2.6	00.4-04.8	13	5.3	02.2-08.4	26	13.7	08.0-19.4	194	72.0	65.1-78.9
35-44	251	38,168	6	3.3	00.4-06.2	1	0.3	00.0-00.9	10	6.9	02.2-11.6	5	3.2	00.3-06.1	17	7.6	03.5-11.7	212	78.7	71.8-85.6
45-54	392	44,354	11	2.7	00.7-04.7	11	2.1	00.7-03.5	13	4.1	01.6-06.6	18	4.4	02.0-06.8	28	6.8	03.7-09.9	311	79.8	74.9-84.7
55-64	470	42,357	14	3.3	01.3-05.3	13	2.4	00.8-04.0	14	4.6	01.1-08.1	18	5.2	02.1-08.3	43	8.7	05.6-11.8	368	75.7	70.4-81.0
65+	508	40,723	9	1.6	00.4-02.8	20	3.6	01.8-05.4	58	12.9	09.2-16.6	59	12.5	09.0-16.0	84	16.8	12.7-20.9	278	52.6	47.5-57.7
Less Than H.S.	146	26,449	9	4.1	01.4-06.8	9	3.6	01.1-06.1	29	18.3	10.3-26.3	19	10.3	04.8-15.8	33	25.7	16.1-35.3	47	38.1	27.9-48.3
H.S. or G.E.D.	596	73,662	21	3.5	01.3-05.7	19	3.9	01.7-06.1	44	7.6	04.7-10.5	52	8.7	05.8-11.6	82	13.8	09.9-17.7	378	62.5	57.4-67.6
Some Post-H.S.	618	91,466	19	4.6	02.1-07.1	20	2.6	01.0-04.2	23	4.3	01.9-06.7	34	5.2	03.0-07.4	57	8.7	05.8-11.6	465	74.7	70.0-79.4
College Graduate	623	55,277	9	2.5	00.5-04.5	16	4.0	01.5-06.5	14	3.6	01.2-06.0	20	4.4	02.0-06.8	40	6.2	03.7-08.7	524	79.2	74.7-83.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2269	222,868	111	5.4	03.8-07.0	117	4.9	03.5-06.3	153	6.1	04.7-07.5	221	8.7	07.1-10.3	292	12.4	10.6-14.2	1375	62.4	59.7-65.1
Native	56	8,225	6	11.0	02.2-19.8	5	16.1	00.0-36.5	8	13.5	02.1-24.9	6	15.6	01.5-29.7	12	20.3	07.4-33.2	19	23.6	10.9-36.3
Non-Native	2193	212,315	104	5.2	03.6-06.8	110	4.3	03.1-05.5	142	5.8	04.4-07.2	214	8.6	07.0-10.2	277	11.9	10.1-13.7	1346	64.2	61.5-66.9
18-24	95	28,753	13	15.5	07.5-23.5	7	11.3	02.9-19.7	8	7.4	01.9-12.9	9	8.9	02.6-15.2	12	10.0	04.1-15.9	46	47.0	35.8-58.2
25-34	226	40,018	6	2.8	00.0-05.9	1	0.7	00.0-02.1	10	6.0	01.9-10.1	14	7.5	03.4-11.6	26	13.9	08.2-19.6	169	69.1	61.7-76.5
35-44	259	32,363	11	5.4	01.5-09.3	4	2.3	00.0-05.0	6	3.5	00.4-06.6	10	6.8	01.7-11.9	21	8.7	04.4-13.0	207	73.3	65.9-80.7
45-54	417	41,258	19	4.2	01.7-06.7	11	2.8	00.6-05.0	15	3.4	01.2-05.6	16	5.0	01.9-08.1	41	11.3	07.2-15.4	315	73.3	67.8-78.8
55-64	495	36,708	13	1.7	00.7-02.7	18	4.3	01.9-06.7	20	3.6	01.6-05.6	39	7.0	04.5-09.5	52	10.2	06.9-13.5	353	73.3	68.6-78.0
65+	756	42,071	48	5.6	03.8-07.4	74	8.9	06.5-11.3	94	12.6	09.7-15.5	130	16.5	13.4-19.6	135	18.3	15.0-21.6	275	38.2	34.1-42.3
Less Than H.S.	110	13,953	27	23.2	11.8-34.6	22	20.1	07.4-32.8	14	9.7	04.0-15.4	13	13.3	05.1-21.5	16	14.1	05.9-22.3	18	19.6	09.6-29.6
H.S. or G.E.D.	604	50,077	41	6.8	03.9-09.7	46	5.8	03.3-08.3	66	8.5	05.8-11.2	97	14.1	10.4-17.8	108	19.8	15.3-24.3	246	45.0	39.7-50.3
Some Post-H.S.	748	94,696	37	5.5	03.0-08.0	36	4.0	02.0-06.0	52	6.7	04.2-09.2	76	9.2	06.5-11.9	97	10.4	07.7-13.1	450	64.2	59.5-68.9
College Graduate	806	63,640	6	0.4	00.0-00.8	13	2.1	00.5-03.7	21	2.7	01.1-04.3	35	2.9	01.7-04.1	71	9.3	06.6-12.0	660	82.7	79.2-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4670	515,252	32	0.7	00.3-01.1	1367	27.0	25.2-28.8	2148	46.3	44.3-48.3	867	19.5	17.9-21.1	255	6.5	05.5-07.5	1	0.0	00.0-00.0
Male	2117	266,692	2	0.0	00.0-00.0	161	9.0	07.2-10.8	1090	50.7	48.0-53.4	660	29.9	27.4-32.4	203	10.3	08.5-12.1	1	0.0	00.0-00.0
Female	2553	248,560	30	1.3	00.5-02.1	1206	46.3	43.8-48.8	1058	41.6	39.1-44.1	207	8.4	07.0-09.8	52	2.4	01.6-03.2			
Native	122	23,599	3	0.8	00.0-01.8	20	13.0	06.1-19.9	64	52.1	40.3-63.9	25	23.2	13.4-33.0	10	10.9	02.9-18.9			
Non-Native	4490	485,508	29	0.7	00.3-01.1	1330	27.6	25.8-29.4	2058	46.0	44.0-48.0	828	19.3	17.7-20.9	244	6.4	05.4-07.4	1	0.0	00.0-00.0
18-24	242	76,669	3	1.3	00.0-02.9	95	37.5	30.8-44.2	105	45.4	38.3-52.5	26	10.7	06.4-15.0	13	5.2	02.1-08.3			
25-34	502	89,564	1	0.6	00.0-01.8	139	27.7	23.0-32.4	220	43.5	38.2-48.8	99	19.2	15.1-23.3	42	8.9	05.8-12.0	1	0.1	00.0-00.3
35-44	528	73,834	1	0.1	00.0-00.3	124	19.7	15.8-23.6	231	45.9	40.6-51.2	127	23.5	19.0-28.0	45	10.8	07.1-14.5			
45-54	832	87,944	3	0.5	00.0-01.3	196	22.1	18.8-25.4	384	47.5	43.4-51.6	184	22.6	19.1-26.1	65	7.3	05.1-09.5			
55-64	1007	83,631	3	0.4	00.0-00.8	245	22.2	19.1-25.3	462	45.3	41.6-49.0	242	26.5	23.0-30.0	55	5.7	03.9-07.5			
65+	1533	101,642	19	1.0	00.6-01.4	553	31.4	28.7-34.1	739	49.9	47.0-52.8	187	15.3	12.9-17.7	35	2.5	01.5-03.5			
Less Than H.S.	330	50,752	7	1.9	00.0-04.1	92	24.1	18.2-30.0	152	45.3	38.0-52.6	63	21.4	15.7-27.1	16	7.3	03.2-11.4			
H.S. or G.E.D.	1363	142,011	7	0.2	00.0-00.4	405	25.9	22.8-29.0	619	47.1	43.6-50.6	254	20.9	18.0-23.8	78	6.0	04.4-07.6			
Some Post-H.S.	1482	198,749	8	0.8	00.2-01.4	412	26.7	23.8-29.6	685	45.8	42.5-49.1	289	19.4	16.9-21.9	88	7.3	05.3-09.3			
College Graduate	1495	123,740	10	0.5	00.0-01.1	458	30.0	27.1-32.9	692	46.5	43.4-49.6	261	17.3	14.9-19.7	73	5.6	04.0-07.2	1	0.1	00.0-00.3
Less than \$15,000	338	39,232	4	1.9	00.0-04.6	114	33.0	25.6-40.4	156	46.4	38.6-54.2	40	12.0	07.5-16.5	23	6.5	03.4-09.6	1	0.2	00.0-00.6
\$15,000- 24,999	599	64,748	3	0.2	00.0-00.4	199	28.1	23.2-33.0	271	44.4	38.9-49.9	98	20.0	15.3-24.7	28	7.3	03.8-10.8			
\$25,000- 34,999	486	54,298	9	1.4	00.2-02.6	142	25.8	20.5-31.1	221	48.4	42.1-54.7	87	18.3	13.4-23.2	27	6.0	03.3-08.7			
\$35,000- 49,999	691	77,632	3	0.8	00.0-02.2	172	25.5	21.2-29.8	331	43.2	38.3-48.1	146	23.8	19.7-27.9	39	6.7	04.0-09.4			
\$50,000- 74,999	726	78,857	2	0.3	00.0-00.7	187	23.9	20.0-27.8	347	49.4	44.7-54.1	147	20.0	16.5-23.5	43	6.4	04.0-08.8			
\$75,000+	1281	140,689	1	0.0	00.0-00.0	301	21.1	18.4-23.8	599	47.8	44.3-51.3	300	23.8	20.9-26.7	80	7.3	05.3-09.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2117	266,692	2	0.0	00.0-00.0	161	9.0	07.2-10.8	1090	50.7	48.0-53.4	660	29.9	27.4-32.4	203	10.3	08.5-12.1	1	0.0	00.0-00.0
Native	54	12,987	2	0.8	00.0-01.8	2	4.7	00.0-12.0	27	47.4	30.5-64.3	15	29.2	14.1-44.3	8	18.0	04.1-31.9			
Non-Native	2028	249,849				154	8.9	07.1-10.7	1047	51.1	48.2-54.0	632	29.9	27.4-32.4	194	10.1	08.3-11.9	1	0.0	00.0-00.0
18-24	123	41,512				25	19.3	11.7-26.9	68	56.5	46.9-66.1	21	16.5	09.4-23.6	9	7.7	02.2-13.2			
25-34	269	48,817				26	11.3	06.4-16.2	135	48.5	41.2-55.8	73	26.2	19.9-32.5	34	13.8	08.7-18.9	1	0.1	00.0-00.3
35-44	259	39,688				13	4.6	01.7-07.5	113	45.3	37.7-52.9	99	34.5	27.4-41.6	34	15.6	09.5-21.7			
45-54	405	45,697				17	4.2	01.8-06.6	198	50.1	44.2-56.0	137	33.8	28.1-39.5	53	11.9	08.2-15.6			
55-64	493	44,400				29	6.2	03.3-09.1	236	45.5	40.0-51.0	185	40.1	34.6-45.6	43	8.2	05.5-10.9			
65+	560	45,765	2	0.2	00.0-00.6	49	8.4	05.9-10.9	336	58.2	53.3-63.1	143	28.1	23.4-32.8	30	5.0	03.0-07.0			
Less Than H.S.	167	31,516	2	0.3	00.0-00.7	19	14.4	07.0-21.8	83	44.8	35.2-54.4	47	28.8	20.4-37.2	16	11.7	05.0-18.4			
H.S. or G.E.D.	653	82,996				59	10.5	07.4-13.6	322	51.2	46.3-56.1	206	29.7	25.4-34.0	66	8.6	06.1-11.1			
Some Post-H.S.	645	94,690				37	6.7	04.0-09.4	326	49.9	45.0-54.8	218	31.7	27.2-36.2	64	11.7	08.2-15.2			
College Graduate	652	57,491				46	7.8	05.1-10.5	359	54.5	49.6-59.4	189	27.8	23.5-32.1	57	9.7	06.6-12.8	1	0.1	00.0-00.3
Less than \$15,000	121	17,641				20	20.2	10.2-30.2	62	50.5	38.7-62.3	22	18.7	09.9-27.5	16	10.2	04.1-16.3	1	0.4	00.0-01.2
\$15,000- 24,999	232	31,988	1	0.2	00.0-00.6	28	10.7	06.0-15.4	122	47.8	39.4-56.2	67	31.8	23.6-40.0	14	9.5	03.2-15.8			
\$25,000- 34,999	210	28,094				22	10.4	04.5-16.3	104	55.0	45.6-64.4	62	25.1	17.3-32.9	22	9.5	04.6-14.4			
\$35,000- 49,999	372	46,015				22	9.0	04.7-13.3	206	49.8	43.3-56.3	113	32.1	26.0-38.2	31	9.1	05.0-13.2			
\$50,000- 74,999	338	40,655				21	7.0	02.9-11.1	176	52.6	45.7-59.5	107	30.1	24.0-36.2	34	10.3	06.2-14.4			
\$75,000+	693	79,913				33	5.5	03.1-07.9	331	47.1	42.2-52.0	255	35.8	31.3-40.3	74	11.7	08.4-15.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2553	248,560	30	1.3	00.5-02.1	1206	46.3	43.8-48.8	1058	41.6	39.1-44.1	207	8.4	07.0-09.8	52	2.4	01.6-03.2
Native	68	10,611	1	0.9	00.0-02.7	18	23.2	11.0-35.4	37	57.9	42.6-73.2	10	15.9	04.7-27.1	2	2.1	00.0-05.2
Non-Native	2462	235,658	29	1.4	00.6-02.2	1176	47.4	44.7-50.1	1011	40.7	38.2-43.2	196	8.1	06.7-09.5	50	2.5	01.7-03.3
18-24	119	35,157	3	2.8	00.0-06.1	70	59.1	49.1-69.1	37	32.2	22.6-41.8	5	3.7	00.0-07.4	4	2.2	00.0-04.6
25-34	233	40,747	1	1.3	00.0-03.8	113	47.2	39.6-54.8	85	37.6	30.2-45.0	26	10.8	06.1-15.5	8	3.0	00.6-05.4
35-44	269	34,146	1	0.2	00.0-00.6	111	37.3	30.2-44.4	118	46.6	39.2-54.0	28	10.8	06.1-15.5	11	5.1	01.6-08.6
45-54	427	42,248	3	1.1	00.0-02.7	179	41.6	35.9-47.3	186	44.6	38.7-50.5	47	10.5	07.0-14.0	12	2.2	00.6-03.8
55-64	514	39,231	3	0.8	00.0-01.8	216	40.4	35.3-45.5	226	45.1	40.0-50.2	57	11.1	07.8-14.4	12	2.7	00.9-04.5
65+	973	55,877	17	1.6	00.8-02.4	504	50.2	46.5-53.9	403	43.1	39.4-46.8	44	4.7	03.1-06.3	5	0.5	00.1-00.9
Less Than H.S.	163	19,236	5	4.4	00.0-10.1	73	40.0	30.2-49.8	69	46.2	35.6-56.8	16	9.4	04.3-14.5			
H.S. or G.E.D.	710	59,016	7	0.5	00.1-00.9	346	47.4	42.5-52.3	297	41.4	36.5-46.3	48	8.5	05.4-11.6	12	2.2	00.8-03.6
Some Post-H.S.	837	104,059	8	1.4	00.2-02.6	375	44.9	40.4-49.4	359	42.1	37.6-46.6	71	8.3	05.9-10.7	24	3.2	01.6-04.8
College Graduate	843	66,250	10	1.0	00.0-02.0	412	49.3	45.0-53.6	333	39.5	35.2-43.8	72	8.2	05.8-10.6	16	2.1	00.7-03.5
Less than \$15,000	217	21,591	4	3.5	00.0-08.6	94	43.4	32.8-54.0	94	43.1	32.3-53.9	18	6.5	03.0-10.0	7	3.4	00.9-05.9
\$15,000- 24,999	367	32,760	2	0.3	00.0-00.7	171	45.0	37.6-52.4	149	41.1	33.7-48.5	31	8.5	04.2-12.8	14	5.1	01.6-08.6
\$25,000- 34,999	276	26,205	9	3.0	00.5-05.5	120	42.4	34.6-50.2	117	41.3	33.5-49.1	25	11.0	05.5-16.5	5	2.4	00.0-04.8
\$35,000- 49,999	319	31,616	3	1.9	00.0-05.0	150	49.7	42.3-57.1	125	33.6	26.9-40.3	33	11.6	06.7-16.5	8	3.2	00.5-05.9
\$50,000- 74,999	388	38,202	2	0.5	00.0-01.5	166	41.9	35.6-48.2	171	46.1	39.8-52.4	40	9.2	06.1-12.3	9	2.2	00.6-03.8
\$75,000+	588	60,776	1	0.0	00.0-00.0	268	41.6	36.5-46.7	268	48.8	43.5-54.1	45	8.2	05.3-11.1	6	1.5	00.0-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4843	534,378	230	3.3	02.7-03.9	2110	38.4	36.6-40.2	2101	48.0	46.0-50.0	390	9.8	08.6-11.0	5	0.1	00.0-00.3	7	0.4	00.0-00.8
Male	2132	269,172	4	0.2	00.0-00.4	173	6.9	05.5-08.3	1561	73.0	70.5-75.5	384	19.3	16.9-21.7	5	0.2	00.0-00.4	5	0.5	00.0-01.1
Female	2711	265,207	226	6.4	05.2-07.6	1937	70.4	68.0-72.8	540	22.7	20.5-24.9	6	0.2	00.0-00.4				2	0.3	00.0-00.7
Native	125	24,351	5	3.9	00.0-08.2	54	36.3	25.1-47.5	57	48.5	36.9-60.1	9	11.2	02.8-19.6						
Non-Native	4656	503,458	219	3.2	02.6-03.8	2030	38.5	36.7-40.3	2025	48.2	46.2-50.2	371	9.6	08.4-10.8	4	0.1	00.0-00.3	7	0.4	00.0-00.8
18-24	247	78,559	5	2.5	00.3-04.7	96	34.4	27.9-40.9	115	48.6	41.7-55.5	26	12.0	07.3-16.7	1	0.4	00.0-01.2	4	2.1	00.0-04.3
25-34	516	92,341	3	0.7	00.0-01.5	171	32.2	27.3-37.1	279	55.7	50.6-60.8	60	11.1	07.8-14.4	1	0.1	00.0-00.3	2	0.2	00.0-00.4
35-44	549	77,100	10	2.0	00.4-03.6	201	34.2	29.3-39.1	276	50.3	45.0-55.6	60	13.1	09.4-16.8	1	0.1	00.0-00.3	1	0.3	00.0-00.9
45-54	860	91,023	23	2.3	01.1-03.5	348	39.7	35.8-43.6	395	47.2	43.1-51.3	93	10.7	08.2-13.2	1	0.1	00.0-00.3			
55-64	1058	87,209	37	3.5	02.1-04.9	455	40.8	37.3-44.3	476	46.8	43.1-50.5	90	8.8	06.6-11.0						
65+	1577	104,931	147	7.5	06.1-08.9	820	46.5	43.6-49.4	549	41.2	38.1-44.3	60	4.8	03.4-06.2	1	0.1	00.0-00.3			
Less Than H.S.	333	51,213	16	2.7	01.1-04.3	161	39.3	32.4-46.2	136	48.1	40.8-55.4	20	9.9	04.8-15.0						
H.S. or G.E.D.	1405	145,662	82	3.6	02.4-04.8	607	35.8	32.7-38.9	609	50.5	47.0-54.0	103	9.4	07.2-11.6	2	0.1	00.0-00.3	2	0.6	00.0-01.4
Some Post-H.S.	1550	208,764	79	3.8	02.6-05.0	686	38.8	35.7-41.9	663	47.6	44.3-50.9	119	9.6	07.4-11.8	2	0.1	00.0-00.3	1	0.2	00.0-00.6
College Graduate	1552	128,404	53	2.4	01.6-03.2	653	40.2	37.1-43.3	693	46.1	43.0-49.2	148	10.5	08.3-12.7	1	0.2	00.0-00.6	4	0.5	00.0-01.1
Less than \$15,000	349	40,459	38	6.6	03.9-09.3	167	41.8	34.2-49.4	122	43.8	36.0-51.6	19	6.6	02.9-10.3				3	1.2	00.0-03.0
\$15,000- 24,999	608	65,789	31	2.6	01.4-03.8	325	42.9	37.4-48.4	218	43.7	38.0-49.4	34	10.7	06.4-15.0						
\$25,000- 34,999	499	55,351	38	6.4	03.9-08.9	213	32.9	27.4-38.4	216	51.7	45.6-57.8	29	7.4	03.9-10.9	1	0.5	00.0-01.5	2	1.1	00.0-02.7
\$35,000- 49,999	710	79,717	26	3.0	01.0-05.0	269	33.1	28.8-37.4	358	54.3	49.4-59.2	56	9.5	06.6-12.4	1	0.1	00.0-00.3			
\$50,000- 74,999	748	81,240	22	1.9	01.1-02.7	317	37.4	33.1-41.7	349	50.3	45.6-55.0	60	10.5	07.4-13.6						
\$75,000+	1318	144,504	29	1.9	00.9-02.9	456	33.2	29.9-36.5	661	51.9	48.4-55.4	169	12.8	10.4-15.2	3	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2132	269,172	4	0.2	00.0-00.4	173	6.9	05.5-08.3	1561	73.0	70.5-75.5	384	19.3	16.9-21.7	5	0.2	00.0-00.4	5	0.5	00.0-01.1
Native	54	12,987				6	9.5	00.0-19.9	39	69.4	53.1-85.7	9	21.1	06.4-35.8						
Non-Native	2041	252,225	3	0.1	00.0-00.3	160	6.6	05.4-07.8	1504	73.4	70.9-75.9	365	19.1	16.7-21.5	4	0.2	00.0-00.4	5	0.5	00.0-01.1
18-24	122	41,821				8	6.0	01.3-10.7	84	68.0	58.8-77.2	26	22.5	14.1-30.9	1	0.7	00.0-02.1	3	2.8	00.0-05.9
25-34	271	49,183	1	0.4	00.0-01.2	12	2.3	00.7-03.9	196	76.2	70.3-82.1	59	20.6	14.7-26.5	1	0.1	00.0-00.3	2	0.3	00.0-00.7
35-44	263	40,477				12	4.6	01.7-07.5	194	70.9	64.0-77.8	56	24.3	17.6-31.0	1	0.2	00.0-00.6			
45-54	406	45,700				35	8.8	05.3-12.3	278	69.8	64.5-75.1	92	21.1	16.4-25.8	1	0.2	00.0-00.6			
55-64	496	44,649				38	8.4	05.3-11.5	368	74.4	69.5-79.3	90	17.3	13.2-21.4						
65+	565	46,442	1	0.1	00.0-00.3	68	11.3	08.4-14.2	435	77.7	73.8-81.6	60	10.7	07.6-13.8	1	0.1	00.0-00.3			
Less Than H.S.	168	31,606	2	0.9	00.0-02.3	27	11.2	06.3-16.1	119	71.8	63.2-80.4	20	16.1	08.3-23.9						
H.S. or G.E.D.	655	83,185	1	0.0	00.0-00.0	57	8.3	05.6-11.0	491	74.1	69.6-78.6	102	16.3	12.6-20.0	2	0.2	00.0-00.6	2	1.0	00.0-02.4
Some Post-H.S.	652	96,491				41	4.7	02.9-06.5	490	74.5	70.2-78.8	119	20.7	16.6-24.8	2	0.2	00.0-00.4			
College Graduate	656	57,809	1	0.4	00.0-01.2	47	5.9	03.9-07.9	461	69.5	65.0-74.0	143	22.8	18.7-26.9	1	0.5	00.0-01.5	3	0.8	00.0-02.0
Less than \$15,000	121	17,545	3	2.6	00.0-05.9	15	7.0	03.1-10.9	83	73.5	63.7-83.3	17	14.1	05.9-22.3				3	2.8	00.0-06.7
\$15,000- 24,999	235	32,657				33	10.9	06.4-15.4	169	67.6	59.4-75.8	33	21.5	13.7-29.3						
\$25,000- 34,999	212	28,381				22	7.4	03.3-11.5	159	75.8	68.0-83.6	29	14.4	07.7-21.1	1	1.0	00.0-03.0	1	1.3	00.0-03.8
\$35,000- 49,999	374	46,403				27	6.3	03.6-09.0	290	77.2	71.7-82.7	56	16.4	11.5-21.3	1	0.1	00.0-00.3			
\$50,000- 74,999	339	40,971				26	5.1	02.7-07.5	254	74.2	67.9-80.5	59	20.6	14.7-26.5						
\$75,000+	694	79,834				33	5.2	02.8-07.6	490	71.4	67.1-75.7	168	23.0	18.9-27.1	3	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2711	265,207	226	6.4	05.2-07.6	1937	70.4	68.0-72.8	540	22.7	20.5-24.9	6	0.2	00.0-00.4	2	0.3	00.0-00.7
Native	71	11,364	5	8.3	00.0-17.3	48	67.0	53.1-80.9	18	24.6	12.4-36.8						
Non-Native	2615	251,234	216	6.3	05.1-07.5	1870	70.5	68.1-72.9	521	22.8	20.4-25.2	6	0.2	00.0-00.4	2	0.3	00.0-00.7
18-24	125	36,739	5	5.3	00.6-10.0	88	66.7	57.5-75.9	31	26.6	18.0-35.2				1	1.3	00.0-03.8
25-34	245	43,158	2	1.1	00.0-02.7	159	66.3	59.2-73.4	83	32.4	25.5-39.3	1	0.3	00.0-00.9			
35-44	286	36,623	10	4.2	00.7-07.7	189	66.9	60.0-73.8	82	27.5	21.2-33.8	4	0.7	00.0-01.5	1	0.6	00.0-01.8
45-54	454	45,323	23	4.5	02.3-06.7	313	70.9	65.8-76.0	117	24.5	19.6-29.4	1	0.1	00.0-00.3			
55-64	562	42,560	37	7.2	04.5-09.9	417	74.8	70.7-78.9	108	18.0	14.5-21.5						
65+	1012	58,489	146	13.4	11.0-15.8	752	74.3	71.0-77.6	114	12.2	09.7-14.7						
Less Than H.S.	165	19,607	14	5.7	02.4-09.0	134	84.5	78.2-90.8	17	9.8	04.3-15.3						
H.S. or G.E.D.	750	62,476	81	8.3	05.8-10.8	550	72.4	67.9-76.9	118	19.2	15.1-23.3	1	0.2	00.0-00.6			
Some Post-H.S.	898	112,273	79	7.0	04.8-09.2	645	68.1	64.0-72.2	173	24.5	20.6-28.4				1	0.4	00.0-01.2
College Graduate	896	70,594	52	4.1	02.7-05.5	606	68.3	64.4-72.2	232	26.8	23.1-30.5	5	0.4	00.0-00.8	1	0.3	00.0-00.9
Less than \$15,000	228	22,914	35	9.7	05.4-14.0	152	68.4	59.2-77.6	39	21.0	12.4-29.6	2	0.8	00.0-02.0			
\$15,000- 24,999	373	33,133	31	5.2	02.8-07.6	292	74.4	67.5-81.3	49	20.2	13.5-26.9	1	0.1	00.0-00.3			
\$25,000- 34,999	287	26,970	38	13.1	08.0-18.2	191	59.8	52.0-67.6	57	26.3	19.0-33.6				1	0.8	00.0-02.4
\$35,000- 49,999	336	33,314	26	7.2	02.9-11.5	242	70.5	63.4-77.6	68	22.3	16.0-28.6						
\$50,000- 74,999	409	40,269	22	3.8	02.0-05.6	291	70.2	64.5-75.9	95	25.9	20.2-31.6	1	0.1	00.0-00.3			
\$75,000+	624	64,669	29	4.3	02.1-06.5	423	67.8	63.1-72.5	171	27.8	23.3-32.3	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4823	524,322	4744	97.4	96.6-98.2	53	2.0	01.2-02.8	26	0.6	00.2-01.0
Male	2105	259,920	2063	96.7	95.5-97.9	32	2.8	01.6-04.0	10	0.5	00.1-00.9
Female	2718	264,402	2681	98.1	97.3-98.9	21	1.2	00.4-02.0	16	0.7	00.3-01.1
Native	125	24,421	118	92.9	86.4-99.4	4	5.1	00.0-11.0	3	2.0	00.0-04.9
Non-Native	4633	492,301	4569	97.9	97.1-98.7	45	1.7	01.1-02.3	19	0.4	00.2-00.6
18-24	236	74,785	225	94.1	90.6-97.6	10	5.4	02.1-08.7	1	0.5	00.0-01.5
25-34	499	87,960	487	96.4	94.2-98.6	7	2.4	00.6-04.2	5	1.2	00.0-02.4
35-44	546	75,970	538	97.2	95.0-99.4	6	2.5	00.3-04.7	2	0.3	00.0-00.7
45-54	859	90,382	844	98.5	97.5-99.5	8	0.9	00.1-01.7	7	0.6	00.0-01.2
55-64	1056	86,340	1049	99.4	98.8-100	6	0.5	00.1-00.9	1	0.2	00.0-00.6
65+	1585	105,473	1563	98.4	97.6-99.2	14	1.0	00.4-01.6	8	0.6	00.2-01.0
Less Than H.S.	335	51,232	328	95.6	91.7-99.5	6	4.1	00.2-08.0	1	0.3	00.0-00.9
H.S. or G.E.D.	1395	141,895	1371	97.2	95.8-98.6	14	1.8	00.6-03.0	10	1.0	00.2-01.8
Some Post-H.S.	1548	205,385	1523	97.9	96.7-99.1	19	1.8	00.8-02.8	6	0.3	00.1-00.5
College Graduate	1539	124,461	1517	98.0	96.8-99.2	14	1.7	00.7-02.7	8	0.4	00.0-00.8
Less than \$15,000	349	40,114	341	96.1	92.8-99.4	8	3.9	00.6-07.2			
\$15,000- 24,999	597	61,890	586	97.9	96.3-99.5	8	1.7	00.1-03.3	3	0.4	00.0-01.0
\$25,000- 34,999	498	54,363	493	98.2	96.2-100	4	1.3	00.0-02.9	1	0.5	00.0-01.5
\$35,000- 49,999	706	77,728	700	98.7	97.5-99.9	6	1.3	00.1-02.5			
\$50,000- 74,999	745	79,688	733	97.9	96.1-99.7	8	1.8	00.0-03.6	4	0.3	00.0-00.7
\$75,000+	1305	140,715	1291	98.5	97.3-99.7	8	1.3	00.1-02.5	6	0.3	00.1-00.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2105	259,920	2063	96.7	95.5-97.9	32	2.8	01.6-04.0	10	0.5	00.1-00.9
Native	54	12,987	50	88.1	76.3-99.9	3	9.2	00.0-20.2	1	2.6	00.0-07.7
Non-Native	2014	242,859	1979	97.4	96.2-98.6	27	2.4	01.2-03.6	8	0.2	00.0-00.4
18-24	113	38,349	107	93.3	87.8-98.8	6	6.7	01.2-12.2			
25-34	257	45,289	248	93.9	89.8-98.0	6	4.1	00.8-07.4	3	2.0	00.0-04.4
35-44	259	39,307	254	96.4	92.9-99.9	4	3.3	00.0-06.8	1	0.2	00.0-00.6
45-54	407	45,547	401	98.9	97.7-0100	3	0.8	00.0-02.0	3	0.3	00.0-00.7
55-64	492	43,772	486	99.1	98.3-99.9	6	0.9	00.1-01.7			
65+	566	46,634	556	98.2	96.8-99.6	7	1.5	00.1-02.9	3	0.3	00.0-00.7
Less Than H.S.	166	30,833	162	93.6	87.3-99.9	4	6.4	00.1-12.7			
H.S. or G.E.D.	642	78,778	628	97.4	95.6-99.2	8	1.8	00.2-03.4	6	0.9	00.0-01.9
Some Post-H.S.	648	94,370	635	97.2	95.2-99.2	11	2.6	00.6-04.6	2	0.2	00.0-00.4
College Graduate	647	55,454	637	97.5	95.5-99.5	9	2.5	00.5-04.5	1	0.1	00.0-00.3
Less than \$15,000	121	17,200	116	93.0	86.1-99.9	5	7.0	00.1-13.9			
\$15,000- 24,999	226	29,627	220	97.9	95.7-0100	5	2.1	00.0-04.3	1	0.1	00.0-00.3
\$25,000- 34,999	209	27,209	207	98.4	95.5-0100	2	1.6	00.0-04.5			
\$35,000- 49,999	372	45,605	367	97.8	95.6-0100	5	2.2	00.0-04.4			
\$50,000- 74,999	335	39,290	327	97.2	94.5-99.9	6	2.6	00.0-05.3	2	0.2	00.0-00.6
\$75,000+	683	76,522	676	97.8	95.6-0100	6	2.0	00.0-04.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	264,402	2681	98.1	97.3-98.9	21	1.2	00.4-02.0	16	0.7	00.3-01.1
Native	71	11,434	68	98.3	96.1-0100	1	0.5	00.0-01.5	2	1.2	00.0-03.0
Non-Native	2619	249,442	2590	98.4	97.6-99.2	18	1.1	00.3-01.9	11	0.5	00.1-00.9
18-24	123	36,436	118	94.9	90.4-99.4	4	4.0	00.1-07.9	1	1.1	00.0-03.3
25-34	242	42,671	239	99.1	97.7-0100	1	0.6	00.0-01.8	2	0.3	00.0-00.7
35-44	287	36,663	284	98.1	95.7-0100	2	1.6	00.0-03.8	1	0.4	00.0-01.2
45-54	452	44,835	443	98.1	96.5-99.7	5	1.1	00.1-02.1	4	0.9	00.0-02.1
55-64	564	42,567	563	99.7	99.1-0100				1	0.3	00.0-00.9
65+	1019	58,839	1007	98.6	97.6-99.6	7	0.6	00.2-01.0	5	0.8	00.0-01.6
Less Than H.S.	169	20,399	166	98.5	96.7-0100	2	0.7	00.0-01.7	1	0.8	00.0-02.4
H.S. or G.E.D.	753	63,117	743	97.0	94.8-99.2	6	1.8	00.0-03.6	4	1.2	00.0-02.8
Some Post-H.S.	900	111,015	888	98.5	97.3-99.7	8	1.1	00.0-02.3	4	0.3	00.0-00.7
College Graduate	892	69,007	880	98.4	97.2-99.6	5	1.0	00.0-02.0	7	0.6	00.0-01.2
Less than \$15,000	228	22,914	225	98.4	96.0-0100	3	1.6	00.0-04.0			
\$15,000- 24,999	371	32,263	366	97.9	95.5-0100	3	1.3	00.0-03.5	2	0.7	00.0-01.7
\$25,000- 34,999	289	27,154	286	98.1	95.7-0100	2	1.0	00.0-02.6	1	0.9	00.0-02.7
\$35,000- 49,999	334	32,123	333	99.9	99.7-0100	1	0.1	00.0-00.3			
\$50,000- 74,999	410	40,398	406	98.5	96.5-0100	2	1.1	00.0-03.1	2	0.4	00.0-01.0
\$75,000+	622	64,193	615	99.2	98.6-99.8	2	0.3	00.0-00.9	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4879	540,271	4734	96.3	95.5-97.1	3	0.1	00.0-00.3	55	1.4	00.8-02.0	87	2.2	01.6-02.8
Male	2145	271,742	2081	95.8	94.6-97.0				25	1.8	00.8-02.8	39	2.4	01.4-03.4
Female	2734	268,529	2653	96.8	95.8-97.8	3	0.3	00.0-00.7	30	1.0	00.4-01.6	48	1.9	01.1-02.7
Native	126	24,600	121	93.6	87.3-99.9				2	2.9	00.0-07.6	3	3.5	00.0-07.8
Non-Native	4687	507,782	4556	96.7	95.9-97.5	3	0.1	00.0-00.3	50	1.2	00.8-01.6	78	2.0	01.4-02.6
18-24	253	80,808	244	96.0	93.5-98.5				6	2.7	00.5-04.9	3	1.3	00.0-02.9
25-34	520	93,489	496	94.9	92.5-97.3	1	0.2	00.0-00.6	6	1.2	00.0-02.4	17	3.6	01.6-05.6
35-44	551	77,332	538	97.0	95.0-99.0				3	1.1	00.0-02.7	10	1.8	00.4-03.2
45-54	864	91,658	846	97.1	95.5-98.7	1	0.3	00.0-00.9	5	0.7	00.0-01.5	12	2.0	00.6-03.4
55-64	1062	87,528	1042	97.9	96.7-99.1	1	0.3	00.0-00.9	5	0.7	00.1-01.3	14	1.2	00.4-02.0
65+	1586	105,778	1531	95.3	93.7-96.9				29	2.1	01.1-03.1	26	2.6	01.4-03.8
Less Than H.S.	339	53,047	318	92.7	89.0-96.4	1	0.6	00.0-01.8	15	5.4	02.1-08.7	5	1.3	00.1-02.5
H.S. or G.E.D.	1413	147,251	1374	96.0	94.4-97.6	1	0.2	00.0-00.6	20	1.5	00.5-02.5	18	2.3	01.1-03.5
Some Post-H.S.	1560	209,702	1512	96.9	95.7-98.1				16	0.9	00.1-01.7	32	2.1	01.1-03.1
College Graduate	1561	128,923	1525	97.3	96.1-98.5	1	0.2	00.0-00.6	4	0.4	00.0-01.0	31	2.1	01.1-03.1
Less than \$15,000	350	40,590	339	97.3	95.3-99.3	1	0.8	00.0-02.2	7	1.5	00.3-02.7	3	0.5	00.0-01.1
\$15,000- 24,999	610	65,885	595	97.3	95.1-99.5				10	1.7	00.1-03.3	5	1.0	00.0-02.4
\$25,000- 34,999	504	55,988	485	94.3	91.2-97.4				8	2.4	00.2-04.6	11	3.4	01.0-05.8
\$35,000- 49,999	715	80,216	700	97.9	96.7-99.1	2	0.5	00.0-01.3	4	0.5	00.0-01.1	9	1.1	00.3-01.9
\$50,000- 74,999	752	81,714	744	98.1	96.5-99.7				3	1.0	00.0-02.4	5	0.8	00.0-01.8
\$75,000+	1322	145,410	1294	97.5	96.3-98.7				3	0.2	00.0-00.6	25	2.2	01.2-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	271,742	2081	95.8	94.6-97.0	25	1.8	00.8-02.8	39	2.4	01.4-03.4
Native	54	12,987	50	88.5	77.1-99.9	2	5.5	00.0-14.1	2	5.9	00.0-13.9
Non-Native	2053	254,391	1997	96.4	95.2-97.6	22	1.5	00.7-02.3	34	2.1	01.3-02.9
18-24	125	42,838	120	95.2	91.1-99.3	4	3.8	00.1-07.5	1	1.0	00.0-03.0
25-34	273	49,656	259	92.5	88.4-96.6	3	1.8	00.0-04.0	11	5.8	02.3-09.3
35-44	263	40,477	254	95.2	91.5-98.9	3	2.2	00.0-05.1	6	2.6	00.2-05.0
45-54	410	46,335	402	97.6	95.6-99.6	4	1.2	00.0-02.6	4	1.2	00.0-02.8
55-64	497	44,780	487	98.4	97.2-99.6	3	0.7	00.0-01.7	7	0.8	00.2-01.4
65+	566	46,634	549	96.2	94.0-98.4	8	1.3	00.3-02.3	9	2.5	00.5-04.5
Less Than H.S.	170	32,648	160	93.4	88.5-98.3	7	5.2	00.5-09.9	3	1.4	00.0-03.2
H.S. or G.E.D.	658	83,629	639	95.8	93.6-98.0	11	1.8	00.4-03.2	8	2.5	00.7-04.3
Some Post-H.S.	655	96,891	638	96.6	94.6-98.6	5	1.2	00.0-02.6	12	2.1	00.5-03.7
College Graduate	660	58,090	643	96.6	94.6-98.6	2	0.8	00.0-02.0	15	2.6	01.0-04.2
Less than \$15,000	122	17,676	118	97.4	94.9-99.9	3	2.0	00.0-04.4	1	0.7	00.0-02.1
\$15,000- 24,999	236	32,712	228	95.7	91.8-99.6	5	2.6	00.0-05.7	3	1.7	00.0-04.2
\$25,000- 34,999	212	28,381	203	93.1	87.8-98.4	5	3.6	00.0-07.7	4	3.3	00.0-07.0
\$35,000- 49,999	375	46,610	370	98.9	97.9-99.9	2	0.4	00.0-01.0	3	0.7	00.0-01.7
\$50,000- 74,999	342	41,316	338	98.0	95.5-0100	2	1.9	00.0-04.4	2	0.2	00.0-00.4
\$75,000+	697	80,238	680	96.8	95.0-98.6	3	0.4	00.0-01.0	14	2.7	00.9-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2734	268,529	2653	96.8	95.8-97.8	3	0.3	00.0-00.7	30	1.0	00.4-01.6	48	1.9	01.1-02.7
Native	72	11,612	71	99.2	97.6-0100							1	0.8	00.0-02.4
Non-Native	2634	253,391	2559	96.9	95.9-97.9	3	0.3	00.0-00.7	28	0.9	00.5-01.3	44	1.9	01.1-02.7
18-24	128	37,970	124	96.9	93.8-0100				2	1.4	00.0-03.4	2	1.7	00.0-04.1
25-34	247	43,833	237	97.7	96.1-99.3	1	0.4	00.0-01.2	3	0.6	00.0-01.4	6	1.2	00.2-02.2
35-44	288	36,855	284	99.0	98.0-0100							4	1.0	00.0-02.0
45-54	454	45,323	444	96.6	94.1-99.1	1	0.7	00.0-02.1	1	0.1	00.0-00.3	8	2.7	00.5-04.9
55-64	565	42,747	555	97.3	95.3-99.3	1	0.5	00.0-01.5	2	0.6	00.0-01.4	7	1.6	00.0-03.2
65+	1020	59,144	982	94.6	92.4-96.8				21	2.8	01.0-04.6	17	2.7	01.1-04.3
Less Than H.S.	169	20,399	158	91.6	85.9-97.3	1	1.5	00.0-04.4	8	5.7	01.0-10.4	2	1.2	00.0-03.0
H.S. or G.E.D.	755	63,622	735	96.4	94.2-98.6	1	0.4	00.0-01.2	9	1.1	00.0-02.3	10	2.1	00.3-03.9
Some Post-H.S.	905	112,811	874	97.2	96.0-98.4				11	0.7	00.1-01.3	20	2.1	00.9-03.3
College Graduate	901	70,833	882	97.9	96.7-99.1	1	0.3	00.0-00.9	2	0.1	00.0-00.3	16	1.7	00.7-02.7
Less than \$15,000	228	22,914	221	97.2	94.3-0100	1	1.3	00.0-03.8	4	1.1	00.0-02.3	2	0.3	00.0-00.7
\$15,000- 24,999	374	33,173	367	98.8	97.6-0100				5	0.8	00.0-01.8	2	0.4	00.0-01.0
\$25,000- 34,999	292	27,607	282	95.5	92.2-98.8				3	1.1	00.0-02.7	7	3.4	00.3-06.5
\$35,000- 49,999	340	33,605	330	96.5	94.1-98.9	2	1.2	00.0-03.0	2	0.6	00.0-01.6	6	1.7	00.3-03.1
\$50,000- 74,999	410	40,398	406	98.3	96.3-0100				1	0.2	00.0-00.6	3	1.5	00.0-03.3
\$75,000+	625	65,172	614	98.4	97.2-99.6							11	1.6	00.4-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	302,888	124	2.3	01.9-02.7	3834	97.7	97.3-98.1
Male	1623	136,342	55	2.4	01.6-03.2	1568	97.6	96.8-98.4
Female	2335	166,546	69	2.2	01.6-02.8	2266	97.8	97.2-98.4
Native	96	12,630	1	0.7	00.0-02.1	95	99.3	97.9-0100
Non-Native	3808	285,958	122	2.4	01.8-03.0	3686	97.6	97.0-98.2
18-24	81	18,003	1	0.6	00.0-01.8	80	99.4	98.2-0100
25-34	259	24,313	4	1.0	00.0-02.0	255	99.0	98.0-0100
35-44	412	40,831	15	3.0	01.4-04.6	397	97.0	95.4-98.6
45-54	707	58,735	26	2.6	01.4-03.8	681	97.4	96.2-98.6
55-64	945	65,861	34	2.7	01.7-03.7	911	97.3	96.3-98.3
65+	1515	92,592	43	2.2	01.4-03.0	1472	97.8	97.0-98.6
Less Than H.S.	295	34,545	8	2.0	00.4-03.6	287	98.0	96.4-99.6
H.S. or G.E.D.	1154	82,230	34	2.3	01.3-03.3	1120	97.7	96.7-98.7
Some Post-H.S.	1255	113,896	38	2.2	01.4-03.0	1217	97.8	97.0-98.6
College Graduate	1251	71,958	44	2.6	01.8-03.4	1207	97.4	96.6-98.2
Less than \$15,000	282	19,073	7	2.0	00.2-03.8	275	98.0	96.2-99.8
\$15,000- 24,999	497	34,230	9	1.6	00.2-03.0	488	98.4	97.0-99.8
\$25,000- 34,999	406	29,507	6	0.7	00.1-01.3	400	99.3	98.7-99.9
\$35,000- 49,999	577	45,151	13	1.5	00.5-02.5	564	98.5	97.5-99.5
\$50,000- 74,999	623	50,774	34	3.8	02.2-05.4	589	96.2	94.6-97.8
\$75,000+	1048	81,849	38	2.6	01.6-03.6	1010	97.4	96.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	136,342	55	2.4	01.6-03.2	1568	97.6	96.8-98.4
Non-Native	1553	128,710	54	2.6	01.8-03.4	1499	97.4	96.6-98.2
25-34	116	9,035	3	1.5	00.0-03.3	113	98.5	96.7-0100
35-44	179	17,857	2	1.0	00.0-02.6	177	99.0	97.4-0100
45-54	320	27,115	14	3.3	01.1-05.5	306	96.7	94.5-98.9
55-64	428	31,869	20	3.6	01.8-05.4	408	96.4	94.6-98.2
65+	533	40,043	15	2.2	00.8-03.6	518	97.8	96.4-99.2
Less Than H.S.	139	19,112	4	2.4	00.0-04.9	135	97.6	95.1-0100
H.S. or G.E.D.	481	38,982	12	1.6	00.6-02.6	469	98.4	97.4-99.4
Some Post-H.S.	492	47,882	17	2.8	01.2-04.4	475	97.2	95.6-98.8
College Graduate	510	30,285	22	3.1	01.7-04.5	488	96.9	95.5-98.3
Less than \$15,000	87	7,336	2	1.9	00.0-04.6	85	98.1	95.4-0100
\$15,000- 24,999	178	15,649	1	1.3	00.0-03.8	177	98.7	96.2-0100
\$25,000- 34,999	157	12,572	3	0.7	00.0-01.7	154	99.3	98.3-0100
\$35,000- 49,999	293	25,392	9	2.1	00.5-03.7	284	97.9	96.3-99.5
\$50,000- 74,999	261	21,832	15	4.4	01.9-06.9	246	95.6	93.1-98.1
\$75,000+	527	41,596	22	2.8	01.6-04.0	505	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2335	166,546	69	2.2	01.6-02.8	2266	97.8	97.2-98.4
Native	60	7,665	1	1.2	00.0-03.6	59	98.8	96.4-0100
Non-Native	2255	157,249	68	2.2	01.6-02.8	2187	97.8	97.2-98.4
25-34	143	15,278	1	0.6	00.0-01.8	142	99.4	98.2-0100
35-44	233	22,974	13	4.6	01.9-07.3	220	95.4	92.7-98.1
45-54	387	31,620	12	2.0	00.6-03.4	375	98.0	96.6-99.4
55-64	517	33,992	14	1.8	00.8-02.8	503	98.2	97.2-99.2
65+	982	52,548	28	2.3	01.3-03.3	954	97.7	96.7-98.7
Less Than H.S.	156	15,433	4	1.5	00.0-03.1	152	98.5	96.9-0100
H.S. or G.E.D.	673	43,248	22	3.0	01.6-04.4	651	97.0	95.6-98.4
Some Post-H.S.	763	66,014	21	1.8	01.0-02.6	742	98.2	97.4-99.0
College Graduate	741	41,673	22	2.3	01.3-03.3	719	97.7	96.7-98.7
Less than \$15,000	195	11,738	5	2.1	00.0-04.3	190	97.9	95.7-0100
\$15,000- 24,999	319	18,581	8	1.9	00.3-03.5	311	98.1	96.5-99.7
\$25,000- 34,999	249	16,935	3	0.7	00.0-01.5	246	99.3	98.5-0100
\$35,000- 49,999	284	19,759	4	0.7	00.0-01.5	280	99.3	98.5-0100
\$50,000- 74,999	362	28,942	19	3.4	01.6-05.2	343	96.6	94.8-98.4
\$75,000+	521	40,253	16	2.5	01.1-03.9	505	97.5	96.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	123	6,914	62	65.8	56.8-74.8	54	31.7	22.9-40.5	7	2.5	00.3-04.7
Male	54	3,290	31	74.2	62.4-86.0	20	22.9	11.7-34.1	3	2.9	00.0-06.6
Female	69	3,624	31	58.1	45.2-71.0	34	39.7	27.0-52.4	4	2.2	00.0-04.4
Non-Native	122	6,819	62	66.7	57.9-75.5	53	30.8	22.2-39.4	7	2.6	00.4-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	54	3,290	31	74.2	62.4-86.0	20	22.9	11.5-34.3	3	2.9	00.0-06.6
Non-Native	54	3,290	31	74.2	62.4-86.0	20	22.9	11.5-34.3	3	2.9	00.0-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	69	3,624	31	58.1	45.4-70.8	34	39.7	27.2-52.2	4	2.2	00.0-04.4
Non-Native	68	3,530	31	59.7	47.0-72.4	33	38.1	25.6-50.6	4	2.2	00.0-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	302,538	3220	78.4	76.6-80.2	738	21.6	19.8-23.4
Male	1623	136,230	1327	77.7	75.0-80.4	296	22.3	19.6-25.0
Female	2335	166,308	1893	79.0	76.8-81.2	442	21.0	18.8-23.2
Native	96	12,630	67	66.4	54.8-78.0	29	33.6	22.0-45.2
Non-Native	3809	285,679	3119	79.2	77.4-81.0	690	20.8	19.0-22.6
18-24	81	18,003	68	74.8	61.9-87.7	13	25.2	12.3-38.1
25-34	258	24,143	231	84.1	78.0-90.2	27	15.9	09.8-22.0
35-44	411	40,679	375	86.6	82.3-90.9	36	13.4	09.1-17.7
45-54	706	58,628	612	84.0	80.7-87.3	94	16.0	12.7-19.3
55-64	946	65,978	807	82.1	79.0-85.2	139	17.9	14.8-21.0
65+	1519	92,731	1101	68.4	65.7-71.1	418	31.6	28.9-34.3
Less Than H.S.	296	34,679	162	52.8	45.7-59.9	134	47.2	40.1-54.3
H.S. or G.E.D.	1155	82,189	867	72.3	69.0-75.6	288	27.7	24.4-31.0
Some Post-H.S.	1255	113,815	1076	85.0	82.6-87.4	179	15.0	12.6-17.4
College Graduate	1250	71,701	1114	87.3	84.9-89.7	136	12.7	10.3-15.1
Less than \$15,000	283	19,100	127	41.6	34.5-48.7	156	58.4	51.3-65.5
\$15,000- 24,999	497	34,230	323	59.1	53.4-64.8	174	40.9	35.2-46.6
\$25,000- 34,999	405	29,399	319	70.8	63.9-77.7	86	29.2	22.3-36.1
\$35,000- 49,999	578	45,190	502	83.3	79.4-87.2	76	16.7	12.8-20.6
\$50,000- 74,999	621	50,527	562	87.7	84.4-91.0	59	12.3	09.0-15.6
\$75,000+	1049	81,923	1002	94.7	93.1-96.3	47	5.3	03.7-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	136,230	1327	77.7	75.0-80.4	296	22.3	19.6-25.0
Non-Native	1553	128,598	1281	78.4	75.7-81.1	272	21.6	18.9-24.3
25-34	115	8,865	102	83.2	74.4-92.0	13	16.8	08.0-25.6
35-44	179	17,857	162	88.2	82.5-93.9	17	11.8	06.1-17.5
45-54	320	27,115	262	79.1	73.8-84.4	58	20.9	15.6-26.2
55-64	428	31,869	358	79.2	74.3-84.1	70	20.8	15.9-25.7
65+	534	40,102	404	70.7	66.0-75.4	130	29.3	24.6-34.0
Less Than H.S.	139	19,112	81	55.5	45.3-65.7	58	44.5	34.3-54.7
H.S. or G.E.D.	481	38,907	369	73.2	67.9-78.5	112	26.8	21.5-32.1
Some Post-H.S.	492	47,882	434	86.7	83.0-90.4	58	13.3	09.6-17.0
College Graduate	510	30,248	442	83.3	79.4-87.2	68	16.7	12.8-20.6
Less than \$15,000	87	7,336	38	43.8	31.5-56.1	49	56.2	43.9-68.5
\$15,000- 24,999	178	15,649	110	59.3	50.1-68.5	68	40.7	31.5-49.9
\$25,000- 34,999	157	12,572	111	61.9	50.7-73.1	46	38.1	26.9-49.3
\$35,000- 49,999	294	25,431	254	82.2	76.5-87.9	40	17.8	12.1-23.5
\$50,000- 74,999	260	21,737	231	85.4	79.9-90.9	29	14.6	09.1-20.1
\$75,000+	526	41,482	496	93.2	90.7-95.7	30	6.8	04.3-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2335	166,308	1893	79.0	76.8-81.2	442	21.0	18.8-23.2
Native	60	7,665	43	65.2	50.5-79.9	17	34.8	20.1-49.5
Non-Native	2256	157,081	1838	80.0	77.8-82.2	418	20.0	17.8-22.2
25-34	143	15,278	129	84.6	76.6-92.6	14	15.4	07.4-23.4
35-44	232	22,822	213	85.4	78.9-91.9	19	14.6	08.1-21.1
45-54	386	31,512	350	88.3	84.2-92.4	36	11.7	07.6-15.8
55-64	518	34,109	449	84.8	81.3-88.3	69	15.2	11.7-18.7
65+	985	52,629	697	66.7	63.2-70.2	288	33.3	29.8-36.8
Less Than H.S.	157	15,567	81	49.6	40.4-58.8	76	50.4	41.2-59.6
H.S. or G.E.D.	674	43,282	498	71.6	67.3-75.9	176	28.4	24.1-32.7
Some Post-H.S.	763	65,933	642	83.8	80.7-86.9	121	16.2	13.1-19.3
College Graduate	740	41,453	672	90.2	87.3-93.1	68	9.8	06.9-12.7
Less than \$15,000	196	11,764	89	40.1	31.7-48.5	107	59.9	51.5-68.3
\$15,000- 24,999	319	18,581	213	59.0	52.1-65.9	106	41.0	34.1-47.9
\$25,000- 34,999	248	16,827	208	77.5	69.5-85.5	40	22.5	14.5-30.5
\$35,000- 49,999	284	19,759	248	84.6	79.1-90.1	36	15.4	09.9-20.9
\$50,000- 74,999	361	28,790	331	89.4	85.3-93.5	30	10.6	06.5-14.7
\$75,000+	523	40,441	506	96.4	94.4-98.4	17	3.6	01.6-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3099	228,610	153	3.6	03.0-04.2	1060	31.9	29.9-33.9	374	12.9	11.5-14.3	560	18.9	17.3-20.5	478	17.7	16.1-19.3	474	15.0	13.4-16.6
Male	1290	102,692	45	2.6	01.8-03.4	367	28.1	25.2-31.0	126	11.3	09.1-13.5	253	19.7	17.3-22.1	255	21.0	18.3-23.7	244	17.3	14.9-19.7
Female	1809	125,918	108	4.4	03.4-05.4	693	35.0	32.5-37.5	248	14.3	12.5-16.1	307	18.2	16.0-20.4	223	14.9	12.9-16.9	230	13.1	11.1-15.1
Native	65	8,147	2	1.3	00.0-03.3	25	40.3	24.0-56.6	9	12.3	03.9-20.7	8	14.2	03.2-25.2	12	20.8	08.5-33.1	9	11.0	02.8-19.2
Non-Native	3002	218,180	148	3.6	03.0-04.2	1025	31.6	29.6-33.6	364	13.0	11.6-14.4	542	18.9	17.3-20.5	461	17.6	16.0-19.2	462	15.2	13.6-16.8
18-24	66	12,839				8	15.8	03.5-28.1	6	11.6	02.2-21.0	6	7.9	01.0-14.8	14	21.3	09.7-32.9	32	43.3	29.6-57.0
25-34	228	19,884	3	1.2	00.0-02.8	32	15.8	10.5-21.1	14	5.8	02.7-08.9	38	20.7	14.2-27.2	57	26.9	20.4-33.4	84	29.5	23.4-35.6
35-44	365	34,303	1	0.2	00.0-00.6	58	16.4	12.3-20.5	47	12.9	09.2-16.6	77	22.1	17.4-26.8	87	26.2	21.1-31.3	95	22.2	17.7-26.7
45-54	596	48,096	7	1.0	00.2-01.8	140	24.9	21.0-28.8	86	14.7	11.6-17.8	121	21.1	17.4-24.8	125	21.9	18.2-25.6	117	16.4	13.3-19.5
55-64	785	52,666	27	3.4	02.0-04.8	283	35.8	32.1-39.5	117	16.3	13.4-19.2	142	19.4	16.3-22.5	114	14.6	11.9-17.3	102	10.4	08.2-12.6
65+	1037	59,692	112	9.2	07.4-11.0	534	52.1	48.8-55.4	103	11.2	09.0-13.4	169	16.3	13.8-18.8	78	8.3	06.3-10.3	41	3.0	02.0-04.0
Less Than H.S.	147	16,908	15	7.4	03.3-11.5	67	41.8	32.6-51.0	17	13.1	06.4-19.8	19	10.7	05.4-16.0	13	12.8	04.8-20.8	16	14.2	06.4-22.0
H.S. or G.E.D.	829	56,992	58	4.6	03.2-06.0	340	37.8	34.1-41.5	95	12.5	10.0-15.0	149	19.3	16.2-22.4	95	13.7	11.0-16.4	92	12.0	09.5-14.5
Some Post-H.S.	1037	93,568	44	3.0	02.0-04.0	340	30.0	26.9-33.1	124	13.0	10.6-15.4	182	18.7	16.0-21.4	165	18.6	15.9-21.3	182	16.7	14.2-19.2
College Graduate	1085	61,061	36	2.5	01.7-03.3	312	26.7	24.0-29.4	138	13.1	10.9-15.3	210	21.0	18.3-23.7	205	21.2	18.5-23.9	184	15.5	13.1-17.9
Less than \$15,000	120	7,397	18	11.0	05.3-16.7	53	42.3	31.1-53.5	8	11.4	02.2-20.6	14	10.4	04.1-16.7	10	10.4	03.1-17.7	17	14.5	05.9-23.1
\$15,000- 24,999	307	19,267	23	5.8	03.3-08.3	160	49.0	41.6-56.4	39	11.7	07.6-15.8	39	14.8	09.5-20.1	22	10.1	05.6-14.6	24	8.6	04.7-12.5
\$25,000- 34,999	308	20,143	18	3.9	01.7-06.1	150	47.8	41.3-54.3	31	11.8	07.5-16.1	55	17.7	12.8-22.6	26	9.3	05.4-13.2	28	9.6	05.7-13.5
\$35,000- 49,999	493	37,236	28	4.6	02.6-06.6	215	41.2	36.3-46.1	52	10.7	07.8-13.6	84	16.4	12.9-19.9	69	17.4	12.9-21.9	45	9.8	06.5-13.1
\$50,000- 74,999	544	42,802	20	2.9	01.5-04.3	167	29.5	25.2-33.8	81	16.2	12.5-19.9	108	22.1	18.0-26.2	77	13.4	10.3-16.5	91	15.9	12.2-19.6
\$75,000+	982	75,995	15	1.2	00.4-02.0	190	18.9	16.2-21.6	124	13.1	10.7-15.5	197	20.6	17.9-23.3	236	26.2	23.1-29.3	220	20.0	17.3-22.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1290	102,692	45	2.6	01.8-03.4	367	28.1	25.2-31.0	126	11.3	09.1-13.5	253	19.7	17.3-22.1	255	21.0	18.3-23.7	244	17.3	14.9-19.7
Non-Native	1246	97,847	45	2.7	01.7-03.7	351	27.3	24.6-30.0	124	11.7	09.5-13.9	245	19.9	17.4-22.4	245	20.9	18.2-23.6	236	17.5	15.1-19.9
25-34	102	7,374				11	12.2	04.8-19.6	6	5.4	01.1-09.7	11	11.2	04.7-17.7	28	30.0	20.4-39.6	46	41.2	31.2-51.2
35-44	157	15,239	1	0.6	00.0-01.8	14	7.9	03.8-12.0	11	6.9	02.8-11.0	40	28.3	20.3-36.3	45	30.5	22.3-38.7	46	25.8	18.5-33.1
45-54	257	21,123	4	1.4	00.0-03.0	46	19.8	14.1-25.5	30	11.5	07.2-15.8	53	21.1	15.6-26.6	63	26.1	19.8-32.4	61	20.1	14.8-25.4
55-64	348	24,487	9	2.7	00.7-04.7	109	31.1	25.8-36.4	42	14.6	10.1-19.1	65	20.6	15.9-25.3	68	18.6	14.3-22.9	55	12.4	08.9-15.9
65+	390	27,201	30	5.6	03.2-08.0	183	49.6	44.1-55.1	33	10.8	07.1-14.5	79	18.7	14.6-22.8	43	11.1	07.8-14.4	22	4.1	02.3-05.9
Less Than H.S.	75	9,925	4	4.1	00.0-08.4	33	40.9	28.2-53.6	10	14.7	05.3-24.1	11	11.6	04.0-19.2	7	14.2	02.8-25.6	10	14.6	04.0-25.2
H.S. or G.E.D.	356	27,286	17	2.8	01.4-04.2	115	31.5	26.2-36.8	35	11.3	07.6-15.0	78	23.2	18.3-28.1	54	16.0	11.7-20.3	57	15.3	11.2-19.4
Some Post-H.S.	426	40,882	13	2.5	01.1-03.9	99	23.1	18.2-28.0	44	12.2	08.5-15.9	80	18.9	14.8-23.0	90	23.1	18.4-27.8	100	20.2	16.1-24.3
College Graduate	432	24,519	11	1.9	00.7-03.1	119	27.2	22.7-31.7	37	8.4	05.7-11.1	84	20.3	16.2-24.4	104	26.1	21.6-30.6	77	16.0	12.3-19.7
\$15,000- 24,999	104	8,677	6	3.9	00.4-07.4	48	46.7	33.2-60.2	10	9.7	03.4-16.0	18	18.5	09.1-27.9	12	12.9	05.3-20.5	10	8.4	02.1-14.7
\$25,000- 34,999	107	7,440	6	3.2	00.5-05.9	51	49.8	39.2-60.4	10	9.7	03.6-15.8	21	20.5	11.9-29.1	7	6.1	01.4-10.8	12	10.7	04.4-17.0
\$35,000- 49,999	251	20,771	12	3.3	01.1-05.5	99	39.2	32.3-46.1	20	8.3	04.6-12.0	46	17.4	12.3-22.5	43	19.5	13.0-26.0	31	12.2	07.3-17.1
\$50,000- 74,999	225	18,097	6	1.7	00.3-03.1	50	21.6	15.7-27.5	34	18.0	11.5-24.5	49	22.8	16.5-29.1	39	14.5	09.8-19.2	47	21.4	14.7-28.1
\$75,000+	488	38,083	6	1.4	00.2-02.6	85	16.4	12.9-19.9	43	10.2	06.9-13.5	95	19.4	15.7-23.1	137	31.1	26.4-35.8	122	21.5	17.6-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1809	125,918	108	4.4	03.4-05.4	693	35.0	32.5-37.5	248	14.3	12.5-16.1	307	18.2	16.0-20.4	223	14.9	12.9-16.9	230	13.1	11.1-15.1
Non-Native	1756	120,333	103	4.3	03.3-05.3	674	35.1	32.6-37.6	240	14.1	12.3-15.9	297	18.1	15.9-20.3	216	15.0	12.8-17.2	226	13.4	11.4-15.4
25-34	126	12,511	3	2.0	00.0-04.4	21	17.9	10.6-25.2	8	6.1	01.8-10.4	27	26.3	17.1-35.5	29	25.1	16.7-33.5	38	22.6	15.3-29.9
35-44	208	19,064				44	23.1	16.6-29.6	36	17.7	12.0-23.4	37	17.1	11.8-22.4	42	22.8	16.3-29.3	49	19.3	13.8-24.8
45-54	339	26,973	3	0.7	00.0-01.5	94	28.9	23.4-34.4	56	17.2	12.7-21.7	68	21.2	16.3-26.1	62	18.6	14.1-23.1	56	13.5	09.8-17.2
55-64	437	28,179	18	4.0	02.0-06.0	174	39.9	34.8-45.0	75	17.8	13.9-21.7	77	18.4	14.3-22.5	46	11.1	07.8-14.4	47	8.7	06.0-11.4
65+	647	32,491	82	12.1	09.4-14.8	351	54.2	49.9-58.5	70	11.5	08.8-14.2	90	14.2	11.1-17.3	35	5.9	03.9-07.9	19	2.0	01.0-03.0
Less Than H.S.	72	6,983	11	12.0	04.6-19.4	34	43.1	30.0-56.2	7	10.9	01.7-20.1	8	9.5	02.2-16.8	6	10.9	00.3-21.5	6	13.6	02.2-25.0
H.S. or G.E.D.	473	29,707	41	6.3	04.1-08.5	225	43.5	38.4-48.6	60	13.7	10.2-17.2	71	15.8	11.9-19.7	41	11.7	08.0-15.4	35	8.9	05.6-12.2
Some Post-H.S.	611	52,686	31	3.5	02.1-04.9	241	35.3	31.2-39.4	80	13.6	10.7-16.5	102	18.6	14.9-22.3	75	15.2	11.7-18.7	82	14.0	10.7-17.3
College Graduate	653	36,542	25	2.8	01.6-04.0	193	26.3	22.8-29.8	101	16.3	13.2-19.4	126	21.4	17.9-24.9	101	18.0	14.7-21.3	107	15.2	12.3-18.1
Less than \$15,000	86	4,587	15	13.2	05.9-20.5	39	45.7	32.6-58.8	5	7.5	00.1-14.9	9	8.0	02.3-13.7	8	14.7	03.9-25.5	10	10.9	03.5-18.3
\$15,000- 24,999	203	10,590	17	7.4	03.7-11.1	112	50.8	42.6-59.0	29	13.4	07.9-18.9	21	11.7	06.0-17.4	10	7.9	02.6-13.2	14	8.7	03.8-13.6
\$25,000- 34,999	201	12,703	12	4.2	01.3-07.1	99	46.5	38.3-54.7	21	13.0	07.1-18.9	34	16.1	10.0-22.2	19	11.1	05.4-16.8	16	9.0	04.1-13.9
\$35,000- 49,999	242	16,465	16	6.4	03.1-09.7	116	43.6	36.5-50.7	32	13.6	08.7-18.5	38	15.1	10.0-20.2	26	14.6	09.1-20.1	14	6.7	02.4-11.0
\$50,000- 74,999	319	24,706	14	3.8	01.6-06.0	117	35.3	29.4-41.2	47	14.9	10.4-19.4	59	21.6	16.1-27.1	38	12.5	08.4-16.6	44	11.9	07.8-16.0
\$75,000+	494	37,913	9	1.1	00.3-01.9	105	21.4	17.5-25.3	81	16.1	12.6-19.6	102	21.8	17.7-25.9	99	21.2	17.1-25.3	98	18.4	14.7-22.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4851	535,203	3783	71.1	69.3-72.9	931	24.6	22.8-26.4	137	4.3	03.3-05.3
Male	2132	269,669	1672	69.3	66.6-72.0	389	25.4	22.9-27.9	71	5.3	03.7-06.9
Female	2719	265,534	2111	72.9	70.4-75.4	542	23.9	21.5-26.3	66	3.2	02.2-04.2
18-24	246	78,373	78	31.1	24.6-37.6	121	53.1	46.2-60.0	47	15.8	11.1-20.5
25-34	519	93,317	324	58.1	53.0-63.2	171	37.1	32.0-42.2	24	4.8	02.4-07.2
35-44	547	76,198	449	75.5	70.6-80.4	92	22.9	18.2-27.6	6	1.6	00.0-03.4
45-54	860	91,156	734	85.4	82.5-88.3	117	13.2	10.3-16.1	9	1.4	00.4-02.4
55-64	1059	87,198	929	87.6	85.1-90.1	110	10.4	08.0-12.8	20	2.0	01.0-03.0
65+	1580	105,480	1238	82.6	80.4-84.8	312	15.8	13.6-18.0	30	1.6	00.8-02.4
Less Than H.S.	337	52,448	210	58.2	50.9-65.5	109	33.8	26.5-41.1	18	8.0	03.3-12.7
H.S. or G.E.D.	1402	145,176	1048	68.7	65.2-72.2	304	25.5	22.2-28.8	50	5.8	03.8-07.8
Some Post-H.S.	1555	208,529	1216	72.3	69.2-75.4	298	24.2	21.1-27.3	41	3.5	02.1-04.9
College Graduate	1554	128,383	1308	77.3	74.4-80.2	218	20.3	17.4-23.2	28	2.4	01.2-03.6
Less than \$15,000	346	39,779	154	36.8	29.7-43.9	174	57.3	49.9-64.7	18	5.9	02.4-09.4
\$15,000- 24,999	609	65,853	378	54.2	48.5-59.9	198	37.9	32.4-43.4	33	7.9	04.8-11.0
\$25,000- 34,999	503	55,909	347	56.4	50.1-62.7	141	37.9	31.6-44.2	15	5.7	02.2-09.2
\$35,000- 49,999	714	79,891	571	72.8	68.1-77.5	130	24.9	20.4-29.4	13	2.2	00.6-03.8
\$50,000- 74,999	751	81,212	661	85.0	81.3-88.7	83	13.3	09.8-16.8	7	1.8	00.2-03.4
\$75,000+	1318	144,588	1226	88.1	85.2-91.0	75	10.0	07.3-12.7	17	1.9	00.9-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2132	269,669	1672	69.3	66.6-72.0	389	25.4	22.9-27.9	71	5.3	03.7-06.9
18-24	123	42,267	32	28.5	19.3-37.7	62	52.2	42.4-62.0	29	19.2	11.9-26.5
25-34	272	49,485	162	54.7	47.4-62.0	96	40.0	32.9-47.1	14	5.3	02.0-08.6
35-44	260	39,881	206	70.8	63.4-78.2	50	26.6	19.5-33.7	4	2.6	00.0-05.9
45-54	406	45,833	346	84.6	80.1-89.1	54	13.4	09.1-17.7	6	2.0	00.0-04.0
55-64	496	44,659	435	86.9	83.2-90.6	50	10.7	07.2-14.2	11	2.3	00.7-03.9
65+	564	46,524	483	88.4	85.5-91.3	74	10.3	07.6-13.0	7	1.3	00.1-02.5
Less Than H.S.	170	32,648	111	59.0	49.2-68.8	47	29.8	20.6-39.0	12	11.2	04.1-18.3
H.S. or G.E.D.	649	81,985	493	67.4	62.3-72.5	126	25.6	20.9-30.3	30	7.0	04.1-09.9
Some Post-H.S.	655	96,891	518	71.9	67.2-76.6	121	25.0	20.3-29.7	16	3.1	01.3-04.9
College Graduate	656	57,662	549	74.0	69.1-78.9	94	22.6	17.9-27.3	13	3.4	01.2-05.6
Less than \$15,000	120	17,464	50	33.6	23.0-44.2	57	54.7	43.1-66.3	13	11.7	04.1-19.3
\$15,000- 24,999	235	32,680	144	54.3	45.9-62.7	74	38.3	29.9-46.7	17	7.4	03.1-11.7
\$25,000- 34,999	211	28,303	143	52.6	43.0-62.2	57	37.3	27.7-46.9	11	10.0	03.3-16.7
\$35,000- 49,999	374	46,286	298	72.5	66.2-78.8	66	24.4	18.3-30.5	10	3.1	00.7-05.5
\$50,000- 74,999	342	41,316	295	81.9	76.2-87.6	44	16.0	10.7-21.3	3	2.1	00.0-04.6
\$75,000+	695	80,050	631	83.5	79.0-88.0	54	14.1	09.8-18.4	10	2.5	00.9-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	265,534	2111	72.9	70.5-75.3	542	23.9	21.5-26.3	66	3.2	02.2-04.2
18-24	123	36,106	46	34.1	24.9-43.3	59	54.1	44.5-63.7	18	11.8	05.9-17.7
25-34	247	43,833	162	61.9	54.6-69.2	75	33.8	26.7-40.9	10	4.3	01.2-07.4
35-44	287	36,317	243	80.6	74.5-86.7	42	18.8	12.7-24.9	2	0.6	00.0-01.6
45-54	454	45,323	388	86.3	82.4-90.2	63	13.0	09.1-16.9	3	0.7	00.0-01.7
55-64	563	42,540	494	88.4	85.1-91.7	60	10.0	06.9-13.1	9	1.7	00.3-03.1
65+	1016	58,957	755	78.0	74.9-81.1	238	20.1	17.2-23.0	23	1.9	00.9-02.9
Less Than H.S.	167	19,800	99	57.0	46.4-67.6	62	40.3	29.5-51.1	6	2.6	00.0-05.3
H.S. or G.E.D.	753	63,191	555	70.4	65.7-75.1	178	25.4	20.9-29.9	20	4.2	01.8-06.6
Some Post-H.S.	900	111,638	698	72.6	68.5-76.7	177	23.6	19.5-27.7	25	3.8	01.8-05.8
College Graduate	898	70,721	759	80.1	76.4-83.8	124	18.4	14.9-21.9	15	1.6	00.6-02.6
Less than \$15,000	226	22,315	104	39.3	29.9-48.7	117	59.4	49.8-69.0	5	1.3	00.0-02.7
\$15,000- 24,999	374	33,173	234	54.1	46.7-61.5	124	37.4	30.0-44.8	16	8.4	03.5-13.3
\$25,000- 34,999	292	27,607	204	60.3	52.5-68.1	84	38.5	30.7-46.3	4	1.1	00.0-02.7
\$35,000- 49,999	340	33,605	273	73.4	66.5-80.3	64	25.6	18.9-32.3	3	1.0	00.0-02.8
\$50,000- 74,999	409	39,896	366	88.2	83.5-92.9	39	10.4	05.9-14.9	4	1.4	00.0-03.4
\$75,000+	623	64,539	595	93.8	90.9-96.7	21	5.0	02.5-07.5	7	1.2	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4879	540,271	2145	50.3	48.3-52.3	2734	49.7	47.7-51.7
Native	126	24,600	54	52.8	41.4-64.2	72	47.2	35.8-58.6
Non-Native	4687	507,782	2053	50.1	48.1-52.1	2634	49.9	47.9-51.9
18-24	253	80,808	125	53.0	46.1-59.9	128	47.0	40.1-53.9
25-34	520	93,489	273	53.1	48.0-58.2	247	46.9	41.8-52.0
35-44	551	77,332	263	52.3	47.2-57.4	288	47.7	42.6-52.8
45-54	864	91,658	410	50.6	46.5-54.7	454	49.4	45.3-53.5
55-64	1062	87,528	497	51.2	47.5-54.9	565	48.8	45.1-52.5
65+	1586	105,778	566	44.1	41.0-47.2	1020	55.9	52.8-59.0
Less Than H.S.	339	53,047	170	61.5	54.8-68.2	169	38.5	31.8-45.2
H.S. or G.E.D.	1413	147,251	658	56.8	53.5-60.1	755	43.2	39.9-46.5
Some Post-H.S.	1560	209,702	655	46.2	42.9-49.5	905	53.8	50.5-57.1
College Graduate	1561	128,923	660	45.1	42.0-48.2	901	54.9	51.8-58.0
Less than \$15,000	350	40,590	122	43.5	35.9-51.1	228	56.5	48.9-64.1
\$15,000- 24,999	610	65,885	236	49.7	44.0-55.4	374	50.3	44.6-56.0
\$25,000- 34,999	504	55,988	212	50.7	44.6-56.8	292	49.3	43.2-55.4
\$35,000- 49,999	715	80,216	375	58.1	53.4-62.8	340	41.9	37.2-46.6
\$50,000- 74,999	752	81,714	342	50.6	46.1-55.1	410	49.4	44.9-53.9
\$75,000+	1322	145,410	697	55.2	51.7-58.7	625	44.8	41.3-48.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	659	117,810	35	5.8	03.6-08.0	624	94.2	92.0-96.4
Non-Native	628	109,495	34	6.0	03.6-08.4	594	94.0	91.6-96.4
18-24	127	37,566	7	5.5	01.4-09.6	120	94.5	90.4-98.6
25-34	246	43,589	25	10.0	05.5-14.5	221	90.0	85.5-94.5
35-44	286	36,655	3	1.2	00.0-02.8	283	98.8	97.2-0100
H.S. or G.E.D.	117	23,046	9	10.7	03.8-17.6	108	89.3	82.4-96.2
Some Post-H.S.	226	53,086	10	3.9	01.2-06.6	216	96.1	93.4-98.8
College Graduate	302	36,642	15	4.8	02.1-07.5	287	95.2	92.5-97.9
\$15,000- 24,999	57	13,426	2	3.4	00.0-08.1	55	96.6	91.9-0100
\$25,000- 34,999	59	11,238	3	3.9	00.0-09.2	56	96.1	90.8-0100
\$35,000- 49,999	83	15,339	5	5.9	00.0-11.8	78	94.1	88.2-0100
\$50,000- 74,999	122	17,302	10	9.4	02.1-16.7	112	90.6	83.3-97.9
\$75,000+	215	32,039	10	5.7	01.8-09.6	205	94.3	90.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 8: DISABILITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	146
2	MALES ONLY	147
3	FEMALES ONLY	148
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	149
5	MALES ONLY	150
6	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4829	533,154	943	16.2	14.8-17.6	3886	83.8	82.4-85.2
Male	2115	267,655	382	15.7	13.7-17.7	1733	84.3	82.3-86.3
Female	2714	265,498	561	16.8	15.0-18.6	2153	83.2	81.4-85.0
Native	121	24,056	27	20.1	10.9-29.3	94	79.9	70.7-89.1
Non-Native	4644	501,645	907	16.2	14.8-17.6	3737	83.8	82.4-85.2
18-24	248	79,006	18	7.4	03.9-10.9	230	92.6	89.1-96.1
25-34	515	92,252	47	8.9	05.8-12.0	468	91.1	88.0-94.2
35-44	547	76,787	57	12.8	08.9-16.7	490	87.2	83.3-91.1
45-54	859	91,052	132	16.0	12.9-19.1	727	84.0	80.9-87.1
55-64	1049	86,384	246	23.4	20.3-26.5	803	76.6	73.5-79.7
65+	1570	104,099	440	26.6	24.1-29.1	1130	73.4	70.9-75.9
Less Than H.S.	334	52,179	111	28.5	22.2-34.8	223	71.5	65.2-77.8
H.S. or G.E.D.	1397	145,127	271	15.5	13.1-17.9	1126	84.5	82.1-86.9
Some Post-H.S.	1544	207,127	315	16.1	13.9-18.3	1229	83.9	81.7-86.1
College Graduate	1548	127,371	245	12.3	10.3-14.3	1303	87.7	85.7-89.7
Less than \$15,000	346	39,977	172	35.9	29.2-42.6	174	64.1	57.4-70.8
\$15,000- 24,999	602	65,081	156	23.1	18.4-27.8	446	76.9	72.2-81.6
\$25,000- 34,999	496	55,383	101	17.4	13.1-21.7	395	82.6	78.3-86.9
\$35,000- 49,999	709	79,568	114	12.1	09.6-14.6	595	87.9	85.4-90.4
\$50,000- 74,999	748	81,455	123	14.3	11.2-17.4	625	85.7	82.6-88.8
\$75,000+	1315	144,578	143	10.7	08.3-13.1	1172	89.3	86.9-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2115	267,655	382	15.7	13.7-17.7	1733	84.3	82.3-86.3
Native	51	12,765	14	21.9	08.0-35.8	37	78.1	64.2-92.0
Non-Native	2027	250,638	362	15.5	13.5-17.5	1665	84.5	82.5-86.5
18-24	123	42,169	8	6.3	01.4-11.2	115	93.7	88.8-98.6
25-34	270	49,071	27	10.6	05.9-15.3	243	89.4	84.7-94.1
35-44	259	39,932	23	12.0	06.3-17.7	236	88.0	82.3-93.7
45-54	407	45,940	61	15.5	11.2-19.8	346	84.5	80.2-88.8
55-64	490	44,197	113	25.1	20.0-30.2	377	74.9	69.8-80.0
65+	556	45,411	148	24.1	20.0-28.2	408	75.9	71.8-80.0
Less Than H.S.	166	32,034	47	27.4	18.6-36.2	119	72.6	63.8-81.4
H.S. or G.E.D.	646	82,326	110	13.9	10.8-17.0	536	86.1	83.0-89.2
Some Post-H.S.	647	95,675	120	14.8	11.7-17.9	527	85.2	82.1-88.3
College Graduate	654	57,136	105	13.3	10.2-16.4	549	86.7	83.6-89.8
Less than \$15,000	118	17,063	57	34.8	24.4-45.2	61	65.2	54.8-75.6
\$15,000- 24,999	232	32,433	63	23.7	16.4-31.0	169	76.3	69.0-83.6
\$25,000- 34,999	207	27,918	45	17.6	11.1-24.1	162	82.4	75.9-88.9
\$35,000- 49,999	371	46,019	59	12.3	08.6-16.0	312	87.7	84.0-91.4
\$50,000- 74,999	340	41,176	53	13.7	09.2-18.2	287	86.3	81.8-90.8
\$75,000+	691	79,573	70	10.6	07.3-13.9	621	89.4	86.1-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	265,498	561	16.8	15.0-18.6	2153	83.2	81.4-85.0
Native	70	11,290	13	18.0	06.0-30.0	57	82.0	70.0-94.0
Non-Native	2617	251,007	545	16.9	15.1-18.7	2072	83.1	81.3-84.9
18-24	125	36,836	10	8.6	03.3-13.9	115	91.4	86.1-96.7
25-34	245	43,181	20	7.0	03.3-10.7	225	93.0	89.3-96.7
35-44	288	36,855	34	13.7	08.4-19.0	254	86.3	81.0-91.6
45-54	452	45,111	71	16.5	12.0-21.0	381	83.5	79.0-88.0
55-64	559	42,188	133	21.6	17.7-25.5	426	78.4	74.5-82.3
65+	1014	58,688	292	28.6	25.3-31.9	722	71.4	68.1-74.7
Less Than H.S.	168	20,145	64	30.2	21.8-38.6	104	69.8	61.4-78.2
H.S. or G.E.D.	751	62,802	161	17.6	14.3-20.9	590	82.4	79.1-85.7
Some Post-H.S.	897	111,452	195	17.3	14.2-20.4	702	82.7	79.6-85.8
College Graduate	894	70,235	140	11.6	09.2-14.0	754	88.4	86.0-90.8
Less than \$15,000	228	22,914	115	36.7	27.9-45.5	113	63.3	54.5-72.1
\$15,000- 24,999	370	32,648	93	22.5	16.2-28.8	277	77.5	71.2-83.8
\$25,000- 34,999	289	27,465	56	17.2	11.7-22.7	233	82.8	77.3-88.3
\$35,000- 49,999	338	33,549	55	11.9	08.4-15.4	283	88.1	84.6-91.6
\$50,000- 74,999	408	40,280	70	14.9	10.6-19.2	338	85.1	80.8-89.4
\$75,000+	624	65,005	73	10.9	07.8-14.0	551	89.1	86.0-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4842	533,069	418	5.8	05.0-06.6	4424	94.2	93.4-95.0
Male	2126	267,809	149	5.0	04.0-06.0	1977	95.0	94.0-96.0
Female	2716	265,259	269	6.7	05.7-07.7	2447	93.3	92.3-94.3
Native	124	24,277	16	11.7	04.3-19.1	108	88.3	80.9-95.7
Non-Native	4654	501,338	398	5.6	04.8-06.4	4256	94.4	93.6-95.2
18-24	244	77,402	3	0.7	00.0-01.7	241	99.3	98.3-0100
25-34	516	92,698	5	0.7	00.0-01.5	511	99.3	98.5-0100
35-44	548	76,873	15	4.1	01.6-06.6	533	95.9	93.4-98.4
45-54	857	90,893	30	3.6	02.0-05.2	827	96.4	94.8-98.0
55-64	1056	87,041	72	6.6	04.6-08.6	984	93.4	91.4-95.4
65+	1580	104,606	288	16.3	14.1-18.5	1292	83.7	81.5-85.9
Less Than H.S.	335	52,254	65	13.3	09.2-17.4	270	86.7	82.6-90.8
H.S. or G.E.D.	1403	145,065	133	5.8	04.6-07.0	1270	94.2	93.0-95.4
Some Post-H.S.	1545	206,951	136	5.5	04.3-06.7	1409	94.5	93.3-95.7
College Graduate	1553	127,450	84	3.3	02.5-04.1	1469	96.7	95.9-97.5
Less than \$15,000	347	39,913	98	17.0	12.7-21.3	249	83.0	78.7-87.3
\$15,000- 24,999	607	65,471	96	10.5	07.6-13.4	511	89.5	86.6-92.4
\$25,000- 34,999	501	55,720	44	6.2	03.8-08.6	457	93.8	91.4-96.2
\$35,000- 49,999	713	79,731	47	5.0	03.4-06.6	666	95.0	93.4-96.6
\$50,000- 74,999	747	80,695	33	3.1	01.7-04.5	714	96.9	95.5-98.3
\$75,000+	1316	144,789	23	0.9	00.5-01.3	1293	99.1	98.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2126	267,809	149	5.0	04.0-06.0	1977	95.0	94.0-96.0
Native	54	12,987	10	14.3	02.9-25.7	44	85.7	74.3-97.1
Non-Native	2035	250,570	135	4.5	03.5-05.5	1900	95.5	94.5-96.5
18-24	120	40,886	1	0.1	00.0-00.3	119	99.9	99.7-0100
25-34	272	49,564	4	1.3	00.0-02.9	268	98.7	97.1-0100
35-44	260	40,018	10	5.5	01.4-09.6	250	94.5	90.4-98.6
45-54	407	45,940	16	3.5	01.5-05.5	391	96.5	94.5-98.5
55-64	494	44,586	33	7.0	03.9-10.1	461	93.0	89.9-96.1
65+	563	45,880	82	11.6	08.9-14.3	481	88.4	85.7-91.1
Less Than H.S.	167	32,110	17	9.2	03.9-14.5	150	90.8	85.5-96.1
H.S. or G.E.D.	652	82,317	51	4.7	03.1-06.3	601	95.3	93.7-96.9
Some Post-H.S.	649	95,754	48	4.9	03.1-06.7	601	95.1	93.3-96.9
College Graduate	656	57,145	33	3.0	01.8-04.2	623	97.0	95.8-98.2
Less than \$15,000	120	17,046	26	12.3	06.8-17.8	94	87.7	82.2-93.2
\$15,000- 24,999	235	32,620	32	8.0	04.1-11.9	203	92.0	88.1-95.9
\$25,000- 34,999	210	28,171	20	6.6	02.9-10.3	190	93.4	89.7-97.1
\$35,000- 49,999	373	46,126	23	5.1	02.7-07.5	350	94.9	92.5-97.3
\$50,000- 74,999	340	40,781	18	3.4	01.4-05.4	322	96.6	94.6-98.6
\$75,000+	692	79,783	16	1.2	00.6-01.8	676	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	265,259	269	6.7	05.7-07.7	2447	93.3	92.3-94.3
Native	70	11,290	6	8.7	00.0-18.1	64	91.3	81.9-0100
Non-Native	2619	250,768	263	6.7	05.7-07.7	2356	93.3	92.3-94.3
18-24	124	36,516	2	1.4	00.0-03.4	122	98.6	96.6-0100
25-34	244	43,134	1	0.1	00.0-00.3	243	99.9	99.7-0100
35-44	288	36,855	5	2.6	00.0-05.5	283	97.4	94.5-0100
45-54	450	44,952	14	3.7	01.3-06.1	436	96.3	93.9-98.7
55-64	562	42,455	39	6.2	03.8-08.6	523	93.8	91.4-96.2
65+	1017	58,726	206	20.0	17.1-22.9	811	80.0	77.1-82.9
Less Than H.S.	168	20,145	48	19.8	13.1-26.5	120	80.2	73.5-86.9
H.S. or G.E.D.	751	62,748	82	7.1	05.1-09.1	669	92.9	90.9-94.9
Some Post-H.S.	896	111,197	88	6.1	04.3-07.9	808	93.9	92.1-95.7
College Graduate	897	70,305	51	3.5	02.3-04.7	846	96.5	95.3-97.7
Less than \$15,000	227	22,867	72	20.6	14.5-26.7	155	79.4	73.3-85.5
\$15,000- 24,999	372	32,851	64	12.9	08.4-17.4	308	87.1	82.6-91.6
\$25,000- 34,999	291	27,549	24	5.9	03.0-08.8	267	94.1	91.2-97.0
\$35,000- 49,999	340	33,605	24	4.8	02.6-07.0	316	95.2	93.0-97.4
\$50,000- 74,999	407	39,913	15	2.8	00.8-04.8	392	97.2	95.2-99.2
\$75,000+	624	65,005	7	0.5	00.1-00.9	617	99.5	99.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	156
5	MALES ONLY	157
6	FEMALES ONLY	158
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	159
8	MALES ONLY	160
9	FEMALES ONLY	161
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	162
11	MALES ONLY	163
12	FEMALES ONLY	164
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	165
14	MALES ONLY	166
15	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4821	531,606	2180	45.9	43.9-47.9	2641	54.1	52.1-56.1
Male	2117	267,499	1112	51.6	48.9-54.3	1005	48.4	45.7-51.1
Female	2704	264,107	1068	40.1	37.6-42.6	1636	59.9	57.4-62.4
Native	123	24,237	85	62.4	50.4-74.4	38	37.6	25.6-49.6
Non-Native	4635	499,996	2067	45.0	43.0-47.0	2568	55.0	53.0-57.0
18-24	245	77,848	63	26.7	20.6-32.8	182	73.3	67.2-79.4
25-34	512	92,205	220	49.8	44.5-55.1	292	50.2	44.9-55.5
35-44	546	76,662	220	48.5	43.2-53.8	326	51.5	46.2-56.8
45-54	854	90,485	371	46.7	42.6-50.8	483	53.3	49.2-57.4
55-64	1054	86,955	510	49.6	45.9-53.3	544	50.4	46.7-54.1
65+	1571	104,061	783	51.6	48.7-54.5	788	48.4	45.5-51.3
Less Than H.S.	333	51,860	196	63.8	56.9-70.7	137	36.2	29.3-43.1
H.S. or G.E.D.	1392	144,444	765	54.4	50.9-57.9	627	45.6	42.1-49.1
Some Post-H.S.	1540	206,602	734	46.2	42.9-49.5	806	53.8	50.5-57.1
College Graduate	1550	127,352	483	28.9	26.2-31.6	1067	71.1	68.4-73.8
Less than \$15,000	347	40,104	197	51.0	43.2-58.8	150	49.0	41.2-56.8
\$15,000- 24,999	601	65,068	313	52.5	46.8-58.2	288	47.5	41.8-53.2
\$25,000- 34,999	499	55,611	265	55.2	49.1-61.3	234	44.8	38.7-50.9
\$35,000- 49,999	707	78,936	343	49.3	44.4-54.2	364	50.7	45.8-55.6
\$50,000- 74,999	745	80,552	324	44.2	39.7-48.7	421	55.8	51.3-60.3
\$75,000+	1314	144,650	500	39.7	36.2-43.2	814	60.3	56.8-63.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2117	267,499	1112	51.6	48.9-54.3	1005	48.4	45.7-51.1
Native	54	12,987	34	56.9	39.8-74.0	20	43.1	26.0-60.2
Non-Native	2026	250,260	1060	51.2	48.3-54.1	966	48.8	45.9-51.7
18-24	122	41,693	41	33.8	24.6-43.0	81	66.2	57.0-75.4
25-34	270	49,438	129	55.3	48.2-62.4	141	44.7	37.6-51.8
35-44	258	39,807	107	48.8	41.2-56.4	151	51.2	43.6-58.8
45-54	405	45,592	192	49.5	43.6-55.4	213	50.5	44.6-56.4
55-64	495	44,685	262	54.6	49.1-60.1	233	45.4	39.9-50.9
65+	559	45,516	378	66.1	61.4-70.8	181	33.9	29.2-38.6
Less Than H.S.	165	31,715	124	74.9	66.3-83.5	41	25.1	16.5-33.7
H.S. or G.E.D.	647	82,310	395	56.8	51.7-61.9	252	43.2	38.1-48.3
Some Post-H.S.	647	95,529	349	51.1	46.2-56.0	298	48.9	44.0-53.8
College Graduate	656	57,461	243	32.6	28.3-36.9	413	67.4	63.1-71.7
Less than \$15,000	120	17,259	80	60.9	49.1-72.7	40	39.1	27.3-50.9
\$15,000- 24,999	231	32,283	138	53.6	45.0-62.2	93	46.4	37.8-55.0
\$25,000- 34,999	210	28,171	138	63.9	54.7-73.1	72	36.1	26.9-45.3
\$35,000- 49,999	372	45,862	216	58.4	51.9-64.9	156	41.6	35.1-48.1
\$50,000- 74,999	339	40,701	161	48.6	41.7-55.5	178	51.4	44.5-58.3
\$75,000+	691	79,702	301	42.2	37.5-46.9	390	57.8	53.1-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2704	264,107	1068	40.1	37.6-42.6	1636	59.9	57.4-62.4
Native	69	11,250	51	68.7	52.4-85.0	18	31.3	15.0-47.6
Non-Native	2609	249,736	1007	38.8	36.3-41.3	1602	61.2	58.7-63.7
18-24	123	36,155	22	18.6	11.2-26.0	101	81.4	74.0-88.8
25-34	242	42,767	91	43.5	35.9-51.1	151	56.5	48.9-64.1
35-44	288	36,855	113	48.2	40.9-55.5	175	51.8	44.5-59.1
45-54	449	44,893	179	43.9	38.2-49.6	270	56.1	50.4-61.8
55-64	559	42,270	248	44.3	39.4-49.2	311	55.7	50.8-60.6
65+	1012	58,546	405	40.3	36.6-44.0	607	59.7	56.0-63.4
Less Than H.S.	168	20,145	72	46.3	35.9-56.7	96	53.7	43.3-64.1
H.S. or G.E.D.	745	62,134	370	51.3	46.4-56.2	375	48.7	43.8-53.6
Some Post-H.S.	893	111,072	385	41.9	37.6-46.2	508	58.1	53.8-62.4
College Graduate	894	69,891	240	25.9	22.2-29.6	654	74.1	70.4-77.8
Less than \$15,000	227	22,845	117	43.5	33.5-53.5	110	56.5	46.5-66.5
\$15,000- 24,999	370	32,784	175	51.4	44.0-58.8	195	48.6	41.2-56.0
\$25,000- 34,999	289	27,439	127	46.1	38.3-53.9	162	53.9	46.1-61.7
\$35,000- 49,999	335	33,074	127	36.7	29.6-43.8	208	63.3	56.2-70.4
\$50,000- 74,999	406	39,851	163	39.7	33.8-45.6	243	60.3	54.4-66.2
\$75,000+	623	64,948	199	36.5	31.4-41.6	424	63.5	58.4-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2176	243,818	589	33.8	31.1-36.5	209	12.5	10.3-14.7	1378	53.7	51.0-56.4
Male	1112	138,113	303	32.6	28.9-36.3	104	13.1	10.2-16.0	705	54.2	50.3-58.1
Female	1064	105,705	286	35.3	31.2-39.4	105	11.6	08.7-14.5	673	53.1	49.0-57.2
Native	85	15,115	37	44.5	31.0-58.0	17	29.5	16.2-42.8	31	26.0	15.0-37.0
Non-Native	2063	224,787	544	32.9	30.2-35.6	189	11.5	09.5-13.5	1330	55.7	52.8-58.6
18-24	63	20,802	34	53.8	40.5-67.1	19	30.0	17.8-42.2	10	16.3	05.9-26.7
25-34	219	45,828	87	43.1	35.3-50.9	40	20.0	13.5-26.5	92	36.9	29.5-44.3
35-44	220	37,199	83	41.1	33.1-49.1	25	11.7	06.2-17.2	112	47.1	39.1-55.1
45-54	370	42,189	150	42.5	36.2-48.8	33	9.0	05.5-12.5	187	48.5	42.2-54.8
55-64	510	43,115	135	28.2	23.1-33.3	50	8.6	05.9-11.3	325	63.1	57.8-68.4
65+	781	53,556	98	10.9	08.5-13.3	42	5.9	03.7-08.1	641	83.2	80.3-86.1
Less Than H.S.	195	33,011	70	46.1	36.7-55.5	15	6.1	02.4-09.8	110	47.8	38.6-57.0
H.S. or G.E.D.	763	78,450	226	38.1	33.4-42.8	81	13.3	09.8-16.8	456	48.6	44.1-53.1
Some Post-H.S.	733	95,276	195	30.6	26.1-35.1	76	14.2	10.3-18.1	462	55.3	50.6-60.0
College Graduate	483	36,818	97	21.5	16.6-26.4	37	12.2	07.7-16.7	349	66.3	60.6-72.0
Less than \$15,000	196	20,421	83	45.6	35.6-55.6	25	17.2	08.8-25.6	88	37.3	27.9-46.7
\$15,000- 24,999	313	34,152	94	40.9	33.1-48.7	27	9.1	04.2-14.0	192	50.0	42.4-57.6
\$25,000- 34,999	264	30,568	78	38.2	29.8-46.6	25	11.9	06.2-17.6	161	49.9	41.5-58.3
\$35,000- 49,999	343	38,937	75	25.8	19.3-32.3	36	15.4	09.3-21.5	232	58.9	51.6-66.2
\$50,000- 74,999	324	35,589	95	35.4	28.7-42.1	27	9.7	05.4-14.0	202	55.0	48.1-61.9
\$75,000+	499	57,252	107	26.8	21.5-32.1	47	12.5	08.2-16.8	345	60.7	55.0-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1112	138,113	303	32.6	28.9-36.3	104	13.1	10.2-16.0	705	54.2	50.3-58.1
Non-Native	1060	128,218	283	32.3	28.6-36.0	95	12.0	09.3-14.7	682	55.7	51.8-59.6
25-34	129	27,332	53	44.6	34.4-54.8	27	23.0	14.0-32.0	49	32.4	23.2-41.6
35-44	107	19,435	35	37.8	26.4-49.2	14	13.9	06.1-21.7	58	48.3	36.7-59.9
45-54	192	22,580	75	37.8	29.6-46.0	15	8.1	03.6-12.6	102	54.1	45.7-62.5
55-64	262	24,400	69	28.0	20.9-35.1	20	7.2	03.7-10.7	173	64.8	57.5-72.1
65+	378	30,073	51	10.8	07.5-14.1	14	4.2	01.7-06.7	313	85.1	81.2-89.0
Less Than H.S.	124	23,753	44	44.4	33.0-55.8	8	5.6	01.1-10.1	72	50.0	38.6-61.4
H.S. or G.E.D.	395	46,716	121	37.5	31.2-43.8	39	13.1	08.4-17.8	235	49.4	43.1-55.7
Some Post-H.S.	349	48,844	90	26.9	21.0-32.8	41	16.9	11.0-22.8	218	56.2	49.5-62.9
College Graduate	243	18,719	48	20.6	13.7-27.5	16	13.0	06.1-19.9	179	66.4	58.2-74.6
Less than \$15,000	80	10,515	36	36.4	22.5-50.3	12	24.8	10.3-39.3	32	38.9	24.8-53.0
\$15,000- 24,999	138	17,297	42	36.1	25.1-47.1	12	10.8	03.5-18.1	84	53.1	42.1-64.1
\$25,000- 34,999	138	18,015	43	37.8	26.2-49.4	13	13.2	05.2-21.2	82	49.0	37.2-60.8
\$35,000- 49,999	216	26,800	46	25.8	18.0-33.6	21	13.9	07.0-20.8	149	60.3	51.7-68.9
\$50,000- 74,999	161	19,773	50	38.3	28.5-48.1	13	10.1	03.6-16.6	98	51.6	41.8-61.4
\$75,000+	301	33,652	61	26.2	19.3-33.1	26	11.3	06.0-16.6	214	62.5	55.1-69.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1064	105,705	286	35.3	31.2-39.4	105	11.6	08.7-14.5	673	53.1	49.0-57.2
Native	51	7,729	23	54.5	37.8-71.2	9	23.4	07.9-38.9	19	22.1	10.7-33.5
Non-Native	1003	96,569	261	33.6	29.5-37.7	94	10.8	07.9-13.7	648	55.6	51.3-59.9
25-34	90	18,496	34	40.9	28.9-52.9	13	15.5	06.7-24.3	43	43.6	31.6-55.6
35-44	113	17,764	48	44.8	33.4-56.2	11	9.4	02.0-16.8	54	45.8	34.4-57.2
45-54	178	19,609	75	47.9	38.7-57.1	18	10.1	04.6-15.6	85	42.0	33.2-50.8
55-64	248	18,715	66	28.6	21.5-35.7	30	10.5	06.4-14.6	152	60.9	53.6-68.2
65+	403	23,483	47	11.0	07.7-14.3	28	8.1	04.6-11.6	328	80.9	76.2-85.6
Less Than H.S.	71	9,258	26	50.4	34.9-65.9	7	7.6	01.1-14.1	38	42.0	27.3-56.7
H.S. or G.E.D.	368	31,734	105	39.1	32.2-46.0	42	13.5	08.6-18.4	221	47.4	40.9-53.9
Some Post-H.S.	384	46,431	105	34.4	27.7-41.1	35	11.3	06.4-16.2	244	54.3	47.4-61.2
College Graduate	240	18,099	49	22.4	15.3-29.5	21	11.5	05.8-17.2	170	66.2	58.2-74.2
Less than \$15,000	116	9,906	47	55.3	42.0-68.6	13	9.1	03.2-15.0	56	35.6	23.3-47.9
\$15,000- 24,999	175	16,855	52	45.7	34.7-56.7	15	7.5	01.2-13.8	108	46.8	36.2-57.4
\$25,000- 34,999	126	12,554	35	38.6	26.8-50.4	12	10.2	02.6-17.8	79	51.2	39.2-63.2
\$35,000- 49,999	127	12,137	29	25.6	14.4-36.8	15	18.7	06.7-30.7	83	55.7	43.2-68.2
\$50,000- 74,999	163	15,816	45	31.7	22.9-40.5	14	9.1	03.8-14.4	104	59.2	50.0-68.4
\$75,000+	198	23,600	46	27.6	19.2-36.0	21	14.2	07.1-21.3	131	58.2	49.0-67.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	792	111,911	396	52.8	48.3-57.3	396	47.2	42.7-51.7
Male	403	62,608	181	48.1	41.8-54.4	222	51.9	45.6-58.2
Female	389	49,303	215	58.7	52.2-65.2	174	41.3	34.8-47.8
Native	53	10,966	33	71.1	56.6-85.6	20	28.9	14.4-43.4
Non-Native	728	99,004	356	50.3	45.6-55.0	372	49.7	45.0-54.4
18-24	52	17,193	31	59.2	44.9-73.5	21	40.8	26.5-55.1
25-34	126	28,582	79	63.0	53.2-72.8	47	37.0	27.2-46.8
35-44	108	19,670	53	45.8	34.2-57.4	55	54.2	42.6-65.8
45-54	182	21,606	75	44.2	35.2-53.2	107	55.8	46.8-64.8
55-64	182	15,698	99	54.3	45.3-63.3	83	45.7	36.7-54.7
65+	140	8,988	59	41.8	32.4-51.2	81	58.2	48.8-67.6
Less Than H.S.	84	17,126	40	50.2	36.7-63.7	44	49.8	36.3-63.3
H.S. or G.E.D.	306	40,108	150	48.4	41.1-55.7	156	51.6	44.3-58.9
Some Post-H.S.	268	42,095	147	59.2	51.8-66.6	121	40.8	33.4-48.2
College Graduate	133	12,398	58	47.7	36.5-58.9	75	52.3	41.1-63.5
Less than \$15,000	107	12,702	56	53.1	39.6-66.6	51	46.9	33.4-60.4
\$15,000- 24,999	121	17,069	63	52.0	39.8-64.2	58	48.0	35.8-60.2
\$25,000- 34,999	103	15,313	44	43.6	31.1-56.1	59	56.4	43.9-68.9
\$35,000- 49,999	111	16,018	61	60.7	48.9-72.5	50	39.3	27.5-51.1
\$50,000- 74,999	121	15,695	62	52.1	41.3-62.9	59	47.9	37.1-58.7
\$75,000+	153	22,473	77	56.2	46.2-66.2	76	43.8	33.8-53.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	62,608	181	48.1	41.6-54.6	222	51.9	45.4-58.4
Non-Native	374	56,240	165	45.7	39.2-52.2	209	54.3	47.8-60.8
25-34	79	18,143	44	56.0	43.1-68.9	35	44.0	31.1-56.9
45-54	89	10,226	32	36.6	24.4-48.8	57	63.4	51.2-75.6
55-64	87	8,451	46	56.3	43.4-69.2	41	43.7	30.8-56.6
65+	65	4,493	20	30.4	17.9-42.9	45	69.6	57.1-82.1
Less Than H.S.	51	11,756	21	46.4	29.2-63.6	30	53.6	36.4-70.8
H.S. or G.E.D.	160	23,636	70	44.2	34.4-54.0	90	55.8	46.0-65.6
Some Post-H.S.	129	20,941	71	57.6	46.8-68.4	58	42.4	31.6-53.2
College Graduate	63	6,274	19	34.2	18.7-49.7	44	65.8	50.3-81.3
\$15,000- 24,999	54	8,105	28	54.4	37.0-71.8	26	45.6	28.2-63.0
\$25,000- 34,999	56	9,184	18	32.9	16.6-49.2	38	67.1	50.8-83.4
\$35,000- 49,999	67	10,643	34	52.8	37.9-67.7	33	47.2	32.3-62.1
\$50,000- 74,999	62	9,240	28	49.7	34.6-64.8	34	50.3	35.2-65.4
\$75,000+	86	12,613	41	51.3	37.6-65.0	45	48.7	35.0-62.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	389	49,303	215	58.7	52.2-65.2	174	41.3	34.8-47.8
Non-Native	354	42,764	191	56.4	49.5-63.3	163	43.6	36.7-50.5
35-44	59	9,619	32	51.1	34.8-67.4	27	48.9	32.6-65.2
45-54	93	11,380	43	50.9	38.2-63.6	50	49.1	36.4-61.8
55-64	95	7,247	53	52.0	39.7-64.3	42	48.0	35.7-60.3
65+	75	4,495	39	53.2	39.7-66.7	36	46.8	33.3-60.3
H.S. or G.E.D.	146	16,472	80	54.4	44.0-64.8	66	45.6	35.2-56.0
Some Post-H.S.	139	21,153	76	60.9	50.5-71.3	63	39.1	28.7-49.5
College Graduate	70	6,124	39	61.6	47.5-75.7	31	38.4	24.3-52.5
Less than \$15,000	60	6,383	35	60.5	42.7-78.3	25	39.5	21.7-57.3
\$15,000- 24,999	67	8,964	35	49.8	32.9-66.7	32	50.2	33.3-67.1
\$50,000- 74,999	59	6,456	34	55.5	40.4-70.6	25	44.5	29.4-59.6
\$75,000+	67	9,860	36	62.5	48.4-76.6	31	37.5	23.4-51.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1371	130,247	129	13.6	10.7-16.5	174	16.9	14.0-19.8	117	9.9	07.7-12.1	951	59.6	56.1-63.1
Male	700	74,275	64	13.7	09.6-17.8	86	16.0	12.1-19.9	71	11.6	08.5-14.7	479	58.7	53.8-63.6
Female	671	55,973	65	13.4	09.5-17.3	88	18.1	13.6-22.6	46	7.6	04.9-10.3	472	60.9	55.8-66.0
Non-Native	1325	124,541	121	12.8	10.1-15.5	169	17.3	14.4-20.2	106	9.4	07.2-11.6	929	60.5	57.0-64.0
25-34	92	16,912	33	38.6	26.4-50.8	40	44.8	32.6-57.0	9	6.8	01.9-11.7	10	9.8	02.9-16.7
35-44	112	17,529	19	15.6	07.4-23.8	30	31.8	20.8-42.8	24	19.3	10.9-27.7	39	33.3	22.5-44.1
45-54	184	20,060	21	9.2	04.9-13.5	33	14.0	08.5-19.5	21	14.4	07.7-21.1	109	62.3	53.9-70.7
55-64	325	27,225	29	10.4	05.7-15.1	31	9.6	05.5-13.7	27	11.7	06.2-17.2	238	68.3	61.4-75.2
65+	637	44,178	19	2.7	01.1-04.3	38	5.9	03.5-08.3	35	5.0	03.0-07.0	545	86.5	83.4-89.6
Less Than H.S.	106	15,449	10	22.5	09.2-35.8	9	11.3	02.7-19.9	5	5.0	00.0-11.7	82	61.2	47.7-74.7
H.S. or G.E.D.	453	37,673	36	11.2	06.5-15.9	61	16.5	11.6-21.4	49	13.0	08.9-17.1	307	59.3	53.2-65.4
Some Post-H.S.	462	52,643	43	11.2	07.3-15.1	67	21.1	15.8-26.4	38	9.2	05.9-12.5	314	58.5	52.6-64.4
College Graduate	349	24,402	40	16.7	11.2-22.2	37	12.2	07.5-16.9	25	9.6	05.1-14.1	247	61.5	54.8-68.2
Less than \$15,000	85	7,209	12	29.1	12.0-46.2	13	17.1	04.9-29.3	11	11.6	03.4-19.8	49	42.3	28.0-56.6
\$15,000- 24,999	191	17,022	18	13.0	05.9-20.1	27	18.5	09.9-27.1	16	9.4	02.5-16.3	130	59.0	49.0-69.0
\$25,000- 34,999	160	15,175	13	18.9	07.1-30.7	16	13.7	05.3-22.1	13	10.6	03.9-17.3	118	56.9	45.1-68.7
\$35,000- 49,999	232	22,920	21	11.2	04.9-17.5	28	15.5	08.6-22.4	10	6.6	01.7-11.5	173	66.7	58.1-75.3
\$50,000- 74,999	201	19,391	22	11.5	05.8-17.2	25	20.2	12.0-28.4	26	15.3	08.4-22.2	128	53.0	44.2-61.8
\$75,000+	345	34,762	31	11.3	06.8-15.8	52	20.1	14.0-26.2	32	10.2	06.3-14.1	230	58.4	51.7-65.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	700	74,275	64	13.7	09.6-17.8	86	16.0	12.1-19.9	71	11.6	08.5-14.7	479	58.7	54.0-63.4
Non-Native	679	70,945	60	12.4	08.5-16.3	85	16.7	12.6-20.8	65	10.9	07.8-14.0	469	60.0	55.3-64.7
35-44	58	9,384	6	12.9	00.6-25.2	15	30.9	15.2-46.6	16	21.1	09.7-32.5	21	35.1	19.6-50.6
45-54	100	11,911	12	8.4	03.1-13.7	17	11.0	05.1-16.9	17	20.4	10.4-30.4	54	60.1	48.7-71.5
55-64	173	15,822	15	10.3	03.4-17.2	20	12.2	05.7-18.7	16	15.9	07.1-24.7	122	61.6	51.8-71.4
65+	310	25,254	7	2.3	00.1-04.5	13	5.2	01.9-08.5	15	3.6	01.6-05.6	275	88.8	84.5-93.1
Less Than H.S.	69	11,625	7	22.8	06.9-38.7	5	11.7	00.9-22.5	2	4.8	00.0-13.2	55	60.7	44.4-77.0
H.S. or G.E.D.	233	22,712	19	10.7	04.4-17.0	34	18.7	11.4-26.0	31	14.5	08.8-20.2	149	56.2	48.0-64.4
Some Post-H.S.	218	27,430	20	11.2	05.5-16.9	30	18.7	11.6-25.8	22	12.2	06.7-17.7	146	57.9	49.7-66.1
College Graduate	179	12,427	18	16.3	08.5-24.1	17	9.2	03.7-14.7	16	11.6	05.1-18.1	128	63.0	54.0-72.0
\$15,000- 24,999	83	9,130	9	13.2	03.0-23.4	10	12.9	02.9-22.9	4	9.8	00.0-21.4	60	64.1	49.6-78.6
\$25,000- 34,999	82	8,830	6	22.8	05.0-40.6	7	10.3	00.0-21.1	9	11.7	02.7-20.7	60	55.2	38.5-71.9
\$35,000- 49,999	149	16,156	13	10.9	03.1-18.7	18	14.8	06.4-23.2	7	8.5	01.8-15.2	111	65.9	55.3-76.5
\$50,000- 74,999	97	10,030	10	12.1	02.7-21.5	15	25.3	12.4-38.2	18	16.7	07.9-25.5	54	45.9	33.2-58.6
\$75,000+	214	21,022	17	9.5	04.6-14.4	29	17.3	10.4-24.2	28	15.3	09.2-21.4	140	57.9	49.7-66.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	671	55,973	65	13.4	09.5-17.3	88	18.1	13.8-22.4	46	7.6	04.9-10.3	472	60.9	55.8-66.0
Non-Native	646	53,596	61	13.4	09.5-17.3	84	18.0	13.5-22.5	41	7.4	04.7-10.1	460	61.3	56.2-66.4
35-44	54	8,145	13	18.8	08.0-29.6	15	32.7	17.2-48.2	8	17.2	04.9-29.5	18	31.3	16.4-46.2
45-54	84	8,149	9	10.4	03.3-17.5	16	18.5	08.5-28.5	4	5.7	00.0-12.4	55	65.5	53.3-77.7
55-64	152	11,403	14	10.5	04.6-16.4	11	6.1	02.0-10.2	11	5.9	02.0-09.8	116	77.6	70.0-85.2
65+	327	18,924	12	3.1	01.1-05.1	25	6.8	03.7-09.9	20	6.7	03.2-10.2	270	83.4	78.5-88.3
H.S. or G.E.D.	220	14,961	17	12.0	05.3-18.7	27	13.2	07.3-19.1	18	10.8	05.3-16.3	158	64.0	55.6-72.4
Some Post-H.S.	244	25,213	23	11.2	05.9-16.5	37	23.7	15.7-31.7	16	6.0	02.1-09.9	168	59.2	50.8-67.6
College Graduate	170	11,974	22	17.2	09.2-25.2	20	15.2	07.4-23.0	9	7.6	01.1-14.1	119	59.9	49.9-69.9
Less than \$15,000	56	3,523	7	28.7	04.2-53.2	10	15.4	04.0-26.8	8	16.1	02.4-29.8	31	39.8	22.4-57.2
\$15,000- 24,999	108	7,892	9	12.8	03.2-22.4	17	25.1	11.4-38.8	12	9.0	02.7-15.3	70	53.2	39.9-66.5
\$25,000- 34,999	78	6,345	7	13.4	01.6-25.2	9	18.5	05.2-31.8	4	9.0	00.0-18.8	58	59.1	43.4-74.8
\$35,000- 49,999	83	6,763	8	12.0	02.4-21.6	10	17.1	04.9-29.3	3	2.1	00.0-04.6	62	68.8	55.1-82.5
\$50,000- 74,999	104	9,360	12	10.8	04.3-17.3	10	14.7	05.3-24.1	8	13.8	03.2-24.4	74	60.7	48.5-72.9
\$75,000+	131	13,740	14	14.2	05.8-22.6	23	24.3	13.3-35.3	4	2.3	00.0-04.7	90	59.2	47.6-70.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4839	533,251	143	4.6	03.6-05.6	99	2.7	02.1-03.3	4597	92.7	91.5-93.9
Male	2123	268,064	140	9.0	07.2-10.8	91	5.0	03.8-06.2	1892	86.0	83.8-88.2
Female	2716	265,187	3	0.1	00.0-00.3	8	0.3	00.1-00.5	2705	99.5	99.1-99.9
Native	124	24,277	5	6.5	00.2-12.8	6	6.3	00.6-12.0	113	87.2	79.2-95.2
Non-Native	4651	501,520	137	4.5	03.5-05.5	90	2.5	01.9-03.1	4424	92.9	91.7-94.1
18-24	246	78,209	12	6.0	02.7-09.3	10	3.0	01.0-05.0	224	91.0	87.1-94.9
25-34	514	92,327	35	7.2	04.5-09.9	26	5.1	02.7-07.5	453	87.7	84.2-91.2
35-44	547	76,743	38	8.5	05.2-11.8	22	4.5	02.3-06.7	487	87.0	83.3-90.7
45-54	856	90,808	34	4.8	02.8-06.8	12	1.2	00.4-02.0	810	94.0	92.0-96.0
55-64	1056	87,075	16	1.6	00.6-02.6	19	1.9	00.9-02.9	1021	96.5	95.1-97.9
65+	1580	104,594	8	0.7	00.1-01.3	10	1.0	00.2-01.8	1562	98.2	97.2-99.2
Less Than H.S.	334	52,158	8	4.0	00.7-07.3	4	1.5	00.0-03.3	322	94.5	90.8-98.2
H.S. or G.E.D.	1403	145,429	54	6.9	04.7-09.1	33	3.3	01.9-04.7	1316	89.9	87.5-92.3
Some Post-H.S.	1545	206,940	52	4.6	03.0-06.2	33	2.8	01.6-04.0	1460	92.6	90.6-94.6
College Graduate	1551	127,376	29	2.2	01.2-03.2	29	2.4	01.2-03.6	1493	95.4	93.8-97.0
Less than \$15,000	349	40,305	2	1.1	00.0-03.1	6	1.6	00.0-03.2	341	97.4	95.0-99.8
\$15,000- 24,999	607	65,471	11	3.7	01.2-06.2	8	2.1	00.5-03.7	588	94.2	91.3-97.1
\$25,000- 34,999	500	55,623	12	3.3	00.9-05.7	8	2.2	00.4-04.0	480	94.6	91.7-97.5
\$35,000- 49,999	712	79,570	26	4.7	02.5-06.9	15	3.0	01.0-05.0	671	92.2	89.5-94.9
\$50,000- 74,999	748	80,760	25	5.0	02.6-07.4	17	3.0	01.2-04.8	706	92.0	89.1-94.9
\$75,000+	1314	144,547	59	7.0	04.8-09.2	38	3.7	02.1-05.3	1217	89.3	86.8-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2123	268,064	140	9.0	07.2-10.8	91	5.0	03.8-06.2	1892	86.0	83.8-88.2
Native	54	12,987	4	11.3	00.0-22.7	5	11.4	01.0-21.8	45	77.3	63.0-91.6
Non-Native	2032	250,825	135	9.0	07.2-10.8	85	4.8	03.6-06.0	1812	86.2	84.0-88.4
18-24	122	41,693	12	11.3	05.2-17.4	10	5.5	01.8-09.2	100	83.2	76.1-90.3
25-34	271	49,364	34	13.3	08.4-18.2	24	8.6	04.5-12.7	213	78.1	72.0-84.2
35-44	259	39,888	38	16.4	10.3-22.5	21	8.6	04.5-12.7	200	75.1	68.2-82.0
45-54	406	45,856	33	9.2	05.5-12.9	11	2.4	00.8-04.0	362	88.4	84.5-92.3
55-64	495	44,685	16	3.1	01.1-05.1	17	3.5	01.5-05.5	462	93.3	90.6-96.0
65+	561	45,705	7	1.3	00.1-02.5	8	2.0	00.2-03.8	546	96.7	94.7-98.7
Less Than H.S.	166	32,013	8	6.5	01.2-11.8	3	2.0	00.0-04.7	155	91.5	85.6-97.4
H.S. or G.E.D.	651	82,616	53	11.9	08.4-15.4	30	5.3	03.1-07.5	568	82.8	78.9-86.7
Some Post-H.S.	648	95,662	51	9.8	06.7-12.9	31	5.9	03.4-08.4	566	84.2	80.3-88.1
College Graduate	656	57,290	28	4.7	02.5-06.9	27	5.0	02.6-07.4	601	90.3	87.2-93.4
Less than \$15,000	121	17,391	2	2.5	00.0-06.8	4	3.2	00.0-06.9	115	94.3	88.8-99.8
\$15,000- 24,999	235	32,620	11	7.4	02.5-12.3	8	4.2	00.9-07.5	216	88.4	82.7-94.1
\$25,000- 34,999	209	28,075	12	6.5	01.8-11.2	7	4.1	00.6-07.6	190	89.4	83.5-95.3
\$35,000- 49,999	373	46,126	25	7.9	04.2-11.6	14	4.8	01.7-07.9	334	87.3	82.6-92.0
\$50,000- 74,999	340	40,781	24	9.6	05.1-14.1	15	5.8	02.5-09.1	301	84.7	79.2-90.2
\$75,000+	691	79,598	59	12.7	09.0-16.4	37	6.3	03.8-08.8	595	81.0	76.7-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	265,187	3	0.1	00.0-00.3	8	0.3	00.1-00.5	2705	99.5	99.1-99.9
Native	70	11,290	1	1.0	00.0-03.0	1	0.4	00.0-01.2	68	98.6	96.4-0100
Non-Native	2619	250,695	2	0.1	00.0-00.3	5	0.2	00.0-00.4	2612	99.6	99.2-0100
18-24	124	36,516							124	100.0	0100-0100
25-34	243	42,963	1	0.3	00.0-00.9	2	1.1	00.0-02.7	240	98.6	96.8-0100
35-44	288	36,855				1	0.1	00.0-00.3	287	99.9	99.7-0100
45-54	450	44,952	1	0.2	00.0-00.6	1	0.1	00.0-00.3	448	99.7	99.3-0100
55-64	561	42,390				2	0.2	00.0-00.4	559	99.8	99.6-0100
65+	1019	58,889	1	0.3	00.0-00.9	2	0.3	00.0-00.9	1016	99.4	98.6-0100
Less Than H.S.	168	20,145				1	0.7	00.0-02.1	167	99.3	97.9-0100
H.S. or G.E.D.	752	62,813	1	0.3	00.0-00.9	3	0.6	00.0-01.6	748	99.1	97.9-0100
Some Post-H.S.	897	111,278	1	0.1	00.0-00.3	2	0.1	00.0-00.3	894	99.8	99.6-0100
College Graduate	895	70,087	1	0.2	00.0-00.6	2	0.3	00.0-00.9	892	99.5	98.9-0100
Less than \$15,000	228	22,914				2	0.3	00.0-00.7	226	99.7	99.3-0100
\$15,000- 24,999	372	32,851							372	100.0	0100-0100
\$25,000- 34,999	291	27,549				1	0.2	00.0-00.6	290	99.8	99.4-0100
\$35,000- 49,999	339	33,444	1	0.3	00.0-00.9	1	0.6	00.0-01.8	337	99.1	97.7-0100
\$50,000- 74,999	408	39,978	1	0.2	00.0-00.6	2	0.2	00.0-00.6	405	99.6	99.0-0100
\$75,000+	623	64,948				1	0.5	00.0-01.5	622	99.5	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4790	526,814	666	14.8	13.4-16.2	85	1.4	0.1-0.8	1648	36.3	34.5-38.1	371	8.1	0.7-10.9	2020	39.4	37.6-41.2
Male	2097	264,164	355	17.3	15.1-19.5	56	2.0	0.1-0.6	738	36.2	33.5-38.9	267	12.4	10.4-14.4	681	32.2	29.7-34.7
Female	2693	262,650	311	12.3	10.5-14.1	29	0.9	0.0-0.3	910	36.4	33.9-38.9	104	3.8	0.2-0.8	1339	46.6	44.1-49.1
Native	122	24,140	10	10.7	0.3-18.3				36	33.0	21.4-44.6	5	1.5	0.1-0.9	71	54.9	43.1-66.7
Non-Native	4608	496,106	652	15.2	13.8-16.6	84	1.5	0.1-0.9	1595	36.6	34.6-38.6	362	8.5	0.7-0.9	1915	38.3	36.5-40.1
18-24	241	75,733	41	18.5	13.0-24.0	1	0.1	0.0-0.3	94	38.3	31.4-45.2	14	5.7	0.2-0.9	91	37.3	30.4-44.2
25-34	510	91,501	82	15.1	11.4-18.8	7	1.0	0.0-0.2	231	45.0	39.9-50.1	43	9.8	0.6-12.9	147	29.1	24.4-33.8
35-44	545	76,536	82	14.5	10.8-18.2	4	0.9	0.0-0.1	238	40.7	35.6-45.8	49	9.6	0.6-12.7	172	34.3	29.2-39.4
45-54	847	89,693	140	17.0	13.9-20.1	11	1.3	0.0-0.2	356	40.3	36.2-44.4	54	6.7	0.4-0.8	286	34.6	30.7-38.5
55-64	1052	86,807	158	14.0	11.5-16.5	19	2.0	0.1-0.3	364	32.8	29.5-36.1	106	9.5	0.7-11.7	405	41.7	38.0-45.4
65+	1559	103,300	157	10.6	0.8-12.6	42	2.8	0.1-0.3	355	23.2	20.7-25.7	104	7.5	0.5-0.9	901	55.9	53.0-58.8
Less Than H.S.	331	50,917	30	10.2	0.5-14.5	4	0.7	0.0-0.1	62	22.5	15.8-29.2	31	9.3	0.5-13.2	204	57.3	50.0-64.6
H.S. or G.E.D.	1387	143,994	200	13.9	11.5-16.3	36	2.2	0.1-0.3	409	33.0	29.7-36.3	99	9.0	0.6-11.2	643	42.0	38.5-45.5
Some Post-H.S.	1527	204,330	225	17.2	14.7-19.7	24	1.0	0.0-0.1	550	37.2	34.1-40.3	104	7.3	0.5-0.9	624	37.2	34.1-40.3
College Graduate	1540	126,728	210	13.9	11.5-16.3	21	1.5	0.0-0.2	625	44.0	40.9-47.1	137	8.0	0.6-0.9	547	32.6	29.7-35.5
Less than \$15,000	344	39,468	30	13.6	0.7-19.7	3	0.2	0.0-0.4	75	28.6	21.0-36.2	17	6.1	0.2-0.8	219	51.5	43.7-59.3
\$15,000- 24,999	600	64,824	62	13.5	0.9-17.6	17	2.1	0.0-0.3	157	32.5	26.8-38.2	25	4.3	0.2-0.6	339	47.5	41.8-53.2
\$25,000- 34,999	495	55,301	63	14.3	0.9-18.8	9	1.5	0.0-0.2	127	29.1	23.2-35.0	44	11.9	0.7-16.6	252	43.2	37.3-49.1
\$35,000- 49,999	710	79,019	100	13.6	10.3-16.9	11	1.5	0.0-0.2	257	38.4	33.7-43.1	57	7.7	0.5-10.2	285	38.7	34.0-43.4
\$50,000- 74,999	742	80,336	141	19.8	15.9-23.7	13	1.5	0.0-0.2	288	38.0	33.5-42.5	57	7.7	0.5-10.2	243	33.1	28.8-37.4
\$75,000+	1308	143,021	216	16.8	14.1-19.5	25	1.6	0.0-0.2	573	42.9	39.4-46.4	152	11.6	0.9-14.0	342	27.0	23.9-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2097	264,164	355	17.3	15.1-19.5	56	2.0	0.1-02.6	738	36.2	33.5-38.9	267	12.4	10.4-14.4	681	32.2	29.7-34.7
Native	53	12,924	6	15.4	02.3-28.5				14	33.0	16.5-49.5	5	2.7	00.2-05.2	28	48.9	31.8-66.0
Non-Native	2010	247,371	347	17.6	15.4-19.8	55	2.1	0.1-02.7	714	36.4	33.7-39.1	258	12.9	10.9-14.9	636	31.0	28.5-33.5
18-24	120	40,450	21	18.5	10.9-26.1				50	38.9	29.3-48.5	12	10.3	04.0-16.6	37	32.4	23.0-41.8
25-34	268	48,732	51	18.6	12.9-24.3	5	1.0	00.0-02.2	123	45.2	37.9-52.5	32	14.0	08.9-19.1	57	21.2	15.5-26.9
35-44	258	39,810	41	14.6	09.5-19.7	3	1.4	00.0-03.4	101	37.7	30.3-45.1	36	13.6	08.3-18.9	77	32.7	25.4-40.0
45-54	399	44,881	78	21.8	16.5-27.1	9	2.4	00.4-04.4	165	39.0	33.3-44.7	39	9.5	06.2-12.8	108	27.3	22.0-32.6
55-64	493	44,562	84	15.6	11.9-19.3	15	3.1	01.3-04.9	154	29.4	24.7-34.1	76	13.5	10.0-17.0	164	38.4	32.9-43.9
65+	552	45,014	78	14.1	10.8-17.4	24	3.7	02.1-05.3	143	26.9	22.6-31.2	71	13.1	09.4-16.8	236	42.1	37.2-47.0
Less Than H.S.	163	30,772	23	14.6	07.9-21.3	2	0.7	00.0-01.7	37	25.7	16.7-34.7	28	14.6	08.1-21.1	73	44.4	34.6-54.2
H.S. or G.E.D.	642	81,807	104	14.4	11.1-17.7	23	2.8	01.2-04.4	213	35.8	30.9-40.7	70	12.8	09.3-16.3	232	34.3	29.6-39.0
Some Post-H.S.	638	94,118	125	21.4	17.1-25.7	18	1.8	00.8-02.8	237	37.1	32.2-42.0	69	11.0	07.9-14.1	189	28.6	24.3-32.9
College Graduate	652	56,983	102	16.1	12.4-19.8	13	1.7	00.5-02.9	250	40.5	35.8-45.2	100	12.8	09.9-15.7	187	28.8	24.5-33.1
Less than \$15,000	120	17,358	14	13.8	04.6-23.0	1	0.2	00.0-00.6	33	32.5	20.9-44.1	12	12.4	04.6-20.2	60	41.1	29.7-52.5
\$15,000- 24,999	231	32,226	25	13.0	07.3-18.7	13	3.0	01.2-04.8	73	34.0	25.6-42.4	18	7.0	03.1-10.9	102	43.0	34.6-51.4
\$25,000- 34,999	207	27,940	34	19.6	11.8-27.4	6	2.3	00.1-04.5	49	29.8	20.6-39.0	33	18.2	10.2-26.2	85	30.1	22.3-37.9
\$35,000- 49,999	371	45,575	65	17.4	12.5-22.3	7	1.8	00.2-03.4	134	36.1	29.8-42.4	43	11.3	07.0-15.6	122	33.4	27.3-39.5
\$50,000- 74,999	337	40,618	69	20.5	14.6-26.4	8	1.8	00.4-03.2	129	38.2	31.5-44.9	41	11.8	07.1-16.5	90	27.8	21.7-33.9
\$75,000+	687	78,629	133	20.0	16.1-23.9	19	2.4	01.0-03.8	273	38.9	34.2-43.6	112	15.2	11.9-18.5	150	23.5	19.4-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2693	262,650	311	12.3	10.5-14.1	29	0.9	00.5-01.3	910	36.4	33.9-38.9	104	3.8	02.8-04.8	1339	46.6	44.1-49.1
Native	69	11,216	4	5.2	00.0-10.7				22	33.1	17.0-49.2				43	61.7	45.6-77.8
Non-Native	2598	248,735	305	12.7	10.9-14.5	29	0.9	00.5-01.3	881	36.7	34.2-39.2	104	4.0	03.0-05.0	1279	45.6	43.1-48.1
18-24	121	35,283	20	18.6	11.0-26.2	1	0.2	00.0-00.6	44	37.7	27.9-47.5	2	0.4	00.0-01.0	54	43.0	33.2-52.8
25-34	242	42,769	31	11.1	06.6-15.6	2	1.0	00.0-02.4	108	44.8	37.4-52.2	11	4.9	01.6-08.2	90	38.1	30.7-45.5
35-44	287	36,726	41	14.3	09.0-19.6	1	0.4	00.0-01.2	137	44.1	37.0-51.2	13	5.2	01.7-08.7	95	36.0	28.9-43.1
45-54	448	44,812	62	12.2	08.9-15.5	2	0.2	00.0-00.6	191	41.7	36.2-47.2	15	3.9	01.5-06.3	178	42.0	36.3-47.7
55-64	559	42,245	74	12.4	09.3-15.5	4	0.8	00.0-01.8	210	36.4	31.7-41.1	30	5.3	03.1-07.5	241	45.2	40.3-50.1
65+	1007	58,285	79	7.8	05.8-09.8	18	2.1	00.9-03.3	212	20.3	17.4-23.2	33	3.2	02.0-04.4	665	66.6	63.1-70.1
Less Than H.S.	168	20,145	7	3.5	00.6-06.4	2	0.6	00.0-01.6	25	17.6	08.0-27.2	3	1.2	00.0-02.8	131	77.0	67.2-86.8
H.S. or G.E.D.	745	62,187	96	13.3	10.0-16.6	13	1.4	00.4-02.4	196	29.2	24.7-33.7	29	3.9	02.1-05.7	411	52.1	47.2-57.0
Some Post-H.S.	889	110,212	100	13.6	10.5-16.7	6	0.4	00.0-00.8	313	37.3	33.0-41.6	35	4.1	02.3-05.9	435	44.6	40.3-48.9
College Graduate	888	69,745	108	12.1	09.4-14.8	8	1.3	00.1-02.5	375	46.8	42.5-51.1	37	4.1	02.3-05.9	360	35.8	31.9-39.7
Less than \$15,000	224	22,110	16	13.5	05.5-21.5	2	0.3	00.0-00.7	42	25.5	15.3-35.7	5	1.2	00.2-02.2	159	59.6	48.8-70.4
\$15,000- 24,999	369	32,599	37	14.1	08.0-20.2	4	1.2	00.0-02.8	84	31.1	23.7-38.5	7	1.6	00.0-03.2	237	52.0	44.6-59.4
\$25,000- 34,999	288	27,361	29	8.9	05.0-12.8	3	0.8	00.0-02.0	78	28.4	21.1-35.7	11	5.4	01.5-09.3	167	56.5	48.7-64.3
\$35,000- 49,999	339	33,444	35	8.5	04.6-12.4	4	1.1	00.0-02.5	123	41.6	34.5-48.7	14	2.7	01.1-04.3	163	46.0	38.9-53.1
\$50,000- 74,999	405	39,719	72	19.2	14.1-24.3	5	1.2	00.0-02.6	159	37.7	31.8-43.6	16	3.4	01.4-05.4	153	38.5	32.4-44.6
\$75,000+	621	64,392	83	12.9	09.6-16.2	6	0.6	00.0-01.2	300	47.9	42.8-53.0	40	7.3	04.4-10.2	192	31.2	26.3-36.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2734	315,018	1148	33.7	31.5-35.9	791	28.0	25.8-30.2	336	14.4	12.6-16.2	175	7.8	06.4-09.2	284	16.0	13.8-18.2
Male	1390	176,079	441	26.7	23.8-29.6	414	26.9	24.0-29.8	206	16.0	13.3-18.7	115	9.1	07.1-11.1	214	21.4	18.3-24.5
Female	1344	138,939	707	42.6	39.3-45.9	377	29.6	26.3-32.9	130	12.4	09.9-14.9	60	6.2	04.2-08.2	70	9.2	06.5-11.9
Native	51	10,899	7	12.3	00.0-25.6	9	17.5	04.4-30.6	8	8.9	00.3-17.5	6	9.3	00.9-17.7	21	52.1	33.5-70.7
Non-Native	2658	301,750	1129	34.3	32.1-36.5	772	28.4	26.2-30.6	327	14.7	12.7-16.7	168	7.8	06.4-09.2	262	14.8	12.8-16.8
18-24	148	46,719	23	14.2	08.1-20.3	41	25.0	17.4-32.6	25	18.0	10.9-25.1	12	7.8	03.3-12.3	47	34.9	26.3-43.5
25-34	361	64,590	95	23.3	18.2-28.4	92	22.8	17.7-27.9	60	17.6	12.9-22.3	40	12.2	08.1-16.3	74	24.1	18.4-29.8
35-44	372	50,134	114	27.1	21.8-32.4	109	30.3	24.4-36.2	57	15.6	10.9-20.3	29	6.9	04.2-09.6	63	20.2	14.7-25.7
45-54	556	57,692	174	29.8	25.3-34.3	193	34.8	29.9-39.7	91	17.4	13.5-21.3	43	9.2	06.1-12.3	55	8.8	06.1-11.5
55-64	637	49,707	307	47.7	43.0-52.4	200	31.7	27.4-36.0	61	8.9	06.2-11.6	37	6.8	04.3-09.3	32	4.9	02.9-06.9
65+	642	44,162	423	65.5	61.0-70.0	151	22.8	19.1-26.5	42	7.6	05.1-10.1	13	1.9	00.7-03.1	13	2.2	00.8-03.6
Less Than H.S.	124	21,501	55	38.2	27.4-49.0	30	22.3	12.7-31.9	17	13.0	05.4-20.6	6	3.6	00.5-06.7	16	22.9	11.1-34.7
H.S. or G.E.D.	732	82,094	277	28.6	24.7-32.5	207	26.2	22.1-30.3	95	15.0	11.3-18.7	56	8.9	06.2-11.6	97	21.3	16.8-25.8
Some Post-H.S.	886	125,814	352	32.1	28.4-35.8	259	28.5	24.6-32.4	104	13.7	10.6-16.8	66	8.9	06.4-11.4	105	16.7	13.2-20.2
College Graduate	989	85,051	461	39.4	35.7-43.1	295	30.8	27.1-34.5	120	15.3	12.2-18.4	47	6.2	04.0-08.4	66	8.2	05.7-10.7
Less than \$15,000	119	18,713	37	20.5	11.5-29.5	25	15.3	07.1-23.5	19	16.6	07.8-25.4	6	3.8	00.0-07.7	32	43.8	30.7-56.9
\$15,000- 24,999	258	33,830	107	25.8	19.1-32.5	72	28.7	21.3-36.1	35	18.2	11.3-25.1	16	9.6	04.1-15.1	28	17.8	10.7-24.9
\$25,000- 34,999	240	31,222	101	32.6	24.6-40.6	69	28.1	20.1-36.1	24	11.4	05.1-17.7	19	8.1	03.8-12.4	27	19.9	11.9-27.9
\$35,000- 49,999	422	48,171	175	32.7	27.2-38.2	123	28.5	23.0-34.0	56	18.0	12.5-23.5	22	5.2	02.5-07.9	46	15.6	10.5-20.7
\$50,000- 74,999	489	52,246	209	35.0	29.9-40.1	142	28.7	23.6-33.8	61	15.0	10.5-19.5	34	9.1	05.6-12.6	43	12.1	07.6-16.6
\$75,000+	960	103,629	383	35.1	31.4-38.8	303	31.5	27.8-35.2	118	13.5	10.6-16.4	67	7.8	05.6-10.0	89	12.1	09.2-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1390	176,079	441	26.7	24.0-29.4	414	26.9	24.0-29.8	206	16.0	13.3-18.7	115	9.1	07.1-11.1	214	21.4	18.3-24.5
Non-Native	1349	167,751	430	26.8	24.1-29.5	403	27.1	24.2-30.0	204	16.7	14.0-19.4	112	9.1	07.1-11.1	200	20.2	17.1-23.3
18-24	83	27,341	13	13.6	05.6-21.6	16	17.4	08.4-26.4	18	22.5	12.3-32.7	7	7.7	01.6-13.8	29	38.7	27.1-50.3
25-34	209	38,114	42	17.8	11.5-24.1	45	19.4	13.1-25.7	35	15.0	09.5-20.5	24	12.7	07.2-18.2	63	35.1	26.9-43.3
35-44	180	26,622	31	16.7	10.0-23.4	51	30.4	21.6-39.2	36	19.6	12.2-27.0	17	8.0	03.9-12.1	45	25.3	17.1-33.5
45-54	287	31,819	61	21.3	15.4-27.2	95	33.3	26.6-40.0	54	18.8	13.1-24.5	31	12.4	07.7-17.1	46	14.1	09.4-18.8
55-64	320	26,675	122	39.6	33.1-46.1	111	34.2	27.9-40.5	39	11.1	07.0-15.2	25	8.4	04.5-12.3	23	6.8	03.7-09.9
65+	306	25,031	169	57.0	50.5-63.5	94	28.9	23.2-34.6	24	8.5	04.8-12.2	11	2.9	00.9-04.9	8	2.7	00.3-05.1
Less Than H.S.	89	17,001	37	39.2	26.7-51.7	22	23.4	12.2-34.6	11	12.1	03.1-21.1	5	3.3	00.4-06.2	14	22.0	10.0-34.0
H.S. or G.E.D.	400	52,530	108	21.3	16.6-26.0	111	23.8	18.7-28.9	63	17.1	12.0-22.2	43	11.5	07.4-15.6	75	26.2	20.1-32.3
Some Post-H.S.	438	65,815	123	23.8	18.9-28.7	134	28.2	22.9-33.5	65	15.6	11.1-20.1	37	9.5	06.0-13.0	79	22.8	17.3-28.3
College Graduate	461	40,250	171	32.2	27.1-37.3	147	30.4	25.3-35.5	67	17.0	12.5-21.5	30	7.8	04.5-11.1	46	12.7	08.2-17.2
Less than \$15,000	56	9,908	9	9.2	01.6-16.8	9	11.7	02.5-20.9	10	17.0	04.7-29.3	4	6.3	00.0-13.4	24	55.9	39.4-72.4
\$15,000- 24,999	126	18,192	40	24.7	15.1-34.3	38	25.2	16.0-34.4	17	18.5	08.7-28.3	12	10.8	03.7-17.9	19	20.9	10.9-30.9
\$25,000- 34,999	120	19,358	39	27.8	17.2-38.4	35	27.1	16.1-38.1	16	13.8	04.6-23.0	11	6.3	02.0-10.6	19	24.9	13.5-36.3
\$35,000- 49,999	248	30,281	78	26.4	19.7-33.1	79	27.1	20.4-33.8	37	19.6	12.5-26.7	19	7.4	03.1-11.7	35	19.5	12.4-26.6
\$50,000- 74,999	237	27,830	79	27.6	20.7-34.5	66	24.9	17.8-32.0	40	18.4	11.5-25.3	19	11.0	05.7-16.3	33	18.2	10.9-25.5
\$75,000+	533	59,829	162	26.1	21.8-30.4	171	32.0	26.9-37.1	80	15.0	11.1-18.9	45	9.1	06.0-12.2	75	17.8	13.1-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1344	138,939	707	42.6	39.3-45.9	377	29.6	26.3-32.9	130	12.4	09.9-14.9	60	6.2	04.2-08.2	70	9.2	06.5-11.9
Non-Native	1309	133,998	699	43.7	40.4-47.0	369	29.9	26.6-33.2	123	12.2	09.7-14.7	56	6.1	04.1-08.1	62	8.1	05.7-10.5
18-24	65	19,377	10	15.1	05.9-24.3	25	35.8	23.1-48.5	7	11.5	02.7-20.3	5	8.0	00.9-15.1	18	29.6	16.5-42.7
25-34	152	26,476	53	31.0	22.4-39.6	47	27.8	19.6-36.0	25	21.4	13.4-29.4	16	11.5	05.4-17.6	11	8.3	03.0-13.6
35-44	192	23,512	83	38.8	30.6-47.0	58	30.1	22.3-37.9	21	11.1	05.8-16.4	12	5.7	02.0-09.4	18	14.4	07.0-21.8
45-54	269	25,873	113	40.1	33.0-47.2	98	36.6	29.5-43.7	37	15.7	10.2-21.2	12	5.3	01.4-09.2	9	2.3	00.5-04.1
55-64	317	23,032	185	57.0	50.5-63.5	89	29.0	23.1-34.9	22	6.3	03.0-09.6	12	5.0	01.7-08.3	9	2.7	00.7-04.7
65+	336	19,131	254	76.7	71.2-82.2	57	14.7	10.4-19.0	18	6.6	03.1-10.1	2	0.5	00.0-01.3	5	1.6	00.0-03.2
H.S. or G.E.D.	332	29,564	169	41.5	34.6-48.4	96	30.5	24.0-37.0	32	11.3	06.6-16.0	13	4.3	01.4-07.2	22	12.5	06.6-18.4
Some Post-H.S.	448	60,000	229	41.3	35.6-47.0	125	28.7	23.2-34.2	39	11.7	07.4-16.0	29	8.2	04.7-11.7	26	10.1	05.8-14.4
College Graduate	528	44,802	290	45.8	40.5-51.1	148	31.2	26.1-36.3	53	13.9	09.8-18.0	17	4.8	02.1-07.5	20	4.3	01.9-06.7
Less than \$15,000	63	8,806	28	33.4	16.5-50.3	16	19.3	05.2-33.4	9	16.2	03.5-28.9	2	1.0	00.0-02.4	8	30.2	09.6-50.8
\$15,000- 24,999	132	15,638	67	27.0	18.0-36.0	34	32.7	20.9-44.5	18	17.9	08.5-27.3	4	8.2	00.0-16.8	9	14.2	04.2-24.2
\$25,000- 34,999	120	11,864	62	40.4	28.8-52.0	34	29.6	18.4-40.8	8	7.3	00.6-14.0	8	10.9	02.3-19.5	8	11.8	02.2-21.4
\$35,000- 49,999	174	17,890	97	43.5	34.1-52.9	44	30.9	21.5-40.3	19	15.3	06.7-23.9	3	1.4	00.0-03.2	11	8.9	02.2-15.6
\$50,000- 74,999	252	24,416	130	43.5	36.1-50.9	76	33.0	25.6-40.4	21	11.2	05.5-16.9	15	7.1	02.6-11.6	10	5.3	01.0-09.6
\$75,000+	427	43,800	221	47.3	41.2-53.4	132	30.8	25.1-36.5	38	11.5	07.4-15.6	22	6.0	03.1-08.9	14	4.4	01.5-07.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2730	314,130	328	13.5	11.7-15.3	202	9.2	07.6-10.8	72	3.7	02.7-04.7	79	4.2	03.0-05.4	184	9.3	07.7-10.9	1865	60.1	57.6-62.6
Male	1390	175,542	175	12.7	10.3-15.1	128	10.8	08.4-13.2	43	3.9	02.3-05.5	44	4.3	02.7-05.9	135	12.8	10.3-15.3	865	55.4	51.9-58.9
Female	1340	138,589	153	14.6	11.9-17.3	74	7.3	05.3-09.3	29	3.3	01.9-04.7	35	4.2	02.2-06.2	49	4.7	03.1-06.3	1000	66.0	62.3-69.7
Non-Native	2658	301,144	315	13.6	11.8-15.4	190	8.7	07.1-10.3	69	3.7	02.5-04.9	75	3.7	02.5-04.9	181	9.5	07.9-11.1	1828	60.8	58.3-63.3
18-24	146	46,396	24	17.0	10.1-23.9	20	13.7	07.6-19.8	11	8.0	03.1-12.9	8	7.9	02.2-13.6	25	16.6	10.1-23.1	58	36.9	28.3-45.5
25-34	360	64,101	71	18.5	13.8-23.2	46	13.9	09.4-18.4	16	4.8	02.1-07.5	18	6.3	03.0-09.6	44	13.4	09.3-17.5	165	43.1	37.0-49.2
35-44	370	50,092	63	13.6	09.7-17.5	35	8.4	04.9-11.9	15	4.3	01.6-07.0	17	4.7	02.0-07.4	36	12.4	07.7-17.1	204	56.5	50.2-62.8
45-54	551	57,216	85	15.2	11.5-18.9	44	9.6	06.5-12.7	13	2.3	00.9-03.7	23	4.2	02.2-06.2	30	5.6	03.2-08.0	356	63.0	58.1-67.9
55-64	640	49,960	58	10.1	07.0-13.2	40	6.1	03.9-08.3	15	2.2	01.0-03.4	7	0.7	00.1-01.3	35	5.0	03.0-07.0	485	75.9	72.0-79.8
65+	645	44,353	25	4.0	02.2-05.8	17	2.3	01.1-03.5	2	0.2	00.0-00.6	6	1.0	00.0-02.0	14	1.8	00.8-02.8	581	90.5	88.0-93.0
Less Than H.S.	120	20,930	17	13.7	05.7-21.7	6	7.2	00.7-13.7	3	3.8	00.0-08.5	2	4.9	00.0-13.5	7	5.7	00.6-10.8	85	64.7	52.7-76.7
H.S. or G.E.D.	735	82,234	91	13.8	10.3-17.3	71	12.6	09.1-16.1	21	3.5	01.5-05.5	29	5.3	02.9-07.7	60	12.7	09.2-16.2	463	52.1	47.2-57.0
Some Post-H.S.	890	126,159	102	13.0	10.1-15.9	65	9.2	06.5-11.9	26	4.0	02.0-06.0	27	4.5	02.3-06.7	63	8.9	06.2-11.6	607	60.4	56.1-64.7
College Graduate	982	84,251	118	14.1	11.2-17.0	60	6.7	04.7-08.7	22	3.2	01.6-04.8	21	2.6	01.2-04.0	54	7.4	05.0-09.8	707	65.9	62.0-69.8
Less than \$15,000	119	18,760	20	17.5	08.1-26.9	15	16.6	07.0-26.2	4	3.8	00.0-08.5	6	11.5	00.0-23.1	17	15.7	06.9-24.5	57	34.9	23.5-46.3
\$15,000- 24,999	253	33,066	27	13.1	07.0-19.2	16	11.4	05.5-17.3	12	5.2	01.7-08.7	5	4.1	00.0-08.4	16	6.6	02.5-10.7	177	59.5	51.1-67.9
\$25,000- 34,999	239	30,752	19	9.3	03.2-15.4	25	13.7	06.8-20.6	8	6.2	01.5-10.9	6	3.8	00.1-07.5	14	8.4	03.5-13.3	167	58.7	49.5-67.9
\$35,000- 49,999	422	48,106	53	15.4	10.7-20.1	26	6.6	03.3-09.9	6	2.4	00.0-04.9	12	5.7	02.0-09.4	28	8.3	04.6-12.0	297	61.6	55.3-67.9
\$50,000- 74,999	494	52,900	64	14.7	10.4-19.0	37	7.7	04.8-10.6	12	3.9	01.0-06.8	20	3.4	01.6-05.2	31	9.8	05.7-13.9	330	60.4	54.7-66.1
\$75,000+	958	103,336	122	13.8	10.9-16.7	69	7.3	05.3-09.3	27	3.1	01.7-04.5	26	3.5	01.7-05.3	62	9.4	06.7-12.1	652	62.9	58.8-67.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1390	175,542	175	12.7	10.3-15.1	128	10.8	08.4-13.2	43	3.9	02.3-05.5	44	4.3	02.7-05.9	135	12.8	10.3-15.3	865	55.4	51.9-58.9
Non-Native	1353	167,496	169	12.8	10.4-15.2	122	10.1	07.9-12.3	42	4.1	02.5-05.7	42	3.9	02.3-05.5	133	13.3	10.8-15.8	845	55.8	52.3-59.3
18-24	83	27,341	11	13.4	05.0-21.8	11	14.6	06.2-23.0	6	7.7	01.2-14.2	4	6.2	00.3-12.1	18	23.2	13.2-33.2	33	34.9	23.7-46.1
25-34	208	37,624	39	16.6	10.5-22.7	31	15.5	09.2-21.8	9	4.9	01.2-08.6	11	6.9	02.0-11.8	35	18.6	12.1-25.1	83	37.4	29.4-45.4
35-44	180	26,667	35	15.0	09.1-20.9	20	9.9	04.8-15.0	10	5.8	01.5-10.1	9	4.4	01.1-07.7	28	16.1	09.4-22.8	78	48.8	39.6-58.0
45-54	282	31,408	47	15.8	10.7-20.9	29	11.4	06.7-16.1	8	2.4	00.4-04.4	15	5.3	02.2-08.4	22	8.7	04.6-12.8	161	56.4	49.3-63.5
55-64	324	26,964	35	10.5	06.4-14.6	26	8.2	04.7-11.7	9	2.2	00.6-03.8	2	0.4	00.0-01.0	24	6.4	03.5-09.3	228	72.2	66.5-77.9
65+	308	25,060	8	2.5	00.5-04.5	11	2.9	01.1-04.7	1	0.2	00.0-00.6	3	1.1	00.0-02.5	8	1.7	00.3-03.1	277	91.6	88.5-94.7
Less Than H.S.	85	16,432	13	14.8	05.0-24.6	4	5.8	00.0-12.7	2	3.5	00.0-09.0				7	7.3	00.8-13.8	59	68.6	55.9-81.3
H.S. or G.E.D.	403	52,629	54	14.4	09.5-19.3	45	14.2	09.5-18.9	11	2.5	00.5-04.5	20	6.6	03.3-09.9	46	16.9	11.8-22.0	227	45.4	39.3-51.5
Some Post-H.S.	440	65,745	50	11.1	07.6-14.6	46	11.6	07.5-15.7	14	4.8	01.7-07.9	15	4.8	01.7-07.9	44	12.3	08.0-16.6	271	55.5	49.4-61.6
College Graduate	460	40,252	58	12.5	08.8-16.2	33	7.3	04.4-10.2	16	4.6	01.9-07.3	9	2.2	00.2-04.2	38	10.9	06.8-15.0	306	62.4	56.7-68.1
Less than \$15,000	56	9,957	9	12.6	02.0-23.2	13	26.9	11.6-42.2				2	6.3	00.0-17.5	11	19.9	07.0-32.8	21	34.3	18.6-50.0
\$15,000- 24,999	123	17,492	13	11.5	04.1-18.9	8	12.2	03.6-20.8	7	6.3	01.0-11.6	1	2.1	00.0-06.2	12	9.9	03.0-16.8	82	58.0	46.2-69.8
\$25,000- 34,999	121	19,185	11	10.3	01.7-18.9	15	15.0	05.4-24.6	6	7.4	00.5-14.3	4	4.6	00.0-10.1	8	7.9	01.6-14.2	77	54.8	42.3-67.3
\$35,000- 49,999	246	30,056	34	13.8	08.3-19.3	20	9.1	04.0-14.2	4	2.2	00.0-05.1	7	5.8	01.1-10.5	23	12.0	06.5-17.5	158	57.1	48.9-65.3
\$50,000- 74,999	242	28,484	36	13.9	08.4-19.4	19	7.9	03.8-12.0	8	5.3	00.4-10.2	9	2.5	00.7-04.3	25	16.5	09.4-23.6	145	54.0	45.8-62.2
\$75,000+	532	59,607	65	12.7	09.0-16.4	49	8.5	05.8-11.2	17	3.3	01.3-05.3	20	5.2	02.5-07.9	49	13.1	08.8-17.4	332	57.3	51.8-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1340	138,589	153	14.6	11.9-17.3	74	7.3	05.3-09.3	29	3.3	01.9-04.7	35	4.2	02.2-06.2	49	4.7	03.1-06.3	1000	66.0	62.5-69.5
Non-Native	1305	133,648	146	14.6	11.9-17.3	68	6.9	04.9-08.9	27	3.3	01.9-04.7	33	3.5	01.9-05.1	48	4.8	03.0-06.6	983	67.0	63.5-70.5
18-24	63	19,054	13	22.1	10.5-33.7	9	12.3	04.1-20.5	5	8.5	01.1-15.9	4	10.3	00.0-21.3	7	7.0	00.9-13.1	25	39.7	26.4-53.0
25-34	152	26,476	32	21.2	13.6-28.8	15	11.6	05.3-17.9	7	4.6	00.9-08.3	7	5.3	00.8-09.8	9	6.2	02.1-10.3	82	51.1	41.7-60.5
35-44	190	23,425	28	12.1	07.2-17.0	15	6.7	02.2-11.2	5	2.7	00.0-05.4	8	5.1	00.6-09.6	8	8.2	01.9-14.5	126	65.3	56.7-73.9
45-54	269	25,808	38	14.5	09.4-19.6	15	7.4	03.1-11.7	5	2.2	00.2-04.2	8	3.0	00.5-05.5	8	1.9	00.3-03.5	195	71.0	64.3-77.7
55-64	316	22,996	23	9.6	05.1-14.1	14	3.6	01.4-05.8	6	2.1	00.3-03.9	5	1.1	00.1-02.1	11	3.3	01.1-05.5	257	80.3	74.8-85.8
65+	337	19,292	17	6.0	02.7-09.3	6	1.6	00.2-03.0	1	0.3	00.0-00.9	3	1.0	00.0-02.2	6	2.0	00.2-03.8	304	89.2	85.1-93.3
H.S. or G.E.D.	332	29,605	37	12.9	07.8-18.0	26	9.7	05.4-14.0	10	5.3	01.6-09.0	9	2.9	00.9-04.9	14	5.2	01.7-08.7	236	64.0	56.9-71.1
Some Post-H.S.	450	60,414	52	15.0	10.3-19.7	19	6.5	03.2-09.8	12	3.2	01.0-05.4	12	4.3	01.4-07.2	19	5.2	02.3-08.1	336	65.8	59.7-71.9
College Graduate	522	44,000	60	15.6	11.3-19.9	27	6.1	03.4-08.8	6	2.0	00.2-03.8	12	2.9	00.9-04.9	16	4.2	01.8-06.6	401	69.1	63.8-74.4
Less than \$15,000	63	8,803	11	23.1	07.4-38.8	2	5.0	00.0-13.8	4	8.1	00.0-17.9	4	17.3	00.0-37.5	6	10.9	00.0-22.3	36	35.6	18.9-52.3
\$15,000- 24,999	130	15,574	14	15.0	05.2-24.8	8	10.5	02.7-18.3	5	4.1	00.0-08.6	4	6.4	00.0-14.0	4	2.9	00.0-07.0	95	61.1	48.6-73.6
\$25,000- 34,999	118	11,567	8	7.5	00.4-14.6	10	11.5	02.5-20.5	2	4.1	00.0-09.8	2	2.4	00.0-06.7	6	9.4	01.4-17.4	90	65.1	52.6-77.6
\$35,000- 49,999	176	18,050	19	18.0	09.4-26.6	6	2.4	00.0-04.9	2	2.8	00.0-07.3	5	5.4	00.0-11.5	5	2.3	00.1-04.5	139	69.1	59.1-79.1
\$50,000- 74,999	252	24,416	28	15.7	09.0-22.4	18	7.6	03.3-11.9	4	2.3	00.0-05.0	11	4.5	01.4-07.6	6	2.0	00.2-03.8	185	67.9	60.3-75.5
\$75,000+	426	43,729	57	15.2	10.7-19.7	20	5.7	02.8-08.6	10	3.0	00.8-05.2	6	1.2	00.2-02.2	13	4.4	01.3-07.5	320	70.6	64.9-76.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2670	305,315	656	18.8	17.0-20.6	673	21.5	19.5-23.5	421	16.8	14.8-18.8	225	9.0	07.4-10.6	695	33.8	31.3-36.3
Male	1348	169,536	211	12.8	10.6-15.0	279	16.9	14.5-19.3	250	18.8	16.1-21.5	122	8.3	06.3-10.3	486	43.2	39.7-46.7
Female	1322	135,780	445	26.4	23.5-29.3	394	27.2	24.1-30.3	171	14.3	11.6-17.0	103	10.0	07.5-12.5	209	22.1	18.8-25.4
Non-Native	2600	293,145	644	19.2	17.4-21.0	661	21.8	19.8-23.8	412	17.2	15.2-19.2	220	8.6	07.2-10.0	663	33.3	30.8-35.8
18-24	139	44,006	12	8.2	03.3-13.1	20	12.3	06.4-18.2	22	15.6	09.1-22.1	10	9.1	02.8-15.4	75	54.8	45.6-64.0
25-34	348	61,980	37	8.6	05.1-12.1	58	14.1	10.0-18.2	52	15.6	10.9-20.3	33	10.5	06.6-14.4	168	51.2	44.9-57.5
35-44	357	47,613	60	14.9	10.6-19.2	77	21.9	16.4-27.4	48	16.3	11.2-21.4	32	7.6	04.5-10.7	140	39.2	32.7-45.7
45-54	544	56,624	97	16.4	12.7-20.1	131	24.0	19.5-28.5	105	19.2	15.1-23.3	54	10.4	07.1-13.7	157	29.9	25.2-34.6
55-64	628	49,208	173	27.4	23.3-31.5	187	28.3	24.2-32.4	97	17.6	13.7-21.5	57	9.0	06.5-11.5	114	17.8	14.3-21.3
65+	636	43,871	268	41.1	36.4-45.8	196	29.7	25.4-34.0	94	15.9	12.2-19.6	38	6.2	04.0-08.4	40	7.0	04.6-09.4
Less Than H.S.	117	20,431	35	23.8	15.0-32.6	24	16.6	08.2-25.0	15	17.0	07.6-26.4	9	10.5	00.7-20.3	34	32.1	20.7-43.5
H.S. or G.E.D.	715	79,371	169	17.6	14.3-20.9	158	18.3	14.8-21.8	108	14.2	11.1-17.3	64	8.2	05.8-10.6	216	41.7	36.8-46.6
Some Post-H.S.	870	122,794	201	17.2	14.5-19.9	215	20.8	17.5-24.1	152	19.1	15.6-22.6	79	10.1	07.4-12.8	223	32.8	28.5-37.1
College Graduate	966	82,244	249	20.7	17.8-23.6	276	27.0	23.5-30.5	146	15.9	13.0-18.8	73	7.9	05.7-10.1	222	28.5	24.8-32.2
Less than \$15,000	112	17,567	22	10.4	03.9-16.9	14	7.3	01.8-12.8	18	12.9	05.1-20.7	12	15.5	03.7-27.3	46	53.9	41.0-66.8
\$15,000- 24,999	243	31,229	67	15.4	10.5-20.3	65	21.3	15.0-27.6	32	18.2	10.9-25.5	21	9.9	04.0-15.8	58	35.2	26.4-44.0
\$25,000- 34,999	235	30,679	66	19.5	13.2-25.8	60	19.6	12.9-26.3	33	19.3	11.7-26.9	18	6.8	02.9-10.7	58	34.8	25.8-43.8
\$35,000- 49,999	416	47,296	96	17.5	13.4-21.6	116	21.3	16.8-25.8	70	19.5	14.2-24.8	25	6.1	03.2-09.0	109	35.5	29.0-42.0
\$50,000- 74,999	483	51,387	122	21.6	17.3-25.9	118	21.9	17.4-26.4	68	14.6	10.5-18.7	37	7.0	04.1-09.9	138	34.9	29.0-40.8
\$75,000+	944	102,415	186	15.7	13.2-18.2	243	24.3	20.8-27.8	169	17.4	14.3-20.5	94	10.6	08.1-13.1	252	32.0	28.1-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1348	169,536	211	12.8	10.6-15.0	279	16.9	14.5-19.3	250	18.8	16.1-21.5	122	8.3	06.3-10.3	486	43.2	39.7-46.7
Non-Native	1311	162,066	206	13.0	10.8-15.2	273	17.1	14.7-19.5	245	19.4	16.7-22.1	120	7.9	06.1-09.7	467	42.7	39.2-46.2
18-24	78	25,660	5	6.7	00.6-12.8	10	9.5	02.4-16.6	14	15.9	07.5-24.3	3	4.1	00.0-10.0	46	63.7	51.9-75.5
25-34	200	36,048	12	6.7	02.0-11.4	20	6.4	03.1-09.7	33	14.9	09.2-20.6	17	10.4	05.1-15.7	118	61.6	53.4-69.8
35-44	171	25,122	14	7.1	02.6-11.6	19	13.7	06.4-21.0	29	21.0	12.8-29.2	14	6.5	02.6-10.4	95	51.7	42.1-61.3
45-54	279	31,025	21	6.2	03.1-09.3	59	22.1	16.0-28.2	57	20.8	14.9-26.7	29	9.8	05.5-14.1	113	41.0	33.9-48.1
55-64	314	26,400	68	22.4	17.1-27.7	73	22.3	16.8-27.8	55	20.4	14.3-26.5	32	9.2	05.7-12.7	86	25.7	20.0-31.4
65+	301	24,804	88	30.8	24.5-37.1	97	30.7	24.8-36.6	61	21.1	15.2-27.0	27	8.4	04.9-11.9	28	9.0	05.3-12.7
Less Than H.S.	83	16,300	19	20.9	10.9-30.9	18	18.4	08.0-28.8	13	20.3	08.9-31.7	6	6.2	00.1-12.3	27	34.2	21.1-47.3
H.S. or G.E.D.	388	50,428	56	12.1	08.0-16.2	72	13.7	09.8-17.6	65	14.5	10.4-18.6	36	7.4	04.5-10.3	159	52.2	45.9-58.5
Some Post-H.S.	427	63,732	56	9.3	06.6-12.0	82	16.4	12.1-20.7	91	21.5	16.6-26.4	42	9.8	05.9-13.7	156	43.0	36.9-49.1
College Graduate	449	38,673	79	15.1	11.4-18.8	107	21.5	17.0-26.0	81	19.6	14.7-24.5	38	7.8	04.9-10.7	144	36.1	30.4-41.8
Less than \$15,000	51	8,818	6	4.0	00.1-07.9	1	1.2	00.0-03.6	9	14.6	03.6-25.6	4	4.3	00.0-09.0	31	76.0	63.5-88.5
\$15,000- 24,999	119	17,127	20	10.5	05.0-16.0	34	17.9	10.8-25.0	14	16.8	07.4-26.2	11	10.7	01.7-19.7	40	44.1	32.1-56.1
\$25,000- 34,999	118	19,061	22	15.3	07.1-23.5	22	14.1	05.5-22.7	24	23.8	13.0-34.6	11	5.6	01.7-09.5	39	41.2	28.7-53.7
\$35,000- 49,999	240	29,246	34	10.8	06.5-15.1	60	18.1	12.8-23.4	47	22.5	15.2-29.8	13	5.8	01.9-09.7	86	42.7	34.5-50.9
\$50,000- 74,999	235	27,521	42	16.9	11.0-22.8	41	14.8	09.3-20.3	40	16.7	10.6-22.8	21	7.0	03.1-10.9	91	44.7	36.3-53.1
\$75,000+	521	58,933	66	9.3	06.9-11.7	103	18.6	14.3-22.9	107	18.8	14.7-22.9	58	11.4	07.9-14.9	187	41.9	36.4-47.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1322	135,780	445	26.4	23.7-29.1	394	27.2	24.1-30.3	171	14.3	11.6-17.0	103	10.0	07.5-12.5	209	22.1	18.8-25.4
Non-Native	1289	131,079	438	26.9	24.0-29.8	388	27.6	24.5-30.7	167	14.4	11.7-17.1	100	9.4	07.0-11.8	196	21.7	18.4-25.0
18-24	61	18,346	7	10.4	02.6-18.2	10	16.2	06.4-26.0	8	15.2	05.0-25.4	7	16.0	03.8-28.2	29	42.2	28.5-55.9
25-34	148	25,931	25	11.3	06.2-16.4	38	24.9	16.7-33.1	19	16.5	08.7-24.3	16	10.6	04.7-16.5	50	36.8	27.6-46.0
35-44	186	22,491	46	23.7	16.4-31.0	58	31.1	22.9-39.3	19	11.0	05.5-16.5	18	8.9	03.8-14.0	45	25.2	17.2-33.2
45-54	265	25,600	76	28.8	22.1-35.5	72	26.3	20.0-32.6	48	17.3	11.8-22.8	25	11.1	06.2-16.0	44	16.5	11.2-21.8
55-64	314	22,808	105	33.1	27.0-39.2	114	35.2	29.1-41.3	42	14.4	09.7-19.1	25	8.7	05.0-12.4	28	8.6	04.9-12.3
65+	335	19,067	180	54.6	48.1-61.1	99	28.5	22.4-34.6	33	9.2	05.9-12.5	11	3.4	01.2-05.6	12	4.3	01.6-07.0
H.S. or G.E.D.	327	28,943	113	27.2	21.3-33.1	86	26.3	20.0-32.6	43	13.6	08.5-18.7	28	9.5	05.4-13.6	57	23.4	16.7-30.1
Some Post-H.S.	443	59,062	145	25.7	21.0-30.4	133	25.5	20.4-30.6	61	16.6	11.7-21.5	37	10.4	06.3-14.5	67	21.7	16.2-27.2
College Graduate	517	43,571	170	25.7	21.4-30.0	169	31.9	26.8-37.0	65	12.6	09.1-16.1	35	8.1	05.0-11.2	78	21.7	16.8-26.6
Less than \$15,000	61	8,749	16	16.8	04.6-29.0	13	13.5	02.9-24.1	9	11.2	00.0-22.8	8	26.8	06.2-47.4	15	31.6	14.4-48.8
\$15,000- 24,999	124	14,102	47	21.4	12.8-30.0	31	25.5	14.7-36.3	18	19.9	08.9-30.9	10	8.9	01.6-16.2	18	24.3	12.0-36.6
\$25,000- 34,999	117	11,617	44	26.3	16.7-35.9	38	28.7	17.9-39.5	9	12.1	02.7-21.5	7	8.8	01.0-16.6	19	24.1	12.3-35.9
\$35,000- 49,999	176	18,050	62	28.3	20.3-36.3	56	26.6	18.6-34.6	23	14.5	07.2-21.8	12	6.6	02.3-10.9	23	24.0	14.2-33.8
\$50,000- 74,999	248	23,866	80	27.1	21.0-33.2	77	30.2	22.9-37.5	28	12.1	06.6-17.6	16	6.9	02.6-11.2	47	23.7	16.4-31.0
\$75,000+	423	43,482	120	24.3	19.4-29.2	140	32.1	26.4-37.8	62	15.5	11.0-20.0	36	9.6	05.9-13.3	65	18.6	13.7-23.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	182
2 MALES ONLY	183
3 FEMALES ONLY	184
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	185
5 MALES ONLY	186
6 FEMALES ONLY	187
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	188
8 MALES ONLY	189
9 FEMALES ONLY	190
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	191
11 MALES ONLY	192
12 FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4786	524,620	2239	39.7	37.9-41.5	2547	60.3	58.5-62.1
Male	2096	262,268	820	32.5	30.0-35.0	1276	67.5	65.0-70.0
Female	2690	262,352	1419	46.8	44.3-49.3	1271	53.2	50.7-55.7
Native	121	23,075	49	36.4	25.4-47.4	72	63.6	52.6-74.6
Non-Native	4605	495,085	2166	40.0	38.2-41.8	2439	60.0	58.2-61.8
18-24	238	75,484	60	25.0	18.9-31.1	178	75.0	68.9-81.1
25-34	506	90,633	162	27.7	23.2-32.2	344	72.3	67.8-76.8
35-44	540	75,396	206	36.1	31.2-41.0	334	63.9	59.0-68.8
45-54	849	90,039	320	36.6	32.7-40.5	529	63.4	59.5-67.3
55-64	1047	86,021	507	47.8	44.1-51.5	540	52.2	48.5-55.9
65+	1567	103,585	970	59.7	56.8-62.6	597	40.3	37.4-43.2
Less Than H.S.	328	50,334	147	35.5	29.0-42.0	181	64.5	58.0-71.0
H.S. or G.E.D.	1385	143,127	605	36.5	33.2-39.8	780	63.5	60.2-66.8
Some Post-H.S.	1529	203,325	698	38.3	35.2-41.4	831	61.7	58.6-64.8
College Graduate	1538	126,485	788	47.6	44.5-50.7	750	52.4	49.3-55.5
Less than \$15,000	346	39,966	139	35.1	27.8-42.4	207	64.9	57.6-72.2
\$15,000- 24,999	597	64,078	298	38.2	32.9-43.5	299	61.8	56.5-67.1
\$25,000- 34,999	496	54,532	250	41.7	35.8-47.6	246	58.3	52.4-64.2
\$35,000- 49,999	705	78,588	319	38.3	33.8-42.8	386	61.7	57.2-66.2
\$50,000- 74,999	744	79,747	339	40.5	36.2-44.8	405	59.5	55.2-63.8
\$75,000+	1303	143,713	607	40.4	37.1-43.7	696	59.6	56.3-62.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2096	262,268	820	32.5	30.0-35.0	1276	67.5	65.0-70.0
Native	53	12,560	17	32.7	16.8-48.6	36	67.3	51.4-83.2
Non-Native	2010	246,450	789	32.6	30.1-35.1	1221	67.4	64.9-69.9
18-24	116	39,388	20	18.4	10.6-26.2	96	81.6	73.8-89.4
25-34	267	48,514	59	17.0	12.1-21.9	208	83.0	78.1-87.9
35-44	255	39,171	69	28.0	21.1-34.9	186	72.0	65.1-78.9
45-54	401	45,202	133	31.2	25.7-36.7	268	68.8	63.3-74.3
55-64	490	43,927	216	43.5	38.0-49.0	274	56.5	51.0-62.0
65+	557	45,132	321	56.6	51.7-61.5	236	43.4	38.5-48.3
Less Than H.S.	162	30,589	59	24.7	17.4-32.0	103	75.3	68.0-82.6
H.S. or G.E.D.	642	81,255	226	31.0	26.5-35.5	416	69.0	64.5-73.5
Some Post-H.S.	639	93,216	236	30.9	26.6-35.2	403	69.1	64.8-73.4
College Graduate	651	56,724	298	41.8	37.1-46.5	353	58.2	53.5-62.9
Less than \$15,000	119	17,091	41	30.6	19.6-41.6	78	69.4	58.4-80.4
\$15,000- 24,999	232	32,134	98	36.0	28.2-43.8	134	64.0	56.2-71.8
\$25,000- 34,999	207	27,322	83	31.1	22.9-39.3	124	68.9	60.7-77.1
\$35,000- 49,999	369	45,311	142	32.8	26.9-38.7	227	67.2	61.3-73.1
\$50,000- 74,999	337	39,875	133	32.7	26.8-38.6	204	67.3	61.4-73.2
\$75,000+	684	79,042	267	32.2	28.1-36.3	417	67.8	63.7-71.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2690	262,352	1419	46.8	44.3-49.3	1271	53.2	50.7-55.7
Native	68	10,516	32	40.9	25.8-56.0	36	59.1	44.0-74.2
Non-Native	2595	248,635	1377	47.3	44.8-49.8	1218	52.7	50.2-55.2
18-24	122	36,096	40	32.3	23.3-41.3	82	67.7	58.7-76.7
25-34	239	42,120	103	40.1	32.7-47.5	136	59.9	52.5-67.3
35-44	285	36,225	137	45.0	37.9-52.1	148	55.0	47.9-62.1
45-54	448	44,837	187	42.0	36.3-47.7	261	58.0	52.3-63.7
55-64	557	42,093	291	52.3	47.4-57.2	266	47.7	42.8-52.6
65+	1010	58,452	649	62.0	58.3-65.7	361	38.0	34.3-41.7
Less Than H.S.	166	19,745	88	52.3	41.7-62.9	78	47.7	37.1-58.3
H.S. or G.E.D.	743	61,873	379	43.7	39.0-48.4	364	56.3	51.6-61.0
Some Post-H.S.	890	110,108	462	44.5	40.2-48.8	428	55.5	51.2-59.8
College Graduate	887	69,761	490	52.3	48.0-56.6	397	47.7	43.4-52.0
Less than \$15,000	227	22,875	98	38.5	28.7-48.3	129	61.5	51.7-71.3
\$15,000- 24,999	365	31,944	200	40.4	33.5-47.3	165	59.6	52.7-66.5
\$25,000- 34,999	289	27,211	167	52.3	44.5-60.1	122	47.7	39.9-55.5
\$35,000- 49,999	336	33,277	177	45.8	38.7-52.9	159	54.2	47.1-61.3
\$50,000- 74,999	407	39,872	206	48.2	42.1-54.3	201	51.8	45.7-57.9
\$75,000+	619	64,672	340	50.4	45.3-55.5	279	49.6	44.5-54.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1543	139,866	9	0.8	00.0-01.6	18	1.5	00.7-02.3	1516	97.7	96.5-98.9
Male	537	53,795	2	0.6	00.0-01.6	6	1.1	00.1-02.1	529	98.2	96.8-99.6
Female	1006	86,071	7	1.0	00.0-02.2	12	1.7	00.5-02.9	987	97.3	95.7-98.9
Non-Native	1500	133,645	9	0.9	00.1-01.7	18	1.5	00.7-02.3	1473	97.6	96.4-98.8
25-34	112	17,379	2	3.9	00.0-09.4	4	4.0	00.0-08.5	106	92.1	85.0-99.2
35-44	134	16,658	1	0.5	00.0-01.5	3	2.5	00.0-05.4	130	97.0	93.9-0100
45-54	240	23,578	4	1.4	00.0-02.8	6	2.4	00.2-04.6	230	96.3	93.8-98.8
55-64	342	27,120	1	0.3	00.0-00.9	1	0.2	00.0-00.6	340	99.5	98.9-0100
65+	665	41,812	1	0.1	00.0-00.3	4	0.8	00.0-01.8	660	99.2	98.2-0100
Less Than H.S.	95	10,629				4	6.3	00.2-12.4	91	93.7	87.6-99.8
H.S. or G.E.D.	411	34,898	1	0.1	00.0-00.3	4	1.7	00.0-03.7	406	98.3	96.3-0100
Some Post-H.S.	480	53,603	3	1.2	00.0-03.0	4	0.5	00.0-01.1	473	98.2	96.4-0100
College Graduate	556	40,655	5	1.2	00.0-02.4	6	1.2	00.0-02.4	545	97.6	95.8-99.4
Less than \$15,000	87	9,465				2	1.3	00.0-03.5	85	98.7	96.5-0100
\$15,000- 24,999	201	16,192	1	0.1	00.0-00.3	3	2.1	00.0-04.8	197	97.8	95.1-0100
\$25,000- 34,999	171	13,453	1	0.7	00.0-02.1	1	0.8	00.0-02.4	169	98.4	96.2-0100
\$35,000- 49,999	215	20,282	1	1.1	00.0-03.3	3	2.4	00.0-05.7	211	96.5	92.6-0100
\$50,000- 74,999	246	22,928				3	1.5	00.0-03.5	243	98.5	96.5-0100
\$75,000+	431	40,972	4	1.6	00.0-03.8	3	0.6	00.0-01.4	424	97.8	95.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	537	53,795	2	0.6	00.0-01.6	6	1.1	00.1-02.1	529	98.2	96.8-99.6
Non-Native	521	50,616	2	0.6	00.0-01.6	6	1.2	00.2-02.2	513	98.1	96.7-99.5
45-54	99	9,972	1	1.1	00.0-03.1	2	1.9	00.0-04.6	96	97.0	93.7-0100
55-64	136	11,947				1	0.5	00.0-01.5	135	99.5	98.5-0100
65+	213	16,079				2	1.6	00.0-04.0	211	98.4	96.0-0100
H.S. or G.E.D.	140	15,204				1	0.7	00.0-02.1	139	99.3	97.9-0100
Some Post-H.S.	156	19,135	1	0.5	00.0-01.5	1	0.5	00.0-01.5	154	98.9	97.3-0100
College Graduate	204	15,109	1	1.5	00.0-04.4	2	0.9	00.0-02.3	201	97.6	94.5-0100
\$15,000- 24,999	56	6,827				1	1.7	00.0-05.0	55	98.3	95.0-0100
\$25,000- 34,999	57	5,344				1	2.1	00.0-06.2	56	97.9	93.8-0100
\$35,000- 49,999	88	9,122	1	2.5	00.0-07.2	1	0.7	00.0-02.1	86	96.9	92.0-0100
\$50,000- 74,999	88	7,900				1	1.3	00.0-03.8	87	98.7	96.2-0100
\$75,000+	190	17,865				1	0.5	00.0-01.5	189	99.5	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1006	86,071	7	1.0	00.0-02.2	12	1.7	00.5-02.9	987	97.3	95.7-98.9
Non-Native	979	83,030	7	1.0	00.0-02.2	12	1.7	00.5-02.9	960	97.3	95.7-98.9
25-34	75	12,521	1	3.6	00.0-10.7	4	5.5	00.0-11.8	70	90.9	81.9-99.9
35-44	96	11,140	1	0.7	00.0-02.1	2	2.9	00.0-07.0	93	96.5	92.2-0100
45-54	141	13,606	3	1.6	00.0-03.6	4	2.7	00.0-06.0	134	95.7	92.0-99.4
55-64	206	15,173	1	0.5	00.0-01.5				205	99.5	98.5-0100
65+	452	25,733	1	0.1	00.0-00.3	2	0.3	00.0-00.7	449	99.7	99.3-0100
Less Than H.S.	59	6,363				2	6.5	00.0-15.1	57	93.5	84.9-0100
H.S. or G.E.D.	271	19,695	1	0.1	00.0-00.3	3	2.4	00.0-05.7	267	97.5	94.2-0100
Some Post-H.S.	324	34,468	2	1.6	00.0-04.1	3	0.6	00.0-01.4	319	97.8	95.1-0100
College Graduate	352	25,546	4	1.0	00.0-02.0	4	1.4	00.0-03.2	344	97.5	95.5-99.5
Less than \$15,000	62	5,793				2	2.1	00.0-05.6	60	97.9	94.4-0100
\$15,000- 24,999	145	9,365	1	0.2	00.0-00.6	2	2.4	00.0-06.5	142	97.4	93.3-0100
\$25,000- 34,999	114	8,109	1	1.2	00.0-03.6				113	98.8	96.4-0100
\$35,000- 49,999	127	11,160				2	3.9	00.0-09.8	125	96.1	90.2-0100
\$50,000- 74,999	158	15,029				2	1.6	00.0-04.3	156	98.4	95.7-0100
\$75,000+	241	23,106	4	2.8	00.0-06.7	2	0.7	00.0-01.7	235	96.5	92.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2225	207,306	786	34.1	31.6-36.6	578	24.7	22.3-27.1	136	4.7	03.7-05.7	160	6.1	04.9-07.3	564	30.3	27.8-32.8	1	0.0	00.0-00.0
Male	815	84,865	293	32.5	28.6-36.4	224	26.3	22.6-30.0	42	4.1	02.5-05.7	55	6.2	04.2-08.2	201	30.9	26.6-35.2			
Female	1410	122,441	493	35.3	32.0-38.6	354	23.6	20.7-26.5	94	5.2	03.8-06.6	105	6.0	04.4-07.6	363	29.8	26.5-33.1	1	0.1	00.0-00.3
Non-Native	2154	197,359	754	33.4	30.9-35.9	561	24.5	22.1-26.9	130	4.6	03.6-05.6	156	6.3	05.1-07.5	552	31.2	28.5-33.9	1	0.0	00.0-00.0
18-24	60	18,883	19	30.8	18.3-43.3	10	15.2	05.8-24.6	2	3.9	00.0-09.2				29	50.1	36.4-63.8			
25-34	162	25,132	59	32.6	24.0-41.2	35	23.7	15.5-31.9				8	5.9	00.8-11.0	60	37.7	28.7-46.7			
35-44	205	26,971	65	31.3	23.7-38.9	40	23.2	15.6-30.8	9	4.6	01.1-08.1	5	1.7	00.1-03.3	86	39.2	31.0-47.4			
45-54	319	32,867	91	26.6	20.9-32.3	65	20.9	15.6-26.2	8	2.3	00.0-04.7	19	5.7	02.8-08.6	136	44.5	37.6-51.4			
55-64	505	41,064	180	38.2	32.9-43.5	119	23.0	18.7-27.3	12	2.1	00.7-03.5	31	5.6	03.4-07.8	163	31.1	26.2-36.0			
65+	960	61,346	368	38.6	34.9-42.3	306	32.2	28.7-35.7	105	10.1	07.9-12.3	96	10.0	07.6-12.4	84	9.0	06.8-11.2	1	0.1	00.0-00.3
Less Than H.S.	145	17,741	58	37.5	27.9-47.1	42	30.1	20.5-39.7	20	10.5	05.4-15.6	8	6.5	00.0-13.0	17	15.4	07.2-23.6			
H.S. or G.E.D.	601	52,130	222	35.4	30.3-40.5	177	26.9	22.2-31.6	43	5.2	03.0-07.4	49	7.4	04.9-09.9	109	25.0	19.7-30.3	1	0.2	00.0-00.6
Some Post-H.S.	693	77,333	227	32.5	28.0-37.0	180	23.7	19.8-27.6	47	5.2	03.2-07.2	60	6.6	04.6-08.6	179	32.1	27.4-36.8			
College Graduate	785	60,021	278	34.1	30.0-38.2	179	22.6	18.9-26.3	26	2.1	01.1-03.1	43	4.2	02.6-05.8	259	36.9	32.6-41.2			
Less than \$15,000	137	13,961	54	34.7	23.3-46.1	41	31.6	20.2-43.0	11	5.5	01.6-09.4	16	9.6	01.6-17.6	15	18.6	07.4-29.8			
\$15,000- 24,999	296	24,388	113	37.0	29.4-44.6	86	27.1	20.2-34.0	26	6.1	03.2-09.0	18	3.6	01.6-05.6	53	26.2	18.2-34.2			
\$25,000- 34,999	246	22,295	83	30.9	23.5-38.3	65	25.3	17.5-33.1	16	6.7	02.6-10.8	21	6.3	02.8-09.8	61	30.9	22.3-39.5			
\$35,000- 49,999	318	30,058	110	31.9	25.6-38.2	89	23.8	18.3-29.3	22	6.3	02.8-09.8	25	7.4	03.9-10.9	72	30.6	23.5-37.7			
\$50,000- 74,999	339	32,282	113	32.4	26.1-38.7	89	25.5	19.8-31.2	16	3.6	01.6-05.6	12	2.8	01.0-04.6	108	35.4	29.1-41.7	1	0.2	00.0-00.6
\$75,000+	607	58,041	206	33.2	28.3-38.1	134	21.5	17.6-25.4	15	2.7	00.9-04.5	43	6.4	04.2-08.6	209	36.3	31.4-41.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	815	84,865	293	32.5	28.6-36.4	224	26.3	22.6-30.0	42	4.1	02.5-05.7	55	6.2	04.2-08.2	201	30.9	26.6-35.2
Non-Native	786	80,125	282	31.5	27.6-35.4	218	26.0	22.3-29.7	40	4.0	02.6-05.4	52	6.4	04.4-08.4	194	32.1	27.8-36.4
25-34	59	8,234	16	19.4	08.8-30.0	15	21.9	10.3-33.5				1	0.7	00.0-02.1	27	58.0	43.5-72.5
35-44	68	10,680	20	31.4	17.7-45.1	16	29.7	15.4-44.0	5	3.9	00.4-07.4	1	1.3	00.0-03.8	26	33.8	20.5-47.1
45-54	132	14,035	41	26.0	17.6-34.4	28	20.8	13.2-28.4	4	1.1	00.0-02.3	13	11.0	04.5-17.5	46	41.2	30.8-51.6
55-64	216	19,097	84	43.1	34.9-51.3	49	20.5	14.4-26.6	7	3.3	00.6-06.0	15	6.3	02.6-10.0	61	26.8	19.7-33.9
65+	318	25,424	128	37.4	31.3-43.5	113	36.7	30.6-42.8	25	7.7	04.4-11.0	25	9.0	05.1-12.9	27	9.1	05.4-12.8
Less Than H.S.	59	7,546	17	29.9	15.4-44.4	26	45.1	29.4-60.8	8	11.1	03.1-19.1	2	2.8	00.0-06.9	6	11.1	02.3-19.9
H.S. or G.E.D.	225	25,175	85	35.5	27.5-43.5	64	24.0	17.3-30.7	14	3.5	01.5-05.5	17	8.6	04.1-13.1	45	28.4	20.0-36.8
Some Post-H.S.	234	28,468	79	29.0	22.1-35.9	60	22.3	16.2-28.4	10	4.3	01.2-07.4	16	5.7	02.8-08.6	69	38.7	30.7-46.7
College Graduate	296	23,596	111	34.2	27.7-40.7	74	27.6	20.9-34.3	10	2.4	00.8-04.0	20	5.2	02.5-07.9	81	30.6	23.9-37.3
\$15,000- 24,999	97	11,519	41	36.0	24.0-48.0	31	26.8	16.2-37.4	6	3.8	00.5-07.1	1	0.5	00.0-01.5	18	32.8	19.3-46.3
\$25,000- 34,999	81	8,187	31	31.0	18.7-43.3	23	29.7	15.4-44.0	4	4.3	00.0-09.0	5	4.6	00.1-09.1	18	30.3	15.2-45.4
\$35,000- 49,999	141	14,811	49	29.9	21.1-38.7	43	28.3	19.9-36.7	8	6.1	00.6-11.6	14	10.8	04.3-17.3	27	24.9	15.3-34.5
\$50,000- 74,999	133	13,050	46	32.9	23.1-42.7	40	30.7	21.3-40.1	10	5.7	01.6-09.8	4	2.1	00.0-04.3	33	28.7	18.9-38.5
\$75,000+	267	25,419	87	29.8	23.1-36.5	60	21.4	15.5-27.3	10	3.1	01.1-05.1	23	8.4	04.5-12.3	87	37.3	29.9-44.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1410	122,441	493	35.3	32.0-38.6	354	23.6	20.7-26.5	94	5.2	03.8-06.6	105	6.0	04.4-07.6	363	29.8	26.5-33.1	1	0.1	00.0-00.3
Non-Native	1368	117,234	472	34.7	31.4-38.0	343	23.4	20.5-26.3	90	5.0	03.6-06.4	104	6.3	04.7-07.9	358	30.5	27.2-33.8	1	0.1	00.0-00.3
25-34	103	16,898	43	39.0	27.6-50.4	20	24.6	13.8-35.4				7	8.5	01.2-15.8	33	27.9	17.9-37.9			
35-44	137	16,291	45	31.2	22.0-40.4	24	19.0	10.6-27.4	4	5.1	00.0-10.4	4	1.9	00.1-03.7	60	42.8	32.6-53.0			
45-54	187	18,832	50	27.0	19.2-34.8	37	20.9	13.6-28.2	4	3.3	00.0-07.2	6	1.8	00.2-03.4	90	47.0	38.0-56.0			
55-64	289	21,966	96	33.9	27.2-40.6	70	25.2	19.1-31.3	5	1.0	00.0-02.0	16	5.0	02.3-07.7	102	34.9	28.2-41.6			
65+	642	35,922	240	39.4	34.9-43.9	193	28.9	24.8-33.0	80	11.8	09.1-14.5	71	10.6	07.9-13.3	57	8.9	06.4-11.4	1	0.2	00.0-00.6
Less Than H.S.	86	10,195	41	43.1	30.2-56.0	16	19.0	08.2-29.8	12	10.0	03.7-16.3	6	9.3	00.0-19.7	11	18.5	06.0-31.0			
H.S. or G.E.D.	376	26,955	137	35.3	29.0-41.6	113	29.7	23.4-36.0	29	6.7	03.0-10.4	32	6.2	03.7-08.7	64	21.8	15.7-27.9	1	0.3	00.0-00.9
Some Post-H.S.	459	48,866	148	34.5	28.4-40.6	120	24.4	19.3-29.5	37	5.7	03.3-08.1	44	7.1	04.6-09.6	110	28.2	22.5-33.9			
College Graduate	489	36,425	167	34.0	28.7-39.3	105	19.4	15.1-23.7	16	2.0	00.6-03.4	23	3.6	01.6-05.6	178	41.1	35.4-46.8			
Less than \$15,000	96	8,731	38	34.8	20.9-48.7	28	33.4	18.9-47.9	8	6.3	00.8-11.8	14	12.7	00.7-24.7	8	12.8	01.6-24.0			
\$15,000- 24,999	199	12,868	72	37.8	28.2-47.4	55	27.3	18.5-36.1	20	8.1	03.6-12.6	17	6.4	02.9-09.9	35	20.3	11.7-28.9			
\$25,000- 34,999	165	14,108	52	30.8	21.4-40.2	42	22.7	13.7-31.7	12	8.0	02.3-13.7	16	7.2	02.5-11.9	43	31.3	20.7-41.9			
\$35,000- 49,999	177	15,247	61	33.9	24.9-42.9	46	19.4	12.7-26.1	14	6.5	01.8-11.2	11	4.0	01.5-06.5	45	36.2	26.0-46.4			
\$50,000- 74,999	206	19,231	67	32.1	24.1-40.1	49	22.0	14.9-29.1	6	2.2	00.2-04.2	8	3.3	00.9-05.7	75	39.9	31.7-48.1	1	0.4	00.0-01.2
\$75,000+	340	32,622	119	35.8	28.9-42.7	74	21.5	16.0-27.0	5	2.3	00.0-05.0	20	4.8	02.3-07.3	122	35.5	28.8-42.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4311	451,241	1657	29.8	28.0-31.6	2654	70.2	68.4-72.0
Male	1811	215,684	612	27.8	25.3-30.3	1199	72.2	69.7-74.7
Female	2500	235,557	1045	31.7	29.3-34.1	1455	68.3	65.9-70.7
Native	108	19,752	38	25.6	15.2-36.0	70	74.4	64.0-84.8
Non-Native	4145	424,671	1598	30.1	28.3-31.9	2547	69.9	68.1-71.7
18-24	179	57,169	30	19.0	12.3-25.7	149	81.0	74.3-87.7
25-34	391	68,298	48	13.0	08.9-17.1	343	87.0	82.9-91.1
35-44	450	62,068	56	14.9	10.4-19.4	394	85.1	80.6-89.6
45-54	782	82,697	125	14.6	11.7-17.5	657	85.4	82.5-88.3
55-64	978	80,113	307	31.6	28.1-35.1	671	68.4	64.9-71.9
65+	1496	97,792	1077	68.8	65.9-71.7	419	31.2	28.3-34.1
Less Than H.S.	306	44,654	164	38.7	31.8-45.6	142	61.3	54.4-68.2
H.S. or G.E.D.	1269	124,457	565	34.1	30.8-37.4	704	65.9	62.6-69.2
Some Post-H.S.	1367	173,397	505	28.1	25.2-31.0	862	71.9	69.0-74.8
College Graduate	1364	107,465	422	24.0	21.5-26.5	942	76.0	73.5-78.5
Less than \$15,000	323	35,925	161	32.8	26.1-39.5	162	67.2	60.5-73.9
\$15,000- 24,999	544	55,464	310	41.7	36.2-47.2	234	58.3	52.8-63.8
\$25,000- 34,999	462	48,468	213	36.8	30.7-42.9	249	63.2	57.1-69.3
\$35,000- 49,999	640	66,506	241	30.0	25.7-34.3	399	70.0	65.7-74.3
\$50,000- 74,999	674	69,559	208	27.7	23.4-32.0	466	72.3	68.0-76.6
\$75,000+	1139	120,380	266	19.8	16.9-22.7	873	80.2	77.3-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1811	215,684	612	27.8	25.3-30.3	1199	72.2	69.7-74.7
Non-Native	1733	201,621	587	28.1	25.6-30.6	1146	71.9	69.4-74.4
18-24	83	29,108	17	22.5	12.3-32.7	66	77.5	67.3-87.7
25-34	199	34,510	23	10.9	06.0-15.8	176	89.1	84.2-94.0
35-44	202	29,978	24	15.2	08.3-22.1	178	84.8	77.9-91.7
45-54	358	39,901	56	14.1	09.8-18.4	302	85.9	81.6-90.2
55-64	443	40,165	146	32.7	27.2-38.2	297	67.3	61.8-72.8
65+	520	41,447	344	62.8	57.7-67.9	176	37.2	32.1-42.3
Less Than H.S.	147	26,373	65	33.6	24.4-42.8	82	66.4	57.2-75.6
H.S. or G.E.D.	564	68,110	196	28.1	23.4-32.8	368	71.9	67.2-76.6
Some Post-H.S.	546	75,482	169	25.8	21.3-30.3	377	74.2	69.7-78.7
College Graduate	553	45,316	182	27.3	23.0-31.6	371	72.7	68.4-77.0
Less than \$15,000	108	15,746	44	28.2	18.2-38.2	64	71.8	61.8-81.8
\$15,000- 24,999	205	27,364	94	35.2	27.0-43.4	111	64.8	56.6-73.0
\$25,000- 34,999	184	22,509	77	34.5	24.9-44.1	107	65.5	55.9-75.1
\$35,000- 49,999	325	36,500	126	33.8	27.5-40.1	199	66.2	59.9-72.5
\$50,000- 74,999	291	32,949	77	24.6	17.9-31.3	214	75.4	68.7-82.1
\$75,000+	576	62,270	148	21.0	17.1-24.9	428	79.0	75.1-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2500	235,557	1045	31.7	29.3-34.1	1455	68.3	65.9-70.7
Native	61	9,305	25	29.4	14.9-43.9	36	70.6	56.1-85.1
Non-Native	2412	223,051	1011	32.0	29.6-34.4	1401	68.0	65.6-70.4
18-24	96	28,061	13	15.3	07.1-23.5	83	84.7	76.5-92.9
25-34	192	33,788	25	15.2	08.9-21.5	167	84.8	78.5-91.1
35-44	248	32,090	32	14.7	09.0-20.4	216	85.3	79.6-91.0
45-54	424	42,796	69	15.0	11.1-18.9	355	85.0	81.1-88.9
55-64	535	39,948	161	30.5	25.8-35.2	374	69.5	64.8-74.2
65+	976	56,344	733	73.2	69.9-76.5	243	26.8	23.5-30.1
Less Than H.S.	159	18,281	99	46.1	35.7-56.5	60	53.9	43.5-64.3
H.S. or G.E.D.	705	56,347	369	41.4	36.7-46.1	336	58.6	53.9-63.3
Some Post-H.S.	821	97,915	336	30.0	26.1-33.9	485	70.0	66.1-73.9
College Graduate	811	62,149	240	21.7	18.6-24.8	571	78.3	75.2-81.4
Less than \$15,000	215	20,179	117	36.4	27.2-45.6	98	63.6	54.4-72.8
\$15,000- 24,999	339	28,100	216	48.0	40.6-55.4	123	52.0	44.6-59.4
\$25,000- 34,999	278	25,959	136	38.8	31.2-46.4	142	61.2	53.6-68.8
\$35,000- 49,999	315	30,007	115	25.3	19.6-31.0	200	74.7	69.0-80.4
\$50,000- 74,999	383	36,610	131	30.5	24.8-36.2	252	69.5	63.8-75.2
\$75,000+	563	58,110	118	18.5	14.4-22.6	445	81.5	77.4-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	195
2	MALES ONLY	196
3	FEMALES ONLY	197
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	198
5	MALES ONLY	199
6	FEMALES ONLY	200

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3459	279,896	524	14.6	13.2-16.0	238	7.2	06.0-08.4	85	2.3	01.7-02.9	37	1.0	00.6-01.4	91	2.7	01.9-03.5	2484	72.2	70.2-74.2
Male	1436	133,604	191	13.5	11.3-15.7	108	7.3	05.7-08.9	34	2.2	01.4-03.0	17	1.0	00.4-01.6	53	3.2	02.0-04.4	1033	72.8	70.1-75.5
Female	2023	146,292	333	15.6	13.6-17.6	130	7.1	05.5-08.7	51	2.4	01.4-03.4	20	1.0	00.4-01.6	38	2.3	01.5-03.1	1451	71.6	69.1-74.1
Native	69	7,861	6	9.8	02.0-17.6	14	17.5	07.5-27.5	3	3.1	00.0-07.0				2	7.0	00.0-18.2	44	62.7	48.4-77.0
Non-Native	3341	267,823	512	14.8	13.2-16.4	220	6.8	05.6-08.0	82	2.3	01.7-02.9	36	1.0	00.6-01.4	85	2.5	01.9-03.1	2406	72.5	70.5-74.5
45-54	845	89,597	111	12.6	09.9-15.3	55	6.7	04.7-08.7	23	2.7	01.1-04.3	12	1.5	00.5-02.5	28	2.6	01.4-03.8	616	73.9	70.4-77.4
55-64	1035	85,233	164	16.3	13.6-19.0	69	6.8	05.0-08.6	25	2.0	01.2-02.8	6	0.4	00.0-00.8	33	3.3	01.7-04.9	738	71.2	67.9-74.5
65+	1557	103,075	244	14.7	12.5-16.9	114	8.0	06.0-10.0	37	2.2	01.4-03.0	19	1.1	00.5-01.7	30	2.4	01.4-03.4	1113	71.6	68.9-74.3
Less Than H.S.	288	34,963	44	15.6	10.3-20.9	19	7.6	03.3-11.9	7	3.4	00.1-06.7	2	0.6	00.0-01.6	9	3.7	00.6-06.8	207	69.1	62.2-76.0
H.S. or G.E.D.	1070	79,867	152	14.2	11.7-16.7	72	7.2	05.2-09.2	29	2.3	01.3-03.3	12	1.3	00.3-02.3	21	2.1	00.9-03.3	784	73.0	69.7-76.3
Some Post-H.S.	1081	102,824	163	14.3	11.8-16.8	85	7.7	05.7-09.7	26	2.0	01.2-02.8	11	0.8	00.2-01.4	34	3.1	01.9-04.3	762	72.0	68.9-75.1
College Graduate	1016	61,800	165	15.4	12.9-17.9	61	5.8	04.2-07.4	23	2.0	01.0-03.0	12	1.3	00.5-02.1	27	2.3	01.3-03.3	728	73.3	70.2-76.4
Less than \$15,000	257	17,623	48	17.8	12.1-23.5	26	10.3	05.4-15.2	13	4.6	01.7-07.5	7	2.8	00.4-05.2	14	7.0	02.3-11.7	149	57.5	49.9-65.1
\$15,000- 24,999	481	37,156	57	9.9	06.2-13.6	36	8.0	04.9-11.1	18	3.1	01.5-04.7	3	0.7	00.0-01.7	14	3.6	00.7-06.5	353	74.5	69.2-79.8
\$25,000- 34,999	380	29,387	64	16.1	11.8-20.4	23	7.0	02.9-11.1	10	2.1	00.5-03.7	3	0.7	00.0-01.7	8	2.2	00.4-04.0	272	71.9	66.0-77.8
\$35,000- 49,999	525	43,995	80	14.4	10.9-17.9	40	7.3	04.9-09.7	13	2.8	01.0-04.6	5	1.3	00.0-02.7	18	3.6	01.6-05.6	369	70.5	65.8-75.2
\$50,000- 74,999	511	43,199	86	17.7	13.6-21.8	32	5.4	03.4-07.4	7	1.0	00.0-02.0	4	0.6	00.0-01.4	17	2.9	01.5-04.3	365	72.4	67.9-76.9
\$75,000+	839	72,080	116	13.9	11.0-16.8	51	6.8	04.6-09.0	16	2.3	00.7-03.9	11	1.1	00.3-01.9	12	1.1	00.5-01.7	633	74.8	71.1-78.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1436	133,604	191	13.5	11.3-15.7	108	7.3	05.7-08.9	34	2.2	01.4-03.0	17	1.0	00.4-01.6	53	3.2	02.0-04.4	1033	72.8	70.1-75.5
Non-Native	1383	127,890	186	13.8	11.4-16.2	101	7.1	05.5-08.7	32	2.1	01.3-02.9	16	1.0	00.4-01.6	48	2.8	01.8-03.8	1000	73.2	70.3-76.1
45-54	399	44,999	49	13.4	09.3-17.5	23	5.8	03.3-08.3	12	2.7	01.1-04.3	5	1.3	00.0-02.7	15	2.6	01.0-04.2	295	74.3	69.2-79.4
55-64	481	43,267	67	14.8	10.7-18.9	31	6.4	03.9-08.9	12	2.4	01.0-03.8	2	0.5	00.0-01.3	21	4.2	01.7-06.7	348	71.7	66.6-76.8
65+	549	44,720	73	12.3	09.2-15.4	54	9.7	06.6-12.8	10	1.4	00.4-02.4	10	1.3	00.3-02.3	17	3.0	01.4-04.6	385	72.3	67.8-76.8
Less Than H.S.	134	19,412	14	13.8	06.0-21.6	9	6.7	01.0-12.4	3	2.3	00.0-04.8				5	4.5	00.0-09.6	103	72.8	63.0-82.6
H.S. or G.E.D.	440	40,036	55	13.7	09.8-17.6	39	8.2	05.3-11.1	13	3.0	01.2-04.8	5	1.3	00.0-02.9	13	2.4	00.8-04.0	315	71.4	66.3-76.5
Some Post-H.S.	421	44,789	56	12.7	09.0-16.4	32	7.7	04.8-10.6	13	2.1	00.9-03.3	5	0.9	00.0-01.9	16	3.4	01.4-05.4	299	73.3	68.6-78.0
College Graduate	440	29,286	66	14.4	10.7-18.1	28	5.8	03.4-08.2	5	1.1	00.1-02.1	7	1.4	00.4-02.4	19	3.4	01.8-05.0	315	73.9	69.2-78.6
Less than \$15,000	75	6,468	12	22.2	10.0-34.4	9	10.7	03.6-17.8	5	4.9	00.0-09.8	3	3.3	00.0-08.0	4	4.3	00.0-08.8	42	54.5	41.2-67.8
\$15,000- 24,999	174	17,998	16	10.4	03.7-17.1	16	8.7	03.8-13.6	6	2.5	00.3-04.7	1	0.4	00.0-01.2	8	5.8	00.0-11.7	127	72.1	63.1-81.1
\$25,000- 34,999	152	13,206	24	11.8	06.5-17.1	9	7.8	00.2-15.4	5	3.2	00.3-06.1				6	2.3	00.3-04.3	108	75.0	66.2-83.8
\$35,000- 49,999	271	26,058	39	15.3	10.0-20.6	29	8.8	05.3-12.3	8	2.9	00.5-05.3	4	1.8	00.0-04.2	11	4.2	01.5-06.9	180	67.0	60.3-73.7
\$50,000- 74,999	226	20,731	32	15.5	09.4-21.6	10	3.6	01.2-06.0	3	1.5	00.0-03.3	2	0.5	00.0-01.1	11	3.8	01.4-06.2	168	75.1	68.4-81.8
\$75,000+	439	39,805	54	11.8	08.1-15.5	26	6.6	03.7-09.5	7	1.5	00.3-02.7	6	1.1	00.1-02.1	11	1.8	00.6-03.0	335	77.1	72.4-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	146,292	333	15.6	13.6-17.6	130	7.1	05.5-08.7	51	2.4	01.4-03.4	20	1.0	00.4-01.6	38	2.3	01.5-03.1	1451	71.6	69.1-74.1
Non-Native	1958	139,933	326	15.7	13.7-17.7	119	6.6	05.0-08.2	50	2.5	01.5-03.5	20	1.1	00.5-01.7	37	2.3	01.3-03.3	1406	71.9	69.4-74.4
45-54	446	44,598	62	11.7	08.4-15.0	32	7.6	04.5-10.7	11	2.7	00.2-05.2	7	1.8	00.4-03.2	13	2.6	00.6-04.6	321	73.6	68.5-78.7
55-64	554	41,966	97	17.8	13.9-21.7	38	7.2	04.5-09.9	13	1.5	00.5-02.5	4	0.4	00.0-00.8	12	2.4	00.8-04.0	390	70.7	66.2-75.2
65+	1008	58,355	171	16.5	13.8-19.2	60	6.8	04.6-09.0	27	2.8	01.6-04.0	9	0.9	00.1-01.7	13	1.9	00.7-03.1	728	71.1	67.6-74.6
Less Than H.S.	154	15,551	30	17.8	11.1-24.5	10	8.7	02.4-15.0	4	4.9	00.0-11.4	2	1.4	00.0-03.4	4	2.8	00.0-05.7	104	64.4	54.8-74.0
H.S. or G.E.D.	630	39,830	97	14.7	11.6-17.8	33	6.2	03.7-08.7	16	1.7	00.7-02.7	7	1.2	00.0-02.4	8	1.8	00.4-03.2	469	74.5	70.4-78.6
Some Post-H.S.	660	58,035	107	15.5	12.2-18.8	53	7.8	05.3-10.3	13	1.9	00.7-03.1	6	0.7	00.1-01.3	18	3.0	01.2-04.8	463	71.1	66.8-75.4
College Graduate	576	32,513	99	16.2	12.7-19.7	33	5.7	03.5-07.9	18	2.8	01.2-04.4	5	1.1	00.0-02.3	8	1.3	00.1-02.5	413	72.8	68.5-77.1
Less than \$15,000	182	11,155	36	15.2	09.9-20.5	17	10.1	03.6-16.6	8	4.4	00.7-08.1	4	2.4	00.0-04.9	10	8.6	01.7-15.5	107	59.2	49.8-68.6
\$15,000- 24,999	307	19,158	41	9.5	06.4-12.6	20	7.4	03.1-11.7	12	3.6	01.2-06.0	2	1.0	00.0-02.6	6	1.6	00.0-03.2	226	76.8	70.9-82.7
\$25,000- 34,999	228	16,181	40	19.6	12.9-26.3	14	6.4	02.3-10.5	5	1.3	00.0-02.7	3	1.3	00.0-03.3	2	2.1	00.0-05.0	164	69.3	61.7-76.9
\$35,000- 49,999	254	17,937	41	13.1	08.6-17.6	11	5.1	02.0-08.2	5	2.6	00.0-05.3	1	0.6	00.0-01.8	7	2.9	00.5-05.3	189	75.7	69.6-81.8
\$50,000- 74,999	285	22,468	54	19.7	14.2-25.2	22	7.0	03.7-10.3	4	0.6	00.0-01.2	2	0.8	00.0-02.2	6	2.1	00.3-03.9	197	69.9	63.6-76.2
\$75,000+	400	32,275	62	16.4	11.9-20.9	25	7.1	03.8-10.4	9	3.3	00.0-06.6	5	1.0	00.0-02.0	1	0.3	00.0-00.9	298	71.9	66.2-77.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	971	77,665	278	28.3	24.8-31.8	41	4.0	02.4-05.6	11	1.2	00.4-02.0	6	0.5	00.0-01.1	14	1.5	00.3-02.7	621	64.6	60.7-68.5
Male	400	36,167	82	20.0	15.3-24.7	21	5.4	02.5-08.3	5	1.0	00.0-02.0	2	0.2	00.0-00.4	6	0.8	00.2-01.4	284	72.6	67.3-77.9
Female	571	41,498	196	35.4	30.3-40.5	20	2.7	01.3-04.1	6	1.3	00.0-02.7	4	0.8	00.0-01.8	8	2.2	00.2-04.2	337	57.6	52.3-62.9
Non-Native	931	73,441	266	28.1	24.4-31.8	40	4.1	02.5-05.7	10	1.1	00.3-01.9	6	0.5	00.0-01.1	13	1.5	00.3-02.7	596	64.6	60.7-68.5
45-54	228	23,298	57	26.6	19.2-34.0	8	2.4	00.4-04.4	4	2.2	00.0-04.6	2	1.1	00.0-02.7	4	2.2	00.0-05.1	153	65.5	57.7-73.3
55-64	297	24,559	92	29.3	23.2-35.4	11	4.4	01.1-07.7	3	0.9	00.0-01.9				6	2.1	00.1-04.1	185	63.3	56.6-70.0
65+	441	29,152	128	28.9	23.6-34.2	22	4.9	02.4-07.4	4	0.5	00.0-01.1	4	0.5	00.1-00.9	4	0.6	00.0-01.2	279	64.6	58.9-70.3
Less Than H.S.	81	10,811	23	29.5	16.6-42.4	3	1.8	00.0-04.0							2	1.2	00.0-03.0	53	67.5	54.4-80.6
H.S. or G.E.D.	286	21,604	88	30.2	23.7-36.7	10	3.4	00.7-06.1	3	0.6	00.0-01.4	2	0.3	00.0-00.7	5	1.0	00.0-02.0	178	64.4	57.5-71.3
Some Post-H.S.	317	28,648	81	25.6	19.7-31.5	15	4.7	01.8-07.6	5	1.7	00.1-03.3	2	0.4	00.0-01.2	5	2.2	00.0-04.7	209	65.3	58.8-71.8
College Graduate	286	16,419	86	29.8	23.5-36.1	13	4.9	01.8-08.0	3	1.6	00.0-04.0	2	1.2	00.0-03.2	2	1.3	00.0-03.3	180	61.2	54.3-68.1
Less than \$15,000	108	7,489	30	23.3	13.1-33.5	6	6.0	00.7-11.3	3	3.4	00.0-08.3	2	0.9	00.0-02.3	6	10.0	00.2-19.8	61	56.3	44.1-68.5
\$15,000- 24,999	127	9,440	40	28.8	18.4-39.2	8	4.7	01.0-08.4				1	1.6	00.0-04.7	5	3.0	00.0-06.3	73	61.8	50.4-73.2
\$25,000- 34,999	108	8,266	37	34.9	23.3-46.5	3	1.6	00.0-03.6	2	1.1	00.0-02.7				1	0.5	00.0-01.5	65	61.8	50.2-73.4
\$35,000- 49,999	156	12,967	43	27.2	19.0-35.4	6	5.3	00.4-10.2	2	0.8	00.0-02.0	1	0.3	00.0-00.9				104	66.3	57.5-75.1
\$50,000- 74,999	145	11,897	33	26.7	17.7-35.7	6	2.2	00.2-04.2	2	1.6	00.0-04.0				1	0.5	00.0-01.5	103	69.0	59.8-78.2
\$75,000+	205	18,093	54	25.7	17.9-33.5	7	4.3	00.2-08.4	2	1.4	00.0-03.6	1	0.6	00.0-01.8	1	0.3	00.0-00.9	140	67.9	59.5-76.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	36,167	82	20.0	15.3-24.7	21	5.4	02.5-08.3	5	1.0	00.0-02.0	2	0.2	00.0-00.4	6	0.8	00.2-01.4	284	72.6	67.3-77.9
Non-Native	380	34,117	78	20.0	15.1-24.9	21	5.7	02.8-08.6	4	0.9	00.1-01.7	2	0.2	00.0-00.6	6	0.8	00.0-01.6	269	72.4	66.9-77.9
45-54	103	11,519	19	19.5	10.3-28.7	3	2.6	00.0-06.1	2	1.3	00.0-03.3				1	0.4	00.0-01.2	78	76.1	66.3-85.9
55-64	133	12,258	34	23.3	14.9-31.7	5	6.1	00.0-12.2	2	1.1	00.0-02.7				3	1.3	00.0-02.9	89	68.1	58.3-77.9
65+	162	12,288	29	17.4	10.5-24.3	13	7.4	02.5-12.3	1	0.5	00.0-01.5	2	0.6	00.0-01.4	2	0.6	00.0-01.4	115	73.5	65.5-81.5
H.S. or G.E.D.	125	11,442	29	24.1	15.1-33.1	6	4.4	00.0-08.9	1	0.7	00.0-02.1	1	0.4	00.0-01.2	3	1.0	00.0-02.2	85	69.4	59.8-79.0
Some Post-H.S.	120	11,865	22	19.4	10.8-28.0	4	5.8	00.0-11.9	3	1.8	00.0-04.0	1	0.2	00.0-00.6	1	0.4	00.0-01.2	89	72.5	62.7-82.3
College Graduate	124	7,584	27	23.3	14.3-32.3	9	8.4	02.1-14.7	1	0.8	00.0-02.4				1	0.6	00.0-01.8	86	66.9	57.1-76.7
\$35,000- 49,999	91	8,610	16	19.1	09.5-28.7	5	6.5	00.0-13.2	1	0.9	00.0-02.7							69	73.4	62.4-84.4
\$50,000- 74,999	57	5,125	11	24.0	09.5-38.5	3	3.2	00.0-06.9	1	2.0	00.0-05.9							42	70.8	55.9-85.7
\$75,000+	103	9,037	21	16.0	08.6-23.4	4	6.7	00.0-14.3	1	0.7	00.0-02.1				1	0.5	00.0-01.5	76	76.1	66.1-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	571	41,498	196	35.4	30.3-40.5	20	2.7	01.3-04.1	6	1.3	00.0-02.7	4	0.8	00.0-01.8	8	2.2	00.2-04.2	337	57.6	52.3-62.9
Non-Native	551	39,324	188	35.1	29.8-40.4	19	2.7	01.3-04.1	6	1.4	00.0-02.8	4	0.8	00.0-01.8	7	2.1	00.1-04.1	327	57.9	52.6-63.2
45-54	125	11,779	38	33.5	22.1-44.9	5	2.2	00.2-04.2	2	3.1	00.0-07.4	2	2.1	00.0-05.0	3	3.9	00.0-09.6	75	55.0	43.8-66.2
55-64	164	12,301	58	35.4	26.6-44.2	6	2.6	00.1-05.1	1	0.7	00.0-02.1				3	2.8	00.0-06.3	96	58.4	49.4-67.4
65+	279	16,864	99	37.3	30.0-44.6	9	3.2	00.8-05.6	3	0.5	00.0-01.1	2	0.4	00.0-01.0	2	0.6	00.0-01.4	164	58.1	50.8-65.4
Less Than H.S.	50	5,535	19	50.1	32.9-67.3	1	1.2	00.0-03.6							1	0.8	00.0-02.4	29	48.0	30.9-65.1
H.S. or G.E.D.	161	10,161	59	37.0	27.8-46.2	4	2.3	00.0-04.8	2	0.6	00.0-01.4	1	0.3	00.0-00.9	2	1.0	00.0-02.4	93	58.8	49.4-68.2
Some Post-H.S.	197	16,783	59	30.0	22.0-38.0	11	3.9	01.2-06.6	2	1.6	00.0-04.0	1	0.6	00.0-01.8	4	3.6	00.0-07.9	120	60.3	51.7-68.9
College Graduate	162	8,834	59	35.4	26.6-44.2	4	1.9	00.0-03.9	2	2.4	00.0-06.5	2	2.2	00.0-05.7	1	1.9	00.0-05.6	94	56.2	46.8-65.6
Less than \$15,000	75	4,547	25	28.1	14.2-42.0	3	3.0	00.0-06.5	2	4.6	00.0-12.4				5	14.7	00.0-29.4	40	49.6	34.9-64.3
\$15,000- 24,999	80	4,422	29	35.1	21.8-48.4	5	5.8	00.1-11.5				1	3.4	00.0-10.1	2	4.0	00.0-10.5	43	51.7	37.8-65.6
\$25,000- 34,999	64	4,964	26	43.1	27.8-58.4	1	0.7	00.0-02.1	1	0.7	00.0-02.1							36	55.5	40.2-70.8
\$35,000- 49,999	65	4,356	27	43.2	29.1-57.3	1	3.1	00.0-09.0	1	0.6	00.0-01.8	1	1.0	00.0-03.0				35	52.1	38.0-66.2
\$50,000- 74,999	88	6,772	22	28.7	17.3-40.1	3	1.5	00.0-03.3	1	1.3	00.0-03.8				1	1.0	00.0-03.0	61	67.6	56.0-79.2
\$75,000+	102	9,056	33	35.3	22.6-48.0	3	1.9	00.0-04.1	1	2.0	00.0-05.9	1	1.1	00.0-03.3				64	59.7	47.0-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	202
2	MALES ONLY	203
3	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4778	525,073	3258	65.0	63.2-66.8	963	20.1	18.5-21.7	313	8.2	07.0-09.4	130	3.8	03.0-04.6	111	2.8	02.2-03.4	3	0.1	00.0-00.3
Male	2090	262,975	1186	55.7	53.0-58.4	529	23.2	20.8-25.6	193	10.9	08.9-12.9	96	5.7	04.3-07.1	84	4.5	03.3-05.7	2	0.0	00.0-00.0
Female	2688	262,098	2072	74.4	72.0-76.8	434	17.1	15.1-19.1	120	5.5	04.3-06.7	34	1.8	01.0-02.6	27	1.0	00.6-01.4	1	0.2	00.0-00.6
Native	120	22,796	80	63.5	51.9-75.1	22	20.2	10.4-30.0	13	11.7	04.3-19.1	2	1.6	00.0-04.3	3	3.0	00.0-07.5			
Non-Native	4597	495,102	3131	64.9	62.9-66.9	937	20.3	18.7-21.9	293	8.0	06.8-09.2	126	3.9	03.1-04.7	107	2.8	02.2-03.4	3	0.1	00.0-00.3
18-24	242	77,062	137	57.8	50.9-64.7	57	21.6	15.9-27.3	32	14.3	09.4-19.2	10	3.9	01.4-06.4	5	1.8	00.0-03.6	1	0.6	00.0-01.8
25-34	506	90,633	300	58.4	53.3-63.5	122	23.2	18.9-27.5	43	8.9	05.8-12.0	26	6.4	03.7-09.1	15	3.2	01.0-05.4			
35-44	536	74,805	348	64.0	58.9-69.1	113	19.0	15.1-22.9	44	9.3	06.2-12.4	20	4.7	02.2-07.2	11	2.9	00.9-04.9			
45-54	845	89,595	563	67.4	63.7-71.1	175	18.7	15.8-21.6	49	6.4	04.2-08.6	30	4.0	02.2-05.8	28	3.5	01.9-05.1			
55-64	1044	85,969	715	68.4	65.1-71.7	220	20.8	17.9-23.7	63	5.8	04.2-07.4	25	2.7	01.3-04.1	21	2.3	01.1-03.5			
65+	1566	103,544	1163	71.6	68.9-74.3	273	18.3	15.9-20.7	80	5.9	04.5-07.3	18	1.4	00.6-02.2	30	2.7	01.5-03.9	2	0.1	00.0-00.3
Less Than H.S.	330	51,271	211	61.1	54.0-68.2	49	12.2	08.1-16.3	31	10.5	05.6-15.4	20	9.2	04.7-13.7	18	6.9	03.0-10.8	1	0.1	00.0-00.3
H.S. or G.E.D.	1383	143,401	892	60.7	57.2-64.2	287	21.1	18.4-23.8	106	10.3	07.9-12.7	50	4.1	02.7-05.5	47	3.7	02.3-05.1	1	0.0	00.0-00.0
Some Post-H.S.	1522	202,623	1016	63.4	60.3-66.5	324	21.7	19.0-24.4	108	8.9	06.9-10.9	42	3.5	02.1-04.9	31	2.3	01.3-03.3	1	0.2	00.0-00.6
College Graduate	1538	126,502	1135	73.9	71.2-76.6	302	19.8	17.3-22.3	68	3.9	02.7-05.1	18	1.6	00.6-02.6	15	0.8	00.4-01.2			
Less than \$15,000	346	40,130	240	63.6	56.2-71.0	65	20.3	14.2-26.4	20	8.8	03.9-13.7	8	2.9	00.5-05.3	13	4.4	01.3-07.5			
\$15,000- 24,999	592	63,837	428	66.8	61.3-72.3	98	19.2	14.3-24.1	32	7.2	04.1-10.3	17	3.4	01.0-05.8	15	3.2	01.2-05.2	2	0.2	00.0-00.4
\$25,000- 34,999	495	54,080	334	65.2	59.1-71.3	97	16.3	12.2-20.4	34	10.7	06.2-15.2	13	3.5	01.0-06.0	17	4.3	01.4-07.2			
\$35,000- 49,999	706	78,638	440	60.3	55.6-65.0	177	24.2	20.3-28.1	57	9.5	06.4-12.6	21	3.5	01.5-05.5	11	2.4	00.8-04.0			
\$50,000- 74,999	742	79,534	492	64.4	59.9-68.9	154	19.7	16.2-23.2	59	8.6	06.1-11.1	23	5.0	02.6-07.4	14	2.3	00.7-03.9			
\$75,000+	1299	143,409	883	64.9	61.4-68.4	283	22.5	19.6-25.4	68	6.2	04.2-08.2	38	4.1	02.5-05.7	27	2.4	01.2-03.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2090	262,975	1186	55.7	53.0-58.4	529	23.2	20.8-25.6	193	10.9	08.9-12.9	96	5.7	04.3-07.1	84	4.5	03.3-05.7	2	0.0	00.0-00.0
Native	52	12,281	35	61.3	43.9-78.7	10	25.4	09.3-41.5	4	8.4	00.0-18.4	1	0.4	00.0-01.2	2	4.6	00.0-12.8			
Non-Native	2004	246,721	1124	55.0	52.1-57.9	516	23.3	20.9-25.7	186	11.1	09.1-13.1	94	6.0	04.4-07.6	82	4.6	03.4-05.8	2	0.0	00.0-00.0
18-24	119	40,866	64	54.0	44.2-63.8	23	18.6	11.0-26.2	21	19.4	11.4-27.4	6	4.6	00.7-08.5	5	3.4	00.1-06.7			
25-34	267	48,514	131	47.4	40.1-54.7	73	26.3	20.0-32.6	27	11.1	06.2-16.0	24	10.7	05.8-15.6	12	4.6	01.3-07.9			
35-44	252	38,709	129	54.7	47.1-62.3	72	22.2	16.5-27.9	28	11.5	06.4-16.6	14	6.3	02.2-10.4	9	5.3	01.6-09.0			
45-54	399	44,997	219	57.5	51.6-63.4	106	22.9	18.2-27.6	30	8.2	04.9-11.5	20	5.4	02.7-08.1	24	6.0	03.1-08.9			
55-64	488	43,931	279	58.6	53.3-63.9	132	26.2	21.7-30.7	43	7.5	05.0-10.0	18	4.2	01.8-06.6	16	3.6	01.4-05.8			
65+	555	45,023	356	61.9	57.0-66.8	122	22.4	18.1-26.7	43	8.4	05.9-10.9	14	2.8	01.2-04.4	18	4.3	01.8-06.8	2	0.2	00.0-00.6
Less Than H.S.	164	31,510	92	53.2	43.4-63.0	21	11.2	05.7-16.7	20	13.4	06.0-20.8	17	13.7	06.6-20.8	13	8.3	02.8-13.8	1	0.2	00.0-00.6
H.S. or G.E.D.	639	81,406	335	53.1	48.0-58.2	157	22.4	18.5-26.3	70	13.1	09.6-16.6	41	5.8	03.6-08.0	35	5.6	03.4-07.8	1	0.1	00.0-00.3
Some Post-H.S.	634	92,680	351	52.8	47.7-57.9	171	25.8	21.5-30.1	61	12.0	08.5-15.5	28	5.2	02.8-07.6	23	4.2	02.0-06.4			
College Graduate	651	56,894	406	65.0	60.5-69.5	180	26.7	22.4-31.0	42	4.8	03.0-06.6	10	1.9	00.3-03.5	13	1.5	00.5-02.5			
Less than \$15,000	120	17,298	70	47.1	35.3-58.9	27	24.5	13.7-35.3	8	13.4	03.4-23.4	5	5.7	00.4-11.0	10	9.2	02.1-16.3			
\$15,000- 24,999	228	31,893	145	63.2	54.8-71.6	42	20.5	13.2-27.8	17	5.8	02.3-09.3	10	4.7	00.8-08.6	12	5.5	01.6-09.4	2	0.3	00.0-00.9
\$25,000- 34,999	206	26,869	122	56.0	46.4-65.6	46	18.0	11.5-24.5	18	14.0	06.2-21.8	10	6.5	01.4-11.6	10	5.5	00.6-10.4			
\$35,000- 49,999	368	45,242	190	51.4	44.7-58.1	106	25.3	20.0-30.6	42	13.3	08.4-18.2	20	5.9	02.8-09.0	10	4.1	01.4-06.8			
\$50,000- 74,999	336	39,791	169	52.0	45.1-58.9	98	25.3	19.6-31.0	39	11.8	07.5-16.1	18	6.8	03.3-10.3	12	4.1	01.4-06.8			
\$75,000+	682	78,975	396	55.3	50.4-60.2	188	27.1	22.8-31.4	50	8.9	05.8-12.0	27	5.1	02.6-07.6	21	3.6	01.6-05.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2688	262,098	2072	74.4	72.0-76.8	434	17.1	15.1-19.1	120	5.5	04.3-06.7	34	1.8	01.0-02.6	27	1.0	00.6-01.4	1	0.2	00.0-00.6
Native	68	10,516	45	66.1	52.0-80.2	12	14.1	05.5-22.7	9	15.6	04.6-26.6	1	3.0	00.0-08.9	1	1.3	00.0-03.8			
Non-Native	2593	248,381	2007	74.8	72.4-77.2	421	17.3	15.3-19.3	107	5.0	03.8-06.2	32	1.8	01.0-02.6	25	0.9	00.5-01.3	1	0.2	00.0-00.6
18-24	123	36,196	73	62.1	52.7-71.5	34	24.9	16.7-33.1	11	8.5	03.4-13.6	4	3.1	00.0-06.4				1	1.4	00.0-03.9
25-34	239	42,120	169	71.1	64.2-78.0	49	19.6	13.7-25.5	16	6.3	02.8-09.8	2	1.4	00.0-03.4	3	1.6	00.0-03.8			
35-44	284	36,096	219	74.0	67.7-80.3	41	15.5	10.4-20.6	16	7.0	03.3-10.7	6	3.0	00.3-05.7	2	0.4	00.0-01.0			
45-54	446	44,598	344	77.5	73.0-82.0	69	14.5	10.8-18.2	19	4.6	02.1-07.1	10	2.6	00.6-04.6	4	0.9	00.1-01.7			
55-64	556	42,038	436	78.7	74.8-82.6	88	15.1	11.8-18.4	20	4.1	02.1-06.1	7	1.2	00.2-02.2	5	0.9	00.0-01.9			
65+	1011	58,521	807	79.0	76.1-81.9	151	15.1	12.6-17.6	37	4.0	02.4-05.6	4	0.4	00.0-00.8	12	1.4	00.4-02.4			
Less Than H.S.	166	19,761	119	73.8	65.6-82.0	28	13.7	08.0-19.4	11	5.9	01.8-10.0	3	2.0	00.0-04.4	5	4.6	00.0-09.3			
H.S. or G.E.D.	744	61,995	557	70.7	66.2-75.2	130	19.5	15.6-23.4	36	6.6	04.1-09.1	9	1.9	00.3-03.5	12	1.3	00.5-02.1			
Some Post-H.S.	888	109,943	665	72.3	68.4-76.2	153	18.2	14.9-21.5	47	6.4	04.2-08.6	14	2.0	00.6-03.4	8	0.7	00.1-01.3	1	0.4	00.0-01.2
College Graduate	887	69,608	729	81.2	77.9-84.5	122	14.1	11.2-17.0	26	3.1	01.7-04.5	8	1.4	00.2-02.6	2	0.2	00.0-00.6			
Less than \$15,000	226	22,832	170	76.1	68.3-83.9	38	17.1	10.0-24.2	12	5.3	01.6-09.0	3	0.8	00.0-01.8	3	0.7	00.0-01.7			
\$15,000- 24,999	364	31,944	283	70.5	63.2-77.8	56	18.0	11.7-24.3	15	8.6	03.5-13.7	7	2.1	00.0-04.5	3	0.9	00.0-02.1			
\$25,000- 34,999	289	27,211	212	74.3	67.8-80.8	51	14.7	10.0-19.4	16	7.4	03.3-11.5	3	0.5	00.0-01.1	7	3.1	00.0-06.4			
\$35,000- 49,999	338	33,396	250	72.4	66.1-78.7	71	22.8	16.7-28.9	15	4.4	01.7-07.1	1	0.3	00.0-00.9	1	0.2	00.0-00.6			
\$50,000- 74,999	406	39,743	323	76.8	71.3-82.3	56	14.2	09.9-18.5	20	5.4	02.7-08.1	5	3.1	00.2-06.0	2	0.5	00.0-01.3			
\$75,000+	617	64,433	487	76.6	72.1-81.1	95	16.8	12.9-20.7	18	2.8	01.0-04.6	11	2.8	00.8-04.8	6	0.9	00.1-01.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2766	318,383	75	3.2	02.2-04.2	37	1.4	00.8-02.0	6	0.3	00.0-00.7	2	0.2	00.0-00.6	7	0.3	00.0-00.7	2639	94.5	93.3-95.7
Male	1407	177,913	57	4.5	03.1-05.9	31	2.1	01.1-03.1	6	0.6	00.0-01.2	2	0.4	00.0-01.0	7	0.5	00.0-01.1	1304	91.9	89.9-93.9
Female	1359	140,470	18	1.7	00.7-02.7	6	0.5	00.1-00.9										1335	97.8	96.6-99.0
Native	53	11,036	1	1.5	00.0-04.4							1	3.5	00.0-10.2				51	95.0	87.7-0100
Non-Native	2686	304,322	74	3.3	02.3-04.3	36	1.4	00.8-02.0	6	0.3	00.0-00.7	1	0.1	00.0-00.3	7	0.3	00.0-00.7	2562	94.5	93.3-95.7
18-24	151	48,648	9	4.6	01.3-07.9	5	2.5	00.1-04.9										137	92.9	88.8-97.0
25-34	359	64,201	13	2.6	00.8-04.4	4	0.9	00.0-01.9	1	0.6	00.0-01.8	1	0.6	00.0-01.8	2	0.6	00.0-01.6	338	94.7	92.0-97.4
35-44	366	49,040	17	5.4	02.1-08.7	10	2.1	00.7-03.5	1	0.6	00.0-01.8	1	0.7	00.0-02.1	3	1.0	00.0-02.6	334	90.2	86.1-94.3
45-54	556	57,944	21	3.9	01.9-05.9	9	1.5	00.1-02.9	2	0.4	00.0-01.0							524	94.1	91.7-96.5
55-64	642	50,366	11	2.6	00.8-04.4	9	1.5	00.5-02.5	2	0.2	00.0-00.6				1	0.0	00.0-00.0	619	95.6	93.6-97.6
65+	671	45,950	4	0.4	00.0-00.8										1	0.1	00.0-00.3	666	99.5	98.9-0100
Less Than H.S.	126	22,400	1	0.3	00.0-00.9	1	1.9	00.0-05.6							1	0.6	00.0-01.8	123	97.2	93.3-0100
H.S. or G.E.D.	746	82,756	28	4.8	02.6-07.0	11	1.5	00.5-02.5	5	0.8	00.0-01.6	1	0.5	00.0-01.5	4	0.9	00.0-02.1	697	91.5	88.8-94.2
Some Post-H.S.	902	127,421	20	2.7	01.1-04.3	16	1.2	00.6-01.8	1	0.3	00.0-00.9	1	0.3	00.0-00.9				864	95.6	93.8-97.4
College Graduate	988	84,748	26	3.4	01.8-05.0	9	1.5	00.3-02.7							2	0.1	00.0-00.3	951	95.0	93.0-97.0
Less than \$15,000	129	19,958	2	1.2	00.0-03.0	1	0.2	00.0-00.6										126	98.6	96.8-0100
\$15,000- 24,999	259	33,458	8	4.8	01.1-08.5	2	1.0	00.0-02.8	2	1.0	00.0-02.8				1	0.4	00.0-01.2	246	92.9	88.6-97.2
\$25,000- 34,999	245	30,919	5	1.5	00.1-02.9	4	1.1	00.0-02.3				1	1.1	00.0-03.3				235	96.3	93.6-99.0
\$35,000- 49,999	422	48,256	11	3.9	01.0-06.8	7	1.5	00.1-02.9	1	0.4	00.0-01.2	1	0.8	00.0-02.4	1	0.1	00.0-00.3	401	93.4	89.9-96.9
\$50,000- 74,999	496	52,469	19	3.8	01.8-05.8	5	1.5	00.0-03.3	2	0.9	00.0-02.3				2	0.2	00.0-00.4	468	93.6	90.7-96.5
\$75,000+	954	104,314	25	3.4	01.8-05.0	16	1.8	00.8-02.8	1	0.1	00.0-00.3				2	0.3	00.0-00.9	910	94.4	92.4-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1407	177,913	57	4.5	03.1-05.9	31	2.1	01.1-03.1	6	0.6	00.0-01.2	2	0.4	00.0-01.0	7	0.5	00.0-01.1	1304	91.9	89.9-93.9
Non-Native	1364	169,369	57	4.7	03.1-06.3	30	2.2	01.2-03.2	6	0.6	00.0-01.2	1	0.2	00.0-00.6	7	0.6	00.0-01.2	1263	91.7	89.7-93.7
18-24	83	27,892	8	7.7	02.0-13.4	3	3.0	00.0-06.7										72	89.3	82.6-96.0
25-34	209	38,126	10	3.2	00.7-05.7	4	1.5	00.0-03.3	1	1.0	00.0-03.0	1	1.0	00.0-03.0	2	1.0	00.0-02.6	191	92.3	88.0-96.6
35-44	178	26,108	12	7.0	02.1-11.9	10	3.9	01.2-06.6	1	1.1	00.0-03.3	1	1.3	00.0-03.8	3	2.0	00.0-04.9	151	84.7	78.0-91.4
45-54	285	31,883	16	4.7	02.0-07.4	8	2.7	00.3-05.1	2	0.8	00.0-02.0							259	91.8	88.1-95.5
55-64	325	27,298	9	4.3	01.2-07.4	6	1.9	00.3-03.5	2	0.4	00.0-01.0				1	0.1	00.0-00.3	307	93.3	89.8-96.8
65+	319	25,910	2	0.4	00.0-01.0										1	0.2	00.0-00.6	316	99.4	98.6-100.0
Less Than H.S.	90	18,096	1	0.4	00.0-01.2	1	2.4	00.0-06.9							1	0.7	00.0-02.1	87	96.6	91.7-100.0
H.S. or G.E.D.	408	52,789	23	6.8	03.5-10.1	8	1.5	00.3-02.7	5	1.3	00.0-02.7	1	0.7	00.0-02.1	4	1.4	00.0-03.2	367	88.3	84.2-92.4
Some Post-H.S.	447	66,401	15	3.6	01.2-06.0	13	1.9	00.7-03.1	1	0.6	00.0-01.8	1	0.5	00.0-01.5				417	93.4	90.5-96.3
College Graduate	460	40,142	18	4.7	02.2-07.2	9	3.1	00.7-05.5							2	0.2	00.0-00.6	431	91.9	88.6-95.2
Less than \$15,000	61	10,264	1	0.6	00.0-01.8													60	99.4	98.2-100.0
\$15,000- 24,999	127	17,809	6	7.6	01.1-14.1	2	1.8	00.0-04.9	2	1.8	00.0-04.9				1	0.7	00.0-02.1	116	88.0	80.4-95.6
\$25,000- 34,999	122	19,120	4	2.0	00.0-04.2	4	1.8	00.0-03.8				1	1.7	00.0-05.0				113	94.5	90.2-98.8
\$35,000- 49,999	247	30,254	11	6.2	01.7-10.7	7	2.4	00.2-04.6	1	0.6	00.0-01.8	1	1.3	00.0-03.8	1	0.2	00.0-00.6	226	89.5	84.0-95.0
\$50,000- 74,999	243	28,029	16	6.1	02.6-09.6	3	2.2	00.0-05.3	2	1.6	00.0-04.1				2	0.3	00.0-00.9	220	89.7	84.4-95.0
\$75,000+	529	60,226	17	3.6	01.4-05.8	15	2.9	01.1-04.7	1	0.1	00.0-00.3				2	0.5	00.0-01.5	494	92.8	90.1-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1359	140,470	18	1.7	00.7-02.7	6	0.5	00.1-00.9	1335	97.8	96.6-99.0
Non-Native	1322	134,953	17	1.6	00.6-02.6	6	0.5	00.1-00.9	1299	97.9	96.7-99.1
18-24	68	20,756	1	0.5	00.0-01.5	2	1.8	00.0-04.5	65	97.7	94.8-0100
25-34	150	26,075	3	1.8	00.0-04.2				147	98.2	95.8-0100
35-44	188	22,932	5	3.5	00.0-07.6				183	96.5	92.4-0100
45-54	271	26,061	5	2.9	00.0-05.8	1	0.2	00.0-00.6	265	96.9	94.0-99.8
55-64	317	23,069	2	0.5	00.0-01.3	3	1.1	00.0-02.3	312	98.4	97.0-99.8
65+	352	20,040	2	0.5	00.0-01.1				350	99.5	98.9-0100
H.S. or G.E.D.	338	29,966	5	1.2	00.0-02.4	3	1.5	00.0-03.5	330	97.3	95.1-99.5
Some Post-H.S.	455	61,019	5	1.7	00.0-03.5	3	0.4	00.0-00.8	447	98.0	96.0-0100
College Graduate	528	44,606	8	2.2	00.4-04.0				520	97.8	96.0-99.6
Less than \$15,000	68	9,694	1	1.8	00.0-05.1	1	0.4	00.0-01.2	66	97.8	94.3-0100
\$15,000- 24,999	132	15,649	2	1.5	00.0-03.9				130	98.5	96.1-0100
\$25,000- 34,999	123	11,800	1	0.6	00.0-01.8				122	99.4	98.2-0100
\$35,000- 49,999	175	18,002							175	100.0	0100-0100
\$50,000- 74,999	253	24,440	3	1.2	00.0-02.8	2	0.7	00.0-01.7	248	98.1	96.1-0100
\$75,000+	425	44,088	8	3.1	00.4-05.8	1	0.2	00.0-00.6	416	96.7	94.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	210
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	211
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	212
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	213
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	214
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	215
7	HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2682	261,398	2118	63.3	60.8-65.8	564	36.7	34.2-39.2
Native	66	10,237	50	61.7	44.3-79.1	16	38.3	20.9-55.7
Non-Native	2590	248,039	2047	63.4	60.9-65.9	543	36.6	34.1-39.1
18-24	123	36,196	10	7.2	02.5-11.9	113	92.8	88.1-97.5
25-34	238	41,950	28	14.1	08.2-20.0	210	85.9	80.0-91.8
35-44	281	35,879	136	46.1	39.0-53.2	145	53.9	46.8-61.0
45-54	446	44,598	409	92.4	89.5-95.3	37	7.6	04.7-10.5
55-64	555	41,850	533	97.1	95.7-98.5	22	2.9	01.5-04.3
65+	1010	58,396	976	96.6	95.2-98.0	34	3.4	02.0-04.8
Less Than H.S.	164	19,602	143	78.7	67.5-89.9	21	21.3	10.1-32.5
H.S. or G.E.D.	745	62,029	632	69.4	64.3-74.5	113	30.6	25.5-35.7
Some Post-H.S.	885	109,512	694	60.4	55.9-64.9	191	39.6	35.1-44.1
College Graduate	884	69,390	646	58.3	54.0-62.6	238	41.7	37.4-46.0
Less than \$15,000	225	22,779	177	55.2	44.4-66.0	48	44.8	34.0-55.6
\$15,000- 24,999	364	31,898	300	65.8	58.0-73.6	64	34.2	26.4-42.0
\$25,000- 34,999	289	27,211	241	65.0	56.8-73.2	48	35.0	26.8-43.2
\$35,000- 49,999	337	33,327	257	58.1	50.7-65.5	80	41.9	34.5-49.3
\$50,000- 74,999	406	39,743	301	61.6	55.1-68.1	105	38.4	31.9-44.9
\$75,000+	615	64,285	466	63.4	58.1-68.7	149	36.6	31.3-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2104	163,998	1328	60.5	57.8-63.2	347	18.0	15.8-20.2	134	7.1	05.5-08.7	116	6.0	04.6-07.4	179	8.4	06.8-10.0
Native	50	6,319	27	47.3	30.6-64.0	10	28.1	11.6-44.6	2	3.9	00.0-10.4	5	8.4	00.4-16.4	6	12.4	01.6-23.2
Non-Native	2033	155,822	1291	61.3	58.6-64.0	333	17.7	15.5-19.9	132	7.3	05.7-08.9	106	5.6	04.2-07.0	171	8.1	06.5-09.7
35-44	136	16,529	78	57.8	47.8-67.8	23	17.7	10.1-25.3	14	9.3	03.8-14.8	8	6.2	01.1-11.3	13	8.9	03.4-14.4
45-54	407	40,972	251	57.6	51.5-63.7	82	20.2	15.5-24.9	28	9.0	04.9-13.1	20	5.5	02.6-08.4	26	7.8	04.1-11.5
55-64	531	40,297	342	65.0	60.1-69.9	95	17.6	13.9-21.3	29	5.8	03.3-08.3	24	4.9	02.5-07.3	41	6.7	04.3-09.1
65+	969	56,099	630	63.6	59.9-67.3	130	13.9	11.2-16.6	59	6.1	04.1-08.1	60	6.9	04.9-08.9	90	9.5	07.0-12.0
Less Than H.S.	142	15,352	77	51.8	41.4-62.2	18	10.0	05.1-14.9	8	7.3	00.2-14.4	14	11.0	04.7-17.3	25	19.9	10.7-29.1
H.S. or G.E.D.	630	42,923	391	58.9	54.0-63.8	104	20.9	16.6-25.2	36	4.9	02.9-06.9	40	6.2	03.8-08.6	59	9.1	06.4-11.8
Some Post-H.S.	691	65,805	456	62.3	57.6-67.0	103	16.8	12.9-20.7	54	9.3	06.4-12.2	34	5.5	03.0-08.0	44	6.1	03.9-08.3
College Graduate	638	39,556	403	63.1	58.6-67.6	120	19.6	15.9-23.3	36	5.7	03.5-07.9	28	4.6	02.6-06.6	51	7.0	04.8-09.2
Less than \$15,000	175	12,448	90	50.0	39.4-60.6	26	17.7	09.3-26.1	16	11.7	03.9-19.5	10	6.4	01.3-11.5	33	14.2	07.7-20.7
\$15,000- 24,999	300	20,988	172	49.0	41.2-56.8	48	21.0	13.7-28.3	19	5.6	02.7-08.5	30	11.9	06.4-17.4	31	12.4	06.5-18.3
\$25,000- 34,999	240	17,617	161	62.6	54.4-70.8	34	18.7	11.6-25.8	12	4.6	01.5-07.7	9	5.4	01.3-09.5	24	8.7	04.4-13.0
\$35,000- 49,999	256	19,296	166	63.6	56.0-71.2	44	16.8	11.1-22.5	17	7.7	03.6-11.8	17	8.7	02.8-14.6	12	3.2	01.2-05.2
\$50,000- 74,999	299	24,414	190	61.7	55.0-68.4	50	15.9	11.4-20.4	15	5.2	02.3-08.1	19	6.8	03.3-10.3	25	10.4	05.5-15.3
\$75,000+	465	40,648	315	65.9	60.4-71.4	84	18.9	14.4-23.4	32	8.9	04.8-13.0	15	3.0	01.2-04.8	19	3.4	01.8-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2677	260,610	2494	89.0	87.0-91.0	183	11.0	09.0-13.0
Native	66	10,237	59	79.9	62.3-97.5	7	20.1	02.5-37.7
Non-Native	2584	247,172	2412	89.5	87.5-91.5	172	10.5	08.5-12.5
18-24	122	35,871	69	55.6	45.8-65.4	53	44.4	34.6-54.2
25-34	237	41,754	220	91.6	87.3-95.9	17	8.4	04.1-12.7
35-44	282	35,948	269	93.1	88.6-97.6	13	6.9	02.4-11.4
45-54	446	44,598	431	95.8	93.4-98.2	15	4.2	01.8-06.6
55-64	554	41,705	543	98.7	97.7-99.7	11	1.3	00.3-02.3
65+	1007	58,205	935	92.6	90.4-94.8	72	7.4	05.2-09.6
Less Than H.S.	166	19,761	148	81.5	70.5-92.5	18	18.5	07.5-29.5
H.S. or G.E.D.	741	61,281	667	83.8	79.5-88.1	74	16.2	11.9-20.5
Some Post-H.S.	884	109,490	823	89.3	86.2-92.4	61	10.7	07.6-13.8
College Graduate	882	69,213	853	95.6	93.6-97.6	29	4.4	02.4-06.4
Less than \$15,000	225	22,507	194	78.0	67.4-88.6	31	22.0	11.4-32.6
\$15,000- 24,999	362	31,723	318	86.0	80.5-91.5	44	14.0	08.5-19.5
\$25,000- 34,999	289	27,211	268	87.2	80.9-93.5	21	12.8	06.5-19.1
\$35,000- 49,999	338	33,396	324	92.8	88.3-97.3	14	7.2	02.7-11.7
\$50,000- 74,999	404	39,529	394	96.6	93.9-99.3	10	3.4	00.7-06.1
\$75,000+	615	64,285	595	93.0	89.5-96.5	20	7.0	03.5-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2461	229,425	1628	65.2	62.7-67.7	389	16.8	14.8-18.8	140	6.1	04.7-07.5	116	4.7	03.5-05.9	188	7.2	05.8-08.6
Native	59	8,181	33	52.8	37.3-68.3	10	19.0	06.8-31.2	3	4.1	00.0-09.2	6	9.2	01.2-17.2	7	15.0	02.3-27.7
Non-Native	2380	218,968	1583	65.8	63.3-68.3	375	16.8	14.8-18.8	137	6.2	04.8-07.6	107	4.5	03.3-05.7	178	6.8	05.4-08.2
18-24	68	19,682	46	64.3	51.8-76.8	12	21.0	10.2-31.8	5	7.1	00.4-13.8	3	3.5	00.0-08.6	2	4.1	00.0-09.6
25-34	218	37,897	153	67.7	60.1-75.3	40	18.4	12.1-24.7	13	9.0	03.7-14.3	9	3.5	00.6-06.4	3	1.4	00.0-03.2
35-44	269	33,482	181	66.1	59.0-73.2	43	15.3	10.2-20.4	11	3.4	01.0-05.8	19	8.2	03.9-12.5	15	6.9	02.6-11.2
45-54	428	42,454	273	60.4	54.5-66.3	78	19.1	14.4-23.8	28	6.6	03.1-10.1	18	4.2	02.0-06.4	31	9.7	05.6-13.8
55-64	539	40,699	366	68.0	63.3-72.7	79	15.5	11.8-19.2	34	6.3	03.8-08.8	21	3.5	01.7-05.3	39	6.7	04.3-09.1
65+	913	52,879	591	64.9	61.2-68.6	131	13.9	11.4-16.4	49	5.1	03.5-06.7	46	5.4	03.6-07.2	96	10.7	08.3-13.1
Less Than H.S.	146	15,958	84	59.4	49.4-69.4	15	8.9	04.0-13.8	5	4.9	00.0-11.2	10	6.9	02.4-11.4	32	19.9	11.9-27.9
H.S. or G.E.D.	656	50,862	414	62.0	57.1-66.9	106	19.9	15.6-24.2	38	5.1	02.9-07.3	37	5.8	03.6-08.0	61	7.2	05.0-09.4
Some Post-H.S.	814	97,072	545	63.0	58.5-67.5	137	17.4	13.9-20.9	49	7.2	04.7-09.7	37	5.0	02.8-07.2	46	7.4	04.9-09.9
College Graduate	842	65,171	584	72.6	68.9-76.3	130	15.1	12.0-18.2	47	5.2	03.2-07.2	32	3.0	01.8-04.2	49	4.0	02.8-05.2
Less than \$15,000	189	17,291	111	54.6	44.0-65.2	24	17.2	08.4-26.0	15	7.3	01.8-12.8	8	5.4	00.0-11.3	31	15.6	08.5-22.7
\$15,000- 24,999	316	27,192	193	57.2	49.2-65.2	49	17.0	10.7-23.3	16	6.6	01.7-11.5	23	7.4	03.9-10.9	35	11.8	06.3-17.3
\$25,000- 34,999	265	23,591	170	61.1	53.1-69.1	49	20.6	13.7-27.5	10	4.6	00.9-08.3	16	5.6	02.3-08.9	20	8.0	03.3-12.7
\$35,000- 49,999	322	30,895	201	65.5	58.6-72.4	66	20.3	14.4-26.2	20	6.7	02.6-10.8	15	3.6	01.1-06.1	20	3.9	01.9-05.9
\$50,000- 74,999	391	38,078	268	69.3	63.6-75.0	56	14.6	10.3-18.9	22	4.8	02.4-07.2	19	4.5	02.3-06.7	26	6.8	03.5-10.1
\$75,000+	592	59,553	428	69.9	65.0-74.8	93	16.7	12.8-20.6	28	5.8	02.9-08.7	23	4.9	02.4-07.4	20	2.9	01.3-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2674	260,262	2549	91.5	89.7-93.3	125	8.5	06.7-10.3
Native	66	10,237	65	98.9	96.7-0100	1	1.1	00.0-03.3
Non-Native	2582	246,877	2461	91.3	89.3-93.3	121	8.7	06.7-10.7
18-24	121	35,546	69	55.0	45.2-64.8	52	45.0	35.2-54.8
25-34	237	41,911	226	95.2	91.9-98.5	11	4.8	01.5-08.1
35-44	280	35,681	275	98.5	96.9-0100	5	1.5	00.0-03.1
45-54	444	44,418	438	98.8	97.6-0100	6	1.2	00.0-02.4
55-64	556	41,903	554	99.4	98.4-0100	2	0.6	00.0-01.6
65+	1007	58,275	959	95.2	93.4-97.0	48	4.8	03.0-06.6
Less Than H.S.	163	19,371	144	85.7	78.3-93.1	19	14.3	06.9-21.7
H.S. or G.E.D.	740	61,194	704	90.1	86.4-93.8	36	9.9	06.2-13.6
Some Post-H.S.	884	109,473	837	89.6	86.3-92.9	47	10.4	07.1-13.7
College Graduate	883	69,360	861	97.9	96.7-99.1	22	2.1	00.9-03.3
Less than \$15,000	225	22,507	214	90.0	82.7-97.3	11	10.0	02.7-17.3
\$15,000- 24,999	363	31,866	338	90.0	85.1-94.9	25	10.0	05.1-14.9
\$25,000- 34,999	288	27,158	273	89.8	83.9-95.7	15	10.2	04.3-16.1
\$35,000- 49,999	338	33,396	328	92.7	87.4-98.0	10	7.3	02.0-12.6
\$50,000- 74,999	406	39,743	396	94.9	91.2-98.6	10	5.1	01.4-08.8
\$75,000+	612	64,066	603	95.7	92.6-98.8	9	4.3	01.2-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2509	235,550	1046	49.0	46.5-51.5	470	18.6	16.6-20.6	276	9.7	08.1-11.3	208	7.5	06.1-08.9	509	15.2	13.6-16.8
Native	64	10,078	32	61.9	47.4-76.4	7	8.1	01.6-14.6	6	7.9	00.5-15.3	4	5.2	00.0-11.3	15	16.9	06.9-26.9
Non-Native	2422	222,966	1005	48.4	45.9-50.9	462	19.3	17.1-21.5	268	9.9	08.3-11.5	201	7.5	06.1-08.9	486	14.9	13.3-16.5
18-24	69	19,562	54	75.2	63.6-86.8	11	17.5	07.5-27.5	3	4.7	00.0-10.2	1	2.6	00.0-07.5			
25-34	225	39,616	160	69.8	62.5-77.1	44	18.7	12.8-24.6	11	6.7	02.2-11.2	8	3.7	00.8-06.6	2	1.0	00.0-02.6
35-44	275	35,147	165	59.4	52.1-66.7	55	17.6	12.5-22.7	20	8.7	04.0-13.4	16	6.4	02.7-10.1	19	7.9	04.0-11.8
45-54	436	43,651	203	44.5	38.8-50.2	104	23.9	18.8-29.0	44	9.5	06.2-12.8	30	7.1	04.2-10.0	55	15.0	10.3-19.7
55-64	549	41,147	232	44.8	39.9-49.7	117	20.6	16.7-24.5	58	10.7	07.6-13.8	34	5.4	03.2-07.6	108	18.5	14.8-22.2
65+	928	53,977	221	24.2	20.9-27.5	132	13.7	11.2-16.2	139	14.3	11.8-16.8	117	14.9	12.0-17.8	319	33.0	29.3-36.7
Less Than H.S.	139	16,304	40	35.6	23.4-47.8	12	10.2	02.8-17.6	18	11.5	04.2-18.8	15	11.3	05.2-17.4	54	31.4	21.8-41.0
H.S. or G.E.D.	691	54,577	258	44.9	40.0-49.8	110	15.6	12.1-19.1	88	11.2	08.5-13.9	64	10.7	07.6-13.8	171	17.6	14.5-20.7
Some Post-H.S.	822	97,024	343	48.4	43.9-52.9	153	19.1	15.6-22.6	85	9.7	07.0-12.4	71	6.9	04.7-09.1	170	15.9	13.0-18.8
College Graduate	854	67,283	404	56.5	52.4-60.6	194	22.3	18.8-25.8	85	8.3	06.1-10.5	58	4.9	03.3-06.5	113	8.0	06.2-09.8
Less than \$15,000	208	19,992	65	43.2	32.0-54.4	24	13.0	05.7-20.3	29	14.4	07.0-21.8	14	5.4	00.3-10.5	76	24.0	16.6-31.4
\$15,000- 24,999	332	28,382	110	41.6	33.8-49.4	43	13.3	07.8-18.8	39	10.7	05.8-15.6	38	10.9	06.6-15.2	102	23.5	17.6-29.4
\$25,000- 34,999	266	24,135	110	45.8	37.8-53.8	47	18.8	12.3-25.3	26	6.8	04.1-09.5	24	10.4	05.3-15.5	59	18.3	12.4-24.2
\$35,000- 49,999	326	30,841	132	49.5	42.4-56.6	61	20.6	14.7-26.5	35	9.1	04.8-13.4	33	7.6	04.3-10.9	65	13.1	09.2-17.0
\$50,000- 74,999	395	37,707	182	52.5	46.4-58.6	78	18.3	13.6-23.0	38	8.6	05.5-11.7	30	6.0	03.6-08.4	67	14.6	10.5-18.7
\$75,000+	600	61,028	303	55.5	50.4-60.6	150	24.6	20.3-28.9	64	8.9	06.2-11.6	32	5.0	02.8-07.2	51	6.0	04.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2642	254,304	824	24.3	22.3-26.3	1818	75.7	73.7-77.7
Native	66	10,237	18	22.8	10.1-35.5	48	77.2	64.5-89.9
Non-Native	2551	241,222	796	24.3	22.3-26.3	1755	75.7	73.7-77.7
18-24	116	34,142	1	0.7	00.0-02.1	115	99.3	97.9-0100
25-34	212	37,568	3	2.0	00.0-04.4	209	98.0	95.6-0100
35-44	278	35,447	34	11.6	07.1-16.1	244	88.4	83.9-92.9
45-54	444	44,401	118	29.1	23.8-34.4	326	70.9	65.6-76.2
55-64	556	41,903	205	37.8	32.9-42.7	351	62.2	57.3-67.1
65+	1009	58,419	454	46.4	42.7-50.1	555	53.6	49.9-57.3
Less Than H.S.	165	19,211	85	45.2	35.2-55.2	80	54.8	44.8-64.8
H.S. or G.E.D.	732	59,286	270	29.0	25.1-32.9	462	71.0	67.1-74.9
Some Post-H.S.	873	107,318	266	22.3	19.2-25.4	607	77.7	74.6-80.8
College Graduate	868	67,625	201	17.2	14.5-19.9	667	82.8	80.1-85.5
Less than \$15,000	222	21,576	89	26.6	19.2-34.0	133	73.4	66.0-80.8
\$15,000- 24,999	363	31,524	141	28.4	22.5-34.3	222	71.6	65.7-77.5
\$25,000- 34,999	286	26,772	87	23.8	17.7-29.9	199	76.2	70.1-82.3
\$35,000- 49,999	333	32,497	100	21.6	16.9-26.3	233	78.4	73.7-83.1
\$50,000- 74,999	396	38,112	109	22.5	18.0-27.0	287	77.5	73.0-82.0
\$75,000+	602	62,219	141	19.8	16.1-23.5	461	80.2	76.5-83.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
<p>1 A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1) MALES ONLY</p>	218
<p>2 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1) MALES ONLY</p>	219
<p>3 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1) MALES ONLY</p>	220
<p>4 HAVE YOU EVER HAD A PSA TEST? (PSATEST1) MALES ONLY</p>	221
<p>5 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME) MALES ONLY</p>	222
<p>6 WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1) MALES ONLY</p>	223

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1543	149,013	977	58.1	55.0-61.2	566	41.9	38.8-45.0
Non-Native	1484	141,793	948	59.5	56.4-62.6	536	40.5	37.4-43.6
35-44	139	19,261	39	28.6	19.0-38.2	100	71.4	61.8-81.0
45-54	391	43,915	172	42.4	36.5-48.3	219	57.6	51.7-63.5
55-64	477	42,610	347	68.8	63.3-74.3	130	31.2	25.7-36.7
65+	536	43,226	419	76.7	72.4-81.0	117	23.3	19.0-27.6
Less Than H.S.	125	18,793	74	54.9	44.1-65.7	51	45.1	34.3-55.9
H.S. or G.E.D.	469	43,789	271	53.0	47.5-58.5	198	47.0	41.5-52.5
Some Post-H.S.	465	52,794	287	57.0	51.5-62.5	178	43.0	37.5-48.5
College Graduate	484	33,637	345	68.3	63.2-73.4	139	31.7	26.6-36.8
Less than \$15,000	78	7,286	35	40.3	27.2-53.4	43	59.7	46.6-72.8
\$15,000- 24,999	177	18,903	109	51.4	41.8-61.0	68	48.6	39.0-58.2
\$25,000- 34,999	159	14,217	95	58.7	48.9-68.5	64	41.3	31.5-51.1
\$35,000- 49,999	288	28,326	180	56.1	49.0-63.2	108	43.9	36.8-51.0
\$50,000- 74,999	255	24,369	172	62.0	54.6-69.4	83	38.0	30.6-45.4
\$75,000+	493	46,203	319	60.8	55.5-66.1	174	39.2	33.9-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1535	148,704	354	21.5	19.0-24.0	1181	78.5	76.0-81.0
Non-Native	1480	141,961	341	21.8	19.3-24.3	1139	78.2	75.7-80.7
35-44	137	18,926	20	15.9	08.1-23.7	117	84.1	76.3-91.9
45-54	392	44,282	72	16.6	12.3-20.9	320	83.4	79.1-87.7
55-64	471	41,999	131	25.6	20.9-30.3	340	74.4	69.7-79.1
65+	535	43,497	131	25.1	20.6-29.6	404	74.9	70.4-79.4
Less Than H.S.	126	18,562	19	12.7	06.2-19.2	107	87.3	80.8-93.8
H.S. or G.E.D.	466	43,900	91	19.4	15.1-23.7	375	80.6	76.3-84.9
Some Post-H.S.	466	53,068	104	21.8	17.3-26.3	362	78.2	73.7-82.7
College Graduate	477	33,175	140	29.0	24.1-33.9	337	71.0	66.1-75.9
Less than \$15,000	78	7,379	13	13.6	05.0-22.2	65	86.4	77.8-95.0
\$15,000- 24,999	172	18,288	33	17.2	10.5-23.9	139	82.8	76.1-89.5
\$25,000- 34,999	156	13,792	33	17.4	10.5-24.3	123	82.6	75.7-89.5
\$35,000- 49,999	286	28,204	52	17.3	12.0-22.6	234	82.7	77.4-88.0
\$50,000- 74,999	252	24,510	68	23.8	17.7-29.9	184	76.2	70.1-82.3
\$75,000+	496	46,798	133	26.9	22.2-31.6	363	73.1	68.4-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1531	147,913	869	52.1	49.0-55.2	662	47.9	44.8-51.0
Non-Native	1473	140,722	840	52.6	49.5-55.7	633	47.4	44.3-50.5
35-44	137	18,999	28	20.0	11.6-28.4	109	80.0	71.6-88.4
45-54	384	42,927	148	35.5	29.8-41.2	236	64.5	58.8-70.2
55-64	472	42,339	304	63.5	58.0-69.0	168	36.5	31.0-42.0
65+	538	43,649	389	71.1	66.4-75.8	149	28.9	24.2-33.6
Less Than H.S.	126	18,891	67	51.7	41.1-62.3	59	48.3	37.7-58.9
H.S. or G.E.D.	470	43,928	251	49.3	43.8-54.8	219	50.7	45.2-56.2
Some Post-H.S.	457	51,734	254	50.4	44.9-55.9	203	49.6	44.1-55.1
College Graduate	477	33,280	296	58.4	53.1-63.7	181	41.6	36.3-46.9
Less than \$15,000	79	7,364	33	38.2	25.3-51.1	46	61.8	48.9-74.7
\$15,000- 24,999	181	19,385	95	48.5	39.1-57.9	86	51.5	42.1-60.9
\$25,000- 34,999	156	13,870	92	56.7	46.7-66.7	64	43.3	33.3-53.3
\$35,000- 49,999	284	28,032	169	52.4	45.1-59.7	115	47.6	40.3-54.9
\$50,000- 74,999	250	23,803	137	47.9	40.5-55.3	113	52.1	44.7-59.5
\$75,000+	489	45,950	287	56.1	50.8-61.4	202	43.9	38.6-49.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING
TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	863	76,482	804	90.9	88.2-93.6	59	9.1	06.4-11.8
Non-Native	834	73,450	779	91.8	89.3-94.3	55	8.2	05.7-10.7
45-54	144	14,914	118	78.5	69.9-87.1	26	21.5	12.9-30.1
55-64	303	26,823	287	92.1	87.4-96.8	16	7.9	03.2-12.6
65+	388	30,939	378	96.9	94.9-98.9	10	3.1	01.1-05.1
Less Than H.S.	66	9,651	59	85.4	73.6-97.2	7	14.6	02.8-26.4
H.S. or G.E.D.	249	21,501	229	91.0	86.7-95.3	20	9.0	04.7-13.3
Some Post-H.S.	251	25,822	225	88.0	82.9-93.1	26	12.0	06.9-17.1
College Graduate	296	19,427	290	97.5	95.5-99.5	6	2.5	00.5-04.5
\$15,000- 24,999	94	9,292	85	87.8	77.4-98.2	9	12.2	01.8-22.6
\$25,000- 34,999	92	7,861	89	96.4	92.3-0100	3	3.6	00.0-07.7
\$35,000- 49,999	169	14,701	155	88.8	82.3-95.3	14	11.2	04.7-17.7
\$50,000- 74,999	136	11,325	129	91.7	84.8-98.6	7	8.3	01.4-15.2
\$75,000+	286	25,705	269	93.3	89.8-96.8	17	6.7	03.2-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	946	83,757	568	59.9	56.0-63.8	161	17.2	14.3-20.1	86	10.0	07.5-12.5	74	7.6	05.4-09.8	57	5.2	03.6-06.8
Non-Native	917	81,235	553	60.3	56.4-64.2	159	17.5	14.6-20.4	79	9.2	06.8-11.6	70	7.6	05.4-09.8	56	5.3	03.7-06.9
45-54	144	15,811	69	48.6	38.6-58.6	35	21.8	13.8-29.8	16	12.5	05.8-19.2	13	9.2	03.1-15.3	11	8.0	02.5-13.5
55-64	334	28,211	204	61.2	54.9-67.5	57	18.1	13.2-23.0	34	10.6	06.5-14.7	24	7.0	03.7-10.3	15	3.1	01.3-04.9
65+	437	35,359	285	67.2	62.1-72.3	58	13.2	09.5-16.9	30	5.8	03.6-08.0	33	7.5	04.6-10.4	31	6.3	03.9-08.7
Less Than H.S.	75	10,616	47	60.5	47.4-73.6	9	13.4	04.8-22.0	6	13.5	02.9-24.1	5	5.6	00.1-11.1	8	7.1	01.8-12.4
H.S. or G.E.D.	270	23,628	175	64.6	57.7-71.5	31	13.3	08.0-18.6	27	9.5	05.4-13.6	14	6.0	02.1-09.9	23	6.6	03.5-09.7
Some Post-H.S.	269	28,023	158	58.1	51.0-65.2	54	20.7	14.8-26.6	23	9.4	05.1-13.7	25	8.4	04.5-12.3	9	3.4	00.7-06.1
College Graduate	331	21,409	187	56.6	50.3-62.9	67	19.1	14.4-23.8	30	9.6	05.5-13.7	30	9.5	05.6-13.4	17	5.1	02.4-07.8
\$15,000- 24,999	103	9,897	60	56.7	44.7-68.7	15	16.3	07.3-25.3	8	10.0	01.6-18.4	11	10.0	02.9-17.1	9	7.1	02.0-12.2
\$25,000- 34,999	100	8,912	58	60.5	48.3-72.7	16	14.5	06.7-22.3	13	15.2	05.4-25.0	2	1.3	00.0-03.3	11	8.5	03.0-14.0
\$35,000- 49,999	178	15,102	116	64.2	55.8-72.6	27	15.5	09.4-21.6	13	7.7	03.0-12.4	10	5.7	01.4-10.0	12	6.9	02.6-11.2
\$50,000- 74,999	157	13,516	94	57.8	48.0-67.6	25	14.0	07.7-20.3	14	12.5	04.7-20.3	17	12.0	05.1-18.9	7	3.7	00.4-07.0
\$75,000+	313	27,532	184	57.8	51.1-64.5	64	22.4	16.5-28.3	24	7.5	03.8-11.2	28	8.6	05.1-12.1	13	3.8	01.1-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	950	84,019	662	69.6	66.1-73.1	50	4.7	03.1-06.3	64	6.6	04.6-08.6	43	4.1	02.5-05.7	131	15.0	12.1-17.9
Non-Native	923	81,614	645	70.0	66.3-73.7	46	4.5	02.9-06.1	62	6.6	04.6-08.6	41	4.2	02.6-05.8	129	14.7	11.8-17.6
45-54	144	15,811	89	63.1	53.5-72.7	4	2.2	00.0-04.7	26	14.7	07.8-21.6	2	1.9	00.0-04.6	23	18.1	10.3-25.9
55-64	336	28,433	240	72.4	66.7-78.1	12	3.0	01.0-05.0	23	6.5	03.6-09.4	11	3.2	01.0-05.4	50	14.9	10.0-19.8
65+	439	35,399	318	72.5	67.6-77.4	33	7.5	04.6-10.4	7	1.9	00.1-03.7	30	6.3	03.4-09.2	51	11.9	08.4-15.4
Less Than H.S.	74	10,328	54	72.9	60.7-85.1	10	9.9	03.2-16.6	1	2.0	00.0-05.9	4	5.7	00.0-13.0	5	9.4	00.6-18.2
H.S. or G.E.D.	271	23,772	180	66.0	59.1-72.9	19	6.7	03.4-10.0	15	5.4	02.1-08.7	18	6.1	03.0-09.2	39	15.8	10.3-21.3
Some Post-H.S.	270	28,308	188	71.1	64.6-77.6	8	2.0	00.4-03.6	20	7.8	03.9-11.7	9	2.4	00.8-04.0	45	16.8	11.3-22.3
College Graduate	334	21,529	240	70.5	64.6-76.4	13	3.4	01.2-05.6	28	8.5	04.8-12.2	12	3.5	01.1-05.9	41	14.1	09.4-18.8
\$15,000- 24,999	103	9,897	65	64.7	53.3-76.1	9	8.2	02.7-13.7	7	6.3	00.2-12.4	9	7.6	01.9-13.3	13	13.1	04.3-21.9
\$25,000- 34,999	103	9,153	76	72.1	61.1-83.1	7	8.0	01.1-14.9	4	5.0	00.0-10.7	7	4.3	00.8-07.8	9	10.6	03.0-18.2
\$35,000- 49,999	178	15,132	125	72.0	64.4-79.6	12	5.9	02.0-09.8	7	3.0	00.6-05.4	11	5.9	02.2-09.6	23	13.2	07.1-19.3
\$50,000- 74,999	159	13,613	105	66.4	57.2-75.6	7	2.6	00.6-04.6	8	3.0	00.6-05.4	3	1.7	00.0-04.2	36	26.2	17.2-35.2
\$75,000+	314	27,810	228	71.3	65.0-77.6	10	2.4	00.8-04.0	30	9.9	05.8-14.0	9	3.2	00.3-06.1	37	13.1	08.4-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	225
2	MALES ONLY	226
3	FEMALES ONLY	227
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	228
5	MALES ONLY	229
6	FEMALES ONLY	230
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)	
7	MALES AND FEMALES	231
8	MALES ONLY	232
9	FEMALES ONLY	233
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)	
10	MALES AND FEMALES	234
11	MALES ONLY	235
12	FEMALES ONLY	236
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	237
14	MALES ONLY	238
15	FEMALES ONLY	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3068	237,291	1204	35.1	33.1-37.1	1864	64.9	62.9-66.9
Male	1260	114,098	415	29.9	27.0-32.8	845	70.1	67.2-73.0
Female	1808	123,194	789	39.9	37.2-42.6	1019	60.1	57.4-62.8
Native	60	6,688	8	8.3	02.0-14.6	52	91.7	85.4-98.0
Non-Native	2969	227,508	1184	35.9	33.9-37.9	1785	64.1	62.1-66.1
45-54	488	50,607	88	17.7	13.6-21.8	400	82.3	78.2-86.4
55-64	1037	85,123	370	33.0	29.7-36.3	667	67.0	63.7-70.3
65+	1543	101,561	746	45.6	42.7-48.5	797	54.4	51.5-57.3
Less Than H.S.	264	30,193	93	31.0	24.7-37.3	171	69.0	62.7-75.3
H.S. or G.E.D.	964	68,593	364	33.7	30.2-37.2	600	66.3	62.8-69.8
Some Post-H.S.	947	85,687	382	36.1	32.6-39.6	565	63.9	60.4-67.4
College Graduate	890	52,482	365	37.9	34.2-41.6	525	62.1	58.4-65.8
Less than \$15,000	240	15,790	81	31.2	24.3-38.1	159	68.8	61.9-75.7
\$15,000- 24,999	448	32,992	176	32.1	26.8-37.4	272	67.9	62.6-73.2
\$25,000- 34,999	349	25,241	138	39.7	33.2-46.2	211	60.3	53.8-66.8
\$35,000- 49,999	478	38,553	207	36.9	31.8-42.0	271	63.1	58.0-68.2
\$50,000- 74,999	443	35,979	176	36.1	31.0-41.2	267	63.9	58.8-69.0
\$75,000+	691	57,149	252	33.1	29.0-37.2	439	66.9	62.8-71.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1260	114,098	415	29.9	27.0-32.8	845	70.1	67.2-73.0
Non-Native	1215	109,307	406	30.7	27.8-33.6	809	69.3	66.4-72.2
45-54	229	26,439	29	13.5	08.0-19.0	200	86.5	81.0-92.0
55-64	483	43,427	150	29.1	24.2-34.0	333	70.9	66.0-75.8
65+	548	44,232	236	40.5	35.8-45.2	312	59.5	54.8-64.2
Less Than H.S.	123	17,231	35	25.8	17.2-34.4	88	74.2	65.6-82.8
H.S. or G.E.D.	391	33,983	126	30.0	24.7-35.3	265	70.0	64.7-75.3
Some Post-H.S.	356	37,112	108	27.1	21.8-32.4	248	72.9	67.6-78.2
College Graduate	389	25,691	146	36.8	31.1-42.5	243	63.2	57.5-68.9
Less than \$15,000	69	5,765	10	12.8	03.8-21.8	59	87.2	78.2-96.2
\$15,000- 24,999	158	15,964	48	25.9	18.1-33.7	110	74.1	66.3-81.9
\$25,000- 34,999	141	11,928	55	39.8	29.4-50.2	86	60.2	49.8-70.6
\$35,000- 49,999	249	23,138	88	30.3	23.8-36.8	161	69.7	63.2-76.2
\$50,000- 74,999	193	17,180	61	27.5	20.4-34.6	132	72.5	65.4-79.6
\$75,000+	369	32,604	122	31.7	26.2-37.2	247	68.3	62.8-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1808	123,194	789	39.9	37.2-42.6	1019	60.1	57.4-62.8
Non-Native	1754	118,201	778	40.8	38.1-43.5	976	59.2	56.5-61.9
45-54	259	24,168	59	22.2	16.3-28.1	200	77.8	71.9-83.7
55-64	554	41,696	220	37.1	32.4-41.8	334	62.9	58.2-67.6
65+	995	57,329	510	49.5	45.8-53.2	485	50.5	46.8-54.2
Less Than H.S.	141	12,962	58	38.0	29.0-47.0	83	62.0	53.0-71.0
H.S. or G.E.D.	573	34,610	238	37.5	33.0-42.0	335	62.5	58.0-67.0
Some Post-H.S.	591	48,575	274	43.0	38.3-47.7	317	57.0	52.3-61.7
College Graduate	501	26,791	219	39.0	34.1-43.9	282	61.0	56.1-65.9
Less than \$15,000	171	10,025	71	41.8	32.8-50.8	100	58.2	49.2-67.2
\$15,000- 24,999	290	17,028	128	38.0	31.3-44.7	162	62.0	55.3-68.7
\$25,000- 34,999	208	13,314	83	39.6	31.4-47.8	125	60.4	52.2-68.6
\$35,000- 49,999	229	15,415	119	46.9	39.3-54.5	110	53.1	45.5-60.7
\$50,000- 74,999	250	18,799	115	43.9	36.8-51.0	135	56.1	49.0-63.2
\$75,000+	322	24,545	130	35.0	29.1-40.9	192	65.0	59.1-70.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1173	81,374	263	24.0	21.1-26.9	189	15.8	13.4-18.2	158	13.7	11.3-16.1	194	15.5	13.1-17.9	369	31.1	28.0-34.2
Male	406	33,391	113	29.4	24.1-34.7	57	12.7	09.2-16.2	51	12.8	08.7-16.9	66	15.8	11.7-19.9	119	29.3	24.0-34.6
Female	767	47,983	150	20.2	16.9-23.5	132	18.0	14.9-21.1	107	14.3	11.4-17.2	128	15.3	12.4-18.2	250	32.3	28.4-36.2
Non-Native	1154	79,864	257	23.6	20.7-26.5	186	15.8	13.4-18.2	155	13.7	11.2-16.2	194	15.8	13.3-18.3	362	31.1	28.0-34.2
45-54	88	8,943	28	30.0	18.6-41.4	14	12.5	05.4-19.6	19	25.6	13.8-37.4	9	8.7	02.8-14.6	18	23.2	12.0-34.4
55-64	361	27,313	88	24.8	19.5-30.1	55	15.2	10.9-19.5	53	14.5	10.2-18.8	59	16.8	12.3-21.3	106	28.7	23.2-34.2
65+	724	45,118	147	22.2	18.5-25.9	120	16.9	13.8-20.0	86	10.8	08.3-13.3	126	16.0	12.9-19.1	245	34.1	30.0-38.2
Less Than H.S.	91	9,269	29	33.5	22.5-44.5	20	20.4	11.4-29.4	7	7.9	01.6-14.2	9	10.8	03.5-18.1	26	27.5	17.1-37.9
H.S. or G.E.D.	354	22,519	71	23.5	18.0-29.0	54	14.7	10.8-18.6	48	12.3	08.8-15.8	65	17.1	12.4-21.8	116	32.4	26.7-38.1
Some Post-H.S.	375	30,285	84	23.1	18.0-28.2	58	14.9	10.8-19.0	59	16.4	11.7-21.1	57	14.2	10.3-18.1	117	31.4	25.7-37.1
College Graduate	353	19,300	79	21.2	16.3-26.1	57	16.4	12.1-20.7	44	13.7	09.2-18.2	63	18.0	13.3-22.7	110	30.7	25.0-36.4
Less than \$15,000	80	4,861	23	30.1	18.1-42.1	16	22.0	11.0-33.0	7	8.4	00.6-16.2	13	15.2	06.2-24.2	21	24.4	13.8-35.0
\$15,000- 24,999	173	10,506	37	23.1	15.3-30.9	23	11.0	05.9-16.1	25	15.5	08.8-22.2	32	17.6	11.1-24.1	56	32.9	24.3-41.5
\$25,000- 34,999	135	9,852	31	24.0	14.2-33.8	21	16.7	08.7-24.7	16	8.8	03.9-13.7	13	6.2	02.5-09.9	54	44.4	33.6-55.2
\$35,000- 49,999	202	13,949	47	23.2	16.7-29.7	31	15.3	09.6-21.0	31	17.4	10.7-24.1	32	14.5	09.0-20.0	61	29.6	22.2-37.0
\$50,000- 74,999	172	12,614	39	22.6	15.2-30.0	37	22.5	15.2-29.8	25	12.6	07.3-17.9	24	14.8	08.3-21.3	47	27.5	19.7-35.3
\$75,000+	250	18,824	59	24.9	18.6-31.2	36	11.9	08.0-15.8	35	15.8	09.9-21.7	45	18.9	13.0-24.8	75	28.6	22.3-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	406	33,391	113	29.4	24.1-34.7	57	12.7	09.4-16.0	51	12.8	08.7-16.9	66	15.8	11.7-19.9	119	29.3	24.0-34.6
Non-Native	397	32,851	110	29.2	23.7-34.7	57	12.9	09.4-16.4	49	12.7	08.6-16.8	66	16.1	11.8-20.4	115	29.0	23.7-34.3
55-64	146	12,184	43	31.3	21.9-40.7	23	13.9	08.0-19.8	13	8.4	03.5-13.3	26	17.3	10.0-24.6	41	29.1	20.1-38.1
65+	231	17,626	60	27.8	21.1-34.5	31	12.9	08.2-17.6	29	11.0	06.5-15.5	36	16.3	10.6-22.0	75	32.0	25.3-38.7
H.S. or G.E.D.	124	10,056	35	32.2	22.2-42.2	18	12.1	06.4-17.8	18	11.0	05.5-16.5	15	13.7	05.7-21.7	38	31.1	21.9-40.3
Some Post-H.S.	106	9,714	30	28.8	18.6-39.0	19	16.4	09.0-23.8	14	16.8	07.0-26.6	17	13.4	06.9-19.9	26	24.7	15.1-34.3
College Graduate	141	9,181	37	25.5	17.3-33.7	16	9.5	04.8-14.2	15	11.7	04.8-18.6	29	20.8	13.0-28.6	44	32.5	23.3-41.7
\$25,000- 34,999	54	4,667	16	34.9	17.5-52.3	7	11.5	02.7-20.3	11	12.5	04.1-20.9	2	2.8	00.0-07.1	18	38.3	21.2-55.4
\$35,000- 49,999	86	6,842	25	26.1	16.1-36.1	13	14.5	06.3-22.7	9	12.4	02.4-22.4	14	15.4	06.6-24.2	25	31.7	19.7-43.7
\$50,000- 74,999	59	4,457	13	19.9	09.3-30.5	14	26.0	12.9-39.1	5	7.9	00.8-15.0	10	17.7	05.4-30.0	17	28.6	15.7-41.5
\$75,000+	121	10,272	30	27.9	18.3-37.5	15	9.7	04.6-14.8	15	15.2	06.6-23.8	23	18.4	10.4-26.4	38	28.8	19.8-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	767	47,983	150	20.2	16.7-23.7	132	18.0	14.7-21.3	107	14.3	11.4-17.2	128	15.3	12.4-18.2	250	32.3	28.4-36.2
Non-Native	757	47,014	147	19.7	16.4-23.0	129	17.9	14.6-21.2	106	14.4	11.5-17.3	128	15.6	12.7-18.5	247	32.5	28.6-36.4
45-54	59	5,363	18	29.8	15.7-43.9	11	15.6	06.0-25.2	10	18.3	06.5-30.1	5	8.8	01.0-16.6	15	27.5	13.8-41.2
55-64	215	15,129	45	19.6	13.9-25.3	32	16.3	10.2-22.4	40	19.5	13.0-26.0	33	16.4	10.5-22.3	65	28.3	21.6-35.0
65+	493	27,492	87	18.6	14.3-22.9	89	19.4	15.3-23.5	57	10.6	07.7-13.5	90	15.9	12.4-19.4	170	35.4	30.3-40.5
Less Than H.S.	56	4,829	18	34.5	20.2-48.8	16	27.4	14.5-40.3	3	5.6	00.0-12.5	4	6.1	00.2-12.0	15	26.3	13.8-38.8
H.S. or G.E.D.	230	12,464	36	16.6	11.1-22.1	36	16.9	11.4-22.4	30	13.4	08.5-18.3	50	19.8	14.1-25.5	78	33.4	26.5-40.3
Some Post-H.S.	269	20,572	54	20.4	14.5-26.3	39	14.2	09.3-19.1	45	16.2	11.1-21.3	40	14.6	09.7-19.5	91	34.6	27.7-41.5
College Graduate	212	10,119	42	17.3	12.0-22.6	41	22.7	15.8-29.6	29	15.5	09.2-21.8	34	15.4	09.9-20.9	66	29.1	22.2-36.0
Less than \$15,000	70	4,126	19	27.2	15.4-39.0	14	22.2	10.2-34.2	6	9.1	00.0-18.3	12	16.5	06.3-26.7	19	25.1	13.7-36.5
\$15,000- 24,999	125	6,366	20	14.3	07.4-21.2	21	16.7	08.9-24.5	17	13.9	06.8-21.0	23	17.4	10.1-24.7	44	37.7	27.1-48.3
\$25,000- 34,999	81	5,185	15	14.2	06.6-21.8	14	21.4	09.1-33.7	5	5.4	00.0-10.9	11	9.1	03.2-15.0	36	49.8	36.3-63.3
\$35,000- 49,999	116	7,107	22	20.5	11.9-29.1	18	16.0	08.4-23.6	22	22.2	13.2-31.2	18	13.6	06.9-20.3	36	27.7	18.7-36.7
\$50,000- 74,999	113	8,158	26	24.1	14.3-33.9	23	20.6	12.0-29.2	20	15.2	08.1-22.3	14	13.2	05.8-20.6	30	26.9	16.9-36.9
\$75,000+	129	8,552	29	21.2	13.6-28.8	21	14.4	08.1-20.7	20	16.5	08.5-24.5	22	19.5	11.1-27.9	37	28.3	19.7-36.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3068	237,505	1996	62.0	59.8-64.2	1072	38.0	35.8-40.2
Male	1263	114,632	782	59.3	56.0-62.6	481	40.7	37.4-44.0
Female	1805	122,873	1214	64.5	61.8-67.2	591	35.5	32.8-38.2
Native	59	6,638	22	33.4	18.5-48.3	37	66.6	51.7-81.5
Non-Native	2968	227,628	1949	62.8	60.6-65.0	1019	37.2	35.0-39.4
45-54	488	50,630	197	39.4	34.1-44.7	291	60.6	55.3-65.9
55-64	1037	85,187	655	61.6	57.9-65.3	382	38.4	34.7-42.1
65+	1543	101,688	1144	73.5	70.8-76.2	399	26.5	23.8-29.2
Less Than H.S.	264	30,145	156	54.4	47.1-61.7	108	45.6	38.3-52.9
H.S. or G.E.D.	963	68,321	601	60.4	56.7-64.1	362	39.6	35.9-43.3
Some Post-H.S.	951	86,402	631	63.0	59.3-66.7	320	37.0	33.3-40.7
College Graduate	887	52,300	605	66.4	62.7-70.1	282	33.6	29.9-37.3
Less than \$15,000	240	15,790	125	51.2	43.6-58.8	115	48.8	41.2-56.4
\$15,000- 24,999	448	33,224	293	60.7	54.6-66.8	155	39.3	33.2-45.4
\$25,000- 34,999	349	25,243	232	65.3	59.0-71.6	117	34.7	28.4-41.0
\$35,000- 49,999	476	38,163	315	61.8	56.3-67.3	161	38.2	32.7-43.7
\$50,000- 74,999	443	35,979	285	59.4	53.9-64.9	158	40.6	35.1-46.1
\$75,000+	692	57,349	465	64.6	60.3-68.9	227	35.4	31.1-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1263	114,632	782	59.3	56.0-62.6	481	40.7	37.4-44.0
Non-Native	1217	109,777	760	60.1	56.8-63.4	457	39.9	36.6-43.2
45-54	229	26,462	82	37.3	29.7-44.9	147	62.7	55.1-70.3
55-64	483	43,427	296	59.0	53.5-64.5	187	41.0	35.5-46.5
65+	551	44,743	404	72.6	68.1-77.1	147	27.4	22.9-31.9
Less Than H.S.	124	17,231	69	52.7	42.1-63.3	55	47.3	36.7-57.9
H.S. or G.E.D.	391	34,003	223	56.8	50.9-62.7	168	43.2	37.3-49.1
Some Post-H.S.	359	37,706	211	56.5	50.4-62.6	148	43.5	37.4-49.6
College Graduate	388	25,612	278	70.9	65.4-76.4	110	29.1	23.6-34.6
Less than \$15,000	69	5,765	29	46.4	32.7-60.1	40	53.6	39.9-67.3
\$15,000- 24,999	158	16,196	94	57.5	47.3-67.7	64	42.5	32.3-52.7
\$25,000- 34,999	141	11,928	85	61.4	51.2-71.6	56	38.6	28.4-48.8
\$35,000- 49,999	247	22,794	146	53.7	46.1-61.3	101	46.3	38.7-53.9
\$50,000- 74,999	193	17,180	121	58.2	49.8-66.6	72	41.8	33.4-50.2
\$75,000+	370	32,802	253	65.2	59.3-71.1	117	34.8	28.9-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1805	122,873	1214	64.5	61.8-67.2	591	35.5	32.8-38.2
Non-Native	1751	117,851	1189	65.4	62.7-68.1	562	34.6	31.9-37.3
45-54	259	24,168	115	41.7	34.4-49.0	144	58.3	51.0-65.6
55-64	554	41,760	359	64.4	59.7-69.1	195	35.6	30.9-40.3
65+	992	56,945	740	74.2	70.9-77.5	252	25.8	22.5-29.1
Less Than H.S.	140	12,915	87	56.7	47.1-66.3	53	43.3	33.7-52.9
H.S. or G.E.D.	572	34,318	378	63.9	59.2-68.6	194	36.1	31.4-40.8
Some Post-H.S.	592	48,696	420	68.1	63.4-72.8	172	31.9	27.2-36.6
College Graduate	499	26,688	327	62.1	56.8-67.4	172	37.9	32.6-43.2
Less than \$15,000	171	10,025	96	53.9	44.7-63.1	75	46.1	36.9-55.3
\$15,000- 24,999	290	17,028	199	63.7	56.6-70.8	91	36.3	29.2-43.4
\$25,000- 34,999	208	13,316	147	68.8	61.2-76.4	61	31.2	23.6-38.8
\$35,000- 49,999	229	15,369	169	73.7	66.8-80.6	60	26.3	19.4-33.2
\$50,000- 74,999	250	18,799	164	60.4	53.1-67.7	86	39.6	32.3-46.9
\$75,000+	322	24,547	212	63.7	57.2-70.2	110	36.3	29.8-42.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1940	142,516	148	7.1	05.7-08.5	1792	92.9	91.5-94.3
Male	753	64,945	55	7.4	05.0-09.8	698	92.6	90.2-95.0
Female	1187	77,570	93	6.9	05.3-08.5	1094	93.1	91.5-94.7
Non-Native	1895	138,528	143	7.1	05.7-08.5	1752	92.9	91.5-94.3
45-54	195	19,583	13	4.8	02.1-07.5	182	95.2	92.5-97.9
55-64	648	51,315	53	7.8	05.3-10.3	595	92.2	89.7-94.7
65+	1097	71,618	82	7.3	05.5-09.1	1015	92.7	90.9-94.5
Less Than H.S.	141	14,837	9	6.3	01.8-10.8	132	93.7	89.2-98.2
H.S. or G.E.D.	588	40,399	39	6.6	04.2-09.0	549	93.4	91.0-95.8
Some Post-H.S.	615	52,726	54	8.2	05.7-10.7	561	91.8	89.3-94.3
College Graduate	593	34,217	46	6.5	04.5-08.5	547	93.5	91.5-95.5
Less than \$15,000	115	7,400	11	7.3	02.4-12.2	104	92.7	87.8-97.6
\$15,000- 24,999	281	18,957	27	11.1	06.2-16.0	254	88.9	84.0-93.8
\$25,000- 34,999	223	15,892	18	8.0	02.5-13.5	205	92.0	86.5-97.5
\$35,000- 49,999	310	23,347	24	7.1	04.0-10.2	286	92.9	89.8-96.0
\$50,000- 74,999	279	20,766	14	4.9	02.2-07.6	265	95.1	92.4-97.8
\$75,000+	461	36,416	35	6.1	03.9-08.3	426	93.9	91.7-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	753	64,945	55	7.4	05.0-09.8	698	92.6	90.2-95.0
Non-Native	732	63,069	53	7.5	05.1-09.9	679	92.5	90.1-94.9
45-54	80	9,507	7	6.2	01.3-11.1	73	93.8	88.9-98.7
55-64	291	24,655	23	8.1	04.0-12.2	268	91.9	87.8-96.0
65+	382	30,783	25	7.2	04.1-10.3	357	92.8	89.7-95.9
Less Than H.S.	65	8,300	6	8.4	01.1-15.7	59	91.6	84.3-98.9
H.S. or G.E.D.	214	18,718	13	6.1	02.4-09.8	201	93.9	90.2-97.6
Some Post-H.S.	202	20,065	18	9.7	04.6-14.8	184	90.3	85.2-95.4
College Graduate	271	17,782	18	5.9	03.0-08.8	253	94.1	91.2-97.0
\$15,000- 24,999	87	8,368	11	14.2	05.2-23.2	76	85.8	76.8-94.8
\$25,000- 34,999	80	6,956	6	8.2	00.0-17.8	74	91.8	82.2-0100
\$35,000- 49,999	143	12,100	7	4.8	01.1-08.5	136	95.2	91.5-98.9
\$50,000- 74,999	117	9,514	5	4.7	00.2-09.2	112	95.3	90.8-99.8
\$75,000+	250	20,814	21	7.1	03.8-10.4	229	92.9	89.6-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1187	77,570	93	6.9	05.3-08.5	1094	93.1	91.5-94.7
Non-Native	1163	75,459	90	6.8	05.2-08.4	1073	93.2	91.6-94.8
45-54	115	10,076	6	3.4	00.5-06.3	109	96.6	93.7-99.5
55-64	357	26,660	30	7.4	04.3-10.5	327	92.6	89.5-95.7
65+	715	40,834	57	7.4	05.2-09.6	658	92.6	90.4-94.8
Less Than H.S.	76	6,537	3	3.7	00.0-08.2	73	96.3	91.8-0100
H.S. or G.E.D.	374	21,682	26	7.1	04.0-10.2	348	92.9	89.8-96.0
Some Post-H.S.	413	32,660	36	7.2	04.5-09.9	377	92.8	90.1-95.5
College Graduate	322	16,435	28	7.1	04.4-09.8	294	92.9	90.2-95.6
Less than \$15,000	88	4,891	9	8.1	02.2-14.0	79	91.9	86.0-97.8
\$15,000- 24,999	194	10,589	16	8.6	03.7-13.5	178	91.4	86.5-96.3
\$25,000- 34,999	143	8,936	12	7.8	01.3-14.3	131	92.2	85.7-98.7
\$35,000- 49,999	167	11,247	17	9.5	04.2-14.8	150	90.5	85.2-95.8
\$50,000- 74,999	162	11,252	9	5.0	01.7-08.3	153	95.0	91.7-98.3
\$75,000+	211	15,602	14	4.8	02.1-07.5	197	95.2	92.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1969	145,028	388	21.2	18.8-23.6	324	16.3	14.3-18.3	316	16.9	14.7-19.1	467	23.2	21.0-25.4	349	16.5	14.5-18.5	125	6.0	04.6-07.4
Male	770	66,920	149	22.3	18.6-26.0	155	18.3	15.2-21.4	129	17.5	14.2-20.8	185	23.2	19.7-26.7	106	13.0	10.1-15.9	46	5.7	03.5-07.9
Female	1199	78,107	239	20.2	17.5-22.9	169	14.5	12.1-16.9	187	16.4	13.9-18.9	282	23.3	20.4-26.2	243	19.4	16.7-22.1	79	6.2	04.6-07.8
Non-Native	1923	141,181	376	21.1	18.7-23.5	317	16.4	14.4-18.4	306	16.6	14.4-18.8	456	23.1	20.7-25.5	346	16.8	14.8-18.8	122	6.0	04.6-07.4
45-54	195	19,575	45	22.9	15.6-30.2	40	19.0	12.7-25.3	39	19.1	12.2-26.0	37	20.1	13.2-27.0	22	13.8	07.5-20.1	12	5.0	01.9-08.1
55-64	651	52,030	123	19.9	16.2-23.6	112	16.4	13.1-19.7	106	17.9	14.2-21.6	146	21.3	17.8-24.8	123	17.9	14.4-21.4	41	6.5	04.0-09.0
65+	1123	73,422	220	21.6	18.5-24.7	172	15.4	12.9-17.9	171	15.6	13.1-18.1	284	25.5	22.4-28.6	204	16.2	13.8-18.6	72	5.8	04.2-07.4
Less Than H.S.	152	16,157	39	28.4	19.4-37.4	22	13.2	07.5-18.9	25	17.6	10.2-25.0	30	18.5	11.6-25.4	30	16.6	10.3-22.9	6	5.6	00.0-11.5
H.S. or G.E.D.	593	40,566	115	19.8	15.9-23.7	97	16.2	12.7-19.7	91	15.3	12.0-18.6	155	28.2	23.7-32.7	95	15.1	11.8-18.4	40	5.4	03.6-07.2
Some Post-H.S.	623	53,809	126	21.3	17.4-25.2	99	15.6	12.3-18.9	107	19.1	15.2-23.0	147	21.3	17.6-25.0	104	16.7	13.2-20.2	40	6.1	03.9-08.3
College Graduate	598	34,160	108	19.3	15.6-23.0	105	18.5	14.8-22.2	93	15.3	12.0-18.6	134	22.7	18.8-26.6	120	17.9	14.4-21.4	38	6.4	04.0-08.8
Less than \$15,000	121	7,831	30	27.9	18.1-37.7	12	9.8	03.7-15.9	22	17.1	09.1-25.1	28	27.3	17.1-37.5	16	9.4	03.7-15.1	13	8.5	03.4-13.6
\$15,000- 24,999	291	20,024	55	22.3	15.8-28.8	48	14.4	09.7-19.1	40	12.9	07.8-18.0	73	24.8	18.5-31.1	50	17.1	11.6-22.6	25	8.5	03.6-13.4
\$25,000- 34,999	231	16,451	43	19.4	12.0-26.8	39	16.0	10.3-21.7	36	18.2	11.5-24.9	59	23.9	17.2-30.6	42	17.8	11.5-24.1	12	4.6	01.9-07.3
\$35,000- 49,999	310	23,303	60	18.8	13.7-23.9	40	14.4	09.7-19.1	51	20.2	14.5-25.9	80	25.1	19.4-30.8	55	15.3	10.6-20.0	24	6.1	03.4-08.8
\$50,000- 74,999	283	21,228	49	18.9	13.2-24.6	45	15.7	10.8-20.6	48	15.8	11.1-20.5	69	24.5	18.6-30.4	55	18.3	13.0-23.6	17	6.8	03.3-10.3
\$75,000+	461	36,534	94	21.9	17.2-26.6	96	20.4	16.1-24.7	74	16.0	11.9-20.1	96	20.2	15.9-24.5	83	17.8	13.7-21.9	18	3.6	01.8-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	770	66,920	149	22.3	18.6-26.0	155	18.3	15.2-21.4	129	17.5	14.2-20.8	185	23.2	19.7-26.7	106	13.0	10.1-15.9	46	5.7	03.5-07.9
Non-Native	748	64,995	146	22.6	18.7-26.5	151	18.6	15.5-21.7	123	16.7	13.4-20.0	179	23.0	19.5-26.5	105	13.3	10.4-16.2	44	5.7	03.5-07.9
45-54	81	9,770	15	18.8	08.6-29.0	23	24.8	14.2-35.4	15	19.7	08.7-30.7	13	17.5	07.5-27.5	10	14.9	04.7-25.1	5	4.3	00.4-08.2
55-64	294	25,251	59	21.1	15.4-26.8	65	18.3	13.6-23.0	45	18.7	12.8-24.6	66	21.9	16.4-27.4	43	13.7	09.0-18.4	16	6.3	02.2-10.4
65+	395	31,899	75	24.2	18.5-29.9	67	16.4	12.3-20.5	69	15.9	12.0-19.8	106	25.9	21.0-30.8	53	11.9	08.4-15.4	25	5.7	03.2-08.2
Less Than H.S.	69	9,081	19	33.1	19.0-47.2	11	13.3	05.1-21.5	11	17.6	06.6-28.6	15	18.3	08.7-27.9	9	9.2	02.5-15.9	4	8.5	00.0-18.5
H.S. or G.E.D.	219	18,833	35	18.1	11.8-24.4	45	19.2	13.1-25.3	41	17.2	11.5-22.9	57	29.7	22.3-37.1	27	11.4	06.9-15.9	14	4.4	01.9-06.9
Some Post-H.S.	206	20,903	46	23.8	16.7-30.9	41	16.9	11.6-22.2	34	19.3	12.4-26.2	45	18.2	12.7-23.7	29	17.5	10.6-24.4	11	4.4	01.5-07.3
College Graduate	275	18,022	49	19.4	13.7-25.1	58	21.8	15.9-27.7	43	15.8	10.7-20.9	67	24.2	18.3-30.1	41	11.5	07.6-15.4	17	7.2	03.5-10.9
\$15,000- 24,999	94	9,318	17	22.0	10.8-33.2	15	14.2	06.0-22.4	14	14.6	05.2-24.0	26	26.3	15.9-36.7	12	12.2	04.2-20.2	10	10.7	01.1-20.3
\$25,000- 34,999	84	7,285	14	22.8	08.9-36.7	19	18.7	09.5-27.9	13	19.9	07.9-31.9	20	22.9	12.3-33.5	12	11.4	04.3-18.5	6	4.2	00.5-07.9
\$35,000- 49,999	144	12,136	25	16.5	09.6-23.4	21	14.7	07.8-21.6	30	24.3	15.5-33.1	37	24.3	16.3-32.3	24	15.2	08.1-22.3	7	5.0	00.9-09.1
\$50,000- 74,999	119	9,865	26	26.8	16.6-37.0	22	15.0	08.5-21.5	17	12.5	06.6-18.4	33	28.6	19.0-38.2	17	13.9	05.9-21.9	4	3.3	00.2-06.4
\$75,000+	250	20,938	47	20.7	14.6-26.8	63	24.2	18.1-30.3	37	15.2	09.5-20.9	55	20.7	14.8-26.6	36	14.8	09.3-20.3	12	4.4	01.7-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1199	78,107	239	20.2	17.5-22.9	169	14.5	12.1-16.9	187	16.4	13.9-18.9	282	23.3	20.4-26.2	243	19.4	16.7-22.1	79	6.2	04.6-07.8
Non-Native	1175	76,187	230	19.9	17.2-22.6	166	14.5	12.0-17.0	183	16.4	13.9-18.9	277	23.2	20.3-26.1	241	19.8	17.1-22.5	78	6.2	04.6-07.8
45-54	114	9,805	30	27.0	16.8-37.2	17	13.3	06.6-20.0	24	18.6	10.6-26.6	24	22.7	13.1-32.3	12	12.6	05.0-20.2	7	5.8	00.7-10.9
55-64	357	26,779	64	18.8	13.7-23.9	47	14.7	10.0-19.4	61	17.2	12.5-21.9	80	20.7	16.0-25.4	80	21.9	16.8-27.0	25	6.7	03.6-09.8
65+	728	41,523	145	19.5	16.2-22.8	105	14.6	11.5-17.7	102	15.4	12.1-18.7	178	25.1	21.2-29.0	151	19.5	16.2-22.8	47	5.9	03.9-07.9
Less Than H.S.	83	7,075	20	22.4	12.8-32.0	11	13.2	05.4-21.0	14	17.7	08.5-26.9	15	18.7	09.5-27.9	21	26.1	15.5-36.7	2	2.0	00.0-04.7
H.S. or G.E.D.	374	21,732	80	21.3	16.2-26.4	52	13.6	09.7-17.5	50	13.6	09.5-17.7	98	26.8	21.3-32.3	68	18.3	13.6-23.0	26	6.3	03.8-08.8
Some Post-H.S.	417	32,906	80	19.7	14.8-24.6	58	14.8	10.5-19.1	73	18.9	14.2-23.6	102	23.2	18.3-28.1	75	16.1	12.2-20.0	29	7.2	04.1-10.3
College Graduate	323	16,137	59	19.1	14.0-24.2	47	14.7	10.2-19.2	50	14.7	10.6-18.8	67	21.0	15.7-26.3	79	25.0	19.3-30.7	21	5.4	02.7-08.1
Less than \$15,000	93	5,216	23	25.7	15.3-36.1	8	8.6	02.1-15.1	16	18.6	08.2-29.0	21	25.7	14.5-36.9	16	14.2	06.2-22.2	9	7.2	02.3-12.1
\$15,000- 24,999	197	10,705	38	22.6	15.2-30.0	33	14.6	09.3-19.9	26	11.5	06.6-16.4	47	23.4	16.0-30.8	38	21.3	13.9-28.7	15	6.6	02.7-10.5
\$25,000- 34,999	147	9,166	29	16.8	09.4-24.2	20	13.8	06.5-21.1	23	16.9	09.8-24.0	39	24.6	16.2-33.0	30	23.0	13.6-32.4	6	4.9	00.8-09.0
\$35,000- 49,999	166	11,167	35	21.2	13.8-28.6	19	14.2	07.7-20.7	21	15.9	08.6-23.2	43	26.1	17.9-34.3	31	15.3	09.2-21.4	17	7.3	03.6-11.0
\$50,000- 74,999	164	11,363	23	12.0	06.9-17.1	23	16.3	09.2-23.4	31	18.7	11.6-25.8	36	21.0	13.9-28.1	38	22.1	15.0-29.2	13	9.9	04.0-15.8
\$75,000+	211	15,597	47	23.6	16.3-30.9	33	15.5	09.6-21.4	37	17.1	10.8-23.4	41	19.6	13.1-26.1	47	21.8	15.5-28.1	6	2.4	00.2-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4597	504,492	870	25.4	23.6-27.2	3727	74.6	72.8-76.4
Male	2007	252,062	402	25.3	22.8-27.8	1605	74.7	72.2-77.2
Female	2590	252,430	468	25.5	23.0-28.0	2122	74.5	72.0-77.0
Native	112	21,293	38	41.9	29.7-54.1	74	58.1	45.9-70.3
Non-Native	4427	476,580	822	24.8	23.0-26.6	3605	75.2	73.4-77.0
18-24	237	75,584	54	22.6	16.7-28.5	183	77.4	71.5-83.3
25-34	491	87,309	205	48.1	42.8-53.4	286	51.9	46.6-57.2
35-44	513	71,087	212	45.2	39.7-50.7	301	54.8	49.3-60.3
45-54	815	85,569	183	23.2	19.5-26.9	632	76.8	73.1-80.5
55-64	1012	83,338	129	12.7	10.2-15.2	883	87.3	84.8-89.8
65+	1490	98,142	83	6.3	04.5-08.1	1407	93.7	91.9-95.5
Less Than H.S.	314	48,320	36	18.1	11.6-24.6	278	81.9	75.4-88.4
H.S. or G.E.D.	1341	139,373	196	22.4	19.1-25.7	1145	77.6	74.3-80.9
Some Post-H.S.	1456	194,050	298	28.0	24.9-31.1	1158	72.0	68.9-75.1
College Graduate	1481	121,804	338	27.6	24.7-30.5	1143	72.4	69.5-75.3
Less than \$15,000	336	38,622	82	29.9	22.5-37.3	254	70.1	62.7-77.5
\$15,000- 24,999	569	61,136	106	27.8	22.1-33.5	463	72.2	66.5-77.9
\$25,000- 34,999	480	52,535	82	26.9	20.8-33.0	398	73.1	67.0-79.2
\$35,000- 49,999	684	76,167	113	23.5	19.0-28.0	571	76.5	72.0-81.0
\$50,000- 74,999	715	76,842	152	26.6	22.3-30.9	563	73.4	69.1-77.7
\$75,000+	1258	138,486	278	27.7	24.2-31.2	980	72.3	68.8-75.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2007	252,062	402	25.3	22.8-27.8	1605	74.7	72.2-77.2
Non-Native	1926	236,922	379	24.5	22.0-27.0	1547	75.5	73.0-78.0
18-24	118	40,429	18	16.2	08.8-23.6	100	83.8	76.4-91.2
25-34	262	47,112	93	43.1	35.8-50.4	169	56.9	49.6-64.2
35-44	242	36,473	85	44.6	36.6-52.6	157	55.4	47.4-63.4
45-54	384	42,385	82	22.4	17.3-27.5	302	77.6	72.5-82.7
55-64	466	42,053	70	15.1	10.8-19.4	396	84.9	80.6-89.2
65+	525	42,674	52	10.5	06.8-14.2	473	89.5	85.8-93.2
Less Than H.S.	154	29,520	22	20.3	11.3-29.3	132	79.7	70.7-88.7
H.S. or G.E.D.	623	79,194	118	25.1	20.4-29.8	505	74.9	70.2-79.6
Some Post-H.S.	603	88,466	132	29.0	24.1-33.9	471	71.0	66.1-75.9
College Graduate	626	54,801	130	22.1	18.0-26.2	496	77.9	73.8-82.0
Less than \$15,000	116	16,850	34	32.4	20.4-44.4	82	67.6	55.6-79.6
\$15,000- 24,999	217	30,203	42	21.9	14.5-29.3	175	78.1	70.7-85.5
\$25,000- 34,999	200	26,377	41	30.4	21.0-39.8	159	69.6	60.2-79.0
\$35,000- 49,999	354	43,291	60	21.6	15.7-27.5	294	78.4	72.5-84.3
\$50,000- 74,999	319	37,799	70	30.6	23.7-37.5	249	69.4	62.5-76.3
\$75,000+	662	76,493	134	25.0	20.5-29.5	528	75.0	70.5-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2590	252,430	468	25.5	23.1-27.9	2122	74.5	72.1-76.9
Native	63	9,660	20	37.3	21.4-53.2	43	62.7	46.8-78.6
Non-Native	2501	239,658	443	25.1	22.6-27.6	2058	74.9	72.4-77.4
18-24	119	35,155	36	30.0	21.0-39.0	83	70.0	61.0-79.0
25-34	229	40,197	112	53.8	46.2-61.4	117	46.2	38.6-53.8
35-44	271	34,614	127	45.8	38.4-53.2	144	54.2	46.8-61.6
45-54	431	43,183	101	24.0	18.7-29.3	330	76.0	70.7-81.3
55-64	546	41,284	59	10.2	07.1-13.3	487	89.8	86.7-92.9
65+	965	55,469	31	3.1	01.7-04.5	934	96.9	95.5-98.3
Less Than H.S.	160	18,799	14	14.6	06.0-23.2	146	85.4	76.8-94.0
H.S. or G.E.D.	718	60,179	78	18.8	14.3-23.3	640	81.2	76.7-85.7
Some Post-H.S.	853	105,584	166	27.1	22.8-31.4	687	72.9	68.6-77.2
College Graduate	855	67,003	208	32.1	28.0-36.2	647	67.9	63.8-72.0
Less than \$15,000	220	21,772	48	28.0	18.6-37.4	172	72.0	62.6-81.4
\$15,000- 24,999	352	30,933	64	33.5	25.7-41.3	288	66.5	58.7-74.3
\$25,000- 34,999	280	26,158	41	23.3	15.5-31.1	239	76.7	68.9-84.5
\$35,000- 49,999	330	32,876	53	26.2	18.9-33.5	277	73.8	66.5-81.1
\$50,000- 74,999	396	39,043	82	22.8	17.5-28.1	314	77.2	71.9-82.5
\$75,000+	596	61,993	144	31.0	25.9-36.1	452	69.0	63.9-74.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	692	107,025	32	2.4	01.4-03.4	44	4.7	02.9-06.5	93	9.0	06.8-11.2	133	17.4	13.9-20.9	316	54.6	49.9-59.3	74	11.9	08.8-15.0
Male	319	52,230	13	2.1	00.9-03.3	15	3.0	01.2-04.8	44	9.3	06.0-12.6	65	20.6	14.9-26.3	148	54.5	47.6-61.4	34	10.5	06.4-14.6
Female	373	54,795	19	2.8	01.4-04.2	29	6.4	03.5-09.3	49	8.7	05.6-11.8	68	14.4	10.3-18.5	168	54.6	48.3-60.9	40	13.2	08.7-17.7
Non-Native	651	97,989	26	2.2	01.2-03.2	41	4.8	03.0-06.6	90	9.3	06.9-11.7	124	15.9	12.6-19.2	301	55.5	50.8-60.2	69	12.4	09.1-15.7
18-24	50	16,077												41	81.9	70.5-93.3	9	18.1	06.7-29.5	
25-34	184	38,684							5	2.6	00.1-05.1	35	19.5	12.8-26.2	120	66.8	59.0-74.6	24	11.2	06.3-16.1
35-44	177	26,817	5	2.0	00.2-03.8	16	9.4	04.1-14.7	29	13.2	07.5-18.9	43	24.3	16.5-32.1	67	39.8	30.6-49.0	17	11.4	05.5-17.3
45-54	139	14,974	10	5.6	01.9-09.3	14	10.0	04.1-15.9	34	22.8	14.2-31.4	28	19.7	11.7-27.7	44	35.5	25.3-45.7	9	6.4	01.7-11.1
55-64	90	6,732	13	15.3	06.5-24.1	9	8.9	02.6-15.2	15	16.0	06.8-25.2	17	14.4	06.8-22.0	29	35.7	21.6-49.8	7	9.8	01.8-17.8
65+	51	3,635	4	5.6	00.0-11.9	5	12.3	00.1-24.5	10	16.8	05.8-27.8	10	19.1	06.6-31.6	14	24.8	10.5-39.1	8	21.5	06.0-37.0
H.S. or G.E.D.	148	26,136	3	0.9	00.0-02.1	6	2.1	00.3-03.9	12	5.7	02.0-09.4	30	19.4	11.8-27.0	76	55.2	45.6-64.8	21	16.7	09.3-24.1
Some Post-H.S.	242	46,815	12	2.2	00.8-03.6	18	6.1	02.8-09.4	33	9.1	05.4-12.8	48	18.3	12.4-24.2	105	54.5	46.9-62.1	26	9.8	05.3-14.3
College Graduate	276	28,035	14	3.5	01.5-05.5	19	5.5	02.8-08.2	45	12.6	08.3-16.9	53	17.1	12.0-22.2	121	50.2	42.9-57.5	24	11.0	06.3-15.7
Less than \$15,000	64	9,592	5	4.5	00.0-09.0	7	5.0	00.7-09.3	5	5.7	00.0-13.5	11	19.4	05.1-33.7	28	50.9	34.0-67.8	8	14.5	02.5-26.5
\$15,000- 24,999	84	15,030	5	3.0	00.1-05.9	4	4.4	00.0-09.5	6	2.9	00.0-05.8	14	13.7	05.3-22.1	43	59.2	46.3-72.1	12	16.9	07.1-26.7
\$25,000- 34,999	69	11,761	4	2.8	00.0-05.7	2	1.6	00.0-04.0	10	11.6	02.6-20.6	11	7.3	01.4-13.2	33	63.7	49.8-77.6	9	12.9	02.5-23.3
\$35,000- 49,999	86	14,057	4	1.7	00.0-03.7	2	1.2	00.0-03.2	9	7.9	01.4-14.4	15	15.7	06.1-25.3	46	63.7	51.4-76.0	10	9.7	03.0-16.4
\$50,000- 74,999	128	17,235	6	2.5	00.1-04.9	12	7.8	02.9-12.7	21	11.0	05.7-16.3	22	19.4	10.8-28.0	54	49.6	39.0-60.2	13	9.6	03.7-15.5
\$75,000+	223	32,863	6	1.6	00.2-03.0	15	6.3	02.4-10.2	38	12.2	07.7-16.7	49	19.3	13.2-25.4	101	53.1	44.9-61.3	14	7.6	03.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	319	52,230	13	2.1	00.9-03.3	15	3.0	01.2-04.8	44	9.3	06.0-12.6	65	20.6	14.9-26.3	148	54.5	47.6-61.4	34	10.5	06.4-14.6
Non-Native	298	46,673	11	2.0	00.8-03.2	15	3.3	01.3-05.3	43	10.2	06.5-13.9	58	17.9	12.6-23.2	140	55.7	48.8-62.6	31	11.0	06.5-15.5
25-34	84	18,973							3	3.5	00.0-07.8	24	30.8	19.4-42.2	50	58.7	46.7-70.7	7	7.1	01.4-12.8
35-44	69	13,142	2	1.5	00.0-03.7	5	3.4	00.3-06.5	13	13.0	05.0-21.0	13	20.6	09.0-32.2	29	48.0	33.5-62.5	7	13.6	03.6-23.6
45-54	63	7,200	3	4.7	00.0-10.0	5	10.2	00.8-19.6	13	19.8	08.0-31.6	12	17.6	06.2-29.0	25	40.8	25.9-55.7	5	6.9	00.6-13.2
55-64	52	4,190	5	9.3	00.7-17.9	3	4.9	00.0-10.8	9	15.9	04.1-27.7	7	10.4	02.4-18.4	21	43.9	24.9-62.9	7	15.7	03.2-28.2
H.S. or G.E.D.	89	16,168	3	1.4	00.0-03.2	1	0.6	00.0-01.8	6	5.2	00.3-10.1	22	26.2	15.2-37.2	49	56.5	44.2-68.8	8	9.9	01.9-17.9
Some Post-H.S.	111	22,128	4	1.8	00.0-03.6	5	3.2	00.1-06.3	16	9.4	03.9-14.9	24	22.7	13.1-32.3	46	50.8	39.4-62.2	16	12.1	05.2-19.0
College Graduate	105	9,916	5	3.8	00.1-07.5	8	6.6	01.5-11.7	21	18.6	09.8-27.4	18	13.9	06.5-21.3	45	48.1	36.3-59.9	8	9.0	02.3-15.7
\$50,000- 74,999	55	8,951				5	7.6	00.3-14.9	9	8.5	02.0-15.0	9	19.1	06.2-32.0	24	50.8	34.7-66.9	8	14.0	03.4-24.6
\$75,000+	110	16,635	3	1.8	00.0-04.0	6	3.3	00.4-06.2	19	13.2	06.5-19.9	29	25.1	15.3-34.9	45	47.8	35.8-59.8	8	8.8	01.9-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	373	54,795	19	2.8	01.4-04.2	29	6.4	03.5-09.3	49	8.7	05.6-11.8	68	14.4	10.3-18.5	168	54.6	48.3-60.9	40	13.2	08.7-17.7
Non-Native	353	51,316	15	2.4	01.0-03.8	26	6.2	03.3-09.1	47	8.4	05.5-11.3	66	14.1	10.2-18.0	161	55.4	48.9-61.9	38	13.6	08.9-18.3
25-34	100	19,712							2	1.7	00.0-04.2	11	8.6	02.9-14.3	70	74.6	65.0-84.2	17	15.1	07.3-22.9
35-44	108	13,675	3	2.6	00.0-05.5	11	15.1	05.5-24.7	16	13.4	05.6-21.2	30	27.8	17.0-38.6	38	31.9	20.7-43.1	10	9.3	02.8-15.8
45-54	76	7,774	7	6.4	01.3-11.5	9	9.7	02.6-16.8	21	25.6	13.3-37.9	16	21.6	10.0-33.2	19	30.6	16.3-44.9	4	6.0	00.0-13.1
H.S. or G.E.D.	59	9,968				5	4.4	00.3-08.5	6	6.4	00.1-12.7	8	8.4	01.1-15.7	27	53.1	37.6-68.6	13	27.6	13.3-41.9
Some Post-H.S.	131	24,687	8	2.6	00.6-04.6	13	8.8	03.1-14.5	17	8.8	03.5-14.1	24	14.4	07.5-21.3	59	57.8	47.4-68.2	10	7.7	01.8-13.6
College Graduate	171	18,119	9	3.4	01.0-05.8	11	4.9	01.6-08.2	24	9.3	05.0-13.6	35	18.8	11.9-25.7	76	51.4	42.4-60.4	16	12.1	05.6-18.6
\$15,000- 24,999	52	9,611	4	3.3	00.0-07.2	3	5.9	00.0-13.5	4	3.3	00.0-07.4	9	13.7	02.9-24.5	24	52.3	35.4-69.2	8	21.5	07.6-35.4
\$50,000- 74,999	73	8,284	6	5.3	00.4-10.2	7	8.0	01.7-14.3	12	13.8	05.4-22.2	13	19.8	08.6-31.0	30	48.3	34.6-62.0	5	4.9	00.2-09.6
\$75,000+	113	16,229	3	1.3	00.0-02.9	9	9.3	02.0-16.6	19	11.2	05.1-17.3	20	13.3	06.8-19.8	56	58.5	47.3-69.7	6	6.4	00.3-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4723	518,888	64	2.2	01.6-02.8	4659	97.8	97.2-98.4
Male	2066	260,153	33	2.5	01.5-03.5	2033	97.5	96.5-98.5
Female	2657	258,736	31	1.9	01.1-02.7	2626	98.1	97.3-98.9
Native	114	22,176	4	6.1	00.0-12.6	110	93.9	87.4-0100
Non-Native	4548	489,539	58	2.0	01.4-02.6	4490	98.0	97.4-98.6
18-24	239	76,108	13	4.4	01.9-06.9	226	95.6	93.1-98.1
25-34	503	89,974	18	3.9	01.7-06.1	485	96.1	93.9-98.3
35-44	531	74,195	14	4.3	01.8-06.8	517	95.7	93.2-98.2
45-54	835	88,191	9	1.1	00.1-02.1	826	98.9	97.9-99.9
55-64	1031	84,778	8	0.6	00.2-01.0	1023	99.4	99.0-99.8
65+	1545	102,179	2	0.1	00.0-00.3	1543	99.9	99.7-0100
Less Than H.S.	325	50,311	4	2.2	00.0-04.7	321	97.8	95.3-0100
H.S. or G.E.D.	1364	141,255	22	2.5	01.3-03.7	1342	97.5	96.3-98.7
Some Post-H.S.	1507	200,962	22	2.2	01.0-03.4	1485	97.8	96.6-99.0
College Graduate	1521	125,012	16	2.1	00.9-03.3	1505	97.9	96.7-99.1
Less than \$15,000	342	39,260	10	5.8	01.3-10.3	332	94.2	89.7-98.7
\$15,000- 24,999	585	63,105	6	1.3	00.1-02.5	579	98.7	97.5-99.9
\$25,000- 34,999	489	53,365	11	3.5	01.0-06.0	478	96.5	94.0-99.0
\$35,000- 49,999	702	78,099	11	2.9	00.9-04.9	691	97.1	95.1-99.1
\$50,000- 74,999	739	79,259	9	2.0	00.4-03.6	730	98.0	96.4-99.6
\$75,000+	1287	142,221	12	1.2	00.4-02.0	1275	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	260,153	33	2.5	01.5-03.5	2033	97.5	96.5-98.5
Non-Native	1983	243,992	29	2.2	01.2-03.2	1954	97.8	96.8-98.8
18-24	120	41,000	7	3.5	00.6-06.4	113	96.5	93.6-99.4
25-34	266	48,063	9	4.3	00.8-07.8	257	95.7	92.2-99.2
35-44	252	38,670	11	7.0	02.7-11.3	241	93.0	88.7-97.3
45-54	393	44,065	2	0.2	00.0-00.6	391	99.8	99.4-0100
55-64	479	43,214	4	0.8	00.0-01.6	475	99.2	98.4-0100
65+	546	44,205				546	100.0	0100-0100
Less Than H.S.	161	30,680	3	2.2	00.0-05.1	158	97.8	94.9-0100
H.S. or G.E.D.	628	80,081	12	3.0	01.0-05.0	616	97.0	95.0-99.0
Some Post-H.S.	630	92,358	11	2.5	00.7-04.3	619	97.5	95.7-99.3
College Graduate	645	56,550	7	2.3	00.5-04.1	638	97.7	95.9-99.5
Less than \$15,000	118	17,158	5	8.3	00.1-16.5	113	91.7	83.5-99.9
\$15,000- 24,999	224	31,269	3	0.9	00.0-01.9	221	99.1	98.1-0100
\$25,000- 34,999	201	26,187	8	4.8	01.1-08.5	193	95.2	91.5-98.9
\$35,000- 49,999	364	44,703	4	1.9	00.0-04.1	360	98.1	95.9-0100
\$50,000- 74,999	334	39,588	5	3.2	00.5-05.9	329	96.8	94.1-99.5
\$75,000+	678	78,481	6	0.9	00.0-01.9	672	99.1	98.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2657	258,736	31	1.9	01.1-02.7	2626	98.1	97.3-98.9
Native	65	9,987	1	1.5	00.0-04.4	64	98.5	95.6-0100
Non-Native	2565	245,547	29	1.9	00.9-02.9	2536	98.1	97.1-99.1
18-24	119	35,108	6	5.4	00.9-09.9	113	94.6	90.1-99.1
25-34	237	41,911	9	3.4	00.7-06.1	228	96.6	93.9-99.3
35-44	279	35,524	3	1.4	00.0-03.6	276	98.6	96.4-0100
45-54	442	44,126	7	2.0	00.2-03.8	435	98.0	96.2-99.8
55-64	552	41,564	4	0.4	00.0-00.8	548	99.6	99.2-0100
65+	999	57,974	2	0.1	00.0-00.3	997	99.9	99.7-0100
Less Than H.S.	164	19,631	1	2.2	00.0-06.3	163	97.8	93.7-0100
H.S. or G.E.D.	736	61,174	10	1.8	00.4-03.2	726	98.2	96.8-99.6
Some Post-H.S.	877	108,604	11	1.9	00.3-03.5	866	98.1	96.5-99.7
College Graduate	876	68,462	9	1.9	00.5-03.3	867	98.1	96.7-99.5
Less than \$15,000	224	22,102	5	3.8	00.0-08.3	219	96.2	91.7-0100
\$15,000- 24,999	361	31,836	3	1.7	00.0-03.9	358	98.3	96.1-0100
\$25,000- 34,999	288	27,178	3	2.2	00.0-05.3	285	97.8	94.7-0100
\$35,000- 49,999	338	33,396	7	4.2	00.5-07.9	331	95.8	92.1-99.5
\$50,000- 74,999	405	39,671	4	0.9	00.0-01.9	401	99.1	98.1-0100
\$75,000+	609	63,740	6	1.5	00.0-03.1	603	98.5	96.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

End of Core Data Report