

NORTH DAKOTA

2015 Core Variables Report

Behavioral Risk Factor Surveillance System

May 31, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4954	588,610	764	18.0	16.4-19.6	1850	37.2	35.4-39.0	1578	30.9	29.1-32.7	594	10.9	9.7-12.1	168	3.0	2.4- 3.6
Male	2237	301,029	351	18.0	15.8-20.2	796	36.5	34.0-39.0	748	32.6	30.1-35.1	262	10.1	8.5-11.7	80	2.9	2.1- 3.7
Female	2717	287,582	413	18.0	15.8-20.2	1054	37.9	35.4-40.4	830	29.3	26.9-31.7	332	11.7	10.1-13.3	88	3.1	2.1- 4.1
Native	173	24,005	19	12.9	6.0-19.8	44	28.0	18.2-37.8	57	32.1	22.3-41.9	35	16.2	9.7-22.7	18	10.7	4.0-17.4
Non-Native	4727	556,723	736	18.3	16.7-19.9	1789	37.6	35.8-39.4	1500	30.8	29.0-32.6	554	10.7	9.5-11.9	148	2.7	2.1- 3.3
18-24	270	92,112	60	22.0	16.5-27.5	109	38.3	31.8-44.8	77	30.7	24.4-37.0	23	8.8	5.1-12.5	1	0.3	0.0- 0.9
25-34	509	108,564	126	24.9	20.6-29.2	213	40.4	35.5-45.3	139	27.8	23.3-32.3	24	5.5	3.1- 7.9	7	1.4	0.2- 2.6
35-44	515	87,988	100	20.8	16.7-24.9	213	38.4	33.5-43.3	153	29.6	24.9-34.3	41	9.6	6.3-12.9	8	1.6	0.4- 2.8
45-54	698	87,030	131	17.7	14.4-21.0	292	42.0	37.7-46.3	196	27.2	23.3-31.1	61	9.7	7.2-12.2	18	3.4	1.2- 5.6
55-64	1134	95,458	147	13.0	10.6-15.4	446	36.8	33.5-40.1	357	32.8	29.5-36.1	138	12.5	10.1-14.9	46	5.0	3.4- 6.6
65+	1782	112,680	194	10.3	8.5-12.1	557	28.9	26.4-31.4	644	36.4	33.7-39.1	301	18.5	16.1-20.9	86	5.9	4.5- 7.3
Less Than H.S.	298	51,952	21	7.0	3.3-10.7	53	22.1	15.2-29.0	118	40.7	33.1-48.3	77	20.3	14.6-26.0	29	10.0	5.7-14.3
H.S. or G.E.D.	1451	158,048	161	15.1	12.4-17.8	487	31.9	28.8-35.0	511	34.1	30.8-37.4	227	15.0	12.5-17.5	65	3.9	2.7- 5.1
Some Post-H.S.	1602	232,049	248	18.6	16.1-21.1	615	39.9	36.8-43.0	512	30.6	27.7-33.5	183	9.0	7.4-10.6	44	1.8	1.2- 2.4
College Graduate	1588	144,951	331	24.0	21.3-26.7	694	44.2	41.1-47.3	430	24.3	21.6-27.0	105	6.2	4.6- 7.8	28	1.3	0.7- 1.9
Less than \$15,000	265	33,872	14	7.5	2.4-12.6	58	26.5	18.5-34.5	92	32.6	24.8-40.4	63	17.1	11.8-22.4	38	16.3	10.0-22.6
\$15,000- 24,999	542	65,253	62	13.7	9.4-18.0	128	24.9	19.2-30.6	199	37.8	31.7-43.9	118	18.6	14.3-22.9	35	5.0	3.0- 7.0
\$25,000- 34,999	427	50,179	54	13.2	8.9-17.5	137	38.2	31.5-44.9	146	31.7	25.8-37.6	76	13.7	9.4-18.0	14	3.2	1.2- 5.2
\$35,000- 49,999	679	74,310	80	16.0	11.5-20.5	252	35.1	30.2-40.0	240	33.9	29.0-38.8	89	13.0	9.7-16.3	18	2.0	0.8- 3.2
\$50,000- 74,999	769	90,518	131	19.1	15.4-22.8	329	43.0	38.5-47.5	227	28.5	24.4-32.6	66	8.3	5.9-10.7	16	1.1	0.5- 1.7
\$75,000+	1556	188,698	332	22.5	20.0-25.0	693	44.5	41.4-47.6	433	27.1	24.4-29.8	82	5.2	3.8- 6.6	16	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2237	301,029	351	18.0	15.8-20.2	796	36.5	34.0-39.0	748	32.6	30.1-35.1	262	10.1	8.5-11.7	80	2.9	2.1- 3.7
Native	76	11,439	9	10.7	2.3-19.1	24	38.2	22.3-54.1	21	30.5	15.8-45.2	13	12.5	3.9-21.1	9	8.1	2.2-14.0
Non-Native	2128	284,383	336	18.3	16.1-20.5	761	36.3	33.6-39.0	714	32.6	30.1-35.1	247	10.2	8.6-11.8	70	2.7	1.9- 3.5
18-24	151	49,930	33	22.5	15.1-29.9	60	35.5	26.9-44.1	45	34.2	25.2-43.2	12	7.3	3.0-11.6	1	0.5	0.0- 1.5
25-34	290	58,601	75	26.0	20.3-31.7	119	41.8	35.3-48.3	81	26.9	21.2-32.6	12	4.3	1.8- 6.8	3	1.0	0.0- 2.4
35-44	243	46,175	36	17.0	11.5-22.5	97	39.5	32.2-46.8	87	32.3	25.8-38.8	19	9.7	4.8-14.6	4	1.5	0.0- 3.1
45-54	338	44,828	59	15.8	11.3-20.3	138	41.8	35.5-48.1	103	29.2	23.5-34.9	30	10.2	6.3-14.1	8	3.0	0.6- 5.4
55-64	509	48,423	60	12.6	9.1-16.1	182	34.1	29.4-38.8	174	35.2	30.3-40.1	63	11.8	8.7-14.9	30	6.2	3.7- 8.7
65+	690	51,067	86	12.2	9.1-15.3	194	26.6	22.7-30.5	253	37.6	33.1-42.1	125	18.4	14.9-21.9	32	5.2	3.2- 7.2
Less Than H.S.	166	33,269	9	4.3	0.8- 7.8	28	23.8	14.6-33.0	79	48.2	38.2-58.2	39	18.1	11.4-24.8	11	5.7	2.0- 9.4
H.S. or G.E.D.	685	86,855	78	15.5	11.6-19.4	218	30.2	25.9-34.5	243	35.3	30.8-39.8	118	15.2	11.9-18.5	28	3.9	2.1- 5.7
Some Post-H.S.	674	110,654	99	18.1	14.2-22.0	262	42.3	37.6-47.0	225	30.9	26.6-35.2	64	6.9	4.9- 8.9	24	1.7	0.9- 2.5
College Graduate	707	69,351	163	27.1	22.8-31.4	287	41.6	37.1-46.1	200	24.2	20.5-27.9	41	5.3	3.3- 7.3	16	1.9	0.9- 2.9
Less than \$15,000	86	12,946	4	3.3	0.0- 7.2	22	31.8	18.1-45.5	26	31.3	18.6-44.0	21	19.7	9.9-29.5	13	13.9	5.3-22.5
\$15,000- 24,999	208	31,718	23	13.1	7.0-19.2	40	22.0	13.8-30.2	88	43.5	34.3-52.7	42	15.8	9.7-21.9	15	5.5	2.4- 8.6
\$25,000- 34,999	182	24,693	22	12.9	6.4-19.4	55	36.6	26.6-46.6	60	29.9	21.3-38.5	36	16.4	9.5-23.3	9	4.1	1.0- 7.2
\$35,000- 49,999	311	39,714	44	19.8	12.7-26.9	104	32.7	25.8-39.6	111	33.7	26.8-40.6	40	10.9	7.0-14.8	12	2.9	0.7- 5.1
\$50,000- 74,999	393	49,112	55	16.5	11.8-21.2	164	43.0	36.7-49.3	119	28.8	23.3-34.3	45	10.4	6.9-13.9	10	1.3	0.5- 2.1
\$75,000+	819	106,092	165	20.6	17.3-23.9	338	43.4	39.1-47.7	260	29.5	25.8-33.2	48	5.7	3.5- 7.9	8	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	287,582	413	18.0	15.8-20.2	1054	37.9	35.4-40.4	830	29.3	26.9-31.7	332	11.7	10.1-13.3	88	3.1	2.1- 4.1
Native	97	12,567	10	15.0	4.4-25.6	20	18.7	8.7-28.7	36	33.7	20.8-46.6	22	19.5	10.1-28.9	9	13.1	1.9-24.3
Non-Native	2599	272,339	400	18.3	16.1-20.5	1028	38.8	36.3-41.3	786	28.9	26.5-31.3	307	11.3	9.5-13.1	78	2.7	1.9- 3.5
18-24	119	42,182	27	21.3	13.5-29.1	49	41.6	32.0-51.2	32	26.6	18.2-35.0	11	10.5	4.2-16.8			
25-34	219	49,963	51	23.6	17.1-30.1	94	38.8	31.5-46.1	58	28.8	21.7-35.9	12	6.9	2.8-11.0	4	2.0	0.0- 4.2
35-44	272	41,813	64	25.1	19.0-31.2	116	37.2	30.5-43.9	66	26.7	20.2-33.2	22	9.4	5.3-13.5	4	1.7	0.0- 3.5
45-54	360	42,202	72	19.7	14.8-24.6	154	42.2	36.1-48.3	93	25.1	20.0-30.2	31	9.1	5.6-12.6	10	3.9	0.4- 7.4
55-64	625	47,034	87	13.4	10.5-16.3	264	39.5	35.0-44.0	183	30.3	26.0-34.6	75	13.1	9.6-16.6	16	3.6	1.6- 5.6
65+	1092	61,612	108	8.7	6.9-10.5	363	30.7	27.4-34.0	391	35.4	31.9-38.9	176	18.7	15.8-21.6	54	6.4	4.4- 8.4
Less Than H.S.	132	18,683	12	11.8	3.8-19.8	25	19.2	9.2-29.2	39	27.2	16.8-37.6	38	24.1	14.1-34.1	18	17.7	8.5-26.9
H.S. or G.E.D.	766	71,193	83	14.5	10.8-18.2	269	34.0	29.3-38.7	268	32.7	28.0-37.4	109	14.8	11.3-18.3	37	3.9	2.3- 5.5
Some Post-H.S.	928	121,395	149	19.1	15.6-22.6	353	37.8	33.7-41.9	287	30.3	26.4-34.2	119	10.9	8.4-13.4	20	1.9	0.9- 2.9
College Graduate	881	75,601	168	21.1	17.6-24.6	407	46.7	42.4-51.0	230	24.4	20.7-28.1	64	7.0	4.8- 9.2	12	0.8	0.2- 1.4
Less than \$15,000	179	20,926	10	10.1	2.5-17.7	36	23.2	13.6-32.8	66	33.4	23.6-43.2	42	15.4	9.5-21.3	25	17.8	9.2-26.4
\$15,000- 24,999	334	33,535	39	14.2	8.3-20.1	88	27.6	20.0-35.2	111	32.3	24.7-39.9	76	21.2	14.9-27.5	20	4.6	2.1- 7.1
\$25,000- 34,999	245	25,486	32	13.5	7.8-19.2	82	39.7	30.5-48.9	86	33.5	25.3-41.7	40	11.0	5.7-16.3	5	2.3	0.0- 4.7
\$35,000- 49,999	368	34,596	36	11.7	6.2-17.2	148	37.8	30.7-44.9	129	34.1	27.0-41.2	49	15.3	10.0-20.6	6	1.0	0.2- 1.8
\$50,000- 74,999	376	41,406	76	22.2	16.5-27.9	165	43.0	36.3-49.7	108	28.2	22.1-34.3	21	5.9	2.8- 9.0	6	0.8	0.0- 1.6
\$75,000+	737	82,606	167	24.9	20.8-29.0	355	45.9	41.2-50.6	173	23.9	20.0-27.8	34	4.5	2.7- 6.3	8	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4833	576,509	3163	64.3	62.5-66.1	571	13.7	12.3-15.1	489	11.0	9.8-12.2	372	6.7	5.7- 7.7	238	4.2	3.4- 5.0	
Male	2191	295,517	1531	68.9	66.4-71.4	242	13.3	11.3-15.3	179	8.5	6.9-10.1	134	5.1	3.9- 6.3	105	4.2	3.2- 5.2	
Female	2642	280,992	1632	59.5	57.0-62.0	329	14.1	12.1-16.1	310	13.7	11.7-15.7	238	8.4	7.0- 9.8	133	4.3	3.3- 5.3	
Native	166	22,910	82	48.7	37.9-59.5	21	14.0	6.7-21.3	22	13.2	6.5-19.9	24	13.9	7.6-20.2	17	10.2	3.3-17.1	
Non-Native	4621	546,751	3048	65.0	63.0-67.0	544	13.7	12.3-15.1	465	11.0	9.6-12.4	345	6.4	5.4- 7.4	219	3.9	3.3- 4.5	
18-24	268	91,355	166	60.5	54.0-67.0	43	16.6	11.5-21.7	51	19.6	14.3-24.9	7	2.9	0.5- 5.3	1	0.4	0.0- 1.2	
25-34	502	106,777	347	67.4	62.7-72.1	83	17.4	13.5-21.3	38	7.6	5.1-10.1	26	5.8	3.4- 8.2	8	1.8	0.4- 3.2	
35-44	512	87,559	339	63.9	59.0-68.8	85	16.0	12.3-19.7	43	10.0	6.7-13.3	29	6.6	4.1- 9.1	16	3.6	1.6- 5.6	
45-54	692	85,981	462	65.9	61.6-70.2	99	13.7	10.8-16.6	62	9.5	6.8-12.2	43	5.7	3.7- 7.7	26	5.3	2.8- 7.8	
55-64	1124	94,423	739	65.1	61.8-68.4	120	10.4	8.4-12.4	105	9.2	7.2-11.2	92	8.5	6.5-10.5	68	6.8	4.8- 8.8	
65+	1693	106,084	1078	62.7	60.0-65.4	135	8.2	6.4-10.0	189	11.3	9.5-13.1	174	10.4	8.6-12.2	117	7.3	5.7- 8.9	
Less Than H.S.	272	48,438	143	51.7	43.7-59.7	32	13.1	7.8-18.4	30	12.8	6.7-18.9	34	10.0	5.7-14.3	33	12.4	7.3-17.5	
H.S. or G.E.D.	1407	154,634	885	62.6	59.3-65.9	136	12.0	9.6-14.4	160	12.0	9.6-14.4	139	8.5	6.7-10.3	87	4.9	3.5- 6.3	
Some Post-H.S.	1575	229,199	1049	66.5	63.4-69.6	174	12.8	10.4-15.2	160	11.3	9.1-13.5	124	6.2	4.8- 7.6	68	3.2	2.2- 4.2	
College Graduate	1569	143,161	1079	67.1	64.0-70.2	228	17.0	14.5-19.5	138	9.0	7.0-11.0	75	4.5	3.1- 5.9	49	2.3	1.5- 3.1	
Less than \$15,000	252	32,476	110	37.1	28.9-45.3	26	18.2	10.6-25.8	40	17.6	10.5-24.7	36	10.4	6.1-14.7	40	16.6	10.1-23.1	
\$15,000- 24,999	526	63,343	283	54.0	47.7-60.3	64	13.8	9.1-18.5	76	16.6	11.7-21.5	49	8.5	5.4-11.6	54	7.1	4.7- 9.5	
\$25,000- 34,999	413	49,348	254	61.3	54.6-68.0	46	11.6	7.3-15.9	44	11.8	7.1-16.5	44	11.0	6.5-15.5	25	4.3	2.3- 6.3	
\$35,000- 49,999	663	72,602	414	61.9	56.8-67.0	78	13.8	10.1-17.5	69	10.1	7.0-13.2	69	9.7	6.8-12.6	33	4.4	2.4- 6.4	
\$50,000- 74,999	761	89,445	525	69.1	64.8-73.4	96	14.8	11.3-18.3	64	7.5	5.1- 9.9	51	6.3	4.1- 8.5	25	2.3	0.9- 3.7	
\$75,000+	1547	187,611	1122	71.4	68.5-74.3	200	14.3	11.9-16.7	128	8.7	6.9-10.5	66	3.7	2.5- 4.9	31	1.9	0.9- 2.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2191	295,517	1531	68.9	66.4-71.4	242	13.3	11.3-15.3	179	8.5	6.9-10.1	134	5.1	3.9- 6.3	105	4.2	3.2- 5.2
Native	70	10,378	41	61.0	45.5-76.5	9	18.4	5.5-31.3	8	8.2	1.3-15.1	6	6.5	0.4-12.6	6	5.9	0.4-11.4
Non-Native	2091	280,278	1468	69.3	66.8-71.8	230	13.1	11.1-15.1	170	8.7	6.9-10.5	126	5.0	3.8- 6.2	97	3.9	2.9- 4.9
18-24	150	49,613	102	66.2	57.4-75.0	27	18.5	11.2-25.8	18	12.6	6.3-18.9	3	2.7	0.0- 5.8			
25-34	285	57,577	209	73.9	68.2-79.6	47	16.8	11.9-21.7	16	5.3	2.4- 8.2	8	2.6	0.6- 4.6	5	1.4	0.0- 2.8
35-44	243	46,175	163	64.5	57.4-71.6	37	15.8	10.5-21.1	20	9.0	4.7-13.3	14	6.1	2.6- 9.6	9	4.6	1.5- 7.7
45-54	334	43,952	244	71.8	65.9-77.7	40	11.0	7.3-14.7	23	7.4	3.7-11.1	14	4.3	1.8- 6.8	13	5.5	2.2- 8.8
55-64	505	48,064	354	68.2	63.3-73.1	46	9.7	6.8-12.6	40	8.9	5.8-12.0	28	5.1	2.9- 7.3	37	8.1	5.0-11.2
65+	660	48,306	448	67.6	63.3-71.9	45	7.6	4.9-10.3	61	8.5	6.1-10.9	66	10.2	7.5-12.9	40	6.1	4.1- 8.1
Less Than H.S.	155	31,441	90	59.0	48.8-69.2	18	11.2	5.3-17.1	13	11.2	3.6-18.8	14	7.1	2.4-11.8	20	11.5	5.6-17.4
H.S. or G.E.D.	671	85,668	460	68.5	64.0-73.0	61	12.0	8.7-15.3	63	8.8	6.1-11.5	52	6.3	4.1- 8.5	35	4.4	2.6- 6.2
Some Post-H.S.	660	109,080	464	69.4	64.9-73.9	77	14.5	10.8-18.2	53	8.9	6.2-11.6	40	4.7	2.9- 6.5	26	2.6	1.4- 3.8
College Graduate	702	68,848	514	73.0	68.9-77.1	86	14.2	10.9-17.5	50	6.5	4.1- 8.9	28	3.4	1.8- 5.0	24	2.9	1.5- 4.3
Less than \$15,000	82	12,304	41	41.3	27.8-54.8	10	21.2	7.9-34.5	8	15.3	3.5-27.1	5	4.8	0.0-10.1	18	17.4	7.8-27.0
\$15,000- 24,999	202	30,947	122	59.1	49.9-68.3	21	14.3	6.5-22.1	25	12.9	6.6-19.2	15	6.0	2.5- 9.5	19	7.7	3.8-11.6
\$25,000- 34,999	176	24,156	110	60.6	50.6-70.6	14	12.2	4.8-19.6	19	10.9	4.4-17.4	18	10.6	3.9-17.3	15	5.7	2.4- 9.0
\$35,000- 49,999	302	38,658	199	65.2	58.1-72.3	38	14.5	9.4-19.6	26	8.4	4.1-12.7	23	7.1	3.6-10.6	16	4.8	1.9- 7.7
\$50,000- 74,999	390	48,592	280	74.1	68.6-79.6	42	12.7	8.2-17.2	31	5.6	3.4- 7.8	24	4.7	2.5- 6.9	13	2.8	0.6- 5.0
\$75,000+	810	104,925	614	75.5	71.8-79.2	98	13.1	10.2-16.0	52	6.3	4.1- 8.5	30	3.0	1.6- 4.4	16	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2642	280,992	1632	59.5	57.0-62.0	329	14.1	12.1-16.1	310	13.7	11.7-15.7	238	8.4	7.0- 9.8	133	4.3	3.3- 5.3			
Native	96	12,532	41	38.6	25.3-51.9	12	10.3	2.5-18.1	14	17.4	6.8-28.0	18	20.0	10.0-30.0	11	13.7	2.5-24.9			
Non-Native	2530	266,473	1580	60.5	57.8-63.2	314	14.2	12.2-16.2	295	13.5	11.5-15.5	219	7.9	6.5- 9.3	122	3.9	2.9- 4.9			
18-24	118	41,743	64	53.7	44.1-63.3	16	14.4	7.5-21.3	33	27.9	19.3-36.5	4	3.2	0.0- 6.5	1	0.8	0.0- 2.4			
25-34	217	49,200	138	59.9	52.3-67.5	36	18.2	11.9-24.5	22	10.2	5.7-14.7	18	9.5	4.8-14.2	3	2.2	0.0- 4.7			
35-44	269	41,384	176	63.3	56.4-70.2	48	16.1	11.2-21.0	23	11.0	6.1-15.9	15	7.1	3.2-11.0	7	2.4	0.4- 4.4			
45-54	358	42,030	218	59.7	53.6-65.8	59	16.6	12.1-21.1	39	11.6	7.5-15.7	29	7.1	4.4- 9.8	13	5.0	1.3- 8.7			
55-64	619	46,359	385	62.0	57.5-66.5	74	11.0	8.3-13.7	65	9.6	7.1-12.1	64	12.1	8.8-15.4	31	5.3	3.1- 7.5			
65+	1033	57,777	630	58.6	54.9-62.3	90	8.8	6.6-11.0	128	13.7	11.0-16.4	108	10.6	8.2-13.0	77	8.3	6.1-10.5			
Less Than H.S.	117	16,997	53	38.2	26.0-50.4	14	16.7	6.5-26.9	17	15.7	6.1-25.3	20	15.5	6.7-24.3	13	14.0	4.6-23.4			
H.S. or G.E.D.	736	68,966	425	55.2	50.1-60.3	75	12.0	8.7-15.3	97	16.0	11.9-20.1	87	11.2	8.1-14.3	52	5.6	3.6- 7.6			
Some Post-H.S.	915	120,118	585	63.9	59.6-68.2	97	11.3	8.4-14.2	107	13.5	10.4-16.6	84	7.6	5.4- 9.8	42	3.6	2.2- 5.0			
College Graduate	867	74,313	565	61.5	57.2-65.8	142	19.7	16.0-23.4	88	11.3	8.2-14.4	47	5.5	3.3- 7.7	25	1.8	0.8- 2.8			
Less than \$15,000	170	20,172	69	34.5	24.3-44.7	16	16.5	7.3-25.7	32	19.1	10.3-27.9	31	13.8	7.7-19.9	22	16.2	7.6-24.8			
\$15,000- 24,999	324	32,396	161	49.1	40.9-57.3	43	13.3	7.8-18.8	51	20.2	13.1-27.3	34	10.8	5.9-15.7	35	6.6	3.9- 9.3			
\$25,000- 34,999	237	25,193	144	61.9	53.1-70.7	32	10.9	6.2-15.6	25	12.7	5.8-19.6	26	11.4	5.3-17.5	10	3.0	0.8- 5.2			
\$35,000- 49,999	361	33,944	215	58.1	50.7-65.5	40	13.0	7.7-18.3	43	12.1	7.4-16.8	46	12.7	7.8-17.6	17	4.0	1.5- 6.5			
\$50,000- 74,999	371	40,853	245	63.0	56.3-69.7	54	17.3	11.6-23.0	33	9.8	5.7-13.9	27	8.2	4.3-12.1	12	1.7	0.5- 2.9			
\$75,000+	737	82,686	508	66.3	61.8-70.8	102	15.7	12.0-19.4	76	11.7	8.6-14.8	36	4.7	2.7- 6.7	15	1.7	0.5- 2.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days						
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)					
TOTAL	4882	579,839	3519	66.4	64.4-68.4		443	10.0	8.8-11.2		436	10.5	9.3-11.7		319	8.5	7.3- 9.7		165	4.5	3.5- 5.5	
Male	2207	297,400	1696	71.8	69.3-74.3		174	9.4	7.8-11.0		148	8.5	6.9-10.1		121	6.6	5.0- 8.2		68	3.8	2.6- 5.0	
Female	2675	282,440	1823	60.8	58.1-63.5		269	10.6	9.0-12.2		288	12.7	10.9-14.5		198	10.5	8.7-12.3		97	5.4	4.0- 6.8	
Native	168	23,268	97	52.3	41.7-62.9		18	8.7	3.6-13.8		24	16.9	8.3-25.5		20	14.2	5.8-22.6		9	7.8	1.3-14.3	
Non-Native	4664	549,421	3391	67.3	65.3-69.3		417	9.8	8.6-11.0		405	10.3	9.1-11.5		296	8.3	7.1- 9.5		155	4.4	3.4- 5.4	
18-24	266	90,766	149	54.9	48.2-61.6		34	11.6	7.5-15.7		37	14.4	9.7-19.1		36	14.5	9.8-19.2		10	4.5	1.6- 7.4	
25-34	504	107,235	322	61.0	56.1-65.9		61	12.0	8.9-15.1		60	12.9	9.4-16.4		32	6.8	4.3- 9.3		29	7.3	4.4-10.2	
35-44	506	86,664	322	60.7	55.6-65.8		58	11.7	8.2-15.2		59	11.4	8.3-14.5		49	11.9	8.2-15.6		18	4.3	2.1- 6.5	
45-54	692	85,751	479	68.3	64.0-72.6		58	8.0	5.6-10.4		77	10.7	8.0-13.4		54	8.0	5.5-10.5		24	5.1	2.6- 7.6	
55-64	1124	94,340	818	72.3	69.2-75.4		109	9.7	7.5-11.9		90	8.3	6.3-10.3		73	6.5	4.7- 8.3		34	3.3	1.9- 4.7	
65+	1744	110,291	1390	78.3	75.8-80.8		122	7.4	5.8- 9.0		112	6.5	4.9- 8.1		72	5.0	3.6- 6.4		48	2.7	1.7- 3.7	
Less Than H.S.	280	49,143	175	52.5	44.5-60.5		26	9.2	4.9-13.5		35	15.3	9.2-21.4		27	11.9	6.2-17.6		17	11.2	5.5-16.9	
H.S. or G.E.D.	1420	154,185	1052	69.5	66.2-72.8		109	9.1	6.9-11.3		98	7.0	5.2- 8.8		95	8.0	6.0-10.0		66	6.3	4.5- 8.1	
Some Post-H.S.	1590	230,588	1141	67.0	63.9-70.1		131	9.0	7.0-11.0		160	11.1	8.9-13.3		114	9.3	7.1-11.5		44	3.6	2.2- 5.0	
College Graduate	1578	144,353	1141	67.2	64.1-70.3		176	12.5	10.3-14.7		142	11.8	9.4-14.2		82	6.5	4.7- 8.3		37	1.9	1.1- 2.7	
Less than \$15,000	254	32,666	153	46.9	38.3-55.5		21	11.4	5.5-17.3		23	12.3	6.0-18.6		30	14.6	8.5-20.7		27	14.7	7.8-21.6	
\$15,000- 24,999	529	63,735	356	61.9	55.6-68.2		39	9.0	5.1-12.9		65	12.6	8.5-16.7		40	9.8	5.7-13.9		29	6.6	3.5- 9.7	
\$25,000- 34,999	419	49,619	283	60.4	53.5-67.3		30	7.1	3.8-10.4		47	13.3	8.6-18.0		37	11.5	6.8-16.2		22	7.8	3.5-12.1	
\$35,000- 49,999	675	73,918	476	64.2	59.1-69.3		75	12.7	9.2-16.2		57	8.6	5.9-11.3		41	8.4	5.1-11.7		26	6.1	3.2- 9.0	
\$50,000- 74,999	761	89,399	559	66.4	61.7-71.1		73	11.0	8.1-13.9		72	13.2	9.7-16.7		39	7.5	4.8-10.2		18	1.9	0.5- 3.3	
\$75,000+	1547	187,238	1171	73.0	70.1-75.9		149	9.8	8.0-11.6		116	8.2	6.4-10.0		88	6.9	5.1- 8.7		23	2.2	1.0- 3.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2207	297,400	1696	71.8	69.3-74.3	174	9.4	7.8-11.0	148	8.5	6.9-10.1	121	6.6	5.0- 8.2	68	3.8	2.6- 5.0
Native	73	10,843	52	63.8	46.6-81.0	5	4.6	0.0- 9.3	7	14.5	0.2-28.8	6	14.0	0.0-29.1	3	3.1	0.0- 6.8
Non-Native	2104	281,939	1622	72.3	69.8-74.8	164	9.1	7.5-10.7	138	8.3	6.7- 9.9	115	6.4	5.0- 7.8	65	3.8	2.6- 5.0
18-24	149	49,557	97	64.0	55.2-72.8	20	12.3	6.6-18.0	15	10.9	5.0-16.8	11	7.9	2.8-13.0	6	4.9	0.8- 9.0
25-34	286	57,816	199	67.7	61.6-73.8	30	10.9	7.0-14.8	35	13.3	8.6-18.0	10	4.0	1.3- 6.7	12	4.0	1.5- 6.5
35-44	239	45,290	166	67.4	60.3-74.5	24	10.0	5.5-14.5	18	8.1	4.2-12.0	24	11.2	5.9-16.5	7	3.4	0.9- 5.9
45-54	336	44,344	250	71.6	65.7-77.5	24	7.2	4.1-10.3	28	8.3	4.8-11.8	22	7.7	3.8-11.6	12	5.2	1.7- 8.7
55-64	503	47,884	401	77.5	73.0-82.0	40	9.0	5.9-12.1	24	5.7	3.2- 8.2	24	4.9	2.7- 7.1	14	3.0	1.2- 4.8
65+	678	50,505	570	82.1	78.4-85.8	36	6.8	4.1- 9.5	27	4.0	2.4- 5.6	29	4.9	2.7- 7.1	16	2.2	1.0- 3.4
Less Than H.S.	160	32,621	99	53.5	43.3-63.7	18	11.7	5.4-18.0	19	15.1	7.3-22.9	14	9.8	3.1-16.5	10	9.8	3.5-16.1
H.S. or G.E.D.	673	85,078	524	74.1	69.8-78.4	48	8.6	5.9-11.3	35	6.2	3.7- 8.7	40	6.0	3.6- 8.4	26	5.0	2.8- 7.2
Some Post-H.S.	668	109,866	513	74.6	70.3-78.9	57	9.6	6.7-12.5	45	7.1	4.6- 9.6	36	6.2	3.7- 8.7	17	2.5	0.9- 4.1
College Graduate	701	68,935	556	73.2	68.9-77.5	51	8.9	6.2-11.6	49	10.5	7.4-13.6	30	6.0	3.5- 8.5	15	1.4	0.6- 2.2
Less than \$15,000	80	12,129	49	50.7	36.4-65.0	8	13.3	3.3-23.3	5	10.4	1.0-19.8	8	9.4	2.1-16.7	10	16.3	4.3-28.3
\$15,000- 24,999	202	31,204	141	64.2	55.0-73.4	16	8.7	3.2-14.2	20	12.0	5.9-18.1	12	8.3	2.0-14.6	13	6.8	2.5-11.1
\$25,000- 34,999	179	24,429	117	60.5	50.7-70.3	15	7.9	2.8-13.0	20	12.0	5.5-18.5	21	16.4	8.2-24.6	6	3.2	0.1- 6.3
\$35,000- 49,999	309	39,656	231	69.9	63.0-76.8	29	12.3	7.4-17.2	18	5.5	2.6- 8.4	20	6.5	3.0-10.0	11	5.8	1.7- 9.9
\$50,000- 74,999	388	48,311	308	73.0	66.9-79.1	34	10.8	6.7-14.9	27	10.6	5.9-15.3	14	4.6	1.7- 7.5	5	1.0	0.0- 2.0
\$75,000+	812	105,099	667	78.8	75.1-82.5	58	7.9	5.7-10.1	41	5.9	3.7- 8.1	33	5.2	3.0- 7.4	13	2.2	0.6- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2675	282,440	1823	60.8	58.1-63.5	269	10.6	9.0-12.2	288	12.7	10.9-14.5	198	10.5	8.7-12.3	97	5.4	4.0- 6.8
Native	95	12,425	45	42.2	28.5-55.9	13	12.3	3.7-20.9	17	19.1	8.7-29.5	14	14.4	5.8-23.0	6	11.9	0.7-23.1
Non-Native	2560	267,482	1769	62.0	59.3-64.7	253	10.5	8.7-12.3	267	12.4	10.4-14.4	181	10.2	8.2-12.2	90	5.0	3.6- 6.4
18-24	117	41,209	52	43.9	34.3-53.5	14	10.8	5.1-16.5	22	18.6	11.0-26.2	25	22.6	14.4-30.8	4	4.1	0.0- 8.2
25-34	218	49,419	123	53.1	45.5-60.7	31	13.3	8.4-18.2	25	12.3	7.2-17.4	22	10.0	5.5-14.5	17	11.2	5.7-16.7
35-44	267	41,374	156	53.4	46.1-60.7	34	13.5	8.2-18.8	41	15.0	9.9-20.1	25	12.8	7.5-18.1	11	5.4	1.9- 8.9
45-54	356	41,408	229	64.7	58.6-70.8	34	8.8	5.5-12.1	49	13.3	9.2-17.4	32	8.3	5.2-11.4	12	4.9	1.2- 8.6
55-64	621	46,456	417	66.9	62.6-71.2	69	10.5	7.8-13.2	66	10.9	8.2-13.6	49	8.1	5.6-10.6	20	3.6	1.6- 5.6
65+	1066	59,786	820	75.1	71.8-78.4	86	8.0	6.0-10.0	85	8.7	6.3-11.1	43	5.0	3.4- 6.6	32	3.2	1.8- 4.6
Less Than H.S.	120	16,522	76	50.4	37.7-63.1	8	4.2	1.1- 7.3	16	15.7	6.3-25.1	13	15.9	5.7-26.1	7	13.8	2.2-25.4
H.S. or G.E.D.	747	69,107	528	63.8	58.9-68.7	61	9.8	6.5-13.1	63	8.1	5.4-10.8	55	10.4	7.3-13.5	40	7.9	5.0-10.8
Some Post-H.S.	922	120,722	628	60.1	55.6-64.6	74	8.5	6.0-11.0	115	14.7	11.4-18.0	78	12.2	8.9-15.5	27	4.6	2.4- 6.8
College Graduate	877	75,417	585	61.7	57.4-66.0	125	15.8	12.5-19.1	93	13.1	9.8-16.4	52	7.0	4.6- 9.4	22	2.4	1.0- 3.8
Less than \$15,000	174	20,537	104	44.7	34.1-55.3	13	10.4	3.0-17.8	18	13.4	5.2-21.6	22	17.7	9.3-26.1	17	13.8	5.6-22.0
\$15,000- 24,999	327	32,530	215	59.7	51.5-67.9	23	9.3	3.8-14.8	45	13.2	7.7-18.7	28	11.2	5.5-16.9	16	6.5	2.0-11.0
\$25,000- 34,999	240	25,190	166	60.3	50.9-69.7	15	6.2	1.9-10.5	27	14.5	7.6-21.4	16	6.8	2.1-11.5	16	12.2	4.6-19.8
\$35,000- 49,999	366	34,263	245	57.6	50.0-65.2	46	13.2	8.3-18.1	39	12.2	7.3-17.1	21	10.6	4.7-16.5	15	6.4	2.3-10.5
\$50,000- 74,999	373	41,088	251	58.7	51.8-65.6	39	11.3	6.8-15.8	45	16.2	10.7-21.7	25	10.8	5.9-15.7	13	3.0	0.5- 5.5
\$75,000+	735	82,139	504	65.6	61.1-70.1	91	12.2	9.3-15.1	75	11.0	8.1-13.9	55	9.1	6.0-12.2	10	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2411	306,606	1537	62.6	59.9-65.3	266	12.5	10.5-14.5	252	11.4	9.6-13.2	229	8.7	7.1-10.3	127	4.8	3.8- 5.8
Male	956	139,345	619	65.4	61.5-69.3	95	10.8	8.3-13.3	99	10.5	8.0-13.0	88	7.8	5.6-10.0	55	5.5	3.7- 7.3
Female	1455	167,261	918	60.3	56.8-63.8	171	13.9	11.4-16.4	153	12.2	9.7-14.7	141	9.5	7.3-11.7	72	4.2	2.8- 5.6
Native	108	16,317	54	50.7	37.6-63.8	9	9.2	1.9-16.5	10	11.5	1.3-21.7	21	15.6	7.8-23.4	14	12.9	3.9-21.9
Non-Native	2272	285,155	1463	63.3	60.6-66.0	255	12.8	10.8-14.8	239	11.4	9.6-13.2	205	8.4	6.8-10.0	110	4.1	3.1- 5.1
18-24	165	58,102	113	65.0	56.8-73.2	23	14.8	8.7-20.9	20	13.2	7.1-19.3	6	5.5	1.2- 9.8	3	1.5	0.0- 3.3
25-34	256	56,853	171	65.2	58.5-71.9	34	12.4	8.1-16.7	30	12.7	7.8-17.6	17	8.1	3.8-12.4	4	1.5	0.0- 3.1
35-44	272	49,033	180	64.3	57.4-71.2	40	15.7	10.4-21.0	23	9.7	5.4-14.0	19	7.3	4.0-10.6	10	3.0	0.8- 5.2
45-54	349	43,901	217	56.7	50.2-63.2	46	13.7	9.4-18.0	37	12.9	8.2-17.6	31	8.9	5.2-12.6	18	7.8	3.3-12.3
55-64	531	44,141	318	57.3	52.2-62.4	62	11.0	7.9-14.1	57	9.8	7.1-12.5	58	12.9	9.2-16.6	36	9.0	5.7-12.3
65+	819	52,584	526	64.4	60.5-68.3	59	7.6	5.2-10.0	83	9.8	7.4-12.2	96	10.5	8.1-12.9	55	7.7	5.5- 9.9
Less Than H.S.	181	36,004	99	51.9	42.1-61.7	12	6.6	2.3-10.9	23	18.0	9.8-26.2	23	11.6	5.7-17.5	24	12.0	6.1-17.9
H.S. or G.E.D.	724	81,674	471	62.5	57.6-67.4	67	12.6	8.9-16.3	64	8.4	5.9-10.9	79	10.4	7.5-13.3	43	6.2	3.8- 8.6
Some Post-H.S.	758	115,572	475	62.5	58.0-67.0	91	14.1	10.8-17.4	88	12.6	9.5-15.7	74	8.3	5.8-10.8	30	2.4	1.4- 3.4
College Graduate	740	72,402	487	68.4	64.1-72.7	95	12.9	9.8-16.0	76	9.4	6.9-11.9	53	6.1	3.7- 8.5	29	3.2	1.6- 4.8
Less than \$15,000	172	25,525	84	53.5	43.5-63.5	12	7.2	1.7-12.7	25	13.5	7.4-19.6	27	12.5	7.0-18.0	24	13.3	6.4-20.2
\$15,000- 24,999	312	38,739	170	49.1	40.7-57.5	34	15.1	8.6-21.6	38	17.8	11.1-24.5	46	11.4	6.7-16.1	24	6.5	3.4- 9.6
\$25,000- 34,999	226	28,834	124	51.9	42.5-61.3	25	13.3	6.6-20.0	35	16.2	9.5-22.9	27	12.5	5.4-19.6	15	6.2	2.5- 9.9
\$35,000- 49,999	342	39,816	231	68.6	61.7-75.5	30	6.8	4.1- 9.5	27	6.6	3.3- 9.9	35	13.3	7.4-19.2	19	4.7	2.0- 7.4
\$50,000- 74,999	359	45,545	238	67.7	61.2-74.2	47	13.7	9.0-18.4	35	10.6	6.3-14.9	28	6.5	3.2- 9.8	11	1.6	0.6- 2.6
\$75,000+	659	83,767	463	69.8	65.1-74.5	84	14.6	10.9-18.3	62	8.7	5.8-11.6	36	4.7	2.9- 6.5	14	2.2	0.8- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	956	139,345	619	65.4	61.5-69.3	95	10.8	8.3-13.3	99	10.5	8.0-13.0	88	7.8	5.6-10.0	55	5.5	3.7- 7.3
Non-Native	901	129,230	591	66.0	61.9-70.1	92	11.2	8.5-13.9	93	10.3	7.8-12.8	78	7.4	5.2- 9.6	47	5.1	3.3- 6.9
18-24	80	27,721	58	70.8	59.0-82.6	10	13.4	4.8-22.0	9	10.6	2.8-18.4	3	5.3	0.0-11.6			
25-34	131	27,266	92	71.3	62.7-79.9	17	12.0	6.1-17.9	13	10.3	4.2-16.4	7	4.9	1.0- 8.8	2	1.4	0.0- 3.6
35-44	118	23,800	80	69.1	59.7-78.5	13	10.4	4.3-16.5	10	8.6	2.9-14.3	10	7.6	2.7-12.5	5	4.3	0.4- 8.2
45-54	143	19,352	88	56.4	46.4-66.4	15	9.7	4.2-15.2	17	14.5	6.9-22.1	12	8.6	2.7-14.5	11	10.9	3.8-18.0
55-64	199	19,677	120	56.1	47.9-64.3	18	10.1	5.2-15.0	26	11.7	6.8-16.6	16	9.1	4.2-14.0	19	13.0	6.5-19.5
65+	280	21,035	179	64.1	57.4-70.8	22	8.4	4.1-12.7	23	7.7	4.4-11.0	39	12.3	8.0-16.6	17	7.4	3.9-10.9
Less Than H.S.	96	21,359	53	56.1	43.2-69.0	7	7.5	1.2-13.8	11	17.1	6.5-27.7	12	7.5	2.4-12.6	13	11.8	4.5-19.1
H.S. or G.E.D.	300	39,363	203	66.5	59.6-73.4	23	9.5	5.0-14.0	24	7.7	4.0-11.4	31	8.8	4.9-12.7	19	7.5	3.8-11.2
Some Post-H.S.	285	48,960	183	67.0	60.1-73.9	33	13.4	8.1-18.7	33	10.3	6.2-14.4	25	7.0	3.3-10.7	11	2.3	0.5- 4.1
College Graduate	273	29,243	179	68.7	62.0-75.4	32	10.9	6.6-15.2	30	8.8	5.3-12.3	20	7.9	3.2-12.6	12	3.7	1.3- 6.1
Less than \$15,000	56	10,057	26	55.2	39.1-71.3	4	6.1	0.0-13.2	6	14.0	2.8-25.2	10	8.8	2.5-15.1	10	15.9	4.7-27.1
\$15,000- 24,999	105	16,867	53	52.3	39.0-65.6	12	13.9	4.5-23.3	16	15.2	6.8-23.6	13	8.7	2.8-14.6	11	9.9	3.4-16.4
\$25,000- 34,999	98	14,516	50	48.8	34.9-62.7	10	14.9	3.7-26.1	14	11.9	4.3-19.5	15	16.9	5.3-28.5	9	7.6	2.1-13.1
\$35,000- 49,999	139	18,967	100	71.0	61.4-80.6	10	6.6	2.1-11.1	11	6.5	1.6-11.4	12	10.6	3.5-17.7	6	5.3	0.4-10.2
\$50,000- 74,999	161	21,415	109	73.5	65.3-81.7	20	11.6	5.5-17.7	15	7.2	2.5-11.9	11	5.7	1.8- 9.6	6	1.9	0.1- 3.7
\$75,000+	298	40,308	219	73.3	66.8-79.8	28	10.3	5.6-15.0	27	9.2	4.9-13.5	18	4.8	2.4- 7.2	6	2.5	0.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1455	167,261	918	60.3	56.8-63.8	171	13.9	11.4-16.4	153	12.2	9.7-14.7	141	9.5	7.3-11.7	72	4.2	2.8- 5.6
Native	68	9,053	36	47.3	31.6-63.0	7	13.7	2.1-25.3	5	6.9	0.0-14.3	12	15.3	4.7-25.9	8	16.7	2.2-31.2
Non-Native	1371	155,925	872	61.2	57.5-64.9	163	14.1	11.4-16.8	146	12.2	9.5-14.9	127	9.2	6.8-11.6	63	3.3	2.3- 4.3
18-24	85	30,381	55	59.8	48.4-71.2	13	16.0	7.6-24.4	11	15.7	6.9-24.5	3	5.6	0.0-11.9	3	2.8	0.0- 5.9
25-34	125	29,587	79	59.7	49.7-69.7	17	12.8	6.5-19.1	17	14.9	7.6-22.2	10	11.0	3.7-18.3	2	1.6	0.0- 3.8
35-44	154	25,234	100	59.7	50.1-69.3	27	20.7	12.3-29.1	13	10.7	4.4-17.0	9	7.1	2.4-11.8	5	1.8	0.0- 3.6
45-54	206	24,549	129	57.0	48.6-65.4	31	16.9	10.4-23.4	20	11.6	5.9-17.3	19	9.0	4.3-13.7	7	5.4	0.0-11.1
55-64	332	24,464	198	58.2	51.9-64.5	44	11.8	7.9-15.7	31	8.3	5.2-11.4	42	16.0	10.5-21.5	17	5.8	2.7- 8.9
65+	539	31,549	347	64.6	59.5-69.7	37	7.0	4.1- 9.9	60	11.2	8.1-14.3	57	9.3	6.4-12.2	38	7.8	4.9-10.7
Less Than H.S.	85	14,645	46	45.8	31.3-60.3	5	5.3	0.0-10.6	12	19.2	6.5-31.9	11	17.5	5.7-29.3	11	12.1	2.3-21.9
H.S. or G.E.D.	424	42,311	268	58.7	52.0-65.4	44	15.4	9.5-21.3	40	9.0	5.5-12.5	48	11.8	7.5-16.1	24	5.1	2.4- 7.8
Some Post-H.S.	473	66,612	292	59.3	53.2-65.4	58	14.6	10.1-19.1	55	14.3	9.6-19.0	49	9.3	5.6-13.0	19	2.6	1.4- 3.8
College Graduate	467	43,160	308	68.2	62.5-73.9	63	14.2	9.7-18.7	46	9.8	6.1-13.5	33	4.9	2.7- 7.1	17	2.9	0.9- 4.9
Less than \$15,000	116	15,469	58	52.4	39.7-65.1	8	7.9	0.3-15.5	19	13.2	6.1-20.3	17	14.9	6.9-22.9	14	11.6	2.8-20.4
\$15,000- 24,999	207	21,872	117	46.6	36.4-56.8	22	16.0	7.0-25.0	22	19.9	10.1-29.7	33	13.6	6.7-20.5	13	4.0	1.5- 6.5
\$25,000- 34,999	128	14,318	74	55.2	42.5-67.9	15	11.7	4.6-18.8	21	20.5	9.7-31.3	12	7.9	0.5-15.3	6	4.7	0.0- 9.4
\$35,000- 49,999	203	20,850	131	66.4	56.8-76.0	20	6.9	3.6-10.2	16	6.7	2.0-11.4	23	15.7	6.9-24.5	13	4.2	1.3- 7.1
\$50,000- 74,999	198	24,130	129	62.5	53.3-71.7	27	15.5	8.4-22.6	20	13.6	6.5-20.7	17	7.2	2.1-12.3	5	1.2	0.0- 2.6
\$75,000+	361	43,459	244	66.5	59.8-73.2	56	18.6	12.9-24.3	35	8.3	4.0-12.6	18	4.7	2.2- 7.2	8	1.9	0.3- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4956	587,131	4680	91.6	90.4-92.8	276	8.4	7.2- 9.6
Male	2236	300,259	2089	91.0	89.2-92.8	147	9.0	7.2-10.8
Female	2720	286,871	2591	92.3	90.7-93.9	129	7.7	6.1- 9.3
Native	172	23,858	162	87.6	78.8-96.4	10	12.4	3.6-21.2
Non-Native	4731	555,810	4467	91.8	90.6-93.0	264	8.2	7.0- 9.4
18-24	265	90,248	235	88.6	84.1-93.1	30	11.4	6.9-15.9
25-34	509	108,649	452	86.6	83.1-90.1	57	13.4	9.9-16.9
35-44	514	87,704	478	91.7	88.8-94.6	36	8.3	5.4-11.2
45-54	700	87,200	658	92.4	89.7-95.1	42	7.6	4.9-10.3
55-64	1134	95,418	1068	93.0	91.0-95.0	66	7.0	5.0- 9.0
65+	1788	113,145	1748	97.2	96.0-98.4	40	2.8	1.6- 4.0
Less Than H.S.	298	51,470	267	84.3	78.2-90.4	31	15.7	9.6-21.8
H.S. or G.E.D.	1452	157,283	1322	85.6	82.9-88.3	130	14.4	11.7-17.1
Some Post-H.S.	1603	232,064	1538	94.7	93.1-96.3	65	5.3	3.7- 6.9
College Graduate	1589	144,987	1541	95.9	94.5-97.3	48	4.1	2.7- 5.5
Less than \$15,000	266	34,087	237	89.2	84.5-93.9	29	10.8	6.1-15.5
\$15,000- 24,999	544	65,265	487	83.4	78.1-88.7	57	16.6	11.3-21.9
\$25,000- 34,999	428	50,246	391	85.2	80.1-90.3	37	14.8	9.7-19.9
\$35,000- 49,999	679	74,310	644	90.1	86.2-94.0	35	9.9	6.0-13.8
\$50,000- 74,999	769	90,518	745	96.0	94.0-98.0	24	4.0	2.0- 6.0
\$75,000+	1558	188,209	1515	96.6	95.2-98.0	43	3.4	2.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2236	300,259	2089	91.0	89.2-92.8	147	9.0	7.2-10.8
Native	75	11,291	70	85.6	71.3-99.9	5	14.4	0.1-28.7
Non-Native	2129	283,934	1988	91.1	89.3-92.9	141	8.9	7.1-10.7
18-24	148	48,970	129	86.9	80.0-93.8	19	13.1	6.2-20.0
25-34	288	58,277	254	88.0	83.7-92.3	34	12.0	7.7-16.3
35-44	243	46,175	226	92.2	88.3-96.1	17	7.8	3.9-11.7
45-54	340	44,998	312	89.9	85.6-94.2	28	10.1	5.8-14.4
55-64	508	48,335	476	92.6	89.9-95.3	32	7.4	4.7-10.1
65+	693	51,500	680	97.5	95.9-99.1	13	2.5	0.9- 4.1
Less Than H.S.	166	32,852	145	83.4	75.8-91.0	21	16.6	9.0-24.2
H.S. or G.E.D.	685	86,599	616	85.6	81.9-89.3	69	14.4	10.7-18.1
Some Post-H.S.	675	110,911	642	94.7	92.3-97.1	33	5.3	2.9- 7.7
College Graduate	705	68,997	682	95.6	93.4-97.8	23	4.4	2.2- 6.6
Less than \$15,000	87	13,161	69	81.5	72.3-90.7	18	18.5	9.3-27.7
\$15,000- 24,999	206	31,470	175	80.4	72.4-88.4	31	19.6	11.6-27.6
\$25,000- 34,999	182	24,693	161	82.0	74.0-90.0	21	18.0	10.0-26.0
\$35,000- 49,999	311	39,714	291	89.5	83.8-95.2	20	10.5	4.8-16.2
\$50,000- 74,999	393	49,112	377	94.5	91.6-97.4	16	5.5	2.6- 8.4
\$75,000+	821	105,689	800	97.2	95.6-98.8	21	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	286,871	2591	92.3	90.7-93.9	129	7.7	6.1- 9.3
Native	97	12,567	92	89.4	79.2-99.6	5	10.6	0.4-20.8
Non-Native	2602	271,876	2479	92.5	90.9-94.1	123	7.5	5.9- 9.1
18-24	117	41,277	106	90.6	85.1-96.1	11	9.4	3.9-14.9
25-34	221	50,372	198	85.1	79.0-91.2	23	14.9	8.8-21.0
35-44	271	41,529	252	91.2	86.9-95.5	19	8.8	4.5-13.1
45-54	360	42,202	346	95.0	92.1-97.9	14	5.0	2.1- 7.9
55-64	626	47,083	592	93.5	90.8-96.2	34	6.5	3.8- 9.2
65+	1095	61,645	1068	96.9	95.3-98.5	27	3.1	1.5- 4.7
Less Than H.S.	132	18,618	122	85.8	75.6-96.0	10	14.2	4.0-24.4
H.S. or G.E.D.	767	70,684	706	85.6	81.5-89.7	61	14.4	10.3-18.5
Some Post-H.S.	928	121,153	896	94.7	92.3-97.1	32	5.3	2.9- 7.7
College Graduate	884	75,990	859	96.2	94.4-98.0	25	3.8	2.0- 5.6
Less than \$15,000	179	20,926	168	94.1	89.4-98.8	11	5.9	1.2-10.6
\$15,000- 24,999	338	33,795	312	86.1	79.2-93.0	26	13.9	7.0-20.8
\$25,000- 34,999	246	25,553	230	88.2	81.7-94.7	16	11.8	5.3-18.3
\$35,000- 49,999	368	34,596	353	90.8	85.7-95.9	15	9.2	4.1-14.3
\$50,000- 74,999	376	41,406	368	97.7	95.7-99.7	8	2.3	0.3- 4.3
\$75,000+	737	82,521	715	95.8	93.4-98.2	22	4.2	1.8- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4931	584,940	3611	65.0	63.0-67.0	434	8.5	7.5- 9.5	886	26.4	24.6-28.2
Male	2220	299,020	1433	55.7	53.0-58.4	214	8.9	7.3-10.5	573	35.3	32.6-38.0
Female	2711	285,920	2178	74.8	72.4-77.2	220	8.1	6.7- 9.5	313	17.1	14.9-19.3
Native	172	23,605	104	56.5	46.1-66.9	28	13.5	7.0-20.0	40	30.0	20.2-39.8
Non-Native	4706	553,541	3468	65.4	63.4-67.4	404	8.4	7.4- 9.4	834	26.2	24.4-28.0
18-24	268	91,306	125	45.9	39.2-52.6	24	8.9	5.2-12.6	119	45.1	38.4-51.8
25-34	504	107,587	239	46.4	41.5-51.3	48	9.2	6.5-11.9	217	44.4	39.5-49.3
35-44	511	87,449	337	63.7	58.6-68.8	43	8.1	5.2-11.0	131	28.1	23.4-32.8
45-54	694	86,392	496	70.7	66.6-74.8	59	7.6	5.4- 9.8	139	21.7	18.0-25.4
55-64	1132	95,196	899	78.8	76.1-81.5	92	8.1	6.3- 9.9	141	13.1	10.7-15.5
65+	1776	112,459	1479	82.6	80.4-84.8	164	9.1	7.5-10.7	133	8.3	6.5-10.1
Less Than H.S.	295	51,341	212	62.1	54.5-69.7	33	9.6	5.7-13.5	50	28.3	20.7-35.9
H.S. or G.E.D.	1446	157,436	1030	61.3	57.8-64.8	116	8.2	6.2-10.2	300	30.5	27.2-33.8
Some Post-H.S.	1595	230,991	1175	65.3	62.2-68.4	144	9.2	7.2-11.2	276	25.5	22.4-28.6
College Graduate	1580	143,562	1181	69.4	66.3-72.5	141	7.6	6.0- 9.2	258	22.9	20.0-25.8
Less than \$15,000	263	33,667	199	70.0	62.0-78.0	22	8.9	3.6-14.2	42	21.1	14.0-28.2
\$15,000- 24,999	538	64,330	378	61.6	55.3-67.9	59	10.8	6.9-14.7	101	27.6	21.7-33.5
\$25,000- 34,999	423	49,268	299	58.2	51.3-65.1	39	11.7	7.0-16.4	85	30.1	23.6-36.6
\$35,000- 49,999	674	73,883	494	63.2	57.9-68.5	64	8.7	6.2-11.2	116	28.1	22.8-33.4
\$50,000- 74,999	767	90,208	560	64.9	60.2-69.6	68	9.5	6.8-12.2	139	25.7	21.4-30.0
\$75,000+	1554	188,492	1151	67.4	64.3-70.5	122	7.3	5.7- 8.9	281	25.3	22.4-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2220	299,020	1433	55.7	53.0-58.4	214	8.9	7.3-10.5	573	35.3	32.6-38.0
Native	76	11,439	38	42.2	26.9-57.5	16	18.5	6.7-30.3	22	39.3	23.8-54.8
Non-Native	2111	282,375	1374	56.3	53.6-59.0	196	8.6	7.0-10.2	541	35.2	32.5-37.9
18-24	151	49,930	63	39.5	30.5-48.5	14	8.9	3.8-14.0	74	51.7	42.5-60.9
25-34	284	57,565	94	30.4	24.5-36.3	31	10.2	6.3-14.1	159	59.4	53.1-65.7
35-44	240	45,768	129	53.1	45.7-60.5	21	8.3	4.2-12.4	90	38.6	31.3-45.9
45-54	335	44,402	213	60.5	54.2-66.8	26	7.3	4.0-10.6	96	32.2	26.1-38.3
55-64	508	48,254	379	74.7	70.4-79.0	44	7.8	5.3-10.3	85	17.4	13.5-21.3
65+	686	51,097	543	79.1	75.4-82.8	77	10.8	8.1-13.5	66	10.0	7.1-12.9
Less Than H.S.	165	33,093	105	53.0	43.0-63.0	21	10.9	5.4-16.4	39	36.2	26.2-46.2
H.S. or G.E.D.	681	86,587	415	50.6	45.7-55.5	59	8.8	6.1-11.5	207	40.5	35.6-45.4
Some Post-H.S.	671	110,251	439	56.3	51.6-61.0	60	8.9	6.2-11.6	172	34.7	30.0-39.4
College Graduate	698	68,189	471	62.3	57.8-66.8	74	8.3	5.9-10.7	153	29.4	24.9-33.9
Less than \$15,000	85	12,847	51	54.3	40.4-68.2	9	11.4	1.8-21.0	25	34.3	20.8-47.8
\$15,000- 24,999	202	30,958	124	57.0	47.8-66.2	20	8.3	3.4-13.2	58	34.7	25.7-43.7
\$25,000- 34,999	180	24,324	111	50.1	40.1-60.1	20	13.2	5.9-20.5	49	36.7	26.9-46.5
\$35,000- 49,999	307	39,321	191	51.6	44.2-59.0	36	10.0	6.3-13.7	80	38.3	30.7-45.9
\$50,000- 74,999	391	48,802	259	56.0	49.5-62.5	36	9.2	5.5-12.9	96	34.8	28.3-41.3
\$75,000+	816	105,693	548	59.1	54.8-63.4	70	8.1	5.7-10.5	198	32.8	28.5-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2711	285,920	2178	74.8	72.4-77.2	220	8.1	6.7- 9.5	313	17.1	14.9-19.3
Native	96	12,167	66	70.0	57.7-82.3	12	8.8	3.1-14.5	18	21.2	9.4-33.0
Non-Native	2595	271,167	2094	74.9	72.4-77.4	208	8.2	6.6- 9.8	293	17.0	14.6-19.4
18-24	117	41,376	62	53.8	44.2-63.4	10	9.0	3.5-14.5	45	37.2	27.8-46.6
25-34	220	50,022	145	64.8	57.5-72.1	17	8.1	4.0-12.2	58	27.1	20.2-34.0
35-44	271	41,680	208	75.4	68.9-81.9	22	7.9	3.8-12.0	41	16.7	11.2-22.2
45-54	359	41,991	283	81.5	77.0-86.0	33	7.9	5.0-10.8	43	10.6	7.1-14.1
55-64	624	46,942	520	83.0	79.5-86.5	48	8.4	5.7-11.1	56	8.6	6.1-11.1
65+	1090	61,362	936	85.5	83.0-88.0	87	7.6	5.8- 9.4	67	6.9	4.9- 8.9
Less Than H.S.	130	18,248	107	78.6	67.8-89.4	12	7.3	2.6-12.0	11	14.1	3.7-24.5
H.S. or G.E.D.	765	70,849	615	74.3	69.6-79.0	57	7.3	4.6-10.0	93	18.3	14.0-22.6
Some Post-H.S.	924	120,740	736	73.5	69.4-77.6	84	9.5	7.0-12.0	104	17.0	13.3-20.7
College Graduate	882	75,373	710	75.9	72.0-79.8	67	7.0	4.8- 9.2	105	17.1	13.4-20.8
Less than \$15,000	178	20,820	148	79.7	70.9-88.5	13	7.4	1.5-13.3	17	12.9	5.6-20.2
\$15,000- 24,999	336	33,372	254	65.8	57.6-74.0	39	13.2	6.9-19.5	43	21.0	13.6-28.4
\$25,000- 34,999	243	24,944	188	66.2	57.2-75.2	19	10.2	4.1-16.3	36	23.6	15.4-31.8
\$35,000- 49,999	367	34,562	303	76.4	69.5-83.3	28	7.2	4.1-10.3	36	16.4	9.7-23.1
\$50,000- 74,999	376	41,406	301	75.3	69.2-81.4	32	9.7	5.4-14.0	43	15.0	9.7-20.3
\$75,000+	738	82,799	603	78.0	73.9-82.1	52	6.3	4.3- 8.3	83	15.8	11.9-19.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4959	588,424	254	7.7	6.5- 8.9	4705	92.3	91.1-93.5
Male	2241	301,270	108	6.6	5.0- 8.2	2133	93.4	91.8-95.0
Female	2718	287,154	146	8.8	7.0-10.6	2572	91.2	89.4-93.0
Native	173	24,005	19	10.1	3.6-16.6	154	89.9	83.4-96.4
Non-Native	4731	556,499	230	7.5	6.3- 8.7	4501	92.5	91.3-93.7
18-24	270	92,112	29	11.9	7.4-16.4	241	88.1	83.6-92.6
25-34	509	108,110	44	10.9	7.6-14.2	465	89.1	85.8-92.4
35-44	514	87,776	34	7.6	4.9-10.3	480	92.4	89.7-95.1
45-54	699	87,139	41	7.1	4.4- 9.8	658	92.9	90.2-95.6
55-64	1136	95,492	69	6.8	5.0- 8.6	1067	93.2	91.4-95.0
65+	1784	112,951	35	2.4	1.4- 3.4	1749	97.6	96.6-98.6
Less Than H.S.	295	50,933	17	7.4	3.3-11.5	278	92.6	88.5-96.7
H.S. or G.E.D.	1452	158,116	96	10.1	7.7-12.5	1356	89.9	87.5-92.3
Some Post-H.S.	1608	232,889	90	8.4	6.2-10.6	1518	91.6	89.4-93.8
College Graduate	1589	144,875	51	4.1	2.7- 5.5	1538	95.9	94.5-97.3
Less than \$15,000	264	33,970	31	15.0	8.5-21.5	233	85.0	78.5-91.5
\$15,000- 24,999	542	65,083	52	12.6	8.3-16.9	490	87.4	83.1-91.7
\$25,000- 34,999	428	50,246	38	14.8	9.3-20.3	390	85.2	79.7-90.7
\$35,000- 49,999	678	74,263	43	11.1	7.0-15.2	635	88.9	84.8-93.0
\$50,000- 74,999	768	90,430	27	4.4	2.4- 6.4	741	95.6	93.6-97.6
\$75,000+	1560	188,626	24	2.4	1.2- 3.6	1536	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	301,270	108	6.6	5.0- 8.2	2133	93.4	91.8-95.0
Native	76	11,439	5	4.6	0.1- 9.1	71	95.4	90.9-99.9
Non-Native	2132	284,625	102	6.6	5.0- 8.2	2030	93.4	91.8-95.0
18-24	151	49,930	12	9.3	3.6-15.0	139	90.7	85.0-96.4
25-34	289	58,342	22	8.4	4.7-12.1	267	91.6	87.9-95.3
35-44	243	46,175	12	6.3	2.6-10.0	231	93.7	90.0-97.4
45-54	340	44,998	21	7.0	3.3-10.7	319	93.0	89.3-96.7
55-64	510	48,409	27	5.8	3.4- 8.2	483	94.2	91.8-96.6
65+	692	51,412	13	2.2	0.6- 3.8	679	97.8	96.2-99.4
Less Than H.S.	164	32,852	9	6.7	2.2-11.2	155	93.3	88.8-97.8
H.S. or G.E.D.	687	87,035	44	8.0	5.3-10.7	643	92.0	89.3-94.7
Some Post-H.S.	678	111,325	35	6.9	4.0- 9.8	643	93.1	90.2-96.0
College Graduate	707	69,159	20	4.3	1.9- 6.7	687	95.7	93.3-98.1
Less than \$15,000	87	13,161	8	10.7	2.3-19.1	79	89.3	80.9-97.7
\$15,000- 24,999	206	31,368	30	19.2	11.2-27.2	176	80.8	72.8-88.8
\$25,000- 34,999	182	24,693	18	12.8	5.2-20.4	164	87.2	79.6-94.8
\$35,000- 49,999	311	39,714	15	5.5	2.2- 8.8	296	94.5	91.2-97.8
\$50,000- 74,999	392	49,023	13	4.4	1.7- 7.1	379	95.6	92.9-98.3
\$75,000+	823	106,360	11	1.7	0.5- 2.9	812	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	287,154	146	8.8	7.0-10.6	2572	91.2	89.4-93.0
Native	97	12,567	14	15.1	3.9-26.3	83	84.9	73.7-96.1
Non-Native	2599	271,874	128	8.4	6.6-10.2	2471	91.6	89.8-93.4
18-24	119	42,182	17	15.1	8.0-22.2	102	84.9	77.8-92.0
25-34	220	49,769	22	13.9	8.2-19.6	198	86.1	80.4-91.8
35-44	271	41,601	22	9.0	4.9-13.1	249	91.0	86.9-95.1
45-54	359	42,140	20	7.2	3.1-11.3	339	92.8	88.7-96.9
55-64	626	47,083	42	7.8	5.3-10.3	584	92.2	89.7-94.7
65+	1092	61,540	22	2.5	1.1- 3.9	1070	97.5	96.1-98.9
Less Than H.S.	131	18,082	8	8.7	0.9-16.5	123	91.3	83.5-99.1
H.S. or G.E.D.	765	71,081	52	12.6	8.7-16.5	713	87.4	83.5-91.3
Some Post-H.S.	930	121,564	55	9.8	6.9-12.7	875	90.2	87.3-93.1
College Graduate	882	75,716	31	3.9	2.1- 5.7	851	96.1	94.3-97.9
Less than \$15,000	177	20,809	23	17.8	8.8-26.8	154	82.2	73.2-91.2
\$15,000- 24,999	336	33,714	22	6.4	3.1- 9.7	314	93.6	90.3-96.9
\$25,000- 34,999	246	25,553	20	16.7	8.9-24.5	226	83.3	75.5-91.1
\$35,000- 49,999	367	34,549	28	17.6	10.2-25.0	339	82.4	75.0-89.8
\$50,000- 74,999	376	41,406	14	4.4	1.7- 7.1	362	95.6	92.9-98.3
\$75,000+	737	82,266	13	3.4	1.2- 5.6	724	96.6	94.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4931	584,715	3420	62.4	60.4-64.4	633	14.2	12.8-15.6	390	10.7	9.3-12.1	464	11.9	10.7-13.1	24	0.8	0.4- 1.2
Male	2229	299,363	1410	56.5	53.8-59.2	293	14.3	12.3-16.3	225	12.2	10.2-14.2	286	15.7	13.7-17.7	15	1.3	0.5- 2.1
Female	2702	285,351	2010	68.7	66.2-71.2	340	14.0	12.2-15.8	165	9.2	7.4-11.0	178	7.9	6.5- 9.3	9	0.3	0.1- 0.5
Native	172	23,766	121	68.8	59.2-78.4	20	15.2	6.8-23.6	12	8.4	3.5-13.3	19	7.6	3.5-11.7			
Non-Native	4708	553,703	3265	62.2	60.2-64.2	606	14.1	12.7-15.5	373	10.9	9.5-12.3	440	12.0	10.6-13.4	24	0.8	0.4- 1.2
18-24	267	91,031	125	48.1	41.4-54.8	47	16.8	11.9-21.7	55	20.5	15.0-26.0	37	13.0	8.7-17.3	3	1.6	0.0- 3.4
25-34	507	107,489	247	48.3	43.4-53.2	97	19.2	15.3-23.1	58	12.0	8.7-15.3	103	20.1	16.2-24.0	2	0.4	0.0- 1.0
35-44	512	87,477	292	56.5	51.4-61.6	80	14.3	11.0-17.6	71	14.4	10.7-18.1	65	13.5	10.0-17.0	4	1.3	0.0- 2.9
45-54	698	86,985	463	66.3	62.2-70.4	93	13.6	10.7-16.5	65	9.7	7.0-12.4	73	9.7	7.2-12.2	4	0.8	0.0- 1.8
55-64	1135	95,574	803	70.0	66.9-73.1	151	12.7	10.5-14.9	77	6.6	5.0- 8.2	101	10.3	8.1-12.5	3	0.4	0.0- 1.0
65+	1768	111,514	1456	82.0	79.8-84.2	160	9.2	7.6-10.8	64	3.4	2.4- 4.4	81	5.0	3.6- 6.4	7	0.3	0.1- 0.5
Less Than H.S.	292	50,127	199	61.7	53.9-69.5	32	10.4	5.3-15.5	26	11.8	6.3-17.3	29	12.8	7.7-17.9	6	3.4	0.3- 6.5
H.S. or G.E.D.	1444	156,610	1023	63.7	60.4-67.0	161	11.5	9.3-13.7	104	10.6	8.2-13.0	147	13.3	10.9-15.7	9	1.0	0.2- 1.8
Some Post-H.S.	1600	231,991	1097	61.4	58.3-64.5	225	16.0	13.6-18.4	132	11.1	8.7-13.5	142	11.1	8.9-13.3	4	0.4	0.0- 1.0
College Graduate	1583	144,576	1092	62.8	59.7-65.9	214	15.6	13.2-18.0	128	10.1	8.1-12.1	144	11.3	9.1-13.5	5	0.3	0.1- 0.5
Less than \$15,000	264	33,904	195	71.5	63.9-79.1	28	8.5	4.2-12.8	13	6.3	2.2-10.4	26	11.8	6.7-16.9	2	1.9	0.0- 5.6
\$15,000- 24,999	538	63,731	375	60.4	54.1-66.7	58	13.7	9.2-18.2	47	12.2	7.5-16.9	53	12.4	8.3-16.5	5	1.3	0.0- 2.9
\$25,000- 34,999	425	50,134	283	57.3	50.6-64.0	49	13.3	8.4-18.2	42	14.1	9.2-19.0	48	13.5	9.0-18.0	3	1.8	0.0- 4.2
\$35,000- 49,999	673	73,170	463	58.4	53.1-63.7	87	17.8	13.3-22.3	48	8.6	5.5-11.7	70	14.0	10.3-17.7	5	1.2	0.0- 2.8
\$50,000- 74,999	767	90,419	535	62.3	57.8-66.8	100	13.0	10.1-15.9	60	11.4	8.1-14.7	68	12.4	9.1-15.7	4	1.0	0.0- 2.2
\$75,000+	1558	189,026	1067	63.3	60.2-66.4	221	14.7	12.5-16.9	130	10.6	8.4-12.8	136	11.2	9.0-13.4	4	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	299,363	1410	56.5	53.8-59.2	293	14.3	12.3-16.3	225	12.2	10.2-14.2	286	15.7	13.7-17.7	15	1.3	0.5- 2.1
Native	75	11,199	51	66.3	51.0-81.6	8	15.9	1.6-30.2	7	10.9	2.7-19.1	9	7.0	1.7-12.3			
Non-Native	2124	283,582	1342	56.2	53.5-58.9	281	14.4	12.4-16.4	214	12.3	10.3-14.3	272	15.9	13.7-18.1	15	1.3	0.5- 2.1
18-24	149	49,374	64	43.0	33.8-52.2	31	19.8	12.5-27.1	30	20.5	13.1-27.9	21	13.8	7.7-19.9	3	2.9	0.0- 6.2
25-34	288	58,138	125	43.2	36.7-49.7	49	17.0	12.1-21.9	37	11.9	7.8-16.0	76	27.6	21.7-33.5	1	0.3	0.0- 0.9
35-44	241	45,803	110	46.7	39.3-54.1	39	14.5	9.6-19.4	42	16.5	11.2-21.8	47	20.0	14.1-25.9	3	2.3	0.0- 5.2
45-54	339	44,930	211	60.6	54.3-66.9	39	13.2	8.7-17.7	40	13.4	8.9-17.9	47	11.9	8.2-15.6	2	1.0	0.0- 2.8
55-64	510	48,551	336	65.6	60.9-70.3	67	12.8	9.5-16.1	44	7.6	5.1-10.1	60	13.3	9.8-16.8	3	0.7	0.0- 1.7
65+	687	50,647	555	80.6	77.1-84.1	66	8.6	6.2-11.0	32	4.6	2.6- 6.6	32	6.0	3.5- 8.5	2	0.3	0.0- 0.7
Less Than H.S.	162	32,283	98	55.0	45.0-65.0	20	13.3	5.7-20.9	15	9.4	3.9-14.9	24	17.2	9.9-24.5	5	5.1	0.2-10.0
H.S. or G.E.D.	683	86,306	440	58.6	53.9-63.3	83	11.6	8.7-14.5	65	12.5	9.0-16.0	91	16.1	12.6-19.6	4	1.1	0.0- 2.5
Some Post-H.S.	675	111,049	423	54.9	50.2-59.6	102	17.0	13.3-20.7	63	12.0	8.5-15.5	84	15.4	11.9-18.9	3	0.8	0.0- 2.0
College Graduate	705	68,910	447	56.9	52.4-61.4	88	14.1	10.8-17.4	82	13.8	10.5-17.1	85	14.8	11.5-18.1	3	0.4	0.0- 0.8
Less than \$15,000	87	13,161	56	60.5	47.0-74.0	11	8.0	0.6-15.4	6	8.3	0.9-15.7	13	18.4	8.2-28.6	1	4.8	0.0-14.0
\$15,000- 24,999	205	30,791	127	54.4	45.0-63.8	25	15.7	8.4-23.0	20	12.4	5.0-19.8	29	14.9	8.8-21.0	4	2.6	0.0- 5.5
\$25,000- 34,999	181	24,677	108	49.7	39.9-59.5	19	14.9	7.1-22.7	27	16.9	9.5-24.3	26	16.3	9.0-23.6	1	2.2	0.0- 6.5
\$35,000- 49,999	307	39,209	194	55.6	48.2-63.0	44	16.6	10.9-22.3	25	9.4	5.1-13.7	41	16.5	11.2-21.8	3	1.9	0.0- 4.6
\$50,000- 74,999	392	49,042	253	57.1	50.8-63.4	45	11.4	7.7-15.1	36	10.5	6.4-14.6	54	19.1	13.6-24.6	4	1.8	0.0- 4.0
\$75,000+	820	106,154	531	59.5	55.2-63.8	108	13.4	10.5-16.3	88	12.5	9.4-15.6	91	14.5	11.2-17.8	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	285,351	2010	68.7	66.2-71.2	340	14.0	12.2-15.8	165	9.2	7.4-11.0	178	7.9	6.5- 9.3	9	0.3	0.1- 0.5
Native	97	12,567	70	71.0	59.2-82.8	12	14.6	4.8-24.4	5	6.2	0.7-11.7	10	8.2	2.1-14.3			
Non-Native	2584	270,121	1923	68.5	66.0-71.0	325	13.9	12.1-15.7	159	9.4	7.6-11.2	168	7.9	6.3- 9.5	9	0.3	0.1- 0.5
18-24	118	41,656	61	54.2	44.6-63.8	16	13.2	6.7-19.7	25	20.5	12.7-28.3	16	12.1	6.2-18.0			
25-34	219	49,351	122	54.4	47.0-61.8	48	21.8	15.7-27.9	21	12.0	6.7-17.3	27	11.2	6.7-15.7	1	0.6	0.0- 1.8
35-44	271	41,674	182	67.3	60.4-74.2	41	14.0	9.1-18.9	29	12.2	7.1-17.3	18	6.4	2.9- 9.9	1	0.1	0.0- 0.3
45-54	359	42,056	252	72.5	67.2-77.8	54	14.0	10.1-17.9	25	5.8	3.4- 8.2	26	7.3	4.0-10.6	2	0.5	0.0- 1.3
55-64	625	47,023	467	74.6	70.7-78.5	84	12.6	9.7-15.5	33	5.6	3.4- 7.8	41	7.2	4.8- 9.6			
65+	1081	60,867	901	83.1	80.4-85.8	94	9.7	7.5-11.9	32	2.5	1.5- 3.5	49	4.3	2.9- 5.7	5	0.4	0.0- 0.8
Less Than H.S.	130	17,843	101	73.7	61.9-85.5	12	5.1	2.0- 8.2	11	16.2	5.0-27.4	5	4.8	0.0-10.7	1	0.3	0.0- 0.9
H.S. or G.E.D.	761	70,304	583	69.9	65.2-74.6	78	11.4	8.5-14.3	39	8.3	5.2-11.4	56	9.7	6.6-12.8	5	0.7	0.0- 1.7
Some Post-H.S.	925	120,942	674	67.4	63.1-71.7	123	15.1	12.0-18.2	69	10.2	7.3-13.1	58	7.2	4.8- 9.6	1	0.1	0.0- 0.3
College Graduate	878	75,666	645	68.2	63.9-72.5	126	16.9	13.6-20.2	46	6.7	4.2- 9.2	59	8.0	5.3-10.7	2	0.1	0.0- 0.3
Less than \$15,000	177	20,743	139	78.5	70.3-86.7	17	8.8	3.5-14.1	7	5.0	0.1- 9.9	13	7.6	2.7-12.5	1	0.1	0.0- 0.3
\$15,000- 24,999	333	32,940	248	65.9	57.9-73.9	33	11.9	6.6-17.2	27	12.0	6.3-17.7	24	10.1	4.4-15.8	1	0.1	0.0- 0.3
\$25,000- 34,999	244	25,458	175	64.7	55.9-73.5	30	11.8	6.1-17.5	15	11.4	4.9-17.9	22	10.7	5.4-16.0	2	1.3	0.0- 3.7
\$35,000- 49,999	366	33,961	269	61.6	54.0-69.2	43	19.2	12.1-26.3	23	7.7	3.2-12.2	29	11.0	6.1-15.9	2	0.4	0.0- 1.0
\$50,000- 74,999	375	41,377	282	68.4	61.7-75.1	55	14.8	10.3-19.3	24	12.4	6.7-18.1	14	4.4	1.7- 7.1			
\$75,000+	738	82,872	536	68.2	63.7-72.7	113	16.3	13.0-19.6	42	8.2	5.1-11.3	45	7.0	4.5- 9.5	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32
ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4 MALES AND FEMALES	33
5 MALES ONLY	34
6 FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4960	588,412	1984	30.4	28.8-32.0	23	0.5	0.3- 0.7	2909	68.3	66.7-69.9	44	0.8	0.4- 1.2
Male	2241	301,632	893	31.0	28.6-33.4	1	0.0	0.0- 0.0	1315	67.7	65.3-70.1	32	1.3	0.7- 1.9
Female	2719	286,781	1091	29.8	27.6-32.0	22	1.0	0.4- 1.6	1594	69.0	66.8-71.2	12	0.3	0.1- 0.5
Native	173	24,005	80	37.9	28.3-47.5	1	1.7	0.0- 5.0	92	60.4	50.6-70.2			
Non-Native	4733	556,572	1887	30.1	28.5-31.7	21	0.4	0.2- 0.6	2781	68.7	67.1-70.3	44	0.8	0.4- 1.2
18-24	270	92,112	15	4.9	2.2- 7.6	2	0.8	0.0- 2.0	253	94.2	91.3-97.1			
25-34	510	108,370	61	11.8	8.7-14.9	4	0.6	0.0- 1.2	443	86.9	83.6-90.2	2	0.7	0.0- 1.9
35-44	515	87,988	94	19.2	15.1-23.3	3	0.5	0.0- 1.1	414	79.5	75.4-83.6	4	0.8	0.0- 1.6
45-54	699	86,759	233	34.8	30.5-39.1	5	0.7	0.1- 1.3	450	63.0	58.7-67.3	11	1.5	0.5- 2.5
55-64	1137	95,672	487	44.2	40.9-47.5	3	0.2	0.0- 0.4	636	54.7	51.2-58.2	11	0.9	0.3- 1.5
65+	1786	113,000	1068	61.6	58.9-64.3	6	0.3	0.1- 0.5	696	37.3	34.6-40.0	16	0.8	0.4- 1.2
Less Than H.S.	299	51,419	170	45.2	37.8-52.6	1	0.2	0.0- 0.6	123	52.5	44.9-60.1	5	2.1	0.0- 4.5
H.S. or G.E.D.	1454	158,102	640	33.1	30.2-36.0	9	0.8	0.0- 1.6	794	65.6	62.5-68.7	11	0.5	0.1- 0.9
Some Post-H.S.	1605	232,286	648	29.5	27.0-32.0	4	0.2	0.0- 0.4	939	69.7	67.2-72.2	14	0.6	0.2- 1.0
College Graduate	1588	145,081	522	23.8	21.4-26.2	9	0.7	0.1- 1.3	1043	74.5	72.0-77.0	14	1.0	0.4- 1.6
Less than \$15,000	266	34,087	151	45.0	36.8-53.2	1	1.2	0.0- 3.6	114	53.8	45.6-62.0			
\$15,000- 24,999	546	65,514	278	37.5	32.0-43.0	2	0.2	0.0- 0.4	261	61.7	56.2-67.2	5	0.7	0.0- 1.5
\$25,000- 34,999	428	50,246	206	35.8	29.9-41.7				215	63.0	56.9-69.1	7	1.3	0.1- 2.5
\$35,000- 49,999	678	74,273	278	31.8	27.3-36.3	4	0.3	0.0- 0.7	392	67.4	62.9-71.9	4	0.5	0.0- 1.1
\$50,000- 74,999	768	90,365	287	28.0	24.3-31.7	2	0.2	0.0- 0.4	468	70.2	66.3-74.1	11	1.6	0.2- 3.0
\$75,000+	1560	188,518	483	24.7	22.2-27.2	10	0.8	0.2- 1.4	1052	73.7	71.2-76.2	15	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	301,632	893	31.0	28.6-33.4	1	0.0	0.0- 0.0	1315	67.7	65.3-70.1	32	1.3	0.7- 1.9
Native	76	11,439	36	37.3	23.4-51.2				40	62.7	48.8-76.6			
Non-Native	2133	285,071	848	30.8	28.4-33.2	1	0.0	0.0- 0.0	1252	67.8	65.4-70.2	32	1.4	0.8- 2.0
18-24	151	49,930	12	7.3	2.8-11.8				139	92.7	88.2-97.2			
25-34	290	58,601	39	12.6	8.5-16.7				249	86.1	81.6-90.6	2	1.3	0.0- 3.3
35-44	243	46,175	59	23.6	17.5-29.7				181	75.2	68.9-81.5	3	1.3	0.0- 2.9
45-54	340	44,998	128	37.1	31.0-43.2				201	60.1	54.0-66.2	11	2.8	1.0- 4.6
55-64	511	48,589	242	47.2	42.1-52.3				263	51.4	46.3-56.5	6	1.3	0.1- 2.5
65+	691	51,420	404	59.9	55.6-64.2	1	0.1	0.0- 0.3	276	38.8	34.5-43.1	10	1.2	0.4- 2.0
Less Than H.S.	167	33,289	90	40.8	31.6-50.0				74	56.6	47.2-66.0	3	2.7	0.0- 6.2
H.S. or G.E.D.	686	86,997	280	31.5	27.4-35.6	1	0.1	0.0- 0.3	400	67.8	63.7-71.9	5	0.6	0.0- 1.2
Some Post-H.S.	678	111,325	278	30.5	26.6-34.4				388	68.3	64.4-72.2	12	1.2	0.4- 2.0
College Graduate	706	69,205	244	26.5	22.8-30.2				450	71.8	67.9-75.7	12	1.7	0.5- 2.9
Less than \$15,000	87	13,161	45	50.0	36.5-63.5				42	50.0	36.5-63.5			
\$15,000- 24,999	208	31,718	100	35.6	27.6-43.6				105	63.3	55.1-71.5	3	1.1	0.0- 2.7
\$25,000- 34,999	182	24,693	80	30.4	22.4-38.4				100	68.3	60.3-76.3	2	1.3	0.0- 3.3
\$35,000- 49,999	310	39,677	129	33.4	26.7-40.1				178	65.9	59.2-72.6	3	0.6	0.0- 1.4
\$50,000- 74,999	393	49,112	153	30.0	24.7-35.3				231	67.3	61.6-73.0	9	2.7	0.2- 5.2
\$75,000+	822	106,190	290	28.3	24.8-31.8	1	0.1	0.0- 0.3	518	70.3	66.8-73.8	13	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	286,781	1091	29.8	27.6-32.0	22	1.0	0.4- 1.6	1594	69.0	66.8-71.2	12	0.3	0.1- 0.5
Native	97	12,567	44	38.4	25.5-51.3	1	3.3	0.0- 9.6	52	58.4	45.1-71.7			
Non-Native	2600	271,501	1039	29.3	27.1-31.5	20	0.8	0.4- 1.2	1529	69.6	67.4-71.8	12	0.3	0.1- 0.5
18-24	119	42,182	3	2.2	0.0- 4.7	2	1.8	0.0- 4.3	114	96.0	92.5-99.5			
25-34	220	49,769	22	10.8	5.9-15.7	4	1.2	0.0- 2.6	194	88.0	82.9-93.1			
35-44	272	41,813	35	14.3	9.0-19.6	3	1.0	0.0- 2.2	233	84.3	78.8-89.8	1	0.4	0.0- 1.2
45-54	359	41,761	105	32.4	26.3-38.5	5	1.4	0.0- 2.8	249	66.1	60.0-72.2			
55-64	626	47,083	245	41.0	36.3-45.7	3	0.3	0.0- 0.7	373	58.1	53.4-62.8	5	0.6	0.0- 1.2
65+	1095	61,580	664	62.9	59.6-66.2	5	0.4	0.0- 0.8	420	36.2	32.9-39.5	6	0.5	0.1- 0.9
Less Than H.S.	132	18,130	80	53.4	41.4-65.4	1	0.5	0.0- 1.5	49	45.1	32.9-57.3	2	1.0	0.0- 2.4
H.S. or G.E.D.	768	71,105	360	35.0	30.5-39.5	8	1.7	0.1- 3.3	394	62.9	58.4-67.4	6	0.4	0.0- 0.8
Some Post-H.S.	927	120,961	370	28.6	25.1-32.1	4	0.3	0.0- 0.7	551	71.0	67.5-74.5	2	0.1	0.1- 0.1
College Graduate	882	75,875	278	21.3	18.2-24.4	9	1.4	0.2- 2.6	593	77.0	73.9-80.1	2	0.3	0.0- 0.7
Less than \$15,000	179	20,926	106	41.8	31.8-51.8	1	2.0	0.0- 5.7	72	56.2	46.0-66.4			
\$15,000- 24,999	338	33,795	178	39.2	31.8-46.6	2	0.4	0.0- 1.0	156	60.2	52.8-67.6	2	0.2	0.0- 0.6
\$25,000- 34,999	246	25,553	126	40.9	32.3-49.5				115	57.8	49.2-66.4	5	1.3	0.0- 2.7
\$35,000- 49,999	368	34,596	149	29.9	23.8-36.0	4	0.7	0.0- 1.5	214	69.0	62.9-75.1	1	0.3	0.0- 0.9
\$50,000- 74,999	375	41,253	134	25.6	20.3-30.9	2	0.4	0.0- 1.0	237	73.7	68.4-79.0	2	0.3	0.0- 0.7
\$75,000+	738	82,328	193	20.1	16.8-23.4	9	1.8	0.4- 3.2	534	78.0	74.5-81.5	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1983	178,712	1707	80.6	78.1-83.1	276	19.4	16.9-21.9
Male	892	93,296	728	75.1	71.2-79.0	164	24.9	21.0-28.8
Female	1091	85,415	979	86.7	83.8-89.6	112	13.3	10.4-16.2
Native	80	9,088	65	78.4	67.2-89.6	15	21.6	10.4-32.8
Non-Native	1886	167,355	1628	80.7	78.2-83.2	258	19.3	16.8-21.8
25-34	61	12,772	17	29.8	16.3-43.3	44	70.2	56.7-83.7
35-44	94	16,868	55	62.8	51.6-74.0	39	37.2	26.0-48.4
45-54	233	30,226	186	81.8	76.3-87.3	47	18.2	12.7-23.7
55-64	487	42,271	422	85.8	82.1-89.5	65	14.2	10.5-17.9
65+	1068	69,562	1003	94.5	92.9-96.1	65	5.5	3.9- 7.1
Less Than H.S.	170	23,264	154	84.5	76.3-92.7	16	15.5	7.3-23.7
H.S. or G.E.D.	640	52,340	551	79.2	74.5-83.9	89	20.8	16.1-25.5
Some Post-H.S.	648	68,514	547	80.1	76.0-84.2	101	19.9	15.8-24.0
College Graduate	522	34,478	452	81.2	76.3-86.1	70	18.8	13.9-23.7
Less than \$15,000	151	15,328	127	80.6	72.0-89.2	24	19.4	10.8-28.0
\$15,000- 24,999	278	24,545	249	83.5	76.1-90.9	29	16.5	9.1-23.9
\$25,000- 34,999	206	17,968	176	79.5	71.7-87.3	30	20.5	12.7-28.3
\$35,000- 49,999	278	23,611	237	78.8	71.2-86.4	41	21.2	13.6-28.8
\$50,000- 74,999	287	25,292	245	75.8	68.4-83.2	42	24.2	16.8-31.6
\$75,000+	483	46,634	410	81.7	77.4-86.0	73	18.3	14.0-22.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	892	93,296	728	75.1	71.2-79.0	164	24.9	21.0-28.8
Non-Native	847	87,688	694	75.3	71.4-79.2	153	24.7	20.8-28.6
35-44	59	10,875	34	58.4	43.9-72.9	25	41.6	27.1-56.1
45-54	128	16,683	95	75.7	67.3-84.1	33	24.3	15.9-32.7
55-64	242	22,955	208	84.3	78.8-89.8	34	15.7	10.2-21.2
65+	404	30,815	375	93.4	90.7-96.1	29	6.6	3.9-9.3
Less Than H.S.	90	13,579	77	79.7	68.3-91.1	13	20.3	8.9-31.7
H.S. or G.E.D.	280	27,437	231	75.0	67.9-82.1	49	25.0	17.9-32.1
Some Post-H.S.	278	33,970	213	72.1	65.6-78.6	65	27.9	21.4-34.4
College Graduate	244	18,311	207	77.2	69.6-84.8	37	22.8	15.2-30.4
\$15,000- 24,999	100	11,286	86	81.5	70.9-92.1	14	18.5	7.9-29.1
\$25,000- 34,999	80	7,506	64	74.5	62.0-87.0	16	25.5	13.0-38.0
\$35,000- 49,999	129	13,262	102	70.9	59.3-82.5	27	29.1	17.5-40.7
\$50,000- 74,999	153	14,719	127	70.6	60.0-81.2	26	29.4	18.8-40.0
\$75,000+	290	30,066	239	77.9	71.8-84.0	51	22.1	16.0-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1091	85,415	979	86.7	83.8-89.6	112	13.3	10.4-16.2
Non-Native	1039	79,667	934	86.6	83.5-89.7	105	13.4	10.3-16.5
45-54	105	13,544	91	89.4	83.3-95.5	14	10.6	4.5-16.7
55-64	245	19,316	214	87.5	82.6-92.4	31	12.5	7.6-17.4
65+	664	38,747	628	95.4	93.6-97.2	36	4.6	2.8- 6.4
Less Than H.S.	80	9,684	77	91.2	79.8- 100	3	8.8	0.0-20.2
H.S. or G.E.D.	360	24,903	320	83.8	77.9-89.7	40	16.2	10.3-22.1
Some Post-H.S.	370	34,544	334	87.9	83.2-92.6	36	12.1	7.4-16.8
College Graduate	278	16,167	245	85.6	80.3-90.9	33	14.4	9.1-19.7
Less than \$15,000	106	8,748	96	90.8	84.5-97.1	10	9.2	2.9-15.5
\$15,000- 24,999	178	13,259	163	85.1	74.7-95.5	15	14.9	4.5-25.3
\$25,000- 34,999	126	10,462	112	83.2	73.2-93.2	14	16.8	6.8-26.8
\$35,000- 49,999	149	10,349	135	88.9	80.7-97.1	14	11.1	2.9-19.3
\$50,000- 74,999	134	10,573	118	83.0	74.2-91.8	16	17.0	8.2-25.8
\$75,000+	193	16,568	171	88.5	83.4-93.6	22	11.5	6.4-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4885	574,865	4262	76.3	74.3-78.3	623	23.7	21.7-25.7
Male	2210	294,653	1860	73.9	71.2-76.6	350	26.1	23.4-28.8
Female	2675	280,212	2402	78.8	76.3-81.3	273	21.2	18.7-23.7
Native	169	23,136	139	74.6	64.8-84.4	30	25.4	15.6-35.2
Non-Native	4664	544,541	4076	76.3	74.3-78.3	588	23.7	21.7-25.7
18-24	252	86,566	93	35.3	28.8-41.8	159	64.7	58.2-71.2
25-34	487	104,553	297	60.2	55.3-65.1	190	39.8	34.9-44.7
35-44	504	85,643	397	75.2	70.5-79.9	107	24.8	20.1-29.5
45-54	695	86,401	634	90.2	87.5-92.9	61	9.8	7.1-12.5
55-64	1131	95,061	1079	94.3	92.5-96.1	52	5.7	3.9- 7.5
65+	1771	111,947	1724	97.4	96.4-98.4	47	2.6	1.6- 3.6
Less Than H.S.	295	51,085	249	69.3	61.1-77.5	46	30.7	22.5-38.9
H.S. or G.E.D.	1430	153,631	1196	70.0	66.5-73.5	234	30.0	26.5-33.5
Some Post-H.S.	1580	226,708	1373	76.1	73.0-79.2	207	23.9	20.8-27.0
College Graduate	1566	141,916	1433	86.0	83.5-88.5	133	14.0	11.5-16.5
Less than \$15,000	258	32,458	217	71.0	62.4-79.6	41	29.0	20.4-37.6
\$15,000- 24,999	536	63,758	447	68.3	61.8-74.8	89	31.7	25.2-38.2
\$25,000- 34,999	422	49,681	353	69.6	62.9-76.3	69	30.4	23.7-37.1
\$35,000- 49,999	672	72,740	587	76.0	70.7-81.3	85	24.0	18.7-29.3
\$50,000- 74,999	763	89,339	663	77.3	73.0-81.6	100	22.7	18.4-27.0
\$75,000+	1541	185,526	1394	83.8	81.1-86.5	147	16.2	13.5-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2210	294,653	1860	73.9	71.2-76.6	350	26.1	23.4-28.8
Native	75	11,337	60	67.8	52.1-83.5	15	32.2	16.5-47.9
Non-Native	2103	278,195	1773	74.1	71.4-76.8	330	25.9	23.2-28.6
18-24	144	47,798	57	36.7	27.9-45.5	87	63.3	54.5-72.1
25-34	280	56,400	167	57.8	51.3-64.3	113	42.2	35.7-48.7
35-44	238	45,017	180	72.1	65.2-79.0	58	27.9	21.0-34.8
45-54	337	44,394	294	87.9	84.0-91.8	43	12.1	8.2-16.0
55-64	508	48,376	476	92.5	89.8-95.2	32	7.5	4.8-10.2
65+	688	50,749	674	98.1	96.7-99.5	14	1.9	0.5- 3.3
Less Than H.S.	164	32,632	135	69.6	59.2-80.0	29	30.4	20.0-40.8
H.S. or G.E.D.	675	84,785	534	67.4	62.5-72.3	141	32.6	27.7-37.5
Some Post-H.S.	667	108,332	553	72.9	68.2-77.6	114	27.1	22.4-31.8
College Graduate	700	68,089	636	86.1	82.6-89.6	64	13.9	10.4-17.4
Less than \$15,000	87	13,161	70	71.8	58.3-85.3	17	28.2	14.7-41.7
\$15,000- 24,999	204	30,796	160	66.0	56.4-75.6	44	34.0	24.4-43.6
\$25,000- 34,999	179	24,390	140	64.7	54.5-74.9	39	35.3	25.1-45.5
\$35,000- 49,999	309	39,201	258	72.9	65.3-80.5	51	27.1	19.5-34.7
\$50,000- 74,999	391	48,609	332	75.7	69.6-81.8	59	24.3	18.2-30.4
\$75,000+	811	103,889	721	82.3	78.4-86.2	90	17.7	13.8-21.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2675	280,212	2402	78.8	76.3-81.3	273	21.2	18.7-23.7
Native	94	11,799	79	81.1	70.1-92.1	15	18.9	7.9-29.9
Non-Native	2561	266,346	2303	78.5	75.8-81.2	258	21.5	18.8-24.2
18-24	108	38,768	36	33.6	24.0-43.2	72	66.4	56.8-76.0
25-34	207	48,152	130	63.0	55.4-70.6	77	37.0	29.4-44.6
35-44	266	40,626	217	78.6	72.3-84.9	49	21.4	15.1-27.7
45-54	358	42,007	340	92.6	88.9-96.3	18	7.4	3.7-11.1
55-64	623	46,685	603	96.3	94.3-98.3	20	3.7	1.7- 5.7
65+	1083	61,198	1050	96.8	95.6-98.0	33	3.2	2.0- 4.4
Less Than H.S.	131	18,453	114	68.8	55.7-81.9	17	31.2	18.1-44.3
H.S. or G.E.D.	755	68,846	662	73.2	68.1-78.3	93	26.8	21.7-31.9
Some Post-H.S.	913	118,376	820	79.0	74.7-83.3	93	21.0	16.7-25.3
College Graduate	866	73,827	797	86.0	82.5-89.5	69	14.0	10.5-17.5
Less than \$15,000	171	19,296	147	70.5	59.3-81.7	24	29.5	18.3-40.7
\$15,000- 24,999	332	32,962	287	70.4	61.8-79.0	45	29.6	21.0-38.2
\$25,000- 34,999	243	25,292	213	74.4	65.6-83.2	30	25.6	16.8-34.4
\$35,000- 49,999	363	33,539	329	79.6	72.2-87.0	34	20.4	13.0-27.8
\$50,000- 74,999	372	40,730	331	79.3	72.8-85.8	41	20.7	14.2-27.2
\$75,000+	730	81,636	673	85.8	81.9-89.7	57	14.2	10.3-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4210	432,097	3120	68.5	66.5-70.5	532	14.6	13.0-16.2	364	11.4	10.0-12.8	194	5.5	4.5- 6.5
Male	1836	213,903	1343	68.7	66.0-71.4	222	13.0	11.0-15.0	167	11.4	9.4-13.4	104	6.9	5.3- 8.5
Female	2374	218,194	1777	68.4	65.7-71.1	310	16.1	13.9-18.3	197	11.3	9.3-13.3	90	4.2	3.0- 5.4
Native	138	17,237	106	73.4	62.4-84.4	21	19.6	9.0-30.2	6	4.0	0.5- 7.5	5	3.0	0.1- 5.9
Non-Native	4025	408,860	2980	68.3	66.3-70.3	508	14.5	12.9-16.1	350	11.6	10.0-13.2	187	5.6	4.6- 6.6
18-24	89	29,246	38	45.3	33.9-56.7	21	21.2	12.0-30.4	23	25.2	15.2-35.2	7	8.2	2.1-14.3
25-34	291	61,360	144	48.1	41.6-54.6	70	24.8	19.1-30.5	52	18.4	13.1-23.7	25	8.7	5.2-12.2
35-44	391	63,803	211	58.0	52.3-63.7	72	15.6	11.7-19.5	75	19.2	14.5-23.9	33	7.2	4.5- 9.9
45-54	629	77,364	438	70.0	65.7-74.3	85	14.7	11.2-18.2	77	10.9	8.2-13.6	29	4.3	2.3- 6.3
55-64	1072	88,999	808	74.9	71.8-78.0	130	12.2	9.8-14.6	75	7.0	5.2- 8.8	59	5.9	4.1- 7.7
65+	1703	107,539	1452	86.0	84.0-88.0	152	8.6	7.0-10.2	59	2.8	2.0- 3.6	40	2.6	1.6- 3.6
Less Than H.S.	242	34,685	193	72.0	63.8-80.2	24	12.4	6.1-18.7	12	6.5	1.8-11.2	13	9.1	3.8-14.4
H.S. or G.E.D.	1181	105,641	914	73.6	70.1-77.1	131	12.7	10.0-15.4	88	9.3	6.8-11.8	48	4.4	3.0- 5.8
Some Post-H.S.	1355	169,398	1010	68.1	64.8-71.4	165	14.4	11.9-16.9	119	12.4	9.9-14.9	61	5.1	3.5- 6.7
College Graduate	1423	121,456	995	63.6	60.3-66.9	212	17.3	14.6-20.0	144	13.0	10.6-15.4	72	6.1	4.3- 7.9
Less than \$15,000	216	23,031	172	68.7	59.1-78.3	25	17.7	9.1-26.3	10	4.6	1.3- 7.9	9	9.0	2.7-15.3
\$15,000- 24,999	442	42,800	339	69.5	63.0-76.0	44	13.7	8.6-18.8	38	10.3	6.2-14.4	21	6.4	2.9- 9.9
\$25,000- 34,999	347	33,914	264	71.4	64.1-78.7	40	14.5	8.8-20.2	28	11.3	5.8-16.8	15	2.7	1.1- 4.3
\$35,000- 49,999	582	54,879	447	71.8	66.7-76.9	69	12.4	8.7-16.1	42	9.7	6.0-13.4	24	6.0	3.3- 8.7
\$50,000- 74,999	657	67,963	493	68.4	63.5-73.3	81	13.8	10.3-17.3	54	11.9	8.2-15.6	29	5.8	3.4- 8.2
\$75,000+	1386	154,610	955	64.2	60.9-67.5	211	16.3	13.8-18.8	150	14.0	11.5-16.5	70	5.5	3.9- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	213,903	1343	68.7	66.0-71.4	222	13.0	11.0-15.0	167	11.4	9.4-13.4	104	6.9	5.3- 8.5
Native	60	7,688	49	83.0	71.8-94.2	4	6.7	0.0-14.0	4	6.3	0.0-13.4	3	4.1	0.0- 9.6
Non-Native	1749	202,282	1278	68.3	65.4-71.2	216	13.4	11.2-15.6	156	11.4	9.2-13.6	99	6.9	5.3- 8.5
18-24	54	16,391	24	46.3	31.4-61.2	11	17.7	6.7-28.7	15	26.8	13.7-39.9	4	9.2	0.4-18.0
25-34	162	31,432	82	51.1	42.5-59.7	35	22.9	15.5-30.3	27	14.3	8.4-20.2	18	11.7	6.0-17.4
35-44	179	32,340	93	56.7	48.3-65.1	40	17.8	11.9-23.7	28	16.4	10.1-22.7	18	9.1	4.6-13.6
45-54	292	38,687	205	69.9	63.6-76.2	32	12.0	7.3-16.7	38	12.9	8.6-17.2	17	5.1	2.2- 8.0
55-64	472	44,360	357	75.3	70.8-79.8	49	9.4	6.5-12.3	38	8.4	5.5-11.3	28	6.8	4.1- 9.5
65+	666	49,151	574	88.3	85.8-90.8	55	6.4	4.6- 8.2	19	2.5	1.1- 3.9	18	2.8	1.2- 4.4
Less Than H.S.	132	22,319	102	70.6	60.2-81.0	10	7.0	1.7-12.3	10	9.5	2.2-16.8	10	12.8	4.8-20.8
H.S. or G.E.D.	525	55,759	393	71.0	65.9-76.1	64	13.3	9.6-17.0	43	10.4	6.7-14.1	25	5.4	3.0- 7.8
Some Post-H.S.	544	77,083	405	70.4	65.5-75.3	60	12.1	8.6-15.6	49	11.2	7.7-14.7	30	6.3	3.8- 8.8
College Graduate	633	58,395	442	63.6	58.9-68.3	88	16.3	12.6-20.0	64	13.3	9.8-16.8	39	6.8	4.3- 9.3
Less than \$15,000	70	9,450	53	70.0	56.1-83.9	8	10.2	1.8-18.6	3	4.7	0.0-10.6	6	15.0	3.0-27.0
\$15,000- 24,999	158	19,832	116	70.5	60.9-80.1	16	9.3	3.2-15.4	15	10.6	4.3-16.9	11	9.6	2.9-16.3
\$25,000- 34,999	137	15,289	109	78.3	68.3-88.3	10	6.9	1.4-12.4	15	13.4	4.6-22.2	3	1.4	0.0- 3.2
\$35,000- 49,999	257	28,536	193	71.1	63.7-78.5	32	12.5	7.0-18.0	17	8.7	3.8-13.6	15	7.7	3.6-11.8
\$50,000- 74,999	328	36,152	247	68.0	61.3-74.7	34	13.5	8.8-18.2	31	12.7	7.6-17.8	16	5.8	2.7- 8.9
\$75,000+	717	84,946	496	64.6	60.1-69.1	106	15.9	12.4-19.4	70	12.7	9.4-16.0	45	6.9	4.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	218,194	1777	68.4	65.7-71.1	310	16.1	13.9-18.3	197	11.3	9.3-13.3	90	4.2	3.0- 5.4
Native	78	9,549	57	65.7	49.4-82.0	17	30.0	13.5-46.5	2	2.2	0.0- 5.5	2	2.0	0.0- 4.9
Non-Native	2276	206,579	1702	68.2	65.5-70.9	292	15.6	13.4-17.8	194	11.8	9.6-14.0	88	4.3	3.1- 5.5
25-34	129	29,928	62	44.9	35.3-54.5	35	26.7	17.9-35.5	25	22.7	14.1-31.3	7	5.6	1.3- 9.9
35-44	212	31,463	118	59.2	51.4-67.0	32	13.4	8.3-18.5	47	22.1	15.4-28.8	15	5.2	2.3- 8.1
45-54	337	38,677	233	70.1	64.0-76.2	53	17.5	12.0-23.0	39	8.9	6.0-11.8	12	3.5	1.1- 5.9
55-64	600	44,639	451	74.4	70.3-78.5	81	14.9	11.4-18.4	37	5.7	3.7- 7.7	31	5.0	3.0- 7.0
65+	1037	58,387	878	84.1	81.2-87.0	97	10.4	7.9-12.9	40	3.1	2.1- 4.1	22	2.3	1.1- 3.5
Less Than H.S.	110	12,365	91	74.4	61.1-87.7	14	22.0	8.5-35.5	2	1.1	0.0- 2.7	3	2.5	0.0- 5.2
H.S. or G.E.D.	656	49,882	521	76.6	71.9-81.3	67	12.0	8.3-15.7	45	8.2	5.1-11.3	23	3.3	1.7- 4.9
Some Post-H.S.	811	92,315	605	66.2	61.5-70.9	105	16.3	12.6-20.0	70	13.5	9.8-17.2	31	4.1	2.3- 5.9
College Graduate	790	63,061	553	63.6	59.1-68.1	124	18.2	14.5-21.9	80	12.7	9.6-15.8	33	5.5	3.1- 7.9
Less than \$15,000	146	13,580	119	67.7	54.8-80.6	17	22.8	10.1-35.5	7	4.6	0.7- 8.5	3	4.8	0.0-11.1
\$15,000- 24,999	284	22,968	223	68.7	59.9-77.5	28	17.5	9.7-25.3	23	10.1	4.4-15.8	10	3.6	0.7- 6.5
\$25,000- 34,999	210	18,625	155	65.8	55.8-75.8	30	20.8	11.8-29.8	13	9.6	2.7-16.5	12	3.8	1.4- 6.2
\$35,000- 49,999	325	26,343	254	72.6	65.3-79.9	37	12.4	7.5-17.3	25	10.9	5.4-16.4	9	4.1	0.6- 7.6
\$50,000- 74,999	329	31,811	246	68.9	61.8-76.0	47	14.2	9.1-19.3	23	11.0	5.5-16.5	13	5.8	2.1- 9.5
\$75,000+	669	69,664	459	63.9	59.0-68.8	105	16.8	13.1-20.5	80	15.5	11.4-19.6	25	3.8	2.0- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4230	435,684	1765	35.0	33.2-36.8	2465	65.0	63.2-66.8
Male	1845	216,270	747	35.0	32.3-37.7	1098	65.0	62.3-67.7
Female	2385	219,414	1018	35.1	32.6-37.6	1367	64.9	62.4-67.4
Native	138	17,184	47	28.3	19.1-37.5	91	71.7	62.5-80.9
Non-Native	4045	412,500	1693	35.1	33.3-36.9	2352	64.9	63.1-66.7
18-24	93	30,545	4	4.3	0.0- 8.6	89	95.7	91.4- 100
25-34	295	62,805	37	12.8	8.5-17.1	258	87.2	82.9-91.5
35-44	395	64,088	81	21.4	16.5-26.3	314	78.6	73.7-83.5
45-54	629	77,146	225	37.8	33.3-42.3	404	62.2	57.7-66.7
55-64	1073	89,215	484	45.4	41.9-48.9	589	54.6	51.1-58.1
65+	1709	107,974	916	54.0	51.1-56.9	793	46.0	43.1-48.9
Less Than H.S.	248	35,306	116	41.8	34.0-49.6	132	58.2	50.4-66.0
H.S. or G.E.D.	1183	106,279	525	38.5	35.0-42.0	658	61.5	58.0-65.0
Some Post-H.S.	1364	171,431	599	35.5	32.4-38.6	765	64.5	61.4-67.6
College Graduate	1424	121,687	521	29.3	26.4-32.2	903	70.7	67.8-73.6
Less than \$15,000	215	22,942	103	42.3	33.3-51.3	112	57.7	48.7-66.7
\$15,000- 24,999	444	43,312	203	37.8	31.5-44.1	241	62.2	55.9-68.5
\$25,000- 34,999	350	34,187	160	40.7	33.6-47.8	190	59.3	52.2-66.4
\$35,000- 49,999	581	54,799	246	33.0	28.3-37.7	335	67.0	62.3-71.7
\$50,000- 74,999	662	69,082	286	36.7	32.2-41.2	376	63.3	58.8-67.8
\$75,000+	1390	154,962	491	30.3	27.4-33.2	899	69.7	66.8-72.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	216,270	747	35.0	32.3-37.7	1098	65.0	62.3-67.7
Native	59	7,618	18	22.9	10.9-34.9	41	77.1	65.1-89.1
Non-Native	1759	204,719	717	35.3	32.6-38.0	1042	64.7	62.0-67.4
18-24	57	17,529	3	5.5	0.0-12.0	54	94.5	88.0- 100
25-34	165	32,477	20	11.9	6.4-17.4	145	88.1	82.6-93.6
35-44	179	32,359	39	21.5	14.6-28.4	140	78.5	71.6-85.4
45-54	290	38,501	124	44.3	37.4-51.2	166	55.7	48.8-62.6
55-64	473	44,478	220	46.7	41.4-52.0	253	53.3	48.0-58.6
65+	669	49,296	337	51.7	47.2-56.2	332	48.3	43.8-52.8
Less Than H.S.	134	22,603	59	39.0	28.8-49.2	75	61.0	50.8-71.2
H.S. or G.E.D.	529	56,704	223	37.0	31.9-42.1	306	63.0	57.9-68.1
Some Post-H.S.	548	78,200	234	34.8	30.1-39.5	314	65.2	60.5-69.9
College Graduate	632	58,416	231	31.9	27.4-36.4	401	68.1	63.6-72.6
Less than \$15,000	70	9,450	35	52.1	37.2-67.0	35	47.9	33.0-62.8
\$15,000- 24,999	159	20,231	63	33.0	24.0-42.0	96	67.0	58.0-76.0
\$25,000- 34,999	138	15,644	52	34.2	24.0-44.4	86	65.8	55.6-76.0
\$35,000- 49,999	254	28,350	110	34.8	27.7-41.9	144	65.2	58.1-72.3
\$50,000- 74,999	332	36,820	150	39.1	32.6-45.6	182	60.9	54.4-67.4
\$75,000+	718	85,008	261	31.5	27.4-35.6	457	68.5	64.4-72.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2385	219,414	1018	35.1	32.7-37.5	1367	64.9	62.5-67.3
Native	79	9,566	29	32.6	19.1-46.1	50	67.4	53.9-80.9
Non-Native	2286	207,781	976	34.9	32.4-37.4	1310	65.1	62.6-67.6
25-34	130	30,327	17	13.7	7.0-20.4	113	86.3	79.6-93.0
35-44	216	31,729	42	21.3	14.4-28.2	174	78.7	71.8-85.6
45-54	339	38,644	101	31.3	25.4-37.2	238	68.7	62.8-74.6
55-64	600	44,737	264	44.2	39.5-48.9	336	55.8	51.1-60.5
65+	1040	58,679	579	55.9	52.2-59.6	461	44.1	40.4-47.8
Less Than H.S.	114	12,703	57	46.7	34.7-58.7	57	53.3	41.3-65.3
H.S. or G.E.D.	654	49,575	302	40.2	35.1-45.3	352	59.8	54.7-64.9
Some Post-H.S.	816	93,231	365	36.0	31.9-40.1	451	64.0	59.9-68.1
College Graduate	792	63,270	290	27.0	23.3-30.7	502	73.0	69.3-76.7
Less than \$15,000	145	13,491	68	35.4	25.2-45.6	77	64.6	54.4-74.8
\$15,000- 24,999	285	23,081	140	42.1	33.9-50.3	145	57.9	49.7-66.1
\$25,000- 34,999	212	18,544	108	46.2	36.4-56.0	104	53.8	44.0-63.6
\$35,000- 49,999	327	26,449	136	30.9	24.6-37.2	191	69.1	62.8-75.4
\$50,000- 74,999	330	32,262	136	33.9	27.6-40.2	194	66.1	59.8-72.4
\$75,000+	672	69,953	230	28.8	24.7-32.9	442	71.2	67.1-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4953	588,694	291	3.9	3.3- 4.5	4662	96.1	95.5-96.7
Male	2236	300,987	185	5.1	4.1- 6.1	2051	94.9	93.9-95.9
Female	2717	287,707	106	2.6	2.0- 3.2	2611	97.4	96.8-98.0
Native	173	24,005	19	8.2	3.9-12.5	154	91.8	87.5-96.1
Non-Native	4726	556,854	268	3.7	3.1- 4.3	4458	96.3	95.7-96.9
18-24	270	92,112				270	100.0	100.0- 100
25-34	510	108,836	1	0.2	0.0- 0.6	509	99.8	99.4- 100
35-44	513	87,540	4	0.6	0.0- 1.4	509	99.4	98.6- 100
45-54	700	87,200	22	3.8	2.0- 5.6	678	96.2	94.4-98.0
55-64	1137	95,804	64	5.9	4.3- 7.5	1073	94.1	92.5-95.7
65+	1778	112,574	196	11.5	9.7-13.3	1582	88.5	86.7-90.3
Less Than H.S.	297	51,478	32	7.7	4.6-10.8	265	92.3	89.2-95.4
H.S. or G.E.D.	1449	157,897	109	4.9	3.7- 6.1	1340	95.1	93.9-96.3
Some Post-H.S.	1603	232,473	82	3.1	2.3- 3.9	1521	96.9	96.1-97.7
College Graduate	1591	145,368	65	2.4	1.8- 3.0	1526	97.6	97.0-98.2
Less than \$15,000	264	34,006	39	9.3	5.8-12.8	225	90.7	87.2-94.2
\$15,000- 24,999	538	64,911	42	6.5	4.1- 8.9	496	93.5	91.1-95.9
\$25,000- 34,999	427	49,848	41	5.8	3.8- 7.8	386	94.2	92.2-96.2
\$35,000- 49,999	677	74,197	50	4.1	2.7- 5.5	627	95.9	94.5-97.3
\$50,000- 74,999	769	90,518	44	4.0	2.4- 5.6	725	96.0	94.4-97.6
\$75,000+	1561	189,241	39	2.0	1.2- 2.8	1522	98.0	97.2-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2236	300,987	185	5.1	4.1- 6.1	2051	94.9	93.9-95.9
Native	76	11,439	11	9.2	2.9-15.5	65	90.8	84.5-97.1
Non-Native	2128	284,427	172	4.9	3.9- 5.9	1956	95.1	94.1-96.1
18-24	151	49,930				151	100.0	100.0- 100
25-34	289	58,464				289	100.0	100.0- 100
35-44	241	45,727	2	0.8	0.0- 2.0	239	99.2	98.0- 100
45-54	340	44,998	14	4.9	2.2- 7.6	326	95.1	92.4-97.8
55-64	512	48,759	48	9.1	6.4-11.8	464	90.9	88.2-93.6
65+	688	51,189	120	16.1	13.0-19.2	568	83.9	80.8-87.0
Less Than H.S.	166	32,892	24	9.3	5.2-13.4	142	90.7	86.6-94.8
H.S. or G.E.D.	682	86,658	70	5.9	4.3- 7.5	612	94.1	92.5-95.7
Some Post-H.S.	677	111,245	45	3.8	2.4- 5.2	632	96.2	94.8-97.6
College Graduate	707	69,378	45	3.5	2.3- 4.7	662	96.5	95.3-97.7
Less than \$15,000	87	13,161	20	14.8	7.2-22.4	67	85.2	77.6-92.8
\$15,000- 24,999	203	31,325	19	6.2	2.9- 9.5	184	93.8	90.5-97.1
\$25,000- 34,999	181	24,295	28	8.3	4.8-11.8	153	91.7	88.2-95.2
\$35,000- 49,999	310	39,660	36	5.9	3.7- 8.1	274	94.1	91.9-96.3
\$50,000- 74,999	393	49,112	33	5.5	3.1- 7.9	360	94.5	92.1-96.9
\$75,000+	822	106,310	33	3.2	1.8- 4.6	789	96.8	95.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	287,707	106	2.6	2.0- 3.2	2611	97.4	96.8-98.0
Native	97	12,567	8	7.3	1.2-13.4	89	92.7	86.6-98.8
Non-Native	2598	272,427	96	2.4	1.8- 3.0	2502	97.6	97.0-98.2
18-24	119	42,182				119	100.0	100.0- 100
25-34	221	50,372	1	0.4	0.0- 1.2	220	99.6	98.8- 100
35-44	272	41,813	2	0.4	0.0- 1.0	270	99.6	99.0- 100
45-54	360	42,202	8	2.7	0.5- 4.9	352	97.3	95.1-99.5
55-64	625	47,045	16	2.6	1.2- 4.0	609	97.4	96.0-98.8
65+	1090	61,385	76	7.6	5.6- 9.6	1014	92.4	90.4-94.4
Less Than H.S.	131	18,586	8	4.9	0.8- 9.0	123	95.1	91.0-99.2
H.S. or G.E.D.	767	71,239	39	3.6	2.2- 5.0	728	96.4	95.0-97.8
Some Post-H.S.	926	121,228	37	2.5	1.5- 3.5	889	97.5	96.5-98.5
College Graduate	884	75,990	20	1.3	0.7- 1.9	864	98.7	98.1-99.3
Less than \$15,000	177	20,844	19	5.8	2.7- 8.9	158	94.2	91.1-97.3
\$15,000- 24,999	335	33,586	23	6.8	3.5-10.1	312	93.2	89.9-96.5
\$25,000- 34,999	246	25,553	13	3.5	1.3- 5.7	233	96.5	94.3-98.7
\$35,000- 49,999	367	34,536	14	1.9	0.7- 3.1	353	98.1	96.9-99.3
\$50,000- 74,999	376	41,406	11	2.1	0.1- 4.1	365	97.9	95.9-99.9
\$75,000+	739	82,931	6	0.4	0.0- 0.8	733	99.6	99.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4928	587,032	265	3.6	3.0- 4.2	4663	96.4	95.8-97.0
Male	2226	300,379	153	4.1	3.3- 4.9	2073	95.9	95.1-96.7
Female	2702	286,653	112	3.1	2.3- 3.9	2590	96.9	96.1-97.7
Native	173	24,005	16	8.9	2.4-15.4	157	91.1	84.6-97.6
Non-Native	4703	555,304	247	3.4	2.8- 4.0	4456	96.6	96.0-97.2
18-24	270	92,112				270	100.0	100.0- 100
25-34	509	108,664	1	0.2	0.0- 0.6	508	99.8	99.4- 100
35-44	514	87,674	4	0.7	0.0- 1.5	510	99.3	98.5- 100
45-54	696	86,848	21	4.2	2.0- 6.4	675	95.8	93.6-98.0
55-64	1134	95,510	55	5.2	3.6- 6.8	1079	94.8	93.2-96.4
65+	1760	111,597	183	10.6	8.8-12.4	1577	89.4	87.6-91.2
Less Than H.S.	296	51,474	28	8.8	4.9-12.7	268	91.2	87.3-95.1
H.S. or G.E.D.	1441	157,668	87	4.0	3.0- 5.0	1354	96.0	95.0-97.0
Some Post-H.S.	1593	231,379	85	2.9	2.1- 3.7	1508	97.1	96.3-97.9
College Graduate	1584	144,986	64	2.5	1.7- 3.3	1520	97.5	96.7-98.3
Less than \$15,000	259	33,545	28	9.7	4.8-14.6	231	90.3	85.4-95.2
\$15,000- 24,999	537	64,468	45	6.5	4.1- 8.9	492	93.5	91.1-95.9
\$25,000- 34,999	424	49,950	31	3.9	2.1- 5.7	393	96.1	94.3-97.9
\$35,000- 49,999	671	73,915	38	3.0	2.0- 4.0	633	97.0	96.0-98.0
\$50,000- 74,999	766	90,417	39	3.3	2.1- 4.5	727	96.7	95.5-97.9
\$75,000+	1560	189,175	48	2.2	1.4- 3.0	1512	97.8	97.0-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2226	300,379	153	4.1	3.3- 4.9	2073	95.9	95.1-96.7
Native	76	11,439	9	7.4	1.7-13.1	67	92.6	86.9-98.3
Non-Native	2120	283,931	144	4.1	3.3- 4.9	1976	95.9	95.1-96.7
18-24	151	49,930				151	100.0	100.0- 100
25-34	288	58,292	1	0.4	0.0- 1.2	287	99.6	98.8- 100
35-44	243	46,175	1	0.4	0.0- 1.2	242	99.6	98.8- 100
45-54	337	44,721	12	3.7	1.5- 5.9	325	96.3	94.1-98.5
55-64	509	48,572	38	7.3	4.8- 9.8	471	92.7	90.2-95.2
65+	683	50,770	101	13.2	10.3-16.1	582	86.8	83.9-89.7
Less Than H.S.	165	32,971	14	6.4	2.9- 9.9	151	93.6	90.1-97.1
H.S. or G.E.D.	680	86,541	54	4.8	3.2- 6.4	626	95.2	93.6-96.8
Some Post-H.S.	671	110,828	40	3.2	2.0- 4.4	631	96.8	95.6-98.0
College Graduate	706	69,224	45	3.7	2.5- 4.9	661	96.3	95.1-97.5
Less than \$15,000	83	12,776	9	8.4	2.1-14.7	74	91.6	85.3-97.9
\$15,000- 24,999	204	31,263	21	6.6	3.3- 9.9	183	93.4	90.1-96.7
\$25,000- 34,999	179	24,464	17	4.5	1.8- 7.2	162	95.5	92.8-98.2
\$35,000- 49,999	307	39,464	25	4.2	2.4- 6.0	282	95.8	94.0-97.6
\$50,000- 74,999	393	49,112	32	4.8	2.8- 6.8	361	95.2	93.2-97.2
\$75,000+	822	106,281	33	2.9	1.7- 4.1	789	97.1	95.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	286,653	112	3.1	2.3- 3.9	2590	96.9	96.1-97.7
Native	97	12,567	7	10.4	0.0-21.2	90	89.6	78.8- 100
Non-Native	2583	271,374	103	2.7	2.1- 3.3	2480	97.3	96.7-97.9
18-24	119	42,182				119	100.0	100.0- 100
25-34	221	50,372				221	100.0	100.0- 100
35-44	271	41,499	3	1.0	0.0- 2.4	268	99.0	97.6- 100
45-54	359	42,128	9	4.6	0.9- 8.3	350	95.4	91.7-99.1
55-64	625	46,938	17	3.0	1.4- 4.6	608	97.0	95.4-98.6
65+	1077	60,827	82	8.4	6.2-10.6	995	91.6	89.4-93.8
Less Than H.S.	131	18,503	14	13.0	4.4-21.6	117	87.0	78.4-95.6
H.S. or G.E.D.	761	71,127	33	3.1	1.7- 4.5	728	96.9	95.5-98.3
Some Post-H.S.	922	120,552	45	2.6	1.6- 3.6	877	97.4	96.4-98.4
College Graduate	878	75,762	19	1.5	0.7- 2.3	859	98.5	97.7-99.3
Less than \$15,000	176	20,770	19	10.4	3.3-17.5	157	89.6	82.5-96.7
\$15,000- 24,999	333	33,206	24	6.4	3.3- 9.5	309	93.6	90.5-96.7
\$25,000- 34,999	245	25,486	14	3.3	1.1- 5.5	231	96.7	94.5-98.9
\$35,000- 49,999	364	34,451	13	1.6	0.6- 2.6	351	98.4	97.4-99.4
\$50,000- 74,999	373	41,305	7	1.5	0.1- 2.9	366	98.5	97.1-99.9
\$75,000+	738	82,894	15	1.4	0.6- 2.2	723	98.6	97.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4964	589,206	170	2.5	2.1- 2.9	4794	97.5	97.1-97.9
Male	2242	301,383	74	2.5	1.7- 3.3	2168	97.5	96.7-98.3
Female	2722	287,824	96	2.5	1.9- 3.1	2626	97.5	96.9-98.1
Native	173	24,005	9	3.6	1.1- 6.1	164	96.4	93.9-98.9
Non-Native	4736	557,282	158	2.5	2.1- 2.9	4578	97.5	97.1-97.9
18-24	270	92,112				270	100.0	100.0- 100
25-34	511	108,973	2	0.4	0.0- 1.0	509	99.6	99.0- 100
35-44	512	87,454	3	0.5	0.0- 1.1	509	99.5	98.9- 100
45-54	699	87,064	12	1.8	0.6- 3.0	687	98.2	97.0-99.4
55-64	1138	95,842	26	3.0	1.6- 4.4	1112	97.0	95.6-98.4
65+	1788	113,050	126	8.4	6.6-10.2	1662	91.6	89.8-93.4
Less Than H.S.	297	51,228	25	6.7	3.6- 9.8	272	93.3	90.2-96.4
H.S. or G.E.D.	1454	158,220	59	2.9	1.9- 3.9	1395	97.1	96.1-98.1
Some Post-H.S.	1607	232,758	45	1.8	1.2- 2.4	1562	98.2	97.6-98.8
College Graduate	1591	145,391	40	1.8	1.2- 2.4	1551	98.2	97.6-98.8
Less than \$15,000	265	34,001	28	6.6	3.9- 9.3	237	93.4	90.7-96.1
\$15,000- 24,999	544	65,189	29	4.5	2.5- 6.5	515	95.5	93.5-97.5
\$25,000- 34,999	426	49,712	21	3.6	1.6- 5.6	405	96.4	94.4-98.4
\$35,000- 49,999	679	74,310	20	2.1	0.7- 3.5	659	97.9	96.5-99.3
\$50,000- 74,999	768	90,501	19	1.7	0.7- 2.7	749	98.3	97.3-99.3
\$75,000+	1561	189,241	21	1.0	0.4- 1.6	1540	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2242	301,383	74	2.5	1.7- 3.3	2168	97.5	96.7-98.3
Native	76	11,439	3	2.8	0.0- 6.1	73	97.2	93.9- 100
Non-Native	2133	284,737	69	2.5	1.7- 3.3	2064	97.5	96.7-98.3
18-24	151	49,930				151	100.0	100.0- 100
25-34	290	58,601	2	0.8	0.0- 2.0	288	99.2	98.0- 100
35-44	241	45,727	1	0.5	0.0- 1.5	240	99.5	98.5- 100
45-54	339	44,862	6	2.1	0.3- 3.9	333	97.9	96.1-99.7
55-64	512	48,759	11	2.7	0.9- 4.5	501	97.3	95.5-99.1
65+	693	51,500	54	8.9	6.0-11.8	639	91.1	88.2-94.0
Less Than H.S.	165	32,755	11	5.3	1.6- 9.0	154	94.7	91.0-98.4
H.S. or G.E.D.	686	86,985	28	2.9	1.5- 4.3	658	97.1	95.7-98.5
Some Post-H.S.	678	111,325	16	1.6	0.6- 2.6	662	98.4	97.4-99.4
College Graduate	708	69,418	19	2.1	0.9- 3.3	689	97.9	96.7-99.1
Less than \$15,000	87	13,161	9	5.4	1.3- 9.5	78	94.6	90.5-98.7
\$15,000- 24,999	208	31,718	10	4.9	1.4- 8.4	198	95.1	91.6-98.6
\$25,000- 34,999	180	24,158	11	5.0	1.5- 8.5	169	95.0	91.5-98.5
\$35,000- 49,999	311	39,714	9	1.5	0.5- 2.5	302	98.5	97.5-99.5
\$50,000- 74,999	393	49,112	12	2.4	0.8- 4.0	381	97.6	96.0-99.2
\$75,000+	822	106,310	14	1.2	0.4- 2.0	808	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	287,824	96	2.5	1.9- 3.1	2626	97.5	96.9-98.1
Native	97	12,567	6	4.3	0.6- 8.0	91	95.7	92.0-99.4
Non-Native	2603	272,544	89	2.5	1.9- 3.1	2514	97.5	96.9-98.1
18-24	119	42,182				119	100.0	100.0- 100
25-34	221	50,372				221	100.0	100.0- 100
35-44	271	41,727	2	0.4	0.0- 1.0	269	99.6	99.0- 100
45-54	360	42,202	6	1.4	0.2- 2.6	354	98.6	97.4-99.8
55-64	626	47,083	15	3.3	1.1- 5.5	611	96.7	94.5-98.9
65+	1095	61,550	72	8.1	5.7-10.5	1023	91.9	89.5-94.3
Less Than H.S.	132	18,473	14	9.1	3.6-14.6	118	90.9	85.4-96.4
H.S. or G.E.D.	768	71,235	31	2.8	1.6- 4.0	737	97.2	96.0-98.4
Some Post-H.S.	929	121,433	29	2.0	1.0- 3.0	900	98.0	97.0-99.0
College Graduate	883	75,973	21	1.6	0.8- 2.4	862	98.4	97.6-99.2
Less than \$15,000	178	20,840	19	7.3	3.6-11.0	159	92.7	89.0-96.4
\$15,000- 24,999	336	33,471	19	4.1	1.9- 6.3	317	95.9	93.7-98.1
\$25,000- 34,999	246	25,553	10	2.4	0.8- 4.0	236	97.6	96.0-99.2
\$35,000- 49,999	368	34,596	11	2.8	0.3- 5.3	357	97.2	94.7-99.7
\$50,000- 74,999	375	41,389	7	0.9	0.1- 1.7	368	99.1	98.3-99.9
\$75,000+	739	82,931	7	0.7	0.1- 1.3	732	99.3	98.7-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4956	588,112	600	12.8	11.4-14.2	4356	87.2	85.8-88.6
Male	2238	301,014	238	11.3	9.5-13.1	2000	88.7	86.9-90.5
Female	2718	287,098	362	14.3	12.3-16.3	2356	85.7	83.7-87.7
Native	171	23,665	34	19.6	11.4-27.8	137	80.4	72.2-88.6
Non-Native	4731	556,613	560	12.4	11.0-13.8	4171	87.6	86.2-89.0
18-24	269	91,762	41	14.6	10.1-19.1	228	85.4	80.9-89.9
25-34	506	107,960	65	14.0	10.5-17.5	441	86.0	82.5-89.5
35-44	515	87,988	57	12.4	8.9-15.9	458	87.6	84.1-91.1
45-54	699	87,133	81	11.2	8.3-14.1	618	88.8	85.9-91.7
55-64	1135	95,617	136	12.7	10.3-15.1	999	87.3	84.9-89.7
65+	1787	113,025	217	11.9	10.1-13.7	1570	88.1	86.3-89.9
Less Than H.S.	297	51,638	36	13.1	7.8-18.4	261	86.9	81.6-92.2
H.S. or G.E.D.	1454	157,756	162	12.1	9.7-14.5	1292	87.9	85.5-90.3
Some Post-H.S.	1601	232,029	204	13.5	11.3-15.7	1397	86.5	84.3-88.7
College Graduate	1590	145,164	197	12.4	10.2-14.6	1393	87.6	85.4-89.8
Less than \$15,000	262	33,622	53	23.4	15.8-31.0	209	76.6	69.0-84.2
\$15,000- 24,999	544	65,204	81	14.9	10.8-19.0	463	85.1	81.0-89.2
\$25,000- 34,999	425	49,819	56	13.8	9.1-18.5	369	86.2	81.5-90.9
\$35,000- 49,999	678	74,243	82	11.7	8.4-15.0	596	88.3	85.0-91.6
\$50,000- 74,999	769	90,518	83	10.9	8.0-13.8	686	89.1	86.2-92.0
\$75,000+	1561	189,028	160	10.7	8.7-12.7	1401	89.3	87.3-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2238	301,014	238	11.3	9.5-13.1	2000	88.7	86.9-90.5
Native	75	11,167	12	12.4	4.4-20.4	63	87.6	79.6-95.6
Non-Native	2131	284,726	223	11.2	9.4-13.0	1908	88.8	87.0-90.6
18-24	151	49,930	22	13.6	7.7-19.5	129	86.4	80.5-92.3
25-34	286	57,851	35	12.5	8.2-16.8	251	87.5	83.2-91.8
35-44	243	46,175	27	12.1	7.4-16.8	216	87.9	83.2-92.6
45-54	339	44,931	27	8.0	4.3-11.7	312	92.0	88.3-95.7
55-64	512	48,759	50	11.0	7.7-14.3	462	89.0	85.7-92.3
65+	692	51,450	77	10.6	8.1-13.1	615	89.4	86.9-91.9
Less Than H.S.	165	32,987	14	8.2	3.3-13.1	151	91.8	86.9-96.7
H.S. or G.E.D.	686	86,985	67	10.8	7.7-13.9	619	89.2	86.1-92.3
Some Post-H.S.	677	111,054	81	12.7	9.6-15.8	596	87.3	84.2-90.4
College Graduate	706	69,174	76	11.3	8.2-14.4	630	88.7	85.6-91.8
Less than \$15,000	85	12,942	9	14.4	3.8-25.0	76	85.6	75.0-96.2
\$15,000- 24,999	206	31,409	28	11.7	6.6-16.8	178	88.3	83.2-93.4
\$25,000- 34,999	181	24,421	25	15.3	8.0-22.6	156	84.7	77.4-92.0
\$35,000- 49,999	310	39,647	37	9.9	6.2-13.6	273	90.1	86.4-93.8
\$50,000- 74,999	393	49,112	37	10.1	6.2-14.0	356	89.9	86.0-93.8
\$75,000+	823	106,360	79	11.1	8.2-14.0	744	88.9	86.0-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	287,098	362	14.3	12.3-16.3	2356	85.7	83.7-87.7
Native	96	12,498	22	26.0	13.1-38.9	74	74.0	61.1-86.9
Non-Native	2600	271,887	337	13.6	11.6-15.6	2263	86.4	84.4-88.4
18-24	118	41,832	19	15.8	8.7-22.9	99	84.2	77.1-91.3
25-34	220	50,109	30	15.6	9.9-21.3	190	84.4	78.7-90.1
35-44	272	41,813	30	12.7	7.6-17.8	242	87.3	82.2-92.4
45-54	360	42,202	54	14.7	10.0-19.4	306	85.3	80.6-90.0
55-64	623	46,859	86	14.4	10.9-17.9	537	85.6	82.1-89.1
65+	1095	61,575	140	13.1	10.6-15.6	955	86.9	84.4-89.4
Less Than H.S.	132	18,650	22	21.7	10.7-32.7	110	78.3	67.3-89.3
H.S. or G.E.D.	768	70,772	95	13.7	10.2-17.2	673	86.3	82.8-89.8
Some Post-H.S.	924	120,976	123	14.1	11.0-17.2	801	85.9	82.8-89.0
College Graduate	884	75,990	121	13.3	10.4-16.2	763	86.7	83.8-89.6
Less than \$15,000	177	20,681	44	29.0	18.8-39.2	133	71.0	60.8-81.2
\$15,000- 24,999	338	33,795	53	17.9	11.4-24.4	285	82.1	75.6-88.6
\$25,000- 34,999	244	25,398	31	12.4	6.1-18.7	213	87.6	81.3-93.9
\$35,000- 49,999	368	34,596	45	13.8	8.3-19.3	323	86.2	80.7-91.7
\$50,000- 74,999	376	41,406	46	11.8	7.3-16.3	330	88.2	83.7-92.7
\$75,000+	738	82,668	81	10.2	7.5-12.9	657	89.8	87.1-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	588	73,143	442	71.9	66.8-77.0	146	28.1	23.0-33.2
Male	230	33,344	157	62.2	54.0-70.4	73	37.8	29.6-46.0
Female	358	39,799	285	80.0	74.1-85.9	73	20.0	14.1-25.9
Non-Native	550	67,142	410	70.8	65.5-76.1	140	29.2	23.9-34.5
25-34	65	15,081	40	65.7	52.8-78.6	25	34.3	21.4-47.2
35-44	56	10,774	37	58.3	42.8-73.8	19	41.7	26.2-57.2
45-54	81	9,796	64	81.8	72.8-90.8	17	18.2	9.2-27.2
55-64	134	11,995	105	79.0	70.8-87.2	29	21.0	12.8-29.2
65+	210	12,988	167	81.2	75.5-86.9	43	18.8	13.1-24.5
H.S. or G.E.D.	160	18,470	125	71.3	61.3-81.3	35	28.7	18.7-38.7
Some Post-H.S.	199	30,672	153	69.1	60.1-78.1	46	30.9	21.9-39.9
College Graduate	193	17,811	138	74.5	67.1-81.9	55	25.5	18.1-32.9
Less than \$15,000	53	7,865	41	78.1	62.2-94.0	12	21.9	6.0-37.8
\$15,000- 24,999	80	9,711	67	79.3	66.2-92.4	13	20.7	7.6-33.8
\$25,000- 34,999	54	6,803	43	72.9	56.0-89.8	11	27.1	10.2-44.0
\$35,000- 49,999	79	8,031	53	63.9	49.4-78.4	26	36.1	21.6-50.6
\$50,000- 74,999	80	9,583	61	66.5	51.6-81.4	19	33.5	18.6-48.4
\$75,000+	159	20,162	113	69.8	60.2-79.4	46	30.2	20.6-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	230	33,344	157	62.2	54.0-70.4	73	37.8	29.6-46.0
Non-Native	217	31,288	147	62.2	53.6-70.8	70	37.8	29.2-46.4
65+	72	5,024	54	77.7	67.9-87.5	18	22.3	12.5-32.1
H.S. or G.E.D.	66	9,301	48	58.9	43.0-74.8	18	41.1	25.2-57.0
Some Post-H.S.	76	13,560	53	62.4	48.5-76.3	23	37.6	23.7-51.5
College Graduate	74	7,784	46	63.4	49.9-76.9	28	36.6	23.1-50.1
\$75,000+	78	11,697	50	62.0	47.7-76.3	28	38.0	23.7-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	358	39,799	285	80.0	74.1-85.9	73	20.0	14.1-25.9
Non-Native	333	35,854	263	78.3	72.0-84.6	70	21.7	15.4-28.0
45-54	54	6,204	43	82.2	71.4-93.0	11	17.8	7.0-28.6
55-64	86	6,766	69	85.3	77.7-92.9	17	14.7	7.1-22.3
65+	138	7,964	113	83.4	76.7-90.1	25	16.6	9.9-23.3
H.S. or G.E.D.	94	9,169	77	83.9	75.3-92.5	17	16.1	7.5-24.7
Some Post-H.S.	123	17,112	100	74.4	63.0-85.8	23	25.6	14.2-37.0
College Graduate	119	10,027	92	83.1	75.8-90.4	27	16.9	9.6-24.2
\$15,000- 24,999	52	6,030	44	79.0	61.2-96.8	8	21.0	3.2-38.8
\$75,000+	81	8,465	63	80.5	71.1-89.9	18	19.5	10.1-28.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4960	589,260	375	4.5	3.9- 5.1	4585	95.5	94.9-96.1
Male	2241	301,698	181	4.7	3.9- 5.5	2060	95.3	94.5-96.1
Female	2719	287,562	194	4.3	3.5- 5.1	2525	95.7	94.9-96.5
Native	173	24,005	2	0.3	0.0- 0.7	171	99.7	99.3- 100
Non-Native	4733	557,420	368	4.7	4.1- 5.3	4365	95.3	94.7-95.9
18-24	270	92,112				270	100.0	100.0- 100
25-34	510	108,617	2	0.7	0.0- 1.7	508	99.3	98.3- 100
35-44	515	87,988	7	1.5	0.3- 2.7	508	98.5	97.3-99.7
45-54	700	87,200	24	2.9	1.5- 4.3	676	97.1	95.7-98.5
55-64	1136	95,684	68	5.7	4.1- 7.3	1068	94.3	92.7-95.9
65+	1784	113,031	272	14.5	12.5-16.5	1512	85.5	83.5-87.5
Less Than H.S.	299	51,988	28	5.8	3.3- 8.3	271	94.2	91.7-96.7
H.S. or G.E.D.	1454	158,280	118	4.4	3.4- 5.4	1336	95.6	94.6-96.6
Some Post-H.S.	1604	232,514	114	4.3	3.3- 5.3	1490	95.7	94.7-96.7
College Graduate	1589	144,954	115	4.5	3.5- 5.5	1474	95.5	94.5-96.5
Less than \$15,000	266	34,087	21	4.0	1.8- 6.2	245	96.0	93.8-98.2
\$15,000- 24,999	546	65,514	53	5.6	3.6- 7.6	493	94.4	92.4-96.4
\$25,000- 34,999	425	50,124	45	6.1	3.7- 8.5	380	93.9	91.5-96.3
\$35,000- 49,999	678	74,216	54	4.5	3.1- 5.9	624	95.5	94.1-96.9
\$50,000- 74,999	768	90,457	47	3.7	2.3- 5.1	721	96.3	94.9-97.7
\$75,000+	1560	189,120	94	4.1	3.1- 5.1	1466	95.9	94.9-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	301,698	181	4.7	3.9- 5.5	2060	95.3	94.5-96.1
Native	76	11,439	1	0.4	0.0- 1.2	75	99.6	98.8- 100
Non-Native	2133	285,138	176	4.8	4.0- 5.6	1957	95.2	94.4-96.0
18-24	151	49,930				151	100.0	100.0- 100
25-34	290	58,601				290	100.0	100.0- 100
35-44	243	46,175	3	1.1	0.0- 2.5	240	98.9	97.5- 100
45-54	340	44,998	11	3.3	1.1- 5.5	329	96.7	94.5-98.9
55-64	512	48,759	36	6.4	4.0- 8.8	476	93.6	91.2-96.0
65+	690	51,316	130	17.3	14.2-20.4	560	82.7	79.6-85.8
Less Than H.S.	166	33,255	14	5.2	2.1- 8.3	152	94.8	91.7-97.9
H.S. or G.E.D.	687	87,035	56	4.8	3.2- 6.4	631	95.2	93.6-96.8
Some Post-H.S.	676	111,175	49	3.9	2.7- 5.1	627	96.1	94.9-97.3
College Graduate	708	69,418	62	5.6	4.0- 7.2	646	94.4	92.8-96.0
Less than \$15,000	87	13,161	5	3.9	0.0- 8.2	82	96.1	91.8- 100
\$15,000- 24,999	208	31,718	19	5.7	2.4- 9.0	189	94.3	91.0-97.6
\$25,000- 34,999	182	24,693	23	6.4	3.5- 9.3	159	93.6	90.7-96.5
\$35,000- 49,999	311	39,714	28	5.0	2.8- 7.2	283	95.0	92.8-97.2
\$50,000- 74,999	392	49,050	28	4.6	2.4- 6.8	364	95.4	93.2-97.6
\$75,000+	822	106,272	59	4.4	3.0- 5.8	763	95.6	94.2-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	287,562	194	4.3	3.5- 5.1	2525	95.7	94.9-96.5
Native	97	12,567	1	0.3	0.0- 0.9	96	99.7	99.1- 100
Non-Native	2600	272,282	192	4.6	3.8- 5.4	2408	95.4	94.6-96.2
18-24	119	42,182				119	100.0	100.0- 100
25-34	220	50,016	2	1.6	0.0- 3.8	218	98.4	96.2- 100
35-44	272	41,813	4	1.9	0.0- 3.9	268	98.1	96.1- 100
45-54	360	42,202	13	2.4	1.0- 3.8	347	97.6	96.2-99.0
55-64	624	46,925	32	4.9	2.9- 6.9	592	95.1	93.1-97.1
65+	1094	61,715	142	12.2	10.0-14.4	952	87.8	85.6-90.0
Less Than H.S.	133	18,733	14	7.0	2.9-11.1	119	93.0	88.9-97.1
H.S. or G.E.D.	767	71,245	62	4.0	2.8- 5.2	705	96.0	94.8-97.2
Some Post-H.S.	928	121,338	65	4.7	3.1- 6.3	863	95.3	93.7-96.9
College Graduate	881	75,536	53	3.5	2.3- 4.7	828	96.5	95.3-97.7
Less than \$15,000	179	20,926	16	4.0	1.6- 6.4	163	96.0	93.6-98.4
\$15,000- 24,999	338	33,795	34	5.4	3.2- 7.6	304	94.6	92.4-96.8
\$25,000- 34,999	243	25,431	22	5.8	2.3- 9.3	221	94.2	90.7-97.7
\$35,000- 49,999	367	34,501	26	3.9	2.1- 5.7	341	96.1	94.3-97.9
\$50,000- 74,999	376	41,406	19	2.7	1.3- 4.1	357	97.3	95.9-98.7
\$75,000+	738	82,849	35	3.7	2.1- 5.3	703	96.3	94.7-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4965	589,940	497	6.4	5.6- 7.2	4468	93.6	92.8-94.4
Male	2243	301,830	200	5.5	4.5- 6.5	2043	94.5	93.5-95.5
Female	2722	288,110	297	7.3	6.1- 8.5	2425	92.7	91.5-93.9
Native	172	23,966	16	5.9	2.2- 9.6	156	94.1	90.4-97.8
Non-Native	4739	558,140	480	6.5	5.7- 7.3	4259	93.5	92.7-94.3
18-24	270	92,112	4	0.9	0.0- 1.9	266	99.1	98.1- 100
25-34	511	108,973	6	1.4	0.0- 2.8	505	98.6	97.2- 100
35-44	515	87,988	16	3.5	1.5- 5.5	499	96.5	94.5-98.5
45-54	700	87,200	22	2.8	1.4- 4.2	678	97.2	95.8-98.6
55-64	1137	95,802	115	10.0	8.0-12.0	1022	90.0	88.0-92.0
65+	1788	113,288	333	17.9	15.7-20.1	1455	82.1	79.9-84.3
Less Than H.S.	300	52,022	38	8.0	4.9-11.1	262	92.0	88.9-95.1
H.S. or G.E.D.	1454	158,317	174	7.8	6.4- 9.2	1280	92.2	90.8-93.6
Some Post-H.S.	1607	232,758	152	6.1	4.9- 7.3	1455	93.9	92.7-95.1
College Graduate	1590	145,318	133	4.9	3.9- 5.9	1457	95.1	94.1-96.1
Less than \$15,000	265	34,064	38	8.3	5.0-11.6	227	91.7	88.4-95.0
\$15,000- 24,999	546	65,514	69	7.6	5.4- 9.8	477	92.4	90.2-94.6
\$25,000- 34,999	427	50,194	57	8.0	5.3-10.7	370	92.0	89.3-94.7
\$35,000- 49,999	678	74,271	80	8.4	5.9-10.9	598	91.6	89.1-94.1
\$50,000- 74,999	769	90,518	73	5.8	4.2- 7.4	696	94.2	92.6-95.8
\$75,000+	1562	189,291	114	5.0	3.8- 6.2	1448	95.0	93.8-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2243	301,830	200	5.5	4.5- 6.5	2043	94.5	93.5-95.5
Native	76	11,439	7	4.7	0.8- 8.6	69	95.3	91.4-99.2
Non-Native	2135	285,270	192	5.6	4.6- 6.6	1943	94.4	93.4-95.4
18-24	151	49,930	4	1.6	0.0- 3.4	147	98.4	96.6- 100
25-34	290	58,601	2	0.8	0.0- 1.8	288	99.2	98.2- 100
35-44	243	46,175	3	1.2	0.0- 2.6	240	98.8	97.4- 100
45-54	340	44,998	3	1.2	0.0- 3.0	337	98.8	97.0- 100
55-64	512	48,759	43	8.3	5.6-11.0	469	91.7	89.0-94.4
65+	692	51,448	145	20.0	16.7-23.3	547	80.0	76.7-83.3
Less Than H.S.	167	33,289	22	8.0	3.9-12.1	145	92.0	87.9-96.1
H.S. or G.E.D.	686	86,983	69	6.1	4.3- 7.9	617	93.9	92.1-95.7
Some Post-H.S.	678	111,325	60	5.3	3.7- 6.9	618	94.7	93.1-96.3
College Graduate	708	69,418	49	4.0	2.6- 5.4	659	96.0	94.6-97.4
Less than \$15,000	87	13,161	9	5.4	1.1- 9.7	78	94.6	90.3-98.9
\$15,000- 24,999	208	31,718	20	5.6	2.9- 8.3	188	94.4	91.7-97.1
\$25,000- 34,999	181	24,640	25	8.5	4.0-13.0	156	91.5	87.0-96.0
\$35,000- 49,999	311	39,714	33	6.4	4.0- 8.8	278	93.6	91.2-96.0
\$50,000- 74,999	393	49,112	33	5.0	3.0- 7.0	360	95.0	93.0-97.0
\$75,000+	823	106,360	59	5.0	3.4- 6.6	764	95.0	93.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	288,110	297	7.3	6.1- 8.5	2425	92.7	91.5-93.9
Native	96	12,527	9	7.0	0.7-13.3	87	93.0	86.7-99.3
Non-Native	2604	272,870	288	7.4	6.2- 8.6	2316	92.6	91.4-93.8
18-24	119	42,182				119	100.0	100.0- 100
25-34	221	50,372	4	2.1	0.0- 4.6	217	97.9	95.4- 100
35-44	272	41,813	13	6.0	2.5- 9.5	259	94.0	90.5-97.5
45-54	360	42,202	19	4.6	2.4- 6.8	341	95.4	93.2-97.6
55-64	625	47,043	72	11.7	8.8-14.6	553	88.3	85.4-91.2
65+	1096	61,840	188	16.3	13.8-18.8	908	83.7	81.2-86.2
Less Than H.S.	133	18,733	16	8.0	3.1-12.9	117	92.0	87.1-96.9
H.S. or G.E.D.	768	71,334	105	9.8	7.4-12.2	663	90.2	87.8-92.6
Some Post-H.S.	929	121,433	92	6.9	5.1- 8.7	837	93.1	91.3-94.9
College Graduate	882	75,900	84	5.7	4.1- 7.3	798	94.3	92.7-95.9
Less than \$15,000	178	20,903	29	10.1	5.2-15.0	149	89.9	85.0-94.8
\$15,000- 24,999	338	33,795	49	9.4	5.9-12.9	289	90.6	87.1-94.1
\$25,000- 34,999	246	25,553	32	7.6	4.3-10.9	214	92.4	89.1-95.7
\$35,000- 49,999	367	34,556	47	10.7	6.2-15.2	320	89.3	84.8-93.8
\$50,000- 74,999	376	41,406	40	6.7	4.3- 9.1	336	93.3	90.9-95.7
\$75,000+	739	82,931	55	5.0	3.4- 6.6	684	95.0	93.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4950	587,782	328	5.1	4.3- 5.9	4622	94.9	94.1-95.7
Male	2232	300,063	135	4.3	3.3- 5.3	2097	95.7	94.7-96.7
Female	2718	287,719	193	6.0	4.8- 7.2	2525	94.0	92.8-95.2
Native	173	24,005	20	9.3	4.4-14.2	153	90.7	85.8-95.6
Non-Native	4724	555,982	306	5.0	4.2- 5.8	4418	95.0	94.2-95.8
18-24	270	92,112	9	3.5	1.1- 5.9	261	96.5	94.1-98.9
25-34	510	108,797	14	2.9	1.1- 4.7	496	97.1	95.3-98.9
35-44	514	87,575	8	1.6	0.4- 2.8	506	98.4	97.2-99.6
45-54	698	86,863	24	3.6	1.8- 5.4	674	96.4	94.6-98.2
55-64	1133	95,336	72	6.8	5.0- 8.6	1061	93.2	91.4-95.0
65+	1780	112,472	200	11.2	9.4-13.0	1580	88.8	87.0-90.6
Less Than H.S.	297	51,762	26	9.1	5.0-13.2	271	90.9	86.8-95.0
H.S. or G.E.D.	1454	158,276	124	6.5	4.9- 8.1	1330	93.5	91.9-95.1
Some Post-H.S.	1595	231,109	116	4.9	3.7- 6.1	1479	95.1	93.9-96.3
College Graduate	1590	145,109	62	2.6	1.8- 3.4	1528	97.4	96.6-98.2
Less than \$15,000	265	33,902	39	14.9	9.2-20.6	226	85.1	79.4-90.8
\$15,000- 24,999	542	65,072	63	7.1	4.9- 9.3	479	92.9	90.7-95.1
\$25,000- 34,999	426	49,989	41	5.6	3.4- 7.8	385	94.4	92.2-96.6
\$35,000- 49,999	678	74,151	48	5.4	3.2- 7.6	630	94.6	92.4-96.8
\$50,000- 74,999	768	90,416	42	4.2	2.4- 6.0	726	95.8	94.0-97.6
\$75,000+	1558	188,830	46	2.8	1.8- 3.8	1512	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2232	300,063	135	4.3	3.3- 5.3	2097	95.7	94.7-96.7
Native	76	11,439	8	6.4	1.3-11.5	68	93.6	88.5-98.7
Non-Native	2124	283,503	126	4.3	3.3- 5.3	1998	95.7	94.7-96.7
18-24	151	49,930	1	0.8	0.0- 2.4	150	99.2	97.6- 100
25-34	289	58,425	4	1.7	0.0- 3.5	285	98.3	96.5- 100
35-44	242	45,762	1	0.3	0.0- 0.9	241	99.7	99.1- 100
45-54	338	44,661	14	4.8	1.9- 7.7	324	95.2	92.3-98.1
55-64	510	48,592	29	6.1	3.6- 8.6	481	93.9	91.4-96.4
65+	687	50,774	86	12.5	9.4-15.6	601	87.5	84.4-90.6
Less Than H.S.	166	33,104	15	9.6	4.3-14.9	151	90.4	85.1-95.7
H.S. or G.E.D.	687	87,035	53	4.9	3.3- 6.5	634	95.1	93.5-96.7
Some Post-H.S.	668	109,868	42	3.8	2.4- 5.2	626	96.2	94.8-97.6
College Graduate	707	69,242	25	2.0	1.0- 3.0	682	98.0	97.0-99.0
Less than \$15,000	86	12,976	10	13.5	4.1-22.9	76	86.5	77.1-95.9
\$15,000- 24,999	205	31,340	22	6.0	2.9- 9.1	183	94.0	90.9-97.1
\$25,000- 34,999	181	24,458	16	5.3	2.2- 8.4	165	94.7	91.6-97.8
\$35,000- 49,999	311	39,714	22	4.0	2.0- 6.0	289	96.0	94.0-98.0
\$50,000- 74,999	392	49,009	23	3.6	2.0- 5.2	369	96.4	94.8-98.0
\$75,000+	820	106,021	29	2.9	1.5- 4.3	791	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	287,719	193	6.0	4.8- 7.2	2525	94.0	92.8-95.2
Native	97	12,567	12	11.9	3.7-20.1	85	88.1	79.9-96.3
Non-Native	2600	272,479	180	5.7	4.5- 6.9	2420	94.3	93.1-95.5
18-24	119	42,182	8	6.7	1.8-11.6	111	93.3	88.4-98.2
25-34	221	50,372	10	4.3	1.2- 7.4	211	95.7	92.6-98.8
35-44	272	41,813	7	3.0	0.5- 5.5	265	97.0	94.5-99.5
45-54	360	42,202	10	2.5	0.9- 4.1	350	97.5	95.9-99.1
55-64	623	46,744	43	7.6	5.1-10.1	580	92.4	89.9-94.9
65+	1093	61,698	114	10.1	7.9-12.3	979	89.9	87.7-92.1
Less Than H.S.	131	18,658	11	8.1	1.6-14.6	120	91.9	85.4-98.4
H.S. or G.E.D.	767	71,242	71	8.6	5.7-11.5	696	91.4	88.5-94.3
Some Post-H.S.	927	121,241	74	5.9	4.1- 7.7	853	94.1	92.3-95.9
College Graduate	883	75,868	37	3.2	1.8- 4.6	846	96.8	95.4-98.2
Less than \$15,000	179	20,926	29	15.8	8.7-22.9	150	84.2	77.1-91.3
\$15,000- 24,999	337	33,731	41	8.2	5.1-11.3	296	91.8	88.7-94.9
\$25,000- 34,999	245	25,531	25	5.9	3.2- 8.6	220	94.1	91.4-96.8
\$35,000- 49,999	367	34,436	26	7.0	2.9-11.1	341	93.0	88.9-97.1
\$50,000- 74,999	376	41,406	19	5.0	1.9- 8.1	357	95.0	91.9-98.1
\$75,000+	738	82,809	17	2.6	0.8- 4.4	721	97.4	95.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4939	586,373	1585	22.9	21.5-24.3	3354	77.1	75.7-78.5
Male	2233	300,694	577	19.3	17.5-21.1	1656	80.7	78.9-82.5
Female	2706	285,680	1008	26.7	24.5-28.9	1698	73.3	71.1-75.5
Native	171	23,629	66	29.9	21.1-38.7	105	70.1	61.3-78.9
Non-Native	4716	555,388	1505	22.7	21.3-24.1	3211	77.3	75.9-78.7
18-24	269	91,762	11	4.8	1.9- 7.7	258	95.2	92.3-98.1
25-34	507	107,762	32	6.7	4.2- 9.2	475	93.3	90.8-95.8
35-44	512	87,630	61	12.0	8.7-15.3	451	88.0	84.7-91.3
45-54	695	86,543	157	23.6	19.7-27.5	538	76.4	72.5-80.3
55-64	1136	95,559	405	35.9	32.6-39.2	731	64.1	60.8-67.4
65+	1775	112,491	909	50.2	47.3-53.1	866	49.8	46.9-52.7
Less Than H.S.	297	51,739	136	34.1	27.4-40.8	161	65.9	59.2-72.6
H.S. or G.E.D.	1447	157,103	518	23.0	20.6-25.4	929	77.0	74.6-79.4
Some Post-H.S.	1596	231,166	514	23.7	21.3-26.1	1082	76.3	73.9-78.7
College Graduate	1585	144,841	413	17.6	15.4-19.8	1172	82.4	80.2-84.6
Less than \$15,000	265	34,064	134	36.4	28.8-44.0	131	63.6	56.0-71.2
\$15,000- 24,999	543	65,134	218	26.9	22.2-31.6	325	73.1	68.4-77.8
\$25,000- 34,999	424	49,536	168	26.9	21.6-32.2	256	73.1	67.8-78.4
\$35,000- 49,999	674	73,725	251	27.7	23.4-32.0	423	72.3	68.0-76.6
\$50,000- 74,999	765	90,073	230	21.1	18.0-24.2	535	78.9	75.8-82.0
\$75,000+	1557	188,877	335	16.8	14.6-19.0	1222	83.2	81.0-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2233	300,694	577	19.3	17.5-21.1	1656	80.7	78.9-82.5
Native	76	11,439	24	21.7	11.7-31.7	52	78.3	68.3-88.3
Non-Native	2126	284,240	547	19.2	17.2-21.2	1579	80.8	78.8-82.8
18-24	151	49,930	2	1.2	0.0-2.8	149	98.8	97.2-100
25-34	288	58,292	19	6.9	3.6-10.2	269	93.1	89.8-96.4
35-44	242	46,023	27	11.3	6.8-15.8	215	88.7	84.2-93.2
45-54	338	44,595	73	21.7	16.4-27.0	265	78.3	73.0-83.6
55-64	511	48,714	156	31.9	27.2-36.6	355	68.1	63.4-72.8
65+	688	51,221	297	44.4	39.9-48.9	391	55.6	51.1-60.1
Less Than H.S.	165	33,081	63	27.2	19.4-35.0	102	72.8	65.0-80.6
H.S. or G.E.D.	685	86,940	178	16.2	13.5-18.9	507	83.8	81.1-86.5
Some Post-H.S.	675	110,831	180	20.7	17.4-24.0	495	79.3	76.0-82.6
College Graduate	704	69,027	156	17.4	14.1-20.7	548	82.6	79.3-85.9
Less than \$15,000	87	13,161	32	26.9	16.3-37.5	55	73.1	62.5-83.7
\$15,000- 24,999	205	31,339	65	24.4	17.3-31.5	140	75.6	68.5-82.7
\$25,000- 34,999	182	24,693	57	22.1	15.0-29.2	125	77.9	70.8-85.0
\$35,000- 49,999	308	39,442	96	24.6	18.7-30.5	212	75.4	69.5-81.3
\$50,000- 74,999	392	48,815	113	21.4	16.9-25.9	279	78.6	74.1-83.1
\$75,000+	822	106,306	159	15.5	12.8-18.2	663	84.5	81.8-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	285,680	1008	26.7	24.5-28.9	1698	73.3	71.1-75.5
Native	95	12,190	42	37.7	24.6-50.8	53	62.3	49.2-75.4
Non-Native	2590	271,147	958	26.3	24.1-28.5	1632	73.7	71.5-75.9
18-24	118	41,832	9	9.2	3.1-15.3	109	90.8	84.7-96.9
25-34	219	49,470	13	6.5	2.6-10.4	206	93.5	89.6-97.4
35-44	270	41,606	34	12.9	8.2-17.6	236	87.1	82.4-91.8
45-54	357	41,948	84	25.7	20.0-31.4	273	74.3	68.6-80.0
55-64	625	46,845	249	40.0	35.5-44.5	376	60.0	55.5-64.5
65+	1087	61,269	612	55.0	51.3-58.7	475	45.0	41.3-48.7
Less Than H.S.	132	18,658	73	46.2	34.4-58.0	59	53.8	42.0-65.6
H.S. or G.E.D.	762	70,163	340	31.5	27.4-35.6	422	68.5	64.4-72.6
Some Post-H.S.	921	120,335	334	26.4	22.9-29.9	587	73.6	70.1-77.1
College Graduate	881	75,814	257	17.9	15.2-20.6	624	82.1	79.4-84.8
Less than \$15,000	178	20,903	102	42.3	32.1-52.5	76	57.7	47.5-67.9
\$15,000- 24,999	338	33,795	153	29.2	23.1-35.3	185	70.8	64.7-76.9
\$25,000- 34,999	242	24,844	111	31.7	24.1-39.3	131	68.3	60.7-75.9
\$35,000- 49,999	366	34,283	155	31.2	24.9-37.5	211	68.8	62.5-75.1
\$50,000- 74,999	373	41,258	117	20.7	16.2-25.2	256	79.3	74.8-83.8
\$75,000+	735	82,571	176	18.5	15.0-22.0	559	81.5	78.0-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4948	585,672	830	18.8	17.2-20.4	4118	81.2	79.6-82.8
Male	2233	299,472	246	12.5	10.5-14.5	1987	87.5	85.5-89.5
Female	2715	286,200	584	25.4	23.0-27.8	2131	74.6	72.2-77.0
Native	172	23,734	41	26.3	17.3-35.3	131	73.7	64.7-82.7
Non-Native	4722	554,103	785	18.6	17.0-20.2	3937	81.4	79.8-83.0
18-24	268	91,307	52	22.2	16.5-27.9	216	77.8	72.1-83.5
25-34	506	107,637	93	19.7	15.6-23.8	413	80.3	76.2-84.4
35-44	513	87,829	105	21.1	17.0-25.2	408	78.9	74.8-83.0
45-54	695	86,053	131	20.4	16.5-24.3	564	79.6	75.7-83.5
55-64	1136	95,468	212	18.5	15.8-21.2	924	81.5	78.8-84.2
65+	1785	112,750	233	12.5	10.7-14.3	1552	87.5	85.7-89.3
Less Than H.S.	294	50,605	45	20.8	14.1-27.5	249	79.2	72.5-85.9
H.S. or G.E.D.	1450	156,920	241	19.2	16.5-21.9	1209	80.8	78.1-83.5
Some Post-H.S.	1599	231,310	284	19.8	17.1-22.5	1315	80.2	77.5-82.9
College Graduate	1591	145,313	259	16.1	13.7-18.5	1332	83.9	81.5-86.3
Less than \$15,000	263	33,628	80	31.1	23.3-38.9	183	68.9	61.1-76.7
\$15,000- 24,999	538	63,224	116	22.6	17.5-27.7	422	77.4	72.3-82.5
\$25,000- 34,999	426	49,838	98	29.8	23.1-36.5	328	70.2	63.5-76.9
\$35,000- 49,999	679	74,310	114	19.1	14.6-23.6	565	80.9	76.4-85.4
\$50,000- 74,999	765	89,702	133	19.9	16.0-23.8	632	80.1	76.2-84.0
\$75,000+	1562	189,291	212	14.2	11.8-16.6	1350	85.8	83.4-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2233	299,472	246	12.5	10.5-14.5	1987	87.5	85.5-89.5
Native	75	11,167	9	9.5	2.6-16.4	66	90.5	83.6-97.4
Non-Native	2126	283,183	236	12.8	10.8-14.8	1890	87.2	85.2-89.2
18-24	150	49,383	19	13.6	7.1-20.1	131	86.4	79.9-92.9
25-34	286	57,870	28	10.4	6.5-14.3	258	89.6	85.7-93.5
35-44	243	46,175	37	16.1	10.8-21.4	206	83.9	78.6-89.2
45-54	336	44,216	44	15.9	10.8-21.0	292	84.1	79.0-89.2
55-64	511	48,469	60	12.3	9.0-15.6	451	87.7	84.4-91.0
65+	692	51,440	57	8.0	5.6-10.4	635	92.0	89.6-94.4
Less Than H.S.	164	32,803	25	17.2	9.9-24.5	139	82.8	75.5-90.1
H.S. or G.E.D.	683	85,878	78	13.0	9.7-16.3	605	87.0	83.7-90.3
Some Post-H.S.	674	110,558	74	11.5	8.4-14.6	600	88.5	85.4-91.6
College Graduate	708	69,418	69	11.3	8.2-14.4	639	88.7	85.6-91.8
Less than \$15,000	84	12,702	21	31.8	18.3-45.3	63	68.2	54.7-81.7
\$15,000- 24,999	204	30,329	23	12.0	6.5-17.5	181	88.0	82.5-93.5
\$25,000- 34,999	180	24,285	33	26.8	16.8-36.8	147	73.2	63.2-83.2
\$35,000- 49,999	311	39,714	31	11.5	6.6-16.4	280	88.5	83.6-93.4
\$50,000- 74,999	392	49,015	46	13.0	8.5-17.5	346	87.0	82.5-91.5
\$75,000+	823	106,360	70	9.3	6.8-11.8	753	90.7	88.2-93.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2715	286,200	584	25.4	23.0-27.8	2131	74.6	72.2-77.0
Native	97	12,567	32	41.3	27.6-55.0	65	58.7	45.0-72.4
Non-Native	2596	270,920	549	24.7	22.3-27.1	2047	75.3	72.9-77.7
18-24	118	41,924	33	32.4	23.0-41.8	85	67.6	58.2-77.0
25-34	220	49,768	65	30.5	23.4-37.6	155	69.5	62.4-76.6
35-44	270	41,654	68	26.6	20.3-32.9	202	73.4	67.1-79.7
45-54	359	41,837	87	25.2	19.5-30.9	272	74.8	69.1-80.5
55-64	625	46,999	152	24.9	20.8-29.0	473	75.1	71.0-79.2
65+	1093	61,310	176	16.3	13.6-19.0	917	83.7	81.0-86.4
Less Than H.S.	130	17,802	20	27.4	15.1-39.7	110	72.6	60.3-84.9
H.S. or G.E.D.	767	71,041	163	26.8	22.1-31.5	604	73.2	68.5-77.9
Some Post-H.S.	925	120,752	210	27.3	23.2-31.4	715	72.7	68.6-76.8
College Graduate	883	75,895	190	20.6	17.3-23.9	693	79.4	76.1-82.7
Less than \$15,000	179	20,926	59	30.6	20.8-40.4	120	69.4	59.6-79.2
\$15,000- 24,999	334	32,895	93	32.4	24.8-40.0	241	67.6	60.0-75.2
\$25,000- 34,999	246	25,553	65	32.6	23.8-41.4	181	67.4	58.6-76.2
\$35,000- 49,999	368	34,596	83	27.8	20.4-35.2	285	72.2	64.8-79.6
\$50,000- 74,999	373	40,687	87	28.1	21.6-34.6	286	71.9	65.4-78.4
\$75,000+	739	82,931	142	20.5	16.6-24.4	597	79.5	75.6-83.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4962	589,599	149	2.3	1.7- 2.9	4813	97.7	97.1-98.3
Male	2240	301,556	60	2.0	1.4- 2.6	2180	98.0	97.4-98.6
Female	2722	288,043	89	2.6	1.8- 3.4	2633	97.4	96.6-98.2
Native	173	24,005	8	6.2	0.1-12.3	165	93.8	87.7-99.9
Non-Native	4735	557,759	140	2.2	1.8- 2.6	4595	97.8	97.4-98.2
18-24	269	92,062	1	0.3	0.0- 0.9	268	99.7	99.1- 100
25-34	510	108,797	5	0.9	0.1- 1.7	505	99.1	98.3-99.9
35-44	515	87,988	9	1.9	0.5- 3.3	506	98.1	96.7-99.5
45-54	700	87,200	13	2.2	0.4- 4.0	687	97.8	96.0-99.6
55-64	1135	95,670	26	2.2	1.2- 3.2	1109	97.8	96.8-98.8
65+	1788	113,254	94	5.7	4.3- 7.1	1694	94.3	92.9-95.7
Less Than H.S.	300	52,022	14	4.5	1.4- 7.6	286	95.5	92.4-98.6
H.S. or G.E.D.	1454	158,278	65	3.1	2.1- 4.1	1389	96.9	95.9-97.9
Some Post-H.S.	1604	232,580	42	2.0	1.2- 2.8	1562	98.0	97.2-98.8
College Graduate	1590	145,193	28	1.3	0.7- 1.9	1562	98.7	98.1-99.3
Less than \$15,000	265	34,052	16	5.9	1.4-10.4	249	94.1	89.6-98.6
\$15,000- 24,999	545	65,337	22	3.2	1.4- 5.0	523	96.8	95.0-98.6
\$25,000- 34,999	427	50,207	16	2.8	1.0- 4.6	411	97.2	95.4-99.0
\$35,000- 49,999	679	74,310	20	1.5	0.7- 2.3	659	98.5	97.7-99.3
\$50,000- 74,999	767	90,416	15	1.3	0.5- 2.1	752	98.7	97.9-99.5
\$75,000+	1561	189,235	33	2.0	1.2- 2.8	1528	98.0	97.2-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2240	301,556	60	2.0	1.4- 2.6	2180	98.0	97.4-98.6
Native	76	11,439	4	3.8	0.0- 8.3	72	96.2	91.7- 100
Non-Native	2132	284,996	56	2.0	1.4- 2.6	2076	98.0	97.4-98.6
18-24	150	49,880	1	0.5	0.0- 1.5	149	99.5	98.5- 100
25-34	289	58,425	3	1.1	0.0- 2.5	286	98.9	97.5- 100
35-44	243	46,175	3	1.6	0.0- 3.6	240	98.4	96.4- 100
45-54	340	44,998	3	0.6	0.0- 1.4	337	99.4	98.6- 100
55-64	512	48,759	15	2.5	1.1- 3.9	497	97.5	96.1-98.9
65+	691	51,400	34	5.4	3.4- 7.4	657	94.6	92.6-96.6
Less Than H.S.	167	33,289	7	2.5	0.5- 4.5	160	97.5	95.5-99.5
H.S. or G.E.D.	685	86,950	21	2.3	1.1- 3.5	664	97.7	96.5-98.9
Some Post-H.S.	677	111,260	18	2.0	1.0- 3.0	659	98.0	97.0-99.0
College Graduate	707	69,242	14	1.5	0.5- 2.5	693	98.5	97.5-99.5
Less than \$15,000	86	13,126	5	5.1	0.0-10.6	81	94.9	89.4- 100
\$15,000- 24,999	207	31,542	8	2.6	0.4- 4.8	199	97.4	95.2-99.6
\$25,000- 34,999	182	24,693	7	2.8	0.3- 5.3	175	97.2	94.7-99.7
\$35,000- 49,999	311	39,714	5	1.1	0.1- 2.1	306	98.9	97.9-99.9
\$50,000- 74,999	392	49,047	10	1.7	0.5- 2.9	382	98.3	97.1-99.5
\$75,000+	823	106,360	17	1.8	0.8- 2.8	806	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	288,043	89	2.6	1.8- 3.4	2633	97.4	96.6-98.2
Native	97	12,567	4	8.3	0.0-19.1	93	91.7	80.9- 100
Non-Native	2603	272,763	84	2.3	1.7- 2.9	2519	97.7	97.1-98.3
18-24	119	42,182				119	100.0	100.0- 100
25-34	221	50,372	2	0.7	0.0- 1.7	219	99.3	98.3- 100
35-44	272	41,813	6	2.3	0.3- 4.3	266	97.7	95.7-99.7
45-54	360	42,202	10	3.8	0.3- 7.3	350	96.2	92.7-99.7
55-64	623	46,912	11	2.0	0.6- 3.4	612	98.0	96.6-99.4
65+	1097	61,854	60	6.0	4.0- 8.0	1037	94.0	92.0-96.0
Less Than H.S.	133	18,733	7	8.1	0.5-15.7	126	91.9	84.3-99.5
H.S. or G.E.D.	769	71,328	44	4.1	2.5- 5.7	725	95.9	94.3-97.5
Some Post-H.S.	927	121,320	24	2.0	1.0- 3.0	903	98.0	97.0-99.0
College Graduate	883	75,952	14	1.0	0.4- 1.6	869	99.0	98.4-99.6
Less than \$15,000	179	20,926	11	6.3	0.0-12.8	168	93.7	87.2- 100
\$15,000- 24,999	338	33,795	14	3.7	1.2- 6.2	324	96.3	93.8-98.8
\$25,000- 34,999	245	25,515	9	2.8	0.6- 5.0	236	97.2	95.0-99.4
\$35,000- 49,999	368	34,596	15	2.0	0.6- 3.4	353	98.0	96.6-99.4
\$50,000- 74,999	375	41,369	5	0.8	0.0- 1.8	370	99.2	98.2- 100
\$75,000+	738	82,875	16	2.2	0.8- 3.6	722	97.8	96.4-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4962	589,152	569	8.7	7.7- 9.7	35	0.8	0.4- 1.2	4289	89.4	88.4-90.4	69	1.1	0.7- 1.5
Male	2240	301,123	266	8.5	7.1- 9.9				1940	90.3	88.9-91.7	34	1.2	0.6- 1.8
Female	2722	288,028	303	8.9	7.5-10.3	35	1.6	1.0- 2.2	2349	88.4	86.8-90.0	35	1.0	0.4- 1.6
Native	170	23,772	41	24.1	14.5-33.7	1	0.6	0.0- 1.8	122	73.1	63.5-82.7	6	2.1	0.3- 3.9
Non-Native	4738	557,545	520	8.0	7.2- 8.8	33	0.8	0.4- 1.2	4123	90.2	89.2-91.2	62	1.1	0.7- 1.5
18-24	270	92,112	2	0.7	0.0- 1.7	4	1.4	0.0- 2.8	263	97.4	95.2-99.6	1	0.6	0.0- 1.8
25-34	509	108,703	7	1.1	0.1- 2.1	5	0.9	0.0- 1.9	495	97.8	96.4-99.2	2	0.2	0.0- 0.4
35-44	514	87,575	21	5.0	2.3- 7.7	8	0.8	0.2- 1.4	482	93.7	91.0-96.4	3	0.5	0.0- 1.1
45-54	699	87,152	63	9.3	6.6-12.0	9	1.2	0.2- 2.2	621	87.8	84.7-90.9	6	1.7	0.1- 3.3
55-64	1137	95,773	147	12.7	10.3-15.1	5	0.4	0.0- 0.8	963	85.1	82.7-87.5	22	1.8	0.8- 2.8
65+	1788	113,210	319	20.9	18.4-23.4	3	0.2	0.0- 0.4	1431	77.0	74.5-79.5	35	1.9	1.1- 2.7
Less Than H.S.	298	51,876	65	19.6	13.7-25.5				227	78.8	72.9-84.7	6	1.6	0.2- 3.0
H.S. or G.E.D.	1456	158,326	176	9.3	7.5-11.1	5	0.7	0.0- 1.5	1253	88.8	86.8-90.8	22	1.2	0.6- 1.8
Some Post-H.S.	1605	232,276	179	7.5	6.1- 8.9	14	0.9	0.3- 1.5	1394	90.7	89.1-92.3	18	0.9	0.3- 1.5
College Graduate	1589	145,149	147	6.3	5.1- 7.5	16	1.0	0.4- 1.6	1403	91.5	89.9-93.1	23	1.3	0.5- 2.1
Less than \$15,000	265	34,019	65	18.3	12.4-24.2	3	2.0	0.0- 5.1	192	78.5	72.0-85.0	5	1.2	0.0- 2.6
\$15,000- 24,999	544	65,289	83	13.1	9.2-17.0	2	0.3	0.0- 0.7	451	85.8	81.7-89.9	8	0.8	0.2- 1.4
\$25,000- 34,999	427	50,175	70	12.5	9.0-16.0	2	0.3	0.0- 0.7	346	85.2	81.1-89.3	9	2.1	0.0- 4.3
\$35,000- 49,999	678	74,235	74	8.9	6.5-11.3	4	1.0	0.0- 2.2	592	89.3	86.6-92.0	8	0.8	0.2- 1.4
\$50,000- 74,999	768	90,483	82	7.1	5.3- 8.9	6	0.7	0.0- 1.5	668	90.5	88.3-92.7	12	1.6	0.6- 2.6
\$75,000+	1562	189,291	103	4.9	3.7- 6.1	16	0.9	0.3- 1.5	1431	93.4	92.0-94.8	12	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2240	301,123	266	8.5	7.1- 9.9	1940	90.3	88.9-91.7	34	1.2	0.6- 1.8
Native	75	11,345	17	23.9	9.0-38.8	56	74.7	59.8-89.6	2	1.5	0.0- 3.7
Non-Native	2133	284,657	246	7.8	6.6- 9.0	1856	91.0	89.6-92.4	31	1.2	0.6- 1.8
18-24	151	49,930	2	1.2	0.0- 3.0	149	98.8	97.0- 100			
25-34	288	58,331	5	1.3	0.0- 2.7	281	98.3	96.9-99.7	2	0.4	0.0- 1.0
35-44	242	45,762	8	4.4	0.3- 8.5	234	95.6	91.5-99.7			
45-54	340	44,998	36	9.3	6.0-12.6	300	88.2	84.1-92.3	4	2.6	0.0- 5.3
55-64	512	48,759	71	12.5	9.4-15.6	430	85.5	82.2-88.8	11	2.0	0.6- 3.4
65+	692	51,424	141	22.4	18.5-26.3	534	75.1	71.0-79.2	17	2.5	1.1- 3.9
Less Than H.S.	166	33,214	33	16.6	9.5-23.7	130	82.2	74.9-89.5	3	1.2	0.0- 2.6
H.S. or G.E.D.	686	86,941	89	9.8	7.4-12.2	587	89.1	86.6-91.6	10	1.1	0.3- 1.9
Some Post-H.S.	677	110,912	69	6.1	4.5- 7.7	599	93.1	91.3-94.9	9	0.8	0.2- 1.4
College Graduate	707	69,242	75	7.1	5.1- 9.1	620	91.0	88.6-93.4	12	1.9	0.3- 3.5
Less than \$15,000	87	13,161	18	15.1	7.1-23.1	68	83.5	75.1-91.9	1	1.4	0.0- 4.1
\$15,000- 24,999	207	31,542	32	15.3	8.2-22.4	172	84.1	77.0-91.2	3	0.6	0.0- 1.2
\$25,000- 34,999	182	24,693	27	9.6	5.5-13.7	151	87.6	82.1-93.1	4	2.8	0.0- 6.7
\$35,000- 49,999	310	39,639	41	8.9	5.8-12.0	264	90.1	87.0-93.2	5	1.0	0.0- 2.0
\$50,000- 74,999	393	49,112	52	9.0	6.3-11.7	331	88.7	85.4-92.0	10	2.3	0.5- 4.1
\$75,000+	823	106,360	67	5.5	3.9- 7.1	750	93.9	92.1-95.7	6	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	288,028	303	8.9	7.5-10.3	35	1.6	1.0- 2.2	2349	88.4	86.8-90.0	35	1.0	0.4- 1.6
Native	95	12,427	24	24.4	12.1-36.7	1	1.2	0.0- 3.6	66	71.7	59.2-84.2	4	2.7	0.0- 5.6
Non-Native	2605	272,888	274	8.2	7.0- 9.4	33	1.6	1.0- 2.2	2267	89.3	87.9-90.7	31	1.0	0.4- 1.6
18-24	119	42,182				4	3.0	0.0- 6.1	114	95.8	91.9-99.7	1	1.2	0.0- 3.6
25-34	221	50,372	2	0.8	0.0- 2.0	5	1.9	0.0- 3.9	214	97.3	95.1-99.5			
35-44	272	41,813	13	5.7	2.6- 8.8	8	1.8	0.6- 3.0	248	91.5	87.8-95.2	3	1.0	0.0- 2.4
45-54	359	42,154	27	9.4	5.1-13.7	9	2.4	0.6- 4.2	321	87.4	82.7-92.1	2	0.8	0.0- 2.0
55-64	625	47,014	76	12.8	9.5-16.1	5	0.9	0.0- 1.9	533	84.6	81.1-88.1	11	1.7	0.5- 2.9
65+	1096	61,785	178	19.7	16.6-22.8	3	0.3	0.0- 0.7	897	78.6	75.3-81.9	18	1.4	0.6- 2.2
Less Than H.S.	132	18,662	32	25.0	15.0-35.0				97	72.7	62.5-82.9	3	2.3	0.0- 5.2
H.S. or G.E.D.	770	71,385	87	8.7	6.5-10.9	5	1.6	0.0- 3.4	666	88.6	85.9-91.3	12	1.2	0.4- 2.0
Some Post-H.S.	928	121,364	110	8.8	6.8-10.8	14	1.7	0.5- 2.9	795	88.5	86.1-90.9	9	1.0	0.0- 2.0
College Graduate	882	75,907	72	5.5	3.9- 7.1	16	1.9	0.9- 2.9	783	91.9	89.9-93.9	11	0.7	0.3- 1.1
Less than \$15,000	178	20,857	47	20.4	12.4-28.4	3	3.3	0.0- 8.2	124	75.3	66.3-84.3	4	1.1	0.0- 2.3
\$15,000- 24,999	337	33,747	51	11.0	7.1-14.9	2	0.6	0.0- 1.6	279	87.4	83.3-91.5	5	1.0	0.0- 2.0
\$25,000- 34,999	245	25,482	43	15.3	9.6-21.0	2	0.5	0.0- 1.3	195	82.8	76.7-88.9	5	1.4	0.0- 3.4
\$35,000- 49,999	368	34,596	33	8.9	5.0-12.8	4	2.2	0.0- 4.7	328	88.4	83.9-92.9	3	0.5	0.0- 1.1
\$50,000- 74,999	375	41,372	30	4.9	2.9- 6.9	6	1.6	0.0- 3.2	337	92.7	90.0-95.4	2	0.8	0.0- 2.0
\$75,000+	739	82,931	36	4.1	2.5- 5.7	16	2.1	0.9- 3.3	681	92.7	90.3-95.1	6	1.0	0.0- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	546	49,333	10	3.1	0.7- 5.5	39	11.2	7.5-14.9	98	21.9	16.6-27.2	236	39.9	34.6-45.2	163	23.9	19.6-28.2
Male	260	24,733	6	4.2	0.1- 8.3	18	10.0	5.1-14.9	51	22.5	14.7-30.3	107	39.2	31.6-46.8	78	24.1	18.0-30.2
Female	286	24,600	4	2.0	0.0- 4.2	21	12.4	6.7-18.1	47	21.4	14.3-28.5	129	40.5	33.2-47.8	85	23.6	17.5-29.7
Non-Native	497	42,514	10	3.6	0.9- 6.3	33	10.4	6.5-14.3	80	17.3	13.2-21.4	217	42.3	37.0-47.6	157	26.4	21.9-30.9
45-54	61	7,779	2	2.4	0.0- 5.9	8	10.3	2.5-18.1	30	52.3	37.0-67.6	21	35.0	21.1-48.9			
55-64	145	11,892	1	0.9	0.0- 2.7	10	11.4	3.8-19.0	25	17.3	9.9-24.7	102	67.1	57.5-76.7	7	3.3	0.8- 5.8
65+	306	22,874	1	0.3	0.0- 0.9	8	3.3	0.9- 5.7	30	9.2	5.3-13.1	111	37.4	30.3-44.5	156	49.8	42.7-56.9
Less Than H.S.	60	9,480	1	4.6	0.0-13.4	4	5.6	0.0-11.3	13	32.1	13.3-50.9	20	26.8	13.3-40.3	22	30.9	16.6-45.2
H.S. or G.E.D.	169	14,204	3	2.0	0.0- 4.4	11	13.2	5.4-21.0	27	20.6	12.8-28.4	72	41.6	32.4-50.8	56	22.5	16.0-29.0
Some Post-H.S.	173	16,743	3	2.6	0.0- 5.5	14	12.9	5.6-20.2	31	18.4	11.5-25.3	75	42.8	34.2-51.4	50	23.2	16.3-30.1
College Graduate	143	8,843	3	4.2	0.0- 9.5	9	10.3	3.0-17.6	27	19.9	11.5-28.3	69	45.6	35.6-55.6	35	20.0	12.6-27.4
Less than \$15,000	57	5,330	1	2.3	0.0- 6.8	6	17.7	3.6-31.8	13	36.7	15.9-57.5	21	25.0	12.1-37.9	16	18.3	7.3-29.3
\$15,000- 24,999	82	8,485	2	3.9	0.0- 9.6	6	12.2	1.8-22.6	12	21.6	3.4-39.8	32	36.1	21.4-50.8	30	26.3	14.1-38.5
\$25,000- 34,999	69	6,240				4	10.7	0.1-21.3	11	17.5	5.7-29.3	25	32.9	20.2-45.6	29	38.9	24.6-53.2
\$35,000- 49,999	73	6,563	1	0.9	0.0- 2.7	7	13.7	2.1-25.3	15	26.5	14.0-39.0	30	36.9	23.8-50.0	20	22.0	11.2-32.8
\$50,000- 74,999	80	6,279				4	6.9	0.0-14.0	11	13.8	3.8-23.8	44	58.3	45.6-71.0	21	21.0	12.0-30.0
\$75,000+	103	9,234	6	11.1	1.1-21.1	7	12.0	2.8-21.2	21	23.2	13.2-33.2	51	40.8	29.6-52.0	18	12.9	6.2-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	24,733	6	4.2	0.1- 8.3	18	10.0	5.1-14.9	51	22.5	14.7-30.3	107	39.2	31.6-46.8	78	24.1	18.0-30.2
Non-Native	240	21,347	6	4.9	0.2- 9.6	14	8.4	3.5-13.3	42	16.7	11.2-22.2	104	44.0	36.4-51.6	74	26.1	19.8-32.4
55-64	71	6,109				5	9.7	1.1-18.3	13	20.0	8.8-31.2	50	67.3	54.4-80.2	3	3.1	0.0- 6.6
65+	138	11,154				1	1.0	0.0- 3.0	18	12.5	5.6-19.4	44	34.7	24.1-45.3	75	51.9	41.3-62.5
H.S. or G.E.D.	88	8,247	1	1.5	0.0- 4.4	7	15.7	4.5-26.9	14	19.4	9.2-29.6	32	38.1	25.2-51.0	34	25.4	16.0-34.8
Some Post-H.S.	66	6,394	1	1.7	0.0- 5.0	4	8.8	0.4-17.2	14	18.8	9.0-28.6	29	46.6	33.3-59.9	18	24.1	12.9-35.3
College Graduate	75	4,896	3	7.6	0.0-17.0	6	9.3	1.7-16.9	15	16.9	7.1-26.7	33	42.3	29.0-55.6	18	23.9	12.5-35.3
\$50,000- 74,999	51	4,313				4	10.1	0.0-20.3	8	13.5	1.3-25.7	26	56.3	40.2-72.4	13	20.1	9.1-31.1
\$75,000+	67	5,829	4	11.9	0.0-26.0	3	5.4	0.0-11.7	14	24.8	12.1-37.5	35	46.1	31.6-60.6	11	11.7	4.1-19.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	286	24,600	4	2.0	0.0- 4.2	21	12.4	6.7-18.1	47	21.4	14.3-28.5	129	40.5	33.2-47.8	85	23.6	17.5-29.7
Non-Native	257	21,166	4	2.4	0.0- 4.8	19	12.5	6.4-18.6	38	17.9	11.6-24.2	113	40.6	33.2-48.0	83	26.6	19.9-33.3
55-64	74	5,783	1	1.9	0.0- 5.6	5	13.3	0.4-26.2	12	14.5	4.9-24.1	52	66.8	52.5-81.1	4	3.5	0.0- 7.2
65+	168	11,720	1	0.5	0.0- 1.5	7	5.5	1.2- 9.8	12	6.1	2.2-10.0	67	40.0	30.6-49.4	81	47.8	38.2-57.4
H.S. or G.E.D.	81	5,957	2	2.8	0.0- 6.9	4	9.8	0.0-19.6	13	22.4	10.2-34.6	40	46.6	33.5-59.7	22	18.4	10.2-26.6
Some Post-H.S.	107	10,350	2	3.2	0.0- 7.5	10	15.4	5.0-25.8	17	18.2	8.8-27.6	46	40.5	29.3-51.7	32	22.7	13.9-31.5
College Graduate	68	3,947				3	11.5	0.0-24.4	12	23.6	9.1-38.1	36	49.7	34.2-65.2	17	15.1	6.9-23.3
\$15,000- 24,999	50	3,656	1	3.0	0.0- 8.7	2	4.9	0.0-12.0	7	14.3	2.7-25.9	23	51.1	33.3-68.9	17	26.8	11.5-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INDICATE SEX OF RESPONDENT. (SEX)	
1 MALES AND FEMALES	91
WHAT IS YOUR AGE? (AGE)	
4 MALES AND FEMALES	94
5 MALES ONLY	95
6 FEMALES ONLY	96
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7 MALES AND FEMALES	97
8 MALES ONLY	98
9 FEMALES ONLY	99
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
10 MALES AND FEMALES	100
11 MALES ONLY	101
12 FEMALES ONLY	102
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13 MALES AND FEMALES	103
14 MALES ONLY	104
15 FEMALES ONLY	105
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	106
17 MALES ONLY	107
18 FEMALES ONLY	108
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	109
20 MALES ONLY	110
21 FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22 MALES AND FEMALES	112
23 MALES ONLY	113
24 FEMALES ONLY	114
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25 MALES AND FEMALES	115
26 MALES ONLY	116
27 FEMALES ONLY	117
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
28 MALES AND FEMALES	118
29 MALES ONLY	119
30 FEMALES ONLY	120
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31 MALES AND FEMALES	121
32 MALES ONLY	122
33 FEMALES ONLY	123
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34 MALES AND FEMALES	124
35 MALES ONLY	125
36 FEMALES ONLY	126
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37 MALES AND FEMALES	127
38 MALES ONLY	128
39 FEMALES ONLY	129
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40 MALES AND FEMALES	130
41 MALES ONLY	131
42 FEMALES ONLY	132

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	133
44 MALES ONLY	134
45 FEMALES ONLY	135
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	136
47 MALES ONLY	137
48 FEMALES ONLY	138
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	139
50 MALES ONLY	140
51 FEMALES ONLY	141
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	142
53 MALES ONLY	143
54 FEMALES ONLY	144
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	145
56 MALES ONLY	146
57 FEMALES ONLY	147
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	148
59 MALES ONLY	149
60 FEMALES ONLY	150
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
64 MALES AND FEMALES	154
65 MALES ONLY	155
66 FEMALES ONLY	156
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
67 MALES AND FEMALES	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
68 MALES ONLY	158
69 FEMALES ONLY	159
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
70 MALES AND FEMALES	160
71 MALES ONLY	161
72 FEMALES ONLY	162
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
73 MALES AND FEMALES	163
74 MALES ONLY	164
75 FEMALES ONLY	165
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
76 MALES AND FEMALES	166
77 MALES ONLY	167
78 FEMALES ONLY	168
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
79 MALES AND FEMALES	169
80 MALES ONLY	170
81 FEMALES ONLY	171
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
82 MALES AND FEMALES	172
83 MALES ONLY	173
84 FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4972	590,349	2245	51.2	49.2-53.2	2727	48.8	46.8-50.8
Native	173	24,005	76	47.6	37.2-58.0	97	52.4	42.0-62.8
Non-Native	4744	558,424	2136	51.1	49.1-53.1	2608	48.9	46.9-50.9
18-24	270	92,112	151	54.2	47.5-60.9	119	45.8	39.1-52.5
25-34	511	108,973	290	53.8	48.9-58.7	221	46.2	41.3-51.1
35-44	515	87,988	243	52.5	47.4-57.6	272	47.5	42.4-52.6
45-54	700	87,200	340	51.6	47.3-55.9	360	48.4	44.1-52.7
55-64	1138	95,842	512	50.9	47.6-54.2	626	49.1	45.8-52.4
65+	1791	113,391	693	45.4	42.5-48.3	1098	54.6	51.7-57.5
Less Than H.S.	300	52,022	167	64.0	56.7-71.3	133	36.0	28.7-43.3
H.S. or G.E.D.	1457	158,420	687	54.9	51.6-58.2	770	45.1	41.8-48.4
Some Post-H.S.	1608	232,889	678	47.8	44.7-50.9	930	52.2	49.1-55.3
College Graduate	1592	145,408	708	47.7	44.6-50.8	884	52.3	49.2-55.4
Less than \$15,000	266	34,087	87	38.6	30.4-46.8	179	61.4	53.2-69.6
\$15,000- 24,999	546	65,514	208	48.4	42.3-54.5	338	51.6	45.5-57.7
\$25,000- 34,999	428	50,246	182	49.1	42.4-55.8	246	50.9	44.2-57.6
\$35,000- 49,999	679	74,310	311	53.4	48.1-58.7	368	46.6	41.3-51.9
\$50,000- 74,999	769	90,518	393	54.3	49.8-58.8	376	45.7	41.2-50.2
\$75,000+	1562	189,291	823	56.2	53.1-59.3	739	43.8	40.7-46.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4925	585,506	270	15.7	13.9-17.5	511	18.6	17.0-20.2	515	15.0	13.6-16.4	700	14.9	13.7-16.1	1138	16.4	15.2-17.6	1791	19.4	18.2-20.6
Male	2229	299,963	151	16.6	14.1-19.1	290	19.5	17.3-21.7	243	15.4	13.2-17.6	340	15.0	13.2-16.8	512	16.3	14.7-17.9	693	17.2	15.6-18.8
Female	2696	285,543	119	14.8	12.3-17.3	221	17.6	15.2-20.0	272	14.6	12.6-16.6	360	14.8	13.0-16.6	626	16.5	14.9-18.1	1098	21.7	20.1-23.3
Native	172	23,897	12	19.7	9.3-30.1	24	16.8	9.9-23.7	32	24.0	14.6-33.4	32	16.9	9.6-24.2	42	14.6	9.1-20.1	30	7.9	4.2-11.6
Non-Native	4702	553,973	254	15.6	13.8-17.4	485	18.8	17.2-20.4	476	14.5	13.1-15.9	662	14.9	13.7-16.1	1085	16.4	15.2-17.6	1740	19.8	18.6-21.0
Less Than H.S.	297	51,485	19	18.9	11.1-26.7	20	13.0	7.1-18.9	14	9.2	3.9-14.5	25	11.8	6.7-16.9	32	9.3	5.8-12.8	187	37.8	31.1-44.5
H.S. or G.E.D.	1446	157,202	112	21.2	17.7-24.7	126	15.7	13.0-18.4	124	13.1	10.6-15.6	176	12.7	10.7-14.7	296	15.6	13.6-17.6	612	21.7	19.5-23.9
Some Post-H.S.	1593	231,242	99	17.2	14.1-20.3	161	17.7	15.0-20.4	145	13.6	11.2-16.0	246	16.2	14.0-18.4	419	18.7	16.7-20.7	523	16.6	14.8-18.4
College Graduate	1578	144,443	40	6.5	4.3- 8.7	204	25.3	22.2-28.4	231	21.4	18.7-24.1	251	16.2	14.0-18.4	390	16.0	14.2-17.8	462	14.7	13.1-16.3
Less than \$15,000	262	33,660	22	26.9	17.9-35.9	13	9.5	4.2-14.8	20	11.4	5.9-16.9	24	13.2	7.1-19.3	54	13.5	9.4-17.6	129	25.5	19.8-31.2
\$15,000- 24,999	544	65,443	40	22.8	16.3-29.3	39	14.0	9.5-18.5	39	13.5	8.6-18.4	42	6.9	4.4- 9.4	84	11.9	9.0-14.8	300	30.9	26.2-35.6
\$25,000- 34,999	425	49,899	25	18.0	11.3-24.7	44	21.7	15.6-27.8	30	10.5	6.4-14.6	40	12.0	7.7-16.3	78	12.8	9.3-16.3	208	25.0	20.5-29.5
\$35,000- 49,999	677	74,129	34	14.6	9.5-19.7	85	23.3	18.4-28.2	51	11.8	8.3-15.3	77	11.1	8.4-13.8	136	16.8	13.3-20.3	294	22.4	19.1-25.7
\$50,000- 74,999	766	90,360	27	9.0	5.7-12.3	98	23.9	19.4-28.4	77	14.7	11.4-18.0	128	17.6	14.3-20.9	201	18.2	15.3-21.1	235	16.5	14.0-19.0
\$75,000+	1557	188,843	58	9.6	7.1-12.1	181	18.6	15.9-21.3	255	21.3	18.6-24.0	336	22.0	19.5-24.5	438	18.7	16.7-20.7	289	9.7	8.3-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	299,963	151	16.6	14.1-19.1	290	19.5	17.3-21.7	243	15.4	13.4-17.4	340	15.0	13.2-16.8	512	16.3	14.7-17.9	693	17.2	15.6-18.8
Native	75	11,330	5	17.1	2.2-32.0	14	22.7	10.9-34.5	11	23.5	7.4-39.6	18	18.9	9.1-28.7	13	10.3	3.8-16.8	14	7.4	2.9-11.9
Non-Native	2123	283,575	144	16.7	14.0-19.4	275	19.6	17.2-22.0	228	15.0	13.0-17.0	318	14.9	13.1-16.7	489	16.4	14.8-18.0	669	17.4	15.8-19.0
Less Than H.S.	165	33,045	13	22.0	11.6-32.4	14	12.6	5.9-19.3	10	10.8	3.5-18.1	21	14.1	7.6-20.6	21	10.5	5.6-15.4	86	29.9	22.3-37.5
H.S. or G.E.D.	683	86,315	70	22.3	17.4-27.2	83	18.2	14.3-22.1	70	14.5	10.8-18.2	99	13.3	10.6-16.0	137	14.5	11.8-17.2	224	17.1	14.4-19.8
Some Post-H.S.	675	110,978	52	18.5	13.8-23.2	94	19.7	15.8-23.6	63	12.9	9.6-16.2	112	16.1	13.0-19.2	191	19.4	16.3-22.5	163	13.4	11.0-15.8
College Graduate	704	69,118	16	4.2	2.0- 6.4	99	24.4	20.1-28.7	100	22.7	18.6-26.8	107	15.5	12.4-18.6	162	16.0	13.3-18.7	220	17.2	14.7-19.7
Less than \$15,000	86	13,136	6	19.7	6.0-33.4	6	10.8	2.4-19.2	6	12.7	2.5-22.9	15	20.9	10.1-31.7	19	13.8	6.7-20.9	34	22.1	13.1-31.1
\$15,000- 24,999	208	31,718	19	23.2	13.6-32.8	23	16.6	9.7-23.5	16	12.8	5.7-19.9	23	9.0	4.5-13.5	34	11.7	7.0-16.4	93	26.6	19.7-33.5
\$25,000- 34,999	180	24,497	14	19.0	9.2-28.8	26	24.8	16.0-33.6	11	9.0	2.9-15.1	25	16.4	9.1-23.7	30	10.7	6.2-15.2	74	20.1	14.4-25.8
\$35,000- 49,999	310	39,572	24	19.0	11.6-26.4	46	22.5	16.0-29.0	23	10.6	5.9-15.3	36	10.5	6.6-14.4	55	15.6	10.7-20.5	126	21.8	17.1-26.5
\$50,000- 74,999	393	49,112	18	11.2	5.9-16.5	60	23.6	17.9-29.3	39	15.6	10.7-20.5	51	12.8	8.9-16.7	97	17.5	13.6-21.4	128	19.3	15.4-23.2
\$75,000+	819	105,996	35	9.9	6.6-13.2	102	18.1	14.6-21.6	127	21.3	17.6-25.0	171	21.1	17.8-24.4	220	19.0	16.3-21.7	164	10.6	8.6-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 4: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2696	285,543	119	14.8	12.3-17.3	221	17.6	15.2-20.0	272	14.6	12.6-16.6	360	14.8	13.0-16.6	626	16.5	14.9-18.1	1098	21.7	20.1-23.3
Native	97	12,567	7	22.0	7.7-36.3	10	11.5	3.9-19.1	21	24.5	13.9-35.1	14	15.1	4.1-26.1	29	18.4	10.0-26.8	16	8.4	2.5-14.3
Non-Native	2579	270,397	110	14.4	11.9-16.9	210	18.0	15.6-20.4	248	14.0	12.0-16.0	344	14.8	13.0-16.6	596	16.5	14.9-18.1	1071	22.3	20.7-23.9
Less Than H.S.	132	18,441	6	13.4	2.8-24.0	6	13.7	2.7-24.7	4	6.2	0.0-13.1	4	7.6	0.0-15.8	11	7.0	2.3-11.7	101	52.0	39.7-64.3
H.S. or G.E.D.	763	70,887	42	19.9	14.6-25.2	43	12.7	8.8-16.6	54	11.4	8.1-14.7	77	11.9	9.0-14.8	159	16.9	14.0-19.8	388	27.2	23.7-30.7
Some Post-H.S.	918	120,264	47	16.0	11.9-20.1	67	16.0	12.3-19.7	82	14.2	11.1-17.3	134	16.3	13.4-19.2	228	18.1	15.4-20.8	360	19.4	16.9-21.9
College Graduate	874	75,325	24	8.5	5.2-11.8	105	26.0	21.5-30.5	131	20.2	16.7-23.7	144	16.8	13.9-19.7	228	16.0	13.6-18.4	242	12.4	10.4-14.4
Less than \$15,000	176	20,524	16	31.6	19.8-43.4	7	8.6	1.7-15.5	14	10.6	4.5-16.7	9	8.2	1.3-15.1	35	13.4	8.3-18.5	95	27.7	20.3-35.1
\$15,000- 24,999	336	33,725	21	22.5	14.1-30.9	16	11.4	5.3-17.5	23	14.1	7.4-20.8	19	4.9	2.4- 7.4	50	12.1	8.2-16.0	207	35.0	28.5-41.5
\$25,000- 34,999	245	25,403	11	17.1	8.1-26.1	18	18.7	10.5-26.9	19	12.0	6.3-17.7	15	7.7	3.4-12.0	48	14.8	9.5-20.1	134	29.8	23.1-36.5
\$35,000- 49,999	367	34,557	10	9.7	3.4-16.0	39	24.3	16.9-31.7	28	13.1	8.0-18.2	41	11.7	7.8-15.6	81	18.1	13.2-23.0	168	23.1	18.6-27.6
\$50,000- 74,999	373	41,248	9	6.4	2.3-10.5	38	24.3	17.2-31.4	38	13.7	9.0-18.4	77	23.2	17.7-28.7	104	19.2	14.9-23.5	107	13.1	10.2-16.0
\$75,000+	738	82,848	23	9.2	5.5-12.9	79	19.2	15.1-23.3	128	21.5	17.6-25.4	165	23.1	19.4-26.8	218	18.4	15.7-21.1	125	8.7	6.9-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4941	585,875	32	1.6	1.0- 2.2	5	0.3	0.0- 0.7	12	0.7	0.3- 1.1	2	0.1	0.0- 0.3	4890	97.3	96.5-98.1
Male	2228	299,393	19	1.9	0.9- 2.9	2	0.2	0.0- 0.6	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3	2199	97.0	95.8-98.2
Female	2713	286,482	13	1.2	0.4- 2.0	3	0.4	0.0- 1.0	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	2691	97.7	96.5-98.9
18-24	268	91,573	6	3.2	0.7- 5.7	1	0.8	0.0- 2.4	3	1.5	0.0- 3.3	1	0.3	0.0- 0.9	257	94.1	90.6-97.6
25-34	510	108,602	8	2.5	0.7- 4.3	3	0.8	0.0- 1.8	3	1.3	0.0- 2.9				496	95.4	93.0-97.8
35-44	510	86,559	6	1.8	0.2- 3.4				1	0.6	0.0- 1.8	1	0.3	0.0- 0.9	502	97.4	95.4-99.4
45-54	694	86,539	7	1.9	0.5- 3.3				2	0.1	0.0- 0.3				685	98.0	96.6-99.4
55-64	1134	95,457	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				1129	99.3	98.7-99.9
65+	1780	112,471	1	0.1	0.0- 0.3				2	0.3	0.0- 0.7				1777	99.6	99.0- 100
Less Than H.S.	298	51,873	3	2.0	0.0- 4.4				1	1.3	0.0- 3.7	1	0.6	0.0- 1.8	293	96.1	92.6-99.6
H.S. or G.E.D.	1448	157,307	16	3.4	1.6- 5.2	1	0.1	0.0- 0.3							1431	96.5	94.7-98.3
Some Post-H.S.	1596	230,968	6	0.7	0.1- 1.3	2	0.5	0.0- 1.3	7	1.2	0.2- 2.2	1	0.1	0.0- 0.3	1580	97.6	96.2-99.0
College Graduate	1587	144,570	7	0.9	0.1- 1.7	2	0.3	0.0- 0.7	4	0.4	0.0- 1.0				1574	98.3	97.3-99.3
Less than \$15,000	265	34,028	4	1.1	0.0- 2.3										261	98.9	97.7- 100
\$15,000- 24,999	543	65,016	4	1.6	0.0- 3.2	2	0.7	0.0- 1.7				1	0.4	0.0- 1.2	536	97.4	95.4-99.4
\$25,000- 34,999	427	50,204	5	3.4	0.3- 6.5	1	0.9	0.0- 2.7	2	2.1	0.0- 5.0				419	93.6	89.1-98.1
\$35,000- 49,999	673	73,333	2	0.8	0.0- 1.8	1	0.3	0.0- 0.9	2	1.1	0.0- 2.7				668	97.9	95.9-99.9
\$50,000- 74,999	767	90,224	4	1.3	0.0- 2.7				2	0.6	0.0- 1.4				761	98.1	96.5-99.7
\$75,000+	1558	188,752	5	0.8	0.0- 1.6	1	0.4	0.0- 1.2	5	0.5	0.0- 1.1	1	0.2	0.0- 0.6	1546	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2228	299,393	19	1.9	0.9- 2.9	2	0.2	0.0- 0.6	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3	2199	97.0	95.8-98.2
18-24	150	49,676	4	3.6	0.1- 7.1				3	2.8	0.0- 6.1	1	0.6	0.0- 1.8	142	93.0	88.1-97.9
25-34	290	58,601	6	3.2	0.7- 5.7	2	1.2	0.0- 3.0							282	95.6	92.7-98.5
35-44	240	45,361	2	1.5	0.0- 3.7				1	1.1	0.0- 3.3				237	97.4	94.5- 100
45-54	336	44,492	4	2.5	0.0- 5.0				2	0.3	0.0- 0.7				330	97.3	94.8-99.8
55-64	508	48,374	1	0.2	0.0- 0.6										507	99.8	99.4- 100
65+	689	50,970	1	0.2	0.0- 0.6				1	0.3	0.0- 0.9				687	99.5	98.7- 100
Less Than H.S.	167	33,289	3	3.2	0.0- 6.7				1	2.0	0.0- 5.7	1	0.9	0.0- 2.7	162	93.9	88.6-99.2
H.S. or G.E.D.	681	86,342	10	3.7	1.3- 6.1										671	96.3	93.9-98.7
Some Post-H.S.	671	109,999	2	0.7	0.0- 1.7	1	0.4	0.0- 1.2	3	1.1	0.0- 2.5				665	97.8	96.0-99.6
College Graduate	705	68,948	4	1.0	0.0- 2.2	1	0.4	0.0- 1.2	3	0.4	0.0- 0.8				697	98.3	96.9-99.7
Less than \$15,000	87	13,161	2	1.1	0.0- 3.1										85	98.9	96.9- 100
\$15,000- 24,999	206	31,255	3	2.9	0.0- 6.2	1	0.8	0.0- 2.4							202	96.2	92.5-99.9
\$25,000- 34,999	181	24,650	3	3.6	0.0- 7.7	1	1.7	0.0- 5.0	1	2.2	0.0- 6.3				176	92.5	86.0-99.0
\$35,000- 49,999	306	39,068	2	1.4	0.0- 3.4				1	0.6	0.0- 1.8				303	98.0	95.6- 100
\$50,000- 74,999	392	48,921	1	1.0	0.0- 3.0				1	0.3	0.0- 0.9				390	98.7	96.7- 100
\$75,000+	821	105,956	4	1.2	0.0- 2.4				3	0.6	0.0- 1.6	1	0.3	0.0- 0.9	813	98.0	96.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	286,482	13	1.2	0.4- 2.0	3	0.4	0.0- 1.0	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	2691	97.7	96.5-98.9
18-24	118	41,897	2	2.7	0.0- 6.4	1	1.8	0.0- 5.1							115	95.5	90.6- 100
25-34	220	50,001	2	1.6	0.0- 3.8	1	0.4	0.0- 1.2	3	2.9	0.0- 6.2				214	95.1	91.2-99.0
35-44	270	41,198	4	2.1	0.0- 4.3							1	0.6	0.0- 1.8	265	97.3	94.8-99.8
45-54	358	42,047	3	1.2	0.0- 2.6										355	98.8	97.4- 100
55-64	626	47,083	2	0.4	0.0- 1.0	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6				622	98.9	97.7- 100
65+	1091	61,501							1	0.4	0.0- 1.2				1090	99.6	98.8- 100
Less Than H.S.	131	18,583													131	100.0	100.0- 100
H.S. or G.E.D.	767	70,965	6	2.9	0.2- 5.6	1	0.3	0.0- 0.9							760	96.7	94.0-99.4
Some Post-H.S.	925	120,969	4	0.6	0.0- 1.4	1	0.6	0.0- 1.8	4	1.2	0.0- 2.6	1	0.2	0.0- 0.6	915	97.4	95.4-99.4
College Graduate	882	75,622	3	0.9	0.0- 1.9	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5				877	98.4	96.8- 100
Less than \$15,000	178	20,867	2	1.1	0.0- 2.7										176	98.9	97.3- 100
\$15,000- 24,999	337	33,762	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5				1	0.8	0.0- 2.4	334	98.4	96.4- 100
\$25,000- 34,999	246	25,553	2	3.2	0.0- 7.9				1	2.1	0.0- 6.0				243	94.7	88.6- 100
\$35,000- 49,999	367	34,265				1	0.6	0.0- 1.8	1	1.6	0.0- 4.7				365	97.7	94.4- 100
\$50,000- 74,999	375	41,303	3	1.7	0.0- 3.7				1	0.9	0.0- 2.7				371	97.4	94.9-99.9
\$75,000+	737	82,797	1	0.4	0.0- 1.2	1	0.9	0.0- 2.7	2	0.4	0.0- 1.0				733	98.3	96.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4932	583,969	4875	98.7	98.3-99.1	53	1.1	0.7- 1.5	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Male	2221	298,188	2194	98.8	98.2-99.4	26	1.2	0.6- 1.8	1	0.0	0.0- 0.0			
Female	2711	285,781	2681	98.7	98.1-99.3	27	1.1	0.5- 1.7	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3
18-24	268	91,447	263	98.8	97.6- 100	5	1.2	0.0- 2.4						
25-34	508	107,714	494	97.8	96.2-99.4	13	2.1	0.5- 3.7	1	0.1	0.0- 0.3			
35-44	509	86,569	497	98.1	96.7-99.5	10	1.4	0.2- 2.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6
45-54	696	86,836	685	98.5	97.5-99.5	10	1.2	0.4- 2.0	1	0.3	0.0- 0.9			
55-64	1129	94,719	1121	99.4	99.0-99.8	8	0.6	0.2- 1.0						
65+	1780	112,148	1774	99.6	99.2- 100	6	0.4	0.0- 0.8						
Less Than H.S.	298	51,397	293	98.2	95.8- 100	5	1.8	0.0- 4.2						
H.S. or G.E.D.	1450	157,179	1433	98.7	97.9-99.5	15	1.0	0.4- 1.6	2	0.3	0.0- 0.7			
Some Post-H.S.	1593	230,252	1573	98.7	97.9-99.5	20	1.3	0.5- 2.1						
College Graduate	1579	143,984	1564	99.0	98.4-99.6	13	0.7	0.3- 1.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less than \$15,000	265	34,062	260	98.7	97.5-99.9	5	1.3	0.1- 2.5						
\$15,000- 24,999	542	64,916	534	98.7	97.5-99.9	8	1.3	0.1- 2.5						
\$25,000- 34,999	427	49,831	422	98.3	96.1- 100	4	1.4	0.0- 3.6	1	0.2	0.0- 0.6			
\$35,000- 49,999	671	73,089	662	98.7	97.7-99.7	8	1.0	0.2- 1.8	1	0.3	0.0- 0.9			
\$50,000- 74,999	765	89,565	755	98.5	97.1-99.9	10	1.5	0.1- 2.9						
\$75,000+	1555	188,431	1539	98.8	98.2-99.4	15	1.0	0.4- 1.6	1	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2221	298,188	2194	98.8	98.2-99.4	26	1.2	0.6- 1.8	1	0.0	0.0- 0.0
18-24	150	49,580	149	99.7	99.1- 100	1	0.3	0.0- 0.9			
25-34	289	58,186	280	97.3	94.9-99.7	8	2.5	0.3- 4.7	1	0.2	0.0- 0.6
35-44	240	45,502	234	97.9	95.9-99.9	6	2.1	0.1- 4.1			
45-54	338	44,789	333	98.7	97.5-99.9	5	1.3	0.1- 2.5			
55-64	505	47,921	501	99.5	98.9- 100	4	0.5	0.0- 1.1			
65+	686	50,380	684	99.5	98.7- 100	2	0.5	0.0- 1.3			
Less Than H.S.	165	32,664	162	97.4	93.9- 100	3	2.6	0.0- 6.1			
H.S. or G.E.D.	685	86,555	677	99.0	98.2-99.8	7	0.8	0.2- 1.4	1	0.1	0.0- 0.3
Some Post-H.S.	669	109,719	655	98.3	97.3-99.3	14	1.7	0.7- 2.7			
College Graduate	698	68,435	696	99.8	99.4- 100	2	0.2	0.0- 0.6			
Less than \$15,000	86	13,136	84	98.4	95.9- 100	2	1.6	0.0- 4.1			
\$15,000- 24,999	206	31,178	203	98.8	97.2- 100	3	1.2	0.0- 2.8			
\$25,000- 34,999	181	24,277	178	98.9	97.5- 100	2	0.6	0.0- 1.6	1	0.5	0.0- 1.5
\$35,000- 49,999	305	38,861	301	98.8	97.6- 100	4	1.2	0.0- 2.4			
\$50,000- 74,999	391	48,632	386	98.1	95.7- 100	5	1.9	0.0- 4.3			
\$75,000+	817	105,551	809	99.2	98.6-99.8	8	0.8	0.2- 1.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2711	285,781	2681	98.7	98.1-99.3	27	1.1	0.5- 1.7	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3
18-24	118	41,867	114	97.7	95.3- 100	4	2.3	0.0- 4.7						
25-34	219	49,529	214	98.4	96.2- 100	5	1.6	0.0- 3.8						
35-44	269	41,067	263	98.4	96.8- 100	4	0.6	0.0- 1.2	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5
45-54	358	42,047	352	98.2	96.4- 100	5	1.1	0.0- 2.3	1	0.7	0.0- 2.1			
55-64	624	46,799	620	99.4	98.6- 100	4	0.6	0.0- 1.4						
65+	1094	61,768	1090	99.7	99.5-99.9	4	0.3	0.1- 0.5						
Less Than H.S.	133	18,733	131	99.5	98.7- 100	2	0.5	0.0- 1.3						
H.S. or G.E.D.	765	70,624	756	98.3	96.9-99.7	8	1.3	0.1- 2.5	1	0.4	0.0- 1.2			
Some Post-H.S.	924	120,533	918	99.0	98.0- 100	6	1.0	0.0- 2.0						
College Graduate	881	75,549	868	98.4	97.4-99.4	11	1.1	0.3- 1.9	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9
Less than \$15,000	179	20,926	176	99.0	97.8- 100	3	1.0	0.0- 2.2						
\$15,000- 24,999	336	33,737	331	98.5	96.9- 100	5	1.5	0.0- 3.1						
\$25,000- 34,999	246	25,553	244	97.8	93.9- 100	2	2.2	0.0- 6.1						
\$35,000- 49,999	366	34,228	361	98.7	97.3- 100	4	0.7	0.0- 1.5	1	0.6	0.0- 1.8			
\$50,000- 74,999	374	40,933	369	98.9	97.7- 100	5	1.1	0.0- 2.3						
\$75,000+	738	82,880	730	98.4	97.0-99.8	7	1.2	0.0- 2.4	1	0.3	0.0- 0.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	54	6,530	30	46.4	29.2-63.6	3	5.3	0.0-11.8	18	39.9	21.5-58.3	2	4.1	0.0-10.6	1	4.3	0.0-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4946	586,504	2894	55.5	53.5-57.5	521	9.1	8.1-10.1	679	6.3	5.7- 6.9	56	1.4	0.8- 2.0	683	23.3	21.5-25.1	113	4.3	3.3- 5.3
Male	2236	299,647	1348	54.0	51.3-56.7	228	8.4	7.0- 9.8	135	3.1	2.3- 3.9	34	1.8	1.0- 2.6	432	28.5	25.8-31.2	59	4.2	3.0- 5.4
Female	2710	286,857	1546	57.1	54.4-59.8	293	9.7	8.1-11.3	544	9.7	8.7-10.7	22	1.1	0.5- 1.7	251	17.9	15.4-20.4	54	4.4	3.0- 5.8
Native	171	23,913	73	34.1	25.5-42.7	25	12.7	7.0-18.4	19	5.2	1.9- 8.5	9	6.1	0.0-13.2	37	34.0	23.2-44.8	8	7.9	1.6-14.2
Non-Native	4725	555,237	2793	56.5	54.5-58.5	491	9.0	8.0-10.0	654	6.4	5.8- 7.0	47	1.3	0.9- 1.7	636	22.7	20.7-24.7	104	4.1	3.1- 5.1
18-24	267	90,540	27	9.6	5.9-13.3	4	1.3	0.0- 2.7				2	0.6	0.0- 1.6	205	76.9	71.4-82.4	29	11.5	7.2-15.8
25-34	509	108,443	272	53.6	48.7-58.5	39	7.6	4.9-10.3	2	0.4	0.0- 1.0	5	0.7	0.1- 1.3	154	30.2	25.7-34.7	37	7.6	4.9-10.3
35-44	513	87,573	363	67.7	62.6-72.8	51	9.9	6.8-13.0	4	0.4	0.0- 0.8	12	4.0	1.3- 6.7	66	14.4	10.5-18.3	17	3.5	1.7- 5.3
45-54	699	87,126	508	72.3	68.2-76.4	84	13.2	10.1-16.3	11	0.9	0.3- 1.5	12	1.9	0.5- 3.3	68	9.1	6.4-11.8	16	2.6	1.2- 4.0
55-64	1132	95,284	782	71.1	68.0-74.2	171	15.3	12.8-17.8	55	3.5	2.3- 4.7	12	1.1	0.3- 1.9	106	8.2	6.2-10.2	6	0.7	0.1- 1.3
65+	1783	113,013	921	58.8	56.1-61.5	170	7.7	6.3- 9.1	595	27.7	25.2-30.2	12	0.5	0.1- 0.9	78	4.9	3.7- 6.1	7	0.5	0.1- 0.9
Less Than H.S.	299	51,865	92	27.0	20.7-33.3	44	16.1	10.8-21.4	100	17.8	13.5-22.1	8	3.8	0.1- 7.5	44	27.2	19.4-35.0	11	8.2	3.1-13.3
H.S. or G.E.D.	1449	157,551	768	48.5	45.0-52.0	158	9.9	7.9-11.9	242	7.0	5.8- 8.2	17	1.4	0.6- 2.2	238	30.3	26.8-33.8	26	2.9	1.5- 4.3
Some Post-H.S.	1598	230,644	951	58.1	55.0-61.2	162	8.3	6.7- 9.9	221	5.6	4.6- 6.6	19	1.5	0.7- 2.3	203	22.1	19.0-25.2	42	4.5	2.9- 6.1
College Graduate	1587	145,203	1079	69.3	66.4-72.2	157	6.9	5.5- 8.3	110	2.6	2.0- 3.2	12	0.6	0.2- 1.0	195	16.5	14.0-19.0	34	4.1	2.5- 5.7
Less than \$15,000	262	33,671	24	8.7	4.8-12.6	67	18.7	13.2-24.2	82	15.7	11.4-20.0	9	3.6	0.5- 6.7	75	47.1	38.5-55.7	5	6.1	0.4-11.8
\$15,000- 24,999	542	64,029	137	24.2	19.5-28.9	99	14.8	10.9-18.7	166	16.2	12.9-19.5	16	5.1	1.6- 8.6	112	33.7	27.6-39.8	12	5.9	2.2- 9.6
\$25,000- 34,999	427	50,200	170	38.0	31.7-44.3	73	17.8	12.7-22.9	89	7.9	5.9- 9.9	2	0.5	0.0- 1.3	79	28.9	22.2-35.6	14	6.9	2.8-11.0
\$35,000- 49,999	678	73,975	347	51.2	45.9-56.5	88	11.4	8.3-14.5	105	5.9	4.5- 7.3	10	1.8	0.4- 3.2	115	27.7	22.4-33.0	13	2.1	0.9- 3.3
\$50,000- 74,999	767	90,422	532	66.7	62.2-71.2	66	6.6	4.6- 8.6	45	2.2	1.4- 3.0	5	0.8	0.0- 1.6	94	18.1	14.0-22.2	25	5.6	3.1- 8.1
\$75,000+	1561	189,264	1292	78.7	75.8-81.6	81	4.5	3.1- 5.9	50	1.6	1.0- 2.2	7	0.3	0.1- 0.5	99	11.5	9.0-14.0	32	3.4	2.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2236	299,647	1348	54.0	51.3-56.7	228	8.4	7.0- 9.8	135	3.1	2.3- 3.9	34	1.8	1.0- 2.6	432	28.5	25.8-31.2	59	4.2	3.0- 5.4
Native	76	11,439	35	34.6	21.5-47.7	8	9.6	2.2-17.0	4	2.5	0.0- 5.2	7	11.8	0.0-25.9	16	33.6	17.5-49.7	6	7.9	0.8-15.0
Non-Native	2128	283,087	1293	54.7	52.0-57.4	215	8.4	7.0- 9.8	131	3.2	2.4- 4.0	27	1.4	0.8- 2.0	409	28.3	25.6-31.0	53	4.1	2.7- 5.5
18-24	148	48,358	9	5.1	1.4- 8.8							1	0.3	0.0- 0.9	127	85.8	79.3-92.3	11	8.7	3.2-14.2
25-34	289	58,406	141	49.1	42.6-55.6	19	6.2	3.1- 9.3	1	0.5	0.0- 1.5	3	0.9	0.0- 1.9	102	36.3	30.0-42.6	23	7.1	4.0-10.2
35-44	243	46,175	168	66.1	58.8-73.4	14	5.7	2.4- 9.0	2	0.5	0.0- 1.3	6	4.3	0.0- 8.6	44	19.3	13.2-25.4	9	4.1	1.4- 6.8
45-54	340	44,998	233	67.3	61.2-73.4	42	15.1	10.0-20.2	6	1.0	0.2- 1.8	9	2.7	0.5- 4.9	41	10.5	6.8-14.2	9	3.4	1.0- 5.8
55-64	511	48,543	338	68.5	63.8-73.2	85	16.7	12.8-20.6	9	1.8	0.2- 3.4	9	1.9	0.3- 3.5	68	10.5	7.6-13.4	2	0.6	0.0- 1.6
65+	691	51,316	452	69.7	65.6-73.8	68	8.2	5.8-10.6	115	13.9	10.8-17.0	5	0.5	0.1- 0.9	47	7.1	4.7- 9.5	4	0.7	0.0- 1.5
Less Than H.S.	166	33,132	58	26.9	19.1-34.7	29	17.4	10.5-24.3	29	8.9	4.6-13.2	7	5.6	0.0-11.3	35	33.5	23.1-43.9	8	7.7	2.0-13.4
H.S. or G.E.D.	685	86,552	379	47.6	42.9-52.3	75	8.4	6.0-10.8	44	2.9	1.9- 3.9	12	2.2	0.8- 3.6	164	37.0	32.1-41.9	11	2.0	0.6- 3.4
Some Post-H.S.	675	109,826	425	58.1	53.4-62.8	65	7.2	5.0- 9.4	32	2.3	1.3- 3.3	6	0.7	0.0- 1.5	124	26.7	22.0-31.4	23	5.0	2.6- 7.4
College Graduate	706	69,323	484	68.5	64.2-72.8	59	6.4	4.2- 8.6	29	1.6	0.6- 2.6	9	1.1	0.1- 2.1	108	18.5	14.8-22.2	17	3.9	1.7- 6.1
Less than \$15,000	86	12,946	10	13.2	4.6-21.8	22	18.2	9.2-27.2	11	6.9	2.0-11.8	4	4.4	0.0-10.3	38	57.1	44.0-70.2	1	0.2	0.0- 0.6
\$15,000- 24,999	205	30,277	60	25.1	18.0-32.2	42	15.8	9.9-21.7	27	8.9	4.4-13.4	8	5.9	0.0-12.0	65	42.0	32.8-51.2	3	2.3	0.0- 5.2
\$25,000- 34,999	182	24,693	78	38.5	29.3-47.7	27	15.0	8.1-21.9	21	3.9	1.9- 5.9				50	36.0	26.0-46.0	6	6.6	0.3-12.9
\$35,000- 49,999	311	39,714	170	49.7	42.3-57.1	34	8.2	4.7-11.7	18	2.1	0.9- 3.3	8	3.0	0.6- 5.4	73	34.4	26.8-42.0	8	2.5	0.7- 4.3
\$50,000- 74,999	393	49,112	256	58.5	52.2-64.8	35	7.4	4.5-10.3	14	1.5	0.5- 2.5	3	0.7	0.0- 1.5	71	26.3	20.2-32.4	14	5.7	2.2- 9.2
\$75,000+	822	106,333	652	75.4	71.3-79.5	53	5.3	3.5- 7.1	23	1.6	0.8- 2.4	6	0.5	0.1- 0.9	69	13.3	9.8-16.8	19	3.9	1.9- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2710	286,857	1546	57.1	54.6-59.6	293	9.7	8.1-11.3	544	9.7	8.7-10.7	22	1.1	0.5- 1.7	251	17.9	15.4-20.4	54	4.4	3.0- 5.8
Native	95	12,474	38	33.6	22.0-45.2	17	15.5	7.1-23.9	15	7.6	1.9-13.3	2	1.0	0.0- 2.6	21	34.5	20.0-49.0	2	7.8	0.0-18.2
Non-Native	2597	272,150	1500	58.4	55.7-61.1	276	9.5	7.9-11.1	523	9.8	8.8-10.8	20	1.1	0.5- 1.7	227	17.0	14.5-19.5	51	4.2	2.8- 5.6
18-24	119	42,182	18	14.8	7.9-21.7	4	2.7	0.0- 5.4				1	1.0	0.0- 3.0	78	66.7	57.7-75.7	18	14.7	7.8-21.6
25-34	220	50,037	131	58.8	51.4-66.2	20	9.2	4.5-13.9	1	0.2	0.0- 0.6	2	0.5	0.0- 1.1	52	23.1	16.8-29.4	14	8.2	3.7-12.7
35-44	270	41,398	195	69.6	62.7-76.5	37	14.7	9.2-20.2	2	0.2	0.0- 0.4	6	3.7	0.4- 7.0	22	9.0	4.7-13.3	8	2.9	0.7- 5.1
45-54	359	42,128	275	77.7	72.2-83.2	42	11.1	7.4-14.8	5	0.8	0.0- 1.6	3	1.1	0.0- 2.7	27	7.5	3.6-11.4	7	1.7	0.1- 3.3
55-64	621	46,741	444	73.9	69.8-78.0	86	14.0	10.7-17.3	46	5.2	3.4- 7.0	3	0.3	0.0- 0.7	38	5.9	3.4- 8.4	4	0.7	0.0- 1.5
65+	1092	61,698	469	49.7	46.2-53.2	102	7.3	5.5- 9.1	480	39.2	35.7-42.7	7	0.6	0.0- 1.2	31	3.0	1.6- 4.4	3	0.2	0.0- 0.4
Less Than H.S.	133	18,733	34	27.1	16.7-37.5	15	13.7	5.5-21.9	71	33.6	24.0-43.2	1	0.5	0.0- 1.5	9	16.0	5.0-27.0	3	9.2	0.0-18.8
H.S. or G.E.D.	764	71,000	389	49.7	44.6-54.8	83	11.7	8.4-15.0	198	12.0	9.8-14.2	5	0.3	0.0- 0.7	74	22.2	17.3-27.1	15	4.1	1.6- 6.6
Some Post-H.S.	923	120,818	526	58.1	53.8-62.4	97	9.4	7.0-11.8	189	8.5	6.9-10.1	13	2.2	0.6- 3.8	79	17.8	13.7-21.9	19	4.0	1.8- 6.2
College Graduate	881	75,880	595	70.0	65.9-74.1	98	7.3	5.3- 9.3	81	3.6	2.6- 4.6	3	0.2	0.0- 0.4	87	14.6	10.9-18.3	17	4.3	2.1- 6.5
Less than \$15,000	176	20,726	14	5.9	2.4- 9.4	45	19.1	12.4-25.8	71	21.1	14.8-27.4	5	3.1	0.0- 6.6	37	40.9	29.7-52.1	4	9.8	1.0-18.6
\$15,000- 24,999	337	33,751	77	23.4	17.3-29.5	57	13.9	8.6-19.2	139	22.8	17.7-27.9	8	4.4	0.3- 8.5	47	26.3	18.3-34.3	9	9.2	2.7-15.7
\$25,000- 34,999	245	25,507	92	37.5	29.1-45.9	46	20.5	12.9-28.1	68	11.7	8.2-15.2	2	0.9	0.0- 2.5	29	22.1	13.5-30.7	8	7.2	1.7-12.7
\$35,000- 49,999	367	34,261	177	52.9	45.5-60.3	54	15.0	9.9-20.1	87	10.2	7.5-12.9	2	0.4	0.0- 1.0	42	19.9	12.8-27.0	5	1.6	0.0- 3.4
\$50,000- 74,999	374	41,311	276	76.5	70.6-82.4	31	5.8	3.3- 8.3	31	3.0	1.6- 4.4	2	0.9	0.0- 2.5	23	8.5	4.2-12.8	11	5.5	2.0- 9.0
\$75,000+	739	82,931	640	82.9	78.8-87.0	28	3.5	1.5- 5.5	27	1.5	0.7- 2.3	1	0.2	0.0- 0.6	30	9.2	5.5-12.9	13	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4957	588,739	2	0.0	0.0-0.0	115	2.4	1.8-3.0	183	6.5	5.3-7.7	1457	26.9	25.3-28.5	1608	39.6	37.6-41.6	1592	24.7	23.3-26.1
Male	2240	301,067				56	2.5	1.7-3.3	111	8.6	6.6-10.6	687	28.9	26.5-31.3	678	37.0	34.3-39.7	708	23.1	21.1-25.1
Female	2717	287,672	2	0.0	0.0-0.0	59	2.2	1.4-3.0	72	4.3	2.9-5.7	770	24.8	22.6-27.0	930	42.3	39.8-44.8	884	26.4	24.2-28.6
Native	173	24,005				2	0.7	0.0-1.7	27	25.4	14.6-36.2	47	28.1	19.5-36.7	58	35.8	26.2-45.4	39	10.0	6.1-13.9
Non-Native	4732	557,267	2	0.0	0.0-0.0	110	2.4	1.8-3.0	155	5.7	4.5-6.9	1396	26.9	25.3-28.5	1530	39.7	37.7-41.7	1539	25.4	23.8-27.0
18-24	270	92,112							19	10.6	5.9-15.3	112	36.1	30.0-42.2	99	43.1	36.4-49.8	40	10.1	6.8-13.4
25-34	511	108,973				2	0.6	0.0-1.8	18	5.5	2.8-8.2	126	22.7	18.8-26.6	161	37.7	32.8-42.6	204	33.5	29.2-37.8
35-44	514	87,704				1	0.2	0.0-0.6	13	5.2	2.1-8.3	124	23.5	19.2-27.8	145	35.9	30.8-41.0	231	35.3	30.8-39.8
45-54	698	86,803				5	1.6	0.0-3.2	20	5.3	2.6-8.0	176	23.0	19.5-26.5	246	43.2	38.7-47.7	251	26.9	23.4-30.4
55-64	1137	95,669				2	0.3	0.0-0.7	30	4.7	2.7-6.7	296	25.6	22.7-28.5	419	45.2	41.7-48.7	390	24.2	21.7-26.7
65+	1784	113,111	2	0.1	0.0-0.3	104	9.8	7.6-12.0	81	7.3	5.5-9.1	612	30.1	27.6-32.6	523	33.9	31.2-36.6	462	18.8	16.8-20.8
Less than \$15,000	265	34,071				21	6.0	3.1-8.9	21	12.7	6.4-19.0	106	35.2	27.4-43.0	75	33.3	25.1-41.5	42	12.7	7.6-17.8
\$15,000- 24,999	544	65,459				32	6.2	3.7-8.7	42	14.7	9.4-20.0	228	34.0	28.5-39.5	156	33.8	27.7-39.9	86	11.2	8.1-14.3
\$25,000- 34,999	428	50,246				14	3.0	1.0-5.0	23	7.8	4.1-11.5	160	32.8	26.7-38.9	152	41.9	35.2-48.6	79	14.7	10.2-19.2
\$35,000- 49,999	678	74,248				8	1.7	0.3-3.1	22	3.9	1.7-6.1	246	34.5	29.6-39.4	212	39.5	34.2-44.8	190	20.4	16.7-24.1
\$50,000- 74,999	769	90,518	1	0.1	0.0-0.3	3	0.4	0.0-0.8	14	3.9	1.5-6.3	185	22.4	18.7-26.1	271	42.3	37.8-46.8	295	31.0	27.1-34.9
\$75,000+	1560	188,784				7	0.7	0.0-1.5	19	2.6	1.2-4.0	288	17.5	15.1-19.9	505	42.0	38.9-45.1	741	37.2	34.3-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2240	301,067	56	2.5	1.7- 3.3	111	8.6	6.6-10.6	687	28.9	26.5-31.3	678	37.0	34.3-39.7	708	23.1	21.1-25.1
Native	76	11,439				16	34.1	16.9-51.3	21	24.6	13.0-36.2	24	30.8	17.7-43.9	15	10.5	4.0-17.0
Non-Native	2132	284,507	55	2.5	1.7- 3.3	94	7.6	5.8- 9.4	658	29.2	26.7-31.7	642	37.1	34.4-39.8	683	23.6	21.4-25.8
18-24	151	49,930				13	14.5	6.9-22.1	70	38.5	29.9-47.1	52	41.2	32.2-50.2	16	5.8	2.7- 8.9
25-34	290	58,601				14	7.1	3.2-11.0	83	26.9	21.4-32.4	94	37.2	30.7-43.7	99	28.8	23.3-34.3
35-44	243	46,175	1	0.4	0.0- 1.2	9	7.3	2.2-12.4	70	27.2	20.7-33.7	63	31.1	24.0-38.2	100	34.0	27.5-40.5
45-54	339	44,663	4	2.4	0.0- 4.9	17	8.1	4.0-12.2	99	25.7	20.6-30.8	112	39.9	33.6-46.2	107	23.9	19.0-28.8
55-64	511	48,587	2	0.6	0.0- 1.4	19	6.6	3.5- 9.7	137	25.8	21.5-30.1	191	44.2	39.1-49.3	162	22.8	19.1-26.5
65+	693	51,500	48	11.4	7.9-14.9	38	7.8	4.9-10.7	224	28.7	24.8-32.6	163	29.0	24.7-33.3	220	23.1	19.8-26.4
Less than \$15,000	87	13,161	9	7.9	2.2-13.6	11	20.0	8.0-32.0	32	32.7	20.2-45.2	21	24.5	12.3-36.7	14	15.0	5.8-24.2
\$15,000- 24,999	208	31,718	18	9.6	4.5-14.7	23	17.4	9.2-25.6	82	31.7	23.7-39.7	46	28.2	19.2-37.2	39	13.0	8.1-17.9
\$25,000- 34,999	182	24,693	7	2.8	0.6- 5.0	19	14.2	6.9-21.5	73	34.7	25.7-43.7	52	36.9	26.9-46.9	31	11.4	5.7-17.1
\$35,000- 49,999	311	39,714	6	2.7	0.2- 5.2	13	5.4	1.7- 9.1	120	37.5	30.2-44.8	95	37.2	29.8-44.6	77	17.2	12.5-21.9
\$50,000- 74,999	393	49,112	3	0.7	0.0- 1.5	12	5.9	2.0- 9.8	117	28.4	22.9-33.9	135	39.6	33.5-45.7	126	25.3	20.2-30.4
\$75,000+	821	105,852	5	0.6	0.0- 1.2	16	4.0	1.6- 6.4	180	21.2	17.7-24.7	256	40.3	36.0-44.6	364	33.8	30.1-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2717	287,672	2	0.0	0.0-0.0	59	2.2	1.4-3.0	72	4.3	2.9-5.7	770	24.8	22.6-27.0	930	42.3	39.8-44.8	884	26.4	24.2-28.6			
Native	97	12,567				2	1.4	0.0-3.4	11	17.4	5.4-29.4	26	31.3	18.8-43.8	34	40.3	26.8-53.8	24	9.7	4.8-14.6			
Non-Native	2600	272,760	2	0.1	0.1-0.1	55	2.2	1.4-3.0	61	3.7	2.5-4.9	738	24.5	22.3-26.7	888	42.3	39.6-45.0	856	27.3	25.1-29.5			
18-24	119	42,182							6	5.9	1.0-10.8	42	33.4	24.6-42.2	47	45.5	35.9-55.1	24	15.3	9.2-21.4			
25-34	221	50,372				2	1.4	0.0-3.8	4	3.7	0.0-7.4	43	17.9	12.4-23.4	67	38.1	30.5-45.7	105	38.9	31.8-46.0			
35-44	271	41,529							4	2.8	0.0-5.9	54	19.4	13.7-25.1	82	41.2	33.9-48.5	131	36.7	30.2-43.2			
45-54	359	42,140				1	0.9	0.0-2.7	3	2.5	0.0-5.8	77	20.1	15.6-24.6	134	46.6	40.3-52.9	144	30.0	24.9-35.1			
55-64	626	47,083							11	2.7	0.9-4.5	159	25.5	21.6-29.4	228	46.2	41.5-50.9	228	25.6	22.1-29.1			
65+	1091	61,611	2	0.2	0.0-0.6	56	8.6	6.1-11.1	43	6.8	4.4-9.2	388	31.3	28.2-34.4	360	37.9	34.4-41.4	242	15.2	13.0-17.4			
Less than \$15,000	178	20,909							12	4.8	1.9-7.7	10	8.2	1.3-15.1	74	36.8	26.8-46.8	54	38.9	28.1-49.7	28	11.3	5.2-17.4
\$15,000- 24,999	336	33,741							14	2.9	1.1-4.7	19	12.1	5.2-19.0	146	36.3	28.9-43.7	110	39.1	31.1-47.1	47	9.6	5.7-13.5
\$25,000- 34,999	246	25,553							7	3.1	0.0-6.2	4	1.6	0.0-3.4	87	30.9	22.9-38.9	100	46.6	37.6-55.6	48	17.8	10.9-24.7
\$35,000- 49,999	367	34,534				2	0.5	0.0-1.1	9	2.1	0.5-3.7	126	31.1	24.6-37.6	117	42.2	34.6-49.8	113	24.1	18.4-29.8			
\$50,000- 74,999	376	41,406	1	0.2	0.0-0.6				2	1.4	0.0-3.8	68	15.2	10.9-19.5	136	45.5	38.6-52.4	169	37.7	31.4-44.0			
\$75,000+	739	82,931				2	0.9	0.0-2.3	3	0.7	0.0-1.5	108	12.8	9.9-15.7	249	44.1	39.4-48.8	377	41.5	37.2-45.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4950	587,507	3868	68.5	66.5-70.5	951	27.1	25.3-28.9	131	4.3	3.3- 5.3
Male	2237	300,673	1730	67.1	64.4-69.8	443	28.5	26.0-31.0	64	4.4	3.0- 5.8
Female	2713	286,835	2138	70.1	67.4-72.8	508	25.7	23.2-28.2	67	4.3	2.9- 5.7
18-24	268	91,454	63	22.9	17.4-28.4	150	57.3	50.6-64.0	55	19.8	14.5-25.1
25-34	511	108,973	302	55.4	50.5-60.3	194	42.2	37.3-47.1	15	2.4	1.0- 3.8
35-44	512	87,378	397	76.3	72.0-80.6	106	22.0	17.7-26.3	9	1.7	0.5- 2.9
45-54	699	87,112	606	84.7	81.4-88.0	89	15.0	11.7-18.3	4	0.3	0.0- 0.7
55-64	1134	95,487	980	86.2	83.8-88.6	136	12.4	10.0-14.8	18	1.4	0.6- 2.2
65+	1783	112,717	1486	84.4	82.4-86.4	268	14.1	12.1-16.1	29	1.4	0.8- 2.0
Less Than H.S.	296	51,310	189	55.1	47.3-62.9	97	38.2	30.6-45.8	10	6.6	1.5-11.7
H.S. or G.E.D.	1451	157,834	1066	62.0	58.5-65.5	336	32.7	29.2-36.2	49	5.3	3.5- 7.1
Some Post-H.S.	1602	232,174	1278	70.3	67.0-73.6	284	24.9	21.8-28.0	40	4.8	3.0- 6.6
College Graduate	1589	145,123	1326	77.6	74.7-80.5	231	20.5	17.8-23.2	32	1.8	1.0- 2.6
Less than \$15,000	264	33,980	114	32.2	24.8-39.6	133	59.6	51.4-67.8	17	8.1	2.6-13.6
\$15,000- 24,999	544	65,420	339	49.1	43.0-55.2	186	46.5	40.2-52.8	19	4.4	1.7- 7.1
\$25,000- 34,999	428	50,246	280	53.6	46.9-60.3	139	44.0	37.1-50.9	9	2.4	0.4- 4.4
\$35,000- 49,999	677	74,070	516	63.9	58.4-69.4	145	32.1	26.8-37.4	16	4.0	1.5- 6.5
\$50,000- 74,999	768	90,452	660	77.2	72.9-81.5	97	21.4	17.1-25.7	11	1.3	0.3- 2.3
\$75,000+	1560	188,633	1434	87.4	84.9-89.9	100	9.5	7.3-11.7	26	3.1	1.5- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2237	300,673	1730	67.1	64.4-69.8	443	28.5	26.0-31.0	64	4.4	3.0- 5.8
18-24	149	49,272	30	20.7	13.3-28.1	90	59.8	50.8-68.8	29	19.4	12.0-26.8
25-34	290	58,601	167	54.5	48.0-61.0	114	43.1	36.6-49.6	9	2.4	0.6- 4.2
35-44	242	46,023	181	74.1	67.8-80.4	56	23.9	17.6-30.2	5	2.0	0.0- 4.0
45-54	340	44,998	287	81.0	75.7-86.3	51	18.7	13.4-24.0	2	0.3	0.0- 0.7
55-64	510	48,598	437	84.8	81.1-88.5	65	13.8	10.3-17.3	8	1.4	0.2- 2.6
65+	692	51,435	616	90.1	87.4-92.8	65	8.9	6.2-11.6	11	1.0	0.4- 1.6
Less Than H.S.	166	32,852	114	57.4	47.2-67.6	47	34.2	24.6-43.8	5	8.4	0.8-16.0
H.S. or G.E.D.	686	86,970	509	63.1	58.2-68.0	154	32.2	27.5-36.9	23	4.7	2.5- 6.9
Some Post-H.S.	675	110,874	528	67.3	62.4-72.2	129	28.1	23.4-32.8	18	4.6	2.1- 7.1
College Graduate	707	69,335	577	76.5	72.4-80.6	112	21.6	17.5-25.7	18	1.9	0.9- 2.9
Less than \$15,000	87	13,161	42	39.9	27.0-52.8	37	46.8	33.3-60.3	8	13.2	1.4-25.0
\$15,000- 24,999	207	31,653	125	47.5	38.3-56.7	72	45.5	36.1-54.9	10	6.9	1.6-12.2
\$25,000- 34,999	182	24,693	117	48.4	38.6-58.2	58	47.3	37.3-57.3	7	4.4	0.5- 8.3
\$35,000- 49,999	310	39,563	222	61.2	53.6-68.8	79	35.6	28.0-43.2	9	3.2	0.7- 5.7
\$50,000- 74,999	393	49,112	323	72.5	66.2-78.8	64	26.5	20.2-32.8	6	1.0	0.0- 2.0
\$75,000+	821	105,702	739	85.9	82.6-89.2	71	12.0	8.9-15.1	11	2.1	0.3- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	286,835	2138	70.1	67.6-72.6	508	25.7	23.2-28.2	67	4.3	2.9- 5.7
18-24	119	42,182	33	25.4	17.2-33.6	60	54.4	44.8-64.0	26	20.2	12.6-27.8
25-34	221	50,372	135	56.4	48.8-64.0	80	41.2	33.6-48.8	6	2.3	0.0- 4.7
35-44	270	41,355	216	78.7	72.8-84.6	50	20.0	14.3-25.7	4	1.3	0.0- 2.7
45-54	359	42,114	319	88.6	84.7-92.5	38	11.0	7.1-14.9	2	0.4	0.0- 1.0
55-64	624	46,889	543	87.6	84.5-90.7	71	11.0	8.1-13.9	10	1.5	0.3- 2.7
65+	1091	61,282	870	79.6	76.7-82.5	203	18.5	15.8-21.2	18	1.8	0.8- 2.8
Less Than H.S.	130	18,457	75	51.1	38.9-63.3	50	45.4	33.2-57.6	5	3.5	0.0- 7.2
H.S. or G.E.D.	765	70,864	557	60.6	55.3-65.9	182	33.4	28.3-38.5	26	6.0	3.3- 8.7
Some Post-H.S.	927	121,299	750	73.1	68.8-77.4	155	22.0	18.1-25.9	22	4.9	2.4- 7.4
College Graduate	882	75,788	749	78.7	74.8-82.6	119	19.6	15.7-23.5	14	1.8	0.6- 3.0
Less than \$15,000	177	20,819	72	27.4	18.4-36.4	96	67.7	58.1-77.3	9	4.9	0.2- 9.6
\$15,000- 24,999	337	33,767	214	50.7	42.7-58.7	114	47.3	39.1-55.5	9	2.0	0.4- 3.6
\$25,000- 34,999	246	25,553	163	58.6	49.4-67.8	81	40.9	31.7-50.1	2	0.4	0.0- 1.0
\$35,000- 49,999	367	34,508	294	67.0	59.2-74.8	66	28.2	20.8-35.6	7	4.9	0.4- 9.4
\$50,000- 74,999	375	41,340	337	82.9	77.0-88.8	33	15.5	9.8-21.2	5	1.7	0.0- 3.5
\$75,000+	739	82,931	695	89.3	85.6-93.0	29	6.4	3.7- 9.1	15	4.3	1.6- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4884	569,076	4801	97.0	96.2-97.8	42	1.8	1.2- 2.4	41	1.1	0.7- 1.5
Male	2197	289,590	2156	96.8	95.6-98.0	25	2.4	1.4- 3.4	16	0.9	0.3- 1.5
Female	2687	279,486	2645	97.3	96.3-98.3	17	1.3	0.5- 2.1	25	1.4	0.6- 2.2
Native	172	23,782	170	99.2	98.0- 100				2	0.8	0.0- 2.0
Non-Native	4657	537,375	4584	97.1	96.3-97.9	40	1.9	1.1- 2.7	33	0.9	0.5- 1.3
18-24	252	85,526	236	92.8	89.1-96.5	11	5.5	2.2- 8.8	5	1.7	0.1- 3.3
25-34	487	102,768	470	95.3	92.9-97.7	11	3.0	1.0- 5.0	6	1.7	0.3- 3.1
35-44	495	84,133	488	97.9	96.1-99.7	5	1.4	0.0- 3.0	2	0.7	0.0- 1.7
45-54	686	83,662	678	98.8	97.8-99.8	3	0.6	0.0- 1.4	5	0.6	0.0- 1.2
55-64	1130	95,141	1124	99.3	98.7-99.9	1	0.0	0.0- 0.0	5	0.6	0.0- 1.2
65+	1788	113,176	1764	98.2	97.4-99.0	10	0.8	0.2- 1.4	14	1.0	0.4- 1.6
Less Than H.S.	293	49,928	280	95.2	91.3-99.1	9	4.1	0.4- 7.8	4	0.7	0.0- 1.5
H.S. or G.E.D.	1433	152,552	1405	95.7	93.9-97.5	14	2.7	1.1- 4.3	14	1.6	0.6- 2.6
Some Post-H.S.	1579	224,555	1555	97.9	96.7-99.1	10	1.2	0.2- 2.2	14	0.9	0.3- 1.5
College Graduate	1564	140,430	1549	98.0	96.8-99.2	8	1.1	0.3- 1.9	7	0.9	0.1- 1.7
Less than \$15,000	262	33,512	259	97.7	94.6- 100	3	2.3	0.0- 5.4			
\$15,000- 24,999	537	62,593	523	94.3	90.8-97.8	9	4.7	1.4- 8.0	5	1.0	0.0- 2.2
\$25,000- 34,999	420	47,597	413	96.6	93.7-99.5	4	2.3	0.0- 5.0	3	1.1	0.0- 2.5
\$35,000- 49,999	672	72,660	660	97.1	95.1-99.1	8	1.6	0.2- 3.0	4	1.3	0.0- 2.9
\$50,000- 74,999	753	87,017	749	98.8	97.4- 100	3	1.0	0.0- 2.4	1	0.2	0.0- 0.6
\$75,000+	1533	183,735	1522	98.5	97.5-99.5	5	0.9	0.1- 1.7	6	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2197	289,590	2156	96.8	95.6-98.0	25	2.4	1.4- 3.4	16	0.9	0.3- 1.5
Native	75	11,215	74	98.7	96.2- 100				1	1.3	0.0- 3.8
Non-Native	2089	273,168	2052	96.8	95.6-98.0	24	2.5	1.3- 3.7	13	0.7	0.1- 1.3
18-24	140	46,204	132	93.0	87.9-98.1	7	6.7	1.6-11.8	1	0.3	0.0- 0.9
25-34	279	55,759	269	95.7	93.0-98.4	8	3.2	1.0- 5.4	2	1.1	0.0- 2.9
35-44	230	43,391	226	97.0	93.9- 100	3	2.3	0.0- 5.2	1	0.6	0.0- 1.8
45-54	331	42,377	325	98.0	96.2-99.8	2	1.1	0.0- 2.7	4	1.0	0.0- 2.0
55-64	510	48,522	506	99.0	97.8- 100	1	0.1	0.0- 0.3	3	0.9	0.0- 2.1
65+	691	51,334	685	98.9	97.7- 100	3	0.8	0.0- 1.8	3	0.4	0.0- 0.8
Less Than H.S.	160	31,195	154	95.9	91.0- 100	4	3.6	0.0- 8.3	2	0.5	0.0- 1.3
H.S. or G.E.D.	675	83,897	661	95.4	92.9-97.9	10	3.6	1.2- 6.0	4	0.9	0.0- 1.9
Some Post-H.S.	664	106,963	653	97.7	95.9-99.5	5	1.4	0.0- 2.8	6	0.9	0.0- 1.9
College Graduate	693	66,634	685	97.7	95.9-99.5	5	1.7	0.3- 3.1	3	0.7	0.0- 1.5
Less than \$15,000	86	12,946	83	93.9	86.1- 100	3	6.1	0.0-13.9			
\$15,000- 24,999	203	30,238	196	93.6	87.9-99.3	5	5.4	0.0-10.9	2	1.0	0.0- 2.8
\$25,000- 34,999	176	23,083	171	94.6	89.1- 100	3	4.5	0.0-10.0	2	1.0	0.0- 2.4
\$35,000- 49,999	308	38,864	301	95.8	92.3-99.3	5	2.7	0.2- 5.2	2	1.5	0.0- 4.0
\$50,000- 74,999	386	47,675	385	99.1	97.3- 100	1	0.9	0.0- 2.7			
\$75,000+	804	101,801	799	99.1	98.3-99.9	3	0.7	0.0- 1.5	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	279,486	2645	97.3	96.3-98.3	17	1.3	0.5- 2.1	25	1.4	0.6- 2.2
Native	97	12,567	96	99.6	98.8- 100				1	0.4	0.0- 1.2
Non-Native	2568	264,206	2532	97.5	96.5-98.5	16	1.3	0.5- 2.1	20	1.1	0.5- 1.7
18-24	112	39,321	104	92.6	87.5-97.7	4	4.0	0.1- 7.9	4	3.4	0.1- 6.7
25-34	208	47,009	201	94.8	90.9-98.7	3	2.9	0.0- 6.2	4	2.3	0.0- 4.7
35-44	265	40,742	262	98.9	97.3- 100	2	0.4	0.0- 1.0	1	0.7	0.0- 2.1
45-54	355	41,286	353	99.7	99.3- 100	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6
55-64	620	46,619	618	99.7	99.3- 100				2	0.3	0.0- 0.7
65+	1097	61,843	1079	97.7	96.5-98.9	7	0.8	0.2- 1.4	11	1.5	0.5- 2.5
Less Than H.S.	133	18,733	126	94.0	87.5- 100	5	4.8	0.0-11.1	2	1.2	0.0- 3.0
H.S. or G.E.D.	758	68,655	744	96.1	93.6-98.6	4	1.5	0.0- 3.1	10	2.4	0.4- 4.4
Some Post-H.S.	915	117,592	902	98.1	96.7-99.5	5	1.1	0.0- 2.3	8	0.8	0.0- 1.6
College Graduate	871	73,796	864	98.4	96.8- 100	3	0.6	0.0- 1.6	4	1.0	0.0- 2.2
Less than \$15,000	176	20,566	176	100.0	100.0- 100						
\$15,000- 24,999	334	32,355	327	95.0	90.5-99.5	4	4.0	0.0- 8.3	3	1.0	0.0- 2.8
\$25,000- 34,999	244	24,514	242	98.5	96.0- 100	1	0.3	0.0- 0.9	1	1.2	0.0- 3.6
\$35,000- 49,999	364	33,796	359	98.6	96.8- 100	3	0.3	0.0- 0.7	2	1.1	0.0- 2.9
\$50,000- 74,999	367	39,342	364	98.4	96.2- 100	2	1.2	0.0- 3.2	1	0.4	0.0- 1.2
\$75,000+	729	81,934	723	97.8	95.8-99.8	2	1.2	0.0- 2.8	4	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 26: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4972	590,349	4817	96.3	95.5-97.1	1	0.0	0.0- 0.0	51	1.4	0.8- 2.0	103	2.3	1.7- 2.9
Male	2245	301,967	2171	95.9	94.7-97.1	1	0.1	0.0- 0.3	27	2.0	1.0- 3.0	46	2.1	1.3- 2.9
Female	2727	288,382	2646	96.8	95.8-97.8				24	0.7	0.1- 1.3	57	2.4	1.6- 3.2
Native	173	24,005	166	92.4	85.3-99.5				3	5.3	0.0-12.0	4	2.4	0.0- 4.8
Non-Native	4744	558,424	4605	96.7	95.9-97.5	1	0.0	0.0- 0.0	47	1.2	0.6- 1.8	91	2.0	1.4- 2.6
18-24	270	92,112	257	94.7	91.6-97.8				7	3.0	0.6- 5.4	6	2.3	0.3- 4.3
25-34	511	108,973	500	97.9	96.5-99.3	1	0.2	0.0- 0.6	3	0.5	0.0- 1.1	7	1.4	0.2- 2.6
35-44	515	87,988	498	96.6	94.8-98.4				2	0.9	0.0- 2.1	15	2.5	1.1- 3.9
45-54	700	87,200	685	96.5	94.3-98.7				4	1.9	0.0- 3.9	11	1.6	0.4- 2.8
55-64	1138	95,842	1116	97.8	96.8-98.8				3	0.3	0.0- 0.7	19	1.9	0.9- 2.9
65+	1791	113,391	1725	95.6	94.4-96.8				31	1.8	1.0- 2.6	35	2.6	1.6- 3.6
Less Than H.S.	300	52,022	271	87.8	82.3-93.3	1	0.4	0.0- 1.2	13	7.5	2.6-12.4	15	4.3	1.6- 7.0
H.S. or G.E.D.	1457	158,420	1409	95.9	94.3-97.5				17	1.2	0.4- 2.0	31	2.9	1.5- 4.3
Some Post-H.S.	1608	232,889	1560	97.4	96.4-98.4				14	0.8	0.2- 1.4	34	1.7	0.9- 2.5
College Graduate	1592	145,408	1568	98.7	98.1-99.3				6	0.1	0.0- 0.3	18	1.2	0.6- 1.8
Less than \$15,000	266	34,087	255	93.3	88.0-98.6				9	6.0	0.7-11.3	2	0.8	0.0- 2.0
\$15,000- 24,999	546	65,514	522	94.6	91.5-97.7				11	2.7	0.2- 5.2	13	2.6	0.8- 4.4
\$25,000- 34,999	428	50,246	413	96.8	94.8-98.8				2	0.4	0.0- 1.0	13	2.8	1.0- 4.6
\$35,000- 49,999	679	74,310	668	98.1	96.5-99.7				4	0.4	0.0- 0.8	7	1.5	0.0- 3.1
\$50,000- 74,999	769	90,518	758	98.8	98.0-99.6	1	0.2	0.0- 0.6	3	0.4	0.0- 0.8	7	0.7	0.1- 1.3
\$75,000+	1562	189,291	1535	98.1	97.1-99.1				9	0.8	0.0- 1.6	18	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2245	301,967	2171	95.9	94.7-97.1	1	0.1	0.0- 0.3	27	2.0	1.0- 3.0	46	2.1	1.3- 2.9
Native	76	11,439	70	89.9	80.3-99.5				2	5.1	0.0-13.7	4	4.9	0.0-10.0
Non-Native	2136	285,322	2072	96.3	95.1-97.5	1	0.1	0.0- 0.3	24	1.8	0.8- 2.8	39	1.9	1.1- 2.7
18-24	151	49,930	141	92.6	87.7-97.5				7	5.6	1.3- 9.9	3	1.8	0.0- 4.2
25-34	290	58,601	282	97.4	95.4-99.4	1	0.4	0.0- 1.2	3	0.9	0.0- 1.9	4	1.4	0.0- 3.0
35-44	243	46,175	236	96.8	94.1-99.5				2	1.6	0.0- 4.0	5	1.5	0.1- 2.9
45-54	340	44,998	328	95.2	92.1-98.3				3	2.2	0.0- 4.7	9	2.6	0.4- 4.8
55-64	512	48,759	503	98.0	96.6-99.4				2	0.4	0.0- 1.0	7	1.6	0.2- 3.0
65+	693	51,500	670	96.2	94.2-98.2				9	1.3	0.3- 2.3	14	2.5	0.9- 4.1
Less Than H.S.	167	33,289	148	85.8	78.4-93.2	1	0.6	0.0- 1.8	9	8.6	1.9-15.3	9	5.0	1.1- 8.9
H.S. or G.E.D.	687	87,035	666	96.0	94.0-98.0				8	1.7	0.5- 2.9	13	2.3	0.7- 3.9
Some Post-H.S.	678	111,325	655	97.0	95.4-98.6				7	1.3	0.1- 2.5	16	1.6	0.6- 2.6
College Graduate	708	69,418	699	99.1	98.5-99.7				3	0.1	0.0- 0.3	6	0.8	0.2- 1.4
Less than \$15,000	87	13,161	82	90.9	81.5- 100				5	9.1	0.0-18.5			
\$15,000- 24,999	208	31,718	197	92.0	86.1-97.9				4	4.3	0.0- 9.4	7	3.6	0.5- 6.7
\$25,000- 34,999	182	24,693	176	97.4	95.2-99.6				1	0.3	0.0- 0.9	5	2.3	0.1- 4.5
\$35,000- 49,999	311	39,714	304	97.1	94.2- 100				2	0.5	0.0- 1.3	5	2.5	0.0- 5.2
\$50,000- 74,999	393	49,112	387	98.6	97.2- 100	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3	3	0.5	0.0- 1.1
\$75,000+	823	106,360	805	97.9	96.5-99.3				8	1.4	0.2- 2.6	10	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 28: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2727	288,382	2646	96.8	95.8-97.8	24	0.7	0.1- 1.3	57	2.4	1.6- 3.2
Native	97	12,567	96	94.6	84.6- 100	1	5.4	0.0-15.4			
Non-Native	2608	273,102	2533	97.3	96.5-98.1	23	0.5	0.3- 0.7	52	2.2	1.4- 3.0
18-24	119	42,182	116	97.1	93.8- 100				3	2.9	0.0- 6.2
25-34	221	50,372	218	98.5	96.5- 100				3	1.5	0.0- 3.5
35-44	272	41,813	262	96.4	94.0-98.8				10	3.6	1.2- 6.0
45-54	360	42,202	357	98.0	94.9- 100	1	1.6	0.0- 4.7	2	0.4	0.0- 1.0
55-64	626	47,083	613	97.6	96.0-99.2	1	0.2	0.0- 0.6	12	2.2	0.8- 3.6
65+	1098	61,891	1055	95.1	93.5-96.7	22	2.2	1.2- 3.2	21	2.7	1.3- 4.1
Less Than H.S.	133	18,733	123	91.3	83.9-98.7	4	5.6	0.0-12.7	6	3.0	0.5- 5.5
H.S. or G.E.D.	770	71,385	743	95.7	93.3-98.1	9	0.6	0.2- 1.0	18	3.7	1.3- 6.1
Some Post-H.S.	930	121,564	905	97.8	96.8-98.8	7	0.4	0.0- 0.8	18	1.8	0.8- 2.8
College Graduate	884	75,990	869	98.3	97.1-99.5	3	0.1	0.0- 0.3	12	1.5	0.5- 2.5
Less than \$15,000	179	20,926	173	94.8	88.3- 100	4	4.0	0.0-10.3	2	1.3	0.0- 3.1
\$15,000- 24,999	338	33,795	325	97.1	95.1-99.1	7	1.3	0.1- 2.5	6	1.7	0.0- 3.5
\$25,000- 34,999	246	25,553	237	96.3	93.4-99.2	1	0.5	0.0- 1.5	8	3.2	0.3- 6.1
\$35,000- 49,999	368	34,596	364	99.3	98.5- 100	2	0.2	0.0- 0.6	2	0.5	0.0- 1.1
\$50,000- 74,999	376	41,406	371	99.0	98.0- 100	1	0.1	0.0- 0.3	4	0.9	0.0- 1.9
\$75,000+	739	82,931	730	98.5	97.3-99.7	1	0.2	0.0- 0.6	8	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2967	251,161	103	2.5	1.9- 3.1	2864	97.5	96.9-98.1
Male	1184	115,601	46	2.7	1.7- 3.7	1138	97.3	96.3-98.3
Female	1783	135,560	57	2.3	1.5- 3.1	1726	97.7	96.9-98.5
Native	101	12,864				101	100.0	100.0- 100
Non-Native	2831	234,503	101	2.6	2.0- 3.2	2730	97.4	96.8-98.0
25-34	154	20,125	4	2.6	0.0- 5.3	150	97.4	94.7- 100
35-44	247	34,576	4	1.0	0.0- 2.0	243	99.0	98.0- 100
45-54	374	39,335	17	4.1	1.7- 6.5	357	95.9	93.5-98.3
55-64	739	56,254	24	2.5	1.3- 3.7	715	97.5	96.3-98.7
65+	1375	83,317	52	2.4	1.6- 3.2	1323	97.6	96.8-98.4
Less Than H.S.	191	25,648	8	1.7	0.3- 3.1	183	98.3	96.9-99.7
H.S. or G.E.D.	899	68,895	25	1.4	0.8- 2.0	874	98.6	98.0-99.2
Some Post-H.S.	974	100,893	29	2.6	1.4- 3.8	945	97.4	96.2-98.6
College Graduate	893	54,941	40	3.8	2.4- 5.2	853	96.2	94.8-97.6
Less than \$15,000	166	13,785	4	0.7	0.0- 1.5	162	99.3	98.5- 100
\$15,000- 24,999	368	31,920	9	1.0	0.2- 1.8	359	99.0	98.2-99.8
\$25,000- 34,999	265	19,464	9	3.4	0.1- 6.7	256	96.6	93.3-99.9
\$35,000- 49,999	427	32,811	13	2.2	0.8- 3.6	414	97.8	96.4-99.2
\$50,000- 74,999	444	35,639	13	1.7	0.7- 2.7	431	98.3	97.3-99.3
\$75,000+	856	79,227	43	3.9	2.5- 5.3	813	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1184	115,601	46	2.7	1.7- 3.7	1138	97.3	96.3-98.3
Non-Native	1127	106,741	44	2.7	1.7- 3.7	1083	97.3	96.3-98.3
25-34	82	10,173	1	1.4	0.0- 4.1	81	98.6	95.9- 100
35-44	99	16,007	1	0.5	0.0- 1.5	98	99.5	98.5- 100
45-54	159	17,240	8	5.3	0.8- 9.8	151	94.7	90.2-99.2
55-64	311	26,833	9	2.3	0.7- 3.9	302	97.7	96.1-99.3
65+	501	36,045	25	3.1	1.7- 4.5	476	96.9	95.5-98.3
Less Than H.S.	93	14,677	4	1.6	0.0- 3.4	89	98.4	96.6- 100
H.S. or G.E.D.	356	31,617	8	1.2	0.2- 2.2	348	98.8	97.8-99.8
Some Post-H.S.	364	44,193	14	3.3	1.1- 5.5	350	96.7	94.5-98.9
College Graduate	368	24,635	20	4.2	2.0- 6.4	348	95.8	93.6-98.0
Less than \$15,000	53	5,655	2	1.0	0.0- 2.4	51	99.0	97.6- 100
\$15,000- 24,999	117	14,188	2	0.8	0.0- 2.2	115	99.2	97.8- 100
\$25,000- 34,999	93	7,894	6	7.4	0.0-15.2	87	92.6	84.8- 100
\$35,000- 49,999	176	16,447	8	2.9	0.5- 5.3	168	97.1	94.7-99.5
\$50,000- 74,999	218	18,694	6	1.6	0.2- 3.0	212	98.4	97.0-99.8
\$75,000+	410	39,243	19	3.7	1.7- 5.7	391	96.3	94.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1783	135,560	57	2.3	1.5- 3.1	1726	97.7	96.9-98.5
Native	64	6,838				64	100.0	100.0- 100
Non-Native	1704	127,762	57	2.4	1.6- 3.2	1647	97.6	96.8-98.4
25-34	72	9,952	3	3.9	0.0- 8.8	69	96.1	91.2- 100
35-44	148	18,568	3	1.4	0.0- 3.0	145	98.6	97.0- 100
45-54	215	22,095	9	3.3	0.9- 5.7	206	96.7	94.3-99.1
55-64	428	29,421	15	2.7	1.1- 4.3	413	97.3	95.7-98.9
65+	874	47,272	27	1.9	1.1- 2.7	847	98.1	97.3-98.9
Less Than H.S.	98	10,972	4	1.7	0.0- 3.9	94	98.3	96.1- 100
H.S. or G.E.D.	543	37,279	17	1.7	0.7- 2.7	526	98.3	97.3-99.3
Some Post-H.S.	610	56,701	15	2.0	0.8- 3.2	595	98.0	96.8-99.2
College Graduate	525	30,305	20	3.5	1.7- 5.3	505	96.5	94.7-98.3
Less than \$15,000	113	8,130	2	0.5	0.0- 1.3	111	99.5	98.7- 100
\$15,000- 24,999	251	17,732	7	1.2	0.2- 2.2	244	98.8	97.8-99.8
\$25,000- 34,999	172	11,571	3	0.7	0.0- 1.5	169	99.3	98.5- 100
\$35,000- 49,999	251	16,364	5	1.5	0.0- 3.1	246	98.5	96.9- 100
\$50,000- 74,999	226	16,944	7	1.8	0.2- 3.4	219	98.2	96.6-99.8
\$75,000+	446	39,985	24	4.2	2.2- 6.2	422	95.8	93.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	100	5,966	57	71.9	62.1-81.7	33	24.1	14.9-33.3	8	3.5	0.8- 6.2	2	0.5	0.0- 1.3
Female	55	2,937	34	76.9	65.1-88.7	16	20.0	8.8-31.2	4	2.9	0.0- 5.8	1	0.2	0.0- 0.6
Non-Native	98	5,797	56	72.4	62.6-82.2	32	23.5	14.3-32.7	8	3.6	0.7- 6.5	2	0.5	0.0- 1.3
65+	51	1,947	26	65.4	51.5-79.3	17	26.7	14.0-39.4	6	6.5	1.0-12.0	2	1.4	0.0- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	55	2,937	34	76.9	64.7-89.1	16	20.0	8.4-31.6	4	2.9	0.0- 5.8	1	0.2	0.0- 0.6
Non-Native	55	2,937	34	76.9	64.7-89.1	16	20.0	8.4-31.6	4	2.9	0.0- 5.8	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2968	250,269	2520	72.1	69.6-74.6	448	27.9	25.4-30.4
Male	1184	115,120	1005	70.5	66.4-74.6	179	29.5	25.4-33.6
Female	1784	135,149	1515	73.6	70.5-76.7	269	26.4	23.3-29.5
Native	101	12,864	73	43.4	29.7-57.1	28	56.6	42.9-70.3
Non-Native	2832	233,611	2422	74.2	71.7-76.7	410	25.8	23.3-28.3
25-34	154	20,125	150	94.6	89.3-99.9	4	5.4	0.1-10.7
35-44	246	34,299	224	74.9	65.7-84.1	22	25.1	15.9-34.3
45-54	374	39,335	346	86.6	81.3-91.9	28	13.4	8.1-18.7
55-64	740	56,122	650	73.9	69.2-78.6	90	26.1	21.4-30.8
65+	1377	83,095	1092	60.2	56.7-63.7	285	39.8	36.3-43.3
Less Than H.S.	194	25,876	112	34.0	26.0-42.0	82	66.0	58.0-74.0
H.S. or G.E.D.	895	68,399	728	66.6	61.9-71.3	167	33.4	28.7-38.1
Some Post-H.S.	976	100,746	855	78.2	74.1-82.3	121	21.8	17.7-25.9
College Graduate	893	54,599	820	86.5	83.4-89.6	73	13.5	10.4-16.6
Less than \$15,000	167	13,830	87	26.8	19.5-34.1	80	73.2	65.9-80.5
\$15,000- 24,999	367	31,634	258	45.4	38.0-52.8	109	54.6	47.2-62.0
\$25,000- 34,999	264	19,314	213	65.3	56.7-73.9	51	34.7	26.1-43.3
\$35,000- 49,999	427	32,811	375	73.6	66.9-80.3	52	26.4	19.7-33.1
\$50,000- 74,999	443	35,482	417	88.3	83.8-92.8	26	11.7	7.2-16.2
\$75,000+	856	78,978	818	90.6	87.3-93.9	38	9.4	6.1-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1184	115,120	1005	70.5	66.4-74.6	179	29.5	25.4-33.6
Non-Native	1127	106,260	968	73.4	69.3-77.5	159	26.6	22.5-30.7
25-34	82	10,173	81	98.2	94.7- 100	1	1.8	0.0- 5.3
35-44	99	16,007	87	70.7	56.4-85.0	12	29.3	15.0-43.6
45-54	159	17,240	143	84.0	76.6-91.4	16	16.0	8.6-23.4
55-64	313	26,919	261	67.7	60.6-74.8	52	32.3	25.2-39.4
65+	500	35,652	411	63.6	57.5-69.7	89	36.4	30.3-42.5
Less Than H.S.	93	14,677	56	34.2	22.4-46.0	37	65.8	54.0-77.6
H.S. or G.E.D.	356	31,617	296	68.0	60.9-75.1	60	32.0	24.9-39.1
Some Post-H.S.	365	44,015	322	77.8	71.1-84.5	43	22.2	15.5-28.9
College Graduate	368	24,506	331	83.0	77.7-88.3	37	17.0	11.7-22.3
Less than \$15,000	54	5,701	24	20.4	10.8-30.0	30	79.6	70.0-89.2
\$15,000- 24,999	116	13,924	70	36.1	24.7-47.5	46	63.9	52.5-75.3
\$25,000- 34,999	93	7,894	78	68.0	53.1-82.9	15	32.0	17.1-46.9
\$35,000- 49,999	176	16,447	147	67.5	57.3-77.7	29	32.5	22.3-42.7
\$50,000- 74,999	217	18,538	204	88.4	82.1-94.7	13	11.6	5.3-17.9
\$75,000+	411	39,270	388	88.3	82.8-93.8	23	11.7	6.2-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1784	135,149	1515	73.6	70.5-76.7	269	26.4	23.3-29.5
Native	64	6,838	49	53.1	34.9-71.3	15	46.9	28.7-65.1
Non-Native	1705	127,351	1454	74.8	71.7-77.9	251	25.2	22.1-28.3
25-34	72	9,952	69	90.9	81.1-100	3	9.1	0.0-18.9
35-44	147	18,292	137	78.6	66.6-90.6	10	21.4	9.4-33.4
45-54	215	22,095	203	88.6	81.2-96.0	12	11.4	4.0-18.8
55-64	427	29,203	389	79.5	73.4-85.6	38	20.5	14.4-26.6
65+	877	47,443	681	57.6	53.3-61.9	196	42.4	38.1-46.7
Less Than H.S.	101	11,200	56	33.9	23.3-44.5	45	66.1	55.5-76.7
H.S. or G.E.D.	539	36,783	432	65.4	59.3-71.5	107	34.6	28.5-40.7
Some Post-H.S.	611	56,732	533	78.5	73.6-83.4	78	21.5	16.6-26.4
College Graduate	525	30,093	489	89.4	85.7-93.1	36	10.6	6.9-14.3
Less than \$15,000	113	8,130	63	31.3	20.9-41.7	50	68.7	58.3-79.1
\$15,000- 24,999	251	17,710	188	52.8	43.4-62.2	63	47.2	37.8-56.6
\$25,000- 34,999	171	11,420	135	63.4	52.8-74.0	36	36.6	26.0-47.2
\$35,000- 49,999	251	16,364	228	79.7	71.3-88.1	23	20.3	11.9-28.7
\$50,000- 74,999	226	16,944	213	88.2	81.7-94.7	13	11.8	5.3-18.3
\$75,000+	445	39,708	430	93.0	89.1-96.9	15	7.0	3.1-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4965	589,144	644	11.7	10.5-12.9	4321	88.3	87.1-89.5
Male	2241	301,169	587	20.6	18.6-22.6	1654	79.4	77.4-81.4
Female	2724	287,975	57	2.5	1.7- 3.3	2667	97.5	96.7-98.3
18-24	270	92,112	18	6.4	3.3- 9.5	252	93.6	90.5-96.7
25-34	510	108,714	46	9.3	6.4-12.2	464	90.7	87.8-93.6
35-44	513	87,546	34	8.3	5.4-11.2	479	91.7	88.8-94.6
45-54	698	86,935	76	10.5	8.0-13.0	622	89.5	87.0-92.0
55-64	1138	95,842	110	10.3	8.1-12.5	1028	89.7	87.5-91.9
65+	1790	113,327	356	23.2	20.7-25.7	1434	76.8	74.3-79.3
Less Than H.S.	300	52,022	37	10.1	6.4-13.8	263	89.9	86.2-93.6
H.S. or G.E.D.	1457	158,420	224	15.3	12.8-17.8	1233	84.7	82.2-87.2
Some Post-H.S.	1606	232,728	193	10.6	8.8-12.4	1413	89.4	87.6-91.2
College Graduate	1588	144,538	189	10.4	8.6-12.2	1399	89.6	87.8-91.4
Less than \$15,000	266	34,087	25	7.7	4.2-11.2	241	92.3	88.8-95.8
\$15,000- 24,999	544	65,181	70	14.0	9.9-18.1	474	86.0	81.9-90.1
\$25,000- 34,999	428	50,246	74	17.0	11.9-22.1	354	83.0	77.9-88.1
\$35,000- 49,999	679	74,310	109	13.8	10.7-16.9	570	86.2	83.1-89.3
\$50,000- 74,999	769	90,518	122	14.1	11.2-17.0	647	85.9	83.0-88.8
\$75,000+	1561	189,123	173	9.6	7.8-11.4	1388	90.4	88.6-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	301,169	587	20.6	18.6-22.6	1654	79.4	77.4-81.4
18-24	151	49,930	15	9.1	4.2-14.0	136	90.9	86.0-95.8
25-34	289	58,342	36	13.9	9.2-18.6	253	86.1	81.4-90.8
35-44	242	45,907	30	14.4	9.1-19.7	212	85.6	80.3-90.9
45-54	339	44,902	65	17.6	13.1-22.1	274	82.4	77.9-86.9
55-64	512	48,759	92	17.9	14.0-21.8	420	82.1	78.2-86.0
65+	693	51,500	346	49.6	45.1-54.1	347	50.4	45.9-54.9
Less Than H.S.	167	33,289	37	15.7	9.8-21.6	130	84.3	78.4-90.2
H.S. or G.E.D.	687	87,035	213	26.1	22.0-30.2	474	73.9	69.8-78.0
Some Post-H.S.	677	111,228	173	19.2	15.9-22.5	504	80.8	77.5-84.1
College Graduate	706	68,890	163	18.0	14.7-21.3	543	82.0	78.7-85.3
Less than \$15,000	87	13,161	23	18.5	9.9-27.1	64	81.5	72.9-90.1
\$15,000- 24,999	207	31,450	66	27.8	20.0-35.6	141	72.2	64.4-80.0
\$25,000- 34,999	182	24,693	66	28.7	20.3-37.1	116	71.3	62.9-79.7
\$35,000- 49,999	311	39,714	99	23.1	17.6-28.6	212	76.9	71.4-82.4
\$50,000- 74,999	393	49,112	108	22.7	17.8-27.6	285	77.3	72.4-82.2
\$75,000+	823	106,360	163	15.8	13.1-18.5	660	84.2	81.5-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2724	287,975	57	2.5	1.7- 3.3	2667	97.5	96.7-98.3
18-24	119	42,182	3	3.3	0.0- 7.2	116	96.7	92.8- 100
25-34	221	50,372	10	3.9	1.2- 6.6	211	96.1	93.4-98.8
35-44	271	41,639	4	1.7	0.1- 3.3	267	98.3	96.7-99.9
45-54	359	42,033	11	3.0	1.0- 5.0	348	97.0	95.0-99.0
55-64	626	47,083	18	2.4	1.2- 3.6	608	97.6	96.4-98.8
65+	1097	61,827	10	1.2	0.2- 2.2	1087	98.8	97.8-99.8
Less Than H.S.	133	18,733				133	100.0	100.0- 100
H.S. or G.E.D.	770	71,385	11	2.0	0.2- 3.8	759	98.0	96.2-99.8
Some Post-H.S.	929	121,500	20	2.7	1.3- 4.1	909	97.3	95.9-98.7
College Graduate	882	75,647	26	3.4	1.6- 5.2	856	96.6	94.8-98.4
Less than \$15,000	179	20,926	2	0.9	0.0- 2.1	177	99.1	97.9- 100
\$15,000- 24,999	337	33,731	4	1.1	0.0- 2.5	333	98.9	97.5- 100
\$25,000- 34,999	246	25,553	8	5.8	0.5-11.1	238	94.2	88.9-99.5
\$35,000- 49,999	368	34,596	10	3.2	0.7- 5.7	358	96.8	94.3-99.3
\$50,000- 74,999	376	41,406	14	3.8	1.4- 6.2	362	96.2	93.8-98.6
\$75,000+	738	82,763	10	1.6	0.0- 3.2	728	98.4	96.8- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4938	585,340	2764	64.9	63.1-66.7	126	3.8	3.0- 4.6	298	5.6	4.8- 6.4	98	5.6	4.4- 6.8	1463	16.1	15.1-17.1	189	3.9	3.1- 4.7
Male	2223	299,003	1456	71.9	69.5-74.3	60	3.7	2.5- 4.9	1	0.1	0.0- 0.3	53	5.9	4.1- 7.7	568	14.4	13.0-15.8	85	4.0	2.8- 5.2
Female	2715	286,338	1308	57.6	55.1-60.1	66	3.9	2.7- 5.1	297	11.4	9.8-13.0	45	5.4	3.8- 7.0	895	17.8	16.4-19.2	104	3.9	2.9- 4.9
Native	172	23,693	84	42.8	33.0-52.6	18	15.2	6.0-24.4	8	5.9	1.4-10.4	8	9.5	2.4-16.6	26	6.3	3.6- 9.0	28	20.3	10.7-29.9
Non-Native	4713	554,096	2652	66.0	64.2-67.8	105	3.3	2.5- 4.1	288	5.7	4.9- 6.5	88	5.4	4.2- 6.6	1421	16.4	15.4-17.4	159	3.2	2.6- 3.8
18-24	267	90,945	172	59.4	52.7-66.1	20	7.7	4.0-11.4	4	2.5	0.1- 4.9	67	28.7	22.4-35.0	1	0.5	0.0- 1.5	3	1.3	0.0- 2.9
25-34	506	107,906	418	82.1	78.2-86.0	23	4.9	2.5- 7.3	38	7.4	4.9- 9.9	20	4.3	2.3- 6.3				7	1.3	0.3- 2.3
35-44	512	87,393	424	81.8	77.7-85.9	20	4.5	2.3- 6.7	40	6.6	4.2- 9.0	9	2.4	0.6- 4.2	1	0.2	0.0- 0.6	18	4.5	2.0- 7.0
45-54	698	86,959	610	86.9	83.8-90.0	20	3.0	1.6- 4.4	28	3.4	2.0- 4.8	1	0.0	0.0- 0.0	9	1.2	0.4- 2.0	30	5.5	3.0- 8.0
55-64	1130	94,975	814	72.9	70.0-75.8	26	2.5	1.3- 3.7	42	3.5	2.3- 4.7				167	12.8	10.6-15.0	81	8.3	6.3-10.3
65+	1780	112,577	303	16.6	14.4-18.8	16	0.8	0.2- 1.4	139	9.1	7.3-10.9	1	0.1	0.0- 0.3	1273	70.1	67.4-72.8	48	3.3	2.1- 4.5
Less Than H.S.	296	51,685	83	40.1	32.5-47.7	10	7.8	2.7-12.9	19	6.5	2.8-10.2	5	4.2	0.0- 8.7	142	29.2	23.3-35.1	37	12.2	6.9-17.5
H.S. or G.E.D.	1441	155,457	723	61.7	58.4-65.0	51	5.3	3.5- 7.1	113	6.6	4.8- 8.4	21	4.3	2.3- 6.3	471	17.0	15.0-19.0	62	5.1	3.5- 6.7
Some Post-H.S.	1599	231,829	926	67.0	64.1-69.9	35	3.0	1.6- 4.4	102	5.6	4.2- 7.0	47	7.9	5.5-10.3	435	14.3	12.7-15.9	54	2.2	1.6- 2.8
College Graduate	1590	145,302	1028	74.1	71.6-76.6	30	2.1	1.1- 3.1	64	4.5	3.1- 5.9	25	4.0	2.4- 5.6	409	13.0	11.4-14.6	34	2.3	1.3- 3.3
Less than \$15,000	263	33,370	44	20.3	13.4-27.2	23	11.3	5.6-17.0	16	4.8	1.3- 8.3	20	21.4	13.2-29.6	100	20.2	15.1-25.3	60	22.0	15.3-28.7
\$15,000- 24,999	542	64,777	181	44.4	38.1-50.7	29	6.3	3.2- 9.4	32	5.5	3.0- 8.0	21	10.3	5.4-15.2	236	25.0	20.9-29.1	43	8.4	4.9-11.9
\$25,000- 34,999	423	49,458	197	60.8	54.5-67.1	12	5.1	1.6- 8.6	14	4.2	1.1- 7.3	9	4.9	1.6- 8.2	172	21.0	16.9-25.1	19	4.0	1.8- 6.2
\$35,000- 49,999	675	73,902	372	66.2	61.3-71.1	14	4.2	1.5- 6.9	29	3.5	1.7- 5.3	9	4.9	1.6- 8.2	236	19.0	15.9-22.1	15	2.2	0.8- 3.6
\$50,000- 74,999	766	90,209	499	78.0	74.7-81.3	9	1.1	0.1- 2.1	41	5.4	3.2- 7.6	1	0.1	0.0- 0.3	209	14.4	12.0-16.8	7	0.9	0.1- 1.7
\$75,000+	1557	188,556	1181	81.4	79.0-83.8	17	1.6	0.6- 2.6	86	5.3	3.9- 6.7	16	2.3	0.9- 3.7	246	8.6	7.2-10.0	11	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2223	299,003	1456	71.9	69.5-74.3	60	3.7	2.5- 4.9	1	0.1	0.0- 0.3	53	5.9	4.1- 7.7	568	14.4	13.0-15.8	85	4.0	2.8- 5.2
Native	76	11,439	37	43.8	29.1-58.5	8	16.9	2.0-31.8				5	12.5	1.9-23.1	13	7.6	2.9-12.3	13	19.2	4.7-33.7
Non-Native	2115	282,442	1397	73.2	70.8-75.6	51	3.2	2.0- 4.4	1	0.1	0.0- 0.3	47	5.6	3.8- 7.4	547	14.5	13.1-15.9	72	3.4	2.4- 4.4
18-24	150	49,641	101	63.4	54.4-72.4	13	8.6	3.1-14.1				34	26.2	17.8-34.6	1	0.9	0.0- 2.7	1	1.0	0.0- 3.0
25-34	286	57,846	261	90.9	87.2-94.6	9	3.0	0.8- 5.2				12	4.8	2.1- 7.5				4	1.4	0.0- 2.8
35-44	241	45,864	217	86.1	80.2-92.0	11	5.1	1.6- 8.6				6	3.7	0.6- 6.8	1	0.4	0.0- 1.2	6	4.7	0.4- 9.0
45-54	338	44,757	307	91.0	87.5-94.5	11	2.9	0.9- 4.9							4	0.7	0.0- 1.5	16	5.3	2.4- 8.2
55-64	507	48,091	401	79.4	75.3-83.5	12	2.7	0.9- 4.5							57	9.6	6.9-12.3	37	8.3	5.4-11.2
65+	687	51,057	160	22.4	18.7-26.1	3	0.2	0.0- 0.4	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6	503	73.0	68.9-77.1	19	3.7	1.5- 5.9
Less Than H.S.	165	33,161	67	52.2	42.2-62.2	6	8.4	1.5-15.3				1	3.1	0.0- 9.0	70	25.2	18.1-32.3	21	11.2	4.7-17.7
H.S. or G.E.D.	677	85,456	417	69.0	64.7-73.3	29	5.0	2.8- 7.2				17	6.2	2.9- 9.5	187	14.9	12.4-17.4	27	4.9	2.7- 7.1
Some Post-H.S.	671	110,385	471	76.2	72.1-80.3	12	2.4	0.6- 4.2	1	0.2	0.0- 0.6	23	7.8	4.5-11.1	142	11.6	9.4-13.8	22	1.8	1.0- 2.6
College Graduate	707	69,360	500	78.6	75.1-82.1	13	2.1	0.7- 3.5				12	3.7	1.5- 5.9	168	13.1	10.7-15.5	14	2.4	0.8- 4.0
Less than \$15,000	86	13,011	15	16.8	6.8-26.8	11	15.2	5.2-25.2				10	27.2	13.1-41.3	27	19.0	10.4-27.6	23	21.9	11.7-32.1
\$15,000- 24,999	206	31,444	82	48.1	38.9-57.3	12	4.5	1.6- 7.4				14	13.5	5.7-21.3	77	22.7	16.4-29.0	21	11.2	4.5-17.9
\$25,000- 34,999	177	23,905	92	68.0	59.6-76.4	7	6.3	0.6-12.0				4	3.4	0.1- 6.7	65	17.9	12.6-23.2	9	4.5	1.4- 7.6
\$35,000- 49,999	308	39,348	184	66.7	59.4-74.0	9	5.6	1.3- 9.9				6	6.8	1.1-12.5	104	19.0	14.7-23.3	5	1.9	0.0- 3.9
\$50,000- 74,999	391	48,833	269	81.3	77.4-85.2	5	1.1	0.0- 2.5							112	16.3	12.8-19.8	5	1.2	0.0- 2.6
\$75,000+	820	105,985	681	88.8	86.4-91.2	6	1.3	0.0- 2.7				5	0.8	0.0- 1.6	121	8.3	6.5-10.1	7	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2715	286,338	1308	57.6	55.1-60.1	66	3.9	2.7- 5.1	297	11.4	9.8-13.0	45	5.4	3.8- 7.0	895	17.8	16.4-19.2	104	3.9	2.9- 4.9
Native	96	12,255	47	41.9	29.0-54.8	10	13.6	2.4-24.8	8	11.4	2.8-20.0	3	6.6	0.0-15.8	13	5.2	1.9- 8.5	15	21.2	8.7-33.7
Non-Native	2598	271,654	1255	58.5	56.0-61.0	54	3.3	2.1- 4.5	287	11.5	9.7-13.3	41	5.2	3.4- 7.0	874	18.3	16.7-19.9	87	3.1	2.3- 3.9
18-24	117	41,303	71	54.7	44.9-64.5	7	6.6	1.7-11.5	4	5.4	0.3-10.5	33	31.7	22.5-40.9				2	1.7	0.0- 4.1
25-34	220	50,060	157	72.1	65.2-79.0	14	7.2	2.9-11.5	38	16.0	10.5-21.5	8	3.7	1.0- 6.4				3	1.1	0.0- 2.5
35-44	271	41,529	207	77.0	71.1-82.9	9	3.9	1.2- 6.6	40	13.9	9.0-18.8	3	1.0	0.0- 2.2				12	4.2	1.7- 6.7
45-54	360	42,202	303	82.5	77.4-87.6	9	3.2	1.0- 5.4	28	6.9	4.0- 9.8	1	0.1	0.0- 0.3	5	1.6	0.0- 3.2	14	5.7	1.8- 9.6
55-64	623	46,884	413	66.2	61.9-70.5	14	2.3	0.9- 3.7	42	7.0	4.6- 9.4				110	16.1	12.8-19.4	44	8.3	5.6-11.0
65+	1093	61,520	143	11.8	9.6-14.0	13	1.3	0.3- 2.3	138	16.2	13.3-19.1				770	67.7	64.2-71.2	29	3.0	1.6- 4.4
Less Than H.S.	131	18,524	16	18.6	7.4-29.8	4	6.8	0.0-14.1	19	18.0	8.4-27.6	4	6.2	0.0-13.3	72	36.4	26.2-46.6	16	14.0	5.2-22.8
H.S. or G.E.D.	764	70,002	306	52.7	47.8-57.6	22	5.6	2.9- 8.3	113	14.7	11.0-18.4	4	2.1	0.0- 4.3	284	19.6	16.9-22.3	35	5.3	3.1- 7.5
Some Post-H.S.	928	121,444	455	58.7	54.4-63.0	23	3.6	1.6- 5.6	101	10.4	7.9-12.9	24	7.9	4.8-11.0	293	16.8	14.4-19.2	32	2.6	1.6- 3.6
College Graduate	883	75,942	528	70.0	66.1-73.9	17	2.1	0.9- 3.3	64	8.6	6.2-11.0	13	4.2	1.7- 6.7	241	12.9	10.9-14.9	20	2.2	1.0- 3.4
Less than \$15,000	177	20,359	29	22.5	13.1-31.9	12	8.9	2.2-15.6	16	7.8	2.1-13.5	10	17.7	7.7-27.7	73	21.0	14.7-27.3	37	22.1	13.3-30.9
\$15,000- 24,999	336	33,333	99	40.9	32.7-49.1	17	8.1	2.8-13.4	32	10.8	5.9-15.7	7	7.2	1.3-13.1	159	27.2	21.5-32.9	22	5.8	2.9- 8.7
\$25,000- 34,999	246	25,553	105	54.1	45.3-62.9	5	3.9	0.0- 8.4	14	8.2	2.5-13.9	5	6.4	0.9-11.9	107	23.9	17.8-30.0	10	3.5	0.8- 6.2
\$35,000- 49,999	367	34,554	188	65.7	59.2-72.2	5	2.6	0.0- 5.5	29	7.5	4.0-11.0	3	2.7	0.0- 5.8	132	19.1	14.8-23.4	10	2.4	0.6- 4.2
\$50,000- 74,999	375	41,376	230	74.0	68.7-79.3	4	1.1	0.0- 2.5	41	11.8	7.3-16.3	1	0.2	0.0- 0.6	97	12.2	9.3-15.1	2	0.5	0.0- 1.3
\$75,000+	737	82,571	500	71.8	67.7-75.9	11	2.1	0.7- 3.5	86	12.2	9.3-15.1	11	4.3	1.6- 7.0	125	9.0	7.2-10.8	4	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4927	581,914	445	13.0	11.6-14.4	407	12.0	10.6-13.4	202	6.0	5.0- 7.0	65	2.2	1.6- 2.8	34	1.1	0.7- 1.5	3774	65.8	63.8-67.8
Male	2221	298,027	216	12.5	10.5-14.5	201	11.7	9.9-13.5	84	4.8	3.6- 6.0	26	1.9	1.1- 2.7	17	1.2	0.4- 2.0	1677	67.9	65.4-70.4
Female	2706	283,886	229	13.7	11.7-15.7	206	12.3	10.3-14.3	118	7.2	5.6- 8.8	39	2.4	1.4- 3.4	17	0.9	0.3- 1.5	2097	63.6	60.9-66.3
Native	170	23,708	28	18.8	11.2-26.4	24	14.0	7.3-20.7	16	9.3	4.2-14.4	8	5.4	0.5-10.3	4	5.2	0.0-12.5	90	47.2	36.8-57.6
Non-Native	4703	550,372	413	12.8	11.4-14.2	378	11.8	10.4-13.2	183	5.8	4.8- 6.8	57	2.0	1.4- 2.6	28	0.8	0.4- 1.2	3644	66.7	64.7-68.7
18-24	266	90,715	46	17.3	12.0-22.6	25	10.6	6.3-14.9	6	2.3	0.3- 4.3	2	0.8	0.0- 2.0	2	1.0	0.0- 2.6	185	68.0	61.5-74.5
25-34	495	104,521	119	23.7	19.4-28.0	101	19.4	15.5-23.3	67	13.9	10.4-17.4	16	3.6	1.6- 5.6	6	1.3	0.1- 2.5	186	38.0	33.1-42.9
35-44	508	86,950	80	15.6	12.1-19.1	170	32.4	27.7-37.1	88	15.4	11.9-18.9	34	7.8	4.9-10.7	19	3.6	1.2- 6.0	117	25.2	20.7-29.7
45-54	695	86,674	129	18.0	14.7-21.3	83	10.9	8.4-13.4	30	4.5	2.7- 6.3	6	0.8	0.2- 1.4	3	0.3	0.0- 0.7	444	65.6	61.5-69.7
55-64	1132	95,292	53	5.2	3.6- 6.8	15	1.2	0.4- 2.0	8	0.8	0.2- 1.4	4	0.4	0.0- 0.8	2	0.2	0.0- 0.4	1050	92.2	90.2-94.2
65+	1786	113,140	16	1.0	0.4- 1.6	10	0.6	0.2- 1.0	2	0.1	0.1- 0.1	3	0.2	0.0- 0.6	2	0.3	0.0- 0.7	1753	97.8	97.0-98.6
Less Than H.S.	296	51,220	18	13.4	6.9-19.9	13	6.5	2.4-10.6	8	5.8	1.5-10.1	4	3.0	0.1- 5.9	4	3.4	0.0- 7.5	249	67.8	59.6-76.0
H.S. or G.E.D.	1445	155,371	111	11.5	9.0-14.0	85	10.2	7.8-12.6	46	4.4	3.0- 5.8	13	1.5	0.5- 2.5	5	0.3	0.1- 0.5	1185	72.2	68.9-75.5
Some Post-H.S.	1595	230,477	147	12.5	10.1-14.9	132	12.7	10.3-15.1	62	6.1	4.3- 7.9	31	2.7	1.5- 3.9	12	1.0	0.4- 1.6	1211	65.0	61.9-68.1
College Graduate	1577	143,321	169	15.6	13.1-18.1	177	14.9	12.5-17.3	85	7.4	5.6- 9.2	17	1.7	0.7- 2.7	12	0.9	0.3- 1.5	1117	59.5	56.4-62.6
Less than \$15,000	266	34,087	14	8.6	3.9-13.3	8	5.0	0.7- 9.3	6	3.7	0.0- 7.4	2	2.0	0.0- 5.1	2	1.2	0.0- 3.2	234	79.6	72.2-87.0
\$15,000- 24,999	546	65,514	31	10.3	5.8-14.8	23	7.6	3.9-11.3	14	3.8	1.4- 6.2	9	1.5	0.5- 2.5	2	1.5	0.0- 4.0	467	75.3	69.2-81.4
\$25,000- 34,999	426	49,803	31	12.8	7.9-17.7	23	7.9	4.0-11.8	5	3.3	0.2- 6.4	5	1.5	0.1- 2.9	2	0.6	0.0- 1.4	360	74.0	67.7-80.3
\$35,000- 49,999	678	74,197	60	14.4	10.1-18.7	36	8.6	5.3-11.9	20	4.0	1.6- 6.4	4	1.6	0.0- 3.4	5	1.1	0.0- 2.3	553	70.3	65.0-75.6
\$50,000- 74,999	768	90,492	73	12.1	9.0-15.2	61	12.6	9.1-16.1	31	6.3	3.8- 8.8	11	2.0	0.6- 3.4	5	0.6	0.0- 1.2	587	66.3	61.8-70.8
\$75,000+	1558	188,853	192	14.9	12.5-17.3	225	18.4	15.9-20.9	109	9.0	7.0-11.0	33	3.6	2.2- 5.0	13	1.0	0.4- 1.6	986	53.2	50.1-56.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2221	298,027	216	12.5	10.5-14.5	201	11.7	9.9-13.5	84	4.8	3.6- 6.0	26	1.9	1.1- 2.7	17	1.2	0.4- 2.0	1677	67.9	65.4-70.4
Native	74	11,254	9	14.9	4.3-25.5	11	11.7	3.9-19.5	3	3.1	0.0- 6.6	2	6.1	0.0-15.1	1	7.9	0.0-22.2	48	56.4	40.3-72.5
Non-Native	2115	281,652	204	12.2	10.2-14.2	188	11.6	9.8-13.4	79	4.9	3.7- 6.1	24	1.8	1.0- 2.6	15	0.9	0.3- 1.5	1605	68.5	65.8-71.2
18-24	150	49,625	24	16.6	9.2-24.0	9	5.8	1.9- 9.7	3	1.5	0.0- 3.5	1	0.9	0.0- 2.7	2	1.8	0.0- 4.5	111	73.4	65.0-81.8
25-34	281	56,356	58	19.5	14.4-24.6	54	18.9	13.8-24.0	25	8.9	5.0-12.8	6	2.6	0.2- 5.0	3	1.2	0.0- 2.6	135	49.0	42.5-55.5
35-44	240	45,874	35	13.9	9.0-18.8	78	31.9	25.0-38.8	34	13.0	8.1-17.9	14	6.8	2.9-10.7	7	3.5	0.0- 7.4	72	30.8	23.9-37.7
45-54	336	44,571	62	17.9	13.2-22.6	46	12.5	8.6-16.4	19	5.5	2.8- 8.2	3	0.9	0.0- 2.1	2	0.4	0.0- 1.0	204	62.8	56.7-68.9
55-64	508	48,369	27	6.0	3.5- 8.5	6	1.0	0.0- 2.0	2	0.2	0.0- 0.6	1	0.4	0.0- 1.2	2	0.4	0.0- 1.0	470	92.0	89.1-94.9
65+	692	51,449	10	1.4	0.4- 2.4	6	1.0	0.2- 1.8	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	673	97.4	96.0-98.8
Less Than H.S.	164	32,680	11	14.4	5.8-23.0	10	6.5	1.8-11.2	2	2.7	0.0- 6.4	4	4.7	0.0- 9.4	3	5.0	0.0-11.3	134	66.7	56.1-77.3
H.S. or G.E.D.	683	86,003	60	11.0	7.7-14.3	50	10.0	7.1-12.9	26	4.8	2.6- 7.0	8	1.5	0.3- 2.7	2	0.2	0.0- 0.6	537	72.4	67.9-76.9
Some Post-H.S.	673	110,468	71	11.5	8.4-14.6	67	13.2	9.9-16.5	23	4.6	2.4- 6.8	8	1.7	0.5- 2.9	6	1.0	0.2- 1.8	498	68.0	63.5-72.5
College Graduate	697	68,061	74	15.0	11.5-18.5	74	13.9	10.6-17.2	32	5.8	3.6- 8.0	6	1.5	0.1- 2.9	6	1.0	0.2- 1.8	505	62.7	58.2-67.2
Less than \$15,000	87	13,161	1	1.7	0.0- 5.0	3	2.0	0.0- 4.7				2	5.2	0.0-13.0				81	91.2	82.6-99.8
\$15,000- 24,999	208	31,718	13	11.6	4.2-19.0	8	6.3	1.8-10.8	2	0.8	0.0- 2.0	3	0.9	0.0- 2.1	1	2.8	0.0- 8.1	181	77.6	68.4-86.8
\$25,000- 34,999	181	24,556	14	12.2	5.3-19.1	8	4.1	1.0- 7.2	2	4.0	0.0- 9.5	1	0.8	0.0- 2.4	1	0.7	0.0- 2.1	155	78.3	69.5-87.1
\$35,000- 49,999	311	39,714	25	12.8	6.7-18.9	21	9.5	4.8-14.2	8	3.0	0.3- 5.7	2	1.1	0.0- 2.9	2	0.5	0.0- 1.1	253	73.2	65.9-80.5
\$50,000- 74,999	393	49,112	41	11.7	7.8-15.6	34	13.0	8.5-17.5	15	5.9	2.6- 9.2	6	2.2	0.2- 4.2	3	0.8	0.0- 1.8	294	66.4	60.3-72.5
\$75,000+	819	105,922	104	14.7	11.6-17.8	115	17.8	14.5-21.1	52	7.4	5.2- 9.6	12	2.8	1.0- 4.6	7	1.1	0.3- 1.9	529	56.3	52.0-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	283,886	229	13.7	11.7-15.7	206	12.3	10.3-14.3	118	7.2	5.6- 8.8	39	2.4	1.4- 3.4	17	0.9	0.3- 1.5	2097	63.6	60.9-66.3
Native	96	12,454	19	22.4	11.4-33.4	13	16.0	5.6-26.4	13	15.0	6.2-23.8	6	4.7	0.4- 9.0	3	2.9	0.0- 6.2	42	38.9	25.0-52.8
Non-Native	2588	268,720	209	13.3	11.3-15.3	190	12.0	10.0-14.0	104	6.8	5.2- 8.4	33	2.3	1.3- 3.3	13	0.7	0.3- 1.1	2039	64.8	62.1-67.5
18-24	116	41,090	22	18.1	10.7-25.5	16	16.4	8.8-24.0	3	3.3	0.0- 7.0	1	0.7	0.0- 2.1				74	61.5	51.9-71.1
25-34	214	48,165	61	28.8	21.7-35.9	47	20.1	14.2-26.0	42	19.9	13.6-26.2	10	4.7	1.4- 8.0	3	1.5	0.0- 3.5	51	25.1	18.4-31.8
35-44	268	41,075	45	17.4	12.1-22.7	92	32.9	26.2-39.6	54	18.0	12.7-23.3	20	9.0	4.7-13.3	12	3.8	1.4- 6.2	45	19.0	12.9-25.1
45-54	359	42,102	67	18.1	13.4-22.8	37	9.1	5.8-12.4	11	3.4	1.0- 5.8	3	0.7	0.0- 1.5	1	0.2	0.0- 0.6	240	68.5	62.8-74.2
55-64	624	46,923	26	4.4	2.4- 6.4	9	1.4	0.4- 2.4	6	1.3	0.1- 2.5	3	0.3	0.0- 0.7				580	92.5	90.0-95.0
65+	1094	61,692	6	0.7	0.1- 1.3	4	0.4	0.0- 0.8	1	0.0	0.0- 0.0	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9	1080	98.1	96.9-99.3
Less Than H.S.	132	18,539	7	11.6	2.4-20.8	3	6.6	0.0-14.6	6	11.3	1.9-20.7				1	0.6	0.0- 1.8	115	69.8	57.1-82.5
H.S. or G.E.D.	762	69,368	51	12.0	8.3-15.7	35	10.4	6.5-14.3	20	3.8	1.8- 5.8	5	1.5	0.0- 3.1	3	0.4	0.0- 0.8	648	71.9	67.0-76.8
Some Post-H.S.	922	120,009	76	13.5	10.2-16.8	65	12.1	8.8-15.4	39	7.5	4.8-10.2	23	3.6	1.8- 5.4	6	1.1	0.1- 2.1	713	62.2	57.7-66.7
College Graduate	880	75,260	95	16.0	12.5-19.5	103	15.8	12.7-18.9	53	8.9	6.2-11.6	11	2.0	0.6- 3.4	6	0.9	0.1- 1.7	612	56.5	52.0-61.0
Less than \$15,000	179	20,926	13	12.9	5.6-20.2	5	6.9	0.0-13.8	6	6.1	0.2-12.0				2	1.9	0.0- 5.0	153	72.3	62.1-82.5
\$15,000- 24,999	338	33,795	18	9.1	3.8-14.4	15	8.9	3.2-14.6	12	6.6	2.1-11.1	6	2.0	0.2- 3.8	1	0.3	0.0- 0.9	286	73.2	65.4-81.0
\$25,000- 34,999	245	25,247	17	13.3	6.4-20.2	15	11.6	4.7-18.5	3	2.6	0.0- 5.5	4	2.2	0.0- 4.7	1	0.4	0.0- 1.2	205	69.8	60.8-78.8
\$35,000- 49,999	367	34,483	35	16.3	10.4-22.2	15	7.6	2.9-12.3	12	5.1	1.4- 8.8	2	2.2	0.0- 5.1	3	1.8	0.0- 4.0	300	67.0	59.6-74.4
\$50,000- 74,999	375	41,381	32	12.6	7.7-17.5	27	12.2	6.9-17.5	16	6.8	2.9-10.7	5	1.8	0.0- 3.6	2	0.4	0.0- 1.0	293	66.2	59.3-73.1
\$75,000+	739	82,931	88	15.2	11.7-18.7	110	19.1	15.2-23.0	57	10.9	7.8-14.0	21	4.7	2.3- 7.1	6	0.8	0.0- 1.6	457	49.2	44.5-53.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4250	503,966	125	3.8	2.8- 4.8	141	2.9	2.3- 3.5	235	5.7	4.7- 6.7	311	7.3	6.1- 8.5	428	10.0	8.8-11.2	3010	70.3	68.3-72.3
Male	2004	264,758	43	2.8	1.8- 3.8	44	2.1	1.3- 2.9	92	5.2	3.8- 6.6	116	6.8	5.0- 8.6	182	9.3	7.5-11.1	1527	73.7	71.0-76.4
Female	2246	239,208	82	4.9	3.3- 6.5	97	3.8	2.8- 4.8	143	6.3	4.7- 7.9	195	7.8	6.2- 9.4	246	10.7	8.9-12.5	1483	66.4	63.7-69.1
Native	154	20,621	14	15.6	6.0-25.2	9	6.3	0.8-11.8	22	9.8	4.7-14.9	19	17.1	7.3-26.9	27	15.7	9.0-22.4	63	35.4	25.8-45.0
Non-Native	4062	478,398	111	3.4	2.6- 4.2	131	2.8	2.2- 3.4	208	5.4	4.4- 6.4	290	6.9	5.7- 8.1	399	9.7	8.3-11.1	2923	71.8	69.8-73.8
18-24	206	70,061	17	9.9	5.2-14.6	5	3.0	0.5- 5.5	19	10.1	5.6-14.6	21	11.3	6.2-16.4	25	12.8	7.7-17.9	119	52.9	45.3-60.5
25-34	460	97,199	9	2.3	0.5- 4.1	4	0.9	0.0- 1.9	21	4.9	2.5- 7.3	18	4.5	2.1- 6.9	44	11.1	7.8-14.4	364	76.2	71.7-80.7
35-44	472	80,267	10	2.4	0.8- 4.0	10	2.4	0.6- 4.2	17	4.4	1.9- 6.9	22	6.6	3.3- 9.9	30	6.5	3.8- 9.2	383	77.7	72.8-82.6
45-54	647	80,545	12	2.7	0.5- 4.9	12	2.8	1.0- 4.6	15	1.4	0.6- 2.2	27	4.2	2.2- 6.2	40	7.4	4.9- 9.9	541	81.5	77.6-85.4
55-64	991	83,036	29	3.3	1.9- 4.7	25	2.2	1.2- 3.2	41	4.6	2.8- 6.4	43	4.8	3.2- 6.4	78	7.7	5.7- 9.7	775	77.5	74.4-80.6
65+	1455	91,228	47	3.5	2.3- 4.7	82	5.9	4.3- 7.5	121	9.2	7.2-11.2	179	13.0	10.8-15.2	208	13.7	11.5-15.9	818	54.7	51.6-57.8
Less Than H.S.	227	39,726	21	8.3	3.6-13.0	21	7.7	3.6-11.8	37	14.1	8.4-19.8	37	20.3	12.7-27.9	37	13.6	8.3-18.9	74	36.0	27.6-44.4
H.S. or G.E.D.	1213	129,667	55	5.5	3.5- 7.5	51	3.7	2.3- 5.1	100	8.7	6.3-11.1	128	8.5	6.5-10.5	160	12.7	10.2-15.2	719	60.9	57.2-64.6
Some Post-H.S.	1371	201,451	29	3.3	1.7- 4.9	46	2.4	1.4- 3.4	62	4.5	2.9- 6.1	94	6.5	4.7- 8.3	152	10.4	8.2-12.6	988	72.9	69.8-76.0
College Graduate	1433	132,480	20	1.7	0.7- 2.7	22	1.6	0.6- 2.6	34	2.1	1.1- 3.1	52	3.4	2.2- 4.6	79	5.6	3.8- 7.4	1226	85.6	83.1-88.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	264,758	43	2.8	1.8- 3.8	44	2.1	1.3- 2.9	92	5.2	3.8- 6.6	116	6.8	5.0- 8.6	182	9.3	7.5-11.1	1527	73.7	71.0-76.4
Native	65	9,395	5	6.9	0.4-13.4	4	8.5	0.0-19.5	6	6.9	0.6-13.2	7	19.2	1.4-37.0	15	19.4	8.6-30.2	28	39.0	23.9-54.1
Non-Native	1914	251,173	38	2.7	1.5- 3.9	40	1.9	1.1- 2.7	83	4.9	3.5- 6.3	108	6.4	4.8- 8.0	165	8.9	7.1-10.7	1480	75.2	72.5-77.9
18-24	116	38,076	5	6.0	0.7-11.3	1	0.8	0.0- 2.4	7	6.7	1.6-11.8	12	12.7	5.1-20.3	14	12.2	5.3-19.1	77	61.6	51.4-71.8
25-34	263	52,486	5	2.4	0.2- 4.6	1	0.3	0.0- 0.9	13	5.7	2.4- 9.0	10	4.4	1.5- 7.3	26	11.6	7.1-16.1	208	75.7	69.6-81.8
35-44	222	42,329	3	1.5	0.0- 3.3	3	2.4	0.0- 5.3	9	4.1	1.2- 7.0	7	5.5	0.8-10.2	11	5.2	1.5- 8.9	189	81.3	74.6-88.0
45-54	321	42,496	8	2.7	0.5- 4.9	7	3.8	0.9- 6.7	8	1.6	0.4- 2.8	15	5.1	2.0- 8.2	25	9.4	5.1-13.7	258	77.4	71.5-83.3
55-64	455	43,076	11	3.0	1.0- 5.0	8	1.2	0.2- 2.2	18	4.6	2.1- 7.1	16	4.0	1.6- 6.4	30	6.1	3.6- 8.6	372	81.1	76.8-85.4
65+	619	45,567	10	2.0	0.6- 3.4	24	4.4	2.2- 6.6	37	8.2	5.1-11.3	56	10.3	7.0-13.6	74	10.8	8.1-13.5	418	64.3	59.6-69.0
Less Than H.S.	142	27,867	9	4.9	1.0- 8.8	11	8.2	2.7-13.7	19	10.1	4.8-15.4	22	20.7	11.3-30.1	26	15.0	8.1-21.9	55	41.1	30.9-51.3
H.S. or G.E.D.	604	74,183	18	3.8	1.6- 6.0	14	2.0	0.6- 3.4	36	6.9	4.2- 9.6	46	6.6	4.1- 9.1	73	11.6	8.3-14.9	417	69.1	64.4-73.8
Some Post-H.S.	605	98,210	8	1.9	0.3- 3.5	13	1.4	0.4- 2.4	19	3.9	1.7- 6.1	27	5.2	2.5- 7.9	52	9.3	6.2-12.4	486	78.3	73.8-82.8
College Graduate	651	63,990	8	2.4	0.6- 4.2	6	0.7	0.0- 1.5	18	2.9	1.3- 4.5	21	3.6	1.6- 5.6	31	4.4	2.2- 6.6	567	86.0	82.5-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2246	239,208	82	4.9	3.3- 6.5	97	3.8	2.8- 4.8	143	6.3	4.7- 7.9	195	7.8	6.2- 9.4	246	10.7	8.9-12.5	1483	66.4	63.7-69.1
Native	89	11,226	9	22.9	7.4-38.4	5	4.5	0.4- 8.6	16	12.2	4.4-20.0	12	15.3	5.5-25.1	12	12.6	4.0-21.2	35	32.4	20.4-44.4
Non-Native	2148	227,225	73	4.1	2.7- 5.5	91	3.8	2.6- 5.0	125	6.0	4.4- 7.6	182	7.5	5.9- 9.1	234	10.6	8.8-12.4	1443	68.1	65.4-70.8
18-24	90	31,985	12	14.6	6.8-22.4	4	5.6	0.3-10.9	12	14.2	6.4-22.0	9	9.5	3.0-16.0	11	13.6	6.0-21.2	42	42.5	31.7-53.3
25-34	197	44,713	4	2.3	0.0- 5.0	3	1.7	0.0- 3.7	8	4.0	0.7- 7.3	8	4.7	1.2- 8.2	18	10.6	5.5-15.7	156	76.8	69.7-83.9
35-44	250	37,938	7	3.3	0.6- 6.0	7	2.4	0.4- 4.4	8	4.7	0.4- 9.0	15	7.9	3.2-12.6	19	8.0	4.1-11.9	194	73.7	66.6-80.8
45-54	326	38,049	4	2.8	0.0- 6.3	5	1.7	0.1- 3.3	7	1.2	0.2- 2.2	12	3.1	0.9- 5.3	15	5.1	2.2- 8.0	283	86.1	81.2-91.0
55-64	536	39,960	18	3.6	1.6- 5.6	17	3.2	1.4- 5.0	23	4.6	2.2- 7.0	27	5.5	3.1- 7.9	48	9.4	6.1-12.7	403	73.6	68.9-78.3
65+	836	45,661	37	5.1	3.1- 7.1	58	7.3	5.1- 9.5	84	10.2	7.7-12.7	123	15.6	12.5-18.7	134	16.6	13.5-19.7	400	45.1	41.0-49.2
Less Than H.S.	85	11,859	12	16.5	4.5-28.5	10	6.4	1.7-11.1	18	23.4	9.5-37.3	15	19.4	6.3-32.5	11	10.2	2.4-18.0	19	24.1	10.8-37.4
H.S. or G.E.D.	609	55,484	37	7.9	4.4-11.4	37	6.0	3.3- 8.7	64	11.0	7.1-14.9	82	11.1	8.0-14.2	87	14.2	10.3-18.1	302	49.8	44.3-55.3
Some Post-H.S.	766	103,241	21	4.6	2.2- 7.0	33	3.2	1.6- 4.8	43	5.1	2.9- 7.3	67	7.7	5.2-10.2	100	11.5	8.6-14.4	502	67.8	63.3-72.3
College Graduate	782	68,491	12	1.0	0.4- 1.6	16	2.4	0.6- 4.2	16	1.4	0.4- 2.4	31	3.3	1.5- 5.1	48	6.6	3.9- 9.3	659	85.2	81.7-88.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4909	579,575	3824	83.8	82.6-85.0	1085	16.2	15.0-17.4
Male	2214	296,588	1753	84.2	82.4-86.0	461	15.8	14.0-17.6
Female	2695	282,987	2071	83.4	81.6-85.2	624	16.6	14.8-18.4
18-24	263	89,900	256	97.2	95.0-99.4	7	2.8	0.6- 5.0
25-34	498	105,043	484	96.6	94.6-98.6	14	3.4	1.4- 5.4
35-44	504	85,965	488	96.3	93.9-98.7	16	3.7	1.3- 6.1
45-54	696	86,620	638	89.4	86.3-92.5	58	10.6	7.5-13.7
55-64	1129	94,926	951	81.7	79.0-84.4	178	18.3	15.6-21.0
65+	1775	112,503	977	49.4	46.5-52.3	798	50.6	47.7-53.5
Less Than H.S.	295	51,137	98	47.6	39.8-55.4	197	52.4	44.6-60.2
H.S. or G.E.D.	1435	154,513	943	77.0	74.5-79.5	492	23.0	20.5-25.5
Some Post-H.S.	1589	229,270	1317	89.2	87.6-90.8	272	10.8	9.2-12.4
College Graduate	1576	143,330	1460	95.6	94.6-96.6	116	4.4	3.4- 5.4
Less than \$15,000	266	34,087	129	61.5	53.9-69.1	137	38.5	30.9-46.1
\$15,000- 24,999	545	65,378	296	65.3	59.8-70.8	249	34.7	29.2-40.2
\$25,000- 34,999	428	50,246	279	76.1	71.2-81.0	149	23.9	19.0-28.8
\$35,000- 49,999	677	74,233	527	84.0	80.7-87.3	150	16.0	12.7-19.3
\$50,000- 74,999	769	90,518	682	91.6	89.6-93.6	87	8.4	6.4-10.4
\$75,000+	1561	189,238	1474	95.6	94.4-96.8	87	4.4	3.2- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2214	296,588	1753	84.2	82.4-86.0	461	15.8	14.0-17.6
18-24	148	49,014	144	96.8	93.5- 100	4	3.2	0.0- 6.5
25-34	282	56,377	274	97.6	95.6-99.6	8	2.4	0.4- 4.4
35-44	238	45,300	229	95.9	91.8- 100	9	4.1	0.0- 8.2
45-54	337	44,518	295	85.6	80.9-90.3	42	14.4	9.7-19.1
55-64	508	48,369	405	78.2	73.9-82.5	103	21.8	17.5-26.1
65+	686	51,142	395	51.4	46.9-55.9	291	48.6	44.1-53.1
Less Than H.S.	163	32,523	66	53.6	43.8-63.4	97	46.4	36.6-56.2
H.S. or G.E.D.	677	85,268	474	79.8	76.7-82.9	203	20.2	17.1-23.3
Some Post-H.S.	671	109,658	568	89.8	87.4-92.2	103	10.2	7.8-12.6
College Graduate	698	68,239	642	95.3	93.9-96.7	56	4.7	3.3- 6.1
Less than \$15,000	87	13,161	38	56.1	43.2-69.0	49	43.9	31.0-56.8
\$15,000- 24,999	208	31,718	119	66.4	58.2-74.6	89	33.6	25.4-41.8
\$25,000- 34,999	182	24,693	118	73.6	65.8-81.4	64	26.4	18.6-34.2
\$35,000- 49,999	309	39,637	236	83.4	78.7-88.1	73	16.6	11.9-21.3
\$50,000- 74,999	393	49,112	333	88.7	85.6-91.8	60	11.3	8.2-14.4
\$75,000+	822	106,307	762	94.9	93.3-96.5	60	5.1	3.5- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2695	282,987	2071	83.4	81.8-85.0	624	16.6	15.0-18.2
18-24	115	40,886	112	97.6	94.9- 100	3	2.4	0.0- 5.1
25-34	216	48,665	210	95.6	91.9-99.3	6	4.4	0.7- 8.1
35-44	266	40,666	259	96.7	94.2-99.2	7	3.3	0.8- 5.8
45-54	359	42,102	343	93.4	89.3-97.5	16	6.6	2.5-10.7
55-64	621	46,557	546	85.5	82.0-89.0	75	14.5	11.0-18.0
65+	1089	61,361	582	47.7	44.2-51.2	507	52.3	48.8-55.8
Less Than H.S.	132	18,613	32	37.1	24.6-49.6	100	62.9	50.4-75.4
H.S. or G.E.D.	758	69,245	469	73.4	69.5-77.3	289	26.6	22.7-30.5
Some Post-H.S.	918	119,612	749	88.6	86.4-90.8	169	11.4	9.2-13.6
College Graduate	878	75,091	818	95.9	94.5-97.3	60	4.1	2.7- 5.5
Less than \$15,000	179	20,926	91	64.9	55.7-74.1	88	35.1	25.9-44.3
\$15,000- 24,999	337	33,660	177	64.2	57.1-71.3	160	35.8	28.7-42.9
\$25,000- 34,999	246	25,553	161	78.4	72.5-84.3	85	21.6	15.7-27.5
\$35,000- 49,999	368	34,596	291	84.7	80.0-89.4	77	15.3	10.6-20.0
\$50,000- 74,999	376	41,406	349	95.1	92.7-97.5	27	4.9	2.5- 7.3
\$75,000+	739	82,931	712	96.5	94.5-98.5	27	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	550,325	25	0.5	0.1- 0.9	1262	26.7	24.9-28.5	2109	43.6	41.6-45.6	953	21.4	19.8-23.0	298	7.5	6.5- 8.5	5	0.2	0.0- 0.4
Male	2173	289,147	1	0.1	0.0- 0.3	139	8.2	6.4-10.0	1066	47.6	44.9-50.3	717	31.3	28.8-33.8	245	12.3	10.5-14.1	5	0.5	0.1- 0.9
Female	2479	261,178	24	1.0	0.4- 1.6	1123	47.2	44.5-49.9	1043	39.1	36.6-41.6	236	10.5	8.7-12.3	53	2.2	1.4- 3.0			
Native	163	23,123	1	0.1	0.0- 0.3	28	19.1	10.7-27.5	78	41.9	31.7-52.1	47	30.6	20.4-40.8	9	8.3	0.5-16.1			
Non-Native	4442	520,571	24	0.5	0.1- 0.9	1224	27.1	25.3-28.9	2001	43.4	41.4-45.4	901	21.1	19.5-22.7	287	7.6	6.6- 8.6	5	0.3	0.1- 0.5
18-24	252	85,268	3	1.3	0.0- 3.1	100	41.3	34.4-48.2	97	37.6	30.9-44.3	33	12.3	7.8-16.8	18	7.1	3.6-10.6	1	0.4	0.0- 1.2
25-34	479	100,840				117	26.7	22.0-31.4	221	46.0	40.9-51.1	108	21.6	17.5-25.7	31	5.2	3.2- 7.2	2	0.4	0.0- 1.0
35-44	487	82,741	1	0.1	0.0- 0.3	112	20.0	15.9-24.1	191	39.9	34.8-45.0	138	28.3	23.6-33.0	44	11.5	7.8-15.2	1	0.2	0.0- 0.6
45-54	652	80,952				148	21.6	17.9-25.3	268	39.9	35.4-44.4	177	27.8	23.7-31.9	58	10.2	7.3-13.1	1	0.5	0.0- 1.5
55-64	1058	89,644	1	0.1	0.0- 0.3	245	21.3	18.6-24.0	487	47.3	43.8-50.8	244	23.5	20.6-26.4	81	7.8	6.0- 9.6			
65+	1698	107,936	20	1.4	0.6- 2.2	528	28.5	26.0-31.0	837	48.5	45.6-51.4	249	16.8	14.4-19.2	64	4.8	3.4- 6.2			
Less Than H.S.	279	48,029	3	1.8	0.0- 4.3	79	29.2	21.6-36.8	130	41.1	33.5-48.7	49	17.2	11.3-23.1	17	9.9	4.2-15.6	1	0.8	0.0- 2.4
H.S. or G.E.D.	1355	146,373	13	0.8	0.2- 1.4	364	26.0	22.7-29.3	621	43.6	40.1-47.1	268	22.0	19.1-24.9	88	7.5	5.7- 9.3	1	0.2	0.0- 0.6
Some Post-H.S.	1501	217,594	6	0.3	0.1- 0.5	398	26.1	23.2-29.0	666	43.8	40.5-47.1	321	21.7	19.2-24.2	109	8.0	6.2- 9.8	1	0.1	0.0- 0.3
College Graduate	1507	137,450	3	0.1	0.0- 0.3	416	27.4	24.5-30.3	688	44.1	41.0-47.2	314	22.0	19.3-24.7	84	6.1	4.7- 7.5	2	0.3	0.0- 0.7
Less than \$15,000	259	33,303	4	1.0	0.0- 2.2	73	26.9	19.5-34.3	117	43.3	34.9-51.7	48	21.7	14.4-29.0	17	7.2	3.3-11.1			
\$15,000- 24,999	524	61,909	8	2.4	0.0- 4.8	166	31.6	25.7-37.5	230	38.7	32.8-44.6	92	19.1	14.6-23.6	27	7.6	3.7-11.5	1	0.6	0.0- 1.8
\$25,000- 34,999	401	47,659	4	0.5	0.0- 1.1	104	23.8	17.9-29.7	184	49.0	42.1-55.9	80	17.7	12.8-22.6	29	9.0	4.7-13.3			
\$35,000- 49,999	655	71,216	2	0.2	0.0- 0.6	169	25.3	20.4-30.2	322	48.1	42.8-53.4	124	20.6	16.5-24.7	37	5.6	3.4- 7.8	1	0.2	0.0- 0.6
\$50,000- 74,999	730	86,680	1	0.3	0.0- 0.9	183	27.4	23.1-31.7	322	41.8	37.3-46.3	165	21.9	18.0-25.8	58	8.5	6.0-11.0	1	0.2	0.0- 0.6
\$75,000+	1520	183,834	3	0.1	0.0- 0.3	349	22.5	19.8-25.2	695	43.9	40.8-47.0	370	25.3	22.6-28.0	103	8.3	6.3-10.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2173	289,147	1	0.1	0.0- 0.3	139	8.2	6.4-10.0	1066	47.6	44.9-50.3	717	31.3	28.8-33.8	245	12.3	10.5-14.1	5	0.5	0.1- 0.9
Native	74	11,254				6	8.5	0.5-16.5	37	42.5	27.6-57.4	22	32.0	16.9-47.1	9	17.0	2.1-31.9			
Non-Native	2067	272,772	1	0.1	0.0- 0.3	131	8.1	6.1-10.1	1006	47.4	44.7-50.1	690	31.5	29.0-34.0	234	12.3	10.5-14.1	5	0.5	0.1- 0.9
18-24	143	46,709				27	20.9	12.7-29.1	70	46.7	37.5-55.9	29	19.7	12.3-27.1	16	11.9	5.8-18.0	1	0.7	0.0- 2.1
25-34	278	55,652				21	8.0	4.5-11.5	144	53.1	46.6-59.6	86	30.3	24.2-36.4	25	7.9	4.8-11.0	2	0.8	0.0- 2.0
35-44	232	44,053				9	3.6	1.1- 6.1	87	38.2	30.9-45.5	97	38.6	31.5-45.7	38	19.4	12.9-25.9	1	0.4	0.0- 1.2
45-54	331	43,331				12	4.0	1.3- 6.7	136	40.9	34.6-47.2	135	38.9	32.8-45.0	47	15.3	10.6-20.0	1	0.9	0.0- 2.7
55-64	501	47,468				19	3.7	1.9- 5.5	239	50.7	45.6-55.8	181	33.7	29.0-38.4	62	11.8	8.7-14.9			
65+	679	50,651	1	0.5	0.0- 1.5	50	8.4	5.5-11.3	387	53.8	49.1-58.5	185	27.9	23.8-32.0	56	9.4	6.7-12.1			
Less Than H.S.	160	31,952				21	19.4	10.0-28.8	82	43.2	33.4-53.0	40	21.4	13.6-29.2	16	14.8	6.6-23.0	1	1.2	0.0- 3.6
H.S. or G.E.D.	661	82,420				48	9.2	5.7-12.7	328	48.2	43.3-53.1	206	30.8	26.5-35.1	78	11.5	8.6-14.4	1	0.4	0.0- 1.2
Some Post-H.S.	659	106,831	1	0.3	0.0- 0.9	35	5.9	3.5- 8.3	306	47.8	43.1-52.5	231	32.2	27.9-36.5	85	13.7	10.4-17.0	1	0.2	0.0- 0.6
College Graduate	691	67,639				34	5.2	3.0- 7.4	349	48.8	44.1-53.5	240	35.2	30.7-39.7	66	10.2	7.5-12.9	2	0.6	0.0- 1.4
Less than \$15,000	85	12,887				7	7.4	1.7-13.1	44	52.2	38.5-65.9	25	29.0	17.2-40.8	9	11.5	3.1-19.9			
\$15,000- 24,999	204	30,356				26	18.0	10.2-25.8	103	43.9	34.9-52.9	54	23.9	16.8-31.0	20	12.9	5.6-20.2	1	1.3	0.0- 3.8
\$25,000- 34,999	177	23,972				15	5.3	2.0- 8.6	86	54.4	44.4-64.4	53	25.1	16.9-33.3	23	15.2	7.6-22.8			
\$35,000- 49,999	308	38,828				23	11.4	5.3-17.5	156	50.0	42.6-57.4	98	29.7	23.2-36.2	30	8.6	4.9-12.3	1	0.4	0.0- 1.2
\$50,000- 74,999	390	48,835	1	0.6	0.0- 1.6	23	7.9	4.0-11.8	186	46.1	39.8-52.4	127	31.0	25.3-36.7	52	14.1	10.0-18.2	1	0.4	0.0- 1.2
\$75,000+	816	105,568				23	3.4	1.6- 5.2	397	47.5	43.2-51.8	306	36.2	32.1-40.3	90	12.8	9.9-15.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2479	261,178	24	1.0	0.4- 1.6	1123	47.2	44.5-49.9	1043	39.1	36.6-41.6	236	10.5	8.7-12.3	53	2.2	1.4- 3.0
Native	89	11,869	1	0.1	0.0- 0.3	22	29.1	15.6-42.6	41	41.4	27.7-55.1	25	29.4	15.7-43.1			
Non-Native	2375	247,800	23	1.0	0.4- 1.6	1093	48.1	45.4-50.8	995	38.9	36.2-41.6	211	9.6	8.0-11.2	53	2.3	1.5- 3.1
18-24	109	38,559	3	2.9	0.0- 6.6	73	66.0	56.4-75.6	27	26.5	17.5-35.5	4	3.4	0.0- 7.1	2	1.2	0.0- 2.8
25-34	201	45,188				96	49.9	42.1-57.7	77	37.2	29.6-44.8	22	11.0	6.1-15.9	6	1.9	0.1- 3.7
35-44	255	38,688	1	0.3	0.0- 0.9	103	38.7	31.4-46.0	104	41.9	34.6-49.2	41	16.5	10.8-22.2	6	2.5	0.1- 4.9
45-54	321	37,621				136	42.0	35.5-48.5	132	38.8	32.5-45.1	42	14.9	9.6-20.2	11	4.4	1.5- 7.3
55-64	557	42,176	1	0.2	0.0- 0.6	226	41.1	36.2-46.0	248	43.4	38.5-48.3	63	12.0	8.5-15.5	19	3.3	1.5- 5.1
65+	1019	57,285	19	2.1	0.9- 3.3	478	46.3	42.6-50.0	450	43.8	40.1-47.5	64	7.0	5.0- 9.0	8	0.8	0.2- 1.4
Less Than H.S.	119	16,077	3	5.3	0.0-12.6	58	48.6	36.1-61.1	48	37.1	25.5-48.7	9	8.7	0.3-17.1	1	0.3	0.0- 0.9
H.S. or G.E.D.	694	63,954	13	1.9	0.3- 3.5	316	47.6	42.3-52.9	293	37.7	32.8-42.6	62	10.5	7.2-13.8	10	2.3	0.7- 3.9
Some Post-H.S.	842	110,763	5	0.3	0.0- 0.7	363	45.6	41.1-50.1	360	39.9	35.4-44.4	90	11.5	8.6-14.4	24	2.6	1.2- 4.0
College Graduate	816	69,811	3	0.2	0.0- 0.4	382	48.9	44.4-53.4	339	39.6	35.1-44.1	74	9.2	6.7-11.7	18	2.1	1.1- 3.1
Less than \$15,000	174	20,416	4	1.7	0.0- 3.7	66	39.1	28.3-49.9	73	37.6	27.2-48.0	23	17.1	8.1-26.1	8	4.5	1.0- 8.0
\$15,000- 24,999	320	31,553	8	4.6	0.1- 9.1	140	44.7	36.3-53.1	127	33.7	26.3-41.1	38	14.5	8.4-20.6	7	2.5	0.1- 4.9
\$25,000- 34,999	224	23,687	4	1.1	0.0- 2.3	89	42.5	33.1-51.9	98	43.5	34.1-52.9	27	10.2	5.3-15.1	6	2.7	0.0- 5.8
\$35,000- 49,999	347	32,388	2	0.5	0.0- 1.5	146	42.0	34.4-49.6	166	45.8	38.2-53.4	26	9.6	5.1-14.1	7	2.1	0.3- 3.9
\$50,000- 74,999	340	37,845				160	52.4	45.3-59.5	136	36.2	29.5-42.9	38	10.1	5.8-14.4	6	1.3	0.3- 2.3
\$75,000+	704	78,266	3	0.2	0.0- 0.4	326	48.3	43.6-53.0	298	39.0	34.5-43.5	64	10.4	7.5-13.3	13	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	570,089	206	3.2	2.6- 3.8	2107	38.8	37.0-40.6	2069	45.7	43.7-47.7	441	11.3	10.1-12.5	19	0.7	0.3- 1.1	7	0.2	0.0- 0.4
Male	2193	292,620	4	0.4	0.0- 0.8	176	8.0	6.4- 9.6	1550	68.0	65.5-70.5	439	21.9	19.7-24.1	18	1.3	0.5- 2.1	6	0.4	0.0- 0.8
Female	2656	277,468	202	6.3	5.1- 7.5	1931	71.4	69.0-73.8	519	22.2	20.0-24.4	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Native	169	23,624	7	2.6	0.6- 4.6	70	40.2	30.0-50.4	75	48.4	37.8-59.0	16	7.6	3.3-11.9				1	1.1	0.0- 3.3
Non-Native	4630	539,189	195	3.2	2.6- 3.8	2018	38.9	36.9-40.9	1969	45.4	43.4-47.4	423	11.5	10.3-12.7	19	0.8	0.4- 1.2	6	0.2	0.0- 0.4
18-24	258	87,712	6	2.0	0.2- 3.8	92	38.0	31.3-44.7	120	46.4	39.5-53.3	34	11.0	7.1-14.9	6	2.6	0.2- 5.0			
25-34	492	103,417	9	2.0	0.4- 3.6	157	35.7	30.8-40.6	246	46.7	41.8-51.6	74	14.6	11.1-18.1	3	0.4	0.0- 0.8	3	0.7	0.0- 1.5
35-44	500	85,361	7	2.2	0.2- 4.2	185	33.6	28.9-38.3	244	48.7	43.4-54.0	59	14.3	10.6-18.0	2	0.5	0.0- 1.3	3	0.6	0.0- 1.4
45-54	687	84,828	9	1.3	0.1- 2.5	266	36.4	32.1-40.7	329	48.8	44.3-53.3	79	12.8	9.9-15.7	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3
55-64	1119	94,150	34	3.0	1.6- 4.4	513	41.2	37.9-44.5	471	46.2	42.7-49.7	98	9.2	7.2-11.2	3	0.3	0.0- 0.7			
65+	1759	111,220	138	7.7	6.1- 9.3	874	45.7	42.8-48.6	651	39.7	37.0-42.4	94	6.7	5.1- 8.3	2	0.2	0.0- 0.6			
Less Than H.S.	291	50,268	35	7.9	4.6-11.2	95	27.2	20.5-33.9	138	55.4	47.8-63.0	23	9.6	5.1-14.1						
H.S. or G.E.D.	1415	151,446	76	4.4	2.8- 6.0	621	38.1	34.8-41.4	590	45.6	42.1-49.1	119	10.8	8.6-13.0	9	1.2	0.2- 2.2			
Some Post-H.S.	1569	225,563	55	2.3	1.5- 3.1	730	42.0	38.9-45.1	640	44.0	40.9-47.1	139	10.9	8.9-12.9	4	0.7	0.0- 1.5	1	0.1	0.0- 0.3
College Graduate	1562	141,536	40	2.0	1.2- 2.8	652	38.4	35.3-41.5	698	45.4	42.3-48.5	160	13.1	10.7-15.5	6	0.4	0.0- 0.8	6	0.7	0.1- 1.3
Less than \$15,000	260	33,600	31	8.0	4.1-11.9	129	41.3	33.1-49.5	86	44.3	35.7-52.9	13	5.6	1.9- 9.3				1	0.7	0.0- 2.1
\$15,000- 24,999	539	63,405	40	5.6	2.9- 8.3	276	45.2	39.1-51.3	195	42.7	36.6-48.8	26	6.0	3.3- 8.7				2	0.5	0.0- 1.3
\$25,000- 34,999	422	49,680	30	5.7	3.0- 8.4	186	41.7	35.0-48.4	167	38.1	31.6-44.6	34	11.4	6.7-16.1	4	2.5	0.0- 5.6	1	0.5	0.0- 1.5
\$35,000- 49,999	678	74,249	22	3.1	1.1- 5.1	298	36.8	31.7-41.9	300	49.2	43.9-54.5	58	10.9	7.6-14.2						
\$50,000- 74,999	765	89,816	16	1.6	0.4- 2.8	308	38.6	34.1-43.1	354	45.0	40.5-49.5	85	14.1	10.8-17.4	2	0.7	0.0- 1.9			
\$75,000+	1551	186,895	26	1.4	0.6- 2.2	572	33.3	30.4-36.2	750	49.8	46.7-52.9	190	14.6	12.2-17.0	11	0.7	0.1- 1.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2193	292,620	4	0.4	0.0- 0.8	176	8.0	6.4- 9.6	1550	68.0	65.5-70.5	439	21.9	19.7-24.1	18	1.3	0.5- 2.1	6	0.4	0.0- 0.8
Native	74	11,254				1	0.4	0.0- 1.2	56	81.2	71.2-91.2	16	16.0	7.0-25.0				1	2.4	0.0- 7.1
Non-Native	2088	276,513	4	0.4	0.0- 0.8	169	8.1	6.5- 9.7	1471	67.4	64.9-69.9	421	22.4	20.0-24.8	18	1.4	0.6- 2.2	5	0.3	0.0- 0.7
18-24	145	47,521				10	8.2	2.7-13.7	95	66.8	58.2-75.4	34	20.3	13.4-27.2	6	4.8	0.3- 9.3			
25-34	280	55,972				21	9.2	5.3-13.1	180	62.2	55.7-68.7	73	26.7	20.8-32.6	3	0.6	0.0- 1.4	3	1.3	0.0- 2.7
35-44	236	44,948	1	0.7	0.0- 2.1	11	4.3	1.6- 7.0	161	65.9	58.8-73.0	59	27.2	20.5-33.9	2	1.0	0.0- 2.6	2	0.9	0.0- 2.3
45-54	334	43,907	1	0.9	0.0- 2.7	23	6.0	3.1- 8.9	228	67.8	61.9-73.7	79	24.8	19.3-30.3	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3
55-64	504	48,094	1	0.3	0.0- 0.9	40	8.4	5.3-11.5	362	72.6	68.1-77.1	98	18.0	14.3-21.7	3	0.6	0.0- 1.4			
65+	685	51,038	1	0.5	0.0- 1.5	70	10.8	7.9-13.7	519	73.7	69.6-77.8	93	14.5	11.2-17.8	2	0.5	0.0- 1.1			
Less Than H.S.	163	32,523	1	1.2	0.0- 3.6	17	6.9	3.0-10.8	122	77.1	69.3-84.9	23	14.8	7.9-21.7						
H.S. or G.E.D.	668	83,618	1	0.4	0.0- 1.2	69	11.2	7.7-14.7	472	67.0	62.3-71.7	118	19.5	15.6-23.4	8	1.9	0.3- 3.5			
Some Post-H.S.	665	108,175	1	0.2	0.0- 0.6	48	7.3	4.8- 9.8	473	68.1	63.6-72.6	138	22.6	18.7-26.5	4	1.5	0.0- 3.3	1	0.3	0.0- 0.9
College Graduate	694	67,663	1	0.2	0.0- 0.6	40	5.0	3.0- 7.0	482	65.2	60.7-69.7	160	27.4	23.1-31.7	6	0.9	0.1- 1.7	5	1.3	0.1- 2.5
Less than \$15,000	85	13,061				10	7.1	2.2-12.0	61	76.6	66.0-87.2	13	14.4	5.2-23.6				1	1.9	0.0- 5.6
\$15,000- 24,999	205	30,245	1	1.3	0.0- 3.8	29	13.2	7.5-18.9	147	71.8	64.0-79.6	26	12.6	7.1-18.1				2	1.1	0.0- 2.7
\$25,000- 34,999	179	24,506	1	0.5	0.0- 1.5	15	11.1	4.4-17.8	126	60.4	50.2-70.6	33	22.9	14.1-31.7	3	4.0	0.0- 9.9	1	1.1	0.0- 3.3
\$35,000- 49,999	311	39,714	1	0.8	0.0- 2.4	26	9.8	4.3-15.3	226	68.9	61.6-76.2	58	20.4	14.3-26.5						
\$50,000- 74,999	392	48,932	1	0.6	0.0- 1.6	30	6.9	4.0- 9.8	275	65.5	59.4-71.6	84	25.6	20.1-31.1	2	1.4	0.0- 3.6			
\$75,000+	819	105,893				45	5.3	3.3- 7.3	572	67.6	63.5-71.7	190	25.8	22.1-29.5	11	1.3	0.3- 2.3	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2656	277,468	202	6.3	5.1- 7.5	1931	71.4	69.0-73.8	519	22.2	20.0-24.4	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Native	95	12,370	7	4.9	1.0- 8.8	69	76.4	65.2-87.6	19	18.6	7.8-29.4									
Non-Native	2542	262,675	191	6.2	4.8- 7.6	1849	71.3	68.8-73.8	498	22.3	19.9-24.7	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
18-24	113	40,191	6	4.5	0.8- 8.2	82	73.3	64.7-81.9	25	22.2	14.0-30.4									
25-34	212	47,445	9	4.4	1.1- 7.7	136	66.9	59.8-74.0	66	28.3	21.6-35.0	1	0.3	0.0- 0.9						
35-44	264	40,413	6	3.9	0.0- 7.8	174	66.2	59.3-73.1	83	29.6	23.1-36.1							1	0.3	0.0- 0.9
45-54	353	40,921	8	1.8	0.4- 3.2	243	69.1	63.4-74.8	101	28.4	22.9-33.9				1	0.7	0.0- 1.9			
55-64	615	46,055	33	5.9	3.2- 8.6	473	75.5	71.2-79.8	109	18.6	14.9-22.3									
65+	1074	60,182	137	13.8	11.1-16.5	804	75.2	72.1-78.3	132	10.9	8.9-12.9	1	0.1	0.0- 0.3						
Less Than H.S.	128	17,745	34	20.0	12.0-28.0	78	64.5	53.1-75.9	16	15.5	5.7-25.3									
H.S. or G.E.D.	747	67,828	75	9.3	6.0-12.6	552	71.1	66.4-75.8	118	19.2	15.1-23.3	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2			
Some Post-H.S.	904	117,388	54	4.2	2.6- 5.8	682	73.9	70.0-77.8	167	21.7	18.0-25.4	1	0.1	0.0- 0.3						
College Graduate	868	73,872	39	3.6	2.0- 5.2	612	69.0	64.9-73.1	216	27.2	23.3-31.1							1	0.2	0.0- 0.6
Less than \$15,000	175	20,539	31	13.1	6.8-19.4	119	63.1	52.3-73.9	25	23.7	13.3-34.1									
\$15,000- 24,999	334	33,160	39	9.5	4.8-14.2	247	74.3	67.2-81.4	48	16.2	10.3-22.1									
\$25,000- 34,999	243	25,174	29	10.8	5.5-16.1	171	71.5	63.3-79.7	41	16.4	9.3-23.5	1	0.2	0.0- 0.6	1	1.1	0.0- 3.3			
\$35,000- 49,999	367	34,535	21	5.6	1.9- 9.3	272	67.8	60.5-75.1	74	26.6	19.7-33.5									
\$50,000- 74,999	373	40,884	15	2.8	0.6- 5.0	278	76.5	71.0-82.0	79	20.4	15.3-25.5	1	0.3	0.0- 0.9						
\$75,000+	732	81,002	26	3.3	1.7- 4.9	527	69.8	65.5-74.1	178	26.7	22.6-30.8							1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	597	130,410	25	4.5	2.5- 6.5	572	95.5	93.5-97.5
Non-Native	554	121,527	22	3.8	2.0- 5.6	532	96.2	94.4-98.0
18-24	115	40,886	5	4.2	0.3- 8.1	110	95.8	91.9-99.7
25-34	215	48,574	16	7.8	3.5-12.1	199	92.2	87.9-96.5
35-44	267	40,950	4	0.9	0.0- 1.9	263	99.1	98.1- 100
H.S. or G.E.D.	132	29,299	6	5.0	0.5- 9.5	126	95.0	90.5-99.5
Some Post-H.S.	192	54,185	6	3.4	0.3- 6.5	186	96.6	93.5-99.7
College Graduate	256	40,479	11	4.6	1.7- 7.5	245	95.4	92.5-98.3
\$15,000- 24,999	60	16,208	2	4.3	0.0-10.8	58	95.7	89.2- 100
\$35,000- 49,999	77	16,261	4	3.2	0.1- 6.3	73	96.8	93.7-99.9
\$50,000- 74,999	85	18,322	1	1.7	0.0- 5.0	84	98.3	95.0- 100
\$75,000+	230	41,305	11	5.0	1.7- 8.3	219	95.0	91.7-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4846	572,110	1021	17.1	15.7-18.5	3825	82.9	81.5-84.3
Male	2184	292,199	417	15.4	13.6-17.2	1767	84.6	82.8-86.4
Female	2662	279,912	604	18.9	16.9-20.9	2058	81.1	79.1-83.1
18-24	259	88,839	20	8.2	4.3-12.1	239	91.8	87.9-95.7
25-34	493	103,803	53	11.9	8.6-15.2	440	88.1	84.8-91.4
35-44	502	85,803	53	11.6	7.9-15.3	449	88.4	84.7-92.1
45-54	687	85,101	106	16.7	13.2-20.2	581	83.3	79.8-86.8
55-64	1116	93,585	245	22.2	19.3-25.1	871	77.8	74.9-80.7
65+	1749	110,766	541	29.8	27.3-32.3	1208	70.2	67.7-72.7
Less Than H.S.	289	50,181	88	29.9	22.8-37.0	201	70.1	63.0-77.2
H.S. or G.E.D.	1413	152,574	320	17.9	15.4-20.4	1093	82.1	79.6-84.6
Some Post-H.S.	1570	226,293	330	16.3	14.1-18.5	1240	83.7	81.5-85.9
College Graduate	1561	141,612	280	13.0	11.0-15.0	1281	87.0	85.0-89.0
Less than \$15,000	263	33,685	128	42.3	34.1-50.5	135	57.7	49.5-65.9
\$15,000- 24,999	536	64,173	177	26.6	21.5-31.7	359	73.4	68.3-78.5
\$25,000- 34,999	417	49,210	118	20.5	15.6-25.4	299	79.5	74.6-84.4
\$35,000- 49,999	670	73,276	163	21.9	17.6-26.2	507	78.1	73.8-82.4
\$50,000- 74,999	761	89,129	125	13.0	10.1-15.9	636	87.0	84.1-89.9
\$75,000+	1554	188,263	176	9.3	7.5-11.1	1378	90.7	88.9-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2184	292,199	417	15.4	13.6-17.2	1767	84.6	82.8-86.4
18-24	145	48,261	7	3.6	0.7- 6.5	138	96.4	93.5-99.3
25-34	280	55,827	30	11.5	7.4-15.6	250	88.5	84.4-92.6
35-44	235	44,853	28	14.2	8.3-20.1	207	85.8	79.9-91.7
45-54	332	43,624	49	15.5	10.6-20.4	283	84.5	79.6-89.4
55-64	502	47,597	106	21.5	17.2-25.8	396	78.5	74.2-82.8
65+	677	50,342	195	26.2	22.5-29.9	482	73.8	70.1-77.5
Less Than H.S.	160	32,003	50	28.1	19.3-36.9	110	71.9	63.1-80.7
H.S. or G.E.D.	665	83,899	130	15.3	12.2-18.4	535	84.7	81.6-87.8
Some Post-H.S.	660	107,761	118	12.6	10.1-15.1	542	87.4	84.9-89.9
College Graduate	695	67,721	118	13.5	10.6-16.4	577	86.5	83.6-89.4
Less than \$15,000	85	12,837	42	40.6	27.5-53.7	43	59.4	46.3-72.5
\$15,000- 24,999	202	30,591	58	24.9	17.1-32.7	144	75.1	67.3-82.9
\$25,000- 34,999	175	23,930	46	21.4	13.8-29.0	129	78.6	71.0-86.2
\$35,000- 49,999	307	39,214	67	19.3	13.8-24.8	240	80.7	75.2-86.2
\$50,000- 74,999	389	48,552	68	12.5	9.0-16.0	321	87.5	84.0-91.0
\$75,000+	819	105,900	93	8.5	6.5-10.5	726	91.5	89.5-93.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2662	279,912	604	18.9	16.9-20.9	2058	81.1	79.1-83.1
18-24	114	40,578	13	13.6	6.2-21.0	101	86.4	79.0-93.8
25-34	213	47,976	23	12.4	7.1-17.7	190	87.6	82.3-92.9
35-44	267	40,950	25	8.9	5.0-12.8	242	91.1	87.2-95.0
45-54	355	41,477	57	18.1	12.8-23.4	298	81.9	76.6-87.2
55-64	614	45,988	139	23.0	18.9-27.1	475	77.0	72.9-81.1
65+	1072	60,425	346	32.8	29.3-36.3	726	67.2	63.7-70.7
Less Than H.S.	129	18,178	38	33.0	21.4-44.6	91	67.0	55.4-78.6
H.S. or G.E.D.	748	68,675	190	21.0	17.3-24.7	558	79.0	75.3-82.7
Some Post-H.S.	910	118,532	212	19.6	16.3-22.9	698	80.4	77.1-83.7
College Graduate	866	73,891	162	12.6	10.1-15.1	704	87.4	84.9-89.9
Less than \$15,000	178	20,847	86	43.3	32.9-53.7	92	56.7	46.3-67.1
\$15,000- 24,999	334	33,582	119	28.1	21.4-34.8	215	71.9	65.2-78.6
\$25,000- 34,999	242	25,279	72	19.6	13.3-25.9	170	80.4	74.1-86.7
\$35,000- 49,999	363	34,062	96	24.8	17.9-31.7	267	75.2	68.3-82.1
\$50,000- 74,999	372	40,576	57	13.5	8.8-18.2	315	86.5	81.8-91.2
\$75,000+	735	82,363	83	10.3	7.4-13.2	652	89.7	86.8-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4867	573,557	449	6.5	5.7- 7.3	4418	93.5	92.7-94.3
Male	2195	292,818	169	6.1	4.9- 7.3	2026	93.9	92.7-95.1
Female	2672	280,738	280	7.0	6.0- 8.0	2392	93.0	92.0-94.0
18-24	258	87,873	4	1.5	0.0- 3.1	254	98.5	96.9- 100
25-34	494	104,138	12	2.5	0.9- 4.1	482	97.5	95.9-99.1
35-44	503	86,008	12	2.3	0.7- 3.9	491	97.7	96.1-99.3
45-54	689	85,352	26	3.9	2.1- 5.7	663	96.1	94.3-97.9
55-64	1118	93,801	81	7.6	5.6- 9.6	1037	92.4	90.4-94.4
65+	1764	112,085	312	18.4	16.2-20.6	1452	81.6	79.4-83.8
Less Than H.S.	294	51,078	57	14.8	10.1-19.5	237	85.2	80.5-89.9
H.S. or G.E.D.	1421	153,223	146	7.4	5.8- 9.0	1275	92.6	91.0-94.2
Some Post-H.S.	1576	226,192	138	5.5	4.3- 6.7	1438	94.5	93.3-95.7
College Graduate	1563	141,614	106	4.3	3.3- 5.3	1457	95.7	94.7-96.7
Less than \$15,000	264	33,933	65	17.5	12.4-22.6	199	82.5	77.4-87.6
\$15,000- 24,999	540	63,993	100	12.5	9.2-15.8	440	87.5	84.2-90.8
\$25,000- 34,999	421	49,580	52	9.0	5.9-12.1	369	91.0	87.9-94.1
\$35,000- 49,999	676	73,647	60	6.0	4.0- 8.0	616	94.0	92.0-96.0
\$50,000- 74,999	761	89,036	47	4.2	2.6- 5.8	714	95.8	94.2-97.4
\$75,000+	1554	188,389	51	2.6	1.6- 3.6	1503	97.4	96.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2195	292,818	169	6.1	4.9- 7.3	2026	93.9	92.7-95.1
18-24	144	47,295	2	1.8	0.0- 4.3	142	98.2	95.7- 100
25-34	281	56,161	11	4.2	1.5- 6.9	270	95.8	93.1-98.5
35-44	237	45,256	3	1.6	0.0- 3.8	234	98.4	96.2- 100
45-54	334	43,774	15	4.9	2.2- 7.6	319	95.1	92.4-97.8
55-64	502	47,671	39	7.1	4.6- 9.6	463	92.9	90.4-95.4
65+	684	50,966	98	15.8	12.5-19.1	586	84.2	80.9-87.5
Less Than H.S.	163	32,583	27	12.5	6.8-18.2	136	87.5	81.8-93.2
H.S. or G.E.D.	669	84,290	51	6.6	4.4- 8.8	618	93.4	91.2-95.6
Some Post-H.S.	664	107,419	43	4.5	2.9- 6.1	621	95.5	93.9-97.1
College Graduate	695	67,711	48	4.8	3.2- 6.4	647	95.2	93.6-96.8
Less than \$15,000	86	13,086	20	17.7	8.7-26.7	66	82.3	73.3-91.3
\$15,000- 24,999	205	30,389	28	11.1	5.8-16.4	177	88.9	83.6-94.2
\$25,000- 34,999	177	24,100	22	11.1	5.6-16.6	155	88.9	83.4-94.4
\$35,000- 49,999	309	39,348	23	5.4	2.9- 7.9	286	94.6	92.1-97.1
\$50,000- 74,999	389	48,460	25	5.2	2.7- 7.7	364	94.8	92.3-97.3
\$75,000+	820	106,123	31	2.9	1.5- 4.3	789	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2672	280,738	280	7.0	6.0- 8.0	2392	93.0	92.0-94.0
18-24	114	40,578	2	1.1	0.0- 2.7	112	98.9	97.3- 100
25-34	213	47,976	1	0.5	0.0- 1.5	212	99.5	98.5- 100
35-44	266	40,751	9	3.1	0.7- 5.5	257	96.9	94.5-99.3
45-54	355	41,578	11	2.8	0.6- 5.0	344	97.2	95.0-99.4
55-64	616	46,130	42	8.1	5.2-11.0	574	91.9	89.0-94.8
65+	1080	61,119	214	20.5	17.6-23.4	866	79.5	76.6-82.4
Less Than H.S.	131	18,495	30	18.8	11.0-26.6	101	81.2	73.4-89.0
H.S. or G.E.D.	752	68,933	95	8.3	6.1-10.5	657	91.7	89.5-93.9
Some Post-H.S.	912	118,773	95	6.3	4.7- 7.9	817	93.7	92.1-95.3
College Graduate	868	73,903	58	3.9	2.7- 5.1	810	96.1	94.9-97.3
Less than \$15,000	178	20,847	45	17.5	11.2-23.8	133	82.5	76.2-88.8
\$15,000- 24,999	335	33,604	72	13.7	9.8-17.6	263	86.3	82.4-90.2
\$25,000- 34,999	244	25,481	30	7.0	3.7-10.3	214	93.0	89.7-96.3
\$35,000- 49,999	367	34,299	37	6.8	3.7- 9.9	330	93.2	90.1-96.3
\$50,000- 74,999	372	40,576	22	3.1	1.7- 4.5	350	96.9	95.5-98.3
\$75,000+	734	82,265	20	2.1	0.9- 3.3	714	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4862	572,647	136	1.9	1.5- 2.3	4726	98.1	97.7-98.5
Male	2192	292,110	43	1.6	1.0- 2.2	2149	98.4	97.8-99.0
Female	2670	280,536	93	2.3	1.7- 2.9	2577	97.7	97.1-98.3
18-24	257	87,768	1	0.2	0.0- 0.6	256	99.8	99.4- 100
25-34	493	103,666	1	0.2	0.0- 0.6	492	99.8	99.4- 100
35-44	503	86,008	5	1.0	0.0- 2.0	498	99.0	98.0- 100
45-54	688	85,261	14	2.3	0.9- 3.7	674	97.7	96.3-99.1
55-64	1117	93,652	30	2.8	1.6- 4.0	1087	97.2	96.0-98.4
65+	1762	111,905	83	4.5	3.3- 5.7	1679	95.5	94.3-96.7
Less Than H.S.	291	50,453	17	3.8	1.4- 6.2	274	96.2	93.8-98.6
H.S. or G.E.D.	1418	153,006	46	2.3	1.5- 3.1	1372	97.7	96.9-98.5
Some Post-H.S.	1575	226,000	40	1.4	0.8- 2.0	1535	98.6	98.0-99.2
College Graduate	1565	141,738	31	1.5	0.9- 2.1	1534	98.5	97.9-99.1
Less than \$15,000	262	33,771	25	6.4	3.5- 9.3	237	93.6	90.7-96.5
\$15,000- 24,999	537	63,381	31	4.1	2.3- 5.9	506	95.9	94.1-97.7
\$25,000- 34,999	421	49,615	16	2.4	1.0- 3.8	405	97.6	96.2-99.0
\$35,000- 49,999	675	73,597	19	1.9	0.7- 3.1	656	98.1	96.9-99.3
\$50,000- 74,999	759	88,823	9	0.9	0.3- 1.5	750	99.1	98.5-99.7
\$75,000+	1555	188,414	13	0.4	0.2- 0.6	1542	99.6	99.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	292,110	43	1.6	1.0- 2.2	2149	98.4	97.8-99.0
18-24	143	47,189	1	0.4	0.0- 1.2	142	99.6	98.8- 100
25-34	280	55,689				280	100.0	100.0- 100
35-44	237	45,256	3	1.4	0.0- 3.2	234	98.6	96.8- 100
45-54	333	43,684	10	2.9	0.9- 4.9	323	97.1	95.1-99.1
55-64	501	47,522	9	2.3	0.7- 3.9	492	97.7	96.1-99.3
65+	684	50,988	20	2.7	1.3- 4.1	664	97.3	95.9-98.7
Less Than H.S.	162	32,111	7	2.0	0.2- 3.8	155	98.0	96.2-99.8
H.S. or G.E.D.	667	84,143	13	1.8	0.6- 3.0	654	98.2	97.0-99.4
Some Post-H.S.	662	107,206	13	1.2	0.4- 2.0	649	98.8	98.0-99.6
College Graduate	697	67,835	10	1.6	0.4- 2.8	687	98.4	97.2-99.6
Less than \$15,000	85	13,028	8	5.3	1.2- 9.4	77	94.7	90.6-98.8
\$15,000- 24,999	203	29,826	9	4.0	1.3- 6.7	194	96.0	93.3-98.7
\$25,000- 34,999	178	24,187	4	2.1	0.0- 4.5	174	97.9	95.5- 100
\$35,000- 49,999	308	39,298	6	1.8	0.0- 3.6	302	98.2	96.4- 100
\$50,000- 74,999	387	48,246	7	1.4	0.2- 2.6	380	98.6	97.4-99.8
\$75,000+	821	106,148	4	0.3	0.0- 0.7	817	99.7	99.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2670	280,536	93	2.3	1.7- 2.9	2577	97.7	97.1-98.3
18-24	114	40,578				114	100.0	100.0- 100
25-34	213	47,976	1	0.5	0.0- 1.5	212	99.5	98.5- 100
35-44	266	40,751	2	0.5	0.0- 1.1	264	99.5	98.9- 100
45-54	355	41,578	4	1.5	0.0- 3.5	351	98.5	96.5- 100
55-64	616	46,130	21	3.3	1.7- 4.9	595	96.7	95.1-98.3
65+	1078	60,917	63	5.9	4.1- 7.7	1015	94.1	92.3-95.9
Less Than H.S.	129	18,341	10	7.0	1.5-12.5	119	93.0	87.5-98.5
H.S. or G.E.D.	751	68,863	33	3.0	1.6- 4.4	718	97.0	95.6-98.4
Some Post-H.S.	913	118,795	27	1.6	0.8- 2.4	886	98.4	97.6-99.2
College Graduate	868	73,903	21	1.3	0.7- 1.9	847	98.7	98.1-99.3
Less than \$15,000	177	20,743	17	7.1	3.0-11.2	160	92.9	88.8-97.0
\$15,000- 24,999	334	33,554	22	4.2	2.0- 6.4	312	95.8	93.6-98.0
\$25,000- 34,999	243	25,428	12	2.6	1.0- 4.2	231	97.4	95.8-99.0
\$35,000- 49,999	367	34,299	13	2.1	0.7- 3.5	354	97.9	96.5-99.3
\$50,000- 74,999	372	40,576	2	0.2	0.0- 0.6	370	99.8	99.4- 100
\$75,000+	734	82,265	9	0.6	0.2- 1.0	725	99.4	99.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4851	570,487	301	7.6	6.4- 8.8	4550	92.4	91.2-93.6
Male	2191	292,031	127	6.8	5.4- 8.2	2064	93.2	91.8-94.6
Female	2660	278,456	174	8.5	6.7-10.3	2486	91.5	89.7-93.3
18-24	256	87,194	25	11.9	7.2-16.6	231	88.1	83.4-92.8
25-34	491	102,938	30	7.0	4.1- 9.9	461	93.0	90.1-95.9
35-44	501	85,640	26	6.6	3.9- 9.3	475	93.4	90.7-96.1
45-54	686	85,086	32	6.1	3.6- 8.6	654	93.9	91.4-96.4
55-64	1116	93,493	70	7.1	5.1- 9.1	1046	92.9	90.9-94.9
65+	1759	111,749	118	7.7	6.1- 9.3	1641	92.3	90.7-93.9
Less Than H.S.	289	50,121	45	19.6	13.1-26.1	244	80.4	73.9-86.9
H.S. or G.E.D.	1417	151,897	112	9.4	7.2-11.6	1305	90.6	88.4-92.8
Some Post-H.S.	1572	225,759	89	6.5	4.7- 8.3	1483	93.5	91.7-95.3
College Graduate	1560	141,260	52	3.2	2.0- 4.4	1508	96.8	95.6-98.0
Less than \$15,000	262	33,576	54	24.2	16.6-31.8	208	75.8	68.2-83.4
\$15,000- 24,999	534	62,678	56	14.2	9.7-18.7	478	85.8	81.3-90.3
\$25,000- 34,999	418	49,465	47	13.5	8.6-18.4	371	86.5	81.6-91.4
\$35,000- 49,999	675	73,576	43	8.3	4.6-12.0	632	91.7	88.0-95.4
\$50,000- 74,999	759	88,896	23	3.0	1.2- 4.8	736	97.0	95.2-98.8
\$75,000+	1553	188,298	27	2.3	1.1- 3.5	1526	97.7	96.5-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2191	292,031	127	6.8	5.4- 8.2	2064	93.2	91.8-94.6
18-24	143	47,189	8	7.1	2.0-12.2	135	92.9	87.8-98.0
25-34	280	55,855	17	6.1	3.0- 9.2	263	93.9	90.8-97.0
35-44	236	44,988	13	7.7	3.6-11.8	223	92.3	88.2-96.4
45-54	332	43,606	13	5.4	2.1- 8.7	319	94.6	91.3-97.9
55-64	502	47,641	31	7.3	4.6-10.0	471	92.7	90.0-95.4
65+	684	50,969	45	7.5	5.0-10.0	639	92.5	90.0-95.0
Less Than H.S.	162	32,504	23	14.2	7.5-20.9	139	85.8	79.1-92.5
H.S. or G.E.D.	669	84,036	46	7.6	4.9-10.3	623	92.4	89.7-95.1
Some Post-H.S.	662	107,175	36	5.6	3.4- 7.8	626	94.4	92.2-96.6
College Graduate	694	67,502	21	3.8	1.6- 6.0	673	96.2	94.0-98.4
Less than \$15,000	85	12,936	19	27.7	14.8-40.6	66	72.3	59.4-85.2
\$15,000- 24,999	203	29,814	19	10.4	5.3-15.5	184	89.6	84.5-94.7
\$25,000- 34,999	176	24,061	26	16.7	9.3-24.1	150	83.3	75.9-90.7
\$35,000- 49,999	309	39,348	20	7.3	3.0-11.6	289	92.7	88.4-97.0
\$50,000- 74,999	388	48,366	10	1.7	0.3- 3.1	378	98.3	96.9-99.7
\$75,000+	820	106,131	14	2.5	0.9- 4.1	806	97.5	95.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2660	278,456	174	8.5	6.7-10.3	2486	91.5	89.7-93.3
18-24	113	40,005	17	17.5	9.7-25.3	96	82.5	74.7-90.3
25-34	211	47,083	13	8.1	3.2-13.0	198	91.9	87.0-96.8
35-44	265	40,652	13	5.3	2.2- 8.4	252	94.7	91.6-97.8
45-54	354	41,479	19	6.8	2.7-10.9	335	93.2	89.1-97.3
55-64	614	45,852	39	6.8	4.1- 9.5	575	93.2	90.5-95.9
65+	1075	60,780	73	7.9	5.7-10.1	1002	92.1	89.9-94.3
Less Than H.S.	127	17,618	22	29.7	16.8-42.6	105	70.3	57.4-83.2
H.S. or G.E.D.	748	67,861	66	11.6	8.1-15.1	682	88.4	84.9-91.9
Some Post-H.S.	910	118,584	53	7.2	4.7- 9.7	857	92.8	90.3-95.3
College Graduate	866	73,758	31	2.7	1.5- 3.9	835	97.3	96.1-98.5
Less than \$15,000	177	20,640	35	22.0	12.6-31.4	142	78.0	68.6-87.4
\$15,000- 24,999	331	32,864	37	17.5	10.2-24.8	294	82.5	75.2-89.8
\$25,000- 34,999	242	25,405	21	10.6	4.5-16.7	221	89.4	83.3-95.5
\$35,000- 49,999	366	34,228	23	9.5	3.4-15.6	343	90.5	84.4-96.6
\$50,000- 74,999	371	40,530	13	4.5	1.2- 7.8	358	95.5	92.2-98.8
\$75,000+	733	82,167	13	2.0	0.6- 3.4	720	98.0	96.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	570,917	637	9.7	8.7-10.7	4212	90.3	89.3-91.3
Male	2190	292,065	226	8.0	6.6- 9.4	1964	92.0	90.6-93.4
Female	2659	278,853	411	11.4	10.0-12.8	2248	88.6	87.2-90.0
18-24	257	87,768	2	1.0	0.0- 2.4	255	99.0	97.6- 100
25-34	492	103,362	16	3.8	1.8- 5.8	476	96.2	94.2-98.2
35-44	499	85,161	25	5.6	3.1- 8.1	474	94.4	91.9-96.9
45-54	687	85,150	46	7.7	5.2-10.2	641	92.3	89.8-94.8
55-64	1116	93,652	147	14.2	11.7-16.7	969	85.8	83.3-88.3
65+	1756	111,436	398	22.9	20.5-25.3	1358	77.1	74.7-79.5
Less Than H.S.	288	50,615	74	19.5	14.2-24.8	214	80.5	75.2-85.8
H.S. or G.E.D.	1415	152,221	227	12.1	9.9-14.3	1188	87.9	85.7-90.1
Some Post-H.S.	1571	225,287	206	8.4	7.0- 9.8	1365	91.6	90.2-93.0
College Graduate	1562	141,345	127	5.3	4.1- 6.5	1435	94.7	93.5-95.9
Less than \$15,000	261	33,631	96	28.0	21.1-34.9	165	72.0	65.1-78.9
\$15,000- 24,999	536	63,327	134	18.4	14.5-22.3	402	81.6	77.7-85.5
\$25,000- 34,999	419	49,453	80	13.2	9.3-17.1	339	86.8	82.9-90.7
\$35,000- 49,999	672	72,974	91	8.9	6.5-11.3	581	91.1	88.7-93.5
\$50,000- 74,999	759	88,848	57	6.3	4.1- 8.5	702	93.7	91.5-95.9
\$75,000+	1553	188,288	78	3.7	2.7- 4.7	1475	96.3	95.3-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2190	292,065	226	8.0	6.6- 9.4	1964	92.0	90.6-93.4
18-24	143	47,189	1	1.2	0.0- 3.6	142	98.8	96.4- 100
25-34	281	56,161	7	2.7	0.5- 4.9	274	97.3	95.1-99.5
35-44	235	44,770	12	6.4	2.3-10.5	223	93.6	89.5-97.7
45-54	334	43,774	25	8.9	5.0-12.8	309	91.1	87.2-95.0
55-64	501	47,547	54	11.3	8.0-14.6	447	88.7	85.4-92.0
65+	682	50,841	127	18.0	14.7-21.3	555	82.0	78.7-85.3
Less Than H.S.	161	32,469	39	16.9	10.6-23.2	122	83.1	76.8-89.4
H.S. or G.E.D.	667	83,983	81	9.8	7.1-12.5	586	90.2	87.5-92.9
Some Post-H.S.	662	107,231	61	5.8	4.0- 7.6	601	94.2	92.4-96.0
College Graduate	696	67,567	44	4.7	2.9- 6.5	652	95.3	93.5-97.1
Less than \$15,000	86	13,086	28	28.4	16.8-40.0	58	71.6	60.0-83.2
\$15,000- 24,999	204	30,120	37	15.1	9.2-21.0	167	84.9	79.0-90.8
\$25,000- 34,999	176	24,005	34	14.6	8.3-20.9	142	85.4	79.1-91.7
\$35,000- 49,999	308	39,310	31	6.3	3.4- 9.2	277	93.7	90.8-96.6
\$50,000- 74,999	387	48,271	29	6.2	3.5- 8.9	358	93.8	91.1-96.5
\$75,000+	821	106,148	37	3.4	2.0- 4.8	784	96.6	95.2-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2659	278,853	411	11.4	10.0-12.8	2248	88.6	87.2-90.0
18-24	114	40,578	1	0.9	0.0- 2.5	113	99.1	97.5- 100
25-34	211	47,201	9	5.2	1.7- 8.7	202	94.8	91.3-98.3
35-44	264	40,391	13	4.7	1.8- 7.6	251	95.3	92.4-98.2
45-54	353	41,376	21	6.4	3.3- 9.5	332	93.6	90.5-96.7
55-64	615	46,105	93	17.1	13.2-21.0	522	82.9	79.0-86.8
65+	1074	60,595	271	27.0	23.7-30.3	803	73.0	69.7-76.3
Less Than H.S.	127	18,146	35	24.1	14.9-33.3	92	75.9	66.7-85.1
H.S. or G.E.D.	748	68,238	146	15.0	11.9-18.1	602	85.0	81.9-88.1
Some Post-H.S.	909	118,056	145	10.7	8.5-12.9	764	89.3	87.1-91.5
College Graduate	866	73,778	83	6.0	4.2- 7.8	783	94.0	92.2-95.8
Less than \$15,000	175	20,545	68	27.8	19.4-36.2	107	72.2	63.8-80.6
\$15,000- 24,999	332	33,207	97	21.4	16.1-26.7	235	78.6	73.3-83.9
\$25,000- 34,999	243	25,448	46	11.9	7.4-16.4	197	88.1	83.6-92.6
\$35,000- 49,999	364	33,664	60	11.9	7.8-16.0	304	88.1	84.0-92.2
\$50,000- 74,999	372	40,576	28	6.4	3.3- 9.5	344	93.6	90.5-96.7
\$75,000+	732	82,140	41	4.2	2.6- 5.8	691	95.8	94.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4852	570,490	140	2.5	1.9- 3.1	4712	97.5	96.9-98.1
Male	2192	292,149	72	3.0	2.2- 3.8	2120	97.0	96.2-97.8
Female	2660	278,341	68	2.1	1.5- 2.7	2592	97.9	97.3-98.5
18-24	257	87,768				257	100.0	100.0- 100
25-34	492	103,362	5	1.3	0.1- 2.5	487	98.7	97.5-99.9
35-44	499	85,161	10	2.3	0.5- 4.1	489	97.7	95.9-99.5
45-54	686	84,474	15	2.9	1.1- 4.7	671	97.1	95.3-98.9
55-64	1118	93,771	37	4.1	2.5- 5.7	1081	95.9	94.3-97.5
65+	1759	111,654	72	4.4	3.2- 5.6	1687	95.6	94.4-96.8
Less Than H.S.	289	50,130	25	7.5	4.0-11.0	264	92.5	89.0-96.0
H.S. or G.E.D.	1415	152,158	41	2.8	1.6- 4.0	1374	97.2	96.0-98.4
Some Post-H.S.	1572	225,381	50	2.2	1.4- 3.0	1522	97.8	97.0-98.6
College Graduate	1563	141,371	24	1.2	0.6- 1.8	1539	98.8	98.2-99.4
Less than \$15,000	262	33,196	28	12.7	7.2-18.2	234	87.3	81.8-92.8
\$15,000- 24,999	535	63,271	36	4.9	2.9- 6.9	499	95.1	93.1-97.1
\$25,000- 34,999	419	49,469	18	4.4	1.7- 7.1	401	95.6	92.9-98.3
\$35,000- 49,999	674	73,069	9	0.9	0.1- 1.7	665	99.1	98.3-99.9
\$50,000- 74,999	759	88,844	10	0.6	0.2- 1.0	749	99.4	99.0-99.8
\$75,000+	1554	188,315	13	0.9	0.3- 1.5	1541	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2192	292,149	72	3.0	2.2- 3.8	2120	97.0	96.2-97.8
18-24	143	47,189				143	100.0	100.0- 100
25-34	281	56,161	3	1.4	0.0- 3.2	278	98.6	96.8- 100
35-44	235	44,770	3	1.9	0.0- 4.4	232	98.1	95.6- 100
45-54	334	43,774	11	4.9	1.8- 8.0	323	95.1	92.0-98.2
55-64	502	47,641	18	4.8	2.3- 7.3	484	95.2	92.7-97.7
65+	684	50,919	36	5.3	3.3- 7.3	648	94.7	92.7-96.7
Less Than H.S.	162	32,504	19	9.1	4.2-14.0	143	90.9	86.0-95.8
H.S. or G.E.D.	667	83,939	21	3.2	1.4- 5.0	646	96.8	95.0-98.6
Some Post-H.S.	663	107,325	19	2.0	1.0- 3.0	644	98.0	97.0-99.0
College Graduate	696	67,567	13	1.6	0.4- 2.8	683	98.4	97.2-99.6
Less than \$15,000	86	13,086	13	17.3	7.1-27.5	73	82.7	72.5-92.9
\$15,000- 24,999	204	30,120	14	5.5	2.2- 8.8	190	94.5	91.2-97.8
\$25,000- 34,999	176	24,021	13	7.3	2.0-12.6	163	92.7	87.4-98.0
\$35,000- 49,999	309	39,348	6	1.3	0.0- 2.7	303	98.7	97.3- 100
\$50,000- 74,999	387	48,268	5	0.6	0.0- 1.2	382	99.4	98.8- 100
\$75,000+	821	106,148	6	0.8	0.0- 1.6	815	99.2	98.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2660	278,341	68	2.1	1.5- 2.7	2592	97.9	97.3-98.5
18-24	114	40,578				114	100.0	100.0- 100
25-34	211	47,201	2	1.0	0.0- 2.8	209	99.0	97.2- 100
35-44	264	40,391	7	2.8	0.4- 5.2	257	97.2	94.8-99.6
45-54	352	40,700	4	0.7	0.0- 1.5	348	99.3	98.5- 100
55-64	616	46,130	19	3.4	1.6- 5.2	597	96.6	94.8-98.4
65+	1075	60,735	36	3.7	2.3- 5.1	1039	96.3	94.9-97.7
Less Than H.S.	127	17,626	6	4.7	0.8- 8.6	121	95.3	91.4-99.2
H.S. or G.E.D.	748	68,219	20	2.2	0.8- 3.6	728	97.8	96.4-99.2
Some Post-H.S.	909	118,056	31	2.4	1.4- 3.4	878	97.6	96.6-98.6
College Graduate	867	73,805	11	0.8	0.2- 1.4	856	99.2	98.6-99.8
Less than \$15,000	176	20,110	15	9.6	3.7-15.5	161	90.4	84.5-96.3
\$15,000- 24,999	331	33,151	22	4.4	2.2- 6.6	309	95.6	93.4-97.8
\$25,000- 34,999	243	25,448	5	1.5	0.0- 3.1	238	98.5	96.9- 100
\$35,000- 49,999	365	33,721	3	0.4	0.0- 1.0	362	99.6	99.0- 100
\$50,000- 74,999	372	40,576	5	0.6	0.0- 1.2	367	99.4	98.8- 100
\$75,000+	733	82,167	7	0.9	0.1- 1.7	726	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4837	567,203	256	5.2	4.4- 6.0	4581	94.8	94.0-95.6
Male	2185	289,971	77	3.4	2.4- 4.4	2108	96.6	95.6-97.6
Female	2652	277,232	179	7.0	5.4- 8.6	2473	93.0	91.4-94.6
18-24	257	87,768	8	4.4	1.3- 7.5	249	95.6	92.5-98.7
25-34	488	101,746	19	4.6	2.2- 7.0	469	95.4	93.0-97.8
35-44	498	84,275	20	4.6	2.2- 7.0	478	95.4	93.0-97.8
45-54	685	84,793	20	2.5	1.1- 3.9	665	97.5	96.1-98.9
55-64	1115	93,302	52	5.7	3.9- 7.5	1063	94.3	92.5-96.1
65+	1753	111,019	137	8.4	6.8-10.0	1616	91.6	90.0-93.2
Less Than H.S.	285	48,500	36	9.6	5.7-13.5	249	90.4	86.5-94.3
H.S. or G.E.D.	1409	151,038	89	6.7	4.7- 8.7	1320	93.3	91.3-95.3
Some Post-H.S.	1569	224,935	81	4.8	3.2- 6.4	1488	95.2	93.6-96.8
College Graduate	1561	141,281	49	2.6	1.6- 3.6	1512	97.4	96.4-98.4
Less than \$15,000	262	33,769	38	12.8	8.1-17.5	224	87.2	82.5-91.9
\$15,000- 24,999	533	62,124	60	9.2	6.3-12.1	473	90.8	87.9-93.7
\$25,000- 34,999	418	49,366	35	9.2	4.9-13.5	383	90.8	86.5-95.1
\$35,000- 49,999	672	72,890	28	5.8	2.7- 8.9	644	94.2	91.1-97.3
\$50,000- 74,999	758	88,329	22	2.7	1.1- 4.3	736	97.3	95.7-98.9
\$75,000+	1551	187,127	23	1.5	0.5- 2.5	1528	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2185	289,971	77	3.4	2.4- 4.4	2108	96.6	95.6-97.6
18-24	143	47,189	2	1.7	0.0- 4.1	141	98.3	95.9- 100
25-34	279	55,519	5	1.9	0.1- 3.7	274	98.1	96.3-99.9
35-44	234	43,884	6	3.8	0.3- 7.3	228	96.2	92.7-99.7
45-54	333	43,527	9	2.8	0.6- 5.0	324	97.2	95.0-99.4
55-64	501	47,334	22	5.1	2.7- 7.5	479	94.9	92.5-97.3
65+	682	50,823	33	5.4	3.0- 7.8	649	94.6	92.2-97.0
Less Than H.S.	159	30,975	16	7.2	3.1-11.3	143	92.8	88.7-96.9
H.S. or G.E.D.	665	83,381	25	4.4	2.0- 6.8	640	95.6	93.2-98.0
Some Post-H.S.	663	107,325	18	2.0	0.8- 3.2	645	98.0	96.8-99.2
College Graduate	694	67,476	18	2.8	1.2- 4.4	676	97.2	95.6-98.8
Less than \$15,000	86	13,086	9	8.1	1.8-14.4	77	91.9	85.6-98.2
\$15,000- 24,999	201	28,918	16	7.8	3.5-12.1	185	92.2	87.9-96.5
\$25,000- 34,999	175	23,917	11	6.9	1.6-12.2	164	93.1	87.8-98.4
\$35,000- 49,999	309	39,348	8	3.7	0.4- 7.0	301	96.3	93.0-99.6
\$50,000- 74,999	386	47,753	10	1.6	0.6- 2.6	376	98.4	97.4-99.4
\$75,000+	820	105,813	9	0.9	0.1- 1.7	811	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2652	277,232	179	7.0	5.4- 8.6	2473	93.0	91.4-94.6
18-24	114	40,578	6	7.5	1.4-13.6	108	92.5	86.4-98.6
25-34	209	46,227	14	7.9	3.2-12.6	195	92.1	87.4-96.8
35-44	264	40,391	14	5.5	2.4- 8.6	250	94.5	91.4-97.6
45-54	352	41,265	11	2.2	0.8- 3.6	341	97.8	96.4-99.2
55-64	614	45,968	30	6.4	3.7- 9.1	584	93.6	90.9-96.3
65+	1071	60,197	104	10.9	8.5-13.3	967	89.1	86.7-91.5
Less Than H.S.	126	17,525	20	13.9	6.3-21.5	106	86.1	78.5-93.7
H.S. or G.E.D.	744	67,657	64	9.6	6.5-12.7	680	90.4	87.3-93.5
Some Post-H.S.	906	117,610	63	7.3	4.8- 9.8	843	92.7	90.2-95.2
College Graduate	867	73,805	31	2.4	1.2- 3.6	836	97.6	96.4-98.8
Less than \$15,000	176	20,683	29	15.8	9.1-22.5	147	84.2	77.5-90.9
\$15,000- 24,999	332	33,207	44	10.4	6.5-14.3	288	89.6	85.7-93.5
\$25,000- 34,999	243	25,448	24	11.4	4.9-17.9	219	88.6	82.1-95.1
\$35,000- 49,999	363	33,542	20	8.4	2.7-14.1	343	91.6	85.9-97.3
\$50,000- 74,999	372	40,576	12	4.1	0.8- 7.4	360	95.9	92.6-99.2
\$75,000+	731	81,315	14	2.3	0.3- 4.3	717	97.7	95.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 8: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	175
5	MALES ONLY	176
6	FEMALES ONLY	177
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	178
8	MALES ONLY	179
9	FEMALES ONLY	180
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	181
11	MALES ONLY	182
12	FEMALES ONLY	183
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	184
14	MALES ONLY	185
15	FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4830	566,546	2124	43.3	41.3-45.3	2706	56.7	54.7-58.7
Male	2179	288,523	1118	49.8	47.1-52.5	1061	50.2	47.5-52.9
Female	2651	278,023	1006	36.5	34.0-39.0	1645	63.5	61.0-66.0
Native	163	22,262	111	65.1	55.1-75.1	52	34.9	24.9-44.9
Non-Native	4617	537,008	1989	42.3	40.3-44.3	2628	57.7	55.7-59.7
18-24	256	87,529	79	33.1	26.6-39.6	177	66.9	60.4-73.4
25-34	486	101,911	211	43.1	38.0-48.2	275	56.9	51.8-62.0
35-44	496	84,018	197	44.0	38.9-49.1	299	56.0	50.9-61.1
45-54	685	84,793	279	42.3	38.0-46.6	406	57.7	53.4-62.0
55-64	1110	92,400	512	47.9	44.4-51.4	598	52.1	48.6-55.6
65+	1755	111,508	834	48.5	45.6-51.4	921	51.5	48.6-54.4
Less Than H.S.	286	48,988	157	59.1	51.5-66.7	129	40.9	33.3-48.5
H.S. or G.E.D.	1410	151,301	713	50.4	46.9-53.9	697	49.6	46.1-53.1
Some Post-H.S.	1564	224,303	730	43.8	40.7-46.9	834	56.2	53.1-59.3
College Graduate	1557	140,505	519	29.3	26.6-32.0	1038	70.7	68.0-73.4
Less than \$15,000	263	33,872	134	46.4	38.0-54.8	129	53.6	45.2-62.0
\$15,000- 24,999	530	61,972	267	48.5	42.4-54.6	263	51.5	45.4-57.6
\$25,000- 34,999	418	49,416	217	53.4	46.7-60.1	201	46.6	39.9-53.3
\$35,000- 49,999	673	72,958	316	44.7	39.4-50.0	357	55.3	50.0-60.6
\$50,000- 74,999	756	87,975	342	46.1	41.4-50.8	414	53.9	49.2-58.6
\$75,000+	1549	187,186	616	39.1	36.0-42.2	933	60.9	57.8-64.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2179	288,523	1118	49.8	47.1-52.5	1061	50.2	47.5-52.9
Native	73	10,233	55	76.5	64.9-88.1	18	23.5	11.9-35.1
Non-Native	2075	273,437	1046	48.7	46.0-51.4	1029	51.3	48.6-54.0
18-24	142	46,951	48	36.4	27.2-45.6	94	63.6	54.4-72.8
25-34	276	54,951	132	48.5	41.8-55.2	144	51.5	44.8-58.2
35-44	234	43,884	107	50.7	43.3-58.1	127	49.3	41.9-56.7
45-54	333	43,527	144	48.1	41.8-54.4	189	51.9	45.6-58.2
55-64	496	46,431	257	51.8	46.7-56.9	239	48.2	43.1-53.3
65+	684	50,995	427	63.9	59.6-68.2	257	36.1	31.8-40.4
Less Than H.S.	158	30,724	111	69.8	60.2-79.4	47	30.2	20.6-39.8
H.S. or G.E.D.	664	83,191	385	56.0	51.1-60.9	279	44.0	39.1-48.9
Some Post-H.S.	659	106,531	361	50.2	45.5-54.9	298	49.8	45.1-54.5
College Graduate	694	67,261	260	32.9	28.8-37.0	434	67.1	63.0-71.2
Less than \$15,000	86	13,086	50	54.0	40.3-67.7	36	46.0	32.3-59.7
\$15,000- 24,999	201	28,915	120	59.2	50.4-68.0	81	40.8	32.0-49.6
\$25,000- 34,999	177	24,108	98	57.1	47.3-66.9	79	42.9	33.1-52.7
\$35,000- 49,999	309	39,348	168	48.1	40.7-55.5	141	51.9	44.5-59.3
\$50,000- 74,999	384	47,399	212	56.8	50.5-63.1	172	43.2	36.9-49.5
\$75,000+	816	105,019	374	44.7	40.4-49.0	442	55.3	51.0-59.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2651	278,023	1006	36.5	34.0-39.0	1645	63.5	61.0-66.0
Native	90	12,030	56	55.4	41.1-69.7	34	44.6	30.3-58.9
Non-Native	2542	263,571	943	35.7	33.2-38.2	1599	64.3	61.8-66.8
18-24	114	40,578	31	29.2	20.0-38.4	83	70.8	61.6-80.0
25-34	210	46,959	79	36.7	29.1-44.3	131	63.3	55.7-70.9
35-44	262	40,134	90	36.6	29.5-43.7	172	63.4	56.3-70.5
45-54	352	41,265	135	36.3	30.4-42.2	217	63.7	57.8-69.6
55-64	614	45,969	255	44.0	39.3-48.7	359	56.0	51.3-60.7
65+	1071	60,512	407	35.6	32.1-39.1	664	64.4	60.9-67.9
Less Than H.S.	128	18,263	46	41.1	28.9-53.3	82	58.9	46.7-71.1
H.S. or G.E.D.	746	68,110	328	43.7	38.8-48.6	418	56.3	51.4-61.2
Some Post-H.S.	905	117,771	369	38.1	33.8-42.4	536	61.9	57.6-66.2
College Graduate	863	73,244	259	26.0	22.3-29.7	604	74.0	70.3-77.7
Less than \$15,000	177	20,786	84	41.6	31.2-52.0	93	58.4	48.0-68.8
\$15,000- 24,999	329	33,057	147	39.1	31.3-46.9	182	60.9	53.1-68.7
\$25,000- 34,999	241	25,308	119	49.9	40.9-58.9	122	50.1	41.1-59.1
\$35,000- 49,999	364	33,610	148	40.7	33.3-48.1	216	59.3	51.9-66.7
\$50,000- 74,999	372	40,576	130	33.6	27.3-39.9	242	66.4	60.1-72.7
\$75,000+	733	82,167	242	31.9	27.6-36.2	491	68.1	63.8-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2117	244,794	531	31.6	28.9-34.3	194	11.7	9.7-13.7	1392	56.7	53.8-59.6
Male	1113	143,400	295	32.1	28.4-35.8	96	11.9	9.2-14.6	722	56.1	52.2-60.0
Female	1004	101,393	236	30.9	26.6-35.2	98	11.5	8.6-14.4	670	57.7	53.4-62.0
Native	111	14,490	44	40.4	28.1-52.7	19	24.2	11.9-36.5	48	35.4	24.0-46.8
Non-Native	1982	226,539	479	31.1	28.2-34.0	171	10.7	8.7-12.7	1332	58.3	55.4-61.2
18-24	79	28,931	34	42.0	30.0-54.0	15	20.5	10.5-30.5	30	37.5	25.7-49.3
25-34	211	43,913	77	37.6	30.0-45.2	35	14.4	9.3-19.5	99	48.0	40.2-55.8
35-44	197	36,958	75	39.6	31.6-47.6	27	13.5	8.0-19.0	95	46.9	38.9-54.9
45-54	278	35,758	92	37.2	30.3-44.1	29	13.3	8.2-18.4	157	49.5	42.6-56.4
55-64	509	44,012	149	31.7	26.8-36.6	44	8.7	5.8-11.6	316	59.7	54.6-64.8
65+	831	53,977	101	12.0	9.5-14.5	43	5.1	3.3- 6.9	687	82.9	79.8-86.0
Less Than H.S.	157	28,958	50	43.2	32.8-53.6	13	10.1	3.2-17.0	94	46.7	36.7-56.7
H.S. or G.E.D.	712	76,236	237	43.4	38.5-48.3	67	11.5	8.2-14.8	408	45.1	40.4-49.8
Some Post-H.S.	726	97,939	164	25.0	20.9-29.1	73	12.8	9.3-16.3	489	62.1	57.4-66.8
College Graduate	517	41,055	80	17.4	13.1-21.7	41	10.7	7.0-14.4	396	71.9	66.6-77.2
Less than \$15,000	133	15,555	54	55.8	44.6-67.0	18	13.1	5.7-20.5	61	31.1	21.5-40.7
\$15,000- 24,999	267	30,057	85	38.0	29.6-46.4	24	12.4	6.5-18.3	158	49.5	41.1-57.9
\$25,000- 34,999	216	26,301	59	35.7	26.7-44.7	21	16.0	8.0-24.0	136	48.4	39.0-57.8
\$35,000- 49,999	314	32,502	77	34.0	26.4-41.6	32	11.4	6.3-16.5	205	54.6	46.8-62.4
\$50,000- 74,999	341	40,494	84	31.6	24.9-38.3	24	9.2	5.1-13.3	233	59.2	52.3-66.1
\$75,000+	615	73,068	113	23.2	18.7-27.7	57	11.4	8.1-14.7	445	65.4	60.5-70.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1113	143,400	295	32.1	28.4-35.8	96	11.9	9.2-14.6	722	56.1	52.2-60.0
Native	55	7,826	23	37.3	20.6-54.0	8	26.4	7.2-45.6	24	36.3	20.2-52.4
Non-Native	1041	132,682	267	32.0	28.3-35.7	84	10.5	8.0-13.0	690	57.5	53.6-61.4
25-34	132	26,674	49	37.1	27.9-46.3	21	14.6	8.3-20.9	62	48.3	38.7-57.9
35-44	107	22,257	42	41.2	30.2-52.2	12	13.0	5.4-20.6	53	45.8	35.0-56.6
45-54	143	20,776	52	39.5	29.9-49.1	18	16.0	8.4-23.6	73	44.5	35.1-53.9
55-64	256	23,973	78	33.6	26.9-40.3	17	7.9	3.8-12.0	161	58.5	51.4-65.6
65+	424	32,413	53	11.8	8.3-15.3	19	4.7	2.3- 7.1	352	83.4	79.3-87.5
Less Than H.S.	111	21,448	37	44.4	32.2-56.6	9	12.0	3.2-20.8	65	43.6	32.2-55.0
H.S. or G.E.D.	384	46,482	130	42.4	35.9-48.9	32	10.7	6.4-15.0	222	46.9	40.6-53.2
Some Post-H.S.	359	53,269	88	24.2	18.9-29.5	34	12.6	7.9-17.3	237	63.2	56.9-69.5
College Graduate	258	22,029	40	17.6	11.5-23.7	21	12.4	6.7-18.1	197	70.0	62.6-77.4
\$15,000- 24,999	120	17,125	43	42.9	30.9-54.9	9	12.0	3.8-20.2	68	45.1	33.5-56.7
\$25,000- 34,999	98	13,756	29	33.8	21.1-46.5	9	19.0	6.5-31.5	60	47.2	33.7-60.7
\$35,000- 49,999	166	18,830	43	33.3	23.5-43.1	17	13.9	6.1-21.7	106	52.8	42.8-62.8
\$50,000- 74,999	211	26,879	56	33.6	25.4-41.8	15	8.7	3.8-13.6	140	57.7	49.1-66.3
\$75,000+	373	46,872	72	24.9	19.0-30.8	33	10.3	6.4-14.2	268	64.8	58.5-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1004	101,393	236	30.9	26.6-35.2	98	11.5	8.6-14.4	670	57.7	53.4-62.0
Native	56	6,664	21	44.1	26.3-61.9	11	21.6	6.9-36.3	24	34.3	18.4-50.2
Non-Native	941	93,856	212	29.8	25.5-34.1	87	10.8	7.9-13.7	642	59.4	54.9-63.9
25-34	79	17,240	28	38.4	25.5-51.3	14	14.2	5.6-22.8	37	47.5	34.4-60.6
35-44	90	14,701	33	37.2	25.6-48.8	15	14.2	6.6-21.8	42	48.6	36.6-60.6
45-54	135	14,981	40	34.1	24.7-43.5	11	9.4	3.1-15.7	84	56.5	46.7-66.3
55-64	253	20,039	71	29.4	22.5-36.3	27	9.6	5.5-13.7	155	61.1	53.8-68.4
65+	407	21,563	48	12.3	8.4-16.2	24	5.7	3.2- 8.2	335	82.0	77.5-86.5
H.S. or G.E.D.	328	29,753	107	45.1	37.5-52.7	35	12.7	7.6-17.8	186	42.2	35.3-49.1
Some Post-H.S.	367	44,670	76	26.1	19.6-32.6	39	13.1	8.0-18.2	252	60.9	53.8-68.0
College Graduate	259	19,026	40	17.0	10.5-23.5	20	8.7	4.0-13.4	199	74.2	66.9-81.5
Less than \$15,000	84	8,637	31	58.5	44.4-72.6	13	11.7	4.3-19.1	40	29.8	17.5-42.1
\$15,000- 24,999	147	12,932	42	31.6	20.2-43.0	15	13.0	4.6-21.4	90	55.4	43.6-67.2
\$25,000- 34,999	118	12,545	30	37.7	25.2-50.2	12	12.6	3.2-22.0	76	49.7	36.8-62.6
\$35,000- 49,999	148	13,672	34	34.9	22.6-47.2	15	8.0	2.9-13.1	99	57.1	44.8-69.4
\$50,000- 74,999	130	13,615	28	27.6	16.6-38.6	9	10.1	2.8-17.4	93	62.3	50.7-73.9
\$75,000+	242	26,196	41	20.0	13.1-26.9	24	13.3	6.8-19.8	177	66.7	58.7-74.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	722	105,340	382	55.8	51.1-60.5	340	44.2	39.5-48.9
Male	389	62,557	196	54.5	48.2-60.8	193	45.5	39.2-51.8
Female	333	42,783	186	57.5	50.2-64.8	147	42.5	35.2-49.8
Native	63	9,365	41	74.4	62.1-86.7	22	25.6	13.3-37.9
Non-Native	647	93,934	334	54.0	49.1-58.9	313	46.0	41.1-50.9
25-34	111	22,643	66	56.7	45.9-67.5	45	43.3	32.5-54.1
35-44	101	19,352	64	61.1	49.7-72.5	37	38.9	27.5-50.3
45-54	121	18,043	61	49.4	39.0-59.8	60	50.6	40.2-61.0
55-64	193	17,756	87	45.4	37.0-53.8	106	54.6	46.2-63.0
65+	143	9,114	69	47.9	38.1-57.7	74	52.1	42.3-61.9
Less Than H.S.	63	15,430	32	52.3	36.8-67.8	31	47.7	32.2-63.2
H.S. or G.E.D.	302	41,553	150	50.8	43.5-58.1	152	49.2	41.9-56.5
Some Post-H.S.	237	37,093	135	61.7	54.1-69.3	102	38.3	30.7-45.9
College Graduate	120	11,264	65	59.4	48.4-70.4	55	40.6	29.6-51.6
Less than \$15,000	72	10,714	42	57.8	42.9-72.7	30	42.2	27.3-57.1
\$15,000- 24,999	109	15,165	56	59.4	47.2-71.6	53	40.6	28.4-52.8
\$25,000- 34,999	80	13,575	47	66.3	54.0-78.6	33	33.7	21.4-46.0
\$35,000- 49,999	108	14,500	57	52.0	39.3-64.7	51	48.0	35.3-60.7
\$50,000- 74,999	108	16,508	53	52.2	40.8-63.6	55	47.8	36.4-59.2
\$75,000+	169	25,051	91	50.7	41.3-60.1	78	49.3	39.9-58.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	389	62,557	196	54.5	48.2-60.8	193	45.5	39.2-51.8
Non-Native	349	55,948	172	52.7	46.2-59.2	177	47.3	40.8-53.8
25-34	69	13,587	38	54.7	41.8-67.6	31	45.3	32.4-58.2
35-44	53	11,794	32	60.4	44.7-76.1	21	39.6	23.9-55.3
45-54	70	11,530	34	48.4	34.9-61.9	36	51.6	38.1-65.1
55-64	95	9,953	40	42.0	30.6-53.4	55	58.0	46.6-69.4
65+	72	5,367	32	44.3	31.0-57.6	40	55.7	42.4-69.0
H.S. or G.E.D.	161	24,483	71	46.8	37.2-56.4	90	53.2	43.6-62.8
Some Post-H.S.	122	19,621	67	59.7	49.5-69.9	55	40.3	30.1-50.5
College Graduate	60	6,358	34	61.6	46.7-76.5	26	38.4	23.5-53.3
\$15,000- 24,999	52	9,396	27	62.8	47.3-78.3	25	37.2	21.7-52.7
\$35,000- 49,999	59	8,639	31	54.2	37.7-70.7	28	45.8	29.3-62.3
\$50,000- 74,999	71	11,372	35	54.0	40.5-67.5	36	46.0	32.5-59.5
\$75,000+	104	16,317	52	43.1	31.9-54.3	52	56.9	45.7-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	333	42,783	186	57.5	50.2-64.8	147	42.5	35.2-49.8
Non-Native	298	37,987	162	55.9	48.3-63.5	136	44.1	36.5-51.7
45-54	51	6,513	27	51.1	35.2-67.0	24	48.9	33.0-64.8
55-64	98	7,804	47	49.7	37.5-61.9	51	50.3	38.1-62.5
65+	71	3,747	37	53.1	39.6-66.6	34	46.9	33.4-60.4
H.S. or G.E.D.	141	17,071	79	56.5	45.5-67.5	62	43.5	32.5-54.5
Some Post-H.S.	115	17,472	68	63.9	52.7-75.1	47	36.1	24.9-47.3
College Graduate	60	4,906	31	56.5	40.0-73.0	29	43.5	27.0-60.0
\$15,000- 24,999	57	5,769	29	53.9	34.9-72.9	28	46.1	27.1-65.1
\$75,000+	65	8,734	39	64.9	50.6-79.2	26	35.1	20.8-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1387	138,501	144	17.9	14.6-21.2	155	15.6	12.9-18.3	121	10.9	8.5-13.3	906	50.7	47.2-54.2	61	4.9	3.3- 6.5
Male	719	80,097	82	19.0	14.5-23.5	79	15.8	11.9-19.7	60	10.0	6.9-13.1	466	50.0	45.3-54.7	32	5.1	2.9- 7.3
Female	668	58,404	62	16.4	11.3-21.5	76	15.3	11.2-19.4	61	12.1	8.4-15.8	440	51.7	46.4-57.0	29	4.5	2.3- 6.7
Non-Native	1327	131,651	134	17.1	13.8-20.4	146	15.6	12.7-18.5	115	11.0	8.5-13.5	872	51.2	47.7-54.7	60	5.1	3.5- 6.7
25-34	98	20,913	34	36.9	25.5-48.3	32	34.3	23.5-45.1	16	14.5	6.5-22.5	9	8.0	2.5-13.5	7	6.3	1.2-11.4
35-44	95	17,348	23	28.5	17.3-39.7	21	23.1	13.7-32.5	19	17.9	9.7-26.1	27	26.1	16.1-36.1	5	4.4	0.1- 8.7
45-54	157	17,714	15	7.7	3.4-12.0	22	14.5	8.0-21.0	26	17.4	10.3-24.5	85	54.2	45.2-63.2	9	6.2	1.1-11.3
55-64	315	26,200	27	8.6	5.1-12.1	35	9.7	6.4-13.0	30	9.4	5.7-13.1	208	66.4	60.5-72.3	15	5.9	2.8- 9.0
65+	684	44,580	26	4.1	2.3- 5.9	37	5.5	3.5- 7.5	27	5.1	2.4- 7.8	570	81.3	77.2-85.4	24	4.1	1.7- 6.5
Less Than H.S.	93	13,453	10	22.2	8.7-35.7	6	6.2	0.5-11.9	8	12.1	2.9-21.3	62	52.9	39.6-66.2	7	6.6	0.1-13.1
H.S. or G.E.D.	405	34,225	48	19.5	13.4-25.6	45	17.7	12.0-23.4	29	7.5	4.6-10.4	271	52.8	46.3-59.3	12	2.5	0.7- 4.3
Some Post-H.S.	489	60,847	56	20.0	14.3-25.7	61	16.6	11.9-21.3	42	11.5	7.4-15.6	309	47.0	41.3-52.7	21	5.0	2.5- 7.5
College Graduate	395	29,371	30	10.1	6.0-14.2	42	15.6	10.3-20.9	41	12.7	8.2-17.2	262	55.1	48.6-61.6	20	6.5	3.2- 9.8
Less than \$15,000	61	4,841	1	8.5	0.0-23.8	6	14.5	2.7-26.3	2	2.6	0.0- 6.5	48	69.6	52.5-86.7	4	4.8	0.0-10.5
\$15,000- 24,999	158	14,892	18	21.2	10.8-31.6	18	13.0	5.7-20.3	14	11.1	3.3-18.9	102	49.1	38.3-59.9	6	5.6	0.0-11.3
\$25,000- 34,999	136	12,726	21	35.5	22.0-49.0	9	9.2	0.0-19.0	5	5.4	0.0-11.3	100	49.5	37.0-62.0	1	0.4	0.0- 1.2
\$35,000- 49,999	204	17,667	17	16.9	7.1-26.7	29	18.9	11.3-26.5	17	10.3	3.8-16.8	133	51.2	41.6-60.8	8	2.7	0.7- 4.7
\$50,000- 74,999	233	23,985	27	17.5	9.7-25.3	20	12.7	6.4-19.0	23	16.4	8.6-24.2	156	49.2	40.6-57.8	7	4.1	0.8- 7.4
\$75,000+	443	47,618	49	14.7	9.8-19.6	57	17.8	12.7-22.9	52	11.5	8.2-14.8	258	48.4	42.5-54.3	27	7.5	4.2-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	719	80,097	82	19.0	14.5-23.5	79	15.8	11.9-19.7	60	10.0	6.9-13.1	466	50.0	45.3-54.7	32	5.1	2.9- 7.3
Non-Native	687	75,988	76	18.1	13.6-22.6	75	16.0	11.9-20.1	57	10.2	7.1-13.3	448	50.4	45.5-55.3	31	5.3	3.1- 7.5
25-34	61	12,730	23	41.3	26.8-55.8	20	33.6	19.9-47.3	9	12.0	3.0-21.0	5	7.0	0.5-13.5	4	6.1	0.0-12.4
35-44	53	10,205	15	33.4	18.5-48.3	11	22.3	10.0-34.6	12	17.9	7.7-28.1	12	22.8	10.1-35.5	3	3.6	0.0- 8.3
45-54	73	9,246	5	3.3	0.2- 6.4	12	16.7	6.5-26.9	13	17.1	7.1-27.1	41	57.9	44.6-71.2	2	5.0	0.0-12.6
55-64	160	13,964	10	5.9	2.0- 9.8	14	7.3	3.4-11.2	16	8.7	4.2-13.2	112	71.5	63.9-79.1	8	6.6	1.9-11.3
65+	351	26,971	16	5.1	2.4- 7.8	17	5.6	2.7- 8.5	9	4.6	0.5- 8.7	295	79.5	73.6-85.4	14	5.1	1.6- 8.6
Less Than H.S.	64	9,277	7	19.9	5.4-34.4	6	9.0	0.8-17.2	5	14.6	1.9-27.3	39	47.0	31.9-62.1	7	9.5	0.3-18.7
H.S. or G.E.D.	221	21,749	28	19.9	12.1-27.7	24	18.0	10.4-25.6	14	6.9	3.0-10.8	150	52.5	44.1-60.9	5	2.8	0.1- 5.5
Some Post-H.S.	237	33,648	34	22.8	15.0-30.6	31	16.7	10.0-23.4	19	9.6	4.3-14.9	145	46.4	38.6-54.2	8	4.6	1.1- 8.1
College Graduate	196	15,251	13	9.1	3.6-14.6	18	15.1	7.8-22.4	21	11.7	6.0-17.4	132	57.0	48.2-65.8	12	7.1	2.4-11.8
\$15,000- 24,999	68	7,729	9	24.9	9.6-40.2	6	12.4	0.8-24.0	4	7.5	0.0-17.3	45	45.8	30.5-61.1	4	9.4	0.0-20.0
\$25,000- 34,999	60	6,494	11	33.4	14.8-52.0	3	11.3	0.0-28.9	2	7.7	0.0-18.5	43	46.8	29.2-64.4	1	0.8	0.0- 2.4
\$35,000- 49,999	105	9,857	8	16.1	4.3-27.9	12	13.8	5.2-22.4	7	10.6	0.6-20.6	75	57.3	44.2-70.4	3	2.2	0.0- 4.7
\$50,000- 74,999	140	15,507	18	22.4	11.2-33.6	15	14.2	6.6-21.8	10	11.4	2.6-20.2	92	46.7	36.1-57.3	5	5.3	0.4-10.2
\$75,000+	267	30,199	31	15.5	9.0-22.0	32	16.6	10.3-22.9	34	11.6	7.5-15.7	155	49.8	42.2-57.4	15	6.4	2.5-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	668	58,404	62	16.4	11.3-21.5	76	15.3	11.2-19.4	61	12.1	8.4-15.8	440	51.7	46.4-57.0	29	4.5	2.5- 6.5
Non-Native	640	55,663	58	15.8	10.7-20.9	71	15.1	11.0-19.2	58	12.1	8.2-16.0	424	52.3	47.0-57.6	29	4.7	2.5- 6.9
45-54	84	8,468	10	12.6	4.4-20.8	10	12.2	4.4-20.0	13	17.7	7.9-27.5	44	50.1	38.1-62.1	7	7.5	1.2-13.8
55-64	155	12,236	17	11.7	5.8-17.6	21	12.4	6.9-17.9	14	10.2	3.9-16.5	96	60.6	51.6-69.6	7	5.2	1.1- 9.3
65+	333	17,609	10	2.5	0.9- 4.1	20	5.3	2.6- 8.0	18	5.7	2.8- 8.6	275	84.1	79.6-88.6	10	2.4	0.8- 4.0
H.S. or G.E.D.	184	12,476	20	18.8	9.4-28.2	21	17.1	9.3-24.9	15	8.7	4.2-13.2	121	53.3	43.7-62.9	7	2.1	0.3- 3.9
Some Post-H.S.	252	27,198	22	16.6	8.6-24.6	30	16.4	9.7-23.1	23	13.7	7.0-20.4	164	47.8	39.6-56.0	13	5.6	2.1- 9.1
College Graduate	199	14,120	17	11.2	5.1-17.3	24	16.2	8.6-23.8	20	13.8	6.7-20.9	130	53.0	43.8-62.2	8	5.8	1.1-10.5
\$15,000- 24,999	90	7,162	9	17.1	3.0-31.2	12	13.7	5.1-22.3	10	15.1	2.8-27.4	57	52.6	37.7-67.5	2	1.6	0.0- 4.0
\$25,000- 34,999	76	6,232	10	37.6	18.2-57.0	6	7.0	0.1-13.9	3	3.1	0.0- 7.0	57	52.3	34.7-69.9			
\$35,000- 49,999	99	7,810	9	18.0	1.9-34.1	17	25.4	12.5-38.3	10	9.8	2.4-17.2	58	43.5	29.6-57.4	5	3.4	0.3- 6.5
\$50,000- 74,999	93	8,479	9	8.5	2.4-14.6	5	10.0	0.0-21.4	13	25.6	11.3-39.9	64	53.8	39.7-67.9	2	2.1	0.0- 5.0
\$75,000+	176	17,419	18	13.4	6.7-20.1	25	20.0	11.4-28.6	18	11.4	5.5-17.3	103	45.9	36.9-54.9	12	9.5	3.4-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4798	562,872	163	4.6	3.8- 5.4	89	2.9	2.1- 3.7	4546	92.4	91.2-93.6
Male	2161	286,377	158	8.8	7.2-10.4	81	5.3	3.9- 6.7	1922	85.9	83.9-87.9
Female	2637	276,495	5	0.3	0.0- 0.7	8	0.4	0.0- 0.8	2624	99.3	98.7-99.9
Native	163	22,253	10	6.2	1.7-10.7	8	8.8	1.2-16.4	145	85.0	76.6-93.4
Non-Native	4588	533,452	150	4.6	3.8- 5.4	80	2.7	1.9- 3.5	4358	92.7	91.5-93.9
18-24	255	86,892	23	7.2	4.1-10.3	14	5.8	2.5- 9.1	218	87.0	82.5-91.5
25-34	486	101,692	36	6.6	4.2- 9.0	27	4.9	2.9- 6.9	423	88.5	85.4-91.6
35-44	496	83,885	23	4.8	2.6- 7.0	13	3.3	1.3- 5.3	460	91.9	89.0-94.8
45-54	681	84,153	32	6.0	3.6- 8.4	16	2.7	1.1- 4.3	633	91.4	88.7-94.1
55-64	1103	91,984	25	2.4	1.2- 3.6	9	0.8	0.2- 1.4	1069	96.8	95.6-98.0
65+	1737	110,231	24	1.7	0.9- 2.5	10	0.7	0.3- 1.1	1703	97.7	96.9-98.5
Less Than H.S.	285	48,431	17	7.4	3.3-11.5	10	7.1	2.0-12.2	258	85.5	79.4-91.6
H.S. or G.E.D.	1390	149,428	56	5.6	3.8- 7.4	28	3.0	1.6- 4.4	1306	91.4	89.2-93.6
Some Post-H.S.	1561	223,407	57	4.4	3.0- 5.8	27	2.5	1.5- 3.5	1477	93.2	91.4-95.0
College Graduate	1549	140,157	32	2.9	1.7- 4.1	23	2.2	1.2- 3.2	1494	95.0	93.4-96.6
Less than \$15,000	262	33,808	8	3.1	0.4- 5.8	5	3.4	0.0- 6.9	249	93.5	89.2-97.8
\$15,000- 24,999	523	61,063	19	5.0	2.3- 7.7	5	2.1	0.0- 4.3	499	92.9	89.6-96.2
\$25,000- 34,999	418	49,369	13	2.8	1.0- 4.6	11	3.4	1.0- 5.8	394	93.8	91.1-96.5
\$35,000- 49,999	669	72,419	17	2.9	1.1- 4.7	13	2.2	0.8- 3.6	639	94.9	92.7-97.1
\$50,000- 74,999	752	87,719	34	5.9	3.7- 8.1	14	2.8	1.0- 4.6	704	91.3	88.6-94.0
\$75,000+	1541	186,229	61	6.1	4.3- 7.9	33	3.2	2.0- 4.4	1447	90.8	88.6-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2161	286,377	158	8.8	7.2-10.4	81	5.3	3.9- 6.7	1922	85.9	83.9-87.9
Native	72	10,178	9	11.8	2.6-21.0	8	19.3	4.0-34.6	55	68.9	53.2-84.6
Non-Native	2059	271,399	146	8.8	7.2-10.4	72	4.8	3.4- 6.2	1841	86.4	84.4-88.4
18-24	141	46,314	21	12.3	6.6-18.0	13	9.9	4.0-15.8	107	77.8	70.2-85.4
25-34	277	55,336	35	12.0	7.7-16.3	25	8.1	4.8-11.4	217	79.9	74.8-85.0
35-44	232	43,494	22	8.9	4.8-13.0	13	6.3	2.4-10.2	197	84.8	79.5-90.1
45-54	331	43,246	32	11.6	7.1-16.1	15	4.9	2.0- 7.8	284	83.4	78.3-88.5
55-64	492	46,150	25	4.8	2.6- 7.0	9	1.6	0.4- 2.8	458	93.6	91.2-96.0
65+	675	50,343	23	3.6	2.0- 5.2	6	1.2	0.2- 2.2	646	95.2	93.2-97.2
Less Than H.S.	158	30,727	17	11.7	5.4-18.0	10	11.2	3.6-18.8	131	77.1	67.9-86.3
H.S. or G.E.D.	657	82,401	54	9.5	6.6-12.4	26	5.3	2.9- 7.7	577	85.2	81.7-88.7
Some Post-H.S.	655	105,614	57	9.3	6.6-12.0	23	4.4	2.4- 6.4	575	86.3	83.0-89.6
College Graduate	687	66,820	29	5.6	3.2- 8.0	22	4.1	2.1- 6.1	636	90.3	87.4-93.2
Less than \$15,000	85	13,021	7	7.7	0.8-14.6	3	5.1	0.0-11.0	75	87.2	78.4-96.0
\$15,000- 24,999	197	28,374	17	9.5	4.0-15.0	5	4.5	0.0- 9.0	175	86.0	79.1-92.9
\$25,000- 34,999	177	24,108	12	5.6	2.1- 9.1	10	6.9	2.4-11.4	155	87.5	81.8-93.2
\$35,000- 49,999	307	39,063	17	5.5	2.4- 8.6	11	3.8	1.3- 6.3	279	90.7	86.8-94.6
\$50,000- 74,999	381	47,191	34	11.0	7.1-14.9	14	5.2	2.1- 8.3	333	83.8	78.9-88.7
\$75,000+	811	104,754	60	10.5	7.6-13.4	30	5.0	2.8- 7.2	721	84.5	81.0-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2637	276,495	5	0.3	0.0- 0.7	8	0.4	0.0- 0.8	2624	99.3	98.7-99.9
Native	91	12,075	1	1.5	0.0- 4.4				90	98.5	95.6- 100
Non-Native	2529	262,053	4	0.2	0.0- 0.4	8	0.5	0.1- 0.9	2517	99.3	98.7-99.9
18-24	114	40,578	2	1.3	0.0- 3.1	1	1.1	0.0- 3.3	111	97.6	94.7- 100
25-34	209	46,356	1	0.1	0.0- 0.3	2	1.1	0.0- 2.7	206	98.8	97.2- 100
35-44	264	40,391	1	0.4	0.0- 1.2				263	99.6	98.8- 100
45-54	350	40,906				1	0.3	0.0- 0.9	349	99.7	99.1- 100
55-64	611	45,834							611	100.0	100.0- 100
65+	1062	59,888	1	0.1	0.0- 0.3	4	0.2	0.0- 0.4	1057	99.7	99.3- 100
Less Than H.S.	127	17,704							127	100.0	100.0- 100
H.S. or G.E.D.	733	67,026	2	0.8	0.0- 2.0	2	0.2	0.0- 0.4	729	99.1	97.9- 100
Some Post-H.S.	906	117,793				4	0.7	0.0- 1.7	902	99.3	98.3- 100
College Graduate	862	73,337	3	0.4	0.0- 1.0	1	0.4	0.0- 1.2	858	99.3	98.5- 100
Less than \$15,000	177	20,786	1	0.2	0.0- 0.6	2	2.3	0.0- 6.6	174	97.4	93.1- 100
\$15,000- 24,999	326	32,690	2	1.1	0.0- 2.7				324	98.9	97.3- 100
\$25,000- 34,999	241	25,261	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	239	99.7	99.3- 100
\$35,000- 49,999	362	33,356				2	0.3	0.0- 0.9	360	99.7	99.1- 100
\$50,000- 74,999	371	40,527							371	100.0	100.0- 100
\$75,000+	730	81,475	1	0.4	0.0- 1.2	3	0.8	0.0- 1.8	726	98.8	97.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	188
2	MALES ONLY	189
3	FEMALES ONLY	190
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	191
5	MALES ONLY	192
6	FEMALES ONLY	193
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	194
8	MALES ONLY	195
9	FEMALES ONLY	196
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	197
11	MALES ONLY	198
12	FEMALES ONLY	199

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4778	560,004	758	16.9	15.5-18.3	88	1.6	1.2- 2.0	1572	35.0	33.2-36.8	363	7.6	6.6- 8.6	1997	38.9	37.1-40.7
Male	2154	286,132	416	20.2	18.0-22.4	54	2.2	1.4- 3.0	690	33.9	31.4-36.4	243	11.0	9.2-12.8	751	32.7	30.2-35.2
Female	2624	273,872	342	13.4	11.6-15.2	34	1.1	0.5- 1.7	882	36.1	33.6-38.6	120	4.0	3.0- 5.0	1246	45.5	43.0-48.0
Native	161	21,419	18	11.6	5.1-18.1	2	1.6	0.0- 4.3	40	24.8	16.8-32.8	4	1.6	0.0- 3.4	97	60.4	50.8-70.0
Non-Native	4568	531,516	732	17.2	15.6-18.8	85	1.6	1.2- 2.0	1516	35.3	33.3-37.3	351	7.7	6.7- 8.7	1884	38.2	36.2-40.2
18-24	254	86,449	44	16.1	11.2-21.0	2	0.6	0.0- 1.4	87	36.5	29.8-43.2	16	6.7	3.4-10.0	105	40.1	33.4-46.8
25-34	482	100,755	95	20.4	16.3-24.5	2	0.3	0.0- 0.7	214	42.1	37.2-47.0	36	7.3	4.8- 9.8	135	29.9	25.2-34.6
35-44	493	83,517	86	17.4	13.5-21.3	9	2.6	0.6- 4.6	212	39.2	34.3-44.1	33	7.5	4.8-10.2	153	33.4	28.3-38.5
45-54	677	83,284	128	19.7	16.2-23.2	8	1.5	0.3- 2.7	281	39.7	35.4-44.0	61	8.9	6.4-11.4	199	30.2	26.1-34.3
55-64	1105	92,425	195	17.7	15.0-20.4	21	2.1	1.1- 3.1	362	32.3	29.2-35.4	97	9.2	7.0-11.4	430	38.6	35.3-41.9
65+	1731	109,904	207	11.2	9.4-13.0	46	2.8	1.8- 3.8	406	23.0	20.6-25.4	120	6.5	5.1- 7.9	952	56.4	53.5-59.3
Less Than H.S.	278	47,361	30	15.2	8.9-21.5	5	2.5	0.0- 5.0	53	16.6	11.1-22.1	18	7.5	3.4-11.6	172	58.2	50.4-66.0
H.S. or G.E.D.	1388	149,125	205	15.3	12.8-17.8	25	1.3	0.7- 1.9	395	31.1	27.8-34.4	98	7.6	5.6- 9.6	665	44.6	41.1-48.1
Some Post-H.S.	1550	222,196	252	16.9	14.5-19.3	27	1.6	0.8- 2.4	540	38.1	35.0-41.2	111	7.1	5.5- 8.7	620	36.4	33.3-39.5
College Graduate	1550	140,046	271	19.2	16.7-21.7	30	1.6	0.8- 2.4	582	40.2	37.1-43.3	136	8.5	6.7-10.3	531	30.5	27.6-33.4
Less than \$15,000	260	33,061	22	8.4	4.1-12.7				52	29.8	21.4-38.2	12	5.9	1.4-10.4	174	55.9	47.3-64.5
\$15,000- 24,999	524	61,293	49	11.3	7.0-15.6	9	1.6	0.2- 3.0	124	23.6	18.5-28.7	36	8.8	5.3-12.3	306	54.7	48.6-60.8
\$25,000- 34,999	417	49,208	58	15.1	10.4-19.8	7	1.8	0.0- 3.6	122	33.5	26.8-40.2	21	3.5	1.5- 5.5	209	46.0	39.3-52.7
\$35,000- 49,999	668	72,450	104	18.1	14.0-22.2	16	2.3	0.7- 3.9	213	33.6	28.5-38.7	56	8.3	5.4-11.2	279	37.7	32.6-42.8
\$50,000- 74,999	753	87,711	128	19.6	15.7-23.5	17	2.1	0.7- 3.5	283	40.4	35.9-44.9	54	6.7	4.5- 8.9	271	31.2	27.1-35.3
\$75,000+	1535	185,463	321	20.6	18.1-23.1	32	1.9	1.1- 2.7	627	41.3	38.2-44.4	154	9.7	7.9-11.5	401	26.5	23.6-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2154	286,132	416	20.2	18.0-22.4	54	2.2	1.4-3.0	690	33.9	31.4-36.4	243	11.0	9.2-12.8	751	32.7	30.2-35.2
Native	71	10,035	11	18.7	6.2-31.2	1	0.5	0.0-1.5	20	25.9	13.9-37.9	3	3.1	0.0-7.0	36	51.7	36.4-67.0
Non-Native	2053	271,451	400	20.4	18.0-22.8	52	2.2	1.4-3.0	661	34.1	31.4-36.8	233	11.0	9.2-12.8	707	32.3	29.8-34.8
18-24	142	46,951	30	20.7	13.3-28.1	2	1.1	0.0-2.7	46	33.9	25.1-42.7	12	9.3	4.0-14.6	52	35.0	26.0-44.0
25-34	274	54,278	64	24.7	18.8-30.6	1	0.2	0.0-0.6	118	41.3	34.8-47.8	30	10.8	6.7-14.9	61	23.0	17.3-28.7
35-44	230	43,210	42	17.7	12.0-23.4	7	3.9	0.6-7.2	89	37.7	30.4-45.0	25	11.6	6.9-16.3	67	29.0	22.1-35.9
45-54	332	43,437	68	21.3	16.0-26.6	4	1.4	0.0-3.0	123	36.4	30.3-42.5	43	12.8	8.7-16.9	94	28.1	22.4-33.8
55-64	495	46,907	98	20.9	16.4-25.4	10	1.9	0.5-3.3	156	29.5	25.0-34.0	61	12.8	9.3-16.3	170	34.9	30.0-39.8
65+	671	50,008	112	15.2	12.3-18.1	30	4.9	2.7-7.1	156	25.1	21.0-29.2	72	9.6	7.1-12.1	301	45.2	40.7-49.7
Less Than H.S.	153	30,463	23	17.8	9.6-26.0	5	3.8	0.1-7.5	33	20.1	12.5-27.7	15	11.1	4.6-17.6	77	47.1	36.9-57.3
H.S. or G.E.D.	655	82,276	117	18.3	14.6-22.0	15	1.8	0.8-2.8	198	31.2	26.7-35.7	67	10.9	7.8-14.0	258	37.8	33.1-42.5
Some Post-H.S.	652	105,736	132	20.7	16.8-24.6	19	2.2	0.8-3.6	231	39.2	34.5-43.9	72	9.8	7.1-12.5	198	28.0	23.9-32.1
College Graduate	691	67,015	144	22.8	18.7-26.9	14	1.6	0.6-2.6	227	35.1	30.6-39.6	89	13.1	10.0-16.2	217	27.4	23.5-31.3
Less than \$15,000	84	12,951	10	13.7	4.1-23.3				20	30.7	17.0-44.4	9	11.7	1.9-21.5	45	43.8	30.7-56.9
\$15,000- 24,999	200	28,849	25	13.7	6.6-20.8	5	3.0	0.1-5.9	47	24.8	16.8-32.8	25	12.7	7.0-18.4	98	45.7	36.7-54.7
\$25,000- 34,999	175	23,814	37	25.2	16.4-34.0	4	0.9	0.0-1.9	50	29.2	19.8-38.6	13	5.8	2.1-9.5	71	38.8	29.0-48.6
\$35,000- 49,999	305	38,857	55	22.9	16.0-29.8	10	3.0	0.3-5.7	86	27.6	21.3-33.9	33	10.9	6.2-15.6	121	35.6	28.3-42.9
\$50,000- 74,999	382	47,240	76	21.7	16.2-27.2	12	2.8	0.6-5.0	127	36.5	30.4-42.6	36	9.7	6.0-13.4	131	29.4	23.9-34.9
\$75,000+	810	104,287	182	21.5	18.0-25.0	18	2.2	1.0-3.4	312	40.8	36.5-45.1	111	13.3	10.4-16.2	187	22.1	18.6-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2624	273,872	342	13.4	11.6-15.2	34	1.1	0.5- 1.7	882	36.1	33.6-38.6	120	4.0	3.0- 5.0	1246	45.5	43.0-48.0
Native	90	11,384	7	5.3	1.2- 9.4	1	2.6	0.0- 7.7	20	23.8	13.0-34.6	1	0.3	0.0- 0.9	61	68.0	56.0-80.0
Non-Native	2515	260,065	332	13.8	11.8-15.8	33	1.0	0.6- 1.4	855	36.6	34.1-39.1	118	4.2	3.2- 5.2	1177	44.4	41.7-47.1
18-24	112	39,499	14	10.6	4.9-16.3				41	39.6	29.8-49.4	4	3.7	0.0- 7.4	53	46.1	36.1-56.1
25-34	208	46,476	31	15.4	9.7-21.1	1	0.4	0.0- 1.2	96	43.1	35.5-50.7	6	3.2	0.5- 5.9	74	38.1	30.5-45.7
35-44	263	40,307	44	17.0	11.7-22.3	2	1.1	0.0- 2.9	123	40.8	33.9-47.7	8	3.0	0.6- 5.4	86	38.1	30.8-45.4
45-54	345	39,847	60	17.9	13.2-22.6	4	1.6	0.0- 3.4	158	43.3	37.2-49.4	18	4.8	2.4- 7.2	105	32.4	26.5-38.3
55-64	610	45,518	97	14.4	11.3-17.5	11	2.3	0.5- 4.1	206	35.2	30.7-39.7	36	5.6	3.6- 7.6	260	42.4	37.7-47.1
65+	1060	59,895	95	7.9	6.1- 9.7	16	1.1	0.5- 1.7	250	21.3	18.6-24.0	48	3.9	2.7- 5.1	651	65.8	62.5-69.1
Less Than H.S.	125	16,898	7	10.5	1.1-19.9				20	10.3	4.6-16.0	3	1.0	0.0- 2.2	95	78.1	67.9-88.3
H.S. or G.E.D.	733	66,849	88	11.6	8.7-14.5	10	0.7	0.1- 1.3	197	31.1	26.2-36.0	31	3.6	2.0- 5.2	407	53.0	47.9-58.1
Some Post-H.S.	898	116,459	120	13.4	10.5-16.3	8	1.0	0.0- 2.0	309	37.1	32.8-41.4	39	4.5	2.7- 6.3	422	43.9	39.6-48.2
College Graduate	859	73,031	127	15.8	12.5-19.1	16	1.7	0.7- 2.7	355	44.9	40.4-49.4	47	4.2	2.6- 5.8	314	33.3	29.2-37.4
Less than \$15,000	176	20,110	12	4.9	1.6- 8.2				32	29.2	18.4-40.0	3	2.1	0.0- 5.4	129	63.7	52.9-74.5
\$15,000- 24,999	324	32,444	24	9.2	3.7-14.7	4	0.3	0.0- 0.7	77	22.6	15.9-29.3	11	5.3	1.4- 9.2	208	62.6	54.6-70.6
\$25,000- 34,999	242	25,394	21	5.7	2.6- 8.8	3	2.7	0.0- 6.2	72	37.6	28.6-46.6	8	1.4	0.2- 2.6	138	52.6	43.6-61.6
\$35,000- 49,999	363	33,593	49	12.5	8.4-16.6	6	1.5	0.3- 2.7	127	40.5	33.1-47.9	23	5.3	2.4- 8.2	158	40.2	32.9-47.5
\$50,000- 74,999	371	40,471	52	17.2	11.5-22.9	5	1.3	0.0- 2.9	156	45.0	38.1-51.9	18	3.2	1.4- 5.0	140	33.2	27.1-39.3
\$75,000+	725	81,176	139	19.5	15.8-23.2	14	1.4	0.6- 2.2	315	42.1	37.6-46.6	43	5.0	3.0- 7.0	214	32.0	27.3-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2747	337,786	1188	33.4	31.2-35.6	820	31.3	28.9-33.7	352	15.1	13.3-16.9	130	5.9	4.5- 7.3	257	14.2	12.2-16.2
Male	1383	189,863	442	25.3	22.6-28.0	433	31.2	28.1-34.3	228	17.6	15.1-20.1	95	7.5	5.5- 9.5	185	18.5	15.6-21.4
Female	1364	147,923	746	44.0	40.5-47.5	387	31.5	28.2-34.8	124	11.9	9.4-14.4	35	4.0	2.2- 5.8	72	8.7	6.3-11.1
Native	60	7,588	8	7.6	1.5-13.7	17	30.5	15.6-45.4	9	14.3	4.1-24.5	3	6.8	0.0-14.4	23	40.8	25.9-55.7
Non-Native	2655	325,490	1164	33.9	31.7-36.1	795	31.5	29.1-33.9	342	15.3	13.3-17.3	127	6.0	4.6- 7.4	227	13.3	11.3-15.3
18-24	147	51,221	25	16.7	10.2-23.2	44	30.1	22.1-38.1	24	15.6	9.3-21.9	15	9.3	4.2-14.4	39	28.2	20.0-36.4
25-34	342	69,813	70	20.9	16.0-25.8	107	30.7	25.2-36.2	68	20.3	15.4-25.2	36	10.8	6.9-14.7	61	17.4	12.7-22.1
35-44	337	54,887	106	26.4	21.3-31.5	123	35.2	29.3-41.1	45	15.4	10.5-20.3	14	3.6	1.6- 5.6	49	19.4	14.1-24.7
45-54	475	57,768	175	34.5	29.6-39.4	154	34.3	29.2-39.4	76	17.0	13.1-20.9	21	4.1	2.1- 6.1	49	10.1	7.0-13.2
55-64	668	55,915	303	45.0	40.5-49.5	210	31.8	27.7-35.9	90	12.1	9.4-14.8	23	4.0	2.0- 6.0	42	7.0	4.6- 9.4
65+	765	47,128	503	63.0	58.9-67.1	176	24.3	20.6-28.0	48	7.9	5.4-10.4	21	2.6	1.4- 3.8	17	2.2	1.0- 3.4
Less Than H.S.	98	18,478	43	26.3	16.9-35.7	21	25.6	13.8-37.4	13	12.4	3.4-21.4	1	1.6	0.0- 4.7	20	34.1	21.2-47.0
H.S. or G.E.D.	714	81,784	300	31.6	27.5-35.7	181	25.0	20.9-29.1	96	16.4	12.7-20.1	39	7.0	4.5- 9.5	98	20.1	15.8-24.4
Some Post-H.S.	921	140,062	380	32.7	29.0-36.4	285	31.5	27.6-35.4	117	15.3	12.2-18.4	39	5.8	3.4- 8.2	100	14.8	11.5-18.1
College Graduate	1011	96,670	463	37.1	33.4-40.8	332	37.6	33.7-41.5	126	14.4	11.5-17.3	51	6.1	4.1- 8.1	39	4.8	3.0- 6.6
Less than \$15,000	85	14,388	26	20.3	8.7-31.9	24	31.9	18.4-45.4	18	18.4	7.8-29.0	5	10.9	1.3-20.5	12	18.6	7.4-29.8
\$15,000- 24,999	214	27,253	87	25.5	18.4-32.6	63	36.3	26.9-45.7	29	12.2	6.7-17.7	11	4.6	1.3- 7.9	24	21.3	12.7-29.9
\$25,000- 34,999	204	26,285	95	35.0	26.4-43.6	47	22.4	15.0-29.8	30	18.7	10.9-26.5	7	4.9	0.2- 9.6	25	19.0	10.8-27.2
\$35,000- 49,999	381	44,109	195	39.6	33.1-46.1	95	26.3	20.2-32.4	28	10.0	5.5-14.5	20	8.7	4.2-13.2	43	15.3	10.0-20.6
\$50,000- 74,999	478	59,855	220	38.5	33.0-44.0	136	30.1	24.8-35.4	49	11.8	7.9-15.7	27	5.5	2.8- 8.2	46	14.2	9.5-18.9
\$75,000+	1128	135,621	431	31.2	28.1-34.3	389	34.8	31.3-38.3	168	17.3	14.4-20.2	53	5.9	3.9- 7.9	87	10.8	8.3-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1383	189,863	442	25.3	22.6-28.0	433	31.2	28.1-34.3	228	17.6	15.1-20.1	95	7.5	5.5- 9.5	185	18.5	15.6-21.4
Non-Native	1328	181,531	430	25.4	22.7-28.1	415	31.1	28.0-34.2	221	18.1	15.4-20.8	94	7.7	5.7- 9.7	168	17.7	14.8-20.6
18-24	88	29,915	11	11.9	4.6-19.2	25	29.3	18.7-39.9	12	11.0	4.1-17.9	10	11.9	4.1-19.7	30	35.8	24.6-47.0
25-34	210	41,296	30	14.0	8.9-19.1	63	29.1	22.2-36.0	46	24.7	17.8-31.6	27	11.7	6.8-16.6	44	20.6	14.5-26.7
35-44	161	30,232	39	20.3	13.6-27.0	49	28.0	20.2-35.8	28	19.7	12.3-27.1	9	4.4	1.3- 7.5	36	27.6	19.4-35.8
45-54	235	30,842	60	25.4	18.7-32.1	83	36.9	29.6-44.2	47	20.7	14.6-26.8	12	4.1	1.6- 6.6	33	12.8	8.1-17.5
55-64	322	30,264	110	34.1	27.8-40.4	107	35.0	28.7-41.3	57	14.5	10.6-18.4	19	6.9	3.4-10.4	29	9.6	5.7-13.5
65+	363	26,955	190	52.5	46.2-58.8	104	28.8	23.1-34.5	38	11.8	7.7-15.9	18	4.1	1.9- 6.3	13	2.9	1.1- 4.7
Less Than H.S.	70	15,194	25	23.1	12.7-33.5	18	29.2	15.5-42.9	9	10.4	1.8-19.0	1	1.9	0.0- 5.6	17	35.4	21.1-49.7
H.S. or G.E.D.	392	50,647	123	23.3	18.6-28.0	105	25.8	20.3-31.3	67	18.3	13.4-23.2	28	8.9	5.2-12.6	69	23.8	18.1-29.5
Some Post-H.S.	450	75,379	132	24.7	20.0-29.4	147	32.3	27.0-37.6	72	17.3	12.8-21.8	28	7.0	3.7-10.3	71	18.7	13.8-23.6
College Graduate	469	48,136	161	28.4	23.5-33.3	162	35.7	30.4-41.0	80	19.7	15.2-24.2	38	8.6	5.5-11.7	28	7.5	4.4-10.6
\$15,000- 24,999	102	15,668	31	20.8	12.2-29.4	30	35.9	23.2-48.6	16	11.8	4.9-18.7	7	5.4	0.5-10.3	18	26.1	14.1-38.1
\$25,000- 34,999	101	14,290	37	28.1	16.9-39.3	24	26.5	15.1-37.9	19	19.5	8.7-30.3	4	3.0	0.0- 6.3	17	22.9	10.7-35.1
\$35,000- 49,999	178	24,123	71	33.2	24.6-41.8	49	27.6	18.8-36.4	17	10.7	5.0-16.4	15	12.3	4.9-19.7	26	16.2	9.3-23.1
\$50,000- 74,999	248	33,135	86	26.8	20.5-33.1	70	28.2	21.5-34.9	36	17.2	10.9-23.5	20	6.8	2.9-10.7	36	20.9	13.5-28.3
\$75,000+	619	80,665	182	23.4	19.7-27.1	214	32.7	28.2-37.2	118	21.3	17.2-25.4	41	8.1	5.0-11.2	64	14.4	10.5-18.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1364	147,923	746	44.0	40.5-47.5	387	31.5	28.2-34.8	124	11.9	9.4-14.4	35	4.0	2.2- 5.8	72	8.7	6.3-11.1
Non-Native	1327	143,959	734	44.5	41.0-48.0	380	32.0	28.5-35.5	121	11.8	9.3-14.3	33	3.9	2.1- 5.7	59	7.7	5.3-10.1
18-24	59	21,306	14	23.4	12.0-34.8	19	31.3	18.6-44.0	12	22.0	10.6-33.4	5	5.8	0.3-11.3	9	17.5	6.5-28.5
25-34	132	28,517	40	30.9	21.9-39.9	44	33.0	24.0-42.0	22	13.8	7.7-19.9	9	9.4	2.7-16.1	17	12.7	5.8-19.6
35-44	176	24,656	67	34.0	26.2-41.8	74	43.9	35.3-52.5	17	10.2	4.1-16.3	5	2.5	0.1- 4.9	13	9.4	3.9-14.9
45-54	240	26,925	115	44.9	37.6-52.2	71	31.3	24.2-38.4	29	12.8	7.9-17.7	9	4.1	1.0- 7.2	16	6.9	3.4-10.4
55-64	346	25,651	193	58.0	52.1-63.9	103	28.1	22.8-33.4	33	9.2	5.7-12.7	4	0.7	0.1- 1.3	13	4.0	1.6- 6.4
65+	402	20,174	313	77.0	72.3-81.7	72	18.4	14.1-22.7	10	2.7	0.7- 4.7	3	0.6	0.0- 1.4	4	1.3	0.0- 2.7
H.S. or G.E.D.	322	31,138	177	45.1	37.8-52.4	76	23.7	17.4-30.0	29	13.2	7.7-18.7	11	4.0	1.1- 6.9	29	14.0	7.9-20.1
Some Post-H.S.	471	64,683	248	42.0	36.3-47.7	138	30.6	25.1-36.1	45	12.8	8.5-17.1	11	4.5	1.4- 7.6	29	10.1	6.0-14.2
College Graduate	542	48,535	302	45.7	40.2-51.2	170	39.4	33.9-44.9	46	9.1	5.8-12.4	13	3.6	1.2- 6.0	11	2.1	0.7- 3.5
\$15,000- 24,999	112	11,585	56	31.8	20.2-43.4	33	36.9	23.0-50.8	13	12.8	3.6-22.0	4	3.6	0.0- 7.7	6	14.8	2.3-27.3
\$25,000- 34,999	103	11,995	58	43.2	30.1-56.3	23	17.5	8.9-26.1	11	17.8	6.2-29.4	3	7.0	0.0-16.2	8	14.5	3.5-25.5
\$35,000- 49,999	203	19,986	124	47.4	37.8-57.0	46	24.8	16.6-33.0	11	9.2	1.9-16.5	5	4.3	0.0- 8.6	17	14.3	6.1-22.5
\$50,000- 74,999	230	26,720	134	53.0	44.4-61.6	66	32.4	24.4-40.4	13	5.0	1.7- 8.3	7	3.8	0.0- 7.9	10	5.8	1.3-10.3
\$75,000+	509	54,956	249	42.6	37.3-47.9	175	37.9	32.6-43.2	50	11.4	7.7-15.1	12	2.7	0.9- 4.5	23	5.4	2.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2730	335,458	297	13.8	12.0-15.6	181	8.6	7.0-10.2	78	3.8	2.8- 4.8	77	3.6	2.6- 4.6	177	9.8	8.0-11.6	1920	60.3	57.8-62.8
Male	1374	188,600	169	15.0	12.5-17.5	113	9.7	7.5-11.9	50	4.0	2.6- 5.4	57	4.8	3.2- 6.4	127	12.9	10.4-15.4	858	53.7	50.4-57.0
Female	1356	146,858	128	12.3	9.8-14.8	68	7.2	5.0- 9.4	28	3.6	2.0- 5.2	20	2.1	0.9- 3.3	50	5.9	3.9- 7.9	1062	68.8	65.3-72.3
Native	62	8,193	8	11.8	3.4-20.2	10	15.4	5.0-25.8	8	15.1	3.7-26.5	3	5.4	0.0-12.3	7	12.8	2.8-22.8	26	39.6	24.9-54.3
Non-Native	2636	322,557	287	13.9	11.9-15.9	171	8.6	7.0-10.2	69	3.6	2.6- 4.6	73	3.7	2.7- 4.7	164	9.5	7.7-11.3	1872	60.8	58.3-63.3
18-24	146	51,234	29	19.6	12.5-26.7	16	12.1	6.2-18.0	10	5.6	1.7- 9.5	7	5.1	1.0- 9.2	30	19.5	12.6-26.4	54	38.1	29.5-46.7
25-34	343	70,085	68	19.6	14.9-24.3	45	13.1	9.0-17.2	16	4.6	2.1- 7.1	22	5.5	3.0- 8.0	29	10.1	6.2-14.0	163	47.1	41.0-53.2
35-44	330	54,032	51	14.5	10.2-18.8	26	9.8	5.7-13.9	16	5.8	2.9- 8.7	8	3.8	1.1- 6.5	30	12.0	7.7-16.3	199	54.1	47.8-60.4
45-54	472	57,181	62	13.7	10.0-17.4	26	4.9	2.9- 6.9	16	3.7	1.5- 5.9	16	3.7	1.7- 5.7	41	9.2	6.1-12.3	311	64.7	59.6-69.8
55-64	664	55,895	54	8.5	6.0-11.0	45	6.9	4.5- 9.3	11	1.5	0.3- 2.7	17	2.3	1.1- 3.5	31	5.5	3.1- 7.9	506	75.2	71.3-79.1
65+	762	45,979	33	4.7	2.7- 6.7	23	3.2	1.6- 4.8	9	1.2	0.4- 2.0	7	0.7	0.1- 1.3	16	2.3	0.9- 3.7	674	87.9	85.2-90.6
Less Than H.S.	101	18,782	7	11.6	2.0-21.2	8	11.6	2.6-20.6	8	7.7	1.6-13.8	2	0.6	0.0- 1.6	12	22.7	10.7-34.7	64	45.7	33.4-58.0
H.S. or G.E.D.	704	80,299	69	11.4	8.3-14.5	48	7.8	5.1-10.5	26	5.4	2.9- 7.9	25	4.4	2.2- 6.6	63	13.8	10.1-17.5	473	57.3	52.4-62.2
Some Post-H.S.	915	139,783	120	16.3	13.0-19.6	57	8.6	6.1-11.1	24	3.2	1.8- 4.6	31	4.4	2.4- 6.4	65	9.5	6.8-12.2	618	58.0	53.7-62.3
College Graduate	1008	96,139	101	12.7	10.0-15.4	68	8.8	6.4-11.2	20	2.7	1.1- 4.3	19	2.5	1.1- 3.9	37	4.5	2.7- 6.3	763	68.8	65.1-72.5
Less than \$15,000	85	14,508	12	13.9	4.7-23.1	8	12.8	3.2-22.4	4	4.9	0.0-11.0	3	5.0	0.0-11.9	8	15.1	4.3-25.9	50	48.3	34.0-62.6
\$15,000- 24,999	210	26,806	19	14.7	6.7-22.7	13	7.9	2.8-13.0	6	3.1	0.2- 6.0	6	3.4	0.3- 6.5	19	15.2	7.6-22.8	147	55.8	46.0-65.6
\$25,000- 34,999	206	26,289	25	17.4	10.1-24.7	8	4.3	0.0- 8.6	8	6.1	1.2-11.0	5	1.7	0.0- 3.5	15	12.2	4.8-19.6	145	58.3	48.7-67.9
\$35,000- 49,999	384	44,522	39	11.5	7.2-15.8	25	8.4	4.3-12.5	8	3.0	0.6- 5.4	10	4.0	0.5- 7.5	25	10.0	5.7-14.3	277	63.1	56.2-70.0
\$50,000- 74,999	474	59,610	48	12.6	8.3-16.9	32	9.0	5.3-12.7	7	2.0	0.0- 4.0	14	3.6	1.2- 6.0	28	9.3	5.4-13.2	345	63.6	57.7-69.5
\$75,000+	1117	134,274	136	14.6	11.9-17.3	84	8.7	6.3-11.1	37	4.3	2.7- 5.9	33	4.0	2.4- 5.6	70	8.4	6.0-10.8	757	60.0	56.3-63.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1374	188,600	169	15.0	12.5-17.5	113	9.7	7.5-11.9	50	4.0	2.6- 5.4	57	4.8	3.2- 6.4	127	12.9	10.4-15.4	858	53.7	50.4-57.0
Non-Native	1318	180,087	164	15.1	12.4-17.8	108	9.8	7.6-12.0	46	3.9	2.5- 5.3	55	4.9	3.3- 6.5	117	12.6	10.1-15.1	828	53.7	50.2-57.2
18-24	89	30,345	19	21.3	11.7-30.9	9	12.0	4.4-19.6	4	2.6	0.0- 5.3	4	4.9	0.0-10.0	24	27.3	17.1-37.5	29	31.9	21.1-42.7
25-34	211	41,583	42	20.7	14.4-27.0	27	12.4	7.3-17.5	13	6.6	2.7-10.5	19	7.9	4.0-11.8	22	11.7	6.6-16.8	88	40.7	33.3-48.1
35-44	159	29,895	23	13.3	7.4-19.2	16	12.2	5.9-18.5	9	6.0	1.9-10.1	6	5.4	0.7-10.1	24	16.9	10.2-23.6	81	46.1	37.3-54.9
45-54	234	30,493	33	14.5	8.8-20.2	18	6.7	3.4-10.0	12	4.7	1.6- 7.8	10	4.5	1.4- 7.6	24	10.7	6.0-15.4	137	58.9	51.5-66.3
55-64	320	30,175	33	10.7	6.8-14.6	25	8.5	4.6-12.4	7	1.8	0.0- 3.6	14	3.7	1.5- 5.9	19	6.2	3.1- 9.3	222	69.2	63.1-75.3
65+	357	25,748	19	5.9	2.8- 9.0	18	4.6	2.1- 7.1	5	1.0	0.0- 2.0	4	0.8	0.0- 1.6	14	3.8	1.6- 6.0	297	84.0	79.5-88.5
Less Than H.S.	71	15,086	6	13.4	1.8-25.0	6	10.4	1.4-19.4	5	5.7	0.0-12.0	1	0.5	0.0- 1.5	11	24.3	11.0-37.6	42	45.6	31.5-59.7
H.S. or G.E.D.	389	50,074	47	13.1	9.0-17.2	23	6.9	3.2-10.6	16	5.0	2.3- 7.7	19	5.7	2.4- 9.0	49	17.8	12.7-22.9	235	51.5	45.2-57.8
Some Post-H.S.	444	75,016	66	17.7	13.0-22.4	39	10.3	6.6-14.0	15	3.5	1.5- 5.5	21	5.7	3.0- 8.4	42	11.2	7.3-15.1	261	51.6	45.7-57.5
College Graduate	469	48,251	50	13.2	9.1-17.3	45	11.4	7.7-15.1	14	3.2	1.2- 5.2	16	4.0	1.6- 6.4	25	6.8	3.7- 9.9	319	61.5	55.8-67.2
\$15,000- 24,999	99	15,190	12	18.3	6.3-30.3	5	4.7	0.0- 9.6	4	3.0	0.0- 6.5	4	4.7	0.0- 9.8	14	16.9	7.3-26.5	60	52.4	39.5-65.3
\$25,000- 34,999	102	14,262	17	23.6	12.2-35.0	5	2.4	0.0- 4.8	2	1.4	0.0- 3.6	3	2.2	0.0- 5.1	13	17.9	6.1-29.7	62	52.5	39.4-65.6
\$35,000- 49,999	180	24,511	20	11.9	6.0-17.8	16	9.5	3.6-15.4	3	2.2	0.0- 5.1	5	2.6	0.0- 5.3	18	13.7	6.8-20.6	118	60.2	50.8-69.6
\$50,000- 74,999	247	32,938	29	13.7	7.8-19.6	22	11.9	6.2-17.6	4	2.7	0.0- 5.8	11	4.9	1.0- 8.8	22	11.6	6.1-17.1	159	55.2	47.2-63.2
\$75,000+	612	79,944	74	14.0	10.5-17.5	56	10.7	7.4-14.0	30	5.8	3.4- 8.2	26	5.4	2.9- 7.9	46	11.0	7.5-14.5	380	53.1	48.2-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1356	146,858	128	12.3	9.8-14.8	68	7.2	5.0- 9.4	28	3.6	2.0- 5.2	20	2.1	0.9- 3.3	50	5.9	3.9- 7.9	1062	68.8	65.3-72.3
Non-Native	1318	142,470	123	12.4	9.9-14.9	63	7.0	4.8- 9.2	23	3.1	1.5- 4.7	18	2.1	0.7- 3.5	47	5.5	3.5- 7.5	1044	69.9	66.2-73.6
18-24	57	20,889	10	17.1	6.7-27.5	7	12.3	3.1-21.5	6	10.0	1.6-18.4	3	5.3	0.0-12.2	6	8.2	1.5-14.9	25	47.0	33.1-60.9
25-34	132	28,501	26	18.0	10.7-25.3	18	14.1	7.0-21.2	3	1.8	0.0- 4.0	3	2.0	0.0- 4.4	7	7.8	1.5-14.1	75	56.4	46.6-66.2
35-44	171	24,136	28	15.9	9.6-22.2	10	6.8	1.5-12.1	7	5.6	1.3- 9.9	2	1.8	0.0- 4.3	6	6.0	1.1-10.9	118	63.9	55.1-72.7
45-54	238	26,687	29	12.8	8.1-17.5	8	2.9	0.7- 5.1	4	2.6	0.0- 5.5	6	2.8	0.3- 5.3	17	7.6	3.7-11.5	174	71.4	64.7-78.1
55-64	344	25,720	21	6.0	3.1- 8.9	20	5.2	2.8- 7.6	4	1.3	0.0- 2.9	3	0.6	0.0- 1.4	12	4.7	1.6- 7.8	284	82.2	77.3-87.1
65+	405	20,230	14	3.2	1.4- 5.0	5	1.3	0.1- 2.5	4	1.6	0.0- 3.2	3	0.5	0.0- 1.1	2	0.4	0.0- 1.0	377	93.0	90.3-95.7
H.S. or G.E.D.	315	30,224	22	8.7	4.2-13.2	25	9.2	4.9-13.5	10	6.0	1.3-10.7	6	2.0	0.0- 4.2	14	7.2	2.7-11.7	238	66.9	59.5-74.3
Some Post-H.S.	471	64,766	54	14.7	10.2-19.2	18	6.6	2.9-10.3	9	2.8	0.6- 5.0	10	3.0	0.5- 5.5	23	7.5	4.2-10.8	357	65.3	59.2-71.4
College Graduate	539	47,888	51	12.1	8.4-15.8	23	6.1	3.2- 9.0	6	2.3	0.1- 4.5	3	1.0	0.0- 2.4	12	2.2	0.6- 3.8	444	76.2	71.1-81.3
\$15,000- 24,999	111	11,615	7	10.0	0.6-19.4	8	12.0	2.4-21.6	2	3.2	0.0- 8.5	2	1.6	0.0- 4.3	5	13.0	0.5-25.5	87	60.1	45.4-74.8
\$25,000- 34,999	104	12,028	8	10.1	2.5-17.7	3	6.6	0.0-15.6	6	11.6	1.4-21.8	2	1.2	0.0- 3.2	2	5.3	0.0-12.6	83	65.1	51.4-78.8
\$35,000- 49,999	204	20,011	19	11.1	4.6-17.6	9	7.1	1.4-12.8	5	3.9	0.2- 7.6	5	5.7	0.0-12.8	7	5.4	0.9- 9.9	159	66.8	56.8-76.8
\$50,000- 74,999	227	26,672	19	11.3	5.2-17.4	10	5.4	1.1- 9.7	3	1.0	0.0- 2.4	3	1.9	0.0- 4.1	6	6.4	0.9-11.9	186	74.0	65.6-82.4
\$75,000+	505	54,329	62	15.4	11.1-19.7	28	5.8	3.3- 8.3	7	2.0	0.2- 3.8	7	2.0	0.2- 3.8	24	4.6	2.6- 6.6	377	70.2	65.1-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2694	329,121	692	19.2	17.4-21.0	703	21.9	19.9-23.9	414	16.0	14.2-17.8	207	8.2	6.8- 9.6	678	34.7	32.2-37.2
Male	1343	182,634	226	12.7	10.7-14.7	285	16.8	14.6-19.0	239	18.0	15.3-20.7	101	7.1	5.3- 8.9	492	45.5	42.0-49.0
Female	1351	146,486	466	27.3	24.2-30.4	418	28.3	25.2-31.4	175	13.5	11.0-16.0	106	9.6	7.2-12.0	186	21.3	18.0-24.6
Native	60	7,941	3	3.6	0.0- 7.9	14	17.3	7.3-27.3	5	6.4	0.0-12.9	8	17.2	5.2-29.2	30	55.5	40.6-70.4
Non-Native	2603	316,743	683	19.6	17.8-21.4	679	22.1	20.1-24.1	405	16.2	14.2-18.2	197	8.1	6.7- 9.5	639	34.1	31.6-36.6
18-24	143	49,942	15	11.0	5.3-16.7	13	8.9	4.0-13.8	22	16.6	9.7-23.5	11	6.8	2.5-11.1	82	56.7	47.9-65.5
25-34	336	68,305	38	11.7	7.8-15.6	56	15.8	11.5-20.1	46	14.5	10.2-18.8	35	10.1	6.4-13.8	161	47.8	41.7-53.9
35-44	327	53,388	45	10.9	7.4-14.4	85	22.3	17.4-27.2	64	18.7	13.6-23.8	27	8.6	4.9-12.3	106	39.5	33.2-45.8
45-54	466	56,129	94	18.6	14.5-22.7	130	27.0	22.3-31.7	68	15.2	11.3-19.1	38	9.7	6.4-13.0	136	29.5	24.6-34.4
55-64	654	54,865	166	25.8	21.7-29.9	198	29.9	25.8-34.0	113	16.6	13.3-19.9	53	7.6	5.2-10.0	124	20.0	16.3-23.7
65+	755	45,438	330	41.6	37.5-45.7	214	28.2	24.5-31.9	99	14.3	11.2-17.4	43	5.7	3.9- 7.5	69	10.2	7.5-12.9
Less Than H.S.	98	17,815	27	15.7	8.4-23.0	23	18.2	9.8-26.6	11	12.6	2.8-22.4	8	9.1	1.7-16.5	29	44.3	31.2-57.4
H.S. or G.E.D.	691	78,605	188	19.8	16.3-23.3	157	18.3	14.8-21.8	94	15.0	11.5-18.5	48	6.2	4.2- 8.2	204	40.7	35.8-45.6
Some Post-H.S.	901	136,809	214	18.9	15.8-22.0	242	21.3	18.2-24.4	130	15.0	11.9-18.1	70	8.7	6.2-11.2	245	36.1	32.0-40.2
College Graduate	1002	95,435	262	19.5	16.8-22.2	281	26.6	23.3-29.9	178	18.7	15.6-21.8	81	9.0	6.6-11.4	200	26.1	22.4-29.8
Less than \$15,000	81	13,783	20	18.3	6.5-30.1	13	14.5	4.3-24.7	13	12.0	3.6-20.4	8	8.4	1.1-15.7	27	46.8	32.1-61.5
\$15,000- 24,999	209	26,435	54	15.4	10.1-20.7	56	20.4	13.0-27.8	27	16.0	8.4-23.6	17	7.1	3.2-11.0	55	41.2	31.4-51.0
\$25,000- 34,999	203	26,246	55	18.4	11.9-24.9	53	15.8	10.7-20.9	29	20.6	12.2-29.0	13	9.0	3.3-14.7	53	36.1	26.7-45.5
\$35,000- 49,999	375	43,255	111	23.9	18.2-29.6	95	19.0	14.3-23.7	56	16.4	11.1-21.7	26	8.9	4.6-13.2	87	31.8	24.9-38.7
\$50,000- 74,999	472	58,730	134	23.3	18.8-27.8	133	25.0	20.3-29.7	63	12.1	8.6-15.6	32	9.7	5.8-13.6	110	29.9	24.2-35.6
\$75,000+	1104	132,169	228	15.9	13.4-18.4	290	23.9	21.0-26.8	189	17.0	14.3-19.7	98	7.6	5.8- 9.4	299	35.6	31.9-39.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1343	182,634	226	12.7	10.7-14.7	285	16.8	14.6-19.0	239	18.0	15.3-20.7	101	7.1	5.3- 8.9	492	45.5	42.0-49.0
Non-Native	1289	174,574	223	13.1	10.9-15.3	268	16.5	14.1-18.9	233	18.1	15.4-20.8	98	7.2	5.4- 9.0	467	45.1	41.6-48.6
18-24	86	28,890	5	5.4	0.1-10.7	4	4.3	0.0- 8.6	15	19.0	9.6-28.4	5	5.5	0.0-11.0	57	65.9	54.7-77.1
25-34	204	39,804	13	6.0	2.5- 9.5	23	10.0	5.7-14.3	28	15.3	9.6-21.0	22	9.3	5.2-13.4	118	59.4	52.0-66.8
35-44	156	29,461	13	5.6	2.3- 8.9	26	12.7	7.6-17.8	36	23.2	15.4-31.0	7	4.4	0.9- 7.9	74	54.0	45.0-63.0
45-54	228	29,416	30	13.5	8.0-19.0	56	24.8	18.1-31.5	31	12.4	7.7-17.1	16	8.8	4.1-13.5	95	40.5	33.1-47.9
55-64	310	29,144	55	18.9	13.4-24.4	76	24.4	18.7-30.1	67	21.2	16.1-26.3	24	7.0	3.7-10.3	88	28.6	22.5-34.7
65+	355	25,559	109	31.2	25.5-36.9	98	28.0	22.5-33.5	61	17.4	12.7-22.1	27	6.8	4.3- 9.3	60	16.5	12.0-21.0
Less Than H.S.	70	14,294	16	13.5	5.5-21.5	15	18.2	8.4-28.0	10	15.2	3.2-27.2	4	4.9	0.0-10.0	25	48.2	33.5-62.9
H.S. or G.E.D.	376	48,299	60	10.2	7.3-13.1	80	16.1	12.0-20.2	59	17.4	12.3-22.5	27	6.5	3.6- 9.4	150	49.8	43.3-56.3
Some Post-H.S.	433	72,294	71	14.3	10.6-18.0	86	14.8	11.3-18.3	74	17.0	12.7-21.3	31	6.8	3.9- 9.7	171	47.1	41.2-53.0
College Graduate	463	47,574	79	12.5	9.4-15.6	104	20.1	15.8-24.4	95	20.6	16.1-25.1	39	8.9	5.6-12.2	146	37.9	32.2-43.6
\$15,000- 24,999	98	14,751	14	11.0	4.1-17.9	23	14.6	6.4-22.8	13	18.8	7.0-30.6	12	10.2	3.5-16.9	36	45.4	32.3-58.5
\$25,000- 34,999	103	14,513	20	10.8	5.1-16.5	21	12.9	6.4-19.4	17	23.7	11.4-36.0	6	6.8	0.9-12.7	39	45.9	32.8-59.0
\$35,000- 49,999	173	23,582	35	16.7	10.0-23.4	39	16.0	10.1-21.9	28	18.8	10.6-27.0	13	9.3	2.6-16.0	58	39.3	29.7-48.9
\$50,000- 74,999	244	32,029	50	16.4	11.3-21.5	50	16.9	11.6-22.2	42	15.3	10.2-20.4	16	7.5	3.4-11.6	86	44.0	36.0-52.0
\$75,000+	600	77,906	88	10.6	8.1-13.1	128	18.2	14.7-21.7	116	18.6	14.7-22.5	47	6.5	4.3- 8.7	221	46.1	41.0-51.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1351	146,486	466	27.3	24.2-30.4	418	28.3	25.2-31.4	175	13.5	11.0-16.0	106	9.6	7.2-12.0	186	21.3	18.0-24.6
Non-Native	1314	142,169	460	27.6	24.5-30.7	411	28.9	25.8-32.0	172	13.7	11.2-16.2	99	9.2	6.8-11.6	172	20.6	17.3-23.9
18-24	57	21,052	10	18.8	8.0-29.6	9	15.3	5.5-25.1	7	13.4	3.6-23.2	6	8.5	1.4-15.6	25	44.1	30.4-57.8
25-34	132	28,501	25	19.7	11.9-27.5	33	24.0	15.8-32.2	18	13.4	7.1-19.7	13	11.1	4.4-17.8	43	31.8	22.6-41.0
35-44	171	23,926	32	17.5	11.0-24.0	59	34.2	26.0-42.4	28	13.1	7.6-18.6	20	13.6	6.7-20.5	32	21.6	14.2-29.0
45-54	238	26,713	64	24.2	18.1-30.3	74	29.5	23.0-36.0	37	18.3	12.0-24.6	22	10.7	5.8-15.6	41	17.3	12.0-22.6
55-64	344	25,721	111	33.8	27.9-39.7	122	36.2	30.3-42.1	46	11.4	7.9-14.9	29	8.3	4.8-11.8	36	10.3	6.6-14.0
65+	400	19,879	221	54.9	49.2-60.6	116	28.5	23.6-33.4	38	10.4	6.9-13.9	16	4.3	2.1- 6.5	9	2.0	0.6- 3.4
H.S. or G.E.D.	315	30,306	128	35.0	27.9-42.1	77	21.7	15.8-27.6	35	11.3	7.0-15.6	21	5.8	3.1- 8.5	54	26.2	18.8-33.6
Some Post-H.S.	468	64,515	143	24.1	19.2-29.0	156	28.6	23.5-33.7	56	12.8	8.7-16.9	39	10.8	6.7-14.9	74	23.7	18.2-29.2
College Graduate	539	47,860	183	26.4	21.9-30.9	177	33.0	27.9-38.1	83	16.9	12.6-21.2	42	9.2	5.9-12.5	54	14.5	10.2-18.8
\$15,000- 24,999	111	11,683	40	20.8	12.2-29.4	33	27.7	14.8-40.6	14	12.4	4.4-20.4	5	3.2	0.3- 6.1	19	36.0	21.3-50.7
\$25,000- 34,999	100	11,733	35	28.0	16.0-40.0	32	19.4	11.0-27.8	12	16.8	5.4-28.2	7	11.7	1.5-21.9	14	24.1	11.4-36.8
\$35,000- 49,999	202	19,673	76	32.6	23.6-41.6	56	22.7	15.3-30.1	28	13.5	7.2-19.8	13	8.4	3.1-13.7	29	22.8	13.2-32.4
\$50,000- 74,999	228	26,701	84	31.5	23.7-39.3	83	34.7	26.7-42.7	21	8.4	3.7-13.1	16	12.4	5.5-19.3	24	13.0	6.9-19.1
\$75,000+	504	54,264	140	23.5	19.0-28.0	162	32.1	27.2-37.0	73	14.7	10.8-18.6	51	9.1	6.2-12.0	78	20.6	15.9-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)	
1 MALES AND FEMALES	201
2 MALES ONLY	202
3 FEMALES ONLY	203
DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4 MALES AND FEMALES	204
5 MALES ONLY	205
6 FEMALES ONLY	206
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7 MALES AND FEMALES	207
8 MALES ONLY	208
9 FEMALES ONLY	209
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10 MALES AND FEMALES	210
11 MALES ONLY	211
12 FEMALES ONLY	212
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13 MALES AND FEMALES	213
14 MALES ONLY	214
15 FEMALES ONLY	215
NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16 MALES AND FEMALES	216
17 MALES ONLY	217

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE
18 FEMALES ONLY

PAGE
218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4624	540,583	954	18.0	16.6-19.4	835	19.3	17.7-20.9	988	23.6	21.8-25.4	36	0.7	0.5- 0.9	1811	38.5	36.5-40.5
Male	2071	273,485	450	19.6	17.4-21.8	399	20.2	17.8-22.6	485	25.7	23.2-28.2	16	0.6	0.2- 1.0	721	33.8	31.3-36.3
Female	2553	267,099	504	16.3	14.3-18.3	436	18.4	16.2-20.6	503	21.3	19.1-23.5	20	0.8	0.4- 1.2	1090	43.2	40.5-45.9
Native	156	21,503	47	27.5	18.7-36.3	37	26.8	16.8-36.8	23	15.3	8.0-22.6				49	30.3	20.5-40.1
Non-Native	4421	512,252	897	17.5	15.9-19.1	786	18.9	17.3-20.5	958	23.9	22.1-25.7	36	0.8	0.4- 1.2	1744	38.9	36.9-40.9
18-24	236	81,126	34	15.9	10.4-21.4	54	22.3	16.4-28.2	69	28.3	21.8-34.8	2	0.5	0.0- 1.3	77	33.0	26.3-39.7
25-34	463	97,858	57	12.2	8.7-15.7	103	22.1	17.8-26.4	128	27.3	22.6-32.0	2	0.4	0.0- 1.0	173	37.9	32.8-43.0
35-44	474	80,200	66	13.3	9.6-17.0	105	22.9	18.4-27.4	124	26.0	21.3-30.7	2	0.7	0.0- 1.7	177	37.1	32.0-42.2
45-54	665	82,395	88	14.5	11.2-17.8	118	17.3	14.0-20.6	162	23.4	19.7-27.1	7	1.1	0.3- 1.9	290	43.7	39.2-48.2
55-64	1079	90,187	208	20.2	17.3-23.1	172	15.2	12.8-17.6	226	21.4	18.5-24.3	12	1.0	0.4- 1.6	461	42.1	38.6-45.6
65+	1670	104,906	492	29.0	26.3-31.7	279	16.9	14.5-19.3	274	16.6	14.4-18.8	11	0.7	0.3- 1.1	614	36.8	33.9-39.7
Less Than H.S.	269	46,268	73	23.9	17.0-30.8	44	19.7	13.0-26.4	36	16.3	10.0-22.6				116	40.1	32.3-47.9
H.S. or G.E.D.	1326	140,624	287	19.9	17.0-22.8	230	18.4	15.5-21.3	247	20.9	18.0-23.8	6	0.5	0.1- 0.9	556	40.3	36.8-43.8
Some Post-H.S.	1505	215,466	303	17.0	14.6-19.4	291	19.2	16.7-21.7	332	26.0	23.1-28.9	12	0.7	0.3- 1.1	567	37.1	34.0-40.2
College Graduate	1513	137,158	290	15.6	13.4-17.8	269	20.3	17.6-23.0	371	25.0	22.3-27.7	18	1.2	0.4- 2.0	565	37.8	34.7-40.9
Less than \$15,000	245	32,123	60	18.3	12.4-24.2	39	20.4	13.1-27.7	51	24.8	16.8-32.8				95	36.5	28.1-44.9
\$15,000- 24,999	509	58,201	110	20.4	15.3-25.5	98	20.6	15.3-25.9	90	19.6	14.3-24.9	5	0.8	0.0- 1.6	206	38.5	32.4-44.6
\$25,000- 34,999	409	48,207	109	24.7	18.6-30.8	65	18.2	12.9-23.5	72	19.0	13.7-24.3	5	1.3	0.0- 2.7	158	36.8	30.3-43.3
\$35,000- 49,999	643	69,350	154	19.2	15.3-23.1	117	19.5	15.0-24.0	122	21.5	17.0-26.0	4	0.5	0.0- 1.1	246	39.3	34.0-44.6
\$50,000- 74,999	731	84,435	139	18.3	14.6-22.0	149	20.5	16.8-24.2	160	25.4	21.1-29.7	8	1.1	0.3- 1.9	275	34.7	30.4-39.0
\$75,000+	1502	182,049	238	13.4	11.4-15.4	274	19.4	16.9-21.9	384	26.7	23.8-29.6	8	0.4	0.0- 0.8	598	40.1	37.0-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	273,485	450	19.6	17.4-21.8	399	20.2	17.8-22.6	485	25.7	23.2-28.2	16	0.6	0.2- 1.0	721	33.8	31.3-36.3
Native	71	9,926	23	30.0	16.7-43.3	16	26.4	11.1-41.7	10	16.4	4.6-28.2				22	27.2	14.7-39.7
Non-Native	1970	258,822	421	19.1	16.9-21.3	375	19.8	17.4-22.2	470	26.1	23.6-28.6	16	0.7	0.3- 1.1	688	34.3	31.6-37.0
18-24	130	43,003	21	19.2	11.0-27.4	29	21.2	13.2-29.2	46	35.0	25.6-44.4	1	0.5	0.0- 1.5	33	24.1	16.1-32.1
25-34	260	52,264	37	14.2	9.3-19.1	63	23.8	18.1-29.5	70	27.4	21.3-33.5	2	0.8	0.0- 2.0	88	33.8	27.3-40.3
35-44	219	41,242	33	13.2	8.5-17.9	51	22.0	15.7-28.3	56	26.9	19.8-34.0	1	0.8	0.0- 2.4	78	37.0	29.6-44.4
45-54	319	41,889	51	17.4	12.3-22.5	68	21.4	16.1-26.7	82	23.8	18.5-29.1	1	0.3	0.0- 0.9	117	37.0	30.7-43.3
55-64	482	45,512	105	22.8	18.5-27.1	85	16.2	12.7-19.7	106	22.9	18.4-27.4	5	0.5	0.1- 0.9	181	37.7	32.6-42.8
65+	649	48,003	200	29.8	25.7-33.9	101	16.5	12.8-20.2	124	19.6	15.9-23.3	6	0.8	0.2- 1.4	218	33.3	29.0-37.6
Less Than H.S.	149	28,913	44	25.9	16.5-35.3	28	21.9	13.1-30.7	25	19.6	10.8-28.4				52	32.6	23.0-42.2
H.S. or G.E.D.	619	76,642	132	18.9	15.2-22.6	117	20.6	16.3-24.9	129	23.6	19.1-28.1	2	0.3	0.0- 0.9	239	36.6	31.9-41.3
Some Post-H.S.	630	102,043	123	18.5	14.8-22.2	135	20.4	16.7-24.1	151	27.7	23.0-32.4	4	0.6	0.0- 1.2	217	32.8	28.3-37.3
College Graduate	670	65,406	151	19.4	15.7-23.1	119	18.8	15.1-22.5	180	28.2	23.9-32.5	10	1.4	0.2- 2.6	210	32.3	27.8-36.8
Less than \$15,000	80	12,395	18	16.2	7.6-24.8	13	16.2	6.8-25.6	17	27.4	13.5-41.3				32	40.2	26.3-54.1
\$15,000- 24,999	190	27,145	40	19.7	12.6-26.8	39	20.5	13.2-27.8	41	24.6	15.8-33.4	2	0.3	0.0- 0.9	68	34.9	26.1-43.7
\$25,000- 34,999	171	23,338	52	27.0	17.8-36.2	34	23.2	14.4-32.0	32	19.0	11.2-26.8	4	2.4	0.0- 5.1	49	28.4	19.4-37.4
\$35,000- 49,999	291	36,873	70	20.9	14.8-27.0	56	22.2	15.3-29.1	59	21.5	15.2-27.8	1	0.1	0.0- 0.3	105	35.2	27.8-42.6
\$50,000- 74,999	368	44,845	74	22.0	16.3-27.7	86	21.1	16.2-26.0	80	26.4	20.3-32.5	4	1.0	0.0- 2.2	124	29.5	24.0-35.0
\$75,000+	784	101,371	155	16.6	13.7-19.5	145	19.3	15.8-22.8	212	28.6	24.5-32.7	2	0.1	0.0- 0.3	270	35.3	31.2-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2553	267,099	504	16.3	14.3-18.3	436	18.4	16.2-20.6	503	21.3	19.1-23.5	20	0.8	0.4- 1.2	1090	43.2	40.5-45.9
Native	85	11,577	24	25.4	13.4-37.4	21	27.1	14.0-40.2	13	14.4	5.4-23.4				27	33.0	18.5-47.5
Non-Native	2451	253,430	476	15.9	13.9-17.9	411	18.0	15.8-20.2	488	21.6	19.2-24.0	20	0.9	0.5- 1.3	1056	43.5	40.8-46.2
18-24	106	38,123	13	12.3	5.6-19.0	25	23.4	14.8-32.0	23	20.8	12.6-29.0	1	0.5	0.0- 1.5	44	43.0	32.8-53.2
25-34	203	45,594	20	10.0	5.1-14.9	40	20.1	13.8-26.4	58	27.2	20.1-34.3				85	42.7	34.9-50.5
35-44	255	38,957	33	13.4	7.7-19.1	54	23.7	17.2-30.2	68	25.1	18.8-31.4	1	0.5	0.0- 1.5	99	37.3	30.2-44.4
45-54	346	40,506	37	11.6	7.3-15.9	50	13.1	9.2-17.0	80	22.9	17.8-28.0	6	1.8	0.2- 3.4	173	50.6	44.3-56.9
55-64	597	44,675	103	17.6	13.9-21.3	87	14.3	11.2-17.4	120	19.9	16.2-23.6	7	1.5	0.3- 2.7	280	46.7	42.0-51.4
65+	1021	56,902	292	28.2	24.9-31.5	178	17.3	14.6-20.0	150	14.1	11.6-16.6	5	0.7	0.1- 1.3	396	39.7	36.0-43.4
Less Than H.S.	120	17,354	29	20.5	11.3-29.7	16	16.1	6.3-25.9	11	10.7	3.1-18.3				64	52.7	40.2-65.2
H.S. or G.E.D.	707	63,982	155	21.0	16.5-25.5	113	15.8	12.1-19.5	118	17.7	13.8-21.6	4	0.7	0.0- 1.5	317	44.8	39.7-49.9
Some Post-H.S.	875	113,423	180	15.7	12.8-18.6	156	18.0	14.5-21.5	181	24.4	20.5-28.3	8	0.8	0.2- 1.4	350	41.0	36.5-45.5
College Graduate	843	71,752	139	12.1	9.6-14.6	150	21.7	17.8-25.6	191	22.2	18.7-25.7	8	1.1	0.1- 2.1	355	42.8	38.3-47.3
Less than \$15,000	165	19,728	42	19.6	11.8-27.4	26	23.1	12.9-33.3	34	23.2	13.8-32.6				63	34.1	23.7-44.5
\$15,000- 24,999	319	31,057	70	20.9	13.8-28.0	59	20.8	13.4-28.2	49	15.3	9.2-21.4	3	1.2	0.0- 2.6	138	41.8	33.6-50.0
\$25,000- 34,999	238	24,870	57	22.6	14.6-30.6	31	13.5	7.6-19.4	40	18.9	11.6-26.2	1	0.3	0.0- 0.9	109	44.7	35.7-53.7
\$35,000- 49,999	352	32,477	84	17.3	12.6-22.0	61	16.3	11.0-21.6	63	21.4	14.7-28.1	3	1.0	0.0- 2.2	141	43.9	36.3-51.5
\$50,000- 74,999	363	39,589	65	14.1	9.8-18.4	63	19.8	13.9-25.7	80	24.2	18.1-30.3	4	1.2	0.0- 2.4	151	40.7	34.0-47.4
\$75,000+	718	80,678	83	9.3	6.8-11.8	129	19.4	15.5-23.3	172	24.3	20.2-28.4	6	0.8	0.0- 1.6	328	46.2	41.5-50.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	544,824	2279	44.2	42.2-46.2	1168	27.1	25.3-28.9	1041	24.1	22.3-25.9	1	0.0	0.0- 0.0	163	4.6	3.6- 5.6
Male	2080	275,506	792	35.0	32.5-37.5	592	29.2	26.7-31.7	595	29.7	27.2-32.2	1	0.0	0.0- 0.0	100	6.1	4.7- 7.5
Female	2572	269,318	1487	53.6	50.9-56.3	576	24.9	22.5-27.3	446	18.4	16.2-20.6				63	3.1	1.9- 4.3
Native	157	21,683	72	44.3	33.9-54.7	46	35.0	24.8-45.2	34	17.5	9.3-25.7				5	3.1	0.0- 6.4
Non-Native	4447	516,189	2186	44.2	42.2-46.2	1108	26.7	24.9-28.5	997	24.4	22.6-26.2	1	0.0	0.0- 0.0	155	4.7	3.7- 5.7
18-24	243	83,358	79	30.5	24.2-36.8	90	37.7	30.8-44.6	62	26.0	19.7-32.3				12	5.8	2.5- 9.1
25-34	466	98,396	190	40.8	35.7-45.9	122	26.6	22.1-31.1	122	25.7	21.2-30.2				32	6.8	4.1- 9.5
35-44	476	80,750	223	46.8	41.5-52.1	120	24.2	19.7-28.7	111	23.4	18.9-27.9				22	5.6	3.1- 8.1
45-54	668	82,806	320	46.2	41.7-50.7	154	24.6	20.7-28.5	176	26.6	22.7-30.5				18	2.6	1.2- 4.0
55-64	1077	90,042	520	46.2	42.7-49.7	274	26.2	23.1-29.3	245	23.3	20.4-26.2				38	4.3	2.5- 6.1
65+	1685	105,562	920	51.7	48.8-54.6	402	24.5	22.0-27.0	323	21.0	18.5-23.5	1	0.1	0.0- 0.3	39	2.8	1.6- 4.0
Less Than H.S.	268	46,863	115	37.1	29.3-44.9	69	24.3	17.8-30.8	58	25.4	18.0-32.8				26	13.2	7.5-18.9
H.S. or G.E.D.	1340	142,566	600	40.0	36.5-43.5	345	27.9	24.6-31.2	331	26.0	22.9-29.1				64	6.1	4.3- 7.9
Some Post-H.S.	1511	216,942	717	43.3	40.0-46.6	408	29.1	26.0-32.2	343	24.2	21.5-26.9	1	0.0	0.0- 0.0	42	3.4	2.0- 4.8
College Graduate	1521	137,338	839	52.1	48.8-55.4	343	24.0	21.1-26.9	308	21.8	19.1-24.5				31	2.1	1.1- 3.1
Less than \$15,000	250	32,418	123	45.7	37.1-54.3	66	29.2	21.2-37.2	48	18.4	12.1-24.7				13	6.7	2.2-11.2
\$15,000- 24,999	509	58,767	232	34.7	29.2-40.2	132	30.9	24.8-37.0	117	25.7	20.0-31.4				28	8.7	4.8-12.6
\$25,000- 34,999	407	48,272	191	39.3	32.8-45.8	108	31.8	25.1-38.5	86	21.7	16.0-27.4				22	7.3	3.4-11.2
\$35,000- 49,999	649	69,727	313	42.5	37.2-47.8	165	27.9	22.8-33.0	146	24.7	19.8-29.6				25	4.9	2.5- 7.3
\$50,000- 74,999	739	86,197	361	47.3	42.6-52.0	182	25.4	21.3-29.5	174	24.6	20.5-28.7				22	2.8	1.4- 4.2
\$75,000+	1503	181,686	752	48.1	45.0-51.2	357	23.6	20.9-26.3	361	25.3	22.6-28.0				33	3.0	1.6- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2080	275,506	792	35.0	32.5-37.5	592	29.2	26.7-31.7	595	29.7	27.2-32.2	1	0.0	0.0- 0.0	100	6.1	4.7- 7.5
Native	72	10,107	28	33.7	19.8-47.6	19	33.0	18.9-47.1	23	31.4	16.3-46.5				2	1.8	0.0- 4.5
Non-Native	1979	260,870	753	35.0	32.3-37.7	565	29.0	26.5-31.5	564	29.6	27.1-32.1	1	0.0	0.0- 0.0	96	6.3	4.7- 7.9
18-24	132	43,793	33	22.0	14.0-30.0	55	43.0	33.4-52.6	36	28.4	19.4-37.4				8	6.6	1.9-11.3
25-34	264	53,156	93	35.7	29.2-42.2	68	25.6	19.7-31.5	79	29.3	23.2-35.4				24	9.4	5.5-13.3
35-44	221	41,888	76	38.7	31.1-46.3	61	22.5	16.6-28.4	70	31.8	24.7-38.9				14	7.0	2.9-11.1
45-54	320	41,914	117	36.5	30.2-42.8	86	27.8	21.9-33.7	107	32.5	26.6-38.4				10	3.2	0.8- 5.6
55-64	480	45,348	183	35.5	30.6-40.4	140	29.8	25.1-34.5	136	28.9	24.0-33.8				21	5.9	3.0- 8.8
65+	651	47,837	280	39.4	34.9-43.9	180	27.3	23.2-31.4	167	28.7	24.4-33.0	1	0.2	0.0- 0.6	23	4.4	2.2- 6.6
Less Than H.S.	150	29,444	51	31.5	21.7-41.3	40	25.8	17.0-34.6	39	28.0	18.4-37.6				20	14.7	7.4-22.0
H.S. or G.E.D.	626	77,751	213	30.8	26.3-35.3	182	30.1	25.4-34.8	192	31.3	26.6-36.0				39	7.8	5.1-10.5
Some Post-H.S.	632	102,732	229	34.0	29.5-38.5	192	31.5	27.0-36.0	186	29.9	25.4-34.4	1	0.1	0.0- 0.3	24	4.5	2.3- 6.7
College Graduate	669	65,099	296	42.7	38.0-47.4	178	26.0	21.9-30.1	178	28.4	24.1-32.7				17	2.9	1.3- 4.5
Less than \$15,000	81	12,546	34	40.4	26.3-54.5	20	25.4	13.2-37.6	19	23.1	11.9-34.3				8	11.1	2.5-19.7
\$15,000- 24,999	188	26,618	64	26.6	19.0-34.2	54	31.0	22.2-39.8	52	30.5	21.7-39.3				18	11.9	5.6-18.2
\$25,000- 34,999	170	23,522	66	31.3	22.9-39.7	51	36.7	26.3-47.1	42	23.6	15.0-32.2				11	8.4	2.3-14.5
\$35,000- 49,999	292	36,980	106	29.4	22.9-35.9	87	34.6	26.8-42.4	82	28.2	21.1-35.3				17	7.8	3.5-12.1
\$50,000- 74,999	375	46,476	151	40.4	34.1-46.7	104	27.0	21.5-32.5	108	30.0	24.1-35.9				12	2.5	0.9- 4.1
\$75,000+	782	101,049	303	38.4	34.1-42.7	217	25.4	21.7-29.1	239	32.3	28.2-36.4				23	3.9	2.1- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2572	269,318	1487	53.6	50.9-56.3	576	24.9	22.5-27.3	446	18.4	16.2-20.6	63	3.1	1.9- 4.3
Native	85	11,577	44	53.6	39.1-68.1	27	36.8	22.3-51.3	11	5.4	1.5- 9.3	3	4.2	0.0- 9.7
Non-Native	2468	255,319	1433	53.5	50.8-56.2	543	24.4	21.9-26.9	433	19.1	16.9-21.3	59	3.0	1.8- 4.2
18-24	111	39,565	46	39.9	30.3-49.5	35	31.8	22.4-41.2	26	23.4	15.0-31.8	4	4.9	0.2- 9.6
25-34	202	45,240	97	46.8	39.0-54.6	54	27.8	20.7-34.9	43	21.5	15.0-28.0	8	3.9	0.6- 7.2
35-44	255	38,862	147	55.6	48.2-63.0	59	26.0	19.1-32.9	41	14.4	9.5-19.3	8	4.0	0.9- 7.1
45-54	348	40,892	203	56.1	49.8-62.4	68	21.3	16.0-26.6	69	20.6	15.5-25.7	8	1.9	0.5- 3.3
55-64	597	44,694	337	57.1	52.4-61.8	134	22.6	18.7-26.5	109	17.6	14.1-21.1	17	2.7	1.3- 4.1
65+	1034	57,725	640	61.8	58.1-65.5	222	22.1	19.0-25.2	156	14.6	12.1-17.1	16	1.4	0.6- 2.2
Less Than H.S.	118	17,420	64	46.4	33.9-58.9	29	21.9	12.5-31.3	19	21.0	9.6-32.4	6	10.7	1.1-20.3
H.S. or G.E.D.	714	64,815	387	51.0	45.9-56.1	163	25.2	20.5-29.9	139	19.7	15.6-23.8	25	4.1	1.9- 6.3
Some Post-H.S.	879	114,210	488	51.7	47.2-56.2	216	26.9	22.8-31.0	157	19.0	15.5-22.5	18	2.4	0.8- 4.0
College Graduate	852	72,239	543	60.6	56.1-65.1	165	22.3	18.4-26.2	130	15.8	12.5-19.1	14	1.3	0.5- 2.1
Less than \$15,000	169	19,872	89	49.0	38.0-60.0	46	31.6	21.0-42.2	29	15.4	7.8-23.0	5	4.0	0.0- 8.7
\$15,000- 24,999	321	32,149	168	41.4	33.6-49.2	78	30.8	22.6-39.0	65	21.7	14.6-28.8	10	6.1	1.2-11.0
\$25,000- 34,999	237	24,749	125	46.9	37.9-55.9	57	27.0	18.8-35.2	44	19.9	12.5-27.3	11	6.2	0.9-11.5
\$35,000- 49,999	357	32,747	207	57.3	49.9-64.7	78	20.4	14.9-25.9	64	20.7	14.0-27.4	8	1.6	0.4- 2.8
\$50,000- 74,999	364	39,720	210	55.3	48.4-62.2	78	23.5	17.2-29.8	66	18.1	12.8-23.4	10	3.1	0.7- 5.5
\$75,000+	721	80,637	449	60.1	55.4-64.8	140	21.4	17.3-25.5	122	16.5	13.2-19.8	10	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4621	540,434	170	4.1	3.3- 4.9	1494	31.9	30.1-33.7	1985	42.6	40.6-44.6	21	0.4	0.2- 0.6	951	21.0	19.4-22.6
Male	2062	271,851	72	4.0	2.8- 5.2	640	31.0	28.5-33.5	945	44.5	41.8-47.2	12	0.5	0.1- 0.9	393	20.0	17.6-22.4
Female	2559	268,583	98	4.3	3.1- 5.5	854	32.8	30.3-35.3	1040	40.6	37.9-43.3	9	0.3	0.1- 0.5	558	22.1	19.7-24.5
Native	154	20,731	5	5.4	0.0-12.1	46	34.1	23.5-44.7	68	35.7	26.3-45.1				35	24.7	15.5-33.9
Non-Native	4420	513,064	164	4.0	3.2- 4.8	1430	31.7	29.9-33.5	1898	42.8	40.8-44.8	21	0.4	0.2- 0.6	907	21.0	19.2-22.8
18-24	240	82,271	11	4.9	2.0- 7.8	81	31.9	25.4-38.4	87	36.9	30.0-43.8				61	26.4	20.1-32.7
25-34	461	97,725	20	4.5	2.3- 6.7	142	30.3	25.6-35.0	202	43.3	38.2-48.4				97	21.9	17.6-26.2
35-44	472	79,363	15	3.9	1.5- 6.3	156	32.5	27.6-37.4	217	45.0	39.7-50.3	1	0.4	0.0- 1.2	83	18.2	14.1-22.3
45-54	667	82,521	22	4.8	2.3- 7.3	225	32.2	28.1-36.3	298	45.0	40.5-49.5	3	0.7	0.0- 1.7	119	17.4	14.1-20.7
55-64	1081	90,427	30	3.0	1.6- 4.4	313	29.0	25.9-32.1	515	47.5	44.0-51.0	7	0.7	0.1- 1.3	216	19.8	16.9-22.7
65+	1664	104,255	69	3.6	2.6- 4.6	565	35.0	32.3-37.7	659	39.3	36.4-42.2	10	0.6	0.2- 1.0	361	21.5	19.1-23.9
Less Than H.S.	261	44,761	13	6.9	2.0-11.8	73	25.2	18.3-32.1	99	37.7	29.7-45.7	1	0.8	0.0- 2.4	75	29.5	21.9-37.1
H.S. or G.E.D.	1326	140,976	58	5.1	3.3- 6.9	380	28.8	25.5-32.1	544	39.9	36.4-43.4	4	0.3	0.0- 0.7	340	25.9	22.6-29.2
Some Post-H.S.	1518	217,528	42	3.2	2.0- 4.4	509	32.1	29.2-35.0	635	43.2	39.9-46.5	8	0.5	0.1- 0.9	324	21.1	18.4-23.8
College Graduate	1508	136,205	57	3.7	2.3- 5.1	531	37.1	34.0-40.2	704	45.8	42.5-49.1	8	0.3	0.1- 0.5	208	13.1	10.9-15.3
Less than \$15,000	242	31,391	18	9.7	3.8-15.6	75	28.0	20.2-35.8	75	30.2	22.2-38.2				74	32.1	23.9-40.3
\$15,000- 24,999	504	57,888	28	6.5	2.8-10.2	149	28.2	22.7-33.7	192	39.1	32.8-45.4	3	0.7	0.0- 1.5	132	25.5	20.2-30.8
\$25,000- 34,999	407	47,914	19	7.2	3.3-11.1	134	32.0	25.5-38.5	169	39.6	33.1-46.1	1	0.7	0.0- 2.1	84	20.5	15.0-26.0
\$35,000- 49,999	649	70,128	20	2.5	0.9- 4.1	192	28.1	23.6-32.6	284	43.5	38.2-48.8	4	0.3	0.0- 0.7	149	25.6	20.5-30.7
\$50,000- 74,999	737	85,658	23	3.7	1.9- 5.5	243	35.6	31.1-40.1	326	42.9	38.2-47.6	4	0.4	0.0- 1.0	141	17.4	13.9-20.9
\$75,000+	1497	181,238	35	2.0	1.0- 3.0	514	33.7	30.8-36.6	729	48.4	45.3-51.5	3	0.1	0.0- 0.3	216	15.8	13.3-18.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2062	271,851	72	4.0	2.8- 5.2	640	31.0	28.5-33.5	945	44.5	41.8-47.2	12	0.5	0.1- 0.9	393	20.0	17.6-22.4
Native	70	9,354	1	2.9	0.0- 8.6	22	39.2	23.3-55.1	30	34.3	21.2-47.4				17	23.6	11.1-36.1
Non-Native	1964	258,280	70	3.9	2.7- 5.1	607	30.7	28.2-33.2	904	44.8	41.9-47.7	12	0.5	0.1- 0.9	371	20.0	17.6-22.4
18-24	131	43,337	6	3.7	0.4- 7.0	44	32.9	23.9-41.9	47	35.9	26.5-45.3				34	27.5	18.5-36.5
25-34	257	52,059	13	6.3	2.8- 9.8	75	27.8	21.7-33.9	116	45.4	38.5-52.3				53	20.5	15.0-26.0
35-44	216	40,217	6	2.6	0.2- 5.0	70	33.3	26.0-40.6	100	46.5	38.9-54.1	1	0.8	0.0- 2.4	39	16.8	11.3-22.3
45-54	320	41,834	11	5.6	1.7- 9.5	95	29.1	23.4-34.8	152	45.8	39.3-52.3	1	0.8	0.0- 2.4	61	18.6	13.5-23.7
55-64	481	45,411	8	1.9	0.5- 3.3	142	30.1	25.4-34.8	244	49.9	44.6-55.2	3	0.4	0.0- 1.0	84	17.7	13.6-21.8
65+	645	47,423	28	3.5	2.1- 4.9	210	33.0	28.7-37.3	282	43.9	39.2-48.6	7	0.9	0.1- 1.7	118	18.8	15.1-22.5
Less Than H.S.	144	27,701	4	2.9	0.0- 6.2	41	27.7	18.1-37.3	60	41.6	31.0-52.2	1	1.2	0.0- 3.6	38	26.5	16.9-36.1
H.S. or G.E.D.	620	76,877	24	4.7	2.5- 6.9	177	29.3	24.6-34.0	269	40.8	35.9-45.7				150	25.3	20.6-30.0
Some Post-H.S.	633	102,382	17	3.4	1.6- 5.2	205	31.3	26.8-35.8	288	45.2	40.3-50.1	4	0.6	0.0- 1.4	119	19.6	15.7-23.5
College Graduate	662	64,411	27	4.6	2.2- 7.0	216	34.1	29.6-38.6	328	49.4	44.7-54.1	7	0.5	0.1- 0.9	84	11.4	8.5-14.3
Less than \$15,000	79	11,784	5	5.9	0.0-12.0	23	21.6	10.6-32.6	28	38.1	24.0-52.2				23	34.4	20.9-47.9
\$15,000- 24,999	184	26,114	8	5.4	0.7-10.1	54	29.2	20.6-37.8	70	37.5	28.3-46.7				52	27.8	19.6-36.0
\$25,000- 34,999	169	23,017	14	13.2	5.8-20.6	58	34.2	24.6-43.8	69	34.2	25.0-43.4	1	1.5	0.0- 4.4	27	16.9	9.6-24.2
\$35,000- 49,999	293	37,106	9	1.6	0.4- 2.8	76	24.8	18.5-31.1	136	46.3	38.7-53.9	2	0.1	0.0- 0.3	70	27.1	19.5-34.7
\$50,000- 74,999	372	45,848	14	4.6	1.7- 7.5	111	33.0	26.9-39.1	177	45.9	39.4-52.4	3	0.4	0.0- 1.0	67	16.1	11.8-20.4
\$75,000+	776	100,421	13	1.4	0.4- 2.4	265	33.5	29.4-37.6	390	50.4	45.9-54.9	2	0.2	0.0- 0.4	106	14.5	11.4-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2559	268,583	98	4.3	3.1- 5.5	854	32.8	30.3-35.3	1040	40.6	37.9-43.3	9	0.3	0.1- 0.5	558	22.1	19.7-24.5
Native	84	11,376	4	7.4	0.0-18.6	24	29.9	16.2-43.6	38	36.9	23.8-50.0				18	25.7	12.4-39.0
Non-Native	2456	254,784	94	4.2	3.0- 5.4	823	32.7	30.2-35.2	994	40.7	38.0-43.4	9	0.3	0.1- 0.5	536	22.0	19.6-24.4
18-24	109	38,935	5	6.1	0.8-11.4	37	30.8	21.8-39.8	40	38.0	28.0-48.0				27	25.1	16.5-33.7
25-34	204	45,665	7	2.4	0.6- 4.2	67	33.2	25.8-40.6	86	40.8	33.2-48.4				44	23.6	16.5-30.7
35-44	256	39,146	9	5.3	1.0- 9.6	86	31.6	25.1-38.1	117	43.5	36.2-50.8				44	19.6	13.7-25.5
45-54	347	40,686	11	3.9	0.4- 7.4	130	35.3	29.4-41.2	146	44.2	37.9-50.5	2	0.6	0.0- 1.4	58	16.1	11.6-20.6
55-64	600	45,016	22	4.1	1.9- 6.3	171	27.8	23.7-31.9	271	45.2	40.5-49.9	4	0.9	0.0- 1.9	132	22.1	18.2-26.0
65+	1019	56,832	41	3.7	2.3- 5.1	355	36.6	32.9-40.3	377	35.4	31.9-38.9	3	0.4	0.0- 1.0	243	23.8	20.7-26.9
Less Than H.S.	117	17,060	9	13.4	2.2-24.6	32	21.1	12.5-29.7	39	31.2	19.6-42.8				37	34.4	22.1-46.7
H.S. or G.E.D.	706	64,099	34	5.6	3.1- 8.1	203	28.2	23.5-32.9	275	38.9	33.8-44.0	4	0.7	0.0- 1.5	190	26.5	22.0-31.0
Some Post-H.S.	885	115,145	25	3.1	1.3- 4.9	304	32.7	28.6-36.8	347	41.5	37.0-46.0	4	0.3	0.0- 0.7	205	22.4	18.7-26.1
College Graduate	846	71,794	30	2.8	1.6- 4.0	315	39.9	35.6-44.2	376	42.7	38.4-47.0	1	0.1	0.0- 0.3	124	14.6	11.5-17.7
Less than \$15,000	163	19,607	13	12.1	3.5-20.7	52	31.8	21.4-42.2	47	25.4	16.2-34.6				51	30.7	20.5-40.9
\$15,000- 24,999	320	31,773	20	7.4	1.9-12.9	95	27.4	20.3-34.5	122	40.5	32.1-48.9	3	1.2	0.0- 2.6	80	23.6	16.9-30.3
\$25,000- 34,999	238	24,897	5	1.7	0.1- 3.3	76	29.9	21.5-38.3	100	44.5	35.5-53.5				57	23.8	16.0-31.6
\$35,000- 49,999	356	33,021	11	3.6	0.7- 6.5	116	31.8	25.1-38.5	148	40.2	32.8-47.6	2	0.5	0.0- 1.3	79	23.9	17.2-30.6
\$50,000- 74,999	365	39,810	9	2.7	0.7- 4.7	132	38.7	32.0-45.4	149	39.4	32.7-46.1	1	0.4	0.0- 1.2	74	18.8	13.5-24.1
\$75,000+	721	80,817	22	2.8	1.0- 4.6	249	33.8	29.5-38.1	339	45.9	41.2-50.6	1	0.1	0.0- 0.3	110	17.4	13.5-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4636	543,154	762	16.3	14.9-17.7	1777	37.2	35.2-39.2	1548	33.8	32.0-35.6	10	0.2	0.0- 0.4	539	12.5	11.1-13.9
Male	2072	274,052	263	13.6	11.6-15.6	725	34.3	31.8-36.8	790	37.7	35.0-40.4	6	0.3	0.1- 0.5	288	14.1	12.1-16.1
Female	2564	269,103	499	19.1	16.9-21.3	1052	40.1	37.6-42.6	758	29.8	27.3-32.3	4	0.2	0.0- 0.4	251	10.8	9.0-12.6
Native	154	21,037	27	19.9	10.5-29.3	58	35.3	25.5-45.1	49	26.5	17.7-35.3	1	0.8	0.0- 2.4	19	17.5	8.7-26.3
Non-Native	4434	515,038	730	16.3	14.9-17.7	1702	37.3	35.3-39.3	1483	34.0	32.0-36.0	9	0.2	0.0- 0.4	510	12.2	10.8-13.6
18-24	240	82,784	38	15.7	10.6-20.8	96	38.5	31.6-45.4	76	32.2	25.7-38.7				30	13.7	8.6-18.8
25-34	465	98,585	97	21.5	17.2-25.8	163	35.1	30.2-40.0	151	31.7	27.0-36.4	1	0.1	0.0- 0.3	53	11.7	8.4-15.0
35-44	473	79,636	84	17.1	13.0-21.2	175	35.8	30.7-40.9	167	36.5	31.4-41.6				47	10.6	7.3-13.9
45-54	671	83,147	116	15.5	12.4-18.6	249	36.2	31.9-40.5	250	37.8	33.5-42.1	2	0.6	0.0- 1.6	54	9.9	6.8-13.0
55-64	1082	90,384	152	12.7	10.5-14.9	412	37.9	34.6-41.2	397	36.4	33.1-39.7	4	0.5	0.0- 1.1	117	12.5	10.0-15.0
65+	1669	104,770	268	15.0	13.0-17.0	670	39.8	36.9-42.7	498	30.0	27.3-32.7	3	0.1	0.0- 0.3	230	15.1	12.9-17.3
Less Than H.S.	264	45,540	29	11.9	6.0-17.8	87	28.8	21.7-35.9	80	28.7	21.6-35.8	2	1.1	0.0- 2.7	66	29.5	21.7-37.3
H.S. or G.E.D.	1329	141,565	188	13.7	11.3-16.1	489	35.3	31.8-38.8	449	36.2	32.7-39.7	1	0.1	0.0- 0.3	202	14.6	12.1-17.1
Some Post-H.S.	1517	218,299	248	16.6	14.1-19.1	607	38.8	35.7-41.9	485	33.3	30.2-36.4	2	0.1	0.0- 0.3	175	11.2	9.2-13.2
College Graduate	1515	136,684	295	20.0	17.5-22.5	590	39.4	36.3-42.5	530	33.7	30.6-36.8	5	0.1	0.0- 0.3	95	6.7	4.9- 8.5
Less than \$15,000	246	31,656	46	17.9	11.0-24.8	81	32.4	24.4-40.4	63	24.2	16.8-31.6				56	25.5	17.7-33.3
\$15,000- 24,999	507	58,573	70	11.7	7.8-15.6	194	38.7	32.6-44.8	160	31.3	25.6-37.0	4	0.7	0.0- 1.5	79	17.6	12.7-22.5
\$25,000- 34,999	406	48,289	58	15.2	10.3-20.1	163	40.7	33.8-47.6	129	30.2	24.1-36.3	1	0.7	0.0- 2.1	55	13.2	8.9-17.5
\$35,000- 49,999	647	69,863	98	14.9	11.0-18.8	244	34.2	29.3-39.1	227	38.5	33.2-43.8				78	12.4	8.5-16.3
\$50,000- 74,999	737	85,663	111	16.4	12.7-20.1	291	41.0	36.3-45.7	256	33.6	29.3-37.9	4	0.4	0.0- 0.8	75	8.6	6.4-10.8
\$75,000+	1506	182,397	290	19.5	17.0-22.0	576	36.0	33.1-38.9	534	36.1	33.0-39.2	1	0.0	0.0- 0.0	105	8.4	6.4-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	274,052	263	13.6	11.6-15.6	725	34.3	31.8-36.8	790	37.7	35.0-40.4	6	0.3	0.1- 0.5	288	14.1	12.1-16.1
Native	70	9,500	12	22.8	6.7-38.9	21	25.9	14.1-37.7	25	27.6	15.6-39.6	1	1.8	0.0- 5.1	11	21.9	9.0-34.8
Non-Native	1972	259,856	247	13.3	11.3-15.3	692	34.7	32.0-37.4	756	38.0	35.3-40.7	5	0.2	0.0- 0.4	272	13.8	11.6-16.0
18-24	131	43,650	17	13.0	6.5-19.5	54	39.4	30.0-48.8	42	32.9	23.7-42.1				18	14.7	7.3-22.1
25-34	261	52,920	55	22.6	16.7-28.5	80	29.8	23.7-35.9	92	34.7	28.2-41.2	1	0.1	0.0- 0.3	33	12.9	8.4-17.4
35-44	217	40,490	25	9.9	5.6-14.2	78	36.0	28.6-43.4	92	42.5	34.9-50.1				22	11.7	6.4-17.0
45-54	323	42,255	47	14.7	10.0-19.4	94	28.7	22.8-34.6	141	43.3	37.0-49.6	1	0.8	0.0- 2.4	40	12.5	8.2-16.8
55-64	483	45,536	45	8.8	6.1-11.5	171	36.0	31.1-40.9	196	39.4	34.3-44.5	2	0.4	0.0- 1.2	69	15.4	11.5-19.3
65+	645	47,631	71	10.6	7.9-13.3	244	37.0	32.5-41.5	224	35.4	30.9-39.9	2	0.2	0.0- 0.6	104	16.9	13.2-20.6
Less Than H.S.	146	28,138	13	10.0	2.7-17.3	44	27.1	18.1-36.1	50	32.4	22.6-42.2	2	1.8	0.0- 4.3	37	28.7	18.7-38.7
H.S. or G.E.D.	620	76,888	66	12.2	8.9-15.5	210	33.4	28.5-38.3	230	37.9	33.0-42.8				114	16.5	12.8-20.2
Some Post-H.S.	636	103,568	87	14.5	11.0-18.0	233	35.6	30.9-40.3	230	37.1	32.4-41.8				86	12.7	9.6-15.8
College Graduate	667	64,978	96	15.3	11.8-18.8	236	36.3	31.8-40.8	280	40.8	36.1-45.5	4	0.3	0.1- 0.5	51	7.3	4.9- 9.7
Less than \$15,000	80	12,033	16	19.9	7.9-31.9	26	38.1	24.0-52.2	18	20.8	10.2-31.4				20	21.1	10.9-31.3
\$15,000- 24,999	187	26,722	19	8.6	3.9-13.3	59	31.8	23.0-40.6	66	35.9	26.9-44.9	2	0.7	0.0- 1.9	41	23.0	15.0-31.0
\$25,000- 34,999	168	23,393	21	14.6	7.3-21.9	65	40.3	29.9-50.7	53	27.8	18.8-36.8	1	1.4	0.0- 4.1	28	15.8	9.1-22.5
\$35,000- 49,999	293	37,091	34	14.8	9.1-20.5	96	28.0	21.3-34.7	114	38.5	31.1-45.9				49	18.8	11.9-25.7
\$50,000- 74,999	373	45,896	44	14.1	9.0-19.2	132	38.8	32.5-45.1	145	36.2	30.1-42.3	2	0.2	0.0- 0.6	50	10.7	7.4-14.0
\$75,000+	785	101,681	109	13.5	10.6-16.4	282	34.0	29.9-38.1	322	42.6	38.3-46.9	1	0.1	0.0- 0.3	71	9.8	7.1-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2564	269,103	499	19.1	16.9-21.3	1052	40.1	37.6-42.6	758	29.8	27.3-32.3	4	0.2	0.0- 0.4	251	10.8	9.0-12.6
Native	84	11,537	15	17.6	7.0-28.2	37	43.0	28.7-57.3	24	25.6	13.1-38.1				8	13.8	1.6-26.0
Non-Native	2462	255,183	483	19.3	17.1-21.5	1010	40.1	37.4-42.8	727	30.0	27.5-32.5	4	0.2	0.0- 0.4	238	10.5	8.7-12.3
18-24	109	39,135	21	18.8	11.0-26.6	42	37.4	27.6-47.2	34	31.4	22.0-40.8				12	12.4	5.5-19.3
25-34	204	45,665	42	20.3	14.0-26.6	83	41.2	33.4-49.0	59	28.2	21.1-35.3				20	10.3	5.2-15.4
35-44	256	39,146	59	24.7	18.0-31.4	97	35.6	28.7-42.5	75	30.2	23.3-37.1				25	9.5	5.4-13.6
45-54	348	40,892	69	16.3	12.2-20.4	155	44.0	37.9-50.1	109	32.1	26.2-38.0	1	0.4	0.0- 1.2	14	7.2	2.7-11.7
55-64	599	44,848	107	16.6	13.3-19.9	241	39.9	35.2-44.6	201	33.3	28.8-37.8	2	0.6	0.0- 1.4	48	9.6	6.7-12.5
65+	1024	57,139	197	18.7	15.8-21.6	426	42.2	38.5-45.9	274	25.5	22.4-28.6	1	0.0	0.0- 0.0	126	13.6	10.9-16.3
Less Than H.S.	118	17,401	16	14.9	5.1-24.7	43	31.5	20.3-42.7	30	22.8	13.2-32.4				29	30.8	18.1-43.5
H.S. or G.E.D.	709	64,677	122	15.6	12.1-19.1	279	37.5	32.4-42.6	219	34.2	29.1-39.3	1	0.3	0.0- 0.9	88	12.4	9.1-15.7
Some Post-H.S.	881	114,732	161	18.5	15.0-22.0	374	41.6	37.3-45.9	255	29.8	25.7-33.9	2	0.2	0.0- 0.6	89	9.8	7.3-12.3
College Graduate	848	71,706	199	24.3	20.4-28.2	354	42.3	38.0-46.6	250	27.2	23.3-31.1	1	0.0	0.0- 0.0	44	6.2	3.7- 8.7
Less than \$15,000	166	19,623	30	16.6	8.6-24.6	55	28.9	19.7-38.1	45	26.3	16.3-36.3				36	28.2	17.2-39.2
\$15,000- 24,999	320	31,852	51	14.3	8.2-20.4	135	44.5	36.1-52.9	94	27.4	20.1-34.7	2	0.6	0.0- 1.8	38	13.1	7.4-18.8
\$25,000- 34,999	238	24,897	37	15.8	9.3-22.3	98	41.0	32.0-50.0	76	32.5	24.1-40.9				27	10.8	5.3-16.3
\$35,000- 49,999	354	32,772	64	15.0	9.7-20.3	148	41.1	33.8-48.4	113	38.6	31.0-46.2				29	5.3	3.1- 7.5
\$50,000- 74,999	364	39,766	67	19.0	13.5-24.5	159	43.6	36.7-50.5	111	30.6	24.3-36.9	2	0.6	0.0- 1.6	25	6.1	3.4- 8.8
\$75,000+	721	80,716	181	27.0	22.7-31.3	294	38.5	34.0-43.0	212	27.9	23.8-32.0				34	6.6	3.9- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4626	540,691	342	7.0	6.0- 8.0	1744	35.6	33.8-37.4	1814	38.9	36.9-40.9	11	0.3	0.1- 0.5	715	18.1	16.5-19.7
Male	2070	273,926	129	6.4	5.0- 7.8	639	30.2	27.7-32.7	877	41.1	38.4-43.8	9	0.4	0.0- 0.8	416	21.8	19.4-24.2
Female	2556	266,765	213	7.6	6.2- 9.0	1105	41.2	38.7-43.7	937	36.8	34.3-39.3	2	0.2	0.0- 0.6	299	14.3	12.3-16.3
Native	152	20,727	10	8.2	1.7-14.7	49	32.6	22.4-42.8	58	36.4	26.0-46.8	1	0.8	0.0- 2.4	34	21.9	13.9-29.9
Non-Native	4427	513,248	330	7.0	6.0- 8.0	1677	35.7	33.7-37.7	1738	39.1	37.1-41.1	10	0.3	0.1- 0.5	672	17.9	16.3-19.5
18-24	239	82,049	20	8.7	4.8-12.6	80	31.5	25.0-38.0	78	34.3	27.4-41.2	1	0.6	0.0- 1.8	60	24.9	18.8-31.0
25-34	462	97,502	36	7.9	5.2-10.6	152	33.0	28.1-37.9	185	38.7	33.6-43.8				89	20.5	16.2-24.8
35-44	471	79,589	26	5.2	3.0- 7.4	164	34.8	29.7-39.9	194	41.6	36.3-46.9	1	0.4	0.0- 1.2	86	18.0	13.9-22.1
45-54	670	83,000	43	6.4	4.2- 8.6	238	35.6	31.3-39.9	270	38.8	34.5-43.1	1	0.4	0.0- 1.2	118	18.7	15.2-22.2
55-64	1080	90,235	70	5.4	4.0- 6.8	384	35.3	32.0-38.6	469	43.4	39.9-46.9	3	0.4	0.0- 0.8	154	15.4	12.7-18.1
65+	1669	104,762	144	7.9	6.3- 9.5	706	41.8	38.9-44.7	609	37.3	34.4-40.2	5	0.3	0.0- 0.7	205	12.6	10.6-14.6
Less Than H.S.	265	44,816	11	3.9	1.2- 6.6	83	27.9	20.8-35.0	97	38.5	30.5-46.5	2	0.7	0.0- 1.7	72	28.9	21.5-36.3
H.S. or G.E.D.	1324	140,687	94	8.1	5.9-10.3	466	32.3	29.0-35.6	497	36.5	33.0-40.0				267	23.1	20.0-26.2
Some Post-H.S.	1512	217,606	110	6.5	4.9- 8.1	566	35.7	32.6-38.8	605	39.9	36.8-43.0	5	0.6	0.0- 1.2	226	17.2	14.7-19.7
College Graduate	1514	136,515	123	7.3	5.7- 8.9	626	41.5	38.4-44.6	613	40.3	37.2-43.4	4	0.1	0.0- 0.3	148	10.8	8.6-13.0
Less than \$15,000	245	31,563	24	11.5	5.2-17.8	80	33.6	25.0-42.2	89	35.4	27.2-43.6	1	0.5	0.0- 1.5	51	18.9	12.4-25.4
\$15,000- 24,999	511	59,184	38	7.8	4.5-11.1	182	32.2	26.5-37.9	195	36.3	30.4-42.2	3	1.6	0.0- 3.6	93	22.2	16.7-27.7
\$25,000- 34,999	406	48,301	33	8.4	4.9-11.9	149	33.9	27.4-40.4	153	35.7	29.2-42.2				71	21.9	15.8-28.0
\$35,000- 49,999	646	69,652	47	6.7	4.2- 9.2	238	30.9	26.2-35.6	248	40.9	35.4-46.4	1	0.0	0.0- 0.0	112	21.5	16.8-26.2
\$50,000- 74,999	736	85,820	47	6.2	3.8- 8.6	289	39.5	35.0-44.0	295	38.8	34.3-43.3	2	0.2	0.0- 0.6	103	15.3	11.8-18.8
\$75,000+	1500	180,776	104	6.4	4.8- 8.0	554	35.3	32.4-38.2	631	41.8	38.7-44.9	2	0.1	0.1- 0.1	209	16.4	13.9-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	273,926	129	6.4	5.0- 7.8	639	30.2	27.7-32.7	877	41.1	38.4-43.8	9	0.4	0.0- 0.8	416	21.8	19.4-24.2
Native	69	9,353	5	7.4	0.0-16.2	15	20.2	9.0-31.4	25	36.0	20.3-51.7	1	1.8	0.0- 5.3	23	34.6	20.5-48.7
Non-Native	1972	259,995	124	6.5	5.1- 7.9	614	30.6	28.1-33.1	839	41.2	38.5-43.9	8	0.4	0.0- 0.8	387	21.3	18.9-23.7
18-24	131	43,445	11	8.1	3.0-13.2	42	30.5	21.9-39.1	44	35.8	26.0-45.6				34	25.6	17.2-34.0
25-34	260	52,614	21	8.9	5.0-12.8	77	28.9	22.8-35.0	102	37.2	30.5-43.9				60	25.0	18.9-31.1
35-44	218	40,916	10	4.4	1.7- 7.1	64	30.2	23.1-37.3	98	45.0	37.4-52.6	1	0.8	0.0- 2.4	45	19.6	13.5-25.7
45-54	323	42,255	13	5.6	2.3- 8.9	82	25.9	20.2-31.6	150	42.8	36.5-49.1	1	0.8	0.0- 2.4	77	24.9	19.2-30.6
55-64	480	45,307	21	3.7	1.9- 5.5	151	31.6	26.7-36.5	214	43.9	38.8-49.0	3	0.8	0.0- 1.8	91	20.0	15.7-24.3
65+	646	47,819	50	6.7	4.5- 8.9	218	33.8	29.5-38.1	266	43.0	38.3-47.7	4	0.5	0.1- 0.9	108	16.1	12.6-19.6
Less Than H.S.	145	28,023	6	4.2	0.5- 7.9	33	21.0	13.0-29.0	62	45.3	34.5-56.1	1	0.6	0.0- 1.8	43	28.9	19.5-38.3
H.S. or G.E.D.	618	76,809	39	8.1	5.0-11.2	180	29.2	24.5-33.9	239	37.3	32.4-42.2				160	25.4	21.1-29.7
Some Post-H.S.	637	103,580	37	5.2	3.0- 7.4	191	30.2	25.7-34.7	274	41.2	36.5-45.9	4	0.8	0.0- 1.8	131	22.6	18.5-26.7
College Graduate	667	65,034	45	6.9	4.4- 9.4	234	35.5	31.0-40.0	302	43.9	39.2-48.6	4	0.3	0.1- 0.5	82	13.3	10.0-16.6
Less than \$15,000	80	12,033	8	13.3	1.9-24.7	17	25.9	12.8-39.0	31	35.7	22.8-48.6				24	25.1	13.9-36.3
\$15,000- 24,999	188	26,843	9	5.6	1.3- 9.9	49	25.2	17.2-33.2	79	37.2	28.4-46.0	2	1.8	0.0- 4.5	49	30.1	20.9-39.3
\$25,000- 34,999	169	23,529	16	12.8	6.1-19.5	50	29.5	19.9-39.1	66	32.7	23.3-42.1				37	25.0	16.0-34.0
\$35,000- 49,999	293	37,056	18	5.7	2.6- 8.8	83	24.3	18.0-30.6	118	39.8	32.2-47.4	1	0.1	0.0- 0.3	73	30.1	22.8-37.4
\$50,000- 74,999	373	46,282	27	7.0	3.5-10.5	124	34.8	28.7-40.9	155	40.5	34.2-46.8	2	0.4	0.0- 1.0	65	17.3	12.6-22.0
\$75,000+	781	100,701	40	4.9	3.1- 6.7	245	30.5	26.6-34.4	356	44.9	40.6-49.2	2	0.1	0.0- 0.3	138	19.5	16.0-23.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	266,765	213	7.6	6.2- 9.0	1105	41.2	38.7-43.7	937	36.8	34.3-39.3	2	0.2	0.0- 0.6	299	14.3	12.3-16.3
Native	83	11,374	5	8.9	0.0-18.1	34	42.8	27.9-57.7	33	36.7	22.8-50.6				11	11.6	3.8-19.4
Non-Native	2455	253,253	206	7.5	6.1- 8.9	1063	41.0	38.3-43.7	899	36.9	34.2-39.6	2	0.2	0.0- 0.6	285	14.3	12.1-16.5
18-24	108	38,604	9	9.3	3.4-15.2	38	32.7	23.3-42.1	34	32.6	23.0-42.2	1	1.2	0.0- 3.6	26	24.2	15.6-32.8
25-34	202	44,888	15	6.7	2.8-10.6	75	37.8	30.2-45.4	83	40.4	32.8-48.0				29	15.1	9.2-21.0
35-44	253	38,673	16	6.0	2.9- 9.1	100	39.7	32.4-47.0	96	38.0	30.7-45.3				41	16.2	10.9-21.5
45-54	347	40,744	30	7.3	4.6-10.0	156	45.6	39.3-51.9	120	34.7	28.8-40.6				41	12.4	8.3-16.5
55-64	600	44,928	49	7.2	5.0- 9.4	233	39.1	34.4-43.8	255	43.0	38.3-47.7				63	10.7	7.8-13.6
65+	1023	56,943	94	8.9	6.7-11.1	488	48.6	44.9-52.3	343	32.6	29.1-36.1	1	0.3	0.0- 0.9	97	9.6	7.2-12.0
Less Than H.S.	120	16,792	5	3.4	0.0- 7.1	50	39.6	27.3-51.9	35	27.3	16.5-38.1	1	0.9	0.0- 2.7	29	28.9	16.7-41.1
H.S. or G.E.D.	706	63,878	55	8.1	5.2-11.0	286	36.0	31.1-40.9	258	35.5	30.6-40.4				107	20.4	15.7-25.1
Some Post-H.S.	875	114,026	73	7.7	5.3-10.1	375	40.8	36.5-45.1	331	38.8	34.5-43.1	1	0.4	0.0- 1.2	95	12.3	9.4-15.2
College Graduate	847	71,481	78	7.6	5.4- 9.8	392	47.0	42.5-51.5	311	37.0	32.7-41.3				66	8.4	5.9-10.9
Less than \$15,000	165	19,531	16	10.5	3.4-17.6	63	38.4	27.2-49.6	58	35.3	24.7-45.9	1	0.7	0.0- 2.1	27	15.2	7.2-23.2
\$15,000- 24,999	323	32,342	29	9.6	4.5-14.7	133	37.9	29.9-45.9	116	35.5	27.5-43.5	1	1.4	0.0- 4.1	44	15.6	9.5-21.7
\$25,000- 34,999	237	24,772	17	4.3	1.8- 6.8	99	38.2	29.6-46.8	87	38.6	29.6-47.6				34	19.0	11.0-27.0
\$35,000- 49,999	353	32,597	29	7.7	3.6-11.8	155	38.4	31.3-45.5	130	42.1	34.5-49.7				39	11.8	7.1-16.5
\$50,000- 74,999	363	39,539	20	5.3	2.2- 8.4	165	45.0	38.1-51.9	140	36.7	30.2-43.2				38	12.9	7.8-18.0
\$75,000+	719	80,075	64	8.3	5.8-10.8	309	41.4	36.9-45.9	275	38.0	33.5-42.5				71	12.4	9.1-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4619	540,494	1681	33.3	31.5-35.1	1578	34.7	32.9-36.5	1307	30.0	28.2-31.8	53	2.0	1.2- 2.8
Male	2063	273,480	620	27.8	25.4-30.2	701	34.2	31.5-36.9	715	36.1	33.4-38.8	27	2.0	1.0- 3.0
Female	2556	267,015	1061	39.0	36.5-41.5	877	35.2	32.7-37.7	592	23.8	21.4-26.2	26	2.0	1.0- 3.0
Native	150	20,042	59	38.4	28.2-48.6	52	36.3	26.1-46.5	36	24.1	14.5-33.7	3	1.3	0.0- 2.7
Non-Native	4420	513,334	1610	33.3	31.5-35.1	1508	34.6	32.6-36.6	1254	30.1	28.1-32.1	48	2.0	1.2- 2.8
18-24	240	82,583	65	24.6	18.7-30.5	99	40.0	33.1-46.9	69	31.6	24.9-38.3	7	3.8	0.9- 6.7
25-34	461	97,330	154	32.5	27.6-37.4	153	33.3	28.4-38.2	140	30.3	25.6-35.0	14	3.9	1.5- 6.3
35-44	471	79,635	174	35.3	30.2-40.4	159	33.3	28.2-38.4	134	30.2	25.3-35.1	4	1.2	0.0- 2.4
45-54	666	81,987	243	33.8	29.7-37.9	224	35.0	30.7-39.3	191	29.5	25.4-33.6	8	1.7	0.3- 3.1
55-64	1082	90,625	380	34.4	31.1-37.7	351	32.2	28.9-35.5	345	33.0	29.7-36.3	6	0.5	0.1- 0.9
65+	1664	104,804	648	37.8	35.1-40.5	580	34.7	32.0-37.4	422	26.6	23.9-29.3	14	0.9	0.3- 1.5
Less Than H.S.	262	44,701	87	27.2	20.5-33.9	85	27.4	20.7-34.1	81	39.5	31.1-47.9	9	5.9	1.4-10.4
H.S. or G.E.D.	1320	140,567	459	32.0	28.7-35.3	449	33.4	29.9-36.9	387	31.5	28.0-35.0	25	3.1	1.7- 4.5
Some Post-H.S.	1513	217,810	553	33.7	30.6-36.8	527	36.3	33.2-39.4	418	28.4	25.5-31.3	15	1.6	0.6- 2.6
College Graduate	1512	136,302	579	36.1	33.0-39.2	513	35.9	32.8-39.0	416	27.7	24.8-30.6	4	0.3	0.0- 0.7
Less than \$15,000	242	30,860	88	29.7	22.1-37.3	85	39.4	30.8-48.0	62	27.6	19.8-35.4	7	3.3	0.2- 6.4
\$15,000- 24,999	505	58,542	181	28.6	23.3-33.9	162	33.4	27.5-39.3	151	33.5	27.4-39.6	11	4.5	1.2- 7.8
\$25,000- 34,999	406	48,174	144	33.0	26.9-39.1	155	40.6	33.7-47.5	102	25.1	19.0-31.2	5	1.3	0.0- 2.9
\$35,000- 49,999	649	70,042	246	34.5	29.4-39.6	207	31.3	26.4-36.2	187	30.7	25.6-35.8	9	3.5	0.8- 6.2
\$50,000- 74,999	737	86,000	260	35.8	31.3-40.3	255	34.2	29.7-38.7	217	29.3	25.0-33.6	5	0.7	0.0- 1.5
\$75,000+	1499	181,191	556	35.3	32.2-38.4	499	33.7	30.6-36.8	437	30.2	27.3-33.1	7	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2063	273,480	620	27.8	25.4-30.2	701	34.2	31.5-36.9	715	36.1	33.4-38.8	27	2.0	1.0- 3.0
Native	67	9,182	29	37.9	23.4-52.4	18	29.8	15.9-43.7	19	31.5	15.4-47.6	1	0.8	0.0- 2.4
Non-Native	1966	259,603	585	27.6	25.1-30.1	671	34.2	31.5-36.9	685	36.2	33.5-38.9	25	2.0	1.0- 3.0
18-24	132	43,974	34	23.3	15.5-31.1	52	36.7	27.5-45.9	42	36.8	27.0-46.6	4	3.2	0.0- 6.7
25-34	258	52,268	73	27.8	21.7-33.9	85	33.2	26.7-39.7	93	35.6	29.1-42.1	7	3.3	0.6- 6.0
35-44	217	40,798	56	25.5	18.8-32.2	82	35.3	28.0-42.6	77	38.0	30.6-45.4	2	1.2	0.0- 2.8
45-54	320	41,940	92	26.1	20.6-31.6	107	36.2	29.7-42.7	115	35.0	28.9-41.1	6	2.8	0.3- 5.3
55-64	482	45,616	143	30.4	25.5-35.3	156	31.6	26.9-36.3	181	37.7	32.6-42.8	2	0.2	0.0- 0.6
65+	644	47,694	215	31.8	27.7-35.9	218	33.2	28.9-37.5	205	34.1	29.6-38.6	6	0.9	0.0- 2.1
Less Than H.S.	146	28,552	46	23.5	15.7-31.3	43	25.6	17.2-34.0	53	46.8	36.0-57.6	4	4.1	0.0- 8.6
H.S. or G.E.D.	614	76,448	184	28.2	23.7-32.7	203	34.0	29.1-38.9	212	34.7	29.8-39.6	15	3.2	1.4- 5.0
Some Post-H.S.	633	103,065	200	29.9	25.6-34.2	212	34.6	29.9-39.3	215	33.9	29.4-38.4	6	1.7	0.1- 3.3
College Graduate	667	64,935	188	25.7	21.8-29.6	242	37.5	32.8-42.2	235	36.7	32.2-41.2	2	0.1	0.0- 0.3
Less than \$15,000	79	11,852	21	23.2	10.9-35.5	31	43.9	29.6-58.2	26	31.8	19.3-44.3	1	1.0	0.0- 3.0
\$15,000- 24,999	184	26,501	59	23.9	16.8-31.0	52	30.8	21.8-39.8	68	40.8	31.4-50.2	5	4.5	0.0- 9.2
\$25,000- 34,999	167	23,255	56	28.8	20.4-37.2	63	41.6	31.2-52.0	46	27.6	18.0-37.2	2	2.0	0.0- 4.9
\$35,000- 49,999	294	37,172	90	27.5	20.8-34.2	96	33.4	26.1-40.7	102	35.4	27.8-43.0	6	3.6	0.5- 6.7
\$50,000- 74,999	374	46,305	116	32.1	26.0-38.2	125	33.3	27.2-39.4	130	34.1	28.0-40.2	3	0.5	0.0- 1.1
\$75,000+	780	101,136	226	28.0	24.1-31.9	266	32.8	28.7-36.9	282	37.8	33.5-42.1	6	1.4	0.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	267,015	1061	39.0	36.5-41.5	877	35.2	32.7-37.7	592	23.8	21.4-26.2	26	2.0	1.0- 3.0
Native	83	10,861	30	38.7	24.6-52.8	34	41.8	27.7-55.9	17	17.8	7.6-28.0	2	1.7	0.0- 4.1
Non-Native	2454	253,732	1025	39.2	36.7-41.7	837	35.0	32.5-37.5	569	23.9	21.5-26.3	23	1.9	0.9- 2.9
18-24	108	38,609	31	26.1	17.5-34.7	47	43.8	33.8-53.8	27	25.6	16.8-34.4	3	4.5	0.0- 9.6
25-34	203	45,062	81	37.8	30.2-45.4	68	33.3	25.9-40.7	47	24.1	17.4-30.8	7	4.7	1.0- 8.4
35-44	254	38,836	118	45.6	38.2-53.0	77	31.1	24.2-38.0	57	22.0	15.7-28.3	2	1.3	0.0- 3.1
45-54	346	40,047	151	41.9	35.8-48.0	117	33.8	28.1-39.5	76	23.8	18.3-29.3	2	0.5	0.0- 1.3
55-64	600	45,010	237	38.4	33.9-42.9	195	32.7	28.2-37.2	164	28.2	23.9-32.5	4	0.8	0.0- 1.6
65+	1020	57,109	433	42.8	39.1-46.5	362	36.1	32.4-39.8	217	20.3	17.4-23.2	8	0.8	0.2- 1.4
Less Than H.S.	116	16,149	41	33.7	21.7-45.7	42	30.6	20.2-41.0	28	26.6	15.2-38.0	5	9.1	0.0-18.9
H.S. or G.E.D.	706	64,119	275	36.6	31.7-41.5	246	32.6	27.7-37.5	175	27.8	23.1-32.5	10	3.0	0.8- 5.2
Some Post-H.S.	880	114,745	353	37.2	32.9-41.5	315	37.8	33.5-42.1	203	23.5	19.8-27.2	9	1.5	0.1- 2.9
College Graduate	845	71,367	391	45.6	41.1-50.1	271	34.5	30.2-38.8	181	19.5	16.0-23.0	2	0.4	0.0- 1.0
Less than \$15,000	163	19,008	67	33.7	23.9-43.5	54	36.6	25.6-47.6	36	25.0	15.2-34.8	6	4.7	0.0- 9.6
\$15,000- 24,999	321	32,041	122	32.5	24.9-40.1	110	35.6	27.6-43.6	83	27.5	19.9-35.1	6	4.5	0.2- 8.8
\$25,000- 34,999	239	24,919	88	36.8	28.0-45.6	92	39.7	30.7-48.7	56	22.8	15.2-30.4	3	0.6	0.0- 1.4
\$35,000- 49,999	355	32,870	156	42.3	34.9-49.7	111	28.9	22.6-35.2	85	25.4	18.7-32.1	3	3.3	0.0- 7.8
\$50,000- 74,999	363	39,695	144	40.2	33.5-46.9	130	35.3	28.6-42.0	87	23.6	17.7-29.5	2	0.9	0.0- 2.3
\$75,000+	719	80,055	330	44.5	39.8-49.2	233	34.8	30.3-39.3	155	20.6	16.9-24.3	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	221
2 MALES ONLY	222
3 FEMALES ONLY	223
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	224
5 MALES ONLY	225
6 FEMALES ONLY	226
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	227
8 MALES ONLY	228
9 FEMALES ONLY	229
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	230
11 MALES ONLY	231
12 FEMALES ONLY	232
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	233
14 MALES ONLY	234
15 FEMALES ONLY	235
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	236
17 MALES ONLY	237
18 FEMALES ONLY	238

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
19	239
20	240
21	241
22	242
23	243
24	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4633	540,806	3328	73.2	71.4-75.0	1305	26.8	25.0-28.6
Male	2068	273,188	1466	71.8	69.3-74.3	602	28.2	25.7-30.7
Female	2565	267,619	1862	74.6	72.2-77.0	703	25.4	23.0-27.8
Native	151	20,416	108	71.0	61.0-81.0	43	29.0	19.0-39.0
Non-Native	4433	513,272	3183	73.2	71.4-75.0	1250	26.8	25.0-28.6
18-24	241	82,863	190	79.2	73.5-84.9	51	20.8	15.1-26.5
25-34	455	95,676	346	78.2	74.1-82.3	109	21.8	17.7-25.9
35-44	471	79,875	358	75.0	70.5-79.5	113	25.0	20.5-29.5
45-54	668	82,839	491	71.5	67.4-75.6	177	28.5	24.4-32.6
55-64	1081	90,422	780	70.0	66.7-73.3	301	30.0	26.7-33.3
65+	1682	105,538	1139	66.9	64.2-69.6	543	33.1	30.4-35.8
Less Than H.S.	268	45,055	166	61.4	53.4-69.4	102	38.6	30.6-46.6
H.S. or G.E.D.	1324	140,450	845	64.8	61.5-68.1	479	35.2	31.9-38.5
Some Post-H.S.	1514	217,713	1068	74.6	71.9-77.3	446	25.4	22.7-28.1
College Graduate	1515	136,474	1238	83.3	80.9-85.7	277	16.7	14.3-19.1
Less than \$15,000	243	31,476	161	68.6	60.6-76.6	82	31.4	23.4-39.4
\$15,000- 24,999	507	58,655	337	70.0	64.7-75.3	170	30.0	24.7-35.3
\$25,000- 34,999	405	47,826	258	65.8	59.5-72.1	147	34.2	27.9-40.5
\$35,000- 49,999	652	69,965	442	68.3	63.2-73.4	210	31.7	26.6-36.8
\$50,000- 74,999	737	85,698	549	75.9	72.0-79.8	188	24.1	20.2-28.0
\$75,000+	1497	180,641	1171	78.3	75.8-80.8	326	21.7	19.2-24.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2068	273,188	1466	71.8	69.3-74.3	602	28.2	25.7-30.7
Native	67	8,966	51	77.2	65.4-89.0	16	22.8	11.0-34.6
Non-Native	1971	259,526	1390	71.4	68.9-73.9	581	28.6	26.1-31.1
18-24	132	43,974	101	77.0	68.8-85.2	31	23.0	14.8-31.2
25-34	255	51,362	187	75.7	70.0-81.4	68	24.3	18.6-30.0
35-44	218	41,067	162	74.8	68.3-81.3	56	25.2	18.7-31.7
45-54	320	41,947	222	66.9	60.8-73.0	98	33.1	27.0-39.2
55-64	482	45,486	339	69.1	64.2-74.0	143	30.9	26.0-35.8
65+	650	47,806	448	67.5	63.2-71.8	202	32.5	28.2-36.8
Less Than H.S.	145	28,028	87	62.1	51.7-72.5	58	37.9	27.5-48.3
H.S. or G.E.D.	618	76,565	395	64.1	59.4-68.8	223	35.9	31.2-40.6
Some Post-H.S.	636	103,215	439	72.8	68.7-76.9	197	27.2	23.1-31.3
College Graduate	666	64,900	542	83.3	80.0-86.6	124	16.7	13.4-20.0
Less than \$15,000	79	12,008	59	77.7	66.5-88.9	20	22.3	11.1-33.5
\$15,000- 24,999	186	26,697	122	65.9	57.3-74.5	64	34.1	25.5-42.7
\$25,000- 34,999	168	22,997	108	64.4	54.8-74.0	60	35.6	26.0-45.2
\$35,000- 49,999	294	36,941	197	69.2	62.1-76.3	97	30.8	23.7-37.9
\$50,000- 74,999	373	45,985	261	71.2	65.7-76.7	112	28.8	23.3-34.3
\$75,000+	779	100,768	593	75.4	71.7-79.1	186	24.6	20.9-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2565	267,619	1862	74.6	72.2-77.0	703	25.4	23.0-27.8
Native	84	11,450	57	66.1	51.4-80.8	27	33.9	19.2-48.6
Non-Native	2462	253,746	1793	75.1	72.7-77.5	669	24.9	22.5-27.3
18-24	109	38,889	89	81.8	74.0-89.6	20	18.2	10.4-26.0
25-34	200	44,313	159	81.2	75.1-87.3	41	18.8	12.7-24.9
35-44	253	38,808	196	75.2	68.7-81.7	57	24.8	18.3-31.3
45-54	348	40,892	269	76.3	70.8-81.8	79	23.7	18.2-29.2
55-64	599	44,935	441	71.0	66.5-75.5	158	29.0	24.5-33.5
65+	1032	57,732	691	66.4	62.9-69.9	341	33.6	30.1-37.1
Less Than H.S.	123	17,027	79	60.3	47.8-72.8	44	39.7	27.2-52.2
H.S. or G.E.D.	706	63,885	450	65.8	61.1-70.5	256	34.2	29.5-38.9
Some Post-H.S.	878	114,498	629	76.1	72.6-79.6	249	23.9	20.4-27.4
College Graduate	849	71,574	696	83.4	80.1-86.7	153	16.6	13.3-19.9
Less than \$15,000	164	19,468	102	63.0	52.2-73.8	62	37.0	26.2-47.8
\$15,000- 24,999	321	31,958	215	73.4	66.9-79.9	106	26.6	20.1-33.1
\$25,000- 34,999	237	24,829	150	67.2	59.0-75.4	87	32.8	24.6-41.0
\$35,000- 49,999	358	33,023	245	67.3	60.2-74.4	113	32.7	25.6-39.8
\$50,000- 74,999	364	39,713	288	81.3	76.0-86.6	76	18.7	13.4-24.0
\$75,000+	718	79,874	578	81.9	78.6-85.2	140	18.1	14.8-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3135	372,583	592	23.4	21.2-25.6	1968	57.8	55.4-60.2	138	5.6	4.4- 6.8	39	1.1	0.7- 1.5	26	0.9	0.5- 1.3	372	11.2	9.8-12.6
Male	1378	184,967	299	26.2	23.1-29.3	767	48.9	45.4-52.4	116	9.5	7.3-11.7	15	1.1	0.3- 1.9	16	1.4	0.6- 2.2	165	12.9	10.5-15.3
Female	1757	187,616	293	20.7	18.0-23.4	1201	66.5	63.4-69.6	22	1.8	0.8- 2.8	24	1.0	0.4- 1.6	10	0.4	0.0- 0.8	207	9.6	8.0-11.2
Native	106	14,233	18	19.2	9.6-28.8	74	65.5	53.7-77.3	3	2.3	0.0- 5.2	2	1.2	0.0- 3.0				9	11.8	3.6-20.0
Non-Native	2994	352,958	568	23.7	21.5-25.9	1873	57.4	55.0-59.8	133	5.6	4.4- 6.8	37	1.1	0.7- 1.5	25	0.9	0.5- 1.3	358	11.2	9.8-12.6
18-24	182	63,385	68	35.4	27.8-43.0	71	43.2	35.2-51.2	16	8.7	4.0-13.4				2	1.1	0.0- 2.9	25	11.6	6.9-16.3
25-34	314	67,610	110	34.9	28.8-41.0	132	44.1	37.8-50.4	22	6.1	3.2- 9.0	4	1.1	0.0- 2.3	2	0.6	0.0- 1.4	44	13.2	9.1-17.3
35-44	339	56,139	74	22.1	17.0-27.2	185	54.1	47.8-60.4	25	8.8	4.9-12.7	6	2.0	0.0- 4.0	5	1.6	0.0- 3.2	44	11.4	7.9-14.9
45-54	472	56,814	95	19.9	15.6-24.2	300	63.1	58.0-68.2	22	4.8	2.6- 7.0	7	1.6	0.4- 2.8	1	0.2	0.0- 0.6	47	10.4	7.1-13.7
55-64	744	60,221	112	14.7	11.8-17.6	508	71.0	67.3-74.7	16	2.2	0.8- 3.6	9	0.9	0.1- 1.7	7	0.9	0.1- 1.7	92	10.2	8.0-12.4
65+	1061	66,167	130	12.3	9.9-14.7	756	71.9	68.8-75.0	37	3.4	2.2- 4.6	13	1.0	0.4- 1.6	8	0.7	0.1- 1.3	117	10.6	8.4-12.8
Less Than H.S.	150	25,550	15	12.0	4.7-19.3	115	76.7	67.7-85.7				3	2.5	0.0- 5.8	3	3.3	0.0- 7.6	14	5.6	2.3- 8.9
H.S. or G.E.D.	781	84,913	118	19.6	15.5-23.7	517	59.6	54.7-64.5	35	7.2	3.9-10.5	8	0.6	0.2- 1.0	7	1.1	0.1- 2.1	96	12.0	9.1-14.9
Some Post-H.S.	1017	153,380	177	23.7	20.0-27.4	660	58.7	54.6-62.8	40	5.2	3.2- 7.2	12	1.1	0.3- 1.9	3	0.2	0.0- 0.6	125	11.1	8.7-13.5
College Graduate	1177	107,717	278	28.4	24.9-31.9	671	50.9	47.2-54.6	63	6.4	4.6- 8.2	16	1.0	0.2- 1.8	13	1.1	0.3- 1.9	136	12.2	9.7-14.7
Less than \$15,000	146	19,309	22	23.6	12.6-34.6	107	64.4	52.8-76.0	2	2.7	0.0- 7.4	1	0.1	0.0- 0.3				14	9.3	3.4-15.2
\$15,000- 24,999	314	38,452	49	20.3	13.6-27.0	223	66.5	58.7-74.3	6	4.8	0.3- 9.3	4	1.0	0.0- 2.6	2	0.2	0.0- 0.4	30	7.3	3.6-11.0
\$25,000- 34,999	244	30,415	38	24.3	16.1-32.5	170	62.0	53.0-71.0	6	2.5	0.0- 5.2				1	0.1	0.0- 0.3	29	11.2	5.7-16.7
\$35,000- 49,999	414	44,934	76	24.4	18.1-30.7	265	56.5	49.6-63.4	19	7.7	2.8-12.6	7	0.8	0.0- 1.6	1	0.1	0.0- 0.3	46	10.5	6.6-14.4
\$50,000- 74,999	520	60,117	102	25.0	19.7-30.3	310	55.0	49.3-60.7	22	4.4	2.2- 6.6	8	1.6	0.0- 3.2	5	1.0	0.0- 2.0	73	13.0	9.5-16.5
\$75,000+	1109	133,855	242	23.5	20.4-26.6	634	54.3	50.6-58.0	76	8.0	5.8-10.2	13	1.3	0.5- 2.1	10	1.3	0.3- 2.3	134	11.6	9.2-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1378	184,967	299	26.2	23.1-29.3	767	48.9	45.4-52.4	116	9.5	7.3-11.7	15	1.1	0.3- 1.9	16	1.4	0.6- 2.2	165	12.9	10.5-15.3
Non-Native	1305	174,573	284	26.5	23.2-29.8	725	48.7	45.2-52.2	111	9.4	7.2-11.6	15	1.2	0.4- 2.0	15	1.4	0.4- 2.4	155	12.8	10.4-15.2
18-24	97	32,984	41	40.0	29.0-51.0	21	24.9	14.7-35.1	15	15.9	7.3-24.5				1	1.6	0.0- 4.7	19	17.6	9.6-25.6
25-34	171	35,522	57	33.8	26.0-41.6	59	34.9	26.9-42.9	20	10.3	5.2-15.4	4	2.1	0.0- 4.3	2	1.2	0.0- 2.8	29	17.7	11.2-24.2
35-44	152	28,836	38	24.9	17.1-32.7	68	46.9	37.7-56.1	20	12.9	6.8-19.0	3	2.1	0.0- 5.0	4	2.9	0.0- 6.0	19	10.3	5.4-15.2
45-54	212	26,800	50	25.7	18.4-33.0	118	53.9	45.9-61.9	15	6.2	2.9- 9.5	2	1.1	0.0- 2.7	1	0.4	0.0- 1.2	26	12.7	7.4-18.0
55-64	319	29,484	60	17.9	13.0-22.8	211	69.4	63.5-75.3	14	4.2	1.7- 6.7	2	0.6	0.0- 1.6	4	1.4	0.0- 3.0	28	6.5	3.8- 9.2
65+	420	30,387	51	11.6	8.3-14.9	286	68.9	63.8-74.0	32	6.9	4.4- 9.4	4	0.8	0.0- 1.8	3	0.5	0.0- 1.1	44	11.3	7.6-15.0
Less Than H.S.	80	16,095	8	13.9	3.1-24.7	61	73.2	60.3-86.1				2	3.3	0.0- 8.6	1	3.3	0.0- 9.6	8	6.3	1.4-11.2
H.S. or G.E.D.	363	45,789	65	24.5	18.2-30.8	220	49.8	42.9-56.7	28	10.5	5.2-15.8	3	0.2	0.0- 0.4	4	1.5	0.0- 3.3	43	13.5	8.8-18.2
Some Post-H.S.	415	71,289	86	26.4	20.7-32.1	232	48.4	42.5-54.3	33	9.7	5.8-13.6	7	1.4	0.4- 2.4	2	0.5	0.0- 1.1	55	13.6	9.5-17.7
College Graduate	517	51,315	138	30.9	25.8-36.0	253	41.3	36.2-46.4	55	11.5	8.2-14.8	3	0.9	0.0- 2.1	9	1.9	0.3- 3.5	59	13.4	9.5-17.3
Less than \$15,000	56	8,808	10	26.2	9.3-43.1	38	54.5	37.3-71.7	2	5.9	0.0-16.1							6	13.4	1.8-25.0
\$15,000- 24,999	114	16,381	17	22.4	11.2-33.6	79	61.5	49.3-73.7	5	6.9	0.0-13.8	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	10	8.5	2.2-14.8
\$25,000- 34,999	103	14,441	22	30.4	17.3-43.5	65	52.2	38.7-65.7	5	4.7	0.0-10.4							11	12.8	3.2-22.4
\$35,000- 49,999	180	23,644	37	24.3	15.7-32.9	104	49.4	39.6-59.2	17	13.6	4.8-22.4	2	0.6	0.0- 1.4				20	12.2	5.7-18.7
\$50,000- 74,999	245	30,216	53	29.4	21.4-37.4	133	44.8	37.0-52.6	17	7.0	3.1-10.9	4	2.6	0.0- 5.5	4	1.8	0.0- 3.8	34	14.3	8.8-19.8
\$75,000+	560	72,136	137	25.0	20.5-29.5	273	46.1	40.8-51.4	66	12.7	9.0-16.4	8	1.6	0.4- 2.8	8	2.2	0.2- 4.2	68	12.4	9.1-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1757	187,616	293	20.7	18.0-23.4	1201	66.5	63.4-69.6	22	1.8	0.8- 2.8	24	1.0	0.4- 1.6	10	0.4	0.0- 0.8	207	9.6	8.0-11.2
Native	57	7,565	6	7.8	0.9-14.7	46	80.8	67.9-93.7				2	2.3	0.0- 5.6				3	9.2	0.0-20.2
Non-Native	1689	178,385	284	21.0	18.1-23.9	1148	66.0	62.9-69.1	22	1.9	0.9- 2.9	22	1.0	0.4- 1.6	10	0.4	0.0- 0.8	203	9.7	8.1-11.3
18-24	85	30,401	27	30.5	20.1-40.9	50	63.0	52.2-73.8	1	0.8	0.0- 2.4				1	0.6	0.0- 1.8	6	5.0	0.9- 9.1
25-34	143	32,088	53	36.2	27.2-45.2	73	54.3	44.9-63.7	2	1.4	0.0- 3.6							15	8.1	3.8-12.4
35-44	187	27,303	36	19.2	12.5-25.9	117	61.6	53.2-70.0	5	4.6	0.0- 9.9	3	1.9	0.0- 4.3	1	0.3	0.0- 0.9	25	12.5	7.2-17.8
45-54	260	30,013	45	14.8	10.1-19.5	182	71.2	64.9-77.5	7	3.6	0.7- 6.5	5	2.0	0.2- 3.8				21	8.4	4.5-12.3
55-64	425	30,737	52	11.6	8.3-14.9	297	72.6	67.9-77.3	2	0.3	0.0- 0.7	7	1.3	0.3- 2.3	3	0.5	0.0- 1.1	64	13.8	10.5-17.1
65+	641	35,780	79	12.9	9.6-16.2	470	74.4	70.5-78.3	5	0.5	0.0- 1.1	9	1.2	0.2- 2.2	5	1.0	0.0- 2.0	73	10.1	7.6-12.6
Less Than H.S.	70	9,456	7	8.7	1.6-15.8	54	82.7	73.3-92.1				1	1.2	0.0- 3.6	2	3.2	0.0- 7.7	6	4.2	0.5- 7.9
H.S. or G.E.D.	418	39,125	53	13.8	9.1-18.5	297	71.0	64.7-77.3	7	3.4	0.0- 7.1	5	1.0	0.0- 2.0	3	0.6	0.0- 1.4	53	10.3	6.8-13.8
Some Post-H.S.	602	82,090	91	21.3	16.4-26.2	428	67.6	62.5-72.7	7	1.3	0.1- 2.5	5	0.9	0.0- 1.9	1	0.0	0.0- 0.0	70	8.9	6.4-11.4
College Graduate	660	56,402	140	26.0	21.3-30.7	418	59.6	54.7-64.5	8	1.7	0.3- 3.1	13	1.2	0.4- 2.0	4	0.3	0.0- 0.7	77	11.1	8.2-14.0
Less than \$15,000	90	10,501	12	21.4	7.1-35.7	69	72.7	58.4-87.0				1	0.2	0.0- 0.6				8	5.8	1.3-10.3
\$15,000- 24,999	200	22,071	32	18.7	10.5-26.9	144	70.2	60.0-80.4	1	3.1	0.0- 9.0	3	1.6	0.0- 4.3				20	6.4	2.1-10.7
\$25,000- 34,999	141	15,974	16	18.7	8.5-28.9	105	70.8	59.8-81.8	1	0.5	0.0- 1.5				1	0.1	0.0- 0.3	18	9.8	3.7-15.9
\$35,000- 49,999	234	21,290	39	24.5	15.3-33.7	161	64.5	55.3-73.7	2	1.1	0.0- 3.3	5	1.1	0.0- 2.3	1	0.2	0.0- 0.6	26	8.6	4.9-12.3
\$50,000- 74,999	275	29,900	49	20.5	13.8-27.2	177	65.3	58.0-72.6	5	1.7	0.0- 3.5	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6	39	11.6	7.3-15.9
\$75,000+	549	61,718	105	21.7	17.0-26.4	361	63.9	58.6-69.2	10	2.5	0.7- 4.3	5	1.0	0.0- 2.0	2	0.2	0.0- 0.4	66	10.8	7.7-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3239	384,908	1390	45.9	43.5-48.3	934	27.7	25.5-29.9	380	11.7	10.1-13.3	130	3.6	2.8- 4.4	405	11.1	9.7-12.5
Male	1430	191,286	593	44.5	41.2-47.8	387	25.9	23.0-28.8	203	13.4	11.2-15.6	67	4.0	2.8- 5.2	180	12.2	10.0-14.4
Female	1809	193,623	797	47.2	44.1-50.3	547	29.4	26.5-32.3	177	10.1	8.1-12.1	63	3.2	2.0- 4.4	225	10.1	8.3-11.9
Native	106	14,371	34	32.5	20.2-44.8	36	32.7	21.3-44.1	14	15.5	6.1-24.9	1	0.3	0.0- 0.9	21	19.1	9.5-28.7
Non-Native	3099	365,522	1343	46.4	44.0-48.8	893	27.7	25.5-29.9	358	11.6	10.0-13.2	127	3.8	3.0- 4.6	378	10.7	9.3-12.1
18-24	187	64,488	83	44.6	36.8-52.4	63	33.3	25.9-40.7	21	11.2	6.3-16.1	5	2.9	0.4- 5.4	15	8.0	3.7-12.3
25-34	333	71,852	177	55.6	49.5-61.7	79	23.2	18.1-28.3	50	13.1	9.2-17.0	7	2.0	0.2- 3.8	20	6.2	3.1- 9.3
35-44	353	58,709	187	52.2	45.9-58.5	79	23.2	18.1-28.3	46	12.6	8.5-16.7	14	4.1	1.6- 6.6	27	7.9	4.4-11.4
45-54	484	58,501	236	49.4	44.1-54.7	111	22.6	18.3-26.9	61	11.0	7.9-14.1	17	3.8	1.6- 6.0	59	13.3	9.6-17.0
55-64	768	62,220	318	39.6	35.5-43.7	214	27.9	24.2-31.6	89	11.3	8.8-13.8	35	4.6	2.8- 6.4	112	16.6	13.3-19.9
65+	1093	67,278	381	34.0	30.7-37.3	378	34.5	31.0-38.0	110	11.2	8.8-13.6	52	4.6	3.2- 6.0	172	15.7	13.2-18.2
Less Than H.S.	155	26,327	58	33.3	23.5-43.1	47	31.4	21.2-41.6	22	16.0	8.2-23.8	7	3.0	0.5- 5.5	21	16.2	7.8-24.6
H.S. or G.E.D.	811	87,267	300	38.1	33.6-42.6	255	31.6	27.1-36.1	112	14.0	10.9-17.1	35	4.5	2.5- 6.5	109	11.9	9.0-14.8
Some Post-H.S.	1045	158,388	461	47.3	43.4-51.2	288	26.4	22.9-29.9	114	10.9	8.5-13.3	38	3.7	2.1- 5.3	144	11.6	9.2-14.0
College Graduate	1219	111,929	566	52.7	49.2-56.2	343	25.7	22.6-28.8	131	10.1	8.1-12.1	49	3.0	2.0- 4.0	130	8.6	6.8-10.4
Less than \$15,000	150	20,538	60	39.0	28.0-50.0	49	35.7	24.9-46.5	15	8.8	3.1-14.5	4	3.3	0.0- 7.8	22	13.1	5.8-20.4
\$15,000- 24,999	322	39,475	128	43.9	35.9-51.9	96	26.2	19.3-33.1	31	11.9	6.2-17.6	19	5.6	1.9- 9.3	48	12.4	7.1-17.7
\$25,000- 34,999	252	31,074	97	48.3	39.5-57.1	89	29.0	21.2-36.8	27	9.2	4.7-13.7	11	3.2	0.1- 6.3	28	10.3	5.2-15.4
\$35,000- 49,999	434	47,123	182	44.5	37.8-51.2	128	28.3	22.2-34.4	49	13.5	8.8-18.2	15	2.3	0.9- 3.7	60	11.4	7.7-15.1
\$50,000- 74,999	546	64,452	234	45.3	39.8-50.8	156	27.4	22.5-32.3	65	12.1	8.6-15.6	24	3.7	1.9- 5.5	67	11.4	8.1-14.7
\$75,000+	1143	137,223	524	48.2	44.5-51.9	305	26.8	23.5-30.1	142	11.1	8.9-13.3	43	3.4	2.2- 4.6	129	10.5	8.1-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1430	191,286	593	44.5	41.2-47.8	387	25.9	23.0-28.8	203	13.4	11.2-15.6	67	4.0	2.8- 5.2	180	12.2	10.0-14.4
Native	50	6,877	12	31.1	10.7-51.5	17	32.5	16.2-48.8	7	13.6	2.2-25.0				14	22.8	10.1-35.5
Non-Native	1356	180,683	574	45.2	41.7-48.7	366	25.9	22.8-29.0	190	13.3	11.1-15.5	65	4.1	2.7- 5.5	161	11.4	9.2-13.6
18-24	100	33,636	47	47.6	36.6-58.6	33	32.8	22.2-43.4	9	8.0	2.5-13.5	2	2.4	0.0- 5.9	9	9.2	2.5-15.9
25-34	179	37,082	87	53.4	45.4-61.4	41	20.5	14.2-26.8	35	18.9	12.4-25.4	4	1.8	0.0- 3.8	12	5.4	2.1- 8.7
35-44	161	30,550	77	48.2	39.4-57.0	37	23.3	15.7-30.9	25	13.9	7.8-20.0	10	5.4	1.5- 9.3	12	9.2	3.1-15.3
45-54	218	27,719	103	48.0	40.2-55.8	37	17.6	11.3-23.9	35	12.9	8.2-17.6	8	4.2	0.7- 7.7	35	17.3	11.2-23.4
55-64	332	30,693	138	38.2	32.1-44.3	80	26.0	20.3-31.7	43	11.3	7.8-14.8	18	5.3	2.6- 8.0	53	19.2	13.7-24.7
65+	435	31,038	138	29.5	24.6-34.4	158	35.0	29.7-40.3	55	14.5	10.4-18.6	25	5.5	3.1- 7.9	59	15.5	11.2-19.8
Less Than H.S.	84	16,794	28	33.5	20.2-46.8	26	31.4	18.3-44.5	13	14.9	5.5-24.3	3	2.0	0.0- 4.4	14	18.3	7.3-29.3
H.S. or G.E.D.	383	47,831	141	39.6	33.1-46.1	112	30.7	24.2-37.2	58	12.7	8.8-16.6	18	4.7	1.8- 7.6	54	12.3	8.2-16.4
Some Post-H.S.	429	73,280	177	44.4	38.5-50.3	113	24.8	19.9-29.7	61	13.3	9.6-17.0	20	4.1	1.9- 6.3	58	13.4	9.5-17.3
College Graduate	531	52,901	245	52.4	47.1-57.7	136	21.7	17.6-25.8	71	13.7	10.2-17.2	26	3.8	2.0- 5.6	53	8.4	5.9-10.9
Less than \$15,000	56	8,930	21	48.0	31.1-64.9	20	30.5	16.0-45.0	7	8.7	1.1-16.3	2	2.3	0.0- 5.8	6	10.4	0.6-20.2
\$15,000- 24,999	118	17,006	55	50.2	38.0-62.4	31	23.1	13.3-32.9	13	8.8	3.3-14.3	5	6.0	0.0-13.1	14	11.9	2.9-20.9
\$25,000- 34,999	106	14,707	45	52.5	39.4-65.6	36	25.5	14.7-36.3	12	11.2	3.8-18.6	2	0.8	0.0- 2.0	11	10.0	3.5-16.5
\$35,000- 49,999	195	25,373	74	40.2	31.0-49.4	51	27.4	18.4-36.4	29	15.0	8.3-21.7	11	3.5	1.1- 5.9	30	13.9	7.8-20.0
\$50,000- 74,999	260	32,592	93	36.7	29.3-44.1	80	30.0	22.7-37.3	38	16.7	10.6-22.8	16	4.7	2.0- 7.4	33	11.8	6.9-16.7
\$75,000+	574	73,425	260	47.6	42.5-52.7	134	22.9	18.6-27.2	85	13.3	10.0-16.6	23	3.6	1.8- 5.4	72	12.6	9.1-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1809	193,623	797	47.2	44.1-50.3	547	29.4	26.5-32.3	177	10.1	8.1-12.1	63	3.2	2.0- 4.4	225	10.1	8.3-11.9
Native	56	7,494	22	33.8	18.7-48.9	19	32.8	16.9-48.7	7	17.2	2.9-31.5	1	0.5	0.0- 1.5	7	15.7	0.8-30.6
Non-Native	1743	184,838	769	47.5	44.2-50.8	527	29.4	26.5-32.3	168	9.8	7.8-11.8	62	3.4	2.2- 4.6	217	9.9	8.1-11.7
18-24	87	30,852	36	41.4	30.2-52.6	30	33.9	23.1-44.7	12	14.7	6.7-22.7	3	3.4	0.0- 7.3	6	6.6	1.1-12.1
25-34	154	34,770	90	57.8	48.8-66.8	38	26.1	18.1-34.1	15	6.9	3.0-10.8	3	2.2	0.0- 4.9	8	7.1	1.6-12.6
35-44	192	28,159	110	56.5	48.1-64.9	42	23.1	16.0-30.2	21	11.2	5.5-16.9	4	2.8	0.0- 5.9	15	6.5	3.0-10.0
45-54	266	30,782	133	50.6	43.5-57.7	74	27.0	20.9-33.1	26	9.2	5.3-13.1	9	3.5	0.8- 6.2	24	9.7	5.4-14.0
55-64	436	31,526	180	41.0	35.7-46.3	134	29.7	24.8-34.6	46	11.3	7.6-15.0	17	3.9	1.7- 6.1	59	14.1	10.4-17.8
65+	658	36,240	243	37.9	33.4-42.4	220	34.0	29.5-38.5	55	8.3	5.6-11.0	27	3.8	2.2- 5.4	113	15.9	12.8-19.0
Less Than H.S.	71	9,533	30	33.0	19.7-46.3	21	31.5	16.0-47.0	9	18.0	4.3-31.7	4	4.9	0.0-10.2	7	12.6	0.3-24.9
H.S. or G.E.D.	428	39,435	159	36.2	29.7-42.7	143	32.6	26.1-39.1	54	15.5	10.4-20.6	17	4.1	1.4- 6.8	55	11.4	7.5-15.3
Some Post-H.S.	616	85,109	284	49.8	44.5-55.1	175	27.8	23.1-32.5	53	9.0	5.9-12.1	18	3.4	1.2- 5.6	86	10.1	7.2-13.0
College Graduate	688	59,028	321	52.9	48.0-57.8	207	29.3	24.8-33.8	60	6.8	4.6- 9.0	23	2.2	1.2- 3.2	77	8.8	6.3-11.3
Less than \$15,000	94	11,608	39	32.1	19.0-45.2	29	39.7	24.6-54.8	8	8.9	0.9-16.9	2	4.1	0.0-11.7	16	15.2	4.6-25.8
\$15,000- 24,999	204	22,469	73	39.1	28.3-49.9	65	28.5	19.1-37.9	18	14.3	5.5-23.1	14	5.3	1.8- 8.8	34	12.7	6.2-19.2
\$25,000- 34,999	146	16,367	52	44.4	32.6-56.2	53	32.2	21.2-43.2	15	7.5	2.4-12.6	9	5.3	0.0-11.0	17	10.6	3.0-18.2
\$35,000- 49,999	239	21,750	108	49.5	40.3-58.7	77	29.2	21.2-37.2	20	11.7	5.0-18.4	4	1.0	0.0- 2.0	30	8.5	5.0-12.0
\$50,000- 74,999	286	31,860	141	54.1	46.5-61.7	76	24.7	18.0-31.4	27	7.5	4.0-11.0	8	2.7	0.2- 5.2	34	11.0	6.3-15.7
\$75,000+	569	63,798	264	49.0	43.7-54.3	171	31.2	26.3-36.1	57	8.5	5.8-11.2	20	3.2	1.4- 5.0	57	8.1	5.6-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3276	390,358	1680	48.9	46.5-51.3	446	13.7	12.1-15.3	26	0.6	0.2- 1.0	687	22.0	20.0-24.0	286	10.2	8.6-11.8	151	4.5	3.5- 5.5
Male	1444	193,408	693	43.6	40.3-46.9	157	11.7	9.3-14.1	11	0.7	0.1- 1.3	336	25.2	22.3-28.1	155	12.2	9.8-14.6	92	6.6	4.8- 8.4
Female	1832	196,950	987	54.1	51.0-57.2	289	15.7	13.3-18.1	15	0.5	0.1- 0.9	351	18.9	16.5-21.3	131	8.3	6.5-10.1	59	2.5	1.5- 3.5
Native	108	14,488	48	36.1	24.7-47.5	15	13.5	5.1-21.9				28	22.3	13.3-31.3	12	19.9	8.7-31.1	5	8.2	0.0-18.8
Non-Native	3133	370,483	1612	49.3	46.9-51.7	428	13.8	12.2-15.4	26	0.6	0.2- 1.0	654	22.2	20.2-24.2	270	9.8	8.2-11.4	143	4.4	3.4- 5.4
18-24	189	65,439	77	41.7	33.9-49.5	28	15.7	10.0-21.4				49	23.3	16.8-29.8	28	15.8	9.9-21.7	7	3.5	0.4- 6.6
25-34	337	72,998	155	47.9	41.8-54.0	36	10.8	7.1-14.5	1	0.3	0.0- 0.9	91	26.1	20.8-31.4	40	10.0	6.7-13.3	14	4.9	2.0- 7.8
35-44	354	58,959	167	47.6	41.3-53.9	55	14.9	10.6-19.2	3	1.2	0.0- 2.8	89	22.8	17.9-27.7	31	9.7	6.0-13.4	9	3.7	1.0- 6.4
45-54	488	58,908	240	46.6	41.3-51.9	82	16.0	12.1-19.9	3	0.4	0.0- 0.8	103	22.5	18.0-27.0	41	10.4	6.9-13.9	19	4.0	2.0- 6.0
55-64	772	62,693	405	53.7	49.6-57.8	120	15.2	12.3-18.1	6	0.7	0.0- 1.5	155	19.3	16.2-22.4	55	7.1	5.1- 9.1	31	3.9	2.3- 5.5
65+	1113	69,114	628	56.0	52.5-59.5	121	10.6	8.2-13.0	12	0.8	0.2- 1.4	194	17.7	15.0-20.4	90	8.3	6.3-10.3	68	6.6	4.6- 8.6
Less Than H.S.	160	27,012	95	52.7	42.1-63.3	11	8.7	2.4-15.0				29	17.5	10.2-24.8	16	13.6	6.0-21.2	9	7.6	0.5-14.7
H.S. or G.E.D.	827	89,803	435	50.2	45.5-54.9	76	7.8	5.4-10.2	3	0.2	0.0- 0.4	168	21.3	17.6-25.0	89	14.0	10.3-17.7	56	6.5	4.1- 8.9
Some Post-H.S.	1053	159,853	546	48.6	44.7-52.5	144	15.5	12.6-18.4	9	0.8	0.2- 1.4	212	21.6	18.3-24.9	98	9.7	7.3-12.1	44	3.8	2.4- 5.2
College Graduate	1225	112,637	602	47.7	44.2-51.2	212	16.8	14.3-19.3	14	0.9	0.3- 1.5	277	24.4	21.3-27.5	80	7.0	5.2- 8.8	40	3.3	1.9- 4.7
Less than \$15,000	156	21,209	96	56.3	45.5-67.1	13	10.0	3.3-16.7	1	0.8	0.0- 2.4	22	17.0	8.6-25.4	17	12.7	5.3-20.1	7	3.2	0.5- 5.9
\$15,000- 24,999	329	40,299	204	58.7	50.9-66.5	33	10.8	5.7-15.9	1	0.1	0.0- 0.3	52	14.6	9.3-19.9	26	11.8	6.5-17.1	13	4.0	0.5- 7.5
\$25,000- 34,999	253	31,170	140	52.5	43.7-61.3	21	7.3	3.4-11.2	1	0.1	0.0- 0.3	69	29.7	21.5-37.9	14	8.4	3.1-13.7	8	2.0	0.2- 3.8
\$35,000- 49,999	438	47,499	239	51.8	45.1-58.5	47	8.8	5.7-11.9	1	0.1	0.0- 0.3	89	21.7	16.4-27.0	38	11.2	6.3-16.1	24	6.4	3.1- 9.7
\$50,000- 74,999	544	64,274	269	47.9	42.4-53.4	84	17.7	13.2-22.2	5	0.3	0.0- 0.7	108	20.9	16.4-25.4	55	9.3	6.4-12.2	23	4.0	2.0- 6.0
\$75,000+	1157	139,184	533	44.2	40.5-47.9	196	16.5	13.8-19.2	11	0.8	0.2- 1.4	267	24.4	21.3-27.5	101	9.7	7.5-11.9	49	4.4	2.8- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1444	193,408	693	43.6	40.3-46.9	157	11.7	9.3-14.1	11	0.7	0.1- 1.3	336	25.2	22.3-28.1	155	12.2	9.8-14.6	92	6.6	4.8- 8.4
Native	51	6,924	24	35.3	19.2-51.4	3	8.6	0.0-20.0				16	29.2	13.9-44.5	5	11.6	0.8-22.4	3	15.4	0.0-35.8
Non-Native	1369	182,759	656	43.7	40.4-47.0	153	12.0	9.6-14.4	11	0.7	0.1- 1.3	316	25.2	22.1-28.3	147	12.1	9.7-14.5	86	6.2	4.6- 7.8
18-24	100	33,636	27	25.4	15.8-35.0	14	16.8	8.4-25.2				36	34.1	23.7-44.5	16	16.8	8.0-25.6	7	6.9	1.0-12.8
25-34	182	37,857	73	41.6	33.6-49.6	12	6.5	2.6-10.4	1	0.6	0.0- 1.8	53	29.3	21.9-36.7	31	15.1	9.6-20.6	12	6.9	2.6-11.2
35-44	160	30,449	76	49.0	40.0-58.0	19	12.8	6.7-18.9	2	2.2	0.0- 5.3	36	17.9	11.6-24.2	19	11.3	5.6-17.0	8	6.8	1.5-12.1
45-54	219	27,720	91	39.4	31.8-47.0	28	11.9	7.0-16.8	1	0.3	0.0- 0.9	63	30.9	23.5-38.3	25	12.4	7.1-17.7	11	5.1	1.8- 8.4
55-64	335	31,037	185	56.2	49.9-62.5	40	12.6	8.3-16.9	3	0.6	0.0- 1.4	62	17.9	13.2-22.6	26	7.6	4.5-10.7	19	5.1	2.6- 7.6
65+	441	31,757	238	51.8	46.1-57.5	43	10.0	6.3-13.7	4	0.5	0.0- 1.1	84	19.7	15.0-24.4	38	9.4	6.3-12.5	34	8.7	5.4-12.0
Less Than H.S.	85	17,035	44	43.6	30.1-57.1	9	13.0	3.2-22.8				17	20.4	9.8-31.0	11	17.0	5.8-28.2	4	6.0	0.0-15.0
H.S. or G.E.D.	387	48,406	192	43.5	37.0-50.0	24	5.7	2.6- 8.8	1	0.2	0.0- 0.6	90	25.4	19.7-31.1	47	15.8	10.3-21.3	33	9.4	5.3-13.5
Some Post-H.S.	432	73,920	208	43.3	37.6-49.0	46	13.4	9.1-17.7	4	1.0	0.0- 2.2	98	25.9	20.4-31.4	49	10.7	7.2-14.2	27	5.7	3.2- 8.2
College Graduate	537	53,567	248	44.3	39.0-49.6	77	14.1	10.6-17.6	6	1.0	0.0- 2.0	130	25.6	20.9-30.3	48	9.5	6.4-12.6	28	5.6	3.1- 8.1
Less than \$15,000	57	9,065	32	52.1	35.6-68.6	3	6.0	0.0-13.3				9	23.1	8.0-38.2	8	12.9	3.1-22.7	5	5.9	0.2-11.6
\$15,000- 24,999	120	17,375	66	48.3	36.3-60.3	12	15.6	5.6-25.6				28	22.9	12.9-32.9	9	9.5	3.0-16.0	5	3.6	0.0- 7.5
\$25,000- 34,999	105	14,668	51	42.3	29.4-55.2	6	4.2	0.1- 8.3				37	38.6	25.3-51.9	7	11.9	2.3-21.5	4	3.0	0.0- 6.3
\$35,000- 49,999	195	25,373	104	46.7	37.3-56.1	10	3.1	0.9- 5.3				39	23.8	15.8-31.8	24	15.8	7.4-24.2	18	10.5	4.6-16.4
\$50,000- 74,999	259	32,490	128	44.4	36.8-52.0	31	15.2	8.7-21.7	2	0.2	0.0- 0.6	53	22.3	15.6-29.0	33	12.9	7.8-18.0	12	5.0	1.7- 8.3
\$75,000+	583	74,450	247	40.1	35.2-45.0	82	14.6	10.9-18.3	7	1.1	0.1- 2.1	147	26.4	21.7-31.1	61	11.0	7.9-14.1	39	6.8	4.1- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1832	196,950	987	54.1	51.0-57.2	289	15.7	13.3-18.1	15	0.5	0.1- 0.9	351	18.9	16.5-21.3	131	8.3	6.5-10.1	59	2.5	1.5- 3.5
Native	57	7,565	24	36.9	20.8-53.0	12	18.0	5.8-30.2				12	15.9	6.1-25.7	7	27.4	9.6-45.2	2	1.7	0.0- 4.6
Non-Native	1764	187,724	956	54.7	51.6-57.8	275	15.6	13.2-18.0	15	0.6	0.2- 1.0	338	19.2	16.7-21.7	123	7.5	5.7- 9.3	57	2.5	1.5- 3.5
18-24	89	31,803	50	59.0	48.0-70.0	14	14.5	6.7-22.3				13	11.8	5.1-18.5	12	14.7	6.7-22.7			
25-34	155	35,141	82	54.7	45.7-63.7	24	15.4	8.9-21.9				38	22.7	15.4-30.0	9	4.6	1.5- 7.7	2	2.6	0.0- 6.3
35-44	194	28,510	91	46.1	37.7-54.5	36	17.1	11.0-23.2	1	0.2	0.0- 0.6	53	28.0	20.6-35.4	12	8.1	3.2-13.0	1	0.5	0.0- 1.5
45-54	269	31,189	149	53.0	45.9-60.1	54	19.6	13.9-25.3	2	0.5	0.0- 1.3	40	15.2	10.3-20.1	16	8.7	4.2-13.2	8	3.0	0.6- 5.4
55-64	437	31,657	220	51.4	45.9-56.9	80	17.7	13.6-21.8	3	0.8	0.0- 2.0	93	20.7	16.4-25.0	29	6.6	4.1- 9.1	12	2.8	1.2- 4.4
65+	672	37,357	390	59.6	55.1-64.1	78	11.0	8.3-13.7	8	1.1	0.3- 1.9	110	15.9	12.6-19.2	52	7.4	5.0- 9.8	34	4.9	2.9- 6.9
Less Than H.S.	75	9,977	51	68.4	54.1-82.7	2	1.2	0.0- 3.0				12	12.4	4.2-20.6	5	7.6	0.0-15.2	5	10.4	0.0-22.2
H.S. or G.E.D.	440	41,397	243	58.0	51.5-64.5	52	10.2	6.7-13.7	2	0.2	0.0- 0.6	78	16.6	12.1-21.1	42	11.9	7.4-16.4	23	3.1	1.7- 4.5
Some Post-H.S.	621	85,934	338	53.2	47.9-58.5	98	17.3	13.2-21.4	5	0.6	0.0- 1.2	114	17.9	14.0-21.8	49	8.9	5.8-12.0	17	2.1	0.9- 3.3
College Graduate	688	59,070	354	50.8	45.9-55.7	135	19.2	15.5-22.9	8	0.8	0.2- 1.4	147	23.3	19.0-27.6	32	4.8	2.6- 7.0	12	1.2	0.4- 2.0
Less than \$15,000	99	12,144	64	59.4	45.1-73.7	10	13.1	2.9-23.3	1	1.4	0.0- 4.1	13	12.4	3.6-21.2	9	12.5	1.9-23.1	2	1.2	0.0- 3.4
\$15,000- 24,999	209	22,924	138	66.6	56.6-76.6	21	7.1	2.6-11.6	1	0.2	0.0- 0.6	24	8.3	3.6-13.0	17	13.5	5.7-21.3	8	4.3	0.0- 9.6
\$25,000- 34,999	148	16,502	89	61.6	50.6-72.6	15	10.1	3.6-16.6	1	0.1	0.0- 0.3	32	21.8	12.6-31.0	7	5.3	0.6-10.0	4	1.1	0.0- 2.3
\$35,000- 49,999	243	22,126	135	57.7	49.1-66.3	37	15.2	9.3-21.1	1	0.2	0.0- 0.6	50	19.3	12.4-26.2	14	5.8	1.9- 9.7	6	1.8	0.2- 3.4
\$50,000- 74,999	285	31,784	141	51.4	43.8-59.0	53	20.2	13.9-26.5	3	0.5	0.0- 1.1	55	19.4	13.3-25.5	22	5.6	2.7- 8.5	11	2.9	0.7- 5.1
\$75,000+	574	64,734	286	48.9	43.6-54.2	114	18.6	14.3-22.9	4	0.5	0.0- 1.1	120	22.1	17.8-26.4	40	8.2	5.1-11.3	10	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1760	222,923	541	33.6	30.5-36.7	503	26.1	23.4-28.8	125	7.9	6.1- 9.7	52	2.8	1.8- 3.8	55	2.8	1.8- 3.8	484	26.9	24.2-29.6
Male	813	116,269	230	32.2	27.9-36.5	219	22.9	19.4-26.4	79	9.9	7.4-12.4	27	3.5	1.7- 5.3	38	4.3	2.5- 6.1	220	27.3	23.2-31.4
Female	947	106,654	311	35.3	31.0-39.6	284	29.5	25.4-33.6	46	5.6	3.6- 7.6	25	2.1	1.1- 3.1	17	1.1	0.3- 1.9	264	26.4	22.5-30.3
Non-Native	1697	214,385	528	33.8	30.7-36.9	485	26.1	23.4-28.8	119	7.6	5.8- 9.4	49	2.8	1.8- 3.8	54	2.8	1.8- 3.8	462	27.0	24.1-29.9
18-24	138	47,217	47	36.8	27.8-45.8	32	22.3	14.7-29.9	10	6.6	2.3-10.9	4	2.9	0.0- 6.0	3	2.9	0.0- 6.4	42	28.5	20.5-36.5
25-34	202	43,835	79	41.6	34.0-49.2	48	24.6	17.9-31.3	19	6.3	3.2- 9.4	3	1.5	0.0- 3.5	7	2.1	0.3- 3.9	46	23.9	17.2-30.6
35-44	207	34,513	54	28.7	21.1-36.3	55	25.3	18.4-32.2	30	15.4	9.5-21.3	11	3.2	1.0- 5.4	1	0.8	0.0- 2.4	56	26.7	19.4-34.0
45-54	279	34,482	79	31.5	24.8-38.2	74	24.5	18.8-30.2	16	7.9	3.8-12.0	12	4.5	1.8- 7.2	10	4.3	1.4- 7.2	88	27.2	21.1-33.3
55-64	393	29,831	117	31.2	25.7-36.7	110	26.6	21.7-31.5	21	5.7	3.0- 8.4	10	2.6	0.6- 4.6	10	2.4	0.8- 4.0	125	31.6	26.3-36.9
65+	530	31,948	163	28.5	24.0-33.0	180	35.9	31.0-40.8	29	5.9	3.5- 8.3	12	2.6	0.6- 4.6	23	4.2	2.2- 6.2	123	23.0	18.7-27.3
Less Than H.S.	55	9,475	17	48.3	29.5-67.1	23	29.7	15.2-44.2	3	8.6	0.0-19.8	2	3.5	0.0- 8.4	3	2.5	0.0- 5.4	7	7.4	0.9-13.9
H.S. or G.E.D.	381	46,429	124	37.8	30.7-44.9	124	26.4	20.9-31.9	20	4.6	2.1- 7.1	10	2.4	0.4- 4.4	8	2.2	0.0- 4.4	95	26.7	20.4-33.0
Some Post-H.S.	560	94,759	178	31.8	26.9-36.7	141	24.6	19.9-29.3	41	8.0	5.1-10.9	23	4.0	2.0- 6.0	23	3.2	1.4- 5.0	154	28.3	23.6-33.0
College Graduate	758	71,508	221	31.6	27.3-35.9	212	27.3	23.4-31.2	61	9.7	7.0-12.4	17	1.5	0.7- 2.3	21	2.6	1.0- 4.2	226	27.3	23.2-31.4
Less than \$15,000	66	10,397	26	38.4	22.3-54.5	24	35.4	19.7-51.1	3	6.2	0.0-13.6				2	4.2	0.0-10.3	11	15.8	1.9-29.7
\$15,000- 24,999	143	19,837	43	27.4	16.6-38.2	43	27.2	17.6-36.8	11	11.0	3.2-18.8	5	1.1	0.0- 2.3	9	6.5	0.0-13.2	32	26.7	16.1-37.3
\$25,000- 34,999	128	17,044	45	40.4	28.2-52.6	37	19.6	11.6-27.6	6	8.5	0.9-16.1	4	2.4	0.0- 5.1	4	2.3	0.0- 5.2	32	27.0	16.2-37.8
\$35,000- 49,999	225	26,625	78	42.0	32.4-51.6	66	25.4	18.0-32.8	5	1.2	0.0- 2.4	10	5.0	0.1- 9.9	5	1.4	0.0- 2.8	61	25.0	17.6-32.4
\$50,000- 74,999	309	38,737	79	26.5	19.8-33.2	94	31.9	24.8-39.0	30	8.7	5.2-12.2	3	0.7	0.0- 1.7	13	3.3	1.1- 5.5	90	29.0	22.1-35.9
\$75,000+	693	85,642	208	33.6	29.1-38.1	181	24.3	20.2-28.4	56	9.0	6.3-11.7	22	2.9	1.5- 4.3	16	1.8	0.8- 2.8	210	28.3	24.0-32.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	813	116,269	230	32.2	27.9-36.5	219	22.9	19.4-26.4	79	9.9	7.4-12.4	27	3.5	1.7- 5.3	38	4.3	2.5- 6.1	220	27.3	23.2-31.4
Non-Native	774	110,455	219	31.7	27.2-36.2	212	23.4	19.7-27.1	76	9.7	7.0-12.4	25	3.4	1.6- 5.2	37	4.3	2.3- 6.3	205	27.5	23.4-31.6
18-24	77	25,663	25	34.6	22.3-46.9	13	14.1	5.7-22.5	7	9.2	1.9-16.5	3	3.9	0.0- 9.0	2	4.4	0.0-10.3	27	33.8	22.2-45.4
25-34	107	22,941	44	43.9	33.3-54.5	19	20.1	11.5-28.7	10	5.9	2.0- 9.8	3	2.9	0.0- 6.6	7	3.9	0.6- 7.2	24	23.2	14.4-32.0
35-44	100	19,749	24	29.6	18.6-40.6	27	23.7	14.5-32.9	18	15.6	8.0-23.2	4	2.4	0.0- 4.9	1	1.4	0.0- 4.1	26	27.4	17.0-37.8
45-54	125	17,033	29	25.6	16.2-35.0	29	21.2	13.2-29.2	11	12.5	4.9-20.1	6	5.1	0.6- 9.6	9	8.1	2.4-13.8	41	27.4	18.2-36.6
55-64	167	14,665	54	33.7	25.1-42.3	48	26.4	18.8-34.0	13	7.9	2.8-13.0	3	2.0	0.0- 4.4	6	3.2	0.5- 5.9	43	26.7	18.9-34.5
65+	233	15,740	53	20.1	14.4-25.8	82	39.4	32.0-46.8	20	8.8	4.5-13.1	8	4.6	0.7- 8.5	13	5.3	2.2- 8.4	57	21.8	16.1-27.5
H.S. or G.E.D.	178	26,009	53	35.5	25.5-45.5	53	23.0	15.7-30.3	11	6.1	1.8-10.4	4	1.6	0.0- 3.4	6	3.2	0.0- 6.9	51	30.6	21.4-39.8
Some Post-H.S.	247	47,141	70	30.5	23.4-37.6	54	19.0	13.1-24.9	24	10.1	5.6-14.6	13	5.8	2.1- 9.5	15	5.5	2.0- 9.0	71	29.2	22.1-36.3
College Graduate	352	36,083	96	29.1	23.0-35.2	98	27.3	21.6-33.0	42	12.3	8.2-16.4	8	1.5	0.3- 2.7	15	3.8	1.3- 6.3	93	26.0	20.1-31.9
\$15,000- 24,999	55	8,912	17	25.6	10.1-41.1	14	18.7	7.7-29.7	4	11.0	0.0-22.4	2	1.6	0.0- 4.0	4	12.5	0.0-26.6	14	30.6	14.5-46.7
\$25,000- 34,999	60	9,005	13	26.8	10.7-42.9	19	20.9	8.9-32.9	5	12.9	0.0-25.8	2	3.7	0.0- 8.8	3	3.6	0.0- 8.9	18	32.1	16.4-47.8
\$35,000- 49,999	96	13,642	30	39.5	25.0-54.0	25	20.3	10.5-30.1	4	1.8	0.0- 3.8	5	7.9	0.0-17.1	2	0.9	0.0- 2.3	30	29.6	17.8-41.4
\$50,000- 74,999	154	21,183	36	23.4	14.6-32.2	49	35.9	25.7-46.1	21	10.9	5.6-16.2	2	0.9	0.0- 2.3	10	4.2	1.3- 7.1	36	24.7	15.5-33.9
\$75,000+	353	46,491	102	34.1	27.6-40.6	92	21.6	16.5-26.7	35	10.8	6.5-15.1	11	2.9	1.1- 4.7	13	2.9	0.9- 4.9	100	27.8	21.7-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	947	106,654	311	35.3	31.0-39.6	284	29.5	25.4-33.6	46	5.6	3.6- 7.6	25	2.1	1.1- 3.1	17	1.1	0.3- 1.9	264	26.4	22.5-30.3
Non-Native	923	103,930	309	36.0	31.7-40.3	273	28.9	24.8-33.0	43	5.4	3.4- 7.4	24	2.2	1.0- 3.4	17	1.1	0.3- 1.9	257	26.4	22.5-30.3
18-24	61	21,555	22	39.4	26.1-52.7	19	32.0	19.3-44.7	3	3.6	0.0- 7.9	1	1.6	0.0- 4.7	1	1.3	0.0- 3.7	15	22.1	11.1-33.1
25-34	95	20,894	35	39.1	27.7-50.5	29	29.5	19.3-39.7	9	6.7	2.0-11.4							22	24.7	14.5-34.9
35-44	107	14,765	30	27.5	17.5-37.5	28	27.4	17.2-37.6	12	15.1	5.9-24.3	7	4.3	1.0- 7.6				30	25.7	15.7-35.7
45-54	154	17,450	50	37.3	28.1-46.5	45	27.8	19.6-36.0	5	3.4	0.3- 6.5	6	4.0	0.5- 7.5	1	0.6	0.0- 1.8	47	27.0	19.2-34.8
55-64	226	15,167	63	28.8	22.1-35.5	62	26.8	20.5-33.1	8	3.5	1.0- 6.0	7	3.1	0.4- 5.8	4	1.6	0.0- 3.2	82	36.2	29.1-43.3
65+	297	16,208	110	36.6	29.7-43.5	98	32.5	26.2-38.8	9	3.1	0.9- 5.3	4	0.7	0.0- 1.5	10	3.1	0.7- 5.5	66	24.1	17.8-30.4
H.S. or G.E.D.	203	20,419	71	40.7	30.7-50.7	71	30.6	22.2-39.0	9	2.7	0.7- 4.7	6	3.4	0.0- 7.1	2	0.8	0.0- 2.2	44	21.7	13.7-29.7
Some Post-H.S.	313	47,618	108	33.2	26.1-40.3	87	30.3	23.2-37.4	17	6.0	2.5- 9.5	10	2.3	0.7- 3.9	8	0.9	0.3- 1.5	83	27.4	20.9-33.9
College Graduate	406	35,425	125	34.1	27.8-40.4	114	27.4	21.9-32.9	19	7.0	3.5-10.5	9	1.4	0.4- 2.4	6	1.4	0.0- 3.0	133	28.7	23.0-34.4
\$15,000- 24,999	88	10,924	26	28.9	14.2-43.6	29	34.1	19.8-48.4	7	11.0	0.2-21.8	3	0.7	0.0- 1.5	5	1.7	0.1- 3.3	18	23.6	9.3-37.9
\$25,000- 34,999	68	8,039	32	55.6	38.9-72.3	18	18.1	7.5-28.7	1	3.5	0.0-10.2	2	0.9	0.0- 2.3	1	0.8	0.0- 2.4	14	21.2	6.9-35.5
\$35,000- 49,999	129	12,982	48	44.5	32.0-57.0	41	30.8	19.6-42.0	1	0.6	0.0- 1.8	5	2.1	0.0- 4.3	3	1.9	0.0- 4.4	31	20.1	11.3-28.9
\$50,000- 74,999	155	17,554	43	30.3	20.5-40.1	45	27.0	17.8-36.2	9	6.0	1.3-10.7	1	0.5	0.0- 1.5	3	2.1	0.0- 5.2	54	34.1	23.9-44.3
\$75,000+	340	39,151	106	33.1	26.6-39.6	89	27.6	21.1-34.1	21	6.9	3.6-10.2	11	3.0	1.0- 5.0	3	0.6	0.0- 1.2	110	28.9	22.8-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2233	268,027	1125	52.1	49.4-54.8	361	15.3	13.3-17.3	489	23.0	20.6-25.4	67	2.6	1.8- 3.4	191	7.0	5.6- 8.4
Male	953	131,575	470	51.4	47.3-55.5	126	12.5	9.8-15.2	244	25.6	22.1-29.1	38	3.5	1.9- 5.1	75	6.9	4.9- 8.9
Female	1280	136,451	655	52.7	49.0-56.4	235	17.9	15.0-20.8	245	20.6	17.5-23.7	29	1.8	1.0- 2.6	116	7.0	5.2- 8.8
Native	62	7,972	27	37.2	21.7-52.7	10	15.4	4.4-26.4	12	30.4	12.0-48.8	4	4.3	0.0- 8.6	9	12.8	3.8-21.8
Non-Native	2153	257,402	1089	52.5	49.6-55.4	350	15.3	13.3-17.3	473	22.8	20.4-25.2	62	2.6	1.8- 3.4	179	6.8	5.4- 8.2
18-24	148	51,311	86	57.7	48.9-66.5	24	14.9	8.8-21.0	26	19.6	12.2-27.0	5	2.7	0.2- 5.2	7	5.1	1.2- 9.0
25-34	237	50,311	135	57.1	50.0-64.2	31	13.8	8.7-18.9	55	24.4	18.1-30.7	3	1.0	0.0- 2.4	13	3.6	1.4- 5.8
35-44	251	40,797	129	50.1	42.8-57.4	40	16.2	10.9-21.5	60	24.1	18.0-30.2	5	1.9	0.0- 4.4	17	7.7	3.6-11.8
45-54	323	39,829	150	46.5	40.0-53.0	48	15.6	10.9-20.3	89	26.9	21.2-32.6	16	5.5	2.4- 8.6	20	5.6	2.9- 8.3
55-64	514	40,343	267	51.9	46.8-57.0	69	12.6	9.5-15.7	116	23.6	19.1-28.1	17	2.9	1.5- 4.3	45	9.0	6.1-11.9
65+	746	44,199	348	46.3	42.0-50.6	148	19.0	15.7-22.3	141	20.6	17.1-24.1	20	2.1	1.1- 3.1	89	12.0	9.3-14.7
Less Than H.S.	86	12,875	35	43.4	28.9-57.9	18	15.8	6.4-25.2	20	27.6	13.3-41.9	2	1.8	0.0- 4.3	11	11.3	3.3-19.3
H.S. or G.E.D.	511	57,424	226	47.3	41.2-53.4	88	14.6	10.7-18.5	121	24.8	19.5-30.1	17	3.4	1.4- 5.4	59	10.0	6.7-13.3
Some Post-H.S.	727	113,960	373	51.5	46.8-56.2	124	16.5	13.0-20.0	155	23.4	19.3-27.5	19	2.6	1.0- 4.2	56	6.1	3.9- 8.3
College Graduate	903	83,150	488	57.4	53.3-61.5	130	13.9	11.0-16.8	192	20.8	17.5-24.1	28	2.4	1.2- 3.6	65	5.6	3.8- 7.4
Less than \$15,000	90	13,419	39	57.2	43.3-71.1	24	16.8	7.8-25.8	15	19.3	7.7-30.9	3	2.5	0.0- 5.8	9	4.1	0.8- 7.4
\$15,000- 24,999	202	24,249	90	55.9	46.1-65.7	35	12.3	7.4-17.2	45	22.4	14.0-30.8	7	1.7	0.3- 3.1	25	7.7	3.8-11.6
\$25,000- 34,999	168	19,723	79	47.8	37.0-58.6	35	18.2	10.4-26.0	37	24.3	15.1-33.5	6	2.2	0.2- 4.2	11	7.5	0.6-14.4
\$35,000- 49,999	294	32,394	150	51.8	43.6-60.0	51	15.8	9.9-21.7	57	20.8	14.1-27.5	3	0.5	0.0- 1.1	33	11.1	6.4-15.8
\$50,000- 74,999	394	47,899	201	47.1	40.6-53.6	53	16.7	11.4-22.0	89	24.8	18.9-30.7	17	4.8	1.9- 7.7	34	6.7	3.8- 9.6
\$75,000+	835	101,899	448	54.1	49.8-58.4	125	15.0	11.9-18.1	184	22.5	19.0-26.0	23	2.4	1.0- 3.8	55	5.9	3.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	953	131,575	470	51.4	47.3-55.5	126	12.5	9.8-15.2	244	25.6	22.1-29.1	38	3.5	1.9- 5.1	75	6.9	4.9- 8.9
Non-Native	906	124,933	449	51.9	47.6-56.2	121	12.7	10.0-15.4	235	25.4	21.9-28.9	33	3.4	1.8- 5.0	68	6.6	4.4- 8.8
18-24	80	27,013	43	55.8	43.6-68.0	15	15.4	7.2-23.6	15	20.4	10.0-30.8	3	3.1	0.0- 6.8	4	5.2	0.0-10.9
25-34	126	26,483	69	58.1	48.5-67.7	16	11.6	5.7-17.5	32	24.6	16.2-33.0	3	2.0	0.0- 4.5	6	3.8	0.7- 6.9
35-44	109	20,895	53	49.2	38.2-60.2	16	14.0	6.7-21.3	30	25.8	16.6-35.0	4	3.3	0.0- 8.0	6	7.7	1.0-14.4
45-54	142	18,580	71	48.3	38.7-57.9	13	9.6	3.9-15.3	41	28.8	20.2-37.4	9	7.5	2.0-13.0	8	5.8	1.3-10.3
55-64	205	18,481	99	48.3	40.3-56.3	23	10.8	5.9-15.7	55	29.1	21.7-36.5	10	3.7	1.3- 6.1	18	8.2	3.9-12.5
65+	287	19,644	132	44.2	37.5-50.9	43	13.0	8.9-17.1	71	28.0	21.7-34.3	8	2.2	0.6- 3.8	33	12.7	8.0-17.4
H.S. or G.E.D.	226	31,029	100	49.6	40.8-58.4	35	16.0	9.7-22.3	62	24.4	17.1-31.7	8	2.8	0.4- 5.2	21	7.1	3.6-10.6
Some Post-H.S.	298	53,288	153	52.3	45.2-59.4	34	10.7	6.6-14.8	76	25.6	19.5-31.7	12	4.3	1.4- 7.2	23	7.2	3.5-10.9
College Graduate	383	38,800	201	54.9	48.8-61.0	47	11.4	7.5-15.3	94	24.8	19.5-30.1	17	3.6	1.4- 5.8	24	5.3	2.8- 7.8
\$15,000- 24,999	68	9,875	31	51.9	36.0-67.8	8	9.7	2.1-17.3	19	31.3	16.0-46.6	4	2.1	0.0- 4.5	6	5.1	1.0- 9.2
\$25,000- 34,999	70	9,204	32	54.9	39.4-70.4	13	14.7	5.3-24.1	17	20.5	9.3-31.7	3	2.9	0.0- 6.4	5	7.0	0.0-15.6
\$35,000- 49,999	123	16,700	60	52.1	39.9-64.3	15	15.6	6.2-25.0	27	16.5	8.7-24.3	1	0.4	0.0- 1.2	20	15.3	7.1-23.5
\$50,000- 74,999	179	24,169	82	44.4	34.8-54.0	23	13.5	7.0-20.0	50	28.4	19.8-37.0	11	5.9	1.2-10.6	13	7.9	2.8-13.0
\$75,000+	403	52,941	211	52.1	45.8-58.4	53	12.5	8.4-16.6	103	26.5	21.0-32.0	14	3.5	1.0- 6.0	22	5.4	2.3- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1280	136,451	655	52.7	49.0-56.4	235	17.9	15.0-20.8	245	20.6	17.5-23.7	29	1.8	1.0- 2.6	116	7.0	5.2- 8.8
Non-Native	1247	132,468	640	53.1	49.2-57.0	229	17.8	14.9-20.7	238	20.4	17.1-23.7	29	1.8	1.0- 2.6	111	6.9	5.1- 8.7
18-24	68	24,298	43	59.9	47.2-72.6	9	14.3	5.1-23.5	11	18.6	8.2-29.0	2	2.4	0.0- 5.7	3	4.9	0.0-10.6
25-34	111	23,828	66	56.1	45.3-66.9	15	16.3	7.9-24.7	23	24.1	14.5-33.7				7	3.5	0.8- 6.2
35-44	142	19,902	76	51.0	41.2-60.8	24	18.5	10.9-26.1	30	22.2	14.0-30.4	1	0.5	0.0- 1.5	11	7.7	3.0-12.4
45-54	181	21,249	79	45.0	36.6-53.4	35	20.8	13.7-27.9	48	25.2	17.9-32.5	7	3.7	0.6- 6.8	12	5.3	2.2- 8.4
55-64	309	21,862	168	54.9	48.4-61.4	46	14.2	9.9-18.5	61	19.0	13.7-24.3	7	2.2	0.4- 4.0	27	9.7	5.6-13.8
65+	459	24,555	216	48.0	42.5-53.5	105	23.8	19.1-28.5	70	14.6	10.9-18.3	12	2.0	0.6- 3.4	56	11.5	8.0-15.0
H.S. or G.E.D.	285	26,395	126	44.6	36.2-53.0	53	12.8	8.7-16.9	59	25.2	17.4-33.0	9	4.0	0.7- 7.3	38	13.4	7.5-19.3
Some Post-H.S.	429	60,672	220	50.7	44.2-57.2	90	21.6	16.3-26.9	79	21.5	16.0-27.0	7	1.1	0.1- 2.1	33	5.1	3.1- 7.1
College Graduate	520	44,350	287	59.6	54.1-65.1	83	16.1	11.8-20.4	98	17.3	13.2-21.4	11	1.3	0.5- 2.1	41	5.8	3.6- 8.0
Less than \$15,000	57	7,370	25	56.6	38.2-75.0	19	23.6	9.3-37.9	5	12.1	0.0-26.0	2	1.8	0.0- 4.3	6	5.8	0.1-11.5
\$15,000- 24,999	134	14,374	59	58.6	46.6-70.6	27	14.1	7.6-20.6	26	16.3	7.1-25.5	3	1.4	0.0- 3.4	19	9.6	3.7-15.5
\$25,000- 34,999	98	10,519	47	41.7	27.8-55.6	22	21.2	9.2-33.2	20	27.7	13.6-41.8	3	1.5	0.0- 3.7	6	7.9	0.0-18.3
\$35,000- 49,999	171	15,694	90	51.4	40.6-62.2	36	15.9	9.4-22.4	30	25.4	14.8-36.0	2	0.5	0.0- 1.5	13	6.7	2.6-10.8
\$50,000- 74,999	215	23,730	119	49.9	40.9-58.9	30	19.9	11.7-28.1	39	21.2	13.4-29.0	6	3.6	0.1- 7.1	21	5.4	2.9- 7.9
\$75,000+	432	48,958	237	56.3	50.2-62.4	72	17.7	12.6-22.8	81	18.3	13.8-22.8	9	1.2	0.4- 2.0	33	6.4	3.9- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2241	268,369	1101	46.5	43.8-49.2	218	11.0	9.0-13.0	8	0.4	0.0- 0.8	494	24.1	21.6-26.6	278	12.2	10.2-14.2	142	5.6	4.4- 6.8
Male	952	131,447	435	42.0	37.9-46.1	93	12.3	9.2-15.4	5	0.5	0.0- 1.1	216	24.4	20.7-28.1	129	14.1	11.0-17.2	74	6.8	5.0- 8.6
Female	1289	136,922	666	50.9	47.2-54.6	125	9.9	7.5-12.3	3	0.4	0.0- 1.0	278	23.8	20.5-27.1	149	10.5	8.3-12.7	68	4.5	3.1- 5.9
Native	62	7,972	27	38.0	22.5-53.5	6	9.3	0.0-18.7				10	13.4	3.8-23.0	14	31.4	13.6-49.2	5	7.9	0.0-16.5
Non-Native	2161	257,496	1064	46.8	43.9-49.7	209	11.0	9.0-13.0	8	0.5	0.1- 0.9	480	24.4	21.9-26.9	264	11.8	10.0-13.6	136	5.5	4.3- 6.7
18-24	149	51,405	52	34.4	26.2-42.6	18	13.9	7.4-20.4	2	1.2	0.0- 3.2	50	32.3	24.1-40.5	23	16.7	9.8-23.6	4	1.4	0.0- 3.0
25-34	237	50,311	121	54.2	47.1-61.3	33	14.6	9.5-19.7				46	18.9	13.2-24.6	24	8.0	4.5-11.5	13	4.3	1.6- 7.0
35-44	252	40,821	114	45.1	37.8-52.4	22	8.0	4.1-11.9				76	31.7	24.6-38.8	29	10.8	6.5-15.1	11	4.4	1.7- 7.1
45-54	322	39,772	164	47.7	41.2-54.2	29	9.5	5.4-13.6	2	0.3	0.0- 0.7	67	20.9	15.6-26.2	32	10.7	6.8-14.6	28	10.9	6.6-15.2
55-64	517	40,672	261	48.1	43.0-53.2	52	10.5	7.2-13.8	2	0.2	0.0- 0.6	105	20.3	16.4-24.2	68	14.1	10.4-17.8	29	6.7	3.8- 9.6
65+	750	44,150	382	50.7	46.4-55.0	61	8.3	5.9-10.7	2	0.7	0.0- 1.9	147	19.8	16.5-23.1	101	12.9	10.2-15.6	57	7.6	5.4- 9.8
Less Than H.S.	85	12,692	39	38.4	24.9-51.9	7	16.1	2.6-29.6				14	16.9	5.7-28.1	14	20.3	7.0-33.6	11	8.4	2.7-14.1
H.S. or G.E.D.	514	57,394	240	44.1	38.0-50.2	44	10.7	6.2-15.2	1	0.3	0.0- 0.9	120	25.4	19.9-30.9	69	13.8	9.5-18.1	40	5.7	3.5- 7.9
Some Post-H.S.	730	114,148	344	46.4	41.7-51.1	69	10.0	7.3-12.7	2	0.6	0.0- 1.6	158	23.3	19.2-27.4	105	13.3	10.2-16.4	52	6.4	4.2- 8.6
College Graduate	903	83,147	476	50.0	45.9-54.1	96	11.9	9.0-14.8	5	0.3	0.0- 0.7	201	25.5	21.8-29.2	87	8.4	6.2-10.6	38	3.9	2.5- 5.3
Less than \$15,000	91	13,529	42	46.4	32.1-60.7	6	7.0	0.3-13.7	1	3.4	0.0-10.1	24	27.6	14.7-40.5	9	6.3	0.2-12.4	9	9.3	2.4-16.2
\$15,000- 24,999	201	24,154	91	39.6	30.0-49.2	24	16.3	8.3-24.3	1	0.7	0.0- 2.1	41	23.2	14.6-31.8	31	15.7	8.1-23.3	13	4.5	1.2- 7.8
\$25,000- 34,999	169	19,745	93	54.2	43.4-65.0	14	7.0	2.5-11.5				30	17.3	8.9-25.7	17	13.5	5.1-21.9	15	8.1	2.8-13.4
\$35,000- 49,999	292	32,023	154	52.1	43.9-60.3	28	13.2	6.1-20.3				59	20.5	13.8-27.2	34	9.6	5.3-13.9	17	4.6	2.1- 7.1
\$50,000- 74,999	392	47,763	182	44.8	38.3-51.3	41	10.6	6.5-14.7	2	0.7	0.0- 1.9	89	25.8	19.7-31.9	61	13.5	9.4-17.6	17	4.6	1.9- 7.3
\$75,000+	840	102,320	413	45.9	41.6-50.2	84	11.1	8.4-13.8	4	0.2	0.0- 0.4	195	25.7	21.8-29.6	96	11.5	8.8-14.2	48	5.5	3.7- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	952	131,447	435	42.0	37.9-46.1	93	12.3	9.2-15.4	5	0.5	0.0- 1.1	216	24.4	20.7-28.1	129	14.1	11.0-17.2	74	6.8	5.0- 8.6
Non-Native	905	124,805	415	42.4	38.3-46.5	87	12.2	9.1-15.3	5	0.5	0.0- 1.1	203	24.2	20.5-27.9	122	13.6	10.7-16.5	73	7.1	5.1- 9.1
18-24	81	27,107	21	23.2	13.4-33.0	10	16.3	6.3-26.3	1	0.6	0.0- 1.8	29	34.7	23.1-46.3	17	23.4	12.6-34.2	3	1.8	0.0- 4.0
25-34	126	26,483	59	50.6	40.8-60.4	18	16.6	9.0-24.2				25	18.0	10.7-25.3	14	8.1	3.4-12.8	10	6.8	2.1-11.5
35-44	108	20,568	53	49.8	38.8-60.8	9	8.3	2.2-14.4				29	29.5	19.1-39.9	12	8.9	3.0-14.8	5	3.4	0.3- 6.5
45-54	141	18,530	64	43.0	33.4-52.6	14	11.8	4.9-18.7	1	0.4	0.0- 1.2	29	18.1	11.0-25.2	16	11.7	5.4-18.0	17	15.1	7.7-22.5
55-64	207	18,690	97	44.8	36.8-52.8	19	8.8	3.9-13.7	1	0.3	0.0- 0.9	41	19.9	13.8-26.0	29	16.6	10.3-22.9	20	9.6	4.9-14.3
65+	285	19,589	140	45.2	38.5-51.9	23	9.0	5.1-12.9	2	1.6	0.0- 4.3	61	22.8	17.1-28.5	40	13.9	9.2-18.6	19	7.4	3.5-11.3
H.S. or G.E.D.	228	30,977	95	39.1	30.7-47.5	19	11.5	4.4-18.6	1	0.5	0.0- 1.5	55	25.6	18.0-33.2	38	16.8	10.3-23.3	20	6.5	3.4- 9.6
Some Post-H.S.	296	53,191	120	39.0	32.1-45.9	35	13.4	8.5-18.3	1	0.5	0.0- 1.5	64	22.3	16.0-28.6	48	15.3	10.0-20.6	28	9.5	5.6-13.4
College Graduate	382	38,820	202	50.8	44.5-57.1	36	10.8	6.7-14.9	3	0.5	0.0- 1.1	86	26.4	20.7-32.1	33	7.7	4.8-10.6	22	3.7	1.9- 5.5
\$15,000- 24,999	68	9,875	29	40.1	24.4-55.8	8	14.6	2.8-26.4	1	1.7	0.0- 5.0	16	18.5	8.1-28.9	9	18.7	4.4-33.0	5	6.5	0.0-13.8
\$25,000- 34,999	70	9,204	34	44.3	28.6-60.0	6	7.4	0.5-14.3				13	22.0	7.7-36.3	10	16.9	4.4-29.4	7	9.4	1.0-17.8
\$35,000- 49,999	122	16,404	57	42.6	30.6-54.6	9	16.3	4.3-28.3				28	21.8	12.0-31.6	20	13.8	6.4-21.2	8	5.4	1.1- 9.7
\$50,000- 74,999	177	24,041	73	36.7	27.7-45.7	20	12.4	5.5-19.3	1	1.1	0.0- 3.3	41	28.5	19.3-37.7	32	16.1	9.4-22.8	10	5.1	1.2- 9.0
\$75,000+	405	53,149	197	46.4	40.3-52.5	41	11.1	7.2-15.0	3	0.3	0.0- 0.7	85	23.2	17.7-28.7	43	10.8	6.7-14.9	36	8.1	5.2-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1289	136,922	666	50.9	47.2-54.6	125	9.9	7.5-12.3	3	0.4	0.0- 1.0	278	23.8	20.5-27.1	149	10.5	8.3-12.7	68	4.5	3.1- 5.9
Non-Native	1256	132,691	649	51.0	47.1-54.9	122	9.9	7.5-12.3	3	0.4	0.0- 1.2	277	24.5	21.0-28.0	142	10.0	7.8-12.2	63	4.0	2.8- 5.2
18-24	68	24,298	31	46.8	34.1-59.5	8	11.3	3.3-19.3	1	1.9	0.0- 5.6	21	29.6	18.0-41.2	6	9.2	1.8-16.6	1	1.1	0.0- 3.3
25-34	111	23,828	62	58.2	47.8-68.6	15	12.4	5.7-19.1				21	19.9	11.3-28.5	10	7.9	2.6-13.2	3	1.6	0.0- 3.6
35-44	144	20,254	61	40.3	30.9-49.7	13	7.7	3.0-12.4				47	33.8	24.4-43.2	17	12.8	6.5-19.1	6	5.4	0.9- 9.9
45-54	181	21,242	100	51.7	43.3-60.1	15	7.5	2.8-12.2	1	0.3	0.0- 0.9	38	23.4	16.0-30.8	16	9.8	4.9-14.7	11	7.3	2.8-11.8
55-64	310	21,982	164	50.9	44.4-57.4	33	12.0	7.5-16.5	1	0.2	0.0- 0.6	64	20.7	15.4-26.0	39	11.9	7.8-16.0	9	4.3	0.8- 7.8
65+	465	24,561	242	55.1	49.8-60.4	38	7.8	4.9-10.7				86	17.4	13.5-21.3	61	12.0	8.7-15.3	38	7.7	5.2-10.2
H.S. or G.E.D.	286	26,417	145	50.0	41.6-58.4	25	9.8	4.5-15.1				65	25.2	17.4-33.0	31	10.2	4.7-15.7	20	4.8	1.9- 7.7
Some Post-H.S.	434	60,957	224	52.8	46.5-59.1	34	7.1	4.2-10.0	1	0.8	0.0- 2.4	94	24.1	18.4-29.8	57	11.6	7.9-15.3	24	3.7	1.7- 5.7
College Graduate	521	44,327	274	49.3	43.6-55.0	60	12.8	8.9-16.7	2	0.2	0.0- 0.6	115	24.7	19.8-29.6	54	9.0	6.1-11.9	16	4.0	1.8- 6.2
Less than \$15,000	57	7,345	29	53.8	35.0-72.6	3	3.1	0.0- 6.8	1	6.3	0.0-18.3	11	20.1	5.0-35.2	6	4.2	0.0- 8.5	7	12.5	2.5-22.5
\$15,000- 24,999	133	14,279	62	39.2	26.9-51.5	16	17.4	6.4-28.4				25	26.5	14.2-38.8	22	13.7	5.5-21.9	8	3.2	0.5- 5.9
\$25,000- 34,999	99	10,541	59	62.9	48.8-77.0	8	6.6	0.7-12.5				17	13.1	4.1-22.1	7	10.4	0.0-21.6	8	7.0	0.3-13.7
\$35,000- 49,999	170	15,620	97	62.1	51.7-72.5	19	9.9	3.6-16.2				31	19.1	10.1-28.1	14	5.1	1.6- 8.6	9	3.8	1.3- 6.3
\$50,000- 74,999	215	23,722	109	53.1	44.1-62.1	21	8.7	4.4-13.0	1	0.2	0.0- 0.6	48	23.2	15.6-30.8	29	10.9	6.4-15.4	7	4.0	0.3- 7.7
\$75,000+	435	49,171	216	45.4	39.3-51.5	43	11.2	7.3-15.1	1	0.1	0.0- 0.3	110	28.3	22.6-34.0	53	12.3	8.4-16.2	12	2.7	0.9- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4552	529,637	786	19.8	18.0-21.6	278	6.2	5.2- 7.2	314	8.2	7.0- 9.4	56	1.5	0.9- 2.1	113	2.8	2.2- 3.4	3005	61.5	59.5-63.5
Male	2029	266,907	315	18.6	16.2-21.0	134	6.5	5.1- 7.9	152	8.4	6.8-10.0	36	2.1	1.1- 3.1	68	3.8	2.6- 5.0	1324	60.6	57.9-63.3
Female	2523	262,729	471	21.1	18.7-23.5	144	5.9	4.5- 7.3	162	8.0	6.4- 9.6	20	0.8	0.4- 1.2	45	1.7	0.9- 2.5	1681	62.4	59.7-65.1
Native	147	19,541	24	15.7	6.7-24.7	12	9.7	3.0-16.4	14	11.7	5.0-18.4	3	1.5	0.0- 3.3	6	3.3	0.4- 6.2	88	58.1	47.3-68.9
Non-Native	4358	503,369	755	19.9	18.1-21.7	264	6.1	5.1- 7.1	299	8.2	7.0- 9.4	53	1.5	0.9- 2.1	106	2.8	2.0- 3.6	2881	61.5	59.5-63.5
18-24	235	80,964	72	31.0	24.3-37.7	22	7.7	4.2-11.2	27	11.4	6.9-15.9	8	3.2	0.7- 5.7	12	5.0	2.1- 7.9	94	41.6	34.5-48.7
25-34	444	92,878	118	27.8	23.1-32.5	34	6.9	4.4- 9.4	48	12.5	8.8-16.2	7	1.0	0.2- 1.8	10	1.8	0.6- 3.0	227	50.0	44.7-55.3
35-44	464	78,404	93	20.0	15.7-24.3	28	5.8	3.4- 8.2	40	7.9	5.2-10.6	3	0.7	0.0- 1.7	14	3.7	1.3- 6.1	286	62.0	56.7-67.3
45-54	659	81,289	121	16.6	13.5-19.7	26	4.5	2.5- 6.5	53	7.7	5.3-10.1	9	1.4	0.2- 2.6	14	1.8	0.6- 3.0	436	68.0	63.9-72.1
55-64	1066	89,135	171	14.0	11.6-16.4	49	5.1	3.5- 6.7	78	7.0	5.2- 8.8	11	1.4	0.4- 2.4	28	2.8	1.6- 4.0	729	69.7	66.4-73.0
65+	1649	103,418	206	11.4	9.4-13.4	116	7.1	5.5- 8.7	66	3.6	2.6- 4.6	17	1.2	0.4- 2.0	35	2.1	1.3- 2.9	1209	74.5	72.0-77.0
Less Than H.S.	260	44,289	25	14.6	7.7-21.5	17	5.5	2.2- 8.8	11	4.4	1.1- 7.7	3	2.1	0.0- 5.0	5	3.2	0.0- 6.5	199	70.1	62.1-78.1
H.S. or G.E.D.	1294	136,186	162	14.8	12.1-17.5	73	5.8	4.0- 7.6	77	7.2	5.0- 9.4	13	1.3	0.5- 2.1	36	2.9	1.7- 4.1	933	68.1	64.6-71.6
Some Post-H.S.	1492	214,396	232	19.3	16.4-22.2	89	6.2	4.6- 7.8	106	9.4	7.2-11.6	15	1.5	0.5- 2.5	39	3.2	2.0- 4.4	1011	60.5	57.2-63.8
College Graduate	1496	133,715	365	27.3	24.4-30.2	98	6.9	5.3- 8.5	120	8.7	6.9-10.5	25	1.5	0.7- 2.3	33	2.0	1.2- 2.8	855	53.6	50.3-56.9
Less than \$15,000	236	30,774	32	19.0	11.0-27.0	15	7.5	2.8-12.2	13	5.5	1.8- 9.2	1	0.7	0.0- 2.1	6	2.2	0.0- 4.6	169	65.2	56.4-74.0
\$15,000- 24,999	495	57,385	56	18.9	13.0-24.8	34	5.6	3.1- 8.1	33	9.0	5.1-12.9	3	0.8	0.0- 1.8	8	1.0	0.0- 2.0	361	64.7	58.2-71.2
\$25,000- 34,999	398	46,583	61	20.3	14.4-26.2	25	6.4	3.3- 9.5	21	4.8	2.3- 7.3	4	0.8	0.0- 1.6	5	0.9	0.0- 1.9	282	66.9	60.4-73.4
\$35,000- 49,999	640	68,026	118	18.0	13.7-22.3	32	5.0	2.8- 7.2	37	7.8	4.5-11.1	1	0.3	0.0- 0.9	16	2.8	0.8- 4.8	436	66.0	60.7-71.3
\$50,000- 74,999	728	85,134	129	20.2	16.3-24.1	45	6.7	4.3- 9.1	51	9.6	6.5-12.7	17	2.1	0.7- 3.5	18	2.9	0.9- 4.9	468	58.4	53.7-63.1
\$75,000+	1482	178,301	292	20.1	17.6-22.6	94	6.4	4.8- 8.0	122	8.8	6.8-10.8	23	1.9	0.9- 2.9	49	3.9	2.5- 5.3	902	58.8	55.7-61.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2029	266,907	315	18.6	16.2-21.0	134	6.5	5.1- 7.9	152	8.4	6.8-10.0	36	2.1	1.1- 3.1	68	3.8	2.6- 5.0	1324	60.6	57.9-63.3
Native	65	8,454	11	21.0	4.1-37.9	7	12.8	1.8-23.8	6	11.6	2.0-21.2	3	3.4	0.0- 7.3	5	7.1	0.4-13.8	33	44.0	28.7-59.3
Non-Native	1935	253,865	299	18.3	15.9-20.7	126	6.4	5.0- 7.8	145	8.4	6.6-10.2	33	2.1	1.1- 3.1	63	3.8	2.6- 5.0	1269	61.0	58.1-63.9
18-24	128	42,710	40	33.0	23.6-42.4	13	6.9	2.8-11.0	15	11.0	4.9-17.1	6	4.9	0.4- 9.4	10	8.1	3.0-13.2	44	36.0	26.4-45.6
25-34	249	49,645	68	29.1	22.6-35.6	22	7.9	4.4-11.4	26	11.6	7.1-16.1	4	1.1	0.0- 2.3	7	2.4	0.6- 4.2	122	48.0	40.9-55.1
35-44	213	40,080	35	15.9	10.4-21.4	15	6.8	3.3-10.3	22	10.0	5.5-14.5	1	0.2	0.0- 0.6	6	3.4	0.3- 6.5	134	63.7	56.4-71.0
45-54	314	40,997	51	13.7	9.6-17.8	9	4.0	1.3- 6.7	27	8.0	4.7-11.3	7	2.5	0.3- 4.7	8	2.5	0.5- 4.5	212	69.4	63.5-75.3
55-64	479	45,262	51	9.8	6.7-12.9	30	7.3	4.4-10.2	28	5.1	2.9- 7.3	6	1.9	0.1- 3.7	18	4.1	1.7- 6.5	346	71.9	67.0-76.8
65+	635	46,931	68	9.2	6.3-12.1	44	5.8	3.8- 7.8	33	5.1	3.1- 7.1	11	2.1	0.5- 3.7	19	3.0	1.4- 4.6	460	74.9	70.8-79.0
Less Than H.S.	142	27,821	21	22.1	11.9-32.3	11	6.8	1.7-11.9	7	4.1	0.6- 7.6	2	2.7	0.0- 7.2	5	5.1	0.0-10.4	96	59.2	48.2-70.2
H.S. or G.E.D.	604	73,956	72	15.0	11.1-18.9	31	5.3	2.9- 7.7	40	7.3	4.4-10.2	10	1.7	0.5- 2.9	17	2.7	0.9- 4.5	434	68.0	63.1-72.9
Some Post-H.S.	624	101,573	80	16.8	12.7-20.9	37	5.9	3.7- 8.1	49	9.8	6.7-12.9	9	2.3	0.5- 4.1	26	5.1	2.9- 7.3	423	60.1	55.2-65.0
College Graduate	656	63,077	141	23.9	19.8-28.0	54	8.6	6.1-11.1	56	9.5	6.6-12.4	15	2.1	0.9- 3.3	20	2.6	1.2- 4.0	370	53.4	48.7-58.1
Less than \$15,000	77	11,622	10	20.3	6.8-33.8	3	6.5	0.0-14.3	5	3.8	0.0- 8.3	1	1.7	0.0- 5.0	2	0.7	0.0- 1.7	56	66.9	52.4-81.4
\$15,000- 24,999	182	26,200	28	23.0	13.8-32.2	12	6.3	1.8-10.8	17	11.7	5.0-18.4	3	1.6	0.0- 3.8	2	1.3	0.0- 3.5	120	56.1	46.5-65.7
\$25,000- 34,999	163	22,131	26	23.4	13.6-33.2	12	6.5	2.4-10.6	7	3.9	0.4- 7.4	4	1.7	0.0- 3.5	4	1.6	0.0- 3.6	110	63.0	52.8-73.2
\$35,000- 49,999	286	35,520	42	15.6	9.7-21.5	15	5.9	2.2- 9.6	19	7.1	3.2-11.0	1	0.7	0.0- 2.1	11	4.7	1.2- 8.2	198	66.2	58.8-73.6
\$50,000- 74,999	366	45,628	48	15.8	10.7-20.9	29	8.3	4.8-11.8	24	8.5	4.8-12.2	10	2.2	0.4- 4.0	12	4.6	1.3- 7.9	243	60.6	54.1-67.1
\$75,000+	772	99,205	130	17.1	13.8-20.4	51	6.0	4.2- 7.8	62	8.5	5.8-11.2	12	2.3	0.5- 4.1	33	4.9	2.9- 6.9	484	61.1	56.8-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2523	262,729	471	21.1	18.7-23.5	144	5.9	4.5- 7.3	162	8.0	6.4- 9.6	20	0.8	0.4- 1.2	45	1.7	0.9- 2.5	1681	62.4	59.7-65.1
Native	82	11,087	13	11.8	3.6-20.0	5	7.3	0.0-15.1	8	11.7	2.5-20.9				1	0.4	0.0- 1.2	55	68.9	55.6-82.2
Non-Native	2423	249,505	456	21.6	19.2-24.0	138	5.8	4.4- 7.2	154	7.9	6.3- 9.5	20	0.9	0.3- 1.5	43	1.8	1.0- 2.6	1612	62.1	59.4-64.8
18-24	107	38,254	32	28.8	19.6-38.0	9	8.6	2.7-14.5	12	11.8	5.3-18.3	2	1.4	0.0- 3.4	2	1.6	0.0- 3.8	50	47.8	37.6-58.0
25-34	195	43,233	50	26.3	19.2-33.4	12	5.8	2.1- 9.5	22	13.6	7.7-19.5	3	0.8	0.0- 1.8	3	1.2	0.0- 2.8	105	52.3	44.3-60.3
35-44	251	38,324	58	24.3	17.6-31.0	13	4.7	2.0- 7.4	18	5.7	2.8- 8.6	2	1.2	0.0- 3.2	8	4.0	0.7- 7.3	152	60.1	52.7-67.5
45-54	345	40,293	70	19.4	14.5-24.3	17	5.1	2.2- 8.0	26	7.4	4.1-10.7	2	0.4	0.0- 1.0	6	1.1	0.1- 2.1	224	66.6	60.7-72.5
55-64	587	43,873	120	18.4	14.9-21.9	19	2.8	1.4- 4.2	50	9.0	6.3-11.7	5	1.0	0.2- 1.8	10	1.5	0.5- 2.5	383	67.3	63.0-71.6
65+	1014	56,486	138	13.1	10.6-15.6	72	8.2	6.0-10.4	33	2.5	1.5- 3.5	6	0.6	0.0- 1.2	16	1.4	0.4- 2.4	749	74.3	71.2-77.4
Less Than H.S.	118	16,468	4	1.9	0.0- 4.1	6	3.2	0.5- 5.9	4	5.0	0.0-12.1	1	1.2	0.0- 3.6				103	88.7	80.9-96.5
H.S. or G.E.D.	690	62,229	90	14.5	10.4-18.6	42	6.4	3.7- 9.1	37	7.1	4.0-10.2	3	0.8	0.0- 2.0	19	3.1	1.1- 5.1	499	68.1	63.0-73.2
Some Post-H.S.	868	112,822	152	21.6	17.7-25.5	52	6.4	4.0- 8.8	57	9.0	6.3-11.7	6	0.7	0.0- 1.5	13	1.4	0.2- 2.6	588	60.8	56.3-65.3
College Graduate	840	70,638	224	30.3	26.0-34.6	44	5.4	3.4- 7.4	64	8.0	5.6-10.4	10	1.0	0.2- 1.8	13	1.4	0.4- 2.4	485	53.9	49.4-58.4
Less than \$15,000	159	19,152	22	18.1	8.1-28.1	12	8.1	2.2-14.0	8	6.5	1.2-11.8				4	3.1	0.0- 6.6	113	64.1	52.9-75.3
\$15,000- 24,999	313	31,185	28	15.6	8.0-23.2	22	5.0	2.3- 7.7	16	6.8	2.1-11.5				6	0.8	0.2- 1.4	241	71.9	63.5-80.3
\$25,000- 34,999	235	24,453	35	17.4	10.5-24.3	13	6.2	1.3-11.1	14	5.6	1.9- 9.3				1	0.2	0.0- 0.6	172	70.4	62.2-78.6
\$35,000- 49,999	354	32,506	76	20.7	14.6-26.8	17	4.1	1.6- 6.6	18	8.7	3.4-14.0				5	0.8	0.0- 1.6	238	65.8	58.4-73.2
\$50,000- 74,999	362	39,506	81	25.4	19.1-31.7	16	4.9	1.8- 8.0	27	10.8	5.7-15.9	7	2.0	0.0- 4.0	6	1.0	0.0- 2.0	225	55.9	48.8-63.0
\$75,000+	710	79,097	162	23.9	19.8-28.0	43	6.9	4.2- 9.6	60	9.2	6.5-11.9	11	1.5	0.3- 2.7	16	2.6	0.8- 4.4	418	56.0	51.3-60.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	248
2 MALES ONLY	249
3 FEMALES ONLY	250
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	251
5 MALES ONLY	252
6 FEMALES ONLY	253
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	254
8 MALES ONLY	255
9 FEMALES ONLY	256
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	257
11 MALES ONLY	258
12 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1482	123,987	677	46.3	43.0-49.6	805	53.7	50.4-57.0
Male	543	54,185	234	42.8	37.7-47.9	309	57.2	52.1-62.3
Female	939	69,802	443	49.0	44.5-53.5	496	51.0	46.5-55.5
Native	56	5,866	37	74.8	61.7-87.9	19	25.2	12.1-38.3
Non-Native	1414	116,995	635	44.8	41.5-48.1	779	55.2	51.9-58.5
35-44	55	9,243	27	50.0	34.5-65.5	28	50.0	34.5-65.5
45-54	152	19,668	67	45.5	35.9-55.1	85	54.5	44.9-64.1
55-64	386	32,730	186	47.5	41.6-53.4	200	52.5	46.6-58.4
65+	846	52,185	380	45.5	41.4-49.6	466	54.5	50.4-58.6
Less Than H.S.	120	15,792	67	60.7	50.1-71.3	53	39.3	28.7-49.9
H.S. or G.E.D.	477	33,548	220	46.2	40.5-51.9	257	53.8	48.1-59.5
Some Post-H.S.	484	50,560	222	43.9	38.2-49.6	262	56.1	50.4-61.8
College Graduate	398	23,952	167	41.9	35.8-48.0	231	58.1	52.0-64.2
Less than \$15,000	119	11,138	69	61.2	49.0-73.4	50	38.8	26.6-51.0
\$15,000- 24,999	203	16,122	120	61.2	52.4-70.0	83	38.8	30.0-47.6
\$25,000- 34,999	158	11,896	77	47.5	37.1-57.9	81	52.5	42.1-62.9
\$35,000- 49,999	247	19,795	116	46.1	37.7-54.5	131	53.9	45.5-62.3
\$50,000- 74,999	222	18,277	80	40.5	32.3-48.7	142	59.5	51.3-67.7
\$75,000+	325	30,518	123	38.1	31.0-45.2	202	61.9	54.8-69.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	543	54,185	234	42.8	37.7-47.9	309	57.2	52.1-62.3
Non-Native	515	51,144	219	41.9	36.6-47.2	296	58.1	52.8-63.4
45-54	68	8,885	21	31.6	18.5-44.7	47	68.4	55.3-81.5
55-64	152	15,145	71	44.6	35.4-53.8	81	55.4	46.2-64.6
65+	276	21,048	121	43.4	36.5-50.3	155	56.6	49.7-63.5
Less Than H.S.	54	7,835	32	60.1	44.0-76.2	22	39.9	23.8-56.0
H.S. or G.E.D.	166	13,364	71	43.1	34.5-51.7	95	56.9	48.3-65.5
Some Post-H.S.	172	22,068	72	36.4	28.2-44.6	100	63.6	55.4-71.8
College Graduate	151	10,918	59	42.7	32.9-52.5	92	57.3	47.5-67.1
\$15,000- 24,999	58	6,779	34	63.5	48.4-78.6	24	36.5	21.4-51.6
\$25,000- 34,999	51	4,483	28	49.7	33.6-65.8	23	50.3	34.2-66.4
\$35,000- 49,999	96	9,708	41	39.9	27.4-52.4	55	60.1	47.6-72.6
\$50,000- 74,999	109	10,066	41	39.5	28.1-50.9	68	60.5	49.1-71.9
\$75,000+	154	15,835	49	31.7	22.9-40.5	105	68.3	59.5-77.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	939	69,802	443	49.0	44.5-53.5	496	51.0	46.5-55.5
Non-Native	899	65,851	416	47.1	42.6-51.6	483	52.9	48.4-57.4
45-54	84	10,783	46	57.0	44.3-69.7	38	43.0	30.3-55.7
55-64	234	17,586	115	50.0	42.4-57.6	119	50.0	42.4-57.6
65+	570	31,137	259	47.0	41.9-52.1	311	53.0	47.9-58.1
Less Than H.S.	66	7,957	35	61.3	47.2-75.4	31	38.7	24.6-52.8
H.S. or G.E.D.	311	20,184	149	48.3	40.7-55.9	162	51.7	44.1-59.3
Some Post-H.S.	312	28,492	150	49.7	42.3-57.1	162	50.3	42.9-57.7
College Graduate	247	13,035	108	41.2	33.4-49.0	139	58.8	51.0-66.6
Less than \$15,000	90	7,899	52	63.7	49.2-78.2	38	36.3	21.8-50.8
\$15,000- 24,999	145	9,343	86	59.5	48.9-70.1	59	40.5	29.9-51.1
\$25,000- 34,999	107	7,413	49	46.2	32.7-59.7	58	53.8	40.3-67.3
\$35,000- 49,999	151	10,087	75	52.0	41.2-62.8	76	48.0	37.2-58.8
\$50,000- 74,999	113	8,211	39	41.7	29.5-53.9	74	58.3	46.1-70.5
\$75,000+	171	14,683	74	45.0	34.4-55.6	97	55.0	44.4-65.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1444	121,251	442	32.4	29.1-35.7	1002	67.6	64.3-70.9
Male	529	53,163	155	29.4	24.7-34.1	374	70.6	65.9-75.3
Female	915	68,088	287	34.8	30.3-39.3	628	65.2	60.7-69.7
Native	55	5,567	33	67.7	52.8-82.6	22	32.3	17.4-47.2
Non-Native	1377	114,558	406	30.8	27.5-34.1	971	69.2	65.9-72.5
35-44	55	9,243	27	43.1	28.0-58.2	28	56.9	41.8-72.0
45-54	151	19,585	43	29.0	19.8-38.2	108	71.0	61.8-80.2
55-64	385	32,603	121	33.4	27.7-39.1	264	66.6	60.9-72.3
65+	810	49,660	237	30.9	27.0-34.8	573	69.1	65.2-73.0
Less Than H.S.	109	14,657	41	39.8	27.8-51.8	68	60.2	48.2-72.2
H.S. or G.E.D.	460	32,802	161	37.5	31.8-43.2	299	62.5	56.8-68.2
Some Post-H.S.	478	50,049	146	29.6	24.3-34.9	332	70.4	65.1-75.7
College Graduate	394	23,609	93	26.7	20.8-32.6	301	73.3	67.4-79.2
Less than \$15,000	114	10,925	61	57.1	44.6-69.6	53	42.9	30.4-55.4
\$15,000- 24,999	198	15,573	84	45.2	36.0-54.4	114	54.8	45.6-64.0
\$25,000- 34,999	146	11,205	53	38.6	27.8-49.4	93	61.4	50.6-72.2
\$35,000- 49,999	243	19,495	70	29.0	21.4-36.6	173	71.0	63.4-78.6
\$50,000- 74,999	222	18,244	50	24.9	17.3-32.5	172	75.1	67.5-82.7
\$75,000+	320	29,944	68	22.9	16.2-29.6	252	77.1	70.4-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	529	53,163	155	29.4	24.7-34.1	374	70.6	65.9-75.3
Non-Native	501	50,123	142	28.4	23.5-33.3	359	71.6	66.7-76.5
45-54	68	8,885	17	28.6	15.5-41.7	51	71.4	58.3-84.5
55-64	151	15,059	47	32.1	23.5-40.7	104	67.9	59.3-76.5
65+	263	20,113	72	24.8	18.9-30.7	191	75.2	69.3-81.1
Less Than H.S.	50	7,494	17	32.2	16.1-48.3	33	67.8	51.7-83.9
H.S. or G.E.D.	161	13,124	53	36.5	27.9-45.1	108	63.5	54.9-72.1
Some Post-H.S.	169	21,756	47	24.6	17.3-31.9	122	75.4	68.1-82.7
College Graduate	149	10,790	38	28.5	19.3-37.7	111	71.5	62.3-80.7
\$15,000- 24,999	57	6,701	24	42.8	26.9-58.7	33	57.2	41.3-73.1
\$35,000- 49,999	94	9,514	21	19.3	10.5-28.1	73	80.7	71.9-89.5
\$50,000- 74,999	109	10,138	28	27.6	16.6-38.6	81	72.4	61.4-83.4
\$75,000+	150	15,434	35	22.6	14.4-30.8	115	77.4	69.2-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	915	68,088	287	34.8	30.3-39.3	628	65.2	60.7-69.7
Non-Native	876	64,435	264	32.6	28.3-36.9	612	67.4	63.1-71.7
45-54	83	10,700	26	29.3	16.6-42.0	57	70.7	58.0-83.4
55-64	234	17,544	74	34.5	26.9-42.1	160	65.5	57.9-73.1
65+	547	29,548	165	35.0	29.9-40.1	382	65.0	59.9-70.1
Less Than H.S.	59	7,163	24	47.6	30.7-64.5	35	52.4	35.5-69.3
H.S. or G.E.D.	299	19,678	108	38.2	30.9-45.5	191	61.8	54.5-69.1
Some Post-H.S.	309	28,293	99	33.5	26.1-40.9	210	66.5	59.1-73.9
College Graduate	245	12,819	55	25.1	17.8-32.4	190	74.9	67.6-82.2
Less than \$15,000	86	7,746	45	57.2	41.9-72.5	41	42.8	27.5-58.1
\$15,000- 24,999	141	8,873	60	47.1	36.3-57.9	81	52.9	42.1-63.7
\$25,000- 34,999	100	7,055	36	37.9	24.0-51.8	64	62.1	48.2-76.0
\$35,000- 49,999	149	9,981	49	38.2	27.0-49.4	100	61.8	50.6-73.0
\$50,000- 74,999	113	8,106	22	21.6	11.2-32.0	91	78.4	68.0-88.8
\$75,000+	170	14,510	33	23.3	12.9-33.7	137	76.7	66.3-87.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1473	123,144	207	14.7	12.3-17.1	376	25.3	22.4-28.2	890	60.0	56.7-63.3
Male	541	54,329	68	13.4	9.9-16.9	110	20.3	16.0-24.6	363	66.3	61.2-71.4
Female	932	68,815	139	15.8	12.7-18.9	266	29.2	25.3-33.1	527	55.0	50.7-59.3
Native	55	5,189	15	28.2	13.9-42.5	21	42.2	26.5-57.9	19	29.6	16.1-43.1
Non-Native	1406	116,829	192	14.3	11.9-16.7	351	24.4	21.5-27.3	863	61.4	58.1-64.7
35-44	55	9,243	11	20.5	8.0-33.0	12	28.7	13.6-43.8	32	50.8	35.3-66.3
45-54	151	18,992	21	12.8	6.5-19.1	28	18.7	11.4-26.0	102	68.5	59.9-77.1
55-64	387	32,970	65	17.9	13.0-22.8	81	18.6	14.3-22.9	241	63.5	57.8-69.2
65+	837	51,779	106	13.4	10.7-16.1	243	30.1	26.2-34.0	488	56.5	52.4-60.6
Less Than H.S.	116	14,951	24	18.9	10.5-27.3	40	34.6	24.0-45.2	52	46.5	35.3-57.7
H.S. or G.E.D.	476	33,595	69	15.4	11.3-19.5	132	25.9	21.0-30.8	275	58.7	53.0-64.4
Some Post-H.S.	481	50,522	73	14.3	10.4-18.2	117	24.6	19.5-29.7	291	61.1	55.4-66.8
College Graduate	398	23,980	41	12.0	7.7-16.3	87	20.2	15.3-25.1	270	67.8	61.9-73.7
Less than \$15,000	116	10,347	35	33.4	22.4-44.4	34	25.1	15.7-34.5	47	41.5	29.5-53.5
\$15,000- 24,999	202	16,079	45	22.4	15.1-29.7	66	34.3	25.3-43.3	91	43.3	34.1-52.5
\$25,000- 34,999	155	11,749	26	15.0	8.5-21.5	42	30.1	19.3-40.9	87	54.9	44.3-65.5
\$35,000- 49,999	246	19,772	34	17.4	10.1-24.7	65	24.2	16.9-31.5	147	58.4	49.8-67.0
\$50,000- 74,999	223	18,457	19	9.8	4.5-15.1	49	23.9	16.3-31.5	155	66.3	58.1-74.5
\$75,000+	324	30,498	18	6.0	2.5- 9.5	59	19.4	13.7-25.1	247	74.5	68.2-80.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	541	54,329	68	13.4	9.9-16.9	110	20.3	16.0-24.6	363	66.3	61.2-71.4
Non-Native	513	51,288	60	12.9	9.2-16.6	101	19.1	14.8-23.4	352	68.1	63.0-73.2
45-54	68	8,885	9	15.2	4.0-26.4	6	6.5	0.6-12.4	53	78.3	66.3-90.3
55-64	151	15,199	22	14.9	8.2-21.6	27	14.4	8.7-20.1	102	70.7	62.7-78.7
65+	275	21,138	31	11.1	7.0-15.2	63	22.7	16.8-28.6	181	66.3	59.8-72.8
Less Than H.S.	53	7,815	12	19.9	7.2-32.6	15	29.1	13.4-44.8	26	51.0	34.5-67.5
H.S. or G.E.D.	165	13,354	21	14.4	7.9-20.9	28	15.3	9.2-21.4	116	70.3	62.3-78.3
Some Post-H.S.	173	22,263	22	11.1	5.6-16.6	37	21.8	14.4-29.2	114	67.1	58.7-75.5
College Graduate	150	10,897	13	12.0	4.6-19.4	30	17.2	10.3-24.1	107	70.8	61.8-79.8
\$15,000- 24,999	58	6,779	12	20.0	7.7-32.3	16	28.8	13.3-44.3	30	51.2	34.9-67.5
\$35,000- 49,999	96	9,708	11	13.4	3.8-23.0	18	20.7	9.1-32.3	67	65.9	52.8-79.0
\$50,000- 74,999	109	10,198	9	9.3	2.6-16.0	20	19.2	9.2-29.2	80	71.6	60.6-82.6
\$75,000+	153	15,815	6	5.0	0.0-10.3	20	14.0	7.1-20.9	127	81.0	73.0-89.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	932	68,815	139	15.8	12.7-18.9	266	29.2	25.3-33.1	527	55.0	50.7-59.3
Non-Native	893	65,540	132	15.3	12.2-18.4	250	28.5	24.4-32.6	511	56.1	51.6-60.6
45-54	83	10,107	12	10.7	4.2-17.2	22	29.4	17.6-41.2	49	59.9	47.7-72.1
55-64	236	17,771	43	20.5	13.6-27.4	54	22.2	15.9-28.5	139	57.3	49.7-64.9
65+	562	30,641	75	15.1	11.4-18.8	180	35.2	30.3-40.1	307	49.7	44.6-54.8
Less Than H.S.	63	7,137	12	17.9	7.3-28.5	25	40.6	26.5-54.7	26	41.5	27.0-56.0
H.S. or G.E.D.	311	20,242	48	16.1	10.8-21.4	104	32.9	25.8-40.0	159	51.0	43.4-58.6
Some Post-H.S.	308	28,258	51	16.8	11.3-22.3	80	26.9	20.2-33.6	177	56.3	48.9-63.7
College Graduate	248	13,083	28	12.0	6.9-17.1	57	22.7	15.8-29.6	163	65.3	57.7-72.9
Less than \$15,000	87	7,108	26	33.4	20.7-46.1	24	23.6	13.2-34.0	37	43.0	28.5-57.5
\$15,000- 24,999	144	9,300	33	24.2	15.4-33.0	50	38.3	27.7-48.9	61	37.6	27.2-48.0
\$25,000- 34,999	106	7,389	17	13.8	5.8-21.8	28	32.8	18.3-47.3	61	53.5	39.6-67.4
\$35,000- 49,999	150	10,064	23	21.2	10.4-32.0	47	27.7	18.7-36.7	80	51.1	40.1-62.1
\$50,000- 74,999	114	8,259	10	10.3	2.1-18.5	29	29.8	18.4-41.2	75	59.9	47.9-71.9
\$75,000+	171	14,683	12	7.1	2.2-12.0	39	25.3	16.3-34.3	120	67.6	58.0-77.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

**TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1302	111,201	93	6.9	5.1- 8.7	485	38.9	35.4-42.4	500	35.1	31.8-38.4	184	15.8	13.1-18.5	40	3.4	2.0- 4.8
Male	478	48,286	40	9.1	5.8-12.4	211	43.2	37.7-48.7	167	35.0	29.7-40.3	52	11.1	7.4-14.8	8	1.5	0.3- 2.7
Female	824	62,915	53	5.2	3.4- 7.0	274	35.5	30.8-40.2	333	35.1	30.8-39.4	132	19.3	15.2-23.4	32	4.9	2.7- 7.1
Native	51	5,171	1	0.6	0.0- 1.8	14	21.6	8.7-34.5	16	28.1	12.2-44.0	15	40.9	20.7-61.1	5	8.8	0.8-16.8
Non-Native	1241	105,048	92	7.3	5.5- 9.1	466	39.5	36.0-43.0	480	35.4	32.1-38.7	168	14.6	11.9-17.3	35	3.2	1.8- 4.6
45-54	132	17,642	12	9.2	3.3-15.1	61	48.1	37.7-58.5	36	23.9	15.9-31.9	20	17.3	7.7-26.9	3	1.5	0.0- 3.1
55-64	352	30,283	19	5.4	2.7- 8.1	137	38.2	32.1-44.3	133	38.4	32.3-44.5	50	13.7	9.6-17.8	13	4.4	1.5- 7.3
65+	728	44,836	57	8.4	5.7-11.1	249	34.0	29.9-38.1	307	40.9	36.6-45.2	94	13.1	10.2-16.0	21	3.6	1.8- 5.4
Less Than H.S.	104	13,485	7	4.6	0.3- 8.9	26	23.2	13.2-33.2	39	35.0	23.8-46.2	25	31.4	18.9-43.9	7	5.8	1.3-10.3
H.S. or G.E.D.	418	29,810	24	5.0	2.6- 7.4	135	38.0	31.7-44.3	178	36.6	30.9-42.3	64	16.5	11.8-21.2	17	3.8	1.8- 5.8
Some Post-H.S.	423	45,929	26	7.4	4.3-10.5	159	39.2	33.1-45.3	173	38.3	32.4-44.2	55	11.6	7.9-15.3	10	3.6	0.9- 6.3
College Graduate	355	21,891	34	9.5	5.8-13.2	165	49.1	42.4-55.8	110	26.5	21.2-31.8	40	14.0	8.7-19.3	6	1.0	0.2- 1.8
Less than \$15,000	100	9,697	9	5.6	0.1-11.1	22	22.3	10.9-33.7	38	29.3	18.3-40.3	24	34.6	20.5-48.7	7	8.3	0.0-16.9
\$15,000- 24,999	173	13,526	8	4.8	1.1- 8.5	45	25.6	16.6-34.6	75	40.1	30.5-49.7	36	22.7	14.9-30.5	9	6.8	1.9-11.7
\$25,000- 34,999	139	10,439	5	4.7	0.0- 9.4	46	36.0	25.4-46.6	60	37.2	26.4-48.0	23	17.5	8.1-26.9	5	4.7	0.2- 9.2
\$35,000- 49,999	221	18,510	16	5.2	2.3- 8.1	64	30.0	21.6-38.4	101	46.9	37.9-55.9	34	14.5	8.4-20.6	6	3.4	0.0- 7.3
\$50,000- 74,999	201	17,168	18	8.2	3.7-12.7	97	48.6	40.0-57.2	68	33.5	25.5-41.5	15	9.2	3.1-15.3	3	0.6	0.0- 1.4
\$75,000+	293	28,235	24	9.2	4.7-13.7	147	50.9	43.5-58.3	93	28.5	22.2-34.8	23	9.8	4.9-14.7	6	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

**TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	478	48,286	40	9.1	5.8-12.4	211	43.2	37.7-48.7	167	35.0	29.7-40.3	52	11.1	7.4-14.8	8	1.5	0.3- 2.7
Non-Native	454	45,687	40	9.6	6.1-13.1	201	43.1	37.4-48.8	161	35.3	29.8-40.8	48	11.2	7.3-15.1	4	0.8	0.0- 1.6
45-54	57	7,449	7	12.7	1.9-23.5	32	58.2	42.9-73.5	10	14.6	5.2-24.0	7	13.3	1.1-25.5	1	1.1	0.0- 3.3
55-64	138	13,978	8	6.2	1.3-11.1	56	39.2	29.8-48.6	53	40.8	31.0-50.6	17	11.4	5.7-17.1	4	2.4	0.0- 4.9
65+	243	18,645	20	10.6	5.1-16.1	109	44.4	37.1-51.7	90	36.5	29.4-43.6	22	7.4	4.1-10.7	2	1.2	0.0- 3.0
H.S. or G.E.D.	141	11,008	11	8.7	3.2-14.2	59	44.3	34.7-53.9	59	39.7	30.5-48.9	11	6.3	2.4-10.2	1	0.9	0.0- 2.7
Some Post-H.S.	160	20,738	13	10.2	4.1-16.3	68	41.5	32.5-50.5	60	38.8	29.6-48.0	15	7.8	3.3-12.3	4	1.6	0.0- 3.4
College Graduate	131	9,967	13	9.7	4.0-15.4	71	57.1	46.9-67.3	32	20.8	13.4-28.2	14	11.8	4.4-19.2	1	0.6	0.0- 1.8
\$35,000- 49,999	91	9,418	9	6.9	2.0-11.8	32	37.7	24.4-51.0	41	48.4	34.7-62.1	8	6.2	1.5-10.9	1	0.8	0.0- 2.4
\$50,000- 74,999	98	9,402	10	9.0	2.1-15.9	57	55.7	43.7-67.7	22	22.3	13.1-31.5	8	12.6	2.2-23.0	1	0.4	0.0- 1.2
\$75,000+	135	14,383	12	13.1	5.3-20.9	69	47.5	37.3-57.7	47	31.9	22.7-41.1	6	6.5	0.4-12.6	1	1.0	0.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	824	62,915	53	5.2	3.4- 7.0	274	35.5	30.8-40.2	333	35.1	30.8-39.4	132	19.3	15.2-23.4	32	4.9	2.7- 7.1
Non-Native	787	59,361	52	5.4	3.6- 7.2	265	36.7	32.0-41.4	319	35.5	31.2-39.8	120	17.3	13.6-21.0	31	5.0	2.6- 7.4
45-54	75	10,192	5	6.6	0.3-12.9	29	40.7	27.4-54.0	26	30.7	18.7-42.7	13	20.3	6.6-34.0	2	1.7	0.0- 4.1
55-64	214	16,305	11	4.8	1.9- 7.7	81	37.2	29.6-44.8	80	36.3	28.7-43.9	33	15.6	9.7-21.5	9	6.1	1.0-11.2
65+	485	26,191	37	6.9	4.2- 9.6	140	26.6	22.1-31.1	217	44.0	38.5-49.5	72	17.1	13.0-21.2	19	5.3	2.4- 8.2
Less Than H.S.	58	6,913	4	3.9	0.0- 8.0	13	20.7	8.4-33.0	23	33.3	19.0-47.6	13	34.2	16.0-52.4	5	7.9	0.5-15.3
H.S. or G.E.D.	277	18,802	13	2.9	1.1- 4.7	76	34.4	26.2-42.6	119	34.8	27.7-41.9	53	22.5	15.6-29.4	16	5.5	2.6- 8.4
Some Post-H.S.	263	25,191	13	5.0	2.1- 7.9	91	37.2	29.0-45.4	113	37.8	30.2-45.4	40	14.6	8.9-20.3	6	5.3	0.6-10.0
College Graduate	224	11,924	21	9.3	4.2-14.4	94	42.5	34.1-50.9	78	31.2	23.8-38.6	26	15.8	8.5-23.1	5	1.2	0.0- 2.4
Less than \$15,000	76	6,981	7	3.2	0.1- 6.3	14	20.0	6.3-33.7	31	28.1	15.8-40.4	17	37.3	19.9-54.7	7	11.5	0.0-23.3
\$15,000- 24,999	126	8,271	6	5.3	0.6-10.0	29	21.9	11.5-32.3	56	38.1	27.5-48.7	29	27.3	17.5-37.1	6	7.4	0.7-14.1
\$25,000- 34,999	96	6,819	2	3.1	0.0- 8.2	32	33.4	20.7-46.1	43	39.6	25.5-53.7	16	19.3	6.2-32.4	3	4.6	0.0-10.3
\$35,000- 49,999	130	9,092	7	3.5	0.6- 6.4	32	22.0	12.4-31.6	60	45.3	33.7-56.9	26	23.1	12.5-33.7	5	6.1	0.0-13.9
\$50,000- 74,999	103	7,766	8	7.2	1.7-12.7	40	39.9	27.7-52.1	46	47.0	34.7-59.3	7	5.0	0.9- 9.1	2	0.9	0.0- 2.3
\$75,000+	158	13,852	12	5.0	1.5- 8.5	78	54.5	43.9-65.1	46	25.0	16.8-33.2	17	13.2	5.4-21.0	5	2.2	0.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4583	532,756	3365	71.6	69.8-73.4	741	16.3	14.9-17.7	273	6.7	5.7- 7.7	86	2.2	1.6- 2.8	116	3.2	2.4- 4.0	2	0.0	0.0- 0.0
Male	2048	269,213	1300	63.0	60.3-65.7	417	19.2	17.0-21.4	177	8.9	7.3-10.5	68	3.7	2.7- 4.7	85	5.1	3.7- 6.5	1	0.1	0.0- 0.3
Female	2535	263,542	2065	80.3	78.1-82.5	324	13.4	11.6-15.2	96	4.4	3.2- 5.6	18	0.7	0.3- 1.1	31	1.3	0.7- 1.9	1	0.0	0.0- 0.0
Native	147	19,838	115	72.1	61.5-82.7	15	10.5	4.2-16.8	9	6.8	2.1-11.5	2	1.8	0.0- 4.5	6	8.8	0.0-17.6			
Non-Native	4387	505,800	3220	71.7	69.9-73.5	718	16.4	14.8-18.0	254	6.6	5.6- 7.6	83	2.2	1.6- 2.8	110	3.1	2.3- 3.9	2	0.0	0.0- 0.0
18-24	237	81,598	154	66.1	59.4-72.8	47	18.4	13.1-23.7	15	6.6	3.1-10.1	8	2.6	0.6- 4.6	13	6.4	2.9- 9.9			
25-34	448	93,584	288	69.3	64.6-74.0	87	18.1	14.2-22.0	39	7.1	4.7- 9.5	19	2.8	1.4- 4.2	15	2.7	1.3- 4.1			
35-44	464	77,887	347	72.5	67.6-77.4	77	17.1	13.0-21.2	25	6.3	3.6- 9.0	7	2.1	0.5- 3.7	8	2.1	0.5- 3.7			
45-54	661	81,803	483	72.5	68.6-76.4	108	15.5	12.4-18.6	33	6.2	3.8- 8.6	16	3.0	1.2- 4.8	21	2.8	1.4- 4.2			
55-64	1074	89,960	787	72.6	69.5-75.7	178	14.7	12.3-17.1	65	7.0	5.0- 9.0	16	1.7	0.7- 2.7	27	3.9	2.3- 5.5	1	0.2	0.0- 0.6
65+	1662	103,943	1278	75.5	73.0-78.0	240	14.7	12.5-16.9	94	6.6	5.0- 8.2	19	1.2	0.6- 1.8	30	1.9	1.1- 2.7	1	0.1	0.0- 0.3
Less Than H.S.	261	43,919	162	60.3	52.3-68.3	43	16.0	10.1-21.9	26	9.8	5.1-14.5	7	2.3	0.1- 4.5	23	11.6	5.9-17.3			
H.S. or G.E.D.	1311	139,114	888	65.2	61.7-68.7	244	20.0	17.1-22.9	97	7.1	5.3- 8.9	32	3.0	1.6- 4.4	49	4.5	2.9- 6.1	1	0.1	0.0- 0.3
Some Post-H.S.	1494	213,782	1102	72.4	69.5-75.3	239	15.9	13.5-18.3	99	7.4	5.6- 9.2	27	2.2	1.2- 3.2	27	2.1	1.1- 3.1			
College Graduate	1505	134,826	1202	80.2	77.7-82.7	215	13.4	11.2-15.6	51	4.0	2.6- 5.4	20	1.3	0.5- 2.1	16	1.0	0.4- 1.6	1	0.1	0.0- 0.3
Less than \$15,000	238	30,817	178	75.5	67.9-83.1	29	12.5	6.6-18.4	18	5.3	2.2- 8.4	4	3.3	0.0- 7.2	8	2.9	0.2- 5.6	1	0.4	0.0- 1.2
\$15,000- 24,999	501	57,740	354	67.9	62.0-73.8	73	16.0	11.1-20.9	38	7.8	4.7-10.9	10	1.7	0.3- 3.1	25	6.4	3.3- 9.5	1	0.1	0.0- 0.3
\$25,000- 34,999	399	46,784	306	75.6	69.5-81.7	60	14.7	10.2-19.2	21	7.3	2.8-11.8	6	0.9	0.1- 1.7	6	1.6	0.2- 3.0			
\$35,000- 49,999	646	69,261	442	66.1	61.0-71.2	133	19.8	15.7-23.9	42	7.5	4.6-10.4	11	2.2	0.6- 3.8	18	4.4	1.7- 7.1			
\$50,000- 74,999	733	85,501	525	71.5	67.4-75.6	133	17.5	14.0-21.0	43	6.0	4.0- 8.0	18	2.3	1.1- 3.5	14	2.7	1.1- 4.3			
\$75,000+	1483	177,062	1106	71.6	68.7-74.5	242	17.2	14.7-19.7	81	6.5	4.7- 8.3	24	2.2	1.2- 3.2	30	2.6	1.4- 3.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2048	269,213	1300	63.0	60.3-65.7	417	19.2	17.0-21.4	177	8.9	7.3-10.5	68	3.7	2.7- 4.7	85	5.1	3.7- 6.5	1	0.1	0.0- 0.3
Native	65	8,751	48	58.2	41.3-75.1	6	9.5	1.5-17.5	5	9.5	0.9-18.1	2	4.1	0.0-10.2	4	18.8	0.8-36.8			
Non-Native	1953	255,767	1234	63.3	60.6-66.0	407	19.5	17.3-21.7	165	8.7	7.1-10.3	65	3.7	2.5- 4.9	81	4.7	3.3- 6.1	1	0.1	0.0- 0.3
18-24	129	43,059	77	58.0	48.2-67.8	25	19.8	12.0-27.6	8	6.6	1.5-11.7	8	4.9	1.2- 8.6	11	10.7	4.2-17.2			
25-34	254	50,896	143	62.2	55.7-68.7	51	18.9	13.6-24.2	32	10.5	6.6-14.4	15	4.0	1.6- 6.4	13	4.3	1.8- 6.8			
35-44	213	39,753	136	62.6	55.2-70.0	44	20.7	14.2-27.2	19	8.9	4.6-13.2	6	3.7	0.8- 6.6	8	4.1	1.0- 7.2			
45-54	315	41,071	197	62.3	56.0-68.6	66	19.1	14.2-24.0	22	8.6	4.7-12.5	14	5.6	2.3- 8.9	16	4.4	2.0- 6.8			
55-64	481	45,467	308	65.3	60.4-70.2	100	17.2	13.7-20.7	42	9.7	6.6-12.8	13	2.9	1.1- 4.7	17	4.7	2.3- 7.1	1	0.3	0.0- 0.9
65+	643	47,253	432	67.5	63.2-71.8	128	19.8	16.1-23.5	52	8.3	5.8-10.8	12	1.5	0.5- 2.5	19	2.9	1.5- 4.3			
Less Than H.S.	141	27,123	75	54.7	43.9-65.5	27	17.0	9.2-24.8	16	8.2	3.5-12.9	6	3.4	0.1- 6.7	17	16.7	7.9-25.5			
H.S. or G.E.D.	613	76,128	355	58.0	52.9-63.1	132	22.6	18.1-27.1	61	8.3	5.9-10.7	25	4.6	2.4- 6.8	39	6.4	3.9- 8.9	1	0.2	0.0- 0.6
Some Post-H.S.	628	101,603	386	62.4	57.7-67.1	133	18.6	14.9-22.3	68	11.6	8.3-14.9	22	4.0	2.0- 6.0	19	3.4	1.6- 5.2			
College Graduate	663	63,879	481	73.2	69.1-77.3	125	17.3	13.8-20.8	32	5.7	3.3- 8.1	15	2.2	0.8- 3.6	10	1.6	0.4- 2.8			
Less than \$15,000	78	11,843	50	63.2	49.1-77.3	13	15.0	4.6-25.4	9	9.2	1.9-16.5	2	7.2	0.0-16.8	3	4.3	0.0-10.6	1	1.1	0.0- 3.3
\$15,000- 24,999	184	26,250	107	60.3	51.1-69.5	33	16.9	9.3-24.5	20	9.3	4.4-14.2	8	3.6	0.7- 6.5	16	9.9	4.0-15.8			
\$25,000- 34,999	164	22,331	107	62.0	51.8-72.2	35	22.7	14.5-30.9	12	11.0	2.6-19.4	6	1.8	0.2- 3.4	4	2.5	0.0- 5.0			
\$35,000- 49,999	293	36,785	174	60.9	53.5-68.3	72	22.0	15.9-28.1	25	7.2	3.9-10.5	6	2.6	0.2- 5.0	16	7.2	2.7-11.7			
\$50,000- 74,999	371	45,997	229	62.8	56.7-68.9	81	20.2	15.1-25.3	32	8.6	5.3-11.9	15	3.5	1.5- 5.5	14	5.0	2.1- 7.9			
\$75,000+	770	98,191	510	63.6	59.3-67.9	154	19.9	16.4-23.4	61	9.2	6.7-11.7	22	3.7	1.9- 5.5	23	3.7	1.9- 5.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2535	263,542	2065	80.3	78.1-82.5	324	13.4	11.6-15.2	96	4.4	3.2- 5.6	18	0.7	0.3- 1.1	31	1.3	0.7- 1.9	1	0.0	0.0- 0.0
Native	82	11,087	67	83.0	72.8-93.2	9	11.3	2.3-20.3	4	4.7	0.0- 9.8				2	0.9	0.0- 2.3			
Non-Native	2434	250,032	1986	80.3	78.1-82.5	311	13.2	11.2-15.2	89	4.4	3.2- 5.6	18	0.7	0.3- 1.1	29	1.3	0.7- 1.9	1	0.0	0.0- 0.0
18-24	108	38,540	77	75.1	66.7-83.5	22	16.7	9.8-23.6	7	6.7	1.6-11.8				2	1.6	0.0- 3.8			
25-34	194	42,689	145	77.7	71.0-84.4	36	17.1	11.0-23.2	7	3.1	0.6- 5.6	4	1.4	0.0- 2.8	2	0.7	0.0- 1.7			
35-44	251	38,135	211	82.8	76.7-88.9	33	13.3	8.0-18.6	6	3.5	0.0- 7.0	1	0.4	0.0- 1.2						
45-54	346	40,732	286	82.8	78.3-87.3	42	11.9	8.0-15.8	11	3.7	1.2- 6.2	2	0.4	0.0- 1.0	5	1.1	0.1- 2.1			
55-64	593	44,493	479	80.1	76.2-84.0	78	12.2	9.3-15.1	23	4.2	2.0- 6.4	3	0.4	0.0- 1.0	10	3.1	0.9- 5.3			
65+	1019	56,689	846	82.2	79.3-85.1	112	10.5	8.3-12.7	42	5.1	3.1- 7.1	7	0.9	0.1- 1.7	11	1.1	0.3- 1.9	1	0.1	0.0- 0.3
Less Than H.S.	120	16,796	87	69.3	57.5-81.1	16	14.4	6.0-22.8	10	12.5	2.9-22.1	1	0.4	0.0- 1.2	6	3.3	0.4- 6.2			
H.S. or G.E.D.	698	62,986	533	74.0	69.3-78.7	112	17.0	13.1-20.9	36	5.7	3.0- 8.4	7	1.1	0.1- 2.1	10	2.2	0.6- 3.8			
Some Post-H.S.	866	112,179	716	81.5	78.0-85.0	106	13.4	10.3-16.5	31	3.6	2.0- 5.2	5	0.5	0.1- 0.9	8	1.0	0.2- 1.8			
College Graduate	842	70,946	721	86.4	83.5-89.3	90	9.9	7.4-12.4	19	2.5	1.1- 3.9	5	0.6	0.0- 1.2	6	0.5	0.0- 1.1	1	0.1	0.0- 0.3
Less than \$15,000	160	18,974	128	83.2	75.6-90.8	16	11.0	3.9-18.1	9	2.9	0.5- 5.3	2	0.9	0.0- 2.1	5	2.1	0.0- 4.5			
\$15,000- 24,999	317	31,490	247	74.2	66.8-81.6	40	15.2	8.7-21.7	18	6.5	2.6-10.4	2	0.2	0.0- 0.6	9	3.6	0.9- 6.3	1	0.2	0.0- 0.6
\$25,000- 34,999	235	24,453	199	88.0	83.1-92.9	25	7.4	3.5-11.3	9	3.8	0.7- 6.9				2	0.8	0.0- 2.0			
\$35,000- 49,999	353	32,476	268	71.9	64.8-79.0	61	17.3	11.6-23.0	17	7.8	3.1-12.5	5	1.7	0.1- 3.3	2	1.2	0.0- 3.4			
\$50,000- 74,999	362	39,504	296	81.8	76.5-87.1	52	14.4	9.5-19.3	11	2.9	0.7- 5.1	3	0.9	0.0- 2.1						
\$75,000+	713	78,870	596	81.6	77.9-85.3	88	13.8	10.5-17.1	20	3.2	1.4- 5.0	2	0.3	0.0- 0.7	7	1.1	0.1- 2.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	265
2	MALES ONLY	266
3	FEMALES ONLY	267
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	268
5	MALES ONLY	269
6	FEMALES ONLY	270
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7	MALES AND FEMALES	271
8	MALES ONLY	272
9	FEMALES ONLY	273
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10	MALES AND FEMALES	274
11	MALES ONLY	275
12	FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4579	531,497	2281	43.8	41.8-45.8	2298	56.2	54.2-58.2
Male	2046	268,333	888	36.8	34.1-39.5	1158	63.2	60.5-65.9
Female	2533	263,164	1393	50.9	48.2-53.6	1140	49.1	46.4-51.8
Native	147	19,541	67	40.7	30.3-51.1	80	59.3	48.9-69.7
Non-Native	4383	504,838	2193	43.9	41.9-45.9	2190	56.1	54.1-58.1
18-24	235	80,845	85	35.3	28.6-42.0	150	64.7	58.0-71.4
25-34	446	93,201	161	37.2	32.1-42.3	285	62.8	57.7-67.9
35-44	461	77,311	184	38.0	32.9-43.1	277	62.0	56.9-67.1
45-54	663	81,954	301	44.3	39.8-48.8	362	55.7	51.2-60.2
55-64	1073	89,893	528	45.4	41.9-48.9	545	54.6	51.1-58.1
65+	1664	104,312	1006	58.8	55.9-61.7	658	41.2	38.3-44.1
Less Than H.S.	262	44,235	122	40.7	32.7-48.7	140	59.3	51.3-67.3
H.S. or G.E.D.	1310	138,679	601	40.7	37.2-44.2	709	59.3	55.8-62.8
Some Post-H.S.	1492	213,296	695	41.2	38.1-44.3	797	58.8	55.7-61.9
College Graduate	1503	134,172	856	52.1	48.8-55.4	647	47.9	44.6-51.2
Less than \$15,000	238	30,701	116	42.5	33.9-51.1	122	57.5	48.9-66.1
\$15,000- 24,999	499	57,504	237	40.6	34.5-46.7	262	59.4	53.3-65.5
\$25,000- 34,999	399	46,784	208	45.7	38.8-52.6	191	54.3	47.4-61.2
\$35,000- 49,999	644	69,129	333	43.0	37.7-48.3	311	57.0	51.7-62.3
\$50,000- 74,999	733	85,417	355	45.1	40.4-49.8	378	54.9	50.2-59.6
\$75,000+	1480	176,172	739	44.5	41.4-47.6	741	55.5	52.4-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2046	268,333	888	36.8	34.3-39.3	1158	63.2	60.7-65.7
Native	65	8,454	23	29.0	16.1-41.9	42	71.0	58.1-83.9
Non-Native	1951	255,183	851	37.1	34.4-39.8	1100	62.9	60.2-65.6
18-24	127	42,306	40	31.5	22.3-40.7	87	68.5	59.3-77.7
25-34	252	50,513	70	26.2	20.3-32.1	182	73.8	67.9-79.7
35-44	212	39,498	63	28.7	21.8-35.6	149	71.3	64.4-78.2
45-54	316	41,146	126	38.6	32.3-44.9	190	61.4	55.1-67.7
55-64	482	45,555	199	37.6	32.5-42.7	283	62.4	57.3-67.5
65+	644	47,601	383	56.7	52.0-61.4	261	43.3	38.6-48.0
Less Than H.S.	142	27,406	54	33.6	23.4-43.8	88	66.4	56.2-76.6
H.S. or G.E.D.	612	75,692	241	34.4	29.5-39.3	371	65.6	60.7-70.5
Some Post-H.S.	628	101,307	245	33.7	29.2-38.2	383	66.3	61.8-70.8
College Graduate	661	63,448	346	46.0	41.3-50.7	315	54.0	49.3-58.7
Less than \$15,000	77	11,693	27	28.2	15.9-40.5	50	71.8	59.5-84.1
\$15,000- 24,999	183	26,063	76	36.2	27.4-45.0	107	63.8	55.0-72.6
\$25,000- 34,999	164	22,331	67	40.7	30.3-51.1	97	59.3	48.9-69.7
\$35,000- 49,999	293	36,785	143	37.8	30.5-45.1	150	62.2	54.9-69.5
\$50,000- 74,999	371	45,912	165	38.0	31.9-44.1	206	62.0	55.9-68.1
\$75,000+	769	97,684	331	36.6	32.5-40.7	438	63.4	59.3-67.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	
Female	2533	263,164	1393	50.9	48.2-53.6	1140	49.1	46.4-51.8	
Native	82	11,087	44	49.7	34.8-64.6	38	50.3	35.4-65.2	
Non-Native	2432	249,654	1342	51.0	48.3-53.7	1090	49.0	46.3-51.7	
18-24	108	38,540	45	39.5	29.7-49.3	63	60.5	50.7-70.3	
25-34	194	42,689	91	50.1	42.1-58.1	103	49.9	41.9-57.9	
35-44	249	37,813	121	47.8	40.4-55.2	128	52.2	44.8-59.6	
45-54	347	40,809	175	50.2	43.9-56.5	172	49.8	43.5-56.1	
55-64	591	44,338	329	53.4	48.7-58.1	262	46.6	41.9-51.3	
65+	1020	56,711	623	60.6	56.9-64.3	397	39.4	35.7-43.1	
Less Than H.S.	120	16,830	68	52.2	39.5-64.9	52	47.8	35.1-60.5	
H.S. or G.E.D.	698	62,986	360	48.2	42.9-53.5	338	51.8	46.5-57.1	
Some Post-H.S.	864	111,989	450	48.0	43.5-52.5	414	52.0	47.5-56.5	
College Graduate	842	70,724	510	57.6	53.1-62.1	332	42.4	37.9-46.9	
Less than \$15,000	161	19,008	89	51.4	40.0-62.8	72	48.6	37.2-60.0	
\$15,000- 24,999	316	31,441	161	44.2	35.8-52.6	155	55.8	47.4-64.2	
\$25,000- 34,999	235	24,453	141	50.3	41.1-59.5	94	49.7	40.5-58.9	
\$35,000- 49,999	351	32,343	190	48.8	41.2-56.4	161	51.2	43.6-58.8	
\$50,000- 74,999	362	39,504	190	53.4	46.5-60.3	172	46.6	39.7-53.5	
\$75,000+	711	78,488	408	54.3	49.6-59.0	303	45.7	41.0-50.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2176	219,190	3	0.1	0.1- 0.1	18	0.8	0.4- 1.2	1610	70.6	67.9-73.3	115	7.8	6.0- 9.6	19	1.0	0.4- 1.6	411	19.8	17.4-22.2
Male	838	90,849	3	0.2	0.0- 0.4	9	1.3	0.3- 2.3	601	67.5	63.2-71.8	53	8.4	5.7-11.1	8	1.6	0.0- 3.2	164	21.0	17.3-24.7
Female	1338	128,341				9	0.4	0.0- 0.8	1009	72.8	69.3-76.3	62	7.4	5.0- 9.8	11	0.5	0.1- 0.9	247	18.9	16.0-21.8
Native	61	6,963	1	1.0	0.0- 3.0				42	63.4	47.7-79.1	7	18.4	3.9-32.9				11	17.2	6.0-28.4
Non-Native	2095	209,421	2	0.0	0.0- 0.0	18	0.8	0.2- 1.4	1555	71.1	68.4-73.8	104	7.1	5.3- 8.9	18	1.0	0.4- 1.6	398	19.9	17.5-22.3
18-24	74	24,162				2	2.5	0.0- 6.0	40	50.8	38.1-63.5	15	20.2	10.0-30.4	1	2.0	0.0- 5.9	16	24.5	12.7-36.3
25-34	151	32,920				2	0.6	0.0- 1.6	114	76.8	69.4-84.2	8	7.0	1.9-12.1				27	15.5	9.4-21.6
35-44	180	28,633				2	0.9	0.0- 2.3	136	73.6	65.8-81.4	9	7.3	2.4-12.2	2	0.8	0.0- 2.0	31	17.4	10.7-24.1
45-54	291	35,189	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	210	68.9	62.4-75.4	16	6.8	2.9-10.7	3	2.1	0.0- 4.8	60	21.6	16.1-27.1
55-64	516	39,835	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0	386	73.4	68.7-78.1	26	5.2	2.8- 7.6				101	20.9	16.6-25.2
65+	952	57,293	1	0.1	0.0- 0.3	9	0.7	0.3- 1.1	715	72.9	69.4-76.4	41	5.8	3.6- 8.0	12	0.9	0.3- 1.5	174	19.6	16.5-22.7
Less Than H.S.	106	15,951	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	72	60.9	47.0-74.8	9	16.2	4.8-27.6				23	22.4	9.7-35.1
H.S. or G.E.D.	565	52,408	1	0.1	0.0- 0.3	6	1.1	0.0- 2.3	401	67.9	62.6-73.2	40	8.8	5.5-12.1	7	1.7	0.0- 3.7	110	20.4	15.9-24.9
Some Post-H.S.	664	81,949	1	0.1	0.0- 0.3	5	0.8	0.0- 1.8	491	69.7	65.0-74.4	38	8.6	5.3-11.9	8	1.4	0.2- 2.6	121	19.6	15.7-23.5
College Graduate	835	68,420				6	0.7	0.0- 1.5	641	75.8	72.1-79.5	27	4.2	2.2- 6.2	4	0.2	0.0- 0.4	157	19.1	15.8-22.4
Less than \$15,000	104	11,629							66	55.7	41.8-69.6	14	18.6	7.2-30.0	3	2.9	0.0- 6.4	21	22.8	10.1-35.5
\$15,000- 24,999	221	21,428	2	0.6	0.0- 1.4				151	62.4	52.6-72.2	19	13.6	5.6-21.6	3	0.6	0.0- 1.4	46	22.8	14.6-31.0
\$25,000- 34,999	199	20,235	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4	137	63.4	53.4-73.4	16	15.2	6.4-24.0	1	0.3	0.0- 0.9	42	20.7	13.3-28.1
\$35,000- 49,999	319	27,441				3	1.0	0.0- 2.2	234	67.7	60.4-75.0	14	7.2	2.9-11.5	1	1.3	0.0- 3.8	67	22.9	16.6-29.2
\$50,000- 74,999	345	37,397				3	0.6	0.0- 1.4	276	81.0	75.7-86.3	11	2.8	0.6- 5.0	2	0.1	0.0- 0.3	53	15.5	10.4-20.6
\$75,000+	722	76,268				6	1.1	0.0- 2.3	553	74.9	71.0-78.8	23	3.9	1.9- 5.9	4	0.7	0.0- 1.7	136	19.4	15.9-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	838	90,849	3	0.2	0.0- 0.4	9	1.3	0.3- 2.3	601	67.5	63.2-71.8	53	8.4	5.7-11.1	8	1.6	0.0- 3.2	164	21.0	17.3-24.7
Non-Native	803	86,770	2	0.1	0.0- 0.3	9	1.4	0.2- 2.6	577	68.1	63.6-72.6	48	7.6	4.9-10.3	8	1.7	0.1- 3.3	159	21.2	17.3-25.1
25-34	62	11,766				2	1.8	0.0- 4.3	45	76.3	64.9-87.7	4	9.0	0.2-17.8				11	13.0	5.2-20.8
35-44	61	10,912							46	74.8	62.1-87.5	5	12.0	1.4-22.6	1	1.0	0.0- 3.0	9	12.2	3.4-21.0
45-54	119	15,216	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	79	59.8	49.2-70.4	11	11.4	3.8-19.0	2	4.4	0.0-10.3	25	23.2	14.2-32.2
55-64	192	16,463	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2	141	71.9	64.3-79.5	15	6.9	3.0-10.8				34	20.6	13.5-27.7
65+	366	25,357	1	0.2	0.0- 0.6	3	0.8	0.0- 1.6	269	69.9	64.0-75.8	13	4.8	1.3- 8.3	4	0.8	0.0- 1.6	76	23.6	18.3-28.9
H.S. or G.E.D.	222	23,466	1	0.2	0.0- 0.6	3	2.1	0.0- 4.6	150	63.9	55.5-72.3	17	7.3	3.4-11.2	2	2.3	0.0- 6.2	49	24.1	16.7-31.5
Some Post-H.S.	229	30,382	1	0.1	0.0- 0.3	3	1.6	0.0- 4.0	162	68.3	60.9-75.7	18	9.5	4.4-14.6	3	2.6	0.0- 5.7	42	17.9	12.0-23.8
College Graduate	336	28,208				3	0.7	0.0- 1.5	256	75.1	69.4-80.8	14	4.9	1.8- 8.0	3	0.4	0.0- 1.0	60	18.8	13.7-23.9
\$15,000- 24,999	70	8,295	2	1.5	0.0- 3.7				45	59.3	44.0-74.6	8	16.2	3.1-29.3				15	22.9	10.6-35.2
\$25,000- 34,999	64	8,300	1	0.5	0.0- 1.5				40	61.0	44.1-77.9	8	23.3	6.8-39.8	1	0.8	0.0- 2.4	14	14.3	5.7-22.9
\$35,000- 49,999	133	11,948				2	1.9	0.0- 4.4	87	57.6	46.2-69.0	9	8.3	2.2-14.4	1	2.9	0.0- 8.4	34	29.3	18.5-40.1
\$50,000- 74,999	160	16,727				3	1.4	0.0- 3.0	119	74.4	65.8-83.0	10	6.0	1.3-10.7	1	0.2	0.0- 0.6	27	18.1	10.3-25.9
\$75,000+	320	34,083				3	1.4	0.0- 3.6	245	74.3	68.4-80.2	10	3.1	0.9- 5.3	3	1.4	0.0- 3.4	59	19.8	14.5-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1338	128,341	9	0.4	0.0- 0.8	1009	72.8	69.3-76.3	62	7.4	5.0- 9.8	11	0.5	0.1- 0.9	247	18.9	16.0-21.8
Non-Native	1292	122,651	9	0.4	0.0- 0.8	978	73.2	69.7-76.7	56	6.8	4.4- 9.2	10	0.5	0.1- 0.9	239	19.0	16.1-21.9
25-34	89	21,154				69	77.2	67.4-87.0	4	6.0	0.0-12.3				16	16.9	8.5-25.3
35-44	119	17,721	2	1.4	0.0- 3.8	90	72.8	62.8-82.8	4	4.5	0.0- 9.2	1	0.7	0.0- 2.1	22	20.5	11.3-29.7
45-54	172	19,973				131	75.8	68.4-83.2	5	3.3	0.0- 6.6	1	0.4	0.0- 1.2	35	20.4	13.3-27.5
55-64	324	23,372	1	0.4	0.0- 1.2	245	74.5	68.6-80.4	11	3.9	1.2- 6.6				67	21.1	15.6-26.6
65+	586	31,937	6	0.6	0.0- 1.2	446	75.2	70.9-79.5	28	6.7	3.8- 9.6	8	1.0	0.2- 1.8	98	16.5	13.0-20.0
Less Than H.S.	57	7,465	1	0.3	0.0- 0.9	41	75.8	60.3-91.3	5	12.5	0.0-27.4				10	11.5	3.3-19.7
H.S. or G.E.D.	343	28,942	3	0.3	0.0- 0.7	251	71.1	64.2-78.0	23	10.0	4.9-15.1	5	1.1	0.0- 2.3	61	17.4	11.9-22.9
Some Post-H.S.	435	51,567	2	0.3	0.0- 0.7	329	70.5	64.2-76.8	20	8.0	3.7-12.3	5	0.7	0.1- 1.3	79	20.5	15.2-25.8
College Graduate	499	40,212	3	0.7	0.0- 1.7	385	76.3	71.4-81.2	13	3.7	1.3- 6.1	1	0.0	0.0- 0.0	97	19.3	14.8-23.8
Less than \$15,000	81	8,692				50	55.1	39.0-71.2	12	20.1	7.0-33.2	3	3.9	0.0- 8.6	16	20.9	6.8-35.0
\$15,000- 24,999	151	13,132				106	64.4	51.7-77.1	11	11.9	1.7-22.1	3	1.0	0.0- 2.4	31	22.7	11.7-33.7
\$25,000- 34,999	135	11,934	2	0.3	0.0- 0.7	97	65.1	52.9-77.3	8	9.5	0.1-18.9				28	25.1	14.5-35.7
\$35,000- 49,999	186	15,494	1	0.3	0.0- 0.9	147	75.5	66.7-84.3	5	6.3	0.2-12.4				33	17.9	10.5-25.3
\$50,000- 74,999	185	20,670				157	86.4	79.7-93.1	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	26	13.4	6.7-20.1
\$75,000+	402	42,185	3	0.8	0.0- 1.8	308	75.4	69.9-80.9	13	4.6	1.7- 7.5	1	0.1	0.0- 0.3	77	19.1	14.2-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2265	230,881	484	22.0	19.6-24.4	873	36.9	34.2-39.6	65	2.0	1.2- 2.8	302	10.5	8.9-12.1	541	28.6	26.1-31.1
Male	881	98,086	195	23.5	19.8-27.2	345	37.0	32.7-41.3	22	1.8	0.6- 3.0	117	10.2	8.0-12.4	202	27.5	23.6-31.4
Female	1384	132,795	289	21.0	18.1-23.9	528	36.8	33.3-40.3	43	2.1	1.1- 3.1	185	10.7	8.5-12.9	339	29.4	26.1-32.7
Native	66	7,386	25	35.2	21.5-48.9	25	37.2	22.7-51.7				4	5.6	0.0-11.9	12	22.0	8.1-35.9
Non-Native	2178	220,581	456	21.6	19.2-24.0	839	36.7	34.0-39.4	65	2.1	1.3- 2.9	294	10.7	9.1-12.3	524	28.9	26.4-31.4
18-24	84	27,970	15	17.1	8.3-25.9	37	49.7	37.7-61.7				6	4.0	0.1- 7.9	26	29.2	18.8-39.6
25-34	161	34,628	34	21.3	14.0-28.6	52	31.8	23.6-40.0	1	1.3	0.0- 3.8	12	8.6	3.3-13.9	62	37.0	28.8-45.2
35-44	183	29,117	38	23.7	16.3-31.1	69	35.9	27.7-44.1	1	0.3	0.0- 0.9	10	3.6	1.2- 6.0	65	36.6	28.4-44.8
45-54	301	36,342	60	20.4	14.9-25.9	85	26.5	20.8-32.2	3	1.0	0.0- 2.2	24	9.9	5.8-14.0	129	42.2	35.7-48.7
55-64	525	40,672	90	18.9	14.8-23.0	188	34.0	29.3-38.7	7	1.9	0.0- 4.3	72	12.9	9.6-16.2	168	32.3	27.6-37.0
65+	997	60,759	243	26.9	23.4-30.4	439	43.0	39.3-46.7	52	4.7	3.3- 6.1	175	16.5	13.8-19.2	88	8.9	6.5-11.3
Less Than H.S.	122	17,999	32	28.1	17.3-38.9	56	45.6	33.3-57.9	8	3.6	1.1- 6.1	16	13.7	5.9-21.5	10	9.1	2.8-15.4
H.S. or G.E.D.	596	56,064	130	22.6	18.1-27.1	246	39.5	33.8-45.2	20	2.2	1.0- 3.4	79	9.3	6.8-11.8	121	26.4	21.1-31.7
Some Post-H.S.	690	87,024	155	22.5	18.4-26.6	256	35.2	30.5-39.9	19	2.3	0.7- 3.9	91	10.3	7.8-12.8	169	29.7	25.2-34.2
College Graduate	852	69,506	166	19.4	15.9-22.9	313	34.6	30.5-38.7	18	1.0	0.4- 1.6	116	10.9	8.5-13.3	239	34.1	29.8-38.4
Less than \$15,000	113	12,938	30	27.9	16.3-39.5	40	36.6	23.7-49.5	9	7.6	0.3-14.9	22	16.1	7.1-25.1	12	11.8	3.2-20.4
\$15,000- 24,999	233	23,002	63	29.2	20.4-38.0	101	40.0	30.8-49.2	11	3.0	1.0- 5.0	28	8.7	4.6-12.8	30	19.0	10.6-27.4
\$25,000- 34,999	207	21,261	54	25.7	16.9-34.5	79	38.5	28.7-48.3	6	1.3	0.1- 2.5	28	7.5	4.2-10.8	40	27.1	17.7-36.5
\$35,000- 49,999	332	29,663	77	27.7	20.6-34.8	131	35.8	28.5-43.1	12	4.0	0.7- 7.3	49	10.3	6.8-13.8	63	22.2	15.7-28.7
\$50,000- 74,999	354	38,489	78	20.4	14.9-25.9	119	32.7	26.2-39.2	5	1.1	0.0- 2.3	48	10.6	6.3-14.9	104	35.2	28.5-41.9
\$75,000+	737	78,064	122	17.6	14.1-21.1	272	34.1	29.8-38.4	12	0.7	0.3- 1.1	89	11.1	8.4-13.8	242	36.4	31.9-40.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	881	98,086	195	23.5	19.8-27.2	345	37.0	32.7-41.3	22	1.8	0.6- 3.0	117	10.2	8.0-12.4	202	27.5	23.6-31.4
Non-Native	844	93,820	183	23.2	19.5-26.9	337	37.5	33.2-41.8	22	1.9	0.7- 3.1	111	10.2	8.0-12.4	191	27.3	23.2-31.4
25-34	70	13,226	14	23.3	11.9-34.7	20	26.9	15.3-38.5				5	6.0	0.5-11.5	31	43.8	31.1-56.5
35-44	62	11,060	12	19.8	8.4-31.2	20	31.8	18.5-45.1	1	0.7	0.0- 2.1	3	4.0	0.0- 8.7	26	43.6	29.3-57.9
45-54	126	15,863	33	32.0	21.8-42.2	35	22.3	14.9-29.7	2	1.2	0.0- 2.8	9	9.5	2.8-16.2	47	35.0	25.6-44.4
55-64	197	17,019	37	19.9	13.2-26.6	75	37.4	29.6-45.2	2	2.8	0.0- 7.9	31	15.0	9.3-20.7	52	24.8	17.7-31.9
65+	381	26,814	93	28.7	23.0-34.4	173	42.7	37.0-48.4	17	3.9	1.9- 5.9	65	15.6	11.5-19.7	33	9.2	5.5-12.9
Less Than H.S.	54	9,219	17	30.7	14.8-46.6	26	54.2	36.2-72.2	1	1.0	0.0- 3.0	5	6.3	0.0-12.6	5	7.9	0.3-15.5
H.S. or G.E.D.	239	25,846	50	21.3	14.6-28.0	106	41.8	33.4-50.2	7	1.8	0.2- 3.4	28	8.5	4.8-12.2	48	26.5	18.5-34.5
Some Post-H.S.	245	34,098	55	24.8	17.9-31.7	85	31.5	24.4-38.6	5	2.3	0.0- 5.0	36	10.8	6.9-14.7	64	30.6	23.3-37.9
College Graduate	342	28,790	73	21.6	16.1-27.1	127	33.5	27.4-39.6	9	1.5	0.5- 2.5	48	12.4	8.3-16.5	85	31.1	24.6-37.6
\$15,000- 24,999	75	9,294	20	26.3	13.6-39.0	34	42.2	27.9-56.5	2	1.7	0.0- 4.1	9	9.5	2.6-16.4	10	20.4	6.5-34.3
\$25,000- 34,999	67	9,079	18	30.9	15.4-46.4	29	37.8	21.5-54.1	1	0.9	0.0- 2.7	10	7.2	1.9-12.5	9	23.2	7.3-39.1
\$35,000- 49,999	143	13,909	32	25.3	15.1-35.5	61	39.2	27.8-50.6	6	6.4	0.0-13.1	24	13.4	7.1-19.7	20	15.6	7.6-23.6
\$50,000- 74,999	164	17,408	45	28.2	19.4-37.0	53	30.2	21.4-39.0	3	1.1	0.0- 2.5	25	9.7	5.4-14.0	38	30.8	21.4-40.2
\$75,000+	329	35,420	58	19.0	13.7-24.3	128	34.8	28.7-40.9	6	0.9	0.1- 1.7	37	10.9	6.8-15.0	100	34.3	27.8-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1384	132,795	289	21.0	18.1-23.9	528	36.8	33.3-40.3	43	2.1	1.1- 3.1	185	10.7	8.5-12.9	339	29.4	26.1-32.7
Non-Native	1334	126,762	273	20.5	17.4-23.6	502	36.1	32.6-39.6	43	2.2	1.2- 3.2	183	11.0	8.8-13.2	333	30.2	26.7-33.7
25-34	91	21,402	20	20.1	10.7-29.5	32	34.8	23.6-46.0	1	2.2	0.0- 6.3	7	10.1	2.5-17.7	31	32.8	22.2-43.4
35-44	121	18,057	26	26.0	16.4-35.6	49	38.4	28.0-48.8				7	3.3	0.8- 5.8	39	32.3	22.3-42.3
45-54	175	20,479	27	11.4	6.7-16.1	50	29.7	21.7-37.7	1	0.8	0.0- 2.4	15	10.2	4.9-15.5	82	47.8	39.2-56.4
55-64	328	23,653	53	18.2	12.9-23.5	113	31.5	25.8-37.2	5	1.3	0.1- 2.5	41	11.3	7.4-15.2	116	37.7	31.4-44.0
65+	616	33,945	150	25.5	21.2-29.8	266	43.3	38.6-48.0	35	5.4	3.4- 7.4	110	17.2	13.7-20.7	55	8.6	5.7-11.5
Less Than H.S.	68	8,780	15	25.4	10.7-40.1	30	36.5	22.2-50.8	7	6.3	1.2-11.4	11	21.4	7.7-35.1	5	10.4	0.6-20.2
H.S. or G.E.D.	357	30,218	80	23.7	17.6-29.8	140	37.5	30.1-44.9	13	2.5	0.9- 4.1	51	10.0	6.7-13.3	73	26.2	19.1-33.3
Some Post-H.S.	445	52,927	100	21.1	15.8-26.4	171	37.6	31.5-43.7	14	2.3	0.3- 4.3	55	10.0	6.5-13.5	105	29.0	23.3-34.7
College Graduate	510	40,716	93	17.9	13.6-22.2	186	35.4	29.9-40.9	9	0.7	0.1- 1.3	68	9.8	6.9-12.7	154	36.2	30.5-41.9
Less than \$15,000	87	9,671	24	26.8	13.7-39.9	30	33.9	19.0-48.8	7	9.2	0.0-18.8	19	18.6	7.4-29.8	7	11.5	0.7-22.3
\$15,000- 24,999	158	13,708	43	31.2	19.2-43.2	67	38.6	26.6-50.6	9	3.9	1.0- 6.8	19	8.2	3.3-13.1	20	18.1	7.3-28.9
\$25,000- 34,999	140	12,182	36	21.7	11.7-31.7	50	39.0	27.0-51.0	5	1.6	0.0- 3.2	18	7.7	3.2-12.2	31	29.9	18.5-41.3
\$35,000- 49,999	189	15,754	45	29.8	20.0-39.6	70	32.8	23.6-42.0	6	1.9	0.1- 3.7	25	7.5	3.8-11.2	43	28.0	18.6-37.4
\$50,000- 74,999	190	21,081	33	14.0	7.7-20.3	66	34.8	25.6-44.0	2	1.1	0.0- 2.9	23	11.3	4.4-18.2	66	38.8	29.6-48.0
\$75,000+	408	42,644	64	16.5	11.8-21.2	144	33.5	27.6-39.4	6	0.5	0.1- 0.9	52	11.3	7.6-15.0	142	38.2	32.1-44.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4297	477,490	1893	35.1	33.3-36.9	2404	64.9	63.1-66.7
Male	1880	236,132	746	32.7	30.0-35.4	1134	67.3	64.6-70.0
Female	2417	241,357	1147	37.3	34.8-39.8	1270	62.7	60.2-65.2
Native	136	16,723	60	38.1	27.1-49.1	76	61.9	50.9-72.9
Non-Native	4119	454,979	1818	34.9	32.9-36.9	2301	65.1	63.1-67.1
18-24	191	64,385	60	32.4	25.0-39.8	131	67.6	60.2-75.0
25-34	364	75,122	66	20.2	15.3-25.1	298	79.8	74.9-84.7
35-44	409	66,654	80	20.8	16.1-25.5	329	79.2	74.5-83.9
45-54	626	77,859	133	19.3	15.8-22.8	493	80.7	77.2-84.2
55-64	1044	87,480	322	29.6	26.3-32.9	722	70.4	67.1-73.7
65+	1628	102,252	1217	73.3	70.6-76.0	411	26.7	24.0-29.4
Less Than H.S.	246	39,851	141	47.0	38.6-55.4	105	53.0	44.6-61.4
H.S. or G.E.D.	1233	123,809	592	36.5	33.0-40.0	641	63.5	60.0-67.0
Some Post-H.S.	1398	191,614	597	34.7	31.6-37.8	801	65.3	62.2-68.4
College Graduate	1410	121,251	560	30.3	27.4-33.2	850	69.7	66.8-72.6
Less than \$15,000	228	27,551	135	44.6	36.0-53.2	93	55.4	46.8-64.0
\$15,000- 24,999	478	52,274	270	44.2	37.9-50.5	208	55.8	49.5-62.1
\$25,000- 34,999	377	41,238	197	38.1	31.6-44.6	180	61.9	55.4-68.4
\$35,000- 49,999	605	62,282	300	39.7	34.4-45.0	305	60.3	55.0-65.6
\$50,000- 74,999	690	77,454	287	32.6	28.3-36.9	403	67.4	63.1-71.7
\$75,000+	1373	158,982	409	24.4	21.7-27.1	964	75.6	72.9-78.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1880	236,132	746	32.7	30.2-35.2	1134	67.3	64.8-69.8
Native	60	7,496	29	46.5	29.3-63.7	31	53.5	36.3-70.7
Non-Native	1793	224,580	707	32.0	29.3-34.7	1086	68.0	65.3-70.7
18-24	107	34,902	35	31.0	21.2-40.8	72	69.0	59.2-78.8
25-34	201	39,292	40	22.1	15.6-28.6	161	77.9	71.4-84.4
35-44	178	31,904	26	15.6	9.1-22.1	152	84.4	77.9-90.9
45-54	295	38,429	59	18.8	13.7-23.9	236	81.2	76.1-86.3
55-64	465	43,881	128	27.1	22.4-31.8	337	72.9	68.2-77.6
65+	623	46,250	454	71.6	67.3-75.9	169	28.4	24.1-32.7
Less Than H.S.	133	24,753	65	42.0	31.0-53.0	68	58.0	47.0-69.0
H.S. or G.E.D.	560	65,900	241	33.9	29.2-38.6	319	66.1	61.4-70.8
Some Post-H.S.	578	89,578	202	30.5	26.0-35.0	376	69.5	65.0-74.0
College Graduate	607	55,555	237	30.7	26.4-35.0	370	69.3	65.0-73.6
Less than \$15,000	74	10,726	32	31.6	19.4-43.8	42	68.4	56.2-80.6
\$15,000- 24,999	171	23,342	77	39.1	29.9-48.3	94	60.9	51.7-70.1
\$25,000- 34,999	149	17,864	75	37.5	27.7-47.3	74	62.5	52.7-72.3
\$35,000- 49,999	265	32,544	137	40.3	32.7-47.9	128	59.7	52.1-67.3
\$50,000- 74,999	348	40,599	145	35.0	28.9-41.1	203	65.0	58.9-71.1
\$75,000+	708	87,611	204	23.4	19.7-27.1	504	76.6	72.9-80.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2417	241,357	1147	37.3	34.8-39.8	1270	62.7	60.2-65.2
Native	76	9,228	31	31.3	18.8-43.8	45	68.7	56.2-81.2
Non-Native	2326	230,399	1111	37.8	35.1-40.5	1215	62.2	59.5-64.9
18-24	84	29,483	25	34.1	22.7-45.5	59	65.9	54.5-77.3
25-34	163	35,830	26	18.1	10.8-25.4	137	81.9	74.6-89.2
35-44	231	34,750	54	25.6	18.7-32.5	177	74.4	67.5-81.3
45-54	331	39,429	74	19.8	14.9-24.7	257	80.2	75.3-85.1
55-64	579	43,598	194	32.0	27.5-36.5	385	68.0	63.5-72.5
65+	1005	56,001	763	74.6	71.3-77.9	242	25.4	22.1-28.7
Less Than H.S.	113	15,098	76	55.3	42.2-68.4	37	44.7	31.6-57.8
H.S. or G.E.D.	673	57,908	351	39.5	34.6-44.4	322	60.5	55.6-65.4
Some Post-H.S.	820	102,036	395	38.4	33.9-42.9	425	61.6	57.1-66.1
College Graduate	803	65,696	323	30.0	26.1-33.9	480	70.0	66.1-73.9
Less than \$15,000	154	16,825	103	52.9	41.3-64.5	51	47.1	35.5-58.7
\$15,000- 24,999	307	28,931	193	48.2	39.8-56.6	114	51.8	43.4-60.2
\$25,000- 34,999	228	23,375	122	38.6	30.0-47.2	106	61.4	52.8-70.0
\$35,000- 49,999	340	29,738	163	39.1	31.7-46.5	177	60.9	53.5-68.3
\$50,000- 74,999	342	36,855	142	30.0	23.7-36.3	200	70.0	63.7-76.3
\$75,000+	665	71,371	205	25.7	21.6-29.8	460	74.3	70.2-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	278
2	MALES ONLY	279
3	FEMALES ONLY	280
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	281
5	MALES ONLY	282
6	FEMALES ONLY	283
	WHERE DID YOU HAVE YOUR LAST HIV TEST - AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRSTST10)	
7	MALES AND FEMALES	284
8	MALES ONLY	285
9	FEMALES ONLY	286

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4496	521,914	863	25.9	24.1-27.7	3633	74.1	72.3-75.9
Male	2008	264,440	404	24.6	22.1-27.1	1604	75.4	72.9-77.9
Female	2488	257,474	459	27.3	24.8-29.8	2029	72.7	70.2-75.2
Native	142	18,214	64	48.2	37.4-59.0	78	51.8	41.0-62.6
Non-Native	4308	496,947	793	25.2	23.2-27.2	3515	74.8	72.8-76.8
18-24	230	78,691	63	26.8	20.5-33.1	167	73.2	66.9-79.5
25-34	439	91,668	185	46.1	40.8-51.4	254	53.9	48.6-59.2
35-44	455	76,239	196	43.5	38.2-48.8	259	56.5	51.2-61.8
45-54	654	81,045	168	24.5	20.6-28.4	486	75.5	71.6-79.4
55-64	1059	88,938	142	12.7	10.3-15.1	917	87.3	84.9-89.7
65+	1624	101,631	101	6.7	5.1- 8.3	1523	93.3	91.7-94.9
Less Than H.S.	253	43,196	45	27.2	19.2-35.2	208	72.8	64.8-80.8
H.S. or G.E.D.	1283	135,590	209	24.5	21.0-28.0	1074	75.5	72.0-79.0
Some Post-H.S.	1470	209,373	282	25.8	22.7-28.9	1188	74.2	71.1-77.3
College Graduate	1481	132,829	326	27.2	24.3-30.1	1155	72.8	69.9-75.7
Less than \$15,000	234	29,872	51	26.6	18.6-34.6	183	73.4	65.4-81.4
\$15,000- 24,999	486	55,701	90	26.9	20.8-33.0	396	73.1	67.0-79.2
\$25,000- 34,999	390	45,916	80	30.3	23.4-37.2	310	69.7	62.8-76.6
\$35,000- 49,999	638	68,333	122	27.0	21.9-32.1	516	73.0	67.9-78.1
\$50,000- 74,999	723	84,675	128	29.5	24.6-34.4	595	70.5	65.6-75.4
\$75,000+	1456	173,509	329	26.0	23.1-28.9	1127	74.0	71.1-76.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	264,440	404	24.6	22.1-27.1	1604	75.4	72.9-77.9
Native	64	8,388	26	43.9	28.2-59.6	38	56.1	40.4-71.8
Non-Native	1915	251,398	374	24.1	21.6-26.6	1541	75.9	73.4-78.4
18-24	127	42,354	31	25.2	16.6-33.8	96	74.8	66.2-83.4
25-34	250	50,072	82	36.1	29.2-43.0	168	63.9	57.0-70.8
35-44	209	38,965	70	35.6	28.0-43.2	139	64.4	56.8-72.0
45-54	313	40,769	88	28.0	22.1-33.9	225	72.0	66.1-77.9
55-64	476	45,056	72	14.5	11.0-18.0	404	85.5	82.0-89.0
65+	622	45,788	57	8.7	6.2-11.2	565	91.3	88.8-93.8
Less Than H.S.	138	26,897	26	28.5	18.1-38.9	112	71.5	61.1-81.9
H.S. or G.E.D.	599	73,936	116	23.9	19.4-28.4	483	76.1	71.6-80.6
Some Post-H.S.	614	99,929	127	24.6	20.1-29.1	487	75.4	70.9-79.9
College Graduate	655	63,331	134	23.8	19.7-27.9	521	76.2	72.1-80.3
Less than \$15,000	77	11,718	18	22.1	10.9-33.3	59	77.9	66.7-89.1
\$15,000- 24,999	177	24,852	44	33.0	23.2-42.8	133	67.0	57.2-76.8
\$25,000- 34,999	158	21,748	42	35.7	25.1-46.3	116	64.3	53.7-74.9
\$35,000- 49,999	289	36,465	54	23.1	16.4-29.8	235	76.9	70.2-83.6
\$50,000- 74,999	367	45,523	56	23.9	17.6-30.2	311	76.1	69.8-82.4
\$75,000+	756	96,675	162	23.7	19.8-27.6	594	76.3	72.4-80.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	257,474	459	27.3	24.8-29.8	2029	72.7	70.2-75.2
Native	78	9,825	38	51.8	37.1-66.5	40	48.2	33.5-62.9
Non-Native	2393	245,549	419	26.4	23.7-29.1	1974	73.6	70.9-76.3
18-24	103	36,337	32	28.7	19.5-37.9	71	71.3	62.1-80.5
25-34	189	41,597	103	58.0	50.2-65.8	86	42.0	34.2-49.8
35-44	246	37,275	126	51.9	44.5-59.3	120	48.1	40.7-55.5
45-54	341	40,276	80	20.9	16.0-25.8	261	79.1	74.2-84.0
55-64	583	43,883	70	10.8	7.9-13.7	513	89.2	86.3-92.1
65+	1002	55,843	44	5.0	3.2- 6.8	958	95.0	93.2-96.8
Less Than H.S.	115	16,299	19	25.2	12.9-37.5	96	74.8	62.5-87.1
H.S. or G.E.D.	684	61,654	93	25.2	20.1-30.3	591	74.8	69.7-79.9
Some Post-H.S.	856	109,445	155	27.0	22.7-31.3	701	73.0	68.7-77.3
College Graduate	826	69,498	192	30.3	26.0-34.6	634	69.7	65.4-74.0
Less than \$15,000	157	18,153	33	29.5	18.7-40.3	124	70.5	59.7-81.3
\$15,000- 24,999	309	30,849	46	22.1	14.5-29.7	263	77.9	70.3-85.5
\$25,000- 34,999	232	24,168	38	25.4	16.8-34.0	194	74.6	66.0-83.2
\$35,000- 49,999	349	31,868	68	31.5	23.7-39.3	281	68.5	60.7-76.3
\$50,000- 74,999	356	39,152	72	36.1	28.8-43.4	284	63.9	56.6-71.2
\$75,000+	700	76,834	167	28.8	24.3-33.3	533	71.2	66.7-75.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	738	119,116	32	2.2	1.4- 3.0	43	4.4	2.6- 6.2	92	8.6	6.4-10.8	129	16.3	13.0-19.6	367	55.6	51.1-60.1	75	12.9	9.6-16.2
Male	341	56,665	14	2.4	1.0- 3.8	13	3.3	1.1- 5.5	40	8.4	5.3-11.5	52	13.2	9.1-17.3	177	57.9	51.4-64.4	45	14.8	10.1-19.5
Female	397	62,451	18	2.0	1.0- 3.0	30	5.5	3.0- 8.0	52	8.7	6.0-11.4	77	19.1	14.2-24.0	190	53.4	47.1-59.7	30	11.2	6.7-15.7
Native	58	8,108	2	2.3	0.0- 5.6	1	0.4	0.0- 1.2	4	3.3	0.0- 7.0	9	16.5	6.3-26.7	34	61.6	47.1-76.1	8	15.9	4.1-27.7
Non-Native	678	110,267	30	2.2	1.4- 3.0	42	4.8	3.0- 6.6	88	9.0	6.8-11.2	119	16.1	12.8-19.4	332	55.1	50.4-59.8	67	12.8	9.5-16.1
18-24	56	18,521				1	3.0	0.0- 8.7							39	70.5	57.0-84.0	16	26.5	13.6-39.4
25-34	171	38,969	1	0.3	0.0- 0.9				7	3.3	0.8- 5.8	26	17.7	10.8-24.6	117	67.4	59.4-75.4	20	11.2	5.9-16.5
35-44	179	30,474	1	0.3	0.0- 0.9	7	4.3	1.0- 7.6	25	12.8	7.3-18.3	41	21.0	14.1-27.9	89	50.4	41.8-59.0	16	11.3	5.4-17.2
45-54	145	16,979	8	4.8	1.3- 8.3	21	14.1	7.4-20.8	24	14.7	8.2-21.2	34	23.5	15.5-31.5	51	37.3	27.7-46.9	7	5.7	1.4-10.0
55-64	110	8,758	14	12.6	5.7-19.5	9	7.1	2.2-12.0	26	20.1	11.5-28.7	16	16.4	8.4-24.4	39	37.4	26.4-48.4	6	6.3	0.8-11.8
65+	74	4,915	8	10.2	2.8-17.6	5	8.4	0.4-16.4	10	15.5	4.3-26.7	12	14.4	5.4-23.4	30	34.0	21.8-46.2	9	17.5	4.8-30.2
H.S. or G.E.D.	181	29,414	4	1.3	0.0- 2.7	7	3.5	0.4- 6.6	23	8.5	4.6-12.4	28	13.1	7.6-18.6	91	52.2	43.2-61.2	28	21.5	13.3-29.7
Some Post-H.S.	245	47,936	11	2.5	0.9- 4.1	18	5.3	2.2- 8.4	29	8.5	5.0-12.0	52	21.1	15.0-27.2	118	54.9	47.3-62.5	17	7.6	3.3-11.9
College Graduate	276	32,026	15	2.7	1.1- 4.3	17	4.5	2.1- 6.9	37	10.0	6.1-13.9	46	14.6	9.9-19.3	137	56.1	49.0-63.2	24	12.1	6.8-17.4
\$15,000- 24,999	78	13,160	2	1.8	0.0- 4.5	2	1.1	0.0- 2.7	11	9.1	2.2-16.0	11	9.2	3.1-15.3	39	55.5	41.0-70.0	13	23.2	10.1-36.3
\$25,000- 34,999	70	12,510	1	0.9	0.0- 2.7	5	5.1	0.0-10.4	5	2.3	0.1- 4.5	14	17.0	7.0-27.0	38	60.9	46.8-75.0	7	13.8	3.2-24.4
\$35,000- 49,999	106	16,526	8	3.1	0.7- 5.5	6	4.2	0.3- 8.1	18	11.2	5.1-17.3	17	19.4	9.4-29.4	44	45.0	32.7-57.3	13	17.1	6.7-27.5
\$50,000- 74,999	110	22,624	2	0.8	0.0- 2.2	7	4.6	0.9- 8.3	9	4.2	0.7- 7.7	23	22.0	12.6-31.4	61	58.2	47.0-69.4	8	10.2	2.9-17.5
\$75,000+	285	38,878	16	3.3	1.5- 5.1	18	6.2	2.5- 9.9	45	14.2	9.5-18.9	50	14.7	10.2-19.2	134	53.4	46.3-60.5	22	8.3	4.4-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	341	56,665	14	2.4	1.0- 3.8	13	3.3	1.1- 5.5	40	8.4	5.3-11.5	52	13.2	9.1-17.3	177	57.9	51.4-64.4	45	14.8	10.1-19.5
Non-Native	318	53,167	13	2.4	1.0- 3.8	13	3.5	1.1- 5.9	38	8.6	5.3-11.9	50	13.5	9.2-17.8	165	58.0	51.3-64.7	39	14.0	9.1-18.9
25-34	74	16,381							3	3.9	0.0- 8.4	12	18.8	8.6-29.0	49	66.5	54.7-78.3	10	10.8	3.7-17.9
35-44	63	12,717				2	3.3	0.0- 8.6	6	9.6	1.6-17.6	10	11.5	3.3-19.7	37	60.2	46.3-74.1	8	15.4	4.0-26.8
45-54	73	9,474	7	6.8	1.5-12.1	6	11.1	1.7-20.5	12	14.3	5.3-23.3	15	18.8	8.4-29.2	27	39.8	26.3-53.3	6	9.2	1.9-16.5
55-64	59	5,364	5	10.9	1.7-20.1	3	5.3	0.0-11.2	15	22.4	10.2-34.6	7	11.5	3.1-19.9	25	41.4	26.9-55.9	4	8.5	0.3-16.7
H.S. or G.E.D.	101	16,169	3	1.9	0.0- 4.3	3	2.6	0.0- 6.7	11	7.8	2.3-13.3	11	10.4	3.3-17.5	53	48.9	36.9-60.9	20	28.3	16.3-40.3
Some Post-H.S.	109	21,345	8	4.2	1.3- 7.1	6	4.3	0.4- 8.2	13	8.4	3.1-13.7	19	16.6	8.6-24.6	53	58.9	48.1-69.7	10	7.6	2.7-12.5
College Graduate	110	13,010	3	1.3	0.0- 2.9	3	1.8	0.0- 4.0	14	11.1	3.8-18.4	20	15.4	7.8-23.0	58	58.5	47.3-69.7	12	11.9	4.3-19.5
\$75,000+	135	19,183	7	3.3	0.8- 5.8	6	4.0	0.1- 7.9	21	14.7	7.6-21.8	22	13.1	7.0-19.2	62	54.3	44.3-64.3	17	10.7	5.0-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	397	62,451	18	2.0	1.0- 3.0	30	5.5	3.0- 8.0	52	8.7	6.0-11.4	77	19.1	14.2-24.0	190	53.4	47.1-59.7	30	11.2	6.7-15.7
Non-Native	360	57,100	17	2.1	0.9- 3.3	29	5.9	3.2- 8.6	50	9.4	6.3-12.5	69	18.5	13.4-23.6	167	52.5	45.8-59.2	28	11.6	6.7-16.5
25-34	97	22,588	1	0.5	0.0- 1.5				4	2.9	0.0- 5.8	14	17.0	7.6-26.4	68	68.1	57.1-79.1	10	11.5	4.1-18.9
35-44	116	17,757	1	0.5	0.0- 1.5	5	4.9	0.4- 9.4	19	15.0	7.7-22.3	31	27.8	18.2-37.4	52	43.4	32.6-54.2	8	8.4	2.3-14.5
45-54	72	7,505	1	2.3	0.0- 6.6	15	17.8	8.8-26.8	12	15.1	5.9-24.3	19	29.3	16.8-41.8	24	34.2	20.7-47.7	1	1.2	0.0- 3.6
55-64	51	3,394	9	15.2	5.0-25.4	6	10.0	1.6-18.4	11	16.5	6.3-26.7	9	24.2	9.3-39.1	14	31.1	14.2-48.0	2	3.0	0.0- 7.3
H.S. or G.E.D.	80	13,245	1	0.5	0.0- 1.5	4	4.5	0.0- 9.4	12	9.2	3.3-15.1	17	16.4	7.4-25.4	38	56.2	42.9-69.5	8	13.1	2.9-23.3
Some Post-H.S.	136	26,592	3	1.1	0.0- 2.5	12	6.0	1.3-10.7	16	8.6	3.7-13.5	33	24.8	16.0-33.6	65	51.7	41.1-62.3	7	7.7	1.0-14.4
College Graduate	166	19,016	12	3.6	1.4- 5.8	14	6.4	2.7-10.1	23	9.3	5.0-13.6	26	14.1	8.0-20.2	79	54.5	45.3-63.7	12	12.2	5.1-19.3
\$35,000- 49,999	57	8,558	6	4.3	0.6- 8.0	4	4.0	0.0- 8.5	12	13.9	4.5-23.3	8	14.9	2.7-27.1	20	42.6	25.0-60.2	7	20.3	3.6-37.0
\$50,000- 74,999	63	12,746	1	0.3	0.0- 0.9	6	5.8	0.7-10.9	7	4.6	0.9- 8.3	18	32.8	18.5-47.1	29	52.2	37.3-67.1	2	4.3	0.0-10.4
\$75,000+	150	19,694	9	3.2	0.8- 5.6	12	8.3	2.0-14.6	24	13.7	7.4-20.0	28	16.2	9.7-22.7	72	52.6	42.8-62.4	5	6.0	0.7-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	850	133,276	247	28.9	25.0-32.8	21	2.0	1.0- 3.0	443	53.7	49.4-58.0	15	2.8	1.2- 4.4	5	0.7	0.0- 1.5	119	11.8	9.3-14.3
Male	396	63,852	91	21.5	16.4-26.6	11	2.3	0.7- 3.9	201	52.3	46.0-58.6	12	4.9	2.0- 7.8	4	1.5	0.0- 3.1	77	17.6	13.1-22.1
Female	454	69,425	156	35.7	30.0-41.4	10	1.8	0.4- 3.2	242	55.0	49.1-60.9	3	1.0	0.0- 2.2	1	0.1	0.0- 0.3	42	6.5	4.0- 9.0
Native	64	8,779	12	16.2	6.0-26.4	3	4.5	0.0-10.2	43	66.6	52.9-80.3	3	6.7	0.0-14.7	1	1.3	0.0- 3.8	2	4.7	0.0-11.6
Non-Native	780	123,171	235	30.1	26.0-34.2	18	1.9	0.7- 3.1	395	52.4	47.9-56.9	12	2.6	1.0- 4.2	4	0.7	0.0- 1.5	116	12.3	9.6-15.0
18-24	62	20,643	13	22.2	10.4-34.0	1	1.0	0.0- 3.0	43	69.2	56.5-81.9							5	7.6	0.3-14.9
25-34	184	41,861	57	31.3	23.7-38.9	5	2.7	0.2- 5.2	101	54.5	46.3-62.7	3	2.1	0.0- 4.8	2	1.7	0.0- 4.1	16	7.6	3.5-11.7
35-44	194	32,924	63	31.9	24.3-39.5	4	1.9	0.0- 3.9	100	50.0	41.8-58.2	5	4.3	0.4- 8.2	1	0.3	0.0- 0.9	21	11.6	6.1-17.1
45-54	164	19,244	46	26.2	18.4-34.0	4	1.3	0.0- 2.7	77	46.8	37.8-55.8	4	4.6	0.0- 9.3	2	0.9	0.0- 2.3	31	20.2	13.1-27.3
55-64	139	11,075	39	28.2	19.2-37.2	4	3.0	0.0- 6.1	67	45.1	35.5-54.7	2	3.8	0.0- 9.1				27	19.8	11.8-27.8
65+	100	6,689	25	26.1	15.1-37.1	3	2.0	0.0- 4.4	54	55.0	43.0-67.0	1	2.4	0.0- 7.1				17	14.6	7.5-21.7
H.S. or G.E.D.	208	32,886	59	26.4	19.1-33.7	5	1.6	0.2- 3.0	111	55.6	47.4-63.8	6	3.4	0.5- 6.3	1	1.0	0.0- 3.0	26	12.1	6.6-17.6
Some Post-H.S.	276	52,766	82	29.5	22.8-36.2	2	1.2	0.0- 3.0	145	54.6	47.3-61.9	3	1.3	0.0- 3.1	2	1.0	0.0- 2.6	42	12.5	8.2-16.8
College Graduate	321	35,863	93	28.5	22.4-34.6	14	4.4	1.7- 7.1	164	52.6	45.9-59.3	1	0.6	0.0- 1.8	2	0.4	0.0- 1.0	47	13.5	9.0-18.0
Less than \$15,000	50	7,894	14	28.7	13.2-44.2	2	3.6	0.0- 9.1	28	58.5	41.6-75.4	2	5.2	0.0-12.3				4	3.8	0.0- 8.3
\$15,000- 24,999	90	15,004	25	26.5	14.7-38.3	2	0.8	0.0- 2.2	49	59.5	46.2-72.8	5	7.8	0.4-15.2	2	2.5	0.0- 6.8	7	2.8	0.4- 5.2
\$25,000- 34,999	78	13,701	15	13.5	4.9-22.1	1	1.2	0.0- 3.6	48	65.3	52.0-78.6	3	5.0	0.0-11.1	2	3.7	0.0- 9.4	9	11.4	2.2-20.6
\$35,000- 49,999	121	18,094	32	24.6	14.6-34.6				66	59.9	48.5-71.3	1	0.6	0.0- 1.8				22	14.9	7.3-22.5
\$50,000- 74,999	127	24,903	44	33.1	23.1-43.1	3	2.4	0.0- 5.7	61	49.6	39.0-60.2	1	1.7	0.0- 5.0				18	13.2	6.5-19.9
\$75,000+	323	44,157	98	33.4	26.9-39.9	10	2.9	0.7- 5.1	166	47.8	41.1-54.5	2	1.7	0.0- 4.1	1	0.3	0.0- 0.9	46	14.0	9.5-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	396	63,852	91	21.5	16.4-26.6	11	2.3	0.7- 3.9	201	52.3	46.0-58.6	12	4.9	2.0- 7.8	4	1.5	0.0- 3.1	77	17.6	13.1-22.1
Non-Native	366	59,187	88	22.6	17.3-27.9	9	2.2	0.6- 3.8	182	51.1	44.6-57.6	10	4.8	1.7- 7.9	3	1.4	0.0- 3.2	74	17.9	13.2-22.6
25-34	81	17,735	19	21.5	12.1-30.9	4	4.2	0.0- 8.5	44	53.2	41.0-65.4	1	2.7	0.0- 7.8	2	4.0	0.0- 9.5	11	14.3	5.7-22.9
35-44	70	13,860	17	21.5	11.1-31.9	2	2.8	0.0- 6.9	31	44.7	31.4-58.0	4	8.4	0.0-17.0	1	0.8	0.0- 2.4	15	21.8	10.4-33.2
45-54	85	10,888	15	15.7	6.1-25.3	2	1.1	0.0- 2.9	42	49.0	36.5-61.5	4	8.1	0.0-16.3	1	1.1	0.0- 3.3	21	24.9	14.5-35.3
55-64	70	6,366	15	18.1	8.5-27.7	1	2.0	0.0- 5.9	36	48.7	35.4-62.0	2	6.7	0.0-15.7				16	24.5	12.5-36.5
65+	56	3,915	17	30.4	15.7-45.1	2	2.5	0.0- 6.0	26	45.4	29.3-61.5	1	4.1	0.0-11.9				10	17.6	7.0-28.2
H.S. or G.E.D.	115	17,339	21	16.3	8.3-24.3	5	3.0	0.3- 5.7	66	58.1	46.9-69.3	3	2.7	0.0- 5.8	1	1.9	0.0- 5.6	19	18.1	8.7-27.5
Some Post-H.S.	123	23,917	31	22.5	13.9-31.1				62	54.8	44.2-65.4	3	2.8	0.0- 6.5	2	2.1	0.0- 5.4	25	17.9	10.5-25.3
College Graduate	132	14,942	32	22.5	13.7-31.3	6	6.4	0.5-12.3	62	45.3	34.9-55.7	1	1.4	0.0- 4.1	1	0.7	0.0- 2.1	30	23.6	14.8-32.4
\$35,000- 49,999	53	8,069	9	17.0	3.3-30.7				29	56.2	39.3-73.1	1	1.3	0.0- 3.8				14	25.5	10.8-40.2
\$50,000- 74,999	55	10,764	11	17.1	4.2-30.0	1	0.9	0.0- 2.7	29	54.7	38.4-71.0	1	4.0	0.0-11.6				13	23.4	10.3-36.5
\$75,000+	159	22,635	43	28.6	19.8-37.4	7	4.9	0.8- 9.0	75	44.7	35.3-54.1	1	1.9	0.0- 5.4	1	0.5	0.0- 1.5	32	19.4	12.3-26.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	454	69,425	156	35.7	30.0-41.4	10	1.8	0.4- 3.2	242	55.0	49.1-60.9	3	1.0	0.0- 2.2	1	0.1	0.0- 0.3	42	6.5	4.0- 9.0
Non-Native	414	63,985	147	37.1	31.0-43.2	9	1.6	0.2- 3.0	213	53.6	47.3-59.9	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	42	7.1	4.4- 9.8
25-34	103	24,125	38	38.5	27.5-49.5	1	1.7	0.0- 4.8	57	55.4	44.2-66.6	2	1.8	0.0- 4.5				5	2.7	0.2- 5.2
35-44	124	19,064	46	39.5	29.1-49.9	2	1.3	0.0- 3.3	69	53.9	43.5-64.3	1	1.2	0.0- 3.6				6	4.1	0.8- 7.4
45-54	79	8,357	31	39.8	27.3-52.3	2	1.6	0.0- 4.0	35	43.8	31.1-56.5				1	0.6	0.0- 1.8	10	14.2	4.8-23.6
55-64	69	4,709	24	41.9	27.0-56.8	3	4.3	0.0- 9.6	31	40.3	26.8-53.8							11	13.5	4.5-22.5
H.S. or G.E.D.	93	15,548	38	37.6	25.6-49.6				45	52.8	40.3-65.3	3	4.3	0.0- 9.4				7	5.4	0.9- 9.9
Some Post-H.S.	153	28,849	51	35.3	25.7-44.9	2	2.1	0.0- 5.2	83	54.4	44.4-64.4							17	8.1	3.2-13.0
College Graduate	189	20,921	61	32.7	24.5-40.9	8	3.0	0.6- 5.4	102	57.7	49.1-66.3				1	0.2	0.0- 0.6	17	6.3	2.6-10.0
\$35,000- 49,999	68	10,025	23	30.7	16.2-45.2				37	62.9	47.8-78.0							8	6.3	0.4-12.2
\$50,000- 74,999	72	14,139	33	45.3	31.2-59.4	2	3.6	0.0- 9.3	32	45.8	31.7-59.9							5	5.4	0.0-10.9
\$75,000+	164	21,523	55	38.4	29.2-47.6	3	0.8	0.0- 1.8	91	51.0	41.8-60.2	1	1.4	0.0- 4.1				14	8.4	2.7-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2015**

End of Core Data Report