Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 1: Residence
Table 1: How long have you lived in North Dakota?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Less than 1 year	1.9	1.3-2.5
1 - 4 Years	7.2	6.1-8.3
5 - 10 Years	9.3	8.2-10.3
> 10 years	57.3	55.5-59.0
All my life	24.3	22.9-25.7
Don't Live in ND	0.02	0.0-0.04

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 2: Occupation
Table 1: In what county do you work? Analysis explored commute across counties of work
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Same County	87.5	86.2-88.9
Contiguous	8.5	7.3-9.6
2 or more counties	4.0	3.1-4.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System

North Dakota State Added Questions Data Report, 2017

State Added 2: Occupation

Table 2: In what county do you work? Analysis explored work in oil and non-oil counties.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

* For this analysis, Oil Counties include Adams, Billings, Bowman, Bottineau, Burke, Divide, Dunn, Golden Valley, Hettinger, McHenry, McKenzie, McLean, Mercer, Mountrail, Renville, Slope, Stark, Ward and Williams counties.

Response Categories	%	CI (95%)
Oil Counties	27.0	25.1-28.8
Non-Oil Counties	73.0	71.2-74.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 2: Occupation
Table 3: Is your job primarily related to the oil and gas industry? This would include truckers who primarily haul products or waste for the oil fields.
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	7.2	6.2-8.3
No	92.8	91.7-93.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 2: Occupation
Table 4: About how many hours do you work per week at all of your jobs and businesses combined?
Denominator: Percentage among all respondents who reported to be currently employed or out of work for less than 12 months.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Less than 40	20.7	18.8-22.6
40	35.1	32.9-37.2
More than 40 but less than 60	31.3	29.2-33.3
60 or more	12.9	11.5-14.3
Don't Work	0.02	0.00-0.04

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 2: Occupation
Table 5: During the past 12 months were you injured seriously enough while performing your job that you sought medical treatment?
Denominator: Percentage among all respondents who reported to be currently employed or out of work for less than 12 months.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	4.1	3.5-5.3
No	95.6	94.7-96.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 2: Occupation
Table 6: For your most recent work-related injury, who paid for the majority or most of your medical expenses?
Denominator: Percentage among all respondents who reported to be currently employed or out of work for less than 12 months.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Workers' compensation	55.0	44.1-65.9
Your or family's own health insurance plan	28.2	17.7-38.7
You or your family's out of pocket	9.5	3.9-15.1
Your Employer WITHOUT a Workers Comp Claim	3.2	0.0-6.9
Other sources – Not Medicare or Medicaid	**	**
Who will pay still in process or not resolved	**	**
No one Paid – No Treatment	0	-

**The estimate has been suppressed because the observed number of events is very small and not appropriate for publication, and it could be used to calculate the number in a cell that has been suppressed.

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 3: Health Care Coverage
Table 1: What is the name of the health plan you use to pay for most of your medical care?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Medicare	19.3	18.2-20.5
Medicaid or Medical Assistance	5.7	4.8-6.6
Military, Tricare or CHAMP	3.6	2.9-4.3
Indian Health Services	1.4	1.0-1.8
Private Insurance	60.8	59.2-62.5
Other	8.6	7.6-9.6
None	0.5	0.2-0.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

North Dakota State Added Questions Data Report, 2017
State Added 4: Indian Health
Table 1: Do you live on a reservation or Indian Service Area?
Denominator: Percentage identifying their race as American Indian or Alaskan Native.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes, Reservation	39.1	32.4-45.7
Yes, Indian Service Area	6.1	2.3-9.8
No, Neither	54.8	48.3-61.4

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 4: Indian Health
Table 2: Are you currently an enrolled tribal member?
Denominator: Percentage identifying their race as American Indian or Alaskan Native.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	79.5	72.5-86.4
No	20.5	13.6-27.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 4: Indian Health
Table 3: Which tribe?
Denominator: Percentage among all respondents who are enrolled tribal members.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Mandan	**	**
Arikara	**	**
Hidatsa	**	**
Three Affiliated Tribes	15.4	7.1-23.7
Spirit Lake Sioux	501	0.7-9.5
Standing Rock Sioux	13.7	6.2-21.2
Other Sioux	**	**
Chippewa	33.7	24.1-43.3
Other	26.4	16.3-36.4

**The estimate has been suppressed because the observed number of events is very small and not appropriate for publication, and it could be used to calculate the number in a cell that has been suppressed.

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 4: Indian Health
Table 4: How much of your health care do you obtain from an Indian Health Service clinic? Would you say?
Denominator: Percentage among all respondents who are enrolled tribal members.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
All	23.9	16.6-31.2
Most	16.7	10.6-22.8
Some	12.8	7.5-18.1
Little	14.9	8.1-21.6
None	31.7	23.4-40.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 5: Social Context
Table 1: In the past 12 months, have you been intentionally harmed or hurt by another person? This might include minor physical injuries such as bruises, welts or small cuts.
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	4.1	3.2-5.0
No	95.9	95.0-96.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

North Dakota State Added Questions Data Report, 2017
State Added 5: Social Context
Table 2: What is the main mechanism you use to cope with stress?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Support from Family and Friends	26.7	25.2-28.2
Clergy or Spiritual Leaders	5.5	4.7-6.2
Professional Counseling	2.2	1.6-2.8
Physical Exercise	14.9	13.7-16.2
Alcohol	2.5	2.0-3.1
Prescription Drugs	3.1	2.6-3.7
Non-Prescription Drugs	0.7	0.4-1.0
Other	15.8	14.5-17.1
Does Not Apply	7.2	6.4-8.0
None	21.3	20.0-22.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 6: Sexual Violence
Table 1: If a woman is raped when she is drunk, she is at least somewhat responsible for letting things get out of control
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Agree	18.6	17.3-19.9
Disagree	80.0	78.7-81.3
Don't Know	1.4	1.0-1.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 6: Sexual Violence
Table 2: Women who dress and act in a sexy way provoke rape by their appearance and behavior
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Agree	19.9	18.6-21.2
Disagree	79.0	19.7-22.5
Don't Know	1.2	0.9-1.4

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 6: Sexual Violence
Table 3: Sexual violence occurs in your community
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Agree	74.9	73.4-76.4
Disagree	21.1	19.7-22.5
Don't Know	4.0	3.4-4.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2017
State Added 6: Sexual Violence
Table 4: It is possible to prevent sexual violence
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Agree	69.1	67.8-70.7
Disagree	26.7	25.2-28.2
Don't Know	4.2	3.6-4.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

North Dakota State Added Questions Data Report, 2017
State Added 7: Marijuana Use
Table 1: Adults who used Marijuana in Past 30 Days
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	5.3	4.3-6.3
No	94.7	93.7-95.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

North Dakota State Added Questions Data Report, 2017
State Added 7: Marijuana Use
Table 2: Frequency of Marijuana Use in Last 30 Days Among Users
Denominator: Percentage among all respondents who reported Using Marijuana in Past 30 Days.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Monthly (1 - 3 days)	39.8	30.0-49.6
Weekly (4 - 19 days)	18.6	10.7-26.5
Daily/Near Daily (20 - 30 days)	41.6	31.8-51.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

North Dakota State Added Questions Data Report, 2017
State Added 7: Marijuana Use
Table 3: Primary Mode of Marijuana Use
Denominator: Percentage among all respondents who reported Using Marijuana in Past 30 Days.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Smoke it	82.6%	74.7-90.5
Eat it	3.4%	0.4-6.5
Drink it	**	**
Vaporize it	8.6%	2.8-14.3
Dab it	**	**
Some other way	**	**

**The estimate has been suppressed because the observed number of events is very small and not appropriate for publication, and it could be used to calculate the number in a cell that has been suppressed.

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

North Dakota State Added Questions Data Report, 2017
State Added 7: Marijuana Use
Table 4: Medical/Non-Medical Use of Marijuana?
Denominator: Percentage among all respondents who reported Using Marijuana in Past 30 Days.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Medical reasons only	33.1	23.8-42.4
Non-medical/Pleasure only	53.2	43.3-63.2
Both Medical and non-medical reasons	13.7	7.0-20.4

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.