

NORTH DAKOTA

2021 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5904	601,508	4986	87.0	85.8-88.2	918	13.0	11.8-14.2
Male	3019	307,564	2550	87.2	85.8-88.6	469	12.8	11.4-14.2
Female	2885	293,944	2436	86.9	85.1-88.7	449	13.1	11.3-14.9
Native	264	25,963	195	72.5	65.1-79.9	69	27.5	20.1-34.9
Non-Native	5552	567,618	4718	87.7	86.5-88.9	834	12.3	11.1-13.5
18-24	374	82,779	353	93.5	90.2-96.8	21	6.5	3.2-9.8
25-34	549	115,528	500	89.8	86.7-92.9	49	10.2	7.1-13.3
35-44	661	99,719	605	91.0	88.5-93.5	56	9.0	6.5-11.5
45-54	746	80,677	654	86.7	83.8-89.6	92	13.3	10.4-16.2
55-64	1057	92,361	909	85.4	82.9-87.9	148	14.6	12.1-17.1
65+	2517	130,445	1965	78.9	76.9-80.9	552	21.1	19.1-23.1
Less Than H.S.	270	46,390	179	67.9	60.3-75.5	91	32.1	24.5-39.7
H.S. or G.E.D.	1655	159,950	1322	84.6	82.6-86.6	333	15.4	13.4-17.4
Some Post-H.S.	1927	227,384	1662	89.0	87.4-90.6	265	11.0	9.4-12.6
College Graduate	2033	165,360	1807	91.9	90.5-93.3	226	8.1	6.7-9.5
Less than \$15,000	202	24,803	122	62.5	53.3-71.7	80	37.5	28.3-46.7
\$15,000- 24,999	394	34,417	264	70.9	65.0-76.8	130	29.1	23.2-35.0
\$25,000- 34,999	526	51,561	400	80.9	76.4-85.4	126	19.1	14.6-23.6
\$35,000- 49,999	723	67,489	617	89.1	86.6-91.6	106	10.9	8.4-13.4
\$50,000- 99,999	1602	164,775	1414	89.7	87.7-91.7	188	10.3	8.3-12.3
\$100,000 - 199,999	1024	111,706	952	94.3	92.7-95.9	72	5.7	4.1-7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3019	307,564	2550	87.2	85.8-88.6	469	12.8	11.4-14.2
Native	118	12,474	90	76.7	66.7-86.7	28	23.3	13.3-33.3
Non-Native	2838	289,378	2409	87.7	86.3-89.1	429	12.3	10.9-13.7
18-24	229	43,595	216	94.5	90.8-98.2	13	5.5	1.8-9.2
25-34	336	62,253	313	92.7	89.6-95.8	23	7.3	4.2-10.4
35-44	375	52,525	339	89.2	85.5-92.9	36	10.8	7.1-14.5
45-54	374	41,842	326	86.2	81.9-90.5	48	13.8	9.5-18.1
55-64	521	46,814	444	84.5	80.8-88.2	77	15.5	11.8-19.2
65+	1184	60,536	912	77.4	74.5-80.3	272	22.6	19.7-25.5
Less Than H.S.	156	27,386	102	73.0	64.4-81.6	54	27.0	18.4-35.6
H.S. or G.E.D.	904	89,818	728	85.1	82.6-87.6	176	14.9	12.4-17.4
Some Post-H.S.	952	112,632	837	90.0	87.8-92.2	115	10.0	7.8-12.2
College Graduate	993	75,635	872	90.5	88.3-92.7	121	9.5	7.3-11.7
Less than \$15,000	85	8,732	50	60.9	47.4-74.4	35	39.1	25.6-52.6
\$15,000- 24,999	166	15,579	115	70.9	62.1-79.7	51	29.1	20.3-37.9
\$25,000- 34,999	250	25,944	181	79.1	72.6-85.6	69	20.9	14.4-27.4
\$35,000- 49,999	364	36,184	306	88.1	84.4-91.8	58	11.9	8.2-15.6
\$50,000- 99,999	843	85,422	737	89.1	86.6-91.6	106	10.9	8.4-13.4
\$100,000 - 199,999	623	64,961	577	94.0	92.0-96.0	46	6.0	4.0- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2885	293,944	2436	86.9	85.1-88.7	449	13.1	11.3-14.9
Native	146	13,489	105	68.6	57.6-79.6	41	31.4	20.4-42.4
Non-Native	2714	278,240	2309	87.7	85.9-89.5	405	12.3	10.5-14.1
18-24	145	39,184	137	92.4	86.7-98.1	8	7.6	1.9-13.3
25-34	213	53,275	187	86.3	80.6-92.0	26	13.7	8.0-19.4
35-44	286	47,194	266	92.9	89.6-96.2	20	7.1	3.8-10.4
45-54	372	38,835	328	87.2	83.3-91.1	44	12.8	8.9-16.7
55-64	536	45,547	465	86.3	82.6-90.0	71	13.7	10.0-17.4
65+	1333	69,909	1053	80.2	77.7-82.7	280	19.8	17.3-22.3
Less Than H.S.	114	19,003	77	60.6	47.3-73.9	37	39.4	26.1-52.7
H.S. or G.E.D.	751	70,132	594	84.1	80.8-87.4	157	15.9	12.6-19.2
Some Post-H.S.	975	114,752	825	88.1	85.7-90.5	150	11.9	9.5-14.3
College Graduate	1040	89,726	935	93.0	91.2-94.8	105	7.0	5.2- 8.8
Less than \$15,000	117	16,071	72	63.4	51.2-75.6	45	36.6	24.4-48.8
\$15,000- 24,999	228	18,838	149	70.9	63.3-78.5	79	29.1	21.5-36.7
\$25,000- 34,999	276	25,617	219	82.7	76.8-88.6	57	17.3	11.4-23.2
\$35,000- 49,999	359	31,305	311	90.2	86.5-93.9	48	9.8	6.1-13.5
\$50,000- 99,999	759	79,353	677	90.4	87.3-93.5	82	9.6	6.5-12.7
\$100,000 - 199,999	401	46,744	375	94.8	92.3-97.3	26	5.2	2.7- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5832	596,012	3976	67.6	66.0-69.2	1266	22.9	21.5-24.3	590	9.5	8.5-10.5
Male	2978	304,478	2108	71.6	69.6-73.6	584	19.4	17.6-21.2	286	9.0	7.6-10.4
Female	2854	291,533	1868	63.3	60.8-65.8	682	26.6	24.2-29.0	304	10.1	8.5-11.7
Native	258	25,392	158	56.4	47.8-65.0	65	28.2	20.2-36.2	35	15.4	8.9-21.9
Non-Native	5487	562,764	3757	68.1	66.5-69.7	1188	22.7	21.1-24.3	542	9.2	8.2-10.2
18-24	372	82,173	243	65.2	59.7-70.7	116	29.7	24.6-34.8	13	5.1	2.2- 8.0
25-34	545	114,817	389	67.7	63.0-72.4	124	24.5	20.2-28.8	32	7.7	4.8-10.6
35-44	658	99,297	462	67.1	62.8-71.4	148	23.9	20.2-27.6	48	9.0	6.1-11.9
45-54	736	79,633	488	66.8	62.9-70.7	177	22.6	19.3-25.9	71	10.7	8.2-13.2
55-64	1050	91,810	727	69.0	65.7-72.3	208	19.7	16.8-22.6	115	11.3	9.1-13.5
65+	2471	128,283	1667	68.7	66.5-70.9	493	18.9	17.1-20.7	311	12.4	10.8-14.0
Less Than H.S.	266	45,611	158	55.5	47.3-63.7	55	23.1	16.0-30.2	53	21.5	14.4-28.6
H.S. or G.E.D.	1627	158,069	1119	69.5	66.6-72.4	334	22.0	19.3-24.7	174	8.5	6.9-10.1
Some Post-H.S.	1910	225,821	1277	65.8	63.1-68.5	434	24.3	21.8-26.8	199	10.0	8.2-11.8
College Graduate	2011	164,158	1407	71.3	68.8-73.8	441	22.0	19.6-24.4	163	6.7	5.5- 7.9
Less than \$15,000	198	24,567	91	36.1	27.3-44.9	54	35.4	25.8-45.0	53	28.5	19.7-37.3
\$15,000- 24,999	388	34,055	218	54.0	47.1-60.9	94	27.2	20.9-33.5	76	18.8	13.5-24.1
\$25,000- 34,999	512	50,554	320	62.6	56.7-68.5	113	24.2	19.1-29.3	79	13.2	9.3-17.1
\$35,000- 49,999	715	66,734	485	72.0	67.9-76.1	170	20.7	17.0-24.4	60	7.3	4.9- 9.7
\$50,000- 99,999	1588	163,810	1103	68.6	65.5-71.7	360	23.9	21.0-26.8	125	7.5	5.9- 9.1
\$100,000 - 199,999	1019	111,490	730	71.6	68.1-75.1	227	22.6	19.3-25.9	62	5.9	4.1- 7.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2978	304,478	2108	71.6	69.6-73.6	584	19.4	17.6-21.2	286	9.0	7.6-10.4
Native	114	12,155	79	62.7	50.0-75.4	20	20.2	9.4-31.0	15	17.2	6.8-27.6
Non-Native	2802	286,683	1988	72.2	70.0-74.4	553	19.4	17.6-21.2	261	8.5	7.1-9.9
18-24	228	43,527	153	68.2	61.5-74.9	69	28.0	21.7-34.3	6	3.9	0.6-7.2
25-34	334	61,935	253	75.5	70.2-80.8	68	19.1	14.4-23.8	13	5.4	2.1-8.7
35-44	372	52,103	274	72.6	67.3-77.9	70	18.9	14.4-23.4	28	8.5	5.0-12.0
45-54	366	40,988	252	69.4	64.1-74.7	76	19.0	14.5-23.5	38	11.6	7.9-15.3
55-64	517	46,505	374	72.3	67.8-76.8	85	15.4	11.9-18.9	58	12.3	9.0-15.6
65+	1161	59,420	802	70.2	67.1-73.3	216	17.2	14.7-19.7	143	12.6	10.2-15.0
Less Than H.S.	154	27,177	96	65.8	56.2-75.4	23	13.3	6.6-20.0	35	20.9	12.5-29.3
H.S. or G.E.D.	887	88,485	624	72.4	68.9-75.9	175	20.1	16.8-23.4	88	7.4	5.4-9.4
Some Post-H.S.	943	111,655	674	71.0	67.5-74.5	187	20.3	17.2-23.4	82	8.7	6.5-10.9
College Graduate	981	75,139	704	73.4	70.1-76.7	197	19.5	16.6-22.4	80	7.2	5.4-9.0
Less than \$15,000	83	8,548	43	40.8	27.1-54.5	14	14.3	4.9-23.7	26	44.9	30.0-59.8
\$15,000- 24,999	165	15,404	102	56.4	46.0-66.8	28	18.5	10.7-26.3	35	25.1	15.5-34.7
\$25,000- 34,999	242	25,265	147	67.4	59.6-75.2	55	21.1	14.4-27.8	40	11.5	6.4-16.6
\$35,000- 49,999	357	35,711	253	72.6	66.9-78.3	77	21.4	16.1-26.7	27	5.9	3.2-8.6
\$50,000- 99,999	834	84,801	597	70.9	67.0-74.8	181	22.1	18.6-25.6	56	7.0	4.8-9.2
\$100,000 - 199,999	618	64,745	462	75.5	71.4-79.6	115	18.7	15.0-22.4	41	5.8	3.8-7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2854	291,533	1868	63.3	60.8-65.8	682	26.6	24.2-29.0	304	10.1	8.5-11.7
Native	144	13,237	79	50.7	39.1-62.3	45	35.6	24.2-47.0	20	13.7	5.9-21.5
Non-Native	2685	276,081	1769	64.0	61.5-66.5	635	26.1	23.7-28.5	281	9.9	8.3-11.5
18-24	144	38,645	90	61.9	53.1-70.7	47	31.7	23.5-39.9	7	6.4	1.1-11.7
25-34	211	52,882	136	58.7	50.9-66.5	56	30.9	23.5-38.3	19	10.4	5.5-15.3
35-44	286	47,194	188	61.0	54.3-67.7	78	29.5	23.4-35.6	20	9.5	5.0-14.0
45-54	370	38,645	236	64.0	58.5-69.5	101	26.3	21.2-31.4	33	9.7	6.2-13.2
55-64	533	45,305	353	65.7	60.8-70.6	123	24.1	19.6-28.6	57	10.2	7.3-13.1
65+	1310	68,863	865	67.4	64.5-70.3	277	20.3	17.8-22.8	168	12.3	10.1-14.5
Less Than H.S.	112	18,435	62	40.3	28.1-52.5	32	37.5	24.4-50.6	18	22.3	10.1-34.5
H.S. or G.E.D.	740	69,584	495	65.7	61.0-70.4	159	24.4	20.1-28.7	86	9.9	7.2-12.6
Some Post-H.S.	967	114,165	603	60.6	56.3-64.9	247	28.2	24.3-32.1	117	11.1	8.6-13.6
College Graduate	1030	89,018	703	69.5	66.0-73.0	244	24.2	20.9-27.5	83	6.3	4.5- 8.1
Less than \$15,000	115	16,019	48	33.7	22.3-45.1	40	46.6	34.1-59.1	27	19.7	10.3-29.1
\$15,000- 24,999	223	18,651	116	52.0	42.8-61.2	66	34.4	25.4-43.4	41	13.6	8.3-18.9
\$25,000- 34,999	270	25,289	173	57.8	49.2-66.4	58	27.3	19.5-35.1	39	14.9	8.8-21.0
\$35,000- 49,999	358	31,023	232	71.3	65.2-77.4	93	19.8	14.7-24.9	33	8.8	4.7-12.9
\$50,000- 99,999	754	79,009	506	66.1	61.4-70.8	179	25.9	21.4-30.4	69	8.0	5.5-10.5
\$100,000 - 199,999	401	46,744	268	66.1	60.2-72.0	112	28.0	22.5-33.5	21	5.9	2.8- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5823	594,801	4126	63.2	61.4-65.0	1181	24.2	22.6-25.8	516	12.6	11.2-14.0
Male	2971	303,783	2282	71.5	69.3-73.7	481	19.1	17.3-20.9	208	9.4	7.8-11.0
Female	2852	291,018	1844	54.4	51.9-56.9	700	29.6	27.2-32.0	308	16.0	13.8-18.2
Native	258	25,539	147	51.3	42.9-59.7	66	27.5	19.9-35.1	45	21.1	13.8-28.4
Non-Native	5479	561,418	3916	63.7	61.9-65.5	1100	24.2	22.6-25.8	463	12.2	10.8-13.6
18-24	369	82,394	152	39.8	34.1-45.5	146	39.0	33.3-44.7	71	21.2	16.3-26.1
25-34	545	114,569	289	51.0	46.1-55.9	171	30.7	26.2-35.2	85	18.3	14.4-22.2
35-44	653	98,763	409	61.6	57.3-65.9	164	24.5	20.8-28.2	80	13.9	10.6-17.2
45-54	738	79,863	480	65.6	61.7-69.5	187	24.9	21.4-28.4	71	9.6	7.2-12.0
55-64	1051	91,626	775	74.0	70.9-77.1	188	17.3	14.6-20.0	88	8.6	6.6-10.6
65+	2467	127,586	2021	81.2	79.4-83.0	325	13.1	11.5-14.7	121	5.7	4.5- 6.9
Less Than H.S.	261	45,571	181	54.3	45.9-62.7	39	17.5	11.2-23.8	41	28.2	20.0-36.4
H.S. or G.E.D.	1630	157,728	1204	67.4	64.3-70.5	276	20.1	17.6-22.6	150	12.6	10.2-15.0
Some Post-H.S.	1900	225,178	1314	61.6	58.7-64.5	387	25.5	22.8-28.2	199	13.0	10.8-15.2
College Graduate	2014	163,971	1412	63.6	60.9-66.3	479	28.7	26.2-31.2	123	7.7	6.1- 9.3
Less than \$15,000	198	24,520	103	33.3	25.3-41.3	41	23.8	15.2-32.4	54	42.9	33.1-52.7
\$15,000- 24,999	387	34,165	242	54.1	47.2-61.0	90	24.6	18.7-30.5	55	21.4	15.1-27.7
\$25,000- 34,999	519	51,067	360	57.8	51.7-63.9	102	26.1	20.6-31.6	57	16.1	11.2-21.0
\$35,000- 49,999	714	66,573	522	68.6	63.9-73.3	139	22.2	18.1-26.3	53	9.2	6.3-12.1
\$50,000- 99,999	1590	163,824	1122	64.8	61.7-67.9	346	24.8	21.9-27.7	122	10.4	8.0-12.8
\$100,000 - 199,999	1013	110,487	716	64.6	60.9-68.3	237	27.9	24.4-31.4	60	7.4	5.2- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	303,783	2282	71.5	69.3-73.7	481	19.1	17.3-20.9	208	9.4	7.8-11.0
Native	115	12,418	74	61.1	48.9-73.3	27	24.0	13.8-34.2	14	14.9	5.1-24.7
Non-Native	2794	285,692	2161	72.0	69.8-74.2	443	18.8	16.8-20.8	190	9.2	7.6-10.8
18-24	224	43,210	119	54.2	46.8-61.6	74	30.3	23.6-37.0	31	15.4	9.5-21.3
25-34	335	61,971	204	60.2	54.3-66.1	100	28.6	23.3-33.9	31	11.2	7.1-15.3
35-44	369	51,837	256	69.3	64.0-74.6	74	19.1	14.6-23.6	39	11.5	7.8-15.2
45-54	369	41,414	277	75.6	70.7-80.5	60	15.9	11.8-20.0	32	8.5	5.2-11.8
55-64	518	46,461	426	82.6	78.9-86.3	58	10.5	7.6-13.4	34	6.8	4.3- 9.3
65+	1156	58,890	1000	86.6	84.2-89.0	115	9.7	7.7-11.7	41	3.7	2.5- 4.9
Less Than H.S.	150	26,772	109	62.6	52.0-73.2	19	14.5	7.1-21.9	22	22.9	13.1-32.7
H.S. or G.E.D.	890	88,760	697	74.5	70.8-78.2	124	16.3	13.2-19.4	69	9.2	6.8-11.6
Some Post-H.S.	939	111,398	698	69.3	65.6-73.0	168	21.5	18.2-24.8	73	9.2	6.8-11.6
College Graduate	979	74,830	768	74.5	71.2-77.8	170	20.9	17.8-24.0	41	4.6	2.8- 6.4
Less than \$15,000	82	8,562	47	39.6	26.3-52.9	9	11.1	2.7-19.5	26	49.3	34.6-64.0
\$15,000- 24,999	160	15,356	106	57.0	46.4-67.6	38	21.1	13.5-28.7	16	21.9	11.5-32.3
\$25,000- 34,999	245	25,588	183	67.6	59.4-75.8	40	23.6	15.8-31.4	22	8.9	4.2-13.6
\$35,000- 49,999	360	35,850	280	75.9	70.2-81.6	55	16.3	11.4-21.2	25	7.8	4.3-11.3
\$50,000- 99,999	836	84,883	637	71.3	67.2-75.4	149	21.0	17.5-24.5	50	7.7	5.0-10.4
\$100,000 - 199,999	615	64,151	482	73.0	68.5-77.5	106	21.8	17.7-25.9	27	5.2	3.0- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	291,018	1844	54.4	51.9-56.9	700	29.6	27.2-32.0	308	16.0	13.8-18.2
Native	143	13,121	73	42.1	30.9-53.3	39	30.9	19.9-41.9	31	27.1	16.5-37.7
Non-Native	2685	275,726	1755	55.1	52.6-57.6	657	29.7	27.3-32.1	273	15.3	13.1-17.5
18-24	145	39,184	33	23.9	16.3-31.5	72	48.6	39.6-57.6	40	27.6	19.4-35.8
25-34	210	52,598	85	40.2	32.8-47.6	71	33.1	25.8-40.4	54	26.7	19.6-33.8
35-44	284	46,926	153	53.0	46.3-59.7	90	30.5	24.4-36.6	41	16.5	11.0-22.0
45-54	369	38,449	203	54.8	49.1-60.5	127	34.5	29.0-40.0	39	10.7	7.0-14.4
55-64	533	45,165	349	65.2	60.3-70.1	130	24.3	20.0-28.6	54	10.4	7.3-13.5
65+	1311	68,696	1021	76.5	73.8-79.2	210	16.0	13.6-18.4	80	7.5	5.7- 9.3
Less Than H.S.	111	18,799	72	42.5	30.2-54.8	20	21.8	11.0-32.6	19	35.7	21.8-49.6
H.S. or G.E.D.	740	68,968	507	58.2	53.3-63.1	152	24.9	20.4-29.4	81	16.9	12.8-21.0
Some Post-H.S.	961	113,780	616	54.0	49.7-58.3	219	29.3	25.2-33.4	126	16.7	13.4-20.0
College Graduate	1035	89,140	644	54.5	50.6-58.4	309	35.2	31.5-38.9	82	10.3	7.8-12.8
Less than \$15,000	116	15,958	56	29.9	19.9-39.9	32	30.6	18.6-42.6	28	39.5	27.0-52.0
\$15,000- 24,999	227	18,809	136	51.7	42.7-60.7	52	27.4	18.8-36.0	39	20.9	13.5-28.3
\$25,000- 34,999	274	25,479	177	48.0	39.6-56.4	62	28.6	20.6-36.6	35	23.3	15.1-31.5
\$35,000- 49,999	354	30,723	242	60.1	52.8-67.4	84	29.1	22.2-36.0	28	10.8	5.9-15.7
\$50,000- 99,999	754	78,942	485	57.8	52.9-62.7	197	28.9	24.4-33.4	72	13.3	9.6-17.0
\$100,000 - 199,999	398	46,336	234	53.1	47.0-59.2	131	36.4	30.5-42.3	33	10.5	6.4-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)	
4	MALES AND FEMALES	17
5	MALES ONLY	18
6	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5743	581,542	5532	93.8	92.8-94.8	211	6.2	5.2- 7.2
Male	2934	295,528	2786	91.9	90.3-93.5	148	8.1	6.5- 9.7
Female	2809	286,014	2746	95.9	94.7-97.1	63	4.1	2.9- 5.3
Native	259	25,120	249	96.3	93.8-98.8	10	3.7	1.2- 6.2
Non-Native	5403	548,914	5204	93.7	92.7-94.7	199	6.3	5.3- 7.3
18-24	331	73,876	295	88.6	84.7-92.5	36	11.4	7.5-15.3
25-34	543	114,108	492	89.2	86.1-92.3	51	10.8	7.7-13.9
35-44	646	96,583	612	93.8	91.4-96.2	34	6.2	3.8- 8.6
45-54	727	78,489	695	94.9	92.9-96.9	32	5.1	3.1- 7.1
55-64	1040	91,232	996	95.3	93.5-97.1	44	4.7	2.9- 6.5
65+	2456	127,254	2442	99.3	98.9-99.7	14	0.7	0.3- 1.1
Less Than H.S.	252	42,092	222	81.4	74.3-88.5	30	18.6	11.5-25.7
H.S. or G.E.D.	1595	153,507	1508	91.1	89.1-93.1	87	8.9	6.9-10.9
Some Post-H.S.	1873	220,133	1812	95.2	93.8-96.6	61	4.8	3.4- 6.2
College Graduate	2005	163,459	1974	98.0	97.2-98.8	31	2.0	1.2- 2.8
Less than \$15,000	194	23,837	180	88.2	80.6-95.8	14	11.8	4.2-19.4
\$15,000- 24,999	386	33,350	364	90.1	85.6-94.6	22	9.9	5.4-14.4
\$25,000- 34,999	512	49,644	475	86.7	81.8-91.6	37	13.3	8.4-18.2
\$35,000- 49,999	705	65,628	670	91.4	88.3-94.5	35	8.6	5.5-11.7
\$50,000- 99,999	1587	162,173	1550	96.0	94.4-97.6	37	4.0	2.4- 5.6
\$100,000 - 199,999	1014	110,304	1003	98.4	97.2-99.6	11	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2934	295,528	2786	91.9	90.3-93.5	148	8.1	6.5- 9.7
Native	117	12,070	112	96.4	92.7- 100	5	3.6	0.0- 7.3
Non-Native	2760	278,092	2618	91.5	89.9-93.1	142	8.5	6.9-10.1
18-24	197	37,066	174	86.6	80.5-92.7	23	13.4	7.3-19.5
25-34	331	60,918	296	87.5	83.2-91.8	35	12.5	8.2-16.8
35-44	366	50,885	336	89.8	85.9-93.7	30	10.2	6.3-14.1
45-54	364	40,872	342	92.6	89.3-95.9	22	7.4	4.1-10.7
55-64	512	46,233	487	94.8	92.3-97.3	25	5.2	2.7- 7.7
65+	1164	59,553	1151	98.6	97.6-99.6	13	1.4	0.4- 2.4
Less Than H.S.	146	24,516	122	72.5	62.1-82.9	24	27.5	17.1-37.9
H.S. or G.E.D.	871	85,444	809	89.7	87.0-92.4	62	10.3	7.6-13.0
Some Post-H.S.	926	108,814	888	94.6	92.6-96.6	38	5.4	3.4- 7.4
College Graduate	977	74,661	955	97.2	95.8-98.6	22	2.8	1.4- 4.2
Less than \$15,000	82	8,219	72	80.2	64.7-95.7	10	19.8	4.3-35.3
\$15,000- 24,999	162	14,744	148	85.5	77.5-93.5	14	14.5	6.5-22.5
\$25,000- 34,999	242	24,738	218	81.1	73.5-88.7	24	18.9	11.3-26.5
\$35,000- 49,999	353	34,717	319	84.3	78.6-90.0	34	15.7	10.0-21.4
\$50,000- 99,999	833	83,906	808	94.7	92.2-97.2	25	5.3	2.8- 7.8
\$100,000 - 199,999	616	64,016	610	99.0	98.0- 100	6	1.0	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2809	286,014	2746	95.9	94.7-97.1	63	4.1	2.9- 5.3
Native	142	13,050	137	96.3	92.6- 100	5	3.7	0.0- 7.4
Non-Native	2643	270,822	2586	95.9	94.7-97.1	57	4.1	2.9- 5.3
18-24	134	36,810	121	90.5	85.2-95.8	13	9.5	4.2-14.8
25-34	212	53,190	196	91.2	86.7-95.7	16	8.8	4.3-13.3
35-44	280	45,698	276	98.2	96.2- 100	4	1.8	0.0- 3.8
45-54	363	37,617	353	97.5	95.7-99.3	10	2.5	0.7- 4.3
55-64	528	44,999	509	95.7	93.3-98.1	19	4.3	1.9- 6.7
65+	1292	67,701	1291	100.0	100.0- 100	1	0.0	0.0- 0.0
Less Than H.S.	106	17,576	100	93.8	87.1- 100	6	6.2	0.0-12.9
H.S. or G.E.D.	724	68,063	699	93.0	90.1-95.9	25	7.0	4.1- 9.9
Some Post-H.S.	947	111,320	924	95.8	93.6-98.0	23	4.2	2.0- 6.4
College Graduate	1028	88,798	1019	98.6	97.6-99.6	9	1.4	0.4- 2.4
Less than \$15,000	112	15,618	108	92.4	84.4- 100	4	7.6	0.0-15.6
\$15,000- 24,999	224	18,606	216	93.7	88.6-98.8	8	6.3	1.2-11.4
\$25,000- 34,999	270	24,906	257	92.3	86.6-98.0	13	7.7	2.0-13.4
\$35,000- 49,999	352	30,912	351	99.2	97.6- 100	1	0.8	0.0- 2.4
\$50,000- 99,999	754	78,267	742	97.4	95.6-99.2	12	2.6	0.8- 4.4
\$100,000 - 199,999	398	46,288	393	97.6	95.1- 100	5	2.4	0.0- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3237	447,893	3043	92.3	91.1-93.5	194	7.7	6.5- 8.9
Male	1743	232,270	1611	90.3	88.3-92.3	132	9.7	7.7-11.7
Female	1494	215,623	1432	94.5	92.9-96.1	62	5.5	3.9- 7.1
Native	200	22,119	192	96.7	94.2-99.2	8	3.3	0.8- 5.8
Non-Native	2994	420,552	2809	92.1	90.7-93.5	185	7.9	6.5- 9.3
18-24	331	73,876	295	88.6	84.7-92.5	36	11.4	7.5-15.3
25-34	540	113,146	490	89.5	86.4-92.6	50	10.5	7.4-13.6
35-44	644	96,296	610	93.7	91.3-96.1	34	6.3	3.9- 8.7
45-54	683	73,360	653	95.0	93.0-97.0	30	5.0	3.0- 7.0
55-64	1039	91,215	995	95.3	93.5-97.1	44	4.7	2.9- 6.5
Less Than H.S.	117	31,347	91	77.2	68.2-86.2	26	22.8	13.8-31.8
H.S. or G.E.D.	845	116,756	764	88.8	86.3-91.3	81	11.2	8.7-13.7
Some Post-H.S.	1049	168,308	994	93.9	91.9-95.9	55	6.1	4.1- 8.1
College Graduate	1216	129,594	1186	97.5	96.5-98.5	30	2.5	1.5- 3.5
Less than \$15,000	107	19,042	97	86.0	76.4-95.6	10	14.0	4.4-23.6
\$15,000- 24,999	137	20,596	116	84.6	77.3-91.9	21	15.4	8.1-22.7
\$25,000- 34,999	216	34,557	181	81.6	74.9-88.3	35	18.4	11.7-25.1
\$35,000- 49,999	314	44,488	281	87.5	82.8-92.2	33	12.5	7.8-17.2
\$50,000- 99,999	976	130,593	939	95.1	93.1-97.1	37	4.9	2.9- 6.9
\$100,000 - 199,999	787	97,888	777	98.2	96.8-99.6	10	1.8	0.4- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1743	232,270	1611	90.3	88.3-92.3	132	9.7	7.7-11.7
Native	94	10,746	90	97.4	94.5- 100	4	2.6	0.0- 5.5
Non-Native	1616	217,792	1488	89.8	87.8-91.8	128	10.2	8.2-12.2
18-24	197	37,066	174	86.6	80.5-92.7	23	13.4	7.3-19.5
25-34	329	60,219	295	88.0	83.7-92.3	34	12.0	7.7-16.3
35-44	365	50,659	335	89.8	85.9-93.7	30	10.2	6.3-14.1
45-54	341	38,110	321	92.8	89.3-96.3	20	7.2	3.7-10.7
55-64	511	46,216	486	94.8	92.3-97.3	25	5.2	2.7- 7.7
Less Than H.S.	72	18,765	52	67.7	54.8-80.6	20	32.3	19.4-45.2
H.S. or G.E.D.	524	67,679	468	87.7	84.4-91.0	56	12.3	9.0-15.6
Some Post-H.S.	574	86,976	541	93.6	91.2-96.0	33	6.4	4.0- 8.8
College Graduate	564	57,134	543	96.4	94.6-98.2	21	3.6	1.8- 5.4
\$15,000- 24,999	68	9,852	55	79.7	68.3-91.1	13	20.3	8.9-31.7
\$25,000- 34,999	117	18,439	94	75.9	66.1-85.7	23	24.1	14.3-33.9
\$35,000- 49,999	181	25,248	149	78.9	71.5-86.3	32	21.1	13.7-28.5
\$50,000- 99,999	501	67,092	476	93.4	90.3-96.5	25	6.6	3.5- 9.7
\$100,000 - 199,999	462	55,903	457	98.9	97.7- 100	5	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1494	215,623	1432	94.5	92.9-96.1	62	5.5	3.9- 7.1
Native	106	11,373	102	96.0	91.9- 100	4	4.0	0.0- 8.1
Non-Native	1378	202,759	1321	94.6	93.0-96.2	57	5.4	3.8- 7.0
18-24	134	36,810	121	90.5	85.2-95.8	13	9.5	4.2-14.8
25-34	211	52,927	195	91.2	86.5-95.9	16	8.8	4.1-13.5
35-44	279	45,637	275	98.2	96.2- 100	4	1.8	0.0- 3.8
45-54	342	35,250	332	97.3	95.5-99.1	10	2.7	0.9- 4.5
55-64	528	44,999	509	95.7	93.3-98.1	19	4.3	1.9- 6.7
H.S. or G.E.D.	321	49,078	296	90.3	86.2-94.4	25	9.7	5.6-13.8
Some Post-H.S.	475	81,331	453	94.2	91.3-97.1	22	5.8	2.9- 8.7
College Graduate	652	72,460	643	98.3	96.9-99.7	9	1.7	0.3- 3.1
Less than \$15,000	59	12,241	55	90.3	80.1- 100	4	9.7	0.0-19.9
\$15,000- 24,999	69	10,744	61	89.1	80.5-97.7	8	10.9	2.3-19.5
\$25,000- 34,999	99	16,117	87	88.2	79.6-96.8	12	11.8	3.2-20.4
\$35,000- 49,999	133	19,240	132	98.8	96.4- 100	1	1.2	0.0- 3.6
\$50,000- 99,999	475	63,501	463	96.8	94.6-99.0	12	3.2	1.0- 5.4
\$100,000 - 199,999	325	41,986	320	97.3	94.6- 100	5	2.7	0.0- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5903	601,366	4302	74.5	72.9-76.1	1601	25.5	23.9-27.1
Male	3016	307,365	2223	75.6	73.6-77.6	793	24.4	22.4-26.4
Female	2887	294,001	2079	73.4	71.2-75.6	808	26.6	24.4-28.8
Native	265	26,085	178	71.7	64.4-79.0	87	28.3	21.0-35.6
Non-Native	5550	567,353	4047	74.5	72.9-76.1	1503	25.5	23.9-27.1
18-24	373	82,593	310	83.3	79.0-87.6	63	16.7	12.4-21.0
25-34	550	115,746	428	75.3	71.0-79.6	122	24.7	20.4-29.0
35-44	660	99,668	505	74.5	70.6-78.4	155	25.5	21.6-29.4
45-54	745	80,527	554	74.8	71.3-78.3	191	25.2	21.7-28.7
55-64	1057	92,425	779	73.1	69.8-76.4	278	26.9	23.6-30.2
65+	2518	130,406	1726	69.2	67.0-71.4	792	30.8	28.6-33.0
Less Than H.S.	271	46,452	161	58.2	50.2-66.2	110	41.8	33.8-49.8
H.S. or G.E.D.	1653	159,706	1071	67.3	64.4-70.2	582	32.7	29.8-35.6
Some Post-H.S.	1925	227,183	1413	75.7	73.3-78.1	512	24.3	21.9-26.7
College Graduate	2035	165,600	1643	84.2	82.2-86.2	392	15.8	13.8-17.8
Less than \$15,000	202	24,803	120	58.4	49.0-67.8	82	41.6	32.2-51.0
\$15,000- 24,999	393	34,321	236	65.6	59.3-71.9	157	34.4	28.1-40.7
\$25,000- 34,999	526	51,561	348	69.3	63.8-74.8	178	30.7	25.2-36.2
\$35,000- 49,999	722	67,431	510	72.6	68.3-76.9	212	27.4	23.1-31.7
\$50,000- 99,999	1603	164,797	1212	76.9	74.2-79.6	391	23.1	20.4-25.8
\$100,000 - 199,999	1023	111,655	851	84.9	82.4-87.4	172	15.1	12.6-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3016	307,365	2223	75.6	73.6-77.6	793	24.4	22.4-26.4
Native	119	12,596	90	82.9	74.5-91.3	29	17.1	8.7-25.5
Non-Native	2834	289,056	2077	75.0	73.0-77.0	757	25.0	23.0-27.0
18-24	228	43,409	192	85.4	80.3-90.5	36	14.6	9.5-19.7
25-34	337	62,471	272	78.6	73.5-83.7	65	21.4	16.3-26.5
35-44	374	52,474	285	75.0	69.9-80.1	89	25.0	19.9-30.1
45-54	373	41,692	272	73.5	68.4-78.6	101	26.5	21.4-31.6
55-64	521	46,878	377	71.9	67.2-76.6	144	28.1	23.4-32.8
65+	1183	60,440	825	70.4	67.3-73.5	358	29.6	26.5-32.7
Less Than H.S.	156	27,413	93	62.9	52.9-72.9	63	37.1	27.1-47.1
H.S. or G.E.D.	902	89,574	601	70.7	67.2-74.2	301	29.3	25.8-32.8
Some Post-H.S.	950	112,432	708	76.5	73.2-79.8	242	23.5	20.2-26.8
College Graduate	994	75,853	809	84.2	81.7-86.7	185	15.8	13.3-18.3
Less than \$15,000	85	8,732	52	61.3	46.8-75.8	33	38.7	24.2-53.2
\$15,000- 24,999	165	15,483	100	68.8	60.0-77.6	65	31.2	22.4-40.0
\$25,000- 34,999	250	25,944	159	67.3	59.5-75.1	91	32.7	24.9-40.5
\$35,000- 49,999	363	36,126	253	72.0	66.3-77.7	110	28.0	22.3-33.7
\$50,000- 99,999	843	85,422	642	77.8	74.3-81.3	201	22.2	18.7-25.7
\$100,000 - 199,999	622	64,911	516	84.9	81.6-88.2	106	15.1	11.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2887	294,001	2079	73.4	71.2-75.6	808	26.6	24.4-28.8
Native	146	13,489	88	61.3	50.3-72.3	58	38.7	27.7-49.7
Non-Native	2716	278,297	1970	73.9	71.5-76.3	746	26.1	23.7-28.5
18-24	145	39,184	118	80.9	73.6-88.2	27	19.1	11.8-26.4
25-34	213	53,275	156	71.5	64.4-78.6	57	28.5	21.4-35.6
35-44	286	47,194	220	73.9	67.8-80.0	66	26.1	20.0-32.2
45-54	372	38,835	282	76.2	71.3-81.1	90	23.8	18.9-28.7
55-64	536	45,547	402	74.3	69.8-78.8	134	25.7	21.2-30.2
65+	1335	69,966	901	68.1	65.2-71.0	434	31.9	29.0-34.8
Less Than H.S.	115	19,039	68	51.4	38.3-64.5	47	48.6	35.5-61.7
H.S. or G.E.D.	751	70,132	470	62.9	58.2-67.6	281	37.1	32.4-41.8
Some Post-H.S.	975	114,752	705	75.0	71.5-78.5	270	25.0	21.5-28.5
College Graduate	1041	89,747	834	84.1	81.4-86.8	207	15.9	13.2-18.6
Less than \$15,000	117	16,071	68	56.8	44.6-69.0	49	43.2	31.0-55.4
\$15,000- 24,999	228	18,838	136	63.0	54.4-71.6	92	37.0	28.4-45.6
\$25,000- 34,999	276	25,617	189	71.4	63.8-79.0	87	28.6	21.0-36.2
\$35,000- 49,999	359	31,305	257	73.2	66.7-79.7	102	26.8	20.3-33.3
\$50,000- 99,999	760	79,374	570	75.9	71.8-80.0	190	24.1	20.0-28.2
\$100,000 - 199,999	401	46,744	335	85.0	80.9-89.1	66	15.0	10.9-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)	
1	MALES AND FEMALES	25
2	MALES ONLY	26
3	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5891	600,643	3449	68.9	67.5-70.3	2442	31.1	29.7-32.5
Male	3013	307,314	1732	66.2	64.2-68.2	1281	33.8	31.8-35.8
Female	2878	293,328	1717	71.7	69.7-73.7	1161	28.3	26.3-30.3
Native	265	26,085	141	59.0	51.0-67.0	124	41.0	33.0-49.0
Non-Native	5539	566,657	3253	69.4	68.0-70.8	2286	30.6	29.2-32.0
18-24	374	82,779	340	90.9	87.4-94.4	34	9.1	5.6-12.6
25-34	550	115,746	478	88.4	85.5-91.3	72	11.6	8.7-14.5
35-44	659	99,478	529	78.7	75.0-82.4	130	21.3	17.6-25.0
45-54	745	80,494	512	68.3	64.6-72.0	233	31.7	28.0-35.4
55-64	1054	92,191	607	55.2	51.7-58.7	447	44.8	41.3-48.3
65+	2509	129,955	983	40.1	37.7-42.5	1526	59.9	57.5-62.3
Less Than H.S.	271	46,498	127	58.3	50.5-66.1	144	41.7	33.9-49.5
H.S. or G.E.D.	1648	159,357	933	68.6	65.9-71.3	715	31.4	28.7-34.1
Some Post-H.S.	1922	227,038	1085	67.7	65.2-70.2	837	32.3	29.8-34.8
College Graduate	2032	165,438	1292	73.8	71.6-76.0	740	26.2	24.0-28.4
Less than \$15,000	201	24,734	95	55.5	46.1-64.9	106	44.5	35.1-53.9
\$15,000- 24,999	393	34,326	177	61.4	55.3-67.5	216	38.6	32.5-44.7
\$25,000- 34,999	524	51,426	252	62.3	56.8-67.8	272	37.7	32.2-43.2
\$35,000- 49,999	722	67,393	386	63.8	59.5-68.1	336	36.2	31.9-40.5
\$50,000- 99,999	1603	164,797	979	71.8	69.3-74.3	624	28.2	25.7-30.7
\$100,000 - 199,999	1023	111,622	697	73.7	70.6-76.8	326	26.3	23.2-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3013	307,314	1732	66.2	64.2-68.2	1281	33.8	31.8-35.8
Native	119	12,596	61	55.6	43.6-67.6	58	44.4	32.4-56.4
Non-Native	2832	289,033	1633	66.7	64.5-68.9	1199	33.3	31.1-35.5
18-24	229	43,595	207	91.8	88.1-95.5	22	8.2	4.5-11.9
25-34	337	62,471	284	84.6	80.1-89.1	53	15.4	10.9-19.9
35-44	373	52,284	278	71.3	65.8-76.8	95	28.7	23.2-34.2
45-54	374	41,842	236	63.6	58.1-69.1	138	36.4	30.9-41.9
55-64	520	46,825	269	47.8	42.9-52.7	251	52.2	47.3-57.1
65+	1180	60,297	458	40.4	37.1-43.7	722	59.6	56.3-62.9
Less Than H.S.	156	27,459	82	63.8	54.2-73.4	74	36.2	26.6-45.8
H.S. or G.E.D.	903	89,691	522	67.2	63.7-70.7	381	32.8	29.3-36.3
Some Post-H.S.	950	112,494	523	64.1	60.6-67.6	427	35.9	32.4-39.4
College Graduate	991	75,691	596	68.6	65.3-71.9	395	31.4	28.1-34.7
Less than \$15,000	85	8,732	37	44.0	29.9-58.1	48	56.0	41.9-70.1
\$15,000- 24,999	166	15,579	78	64.9	56.1-73.7	88	35.1	26.3-43.9
\$25,000- 34,999	249	25,901	120	57.7	49.5-65.9	129	42.3	34.1-50.5
\$35,000- 49,999	363	36,088	193	64.1	58.2-70.0	170	35.9	30.0-41.8
\$50,000- 99,999	843	85,422	494	68.5	64.8-72.2	349	31.5	27.8-35.2
\$100,000 - 199,999	622	64,877	391	67.5	63.2-71.8	231	32.5	28.2-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2878	293,328	1717	71.7	69.7-73.7	1161	28.3	26.3-30.3
Native	146	13,489	80	62.2	51.4-73.0	66	37.8	27.0-48.6
Non-Native	2707	277,624	1620	72.1	70.1-74.1	1087	27.9	25.9-29.9
18-24	145	39,184	133	90.0	83.9-96.1	12	10.0	3.9-16.1
25-34	213	53,275	194	92.9	89.4-96.4	19	7.1	3.6-10.6
35-44	286	47,194	251	86.9	82.0-91.8	35	13.1	8.2-18.0
45-54	371	38,652	276	73.4	68.3-78.5	95	26.6	21.5-31.7
55-64	534	45,367	338	62.8	57.9-67.7	196	37.2	32.3-42.1
65+	1329	69,657	525	39.9	36.8-43.0	804	60.1	57.0-63.2
Less Than H.S.	115	19,039	45	50.3	37.4-63.2	70	49.7	36.8-62.6
H.S. or G.E.D.	745	69,667	411	70.3	66.4-74.2	334	29.7	25.8-33.6
Some Post-H.S.	972	114,545	562	71.2	67.9-74.5	410	28.8	25.5-32.1
College Graduate	1041	89,747	696	78.1	75.4-80.8	345	21.9	19.2-24.6
Less than \$15,000	116	16,002	58	61.8	50.2-73.4	58	38.2	26.6-49.8
\$15,000- 24,999	227	18,748	99	58.6	50.2-67.0	128	41.4	33.0-49.8
\$25,000- 34,999	275	25,525	132	67.0	59.9-74.1	143	33.0	25.9-40.1
\$35,000- 49,999	359	31,305	193	63.4	56.9-69.9	166	36.6	30.1-43.1
\$50,000- 99,999	760	79,374	485	75.4	71.9-78.9	275	24.6	21.1-28.1
\$100,000 - 199,999	401	46,744	306	82.2	78.1-86.3	95	17.8	13.7-21.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)	
1	MALES AND FEMALES	29
2	MALES ONLY	30
3	FEMALES ONLY	31
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)	
4	MALES AND FEMALES	32
5	MALES ONLY	33
6	FEMALES ONLY	34

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS
TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5526	546,653	4826	80.0	78.4-81.6	215	4.6	3.8- 5.4	485	15.4	14.0-16.8
Male	2805	277,503	2369	77.3	75.1-79.5	134	5.2	4.0- 6.4	302	17.5	15.5-19.5
Female	2721	269,150	2457	82.8	80.4-85.2	81	4.1	2.9- 5.3	183	13.2	11.0-15.4
Native	244	23,342	210	82.0	74.9-89.1	9	3.8	0.0- 7.7	25	14.1	7.8-20.4
Non-Native	5205	516,560	4548	79.9	78.3-81.5	203	4.6	3.8- 5.4	454	15.5	13.9-17.1
18-24	301	67,458	154	50.0	43.5-56.5	10	4.3	1.6- 7.0	137	45.7	39.2-52.2
25-34	455	95,020	299	63.1	58.0-68.2	26	6.3	3.6- 9.0	130	30.7	25.8-35.6
35-44	601	91,304	475	79.1	75.4-82.8	41	6.9	4.4- 9.4	85	14.0	10.9-17.1
45-54	717	77,412	626	86.9	84.0-89.8	34	4.3	2.7- 5.9	57	8.7	6.3-11.1
55-64	1038	90,577	944	92.2	90.2-94.2	59	5.3	3.5- 7.1	35	2.4	1.4- 3.4
65+	2414	124,881	2328	96.5	95.7-97.3	45	1.6	1.0- 2.2	41	1.8	1.2- 2.4
Less Than H.S.	248	41,625	204	71.9	63.7-80.1	20	10.6	4.9-16.3	24	17.5	10.2-24.8
H.S. or G.E.D.	1537	144,790	1315	77.1	74.2-80.0	62	4.3	2.9- 5.7	160	18.5	15.6-21.4
Some Post-H.S.	1792	204,270	1553	79.1	76.4-81.8	69	4.9	3.5- 6.3	170	16.0	13.5-18.5
College Graduate	1936	154,135	1744	86.1	83.9-88.3	63	3.0	2.0- 4.0	129	10.9	8.9-12.9
Less than \$15,000	188	22,865	155	74.7	65.1-84.3	15	7.5	1.6-13.4	18	17.8	9.2-26.4
\$15,000- 24,999	359	30,450	310	75.3	68.2-82.4	12	3.6	0.7- 6.5	37	21.1	14.2-28.0
\$25,000- 34,999	482	45,142	427	79.9	74.0-85.8	13	4.3	1.2- 7.4	42	15.8	10.5-21.1
\$35,000- 49,999	681	61,710	596	77.2	72.3-82.1	24	4.2	2.2- 6.2	61	18.7	14.0-23.4
\$50,000- 99,999	1516	151,920	1331	81.3	78.4-84.2	47	3.2	2.0- 4.4	138	15.5	12.8-18.2
\$100,000 - 199,999	977	103,728	863	84.8	81.7-87.9	45	4.6	2.8- 6.4	69	10.5	7.8-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2805	277,503	2369	77.3	75.1-79.5	134	5.2	4.0- 6.4	302	17.5	15.5-19.5
Native	108	11,416	94	82.6	72.2-93.0	4	5.5	0.0-12.9	10	11.9	3.7-20.1
Non-Native	2643	261,436	2228	76.9	74.5-79.3	128	5.2	4.0- 6.4	287	17.9	15.7-20.1
18-24	179	34,071	84	45.7	37.5-53.9	3	2.5	0.0- 5.4	92	51.8	43.6-60.0
25-34	285	52,877	188	63.1	56.6-69.6	17	5.7	2.8- 8.6	80	31.2	24.9-37.5
35-44	335	47,168	252	75.2	69.9-80.5	29	9.0	5.5-12.5	54	15.8	11.5-20.1
45-54	360	40,121	305	83.9	79.4-88.4	23	5.4	2.9- 7.9	32	10.7	6.8-14.6
55-64	509	45,501	455	90.4	87.5-93.3	31	6.3	3.6- 9.0	23	3.3	1.7- 4.9
65+	1137	57,764	1085	95.6	94.2-97.0	31	2.3	1.3- 3.3	21	2.1	1.1- 3.1
Less Than H.S.	138	23,238	109	67.7	56.5-78.9	13	10.8	3.9-17.7	16	21.5	11.1-31.9
H.S. or G.E.D.	828	80,526	672	72.5	68.4-76.6	44	5.7	3.7- 7.7	112	21.8	17.9-25.7
Some Post-H.S.	878	100,591	736	77.6	73.9-81.3	41	4.9	3.1- 6.7	101	17.6	14.1-21.1
College Graduate	950	71,510	844	85.5	82.6-88.4	35	3.3	1.9- 4.7	71	11.2	8.5-13.9
Less than \$15,000	79	7,970	62	75.4	62.9-87.9	7	6.1	0.4-11.8	10	18.5	6.7-30.3
\$15,000- 24,999	147	13,283	120	70.6	60.0-81.2	6	4.2	0.5- 7.9	21	25.2	14.6-35.8
\$25,000- 34,999	229	23,519	191	74.5	66.1-82.9	9	4.6	0.5- 8.7	29	20.9	12.9-28.9
\$35,000- 49,999	339	32,862	280	70.3	63.4-77.2	13	4.3	1.4- 7.2	46	25.3	18.6-32.0
\$50,000- 99,999	792	78,085	683	78.9	74.8-83.0	26	3.4	1.8- 5.0	83	17.8	13.9-21.7
\$100,000 - 199,999	593	59,907	517	84.9	81.2-88.6	31	4.7	2.7- 6.7	45	10.4	7.1-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2721	269,150	2457	82.8	80.4-85.2	81	4.1	2.9- 5.3	183	13.2	11.0-15.4
Native	136	11,927	116	81.5	71.9-91.1	5	2.2	0.0- 4.4	15	16.3	6.9-25.7
Non-Native	2562	255,124	2320	82.9	80.5-85.3	75	4.0	2.8- 5.2	167	13.0	10.8-15.2
18-24	122	33,387	70	54.4	44.6-64.2	7	6.1	1.4-10.8	45	39.5	29.9-49.1
25-34	170	42,143	111	63.0	54.6-71.4	9	7.0	2.3-11.7	50	30.0	22.0-38.0
35-44	266	44,136	223	83.3	77.8-88.8	12	4.7	1.0- 8.4	31	12.1	7.8-16.4
45-54	357	37,291	321	90.2	86.7-93.7	11	3.2	1.0- 5.4	25	6.6	3.7- 9.5
55-64	529	45,076	489	94.1	91.9-96.3	28	4.3	2.3- 6.3	12	1.6	0.6- 2.6
65+	1277	67,116	1243	97.4	96.4-98.4	14	1.0	0.4- 1.6	20	1.6	0.8- 2.4
Less Than H.S.	110	18,387	95	77.3	65.0-89.6	7	10.3	0.9-19.7	8	12.4	2.6-22.2
H.S. or G.E.D.	709	64,264	643	83.0	78.7-87.3	18	2.6	1.0- 4.2	48	14.4	10.3-18.5
Some Post-H.S.	914	103,678	817	80.6	76.5-84.7	28	4.8	2.6- 7.0	69	14.6	10.9-18.3
College Graduate	986	82,625	900	86.6	83.5-89.7	28	2.8	1.4- 4.2	58	10.6	7.7-13.5
Less than \$15,000	109	14,895	93	74.4	61.5-87.3	8	8.2	0.0-16.4	8	17.4	5.6-29.2
\$15,000- 24,999	212	17,167	190	78.9	69.3-88.5	6	3.1	0.0- 7.2	16	17.9	8.9-26.9
\$25,000- 34,999	253	21,622	236	85.9	78.1-93.7	4	3.9	0.0- 8.8	13	10.2	3.5-16.9
\$35,000- 49,999	342	28,848	316	85.0	78.1-91.9	11	4.0	1.1- 6.9	15	11.1	4.6-17.6
\$50,000- 99,999	724	73,835	648	83.8	79.7-87.9	21	3.0	1.2- 4.8	55	13.1	9.2-17.0
\$100,000 - 199,999	384	43,821	346	84.7	79.6-89.8	14	4.6	1.5- 7.7	24	10.8	6.3-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5001	460,221	2991	66.5	64.9-68.1	2010	33.5	31.9-35.1
Male	2476	227,125	1482	66.1	63.7-68.5	994	33.9	31.5-36.3
Female	2525	233,096	1509	66.9	64.5-69.3	1016	33.1	30.7-35.5
Native	217	19,916	131	70.3	62.7-77.9	86	29.7	22.1-37.3
Non-Native	4714	434,285	2810	66.2	64.4-68.0	1904	33.8	32.0-35.6
18-24	164	36,634	153	90.5	84.4-96.6	11	9.5	3.4-15.6
25-34	321	65,448	277	83.8	78.7-88.9	44	16.2	11.1-21.3
35-44	514	78,391	418	80.4	76.5-84.3	96	19.6	15.7-23.5
45-54	655	70,328	453	69.2	65.1-73.3	202	30.8	26.7-34.9
55-64	998	88,170	561	55.0	51.3-58.7	437	45.0	41.3-48.7
65+	2349	121,250	1129	47.5	45.1-49.9	1220	52.5	50.1-54.9
Less Than H.S.	221	34,087	124	56.6	47.6-65.6	97	43.4	34.4-52.4
H.S. or G.E.D.	1363	116,893	796	67.3	64.4-70.2	567	32.7	29.8-35.6
Some Post-H.S.	1612	171,066	969	66.1	63.2-69.0	643	33.9	31.0-36.8
College Graduate	1794	136,648	1093	68.5	66.0-71.0	701	31.5	29.0-34.0
Less than \$15,000	166	18,533	82	58.1	47.5-68.7	84	41.9	31.3-52.5
\$15,000- 24,999	320	23,991	162	57.7	50.6-64.8	158	42.3	35.2-49.4
\$25,000- 34,999	436	37,828	262	68.7	62.8-74.6	174	31.3	25.4-37.2
\$35,000- 49,999	615	49,811	367	66.0	61.3-70.7	248	34.0	29.3-38.7
\$50,000- 99,999	1371	127,857	793	66.0	62.9-69.1	578	34.0	30.9-37.1
\$100,000 - 199,999	906	92,726	582	67.0	63.3-70.7	324	33.0	29.3-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2476	227,125	1482	66.1	63.7-68.5	994	33.9	31.5-36.3
Native	98	10,058	56	66.7	55.1-78.3	42	33.3	21.7-44.9
Non-Native	2329	212,865	1390	65.9	63.5-68.3	939	34.1	31.7-36.5
18-24	87	16,419	85	98.2	95.1- 100	2	1.8	0.0- 4.9
25-34	202	36,043	170	81.8	75.3-88.3	32	18.2	11.7-24.7
35-44	279	39,578	222	79.0	73.5-84.5	57	21.0	15.5-26.5
45-54	324	35,621	207	63.4	57.3-69.5	117	36.6	30.5-42.7
55-64	485	43,946	260	52.1	47.0-57.2	225	47.9	42.8-53.0
65+	1099	55,517	538	49.8	46.3-53.3	561	50.2	46.7-53.7
Less Than H.S.	120	18,023	73	60.5	48.9-72.1	47	39.5	27.9-51.1
H.S. or G.E.D.	707	62,272	432	69.4	65.5-73.3	275	30.6	26.7-34.5
Some Post-H.S.	769	82,570	465	65.1	61.0-69.2	304	34.9	30.8-39.0
College Graduate	871	62,929	504	65.3	61.6-69.0	367	34.7	31.0-38.4
Less than \$15,000	68	6,468	32	56.1	39.0-73.2	36	43.9	26.8-61.0
\$15,000- 24,999	124	9,901	67	62.8	52.2-73.4	57	37.2	26.6-47.8
\$25,000- 34,999	197	18,486	116	65.9	56.9-74.9	81	34.1	25.1-43.1
\$35,000- 49,999	291	24,291	182	70.6	64.5-76.7	109	29.4	23.3-35.5
\$50,000- 99,999	704	63,784	410	67.0	62.9-71.1	294	33.0	28.9-37.1
\$100,000 - 199,999	546	53,627	336	63.4	58.5-68.3	210	36.6	31.7-41.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2525	233,096	1509	66.9	64.5-69.3	1016	33.1	30.7-35.5
Native	119	9,859	75	73.9	63.9-83.9	44	26.1	16.1-36.1
Non-Native	2385	221,420	1420	66.4	63.9-68.9	965	33.6	31.1-36.1
18-24	77	20,214	68	84.3	73.9-94.7	9	15.7	5.3-26.1
25-34	119	29,406	107	86.2	78.2-94.2	12	13.8	5.8-21.8
35-44	235	38,813	196	81.8	76.1-87.5	39	18.2	12.5-23.9
45-54	331	34,706	246	75.2	69.9-80.5	85	24.8	19.5-30.1
55-64	513	44,224	301	57.9	52.8-63.0	212	42.1	37.0-47.2
65+	1250	65,732	591	45.6	42.3-48.9	659	54.4	51.1-57.7
Less Than H.S.	101	16,064	51	52.1	38.2-66.0	50	47.9	34.0-61.8
H.S. or G.E.D.	656	54,621	364	64.9	60.2-69.6	292	35.1	30.4-39.8
Some Post-H.S.	843	88,495	504	67.0	62.9-71.1	339	33.0	28.9-37.1
College Graduate	923	73,719	589	71.2	67.9-74.5	334	28.8	25.5-32.1
Less than \$15,000	98	12,065	50	59.1	45.8-72.4	48	40.9	27.6-54.2
\$15,000- 24,999	196	14,091	95	54.1	44.7-63.5	101	45.9	36.5-55.3
\$25,000- 34,999	239	19,342	146	71.3	63.9-78.7	93	28.7	21.3-36.1
\$35,000- 49,999	324	25,520	185	61.6	54.5-68.7	139	38.4	31.3-45.5
\$50,000- 99,999	667	64,073	383	64.9	60.2-69.6	284	35.1	30.4-39.8
\$100,000 - 199,999	360	39,099	246	72.0	66.5-77.5	114	28.0	22.5-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	36
2 MALES ONLY	37
3 FEMALES ONLY	38
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	39
5 MALES ONLY	40
6 FEMALES ONLY	41
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	42
8 MALES ONLY	43
9 FEMALES ONLY	44
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	45
11 MALES ONLY	46
12 FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5849	597,136	550	5.8	5.2- 6.4	5299	94.2	93.6-94.8
Male	2990	305,369	350	7.3	6.3- 8.3	2640	92.7	91.7-93.7
Female	2859	291,766	200	4.3	3.5- 5.1	2659	95.7	94.9-96.5
Native	261	25,633	22	8.8	4.3-13.3	239	91.2	86.7-95.7
Non-Native	5501	563,603	522	5.7	5.1- 6.3	4979	94.3	93.7-94.9
18-24	372	82,340	1	0.3	0.0- 0.9	371	99.7	99.1- 100
25-34	549	115,542	7	1.8	0.2- 3.4	542	98.2	96.6-99.8
35-44	659	99,402	8	1.5	0.3- 2.7	651	98.5	97.3-99.7
45-54	739	79,733	22	4.0	2.0- 6.0	717	96.0	94.0-98.0
55-64	1049	91,656	69	6.3	4.5- 8.1	980	93.7	91.9-95.5
65+	2481	128,463	443	17.0	15.2-18.8	2038	83.0	81.2-84.8
Less Than H.S.	267	46,119	43	12.3	7.4-17.2	224	87.7	82.8-92.6
H.S. or G.E.D.	1637	158,636	202	7.2	6.0- 8.4	1435	92.8	91.6-94.0
Some Post-H.S.	1903	224,945	153	5.1	4.1- 6.1	1750	94.9	93.9-95.9
College Graduate	2023	165,011	150	3.7	2.9- 4.5	1873	96.3	95.5-97.1
Less than \$15,000	194	23,604	28	11.5	4.8-18.2	166	88.5	81.8-95.2
\$15,000- 24,999	389	34,010	72	12.4	8.9-15.9	317	87.6	84.1-91.1
\$25,000- 34,999	519	51,104	70	7.5	5.1- 9.9	449	92.5	90.1-94.9
\$35,000- 49,999	717	66,997	79	6.2	4.6- 7.8	638	93.8	92.2-95.4
\$50,000- 99,999	1593	164,217	119	4.6	3.4- 5.8	1474	95.4	94.2-96.6
\$100,000 - 199,999	1020	111,439	45	2.9	1.7- 4.1	975	97.1	95.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2990	305,369	350	7.3	6.3- 8.3	2640	92.7	91.7-93.7
Native	116	12,160	10	9.5	2.2-16.8	106	90.5	83.2-97.8
Non-Native	2812	287,525	334	7.2	6.2- 8.2	2478	92.8	91.8-93.8
18-24	228	43,523				228	100.0	100.0- 100
25-34	336	62,267	6	3.0	0.3- 5.7	330	97.0	94.3-99.7
35-44	374	52,414	5	1.8	0.0- 3.6	369	98.2	96.4- 100
45-54	371	41,447	15	5.5	2.6- 8.4	356	94.5	91.6-97.4
55-64	516	46,306	49	9.1	6.4-11.8	467	90.9	88.2-93.6
65+	1165	59,413	275	21.8	19.1-24.5	890	78.2	75.5-80.9
Less Than H.S.	154	27,218	28	14.4	7.1-21.7	126	85.6	78.3-92.9
H.S. or G.E.D.	895	89,168	125	8.0	6.2- 9.8	770	92.0	90.2-93.8
Some Post-H.S.	941	111,408	91	6.4	4.8- 8.0	850	93.6	92.0-95.2
College Graduate	986	75,483	104	5.3	4.1- 6.5	882	94.7	93.5-95.9
Less than \$15,000	81	8,124	13	15.9	1.2-30.6	68	84.1	69.4-98.8
\$15,000- 24,999	164	15,330	31	10.2	5.7-14.7	133	89.8	85.3-94.3
\$25,000- 34,999	247	25,754	44	10.7	6.4-15.0	203	89.3	85.0-93.6
\$35,000- 49,999	360	35,958	51	7.4	5.0- 9.8	309	92.6	90.2-95.0
\$50,000- 99,999	837	85,093	98	7.2	5.2- 9.2	739	92.8	90.8-94.8
\$100,000 - 199,999	621	64,873	34	4.0	2.0- 6.0	587	96.0	94.0-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	291,766	200	4.3	3.5- 5.1	2659	95.7	94.9-96.5
Native	145	13,473	12	8.2	2.3-14.1	133	91.8	85.9-97.7
Non-Native	2689	276,078	188	4.1	3.3- 4.9	2501	95.9	95.1-96.7
18-24	144	38,817	1	0.5	0.0- 1.5	143	99.5	98.5- 100
25-34	213	53,275	1	0.5	0.0- 1.5	212	99.5	98.5- 100
35-44	285	46,989	3	1.1	0.0- 2.5	282	98.9	97.5- 100
45-54	368	38,286	7	2.5	0.3- 4.7	361	97.5	95.3-99.7
55-64	533	45,350	20	3.5	1.7- 5.3	513	96.5	94.7-98.3
65+	1316	69,050	168	12.9	10.7-15.1	1148	87.1	84.9-89.3
Less Than H.S.	113	18,901	15	9.2	3.5-14.9	98	90.8	85.1-96.5
H.S. or G.E.D.	742	69,469	77	6.1	4.3- 7.9	665	93.9	92.1-95.7
Some Post-H.S.	962	113,537	62	3.8	2.6- 5.0	900	96.2	95.0-97.4
College Graduate	1037	89,528	46	2.4	1.6- 3.2	991	97.6	96.8-98.4
Less than \$15,000	113	15,481	15	9.2	3.1-15.3	98	90.8	84.7-96.9
\$15,000- 24,999	225	18,679	41	14.1	8.8-19.4	184	85.9	80.6-91.2
\$25,000- 34,999	272	25,350	26	4.2	2.0- 6.4	246	95.8	93.6-98.0
\$35,000- 49,999	357	31,039	28	4.7	2.5- 6.9	329	95.3	93.1-97.5
\$50,000- 99,999	756	79,124	21	1.8	0.8- 2.8	735	98.2	97.2-99.2
\$100,000 - 199,999	399	46,566	11	1.4	0.4- 2.4	388	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5886	600,115	5250	87.5	86.3-88.7	636	12.5	11.3-13.7
Male	3009	306,900	2722	88.5	86.9-90.1	287	11.5	9.9-13.1
Female	2877	293,214	2528	86.4	84.6-88.2	349	13.6	11.8-15.4
Native	265	26,085	225	83.1	76.6-89.6	40	16.9	10.4-23.4
Non-Native	5534	566,129	4947	87.8	86.6-89.0	587	12.2	11.0-13.4
18-24	372	82,417	321	87.7	84.2-91.2	51	12.3	8.8-15.8
25-34	548	115,662	462	82.9	79.2-86.6	86	17.1	13.4-20.8
35-44	661	99,719	582	86.3	83.2-89.4	79	13.7	10.6-16.8
45-54	744	80,341	658	87.2	84.3-90.1	86	12.8	9.9-15.7
55-64	1051	91,960	955	91.0	89.0-93.0	96	9.0	7.0-11.0
65+	2510	130,017	2272	90.2	88.8-91.6	238	9.8	8.4-11.2
Less Than H.S.	271	46,492	230	80.8	74.1-87.5	41	19.2	12.5-25.9
H.S. or G.E.D.	1650	159,610	1499	89.0	86.8-91.2	151	11.0	8.8-13.2
Some Post-H.S.	1919	226,500	1704	87.6	85.6-89.6	215	12.4	10.4-14.4
College Graduate	2027	165,089	1798	87.6	85.6-89.6	229	12.4	10.4-14.4
Less than \$15,000	199	24,561	160	77.1	68.3-85.9	39	22.9	14.1-31.7
\$15,000- 24,999	394	34,417	336	84.2	79.5-88.9	58	15.8	11.1-20.5
\$25,000- 34,999	524	51,462	463	84.7	80.2-89.2	61	15.3	10.8-19.8
\$35,000- 49,999	723	67,489	645	86.1	82.6-89.6	78	13.9	10.4-17.4
\$50,000- 99,999	1600	164,505	1433	88.2	86.0-90.4	167	11.8	9.6-14.0
\$100,000 - 199,999	1020	111,331	916	88.4	85.9-90.9	104	11.6	9.1-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3009	306,900	2722	88.5	86.9-90.1	287	11.5	9.9-13.1
Native	119	12,596	101	80.0	69.2-90.8	18	20.0	9.2-30.8
Non-Native	2828	288,619	2565	89.0	87.4-90.6	263	11.0	9.4-12.6
18-24	228	43,305	202	89.5	85.2-93.8	26	10.5	6.2-14.8
25-34	335	62,387	284	82.2	77.3-87.1	51	17.8	12.9-22.7
35-44	375	52,525	345	91.2	87.9-94.5	30	8.8	5.5-12.1
45-54	374	41,842	327	85.2	80.9-89.5	47	14.8	10.5-19.1
55-64	517	46,579	480	92.5	89.8-95.2	37	7.5	4.8-10.2
65+	1180	60,262	1084	91.3	89.3-93.3	96	8.7	6.7-10.7
Less Than H.S.	156	27,453	132	80.9	72.5-89.3	24	19.1	10.7-27.5
H.S. or G.E.D.	901	89,589	832	90.7	88.2-93.2	69	9.3	6.8-11.8
Some Post-H.S.	948	112,111	847	87.8	85.1-90.5	101	12.2	9.5-14.9
College Graduate	990	75,655	897	89.6	87.2-92.0	93	10.4	8.0-12.8
Less than \$15,000	84	8,676	68	79.2	64.5-93.9	16	20.8	6.1-35.5
\$15,000- 24,999	166	15,579	150	89.2	83.1-95.3	16	10.8	4.7-16.9
\$25,000- 34,999	250	25,944	223	85.8	79.3-92.3	27	14.2	7.7-20.7
\$35,000- 49,999	364	36,184	327	86.9	82.2-91.6	37	13.1	8.4-17.8
\$50,000- 99,999	841	85,232	769	89.4	86.7-92.1	72	10.6	7.9-13.3
\$100,000 - 199,999	620	64,758	560	88.3	85.0-91.6	60	11.7	8.4-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2877	293,214	2528	86.4	84.6-88.2	349	13.6	11.8-15.4
Native	146	13,489	124	85.9	78.6-93.2	22	14.1	6.8-21.4
Non-Native	2706	277,510	2382	86.5	84.7-88.3	324	13.5	11.7-15.3
18-24	144	39,111	119	85.7	79.8-91.6	25	14.3	8.4-20.2
25-34	213	53,275	178	83.7	78.0-89.4	35	16.3	10.6-22.0
35-44	286	47,194	237	80.9	75.6-86.2	49	19.1	13.8-24.4
45-54	370	38,499	331	89.4	85.9-92.9	39	10.6	7.1-14.1
55-64	534	45,380	475	89.3	86.2-92.4	59	10.7	7.6-13.8
65+	1330	69,755	1188	89.2	87.2-91.2	142	10.8	8.8-12.8
Less Than H.S.	115	19,039	98	80.8	69.6-92.0	17	19.2	8.0-30.4
H.S. or G.E.D.	749	70,022	667	87.0	83.7-90.3	82	13.0	9.7-16.3
Some Post-H.S.	971	114,389	857	87.5	84.8-90.2	114	12.5	9.8-15.2
College Graduate	1037	89,433	901	85.9	83.2-88.6	136	14.1	11.4-16.8
Less than \$15,000	115	15,885	92	75.9	64.7-87.1	23	24.1	12.9-35.3
\$15,000- 24,999	228	18,838	186	80.1	73.0-87.2	42	19.9	12.8-27.0
\$25,000- 34,999	274	25,518	240	83.6	77.1-90.1	34	16.4	9.9-22.9
\$35,000- 49,999	359	31,305	318	85.2	79.7-90.7	41	14.8	9.3-20.3
\$50,000- 99,999	759	79,273	664	86.9	83.4-90.4	95	13.1	9.6-16.6
\$100,000 - 199,999	400	46,574	356	88.4	84.5-92.3	44	11.6	7.7-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5859	596,588	5427	91.6	90.6-92.6	432	8.4	7.4- 9.4
Male	2997	305,333	2813	92.5	91.1-93.9	184	7.5	6.1- 8.9
Female	2862	291,254	2614	90.7	89.3-92.1	248	9.3	7.9-10.7
Native	265	26,085	239	88.8	83.1-94.5	26	11.2	5.5-16.9
Non-Native	5507	562,602	5108	91.8	90.8-92.8	399	8.2	7.2- 9.2
18-24	369	81,767	336	91.7	88.6-94.8	33	8.3	5.2-11.4
25-34	543	114,310	492	90.0	87.1-92.9	51	10.0	7.1-12.9
35-44	658	99,196	605	90.6	87.9-93.3	53	9.4	6.7-12.1
45-54	742	80,132	684	91.0	88.5-93.5	58	9.0	6.5-11.5
55-64	1048	91,751	978	93.2	91.4-95.0	70	6.8	5.0- 8.6
65+	2499	129,432	2332	93.1	91.9-94.3	167	6.9	5.7- 8.1
Less Than H.S.	269	46,010	240	88.0	82.5-93.5	29	12.0	6.5-17.5
H.S. or G.E.D.	1643	158,310	1532	91.9	90.1-93.7	111	8.1	6.3- 9.9
Some Post-H.S.	1912	225,479	1757	91.3	89.7-92.9	155	8.7	7.1-10.3
College Graduate	2016	164,364	1879	92.6	91.2-94.0	137	7.4	6.0- 8.8
Less than \$15,000	196	24,078	168	83.4	75.2-91.6	28	16.6	8.4-24.8
\$15,000- 24,999	393	34,291	349	88.5	84.6-92.4	44	11.5	7.6-15.4
\$25,000- 34,999	522	51,358	482	88.7	84.6-92.8	40	11.3	7.2-15.4
\$35,000- 49,999	718	67,162	673	91.1	88.2-94.0	45	8.9	6.0-11.8
\$50,000- 99,999	1597	163,676	1486	92.6	90.8-94.4	111	7.4	5.6- 9.2
\$100,000 - 199,999	1013	110,238	942	92.6	90.6-94.6	71	7.4	5.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2997	305,333	2813	92.5	91.1-93.9	184	7.5	6.1- 8.9
Native	119	12,596	111	90.1	81.1-99.1	8	9.9	0.9-18.9
Non-Native	2816	287,052	2645	92.7	91.3-94.1	171	7.3	5.9- 8.7
18-24	226	42,979	212	94.0	90.5-97.5	14	6.0	2.5- 9.5
25-34	333	61,870	304	88.7	84.4-93.0	29	11.3	7.0-15.6
35-44	374	52,384	354	93.7	90.8-96.6	20	6.3	3.4- 9.2
45-54	373	41,726	344	90.2	86.5-93.9	29	9.8	6.1-13.5
55-64	516	46,470	489	94.5	92.1-96.9	27	5.5	3.1- 7.9
65+	1175	59,905	1110	94.2	92.6-95.8	65	5.8	4.2- 7.4
Less Than H.S.	154	26,971	137	86.1	78.5-93.7	17	13.9	6.3-21.5
H.S. or G.E.D.	898	89,054	852	93.8	91.6-96.0	46	6.2	4.0- 8.4
Some Post-H.S.	944	111,708	876	91.7	89.3-94.1	68	8.3	5.9-10.7
College Graduate	987	75,508	934	94.2	92.4-96.0	53	5.8	4.0- 7.6
Less than \$15,000	84	8,676	72	81.2	66.5-95.9	12	18.8	4.1-33.5
\$15,000- 24,999	165	15,453	155	93.1	88.4-97.8	10	6.9	2.2-11.6
\$25,000- 34,999	249	25,917	232	89.1	83.0-95.2	17	10.9	4.8-17.0
\$35,000- 49,999	362	35,993	343	92.0	87.9-96.1	19	8.0	3.9-12.1
\$50,000- 99,999	840	85,106	796	93.2	90.8-95.6	44	6.8	4.4- 9.2
\$100,000 - 199,999	617	64,191	575	92.5	90.0-95.0	42	7.5	5.0-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	291,254	2614	90.7	89.3-92.1	248	9.3	7.9-10.7
Native	146	13,489	128	87.6	80.7-94.5	18	12.4	5.5-19.3
Non-Native	2691	275,550	2463	90.9	89.5-92.3	228	9.1	7.7-10.5
18-24	143	38,788	124	89.1	84.0-94.2	19	10.9	5.8-16.0
25-34	210	52,440	188	91.6	87.5-95.7	22	8.4	4.3-12.5
35-44	284	46,812	251	87.1	82.6-91.6	33	12.9	8.4-17.4
45-54	369	38,406	340	91.9	88.8-95.0	29	8.1	5.0-11.2
55-64	532	45,281	489	91.8	89.1-94.5	43	8.2	5.5-10.9
65+	1324	69,527	1222	92.1	90.3-93.9	102	7.9	6.1- 9.7
Less Than H.S.	115	19,039	103	90.8	83.5-98.1	12	9.2	1.9-16.5
H.S. or G.E.D.	745	69,256	680	89.6	86.5-92.7	65	10.4	7.3-13.5
Some Post-H.S.	968	113,771	881	90.9	88.5-93.3	87	9.1	6.7-11.5
College Graduate	1029	88,857	945	91.3	89.1-93.5	84	8.7	6.5-10.9
Less than \$15,000	112	15,403	96	84.6	75.0-94.2	16	15.4	5.8-25.0
\$15,000- 24,999	228	18,838	194	84.7	78.6-90.8	34	15.3	9.2-21.4
\$25,000- 34,999	273	25,441	250	88.4	82.7-94.1	23	11.6	5.9-17.3
\$35,000- 49,999	356	31,169	330	90.1	85.6-94.6	26	9.9	5.4-14.4
\$50,000- 99,999	757	78,571	690	92.0	89.5-94.5	67	8.0	5.5-10.5
\$100,000 - 199,999	396	46,047	367	92.7	89.6-95.8	29	7.3	4.2-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5859	596,588	432	8.4	7.4- 9.4	177	3.6	2.8- 4.4	5250	88.0	86.8-89.2
Male	2997	305,333	184	7.5	6.1- 8.9	91	3.5	2.5- 4.5	2722	89.0	87.4-90.6
Female	2862	291,254	248	9.3	7.9-10.7	86	3.7	2.5- 4.9	2528	87.0	85.2-88.8
Native	265	26,085	26	11.2	5.5-16.9	14	5.7	1.8- 9.6	225	83.1	76.6-89.6
Non-Native	5507	562,602	399	8.2	7.2- 9.2	161	3.5	2.7- 4.3	4947	88.3	87.1-89.5
18-24	369	81,767	33	8.3	5.2-11.4	15	3.3	1.5- 5.1	321	88.4	84.9-91.9
25-34	543	114,310	51	10.0	7.1-12.9	30	6.2	3.7- 8.7	462	83.8	80.1-87.5
35-44	658	99,196	53	9.4	6.7-12.1	23	3.8	2.0- 5.6	582	86.8	83.7-89.9
45-54	742	80,132	58	9.0	6.5-11.5	26	3.6	2.0- 5.2	658	87.4	84.5-90.3
55-64	1048	91,751	70	6.8	5.0- 8.6	23	2.0	1.0- 3.0	955	91.2	89.2-93.2
65+	2499	129,432	167	6.9	5.7- 8.1	60	2.5	1.7- 3.3	2272	90.6	89.2-92.0
Less Than H.S.	269	46,010	29	12.0	6.5-17.5	10	6.4	1.7-11.1	230	81.7	75.0-88.4
H.S. or G.E.D.	1643	158,310	111	8.1	6.3- 9.9	33	2.2	1.2- 3.2	1499	89.8	87.8-91.8
Some Post-H.S.	1912	225,479	155	8.7	7.1-10.3	53	3.3	2.1- 4.5	1704	88.0	86.0-90.0
College Graduate	2016	164,364	137	7.4	6.0- 8.8	81	4.7	3.5- 5.9	1798	88.0	86.2-89.8
Less than \$15,000	196	24,078	28	16.6	8.4-24.8	8	4.8	0.3- 9.3	160	78.6	69.8-87.4
\$15,000- 24,999	393	34,291	44	11.5	7.6-15.4	13	4.0	1.1- 6.9	336	84.5	79.8-89.2
\$25,000- 34,999	522	51,358	40	11.3	7.2-15.4	19	3.8	1.4- 6.2	463	84.9	80.4-89.4
\$35,000- 49,999	718	67,162	45	8.9	6.0-11.8	28	4.6	2.4- 6.8	645	86.5	83.0-90.0
\$50,000- 99,999	1597	163,676	111	7.4	5.6- 9.2	53	3.9	2.3- 5.5	1433	88.7	86.5-90.9
\$100,000 - 199,999	1013	110,238	71	7.4	5.4- 9.4	26	3.3	1.7- 4.9	916	89.2	86.8-91.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2997	305,333	184	7.5	6.1- 8.9	91	3.5	2.5- 4.5	2722	89.0	87.4-90.6
Native	119	12,596	8	9.9	0.9-18.9	10	10.1	2.7-17.5	101	80.0	69.2-90.8
Non-Native	2816	287,052	171	7.3	5.9- 8.7	80	3.2	2.2- 4.2	2565	89.4	87.8-91.0
18-24	226	42,979	14	6.0	2.5- 9.5	10	3.8	1.3- 6.3	202	90.2	85.9-94.5
25-34	333	61,870	29	11.3	7.0-15.6	20	5.9	3.0- 8.8	284	82.9	78.0-87.8
35-44	374	52,384	20	6.3	3.4- 9.2	9	2.2	0.6- 3.8	345	91.4	88.1-94.7
45-54	373	41,726	29	9.8	6.1-13.5	17	4.8	2.1- 7.5	327	85.4	81.1-89.7
55-64	516	46,470	27	5.5	3.1- 7.9	9	1.8	0.4- 3.2	480	92.7	90.0-95.4
65+	1175	59,905	65	5.8	4.2- 7.4	26	2.3	1.3- 3.3	1084	91.9	90.1-93.7
Less Than H.S.	154	26,971	17	13.9	6.3-21.5	5	3.8	0.0- 7.9	132	82.3	73.9-90.7
H.S. or G.E.D.	898	89,054	46	6.2	4.0- 8.4	20	2.6	1.2- 4.0	832	91.2	88.7-93.7
Some Post-H.S.	944	111,708	68	8.3	5.9-10.7	29	3.6	2.0- 5.2	847	88.1	85.4-90.8
College Graduate	987	75,508	53	5.8	4.0- 7.6	37	4.4	2.8- 6.0	897	89.8	87.4-92.2
Less than \$15,000	84	8,676	12	18.8	4.1-33.5	4	2.1	0.0- 4.3	68	79.2	64.5-93.9
\$15,000- 24,999	165	15,453	10	6.9	2.2-11.6	5	3.2	0.0- 7.1	150	89.9	84.0-95.8
\$25,000- 34,999	249	25,917	17	10.9	4.8-17.0	9	3.2	0.8- 5.6	223	85.9	79.4-92.4
\$35,000- 49,999	362	35,993	19	8.0	3.9-12.1	16	4.6	2.1- 7.1	327	87.4	82.7-92.1
\$50,000- 99,999	840	85,106	44	6.8	4.4- 9.2	27	3.6	1.8- 5.4	769	89.5	86.8-92.2
\$100,000 - 199,999	617	64,191	42	7.5	5.0-10.0	15	3.3	1.3- 5.3	560	89.1	86.0-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	291,254	248	9.3	7.9-10.7	86	3.7	2.5- 4.9	2528	87.0	85.2-88.8
Native	146	13,489	18	12.4	5.5-19.3	4	1.7	0.0- 3.7	124	85.9	78.6-93.2
Non-Native	2691	275,550	228	9.1	7.7-10.5	81	3.8	2.6- 5.0	2382	87.1	85.3-88.9
18-24	143	38,788	19	10.9	5.8-16.0	5	2.7	0.0- 5.4	119	86.4	80.7-92.1
25-34	210	52,440	22	8.4	4.3-12.5	10	6.6	2.3-10.9	178	85.0	79.3-90.7
35-44	284	46,812	33	12.9	8.4-17.4	14	5.5	2.4- 8.6	237	81.6	76.3-86.9
45-54	369	38,406	29	8.1	5.0-11.2	9	2.3	0.5- 4.1	331	89.6	86.1-93.1
55-64	532	45,281	43	8.2	5.5-10.9	14	2.3	0.9- 3.7	475	89.5	86.4-92.6
65+	1324	69,527	102	7.9	6.1- 9.7	34	2.6	1.6- 3.6	1188	89.5	87.5-91.5
Less Than H.S.	115	19,039	12	9.2	1.9-16.5	5	10.0	0.6-19.4	98	80.8	69.6-92.0
H.S. or G.E.D.	745	69,256	65	10.4	7.3-13.5	13	1.7	0.5- 2.9	667	87.9	84.6-91.2
Some Post-H.S.	968	113,771	87	9.1	6.7-11.5	24	3.0	1.4- 4.6	857	87.9	85.2-90.6
College Graduate	1029	88,857	84	8.7	6.5-10.9	44	4.9	3.1- 6.7	901	86.4	83.7-89.1
Less than \$15,000	112	15,403	16	15.4	5.8-25.0	4	6.3	0.0-13.2	92	78.3	67.1-89.5
\$15,000- 24,999	228	18,838	34	15.3	9.2-21.4	8	4.7	0.4- 9.0	186	80.1	73.0-87.2
\$25,000- 34,999	273	25,441	23	11.6	5.9-17.3	10	4.5	0.6- 8.4	240	83.9	77.4-90.4
\$35,000- 49,999	356	31,169	26	9.9	5.4-14.4	12	4.6	1.1- 8.1	318	85.5	80.0-91.0
\$50,000- 99,999	757	78,571	67	8.0	5.5-10.5	26	4.3	1.8- 6.8	664	87.7	84.4-91.0
\$100,000 - 199,999	396	46,047	29	7.3	4.2-10.4	11	3.3	0.9- 5.7	356	89.4	85.5-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 8: ARTHRITIS BURDEN CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)	
1	MALES AND FEMALES	49
2	MALES ONLY	50
3	FEMALES ONLY	51
	LIMITED USUAL ACTIVITIES (_LMTACT3)	
4	MALES AND FEMALES	52
5	MALES ONLY	53
6	FEMALES ONLY	54
	LIMITED WORK ACTIVITIES (_LMTWRK3)	
7	MALES AND FEMALES	55
8	MALES ONLY	56
9	FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

**TABLE 1: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5886	600,237	2035	25.4	24.0-26.8	3851	74.6	73.2-76.0
Male	3011	307,056	888	22.6	20.8-24.4	2123	77.4	75.6-79.2
Female	2875	293,180	1147	28.4	26.4-30.4	1728	71.6	69.6-73.6
Native	264	25,974	80	29.5	22.1-36.9	184	70.5	63.1-77.9
Non-Native	5535	566,362	1930	25.3	23.9-26.7	3605	74.7	73.3-76.1
18-24	373	82,730	12	3.0	1.0- 5.0	361	97.0	95.0-99.0
25-34	550	115,746	55	10.8	7.7-13.9	495	89.2	86.1-92.3
35-44	659	99,512	87	14.0	10.9-17.1	572	86.0	82.9-89.1
45-54	744	80,391	201	27.7	24.0-31.4	543	72.3	68.6-76.0
55-64	1052	92,058	400	38.6	35.1-42.1	652	61.4	57.9-64.9
65+	2508	129,799	1280	50.9	48.5-53.3	1228	49.1	46.7-51.5
Less Than H.S.	270	46,315	115	32.2	25.1-39.3	155	67.8	60.7-74.9
H.S. or G.E.D.	1650	159,762	596	25.3	22.9-27.7	1054	74.7	72.3-77.1
Some Post-H.S.	1918	226,545	676	26.0	23.6-28.4	1242	74.0	71.6-76.4
College Graduate	2029	165,190	643	22.9	20.9-24.9	1386	77.1	75.1-79.1
Less than \$15,000	200	24,739	99	42.3	32.9-51.7	101	57.7	48.3-67.1
\$15,000- 24,999	394	34,417	188	31.8	26.3-37.3	206	68.2	62.7-73.7
\$25,000- 34,999	526	51,561	194	24.6	20.1-29.1	332	75.4	70.9-79.9
\$35,000- 49,999	720	67,213	280	28.8	24.9-32.7	440	71.2	67.3-75.1
\$50,000- 99,999	1600	164,368	529	23.9	21.5-26.3	1071	76.1	73.7-78.5
\$100,000 - 199,999	1021	111,429	263	21.1	18.2-24.0	758	78.9	76.0-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 2: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3011	307,056	888	22.6	20.8-24.4	2123	77.4	75.6-79.2
Native	119	12,596	34	31.9	20.3-43.5	85	68.1	56.5-79.7
Non-Native	2830	288,775	837	22.3	20.5-24.1	1993	77.7	75.9-79.5
18-24	228	43,546	7	2.7	0.3- 5.1	221	97.3	94.9-99.7
25-34	337	62,471	29	9.4	5.5-13.3	308	90.6	86.7-94.5
35-44	375	52,525	47	13.6	9.7-17.5	328	86.4	82.5-90.3
45-54	373	41,667	89	24.8	19.7-29.9	284	75.2	70.1-80.3
55-64	519	46,725	181	38.3	33.4-43.2	338	61.7	56.8-66.6
65+	1179	60,122	535	45.1	41.8-48.4	644	54.9	51.6-58.2
Less Than H.S.	155	27,277	56	26.7	18.3-35.1	99	73.3	64.9-81.7
H.S. or G.E.D.	903	89,769	275	22.3	19.4-25.2	628	77.7	74.8-80.6
Some Post-H.S.	947	112,142	271	22.3	19.4-25.2	676	77.7	74.8-80.6
College Graduate	992	75,776	281	21.9	19.0-24.8	711	78.1	75.2-81.0
Less than \$15,000	84	8,686	34	38.4	23.7-53.1	50	61.6	46.9-76.3
\$15,000- 24,999	166	15,579	68	28.8	20.6-37.0	98	71.2	63.0-79.4
\$25,000- 34,999	250	25,944	80	20.1	14.6-25.6	170	79.9	74.4-85.4
\$35,000- 49,999	363	36,046	116	22.0	17.3-26.7	247	78.0	73.3-82.7
\$50,000- 99,999	842	85,247	250	23.1	19.8-26.4	592	76.9	73.6-80.2
\$100,000 - 199,999	623	64,961	153	20.8	17.1-24.5	470	79.2	75.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 3: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	293,180	1147	28.4	26.4-30.4	1728	71.6	69.6-73.6
Native	145	13,378	46	27.3	17.9-36.7	99	72.7	63.3-82.1
Non-Native	2705	277,587	1093	28.5	26.3-30.7	1612	71.5	69.3-73.7
18-24	145	39,184	5	3.3	0.4- 6.2	140	96.7	93.8-99.6
25-34	213	53,275	26	12.4	7.1-17.7	187	87.6	82.3-92.9
35-44	284	46,987	40	14.5	9.6-19.4	244	85.5	80.6-90.4
45-54	371	38,724	112	30.9	25.6-36.2	259	69.1	63.8-74.4
55-64	533	45,333	219	38.9	34.0-43.8	314	61.1	56.2-66.0
65+	1329	69,677	745	55.9	52.8-59.0	584	44.1	41.0-47.2
Less Than H.S.	115	19,039	59	40.2	27.9-52.5	56	59.8	47.5-72.1
H.S. or G.E.D.	747	69,993	321	29.2	25.3-33.1	426	70.8	66.9-74.7
Some Post-H.S.	971	114,403	405	29.6	26.1-33.1	566	70.4	66.9-73.9
College Graduate	1037	89,415	362	23.8	20.9-26.7	675	76.2	73.3-79.1
Less than \$15,000	116	16,054	65	44.4	32.2-56.6	51	55.6	43.4-67.8
\$15,000- 24,999	228	18,838	120	34.4	27.0-41.8	108	65.6	58.2-73.0
\$25,000- 34,999	276	25,617	114	29.2	22.3-36.1	162	70.8	63.9-77.7
\$35,000- 49,999	357	31,167	164	36.5	30.0-43.0	193	63.5	57.0-70.0
\$50,000- 99,999	758	79,121	279	24.8	21.3-28.3	479	75.2	71.7-78.7
\$100,000 - 199,999	398	46,468	110	21.5	16.8-26.2	288	78.5	73.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

**TABLE 4: LIMITED USUAL ACTIVITIES (_LMTACT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5869	599,115	720	9.4	8.4-10.4	1298	15.9	14.9-16.9	3851	74.7	73.3-76.1
Male	3004	306,616	293	7.8	6.6-9.0	588	14.7	13.3-16.1	2123	77.5	75.7-79.3
Female	2865	292,499	427	11.0	9.6-12.4	710	17.3	15.7-18.9	1728	71.8	69.8-73.8
Native	264	25,974	33	12.2	7.1-17.3	47	17.3	10.8-23.8	184	70.5	63.1-77.9
Non-Native	5518	565,241	677	9.2	8.2-10.2	1236	16.0	14.8-17.2	3605	74.8	73.4-76.2
18-24	373	82,730	1	0.0	0.0-0.0	11	2.9	0.9-4.9	361	97.0	95.0-99.0
25-34	550	115,746	26	5.4	3.0-7.8	29	5.3	3.1-7.5	495	89.2	86.1-92.3
35-44	658	99,473	39	6.9	4.5-9.3	47	7.1	4.7-9.5	572	86.0	82.9-89.1
45-54	742	80,189	84	12.8	10.1-15.5	115	14.8	11.9-17.7	543	72.4	68.7-76.1
55-64	1050	91,855	128	11.2	9.0-13.4	270	27.2	24.1-30.3	652	61.5	58.0-65.0
65+	2496	129,122	442	17.3	15.5-19.1	826	33.3	31.1-35.5	1228	49.4	47.0-51.8
Less Than H.S.	269	46,278	50	16.9	11.0-22.8	64	15.2	10.3-20.1	155	67.8	60.7-74.9
H.S. or G.E.D.	1642	159,273	192	8.7	7.1-10.3	396	16.4	14.4-18.4	1054	74.9	72.5-77.3
Some Post-H.S.	1914	226,227	239	9.2	7.8-10.6	433	16.7	14.7-18.7	1242	74.1	71.7-76.5
College Graduate	2025	164,913	237	8.1	6.9-9.3	402	14.7	12.9-16.5	1386	77.2	75.2-79.2
Less than \$15,000	199	24,706	56	28.3	19.1-37.5	42	13.9	8.4-19.4	101	57.8	48.4-67.2
\$15,000- 24,999	393	34,371	84	16.4	12.3-20.5	103	15.3	11.6-19.0	206	68.2	62.7-73.7
\$25,000- 34,999	524	51,505	76	9.8	6.9-12.7	116	14.7	11.2-18.2	332	75.5	71.0-80.0
\$35,000- 49,999	718	67,169	93	9.0	6.6-11.4	185	19.7	16.4-23.0	440	71.3	67.4-75.2
\$50,000- 99,999	1597	164,179	179	8.1	6.5-9.7	347	15.7	13.7-17.7	1071	76.2	73.8-78.6
\$100,000 - 199,999	1020	111,390	76	5.8	4.2-7.4	186	15.3	12.8-17.8	758	78.9	76.0-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 5: LIMITED USUAL ACTIVITIES (_LMTACT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3004	306,616	293	7.8	6.6- 9.0	588	14.7	13.3-16.1	2123	77.5	75.7-79.3
Native	119	12,596	13	12.6	4.6-20.6	21	19.3	9.3-29.3	85	68.1	56.5-79.7
Non-Native	2823	288,335	271	7.5	6.3- 8.7	559	14.6	13.2-16.0	1993	77.9	76.1-79.7
18-24	228	43,546	1	0.1	0.0- 0.3	6	2.6	0.2- 5.0	221	97.3	94.9-99.7
25-34	337	62,471	11	4.3	1.4- 7.2	18	5.1	2.4- 7.8	308	90.6	86.7-94.5
35-44	375	52,525	18	6.0	3.1- 8.9	29	7.6	4.7-10.5	328	86.4	82.5-90.3
45-54	371	41,465	33	9.6	6.1-13.1	54	14.9	10.8-19.0	284	75.5	70.4-80.6
55-64	518	46,691	51	10.3	7.2-13.4	129	28.0	23.5-32.5	338	61.7	56.8-66.6
65+	1175	59,918	179	15.7	13.2-18.2	352	29.3	26.2-32.4	644	55.1	51.8-58.4
Less Than H.S.	154	27,239	30	16.8	9.5-24.1	25	9.7	4.4-15.0	99	73.4	65.0-81.8
H.S. or G.E.D.	901	89,639	82	7.0	5.2- 8.8	191	15.1	12.6-17.6	628	77.9	75.0-80.8
Some Post-H.S.	946	112,107	92	7.6	5.6- 9.6	178	14.7	12.2-17.2	676	77.7	74.8-80.6
College Graduate	989	75,538	87	5.8	4.4- 7.2	191	15.9	13.4-18.4	711	78.4	75.7-81.1
Less than \$15,000	84	8,686	20	28.5	13.6-43.4	14	9.9	3.2-16.6	50	61.6	46.9-76.3
\$15,000- 24,999	166	15,579	29	15.7	9.2-22.2	39	13.1	7.6-18.6	98	71.2	63.0-79.4
\$25,000- 34,999	249	25,909	28	6.6	3.5- 9.7	51	13.3	8.6-18.0	170	80.0	74.5-85.5
\$35,000- 49,999	361	36,003	41	7.5	4.6-10.4	73	14.4	10.5-18.3	247	78.1	73.4-82.8
\$50,000- 99,999	839	85,058	80	7.9	5.7-10.1	167	15.0	12.3-17.7	592	77.1	73.8-80.4
\$100,000 - 199,999	623	64,961	35	4.5	2.7- 6.3	118	16.3	12.8-19.8	470	79.2	75.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 6: LIMITED USUAL ACTIVITIES (_LMTACT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and usual activities limited			Told have arthritis and usual activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	292,499	427	11.0	9.6-12.4	710	17.3	15.7-18.9	1728	71.8	69.8-73.8
Native	145	13,378	20	11.9	5.8-18.0	26	15.3	7.5-23.1	99	72.7	63.3-82.1
Non-Native	2695	276,906	406	11.0	9.6-12.4	677	17.4	15.8-19.0	1612	71.6	69.4-73.8
18-24	145	39,184				5	3.3	0.4- 6.2	140	96.7	93.8-99.6
25-34	213	53,275	15	6.8	2.7-10.9	11	5.6	2.1- 9.1	187	87.6	82.3-92.9
35-44	283	46,948	21	8.0	4.3-11.7	18	6.5	3.0-10.0	244	85.5	80.6-90.4
45-54	371	38,724	51	16.2	11.9-20.5	61	14.7	10.6-18.8	259	69.1	63.8-74.4
55-64	532	45,164	77	12.1	9.2-15.0	141	26.5	22.0-31.0	314	61.4	56.5-66.3
65+	1321	69,204	263	18.7	16.3-21.1	474	36.9	33.8-40.0	584	44.4	41.3-47.5
Less Than H.S.	115	19,039	20	17.1	7.1-27.1	39	23.1	13.9-32.3	56	59.8	47.5-72.1
H.S. or G.E.D.	741	69,634	110	10.8	8.3-13.3	205	18.0	14.9-21.1	426	71.2	67.3-75.1
Some Post-H.S.	968	114,120	147	10.7	8.5-12.9	255	18.7	15.8-21.6	566	70.6	67.1-74.1
College Graduate	1036	89,375	150	10.1	8.1-12.1	211	13.7	11.3-16.1	675	76.2	73.3-79.1
Less than \$15,000	115	16,020	36	28.2	16.6-39.8	28	16.1	8.5-23.7	51	55.7	43.5-67.9
\$15,000- 24,999	227	18,792	55	17.0	11.5-22.5	64	17.2	12.1-22.3	108	65.8	58.4-73.2
\$25,000- 34,999	275	25,595	48	13.0	8.1-17.9	65	16.1	10.8-21.4	162	70.9	64.0-77.8
\$35,000- 49,999	357	31,167	52	10.8	7.3-14.3	112	25.7	20.0-31.4	193	63.5	57.0-70.0
\$50,000- 99,999	758	79,121	99	8.4	6.4-10.4	180	16.3	13.4-19.2	479	75.2	71.7-78.7
\$100,000 - 199,999	397	46,428	41	7.7	5.0-10.4	68	13.7	9.8-17.6	288	78.6	73.9-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 7: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5856	598,366	474	7.0	6.2- 7.8	1531	18.2	17.0-19.4	3851	74.8	73.4-76.2
Male	3002	306,427	219	6.2	5.2- 7.2	660	16.2	14.6-17.8	2123	77.5	75.7-79.3
Female	2854	291,939	255	7.8	6.4- 9.2	871	20.3	18.5-22.1	1728	71.9	69.9-73.9
Native	264	25,974	35	11.8	7.1-16.5	45	17.7	11.2-24.2	184	70.5	63.1-77.9
Non-Native	5506	564,515	434	6.8	6.0- 7.6	1467	18.3	17.1-19.5	3605	74.9	73.5-76.3
18-24	373	82,730	4	1.1	0.0- 2.3	8	1.9	0.5- 3.3	361	97.0	95.0-99.0
25-34	550	115,746	24	4.9	2.4- 7.4	31	5.9	3.7- 8.1	495	89.2	86.1-92.3
35-44	657	99,282	32	5.0	3.0- 7.0	53	8.8	6.3-11.3	572	86.2	83.1-89.3
45-54	742	80,093	85	12.3	9.6-15.0	114	15.2	12.3-18.1	543	72.5	68.8-76.2
55-64	1048	91,536	111	10.1	7.9-12.3	285	28.2	24.9-31.5	652	61.7	58.2-65.2
65+	2486	128,979	218	8.8	7.4-10.2	1040	41.8	39.4-44.2	1228	49.4	47.0-51.8
Less Than H.S.	269	46,147	39	13.8	8.1-19.5	75	18.2	12.9-23.5	155	68.0	60.9-75.1
H.S. or G.E.D.	1638	159,008	132	6.7	5.3- 8.1	452	18.2	16.2-20.2	1054	75.1	72.7-77.5
Some Post-H.S.	1912	226,002	185	7.6	6.2- 9.0	485	18.2	16.2-20.2	1242	74.2	71.8-76.6
College Graduate	2018	164,785	115	4.5	3.5- 5.5	517	18.3	16.5-20.1	1386	77.2	75.2-79.2
Less than \$15,000	196	24,481	41	24.8	15.6-34.0	54	16.9	11.0-22.8	101	58.3	48.7-67.9
\$15,000- 24,999	391	34,302	44	10.7	7.0-14.4	141	20.9	16.6-25.2	206	68.4	62.9-73.9
\$25,000- 34,999	522	51,323	46	6.9	4.4- 9.4	144	17.4	13.7-21.1	332	75.8	71.5-80.1
\$35,000- 49,999	717	67,042	66	6.8	4.8- 8.8	211	21.8	18.3-25.3	440	71.4	67.5-75.3
\$50,000- 99,999	1596	164,205	120	6.2	4.8- 7.6	405	17.6	15.6-19.6	1071	76.2	73.8-78.6
\$100,000 - 199,999	1020	111,390	47	3.3	2.1- 4.5	215	17.8	15.1-20.5	758	78.9	76.0-81.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 8: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3002	306,427	219	6.2	5.2-7.2	660	16.2	14.6-17.8	2123	77.5	75.7-79.3
Native	119	12,596	14	13.1	5.1-21.1	20	18.8	8.6-29.0	85	68.1	56.5-79.7
Non-Native	2821	288,146	201	6.0	5.0-7.0	627	16.1	14.5-17.7	1993	77.9	76.1-79.7
18-24	228	43,546	3	1.2	0.0-2.8	4	1.4	0.0-3.0	221	97.3	94.9-99.7
25-34	337	62,471	10	2.5	0.1-4.9	19	6.8	3.5-10.1	308	90.6	86.7-94.5
35-44	374	52,334	16	4.6	2.2-7.0	30	8.6	5.3-11.9	328	86.8	82.9-90.7
45-54	373	41,667	38	11.3	7.6-15.0	51	13.5	9.6-17.4	284	75.2	70.1-80.3
55-64	518	46,557	51	10.6	7.5-13.7	129	27.5	23.0-32.0	338	61.9	57.0-66.8
65+	1172	59,852	101	8.3	6.3-10.3	427	36.6	33.3-39.9	644	55.1	51.8-58.4
Less Than H.S.	154	27,108	21	11.8	5.3-18.3	34	14.4	8.1-20.7	99	73.8	65.4-82.2
H.S. or G.E.D.	898	89,344	69	6.6	4.6-8.6	201	15.3	12.8-17.8	628	78.1	75.2-81.0
Some Post-H.S.	947	112,142	81	6.3	4.7-7.9	190	16.0	13.3-18.7	676	77.7	74.8-80.6
College Graduate	989	75,741	45	3.4	2.2-4.6	233	18.4	15.7-21.1	711	78.1	75.2-81.0
Less than \$15,000	83	8,666	15	23.7	9.2-38.2	18	14.6	5.2-24.0	50	61.7	46.8-76.6
\$15,000- 24,999	165	15,507	20	12.2	5.9-18.5	47	16.3	10.4-22.2	98	71.5	63.3-79.7
\$25,000- 34,999	248	25,747	17	4.5	1.8-7.2	61	15.0	10.3-19.7	170	80.5	75.0-86.0
\$35,000- 49,999	361	35,904	32	5.8	3.3-8.3	82	15.9	11.8-20.0	247	78.3	73.6-83.0
\$50,000- 99,999	841	85,232	65	7.1	4.9-9.3	184	15.9	13.2-18.6	592	77.0	73.7-80.3
\$100,000 - 199,999	623	64,961	23	2.7	1.3-4.1	130	18.1	14.6-21.6	470	79.2	75.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 8: ARTHRITIS BURDEN**

TABLE 9: LIMITED WORK ACTIVITIES (_LMTWRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2854	291,939	255	7.8	6.4-9.2	871	20.3	18.7-21.9	1728	71.9	69.9-73.9
Native	145	13,378	21	10.6	5.1-16.1	25	16.6	8.4-24.8	99	72.7	63.3-82.1
Non-Native	2685	276,370	233	7.7	6.3-9.1	840	20.5	18.7-22.3	1612	71.8	69.6-74.0
18-24	145	39,184	1	0.9	0.0-2.7	4	2.4	0.0-4.8	140	96.7	93.8-99.6
25-34	213	53,275	14	7.6	3.1-12.1	12	4.8	1.9-7.7	187	87.6	82.3-92.9
35-44	283	46,948	16	5.5	2.4-8.6	23	9.0	4.9-13.1	244	85.5	80.6-90.4
45-54	369	38,426	47	13.3	9.4-17.2	63	17.0	12.7-21.3	259	69.7	64.4-75.0
55-64	530	44,979	60	9.5	6.8-12.2	156	28.8	24.3-33.3	314	61.6	56.7-66.5
65+	1314	69,127	117	9.3	7.3-11.3	613	46.2	43.1-49.3	584	44.5	41.4-47.6
Less Than H.S.	115	19,039	18	16.6	6.6-26.6	41	23.5	14.3-32.7	56	59.8	47.5-72.1
H.S. or G.E.D.	740	69,664	63	6.9	4.7-9.1	251	21.9	18.6-25.2	426	71.1	67.2-75.0
Some Post-H.S.	965	113,860	104	8.8	6.6-11.0	295	20.4	17.7-23.1	566	70.8	67.3-74.3
College Graduate	1029	89,044	70	5.4	3.8-7.0	284	18.2	15.7-20.7	675	76.5	73.6-79.4
Less than \$15,000	113	15,815	26	25.4	13.6-37.2	36	18.2	10.6-25.8	51	56.4	44.1-68.7
\$15,000- 24,999	226	18,795	24	9.5	5.0-14.0	94	24.8	18.7-30.9	108	65.8	58.4-73.2
\$25,000- 34,999	274	25,576	29	9.3	5.0-13.6	83	19.8	14.1-25.5	162	70.9	64.0-77.8
\$35,000- 49,999	356	31,139	34	7.9	4.6-11.2	129	28.5	22.6-34.4	193	63.5	57.0-70.0
\$50,000- 99,999	755	78,973	55	5.3	3.5-7.1	221	19.4	16.3-22.5	479	75.4	71.9-78.9
\$100,000 - 199,999	397	46,428	24	4.0	2.0-6.0	85	17.4	13.1-21.7	288	78.6	73.9-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	61
2 MALES ONLY	62
3 FEMALES ONLY	63
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	64
5 MALES ONLY	65
6 FEMALES ONLY	66
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	67
8 MALES ONLY	68
9 FEMALES ONLY	69
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	70
11 MALES ONLY	71
12 FEMALES ONLY	72
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	73
14 MALES ONLY	74
15 FEMALES ONLY	75
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	76
17 MALES ONLY	77
18 FEMALES ONLY	78

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	79
20 MALES ONLY	80
21 FEMALES ONLY	81
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	82
23 MALES ONLY	83
24 FEMALES ONLY	84
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	85
26 MALES ONLY	86
27 FEMALES ONLY	87
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	88
29 MALES ONLY	89
30 FEMALES ONLY	90
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	91
32 MALES ONLY	92
33 FEMALES ONLY	93
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	94
35 MALES ONLY	95
36 FEMALES ONLY	96
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	97
38 MALES ONLY	98
39 FEMALES ONLY	99

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	100
41	MALES ONLY	101
42	FEMALES ONLY	102
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	103
44	MALES ONLY	104
45	FEMALES ONLY	105
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	106
47	MALES ONLY	107
48	FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5821	592,717	5331	88.4	87.2-89.6	78	2.8	2.0- 3.6	291	5.1	4.3- 5.9	51	1.7	1.1- 2.3	13	0.5	0.1- 0.9	57	1.5	0.9- 2.1
Male	2958	301,213	2720	88.4	86.6-90.2	46	2.9	1.9- 3.9	130	4.7	3.7- 5.7	23	1.8	1.0- 2.6	9	0.7	0.1- 1.3	30	1.6	0.8- 2.4
Female	2863	291,504	2611	88.3	86.5-90.1	32	2.8	1.6- 4.0	161	5.5	4.3- 6.7	28	1.7	0.9- 2.5	4	0.2	0.0- 0.4	27	1.4	0.6- 2.2
18-24	369	81,262	297	78.6	73.5-83.7	20	7.0	3.9-10.1	33	6.7	4.0- 9.4	8	2.8	0.8- 4.8	5	2.0	0.0- 4.2	6	3.0	0.5- 5.5
25-34	545	114,950	449	82.5	78.8-86.2	22	4.9	2.7- 7.1	46	6.9	4.5- 9.3	13	3.0	1.2- 4.8	4	0.6	0.0- 1.2	11	2.2	0.6- 3.8
35-44	645	97,095	565	87.0	83.7-90.3	16	2.7	1.3- 4.1	43	5.4	3.4- 7.4	15	3.5	1.5- 5.5				6	1.5	0.0- 3.1
45-54	734	79,397	655	90.2	87.7-92.7	12	2.4	0.8- 4.0	48	5.1	3.3- 6.9	5	0.7	0.1- 1.3	4	0.6	0.0- 1.2	10	1.1	0.3- 1.9
55-64	1043	91,443	957	92.2	90.2-94.2	5	0.8	0.0- 1.6	65	5.6	3.8- 7.4	5	0.4	0.0- 0.8				11	1.0	0.4- 1.6
65+	2485	128,570	2408	97.0	96.2-97.8	3	0.2	0.0- 0.4	56	1.9	1.3- 2.5	5	0.3	0.1- 0.5				13	0.6	0.2- 1.0
Less Than H.S.	268	45,813	218	72.9	64.9-80.9	6	6.5	1.4-11.6	33	10.4	5.9-14.9	4	3.6	0.0- 7.3	3	2.7	0.0- 6.2	4	4.0	0.0- 8.3
H.S. or G.E.D.	1637	157,690	1503	87.0	84.6-89.4	25	3.2	1.8- 4.6	78	6.1	4.5- 7.7	8	1.5	0.5- 2.5	5	0.6	0.0- 1.2	18	1.7	0.7- 2.7
Some Post-H.S.	1902	224,231	1743	90.2	88.2-92.2	21	2.4	1.4- 3.4	107	5.2	3.8- 6.6	8	0.7	0.1- 1.3	3	0.1	0.0- 0.3	20	1.4	0.6- 2.2
College Graduate	2001	163,245	1854	91.5	89.7-93.3	26	2.0	1.0- 3.0	73	2.6	1.8- 3.4	31	2.9	1.7- 4.1	2	0.1	0.0- 0.3	15	0.9	0.3- 1.5
Less than \$15,000	202	24,803	161	71.6	62.4-80.8	6	6.4	1.1-11.7	31	16.3	9.6-23.0	2	3.1	0.0- 8.2	1	0.5	0.0- 1.5	1	2.2	0.0- 6.3
\$15,000- 24,999	385	33,637	334	79.9	73.6-86.2	6	4.0	0.5- 7.5	37	13.4	8.1-18.7	3	1.7	0.0- 3.7				5	1.0	0.0- 2.2
\$25,000- 34,999	518	50,588	465	82.6	77.3-87.9	11	4.4	1.5- 7.3	29	6.3	3.4- 9.2	6	3.9	0.8- 7.0	1	0.8	0.0- 2.4	6	1.9	0.0- 3.9
\$35,000- 49,999	717	67,129	656	89.8	86.5-93.1	5	1.6	0.2- 3.0	43	5.8	3.4- 8.2	7	1.5	0.1- 2.9				6	1.3	0.0- 2.9
\$50,000- 99,999	1591	163,784	1487	91.2	89.0-93.4	13	1.7	0.7- 2.7	68	4.4	3.0- 5.8	7	0.9	0.1- 1.7	5	0.8	0.0- 1.8	11	1.0	0.2- 1.8
\$100,000 - 199,999	1014	110,440	947	92.7	90.5-94.9	7	0.9	0.1- 1.7	33	2.6	1.2- 4.0	16	2.2	1.0- 3.4				11	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	301,213	2720	88.4	86.6-90.2	46	2.9	1.9- 3.9	130	4.7	3.7- 5.7	23	1.8	1.0- 2.6	9	0.7	0.1- 1.3	30	1.6	0.8- 2.4
18-24	227	43,169	193	82.7	76.4-89.0	9	4.5	1.6- 7.4	14	4.3	1.4- 7.2	4	2.7	0.0- 5.4	4	2.9	0.0- 6.6	3	2.9	0.0- 6.2
25-34	333	61,971	288	84.1	79.2-89.0	12	4.4	1.7- 7.1	18	5.1	2.2- 8.0	7	3.2	0.5- 5.9	2	0.7	0.0- 1.9	6	2.5	0.3- 4.7
35-44	360	49,974	317	85.9	81.2-90.6	13	3.9	1.5- 6.3	20	5.4	2.3- 8.5	6	3.5	0.6- 6.4				4	1.3	0.0- 2.7
45-54	363	40,636	322	88.5	84.6-92.4	6	3.1	0.6- 5.6	26	6.1	3.2- 9.0	1	0.4	0.0- 1.2	3	0.9	0.0- 1.9	5	1.1	0.1- 2.1
55-64	512	46,230	468	91.1	88.0-94.2	4	1.4	0.0- 3.0	30	5.8	3.3- 8.3	3	0.5	0.0- 1.1				7	1.2	0.2- 2.2
65+	1163	59,234	1132	97.0	95.8-98.2	2	0.2	0.0- 0.4	22	1.9	0.9- 2.9	2	0.3	0.0- 0.7				5	0.6	0.0- 1.2
Less Than H.S.	153	26,774	126	73.4	63.0-83.8	1	1.9	0.0- 5.6	18	10.7	4.4-17.0	3	5.7	0.0-12.0	2	4.0	0.0- 9.7	3	4.2	0.0- 9.7
H.S. or G.E.D.	888	87,916	816	87.8	84.7-90.9	13	2.9	1.3- 4.5	42	5.5	3.5- 7.5	3	1.1	0.0- 2.3	3	0.6	0.0- 1.6	11	2.0	0.6- 3.4
Some Post-H.S.	936	110,734	869	91.4	88.9-93.9	13	2.9	1.3- 4.5	41	4.0	2.4- 5.6	2	0.5	0.0- 1.3	2	0.2	0.0- 0.4	9	1.0	0.2- 1.8
College Graduate	971	74,266	899	89.8	87.1-92.5	19	3.2	1.6- 4.8	29	2.5	1.3- 3.7	15	3.2	1.4- 5.0	2	0.3	0.0- 0.7	7	0.9	0.1- 1.7
Less than \$15,000	85	8,732	69	72.5	57.4-87.6	1	2.3	0.0- 6.8	13	16.4	6.0-26.8	2	8.8	0.0-22.3						
\$15,000- 24,999	159	14,943	137	80.9	71.7-90.1	3	4.1	0.0- 9.2	15	10.4	3.1-17.7	2	3.1	0.0- 7.4				2	1.5	0.0- 4.0
\$25,000- 34,999	245	25,148	217	79.9	72.1-87.7	6	4.4	0.7- 8.1	13	5.3	2.0- 8.6	5	7.0	0.9-13.1	1	1.6	0.0- 4.7	3	1.9	0.0- 4.6
\$35,000- 49,999	358	35,824	333	91.0	86.7-95.3	3	1.6	0.0- 3.6	18	5.0	2.1- 7.9	2	1.0	0.0- 2.8				2	1.3	0.0- 3.7
\$50,000- 99,999	835	84,780	783	91.0	87.9-94.1	8	1.6	0.4- 2.8	34	5.2	3.0- 7.4				4	1.2	0.0- 3.0	6	1.0	0.0- 2.0
\$100,000 - 199,999	614	63,787	575	92.2	89.1-95.3	5	1.2	0.0- 2.4	18	2.4	0.8- 4.0	8	2.0	0.4- 3.6				8	2.1	0.1- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2863	291,504	2611	88.3	86.5-90.1	32	2.8	1.6- 4.0	161	5.5	4.3- 6.7	28	1.7	0.9- 2.5	4	0.2	0.0- 0.4	27	1.4	0.6- 2.2
18-24	142	38,093	104	74.0	66.0-82.0	11	9.7	3.8-15.6	19	9.3	4.4-14.2	4	2.9	0.2- 5.6	1	0.8	0.0- 2.4	3	3.2	0.0- 6.9
25-34	212	52,979	161	80.5	74.8-86.2	10	5.5	1.8- 9.2	28	8.9	5.0-12.8	6	2.7	0.3- 5.1	2	0.5	0.0- 1.1	5	1.9	0.0- 3.9
35-44	285	47,121	248	88.2	83.7-92.7	3	1.3	0.0- 2.9	23	5.3	2.8- 7.8	9	3.5	1.1- 5.9				2	1.7	0.0- 4.6
45-54	371	38,761	333	92.0	89.1-94.9	6	1.6	0.2- 3.0	22	4.0	2.0- 6.0	4	1.1	0.0- 2.3	1	0.3	0.0- 0.9	5	1.0	0.0- 2.0
55-64	531	45,213	489	93.4	90.7-96.1	1	0.2	0.0- 0.6	35	5.4	2.9- 7.9	2	0.3	0.0- 0.7				4	0.8	0.0- 1.8
65+	1322	69,336	1276	97.0	96.0-98.0	1	0.2	0.0- 0.6	34	2.0	1.2- 2.8	3	0.3	0.0- 0.7				8	0.6	0.0- 1.2
Less Than H.S.	115	19,039	92	72.1	59.4-84.8	5	13.0	2.0-24.0	15	9.9	3.6-16.2	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	1	3.7	0.0-10.8
H.S. or G.E.D.	749	69,774	687	85.9	82.2-89.6	12	3.5	1.3- 5.7	36	6.7	4.0- 9.4	5	2.0	0.2- 3.8	2	0.6	0.0- 1.6	7	1.2	0.0- 2.4
Some Post-H.S.	966	113,497	874	89.0	86.3-91.7	8	1.9	0.5- 3.3	66	6.3	4.3- 8.3	6	0.9	0.1- 1.7	1	0.1	0.0- 0.3	11	1.8	0.4- 3.2
College Graduate	1030	88,979	955	92.8	90.6-95.0	7	1.0	0.0- 2.0	44	2.7	1.5- 3.9	16	2.7	1.3- 4.1				8	0.8	0.0- 1.6
Less than \$15,000	117	16,071	92	71.1	59.5-82.7	5	8.6	1.0-16.2	18	16.2	7.8-24.6				1	0.8	0.0- 2.4	1	3.4	0.0- 9.9
\$15,000- 24,999	226	18,695	197	79.2	70.8-87.6	3	3.9	0.0- 8.8	22	15.8	8.2-23.4	1	0.5	0.0- 1.5				3	0.6	0.0- 1.4
\$25,000- 34,999	273	25,440	248	85.3	78.6-92.0	5	4.4	0.1- 8.7	16	7.4	2.7-12.1	1	0.9	0.0- 2.7				3	2.0	0.0- 4.9
\$35,000- 49,999	359	31,305	323	88.4	83.5-93.3	2	1.6	0.0- 3.8	25	6.6	3.1-10.1	5	2.0	0.0- 4.4				4	1.3	0.0- 3.1
\$50,000- 99,999	756	79,003	704	91.4	88.3-94.5	5	1.8	0.0- 3.6	34	3.5	1.7- 5.3	7	1.9	0.3- 3.5	1	0.4	0.0- 1.2	5	0.9	0.0- 2.1
\$100,000 - 199,999	400	46,654	372	93.2	90.1-96.3	2	0.6	0.0- 1.4	15	2.8	0.4- 5.2	8	2.3	0.5- 4.1				3	1.0	0.0- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5821	592,717	5297	87.5	86.1-88.9	76	2.8	2.0- 3.6	274	4.8	4.0- 5.6	48	1.7	1.1- 2.3	12	0.5	0.1- 0.9	114	2.8	2.0- 3.6
Male	2958	301,213	2700	87.3	85.5-89.1	45	2.8	1.8- 3.8	122	4.3	3.3- 5.3	22	1.7	0.9- 2.5	8	0.7	0.1- 1.3	61	3.3	2.3- 4.3
Female	2863	291,504	2597	87.8	86.0-89.6	31	2.8	1.6- 4.0	152	5.2	4.0- 6.4	26	1.6	0.8- 2.4	4	0.2	0.0- 0.4	53	2.3	1.3- 3.3
18-24	369	81,262	292	77.3	72.2-82.4	20	7.0	3.9-10.1	31	6.5	3.8- 9.2	8	2.8	0.8- 4.8	5	2.0	0.0- 4.2	13	4.4	1.7- 7.1
25-34	545	114,950	442	80.9	77.0-84.8	21	4.8	2.6- 7.0	37	5.5	3.3- 7.7	13	3.0	1.2- 4.8	3	0.5	0.0- 1.1	29	5.2	3.0- 7.4
35-44	645	97,095	560	86.4	83.1-89.7	16	2.7	1.3- 4.1	42	5.3	3.3- 7.3	14	3.0	1.2- 4.8				13	2.5	0.5- 4.5
45-54	734	79,397	650	89.3	86.8-91.8	11	2.3	0.7- 3.9	46	4.9	3.1- 6.7	3	0.6	0.0- 1.2	4	0.6	0.0- 1.2	20	2.3	1.1- 3.5
55-64	1043	91,443	951	91.7	89.5-93.9	5	0.8	0.0- 1.6	63	5.5	3.7- 7.3	5	0.4	0.0- 0.8				19	1.6	0.8- 2.4
65+	2485	128,570	2402	96.6	95.8-97.4	3	0.2	0.0- 0.4	55	1.9	1.3- 2.5	5	0.3	0.1- 0.5				20	1.0	0.4- 1.6
Less Than H.S.	268	45,813	216	70.9	62.7-79.1	6	6.5	1.4-11.6	32	10.2	5.7-14.7	3	2.6	0.0- 5.9	3	2.7	0.0- 6.2	8	7.1	1.8-12.4
H.S. or G.E.D.	1637	157,690	1490	85.5	83.0-88.0	24	3.1	1.9- 4.3	74	5.6	4.0- 7.2	8	1.5	0.5- 2.5	5	0.6	0.0- 1.2	36	3.7	2.3- 5.1
Some Post-H.S.	1902	224,231	1732	89.7	87.7-91.7	21	2.4	1.4- 3.4	99	4.7	3.5- 5.9	8	0.7	0.1- 1.3	3	0.1	0.0- 0.3	39	2.3	1.3- 3.3
College Graduate	2001	163,245	1846	91.0	89.2-92.8	25	2.0	1.0- 3.0	69	2.5	1.7- 3.3	29	2.9	1.7- 4.1	1	0.1	0.0- 0.3	31	1.6	1.0- 2.2
Less than \$15,000	202	24,803	160	69.4	60.0-78.8	6	6.4	1.1-11.7	30	15.8	9.1-22.5	2	3.1	0.0- 8.2	1	0.5	0.0- 1.5	3	4.8	0.0-10.7
\$15,000- 24,999	385	33,637	329	78.5	72.2-84.8	6	4.0	0.5- 7.5	36	13.1	7.8-18.4	3	1.7	0.0- 3.7				11	2.7	0.5- 4.9
\$25,000- 34,999	518	50,588	463	82.5	77.2-87.8	10	4.1	1.4- 6.8	29	6.3	3.4- 9.2	5	3.1	0.4- 5.8	1	0.8	0.0- 2.4	10	3.2	0.7- 5.7
\$35,000- 49,999	717	67,129	651	88.6	85.3-91.9	5	1.6	0.2- 3.0	40	5.0	3.0- 7.0	7	1.5	0.1- 2.9				14	3.3	1.1- 5.5
\$50,000- 99,999	1591	163,784	1476	90.1	87.7-92.5	13	1.7	0.7- 2.7	61	3.9	2.5- 5.3	7	0.9	0.1- 1.7	5	0.8	0.0- 1.8	29	2.5	1.3- 3.7
\$100,000 - 199,999	1014	110,440	941	91.7	89.3-94.1	7	0.9	0.1- 1.7	31	2.5	1.1- 3.9	14	2.1	0.9- 3.3				21	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	301,213	2700	87.3	85.5-89.1	45	2.8	1.8- 3.8	122	4.3	3.3- 5.3	22	1.7	0.9- 2.5	8	0.7	0.1- 1.3	61	3.3	2.3- 4.3
18-24	227	43,169	188	80.2	73.5-86.9	9	4.5	1.6- 7.4	12	4.1	1.2- 7.0	4	2.7	0.0- 5.4	4	2.9	0.0- 6.6	10	5.5	1.4- 9.6
25-34	333	61,971	284	82.9	77.8-88.0	11	4.2	1.5- 6.9	14	3.6	1.2- 6.0	7	3.2	0.5- 5.9	1	0.6	0.0- 1.8	16	5.6	2.5- 8.7
35-44	360	49,974	314	85.0	80.3-89.7	13	3.9	1.5- 6.3	19	5.4	2.3- 8.5	5	2.6	0.1- 5.1				9	3.2	0.8- 5.6
45-54	363	40,636	320	87.4	83.3-91.5	6	3.1	0.6- 5.6	26	6.1	3.2- 9.0	1	0.4	0.0- 1.2	3	0.9	0.0- 1.9	7	2.1	0.3- 3.9
55-64	512	46,230	466	90.4	87.3-93.5	4	1.4	0.0- 3.0	30	5.8	3.3- 8.3	3	0.5	0.0- 1.1				9	1.9	0.5- 3.3
65+	1163	59,234	1128	96.5	95.1-97.9	2	0.2	0.0- 0.4	21	1.8	0.8- 2.8	2	0.3	0.0- 0.7				10	1.2	0.2- 2.2
Less Than H.S.	153	26,774	125	72.0	61.4-82.6	1	1.9	0.0- 5.6	17	10.5	4.2-16.8	2	4.1	0.0- 9.8	2	4.0	0.0- 9.7	6	7.5	0.8-14.2
H.S. or G.E.D.	888	87,916	805	85.7	82.4-89.0	12	2.8	1.2- 4.4	39	5.0	3.2- 6.8	3	1.1	0.0- 2.3	3	0.6	0.0- 1.6	26	4.9	2.7- 7.1
Some Post-H.S.	936	110,734	865	90.8	88.3-93.3	13	2.9	1.3- 4.5	38	3.5	1.9- 5.1	2	0.5	0.0- 1.3	2	0.2	0.0- 0.4	16	2.0	0.8- 3.2
College Graduate	971	74,266	895	89.1	86.4-91.8	19	3.2	1.6- 4.8	28	2.5	1.3- 3.7	15	3.2	1.4- 5.0	1	0.2	0.0- 0.6	13	1.8	0.6- 3.0
Less than \$15,000	85	8,732	69	72.5	57.4-87.6	1	2.3	0.0- 6.8	13	16.4	6.0-26.8	2	8.8	0.0-22.3						
\$15,000- 24,999	159	14,943	134	78.4	68.8-88.0	3	4.1	0.0- 9.2	15	10.4	3.1-17.7	2	3.1	0.0- 7.4				5	4.0	0.0- 8.3
\$25,000- 34,999	245	25,148	216	79.8	72.0-87.6	5	3.7	0.4- 7.0	13	5.3	2.0- 8.6	4	5.2	0.0-10.5	1	1.6	0.0- 4.7	6	4.4	0.1- 8.7
\$35,000- 49,999	358	35,824	329	89.2	84.5-93.9	3	1.6	0.0- 3.6	15	3.6	1.6- 5.6	2	1.0	0.0- 2.8				9	4.6	0.9- 8.3
\$50,000- 99,999	835	84,780	778	89.7	86.4-93.0	8	1.6	0.4- 2.8	30	4.6	2.4- 6.8				4	1.2	0.0- 3.0	15	2.9	1.1- 4.7
\$100,000 - 199,999	614	63,787	569	90.6	87.3-93.9	5	1.2	0.0- 2.4	18	2.4	0.8- 4.0	8	2.0	0.4- 3.6				14	3.7	1.3- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2863	291,504	2597	87.8	86.0-89.6	31	2.8	1.6- 4.0	152	5.2	4.0- 6.4	26	1.6	0.8- 2.4	4	0.2	0.0- 0.4	53	2.3	1.3- 3.3
18-24	142	38,093	104	74.0	66.0-82.0	11	9.7	3.8-15.6	19	9.3	4.4-14.2	4	2.9	0.2- 5.6	1	0.8	0.0- 2.4	3	3.2	0.0- 6.9
25-34	212	52,979	158	78.7	72.6-84.8	10	5.5	1.8- 9.2	23	7.8	4.1-11.5	6	2.7	0.3- 5.1	2	0.5	0.0- 1.1	13	4.8	1.7- 7.9
35-44	285	47,121	246	88.0	83.5-92.5	3	1.3	0.0- 2.9	23	5.3	2.8- 7.8	9	3.5	1.1- 5.9				4	1.9	0.0- 4.8
45-54	371	38,761	330	91.3	88.4-94.2	5	1.5	0.1- 2.9	20	3.6	1.8- 5.4	2	0.8	0.0- 2.0	1	0.3	0.0- 0.9	13	2.5	0.9- 4.1
55-64	531	45,213	485	93.0	90.3-95.7	1	0.2	0.0- 0.6	33	5.3	2.8- 7.8	2	0.3	0.0- 0.7				10	1.2	0.2- 2.2
65+	1322	69,336	1274	96.7	95.5-97.9	1	0.2	0.0- 0.6	34	2.0	1.2- 2.8	3	0.3	0.0- 0.7				10	0.8	0.2- 1.4
Less Than H.S.	115	19,039	91	69.3	56.4-82.2	5	13.0	2.0-24.0	15	9.9	3.6-16.2	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	2	6.5	0.0-15.1
H.S. or G.E.D.	749	69,774	685	85.3	81.4-89.2	12	3.5	1.3- 5.7	35	6.4	3.9- 8.9	5	2.0	0.2- 3.8	2	0.6	0.0- 1.6	10	2.1	0.5- 3.7
Some Post-H.S.	966	113,497	867	88.6	85.7-91.5	8	1.9	0.5- 3.3	61	5.9	3.9- 7.9	6	0.9	0.1- 1.7	1	0.1	0.0- 0.3	23	2.5	0.9- 4.1
College Graduate	1030	88,979	951	92.6	90.4-94.8	6	1.0	0.0- 2.0	41	2.5	1.5- 3.5	14	2.6	1.2- 4.0				18	1.4	0.6- 2.2
Less than \$15,000	117	16,071	91	67.8	55.6-80.0	5	8.6	1.0-16.2	17	15.5	7.1-23.9				1	0.8	0.0- 2.4	3	7.4	0.0-16.2
\$15,000- 24,999	226	18,695	195	78.6	70.2-87.0	3	3.9	0.0- 8.8	21	15.3	7.9-22.7	1	0.5	0.0- 1.5				6	1.7	0.1- 3.3
\$25,000- 34,999	273	25,440	247	85.3	78.6-92.0	5	4.4	0.1- 8.7	16	7.4	2.7-12.1	1	0.9	0.0- 2.7				4	2.0	0.0- 4.9
\$35,000- 49,999	359	31,305	322	88.0	83.1-92.9	2	1.6	0.0- 3.8	25	6.6	3.1-10.1	5	2.0	0.0- 4.4				5	1.8	0.0- 3.8
\$50,000- 99,999	756	79,003	698	90.6	87.5-93.7	5	1.8	0.0- 3.6	31	3.1	1.5- 4.7	7	1.9	0.3- 3.5	1	0.4	0.0- 1.2	14	2.1	0.5- 3.7
\$100,000 - 199,999	400	46,654	372	93.2	90.1-96.3	2	0.6	0.0- 1.4	13	2.7	0.3- 5.1	6	2.1	0.3- 3.9				7	1.4	0.0- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5820	593,978	5233	85.0	83.6-86.4	75	2.8	2.0- 3.6	275	4.8	4.0- 5.6	47	1.6	1.0- 2.2	95	1.7	1.3- 2.1	95	4.1	3.1- 5.1
Male	2958	302,193	2663	84.2	82.2-86.2	45	2.8	1.8- 3.8	125	4.6	3.4- 5.8	22	1.7	0.9- 2.5	50	2.2	1.4- 3.0	53	4.5	3.1- 5.9
Female	2862	291,786	2570	85.9	83.9-87.9	30	2.7	1.5- 3.9	150	4.9	3.9- 5.9	25	1.6	0.8- 2.4	45	1.3	0.9- 1.7	42	3.7	2.5- 4.9
18-24	371	81,845	280	72.8	67.5-78.1	20	6.9	3.8-10.0	32	7.0	3.9-10.1	8	2.8	0.8- 4.8	7	1.4	0.0- 2.8	24	9.0	5.3-12.7
25-34	544	114,938	426	77.0	72.9-81.1	21	4.8	2.6- 7.0	36	5.1	3.1- 7.1	13	3.0	1.2- 4.8	23	3.3	1.7- 4.9	25	6.8	4.1- 9.5
35-44	648	98,009	547	82.7	79.0-86.4	16	2.6	1.2- 4.0	41	5.0	3.0- 7.0	14	3.0	1.2- 4.8	8	0.8	0.2- 1.4	22	5.8	3.3- 8.3
45-54	731	79,120	644	88.5	85.8-91.2	10	2.2	0.8- 3.6	49	5.3	3.5- 7.1	3	0.6	0.0- 1.2	19	2.3	1.1- 3.5	6	1.2	0.2- 2.2
55-64	1042	91,321	941	90.1	87.7-92.5	5	0.8	0.0- 1.6	62	5.5	3.7- 7.3	4	0.3	0.0- 0.7	18	1.5	0.7- 2.3	12	1.8	0.6- 3.0
65+	2484	128,744	2395	96.0	95.0-97.0	3	0.2	0.0- 0.4	55	1.9	1.3- 2.5	5	0.3	0.1- 0.5	20	1.0	0.4- 1.6	6	0.6	0.0- 1.2
Less Than H.S.	270	46,455	212	67.0	58.8-75.2	6	6.4	1.3-11.5	33	12.0	6.7-17.3	3	2.6	0.0- 5.9	3	1.1	0.0- 2.9	13	10.9	5.0-16.8
H.S. or G.E.D.	1638	158,326	1464	81.6	78.9-84.3	24	3.1	1.9- 4.3	75	5.6	4.0- 7.2	8	1.4	0.4- 2.4	29	2.7	1.5- 3.9	38	5.6	3.8- 7.4
Some Post-H.S.	1903	224,530	1714	87.6	85.4-89.8	21	2.4	1.4- 3.4	100	4.5	3.3- 5.7	7	0.7	0.1- 1.3	34	1.5	0.9- 2.1	27	3.3	1.9- 4.7
College Graduate	1997	162,952	1832	90.0	88.2-91.8	24	1.9	0.9- 2.9	67	2.3	1.5- 3.1	29	2.9	1.7- 4.1	29	1.3	0.7- 1.9	16	1.7	0.9- 2.5
Less than \$15,000	201	24,422	155	65.7	56.1-75.3	5	6.0	0.7-11.3	28	13.1	7.4-18.8	2	3.1	0.0- 8.2	1	0.5	0.0- 1.5	10	11.5	4.1-18.9
\$15,000- 24,999	385	33,637	327	77.3	70.8-83.8	6	4.0	0.5- 7.5	34	12.3	7.0-17.6	3	1.7	0.0- 3.7	11	2.7	0.5- 4.9	4	1.9	0.0- 4.1
\$25,000- 34,999	520	51,231	456	78.4	72.7-84.1	10	4.0	1.3- 6.7	29	6.3	3.4- 9.2	5	3.0	0.3- 5.7	6	0.9	0.0- 1.9	14	7.5	3.4-11.6
\$35,000- 49,999	717	67,129	641	85.1	81.2-89.0	5	1.6	0.2- 3.0	37	4.1	2.3- 5.9	7	1.5	0.1- 2.9	11	2.2	0.4- 4.0	16	5.5	2.6- 8.4
\$50,000- 99,999	1592	164,193	1462	87.9	85.4-90.4	13	1.7	0.7- 2.7	65	4.6	3.0- 6.2	7	0.9	0.1- 1.7	26	2.1	0.9- 3.3	19	2.8	1.4- 4.2
\$100,000 - 199,999	1014	110,749	933	90.1	87.6-92.6	7	0.9	0.1- 1.7	30	2.1	1.1- 3.1	13	2.0	0.8- 3.2	17	1.6	0.6- 2.6	14	3.3	1.3- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	302,193	2663	84.2	82.2-86.2	45	2.8	1.8- 3.8	125	4.6	3.4- 5.8	22	1.7	0.9- 2.5	50	2.2	1.4- 3.0	53	4.5	3.1- 5.9
18-24	228	43,409	182	76.5	69.6-83.4	9	4.5	1.6- 7.4	14	5.6	1.5- 9.7	4	2.7	0.0- 5.4	7	2.6	0.1- 5.1	12	8.0	3.3-12.7
25-34	332	61,877	271	76.6	70.9-82.3	11	4.2	1.5- 6.9	14	4.0	1.5- 6.5	7	3.2	0.5- 5.9	13	3.9	1.4- 6.4	16	8.0	4.1-11.9
35-44	363	50,888	307	80.7	75.4-86.0	13	3.8	1.4- 6.2	19	5.3	2.4- 8.2	5	2.6	0.2- 5.0	5	1.2	0.0- 2.4	14	6.4	2.9- 9.9
45-54	360	40,359	317	87.0	82.7-91.3	6	3.1	0.6- 5.6	28	6.7	3.8- 9.6	1	0.4	0.0- 1.2	6	2.0	0.2- 3.8	2	0.9	0.0- 2.3
55-64	512	46,230	461	88.3	84.6-92.0	4	1.4	0.0- 3.0	29	5.7	3.2- 8.2	3	0.5	0.0- 1.1	9	1.9	0.5- 3.3	6	2.2	0.2- 4.2
65+	1163	59,429	1125	95.5	93.7-97.3	2	0.2	0.0- 0.4	21	1.8	0.8- 2.8	2	0.3	0.0- 0.7	10	1.2	0.2- 2.2	3	1.0	0.0- 2.2
Less Than H.S.	155	27,416	122	66.9	56.3-77.5	1	1.8	0.0- 5.3	18	13.8	6.0-21.6	2	4.0	0.0- 9.5	3	1.8	0.0- 4.5	9	11.6	4.2-19.0
H.S. or G.E.D.	891	88,613	791	81.3	77.6-85.0	12	2.7	1.1- 4.3	40	5.1	3.3- 6.9	3	1.0	0.0- 2.2	21	3.5	1.7- 5.3	24	6.4	3.9- 8.9
Some Post-H.S.	937	111,018	855	88.1	85.2-91.0	13	2.9	1.3- 4.5	40	3.7	2.1- 5.3	2	0.5	0.0- 1.3	14	1.7	0.5- 2.9	13	3.1	1.3- 4.9
College Graduate	966	73,645	887	88.3	85.4-91.2	19	3.2	1.6- 4.8	27	2.3	1.1- 3.5	15	3.2	1.4- 5.0	12	1.5	0.5- 2.5	6	1.4	0.2- 2.6
Less than \$15,000	85	8,732	68	71.2	56.1-86.3	1	2.3	0.0- 6.8	13	16.4	6.0-26.8	2	8.8	0.0-22.3				1	1.3	0.0- 3.8
\$15,000- 24,999	159	14,943	133	76.5	66.5-86.5	3	4.1	0.0- 9.2	14	10.0	2.7-17.3	2	3.1	0.0- 7.4	5	4.0	0.0- 8.3	2	2.2	0.0- 5.9
\$25,000- 34,999	247	25,791	212	74.1	65.7-82.5	5	3.6	0.3- 6.9	13	5.1	1.8- 8.4	4	5.1	0.0-10.2	3	1.1	0.0- 2.7	10	11.0	4.1-17.9
\$35,000- 49,999	358	35,824	323	84.7	79.0-90.4	3	1.6	0.0- 3.6	13	2.8	1.0- 4.6	2	1.0	0.0- 2.8	8	3.4	0.5- 6.3	9	6.5	2.2-10.8
\$50,000- 99,999	835	84,894	770	87.4	83.9-90.9	8	1.6	0.4- 2.8	33	5.6	3.1- 8.1				13	2.5	0.7- 4.3	11	2.8	1.0- 4.6
\$100,000 - 199,999	614	64,095	562	87.9	84.2-91.6	5	1.2	0.0- 2.4	18	2.4	0.8- 4.0	8	2.0	0.4- 3.6	11	2.2	0.8- 3.6	10	4.3	1.6- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	291,786	2570	85.9	83.9-87.9	30	2.7	1.5- 3.9	150	4.9	3.9- 5.9	25	1.6	0.8- 2.4	45	1.3	0.9- 1.7	42	3.7	2.5- 4.9
18-24	143	38,436	98	68.7	60.3-77.1	11	9.6	3.7-15.5	18	8.6	4.1-13.1	4	2.9	0.2- 5.6				12	10.2	4.5-15.9
25-34	212	53,061	155	77.4	71.1-83.7	10	5.5	1.8- 9.2	22	6.4	3.3- 9.5	6	2.7	0.3- 5.1	10	2.6	0.6- 4.6	9	5.4	1.7- 9.1
35-44	285	47,121	240	84.8	79.7-89.9	3	1.3	0.0- 2.9	22	4.8	2.4- 7.2	9	3.5	1.1- 5.9	3	0.4	0.0- 1.0	8	5.2	1.3- 9.1
45-54	371	38,761	327	90.0	86.7-93.3	4	1.2	0.0- 2.6	21	3.9	1.9- 5.9	2	0.8	0.0- 2.0	13	2.5	0.9- 4.1	4	1.7	0.1- 3.3
55-64	530	45,091	480	92.0	89.1-94.9	1	0.2	0.0- 0.6	33	5.3	2.8- 7.8	1	0.1	0.0- 0.3	9	1.2	0.2- 2.2	6	1.4	0.2- 2.6
65+	1321	69,315	1270	96.4	95.2-97.6	1	0.2	0.0- 0.6	34	2.0	1.2- 2.8	3	0.3	0.0- 0.7	10	0.8	0.2- 1.4	3	0.3	0.0- 0.7
Less Than H.S.	115	19,039	90	67.2	54.1-80.3	5	13.0	2.0-24.0	15	9.5	3.2-15.8	1	0.5	0.0- 1.5				4	9.7	0.1-19.3
H.S. or G.E.D.	747	69,712	673	82.0	77.7-86.3	12	3.6	1.4- 5.8	35	6.3	3.8- 8.8	5	2.0	0.2- 3.8	8	1.7	0.3- 3.1	14	4.6	2.1- 7.1
Some Post-H.S.	966	113,511	859	87.1	84.2-90.0	8	1.9	0.5- 3.3	60	5.3	3.5- 7.1	5	0.8	0.0- 1.6	20	1.4	0.6- 2.2	14	3.5	1.5- 5.5
College Graduate	1031	89,308	945	91.4	89.0-93.8	5	0.9	0.0- 1.9	40	2.2	1.2- 3.2	14	2.5	1.1- 3.9	17	1.1	0.5- 1.7	10	1.9	0.5- 3.3
Less than \$15,000	116	15,690	87	62.7	50.4-75.0	4	8.1	0.3-15.9	15	11.3	4.6-18.0				1	0.8	0.0- 2.4	9	17.2	6.2-28.2
\$15,000- 24,999	226	18,695	194	78.0	69.6-86.4	3	3.9	0.0- 8.8	20	14.1	6.8-21.4	1	0.5	0.0- 1.5	6	1.7	0.1- 3.3	2	1.7	0.0- 4.1
\$25,000- 34,999	273	25,440	244	82.7	75.4-90.0	5	4.4	0.1- 8.7	16	7.4	2.7-12.1	1	0.9	0.0- 2.7	3	0.6	0.0- 1.6	4	3.9	0.0- 8.2
\$35,000- 49,999	359	31,305	318	85.5	80.0-91.0	2	1.6	0.0- 3.8	24	5.6	2.7- 8.5	5	2.0	0.0- 4.4	3	0.8	0.0- 1.8	7	4.4	0.7- 8.1
\$50,000- 99,999	757	79,299	692	88.4	84.9-91.9	5	1.8	0.0- 3.6	32	3.5	1.7- 5.3	7	1.9	0.3- 3.5	13	1.6	0.4- 2.8	8	2.8	0.8- 4.8
\$100,000 - 199,999	400	46,654	371	93.0	89.9-96.1	2	0.6	0.0- 1.4	12	1.7	0.3- 3.1	5	1.8	0.2- 3.4	6	0.8	0.0- 1.6	4	2.0	0.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5820	593,978	5233	85.0	83.6-86.4	587	15.0	13.6-16.4
Male	2958	302,193	2663	84.2	82.2-86.2	295	15.8	13.8-17.8
Female	2862	291,786	2570	85.9	83.9-87.9	292	14.1	12.1-16.1
18-24	371	81,845	280	72.8	67.5-78.1	91	27.2	21.9-32.5
25-34	544	114,938	426	77.0	72.9-81.1	118	23.0	18.9-27.1
35-44	648	98,009	547	82.7	79.0-86.4	101	17.3	13.6-21.0
45-54	731	79,120	644	88.5	85.8-91.2	87	11.5	8.8-14.2
55-64	1042	91,321	941	90.1	87.7-92.5	101	9.9	7.5-12.3
65+	2484	128,744	2395	96.0	95.0-97.0	89	4.0	3.0- 5.0
Less Than H.S.	270	46,455	212	67.0	58.8-75.2	58	33.0	24.8-41.2
H.S. or G.E.D.	1638	158,326	1464	81.6	78.9-84.3	174	18.4	15.7-21.1
Some Post-H.S.	1903	224,530	1714	87.6	85.4-89.8	189	12.4	10.2-14.6
College Graduate	1997	162,952	1832	90.0	88.2-91.8	165	10.0	8.2-11.8
Less than \$15,000	201	24,422	155	65.7	56.1-75.3	46	34.3	24.7-43.9
\$15,000- 24,999	385	33,637	327	77.3	70.8-83.8	58	22.7	16.2-29.2
\$25,000- 34,999	520	51,231	456	78.4	72.7-84.1	64	21.6	15.9-27.3
\$35,000- 49,999	717	67,129	641	85.1	81.2-89.0	76	14.9	11.0-18.8
\$50,000- 99,999	1592	164,193	1462	87.9	85.4-90.4	130	12.1	9.6-14.6
\$100,000 - 199,999	1014	110,749	933	90.1	87.6-92.6	81	9.9	7.4-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	302,193	2663	84.2	82.2-86.2	295	15.8	13.8-17.8
18-24	228	43,409	182	76.5	69.6-83.4	46	23.5	16.6-30.4
25-34	332	61,877	271	76.6	70.9-82.3	61	23.4	17.7-29.1
35-44	363	50,888	307	80.7	75.4-86.0	56	19.3	14.0-24.6
45-54	360	40,359	317	87.0	82.7-91.3	43	13.0	8.7-17.3
55-64	512	46,230	461	88.3	84.6-92.0	51	11.7	8.0-15.4
65+	1163	59,429	1125	95.5	93.7-97.3	38	4.5	2.7- 6.3
Less Than H.S.	155	27,416	122	66.9	56.3-77.5	33	33.1	22.5-43.7
H.S. or G.E.D.	891	88,613	791	81.3	77.6-85.0	100	18.7	15.0-22.4
Some Post-H.S.	937	111,018	855	88.1	85.2-91.0	82	11.9	9.0-14.8
College Graduate	966	73,645	887	88.3	85.4-91.2	79	11.7	8.8-14.6
Less than \$15,000	85	8,732	68	71.2	56.1-86.3	17	28.8	13.7-43.9
\$15,000- 24,999	159	14,943	133	76.5	66.5-86.5	26	23.5	13.5-33.5
\$25,000- 34,999	247	25,791	212	74.1	65.7-82.5	35	25.9	17.5-34.3
\$35,000- 49,999	358	35,824	323	84.7	79.0-90.4	35	15.3	9.6-21.0
\$50,000- 99,999	835	84,894	770	87.4	83.9-90.9	65	12.6	9.1-16.1
\$100,000 - 199,999	614	64,095	562	87.9	84.2-91.6	52	12.1	8.4-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	291,786	2570	85.9	83.9-87.9	292	14.1	12.1-16.1
18-24	143	38,436	98	68.7	60.3-77.1	45	31.3	22.9-39.7
25-34	212	53,061	155	77.4	71.1-83.7	57	22.6	16.3-28.9
35-44	285	47,121	240	84.8	79.7-89.9	45	15.2	10.1-20.3
45-54	371	38,761	327	90.0	86.7-93.3	44	10.0	6.7-13.3
55-64	530	45,091	480	92.0	89.1-94.9	50	8.0	5.1-10.9
65+	1321	69,315	1270	96.4	95.2-97.6	51	3.6	2.4- 4.8
Less Than H.S.	115	19,039	90	67.2	54.1-80.3	25	32.8	19.7-45.9
H.S. or G.E.D.	747	69,712	673	82.0	77.7-86.3	74	18.0	13.7-22.3
Some Post-H.S.	966	113,511	859	87.1	84.2-90.0	107	12.9	10.0-15.8
College Graduate	1031	89,308	945	91.4	89.0-93.8	86	8.6	6.2-11.0
Less than \$15,000	116	15,690	87	62.7	50.4-75.0	29	37.3	25.0-49.6
\$15,000- 24,999	226	18,695	194	78.0	69.6-86.4	32	22.0	13.6-30.4
\$25,000- 34,999	273	25,440	244	82.7	75.4-90.0	29	17.3	10.0-24.6
\$35,000- 49,999	359	31,305	318	85.5	80.0-91.0	41	14.5	9.0-20.0
\$50,000- 99,999	757	79,299	692	88.4	84.9-91.9	65	11.6	8.1-15.1
\$100,000 - 199,999	400	46,654	371	93.0	89.9-96.1	29	7.0	3.9-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5820	593,978	5233	85.0	83.6-86.4	75	2.8	2.0-3.6	348	6.7	5.7-7.7	69	1.4	1.0-1.8	95	4.1	3.1-5.1
Male	2958	302,193	2663	84.2	82.2-86.2	45	2.8	1.8-3.8	162	6.8	5.4-8.2	35	1.7	0.9-2.5	53	4.5	3.1-5.9
Female	2862	291,786	2570	85.9	83.9-87.9	30	2.7	1.5-3.9	186	6.7	5.5-7.9	34	1.0	0.6-1.4	42	3.7	2.5-4.9
18-24	371	81,845	280	72.8	67.5-78.1	20	6.9	3.8-10.0	40	9.8	6.3-13.3	7	1.4	0.0-2.8	24	9.0	5.3-12.7
25-34	544	114,938	426	77.0	72.9-81.1	21	4.8	2.6-7.0	52	8.5	5.8-11.2	20	2.9	1.3-4.5	25	6.8	4.1-9.5
35-44	648	98,009	547	82.7	79.0-86.4	16	2.6	1.2-4.0	56	8.1	5.6-10.6	7	0.7	0.1-1.3	22	5.8	3.3-8.3
45-54	731	79,120	644	88.5	85.8-91.2	10	2.2	0.8-3.6	58	6.6	4.6-8.6	13	1.6	0.6-2.6	6	1.2	0.2-2.2
55-64	1042	91,321	941	90.1	87.7-92.5	5	0.8	0.0-1.6	72	6.2	4.4-8.0	12	1.1	0.3-1.9	12	1.8	0.6-3.0
65+	2484	128,744	2395	96.0	95.0-97.0	3	0.2	0.0-0.4	70	2.7	1.9-3.5	10	0.5	0.1-0.9	6	0.6	0.0-1.2
Less Than H.S.	270	46,455	212	67.0	58.8-75.2	6	6.4	1.3-11.5	37	14.7	8.6-20.8	2	1.0	0.0-2.6	13	10.9	5.0-16.8
H.S. or G.E.D.	1638	158,326	1464	81.6	78.9-84.3	24	3.1	1.9-4.3	90	7.5	5.7-9.3	22	2.3	1.1-3.5	38	5.6	3.8-7.4
Some Post-H.S.	1903	224,530	1714	87.6	85.4-89.8	21	2.4	1.4-3.4	118	5.6	4.2-7.0	23	1.1	0.5-1.7	27	3.3	1.9-4.7
College Graduate	1997	162,952	1832	90.0	88.2-91.8	24	1.9	0.9-2.9	103	5.4	4.0-6.8	22	1.0	0.4-1.6	16	1.7	0.9-2.5
Less than \$15,000	201	24,422	155	65.7	56.1-75.3	5	6.0	0.7-11.3	30	16.2	8.9-23.5	1	0.5	0.0-1.5	10	11.5	4.1-18.9
\$15,000- 24,999	385	33,637	327	77.3	70.8-83.8	6	4.0	0.5-7.5	39	14.2	8.7-19.7	9	2.6	0.4-4.8	4	1.9	0.0-4.1
\$25,000- 34,999	520	51,231	456	78.4	72.7-84.1	10	4.0	1.3-6.7	36	9.5	5.6-13.4	4	0.6	0.0-1.4	14	7.5	3.4-11.6
\$35,000- 49,999	717	67,129	641	85.1	81.2-89.0	5	1.6	0.2-3.0	46	5.7	3.5-7.9	9	2.0	0.4-3.6	16	5.5	2.6-8.4
\$50,000- 99,999	1592	164,193	1462	87.9	85.4-90.4	13	1.7	0.7-2.7	77	5.8	4.0-7.6	21	1.7	0.7-2.7	19	2.8	1.4-4.2
\$100,000 - 199,999	1014	110,749	933	90.1	87.6-92.6	7	0.9	0.1-1.7	49	4.5	2.9-6.1	11	1.1	0.3-1.9	14	3.3	1.3-5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	302,193	2663	84.2	82.2-86.2	45	2.8	1.8- 3.8	162	6.8	5.4- 8.2	35	1.7	0.9- 2.5	53	4.5	3.1- 5.9
18-24	228	43,409	182	76.5	69.6-83.4	9	4.5	1.6- 7.4	18	8.4	3.5-13.3	7	2.6	0.1- 5.1	12	8.0	3.3-12.7
25-34	332	61,877	271	76.6	70.9-82.3	11	4.2	1.5- 6.9	23	7.8	4.1-11.5	11	3.4	1.0- 5.8	16	8.0	4.1-11.9
35-44	363	50,888	307	80.7	75.4-86.0	13	3.8	1.4- 6.2	25	8.0	4.3-11.7	4	1.0	0.0- 2.2	14	6.4	2.9- 9.9
45-54	360	40,359	317	87.0	82.7-91.3	6	3.1	0.6- 5.6	32	7.8	4.7-10.9	3	1.3	0.0- 2.9	2	0.9	0.0- 2.3
55-64	512	46,230	461	88.3	84.6-92.0	4	1.4	0.0- 3.0	37	7.0	4.3- 9.7	4	1.1	0.0- 2.3	6	2.2	0.2- 4.2
65+	1163	59,429	1125	95.5	93.7-97.3	2	0.2	0.0- 0.4	27	2.6	1.4- 3.8	6	0.7	0.1- 1.3	3	1.0	0.0- 2.2
Less Than H.S.	155	27,416	122	66.9	56.3-77.5	1	1.8	0.0- 5.3	21	18.0	9.0-27.0	2	1.6	0.0- 4.3	9	11.6	4.2-19.0
H.S. or G.E.D.	891	88,613	791	81.3	77.6-85.0	12	2.7	1.1- 4.3	47	6.4	4.2- 8.6	17	3.2	1.4- 5.0	24	6.4	3.9- 8.9
Some Post-H.S.	937	111,018	855	88.1	85.2-91.0	13	2.9	1.3- 4.5	48	4.9	3.1- 6.7	8	1.0	0.0- 2.0	13	3.1	1.3- 4.9
College Graduate	966	73,645	887	88.3	85.4-91.2	19	3.2	1.6- 4.8	46	5.9	3.7- 8.1	8	1.1	0.1- 2.1	6	1.4	0.2- 2.6
Less than \$15,000	85	8,732	68	71.2	56.1-86.3	1	2.3	0.0- 6.8	15	25.2	10.3-40.1				1	1.3	0.0- 3.8
\$15,000- 24,999	159	14,943	133	76.5	66.5-86.5	3	4.1	0.0- 9.2	17	13.3	5.3-21.3	4	3.8	0.0- 8.1	2	2.2	0.0- 5.9
\$25,000- 34,999	247	25,791	212	74.1	65.7-82.5	5	3.6	0.3- 6.9	18	10.6	4.7-16.5	2	0.7	0.0- 2.1	10	11.0	4.1-17.9
\$35,000- 49,999	358	35,824	323	84.7	79.0-90.4	3	1.6	0.0- 3.6	15	3.8	1.4- 6.2	8	3.4	0.5- 6.3	9	6.5	2.2-10.8
\$50,000- 99,999	835	84,894	770	87.4	83.9-90.9	8	1.6	0.4- 2.8	37	6.2	3.5- 8.9	9	1.9	0.3- 3.5	11	2.8	1.0- 4.6
\$100,000 - 199,999	614	64,095	562	87.9	84.2-91.6	5	1.2	0.0- 2.4	31	5.0	2.8- 7.2	6	1.6	0.2- 3.0	10	4.3	1.6- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	291,786	2570	85.9	83.9-87.9	30	2.7	1.5- 3.9	186	6.7	5.5- 7.9	34	1.0	0.6- 1.4	42	3.7	2.5- 4.9
18-24	143	38,436	98	68.7	60.3-77.1	11	9.6	3.7-15.5	22	11.4	6.1-16.7				12	10.2	4.5-15.9
25-34	212	53,061	155	77.4	71.1-83.7	10	5.5	1.8-9.2	29	9.4	5.5-13.3	9	2.3	0.5- 4.1	9	5.4	1.7- 9.1
35-44	285	47,121	240	84.8	79.7-89.9	3	1.3	0.0- 2.9	31	8.3	5.0-11.6	3	0.4	0.0- 1.0	8	5.2	1.3- 9.1
45-54	371	38,761	327	90.0	86.7-93.3	4	1.2	0.0- 2.6	26	5.3	2.9- 7.7	10	1.8	0.4- 3.2	4	1.7	0.1- 3.3
55-64	530	45,091	480	92.0	89.1-94.9	1	0.2	0.0- 0.6	35	5.4	2.9- 7.9	8	1.1	0.1- 2.1	6	1.4	0.2- 2.6
65+	1321	69,315	1270	96.4	95.2-97.6	1	0.2	0.0- 0.6	43	2.7	1.7- 3.7	4	0.4	0.0- 0.8	3	0.3	0.0- 0.7
Less Than H.S.	115	19,039	90	67.2	54.1-80.3	5	13.0	2.0-24.0	16	10.0	3.7-16.3				4	9.7	0.1-19.3
H.S. or G.E.D.	747	69,712	673	82.0	77.7-86.3	12	3.6	1.4- 5.8	43	8.8	5.7-11.9	5	1.1	0.0- 2.3	14	4.6	2.1- 7.1
Some Post-H.S.	966	113,511	859	87.1	84.2-90.0	8	1.9	0.5- 3.3	70	6.4	4.4- 8.4	15	1.1	0.5- 1.7	14	3.5	1.5- 5.5
College Graduate	1031	89,308	945	91.4	89.0-93.8	5	0.9	0.0- 1.9	57	4.9	3.1- 6.7	14	0.9	0.3- 1.5	10	1.9	0.5- 3.3
Less than \$15,000	116	15,690	87	62.7	50.4-75.0	4	8.1	0.3-15.9	15	11.3	4.6-18.0	1	0.8	0.0- 2.4	9	17.2	6.2-28.2
\$15,000- 24,999	226	18,695	194	78.0	69.6-86.4	3	3.9	0.0- 8.8	22	14.8	7.4-22.2	5	1.6	0.0- 3.2	2	1.7	0.0- 4.1
\$25,000- 34,999	273	25,440	244	82.7	75.4-90.0	5	4.4	0.1- 8.7	18	8.4	3.5-13.3	2	0.6	0.0- 1.6	4	3.9	0.0- 8.2
\$35,000- 49,999	359	31,305	318	85.5	80.0-91.0	2	1.6	0.0- 3.8	31	8.0	4.3-11.7	1	0.5	0.0- 1.5	7	4.4	0.7- 8.1
\$50,000- 99,999	757	79,299	692	88.4	84.9-91.9	5	1.8	0.0- 3.6	40	5.5	3.1- 7.9	12	1.6	0.4- 2.8	8	2.8	0.8- 4.8
\$100,000 - 199,999	400	46,654	371	93.0	89.9-96.1	2	0.6	0.0- 1.4	18	3.8	1.6- 6.0	5	0.5	0.0- 1.1	4	2.0	0.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5809	592,618	633	23.1	21.5-24.7	611	18.4	16.8-20.0	661	14.6	13.4-15.8	789	13.0	12.0-14.0	1348	15.9	14.9-16.9	1767	14.9	14.1-15.7
Male	2975	303,031	391	24.0	21.8-26.2	361	19.6	17.6-21.6	344	14.4	12.8-16.0	407	13.4	12.0-14.8	675	15.8	14.4-17.2	797	12.9	11.9-13.9
Female	2834	289,587	242	22.2	19.7-24.7	250	17.2	15.0-19.4	317	14.9	13.1-16.7	382	12.6	11.2-14.0	673	16.1	14.7-17.5	970	17.0	15.6-18.4
Native	261	25,528	45	29.0	20.6-37.4	36	20.3	12.9-27.7	38	13.3	8.4-18.2	56	18.2	12.5-23.9	53	12.9	8.2-17.6	33	6.3	3.8- 8.8
Non-Native	5471	560,089	583	22.9	21.1-24.7	565	18.4	16.8-20.0	614	14.7	13.5-15.9	726	12.8	11.8-13.8	1272	16.0	15.0-17.0	1711	15.3	14.5-16.1
Less Than H.S.	268	46,040	27	23.5	15.7-31.3	30	24.3	16.5-32.1	23	12.8	7.3-18.3	24	9.0	5.1-12.9	44	11.3	7.4-15.2	120	19.1	14.6-23.6
H.S. or G.E.D.	1636	158,408	227	29.1	26.0-32.2	144	15.8	13.3-18.3	129	10.6	8.6-12.6	193	11.7	9.9-13.5	377	16.1	14.3-17.9	566	16.6	15.0-18.2
Some Post-H.S.	1900	223,922	226	24.3	21.4-27.2	182	16.7	14.2-19.2	207	13.9	11.9-15.9	257	13.0	11.2-14.8	482	17.7	15.9-19.5	546	14.4	13.0-15.8
College Graduate	1989	162,125	149	15.2	12.8-17.6	252	21.7	19.2-24.2	301	20.2	18.0-22.4	313	15.3	13.5-17.1	444	14.8	13.2-16.4	530	12.8	11.4-14.2
Less than \$15,000	202	24,803	29	28.5	19.1-37.9	19	20.8	11.8-29.8	16	11.7	5.8-17.6	27	11.8	6.9-16.7	43	12.3	7.8-16.8	68	14.9	10.2-19.6
\$15,000- 24,999	392	34,081	49	31.1	23.8-38.4	18	9.2	4.5-13.9	17	6.2	2.9-9.5	24	8.1	4.4-11.8	63	13.2	9.3-17.1	221	32.2	26.9-37.5
\$25,000- 34,999	518	50,434	68	30.3	24.0-36.6	36	14.1	9.2-19.0	39	12.4	8.1-16.7	46	8.3	5.4-11.2	99	13.1	9.8-16.4	230	21.7	18.0-25.4
\$35,000- 49,999	718	67,055	90	27.6	22.5-32.7	55	14.6	10.5-18.7	45	8.8	6.1-11.5	64	9.1	6.6-11.6	178	18.1	15.0-21.2	286	21.9	18.8-25.0
\$50,000- 99,999	1594	163,981	176	22.5	19.4-25.6	189	19.9	17.0-22.8	184	14.7	12.3-17.1	238	14.0	12.0-16.0	410	16.8	14.8-18.8	397	12.1	10.7-13.5
\$100,000 - 199,999	1014	110,929	68	13.0	9.9-16.1	174	24.8	21.3-28.3	207	22.5	19.4-25.6	211	18.2	15.7-20.7	227	15.8	13.4-18.2	127	5.8	4.6- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2975	303,031	391	24.0	21.8-26.2	361	19.6	17.6-21.6	344	14.4	12.8-16.0	407	13.4	12.0-14.8	675	15.8	14.4-17.2	797	12.9	11.9-13.9
Native	117	12,362	20	24.2	13.0-35.4	14	21.2	9.4-33.0	22	15.6	8.0-23.2	29	21.9	12.7-31.1	19	11.4	4.9-17.9	13	5.7	1.8-9.6
Non-Native	2803	285,723	368	24.2	21.8-26.6	338	19.5	17.5-21.5	314	14.2	12.4-16.0	372	13.0	11.6-14.4	641	15.9	14.5-17.3	770	13.2	12.0-14.4
Less Than H.S.	154	27,055	20	28.1	17.7-38.5	21	24.4	15.0-33.8	14	13.9	6.6-21.2	10	6.5	2.0-11.0	33	13.0	7.7-18.3	56	14.1	9.4-18.8
H.S. or G.E.D.	895	88,795	154	31.0	26.9-35.1	88	15.3	12.2-18.4	82	11.3	8.8-13.8	123	13.1	10.6-15.6	209	16.2	13.7-18.7	239	13.1	11.1-15.1
Some Post-H.S.	940	111,094	133	23.3	19.6-27.0	119	20.2	16.7-23.7	115	14.9	12.2-17.6	133	14.0	11.5-16.5	222	16.3	13.9-18.7	218	11.3	9.5-13.1
College Graduate	973	74,175	80	14.3	11.4-17.2	130	22.1	18.6-25.6	132	17.6	14.7-20.5	140	15.4	12.7-18.1	210	15.8	13.4-18.2	281	14.8	12.8-16.8
Less than \$15,000	85	8,732	11	18.4	7.4-29.4	7	22.1	6.4-37.8	7	11.6	2.8-20.4	15	20.1	9.7-30.5	25	18.3	9.3-27.3	20	9.5	4.0-15.0
\$15,000- 24,999	164	15,243	27	36.5	25.7-47.3	12	12.4	4.8-20.0	6	3.9	0.4- 7.4	13	9.9	3.8-16.0	26	11.6	6.5-16.7	80	25.7	18.6-32.8
\$25,000- 34,999	248	25,687	40	32.7	24.1-41.3	17	12.0	6.1-17.9	24	15.3	8.4-22.2	22	8.9	4.4-13.4	53	14.3	9.4-19.2	92	16.8	12.5-21.1
\$35,000- 49,999	360	35,845	60	30.2	23.5-36.9	34	15.6	10.1-21.1	26	10.2	6.3-14.1	33	9.5	6.0-13.0	85	16.2	12.1-20.3	122	18.3	14.4-22.2
\$50,000- 99,999	842	85,332	114	22.7	18.8-26.6	118	23.2	19.3-27.1	80	11.9	9.2-14.6	109	13.3	10.6-16.0	204	16.6	14.1-19.1	217	12.4	10.4-14.4
\$100,000 - 199,999	614	64,239	48	15.0	10.9-19.1	107	24.4	20.1-28.7	126	22.7	18.8-26.6	119	17.1	13.8-20.4	120	13.8	11.1-16.5	94	7.1	5.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	289,587	242	22.2	19.7-24.7	250	17.2	15.0-19.4	317	14.9	13.1-16.7	382	12.6	11.2-14.0	673	16.1	14.7-17.5	970	17.0	15.8-18.2
Native	144	13,166	25	33.5	21.5-45.5	22	19.4	10.2-28.6	16	11.1	4.6-17.6	27	14.7	7.8-21.6	34	14.4	7.3-21.5	20	6.9	3.4-10.4
Non-Native	2668	274,366	215	21.6	19.1-24.1	227	17.2	14.8-19.6	300	15.2	13.4-17.0	354	12.5	11.1-13.9	631	16.1	14.5-17.7	941	17.4	16.0-18.8
Less Than H.S.	114	18,984	7	16.9	4.9-28.9	9	24.1	10.8-37.4	9	11.2	3.0-19.4	14	12.7	5.6-19.8	11	8.8	2.7-14.9	64	26.3	17.7-34.9
H.S. or G.E.D.	741	69,613	73	26.8	21.7-31.9	56	16.5	12.4-20.6	47	9.6	6.7-12.5	70	10.0	7.5-12.5	168	16.0	13.3-18.7	327	21.1	18.2-24.0
Some Post-H.S.	960	112,828	93	25.3	20.8-29.8	63	13.3	9.8-16.8	92	13.0	10.3-15.7	124	11.9	9.5-14.3	260	19.1	16.4-21.8	328	17.4	15.0-19.8
College Graduate	1016	87,950	69	15.9	12.4-19.4	122	21.3	17.8-24.8	169	22.5	19.2-25.8	173	15.3	12.9-17.7	234	14.0	12.0-16.0	249	11.1	9.5-12.7
Less than \$15,000	117	16,071	18	34.1	21.4-46.8	12	20.1	8.9-31.3	9	11.8	4.2-19.4	12	7.3	2.6-12.0	18	9.0	3.9-14.1	48	17.8	11.1-24.5
\$15,000- 24,999	228	18,838	22	26.7	17.1-36.3	6	6.7	1.0-12.4	11	8.0	2.9-13.1	11	6.6	2.1-11.1	37	14.4	8.9-19.9	141	37.6	30.0-45.2
\$25,000- 34,999	270	24,747	28	27.9	18.9-36.9	19	16.3	8.7-23.9	15	9.5	4.4-14.6	24	7.8	3.9-11.7	46	11.8	7.3-16.3	138	26.8	20.9-32.7
\$35,000- 49,999	358	31,211	30	24.5	16.7-32.3	21	13.5	7.6-19.4	19	7.1	3.4-10.8	31	8.6	5.1-12.1	93	20.3	15.4-25.2	164	25.9	20.8-31.0
\$50,000- 99,999	752	78,649	62	22.3	17.4-27.2	71	16.3	12.2-20.4	104	17.7	14.2-21.2	129	14.8	12.1-17.5	206	17.0	14.3-19.7	180	11.8	9.6-14.0
\$100,000 - 199,999	400	46,690	20	10.3	5.6-15.0	67	25.4	19.7-31.1	81	22.3	17.4-27.2	92	19.6	15.3-23.9	107	18.5	14.6-22.4	33	3.9	2.3- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5809	592,618	3329	78.3	77.3-79.3	2480	21.7	20.7-22.7
Male	2975	303,031	1804	80.2	78.8-81.6	1171	19.8	18.4-21.2
Female	2834	289,587	1525	76.3	74.7-77.9	1309	23.7	22.1-25.3
Native	261	25,528	206	90.4	87.3-93.5	55	9.6	6.5-12.7
Non-Native	5471	560,089	3078	77.8	76.8-78.8	2393	22.2	21.2-23.2
Less Than H.S.	268	46,040	128	76.6	71.5-81.7	140	23.4	18.3-28.5
H.S. or G.E.D.	1636	158,408	880	77.0	75.0-79.0	756	23.0	21.0-25.0
Some Post-H.S.	1900	223,922	1083	77.7	75.9-79.5	817	22.3	20.5-24.1
College Graduate	1989	162,125	1228	80.6	79.0-82.2	761	19.4	17.8-21.0
Less than \$15,000	202	24,803	112	80.4	74.9-85.9	90	19.6	14.1-25.1
\$15,000- 24,999	392	34,081	140	62.8	57.1-68.5	252	37.2	31.5-42.9
\$25,000- 34,999	518	50,434	225	71.6	67.3-75.9	293	28.4	24.1-32.7
\$35,000- 49,999	718	67,055	326	68.8	65.1-72.5	392	31.2	27.5-34.9
\$50,000- 99,999	1594	163,981	987	81.1	79.3-82.9	607	18.9	17.1-20.7
\$100,000 - 199,999	1014	110,929	793	89.2	87.4-91.0	221	10.8	9.0-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2975	303,031	1804	80.2	78.8-81.6	1171	19.8	18.4-21.2
Native	117	12,362	96	91.2	86.5-95.9	21	8.8	4.1-13.5
Non-Native	2803	285,723	1673	79.8	78.4-81.2	1130	20.2	18.8-21.6
Less Than H.S.	154	27,055	81	80.1	74.2-86.0	73	19.9	14.0-25.8
H.S. or G.E.D.	895	88,795	550	80.7	78.3-83.1	345	19.3	16.9-21.7
Some Post-H.S.	940	111,094	594	81.4	79.0-83.8	346	18.6	16.2-21.0
College Graduate	973	74,175	570	77.8	75.3-80.3	403	22.2	19.7-24.7
Less than \$15,000	85	8,732	51	83.8	76.5-91.1	34	16.2	8.9-23.5
\$15,000- 24,999	164	15,243	70	69.7	61.9-77.5	94	30.3	22.5-38.1
\$25,000- 34,999	248	25,687	122	75.9	70.4-81.4	126	24.1	18.6-29.6
\$35,000- 49,999	360	35,845	189	74.2	69.5-78.9	171	25.8	21.1-30.5
\$50,000- 99,999	842	85,332	507	80.1	77.6-82.6	335	19.9	17.4-22.4
\$100,000 - 199,999	614	64,239	465	88.0	85.6-90.4	149	12.0	9.6-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	289,587	1525	76.3	74.7-77.9	1309	23.7	22.1-25.3
Native	144	13,166	110	89.7	85.4-94.0	34	10.3	6.0-14.6
Non-Native	2668	274,366	1405	75.7	74.1-77.3	1263	24.3	22.7-25.9
Less Than H.S.	114	18,984	47	71.6	62.6-80.6	67	28.4	19.4-37.4
H.S. or G.E.D.	741	69,613	330	72.4	69.1-75.7	411	27.6	24.3-30.9
Some Post-H.S.	960	112,828	489	74.2	71.3-77.1	471	25.8	22.9-28.7
College Graduate	1016	87,950	658	83.1	80.9-85.3	358	16.9	14.7-19.1
Less than \$15,000	117	16,071	61	78.5	71.1-85.9	56	21.5	14.1-28.9
\$15,000- 24,999	228	18,838	70	57.2	49.0-65.4	158	42.8	34.6-51.0
\$25,000- 34,999	270	24,747	103	67.2	60.5-73.9	167	32.8	26.1-39.5
\$35,000- 49,999	358	31,211	137	62.5	56.2-68.8	221	37.5	31.2-43.8
\$50,000- 99,999	752	78,649	480	82.1	79.6-84.6	272	17.9	15.4-20.4
\$100,000 - 199,999	400	46,690	328	90.9	88.5-93.3	72	9.1	6.7-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5691	576,624	1	0.1	0.0- 0.3	219	2.9	2.3- 3.5	2188	37.5	35.7-39.3	2699	48.2	46.4-50.0	583	11.3	10.3-12.3	1	0.0	0.0- 0.0
Male	2917	295,102	1	0.1	0.0- 0.3	10	0.4	0.0- 0.8	271	9.5	7.9-11.1	2065	68.5	66.3-70.7	569	21.3	19.3-23.3	1	0.1	0.0- 0.3
Female	2774	281,522				209	5.5	4.5- 6.5	1917	66.9	64.5-69.3	634	26.8	24.4-29.2	14	0.7	0.3- 1.1			
Native	254	25,307				9	2.0	0.4- 3.6	99	31.7	24.1-39.3	115	53.8	45.4-62.2	31	12.5	7.0-18.0			
Non-Native	5361	544,506	1	0.1	0.0- 0.3	207	2.9	2.3- 3.5	2068	38.0	36.2-39.8	2541	47.8	46.0-49.6	543	11.2	10.0-12.4	1	0.0	0.0- 0.0
18-24	355	77,970				5	1.0	0.0- 2.0	91	30.7	25.0-36.4	186	53.4	47.5-59.3	73	14.9	11.2-18.6			
25-34	520	109,589				11	2.9	1.1- 4.7	152	36.3	31.4-41.2	272	47.2	42.3-52.1	85	13.7	10.6-16.8			
35-44	634	96,013	1	0.5	0.0- 1.3	10	1.9	0.7- 3.1	194	34.0	29.7-38.3	325	49.3	44.8-53.8	104	14.5	11.6-17.4			
45-54	711	76,856				17	2.1	0.9- 3.3	252	35.4	31.5-39.3	361	50.9	46.8-55.0	80	11.3	8.8-13.8	1	0.2	0.0- 0.6
55-64	1027	90,074				23	1.8	1.0- 2.6	413	40.7	37.2-44.2	502	48.1	44.6-51.6	89	9.4	7.2-11.6			
65+	2444	126,122				153	6.3	5.1- 7.5	1086	44.7	42.3-47.1	1053	43.3	40.9-45.7	152	5.7	4.7- 6.7			
Less Than H.S.	260	44,179	1	1.0	0.0- 3.0	20	6.4	2.7-10.1	105	43.1	34.9-51.3	112	40.4	32.6-48.2	22	9.1	4.8-13.4			
H.S. or G.E.D.	1593	152,288				80	3.5	2.5- 4.5	596	34.2	31.1-37.3	761	50.3	47.2-53.4	156	12.0	9.8-14.2			
Some Post-H.S.	1861	220,128				56	1.9	1.3- 2.5	740	37.9	35.0-40.8	887	49.6	46.7-52.5	177	10.5	8.7-12.3	1	0.1	0.0- 0.3
College Graduate	1966	158,641				61	2.7	1.9- 3.5	745	38.9	36.2-41.6	935	46.4	43.7-49.1	225	12.0	10.2-13.8			
Less than \$15,000	200	24,645				13	4.9	0.8- 9.0	87	50.0	40.4-59.6	86	36.9	28.3-45.5	13	7.5	3.0-12.0	1	0.8	0.0- 2.4
\$15,000- 24,999	390	33,870				31	5.4	3.2- 7.6	186	42.2	35.5-48.9	152	43.2	36.3-50.1	21	9.2	4.7-13.7			
\$25,000- 34,999	517	50,133	1	0.9	0.0- 2.7	33	4.0	2.0- 6.0	212	38.5	32.6-44.4	232	48.3	42.2-54.4	39	8.3	5.0-11.6			
\$35,000- 49,999	712	66,363				29	3.2	1.6- 4.8	295	37.4	32.7-42.1	330	49.1	44.2-54.0	58	10.3	7.2-13.4			
\$50,000- 99,999	1582	162,307				36	1.8	1.0- 2.6	587	37.0	33.9-40.1	795	50.6	47.3-53.9	164	10.7	8.7-12.7			
\$100,000 - 199,999	1012	110,493				12	1.6	0.4- 2.8	308	32.3	28.8-35.8	534	49.7	46.0-53.4	158	16.5	13.8-19.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2917	295,102	1	0.1	0.0- 0.3	10	0.4	0.0- 0.8	271	9.5	7.9-11.1	2065	68.5	66.3-70.7	569	21.3	19.3-23.3	1	0.1	0.0- 0.3
Native	116	12,332							6	7.8	0.0-15.8	81	69.3	57.7-80.9	29	22.9	13.1-32.7			
Non-Native	2746	277,829	1	0.2	0.0- 0.6	8	0.4	0.0- 0.8	259	9.6	8.0-11.2	1946	68.5	66.1-70.9	531	21.3	19.3-23.3	1	0.1	0.0- 0.3
18-24	219	41,330							10	5.5	1.8- 9.2	137	67.2	60.3-74.1	72	27.3	21.0-33.6			
25-34	320	59,283				1	0.9	0.0- 2.5	25	10.7	6.2-15.2	212	64.0	57.9-70.1	82	24.5	19.4-29.6			
35-44	357	49,977	1	0.9	0.0- 2.7	2	0.8	0.0- 2.0	23	8.8	4.9-12.7	230	62.7	56.8-68.6	101	26.9	21.8-32.0			
45-54	358	40,010				1	0.2	0.0- 0.6	30	8.4	5.1-11.7	249	70.0	64.7-75.3	77	20.8	16.1-25.5	1	0.5	0.0- 1.5
55-64	509	45,857				1	0.1	0.0- 0.3	41	9.5	6.2-12.8	381	72.4	67.7-77.1	86	18.0	14.1-21.9			
65+	1154	58,645				5	0.3	0.1- 0.5	142	12.5	10.1-14.9	856	75.0	72.1-77.9	151	12.2	10.0-14.4			
Less Than H.S.	154	26,334	1	1.6	0.0- 4.7	2	2.9	0.0- 7.0	34	26.7	17.1-36.3	95	53.5	43.1-63.9	22	15.3	8.2-22.4			
H.S. or G.E.D.	872	85,992				3	0.1	0.0- 0.3	84	7.8	5.6-10.0	631	71.1	67.2-75.0	154	21.0	17.5-24.5			
Some Post-H.S.	921	108,970				1	0.0	0.0- 0.0	79	8.1	5.9-10.3	667	71.3	67.8-74.8	173	20.4	17.3-23.5	1	0.2	0.0- 0.6
College Graduate	960	72,443				3	0.2	0.0- 0.6	72	7.2	5.2- 9.2	668	67.5	64.0-71.0	217	25.1	21.8-28.4			
Less than \$15,000	83	8,573							8	13.9	0.0-28.4	62	65.4	50.1-80.7	12	18.4	7.6-29.2	1	2.2	0.0- 6.5
\$15,000- 24,999	164	15,379				1	0.3	0.0- 0.9	35	20.8	11.8-29.8	107	58.5	47.9-69.1	21	20.3	11.1-29.5			
\$25,000- 34,999	248	25,586	1	1.7	0.0- 5.0	2	0.6	0.0- 1.4	39	17.1	9.8-24.4	167	64.3	55.9-72.7	39	16.3	10.2-22.4			
\$35,000- 49,999	358	35,405				1	0.0	0.0- 0.0	41	12.0	7.9-16.1	259	68.8	62.5-75.1	57	19.1	13.4-24.8			
\$50,000- 99,999	835	84,303				1	0.1	0.0- 0.3	65	8.0	5.6-10.4	610	72.3	68.4-76.2	159	19.6	16.3-22.9			
\$100,000 - 199,999	616	64,278				1	0.8	0.0- 2.4	37	5.2	3.0- 7.4	421	66.0	61.3-70.7	157	28.0	23.7-32.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2774	281,522	209	5.5	4.5- 6.5	1917	66.9	64.5-69.3	634	26.8	24.4-29.2	14	0.7	0.3- 1.1
Native	138	12,975	9	3.9	0.8- 7.0	93	54.4	42.4-66.4	34	39.0	26.8-51.2	2	2.7	0.0- 6.8
Non-Native	2615	266,676	199	5.6	4.6- 6.6	1809	67.5	65.0-70.0	595	26.2	23.8-28.6	12	0.6	0.2- 1.0
18-24	136	36,640	5	2.1	0.0- 4.3	81	59.1	50.1-68.1	49	37.9	28.9-46.9	1	1.0	0.0- 3.0
25-34	200	50,306	10	5.3	1.8- 8.8	127	66.4	59.0-73.8	60	27.4	20.5-34.3	3	1.0	0.0- 2.2
35-44	277	46,036	8	3.0	0.6- 5.4	171	61.3	54.6-68.0	95	34.7	28.2-41.2	3	1.0	0.0- 2.2
45-54	353	36,846	16	4.1	1.9- 6.3	222	64.6	58.9-70.3	112	30.2	24.9-35.5	3	1.0	0.0- 2.2
55-64	518	44,218	22	3.5	1.9- 5.1	372	73.0	68.5-77.5	121	23.0	18.7-27.3	3	0.6	0.0- 1.4
65+	1290	67,476	148	11.5	9.3-13.7	944	72.6	69.7-75.5	197	15.8	13.4-18.2	1	0.1	0.0- 0.3
Less Than H.S.	106	17,845	18	11.6	4.3-18.9	71	67.3	55.0-79.6	17	21.1	9.7-32.5			
H.S. or G.E.D.	721	66,297	77	7.8	5.4-10.2	512	68.4	63.7-73.1	130	23.4	18.9-27.9	2	0.4	0.0- 1.0
Some Post-H.S.	940	111,158	55	3.7	2.3- 5.1	661	67.1	63.0-71.2	220	28.4	24.3-32.5	4	0.7	0.0- 1.5
College Graduate	1006	86,198	58	4.8	3.2- 6.4	673	65.5	61.8-69.2	267	28.7	25.2-32.2	8	1.1	0.3- 1.9
Less than \$15,000	117	16,071	13	7.5	1.2-13.8	79	69.2	58.0-80.4	24	21.7	12.1-31.3	1	1.6	0.0- 4.7
\$15,000- 24,999	226	18,491	30	9.5	5.6-13.4	151	60.0	50.8-69.2	45	30.4	21.2-39.6			
\$25,000- 34,999	269	24,547	31	7.6	3.9-11.3	173	60.7	52.3-69.1	65	31.7	23.3-40.1			
\$35,000- 49,999	354	30,957	28	6.8	3.3-10.3	254	66.3	59.0-73.6	71	26.7	19.6-33.8	1	0.2	0.0- 0.6
\$50,000- 99,999	747	78,005	35	3.6	2.0- 5.2	522	68.3	63.8-72.8	185	27.1	22.6-31.6	5	1.0	0.0- 2.2
\$100,000 - 199,999	396	46,214	11	2.8	0.6- 5.0	271	69.8	64.3-75.3	113	27.0	21.7-32.3	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5695	577,194	2	0.1	0.0- 0.3	220	2.9	2.3- 3.5	2188	37.5	35.7-39.3	2701	48.2	46.4-50.0	583	11.3	10.3-12.3	1	0.0	0.0- 0.0
Male	2919	295,356	2	0.2	0.0- 0.4	10	0.4	0.0- 0.8	271	9.5	7.9-11.1	2066	68.5	66.3-70.7	569	21.3	19.3-23.3	1	0.1	0.0- 0.3
Female	2776	281,838				210	5.6	4.6- 6.6	1917	66.8	64.4-69.2	635	26.9	24.5-29.3	14	0.7	0.3- 1.1			
Native	254	25,307				9	2.0	0.4- 3.6	99	31.7	24.1-39.3	115	53.8	45.4-62.2	31	12.5	7.0-18.0			
Non-Native	5365	545,077	2	0.1	0.0- 0.3	208	3.0	2.4- 3.6	2068	37.9	36.1-39.7	2543	47.8	46.0-49.6	543	11.2	10.0-12.4	1	0.0	0.0- 0.0
18-24	356	78,198				5	1.0	0.0- 2.0	91	30.6	24.9-36.3	187	53.5	47.6-59.4	73	14.9	11.2-18.6			
25-34	520	109,589				11	2.9	1.1- 4.7	152	36.3	31.4-41.2	272	47.2	42.3-52.1	85	13.7	10.6-16.8			
35-44	636	96,287	1	0.4	0.0- 1.2	11	2.0	0.6- 3.4	194	33.9	29.6-38.2	326	49.3	44.8-53.8	104	14.4	11.5-17.3			
45-54	711	76,856				17	2.1	0.9- 3.3	252	35.4	31.5-39.3	361	50.9	46.8-55.0	80	11.3	8.8-13.8	1	0.2	0.0- 0.6
55-64	1027	90,074				23	1.8	1.0- 2.6	413	40.7	37.2-44.2	502	48.1	44.6-51.6	89	9.4	7.2-11.6			
65+	2445	126,191	1	0.1	0.0- 0.3	153	6.3	5.1- 7.5	1086	44.6	42.2-47.0	1053	43.3	40.9-45.7	152	5.7	4.7- 6.7			
Less Than H.S.	260	44,179	1	1.0	0.0- 3.0	20	6.4	2.7-10.1	105	43.1	34.9-51.3	112	40.4	32.6-48.2	22	9.1	4.8-13.4			
H.S. or G.E.D.	1594	152,377				81	3.5	2.5- 4.5	596	34.2	31.1-37.3	761	50.3	47.2-53.4	156	12.0	9.8-14.2			
Some Post-H.S.	1861	220,128				56	1.9	1.3- 2.5	740	37.9	35.0-40.8	887	49.6	46.7-52.5	177	10.5	8.7-12.3	1	0.1	0.0- 0.3
College Graduate	1969	159,123	1	0.0	0.0- 0.0	61	2.7	1.9- 3.5	745	38.8	36.1-41.5	937	46.5	43.8-49.2	225	12.0	10.2-13.8			
Less than \$15,000	200	24,645				13	4.9	0.8- 9.0	87	50.0	40.4-59.6	86	36.9	28.3-45.5	13	7.5	3.0-12.0	1	0.8	0.0- 2.4
\$15,000- 24,999	390	33,870				31	5.4	3.2- 7.6	186	42.2	35.5-48.9	152	43.2	36.3-50.1	21	9.2	4.7-13.7			
\$25,000- 34,999	517	50,133	1	0.9	0.0- 2.7	33	4.0	2.0- 6.0	212	38.5	32.6-44.4	232	48.3	42.2-54.4	39	8.3	5.0-11.6			
\$35,000- 49,999	712	66,363				29	3.2	1.6- 4.8	295	37.4	32.7-42.1	330	49.1	44.2-54.0	58	10.3	7.2-13.4			
\$50,000- 99,999	1585	162,790	1	0.0	0.0- 0.0	36	1.8	1.0- 2.6	587	36.9	33.8-40.0	797	50.7	47.4-54.0	164	10.6	8.6-12.6			
\$100,000 - 199,999	1012	110,493				12	1.6	0.4- 2.8	308	32.3	28.8-35.8	534	49.7	46.0-53.4	158	16.5	13.8-19.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2919	295,356	2	0.2	0.0- 0.4	10	0.4	0.0- 0.8	271	9.5	7.9-11.1	2066	68.5	66.3-70.7	569	21.3	19.3-23.3	1	0.1	0.0- 0.3
Native	116	12,332							6	7.8	0.0-15.8	81	69.3	57.7-80.9	29	22.9	13.1-32.7			
Non-Native	2748	278,084	2	0.2	0.0- 0.6	8	0.4	0.0- 0.8	259	9.6	8.0-11.2	1947	68.5	66.1-70.9	531	21.3	19.3-23.3	1	0.1	0.0- 0.3
18-24	219	41,330							10	5.5	1.8- 9.2	137	67.2	60.3-74.1	72	27.3	21.0-33.6			
25-34	320	59,283				1	0.9	0.0- 2.5	25	10.7	6.2-15.2	212	64.0	57.9-70.1	82	24.5	19.4-29.6			
35-44	358	50,163	1	0.9	0.0- 2.7	2	0.8	0.0- 2.0	23	8.7	4.8-12.6	231	62.8	56.9-68.7	101	26.8	21.7-31.9			
45-54	358	40,010				1	0.2	0.0- 0.6	30	8.4	5.1-11.7	249	70.0	64.7-75.3	77	20.8	16.1-25.5	1	0.5	0.0- 1.5
55-64	509	45,857				1	0.1	0.0- 0.3	41	9.5	6.2-12.8	381	72.4	67.7-77.1	86	18.0	14.1-21.9			
65+	1155	58,714	1	0.1	0.0- 0.3	5	0.3	0.1- 0.5	142	12.5	10.1-14.9	856	74.9	72.0-77.8	151	12.2	10.0-14.4			
Less Than H.S.	154	26,334	1	1.6	0.0- 4.7	2	2.9	0.0- 7.0	34	26.7	17.1-36.3	95	53.5	43.1-63.9	22	15.3	8.2-22.4			
H.S. or G.E.D.	872	85,992				3	0.1	0.0- 0.3	84	7.8	5.6-10.0	631	71.1	67.2-75.0	154	21.0	17.5-24.5			
Some Post-H.S.	921	108,970				1	0.0	0.0- 0.0	79	8.1	5.9-10.3	667	71.3	67.8-74.8	173	20.4	17.3-23.5	1	0.2	0.0- 0.6
College Graduate	962	72,698	1	0.1	0.0- 0.3	3	0.2	0.0- 0.6	72	7.2	5.2- 9.2	669	67.5	64.0-71.0	217	25.0	21.7-28.3			
Less than \$15,000	83	8,573							8	13.9	0.0-28.4	62	65.4	50.1-80.7	12	18.4	7.6-29.2	1	2.2	0.0- 6.5
\$15,000- 24,999	164	15,379				1	0.3	0.0- 0.9	35	20.8	11.8-29.8	107	58.5	47.9-69.1	21	20.3	11.1-29.5			
\$25,000- 34,999	248	25,586	1	1.7	0.0- 5.0	2	0.6	0.0- 1.4	39	17.1	9.8-24.4	167	64.3	55.9-72.7	39	16.3	10.2-22.4			
\$35,000- 49,999	358	35,405				1	0.0	0.0- 0.0	41	12.0	7.9-16.1	259	68.8	62.5-75.1	57	19.1	13.4-24.8			
\$50,000- 99,999	837	84,557	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	65	8.0	5.6-10.4	611	72.3	68.6-76.0	159	19.6	16.3-22.9			
\$100,000 - 199,999	616	64,278				1	0.8	0.0- 2.4	37	5.2	3.0- 7.4	421	66.0	61.3-70.7	157	28.0	23.7-32.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2776	281,838	210	5.6	4.6- 6.6	1917	66.8	64.4-69.2	635	26.9	24.5-29.3	14	0.7	0.3- 1.1
Native	138	12,975	9	3.9	0.8- 7.0	93	54.4	42.4-66.4	34	39.0	26.8-51.2	2	2.7	0.0- 6.8
Non-Native	2617	266,993	200	5.7	4.7- 6.7	1809	67.4	64.9-69.9	596	26.3	23.9-28.7	12	0.6	0.2- 1.0
18-24	137	36,868	5	2.1	0.0- 4.3	81	58.7	49.7-67.7	50	38.3	29.3-47.3	1	1.0	0.0- 2.8
25-34	200	50,306	10	5.3	1.8- 8.8	127	66.4	59.0-73.8	60	27.4	20.5-34.3	3	1.0	0.0- 2.2
35-44	278	46,124	9	3.2	0.8- 5.6	171	61.2	54.5-67.9	95	34.6	28.1-41.1	3	1.0	0.0- 2.2
45-54	353	36,846	16	4.1	1.9- 6.3	222	64.6	58.9-70.3	112	30.2	24.9-35.5	3	1.0	0.0- 2.2
55-64	518	44,218	22	3.5	1.9- 5.1	372	73.0	68.5-77.5	121	23.0	18.7-27.3	3	0.6	0.0- 1.4
65+	1290	67,476	148	11.5	9.3-13.7	944	72.6	69.7-75.5	197	15.8	13.4-18.2	1	0.1	0.0- 0.3
Less Than H.S.	106	17,845	18	11.6	4.3-18.9	71	67.3	55.0-79.6	17	21.1	9.7-32.5			
H.S. or G.E.D.	722	66,385	78	7.9	5.5-10.3	512	68.3	63.6-73.0	130	23.3	18.8-27.8	2	0.4	0.0- 1.0
Some Post-H.S.	940	111,158	55	3.7	2.3- 5.1	661	67.1	63.0-71.2	220	28.4	24.3-32.5	4	0.7	0.0- 1.5
College Graduate	1007	86,425	58	4.8	3.2- 6.4	673	65.3	61.6-69.0	268	28.8	25.3-32.3	8	1.1	0.3- 1.9
Less than \$15,000	117	16,071	13	7.5	1.2-13.8	79	69.2	58.0-80.4	24	21.7	12.1-31.3	1	1.6	0.0- 4.7
\$15,000- 24,999	226	18,491	30	9.5	5.6-13.4	151	60.0	50.8-69.2	45	30.4	21.2-39.6			
\$25,000- 34,999	269	24,547	31	7.6	3.9-11.3	173	60.7	52.3-69.1	65	31.7	23.3-40.1			
\$35,000- 49,999	354	30,957	28	6.8	3.3-10.3	254	66.3	59.0-73.6	71	26.7	19.6-33.8	1	0.2	0.0- 0.6
\$50,000- 99,999	748	78,232	35	3.6	2.0- 5.2	522	68.1	63.6-72.6	186	27.3	22.8-31.8	5	1.0	0.0- 2.2
\$100,000 - 199,999	396	46,214	11	2.8	0.6- 5.0	271	69.8	64.3-75.3	113	27.0	21.7-32.3	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5431	550,527	32	0.5	0.3- 0.7	1215	23.5	21.9-25.1	2468	44.1	42.3-45.9	1283	23.2	21.8-24.6	338	6.5	5.7- 7.3	95	2.1	1.5- 2.7
Male	2883	291,553	5	0.2	0.0- 0.4	214	8.6	7.2-10.0	1329	45.2	42.8-47.6	995	33.6	31.4-35.8	261	9.2	7.8-10.6	79	3.2	2.4- 4.0
Female	2548	258,974	27	0.9	0.3- 1.5	1001	40.4	37.9-42.9	1139	42.9	40.4-45.4	288	11.6	9.8-13.4	77	3.5	2.5- 4.5	16	0.8	0.4- 1.2
Native	249	24,306	1	0.1	0.0- 0.3	36	12.3	6.8-17.8	106	40.4	32.0-48.8	67	29.0	21.0-37.0	27	12.8	6.9-18.7	12	5.3	1.6- 9.0
Non-Native	5113	520,078	31	0.5	0.3- 0.7	1168	24.1	22.5-25.7	2324	44.3	42.5-46.1	1200	22.9	21.3-24.5	309	6.3	5.5- 7.1	81	1.9	1.3- 2.5
18-24	347	76,183	2	0.7	0.0- 1.7	114	37.8	31.9-43.7	158	42.6	36.7-48.5	56	14.6	10.5-18.7	12	3.1	1.1- 5.1	5	1.1	0.1- 2.1
25-34	508	106,436	3	0.8	0.0- 1.8	109	24.2	19.9-28.5	223	43.5	38.6-48.4	120	22.3	18.2-26.4	34	5.7	3.5- 7.9	19	3.4	1.6- 5.2
35-44	602	90,605				110	19.5	16.0-23.0	242	42.4	37.9-46.9	177	26.4	22.5-30.3	52	8.3	5.8-10.8	21	3.4	1.6- 5.2
45-54	658	70,171				109	16.3	13.2-19.4	291	44.2	39.9-48.5	188	28.6	24.7-32.5	49	7.7	5.3-10.1	21	3.2	1.6- 4.8
55-64	983	86,675	5	0.5	0.0- 1.1	186	18.2	15.5-20.9	438	43.8	40.1-47.5	257	26.5	23.4-29.6	79	9.5	7.1-11.9	18	1.5	0.7- 2.3
65+	2333	120,457	22	0.9	0.5- 1.3	587	25.0	22.8-27.2	1116	47.0	44.6-49.4	485	21.7	19.7-23.7	112	5.1	4.1- 6.1	11	0.4	0.2- 0.6
Less Than H.S.	251	42,708	2	0.3	0.0- 0.7	55	23.0	15.7-30.3	116	43.2	35.0-51.4	58	22.6	15.9-29.3	14	6.7	2.8-10.6	6	4.2	0.7- 7.7
H.S. or G.E.D.	1515	144,550	14	0.9	0.3- 1.5	357	23.1	20.4-25.8	697	45.8	42.5-49.1	326	21.1	18.6-23.6	95	6.8	5.2- 8.4	26	2.4	1.4- 3.4
Some Post-H.S.	1780	210,509	8	0.4	0.0- 0.8	383	22.4	19.9-24.9	781	42.9	40.0-45.8	458	25.4	22.9-27.9	117	6.8	5.4- 8.2	33	2.0	1.2- 2.8
College Graduate	1874	151,515	8	0.3	0.0- 0.7	417	25.7	23.2-28.2	872	44.6	41.9-47.3	435	22.0	19.8-24.2	112	5.9	4.7- 7.1	30	1.4	0.8- 2.0
Less than \$15,000	189	22,896	3	0.8	0.0- 1.8	43	24.6	15.6-33.6	86	42.8	33.2-52.4	36	17.9	9.9-25.9	11	6.3	1.8-10.8	10	7.6	2.7-12.5
\$15,000- 24,999	381	33,466	2	0.2	0.0- 0.6	104	27.5	21.4-33.6	178	43.3	36.4-50.2	71	18.3	13.4-23.2	20	7.7	3.6-11.8	6	2.9	0.2- 5.6
\$25,000- 34,999	500	49,176	6	0.7	0.0- 1.5	115	21.3	16.2-26.4	232	48.9	42.8-55.0	102	18.6	13.9-23.3	30	6.6	3.7- 9.5	15	3.9	1.2- 6.6
\$35,000- 49,999	687	63,335	4	0.6	0.0- 1.4	166	24.4	19.9-28.9	318	47.0	41.9-52.1	140	19.4	15.7-23.1	49	6.5	4.3- 8.7	10	2.1	0.5- 3.7
\$50,000- 99,999	1529	156,780	7	0.7	0.1- 1.3	287	19.8	17.1-22.5	736	46.3	43.0-49.6	378	24.8	22.1-27.5	97	6.7	5.1- 8.3	24	1.8	1.0- 2.6
\$100,000 - 199,999	984	107,669	1	0.1	0.0- 0.3	181	21.3	18.0-24.6	404	39.7	36.0-43.4	300	29.8	26.3-33.3	80	7.7	5.7- 9.7	18	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2883	291,553	5	0.2	0.0- 0.4	214	8.6	7.2-10.0	1329	45.2	42.8-47.6	995	33.6	31.4-35.8	261	9.2	7.8-10.6	79	3.2	2.4- 4.0
Native	114	11,677				5	3.5	0.0- 7.0	46	39.1	26.9-51.3	41	38.7	26.4-51.0	16	14.9	6.5-23.3	6	3.7	0.6- 6.8
Non-Native	2717	275,342	5	0.2	0.0- 0.4	205	8.8	7.2-10.4	1254	45.4	43.0-47.8	939	33.4	31.2-35.6	243	9.1	7.7-10.5	71	3.2	2.2- 4.2
18-24	214	40,531	1	0.8	0.0- 2.4	42	21.6	15.1-28.1	112	51.6	44.0-59.2	47	20.7	14.6-26.8	9	4.1	1.2- 7.0	3	1.3	0.0- 2.9
25-34	317	58,881				34	10.9	7.0-14.8	150	47.0	40.7-53.3	93	30.3	24.6-36.0	28	7.6	4.7-10.5	12	4.1	1.6- 6.6
35-44	352	49,147				23	5.9	3.4- 8.4	123	37.4	31.5-43.3	145	39.4	33.7-45.1	40	11.1	7.4-14.8	21	6.2	3.1- 9.3
45-54	351	38,938				13	3.3	1.3- 5.3	153	44.1	38.2-50.0	136	39.1	33.2-45.0	32	8.9	5.8-12.0	17	4.7	2.3- 7.1
55-64	508	45,776	1	0.1	0.0- 0.3	12	2.6	0.8- 4.4	216	41.2	36.3-46.1	203	38.6	33.7-43.5	60	14.6	10.7-18.5	16	2.8	1.2- 4.4
65+	1141	58,281	3	0.3	0.0- 0.7	90	7.7	5.9- 9.5	575	49.2	45.7-52.7	371	33.4	30.1-36.7	92	8.9	6.9-10.9	10	0.6	0.0- 1.2
Less Than H.S.	152	26,110	1	0.4	0.0- 1.2	18	15.0	6.8-23.2	72	42.6	32.4-52.8	45	29.3	19.9-38.7	11	7.2	2.3-12.1	5	5.5	0.4-10.6
H.S. or G.E.D.	859	84,083	2	0.1	0.0- 0.3	80	9.6	7.2-12.0	398	46.7	42.6-50.8	271	29.7	26.0-33.4	86	10.6	8.1-13.1	22	3.3	1.7- 4.9
Some Post-H.S.	917	108,890	1	0.3	0.0- 0.9	58	7.6	5.4- 9.8	396	43.0	39.1-46.9	349	36.8	33.1-40.5	85	9.0	6.8-11.2	28	3.3	1.9- 4.7
College Graduate	945	71,248	1	0.1	0.0- 0.3	56	6.4	4.4- 8.4	461	48.3	44.4-52.2	324	34.2	30.5-37.9	79	8.8	6.6-11.0	24	2.3	1.1- 3.5
Less than \$15,000	84	8,414				10	8.0	1.7-14.3	38	45.0	30.9-59.1	23	25.6	11.3-39.9	6	8.1	1.2-15.0	7	13.4	3.2-23.6
\$15,000- 24,999	164	15,293				21	14.4	7.1-21.7	88	50.9	40.7-61.1	40	23.7	15.7-31.7	13	8.8	2.7-14.9	2	2.3	0.0- 5.6
\$25,000- 34,999	246	25,534	1	0.2	0.0- 0.6	29	12.9	7.0-18.8	108	47.2	38.8-55.6	78	26.8	19.5-34.1	17	6.2	2.7- 9.7	13	6.8	1.9-11.7
\$35,000- 49,999	357	34,980				40	12.7	8.2-17.2	173	49.8	43.1-56.5	96	25.0	19.3-30.7	40	9.2	5.9-12.5	8	3.3	0.6- 6.0
\$50,000- 99,999	830	83,764	1	0.1	0.0- 0.3	42	6.4	3.9- 8.9	400	46.3	42.0-50.6	288	34.1	30.0-38.2	77	10.3	7.8-12.8	22	2.9	1.5- 4.3
\$100,000 - 199,999	611	63,934				29	5.2	2.8- 7.6	244	38.7	34.0-43.4	259	43.5	38.6-48.4	63	10.3	7.4-13.2	16	2.4	1.0- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2548	258,974	27	0.9	0.3- 1.5	1001	40.4	37.9-42.9	1139	42.9	40.4-45.4	288	11.6	9.8-13.4	77	3.5	2.5- 4.5	16	0.8	0.4- 1.2
Native	135	12,630	1	0.2	0.0- 0.6	31	20.5	11.1-29.9	60	41.7	30.3-53.1	26	20.0	10.2-29.8	11	10.8	2.4-19.2	6	6.8	0.3-13.3
Non-Native	2396	244,736	26	0.9	0.3- 1.5	963	41.4	38.7-44.1	1070	43.0	40.3-45.7	261	11.1	9.3-12.9	66	3.1	2.1- 4.1	10	0.5	0.1- 0.9
18-24	133	35,652	1	0.7	0.0- 2.1	72	56.2	47.0-65.4	46	32.5	23.9-41.1	9	7.6	2.5-12.7	3	2.0	0.0- 4.5	2	1.0	0.0- 2.4
25-34	191	47,555	3	1.8	0.0- 3.8	75	40.7	32.9-48.5	73	39.2	31.2-47.2	27	12.4	7.1-17.7	6	3.4	0.5- 6.3	7	2.5	0.3- 4.7
35-44	250	41,458				87	35.5	28.8-42.2	119	48.4	41.3-55.5	32	11.0	6.9-15.1	12	5.1	2.0- 8.2			
45-54	307	31,233				96	32.6	26.7-38.5	138	44.3	38.0-50.6	52	15.5	11.0-20.0	17	6.2	2.9- 9.5	4	1.4	0.0- 3.0
55-64	475	40,900	4	0.9	0.0- 2.1	174	35.7	30.6-40.8	222	46.6	41.3-51.9	54	13.0	9.3-16.7	19	3.8	1.8- 5.8	2	0.1	0.0- 0.3
65+	1192	62,176	19	1.4	0.6- 2.2	497	41.3	38.0-44.6	541	44.9	41.6-48.2	114	10.8	8.6-13.0	20	1.6	0.8- 2.4	1	0.1	0.0- 0.3
Less Than H.S.	99	16,598	1	0.2	0.0- 0.6	37	35.6	22.5-48.7	44	44.3	30.4-58.2	13	11.9	3.5-20.3	3	5.8	0.0-12.3	1	2.3	0.0- 6.6
H.S. or G.E.D.	656	60,467	12	2.0	0.4- 3.6	277	41.8	36.5-47.1	299	44.6	39.3-49.9	55	9.2	6.3-12.1	9	1.4	0.2- 2.6	4	1.0	0.0- 2.2
Some Post-H.S.	863	101,619	7	0.6	0.0- 1.2	325	38.3	33.8-42.8	385	42.9	38.4-47.4	109	13.3	10.2-16.4	32	4.4	2.6- 6.2	5	0.6	0.0- 1.2
College Graduate	929	80,267	7	0.6	0.0- 1.4	361	42.9	38.8-47.0	411	41.4	37.5-45.3	111	11.2	8.7-13.7	33	3.3	1.9- 4.7	6	0.6	0.0- 1.2
Less than \$15,000	105	14,483	3	1.2	0.0- 2.8	33	34.2	21.3-47.1	48	41.6	28.9-54.3	13	13.4	4.2-22.6	5	5.3	0.0-11.2	3	4.3	0.0- 9.0
\$15,000- 24,999	217	18,173	2	0.4	0.0- 1.0	83	38.5	29.5-47.5	90	36.9	28.3-45.5	31	13.8	7.7-19.9	7	6.9	1.0-12.8	4	3.5	0.0- 7.8
\$25,000- 34,999	254	23,642	5	1.2	0.0- 2.8	86	30.4	22.4-38.4	124	50.7	41.9-59.5	24	9.8	4.5-15.1	13	7.1	2.4-11.8	2	0.7	0.0- 1.9
\$35,000- 49,999	330	28,355	4	1.3	0.0- 3.3	126	38.8	31.2-46.4	145	43.5	35.9-51.1	44	12.6	8.1-17.1	9	3.2	0.5- 5.9	2	0.7	0.0- 1.7
\$50,000- 99,999	699	73,016	6	1.4	0.0- 2.8	245	35.2	30.5-39.9	336	46.3	41.2-51.4	90	14.1	10.6-17.6	20	2.6	1.2- 4.0	2	0.5	0.0- 1.3
\$100,000 - 199,999	373	43,735	1	0.1	0.0- 0.3	152	44.8	38.5-51.1	160	41.1	35.0-47.2	41	9.9	6.2-13.6	17	3.9	1.5- 6.3	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5386	542,904	50	1.1	0.7- 1.5	1417	29.0	27.4-30.6	1978	34.8	33.2-36.4	1214	21.1	19.7-22.5	727	14.0	12.8-15.2
Male	2871	289,699	18	1.1	0.5- 1.7	599	23.3	21.3-25.3	1152	38.8	36.4-41.2	714	22.4	20.6-24.2	388	14.4	12.6-16.2
Female	2515	253,204	32	1.2	0.6- 1.8	818	35.5	33.0-38.0	826	30.3	27.9-32.7	500	19.5	17.3-21.7	339	13.5	11.7-15.3
Native	246	24,153	2	0.7	0.0- 1.9	35	14.4	8.3-20.5	83	33.7	25.5-41.9	66	25.1	17.7-32.5	60	26.0	18.4-33.6
Non-Native	5071	512,607	47	1.2	0.8- 1.6	1367	29.8	28.0-31.6	1862	34.7	32.9-36.5	1135	20.9	19.5-22.3	660	13.4	12.2-14.6
18-24	340	74,467	8	2.7	0.7- 4.7	170	51.3	45.2-57.4	100	28.1	22.8-33.4	44	13.0	8.9-17.1	18	5.0	2.5- 7.5
25-34	491	102,597	8	1.9	0.5- 3.3	162	33.4	28.7-38.1	166	32.7	28.0-37.4	84	17.0	13.1-20.9	71	15.0	11.3-18.7
35-44	596	89,621	1	0.2	0.0- 0.6	146	25.7	21.8-29.6	209	34.3	30.0-38.6	137	22.7	18.8-26.6	103	17.2	13.7-20.7
45-54	656	69,940	4	0.5	0.0- 1.1	139	20.6	17.3-23.9	228	37.0	32.7-41.3	163	23.7	20.0-27.4	122	18.1	14.8-21.4
55-64	981	86,525	8	0.7	0.1- 1.3	199	19.9	17.0-22.8	375	37.1	33.6-40.6	255	26.0	22.7-29.3	144	16.3	13.6-19.0
65+	2322	119,754	21	0.9	0.5- 1.3	601	25.3	23.1-27.5	900	38.2	35.8-40.6	531	23.3	21.1-25.5	269	12.2	10.6-13.8
Less Than H.S.	246	41,540	4	1.6	0.0- 3.6	51	20.8	13.9-27.7	97	36.1	28.1-44.1	60	24.2	17.1-31.3	34	17.3	10.6-24.0
H.S. or G.E.D.	1504	143,019	13	0.9	0.3- 1.5	421	30.4	27.3-33.5	554	34.9	31.8-38.0	328	21.0	18.3-23.7	188	12.8	10.6-15.0
Some Post-H.S.	1767	208,455	22	1.5	0.7- 2.3	420	27.7	24.8-30.6	636	33.5	30.8-36.2	418	21.6	19.2-24.0	271	15.7	13.5-17.9
College Graduate	1859	148,684	11	0.8	0.2- 1.4	523	31.9	29.2-34.6	685	35.8	33.1-38.5	406	19.6	17.4-21.8	234	11.8	10.0-13.6
Less than \$15,000	185	22,108	2	0.6	0.0- 1.6	55	30.6	21.4-39.8	49	24.7	16.1-33.3	40	17.5	10.6-24.4	39	26.7	17.3-36.1
\$15,000- 24,999	379	33,266	4	0.9	0.0- 2.1	97	29.8	23.3-36.3	136	32.9	26.4-39.4	85	19.4	14.3-24.5	57	16.9	11.6-22.2
\$25,000- 34,999	494	48,038	6	1.3	0.1- 2.5	123	26.6	20.9-32.3	170	32.0	26.5-37.5	114	23.5	18.0-29.0	81	16.7	12.2-21.2
\$35,000- 49,999	680	62,316	7	1.7	0.1- 3.3	191	30.0	25.1-34.9	229	32.8	28.1-37.5	156	21.9	17.8-26.0	97	13.6	10.3-16.9
\$50,000- 99,999	1518	154,529	10	0.9	0.1- 1.7	371	27.1	24.2-30.0	572	34.8	31.7-37.9	355	23.0	20.3-25.7	210	14.2	12.0-16.4
\$100,000 - 199,999	978	106,423	7	0.9	0.1- 1.7	224	24.9	21.6-28.2	382	39.6	35.9-43.3	235	21.0	18.1-23.9	130	13.6	10.9-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2871	289,699	18	1.1	0.5- 1.7	599	23.3	21.3-25.3	1152	38.8	36.4-41.2	714	22.4	20.6-24.2	388	14.4	12.6-16.2
Native	113	11,639	1	1.3	0.0- 3.8	11	6.6	1.7-11.5	44	42.8	30.1-55.5	35	26.0	15.6-36.4	22	23.3	12.5-34.1
Non-Native	2706	273,525	17	1.1	0.5- 1.7	579	24.1	21.9-26.3	1080	38.3	35.9-40.7	670	22.3	20.3-24.3	360	14.1	12.3-15.9
18-24	213	40,343	7	3.8	0.9- 6.7	102	48.4	40.8-56.0	71	32.5	25.4-39.6	25	11.8	6.9-16.7	8	3.5	0.8- 6.2
25-34	314	58,335	5	1.8	0.2- 3.4	92	28.5	23.0-34.0	129	41.5	35.4-47.6	46	13.7	9.6-17.8	42	14.6	9.9-19.3
35-44	350	48,593	1	0.4	0.0- 1.2	64	18.7	14.0-23.4	125	34.4	28.7-40.1	95	27.0	21.7-32.3	65	19.5	14.6-24.4
45-54	350	38,821	1	0.3	0.0- 0.9	50	13.4	9.5-17.3	148	44.6	38.5-50.7	93	25.5	20.4-30.6	58	16.1	11.8-20.4
55-64	506	45,625	1	0.1	0.0- 0.3	60	12.7	9.4-16.0	201	36.4	31.7-41.1	159	31.3	26.6-36.0	85	19.4	15.1-23.7
65+	1138	57,981	3	0.4	0.0- 0.8	231	19.6	16.9-22.3	478	41.9	38.6-45.2	296	25.8	22.9-28.7	130	12.5	10.1-14.9
Less Than H.S.	150	25,460	3	2.2	0.0- 5.1	29	21.2	12.2-30.2	65	37.8	27.8-47.8	34	21.6	13.6-29.6	19	17.3	8.7-25.9
H.S. or G.E.D.	855	83,658	4	0.7	0.0- 1.5	200	25.5	21.8-29.2	326	37.4	33.3-41.5	205	21.4	18.1-24.7	120	15.0	12.1-17.9
Some Post-H.S.	914	108,388	7	1.1	0.1- 2.1	169	22.8	19.3-26.3	353	37.1	33.2-41.0	245	22.9	19.8-26.0	140	16.0	13.1-18.9
College Graduate	943	71,011	4	1.0	0.0- 2.2	200	22.6	19.3-25.9	402	42.5	38.6-46.4	228	23.4	20.3-26.5	109	10.5	8.3-12.7
Less than \$15,000	82	8,255				30	37.5	23.6-51.4	21	19.3	9.3-29.3	15	11.3	4.2-18.4	16	31.9	16.4-47.4
\$15,000- 24,999	162	15,093	1	1.2	0.0- 3.6	36	26.8	17.2-36.4	72	41.9	31.5-52.3	35	18.5	11.2-25.8	18	11.7	5.4-18.0
\$25,000- 34,999	244	24,884	5	2.5	0.1- 4.9	51	26.0	18.2-33.8	87	34.1	26.3-41.9	61	20.8	14.1-27.5	40	16.6	10.1-23.1
\$35,000- 49,999	355	34,750	3	2.1	0.0- 4.5	88	26.7	20.8-32.6	128	36.8	30.3-43.3	86	20.6	15.7-25.5	50	13.8	9.3-18.3
\$50,000- 99,999	830	83,764	3	0.4	0.0- 0.8	168	22.7	18.8-26.6	341	38.9	34.8-43.0	204	22.8	19.3-26.3	114	15.2	12.3-18.1
\$100,000 - 199,999	610	63,821	2	0.8	0.0- 2.0	96	16.5	12.8-20.2	259	43.3	38.4-48.2	170	25.1	21.0-29.2	83	14.3	10.8-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	253,204	32	1.2	0.6- 1.8	818	35.5	33.0-38.0	826	30.3	27.9-32.7	500	19.5	17.3-21.7	339	13.5	11.7-15.3
Native	133	12,514	1	0.2	0.0- 0.6	24	21.6	11.2-32.0	39	25.3	15.7-34.9	31	24.4	13.8-35.0	38	28.6	17.8-39.4
Non-Native	2365	239,082	30	1.3	0.7- 1.9	788	36.3	33.6-39.0	782	30.5	28.0-33.0	465	19.2	17.0-21.4	300	12.6	10.8-14.4
18-24	127	34,124	1	1.3	0.0- 3.8	68	54.7	45.3-64.1	29	22.9	14.9-30.9	19	14.3	7.6-21.0	10	6.7	2.2-11.2
25-34	177	44,262	3	2.1	0.0- 4.5	70	39.9	31.7-48.1	37	21.0	14.1-27.9	38	21.4	14.1-28.7	29	15.6	9.5-21.7
35-44	246	41,028				82	33.9	27.2-40.6	84	34.2	27.3-41.1	42	17.5	11.8-23.2	38	14.4	9.5-19.3
45-54	306	31,118	3	0.8	0.0- 1.8	89	29.6	23.9-35.3	80	27.5	21.8-33.2	70	21.5	16.4-26.6	64	20.7	15.6-25.8
55-64	475	40,900	7	1.3	0.1- 2.5	139	27.9	23.2-32.6	174	37.9	32.6-43.2	96	20.1	15.8-24.4	59	12.9	9.4-16.4
65+	1184	61,773	18	1.5	0.7- 2.3	370	30.8	27.7-33.9	422	34.8	31.7-37.9	235	21.0	18.1-23.9	139	11.9	9.7-14.1
Less Than H.S.	96	16,080	1	0.7	0.0- 2.1	22	20.3	9.5-31.1	32	33.4	20.1-46.7	26	28.4	15.5-41.3	15	17.3	6.7-27.9
H.S. or G.E.D.	649	59,361	9	1.2	0.0- 2.4	221	37.4	32.1-42.7	228	31.3	26.6-36.0	123	20.3	15.8-24.8	68	9.8	6.9-12.7
Some Post-H.S.	853	100,066	15	1.8	0.4- 3.2	251	32.9	28.4-37.4	283	29.6	25.5-33.7	173	20.2	16.7-23.7	131	15.4	12.3-18.5
College Graduate	916	77,673	7	0.6	0.0- 1.2	323	40.5	36.4-44.6	283	29.7	26.0-33.4	178	16.2	13.3-19.1	125	13.1	10.4-15.8
Less than \$15,000	103	13,853	2	0.9	0.0- 2.5	25	26.4	14.4-38.4	28	27.9	15.6-40.2	25	21.2	11.2-31.2	23	23.6	12.0-35.2
\$15,000- 24,999	217	18,173	3	0.7	0.0- 1.7	61	32.4	23.4-41.4	64	25.4	17.8-33.0	50	20.2	13.3-27.1	39	21.3	13.3-29.3
\$25,000- 34,999	250	23,154	1	0.1	0.0- 0.3	72	27.2	19.2-35.2	83	29.6	21.8-37.4	53	26.3	17.7-34.9	41	16.7	10.4-23.0
\$35,000- 49,999	325	27,565	4	1.2	0.0- 2.8	103	34.2	26.4-42.0	101	27.7	21.2-34.2	70	23.6	16.9-30.3	47	13.3	8.6-18.0
\$50,000- 99,999	688	70,765	7	1.5	0.0- 3.1	203	32.3	27.6-37.0	231	29.9	25.4-34.4	151	23.4	18.7-28.1	96	13.0	9.9-16.1
\$100,000 - 199,999	368	42,602	5	1.0	0.0- 2.0	128	37.5	31.4-43.6	123	34.0	27.9-40.1	65	14.9	10.8-19.0	47	12.6	8.3-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5386	542,904	75	1.8	1.2- 2.4	1383	28.1	26.5-29.7	1978	34.8	33.2-36.4	1950	35.2	33.4-37.0
Male	2871	289,699	28	1.7	0.9- 2.5	582	22.4	20.4-24.4	1152	38.9	36.5-41.3	1109	37.1	34.9-39.3
Female	2515	253,204	47	2.0	1.2- 2.8	801	34.7	32.2-37.2	826	30.3	27.9-32.7	841	33.1	30.6-35.6
Native	246	24,153	4	1.3	0.0- 2.7	33	13.8	7.7-19.9	82	33.4	25.2-41.6	127	51.5	42.9-60.1
Non-Native	5071	512,607	70	1.8	1.2- 2.4	1335	28.9	27.1-30.7	1863	34.8	33.0-36.6	1803	34.5	32.7-36.3
18-24	340	74,467	16	5.5	2.6- 8.4	160	48.2	42.1-54.3	101	28.4	23.1-33.7	63	18.0	13.5-22.5
25-34	491	102,597	12	2.7	1.1- 4.3	157	32.4	27.7-37.1	167	32.9	28.2-37.6	155	32.0	27.1-36.9
35-44	596	89,621	3	0.5	0.0- 1.1	142	25.1	21.2-29.0	208	34.0	29.7-38.3	243	40.4	35.9-44.9
45-54	656	69,940	4	0.5	0.0- 1.1	139	20.6	17.3-23.9	228	37.0	32.7-41.3	285	41.9	37.6-46.2
55-64	981	86,525	8	0.7	0.1- 1.3	198	19.8	16.9-22.7	374	37.1	33.6-40.6	401	42.5	38.8-46.2
65+	2322	119,754	32	1.3	0.7- 1.9	587	24.7	22.5-26.9	900	38.3	35.9-40.7	803	35.6	33.2-38.0
Less Than H.S.	246	41,540	6	3.3	0.4- 6.2	49	19.1	12.4-25.8	96	35.9	27.9-43.9	95	41.6	33.2-50.0
H.S. or G.E.D.	1504	143,019	23	1.9	0.9- 2.9	408	29.2	26.1-32.3	555	35.0	31.9-38.1	518	33.9	30.8-37.0
Some Post-H.S.	1767	208,455	29	1.9	0.9- 2.9	411	27.1	24.4-29.8	635	33.4	30.7-36.1	692	37.5	34.6-40.4
College Graduate	1859	148,684	17	1.1	0.3- 1.9	513	31.3	28.6-34.0	686	36.0	33.3-38.7	643	31.6	29.1-34.1
Less than \$15,000	185	22,108	4	1.1	0.0- 2.3	53	30.0	21.0-39.0	49	24.7	16.1-33.3	79	44.2	34.2-54.2
\$15,000- 24,999	379	33,266	6	1.4	0.0- 2.8	95	29.4	22.9-35.9	136	32.9	26.4-39.4	142	36.3	29.8-42.8
\$25,000- 34,999	494	48,038	8	1.5	0.3- 2.7	120	26.3	20.6-32.0	171	32.1	26.6-37.6	195	40.1	34.0-46.2
\$35,000- 49,999	680	62,316	10	2.3	0.5- 4.1	187	29.3	24.6-34.0	229	32.8	28.1-37.5	254	35.6	30.9-40.3
\$50,000- 99,999	1518	154,529	13	1.3	0.5- 2.1	366	26.5	23.6-29.4	572	34.7	31.6-37.8	567	37.4	34.3-40.5
\$100,000 - 199,999	978	106,423	10	1.6	0.4- 2.8	217	23.6	20.3-26.9	383	39.8	36.1-43.5	368	35.0	31.5-38.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2871	289,699	28	1.7	0.9- 2.5	582	22.4	20.4-24.4	1152	38.9	36.5-41.3	1109	37.1	34.9-39.3
Native	113	11,639	2	1.8	0.0- 4.5	10	6.1	1.4-10.8	44	42.8	30.1-55.5	57	49.3	36.8-61.8
Non-Native	2706	273,525	26	1.7	0.9- 2.5	563	23.1	20.9-25.3	1080	38.4	36.0-40.8	1037	36.7	34.3-39.1
18-24	213	40,343	11	6.3	2.4-10.2	96	45.3	37.9-52.7	72	33.0	25.9-40.1	34	15.5	10.2-20.8
25-34	314	58,335	8	2.7	0.7- 4.7	88	27.2	21.7-32.7	130	41.9	35.8-48.0	88	28.2	22.5-33.9
35-44	350	48,593	2	0.7	0.0- 1.7	61	18.0	13.5-22.5	125	34.1	28.4-39.8	162	47.2	41.3-53.1
45-54	350	38,821	1	0.3	0.0- 0.9	50	13.4	9.5-17.3	148	44.6	38.5-50.7	151	41.7	35.8-47.6
55-64	506	45,625	1	0.1	0.0- 0.3	60	12.7	9.4-16.0	199	36.1	31.4-40.8	246	51.0	45.9-56.1
65+	1138	57,981	5	0.4	0.0- 0.8	227	19.1	16.6-21.6	478	42.1	38.8-45.4	428	38.4	35.1-41.7
Less Than H.S.	150	25,460	5	4.9	0.2- 9.6	27	18.4	10.0-26.8	65	37.8	27.8-47.8	53	38.8	28.6-49.0
H.S. or G.E.D.	855	83,658	6	1.0	0.0- 2.0	195	24.8	21.1-28.5	328	37.8	33.7-41.9	326	36.4	32.5-40.3
Some Post-H.S.	914	108,388	10	1.5	0.5- 2.5	165	22.3	18.8-25.8	351	36.9	33.0-40.8	388	39.3	35.4-43.2
College Graduate	943	71,011	7	1.6	0.2- 3.0	194	21.5	18.4-24.6	402	42.8	38.9-46.7	340	34.2	30.7-37.7
Less than \$15,000	82	8,255				30	37.5	23.6-51.4	21	19.3	9.3-29.3	31	43.2	28.1-58.3
\$15,000- 24,999	162	15,093	2	1.6	0.0- 4.0	35	26.4	16.8-36.0	72	41.9	31.5-52.3	53	30.1	21.1-39.1
\$25,000- 34,999	244	24,884	5	2.5	0.1- 4.9	50	25.7	17.9-33.5	88	34.3	26.5-42.1	101	37.4	29.2-45.6
\$35,000- 49,999	355	34,750	5	3.1	0.2- 6.0	85	25.4	19.7-31.1	128	36.9	30.4-43.4	137	34.6	28.5-40.7
\$50,000- 99,999	830	83,764	5	0.8	0.0- 1.6	165	22.0	18.3-25.7	341	39.0	34.9-43.1	319	38.2	34.1-42.3
\$100,000 - 199,999	610	63,821	4	1.6	0.0- 3.2	90	14.8	11.3-18.3	260	43.6	38.7-48.5	256	39.9	35.2-44.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	253,204	47	2.0	1.2- 2.8	801	34.7	32.2-37.2	826	30.3	27.9-32.7	841	33.1	30.6-35.6
Native	133	12,514	2	0.8	0.0- 2.0	23	21.0	10.6-31.4	38	24.7	15.1-34.3	70	53.5	41.5-65.5
Non-Native	2365	239,082	44	2.0	1.2- 2.8	772	35.5	32.8-38.2	783	30.5	28.0-33.0	766	31.9	29.4-34.4
18-24	127	34,124	5	4.5	0.2- 8.8	64	51.5	41.9-61.1	29	22.9	14.9-30.9	29	21.0	13.4-28.6
25-34	177	44,262	4	2.7	0.0- 5.4	69	39.3	31.1-47.5	37	21.0	14.1-27.9	67	37.0	28.8-45.2
35-44	246	41,028	1	0.4	0.0- 1.2	81	33.5	26.8-40.2	83	33.8	26.9-40.7	81	32.3	25.6-39.0
45-54	306	31,118	3	0.8	0.0- 1.8	89	29.6	23.9-35.3	80	27.5	21.8-33.2	134	42.1	35.8-48.4
55-64	475	40,900	7	1.3	0.1- 2.5	138	27.6	22.9-32.3	175	38.1	32.8-43.4	155	33.0	27.9-38.1
65+	1184	61,773	27	2.1	1.1- 3.1	360	30.0	26.9-33.1	422	34.8	31.7-37.9	375	33.0	29.7-36.3
Less Than H.S.	96	16,080	1	0.7	0.0- 2.1	22	20.3	9.5-31.1	31	32.9	19.6-46.2	42	46.1	32.0-60.2
H.S. or G.E.D.	649	59,361	17	3.1	1.1- 5.1	213	35.4	30.3-40.5	227	31.1	26.4-35.8	192	30.4	25.5-35.3
Some Post-H.S.	853	100,066	19	2.5	0.9- 4.1	246	32.2	27.7-36.7	284	29.7	25.6-33.8	304	35.6	31.3-39.9
College Graduate	916	77,673	10	0.7	0.1- 1.3	319	40.2	36.1-44.3	284	29.8	26.1-33.5	303	29.2	25.5-32.9
Less than \$15,000	103	13,853	4	1.8	0.0- 3.8	23	25.6	13.6-37.6	28	27.9	15.6-40.2	48	44.8	31.7-57.9
\$15,000- 24,999	217	18,173	4	1.1	0.0- 2.3	60	32.0	23.0-41.0	64	25.4	17.8-33.0	89	41.5	32.3-50.7
\$25,000- 34,999	250	23,154	3	0.5	0.0- 1.1	70	26.8	18.8-34.8	83	29.6	21.8-37.4	94	43.0	34.0-52.0
\$35,000- 49,999	325	27,565	5	1.2	0.0- 2.8	102	34.1	26.3-41.9	101	27.7	21.2-34.2	117	36.9	29.5-44.3
\$50,000- 99,999	688	70,765	8	1.8	0.2- 3.4	201	31.8	27.1-36.5	231	29.7	25.2-34.2	248	36.6	31.7-41.5
\$100,000 - 199,999	368	42,602	6	1.6	0.0- 3.2	127	36.8	30.7-42.9	123	34.0	27.9-40.1	112	27.5	22.0-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5386	542,904	1458	29.9	28.1-31.7	3928	70.1	68.3-71.9
Male	2871	289,699	610	24.1	21.9-26.3	2261	75.9	73.7-78.1
Female	2515	253,204	848	36.6	34.1-39.1	1667	63.4	60.9-65.9
Native	246	24,153	37	15.1	8.8-21.4	209	84.9	78.6-91.2
Non-Native	5071	512,607	1405	30.7	28.9-32.5	3666	69.3	67.5-71.1
18-24	340	74,467	176	53.6	47.7-59.5	164	46.4	40.5-52.3
25-34	491	102,597	169	35.1	30.2-40.0	322	64.9	60.0-69.8
35-44	596	89,621	145	25.6	21.7-29.5	451	74.4	70.5-78.3
45-54	656	69,940	143	21.1	17.6-24.6	513	78.9	75.4-82.4
55-64	981	86,525	206	20.4	17.5-23.3	775	79.6	76.7-82.5
65+	2322	119,754	619	26.0	23.8-28.2	1703	74.0	71.8-76.2
Less Than H.S.	246	41,540	55	22.5	15.4-29.6	191	77.5	70.4-84.6
H.S. or G.E.D.	1504	143,019	431	31.1	28.0-34.2	1073	68.9	65.8-72.0
Some Post-H.S.	1767	208,455	440	29.0	26.1-31.9	1327	71.0	68.1-73.9
College Graduate	1859	148,684	530	32.4	29.7-35.1	1329	67.6	64.9-70.3
Less than \$15,000	185	22,108	57	31.2	22.0-40.4	128	68.8	59.6-78.0
\$15,000- 24,999	379	33,266	101	30.8	24.1-37.5	278	69.2	62.5-75.9
\$25,000- 34,999	494	48,038	128	27.8	22.1-33.5	366	72.2	66.5-77.9
\$35,000- 49,999	680	62,316	197	31.5	26.6-36.4	483	68.5	63.6-73.4
\$50,000- 99,999	1518	154,529	379	27.8	24.7-30.9	1139	72.2	69.1-75.3
\$100,000 - 199,999	978	106,423	227	25.2	21.7-28.7	751	74.8	71.3-78.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2871	289,699	610	24.1	21.9-26.3	2261	75.9	73.7-78.1
Native	113	11,639	12	7.9	2.4-13.4	101	92.1	86.6-97.6
Non-Native	2706	273,525	589	24.8	22.6-27.0	2117	75.2	73.0-77.4
18-24	213	40,343	107	51.6	44.0-59.2	106	48.4	40.8-56.0
25-34	314	58,335	96	29.9	24.4-35.4	218	70.1	64.6-75.6
35-44	350	48,593	63	18.6	13.9-23.3	287	81.4	76.7-86.1
45-54	350	38,821	51	13.7	9.8-17.6	299	86.3	82.4-90.2
55-64	506	45,625	61	12.8	9.5-16.1	445	87.2	83.9-90.5
65+	1138	57,981	232	19.5	16.8-22.2	906	80.5	77.8-83.2
Less Than H.S.	150	25,460	32	23.3	14.1-32.5	118	76.7	67.5-85.9
H.S. or G.E.D.	855	83,658	201	25.8	22.1-29.5	654	74.2	70.5-77.9
Some Post-H.S.	914	108,388	175	23.8	20.3-27.3	739	76.2	72.7-79.7
College Graduate	943	71,011	201	23.1	19.8-26.4	742	76.9	73.6-80.2
Less than \$15,000	82	8,255	30	37.5	23.6-51.4	52	62.5	48.6-76.4
\$15,000- 24,999	162	15,093	37	28.0	18.4-37.6	125	72.0	62.4-81.6
\$25,000- 34,999	244	24,884	55	28.2	20.2-36.2	189	71.8	63.8-79.8
\$35,000- 49,999	355	34,750	90	28.5	22.4-34.6	265	71.5	65.4-77.6
\$50,000- 99,999	830	83,764	170	22.9	19.0-26.8	660	77.1	73.2-81.0
\$100,000 - 199,999	610	63,821	94	16.4	12.7-20.1	516	83.6	79.9-87.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	253,204	848	36.6	34.1-39.1	1667	63.4	60.9-65.9
Native	133	12,514	25	21.8	11.4-32.2	108	78.2	67.8-88.6
Non-Native	2365	239,082	816	37.5	34.8-40.2	1549	62.5	59.8-65.2
18-24	127	34,124	69	56.0	46.6-65.4	58	44.0	34.6-53.4
25-34	177	44,262	73	42.0	33.8-50.2	104	58.0	49.8-66.2
35-44	246	41,028	82	33.9	27.2-40.6	164	66.1	59.4-72.8
45-54	306	31,118	92	30.4	24.7-36.1	214	69.6	63.9-75.3
55-64	475	40,900	145	28.9	24.2-33.6	330	71.1	66.4-75.8
65+	1184	61,773	387	32.1	29.0-35.2	797	67.9	64.8-71.0
Less Than H.S.	96	16,080	23	21.0	10.0-32.0	73	79.0	68.0-90.0
H.S. or G.E.D.	649	59,361	230	38.6	33.3-43.9	419	61.4	56.1-66.7
Some Post-H.S.	853	100,066	265	34.7	30.2-39.2	588	65.3	60.8-69.8
College Graduate	916	77,673	329	40.9	36.8-45.0	587	59.1	55.0-63.2
Less than \$15,000	103	13,853	27	27.4	15.2-39.6	76	72.6	60.4-84.8
\$15,000- 24,999	217	18,173	64	33.1	24.1-42.1	153	66.9	57.9-75.9
\$25,000- 34,999	250	23,154	73	27.3	19.3-35.3	177	72.7	64.7-80.7
\$35,000- 49,999	325	27,565	107	35.4	27.6-43.2	218	64.6	56.8-72.4
\$50,000- 99,999	688	70,765	209	33.7	28.8-38.6	479	66.3	61.4-71.2
\$100,000 - 199,999	368	42,602	133	38.4	32.3-44.5	235	61.6	55.5-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5778	584,625	4570	68.4	66.6-70.2	435	11.4	10.2-12.6	434	11.2	10.0-12.4	213	5.5	4.7- 6.3	75	1.9	1.3- 2.5	51	1.6	1.0- 2.2
Male	2941	297,487	2328	70.6	68.4-72.8	219	10.5	8.9-12.1	227	10.8	9.2-12.4	103	5.0	3.8- 6.2	38	1.6	1.0- 2.2	26	1.5	0.7- 2.3
Female	2837	287,138	2242	66.1	63.6-68.6	216	12.3	10.5-14.1	207	11.6	9.8-13.4	110	6.0	4.6- 7.4	37	2.3	1.3- 3.3	25	1.8	1.0- 2.6
Native	259	25,643	154	55.8	47.6-64.0	36	17.0	10.5-23.5	37	13.6	7.7-19.5	17	7.5	3.0-12.0	7	2.5	0.3- 4.7	8	3.6	0.3- 6.9
Non-Native	5441	552,163	4359	69.0	67.2-70.8	393	11.1	9.9-12.3	389	11.1	9.9-12.3	191	5.3	4.5- 6.1	67	1.9	1.3- 2.5	42	1.5	0.9- 2.1
18-24	364	80,150	289	77.3	72.2-82.4	43	12.1	8.2-16.0	19	6.4	3.3- 9.5	7	2.1	0.5- 3.7	3	0.7	0.0- 1.5	3	1.4	0.0- 3.4
25-34	526	111,252	288	52.4	47.5-57.3	84	16.6	13.1-20.1	77	15.9	12.2-19.6	48	8.8	5.9-11.7	14	3.1	1.1- 5.1	15	3.2	1.2- 5.2
35-44	631	95,853	170	25.3	21.4-29.2	115	21.0	17.3-24.7	180	28.0	24.1-31.9	101	16.0	12.7-19.3	41	5.8	3.8- 7.8	24	3.9	2.1- 5.7
45-54	716	76,880	416	59.4	55.3-63.5	120	16.5	13.4-19.6	117	16.1	13.2-19.0	43	5.2	3.4- 7.0	13	1.5	0.5- 2.5	7	1.3	0.1- 2.5
55-64	1044	91,198	965	92.4	90.4-94.4	42	3.9	2.5- 5.3	23	2.2	1.0- 3.4	9	1.0	0.2- 1.8	3	0.4	0.0- 1.0	2	0.1	0.1- 0.1
65+	2497	129,292	2442	97.1	96.1-98.1	31	1.6	1.0- 2.2	18	1.0	0.4- 1.6	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0			
Less Than H.S.	270	45,223	212	61.3	53.1-69.5	24	16.1	9.6-22.6	14	8.5	3.8-13.2	10	5.5	1.8- 9.2	3	1.9	0.0- 5.2	7	6.7	1.6-11.8
H.S. or G.E.D.	1621	155,409	1350	71.6	68.5-74.7	103	10.8	8.6-13.0	85	9.3	7.1-11.5	47	4.5	3.1- 5.9	19	2.2	1.2- 3.2	17	1.5	0.7- 2.3
Some Post-H.S.	1890	221,964	1527	70.9	68.0-73.8	139	10.8	8.8-12.8	133	10.9	8.9-12.9	59	4.9	3.3- 6.5	21	1.6	0.8- 2.4	11	0.9	0.3- 1.5
College Graduate	1984	160,428	1471	63.7	61.0-66.4	167	11.5	9.5-13.5	201	14.3	12.3-16.3	97	7.2	5.6- 8.8	32	2.0	1.2- 2.8	16	1.3	0.5- 2.1
Less than \$15,000	202	24,803	175	78.3	69.7-86.9	17	11.7	5.4-18.0	4	4.3	0.0- 9.4	2	2.7	0.0- 6.4	1	0.8	0.0- 2.4	3	2.2	0.0- 5.1
\$15,000- 24,999	391	34,130	345	79.3	73.0-85.6	18	10.1	5.2-15.0	15	5.3	1.8- 8.8	6	2.7	0.3- 5.1	2	0.6	0.0- 1.6	5	2.1	0.0- 4.5
\$25,000- 34,999	525	51,370	460	75.7	69.8-81.6	32	12.8	8.1-17.5	22	7.2	3.7-10.7	6	2.5	0.1- 4.9	2	0.4	0.0- 1.0	3	1.3	0.0- 2.9
\$35,000- 49,999	722	67,286	624	76.2	71.5-80.9	44	9.9	6.6-13.2	29	7.9	4.6-11.2	15	3.7	1.3- 6.1	4	0.9	0.0- 1.9	6	1.4	0.2- 2.6
\$50,000- 99,999	1596	163,615	1215	64.4	61.1-67.7	136	12.5	10.1-14.9	133	12.4	10.0-14.8	63	5.1	3.7- 6.5	30	3.2	1.8- 4.6	19	2.5	1.1- 3.9
\$100,000 - 199,999	1016	110,769	649	55.1	51.4-58.8	115	14.1	11.4-16.8	147	18.2	15.3-21.1	75	9.4	7.0-11.8	23	2.4	1.2- 3.6	7	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2941	297,487	2328	70.6	68.4-72.8	219	10.5	8.9-12.1	227	10.8	9.2-12.4	103	5.0	3.8-6.2	38	1.6	1.0-2.2	26	1.5	0.7-2.3
Native	116	12,351	75	62.2	50.0-74.4	15	15.0	5.6-24.4	10	7.2	0.3-14.1	9	10.5	2.5-18.5	4	3.3	0.0-7.0	3	1.9	0.0-4.3
Non-Native	2769	280,202	2216	71.2	68.8-73.6	200	10.3	8.7-11.9	209	10.9	9.3-12.5	89	4.6	3.4-5.8	33	1.5	0.9-2.1	22	1.4	0.6-2.2
18-24	224	42,492	187	80.8	74.5-87.1	19	8.9	4.6-13.2	10	5.0	1.7-8.3	4	2.2	0.0-4.4	1	0.5	0.0-1.5	3	2.7	0.0-6.2
25-34	322	60,007	193	57.4	51.3-63.5	50	16.8	12.1-21.5	42	14.5	10.0-19.0	23	7.1	4.0-10.2	7	2.0	0.4-3.6	7	2.2	0.0-4.4
35-44	352	49,556	127	35.4	29.7-41.1	58	18.7	13.8-23.6	88	24.8	19.7-29.9	48	13.8	9.5-18.1	21	5.0	2.6-7.4	10	2.3	0.7-3.9
45-54	357	39,518	205	59.0	53.3-64.7	48	12.4	8.7-16.1	70	19.7	15.2-24.2	21	5.4	2.9-7.9	7	1.4	0.2-2.6	6	2.2	0.2-4.2
55-64	515	46,128	476	92.8	90.3-95.3	25	4.4	2.4-6.4	8	1.2	0.2-2.2	5	1.2	0.0-2.6	1	0.5	0.0-1.5			
65+	1171	59,786	1140	96.5	95.1-97.9	19	1.9	0.9-2.9	9	1.1	0.1-2.1	2	0.4	0.0-1.0	1	0.1	0.0-0.3			
Less Than H.S.	156	26,942	119	62.7	52.3-73.1	14	14.1	6.5-21.7	11	9.4	3.3-15.5	6	6.1	0.8-11.4	1	0.1	0.0-0.3	5	7.6	0.7-14.5
H.S. or G.E.D.	888	87,648	736	75.0	71.3-78.7	58	10.1	7.4-12.8	46	7.6	5.2-10.0	22	3.1	1.5-4.7	15	2.8	1.2-4.4	11	1.5	0.5-2.5
Some Post-H.S.	928	108,900	735	70.9	67.2-74.6	74	10.4	7.9-12.9	76	12.1	9.4-14.8	34	5.6	3.4-7.8	7	0.8	0.2-1.4	2	0.3	0.0-0.7
College Graduate	959	72,611	731	67.8	64.1-71.5	71	9.6	7.2-12.0	93	13.4	10.7-16.1	41	6.1	4.1-8.1	15	1.9	0.9-2.9	8	1.1	0.3-1.9
Less than \$15,000	85	8,732	81	92.3	84.9-99.7	2	2.9	0.0-7.0							1	2.4	0.0-7.1	1	2.4	0.0-7.1
\$15,000- 24,999	163	15,292	148	85.0	76.6-93.4	6	9.4	1.8-17.0	6	3.1	0.2-6.0	1	1.3	0.0-3.8				2	1.3	0.0-3.3
\$25,000- 34,999	249	25,753	217	77.4	69.4-85.4	16	11.7	5.4-18.0	10	5.6	1.5-9.7	5	4.9	0.2-9.6	1	0.5	0.0-1.5			
\$35,000- 49,999	363	35,981	309	76.9	70.8-83.0	25	9.9	5.6-14.2	15	7.2	3.3-11.1	8	3.6	0.7-6.5	2	0.6	0.0-1.4	4	1.8	0.0-3.8
\$50,000- 99,999	837	84,299	665	68.9	64.6-73.2	60	10.4	7.5-13.3	63	12.3	9.2-15.4	27	4.1	2.3-5.9	13	2.3	0.9-3.7	9	2.0	0.0-4.0
\$100,000 - 199,999	617	64,330	392	56.8	51.9-61.7	71	13.6	10.1-17.1	94	18.5	14.6-22.4	42	8.1	5.4-10.8	13	2.0	0.8-3.2	5	1.1	0.0-2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2837	287,138	2242	66.1	63.6-68.6	216	12.3	10.5-14.1	207	11.6	9.8-13.4	110	6.0	4.6- 7.4	37	2.3	1.3- 3.3	25	1.8	1.0- 2.6
Native	143	13,292	79	49.8	38.4-61.2	21	18.9	9.9-27.9	27	19.6	10.4-28.8	8	4.8	0.7- 8.9	3	1.8	0.0- 4.2	5	5.1	0.0-11.0
Non-Native	2672	271,961	2143	66.7	64.2-69.2	193	12.0	10.0-14.0	180	11.3	9.5-13.1	102	6.1	4.7- 7.5	34	2.3	1.3- 3.3	20	1.6	0.8- 2.4
18-24	140	37,658	102	73.3	65.1-81.5	24	15.7	9.0-22.4	9	8.0	2.3-13.7	3	1.9	0.0- 4.1	2	1.0	0.0- 2.6			
25-34	204	51,245	95	46.6	38.8-54.4	34	16.4	10.9-21.9	35	17.5	11.4-23.6	25	10.7	5.8-15.6	7	4.4	0.5- 8.3	8	4.4	1.1- 7.7
35-44	279	46,297	43	14.5	9.6-19.4	57	23.4	17.5-29.3	92	31.4	25.3-37.5	53	18.4	13.3-23.5	20	6.6	3.3- 9.9	14	5.7	2.6- 8.8
45-54	359	37,362	211	59.8	54.1-65.5	72	20.9	16.0-25.8	47	12.3	8.6-16.0	22	5.0	2.6- 7.4	6	1.7	0.3- 3.1	1	0.4	0.0- 1.2
55-64	529	45,070	489	92.0	89.1-94.9	17	3.3	1.5- 5.1	15	3.3	1.1- 5.5	4	0.8	0.0- 1.8	2	0.4	0.0- 1.0	2	0.1	0.0- 0.3
65+	1326	69,506	1302	97.6	96.4-98.8	12	1.2	0.4- 2.0	9	0.9	0.1- 1.7	3	0.3	0.0- 0.7						
Less Than H.S.	114	18,281	93	59.4	45.9-72.9	10	19.1	7.7-30.5	3	7.1	0.0-14.9	4	4.6	0.0- 9.7	2	4.5	0.0-12.5	2	5.3	0.0-12.6
H.S. or G.E.D.	733	67,761	614	67.3	62.2-72.4	45	11.7	8.2-15.2	39	11.6	7.7-15.5	25	6.3	3.6- 9.0	4	1.5	0.0- 3.1	6	1.6	0.2- 3.0
Some Post-H.S.	962	113,064	792	71.0	66.7-75.3	65	11.1	8.2-14.0	57	9.7	6.8-12.6	25	4.3	2.1- 6.5	14	2.4	0.8- 4.0	9	1.5	0.3- 2.7
College Graduate	1025	87,817	740	60.2	56.3-64.1	96	13.0	10.3-15.7	108	15.0	12.1-17.9	56	8.1	5.7-10.5	17	2.2	1.0- 3.4	8	1.4	0.2- 2.6
Less than \$15,000	117	16,071	94	70.7	58.7-82.7	15	16.4	7.0-25.8	4	6.6	0.0-14.4	2	4.2	0.0- 9.9				2	2.1	0.0- 5.8
\$15,000- 24,999	228	18,838	197	74.8	66.0-83.6	12	10.7	4.4-17.0	9	7.0	1.1-12.9	5	3.8	0.0- 7.7	2	1.0	0.0- 2.6	3	2.7	0.0- 6.6
\$25,000- 34,999	276	25,617	243	74.1	65.5-82.7	16	13.9	6.8-21.0	12	8.8	3.1-14.5	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	3	2.7	0.0- 5.8
\$35,000- 49,999	359	31,305	315	75.4	68.0-82.8	19	9.9	4.8-15.0	14	8.7	3.2-14.2	7	3.7	0.2- 7.2	2	1.2	0.0- 3.4	2	1.0	0.0- 2.4
\$50,000- 99,999	759	79,316	550	59.7	54.8-64.6	76	14.6	10.9-18.3	70	12.5	9.2-15.8	36	6.1	3.7- 8.5	17	4.2	1.7- 6.7	10	2.9	0.7- 5.1
\$100,000 - 199,999	399	46,439	257	52.7	46.6-58.8	44	14.7	10.2-19.2	53	17.8	12.9-22.7	33	11.1	6.8-15.4	10	3.1	0.9- 5.3	2	0.6	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5889	599,482	272	7.8	6.6-9.0	1655	26.7	25.3-28.1	1927	37.9	36.1-39.7	2035	27.6	26.2-29.0
Male	3007	305,812	157	9.0	7.2-10.8	904	29.4	27.4-31.4	952	36.8	34.6-39.0	994	24.8	23.0-26.6
Female	2882	293,670	115	6.5	4.9-8.1	751	23.9	21.7-26.1	975	39.1	36.6-41.6	1041	30.6	28.4-32.8
Native	265	26,085	30	16.7	9.6-23.8	71	31.7	24.1-39.3	97	37.5	29.5-45.5	67	14.1	9.6-18.6
Non-Native	5543	566,177	240	7.4	6.2-8.6	1567	26.5	24.9-28.1	1806	37.9	36.1-39.7	1930	28.1	26.7-29.5
18-24	373	82,490	21	10.3	6.0-14.6	151	36.6	31.3-41.9	140	40.1	34.4-45.8	61	12.9	9.6-16.2
25-34	545	114,698	23	8.1	4.8-11.4	150	26.6	22.5-30.7	172	36.8	32.1-41.5	200	28.5	24.6-32.4
35-44	659	99,455	27	8.7	5.4-12.0	145	21.7	18.2-25.2	190	33.4	29.1-37.7	297	36.2	32.3-40.1
45-54	742	80,136	22	5.0	2.8-7.2	136	18.1	15.0-21.2	245	39.1	35.0-43.2	339	37.9	34.2-41.6
55-64	1058	92,483	36	5.6	3.4-7.8	307	28.4	25.3-31.5	351	39.9	36.4-43.4	364	26.0	23.3-28.7
65+	2512	130,220	143	8.4	6.8-10.0	766	28.3	26.3-30.3	829	38.9	36.5-41.3	774	24.4	22.6-26.2
Less Than H.S.	272	46,548	272	100.0	100.0- 100									
H.S. or G.E.D.	1655	159,950				1655	100.0	100.0- 100						
Some Post-H.S.	1927	227,384							1927	100.0	100.0- 100			
College Graduate	2035	165,600										2035	100.0	100.0- 100
Less than \$15,000	202	24,803	26	24.4	14.8-34.0	81	30.0	22.2-37.8	69	36.3	27.3-45.3	26	9.3	5.0-13.6
\$15,000- 24,999	394	34,417	44	14.9	9.4-20.4	157	32.2	26.3-38.1	138	40.0	33.3-46.7	55	12.9	8.6-17.2
\$25,000- 34,999	525	51,310	42	14.1	9.0-19.2	188	32.9	27.4-38.4	169	36.9	31.0-42.8	126	16.0	12.3-19.7
\$35,000- 49,999	722	67,425	33	6.5	3.8-9.2	260	36.3	31.6-41.0	245	38.6	33.7-43.5	184	18.6	15.3-21.9
\$50,000- 99,999	1602	164,624	36	4.5	2.5- 6.5	363	23.2	20.5-25.9	556	41.6	38.5-44.7	647	30.6	27.9-33.3
\$100,000 - 199,999	1024	111,706	12	2.3	0.7- 3.9	165	17.3	14.6-20.0	307	36.0	32.3-39.7	540	44.4	40.7-48.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3007	305,812	157	9.0	7.2-10.8	904	29.4	27.4-31.4	952	36.8	34.6-39.0	994	24.8	23.0-26.6
Native	119	12,596	16	21.4	9.6-33.2	38	34.3	23.1-45.5	38	31.0	20.0-42.0	27	13.3	6.8-19.8
Non-Native	2830	288,096	139	8.6	6.8-10.4	853	29.3	27.1-31.5	899	37.2	34.8-39.6	939	25.0	23.2-26.8
18-24	228	43,306	16	14.0	7.5-20.5	103	42.2	35.1-49.3	82	35.8	28.7-42.9	27	8.0	4.9-11.1
25-34	332	61,423	14	8.2	3.9-12.5	98	28.4	23.1-33.7	108	37.2	31.3-43.1	112	26.2	21.3-31.1
35-44	373	52,261	20	11.8	6.9-16.7	89	23.4	18.7-28.1	119	36.0	30.3-41.7	145	28.8	24.1-33.5
45-54	372	41,547	10	4.7	1.8- 7.6	88	21.8	17.1-26.5	127	41.1	35.2-47.0	147	32.5	27.4-37.6
55-64	522	46,936	22	6.1	3.2- 9.0	179	33.3	28.6-38.0	164	36.8	31.9-41.7	157	23.7	19.8-27.6
65+	1180	60,339	75	9.1	6.7-11.5	347	28.5	25.6-31.4	352	35.0	31.7-38.3	406	27.4	24.7-30.1
Less Than H.S.	157	27,509	157	100.0	100.0- 100									
H.S. or G.E.D.	904	89,818				904	100.0	100.0- 100						
Some Post-H.S.	952	112,632							952	100.0	100.0- 100			
College Graduate	994	75,853										994	100.0	100.0- 100
Less than \$15,000	85	8,732	11	20.4	5.7-35.1	38	35.6	22.7-48.5	27	35.8	22.3-49.3	9	8.2	1.9-14.5
\$15,000- 24,999	166	15,579	24	18.7	9.5-27.9	66	33.8	24.8-42.8	52	35.0	25.0-45.0	24	12.4	6.3-18.5
\$25,000- 34,999	249	25,693	28	20.5	12.3-28.7	101	37.0	29.2-44.8	72	32.9	25.1-40.7	48	9.6	5.9-13.3
\$35,000- 49,999	363	36,120	23	9.7	5.2-14.2	147	40.8	34.3-47.3	115	34.6	28.3-40.9	78	14.9	10.8-19.0
\$50,000- 99,999	843	85,422	25	5.5	2.8- 8.2	216	25.6	21.9-29.3	302	43.1	38.8-47.4	300	25.7	22.4-29.0
\$100,000 - 199,999	623	64,961	8	2.5	0.3- 4.7	125	21.9	18.0-25.8	192	37.6	32.7-42.5	298	37.9	33.6-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2882	293,670	115	6.5	4.9- 8.1	751	23.9	21.7-26.1	975	39.1	36.6-41.6	1041	30.6	28.4-32.8
Native	146	13,489	14	12.4	4.4-20.4	33	29.2	18.6-39.8	59	43.6	32.2-55.0	40	14.8	8.5-21.1
Non-Native	2713	278,081	101	6.2	4.6- 7.8	714	23.7	21.5-25.9	907	38.7	36.2-41.2	991	31.4	29.2-33.6
18-24	145	39,184	5	6.3	0.6-12.0	48	30.5	22.7-38.3	58	44.8	35.8-53.8	34	18.4	12.1-24.7
25-34	213	53,275	9	8.0	2.7-13.3	52	24.6	18.1-31.1	64	36.3	28.7-43.9	88	31.2	24.7-37.7
35-44	286	47,194	7	5.3	1.0- 9.6	56	19.8	14.7-24.9	71	30.6	24.1-37.1	152	44.4	38.1-50.7
45-54	370	38,589	12	5.3	2.0- 8.6	48	14.2	10.1-18.3	118	36.9	31.2-42.6	192	43.7	38.2-49.2
55-64	536	45,547	14	5.1	2.2- 8.0	128	23.4	19.3-27.5	187	43.2	38.1-48.3	207	28.3	24.2-32.4
65+	1332	69,881	68	7.8	5.6-10.0	419	28.1	25.4-30.8	477	42.3	39.0-45.6	368	21.8	19.4-24.2
Less Than H.S.	115	19,039	115	100.0	100.0- 100									
H.S. or G.E.D.	751	70,132				751	100.0	100.0- 100						
Some Post-H.S.	975	114,752							975	100.0	100.0- 100			
College Graduate	1041	89,747										1041	100.0	100.0- 100
Less than \$15,000	117	16,071	15	26.6	14.1-39.1	43	26.9	17.1-36.7	42	36.6	24.6-48.6	17	9.9	4.0-15.8
\$15,000- 24,999	228	18,838	20	11.7	5.6-17.8	91	30.9	23.1-38.7	86	44.2	35.0-53.4	31	13.2	7.3-19.1
\$25,000- 34,999	276	25,617	14	7.7	2.4-13.0	87	28.8	21.4-36.2	97	41.1	32.5-49.7	78	22.5	16.0-29.0
\$35,000- 49,999	359	31,305	10	2.9	0.9- 4.9	113	31.0	24.3-37.7	130	43.1	35.7-50.5	106	22.9	17.4-28.4
\$50,000- 99,999	759	79,202	11	3.4	0.7- 6.1	147	20.6	16.7-24.5	254	40.0	35.1-44.9	347	35.9	31.6-40.2
\$100,000 - 199,999	401	46,744	4	2.0	0.0- 4.4	40	11.0	7.3-14.7	115	33.6	27.7-39.5	242	53.4	47.3-59.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4665	477,045	596	12.4	11.0-13.8	526	10.8	9.6-12.0	723	14.1	12.7-15.5	1603	34.5	32.7-36.3	1024	23.4	21.8-25.0	193	4.7	3.9- 5.5			
Male	2453	249,529	251	9.7	8.1-11.3	250	10.4	8.8-12.0	364	14.5	12.7-16.3	843	34.2	31.8-36.6	623	26.0	23.8-28.2	122	5.1	4.1- 6.1			
Female	2212	227,516	345	15.3	13.1-17.5	276	11.3	9.5-13.1	359	13.8	11.8-15.8	760	34.9	32.2-37.6	401	20.5	18.3-22.7	71	4.2	3.0- 5.4			
Native	225	22,674	61	31.9	23.3-40.5	29	14.1	8.0-20.2	37	12.1	7.2-17.0	61	27.9	19.5-36.3	30	10.3	5.4-15.2	7	3.6	0.5- 6.7			
Non-Native	4394	450,456	525	11.3	10.1-12.5	491	10.7	9.5-11.9	680	14.3	12.9-15.7	1531	35.0	33.2-36.8	984	24.1	22.5-25.7	183	4.7	3.9- 5.5			
18-24	272	59,643	54	20.5	15.0-26.0	47	16.5	11.6-21.4	59	20.7	15.4-26.0	82	30.3	24.0-36.6	28	11.2	7.1-15.3	2	0.8	0.0- 2.0			
25-34	458	94,106	45	11.5	8.0-15.0	43	10.9	7.6-14.2	58	12.0	8.7-15.3	187	40.3	35.2-45.4	111	22.3	18.0-26.6	14	2.9	1.1- 4.7			
35-44	554	83,709	30	6.8	4.3- 9.3	35	7.7	4.8-10.6	46	8.4	5.7-11.1	194	33.8	29.3-38.3	203	33.3	29.0-37.6	46	9.8	6.7-12.9			
45-54	597	64,707	43	7.8	5.3-10.3	39	7.2	4.7- 9.7	63	11.2	8.3-14.1	196	32.1	27.8-36.4	215	34.4	30.1-38.7	41	7.2	4.8- 9.6			
55-64	873	76,361	82	10.3	7.8-12.8	66	7.7	5.5- 9.9	103	11.1	8.7-13.5	333	37.1	33.4-40.8	244	28.6	25.1-32.1	45	5.2	3.4- 7.0			
65+	1911	98,519	342	17.8	15.6-20.0	296	14.7	12.7-16.7	394	21.3	19.1-23.5	611	31.8	29.3-34.3	223	12.2	10.4-14.0	45	2.2	1.4- 3.0			
Less Than H.S.	197	33,931	70	33.0	24.2-41.8	42	21.3	13.7-28.9	33	13.0	7.7-18.3	36	21.9	13.5-30.3	12	7.7	2.4-13.0	4	3.1	0.0- 7.2			
H.S. or G.E.D.	1252	122,216	238	15.2	12.8-17.6	188	13.8	11.3-16.3	260	20.0	17.1-22.9	363	31.3	28.0-34.6	165	15.8	13.3-18.3	38	3.9	2.5- 5.3			
Some Post-H.S.	1531	182,807	207	12.5	10.3-14.7	169	10.4	8.4-12.4	245	14.2	12.0-16.4	556	37.5	34.4-40.6	307	22.0	19.5-24.5	47	3.5	2.3- 4.7			
College Graduate	1682	137,603	81	4.9	3.5- 6.3	126	6.0	4.6- 7.4	184	9.1	7.3-10.9	647	36.7	33.8-39.6	540	36.0	33.1-38.9	104	7.3	5.7- 8.9			
Less than \$15,000	202	24,803	202	100.0	100.0- 100																		
\$15,000- 24,999	394	34,417	394	100.0	100.0- 100																		
\$25,000- 34,999	526	51,561				526	100.0	100.0- 100															
\$35,000- 49,999	723	67,489							723	100.0	100.0- 100												
\$50,000- 99,999	1603	164,797										1603	100.0	100.0- 100									
\$100,000 - 199,999	1024	111,706													1024	100.0	100.0- 100						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2453	249,529	251	9.7	8.1-11.3	250	10.4	8.8-12.0	364	14.5	12.7-16.3	843	34.2	31.8-36.6	623	26.0	23.8-28.2	122	5.1	4.1- 6.1			
Native	105	11,211	27	26.2	14.6-37.8	13	11.8	4.4-19.2	13	8.9	3.4-14.4	30	34.5	21.8-47.2	18	13.6	5.2-22.0	4	5.0	0.0-10.9			
Non-Native	2312	235,270	217	8.8	7.2-10.4	234	10.4	8.6-12.2	345	14.8	13.0-16.6	805	34.4	32.0-36.8	596	26.6	24.4-28.8	115	4.9	3.9- 5.9			
18-24	168	32,021	28	15.7	9.4-22.0	26	16.4	9.9-22.9	42	24.1	17.0-31.2	52	29.2	21.4-37.0	18	13.0	7.1-18.9	2	1.5	0.0- 3.7			
25-34	288	52,406	17	7.2	3.5-10.9	21	8.9	5.0-12.8	34	11.0	6.9-15.1	129	43.5	37.0-50.0	76	25.8	20.1-31.5	11	3.7	1.3- 6.1			
35-44	312	43,159	17	6.9	3.4-10.4	23	9.7	5.2-14.2	28	10.2	6.3-14.1	93	29.7	24.0-35.4	131	36.9	31.0-42.8	20	6.5	3.6- 9.4			
45-54	308	35,101	22	7.2	3.9-10.5	20	6.5	3.2- 9.8	35	12.6	8.3-16.9	82	28.1	22.2-34.0	120	36.6	30.5-42.7	29	8.9	5.6-12.2			
55-64	436	39,230	39	10.1	6.8-13.4	33	8.4	5.1-11.7	52	11.6	8.1-15.1	152	34.7	29.4-40.0	128	27.5	22.8-32.2	32	7.8	4.9-10.7			
65+	941	47,613	128	12.7	10.2-15.2	127	13.2	10.5-15.9	173	19.6	16.5-22.7	335	35.7	32.2-39.2	150	16.2	13.3-19.1	28	2.7	1.5- 3.9			
Less Than H.S.	121	20,020	35	23.5	13.5-33.5	28	26.3	15.7-36.9	23	17.5	9.3-25.7	25	23.6	13.0-34.2	8	8.2	1.1-15.3	2	0.9	0.0- 2.3			
H.S. or G.E.D.	720	72,227	104	11.6	8.9-14.3	101	13.2	10.1-16.3	147	20.4	16.7-24.1	216	30.3	26.2-34.4	125	19.7	16.0-23.4	27	4.8	2.8- 6.8			
Some Post-H.S.	787	94,001	79	9.1	6.7-11.5	72	9.0	6.5-11.5	115	13.3	10.6-16.0	302	39.2	35.1-43.3	192	26.0	22.3-29.7	27	3.4	1.8- 5.0			
College Graduate	823	62,966	33	4.2	2.4- 6.0	48	3.9	2.5- 5.3	78	8.6	6.2-11.0	300	34.9	31.0-38.8	298	39.2	35.1-43.3	66	9.3	6.9-11.7			
Less than \$15,000	85	8,732	85	100.0	100.0- 100																		
\$15,000- 24,999	166	15,579	166	100.0	100.0- 100																		
\$25,000- 34,999	250	25,944				250	100.0	100.0- 100															
\$35,000- 49,999	364	36,184							364	100.0	100.0- 100												
\$50,000- 99,999	843	85,422										843	100.0	100.0- 100									
\$100,000 - 199,999	623	64,961													623	100.0	100.0- 100						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2212	227,516	345	15.3	13.1-17.5	276	11.3	9.5-13.1	359	13.8	11.8-15.8	760	34.9	32.2-37.6	401	20.5	18.3-22.7	71	4.2	3.0- 5.4			
Native	120	11,463	34	37.4	25.1-49.7	16	16.4	6.8-26.0	24	15.3	7.3-23.3	31	21.5	11.3-31.7	12	7.1	1.8-12.4	3	2.3	0.0- 5.0			
Non-Native	2082	215,186	308	14.0	12.0-16.0	257	10.9	9.1-12.7	335	13.7	11.7-15.7	726	35.7	33.0-38.4	388	21.3	18.9-23.7	68	4.3	2.9- 5.7			
18-24	104	27,622	26	26.0	16.8-35.2	21	16.6	9.2-24.0	17	16.7	8.7-24.7	30	31.7	21.7-41.7	10	9.1	3.4-14.8						
25-34	170	41,700	28	16.9	10.4-23.4	22	13.4	7.5-19.3	24	13.4	7.9-18.9	58	36.4	28.0-44.8	35	18.0	11.7-24.3	3	1.9	0.0- 4.4			
35-44	242	40,550	13	6.7	3.0-10.4	12	5.7	2.2- 9.2	18	6.5	2.8-10.2	101	38.2	31.3-45.1	72	29.5	23.0-36.0	26	13.4	7.9-18.9			
45-54	289	29,606	21	8.5	4.6-12.4	19	8.0	4.1-11.9	28	9.5	5.8-13.2	114	36.9	30.6-43.2	95	31.9	26.0-37.8	12	5.1	2.2- 8.0			
55-64	437	37,131	43	10.6	6.9-14.3	33	6.9	4.0- 9.8	51	10.7	7.2-14.2	181	39.6	34.3-44.9	116	29.7	24.6-34.8	13	2.5	0.9- 4.1			
65+	970	50,906	214	22.6	19.5-25.7	169	16.1	13.4-18.8	221	23.0	19.9-26.1	276	28.1	24.8-31.4	73	8.5	6.3-10.7	17	1.7	0.7- 2.7			
Less Than H.S.	76	13,911	35	46.6	31.1-62.1	14	14.2	4.4-24.0	10	6.6	1.9-11.3	11	19.5	5.2-33.8	4	6.9	0.0-14.9	2	6.3	0.0-16.1			
H.S. or G.E.D.	532	49,988	134	20.3	16.0-24.6	87	14.7	10.6-18.8	113	19.4	14.9-23.9	147	32.6	26.9-38.3	40	10.3	6.8-13.8	11	2.6	0.6- 4.6			
Some Post-H.S.	744	88,807	128	16.0	12.5-19.5	97	11.8	8.7-14.9	130	15.2	11.9-18.5	254	35.7	31.2-40.2	115	17.7	14.0-21.4	20	3.6	1.6- 5.6			
College Graduate	859	74,637	48	5.5	3.5- 7.5	78	7.7	5.3-10.1	106	9.6	7.2-12.0	347	38.1	34.0-42.2	242	33.4	29.3-37.5	38	5.7	3.7- 7.7			
Less than \$15,000	117	16,071	117	100.0	100.0- 100																		
\$15,000- 24,999	228	18,838	228	100.0	100.0- 100																		
\$25,000- 34,999	276	25,617				276	100.0	100.0- 100															
\$35,000- 49,999	359	31,305							359	100.0	100.0- 100												
\$50,000- 99,999	760	79,374										760	100.0	100.0- 100									
\$100,000 - 199,999	401	46,744													401	100.0	100.0- 100						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1 MALES AND FEMALES	110
2 MALES ONLY	111
3 FEMALES ONLY	112
ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4 MALES AND FEMALES	113
5 MALES ONLY	114
6 FEMALES ONLY	115
ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI1)	
7 MALES AND FEMALES	116
8 MALES ONLY	117
9 FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5702	577,200	505	10.9	9.7-12.1	209	4.2	3.4- 5.0	1633	24.8	23.4-26.2	3355	60.2	58.4-62.0
Male	2916	296,373	273	12.2	10.6-13.8	117	4.3	3.3- 5.3	969	28.5	26.5-30.5	1557	55.0	52.6-57.4
Female	2786	280,827	232	9.4	7.8-11.0	92	3.9	2.9- 4.9	664	21.0	19.0-23.0	1798	65.7	63.3-68.1
Native	249	24,650	57	23.8	16.5-31.1	30	12.0	6.3-17.7	68	28.6	20.8-36.4	94	35.6	27.6-43.6
Non-Native	5376	545,736	440	10.2	9.0-11.4	175	3.8	3.0- 4.6	1543	24.6	23.2-26.0	3218	61.4	59.6-63.2
18-24	355	77,925	9	3.1	0.9- 5.3	18	4.4	2.0- 6.8	35	9.0	5.7-12.3	293	83.5	79.2-87.8
25-34	524	109,970	65	14.2	10.7-17.7	34	5.7	3.5- 7.9	90	17.3	13.6-21.0	335	62.8	58.1-67.5
35-44	633	95,526	99	18.6	14.9-22.3	38	5.5	3.5- 7.5	150	24.3	20.6-28.0	346	51.6	47.1-56.1
45-54	715	77,157	84	12.2	9.5-14.9	24	2.9	1.5- 4.3	158	23.3	19.8-26.8	449	61.7	57.6-65.8
55-64	1029	90,056	126	12.8	10.3-15.3	41	3.7	2.3- 5.1	271	28.6	25.3-31.9	591	54.9	51.4-58.4
65+	2446	126,566	122	4.8	3.8- 5.8	54	2.7	1.9- 3.5	929	39.7	37.3-42.1	1341	52.9	50.5-55.3
Less Than H.S.	260	43,444	60	28.5	20.9-36.1	17	7.5	3.4-11.6	87	28.6	21.3-35.9	96	35.4	27.6-43.2
H.S. or G.E.D.	1592	152,854	190	14.9	12.5-17.3	68	5.1	3.5- 6.7	517	27.3	24.6-30.0	817	52.7	49.6-55.8
Some Post-H.S.	1849	217,666	173	10.0	8.2-11.8	86	4.4	3.2- 5.6	530	24.9	22.5-27.3	1060	60.7	58.0-63.4
College Graduate	1986	161,295	79	3.4	2.4- 4.4	38	2.1	1.3- 2.9	494	21.1	18.9-23.3	1375	73.4	71.0-75.8
Less than \$15,000	198	24,080	42	23.7	15.3-32.1	11	6.0	1.5-10.5	51	20.8	13.5-28.1	94	49.6	40.0-59.2
\$15,000- 24,999	386	33,886	46	11.8	7.5-16.1	20	6.4	2.7-10.1	127	29.8	23.9-35.7	193	52.0	45.1-58.9
\$25,000- 34,999	516	50,369	55	15.2	10.3-20.1	29	7.1	3.8-10.4	165	26.3	21.4-31.2	267	51.4	45.3-57.5
\$35,000- 49,999	711	66,064	74	12.1	8.8-15.4	25	3.0	1.6- 4.4	229	25.9	22.0-29.8	383	59.0	54.3-63.7
\$50,000- 99,999	1581	161,099	121	9.5	7.5-11.5	59	4.4	3.0- 5.8	456	25.6	22.9-28.3	945	60.5	57.4-63.6
\$100,000 - 199,999	1014	110,578	67	7.5	5.3- 9.7	33	3.4	2.0- 4.8	276	25.6	22.3-28.9	638	63.4	59.9-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2916	296,373	273	12.2	10.6-13.8	117	4.3	3.3- 5.3	969	28.5	26.5-30.5	1557	55.0	52.6-57.4
Native	112	11,893	19	20.0	9.8-30.2	13	10.4	3.0-17.8	32	32.3	20.3-44.3	48	37.3	25.5-49.1
Non-Native	2749	279,573	247	11.8	10.0-13.6	103	4.1	3.1- 5.1	916	28.2	26.2-30.2	1483	55.9	53.5-58.3
18-24	220	41,706	8	4.7	1.2- 8.2	10	3.4	0.9- 5.9	28	11.8	7.3-16.3	174	80.0	74.1-85.9
25-34	324	60,122	36	14.4	9.7-19.1	24	7.1	4.0-10.2	69	21.9	16.8-27.0	195	56.7	50.6-62.8
35-44	355	49,610	64	21.4	16.3-26.5	24	6.1	3.4- 8.8	96	27.3	22.0-32.6	171	45.1	39.2-51.0
45-54	359	40,050	46	13.3	9.2-17.4	11	2.5	0.9- 4.1	95	28.6	23.3-33.9	207	55.5	49.6-61.4
55-64	510	46,050	59	14.0	10.1-17.9	20	3.4	1.6- 5.2	143	28.7	24.0-33.4	288	53.8	48.7-58.9
65+	1148	58,835	60	5.4	3.8- 7.0	28	2.7	1.5- 3.9	538	47.6	44.3-50.9	522	44.3	41.0-47.6
Less Than H.S.	152	26,157	38	31.2	21.4-41.0	8	6.1	1.2-11.0	57	27.9	19.3-36.5	49	34.8	24.6-45.0
H.S. or G.E.D.	871	86,611	108	15.2	12.1-18.3	46	5.2	3.4- 7.0	319	31.5	27.8-35.2	398	48.2	44.1-52.3
Some Post-H.S.	918	108,742	88	11.1	8.6-13.6	42	4.3	2.5- 6.1	294	27.2	23.9-30.5	494	57.4	53.5-61.3
College Graduate	963	73,161	36	3.4	2.0- 4.8	21	2.9	1.5- 4.3	296	27.0	23.7-30.3	610	66.8	63.3-70.3
Less than \$15,000	84	8,695	21	32.7	17.8-47.6	6	4.5	0.4- 8.6	22	18.7	9.5-27.9	35	44.0	29.7-58.3
\$15,000- 24,999	161	15,423	21	13.8	7.1-20.5	9	7.0	0.9-13.1	58	27.8	19.6-36.0	73	51.4	41.2-61.6
\$25,000- 34,999	246	25,619	25	14.8	7.9-21.7	18	8.9	3.6-14.2	89	30.2	22.8-37.6	114	46.1	37.7-54.5
\$35,000- 49,999	357	35,465	45	15.5	10.6-20.4	14	3.3	1.3- 5.3	135	30.2	24.5-35.9	163	51.0	44.3-57.7
\$50,000- 99,999	831	83,615	64	10.5	7.6-13.4	35	5.2	3.2- 7.2	276	28.3	24.6-32.0	456	56.0	51.7-60.3
\$100,000 - 199,999	617	64,382	43	7.7	5.2-10.2	18	3.0	1.2- 4.8	203	31.6	27.1-36.1	353	57.8	53.1-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker-Smoke everyday			Current smoker-Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2786	280,827	232	9.4	7.8-11.0	92	3.9	2.9- 4.9	664	21.0	19.0-23.0	1798	65.7	63.3-68.1
Native	137	12,758	38	27.4	17.2-37.6	17	13.5	5.3-21.7	36	25.1	14.7-35.5	46	34.0	22.8-45.2
Non-Native	2627	266,163	193	8.6	7.0-10.2	72	3.4	2.4- 4.4	627	20.8	18.8-22.8	1735	67.2	64.8-69.6
18-24	135	36,219	1	1.1	0.0- 3.3	8	5.6	1.5- 9.7	7	5.7	1.0-10.4	119	87.6	81.3-93.9
25-34	200	49,848	29	13.9	8.6-19.2	10	4.1	1.2- 7.0	21	11.8	6.3-17.3	140	70.3	63.0-77.6
35-44	278	45,916	35	15.5	9.8-21.2	14	4.9	2.0- 7.8	54	21.1	15.6-26.6	175	58.5	51.8-65.2
45-54	356	37,107	38	10.9	7.2-14.6	13	3.2	1.2- 5.2	63	17.7	13.2-22.2	242	68.3	62.8-73.8
55-64	519	44,006	67	11.4	8.3-14.5	21	4.1	1.9- 6.3	128	28.5	23.6-33.4	303	56.0	50.9-61.1
65+	1298	67,731	62	4.3	3.1- 5.5	26	2.6	1.4- 3.8	391	32.7	29.6-35.8	819	60.3	57.2-63.4
Less Than H.S.	108	17,287	22	24.4	12.4-36.4	9	9.6	2.3-16.9	30	29.7	17.2-42.2	47	36.3	24.0-48.6
H.S. or G.E.D.	721	66,243	82	14.5	10.8-18.2	22	4.9	2.4- 7.4	198	21.9	18.2-25.6	419	58.6	53.7-63.5
Some Post-H.S.	931	108,924	85	8.8	6.4-11.2	44	4.4	2.8- 6.0	236	22.7	19.4-26.0	566	64.0	59.9-68.1
College Graduate	1023	88,134	43	3.4	2.0- 4.8	17	1.5	0.5- 2.5	198	16.2	13.5-18.9	765	78.9	76.0-81.8
Less than \$15,000	114	15,386	21	18.6	8.8-28.4	5	6.8	0.1-13.5	29	21.9	11.9-31.9	59	52.7	40.2-65.2
\$15,000- 24,999	225	18,463	25	10.2	4.7-15.7	11	5.8	1.3-10.3	69	31.4	23.2-39.6	120	52.5	43.3-61.7
\$25,000- 34,999	270	24,750	30	15.5	8.6-22.4	11	5.2	1.1- 9.3	76	22.4	15.9-28.9	153	56.9	48.3-65.5
\$35,000- 49,999	354	30,599	29	8.2	3.9-12.5	11	2.7	0.7- 4.7	94	20.9	15.8-26.0	220	68.3	61.8-74.8
\$50,000- 99,999	750	77,484	57	8.3	5.6-11.0	24	3.6	1.6- 5.6	180	22.7	18.8-26.6	489	65.3	60.8-69.8
\$100,000 - 199,999	397	46,196	24	7.3	3.8-10.8	15	4.1	1.7- 6.5	73	17.3	12.8-21.8	285	71.3	65.8-76.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5702	577,200	4988	85.0	83.6-86.4	714	15.0	13.6-16.4
Male	2916	296,373	2526	83.4	81.6-85.2	390	16.6	14.8-18.4
Female	2786	280,827	2462	86.6	84.8-88.4	324	13.4	11.6-15.2
Native	249	24,650	162	64.2	56.0-72.4	87	35.8	27.6-44.0
Non-Native	5376	545,736	4761	86.0	84.6-87.4	615	14.0	12.6-15.4
18-24	355	77,925	328	92.5	89.4-95.6	27	7.5	4.4-10.6
25-34	524	109,970	425	80.1	76.2-84.0	99	19.9	16.0-23.8
35-44	633	95,526	496	75.9	71.8-80.0	137	24.1	20.0-28.2
45-54	715	77,157	607	85.0	82.1-87.9	108	15.0	12.1-17.9
55-64	1029	90,056	862	83.5	80.8-86.2	167	16.5	13.8-19.2
65+	2446	126,566	2270	92.5	91.1-93.9	176	7.5	6.1-8.9
Less Than H.S.	260	43,444	183	64.0	56.0-72.0	77	36.0	28.0-44.0
H.S. or G.E.D.	1592	152,854	1334	80.0	77.3-82.7	258	20.0	17.3-22.7
Some Post-H.S.	1849	217,666	1590	85.7	83.7-87.7	259	14.3	12.3-16.3
College Graduate	1986	161,295	1869	94.5	93.3-95.7	117	5.5	4.3-6.7
Less than \$15,000	198	24,080	145	70.3	61.3-79.3	53	29.7	20.7-38.7
\$15,000- 24,999	386	33,886	320	81.8	76.5-87.1	66	18.2	12.9-23.5
\$25,000- 34,999	516	50,369	432	77.8	72.3-83.3	84	22.2	16.7-27.7
\$35,000- 49,999	711	66,064	612	84.9	81.4-88.4	99	15.1	11.6-18.6
\$50,000- 99,999	1581	161,099	1401	86.1	83.7-88.5	180	13.9	11.5-16.3
\$100,000 - 199,999	1014	110,578	914	89.0	86.6-91.4	100	11.0	8.6-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2916	296,373	2526	83.4	81.6-85.2	390	16.6	14.8-18.4
Native	112	11,893	80	69.6	58.0-81.2	32	30.4	18.8-42.0
Non-Native	2749	279,573	2399	84.1	82.1-86.1	350	15.9	13.9-17.9
18-24	220	41,706	202	91.8	87.7-95.9	18	8.2	4.1-12.3
25-34	324	60,122	264	78.6	73.3-83.9	60	21.4	16.1-26.7
35-44	355	49,610	267	72.5	67.0-78.0	88	27.5	22.0-33.0
45-54	359	40,050	302	84.1	79.8-88.4	57	15.9	11.6-20.2
55-64	510	46,050	431	82.5	78.4-86.6	79	17.5	13.4-21.6
65+	1148	58,835	1060	92.0	90.0-94.0	88	8.0	6.0-10.0
Less Than H.S.	152	26,157	106	62.7	52.5-72.9	46	37.3	27.1-47.5
H.S. or G.E.D.	871	86,611	717	79.6	76.3-82.9	154	20.4	17.1-23.7
Some Post-H.S.	918	108,742	788	84.6	81.7-87.5	130	15.4	12.5-18.3
College Graduate	963	73,161	906	93.7	91.7-95.7	57	6.3	4.3- 8.3
Less than \$15,000	84	8,695	57	62.7	48.0-77.4	27	37.3	22.6-52.0
\$15,000- 24,999	161	15,423	131	79.2	70.8-87.6	30	20.8	12.4-29.2
\$25,000- 34,999	246	25,619	203	76.3	68.5-84.1	43	23.7	15.9-31.5
\$35,000- 49,999	357	35,465	298	81.2	75.9-86.5	59	18.8	13.5-24.1
\$50,000- 99,999	831	83,615	732	84.3	81.0-87.6	99	15.7	12.4-19.0
\$100,000 - 199,999	617	64,382	556	89.4	86.5-92.3	61	10.6	7.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2786	280,827	2462	86.6	84.8-88.4	324	13.4	11.6-15.2
Native	137	12,758	82	59.1	47.5-70.7	55	40.9	29.3-52.5
Non-Native	2627	266,163	2362	87.9	86.1-89.7	265	12.1	10.3-13.9
18-24	135	36,219	126	93.3	88.8-97.8	9	6.7	2.2-11.2
25-34	200	49,848	161	82.0	76.1-87.9	39	18.0	12.1-23.9
35-44	278	45,916	229	79.6	73.5-85.7	49	20.4	14.3-26.5
45-54	356	37,107	305	85.9	81.8-90.0	51	14.1	10.0-18.2
55-64	519	44,006	431	84.5	80.8-88.2	88	15.5	11.8-19.2
65+	1298	67,731	1210	93.0	91.2-94.8	88	7.0	5.2- 8.8
Less Than H.S.	108	17,287	77	66.0	53.3-78.7	31	34.0	21.3-46.7
H.S. or G.E.D.	721	66,243	617	80.6	76.3-84.9	104	19.4	15.1-23.7
Some Post-H.S.	931	108,924	802	86.7	84.0-89.4	129	13.3	10.6-16.0
College Graduate	1023	88,134	963	95.1	93.5-96.7	60	4.9	3.3- 6.5
Less than \$15,000	114	15,386	88	74.6	63.4-85.8	26	25.4	14.2-36.6
\$15,000- 24,999	225	18,463	189	84.0	77.1-90.9	36	16.0	9.1-22.9
\$25,000- 34,999	270	24,750	229	79.3	71.7-86.9	41	20.7	13.1-28.3
\$35,000- 49,999	354	30,599	314	89.1	84.4-93.8	40	10.9	6.2-15.6
\$50,000- 99,999	750	77,484	669	88.1	85.0-91.2	81	11.9	8.8-15.0
\$100,000 - 199,999	397	46,196	358	88.6	84.5-92.7	39	11.4	7.3-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5702	576,820	5470	92.6	91.6-93.6	232	7.4	6.4- 8.4
Male	2915	296,033	2772	91.0	89.4-92.6	143	9.0	7.4-10.6
Female	2787	280,787	2698	94.3	92.9-95.7	89	5.7	4.3- 7.1
Native	249	24,439	223	85.2	78.5-91.9	26	14.8	8.1-21.5
Non-Native	5376	545,563	5172	93.0	92.0-94.0	204	7.0	6.0- 8.0
18-24	354	77,695	276	78.5	73.8-83.2	78	21.5	16.8-26.2
25-34	523	109,686	452	86.0	82.5-89.5	71	14.0	10.5-17.5
35-44	632	95,415	599	94.4	92.4-96.4	33	5.6	3.6- 7.6
45-54	717	77,366	695	96.4	94.8-98.0	22	3.6	2.0- 5.2
55-64	1031	90,192	1015	98.3	97.1-99.5	16	1.7	0.5- 2.9
65+	2445	126,465	2433	99.3	98.9-99.7	12	0.7	0.3- 1.1
Less Than H.S.	260	43,455	238	84.0	77.3-90.7	22	16.0	9.3-22.7
H.S. or G.E.D.	1590	152,303	1510	90.8	88.6-93.0	80	9.2	7.0-11.4
Some Post-H.S.	1852	217,753	1766	92.6	90.8-94.4	86	7.4	5.6- 9.2
College Graduate	1987	161,448	1946	97.0	96.0-98.0	41	3.0	2.0- 4.0
Less than \$15,000	195	23,688	182	86.4	78.2-94.6	13	13.6	5.4-21.8
\$15,000- 24,999	388	33,667	369	90.4	85.5-95.3	19	9.6	4.7-14.5
\$25,000- 34,999	514	50,198	488	90.0	85.9-94.1	26	10.0	5.9-14.1
\$35,000- 49,999	710	66,177	683	93.6	91.1-96.1	27	6.4	3.9- 8.9
\$50,000- 99,999	1577	160,848	1506	92.5	90.5-94.5	71	7.5	5.5- 9.5
\$100,000 - 199,999	1017	110,994	987	95.7	93.9-97.5	30	4.3	2.5- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2915	296,033	2772	91.0	89.4-92.6	143	9.0	7.4-10.6
Native	114	11,984	105	86.1	76.1-96.1	9	13.9	3.9-23.9
Non-Native	2745	279,102	2612	91.1	89.5-92.7	133	8.9	7.3-10.5
18-24	219	41,476	170	77.3	71.0-83.6	49	22.7	16.4-29.0
25-34	324	60,112	275	82.2	77.1-87.3	49	17.8	12.7-22.9
35-44	355	49,610	331	91.6	88.3-94.9	24	8.4	5.1-11.7
45-54	359	40,050	350	97.0	95.0-99.0	9	3.0	1.0- 5.0
55-64	510	46,079	505	98.7	97.3- 100	5	1.3	0.0- 2.7
65+	1148	58,705	1141	99.2	98.4- 100	7	0.8	0.0- 1.6
Less Than H.S.	153	26,208	138	82.1	73.3-90.9	15	17.9	9.1-26.7
H.S. or G.E.D.	869	86,224	818	89.5	86.6-92.4	51	10.5	7.6-13.4
Some Post-H.S.	918	108,635	869	91.3	88.8-93.8	49	8.7	6.2-11.2
College Graduate	964	73,302	939	96.1	94.5-97.7	25	3.9	2.3- 5.5
Less than \$15,000	83	8,605	78	86.1	71.6- 100	5	13.9	0.0-28.4
\$15,000- 24,999	164	15,341	155	90.5	83.1-97.9	9	9.5	2.1-16.9
\$25,000- 34,999	245	25,601	231	87.4	80.7-94.1	14	12.6	5.9-19.3
\$35,000- 49,999	357	35,465	339	92.5	89.0-96.0	18	7.5	4.0-11.0
\$50,000- 99,999	828	83,463	783	90.6	87.7-93.5	45	9.4	6.5-12.3
\$100,000 - 199,999	619	64,694	597	94.6	92.1-97.1	22	5.4	2.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CUREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2787	280,787	2698	94.3	92.9-95.7	89	5.7	4.3- 7.1
Native	135	12,456	118	84.3	75.7-92.9	17	15.7	7.1-24.3
Non-Native	2631	266,461	2560	94.9	93.5-96.3	71	5.1	3.7- 6.5
18-24	135	36,219	106	80.0	72.7-87.3	29	20.0	12.7-27.3
25-34	199	49,573	177	90.6	86.1-95.1	22	9.4	4.9-13.9
35-44	277	45,805	268	97.3	95.3-99.3	9	2.7	0.7- 4.7
45-54	358	37,316	345	95.7	93.2-98.2	13	4.3	1.8- 6.8
55-64	521	44,113	510	97.9	96.3-99.5	11	2.1	0.5- 3.7
65+	1297	67,760	1292	99.5	98.9- 100	5	0.5	0.0- 1.1
Less Than H.S.	107	17,247	100	86.9	77.1-96.7	7	13.1	3.3-22.9
H.S. or G.E.D.	721	66,080	692	92.4	89.3-95.5	29	7.6	4.5-10.7
Some Post-H.S.	934	109,118	897	93.9	91.5-96.3	37	6.1	3.7- 8.5
College Graduate	1023	88,146	1007	97.7	96.3-99.1	16	2.3	0.9- 3.7
Less than \$15,000	112	15,083	104	86.7	76.9-96.5	8	13.3	3.5-23.1
\$15,000- 24,999	224	18,326	214	90.3	83.8-96.8	10	9.7	3.2-16.2
\$25,000- 34,999	269	24,598	257	92.8	87.9-97.7	12	7.2	2.3-12.1
\$35,000- 49,999	353	30,712	344	94.9	91.2-98.6	9	5.1	1.4- 8.8
\$50,000- 99,999	749	77,385	723	94.5	92.0-97.0	26	5.5	3.0- 8.0
\$100,000 - 199,999	398	46,300	390	97.2	95.0-99.4	8	2.8	0.6- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5611	567,021	3096	58.6	56.8-60.4	2515	41.4	39.6-43.2
Male	2860	290,875	1795	65.3	63.1-67.5	1065	34.7	32.5-36.9
Female	2751	276,146	1301	51.5	49.0-54.0	1450	48.5	46.0-51.0
Native	245	24,181	106	45.1	36.5-53.7	139	54.9	46.3-63.5
Non-Native	5291	536,145	2949	59.3	57.5-61.1	2342	40.7	38.9-42.5
18-24	346	75,990	200	52.9	47.0-58.8	146	47.1	41.2-53.0
25-34	516	108,038	350	64.3	59.4-69.2	166	35.7	30.8-40.6
35-44	623	94,207	409	65.2	60.9-69.5	214	34.8	30.5-39.1
45-54	704	75,999	441	63.0	58.9-67.1	263	37.0	32.9-41.1
55-64	1016	88,554	631	64.2	60.7-67.7	385	35.8	32.3-39.3
65+	2406	124,233	1065	45.5	43.1-47.9	1341	54.5	52.1-56.9
Less Than H.S.	254	42,570	105	45.7	37.5-53.9	149	54.3	46.1-62.5
H.S. or G.E.D.	1555	148,792	784	54.3	51.2-57.4	771	45.7	42.6-48.8
Some Post-H.S.	1834	215,153	993	57.8	54.9-60.7	841	42.2	39.3-45.1
College Graduate	1955	158,826	1209	67.3	64.8-69.8	746	32.7	30.2-35.2
Less than \$15,000	194	23,663	68	36.6	27.2-46.0	126	63.4	54.0-72.8
\$15,000- 24,999	383	33,192	142	41.1	34.2-48.0	241	58.9	52.0-65.8
\$25,000- 34,999	509	49,831	228	52.3	46.2-58.4	281	47.7	41.6-53.8
\$35,000- 49,999	705	65,649	373	60.2	55.5-64.9	332	39.8	35.1-44.5
\$50,000- 99,999	1564	159,229	966	62.9	59.8-66.0	598	37.1	34.0-40.2
\$100,000 - 199,999	1010	110,334	736	74.9	71.6-78.2	274	25.1	21.8-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2860	290,875	1795	65.3	63.1-67.5	1065	34.7	32.5-36.9
Native	112	11,837	56	50.7	38.2-63.2	56	49.3	36.8-61.8
Non-Native	2695	274,256	1708	66.1	63.9-68.3	987	33.9	31.7-36.1
18-24	214	40,475	137	61.3	53.9-68.7	77	38.7	31.3-46.1
25-34	323	59,919	240	71.7	66.0-77.4	83	28.3	22.6-34.0
35-44	349	48,997	245	68.2	62.5-73.9	104	31.8	26.1-37.5
45-54	353	39,456	235	67.5	62.0-73.0	118	32.5	27.0-38.0
55-64	499	44,899	331	69.0	64.5-73.5	168	31.0	26.5-35.5
65+	1122	57,129	607	54.4	50.9-57.9	515	45.6	42.1-49.1
Less Than H.S.	147	25,330	80	57.9	47.5-68.3	67	42.1	31.7-52.5
H.S. or G.E.D.	848	84,279	487	59.2	55.1-63.3	361	40.8	36.7-44.9
Some Post-H.S.	912	107,881	577	66.4	62.7-70.1	335	33.6	29.9-37.3
College Graduate	943	71,943	647	73.9	70.6-77.2	296	26.1	22.8-29.4
Less than \$15,000	82	8,580	38	51.3	36.8-65.8	44	48.7	34.2-63.2
\$15,000- 24,999	162	15,287	72	49.6	39.2-60.0	90	50.4	40.0-60.8
\$25,000- 34,999	241	25,271	123	57.3	49.1-65.5	118	42.7	34.5-50.9
\$35,000- 49,999	355	35,173	219	68.0	61.9-74.1	136	32.0	25.9-38.1
\$50,000- 99,999	820	82,526	562	70.0	65.9-74.1	258	30.0	25.9-34.1
\$100,000 - 199,999	615	64,247	459	76.4	72.3-80.5	156	23.6	19.5-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	276,146	1301	51.5	49.0-54.0	1450	48.5	46.0-51.0
Native	133	12,344	50	39.8	28.2-51.4	83	60.2	48.6-71.8
Non-Native	2596	261,889	1241	52.1	49.6-54.6	1355	47.9	45.4-50.4
18-24	132	35,515	63	43.3	34.1-52.5	69	56.7	47.5-65.9
25-34	193	48,119	110	55.0	47.0-63.0	83	45.0	37.0-53.0
35-44	274	45,210	164	61.9	55.4-68.4	110	38.1	31.6-44.6
45-54	351	36,543	206	58.2	52.3-64.1	145	41.8	35.9-47.7
55-64	517	43,655	300	59.2	54.1-64.3	217	40.8	35.7-45.9
65+	1284	67,104	458	37.9	34.8-41.0	826	62.1	59.0-65.2
Less Than H.S.	107	17,240	25	27.9	15.6-40.2	82	72.1	59.8-84.4
H.S. or G.E.D.	707	64,513	297	47.8	42.7-52.9	410	52.2	47.1-57.3
Some Post-H.S.	922	107,272	416	49.3	45.0-53.6	506	50.7	46.4-55.0
College Graduate	1012	86,883	562	61.8	58.1-65.5	450	38.2	34.5-41.9
Less than \$15,000	112	15,083	30	28.2	16.8-39.6	82	71.8	60.4-83.2
\$15,000- 24,999	221	17,905	70	33.9	25.3-42.5	151	66.1	57.5-74.7
\$25,000- 34,999	268	24,559	105	47.2	38.4-56.0	163	52.8	44.0-61.6
\$35,000- 49,999	350	30,475	154	51.2	43.9-58.5	196	48.8	41.5-56.1
\$50,000- 99,999	744	76,703	404	55.2	50.3-60.1	340	44.8	39.9-49.7
\$100,000 - 199,999	395	46,087	277	72.9	67.6-78.2	118	27.1	21.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5611	567,021	1906	36.7	34.9-38.5	635	12.5	11.3-13.7	209	3.5	2.9- 4.1	346	5.9	5.1- 6.7	2515	41.4	39.6-43.2
Male	2860	290,875	966	35.9	33.5-38.3	422	15.8	14.0-17.6	153	4.8	3.8- 5.8	254	8.8	7.4-10.2	1065	34.7	32.5-36.9
Female	2751	276,146	940	37.6	35.1-40.1	213	8.9	7.5-10.3	56	2.1	1.3- 2.9	92	2.9	2.1- 3.7	1450	48.5	46.0-51.0
Native	245	24,181	80	35.2	27.0-43.4	21	9.1	4.4-13.8	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5	139	54.9	46.3-63.5
Non-Native	5291	536,145	1807	36.9	35.1-38.7	603	12.6	11.4-13.8	203	3.6	3.0- 4.2	336	6.2	5.4- 7.0	2342	40.7	38.9-42.5
18-24	346	75,990	131	37.1	31.4-42.8	53	12.7	9.0-16.4	5	0.7	0.0- 1.5	11	2.3	0.7- 3.9	146	47.1	41.2-53.0
25-34	516	108,038	207	39.3	34.4-44.2	93	16.0	12.7-19.3	21	3.2	1.6- 4.8	29	5.8	3.4- 8.2	166	35.7	30.8-40.6
35-44	623	94,207	256	41.5	37.0-46.0	94	13.9	11.0-16.8	18	2.6	1.2- 4.0	41	7.2	4.7- 9.7	214	34.8	30.5-39.1
45-54	704	75,999	265	38.2	34.1-42.3	95	13.0	10.3-15.7	44	6.0	4.0- 8.0	37	5.8	3.8- 7.8	263	37.0	32.9-41.1
55-64	1016	88,554	389	39.2	35.7-42.7	126	13.5	11.0-16.0	49	4.9	3.3- 6.5	67	6.6	4.8- 8.4	385	35.8	32.3-39.3
65+	2406	124,233	658	27.9	25.7-30.1	174	7.0	5.8- 8.2	72	3.6	2.6- 4.6	161	7.0	5.8- 8.2	1341	54.5	52.1-56.9
Less Than H.S.	254	42,570	65	28.5	21.1-35.9	22	8.2	3.5-12.9	5	2.5	0.0- 5.4	13	6.5	2.0-11.0	149	54.3	46.1-62.5
H.S. or G.E.D.	1555	148,792	493	34.4	31.3-37.5	148	10.7	8.7-12.7	44	2.9	1.9- 3.9	99	6.2	4.6- 7.8	771	45.7	42.6-48.8
Some Post-H.S.	1834	215,153	601	36.6	33.7-39.5	199	11.7	9.9-13.5	74	3.4	2.4- 4.4	119	6.1	4.7- 7.5	841	42.2	39.3-45.1
College Graduate	1955	158,826	744	41.4	38.7-44.1	265	16.1	13.9-18.3	85	4.3	3.3- 5.3	115	5.4	4.2- 6.6	746	32.7	30.2-35.2
Less than \$15,000	194	23,663	49	27.6	19.0-36.2	10	5.6	0.0-11.3	2	0.6	0.0- 1.6	7	2.8	0.3- 5.3	126	63.4	54.0-72.8
\$15,000- 24,999	383	33,192	95	27.5	21.2-33.8	29	8.8	5.1-12.5	8	2.4	0.4- 4.4	10	2.4	0.2- 4.6	241	58.9	52.0-65.8
\$25,000- 34,999	509	49,831	150	35.0	29.1-40.9	38	9.3	5.6-13.0	11	1.9	0.1- 3.7	29	6.1	3.0- 9.2	281	47.7	41.6-53.8
\$35,000- 49,999	705	65,649	236	40.2	35.3-45.1	68	11.3	8.2-14.4	26	3.3	1.7- 4.9	43	5.5	3.3- 7.7	332	39.8	35.1-44.5
\$50,000- 99,999	1564	159,229	598	40.6	37.5-43.7	186	12.1	10.1-14.1	69	3.9	2.9- 4.9	113	6.3	4.9- 7.7	598	37.1	34.0-40.2
\$100,000 - 199,999	1010	110,334	420	43.5	39.8-47.2	184	19.9	16.8-23.0	52	4.6	3.0- 6.2	80	7.0	5.2- 8.8	274	25.1	21.8-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2860	290,875	966	35.9	33.5-38.3	422	15.8	14.0-17.6	153	4.8	3.8- 5.8	254	8.8	7.4-10.2	1065	34.7	32.5-36.9
Native	112	11,837	40	38.1	25.9-50.3	13	11.4	3.8-19.0	1	0.4	0.0- 1.2	2	0.8	0.0- 2.0	56	49.3	36.8-61.8
Non-Native	2695	274,256	913	36.0	33.6-38.4	399	16.1	14.3-17.9	148	4.9	3.9- 5.9	248	9.1	7.7-10.5	987	33.9	31.7-36.1
18-24	214	40,475	81	39.2	31.8-46.6	42	17.3	12.0-22.6	4	1.2	0.0- 2.4	10	3.6	0.9- 6.3	77	38.7	31.3-46.1
25-34	323	59,919	127	37.8	31.9-43.7	73	21.5	16.6-26.4	16	4.1	1.9- 6.3	24	8.4	4.9-11.9	83	28.3	22.6-34.0
35-44	349	48,997	142	40.7	34.8-46.6	57	14.8	10.9-18.7	13	3.0	1.2- 4.8	33	9.8	6.3-13.3	104	31.8	26.1-37.5
45-54	353	39,456	110	32.7	27.0-38.4	61	16.6	12.3-20.9	33	8.5	5.4-11.6	31	9.7	6.0-13.4	118	32.5	27.0-38.0
55-64	499	44,899	180	37.3	32.4-42.2	72	15.2	11.5-18.9	33	6.6	3.9- 9.3	46	9.9	7.0-12.8	168	31.0	26.5-35.5
65+	1122	57,129	326	28.4	25.3-31.5	117	9.6	7.6-11.6	54	5.8	4.0- 7.6	110	10.6	8.4-12.8	515	45.6	42.1-49.1
Less Than H.S.	147	25,330	45	36.7	26.3-47.1	20	11.7	4.8-18.6	4	2.2	0.0- 5.1	11	7.3	2.0-12.6	67	42.1	31.7-52.5
H.S. or G.E.D.	848	84,279	267	32.8	28.9-36.7	108	13.3	10.4-16.2	34	4.1	2.5- 5.7	78	9.0	6.6-11.4	361	40.8	36.7-44.9
Some Post-H.S.	912	107,881	303	35.8	31.9-39.7	133	16.2	13.3-19.1	55	4.9	3.3- 6.5	86	9.5	7.1-11.9	335	33.6	29.9-37.3
College Graduate	943	71,943	349	39.7	35.8-43.6	160	19.6	16.5-22.7	59	6.3	4.5- 8.1	79	8.3	6.3-10.3	296	26.1	22.8-29.4
Less than \$15,000	82	8,580	23	31.9	18.6-45.2	8	12.4	0.0-26.3	1	0.3	0.0- 0.9	6	6.8	0.1-13.5	44	48.7	34.2-63.2
\$15,000- 24,999	162	15,287	40	28.4	18.6-38.2	19	13.1	6.6-19.6	7	5.1	1.0- 9.2	6	3.0	0.0- 6.7	90	50.4	40.0-60.8
\$25,000- 34,999	241	25,271	65	29.8	21.8-37.8	27	13.6	7.7-19.5	8	2.8	0.0- 5.9	23	11.1	5.4-16.8	118	42.7	34.5-50.9
\$35,000- 49,999	355	35,173	129	42.8	36.1-49.5	42	12.8	8.3-17.3	18	4.1	1.9- 6.3	30	8.3	4.6-12.0	136	32.0	25.9-38.1
\$50,000- 99,999	820	82,526	301	39.6	35.3-43.9	127	15.5	12.6-18.4	55	6.3	4.3- 8.3	79	8.6	6.4-10.8	258	30.0	25.9-34.1
\$100,000 - 199,999	615	64,247	237	39.5	34.8-44.2	121	22.2	18.1-26.3	38	4.6	2.8- 6.4	63	10.1	7.2-13.0	156	23.6	19.5-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	276,146	940	37.6	35.1-40.1	213	8.9	7.5-10.3	56	2.1	1.3- 2.9	92	2.9	2.1- 3.7	1450	48.5	46.0-51.0
Native	133	12,344	40	32.3	21.3-43.3	8	6.8	1.1-12.5				2	0.6	0.0- 1.6	83	60.2	48.6-71.8
Non-Native	2596	261,889	894	37.9	35.4-40.4	204	9.0	7.4-10.6	55	2.1	1.3- 2.9	88	3.0	2.0- 4.0	1355	47.9	45.4-50.4
18-24	132	35,515	50	34.7	26.1-43.3	11	7.5	2.8-12.2	1	0.2	0.0- 0.8	1	0.8	0.0- 2.4	69	56.7	47.5-65.9
25-34	193	48,119	80	41.2	33.2-49.2	20	9.1	4.8-13.4	5	2.1	0.1- 4.1	5	2.6	0.2- 5.0	83	45.0	37.0-53.0
35-44	274	45,210	114	42.5	35.8-49.2	37	12.9	8.4-17.4	5	2.1	0.0- 4.5	8	4.4	0.9- 7.9	110	38.1	31.6-44.6
45-54	351	36,543	155	44.2	38.3-50.1	34	9.2	5.9-12.5	11	3.3	1.3- 5.3	6	1.5	0.1- 2.9	145	41.8	35.9-47.7
55-64	517	43,655	209	41.3	36.2-46.4	54	11.7	8.4-15.0	16	3.1	1.5- 4.7	21	3.2	1.6- 4.8	217	40.8	35.7-45.9
65+	1284	67,104	332	27.5	24.6-30.4	57	4.8	3.4- 6.2	18	1.7	0.7- 2.7	51	3.9	2.5- 5.3	826	62.1	59.0-65.2
Less Than H.S.	107	17,240	20	16.4	7.6-25.2	2	3.2	0.0- 8.1	1	2.9	0.0- 8.4	2	5.3	0.0-13.3	82	72.1	59.8-84.4
H.S. or G.E.D.	707	64,513	226	36.5	31.6-41.4	40	7.4	4.5-10.3	10	1.3	0.1- 2.5	21	2.6	1.0- 4.2	410	52.2	47.1-57.3
Some Post-H.S.	922	107,272	298	37.4	33.1-41.7	66	7.2	5.0- 9.4	19	1.9	0.9- 2.9	33	2.6	1.4- 3.8	506	50.7	46.4-55.0
College Graduate	1012	86,883	395	42.9	39.0-46.8	105	13.2	10.3-16.1	26	2.6	1.4- 3.8	36	3.1	1.7- 4.5	450	38.2	34.5-41.9
Less than \$15,000	112	15,083	26	25.1	13.9-36.3	2	1.7	0.0- 4.2	1	0.8	0.0- 2.4	1	0.5	0.0- 1.7	82	71.8	60.4-83.2
\$15,000- 24,999	221	17,905	55	26.7	18.7-34.7	10	5.1	0.8- 9.4	1	0.1	0.0- 0.3	4	2.0	0.0- 4.4	151	66.1	57.5-74.7
\$25,000- 34,999	268	24,559	85	40.3	31.7-48.9	11	4.9	0.6- 9.2	3	0.9	0.0- 2.1	6	1.0	0.0- 2.0	163	52.8	44.0-61.6
\$35,000- 49,999	350	30,475	107	37.2	29.8-44.6	26	9.4	5.3-13.5	8	2.4	0.4- 4.4	13	2.2	0.4- 4.0	196	48.8	41.5-56.1
\$50,000- 99,999	744	76,703	297	41.6	36.9-46.3	59	8.4	5.9-10.9	14	1.3	0.5- 2.1	34	3.9	2.3- 5.5	340	44.8	39.9-49.7
\$100,000 - 199,999	395	46,087	183	49.0	42.9-55.1	63	16.8	12.3-21.3	14	4.6	1.7- 7.5	17	2.5	1.1- 3.9	118	27.1	21.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5554	559,975	4664	79.2	77.6-80.8	890	20.8	19.2-22.4
Male	2824	287,284	2215	73.7	71.5-75.9	609	26.3	24.1-28.5
Female	2730	272,691	2449	85.0	83.0-87.0	281	15.0	13.0-17.0
Native	240	23,405	190	80.5	74.0-87.0	50	19.5	13.0-26.0
Non-Native	5240	529,970	4410	79.2	77.6-80.8	830	20.8	19.2-22.4
18-24	343	75,400	233	70.2	64.9-75.5	110	29.8	24.5-35.1
25-34	507	106,051	338	69.6	65.1-74.1	169	30.4	25.9-34.9
35-44	615	92,909	456	74.9	71.0-78.8	159	25.1	21.2-29.0
45-54	693	74,707	540	77.8	74.3-81.3	153	22.2	18.7-25.7
55-64	1006	87,517	852	83.9	81.2-86.6	154	16.1	13.4-18.8
65+	2390	123,391	2245	93.7	92.5-94.9	145	6.3	5.1-7.5
Less Than H.S.	249	41,493	216	80.7	73.4-88.0	33	19.3	12.0-26.6
H.S. or G.E.D.	1535	146,464	1306	80.4	77.7-83.1	229	19.6	16.9-22.3
Some Post-H.S.	1814	212,924	1478	77.6	75.1-80.1	336	22.4	19.9-24.9
College Graduate	1943	157,414	1652	79.8	77.4-82.2	291	20.2	17.8-22.6
Less than \$15,000	192	23,379	173	87.3	80.0-94.6	19	12.7	5.4-20.0
\$15,000- 24,999	381	33,090	341	85.0	79.9-90.1	40	15.0	9.9-20.1
\$25,000- 34,999	505	49,255	438	77.4	71.7-83.1	67	22.6	16.9-28.3
\$35,000- 49,999	695	64,686	594	78.4	73.9-82.9	101	21.6	17.1-26.1
\$50,000- 99,999	1550	157,665	1280	79.1	76.4-81.8	270	20.9	18.2-23.6
\$100,000 - 199,999	1001	108,875	762	72.2	68.7-75.7	239	27.8	24.3-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2824	287,284	2215	73.7	71.5-75.9	609	26.3	24.1-28.5
Native	110	11,656	80	75.5	65.5-85.5	30	24.5	14.5-34.5
Non-Native	2662	270,940	2091	73.6	71.4-75.8	571	26.4	24.2-28.6
18-24	212	40,190	134	64.1	56.8-71.4	78	35.9	28.6-43.2
25-34	319	59,248	197	64.5	58.6-70.4	122	35.5	29.6-41.4
35-44	345	48,592	233	69.7	64.2-75.2	112	30.3	24.8-35.8
45-54	348	38,872	245	70.0	64.5-75.5	103	30.0	24.5-35.5
55-64	490	43,883	399	80.9	76.8-85.0	91	19.1	15.0-23.2
65+	1110	56,499	1007	90.7	88.5-92.9	103	9.3	7.1-11.5
Less Than H.S.	143	24,752	117	75.2	65.2-85.2	26	24.8	14.8-34.8
H.S. or G.E.D.	838	83,489	671	76.8	73.1-80.5	167	23.2	19.5-26.9
Some Post-H.S.	896	106,237	673	71.2	67.5-74.9	223	28.8	25.1-32.5
College Graduate	937	71,365	745	73.1	69.6-76.6	192	26.9	23.4-30.4
Less than \$15,000	81	8,548	68	78.3	63.6-93.0	13	21.7	7.0-36.4
\$15,000- 24,999	160	15,184	135	76.4	67.2-85.6	25	23.6	14.4-32.8
\$25,000- 34,999	239	25,224	194	69.0	60.4-77.6	45	31.0	22.4-39.6
\$35,000- 49,999	349	34,490	285	76.2	70.3-82.1	64	23.8	17.9-29.7
\$50,000- 99,999	810	81,675	624	72.5	68.4-76.6	186	27.5	23.4-31.6
\$100,000 - 199,999	608	63,423	430	67.7	63.2-72.2	178	32.3	27.8-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	272,691	2449	85.0	83.0-87.0	281	15.0	13.0-17.0
Native	130	11,749	110	85.4	77.6-93.2	20	14.6	6.8-22.4
Non-Native	2578	259,029	2319	85.0	82.8-87.2	259	15.0	12.8-17.2
18-24	131	35,211	99	77.0	69.4-84.6	32	23.0	15.4-30.6
25-34	188	46,803	141	76.1	69.0-83.2	47	23.9	16.8-31.0
35-44	270	44,317	223	80.6	74.9-86.3	47	19.4	13.7-25.1
45-54	345	35,835	295	86.3	82.2-90.4	50	13.7	9.6-17.8
55-64	516	43,633	453	86.9	83.4-90.4	63	13.1	9.6-16.6
65+	1280	66,892	1238	96.2	94.8-97.6	42	3.8	2.4- 5.2
Less Than H.S.	106	16,741	99	88.7	78.9-98.5	7	11.3	1.5-21.1
H.S. or G.E.D.	697	62,976	635	85.2	81.1-89.3	62	14.8	10.7-18.9
Some Post-H.S.	918	106,687	805	83.8	80.3-87.3	113	16.2	12.7-19.7
College Graduate	1006	86,049	907	85.4	82.3-88.5	99	14.6	11.5-17.7
Less than \$15,000	111	14,831	105	92.5	86.0-99.0	6	7.5	1.0-14.0
\$15,000- 24,999	221	17,905	206	92.2	87.3-97.1	15	7.8	2.9-12.7
\$25,000- 34,999	266	24,031	244	86.3	79.6-93.0	22	13.7	7.0-20.4
\$35,000- 49,999	346	30,196	309	80.9	74.2-87.6	37	19.1	12.4-25.8
\$50,000- 99,999	740	75,990	656	86.2	82.9-89.5	84	13.8	10.5-17.1
\$100,000 - 199,999	393	45,452	332	78.6	72.9-84.3	61	21.4	15.7-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5562	560,966	1038	17.8	16.4-19.2	439	8.6	7.6- 9.6	678	13.9	12.7-15.1	465	8.8	7.8- 9.8	410	8.6	7.6- 9.6	2532	42.3	40.5-44.1
Male	2825	287,426	446	14.5	12.9-16.1	232	8.9	7.5-10.3	420	15.9	14.1-17.7	316	11.6	10.2-13.0	337	13.4	11.8-15.0	1074	35.6	33.4-37.8
Female	2737	273,539	592	21.2	19.2-23.2	207	8.4	7.0- 9.8	258	11.7	9.9-13.5	149	5.8	4.6- 7.0	73	3.5	2.5- 4.5	1458	49.3	46.8-51.8
Native	240	23,765	31	12.0	6.9-17.1	12	7.0	2.3-11.7	29	13.3	7.0-19.6	18	7.1	3.2-11.0	11	4.8	0.9- 8.7	139	55.8	47.2-64.4
Non-Native	5248	530,600	995	18.1	16.7-19.5	423	8.8	7.8- 9.8	640	14.0	12.8-15.2	438	8.8	7.8- 9.8	393	8.7	7.7- 9.7	2359	41.6	39.8-43.4
18-24	341	74,610	50	13.9	10.0-17.8	28	8.1	4.8-11.4	51	14.0	9.9-18.1	27	6.2	3.7- 8.7	39	9.9	6.6-13.2	146	48.0	41.9-54.1
25-34	508	106,938	73	14.4	10.9-17.9	50	10.5	7.4-13.6	88	14.9	11.6-18.2	69	11.9	8.8-15.0	60	11.8	8.7-14.9	168	36.5	31.6-41.4
35-44	615	92,767	118	20.5	16.8-24.2	60	9.5	7.0-12.0	102	15.8	12.5-19.1	68	10.2	7.7-12.7	50	7.9	5.5-10.3	217	36.0	31.7-40.3
45-54	699	75,423	114	16.0	13.1-18.9	68	9.1	6.7-11.5	116	17.0	13.9-20.1	73	11.0	8.5-13.5	60	8.9	6.4-11.4	268	38.0	33.9-42.1
55-64	1009	87,836	232	22.4	19.5-25.3	93	10.0	7.8-12.2	128	14.4	11.7-17.1	81	7.9	5.9- 9.9	90	9.2	7.0-11.4	385	36.1	32.6-39.6
65+	2390	123,393	451	18.8	17.0-20.6	140	5.5	4.5- 6.5	193	9.1	7.7-10.5	147	6.0	4.8- 7.2	111	5.1	3.9- 6.3	1348	55.5	53.1-57.9
Less Than H.S.	246	40,494	35	11.3	6.6-16.0	7	4.5	0.6- 8.4	23	11.4	5.7-17.1	14	5.8	2.3- 9.3	16	9.0	3.7-14.3	151	58.1	49.7-66.5
H.S. or G.E.D.	1540	147,579	272	16.5	14.1-18.9	118	9.2	7.2-11.2	138	10.4	8.4-12.4	108	7.5	5.7- 9.3	129	9.8	7.8-11.8	775	46.5	43.4-49.6
Some Post-H.S.	1821	213,427	300	16.6	14.4-18.8	141	8.1	6.3- 9.9	225	13.8	11.6-16.0	161	9.6	7.8-11.4	147	9.1	7.3-10.9	847	42.9	40.0-45.8
College Graduate	1942	157,785	428	22.2	19.8-24.6	173	10.1	8.3-11.9	292	18.0	15.8-20.2	181	9.8	8.2-11.4	117	6.7	5.3- 8.1	751	33.3	30.8-35.8
Less than \$15,000	193	23,639	31	15.6	9.1-22.1	8	5.0	0.1- 9.9	10	4.6	1.5- 7.7	8	4.0	0.7- 7.3	10	7.2	0.7-13.7	126	63.5	54.1-72.9
\$15,000- 24,999	380	32,632	58	13.0	8.7-17.3	20	5.8	2.3- 9.3	23	8.8	4.5-13.1	19	6.3	3.2- 9.4	18	5.4	2.3- 8.5	242	60.6	53.9-67.3
\$25,000- 34,999	507	49,466	84	14.8	10.5-19.1	32	9.2	5.3-13.1	38	9.7	6.0-13.4	31	7.1	4.0-10.2	38	10.6	6.5-14.7	284	48.6	42.5-54.7
\$35,000- 49,999	697	64,493	135	20.6	16.5-24.7	51	8.9	6.0-11.8	76	12.4	9.1-15.7	52	7.4	4.9- 9.9	47	9.4	6.3-12.5	336	41.3	36.4-46.2
\$50,000- 99,999	1549	157,890	307	17.9	15.5-20.3	154	10.7	8.7-12.7	205	15.2	12.8-17.6	160	10.8	8.8-12.8	120	7.6	6.0- 9.2	603	37.8	34.7-40.9
\$100,000 - 199,999	1005	109,917	203	19.7	16.8-22.6	102	10.4	8.0-12.8	204	22.4	19.3-25.5	119	11.0	8.6-13.4	102	11.2	8.7-13.7	275	25.3	22.0-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2825	287,426	446	14.5	12.9-16.1	232	8.9	7.5-10.3	420	15.9	14.1-17.7	316	11.6	10.2-13.0	337	13.4	11.8-15.0	1074	35.6	33.4-37.8
Native	107	11,422	13	13.1	4.7-21.5	4	6.1	0.0-12.8	16	16.0	6.2-25.8	9	7.2	1.5-12.9	9	6.5	0.4-12.6	56	51.1	38.2-64.0
Non-Native	2666	271,317	426	14.6	13.0-16.2	224	9.0	7.6-10.4	396	16.0	14.2-17.8	301	11.8	10.2-13.4	323	13.8	12.0-15.6	996	34.8	32.4-37.2
18-24	211	39,736	27	12.9	7.8-18.0	16	8.0	3.7-12.3	36	15.9	10.2-21.6	22	8.7	4.8-12.6	33	15.0	9.7-20.3	77	39.4	32.0-46.8
25-34	316	59,134	29	9.2	5.7-12.7	36	12.1	8.2-16.0	66	18.8	14.3-23.3	51	13.9	10.0-17.8	50	17.1	12.2-22.0	84	28.9	23.2-34.6
35-44	343	48,371	58	18.5	13.8-23.2	33	9.5	6.0-13.0	58	14.6	10.5-18.7	50	13.8	9.9-17.7	38	10.6	6.9-14.3	106	33.0	27.3-38.7
45-54	351	39,278	36	9.7	6.4-13.0	31	8.4	5.3-11.5	61	18.7	14.0-23.4	51	14.9	10.8-19.0	52	14.9	10.6-19.2	120	33.4	27.7-39.1
55-64	493	44,202	96	19.4	15.3-23.5	42	9.9	6.8-13.0	73	15.6	11.9-19.3	47	9.5	6.6-12.4	67	14.1	10.6-17.6	168	31.5	26.8-36.2
65+	1111	56,706	200	17.3	14.8-19.8	74	5.2	3.8-6.6	126	12.4	10.0-14.8	95	8.9	6.9-10.9	97	9.4	7.2-11.6	519	46.8	43.3-50.3
Less Than H.S.	141	24,167	23	14.6	7.2-22.0	5	5.2	0.1-10.3	18	13.5	5.7-21.3	11	6.5	2.0-11.0	15	14.2	5.8-22.6	69	46.0	35.2-56.8
H.S. or G.E.D.	839	83,666	128	14.0	11.3-16.7	68	9.3	6.8-11.8	91	11.6	8.9-14.3	79	9.9	7.4-12.4	110	13.8	10.9-16.7	363	41.4	37.3-45.5
Some Post-H.S.	903	107,091	124	13.7	11.0-16.4	75	8.4	6.0-10.8	139	16.2	13.3-19.1	106	12.5	9.8-15.2	120	14.8	11.9-17.7	339	34.3	30.6-38.0
College Graduate	932	71,061	169	16.2	13.5-18.9	84	10.7	8.2-13.2	172	21.7	18.4-25.0	119	14.2	11.5-16.9	91	10.5	8.1-12.9	297	26.6	23.3-29.9
Less than \$15,000	81	8,556	14	21.7	9.7-33.7	5	5.2	0.0-11.1	6	7.7	1.2-14.2	5	3.4	0.0-6.9	7	13.1	0.0-27.4	44	48.8	34.3-63.3
\$15,000- 24,999	159	14,727	20	10.8	4.1-17.5	11	7.5	1.8-13.2	11	8.2	2.3-14.1	13	10.2	4.3-16.1	14	11.1	4.4-17.8	90	52.4	42.0-62.8
\$25,000- 34,999	240	25,131	38	13.3	7.6-19.0	11	5.1	1.0-9.2	22	10.8	5.3-16.3	17	8.5	3.8-13.2	33	19.0	11.6-26.4	119	43.3	34.9-51.7
\$35,000- 49,999	351	34,542	61	18.4	13.3-23.5	33	12.3	7.4-17.2	46	12.0	7.9-16.1	34	10.5	6.4-14.6	38	12.9	8.2-17.6	139	33.8	27.5-40.1
\$50,000- 99,999	807	81,614	123	12.5	9.8-15.2	81	11.2	8.3-14.1	131	18.6	15.1-22.1	110	15.0	11.9-18.1	101	11.9	9.4-14.4	261	30.8	26.7-34.9
\$100,000 - 199,999	610	63,830	97	15.4	11.9-18.9	57	9.8	6.9-12.7	127	21.9	18.0-25.8	85	12.7	9.8-15.6	87	16.2	12.5-19.9	157	24.0	19.9-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2737	273,539	592	21.2	19.2-23.2	207	8.4	7.0-9.8	258	11.7	9.9-13.5	149	5.8	4.6- 7.0	73	3.5	2.5- 4.5	1458	49.3	46.8-51.8
Native	133	12,344	18	10.9	4.8-17.0	8	7.9	1.4-14.4	13	10.7	3.1-18.3	9	7.0	1.3-12.7	2	3.3	0.0- 8.2	83	60.2	48.6-71.8
Non-Native	2582	259,282	569	21.8	19.6-24.0	199	8.5	6.9-10.1	244	11.8	10.0-13.6	137	5.8	4.4- 7.2	70	3.4	2.4- 4.4	1363	48.8	46.3-51.3
18-24	130	34,874	23	14.9	8.6-21.2	12	8.1	3.2-13.0	15	11.7	5.8-17.6	5	3.4	0.3- 6.5	6	4.1	0.6- 7.6	69	57.8	48.6-67.0
25-34	192	47,803	44	20.9	14.6-27.2	14	8.5	3.6-13.4	22	10.2	5.5-14.9	18	9.4	4.5-14.3	10	5.2	1.9- 8.5	84	45.8	37.8-53.8
35-44	272	44,396	60	22.7	17.0-28.4	27	9.5	5.8-13.2	44	17.1	12.0-22.2	18	6.4	3.1- 9.7	12	5.0	2.1- 7.9	111	39.3	32.8-45.8
45-54	348	36,145	78	23.0	17.9-28.1	37	9.8	6.5-13.1	55	15.1	10.8-19.4	22	6.7	3.8- 9.6	8	2.2	0.6- 3.8	148	43.1	37.2-49.0
55-64	516	43,633	136	25.4	21.1-29.7	51	10.2	7.1-13.3	55	13.3	9.6-17.0	34	6.2	3.8- 8.6	23	4.2	2.2- 6.2	217	40.8	35.7-45.9
65+	1279	66,687	251	20.1	17.6-22.6	66	5.8	4.2- 7.4	67	6.3	4.5- 8.1	52	3.5	2.3- 4.7	14	1.4	0.4- 2.4	829	62.9	59.8-66.0
Less Than H.S.	105	16,327	12	6.3	2.4-10.2	2	3.4	0.0- 9.7	5	8.2	0.4-16.0	3	4.6	0.0-10.1	1	1.3	0.0- 3.8	82	76.2	65.0-87.4
H.S. or G.E.D.	701	63,913	144	19.8	15.9-23.7	50	9.2	6.1-12.3	47	8.8	5.9-11.7	29	4.5	2.3- 6.7	19	4.6	2.1- 7.1	412	53.2	48.1-58.3
Some Post-H.S.	918	106,337	176	19.5	16.2-22.8	66	7.7	5.2-10.2	86	11.4	8.5-14.3	55	6.5	4.1- 8.9	27	3.3	1.7- 4.9	508	51.5	47.0-56.0
College Graduate	1010	86,724	259	27.1	23.6-30.6	89	9.5	7.3-11.7	120	14.9	12.0-17.8	62	6.2	4.4- 8.0	26	3.5	1.9- 5.1	454	38.7	35.0-42.4
Less than \$15,000	112	15,083	17	12.2	4.8-19.6	3	4.9	0.0-12.0	4	2.9	0.0- 6.2	3	4.4	0.0- 9.3	3	3.9	0.0- 9.2	82	71.8	60.4-83.2
\$15,000- 24,999	221	17,905	38	14.8	9.1-20.5	9	4.4	0.1- 8.7	12	9.4	3.3-15.5	6	3.2	0.5- 5.9	4	0.8	0.0- 1.6	152	67.5	58.9-76.1
\$25,000- 34,999	267	24,335	46	16.3	10.0-22.6	21	13.4	6.5-20.3	16	8.6	3.5-13.7	14	5.7	1.4-10.0	5	1.9	0.0- 4.3	165	54.0	45.2-62.8
\$35,000- 49,999	346	29,950	74	23.1	16.4-29.8	18	5.0	2.3- 7.7	30	12.9	7.8-18.0	18	3.7	1.2- 6.2	9	5.4	1.3- 9.5	197	49.9	42.5-57.3
\$50,000- 99,999	742	76,276	184	23.5	19.6-27.4	73	10.3	7.6-13.0	74	11.7	8.4-15.0	50	6.2	4.0- 8.4	19	3.0	1.4- 4.6	342	45.3	40.4-50.2
\$100,000 - 199,999	395	46,087	106	25.7	20.6-30.8	45	11.4	7.3-15.5	77	22.9	17.6-28.2	34	8.7	5.2-12.2	15	4.2	1.7- 6.7	118	27.1	21.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5562	560,966	5253	93.3	92.3-94.3	309	6.7	5.7- 7.7
Male	2825	287,426	2628	91.9	90.5-93.3	197	8.1	6.7- 9.5
Female	2737	273,539	2625	94.8	93.6-96.0	112	5.2	4.0- 6.4
Native	240	23,765	229	94.7	90.8-98.6	11	5.3	1.4- 9.2
Non-Native	5248	530,600	4955	93.3	92.3-94.3	293	6.7	5.7- 7.7
18-24	341	74,610	314	92.4	89.3-95.5	27	7.6	4.5-10.7
25-34	508	106,938	457	89.9	87.0-92.8	51	10.1	7.2-13.0
35-44	615	92,767	574	93.6	91.4-95.8	41	6.4	4.2- 8.6
45-54	699	75,423	655	93.4	91.2-95.6	44	6.6	4.4- 8.8
55-64	1009	87,836	939	93.2	91.2-95.2	70	6.8	4.8- 8.8
65+	2390	123,393	2314	96.6	95.6-97.6	76	3.4	2.4- 4.4
Less Than H.S.	246	40,494	234	92.1	87.0-97.2	12	7.9	2.8-13.0
H.S. or G.E.D.	1540	147,579	1443	92.0	90.0-94.0	97	8.0	6.0-10.0
Some Post-H.S.	1821	213,427	1705	93.5	92.1-94.9	116	6.5	5.1- 7.9
College Graduate	1942	157,785	1859	94.7	93.3-96.1	83	5.3	3.9- 6.7
Less than \$15,000	193	23,639	184	92.9	86.4-99.4	9	7.1	0.6-13.6
\$15,000- 24,999	380	32,632	365	96.2	93.7-98.7	15	3.8	1.3- 6.3
\$25,000- 34,999	507	49,466	474	90.7	86.8-94.6	33	9.3	5.4-13.2
\$35,000- 49,999	697	64,493	661	92.5	89.6-95.4	36	7.5	4.6-10.4
\$50,000- 99,999	1549	157,890	1460	94.0	92.6-95.4	89	6.0	4.6- 7.4
\$100,000 - 199,999	1005	109,917	935	92.5	90.5-94.5	70	7.5	5.5- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2825	287,426	2628	91.9	90.5-93.3	197	8.1	6.7- 9.5
Native	107	11,422	102	95.2	89.3- 100	5	4.8	0.0-10.7
Non-Native	2666	271,317	2477	91.8	90.4-93.2	189	8.2	6.8- 9.6
18-24	211	39,736	191	89.9	85.2-94.6	20	10.1	5.4-14.8
25-34	316	59,134	283	88.6	84.5-92.7	33	11.4	7.3-15.5
35-44	343	48,371	322	94.8	92.4-97.2	21	5.2	2.8- 7.6
45-54	351	39,278	321	91.2	87.7-94.7	30	8.8	5.3-12.3
55-64	493	44,202	456	92.0	89.1-94.9	37	8.0	5.1-10.9
65+	1111	56,706	1055	94.8	93.2-96.4	56	5.2	3.6- 6.8
Less Than H.S.	141	24,167	132	90.0	82.6-97.4	9	10.0	2.6-17.4
H.S. or G.E.D.	839	83,666	769	90.8	88.3-93.3	70	9.2	6.7-11.7
Some Post-H.S.	903	107,091	828	91.5	89.1-93.9	75	8.5	6.1-10.9
College Graduate	932	71,061	890	94.9	93.1-96.7	42	5.1	3.3- 6.9
Less than \$15,000	81	8,556	75	87.1	72.8- 100	6	12.9	0.0-27.2
\$15,000- 24,999	159	14,727	150	93.6	88.5-98.7	9	6.4	1.3-11.5
\$25,000- 34,999	240	25,131	218	86.6	79.9-93.3	22	13.4	6.7-20.1
\$35,000- 49,999	351	34,542	329	92.1	88.2-96.0	22	7.9	4.0-11.8
\$50,000- 99,999	807	81,614	749	93.0	91.0-95.0	58	7.0	5.0- 9.0
\$100,000 - 199,999	610	63,830	563	91.5	88.6-94.4	47	8.5	5.6-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2737	273,539	2625	94.8	93.6-96.0	112	5.2	4.0- 6.4
Native	133	12,344	127	94.3	88.8-99.8	6	5.7	0.2-11.2
Non-Native	2582	259,282	2478	94.9	93.7-96.1	104	5.1	3.9- 6.3
18-24	130	34,874	123	95.2	91.3-99.1	7	4.8	0.9- 8.7
25-34	192	47,803	174	91.6	87.5-95.7	18	8.4	4.3-12.5
35-44	272	44,396	252	92.4	88.7-96.1	20	7.6	3.9-11.3
45-54	348	36,145	334	95.8	93.4-98.2	14	4.2	1.8- 6.6
55-64	516	43,633	483	94.4	92.2-96.6	33	5.6	3.4- 7.8
65+	1279	66,687	1259	98.2	97.2-99.2	20	1.8	0.8- 2.8
Less Than H.S.	105	16,327	102	95.3	89.6- 100	3	4.7	0.0-10.4
H.S. or G.E.D.	701	63,913	674	93.6	90.7-96.5	27	6.4	3.5- 9.3
Some Post-H.S.	918	106,337	877	95.5	93.7-97.3	41	4.5	2.7- 6.3
College Graduate	1010	86,724	969	94.6	92.6-96.6	41	5.4	3.4- 7.4
Less than \$15,000	112	15,083	109	96.1	90.8- 100	3	3.9	0.0- 9.2
\$15,000- 24,999	221	17,905	215	98.3	96.7-99.9	6	1.7	0.1- 3.3
\$25,000- 34,999	267	24,335	256	94.9	90.8-99.0	11	5.1	1.0- 9.2
\$35,000- 49,999	346	29,950	332	92.9	88.4-97.4	14	7.1	2.6-11.6
\$50,000- 99,999	742	76,276	711	95.0	93.0-97.0	31	5.0	3.0- 7.0
\$100,000 - 199,999	395	46,087	372	94.1	91.2-97.0	23	5.9	3.0- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 13: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2379	123,240	1657	69.5	67.3-71.7	722	30.5	28.3-32.7
Male	1119	57,319	759	68.7	65.6-71.8	360	31.3	28.2-34.4
Female	1260	65,921	898	70.2	67.1-73.3	362	29.8	26.7-32.9
Native	52	2,327	33	63.2	47.7-78.7	19	36.8	21.3-52.3
Non-Native	2297	119,383	1607	69.9	67.7-72.1	690	30.1	27.9-32.3
65+	2379	123,240	1657	69.5	67.3-71.7	722	30.5	28.3-32.7
Less Than H.S.	131	10,067	83	60.1	49.9-70.3	48	39.9	29.7-50.1
H.S. or G.E.D.	719	34,607	473	65.2	61.1-69.3	246	34.8	30.7-38.9
Some Post-H.S.	783	47,749	531	69.5	65.8-73.2	252	30.5	26.8-34.2
College Graduate	742	30,635	567	77.5	74.0-81.0	175	22.5	19.0-26.0
Less than \$15,000	89	4,769	55	71.4	60.6-82.2	34	28.6	17.8-39.4
\$15,000- 24,999	246	12,289	165	66.8	59.7-73.9	81	33.2	26.1-40.3
\$25,000- 34,999	283	13,743	194	66.1	59.2-73.0	89	33.9	27.0-40.8
\$35,000- 49,999	380	20,384	255	66.4	60.7-72.1	125	33.6	27.9-39.3
\$50,000- 99,999	598	30,589	442	73.2	69.1-77.3	156	26.8	22.7-30.9
\$100,000 - 199,999	218	11,758	160	76.1	69.6-82.6	58	23.9	17.4-30.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1119	57,319	759	68.7	65.6-71.8	360	31.3	28.2-34.4
Non-Native	1079	55,249	735	69.1	65.8-72.4	344	30.9	27.6-34.2
65+	1119	57,319	759	68.7	65.6-71.8	360	31.3	28.2-34.4
Less Than H.S.	70	5,126	44	58.0	43.9-72.1	26	42.0	27.9-56.1
H.S. or G.E.D.	326	16,236	200	62.8	56.7-68.9	126	37.2	31.1-43.3
Some Post-H.S.	330	19,862	218	70.0	64.3-75.7	112	30.0	24.3-35.7
College Graduate	390	15,937	295	76.7	72.0-81.4	95	23.3	18.6-28.0
\$15,000- 24,999	92	4,571	58	67.2	56.0-78.4	34	32.8	21.6-44.0
\$25,000- 34,999	120	5,939	79	62.4	51.4-73.4	41	37.6	26.6-48.6
\$35,000- 49,999	168	9,099	109	63.3	54.5-72.1	59	36.7	27.9-45.5
\$50,000- 99,999	328	16,708	242	74.7	69.2-80.2	86	25.3	19.8-30.8
\$100,000 - 199,999	147	7,552	105	75.5	67.7-83.3	42	24.5	16.7-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1260	65,921	898	70.2	67.1-73.3	362	29.8	26.7-32.9
Non-Native	1218	64,135	872	70.5	67.4-73.6	346	29.5	26.4-32.6
65+	1260	65,921	898	70.2	67.1-73.3	362	29.8	26.7-32.9
Less Than H.S.	61	4,941	39	62.1	47.2-77.0	22	37.9	23.0-52.8
H.S. or G.E.D.	393	18,371	273	67.4	61.9-72.9	120	32.6	27.1-38.1
Some Post-H.S.	453	27,887	313	69.2	64.3-74.1	140	30.8	25.9-35.7
College Graduate	352	14,698	272	78.4	73.3-83.5	80	21.6	16.5-26.7
Less than \$15,000	55	3,351	39	81.6	70.8-92.4	16	18.4	7.6-29.2
\$15,000- 24,999	154	7,718	107	66.6	57.4-75.8	47	33.4	24.2-42.6
\$25,000- 34,999	163	7,804	115	68.9	60.1-77.7	48	31.1	22.3-39.9
\$35,000- 49,999	212	11,285	146	68.9	61.3-76.5	66	31.1	23.5-38.7
\$50,000- 99,999	270	13,880	200	71.4	64.7-78.1	70	28.6	21.9-35.3
\$100,000 - 199,999	71	4,206	55	77.2	66.0-88.4	16	22.8	11.6-34.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2299	119,045	1632	70.4	68.0-72.8	667	29.6	27.2-32.0
Male	1076	54,945	706	65.3	62.0-68.6	370	34.7	31.4-38.0
Female	1223	64,100	926	74.8	71.9-77.7	297	25.2	22.3-28.1
Non-Native	2221	115,361	1588	70.9	68.5-73.3	633	29.1	26.7-31.5
65+	2299	119,045	1632	70.4	68.0-72.8	667	29.6	27.2-32.0
Less Than H.S.	125	9,663	81	59.7	49.1-70.3	44	40.3	29.7-50.9
H.S. or G.E.D.	700	33,645	466	66.9	62.8-71.0	234	33.1	29.0-37.2
Some Post-H.S.	758	46,299	545	72.1	68.4-75.8	213	27.9	24.2-31.6
College Graduate	712	29,257	539	75.5	71.8-79.2	173	24.5	20.8-28.2
Less than \$15,000	85	4,677	55	72.1	61.3-82.9	30	27.9	17.1-38.7
\$15,000- 24,999	234	11,742	166	68.4	61.0-75.8	68	31.6	24.2-39.0
\$25,000- 34,999	273	13,088	191	65.8	58.7-72.9	82	34.2	27.1-41.3
\$35,000- 49,999	371	20,007	258	68.1	62.2-74.0	113	31.9	26.0-37.8
\$50,000- 99,999	584	29,755	434	73.3	69.0-77.6	150	26.7	22.4-31.0
\$100,000 - 199,999	209	11,281	143	69.4	62.0-76.8	66	30.6	23.2-38.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1076	54,945	706	65.3	62.0-68.6	370	34.7	31.4-38.0
Non-Native	1036	52,875	693	66.6	63.1-70.1	343	33.4	29.9-36.9
65+	1076	54,945	706	65.3	62.0-68.6	370	34.7	31.4-38.0
Less Than H.S.	69	5,039	42	53.1	38.8-67.4	27	46.9	32.6-61.2
H.S. or G.E.D.	315	15,641	187	60.7	54.4-67.0	128	39.3	33.0-45.6
Some Post-H.S.	313	18,746	203	65.7	59.4-72.0	110	34.3	28.0-40.6
College Graduate	376	15,361	274	74.0	68.9-79.1	102	26.0	20.9-31.1
\$15,000- 24,999	86	4,258	48	50.2	37.3-63.1	38	49.8	36.9-62.7
\$25,000- 34,999	117	5,703	78	59.7	48.1-71.3	39	40.3	28.7-51.9
\$35,000- 49,999	162	8,807	100	58.5	49.1-67.9	62	41.5	32.1-50.9
\$50,000- 99,999	316	15,992	229	74.0	68.5-79.5	87	26.0	20.5-31.5
\$100,000 - 199,999	143	7,299	97	69.4	60.4-78.4	46	30.6	21.6-39.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1223	64,100	926	74.8	71.9-77.7	297	25.2	22.3-28.1
Non-Native	1185	62,486	895	74.4	71.5-77.3	290	25.6	22.7-28.5
65+	1223	64,100	926	74.8	71.9-77.7	297	25.2	22.3-28.1
Less Than H.S.	56	4,624	39	66.8	51.7-81.9	17	33.2	18.1-48.3
H.S. or G.E.D.	385	18,004	279	72.3	67.0-77.6	106	27.7	22.4-33.0
Some Post-H.S.	445	27,553	342	76.4	71.7-81.1	103	23.6	18.9-28.3
College Graduate	336	13,896	265	77.2	71.9-82.5	71	22.8	17.5-28.1
Less than \$15,000	52	3,270	44	90.2	82.6-97.8	8	9.8	2.2-17.4
\$15,000- 24,999	148	7,484	118	78.7	70.7-86.7	30	21.3	13.3-29.3
\$25,000- 34,999	156	7,384	113	70.6	62.0-79.2	43	29.4	20.8-38.0
\$35,000- 49,999	209	11,201	158	75.6	68.5-82.7	51	24.4	17.3-31.5
\$50,000- 99,999	268	13,763	205	72.4	65.7-79.1	63	27.6	20.9-34.3
\$100,000 - 199,999	66	3,983	46	69.5	56.8-82.2	20	30.5	17.8-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021

SECTION 14: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5339	543,471	1236	29.6	27.8-31.4	4103	70.4	68.6-72.2
Male	2712	278,065	671	30.3	27.9-32.7	2041	69.7	67.3-72.1
Female	2627	265,405	565	28.8	26.3-31.3	2062	71.2	68.7-73.7
Native	235	23,203	106	47.1	38.3-55.9	129	52.9	44.1-61.7
Non-Native	5031	513,765	1110	28.7	26.9-30.5	3921	71.3	69.5-73.1
18-24	344	75,730	78	22.8	17.9-27.7	266	77.2	72.3-82.1
25-34	498	104,083	176	39.5	34.4-44.6	322	60.5	55.4-65.6
35-44	598	89,732	254	46.3	41.8-50.8	344	53.7	49.2-58.2
45-54	677	73,467	241	34.6	30.5-38.7	436	65.4	61.3-69.5
55-64	957	83,411	228	25.4	22.1-28.7	729	74.6	71.3-77.9
65+	2265	117,048	259	12.0	10.4-13.6	2006	88.0	86.4-89.6
Less Than H.S.	236	40,621	70	43.5	34.9-52.1	166	56.5	47.9-65.1
H.S. or G.E.D.	1484	143,488	300	29.7	26.6-32.8	1184	70.3	67.2-73.4
Some Post-H.S.	1753	206,339	409	28.0	25.3-30.7	1344	72.0	69.3-74.7
College Graduate	1852	151,120	453	27.7	25.2-30.2	1399	72.3	69.8-74.8
Less than \$15,000	184	22,870	70	47.1	37.1-57.1	114	52.9	42.9-62.9
\$15,000- 24,999	371	32,391	75	28.7	22.0-35.4	296	71.3	64.6-78.0
\$25,000- 34,999	479	47,892	110	35.1	28.8-41.4	369	64.9	58.6-71.2
\$35,000- 49,999	666	62,606	134	26.3	21.6-31.0	532	73.7	69.0-78.4
\$50,000- 99,999	1486	152,718	373	31.0	27.7-34.3	1113	69.0	65.7-72.3
\$100,000 - 199,999	964	104,273	259	30.2	26.5-33.9	705	69.8	66.1-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2712	278,065	671	30.3	27.9-32.7	2041	69.7	67.3-72.1
Native	108	11,361	49	49.9	37.0-62.8	59	50.1	37.2-63.0
Non-Native	2552	262,090	606	29.4	27.0-31.8	1946	70.6	68.2-73.0
18-24	210	39,859	39	19.0	12.9-25.1	171	81.0	74.9-87.1
25-34	315	58,608	108	39.9	33.6-46.2	207	60.1	53.8-66.4
35-44	330	46,106	124	42.9	36.6-49.2	206	57.1	50.8-63.4
45-54	337	37,715	123	35.8	29.9-41.7	214	64.2	58.3-70.1
55-64	467	42,230	127	28.9	24.0-33.8	340	71.1	66.2-76.0
65+	1053	53,548	150	14.6	12.1-17.1	903	85.4	82.9-87.9
Less Than H.S.	138	24,848	48	45.4	34.4-56.4	90	54.6	43.6-65.6
H.S. or G.E.D.	806	81,086	199	31.7	27.6-35.8	607	68.3	64.2-72.4
Some Post-H.S.	866	102,447	210	27.8	24.1-31.5	656	72.2	68.5-75.9
College Graduate	891	68,021	211	26.8	23.3-30.3	680	73.2	69.7-76.7
Less than \$15,000	77	8,126	36	51.7	36.6-66.8	41	48.3	33.2-63.4
\$15,000- 24,999	155	14,763	39	33.6	23.4-43.8	116	66.4	56.2-76.6
\$25,000- 34,999	228	24,175	56	31.8	23.2-40.4	172	68.2	59.6-76.8
\$35,000- 49,999	337	33,581	72	27.7	21.2-34.2	265	72.3	65.8-78.8
\$50,000- 99,999	777	79,300	200	31.2	26.9-35.5	577	68.8	64.5-73.1
\$100,000 - 199,999	577	60,009	148	29.8	25.1-34.5	429	70.2	65.5-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2627	265,405	565	28.8	26.3-31.3	2062	71.2	68.7-73.7
Native	127	11,842	57	44.5	32.3-56.7	70	55.5	43.3-67.7
Non-Native	2479	251,674	504	27.9	25.4-30.4	1975	72.1	69.6-74.6
18-24	134	35,871	39	27.0	19.0-35.0	95	73.0	65.0-81.0
25-34	183	45,476	68	39.0	30.8-47.2	115	61.0	52.8-69.2
35-44	268	43,625	130	50.0	43.3-56.7	138	50.0	43.3-56.7
45-54	340	35,752	118	33.4	27.9-38.9	222	66.6	61.1-72.1
55-64	490	41,181	101	21.7	17.2-26.2	389	78.3	73.8-82.8
65+	1212	63,501	109	9.9	7.7-12.1	1103	90.1	87.9-92.3
Less Than H.S.	98	15,774	22	40.5	26.4-54.6	76	59.5	45.4-73.6
H.S. or G.E.D.	678	62,402	101	27.1	22.0-32.2	577	72.9	67.8-78.0
Some Post-H.S.	887	103,892	199	28.1	24.0-32.2	688	71.9	67.8-76.0
College Graduate	961	83,099	242	28.5	24.8-32.2	719	71.5	67.8-75.2
Less than \$15,000	107	14,744	34	44.6	31.5-57.7	73	55.4	42.3-68.5
\$15,000- 24,999	216	17,628	36	24.7	16.1-33.3	180	75.3	66.7-83.9
\$25,000- 34,999	251	23,717	54	38.5	29.5-47.5	197	61.5	52.5-70.5
\$35,000- 49,999	329	29,025	62	24.6	17.7-31.5	267	75.4	68.5-82.3
\$50,000- 99,999	709	73,418	173	30.9	26.0-35.8	536	69.1	64.2-74.0
\$100,000 - 199,999	387	44,263	111	30.6	24.7-36.5	276	69.4	63.5-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

SECTION 15: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	147
2 MALES ONLY	148
3 FEMALES ONLY	149
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	150
5 MALES ONLY	151
6 FEMALES ONLY	152
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	153
8 MALES ONLY	154
9 FEMALES ONLY	155
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	156
11 MALES ONLY	157
12 FEMALES ONLY	158
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	159
14 MALES ONLY	160
15 FEMALES ONLY	161
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	162
17 MALES ONLY	163
18 FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5468	549,036	2372	47.0	45.2-48.8	845	13.6	12.4-14.8	16	0.3	0.1- 0.5	27	0.5	0.3- 0.7	2208	38.6	36.8-40.4
Male	2787	282,670	1329	51.4	49.0-53.8	455	14.0	12.4-15.6	10	0.2	0.0- 0.4	15	0.5	0.1- 0.9	978	33.9	31.7-36.1
Female	2681	266,367	1043	42.3	39.8-44.8	390	13.3	11.5-15.1	6	0.3	0.0- 0.7	12	0.4	0.0- 0.8	1230	43.6	41.1-46.1
Native	242	23,892	132	52.6	43.8-61.4	32	15.4	8.9-21.9	2	0.6	0.0- 1.4	1	1.1	0.0- 3.1	75	30.4	22.4-38.4
Non-Native	5152	518,535	2204	46.7	44.9-48.5	806	13.6	12.4-14.8	14	0.3	0.1- 0.5	25	0.4	0.2- 0.6	2103	39.0	37.2-40.8
18-24	335	72,957	193	56.5	50.4-62.6	40	12.5	8.4-16.6	3	0.6	0.0- 1.4				99	30.3	24.6-36.0
25-34	493	103,394	274	54.1	49.0-59.2	55	12.5	9.0-16.0	2	0.2	0.0- 0.6	3	0.6	0.0- 1.4	159	32.6	27.9-37.3
35-44	601	90,245	308	49.1	44.6-53.6	58	10.0	7.3-12.7	1	0.2	0.0- 0.6	3	0.8	0.0- 1.8	231	39.8	35.3-44.3
45-54	698	74,940	344	49.3	45.2-53.4	63	9.5	7.0-12.0	5	0.4	0.0- 0.8				286	40.8	36.7-44.9
55-64	995	86,491	416	39.9	36.4-43.4	128	14.4	11.7-17.1	1	0.1	0.0- 0.3	4	0.4	0.0- 0.8	446	45.1	41.4-48.8
65+	2346	121,009	837	37.2	34.8-39.6	501	20.0	18.2-21.8	4	0.2	0.0- 0.4	17	0.7	0.3- 1.1	987	41.9	39.5-44.3
Less Than H.S.	244	39,820	98	43.1	34.7-51.5	54	21.7	14.6-28.8	1	0.2	0.0- 0.6	3	1.0	0.0- 2.4	88	33.9	25.9-41.9
H.S. or G.E.D.	1501	141,853	609	45.6	42.3-48.9	265	15.0	12.8-17.2	6	0.4	0.0- 0.8	10	0.6	0.0- 1.2	611	38.4	35.3-41.5
Some Post-H.S.	1789	209,924	780	48.1	45.2-51.0	273	13.8	11.6-16.0	4	0.2	0.0- 0.4	7	0.4	0.0- 0.8	725	37.5	34.6-40.4
College Graduate	1921	155,709	880	47.7	45.0-50.4	251	10.1	8.5-11.7	5	0.3	0.1- 0.5	7	0.4	0.0- 0.8	778	41.5	38.8-44.2
Less than \$15,000	185	22,482	73	43.8	33.8-53.8	37	19.2	11.8-26.6	2	0.7	0.0- 1.7				73	36.4	27.2-45.6
\$15,000- 24,999	371	32,130	133	41.7	34.8-48.6	75	18.7	13.2-24.2	2	0.5	0.0- 1.3	2	0.9	0.0- 2.5	159	38.2	31.5-44.9
\$25,000- 34,999	492	48,284	197	43.4	37.3-49.5	95	18.0	13.3-22.7	3	0.5	0.0- 1.1	4	0.8	0.0- 1.8	193	37.3	31.4-43.2
\$35,000- 49,999	686	63,535	287	46.2	41.1-51.3	120	12.9	10.0-15.8	2	0.5	0.0- 1.5	4	0.8	0.0- 1.8	273	39.6	34.7-44.5
\$50,000- 99,999	1540	155,440	723	50.6	47.3-53.9	205	12.1	9.9-14.3	5	0.3	0.0- 0.7	6	0.4	0.0- 0.8	601	36.7	33.6-39.8
\$100,000 - 199,999	984	106,761	462	46.0	42.1-49.9	99	8.8	6.6-11.0				4	0.4	0.0- 0.8	419	44.8	40.9-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2787	282,670	1329	51.4	49.0-53.8	455	14.0	12.4-15.6	10	0.2	0.0- 0.4	15	0.5	0.1- 0.9	978	33.9	31.7-36.1
Native	109	11,582	59	52.3	39.6-65.0	16	15.7	6.9-24.5	1	0.6	0.0- 1.8				33	31.4	19.4-43.4
Non-Native	2625	266,302	1244	51.5	49.1-53.9	433	13.9	12.3-15.5	9	0.2	0.0- 0.4	14	0.5	0.1- 0.9	925	33.9	31.5-36.3
18-24	206	38,872	128	62.6	55.2-70.0	22	9.3	5.2-13.4	2	0.4	0.0- 1.0				54	27.6	20.5-34.7
25-34	310	58,243	180	56.8	50.7-62.9	32	11.4	7.3-15.5	1	0.3	0.0- 0.9	2	0.5	0.0- 1.3	95	31.1	25.4-36.8
35-44	337	47,197	187	54.9	48.8-61.0	38	12.6	8.3-16.9				2	1.0	0.0- 2.4	110	31.5	25.8-37.2
45-54	349	38,660	187	53.1	47.2-59.0	32	9.8	6.3-13.3	4	0.6	0.0- 1.2				126	36.5	30.8-42.2
55-64	489	43,829	222	43.2	38.1-48.3	71	15.7	11.8-19.6				3	0.6	0.0- 1.2	193	40.5	35.4-45.6
65+	1096	55,870	425	40.3	36.8-43.8	260	22.6	19.7-25.5	3	0.2	0.0- 0.4	8	0.7	0.1- 1.3	400	36.2	32.9-39.5
Less Than H.S.	142	24,512	66	50.5	39.7-61.3	31	20.1	11.7-28.5	1	0.4	0.0- 1.2	2	1.4	0.0- 3.8	42	27.5	17.9-37.1
H.S. or G.E.D.	822	82,075	361	46.7	42.4-51.0	138	14.6	11.7-17.5	4	0.2	0.0- 0.4	5	0.4	0.0- 0.8	314	38.0	33.9-42.1
Some Post-H.S.	887	104,493	444	54.7	50.8-58.6	136	13.1	10.6-15.6	1	0.1	0.0- 0.3	3	0.2	0.0- 0.6	303	31.9	28.2-35.6
College Graduate	926	70,130	454	52.2	48.3-56.1	148	12.4	10.0-14.8	4	0.5	0.0- 1.1	5	0.6	0.0- 1.2	315	34.3	30.6-38.0
Less than \$15,000	78	8,251	28	39.5	24.2-54.8	18	25.8	12.7-38.9	1	0.8	0.0- 2.4				31	34.0	20.7-47.3
\$15,000- 24,999	155	14,294	66	49.2	38.8-59.6	32	15.7	8.8-22.6	1	0.1	0.0- 0.3				56	35.1	25.3-44.9
\$25,000- 34,999	234	24,572	106	49.4	40.8-58.0	53	18.5	11.8-25.2	2	0.5	0.0- 1.3	3	1.3	0.0- 3.1	70	30.3	22.5-38.1
\$35,000- 49,999	342	33,951	165	50.4	43.5-57.3	60	12.5	8.8-16.2	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3	114	36.6	29.9-43.3
\$50,000- 99,999	805	80,857	405	55.9	51.6-60.2	125	14.6	11.5-17.7	3	0.3	0.0- 0.7	5	0.6	0.0- 1.4	267	28.8	24.9-32.7
\$100,000 - 199,999	597	62,128	299	50.9	46.0-55.8	70	9.2	6.7-11.7				3	0.5	0.0- 1.3	225	39.4	34.5-44.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2681	266,367	1043	42.3	39.8-44.8	390	13.3	11.5-15.1	6	0.3	0.0- 0.7	12	0.4	0.0- 0.8	1230	43.6	41.1-46.1
Native	133	12,310	73	52.9	40.9-64.9	16	15.0	5.8-24.2	1	0.7	0.0- 2.1	1	2.0	0.0- 5.9	42	29.4	18.4-40.4
Non-Native	2527	252,234	960	41.7	39.2-44.2	373	13.3	11.5-15.1	5	0.3	0.0- 0.7	11	0.4	0.0- 0.8	1178	44.3	41.8-46.8
18-24	129	34,084	65	49.5	40.1-58.9	18	16.1	8.7-23.5	1	0.9	0.0- 2.7				45	33.4	24.6-42.2
25-34	183	45,152	94	50.6	42.2-59.0	23	14.0	7.9-20.1	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	64	34.5	26.7-42.3
35-44	264	43,048	121	42.8	36.1-49.5	20	7.3	3.6-11.0	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	121	48.9	42.0-55.8
45-54	349	36,280	157	45.3	39.4-51.2	31	9.1	5.6-12.6	1	0.2	0.0- 0.6				160	45.4	39.5-51.3
55-64	506	42,663	194	36.5	31.6-41.4	57	13.1	9.4-16.8	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	253	50.0	44.9-55.1
65+	1250	65,139	412	34.5	31.4-37.6	241	17.7	15.3-20.1	1	0.2	0.0- 0.6	9	0.8	0.2- 1.4	587	46.7	43.4-50.0
Less Than H.S.	102	15,309	32	31.3	18.8-43.8	23	24.3	12.3-36.3				1	0.2	0.0- 0.6	46	44.2	30.7-57.7
H.S. or G.E.D.	679	59,778	248	44.0	38.9-49.1	127	15.6	12.1-19.1	2	0.7	0.0- 1.7	5	0.8	0.0- 1.8	297	38.9	34.0-43.8
Some Post-H.S.	902	105,430	336	41.6	37.1-46.1	137	14.5	11.2-17.8	3	0.4	0.0- 0.8	4	0.5	0.0- 1.1	422	43.1	38.8-47.4
College Graduate	995	85,579	426	44.1	40.2-48.0	103	8.2	6.0-10.4	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	463	47.4	43.5-51.3
Less than \$15,000	107	14,231	45	46.3	33.2-59.4	19	15.3	6.5-24.1	1	0.6	0.0- 1.8				42	37.8	25.5-50.1
\$15,000- 24,999	216	17,836	67	35.8	26.8-44.8	43	21.2	13.2-29.2	1	0.8	0.0- 2.4	2	1.7	0.0- 4.4	103	40.6	31.6-49.6
\$25,000- 34,999	258	23,711	91	37.2	28.8-45.6	42	17.5	10.6-24.4	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9	123	44.5	35.7-53.3
\$35,000- 49,999	344	29,584	122	41.4	34.0-48.8	60	13.4	8.7-18.1	1	1.0	0.0- 3.0	2	1.2	0.0- 3.4	159	43.0	35.7-50.3
\$50,000- 99,999	735	74,583	318	44.9	40.0-49.8	80	9.4	6.5-12.3	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	334	45.3	40.4-50.2
\$100,000 - 199,999	387	44,633	163	39.3	33.4-45.2	29	8.2	4.5-11.9				1	0.2	0.0- 0.6	194	52.3	46.2-58.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5454	548,499	2457	48.7	46.9-50.5	2520	42.7	40.9-44.5	239	3.9	3.3- 4.5	78	1.5	1.1- 1.9	6	0.1	0.1- 0.1	154	3.1	2.5- 3.7
Male	2779	282,150	1401	53.4	51.0-55.8	1171	38.7	36.3-41.1	69	2.4	1.6- 3.2	31	1.1	0.5- 1.7	2	0.0	0.0- 0.0	105	4.4	3.4- 5.4
Female	2675	266,348	1056	43.8	41.3-46.3	1349	46.9	44.4-49.4	170	5.5	4.3- 6.7	47	1.9	1.1- 2.7	4	0.1	0.0- 0.3	49	1.7	0.9- 2.5
Native	243	23,920	137	56.7	48.1-65.3	87	35.9	27.7-44.1	8	2.7	0.0- 5.4	6	3.1	0.0- 6.8				5	1.5	0.1- 2.9
Non-Native	5134	517,681	2283	48.3	46.5-50.1	2399	43.0	41.2-44.8	229	4.0	3.4- 4.6	70	1.4	1.0- 1.8	6	0.1	0.1- 0.1	147	3.2	2.6- 3.8
18-24	338	74,146	187	57.8	51.9-63.7	124	34.3	28.6-40.0	10	2.5	0.7- 4.3	7	2.9	0.4- 5.4				10	2.5	0.7- 4.3
25-34	489	102,259	258	52.3	47.2-57.4	192	40.4	35.3-45.5	15	3.0	1.2- 4.8	6	0.9	0.1- 1.7				18	3.4	1.4- 5.4
35-44	597	89,925	283	47.9	43.4-52.4	252	42.2	37.7-46.7	25	4.1	2.3- 5.9	9	1.5	0.3- 2.7				28	4.3	2.3- 6.3
45-54	697	74,747	348	50.3	46.0-54.6	291	40.7	36.6-44.8	25	3.7	2.1- 5.3	11	1.3	0.3- 2.3	1	0.1	0.0- 0.3	21	3.8	2.0- 5.6
55-64	1001	86,955	484	50.5	46.8-54.2	434	41.3	37.8-44.8	44	4.4	2.8- 6.0	10	0.9	0.3- 1.5	1	0.1	0.0- 0.3	28	2.8	1.6- 4.0
65+	2332	120,467	897	38.5	36.1-40.9	1227	52.6	50.2-55.0	120	5.1	4.1- 6.1	35	1.5	0.9- 2.1	4	0.2	0.0- 0.4	49	2.1	1.3- 2.9
Less Than H.S.	241	40,246	125	58.1	49.9-66.3	89	31.8	24.4-39.2	12	2.0	0.6- 3.4	2	2.0	0.0- 5.5				13	6.1	1.8-10.4
H.S. or G.E.D.	1497	141,529	711	51.2	47.9-54.5	657	39.9	36.8-43.0	51	3.2	2.0- 4.4	20	1.2	0.4- 2.0	2	0.1	0.0- 0.3	56	4.3	2.9- 5.7
Some Post-H.S.	1774	208,593	824	49.3	46.4-52.2	792	41.8	38.9-44.7	73	4.2	3.0- 5.4	28	1.5	0.7- 2.3	2	0.1	0.1- 0.1	55	3.1	2.1- 4.1
College Graduate	1929	156,401	793	43.6	40.9-46.3	976	49.1	46.4-51.8	102	4.7	3.5- 5.9	28	1.5	0.9- 2.1	2	0.1	0.0- 0.3	28	1.0	0.6- 1.4
Less than \$15,000	189	22,731	94	54.7	45.1-64.3	70	30.1	21.9-38.3	12	5.4	1.7- 9.1	2	2.0	0.0- 5.1	1	0.3	0.0- 0.9	10	7.4	1.3-13.5
\$15,000- 24,999	371	32,483	160	47.3	40.2-54.4	175	44.3	37.4-51.2	18	3.8	1.4- 6.2	6	0.9	0.1- 1.7				12	3.7	0.8- 6.6
\$25,000- 34,999	491	48,275	226	54.2	48.1-60.3	222	37.7	31.8-43.6	23	4.0	1.8- 6.2	4	0.8	0.0- 1.8				16	3.3	1.3- 5.3
\$35,000- 49,999	686	63,318	325	52.8	47.7-57.9	299	39.0	34.1-43.9	35	4.2	2.4- 6.0	8	1.1	0.1- 2.1	1	0.0	0.0- 0.0	18	2.9	1.1- 4.7
\$50,000- 99,999	1539	155,925	700	48.2	44.9-51.5	716	44.3	41.0-47.6	67	4.0	2.8- 5.2	25	1.9	0.7- 3.1	2	0.1	0.0- 0.3	29	1.5	0.9- 2.1
\$100,000 - 199,999	987	107,047	452	46.4	42.5-50.3	458	45.1	41.4-48.8	41	4.6	2.8- 6.4	11	1.1	0.3- 1.9				25	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2779	282,150	1401	53.4	51.0-55.8	1171	38.7	36.3-41.1	69	2.4	1.6- 3.2	31	1.1	0.5- 1.7	2	0.0	0.0- 0.0	105	4.4	3.4- 5.4
Native	110	11,579	65	62.0	49.8-74.2	38	31.9	20.3-43.5	2	3.1	0.0- 8.0	2	0.9	0.0- 2.3				3	2.1	0.0- 4.6
Non-Native	2613	265,496	1310	53.1	50.7-55.5	1109	38.9	36.5-41.3	65	2.3	1.5- 3.1	27	1.1	0.5- 1.7	2	0.0	0.0- 0.0	100	4.6	3.6- 5.6
18-24	207	39,423	111	57.1	49.5-64.7	79	34.9	27.8-42.0	6	2.0	0.0- 4.0	3	2.5	0.0- 6.2				8	3.4	0.7- 6.1
25-34	306	57,248	179	59.3	53.2-65.4	105	34.1	28.2-40.0	6	1.7	0.1- 3.3	3	0.7	0.0- 1.7				13	4.2	1.8- 6.6
35-44	332	46,572	178	53.6	47.5-59.7	121	35.7	29.8-41.6	11	3.7	1.3- 6.1	2	0.9	0.0- 2.1				20	6.2	3.1- 9.3
45-54	349	38,674	187	52.2	46.3-58.1	135	38.8	32.9-44.7	6	2.0	0.0- 4.0	6	0.9	0.1- 1.7				15	6.1	3.0- 9.2
55-64	491	44,154	260	55.0	49.9-60.1	201	38.6	33.7-43.5	8	1.9	0.5- 3.3	4	0.4	0.0- 0.8				18	4.1	1.9- 6.3
65+	1094	56,080	486	44.0	40.5-47.5	530	48.7	45.2-52.2	32	2.9	1.7- 4.1	13	1.3	0.5- 2.1	2	0.2	0.0- 0.4	31	3.0	1.8- 4.2
Less Than H.S.	145	25,264	78	58.8	48.4-69.2	48	30.0	20.6-39.4	6	1.2	0.0- 2.4	2	3.1	0.0- 8.6				11	6.9	2.0-11.8
H.S. or G.E.D.	820	81,573	424	53.0	48.7-57.3	331	37.8	33.7-41.9	19	2.5	1.1- 3.9	9	1.1	0.1- 2.1	1	0.1	0.0- 0.3	36	5.5	3.5- 7.5
Some Post-H.S.	877	103,533	469	55.7	51.6-59.8	343	36.3	32.4-40.2	17	2.3	1.1- 3.5	10	0.7	0.1- 1.3				38	4.9	3.1- 6.7
College Graduate	927	70,321	427	49.1	45.2-53.0	444	46.0	42.1-49.9	27	2.8	1.4- 4.2	10	0.9	0.3- 1.5	1	0.0	0.0- 0.0	18	1.2	0.6- 1.8
Less than \$15,000	78	8,123	39	58.1	44.0-72.2	31	31.3	19.0-43.6	3	3.6	0.0- 8.9							5	7.0	0.0-14.1
\$15,000- 24,999	157	14,769	73	50.7	40.3-61.1	68	37.9	28.1-47.7	5	3.2	0.0- 6.5	4	1.2	0.0- 2.6				7	7.0	0.7-13.3
\$25,000- 34,999	230	24,522	114	55.1	46.5-63.7	95	36.1	27.9-44.3	9	2.9	0.4- 5.4	1	0.8	0.0- 2.4				11	5.2	1.5- 8.9
\$35,000- 49,999	343	33,905	186	58.2	51.5-64.9	129	33.9	27.4-40.4	9	1.9	0.5- 3.3	3	0.9	0.0- 2.3	1	0.0	0.0- 0.0	15	5.2	2.1- 8.3
\$50,000- 99,999	805	80,891	423	54.6	50.3-58.9	336	39.7	35.4-44.0	18	2.2	0.8- 3.6	11	1.6	0.0- 3.4	1	0.1	0.0- 0.3	16	1.9	0.7- 3.1
\$100,000 - 199,999	597	62,136	299	50.3	45.4-55.2	258	41.6	36.7-46.5	14	3.4	1.4- 5.4	4	0.3	0.0- 0.7				22	4.3	2.1- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2675	266,348	1056	43.8	41.3-46.3	1349	46.9	44.4-49.4	170	5.5	4.3- 6.7	47	1.9	1.1- 2.7	4	0.1	0.0- 0.3	49	1.7	0.9- 2.5
Native	133	12,341	72	51.8	39.8-63.8	49	39.7	27.9-51.5	6	2.4	0.2- 4.6	4	5.2	0.0-12.5				2	0.9	0.0- 2.3
Non-Native	2521	252,185	973	43.3	40.8-45.8	1290	47.4	44.9-49.9	164	5.7	4.5- 6.9	43	1.7	1.1- 2.3	4	0.1	0.0- 0.3	47	1.8	1.0- 2.6
18-24	131	34,723	76	58.6	49.2-68.0	45	33.5	24.5-42.5	4	3.0	0.0- 6.1	4	3.4	0.0- 6.9				2	1.5	0.0- 3.5
25-34	183	45,011	79	43.5	35.3-51.7	87	48.3	40.1-56.5	9	4.7	1.4- 8.0	3	1.1	0.0- 2.5				5	2.4	0.0- 5.3
35-44	265	43,353	105	41.8	34.9-48.7	131	49.1	42.2-56.0	14	4.6	1.9- 7.3	7	2.1	0.3- 3.9				8	2.4	0.4- 4.4
45-54	348	36,073	161	48.2	42.3-54.1	156	42.7	36.8-48.6	19	5.6	2.9- 8.3	5	1.9	0.1- 3.7	1	0.3	0.0- 0.9	6	1.4	0.0- 2.8
55-64	510	42,801	224	45.9	40.8-51.0	233	44.0	38.9-49.1	36	7.1	4.6- 9.6	6	1.5	0.1- 2.9	1	0.2	0.0- 0.6	10	1.3	0.3- 2.3
65+	1238	64,387	411	33.6	30.5-36.7	697	56.0	52.7-59.3	88	7.1	5.3- 8.9	22	1.7	0.9- 2.5	2	0.2	0.0- 0.6	18	1.4	0.6- 2.2
Less Than H.S.	96	14,982	47	56.9	43.4-70.4	41	35.0	22.5-47.5	6	3.4	0.5- 6.3							2	4.8	0.0-12.4
H.S. or G.E.D.	677	59,956	287	48.6	43.5-53.7	326	42.8	37.7-47.9	32	4.2	2.4- 6.0	11	1.5	0.3- 2.7	1	0.2	0.0- 0.6	20	2.8	1.0- 4.6
Some Post-H.S.	897	105,060	355	43.0	38.7-47.3	449	47.3	42.8-51.8	56	6.0	4.0- 8.0	18	2.3	0.9- 3.7	2	0.1	0.0- 0.3	17	1.4	0.6- 2.2
College Graduate	1002	86,080	366	39.2	35.3-43.1	532	51.6	47.7-55.5	75	6.3	4.5- 8.1	18	2.0	0.8- 3.2	1	0.1	0.0- 0.3	10	0.8	0.2- 1.4
Less than \$15,000	111	14,608	55	52.8	40.1-65.5	39	29.5	18.5-40.5	9	6.4	1.3-11.5	2	3.1	0.0- 8.0	1	0.5	0.0- 1.5	5	7.7	0.0-16.1
\$15,000- 24,999	214	17,714	87	44.4	35.2-53.6	107	49.7	40.3-59.1	13	4.3	1.2- 7.4	2	0.6	0.0- 1.6				5	1.0	0.0- 2.0
\$25,000- 34,999	261	23,753	112	53.3	44.7-61.9	127	39.4	31.0-47.8	14	5.1	1.4- 8.8	3	0.8	0.0- 1.8				5	1.3	0.0- 2.9
\$35,000- 49,999	343	29,414	139	46.5	39.1-53.9	170	45.0	37.6-52.4	26	6.8	3.7- 9.9	5	1.4	0.0- 3.0				3	0.3	0.0- 0.7
\$50,000- 99,999	734	75,034	277	41.4	36.5-46.3	380	49.3	44.4-54.2	49	5.9	3.7- 8.1	14	2.2	0.6- 3.8	1	0.1	0.0- 0.3	13	1.0	0.4- 1.6
\$100,000 - 199,999	390	44,911	153	41.1	35.0-47.2	200	49.9	43.8-56.0	27	6.4	3.5- 9.3	7	2.1	0.3- 3.9				3	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5454	547,187	4135	75.8	74.2-77.4	807	14.0	12.8-15.2	24	0.5	0.3- 0.7	35	0.6	0.4- 0.8	1	0.0	0.0- 0.0	452	9.0	8.0-10.0
Male	2771	280,577	2124	76.2	74.2-78.2	342	11.1	9.7-12.5	11	0.4	0.0- 0.8	11	0.3	0.1- 0.5	1	0.1	0.0- 0.3	282	11.9	10.3-13.5
Female	2683	266,610	2011	75.5	73.3-77.7	465	17.2	15.2-19.2	13	0.5	0.1- 0.9	24	0.9	0.5- 1.3				170	6.0	4.6- 7.4
Native	241	23,546	184	71.7	63.7-79.7	30	12.8	6.9-18.7	2	0.5	0.0- 1.3							25	14.9	8.0-21.8
Non-Native	5140	517,183	3898	76.1	74.5-77.7	767	14.1	12.9-15.3	22	0.5	0.3- 0.7	32	0.5	0.3- 0.7	1	0.1	0.0- 0.3	420	8.8	7.8- 9.8
18-24	334	73,201	241	72.0	66.5-77.5	32	9.4	5.9-12.9	2	0.7	0.0- 1.7	1	0.5	0.0- 1.5				58	17.4	12.7-22.1
25-34	485	101,263	350	74.3	70.0-78.6	65	13.6	10.1-17.1	4	0.9	0.0- 1.9	1	0.2	0.0- 0.6				65	11.0	8.1-13.9
35-44	602	90,321	461	76.8	72.9-80.7	92	14.8	11.7-17.9				3	0.6	0.0- 1.2	1	0.3	0.0- 0.9	45	7.6	5.1-10.1
45-54	696	75,307	537	77.6	74.1-81.1	113	15.7	12.8-18.6	3	0.4	0.0- 0.8	7	0.9	0.1- 1.7				36	5.4	3.4- 7.4
55-64	998	86,379	795	79.0	76.1-81.9	132	13.8	11.3-16.3	3	0.3	0.0- 0.7	3	0.3	0.0- 0.7				65	6.7	4.9- 8.5
65+	2339	120,715	1751	75.3	73.1-77.5	373	15.9	14.1-17.7	12	0.5	0.1- 0.9	20	1.0	0.4- 1.6				183	7.3	6.1- 8.5
Less Than H.S.	243	40,248	167	67.5	59.5-75.5	30	10.9	6.0-15.8	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	1	0.7	0.0- 2.1	42	20.5	13.2-27.8
H.S. or G.E.D.	1496	140,798	1118	74.1	71.2-77.0	193	11.8	9.6-14.0	6	0.7	0.0- 1.5	7	0.4	0.0- 0.8				172	13.0	10.6-15.4
Some Post-H.S.	1782	209,145	1401	79.3	76.9-81.7	239	13.2	11.0-15.4	5	0.3	0.0- 0.7	9	0.6	0.2- 1.0				128	6.5	5.1- 7.9
College Graduate	1921	155,555	1443	75.2	72.8-77.6	341	17.7	15.5-19.9	12	0.5	0.1- 0.9	17	0.9	0.3- 1.5				108	5.7	4.3- 7.1
Less than \$15,000	183	22,388	132	69.7	60.7-78.7	22	9.3	4.6-14.0	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1				27	20.0	11.6-28.4
\$15,000- 24,999	368	31,701	267	73.8	67.5-80.1	46	12.7	7.8-17.6	1	0.1	0.0- 0.3							54	13.5	8.6-18.4
\$25,000- 34,999	489	47,579	360	73.9	68.6-79.2	68	11.7	8.0-15.4	1	0.0	0.0- 0.0	2	0.2	0.0- 0.6				58	14.1	9.6-18.6
\$35,000- 49,999	688	63,465	531	78.6	74.7-82.5	92	10.8	8.1-13.5	2	0.5	0.0- 1.3	5	0.5	0.0- 1.1				58	9.5	6.6-12.4
\$50,000- 99,999	1539	155,543	1206	77.9	75.2-80.6	221	14.1	11.7-16.5	11	0.7	0.1- 1.3	9	0.4	0.0- 0.8				92	6.8	5.0- 8.6
\$100,000 - 199,999	984	107,130	784	79.8	76.7-82.9	135	13.3	10.8-15.8	2	0.3	0.0- 0.9	8	0.7	0.1- 1.3				55	5.9	4.1- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2771	280,577	2124	76.2	74.2-78.2	342	11.1	9.7-12.5	11	0.4	0.0- 0.8	11	0.3	0.1- 0.5	1	0.1	0.0- 0.3	282	11.9	10.3-13.5
Native	108	11,153	85	76.1	65.1-87.1	11	10.1	1.9-18.3	2	1.2	0.0- 2.8							10	12.7	4.5-20.9
Non-Native	2610	264,721	2001	76.3	74.1-78.5	323	11.0	9.6-12.4	9	0.4	0.0- 0.8	10	0.3	0.1- 0.5	1	0.1	0.0- 0.3	266	11.9	10.1-13.7
18-24	204	38,854	138	67.6	60.3-74.9	20	8.7	4.6-12.8	1	0.6	0.0- 1.8							45	23.1	16.2-30.0
25-34	301	56,568	212	72.2	66.5-77.9	32	10.6	6.7-14.5	3	0.9	0.0- 2.1	1	0.4	0.0- 1.2				53	15.9	11.4-20.4
35-44	336	46,808	266	80.5	75.6-85.4	32	7.7	4.8-10.6							1	0.6	0.0- 1.8	37	11.3	7.2-15.4
45-54	349	39,079	276	79.4	74.7-84.1	48	13.8	9.9-17.7	2	0.5	0.0- 1.3	2	0.6	0.0- 1.6				21	5.7	3.2- 8.2
55-64	489	43,600	388	79.3	75.2-83.4	57	11.6	8.3-14.9	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0				42	8.8	5.9-11.7
65+	1092	55,668	844	77.9	75.0-80.8	153	13.7	11.3-16.1	4	0.4	0.0- 0.8	7	0.6	0.0- 1.2				84	7.4	5.4- 9.4
Less Than H.S.	142	24,817	100	68.0	57.8-78.2	15	9.7	4.0-15.4	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	1	1.1	0.0- 3.3	24	20.8	11.6-30.0
H.S. or G.E.D.	816	81,076	611	74.0	70.3-77.7	91	8.8	6.4-11.2	2	0.3	0.0- 0.9	2	0.2	0.0- 0.6				110	16.7	13.4-20.0
Some Post-H.S.	880	103,478	709	80.5	77.2-83.8	93	10.4	7.9-12.9	3	0.5	0.0- 1.1	2	0.1	0.0- 0.3				73	8.4	6.0-10.8
College Graduate	924	70,036	699	75.5	72.2-78.8	141	14.8	12.1-17.5	5	0.6	0.0- 1.2	6	0.7	0.1- 1.3				73	8.4	6.2-10.6
Less than \$15,000	75	7,924	57	74.0	61.3-86.7	7	5.4	0.5-10.3	1	0.8	0.0- 2.4							10	19.7	7.5-31.9
\$15,000- 24,999	155	14,295	107	71.1	61.3-80.9	17	9.1	3.2-15.0										31	19.8	11.0-28.6
\$25,000- 34,999	234	24,517	164	69.9	62.1-77.7	32	9.6	5.3-13.9										38	20.5	13.2-27.8
\$35,000- 49,999	344	33,931	265	76.3	70.6-82.0	39	9.4	5.9-12.9				1	0.3	0.0- 0.9				39	14.1	9.2-19.0
\$50,000- 99,999	801	80,676	648	79.3	75.4-83.2	82	9.7	7.0-12.4	3	0.4	0.0- 1.0	3	0.3	0.0- 0.7				65	10.3	7.2-13.4
\$100,000 - 199,999	596	62,126	481	80.5	76.6-84.4	71	11.7	8.6-14.8	1	0.4	0.0- 1.2	3	0.5	0.0- 1.3				40	6.9	4.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2683	266,610	2011	75.5	73.3-77.7	465	17.2	15.2-19.2	13	0.5	0.1- 0.9	24	0.9	0.5- 1.3	170	6.0	4.6- 7.4
Native	133	12,393	99	67.8	56.0-79.6	19	15.2	6.8-23.6							15	17.0	6.6-27.4
Non-Native	2530	252,462	1897	75.9	73.7-78.1	444	17.3	15.3-19.3	13	0.5	0.1- 0.9	22	0.8	0.4- 1.2	154	5.5	4.3- 6.7
18-24	130	34,347	103	76.9	68.7-85.1	12	10.3	4.4-16.2	1	0.7	0.0- 2.1	1	1.1	0.0- 3.3	13	11.0	4.9-17.1
25-34	184	44,696	138	77.1	70.0-84.2	33	17.3	11.0-23.6	1	0.8	0.0- 2.4				12	4.8	1.3- 8.3
35-44	266	43,514	195	72.9	67.0-78.8	60	22.4	16.9-27.9				3	1.2	0.0- 2.6	8	3.5	1.0- 6.0
45-54	347	36,228	261	75.7	70.6-80.8	65	17.7	13.4-22.0	1	0.3	0.0- 0.9	5	1.2	0.0- 2.4	15	5.1	2.2- 8.0
55-64	509	42,779	407	78.6	74.3-82.9	75	16.0	12.1-19.9	2	0.4	0.0- 1.0	2	0.5	0.0- 1.3	23	4.5	2.3- 6.7
65+	1247	65,047	907	73.1	70.2-76.0	220	17.7	15.2-20.2	8	0.6	0.0- 1.2	13	1.3	0.3- 2.3	99	7.2	5.6- 8.8
Less Than H.S.	101	15,431	67	66.7	53.8-79.6	15	12.9	3.9-21.9				1	0.3	0.0- 0.9	18	20.1	8.9-31.3
H.S. or G.E.D.	680	59,722	507	74.2	69.7-78.7	102	15.9	12.2-19.6	4	1.2	0.0- 2.8	5	0.6	0.0- 1.2	62	8.1	5.2-11.0
Some Post-H.S.	902	105,668	692	78.2	74.7-81.7	146	16.0	12.9-19.1	2	0.1	0.0- 0.3	7	1.0	0.0- 2.0	55	4.7	2.9- 6.5
College Graduate	997	85,519	744	74.9	71.6-78.2	200	20.0	16.9-23.1	7	0.5	0.1- 0.9	11	1.1	0.3- 1.9	35	3.5	1.9- 5.1
Less than \$15,000	108	14,465	75	67.4	55.2-79.6	15	11.4	4.5-18.3				1	1.1	0.0- 3.3	17	20.1	8.9-31.3
\$15,000- 24,999	213	17,405	160	75.9	67.5-84.3	29	15.6	8.2-23.0	1	0.1	0.0- 0.3				23	8.4	3.5-13.3
\$25,000- 34,999	255	23,062	196	78.1	71.0-85.2	36	14.0	8.1-19.9	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0	20	7.3	2.8-11.8
\$35,000- 49,999	344	29,534	266	81.4	76.3-86.5	53	12.3	8.2-16.4	2	1.1	0.0- 2.9	4	0.9	0.0- 2.3	19	4.3	1.6- 7.0
\$50,000- 99,999	738	74,867	558	76.4	72.3-80.5	139	18.9	15.2-22.6	8	1.1	0.0- 2.3	6	0.5	0.0- 1.1	27	3.2	1.4- 5.0
\$100,000 - 199,999	388	45,004	303	78.9	74.0-83.8	64	15.4	11.1-19.7	1	0.2	0.0- 0.6	5	1.0	0.0- 2.0	15	4.5	2.0- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5475	549,330	4624	85.9	84.7-87.1	226	5.1	4.3- 5.9	10	0.2	0.0- 0.4	12	0.3	0.1- 0.5	603	8.5	7.7- 9.3
Male	2785	282,867	2410	87.0	85.4-88.6	146	5.6	4.4- 6.8	7	0.2	0.0- 0.4	9	0.4	0.0- 0.8	213	6.6	5.4- 7.8
Female	2690	266,463	2214	84.7	82.9-86.5	80	4.4	3.0- 5.8	3	0.2	0.0- 0.6	3	0.1	0.0- 0.3	390	10.6	9.2-12.0
Native	242	23,649	205	84.4	78.1-90.7	15	8.2	3.1-13.3							22	7.3	3.4-11.2
Non-Native	5158	519,030	4362	86.0	84.8-87.2	206	4.9	4.1- 5.7	10	0.2	0.0- 0.4	12	0.3	0.1- 0.5	568	8.6	7.6- 9.6
18-24	333	72,917	295	89.1	85.4-92.8	22	6.5	3.4- 9.6	2	0.7	0.0- 1.9	1	0.3	0.0- 0.9	13	3.4	1.4- 5.4
25-34	491	102,372	441	88.4	84.9-91.9	33	7.9	4.8-11.0	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	15	3.1	1.1- 5.1
35-44	604	90,628	525	86.2	83.1-89.3	26	4.1	2.3- 5.9				1	0.5	0.0- 1.5	52	9.3	6.6-12.0
45-54	698	75,506	611	86.8	83.9-89.7	28	5.1	3.1- 7.1	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	57	8.0	5.8-10.2
55-64	996	86,398	855	86.0	83.5-88.5	31	3.4	2.0- 4.8	2	0.3	0.0- 0.7				108	10.3	8.1-12.5
65+	2353	121,508	1897	81.1	79.1-83.1	86	3.6	2.6- 4.6	4	0.1	0.0- 0.3	8	0.4	0.0- 0.8	358	14.8	13.0-16.6
Less Than H.S.	247	40,759	189	77.6	70.7-84.5	22	10.6	5.1-16.1				1	1.0	0.0- 3.0	35	10.8	6.1-15.5
H.S. or G.E.D.	1504	141,956	1253	86.1	83.9-88.3	87	5.5	3.9- 7.1	3	0.1	0.1- 0.1	4	0.3	0.0- 0.7	157	8.1	6.5- 9.7
Some Post-H.S.	1788	209,481	1521	85.9	83.7-88.1	64	5.0	3.4- 6.6	3	0.4	0.0- 1.0	5	0.3	0.0- 0.7	195	8.4	6.8-10.0
College Graduate	1923	155,652	1652	88.0	86.2-89.8	51	3.2	2.2- 4.2	4	0.2	0.0- 0.4	2	0.1	0.0- 0.3	214	8.6	7.2-10.0
Less than \$15,000	191	23,060	139	72.0	63.2-80.8	10	7.7	1.6-13.8	1	0.1	0.0- 0.3				41	20.2	12.8-27.6
\$15,000- 24,999	374	32,472	296	84.4	80.1-88.7	21	5.0	2.1- 7.9				2	0.5	0.0- 1.3	55	10.1	6.8-13.4
\$25,000- 34,999	497	48,647	410	85.6	81.5-89.7	25	5.1	2.6- 7.6				2	1.0	0.0- 2.8	60	8.3	5.4-11.2
\$35,000- 49,999	688	63,188	577	87.5	84.6-90.4	30	4.9	2.7- 7.1	1	0.1	0.0- 0.3				80	7.6	5.6- 9.6
\$50,000- 99,999	1538	155,652	1354	87.8	85.4-90.2	58	5.6	3.8- 7.4	4	0.4	0.0- 1.0	2	0.1	0.1- 0.1	120	6.1	4.7- 7.5
\$100,000 - 199,999	983	106,633	882	89.7	87.5-91.9	25	2.8	1.6- 4.0	2	0.4	0.0- 1.0	3	0.3	0.0- 0.7	71	6.8	5.0- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2785	282,867	2410	87.0	85.4-88.6	146	5.6	4.4- 6.8	7	0.2	0.0- 0.4	9	0.4	0.0- 0.8	213	6.6	5.4- 7.8
Native	109	11,256	93	85.8	77.4-94.2	7	6.8	1.1-12.5							9	7.4	0.9-13.9
Non-Native	2623	266,825	2275	87.2	85.6-88.8	135	5.6	4.4- 6.8	7	0.3	0.1- 0.5	9	0.5	0.1- 0.9	197	6.5	5.3- 7.7
18-24	205	39,137	179	88.5	83.8-93.2	13	5.7	2.4- 9.0	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	11	5.0	1.9- 8.1
25-34	308	57,917	281	90.2	86.3-94.1	18	6.7	3.4-10.0	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5	7	2.1	0.3- 3.9
35-44	337	47,010	295	86.5	82.2-90.8	16	4.5	2.0- 7.0				1	0.9	0.0- 2.7	25	8.1	4.6-11.6
45-54	351	39,221	312	87.7	83.8-91.6	19	6.7	3.6- 9.8							20	5.6	3.1- 8.1
55-64	489	43,699	422	85.9	82.4-89.4	23	5.1	2.9- 7.3	2	0.6	0.0- 1.6				42	8.5	5.8-11.2
65+	1095	55,882	921	83.7	81.0-86.4	57	5.1	3.5- 6.7	3	0.2	0.0- 0.6	6	0.5	0.1- 0.9	108	10.5	8.1-12.9
Less Than H.S.	146	25,339	125	83.4	75.8-91.0	11	8.9	3.2-14.6				1	1.7	0.0- 5.0	9	6.0	1.3-10.7
H.S. or G.E.D.	816	81,288	681	85.6	82.7-88.5	66	6.9	4.7- 9.1	2	0.1	0.0- 0.3	4	0.5	0.0- 1.1	63	7.0	5.0- 9.0
Some Post-H.S.	886	104,888	778	87.6	84.9-90.3	40	5.6	3.6- 7.6	2	0.4	0.0- 1.0	4	0.4	0.0- 1.0	62	6.0	4.2- 7.8
College Graduate	928	70,181	819	89.4	87.0-91.8	27	2.8	1.6- 4.0	3	0.3	0.0- 0.7				79	7.5	5.5- 9.5
Less than \$15,000	80	8,450	57	66.5	52.6-80.4	6	9.3	1.1-17.5	1	0.2	0.0- 0.6				16	24.0	11.5-36.5
\$15,000- 24,999	158	14,905	124	81.9	74.6-89.2	12	6.0	1.1-10.9				1	0.2	0.0- 0.6	21	11.9	6.2-17.6
\$25,000- 34,999	236	24,841	202	85.6	79.5-91.7	18	7.8	3.3-12.3				2	1.9	0.0- 5.2	14	4.6	1.5- 7.7
\$35,000- 49,999	344	34,113	296	88.8	84.9-92.7	22	5.6	2.7- 8.5	1	0.1	0.0- 0.3				25	5.5	3.0- 8.0
\$50,000- 99,999	804	80,969	723	89.8	87.1-92.5	38	6.3	3.9- 8.7	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	40	3.7	2.1- 5.3
\$100,000 - 199,999	595	62,032	539	90.3	87.4-93.2	15	2.8	1.2- 4.4	2	0.7	0.0- 1.7	3	0.5	0.0- 1.3	36	5.6	3.4- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2690	266,463	2214	84.7	82.9-86.5	80	4.4	3.0- 5.8	3	0.2	0.0- 0.6	3	0.1	0.0- 0.3	390	10.6	9.2-12.0
Native	133	12,393	112	83.2	74.2-92.2	8	9.5	1.1-17.9							13	7.3	2.8-11.8
Non-Native	2535	252,205	2087	84.8	82.8-86.8	71	4.2	2.8- 5.6	3	0.2	0.0- 0.6	3	0.1	0.0- 0.3	371	10.7	9.3-12.1
18-24	128	33,781	116	89.7	83.6-95.8	9	7.4	2.1-12.7	1	1.4	0.0- 4.1				2	1.5	0.0- 3.5
25-34	183	44,455	160	86.1	79.6-92.6	15	9.5	3.8-15.2							8	4.4	0.7- 8.1
35-44	267	43,618	230	85.8	81.1-90.5	10	3.7	1.2- 6.2							27	10.5	6.4-14.6
45-54	347	36,284	299	85.8	81.5-90.1	9	3.4	1.0- 5.8	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	37	10.6	6.9-14.3
55-64	507	42,699	433	86.0	82.5-89.5	8	1.8	0.2- 3.4							66	12.2	8.9-15.5
65+	1258	65,626	976	78.9	76.2-81.6	29	2.3	1.3- 3.3	1	0.0	0.0- 0.0	2	0.3	0.0- 0.7	250	18.4	15.9-20.9
Less Than H.S.	101	15,419	64	68.0	55.3-80.7	11	13.3	2.5-24.1							26	18.7	9.3-28.1
H.S. or G.E.D.	688	60,668	572	86.9	83.8-90.0	21	3.5	1.5- 5.5	1	0.0	0.0- 0.0				94	9.6	7.1-12.1
Some Post-H.S.	902	104,592	743	84.1	80.8-87.4	24	4.5	2.1- 6.9	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	133	10.8	8.4-13.2
College Graduate	995	85,471	833	86.8	84.3-89.3	24	3.5	1.9- 5.1	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	135	9.5	7.5-11.5
Less than \$15,000	111	14,610	82	75.2	63.8-86.6	4	6.7	0.0-14.9							25	18.0	8.8-27.2
\$15,000- 24,999	216	17,566	172	86.5	81.4-91.6	9	4.2	0.7- 7.7				1	0.8	0.0- 2.4	34	8.6	5.1-12.1
\$25,000- 34,999	261	23,806	208	85.5	80.2-90.8	7	2.3	0.3- 4.3							46	12.2	7.3-17.1
\$35,000- 49,999	344	29,076	281	86.0	81.5-90.5	8	4.0	0.7- 7.3							55	10.0	6.9-13.1
\$50,000- 99,999	734	74,684	631	85.7	82.0-89.4	20	4.8	1.9- 7.7	2	0.7	0.0- 1.9	1	0.0	0.0- 0.0	80	8.7	6.2-11.2
\$100,000 - 199,999	388	44,601	343	88.9	85.2-92.6	10	2.7	0.7- 4.7							35	8.4	5.3-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5419	543,336	4582	83.1	81.7-84.5	357	6.1	5.3- 6.9	14	0.3	0.1- 0.5	12	0.2	0.0- 0.4	454	10.3	9.1-11.5
Male	2761	279,407	2305	81.7	79.7-83.7	197	6.6	5.4- 7.8	6	0.2	0.0- 0.4	9	0.3	0.0- 0.7	244	11.2	9.6-12.8
Female	2658	263,929	2277	84.5	82.5-86.5	160	5.6	4.2- 7.0	8	0.4	0.0- 0.8	3	0.1	0.0- 0.3	210	9.4	7.6-11.2
Native	238	23,332	211	86.4	80.1-92.7	15	8.1	3.0-13.2				1	0.2	0.0- 0.6	11	5.3	1.2- 9.4
Non-Native	5109	513,732	4308	82.8	81.4-84.2	338	6.0	5.0- 7.0	14	0.3	0.1- 0.5	11	0.2	0.0- 0.4	438	10.6	9.4-11.8
18-24	333	73,070	268	80.3	75.4-85.2	16	4.0	1.6- 6.4	1	0.3	0.0- 0.9				48	15.4	11.1-19.7
25-34	481	100,903	397	79.7	75.2-84.2	29	7.3	4.2-10.4							55	13.0	9.5-16.5
35-44	594	88,824	504	83.5	80.0-87.0	24	4.0	2.2- 5.8	2	0.6	0.0- 1.4	2	0.6	0.0- 1.6	62	11.3	8.4-14.2
45-54	694	74,805	583	83.5	80.4-86.6	36	5.9	3.7- 8.1	1	0.2	0.0- 0.6	3	0.4	0.0- 0.8	71	10.1	7.6-12.6
55-64	989	85,551	859	86.3	83.8-88.8	47	5.4	3.6- 7.2	3	0.3	0.0- 0.7				80	8.0	6.0-10.0
65+	2328	120,183	1971	84.7	82.9-86.5	205	8.6	7.2-10.0	7	0.4	0.2- 0.6	7	0.2	0.0- 0.4	138	6.1	4.9- 7.3
Less Than H.S.	243	39,992	190	72.3	64.5-80.1	31	14.3	8.0-20.6	2	1.0	0.0- 2.6	1	1.1	0.0- 3.3	19	11.4	5.5-17.3
H.S. or G.E.D.	1480	139,398	1227	83.1	80.6-85.6	129	6.7	5.1- 8.3	4	0.3	0.0- 0.7	4	0.1	0.0- 0.3	116	9.8	7.6-12.0
Some Post-H.S.	1774	208,226	1485	81.9	79.4-84.4	114	6.1	4.5- 7.7	4	0.2	0.0- 0.4	2	0.0	0.0- 0.0	169	11.8	9.6-14.0
College Graduate	1912	154,426	1671	87.4	85.6-89.2	82	3.5	2.5- 4.5	4	0.2	0.0- 0.4	5	0.3	0.1- 0.5	150	8.6	7.0-10.2
Less than \$15,000	185	22,705	152	81.0	72.8-89.2	16	5.2	2.1- 8.3							17	13.7	5.7-21.7
\$15,000- 24,999	369	31,745	299	81.9	76.4-87.4	35	7.0	3.7-10.3	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	33	10.6	5.9-15.3
\$25,000- 34,999	493	48,022	400	76.7	71.2-82.2	39	8.7	5.2-12.2	2	0.2	0.0- 0.4	2	0.9	0.0- 2.7	50	13.6	9.3-17.9
\$35,000- 49,999	684	63,475	590	85.7	82.0-89.4	42	5.4	3.2- 7.6				3	0.2	0.0- 0.4	49	8.7	5.6-11.8
\$50,000- 99,999	1522	153,217	1313	85.0	82.5-87.5	88	5.9	4.1- 7.7	4	0.3	0.0- 0.7	1	0.0	0.0- 0.0	116	8.8	6.8-10.8
\$100,000 - 199,999	979	105,940	858	85.7	82.8-88.6	35	3.9	2.3- 5.5				2	0.2	0.0- 0.4	84	10.3	7.8-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2761	279,407	2305	81.7	79.7-83.7	197	6.6	5.4- 7.8	6	0.2	0.0- 0.4	9	0.3	0.0- 0.7	244	11.2	9.6-12.8
Native	108	11,153	93	82.9	73.3-92.5	7	7.0	1.1-12.9				1	0.5	0.0- 1.5	7	9.6	1.6-17.6
Non-Native	2601	263,736	2166	81.5	79.5-83.5	186	6.5	5.3- 7.7	6	0.2	0.0- 0.4	8	0.3	0.0- 0.7	235	11.5	9.9-13.1
18-24	204	38,897	158	77.3	70.8-83.8	8	2.5	0.1- 4.9							38	20.2	13.9-26.5
25-34	301	56,720	251	82.0	77.1-86.9	15	5.8	2.5- 9.1							35	12.2	8.1-16.3
35-44	332	46,074	281	82.7	77.8-87.6	13	4.4	1.7- 7.1	1	0.5	0.0- 1.5	2	1.2	0.0- 3.2	35	11.1	7.2-15.0
45-54	347	38,583	287	80.9	76.0-85.8	22	7.7	4.2-11.2				2	0.4	0.0- 1.0	36	11.0	7.3-14.7
55-64	483	43,181	411	83.8	79.9-87.7	29	7.1	4.2-10.0	3	0.5	0.0- 1.1				40	8.6	5.7-11.5
65+	1094	55,952	917	82.5	79.8-85.2	110	10.7	8.5-12.9	2	0.2	0.0- 0.4	5	0.3	0.0- 0.7	60	6.4	4.4- 8.4
Less Than H.S.	145	24,912	108	67.0	57.0-77.0	21	17.2	9.2-25.2	1	1.0	0.0- 3.0	1	1.7	0.0- 5.0	14	13.1	5.8-20.4
H.S. or G.E.D.	808	80,518	656	80.6	77.3-83.9	74	7.2	5.2- 9.2	1	0.0	0.0- 0.0	3	0.2	0.0- 0.4	74	12.0	9.1-14.9
Some Post-H.S.	880	103,518	728	81.9	78.8-85.0	59	5.5	3.7- 7.3	2	0.2	0.0- 0.4	2	0.1	0.0- 0.3	89	12.3	9.6-15.0
College Graduate	920	69,413	806	87.7	85.2-90.2	42	3.5	2.3- 4.7	2	0.2	0.0- 0.4	3	0.4	0.0- 0.8	67	8.2	6.0-10.4
Less than \$15,000	76	8,147	60	82.0	72.0-92.0	9	8.1	1.4-14.8							7	9.9	2.1-17.7
\$15,000- 24,999	155	14,550	121	81.7	74.3-89.1	17	8.2	3.5-12.9	1	0.6	0.0- 1.8	1	0.4	0.0- 1.2	15	9.2	3.3-15.1
\$25,000- 34,999	235	24,446	183	68.8	60.4-77.2	22	12.6	6.3-18.9	1	0.1	0.0- 0.3	1	1.7	0.0- 5.0	28	16.8	10.1-23.5
\$35,000- 49,999	342	33,860	289	83.4	77.9-88.9	23	4.4	2.0- 6.8				2	0.4	0.0- 1.0	28	11.8	6.7-16.9
\$50,000- 99,999	792	79,471	682	84.7	81.6-87.8	57	6.3	4.1- 8.5				1	0.1	0.0- 0.3	52	8.9	6.4-11.4
\$100,000 - 199,999	593	61,523	512	83.9	80.0-87.8	23	5.0	2.5- 7.5				2	0.3	0.0- 0.7	56	10.9	7.6-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES
TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2658	263,929	2277	84.5	82.5-86.5	160	5.6	4.2- 7.0	8	0.4	0.0- 0.8	3	0.1	0.0- 0.3	210	9.4	7.6-11.2
Native	130	12,179	118	89.6	81.4-97.8	8	9.0	0.8-17.2							4	1.4	0.0- 3.0
Non-Native	2508	249,996	2142	84.3	82.1-86.5	152	5.5	4.1- 6.9	8	0.4	0.0- 0.8	3	0.1	0.0- 0.3	203	9.7	7.9-11.5
18-24	129	34,172	110	83.7	76.6-90.8	8	5.7	1.4-10.0	1	0.7	0.0- 2.1				10	9.9	4.0-15.8
25-34	180	44,183	146	76.7	68.9-84.5	14	9.2	3.5-14.9							20	14.1	7.8-20.4
35-44	262	42,750	223	84.3	79.2-89.4	11	3.6	1.2- 6.0	1	0.6	0.0- 1.8				27	11.6	7.1-16.1
45-54	347	36,222	296	86.3	82.4-90.2	14	3.9	1.7- 6.1	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2	35	9.0	5.9-12.1
55-64	506	42,370	448	88.8	85.5-92.1	18	3.7	1.7- 5.7							40	7.5	4.8-10.2
65+	1234	64,231	1054	86.7	84.5-88.9	95	6.9	5.3- 8.5	5	0.5	0.1- 0.9	2	0.1	0.1- 0.1	78	5.8	4.2- 7.4
Less Than H.S.	98	15,080	82	81.0	68.1-93.9	10	9.4	0.0-19.4	1	1.1	0.0- 3.3				5	8.5	0.0-18.3
H.S. or G.E.D.	672	58,880	571	86.4	82.9-89.9	55	6.0	3.8- 8.2	3	0.6	0.0- 1.4	1	0.0	0.0- 0.0	42	6.9	4.2- 9.6
Some Post-H.S.	894	104,708	757	81.9	78.2-85.6	55	6.6	4.2- 9.0	2	0.3	0.0- 0.7				80	11.2	8.1-14.3
College Graduate	992	85,014	865	87.1	84.4-89.8	40	3.6	2.0- 5.2	2	0.2	0.0- 0.4	2	0.2	0.0- 0.6	83	8.9	6.5-11.3
Less than \$15,000	109	14,558	92	80.5	68.7-92.3	7	3.6	0.3- 6.9							10	15.9	4.3-27.5
\$15,000- 24,999	214	17,195	178	82.1	74.1-90.1	18	6.1	1.6-10.6							18	11.8	4.5-19.1
\$25,000- 34,999	258	23,576	217	84.8	78.5-91.1	17	4.6	1.3- 7.9	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	22	10.2	4.7-15.7
\$35,000- 49,999	342	29,616	301	88.2	83.7-92.7	19	6.6	2.9-10.3				1	0.1	0.0- 0.3	21	5.2	2.3- 8.1
\$50,000- 99,999	730	73,746	631	85.3	81.6-89.0	31	5.5	2.8- 8.2	4	0.6	0.0- 1.4				64	8.6	5.9-11.3
\$100,000 - 199,999	386	44,417	346	88.2	83.7-92.7	12	2.3	0.7- 3.9							28	9.5	5.2-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5434	545,512	2927	55.7	53.9-57.5	2198	38.2	36.4-40.0	93	1.8	1.4- 2.2	82	1.7	1.1- 2.3	134	2.7	2.1- 3.3
Male	2772	280,586	1715	63.1	60.7-65.5	903	30.9	28.7-33.1	32	1.1	0.7- 1.5	34	1.2	0.6- 1.8	88	3.7	2.7- 4.7
Female	2662	264,926	1212	47.8	45.3-50.3	1295	45.9	43.4-48.4	61	2.5	1.7- 3.3	48	2.2	1.2- 3.2	46	1.6	0.8- 2.4
Native	240	23,375	145	62.4	54.2-70.6	77	29.6	22.0-37.2	3	0.9	0.0- 2.1	6	3.4	0.1- 6.7	9	3.6	0.7- 6.5
Non-Native	5120	515,685	2742	55.4	53.6-57.2	2089	38.5	36.7-40.3	89	1.9	1.3- 2.5	75	1.6	1.0- 2.2	125	2.6	2.0- 3.2
18-24	333	72,787	222	68.0	62.3-73.7	91	25.8	20.5-31.1	6	1.3	0.0- 2.7	3	1.0	0.0- 2.2	11	3.8	1.4- 6.2
25-34	486	102,185	289	56.8	51.7-61.9	166	36.3	31.4-41.2	13	2.5	0.9- 4.1	5	1.7	0.0- 3.5	13	2.7	0.9- 4.5
35-44	598	89,157	311	50.1	45.6-54.6	240	40.9	36.4-45.4	16	2.6	1.2- 4.0	10	2.5	0.9- 4.1	21	3.9	1.9- 5.9
45-54	693	74,886	385	56.0	51.9-60.1	274	39.1	35.0-43.2	9	1.4	0.4- 2.4	11	1.6	0.6- 2.6	14	1.9	0.7- 3.1
55-64	987	85,019	559	57.2	53.7-60.7	378	38.0	34.5-41.5	21	1.9	0.9- 2.9	9	0.9	0.1- 1.7	20	1.9	0.9- 2.9
65+	2337	121,478	1161	50.0	47.6-52.4	1049	44.7	42.3-47.1	28	1.2	0.6- 1.8	44	2.0	1.2- 2.8	55	2.1	1.3- 2.9
Less Than H.S.	240	39,344	130	56.6	48.2-65.0	87	29.8	22.5-37.1	4	1.2	0.0- 2.6	4	3.9	0.0- 8.4	15	8.6	3.5-13.7
H.S. or G.E.D.	1491	141,527	860	58.6	55.5-61.7	537	34.3	31.2-37.4	17	1.2	0.4- 2.0	26	2.0	1.0- 3.0	51	3.8	2.4- 5.2
Some Post-H.S.	1782	208,526	985	57.0	54.1-59.9	710	38.3	35.4-41.2	28	1.7	0.9- 2.5	20	1.0	0.4- 1.6	39	1.9	1.1- 2.7
College Graduate	1908	154,367	947	51.2	48.5-53.9	857	43.4	40.7-46.1	44	2.7	1.7- 3.7	31	1.7	0.9- 2.5	29	1.1	0.5- 1.7
Less than \$15,000	188	22,763	108	59.1	49.5-68.7	59	27.2	19.0-35.4	2	0.7	0.0- 1.7	4	2.8	0.0- 5.7	15	10.3	3.0-17.6
\$15,000- 24,999	367	31,789	196	58.5	51.6-65.4	149	35.5	29.0-42.0	5	1.3	0.1- 2.5	6	1.2	0.0- 2.4	11	3.5	1.0- 6.0
\$25,000- 34,999	491	47,508	267	56.9	50.8-63.0	195	35.0	29.1-40.9	7	1.6	0.0- 3.2	10	3.9	1.2- 6.6	12	2.5	0.3- 4.7
\$35,000- 49,999	684	63,647	386	58.8	53.9-63.7	268	35.9	31.2-40.6	8	1.0	0.2- 1.8	6	1.0	0.0- 2.2	16	3.3	1.1- 5.5
\$50,000- 99,999	1530	154,531	864	56.6	53.3-59.9	585	37.7	34.6-40.8	34	2.9	1.7- 4.1	21	1.6	0.4- 2.8	26	1.2	0.6- 1.8
\$100,000 - 199,999	986	106,729	539	54.9	51.2-58.6	395	39.6	35.9-43.3	16	1.7	0.7- 2.7	13	1.4	0.6- 2.2	23	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2772	280,586	1715	63.1	60.7-65.5	903	30.9	28.7-33.1	32	1.1	0.7- 1.5	34	1.2	0.6- 1.8	88	3.7	2.7- 4.7
Native	109	11,256	73	67.4	55.6-79.2	28	24.0	13.2-34.8				3	2.6	0.0- 6.1	5	5.9	0.0-11.8
Non-Native	2610	264,674	1610	63.0	60.6-65.4	855	31.1	28.9-33.3	31	1.1	0.7- 1.5	31	1.1	0.5- 1.7	83	3.6	2.6- 4.6
18-24	206	39,097	146	72.3	65.4-79.2	47	21.4	15.3-27.5	4	0.8	0.0- 1.6	1	0.6	0.0- 1.8	8	4.9	1.4- 8.4
25-34	302	56,754	194	62.7	56.6-68.8	91	31.6	25.7-37.5	4	1.2	0.0- 2.4	3	1.0	0.0- 2.2	10	3.5	1.1- 5.9
35-44	336	46,559	204	59.2	53.1-65.3	107	31.3	25.8-36.8	6	1.6	0.2- 3.0	2	1.5	0.0- 3.7	17	6.4	3.1- 9.7
45-54	347	38,836	232	66.5	60.8-72.2	102	30.2	24.7-35.7	2	0.7	0.0- 1.7	3	0.8	0.0- 1.8	8	1.8	0.4- 3.2
55-64	483	42,953	319	65.8	60.9-70.7	142	29.5	24.8-34.2	7	1.6	0.4- 2.8	5	0.8	0.0- 1.6	10	2.3	0.7- 3.9
65+	1098	56,387	620	55.9	52.4-59.4	414	38.3	34.8-41.8	9	0.8	0.2- 1.4	20	2.0	1.0- 3.0	35	3.1	1.7- 4.5
Less Than H.S.	144	24,409	82	59.1	48.7-69.5	47	28.0	19.0-37.0	1	0.2	0.0- 0.6	3	3.1	0.0- 7.0	11	9.6	3.3-15.9
H.S. or G.E.D.	815	81,266	523	63.5	59.4-67.6	235	28.6	24.7-32.5	8	1.0	0.2- 1.8	10	1.3	0.3- 2.3	39	5.6	3.4- 7.8
Some Post-H.S.	884	103,965	566	66.3	62.6-70.0	273	29.2	25.5-32.9	13	1.3	0.5- 2.1	9	0.7	0.3- 1.1	23	2.6	1.2- 4.0
College Graduate	919	69,486	540	60.0	56.1-63.9	342	36.4	32.7-40.1	10	1.3	0.3- 2.3	12	1.1	0.3- 1.9	15	1.1	0.3- 1.9
Less than \$15,000	79	8,432	49	66.7	53.2-80.2	26	27.7	15.4-40.0							4	5.5	0.0-12.8
\$15,000- 24,999	155	14,463	94	63.0	53.0-73.0	48	28.1	19.1-37.1	2	1.6	0.0- 3.8	4	1.6	0.0- 3.4	7	5.8	0.7-10.9
\$25,000- 34,999	230	23,828	147	62.3	53.7-70.9	68	28.3	20.5-36.1	3	1.2	0.0- 2.8	4	3.8	0.0- 7.9	8	4.4	0.3- 8.5
\$35,000- 49,999	341	33,868	212	60.8	54.1-67.5	109	32.1	25.8-38.4	4	0.6	0.0- 1.4	2	0.4	0.0- 1.0	14	6.1	2.4- 9.8
\$50,000- 99,999	799	80,245	526	67.8	63.7-71.9	236	28.0	24.1-31.9	13	2.0	0.8- 3.2	8	0.8	0.2- 1.4	16	1.5	0.5- 2.5
\$100,000 - 199,999	599	62,192	377	63.7	59.0-68.4	195	31.7	27.2-36.2	4	0.9	0.1- 1.7	6	0.9	0.0- 1.9	17	2.8	1.0- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2662	264,926	1212	47.8	45.3-50.3	1295	45.9	43.4-48.4	61	2.5	1.7- 3.3	48	2.2	1.2- 3.2	46	1.6	0.8- 2.4
Native	131	12,119	72	57.7	46.1-69.3	49	34.8	24.0-45.6	3	1.8	0.0- 4.2	3	4.2	0.0- 9.5	4	1.5	0.0- 3.1
Non-Native	2510	251,011	1132	47.3	44.6-50.0	1234	46.4	43.9-48.9	58	2.6	1.8- 3.4	44	2.1	1.1- 3.1	42	1.6	0.8- 2.4
18-24	127	33,690	76	63.1	53.9-72.3	44	31.0	22.2-39.8	2	2.0	0.0- 4.9	2	1.5	0.0- 3.7	3	2.4	0.0- 5.1
25-34	184	45,431	95	49.5	41.3-57.7	75	42.3	34.1-50.5	9	4.1	1.2- 7.0	2	2.4	0.0- 5.9	3	1.6	0.0- 4.1
35-44	262	42,598	107	40.2	33.5-46.9	133	51.5	44.6-58.4	10	3.6	1.1- 6.1	8	3.5	1.0- 6.0	4	1.2	0.0- 2.6
45-54	346	36,050	153	44.8	38.9-50.7	172	48.6	42.7-54.5	7	2.1	0.5- 3.7	8	2.5	0.7- 4.3	6	2.0	0.0- 4.0
55-64	504	42,066	240	48.4	43.1-53.7	236	46.8	41.7-51.9	14	2.2	0.8- 3.6	4	1.1	0.0- 2.3	10	1.5	0.3- 2.7
65+	1239	65,091	541	44.9	41.6-48.2	635	50.4	47.1-53.7	19	1.5	0.5- 2.5	24	2.1	1.1- 3.1	20	1.2	0.6- 1.8
Less Than H.S.	96	14,934	48	52.4	38.5-66.3	40	32.7	20.5-44.9	3	2.8	0.0- 6.3	1	5.2	0.0-15.0	4	6.9	0.0-15.5
H.S. or G.E.D.	676	60,261	337	52.1	47.0-57.2	302	42.1	37.0-47.2	9	1.3	0.1- 2.5	16	2.9	0.9- 4.9	12	1.5	0.3- 2.7
Some Post-H.S.	898	104,562	419	47.8	43.3-52.3	437	47.4	42.9-51.9	15	2.2	0.8- 3.6	11	1.3	0.3- 2.3	16	1.3	0.3- 2.3
College Graduate	989	84,881	407	43.9	40.0-47.8	515	49.0	45.1-52.9	34	3.8	2.2- 5.4	19	2.2	1.0- 3.4	14	1.0	0.2- 1.8
Less than \$15,000	109	14,331	59	54.6	41.7-67.5	33	26.8	15.8-37.8	2	1.0	0.0- 2.4	4	4.4	0.0- 9.1	11	13.2	2.8-23.6
\$15,000- 24,999	212	17,326	102	54.8	45.6-64.0	101	41.7	32.5-50.9	3	1.0	0.0- 2.4	2	0.9	0.0- 2.5	4	1.6	0.0- 3.4
\$25,000- 34,999	261	23,680	120	51.4	42.6-60.2	127	41.8	33.2-50.4	4	2.0	0.0- 4.7	6	4.1	0.4- 7.8	4	0.6	0.0- 1.2
\$35,000- 49,999	343	29,779	174	56.4	49.0-63.8	159	40.3	33.0-47.6	4	1.4	0.0- 3.0	4	1.7	0.0- 4.1	2	0.2	0.0- 0.4
\$50,000- 99,999	731	74,286	338	44.6	39.7-49.5	349	48.2	43.3-53.1	21	3.9	1.7- 6.1	13	2.5	0.1- 4.9	10	0.9	0.3- 1.5
\$100,000 - 199,999	387	44,537	162	42.7	36.6-48.8	200	50.7	44.6-56.8	12	2.8	0.8- 4.8	7	1.9	0.3- 3.5	6	1.8	0.0- 3.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2021**

End of Calculated Variable Data Report