

NORTH DAKOTA

2021 Core Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5904	601,508	944	19.2	17.8-20.6	2118	36.3	34.7-37.9	1924	31.5	29.9-33.1	704	10.1	9.1-11.1	214	2.9	2.3- 3.5
Male	3019	307,564	512	19.8	17.8-21.8	1029	34.6	32.4-36.8	1009	32.7	30.5-34.9	357	9.6	8.4-10.8	112	3.2	2.4- 4.0
Female	2885	293,944	432	18.6	16.6-20.6	1089	38.0	35.6-40.4	915	30.3	27.9-32.7	347	10.5	8.9-12.1	102	2.6	1.8- 3.4
Native	264	25,963	35	12.4	7.1-17.7	65	27.8	20.0-35.6	95	32.2	24.8-39.6	57	23.9	16.6-31.2	12	3.6	0.9- 6.3
Non-Native	5552	567,618	894	19.5	18.1-20.9	2019	36.7	34.9-38.5	1805	31.5	29.9-33.1	639	9.5	8.5-10.5	195	2.8	2.2- 3.4
18-24	374	82,779	113	28.7	23.6-33.8	139	38.4	32.7-44.1	101	26.3	21.4-31.2	19	5.3	2.6- 8.0	2	1.2	0.0- 3.0
25-34	549	115,528	134	22.8	18.9-26.7	216	39.2	34.5-43.9	150	27.8	23.5-32.1	41	8.8	5.9-11.7	8	1.4	0.2- 2.6
35-44	661	99,719	157	24.1	20.4-27.8	241	34.8	30.7-38.9	207	32.1	28.0-36.2	46	6.8	4.6- 9.0	10	2.3	0.7- 3.9
45-54	746	80,677	131	17.9	14.8-21.0	298	38.6	34.7-42.5	225	30.1	26.4-33.8	70	10.3	7.8-12.8	22	3.1	1.7- 4.5
55-64	1057	92,361	152	14.5	12.0-17.0	388	35.2	31.9-38.5	369	35.7	32.4-39.0	115	11.2	8.8-13.6	33	3.4	2.0- 4.8
65+	2517	130,445	257	10.4	9.0-11.8	836	32.8	30.6-35.0	872	35.7	33.5-37.9	413	15.7	13.9-17.5	139	5.4	4.2- 6.6
Less Than H.S.	270	46,390	32	13.7	7.8-19.6	54	21.8	15.1-28.5	93	32.4	25.0-39.8	67	22.9	16.0-29.8	24	9.2	4.5-13.9
H.S. or G.E.D.	1655	159,950	220	16.8	14.3-19.3	501	31.9	29.0-34.8	601	35.9	33.0-38.8	258	12.3	10.3-14.3	75	3.1	2.3- 3.9
Some Post-H.S.	1927	227,384	285	18.5	16.1-20.9	722	37.7	35.0-40.4	655	32.8	30.1-35.5	199	8.4	7.0- 9.8	66	2.6	1.8- 3.4
College Graduate	2033	165,360	401	23.7	21.3-26.1	836	42.7	40.0-45.4	570	25.4	23.0-27.8	179	6.7	5.5- 7.9	47	1.5	0.9- 2.1
Less than \$15,000	202	24,803	16	10.1	4.6-15.6	39	19.0	11.7-26.3	67	33.5	24.5-42.5	50	25.5	16.9-34.1	30	12.0	6.9-17.1
\$15,000- 24,999	394	34,417	40	12.4	7.7-17.1	88	25.0	18.7-31.3	136	33.6	27.3-39.9	104	22.0	16.9-27.1	26	7.1	3.6-10.6
\$25,000- 34,999	526	51,561	65	14.9	10.6-19.2	167	32.7	27.0-38.4	168	33.4	27.7-39.1	87	13.8	10.1-17.5	39	5.2	2.7- 7.7
\$35,000- 49,999	723	67,489	96	17.2	13.1-21.3	244	32.7	28.2-37.2	277	39.2	34.5-43.9	88	8.9	6.5-11.3	18	2.0	0.8- 3.2
\$50,000- 99,999	1602	164,775	243	18.3	15.8-20.8	652	41.0	37.9-44.1	519	30.4	27.5-33.3	151	8.7	6.7-10.7	37	1.6	1.0- 2.2
\$100,000 - 199,999	1024	111,706	226	24.4	21.1-27.7	440	43.7	40.0-47.4	286	26.2	22.9-29.5	57	4.6	3.2- 6.0	15	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3019	307,564	512	19.8	17.8-21.8	1029	34.6	32.4-36.8	1009	32.7	30.5-34.9	357	9.6	8.4-10.8	112	3.2	2.4- 4.0
Native	118	12,474	19	16.6	7.4-25.8	30	27.8	16.0-39.6	41	32.2	21.4-43.0	24	19.3	10.1-28.5	4	4.0	0.0- 8.9
Non-Native	2838	289,378	481	19.9	17.9-21.9	977	34.9	32.7-37.1	951	32.9	30.7-35.1	327	9.2	8.0-10.4	102	3.1	2.3- 3.9
18-24	229	43,595	76	32.6	25.7-39.5	83	37.0	29.7-44.3	57	24.9	18.6-31.2	13	5.5	1.8- 9.2			
25-34	336	62,253	91	25.0	19.9-30.1	133	40.0	34.1-45.9	89	27.7	22.2-33.2	17	5.1	2.6- 7.6	6	2.2	0.2- 4.2
35-44	375	52,525	83	21.3	16.6-26.0	130	33.1	27.8-38.4	126	34.8	29.3-40.3	30	8.0	5.1-10.9	6	2.9	0.5- 5.3
45-54	374	41,842	75	20.1	15.4-24.8	128	33.6	28.3-38.9	123	32.5	27.0-38.0	35	9.7	6.0-13.4	13	4.1	1.7- 6.5
55-64	521	46,814	68	12.1	9.0-15.2	178	31.6	27.1-36.1	198	40.8	35.9-45.7	61	11.6	8.5-14.7	16	3.9	1.7- 6.1
65+	1184	60,536	119	9.8	7.8-11.8	377	31.8	28.7-34.9	416	35.8	32.5-39.1	201	17.0	14.5-19.5	71	5.6	4.0- 7.2
Less Than H.S.	156	27,386	20	16.0	8.2-23.8	29	20.6	11.8-29.4	53	36.4	26.6-46.2	36	16.2	9.3-23.1	18	10.9	4.8-17.0
H.S. or G.E.D.	904	89,818	125	17.9	14.6-21.2	283	33.0	29.1-36.9	320	34.2	30.5-37.9	141	12.4	10.0-14.8	35	2.5	1.5- 3.5
Some Post-H.S.	952	112,632	146	18.1	15.0-21.2	347	37.3	33.6-41.0	344	34.7	31.0-38.4	84	7.0	5.0- 9.0	31	3.0	1.8- 4.2
College Graduate	993	75,635	216	25.5	22.2-28.8	367	37.9	34.2-41.6	289	27.1	24.0-30.2	95	7.9	5.9- 9.9	26	1.6	0.8- 2.4
Less than \$15,000	85	8,732	9	12.5	3.3-21.7	13	14.3	5.3-23.3	28	34.1	19.4-48.8	20	20.7	9.7-31.7	15	18.4	8.2-28.6
\$15,000- 24,999	166	15,579	20	16.2	8.4-24.0	39	25.2	15.6-34.8	56	29.5	20.5-38.5	40	20.4	13.3-27.5	11	8.7	2.2-15.2
\$25,000- 34,999	250	25,944	31	16.1	9.4-22.8	64	27.1	19.8-34.4	86	35.9	27.7-44.1	44	13.0	7.9-18.1	25	7.8	3.1-12.5
\$35,000- 49,999	364	36,184	52	19.8	13.9-25.7	111	28.9	23.0-34.8	143	39.4	33.1-45.7	49	9.7	6.4-13.0	9	2.2	0.2- 4.2
\$50,000- 99,999	843	85,422	126	17.5	14.2-20.8	323	39.4	35.1-43.7	288	32.2	28.3-36.1	86	9.4	6.9-11.9	20	1.5	0.7- 2.3
\$100,000 - 199,999	623	64,961	141	24.7	20.4-29.0	252	40.7	36.0-45.4	184	28.6	24.3-32.9	39	5.0	3.2- 6.8	7	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2885	293,944	432	18.6	16.6-20.6	1089	38.0	35.6-40.4	915	30.3	27.9-32.7	347	10.5	8.9-12.1	102	2.6	1.8- 3.4
Native	146	13,489	16	8.5	3.4-13.6	35	27.8	17.4-38.2	54	32.3	21.9-42.7	33	28.2	17.4-39.0	8	3.2	0.3- 6.1
Non-Native	2714	278,240	413	19.1	16.9-21.3	1042	38.6	36.1-41.1	854	30.0	27.6-32.4	312	9.7	8.1-11.3	93	2.6	1.8- 3.4
18-24	145	39,184	37	24.4	17.0-31.8	56	40.0	31.2-48.8	44	28.0	20.2-35.8	6	5.1	0.8- 9.4	2	2.5	0.0- 6.4
25-34	213	53,275	43	20.2	13.9-26.5	83	38.3	30.9-45.7	61	27.9	21.0-34.8	24	13.2	7.5-18.9	2	0.5	0.0- 1.3
35-44	286	47,194	74	27.2	21.1-33.3	111	36.7	30.4-43.0	81	29.1	23.0-35.2	16	5.5	2.6- 8.4	4	1.6	0.0- 3.2
45-54	372	38,835	56	15.6	11.3-19.9	170	43.9	38.2-49.6	102	27.6	22.5-32.7	35	10.8	7.1-14.5	9	2.0	0.4- 3.6
55-64	536	45,547	84	16.9	13.2-20.6	210	38.9	34.0-43.8	171	30.4	25.9-34.9	54	10.8	7.5-14.1	17	2.9	1.3- 4.5
65+	1333	69,909	138	11.0	8.8-13.2	459	33.7	30.8-36.6	456	35.5	32.4-38.6	212	14.6	12.4-16.8	68	5.2	3.6- 6.8
Less Than H.S.	114	19,003	12	10.5	2.1-18.9	25	23.5	13.1-33.9	40	26.6	16.0-37.2	31	32.7	19.8-45.6	6	6.7	0.0-14.5
H.S. or G.E.D.	751	70,132	95	15.4	11.7-19.1	218	30.6	26.1-35.1	281	38.1	33.4-42.8	117	12.1	9.2-15.0	40	3.8	2.4- 5.2
Some Post-H.S.	975	114,752	139	18.9	15.2-22.6	375	38.1	34.0-42.2	311	31.0	27.1-34.9	115	9.7	7.5-11.9	35	2.2	1.2- 3.2
College Graduate	1040	89,726	185	22.2	18.9-25.5	469	46.7	42.8-50.6	281	24.0	20.9-27.1	84	5.6	4.0- 7.2	21	1.4	0.6- 2.2
Less than \$15,000	117	16,071	7	8.8	2.1-15.5	26	21.5	11.3-31.7	39	33.1	21.5-44.7	30	28.1	16.3-39.9	15	8.4	3.3-13.5
\$15,000- 24,999	228	18,838	20	9.2	3.9-14.5	49	24.8	16.2-33.4	80	36.9	28.3-45.5	64	23.2	15.9-30.5	15	5.9	2.4- 9.4
\$25,000- 34,999	276	25,617	34	13.6	7.9-19.3	103	38.3	29.9-46.7	82	30.8	22.8-38.8	43	14.7	9.0-20.4	14	2.6	1.0- 4.2
\$35,000- 49,999	359	31,305	44	14.2	8.7-19.7	133	37.1	30.0-44.2	134	38.9	31.8-46.0	39	8.1	4.8-11.4	9	1.7	0.1- 3.3
\$50,000- 99,999	759	79,353	117	19.2	15.3-23.1	329	42.7	38.0-47.4	231	28.5	24.4-32.6	65	8.0	5.1-10.9	17	1.6	0.6- 2.6
\$100,000 - 199,999	401	46,744	85	24.1	18.8-29.4	188	47.9	41.8-54.0	102	22.9	17.8-28.0	18	3.9	1.5- 6.3	8	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5832	596,012	3976	67.6	66.0-69.2	551	10.3	9.1-11.5	547	9.9	8.9-10.9	435	7.6	6.6- 8.6	323	4.6	4.0- 5.2			
Male	2978	304,478	2108	71.6	69.6-73.6	260	9.1	7.7-10.5	243	8.1	6.9- 9.3	206	6.1	4.9- 7.3	161	5.1	4.1- 6.1			
Female	2854	291,533	1868	63.3	60.8-65.8	291	11.6	9.8-13.4	304	11.8	10.0-13.6	229	9.0	7.4-10.6	162	4.2	3.2- 5.2			
Native	258	25,392	158	56.4	47.8-65.0	24	11.1	5.0-17.2	34	13.7	7.8-19.6	23	11.5	5.6-17.4	19	7.3	3.2-11.4			
Non-Native	5487	562,764	3757	68.1	66.5-69.7	519	10.2	9.0-11.4	508	9.8	8.6-11.0	408	7.4	6.4- 8.4	295	4.4	3.8- 5.0			
18-24	372	82,173	243	65.2	59.7-70.7	51	13.1	9.4-16.8	54	14.0	10.1-17.9	21	6.6	3.5- 9.7	3	1.1	0.0- 2.5			
25-34	545	114,817	389	67.7	63.0-72.4	62	11.7	8.4-15.0	56	11.1	8.0-14.2	29	7.3	4.6-10.0	9	2.2	0.4- 4.0			
35-44	658	99,297	462	67.1	62.8-71.4	81	12.4	9.5-15.3	54	9.4	6.7-12.1	42	7.6	5.1-10.1	19	3.6	1.8- 5.4			
45-54	736	79,633	488	66.8	62.9-70.7	76	9.5	7.1-11.9	80	10.4	8.0-12.8	51	7.3	5.1- 9.5	41	6.0	4.0- 8.0			
55-64	1050	91,810	727	69.0	65.7-72.3	94	8.7	6.7-10.7	76	7.0	5.2- 8.8	90	8.7	6.7-10.7	63	6.6	4.8- 8.4			
65+	2471	128,283	1667	68.7	66.5-70.9	187	7.3	6.1- 8.5	227	8.5	7.3- 9.7	202	7.8	6.6- 9.0	188	7.7	6.3- 9.1			
Less Than H.S.	266	45,611	158	55.5	47.3-63.7	27	12.5	6.8-18.2	22	8.4	3.7-13.1	31	14.3	7.8-20.8	28	9.4	5.1-13.7			
H.S. or G.E.D.	1627	158,069	1119	69.5	66.6-72.4	120	8.1	6.3- 9.9	154	10.1	8.1-12.1	145	8.8	7.0-10.6	89	3.6	2.6- 4.6			
Some Post-H.S.	1910	225,821	1277	65.8	63.1-68.5	173	10.3	8.3-12.3	197	11.4	9.4-13.4	149	7.1	5.7- 8.5	114	5.5	4.3- 6.7			
College Graduate	2011	164,158	1407	71.3	68.8-73.8	230	11.9	10.1-13.7	173	8.3	6.7- 9.9	110	5.3	4.1- 6.5	91	3.2	2.4- 4.0			
Less than \$15,000	198	24,567	91	36.1	27.3-44.9	11	10.6	3.9-17.3	30	18.2	10.6-25.8	31	17.7	10.1-25.3	35	17.4	10.1-24.7			
\$15,000- 24,999	388	34,055	218	54.0	47.1-60.9	32	10.5	5.8-15.2	48	13.7	9.0-18.4	53	11.7	7.2-16.2	37	10.2	6.1-14.3			
\$25,000- 34,999	512	50,554	320	62.6	56.7-68.5	53	13.8	9.5-18.1	41	6.9	4.2- 9.6	49	10.4	6.5-14.3	49	6.3	3.9- 8.7			
\$35,000- 49,999	715	66,734	485	72.0	67.9-76.1	75	8.7	6.2-11.2	74	9.1	6.6-11.6	53	7.3	4.8- 9.8	28	2.9	1.5- 4.3			
\$50,000- 99,999	1588	163,810	1103	68.6	65.5-71.7	168	11.6	9.4-13.8	150	10.1	8.1-12.1	98	6.0	4.4- 7.6	69	3.7	2.5- 4.9			
\$100,000 - 199,999	1019	111,490	730	71.6	68.1-75.1	107	10.1	7.7-12.5	94	10.2	7.7-12.7	57	5.1	3.5- 6.7	31	3.0	1.6- 4.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days			
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2978	304,478	2108	71.6	69.6-73.6	260	9.1	7.7-10.5	243	8.1	6.9- 9.3	206	6.1	4.9- 7.3	161	5.1	4.1- 6.1	
Native	114	12,155	79	62.7	50.0-75.4	3	4.6	0.0-11.3	14	13.3	4.3-22.3	10	12.7	2.9-22.5	8	6.6	1.1-12.1	
Non-Native	2802	286,683	1988	72.2	70.0-74.4	250	9.2	7.8-10.6	225	7.9	6.7- 9.1	193	5.9	4.9- 6.9	146	4.8	3.8- 5.8	
18-24	228	43,527	153	68.2	61.5-74.9	30	12.1	7.6-16.6	32	13.4	8.5-18.3	11	5.4	1.9- 8.9	2	0.9	0.0- 2.3	
25-34	334	61,935	253	75.5	70.2-80.8	40	10.6	7.1-14.1	27	8.2	4.9-11.5	8	3.0	0.8- 5.2	6	2.7	0.2- 5.2	
35-44	372	52,103	274	72.6	67.3-77.9	42	10.8	7.3-14.3	22	6.2	3.5- 8.9	23	6.7	3.6- 9.8	11	3.6	1.2- 6.0	
45-54	366	40,988	252	69.4	64.1-74.7	36	8.8	5.7-11.9	31	8.2	5.1-11.3	24	6.6	3.7- 9.5	23	7.0	4.1- 9.9	
55-64	517	46,505	374	72.3	67.8-76.8	31	5.6	3.4- 7.8	34	6.0	3.8- 8.2	43	8.0	5.3-10.7	35	8.1	5.2-11.0	
65+	1161	59,420	802	70.2	67.1-73.3	81	6.7	5.1- 8.3	97	7.4	5.6- 9.2	97	7.5	5.7- 9.3	84	8.1	6.1-10.1	
Less Than H.S.	154	27,177	96	65.8	56.2-75.4	14	9.0	3.1-14.9	7	4.0	0.5- 7.5	17	8.6	2.7-14.5	20	12.6	5.9-19.3	
H.S. or G.E.D.	887	88,485	624	72.4	68.9-75.9	67	8.7	6.3-11.1	74	8.3	6.1-10.5	75	6.7	4.7- 8.7	47	4.0	2.6- 5.4	
Some Post-H.S.	943	111,655	674	71.0	67.5-74.5	74	7.8	5.8- 9.8	85	10.1	7.7-12.5	61	6.2	4.2- 8.2	49	4.9	3.3- 6.5	
College Graduate	981	75,139	704	73.4	70.1-76.7	104	11.5	9.0-14.0	76	6.7	4.9- 8.5	53	4.5	3.1- 5.9	44	3.9	2.5- 5.3	
Less than \$15,000	83	8,548	43	40.8	27.1-54.5	3	1.3	0.0- 2.9	6	9.7	1.3-18.1	10	12.2	2.6-21.8	21	36.0	20.9-51.1	
\$15,000- 24,999	165	15,404	102	56.4	46.0-66.8	11	6.7	2.0-11.4	11	9.5	3.0-16.0	24	14.0	6.0-22.0	17	13.4	6.1-20.7	
\$25,000- 34,999	242	25,265	147	67.4	59.6-75.2	24	11.4	5.9-16.9	23	7.1	3.2-11.0	18	6.7	2.2-11.2	30	7.5	4.0-11.0	
\$35,000- 49,999	357	35,711	253	72.6	66.9-78.3	34	8.5	5.2-11.8	35	10.2	6.3-14.1	22	5.3	2.6- 8.0	13	3.4	1.2- 5.6	
\$50,000- 99,999	834	84,801	597	70.9	67.0-74.8	87	11.7	9.0-14.4	75	8.7	6.2-11.2	49	5.9	3.7- 8.1	26	2.8	1.4- 4.2	
\$100,000 - 199,999	618	64,745	462	75.5	71.4-79.6	54	8.8	6.1-11.5	47	7.9	5.4-10.4	33	4.5	2.5- 6.5	22	3.3	1.7- 4.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	None		1-2 days			3-7 days			8-29 days			30 days						
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2854	291,533	1868	63.3	60.8-65.8	291	11.6	9.8-13.4	304	11.8	10.0-13.6	229	9.0	7.4-10.6	162	4.2	3.2- 5.2			
Native	144	13,237	79	50.7	39.1-62.3	21	17.0	7.4-26.6	20	14.1	6.3-21.9	13	10.3	3.2-17.4	11	7.9	1.6-14.2			
Non-Native	2685	276,081	1769	64.0	61.5-66.5	269	11.3	9.5-13.1	283	11.7	9.9-13.5	215	9.0	7.4-10.6	149	4.0	3.0- 5.0			
18-24	144	38,645	90	61.9	53.1-70.7	21	14.3	8.2-20.4	22	14.8	8.3-21.3	10	7.9	2.6-13.2	1	1.2	0.0- 3.6			
25-34	211	52,882	136	58.7	50.9-66.5	22	12.9	7.0-18.8	29	14.6	8.9-20.3	21	12.2	6.9-17.5	3	1.6	0.0- 3.8			
35-44	286	47,194	188	61.0	54.3-67.7	39	14.2	9.5-18.9	32	12.8	8.3-17.3	19	8.5	4.2-12.8	8	3.5	1.0- 6.0			
45-54	370	38,645	236	64.0	58.5-69.5	40	10.2	6.5-13.9	49	12.8	9.1-16.5	27	8.0	4.9-11.1	18	5.0	2.5- 7.5			
55-64	533	45,305	353	65.7	60.8-70.6	63	11.9	8.6-15.2	42	8.0	5.3-10.7	47	9.3	6.4-12.2	28	5.1	2.9- 7.3			
65+	1310	68,863	865	67.4	64.5-70.3	106	7.9	6.1- 9.7	130	9.4	7.6-11.2	105	8.0	6.2- 9.8	104	7.3	5.7- 8.9			
Less Than H.S.	112	18,435	62	40.3	28.1-52.5	13	17.6	6.6-28.6	15	15.0	5.0-25.0	14	22.6	9.9-35.3	8	4.5	1.0- 8.0			
H.S. or G.E.D.	740	69,584	495	65.7	61.0-70.4	53	7.3	4.8- 9.8	80	12.4	9.1-15.7	70	11.4	8.1-14.7	42	3.2	2.0- 4.4			
Some Post-H.S.	967	114,165	603	60.6	56.3-64.9	99	12.7	9.6-15.8	112	12.8	9.9-15.7	88	7.9	5.7-10.1	65	6.0	4.0- 8.0			
College Graduate	1030	89,018	703	69.5	66.0-73.0	126	12.3	9.6-15.0	97	9.6	7.2-12.0	57	5.9	4.1- 7.7	47	2.7	1.7- 3.7			
Less than \$15,000	115	16,019	48	33.7	22.3-45.1	8	15.5	5.5-25.5	24	22.7	12.1-33.3	21	20.6	10.0-31.2	14	7.5	2.6-12.4			
\$15,000- 24,999	223	18,651	116	52.0	42.8-61.2	21	13.6	6.0-21.2	37	17.1	10.4-23.8	29	9.7	5.0-14.4	20	7.5	3.4-11.6			
\$25,000- 34,999	270	25,289	173	57.8	49.2-66.4	29	16.2	9.3-23.1	18	6.8	2.7-10.9	31	14.1	7.8-20.4	19	5.1	2.0- 8.2			
\$35,000- 49,999	358	31,023	232	71.3	65.2-77.4	41	8.9	5.4-12.4	39	7.8	4.7-10.9	31	9.6	5.1-14.1	15	2.3	0.7- 3.9			
\$50,000- 99,999	754	79,009	506	66.1	61.4-70.8	81	11.6	8.3-14.9	75	11.6	8.3-14.9	49	6.1	3.9- 8.3	43	4.6	2.6- 6.6			
\$100,000 - 199,999	401	46,744	268	66.1	60.2-72.0	53	11.9	8.0-15.8	47	13.4	8.9-17.9	24	6.0	3.3- 8.7	9	2.5	0.1- 4.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5823	594,801	4126	63.2	61.4-65.0	451	8.2	7.2- 9.2	572	12.3	11.1-13.5	478	11.6	10.4-12.8	196	4.8	4.0- 5.6			
Male	2971	303,783	2282	71.5	69.3-73.7	182	6.5	5.3- 7.7	236	9.6	8.2-11.0	181	8.2	6.8- 9.6	90	4.2	3.2- 5.2			
Female	2852	291,018	1844	54.4	51.9-56.9	269	9.9	8.3-11.5	336	15.1	13.1-17.1	297	15.2	13.2-17.2	106	5.4	4.0- 6.8			
Native	258	25,539	147	51.3	42.9-59.7	16	4.8	1.9- 7.7	35	15.3	9.0-21.6	43	21.0	13.4-28.6	17	7.5	3.2-11.8			
Non-Native	5479	561,418	3916	63.7	61.9-65.5	427	8.3	7.3- 9.3	530	12.2	11.0-13.4	434	11.3	10.1-12.5	172	4.5	3.7- 5.3			
18-24	369	82,394	152	39.8	34.1-45.5	41	10.3	6.8-13.8	84	22.5	17.8-27.2	74	22.0	17.1-26.9	18	5.4	2.5- 8.3			
25-34	545	114,569	289	51.0	46.1-55.9	54	9.8	7.1-12.5	91	16.1	12.6-19.6	81	16.1	12.4-19.8	30	7.0	4.3- 9.7			
35-44	653	98,763	409	61.6	57.3-65.9	50	7.8	5.4-10.2	85	12.1	9.4-14.8	78	12.5	9.4-15.6	31	6.1	3.7- 8.5			
45-54	738	79,863	480	65.6	61.7-69.5	74	9.5	7.1-11.9	89	11.4	8.9-13.9	68	9.4	7.0-11.8	27	4.2	2.4- 6.0			
55-64	1051	91,626	775	74.0	70.9-77.1	74	6.1	4.5- 7.7	95	9.5	7.3-11.7	71	6.6	4.8- 8.4	36	3.7	2.3- 5.1			
65+	2467	127,586	2021	81.2	79.4-83.0	158	6.3	5.1- 7.5	128	5.1	4.1- 6.1	106	5.0	4.0- 6.0	54	2.4	1.6- 3.2			
Less Than H.S.	261	45,571	181	54.3	45.9-62.7	13	5.0	1.7- 8.3	20	9.5	4.6-14.4	26	17.8	10.5-25.1	21	13.4	6.9-19.9			
H.S. or G.E.D.	1630	157,728	1204	67.4	64.3-70.5	93	6.5	4.9- 8.1	138	10.4	8.4-12.4	139	11.4	9.2-13.6	56	4.4	3.0- 5.8			
Some Post-H.S.	1900	225,178	1314	61.6	58.7-64.5	149	7.9	6.3- 9.5	191	13.5	11.3-15.7	172	12.0	9.8-14.2	74	5.0	3.6- 6.4			
College Graduate	2014	163,971	1412	63.6	60.9-66.3	196	11.1	9.3-12.9	223	13.4	11.4-15.4	139	9.5	7.7-11.3	44	2.4	1.4- 3.4			
Less than \$15,000	198	24,520	103	33.3	25.3-41.3	12	6.0	1.3-10.7	21	13.7	6.3-21.1	32	22.2	14.4-30.0	30	24.8	15.6-34.0			
\$15,000- 24,999	387	34,165	242	54.1	47.2-61.0	31	8.1	4.2-12.0	39	11.5	7.0-16.0	54	17.8	12.1-23.5	21	8.5	4.2-12.8			
\$25,000- 34,999	519	51,067	360	57.8	51.7-63.9	33	6.2	3.5- 8.9	51	14.1	9.6-18.6	53	14.9	10.2-19.6	22	7.0	3.5-10.5			
\$35,000- 49,999	714	66,573	522	68.6	63.9-73.3	55	7.8	5.3-10.3	62	9.9	7.0-12.8	61	11.2	7.7-14.7	14	2.5	0.9- 4.1			
\$50,000- 99,999	1590	163,824	1122	64.8	61.7-67.9	138	8.7	6.9-10.5	181	13.5	11.1-15.9	105	9.9	7.5-12.3	44	3.2	2.0- 4.4			
\$100,000 - 199,999	1013	110,487	716	64.6	60.9-68.3	85	9.1	6.9-11.3	113	14.2	11.5-16.9	81	10.1	7.6-12.6	18	2.1	0.9- 3.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	303,783	2282	71.5	69.3-73.7	182	6.5	5.3- 7.7	236	9.6	8.2-11.0	181	8.2	6.8- 9.6	90	4.2	3.2- 5.2
Native	115	12,418	74	61.1	48.9-73.3	5	3.5	0.2- 6.8	15	11.4	4.7-18.1	16	20.3	8.9-31.7	5	3.7	0.0- 7.8
Non-Native	2794	285,692	2161	72.0	69.8-74.2	173	6.6	5.4- 7.8	214	9.5	8.1-10.9	165	7.8	6.4- 9.2	81	4.1	2.9- 5.3
18-24	224	43,210	119	54.2	46.8-61.6	21	8.5	4.4-12.6	46	18.3	12.8-23.8	32	15.7	9.8-21.6	6	3.2	0.7- 5.7
25-34	335	61,971	204	60.2	54.3-66.1	34	9.1	5.8-12.4	53	15.2	10.9-19.5	29	9.6	5.9-13.3	15	5.9	2.6- 9.2
35-44	369	51,837	256	69.3	64.0-74.6	22	5.9	3.4- 8.4	38	9.0	5.9-12.1	38	10.6	6.9-14.3	15	5.2	2.5- 7.9
45-54	369	41,414	277	75.6	70.7-80.5	25	5.9	3.4- 8.4	25	6.4	3.7- 9.1	28	7.2	4.3-10.1	14	4.9	2.2- 7.6
55-64	518	46,461	426	82.6	78.9-86.3	20	3.9	1.9- 5.9	31	5.4	3.2- 7.6	23	4.2	2.0- 6.4	18	3.9	1.9- 5.9
65+	1156	58,890	1000	86.6	84.2-89.0	60	5.2	3.6- 6.8	43	3.5	2.3- 4.7	31	2.7	1.7- 3.7	22	2.0	1.0- 3.0
Less Than H.S.	150	26,772	109	62.6	52.0-73.2	7	4.4	0.5- 8.3	8	5.6	0.9-10.3	13	16.6	7.8-25.4	13	10.8	3.7-17.9
H.S. or G.E.D.	890	88,760	697	74.5	70.8-78.2	38	5.0	3.2- 6.8	65	8.9	6.4-11.4	59	7.5	5.3- 9.7	31	4.1	2.5- 5.7
Some Post-H.S.	939	111,398	698	69.3	65.6-73.0	66	7.0	5.0- 9.0	87	11.6	9.1-14.1	58	7.9	5.5-10.3	30	4.2	2.6- 5.8
College Graduate	979	74,830	768	74.5	71.2-77.8	71	8.4	6.2-10.6	76	9.3	6.9-11.7	49	6.0	4.0- 8.0	15	1.8	0.6- 3.0
Less than \$15,000	82	8,562	47	39.6	26.3-52.9	1	0.7	0.0- 2.1	7	7.7	0.8-14.6	10	17.4	5.6-29.2	17	34.5	19.4-49.6
\$15,000- 24,999	160	15,356	106	57.0	46.4-67.6	14	6.5	2.6-10.4	14	9.6	3.7-15.5	15	13.8	5.2-22.4	11	13.0	4.8-21.2
\$25,000- 34,999	245	25,588	183	67.6	59.4-75.8	11	5.3	1.2- 9.4	20	11.7	5.8-17.6	24	12.4	6.3-18.5	7	3.1	0.4- 5.8
\$35,000- 49,999	360	35,850	280	75.9	70.2-81.6	16	4.7	2.2- 7.2	31	9.0	5.3-12.7	25	8.0	4.3-11.7	8	2.5	0.3- 4.7
\$50,000- 99,999	836	84,883	637	71.3	67.2-75.4	59	7.2	5.0- 9.4	76	10.7	8.0-13.4	43	7.9	5.0-10.8	21	2.8	1.2- 4.4
\$100,000 - 199,999	615	64,151	482	73.0	68.5-77.5	41	6.9	4.5- 9.3	51	11.8	8.3-15.3	32	6.2	3.8- 8.6	9	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2852	291,018	1844	54.4	51.9-56.9	269	9.9	8.3-11.5	336	15.1	13.1-17.1	297	15.2	13.2-17.2	106	5.4	4.0- 6.8			
Native	143	13,121	73	42.1	30.9-53.3	11	5.9	1.2-10.6	20	19.1	9.1-29.1	27	21.7	11.7-31.7	12	11.2	4.1-18.3			
Non-Native	2685	275,726	1755	55.1	52.6-57.6	254	10.1	8.5-11.7	316	15.0	13.0-17.0	269	14.8	12.6-17.0	91	4.9	3.5- 6.3			
18-24	145	39,184	33	23.9	16.3-31.5	20	12.2	6.5-17.9	38	27.1	19.1-35.1	42	29.0	21.0-37.0	12	7.9	2.6-13.2			
25-34	210	52,598	85	40.2	32.8-47.6	20	10.6	5.9-15.3	38	17.1	11.2-23.0	52	23.7	17.0-30.4	15	8.4	3.9-12.9			
35-44	284	46,926	153	53.0	46.3-59.7	28	9.8	5.9-13.7	47	15.5	11.0-20.0	40	14.6	9.5-19.7	16	7.0	3.3-10.7			
45-54	369	38,449	203	54.8	49.1-60.5	49	13.4	9.5-17.3	64	16.7	12.4-21.0	40	11.7	8.0-15.4	13	3.4	1.4- 5.4			
55-64	533	45,165	349	65.2	60.3-70.1	54	8.3	5.8-10.8	64	13.8	10.1-17.5	48	9.1	6.2-12.0	18	3.5	1.5- 5.5			
65+	1311	68,696	1021	76.5	73.8-79.2	98	7.3	5.5- 9.1	85	6.4	4.8- 8.0	75	7.0	5.2- 8.8	32	2.7	1.7- 3.7			
Less Than H.S.	111	18,799	72	42.5	30.2-54.8	6	5.8	0.0-11.7	12	15.0	5.4-24.6	13	19.5	7.5-31.5	8	17.1	5.3-28.9			
H.S. or G.E.D.	740	68,968	507	58.2	53.3-63.1	55	8.6	5.7-11.5	73	12.3	9.0-15.6	80	16.3	12.4-20.2	25	4.7	2.3- 7.1			
Some Post-H.S.	961	113,780	616	54.0	49.7-58.3	83	8.8	6.3-11.3	104	15.5	12.0-19.0	114	15.9	12.4-19.4	44	5.8	3.8- 7.8			
College Graduate	1035	89,140	644	54.5	50.6-58.4	125	13.3	10.6-16.0	147	16.9	14.0-19.8	90	12.5	9.6-15.4	29	2.8	1.4- 4.2			
Less than \$15,000	116	15,958	56	29.9	19.9-39.9	11	8.8	1.5-16.1	14	16.9	6.3-27.5	22	24.8	14.4-35.2	13	19.6	8.2-31.0			
\$15,000- 24,999	227	18,809	136	51.7	42.7-60.7	17	9.3	3.2-15.4	25	13.1	6.4-19.8	39	21.1	13.7-28.5	10	4.8	1.1- 8.5			
\$25,000- 34,999	274	25,479	177	48.0	39.6-56.4	22	7.2	3.3-11.1	31	16.5	9.4-23.6	29	17.4	10.1-24.7	15	10.8	4.5-17.1			
\$35,000- 49,999	354	30,723	242	60.1	52.8-67.4	39	11.5	6.8-16.2	31	10.9	6.4-15.4	36	14.9	9.0-20.8	6	2.6	0.1- 5.1			
\$50,000- 99,999	754	78,942	485	57.8	52.9-62.7	79	10.2	7.3-13.1	105	16.5	12.8-20.2	62	12.0	8.3-15.7	23	3.6	1.8- 5.4			
\$100,000 - 199,999	398	46,336	234	53.1	47.0-59.2	44	12.1	8.2-16.0	62	17.4	12.7-22.1	49	15.5	10.8-20.2	9	2.0	0.4- 3.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2745	303,520	1633	57.9	55.4-60.4	284	10.7	9.1-12.3	336	14.2	12.4-16.0	303	11.3	9.7-12.9	189	6.0	4.6- 7.4
Male	1250	134,027	768	62.3	59.0-65.6	129	9.5	7.5-11.5	131	11.1	8.9-13.3	129	10.0	7.8-12.2	93	7.1	5.1- 9.1
Female	1495	169,493	865	54.4	50.9-57.9	155	11.6	9.4-13.8	205	16.7	14.0-19.4	174	12.2	9.8-14.6	96	5.1	3.3- 6.9
Native	154	16,478	65	38.2	27.6-48.8	24	16.5	8.1-24.9	31	20.3	11.9-28.7	22	16.3	7.9-24.7	12	8.8	1.9-15.7
Non-Native	2555	283,054	1544	58.9	56.4-61.4	257	10.4	8.8-12.0	305	14.0	12.0-16.0	276	10.9	9.3-12.5	173	5.8	4.4- 7.2
18-24	246	54,141	134	53.1	46.0-60.2	35	10.5	6.6-14.4	44	20.6	14.7-26.5	29	12.5	7.6-17.4	4	3.3	0.0- 6.8
25-34	301	65,665	174	56.4	49.9-62.9	44	13.4	8.9-17.9	48	17.2	12.1-22.3	28	9.5	5.8-13.2	7	3.4	0.5- 6.3
35-44	338	52,633	205	58.7	52.6-64.8	42	12.5	8.6-16.4	48	12.6	8.7-16.5	31	10.9	6.8-15.0	12	5.3	1.8- 8.8
45-54	374	39,389	224	61.9	56.4-67.4	43	8.6	5.9-11.3	43	12.5	8.6-16.4	44	10.9	7.4-14.4	20	6.2	3.5- 8.9
55-64	452	39,016	250	55.2	49.7-60.7	47	9.9	6.8-13.0	44	9.8	6.7-12.9	68	15.8	11.7-19.9	43	9.3	6.2-12.4
65+	1034	52,676	646	62.8	59.3-66.3	73	7.7	5.7- 9.7	109	10.0	7.8-12.2	103	9.3	7.3-11.3	103	10.1	7.7-12.5
Less Than H.S.	134	26,152	71	40.1	29.1-51.1	5	5.1	0.0-11.2	14	15.2	6.6-23.8	23	19.4	10.8-28.0	21	20.2	10.0-30.4
H.S. or G.E.D.	737	74,946	438	58.1	53.4-62.8	60	9.2	6.5-11.9	102	15.8	12.3-19.3	80	11.9	8.8-15.0	57	5.0	3.4- 6.6
Some Post-H.S.	925	120,937	550	60.0	55.9-64.1	84	9.4	7.0-11.8	120	14.7	11.6-17.8	106	10.2	7.8-12.6	65	5.7	3.9- 7.5
College Graduate	944	80,925	572	60.3	56.4-64.2	135	15.8	12.9-18.7	100	11.6	8.9-14.3	92	9.4	7.0-11.8	45	2.8	1.8- 3.8
Less than \$15,000	129	18,294	41	22.3	13.3-31.3	8	4.6	0.3- 8.9	20	21.3	10.9-31.7	28	27.3	17.1-37.5	32	24.5	14.1-34.9
\$15,000- 24,999	229	21,740	110	42.2	33.6-50.8	16	9.8	4.3-15.3	37	19.7	12.3-27.1	38	15.4	9.3-21.5	28	13.0	6.5-19.5
\$25,000- 34,999	276	29,452	154	53.1	45.1-61.1	23	9.6	5.1-14.1	35	16.7	10.4-23.0	35	13.5	7.8-19.2	29	7.0	3.5-10.5
\$35,000- 49,999	342	32,044	209	62.3	55.6-69.0	38	10.3	6.2-14.4	40	15.3	10.0-20.6	35	7.8	4.7-10.9	20	4.3	1.8- 6.8
\$50,000- 99,999	742	82,293	469	63.8	59.1-68.5	89	13.4	9.9-16.9	92	11.6	8.7-14.5	55	8.0	5.5-10.5	37	3.3	1.7- 4.9
\$100,000 - 199,999	465	55,121	305	66.9	61.6-72.2	58	12.0	8.5-15.5	50	12.2	8.3-16.1	40	6.9	4.4- 9.4	12	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1250	134,027	768	62.3	59.0-65.6	129	9.5	7.5-11.5	131	11.1	8.9-13.3	129	10.0	7.8-12.2	93	7.1	5.1- 9.1
Native	59	6,732	24	34.8	18.9-50.7	10	18.5	4.2-32.8	11	15.4	5.2-25.6	4	10.6	0.0-22.8	10	20.7	5.2-36.2
Non-Native	1162	124,373	724	63.6	60.1-67.1	117	9.1	7.1-11.1	120	11.1	8.7-13.5	121	9.9	7.7-12.1	80	6.3	4.5- 8.1
18-24	131	23,801	83	64.9	55.7-74.1	19	9.6	4.7-14.5	15	11.3	5.6-17.0	12	11.9	5.2-18.6	2	2.3	0.0- 6.2
25-34	161	30,194	105	63.3	54.7-71.9	23	13.3	7.4-19.2	22	14.4	8.3-20.5	7	4.8	0.9- 8.7	4	4.1	0.0- 8.8
35-44	171	23,737	112	62.5	54.1-70.9	19	9.8	5.1-14.5	19	11.9	6.4-17.4	13	9.3	3.8-14.8	8	6.5	1.8-11.2
45-54	164	18,148	100	64.5	56.3-72.7	20	8.3	4.2-12.4	13	8.4	3.3-13.5	18	10.0	4.7-15.3	13	8.8	3.9-13.7
55-64	186	16,450	106	55.3	47.1-63.5	12	5.5	1.8- 9.2	19	9.1	4.4-13.8	28	17.7	11.0-24.4	21	12.3	6.6-18.0
65+	437	21,697	262	61.4	55.9-66.9	36	7.6	4.9-10.3	43	9.0	6.1-11.9	51	10.3	7.2-13.4	45	11.8	7.9-15.7
Less Than H.S.	75	13,774	40	52.4	37.5-67.3	3	2.4	0.0- 5.7	4	4.9	0.0-10.8	12	18.9	7.3-30.5	16	21.5	8.8-34.2
H.S. or G.E.D.	369	36,383	229	64.2	58.1-70.3	37	9.7	6.0-13.4	43	13.0	8.7-17.3	32	7.6	4.3-10.9	28	5.5	3.0- 8.0
Some Post-H.S.	404	52,230	252	63.6	57.9-69.3	33	7.9	4.6-11.2	45	12.3	8.4-16.2	45	9.8	6.5-13.1	29	6.5	3.8- 9.2
College Graduate	397	31,081	245	62.9	57.2-68.6	56	15.1	10.8-19.4	39	9.7	6.0-13.4	38	8.7	5.4-12.0	19	3.5	1.5- 5.5
\$15,000- 24,999	82	8,678	35	38.0	24.5-51.5	6	6.5	0.8-12.2	12	14.8	5.0-24.6	15	17.6	6.8-28.4	14	23.1	9.4-36.8
\$25,000- 34,999	128	12,865	71	53.5	41.7-65.3	11	11.8	4.0-19.6	13	12.8	4.4-21.2	17	12.9	4.5-21.3	16	9.0	3.7-14.3
\$35,000- 49,999	153	15,095	98	68.7	59.9-77.5	14	6.3	2.4-10.2	16	11.9	5.4-18.4	15	8.2	3.3-13.1	10	4.9	1.2- 8.6
\$50,000- 99,999	349	38,426	232	67.8	61.7-73.9	39	11.0	6.9-15.1	40	11.0	7.1-14.9	26	8.5	4.6-12.4	12	1.7	0.5- 2.9
\$100,000 - 199,999	243	27,150	165	70.7	63.8-77.6	30	11.8	6.7-16.9	23	9.5	5.2-13.8	19	5.6	2.7- 8.5	6	2.4	0.2- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1495	169,493	865	54.4	50.9-57.9	155	11.6	9.4-13.8	205	16.7	14.0-19.4	174	12.2	9.8-14.6	96	5.1	3.3- 6.9
Native	95	9,745	41	40.5	26.6-54.4	14	15.1	4.7-25.5	20	23.8	11.5-36.1	18	20.2	8.6-31.8	2	0.5	0.0- 1.3
Non-Native	1393	158,680	820	55.2	51.7-58.7	140	11.4	9.0-13.8	185	16.3	13.6-19.0	155	11.6	9.2-14.0	93	5.5	3.7- 7.3
18-24	115	30,340	51	43.9	33.9-53.9	16	11.2	5.3-17.1	29	27.9	18.7-37.1	17	13.0	6.1-19.9	2	4.0	0.0- 9.5
25-34	140	35,470	69	50.6	41.0-60.2	21	13.5	6.8-20.2	26	19.5	11.7-27.3	21	13.6	7.7-19.5	3	2.9	0.0- 6.8
35-44	167	28,897	93	55.5	46.7-64.3	23	14.7	8.6-20.8	29	13.2	7.7-18.7	18	12.3	6.4-18.2	4	4.3	0.0- 9.4
45-54	210	21,240	124	59.7	52.3-67.1	23	8.8	4.9-12.7	30	15.9	10.0-21.8	26	11.6	6.9-16.3	7	4.0	0.9- 7.1
55-64	266	22,566	144	55.1	47.8-62.4	35	13.0	8.3-17.7	25	10.3	6.0-14.6	40	14.5	9.2-19.8	22	7.1	3.6-10.6
65+	597	30,979	384	63.8	59.1-68.5	37	7.9	5.2-10.6	66	10.7	7.8-13.6	52	8.7	6.2-11.2	58	9.0	6.3-11.7
Less Than H.S.	59	12,378	31	26.5	13.6-39.4	2	8.0	0.0-20.2	10	26.8	10.9-42.7	11	20.0	6.9-33.1	5	18.8	2.3-35.3
H.S. or G.E.D.	368	38,563	209	52.4	45.5-59.3	23	8.7	4.6-12.8	59	18.5	13.0-24.0	48	15.9	10.6-21.2	29	4.5	2.5- 6.5
Some Post-H.S.	521	68,707	298	57.3	51.6-63.0	51	10.5	7.2-13.8	75	16.5	12.0-21.0	61	10.5	7.2-13.8	36	5.1	2.7- 7.5
College Graduate	547	49,844	327	58.7	53.4-64.0	79	16.3	12.2-20.4	61	12.8	9.1-16.5	54	9.8	6.7-12.9	26	2.4	1.2- 3.6
Less than \$15,000	81	12,309	28	25.2	13.0-37.4	3	4.1	0.0- 9.6	15	24.9	11.0-38.8	23	32.6	19.1-46.1	12	13.2	2.8-23.6
\$15,000- 24,999	147	13,061	75	44.9	33.9-55.9	10	12.1	4.1-20.1	25	22.9	12.3-33.5	23	13.8	6.7-20.9	14	6.2	1.9-10.5
\$25,000- 34,999	148	16,587	83	52.8	41.6-64.0	12	7.9	2.6-13.2	22	19.8	11.0-28.6	18	13.9	6.1-21.7	13	5.5	0.8-10.2
\$35,000- 49,999	189	16,950	111	56.7	46.9-66.5	24	13.9	7.2-20.6	24	18.3	10.1-26.5	20	7.4	3.5-11.3	10	3.7	0.6- 6.8
\$50,000- 99,999	393	43,866	237	60.3	53.6-67.0	50	15.4	9.9-20.9	52	12.1	7.6-16.6	29	7.6	4.1-11.1	25	4.7	2.0- 7.4
\$100,000 - 199,999	222	27,971	140	63.2	55.4-71.0	28	12.3	7.2-17.4	27	14.8	8.5-21.1	21	8.2	4.1-12.3	6	1.6	0.0- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5743	581,542	2216	48.9	47.1-50.7	605	10.7	9.7-11.7	2372	27.8	26.4-29.2	281	5.5	4.7- 6.3	58	0.8	0.4- 1.2	211	6.2	5.2- 7.2
Male	2934	295,528	1197	50.0	47.6-52.4	289	10.1	8.7-11.5	1081	23.8	22.0-25.6	197	7.2	6.0- 8.4	22	0.7	0.3- 1.1	148	8.1	6.5- 9.7
Female	2809	286,014	1019	47.9	45.4-50.4	316	11.2	9.6-12.8	1291	32.0	29.8-34.2	84	3.9	2.9- 4.9	36	0.9	0.5- 1.3	63	4.1	2.9- 5.3
Native	259	25,120	82	34.6	26.4-42.8	16	4.8	1.5- 8.1	88	39.0	30.8-47.2	11	2.5	0.7- 4.3	52	15.3	10.0-20.6	10	3.7	1.2- 6.2
Non-Native	5403	548,914	2105	49.7	47.9-51.5	580	11.0	10.0-12.0	2248	27.3	25.9-28.7	265	5.6	4.8- 6.4	6	0.2	0.0- 0.4	199	6.3	5.3- 7.3
18-24	331	73,876	167	49.9	43.8-56.0	53	16.6	12.3-20.9	42	12.3	8.0-16.6	26	9.0	5.3-12.7	7	0.8	0.2- 1.4	36	11.4	7.5-15.3
25-34	543	114,108	340	58.9	54.2-63.6	43	7.6	5.2-10.0	69	15.4	11.7-19.1	31	6.0	3.8- 8.2	9	1.4	0.2- 2.6	51	10.8	7.7-13.9
35-44	646	96,583	450	69.9	65.8-74.0	67	7.9	5.7-10.1	59	10.9	8.0-13.8	27	4.2	2.4- 6.0	9	0.8	0.2- 1.4	34	6.2	3.8- 8.6
45-54	727	78,489	483	65.4	61.5-69.3	95	11.8	9.3-14.3	76	12.6	9.7-15.5	29	3.9	2.3- 5.5	12	1.2	0.2- 2.2	32	5.1	3.1- 7.1
55-64	1040	91,232	588	56.3	52.8-59.8	213	19.4	16.7-22.1	123	12.9	10.4-15.4	60	6.0	4.2- 7.8	12	0.7	0.1- 1.3	44	4.7	2.9- 6.5
65+	2456	127,254	188	8.2	6.8- 9.6	134	5.1	4.1- 6.1	2003	81.0	79.0-83.0	108	4.9	3.9- 5.9	9	0.2	0.0- 0.4	14	0.7	0.3- 1.1
Less Than H.S.	252	42,092	37	20.1	13.2-27.0	13	3.6	1.2- 6.0	159	50.8	42.4-59.2	11	6.4	1.9-10.9	2	0.4	0.0- 1.0	30	18.6	11.5-25.7
H.S. or G.E.D.	1595	153,507	500	42.6	39.5-45.7	173	10.8	8.8-12.8	739	30.7	28.2-33.2	81	6.2	4.6- 7.8	15	0.8	0.2- 1.4	87	8.9	6.9-10.9
Some Post-H.S.	1873	220,133	695	49.0	46.1-51.9	215	12.0	10.0-14.0	779	27.7	25.3-30.1	92	5.2	3.8- 6.6	31	1.4	0.6- 2.2	61	4.8	3.4- 6.2
College Graduate	2005	163,459	976	62.1	59.6-64.6	203	10.7	8.9-12.5	689	19.7	17.9-21.5	96	5.2	4.0- 6.4	10	0.2	0.0- 0.4	31	2.0	1.2- 2.8
Less than \$15,000	194	23,837	10	6.6	1.7-11.5	13	9.4	3.7-15.1	145	67.3	57.5-77.1	9	3.7	0.0- 8.2	3	1.2	0.0- 3.0	14	11.8	4.2-19.4
\$15,000- 24,999	386	33,350	27	13.3	7.8-18.8	33	10.9	6.4-15.4	281	59.1	52.2-66.0	18	5.5	2.4- 8.6	5	1.3	0.0- 2.9	22	9.9	5.4-14.4
\$25,000- 34,999	512	49,644	85	25.7	20.2-31.2	56	10.1	6.8-13.4	292	40.1	34.4-45.8	32	9.0	5.1-12.9	10	1.9	0.3- 3.5	37	13.3	8.4-18.2
\$35,000- 49,999	705	65,628	189	37.2	32.3-42.1	70	11.7	8.4-15.0	374	36.9	32.4-41.4	29	5.1	2.7- 7.5	8	0.5	0.1- 0.9	35	8.6	5.5-11.7
\$50,000- 99,999	1587	162,173	746	58.6	55.5-61.7	177	11.0	9.0-13.0	525	19.0	16.8-21.2	87	6.6	4.8- 8.4	15	0.7	0.3- 1.1	37	4.0	2.4- 5.6
\$100,000 - 199,999	1014	110,304	680	75.8	72.9-78.7	95	8.2	6.2-10.2	181	9.5	7.7-11.3	41	3.9	2.5- 5.3	6	0.9	0.0- 1.9	11	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2934	295,528	1197	50.0	47.6-52.4	289	10.1	8.7-11.5	1081	23.8	22.0-25.6	197	7.2	6.0- 8.4	22	0.7	0.3- 1.1	148	8.1	6.5- 9.7
Native	117	12,070	40	40.3	28.1-52.5	10	7.1	1.4-12.8	35	30.1	19.1-41.1	7	3.9	0.6- 7.2	20	15.0	6.6-23.4	5	3.6	0.0- 7.3
Non-Native	2760	278,092	1132	50.3	47.9-52.7	272	10.2	8.8-11.6	1026	23.6	21.8-25.4	186	7.3	5.9- 8.7	2	0.1	0.0- 0.3	142	8.5	6.9-10.1
18-24	197	37,066	96	47.0	39.2-54.8	32	16.7	11.0-22.4	24	10.7	5.8-15.6	19	11.6	6.3-16.9	3	0.6	0.0- 1.4	23	13.4	7.3-19.5
25-34	331	60,918	221	62.4	56.3-68.5	25	7.7	4.6-10.8	25	9.1	5.4-12.8	22	7.1	4.0-10.2	3	1.2	0.0- 2.8	35	12.5	8.2-16.8
35-44	366	50,885	244	65.4	59.7-71.1	38	8.1	5.2-11.0	32	10.3	6.4-14.2	19	5.6	2.9- 8.3	3	0.4	0.0- 0.8	30	10.2	6.3-14.1
45-54	364	40,872	238	65.0	59.3-70.7	46	10.9	7.4-14.4	33	10.4	6.7-14.1	18	4.8	2.4- 7.2	7	1.5	0.0- 3.1	22	7.4	4.1-10.7
55-64	512	46,233	296	57.9	52.8-63.0	100	17.9	14.2-21.6	59	12.7	9.2-16.2	29	5.7	3.3- 8.1	3	0.6	0.0- 1.6	25	5.2	2.7- 7.7
65+	1164	59,553	102	9.4	7.4-11.4	48	3.7	2.5- 4.9	908	76.6	73.7-79.5	90	8.7	6.7-10.7	3	0.1	0.0- 0.3	13	1.4	0.4- 2.4
Less Than H.S.	146	24,516	22	20.9	12.1-29.7	7	3.4	0.3- 6.5	84	40.5	30.3-50.7	9	7.8	1.7-13.9				24	27.5	17.1-37.9
H.S. or G.E.D.	871	85,444	306	43.7	39.6-47.8	101	12.4	9.7-15.1	333	24.8	21.7-27.9	60	7.8	5.4-10.2	9	1.0	0.0- 2.0	62	10.3	7.6-13.0
Some Post-H.S.	926	108,814	404	54.1	50.2-58.0	95	10.8	8.4-13.2	317	22.1	19.2-25.0	61	6.4	4.4- 8.4	11	1.1	0.1- 2.1	38	5.4	3.4- 7.4
College Graduate	977	74,661	458	60.5	57.0-64.0	85	8.8	6.6-11.0	344	20.4	17.9-22.9	66	7.5	5.3- 9.7	2	0.1	0.0- 0.3	22	2.8	1.4- 4.2
Less than \$15,000	82	8,219	3	4.2	0.0-10.1	6	9.6	1.4-17.8	53	59.2	43.9-74.5	8	4.3	0.6- 8.0	2	3.0	0.0- 7.9	10	19.8	4.3-35.3
\$15,000- 24,999	162	14,744	16	14.7	7.1-22.3	12	9.1	2.8-15.4	103	50.6	40.4-60.8	15	10.4	4.1-16.7	2	0.6	0.0- 1.4	14	14.5	6.5-22.5
\$25,000- 34,999	242	24,738	42	23.3	15.9-30.7	31	12.1	7.0-17.2	120	31.2	23.9-38.5	21	12.4	6.1-18.7	4	2.1	0.0- 4.8	24	18.9	11.3-26.5
\$35,000- 49,999	353	34,717	94	34.6	28.1-41.1	28	9.0	5.3-12.7	173	32.6	26.9-38.3	21	7.9	3.8-12.0	3	0.3	0.0- 0.7	34	15.7	10.0-21.4
\$50,000- 99,999	833	83,906	384	56.9	52.6-61.2	89	11.8	9.1-14.5	273	18.1	15.4-20.8	56	7.1	4.9- 9.3	6	0.8	0.0- 1.6	25	5.3	2.8- 7.8
\$100,000 - 199,999	616	64,016	397	75.3	71.6-79.0	57	8.0	5.6-10.4	122	9.8	7.6-12.0	33	5.4	3.2- 7.6	1	0.5	0.0- 1.5	6	1.0	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2809	286,014	1019	47.9	45.4-50.4	316	11.2	9.6-12.8	1291	32.0	29.8-34.2	84	3.9	2.9- 4.9	36	0.9	0.5- 1.3	63	4.1	2.9- 5.3
Native	142	13,050	42	29.4	18.6-40.2	6	2.7	0.0- 6.2	53	47.2	35.4-59.0	4	1.3	0.0- 2.7	32	15.7	9.0-22.4	5	3.7	0.0- 7.4
Non-Native	2643	270,822	973	49.0	46.5-51.5	308	11.7	10.1-13.3	1222	31.1	28.9-33.3	79	3.9	2.7- 5.1	4	0.2	0.0- 0.6	57	4.1	2.9- 5.3
18-24	134	36,810	71	52.8	43.4-62.2	21	16.4	9.7-23.1	18	13.9	7.0-20.8	7	6.4	1.3-11.5	4	1.0	0.0- 2.0	13	9.5	4.2-14.8
25-34	212	53,190	119	54.8	47.2-62.4	18	7.5	3.8-11.2	44	22.7	16.0-29.4	9	4.7	1.6- 7.8	6	1.6	0.0- 3.4	16	8.8	4.3-13.3
35-44	280	45,698	206	74.8	69.1-80.5	29	7.8	4.7-10.9	27	11.7	7.2-16.2	8	2.7	0.7- 4.7	6	1.2	0.0- 2.4	4	1.8	0.0- 3.8
45-54	363	37,617	245	65.9	60.2-71.6	49	12.9	9.0-16.8	43	15.1	10.6-19.6	11	2.9	0.9- 4.9	5	0.7	0.0- 1.5	10	2.5	0.7- 4.3
55-64	528	44,999	292	54.6	49.5-59.7	113	20.9	16.8-25.0	64	13.1	9.6-16.6	31	6.3	3.8- 8.8	9	0.8	0.0- 1.6	19	4.3	1.9- 6.7
65+	1292	67,701	86	7.1	5.5- 8.7	86	6.3	4.7- 7.9	1095	84.7	82.3-87.1	18	1.5	0.7- 2.3	6	0.3	0.1- 0.5	1	0.0	0.0- 0.0
Less Than H.S.	106	17,576	15	19.0	8.2-29.8	6	4.0	0.3- 7.7	75	65.3	52.6-78.0	2	4.5	0.0-11.0	2	0.9	0.0- 2.3	6	6.2	0.0-12.9
H.S. or G.E.D.	724	68,063	194	41.2	36.1-46.3	72	8.9	6.2-11.6	406	38.2	33.7-42.7	21	4.3	1.9- 6.7	6	0.4	0.0- 0.8	25	7.0	4.1- 9.9
Some Post-H.S.	947	111,320	291	43.9	39.4-48.4	120	13.0	10.3-15.7	462	33.2	29.5-36.9	31	3.9	2.1- 5.7	20	1.7	0.7- 2.7	23	4.2	2.0- 6.4
College Graduate	1028	88,798	518	63.6	60.1-67.1	118	12.2	9.7-14.7	345	19.2	16.7-21.7	30	3.3	1.7- 4.9	8	0.3	0.1- 0.5	9	1.4	0.4- 2.4
Less than \$15,000	112	15,618	7	7.9	1.0-14.8	7	9.3	1.7-16.9	92	71.6	59.3-83.9	1	3.5	0.0-10.2	1	0.2	0.0- 0.6	4	7.6	0.0-15.6
\$15,000- 24,999	224	18,606	11	12.1	4.3-19.9	21	12.3	5.8-18.8	178	65.8	56.4-75.2	3	1.7	0.0- 3.9	3	1.9	0.0- 4.6	8	6.3	1.2-11.4
\$25,000- 34,999	270	24,906	43	28.1	19.9-36.3	25	8.1	3.6-12.6	172	48.9	40.3-57.5	11	5.6	1.1-10.1	6	1.6	0.2- 3.0	13	7.7	2.0-13.4
\$35,000- 49,999	352	30,912	95	40.1	32.7-47.5	42	14.7	8.8-20.6	201	41.7	34.8-48.6	8	1.9	0.3- 3.5	5	0.8	0.0- 1.6	1	0.8	0.0- 2.4
\$50,000- 99,999	754	78,267	362	60.5	56.0-65.0	88	10.2	7.7-12.7	252	20.0	16.5-23.5	31	6.0	3.5- 8.5	9	0.7	0.1- 1.3	12	2.6	0.8- 4.4
\$100,000 - 199,999	398	46,288	283	76.6	71.7-81.5	38	8.5	5.6-11.4	59	9.1	6.4-11.8	8	2.0	0.2- 3.8	5	1.4	0.0- 3.4	5	2.4	0.0- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5862	597,773	3676	60.2	58.4-62.0	1417	22.2	20.8-23.6	769	17.6	16.2-19.0
Male	2989	304,674	1806	57.8	55.4-60.2	664	19.4	17.6-21.2	519	22.8	20.8-24.8
Female	2873	293,099	1870	62.8	60.3-65.3	753	25.1	22.9-27.3	250	12.2	10.4-14.0
Native	261	25,741	144	57.1	48.9-65.3	65	21.3	14.8-27.8	52	21.5	14.6-28.4
Non-Native	5514	564,138	3483	60.4	58.6-62.2	1327	22.2	20.8-23.6	704	17.4	16.0-18.8
18-24	364	81,628	187	55.8	50.1-61.5	46	12.3	8.6-16.0	131	31.9	26.6-37.2
25-34	543	114,555	278	51.1	46.2-56.0	113	21.8	17.7-25.9	152	27.1	22.8-31.4
35-44	657	99,164	378	58.2	53.9-62.5	136	20.5	16.8-24.2	143	21.3	17.8-24.8
45-54	742	80,402	437	59.2	55.3-63.1	206	26.7	23.2-30.2	99	14.1	11.2-17.0
55-64	1055	92,314	702	67.6	64.3-70.9	256	23.7	20.8-26.6	97	8.7	6.5-10.9
65+	2501	129,710	1694	68.1	65.9-70.3	660	26.1	24.1-28.1	147	5.8	4.6- 7.0
Less Than H.S.	271	46,433	169	57.0	49.0-65.0	56	18.6	11.9-25.3	46	24.4	17.3-31.5
H.S. or G.E.D.	1635	158,551	1011	57.1	54.0-60.2	351	19.3	16.9-21.7	273	23.7	20.8-26.6
Some Post-H.S.	1912	225,592	1210	61.4	58.7-64.1	462	23.0	20.6-25.4	240	15.6	13.4-17.8
College Graduate	2026	164,843	1275	62.6	60.1-65.1	546	25.1	22.7-27.5	205	12.3	10.5-14.1
Less than \$15,000	200	24,530	115	60.0	50.6-69.4	54	25.5	16.9-34.1	31	14.5	8.2-20.8
\$15,000- 24,999	389	34,086	245	56.3	49.4-63.2	98	25.6	19.5-31.7	46	18.1	12.2-24.0
\$25,000- 34,999	519	51,103	320	57.3	51.2-63.4	117	18.8	14.5-23.1	82	23.9	18.4-29.4
\$35,000- 49,999	718	67,058	463	64.7	60.0-69.4	165	18.9	15.4-22.4	90	16.4	12.7-20.1
\$50,000- 99,999	1596	164,231	1015	60.8	57.7-63.9	390	23.5	20.8-26.2	191	15.7	13.2-18.2
\$100,000 - 199,999	1020	111,439	646	62.6	58.9-66.3	246	22.7	19.6-25.8	128	14.8	11.9-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2989	304,674	1806	57.8	55.4-60.2	664	19.4	17.6-21.2	519	22.8	20.8-24.8
Native	116	12,316	64	54.8	42.6-67.0	23	19.2	9.8-28.6	29	26.0	15.0-37.0
Non-Native	2811	286,679	1709	57.9	55.5-60.3	622	19.3	17.5-21.1	480	22.8	20.6-25.0
18-24	220	42,521	95	45.0	37.6-52.4	30	13.6	8.7-18.5	95	41.4	34.0-48.8
25-34	330	61,280	175	51.7	45.6-57.8	50	16.3	11.6-21.0	105	32.0	26.3-37.7
35-44	373	52,222	200	54.6	48.9-60.3	66	16.7	12.4-21.0	107	28.7	23.6-33.8
45-54	371	41,625	224	61.9	56.2-67.6	85	20.7	16.2-25.2	62	17.4	12.9-21.9
55-64	520	46,804	349	68.4	63.7-73.1	110	20.7	16.8-24.6	61	10.9	7.6-14.2
65+	1175	60,222	763	64.8	61.5-68.1	323	26.9	24.0-29.8	89	8.4	6.4-10.4
Less Than H.S.	156	27,395	89	50.5	40.3-60.7	32	16.1	8.7-23.5	35	33.3	23.3-43.3
H.S. or G.E.D.	890	88,709	514	52.8	48.7-56.9	185	19.0	15.9-22.1	191	28.2	24.3-32.1
Some Post-H.S.	942	111,223	572	60.0	56.1-63.9	206	19.6	16.7-22.5	164	20.5	17.2-23.8
College Graduate	988	75,325	624	63.3	59.6-67.0	240	21.1	18.2-24.0	124	15.6	12.7-18.5
Less than \$15,000	83	8,459	42	50.0	35.3-64.7	23	29.7	14.8-44.6	18	20.2	9.8-30.6
\$15,000- 24,999	162	15,273	95	49.4	39.0-59.8	38	24.2	15.2-33.2	29	26.4	16.6-36.2
\$25,000- 34,999	247	25,613	136	49.9	41.5-58.3	60	17.7	11.6-23.8	51	32.4	24.0-40.8
\$35,000- 49,999	362	35,921	225	59.6	53.1-66.1	74	16.7	12.0-21.4	63	23.6	17.7-29.5
\$50,000- 99,999	837	84,914	535	61.8	57.5-66.1	175	19.1	15.8-22.4	127	19.1	15.4-22.8
\$100,000 - 199,999	619	64,694	381	60.9	56.2-65.6	138	19.6	16.1-23.1	100	19.5	15.4-23.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	293,099	1870	62.8	60.4-65.2	753	25.1	22.9-27.3	250	12.2	10.4-14.0
Native	145	13,425	80	59.2	48.2-70.2	42	23.3	14.5-32.1	23	17.5	9.3-25.7
Non-Native	2703	277,459	1774	62.9	60.4-65.4	705	25.2	23.0-27.4	224	11.9	9.9-13.9
18-24	144	39,107	92	67.6	59.4-75.8	16	10.8	5.1-16.5	36	21.6	14.5-28.7
25-34	213	53,275	103	50.4	42.8-58.0	63	28.1	21.2-35.0	47	21.5	15.2-27.8
35-44	284	46,942	178	62.2	55.7-68.7	70	24.7	18.8-30.6	36	13.2	8.7-17.7
45-54	371	38,778	213	56.4	50.7-62.1	121	33.0	27.5-38.5	37	10.6	7.1-14.1
55-64	535	45,510	353	66.7	62.0-71.4	146	26.8	22.3-31.3	36	6.5	4.0- 9.0
65+	1326	69,488	931	70.9	68.0-73.8	337	25.5	22.8-28.2	58	3.6	2.6- 4.6
Less Than H.S.	115	19,039	80	66.3	53.4-79.2	24	22.1	9.9-34.3	11	11.7	3.7-19.7
H.S. or G.E.D.	745	69,842	497	62.6	57.7-67.5	166	19.6	15.9-23.3	82	17.9	13.6-22.2
Some Post-H.S.	970	114,369	638	62.8	58.7-66.9	256	26.4	22.7-30.1	76	10.8	7.9-13.7
College Graduate	1038	89,518	651	62.1	58.4-65.8	306	28.4	24.9-31.9	81	9.5	7.1-11.9
Less than \$15,000	117	16,071	73	65.2	53.4-77.0	31	23.2	13.0-33.4	13	11.5	3.7-19.3
\$15,000- 24,999	227	18,812	150	61.9	52.9-70.9	60	26.8	18.8-34.8	17	11.3	4.6-18.0
\$25,000- 34,999	272	25,490	184	64.8	56.6-73.0	57	19.9	13.4-26.4	31	15.3	8.2-22.4
\$35,000- 49,999	356	31,137	238	70.6	64.3-76.9	91	21.4	15.9-26.9	27	8.0	4.1-11.9
\$50,000- 99,999	759	79,317	480	59.7	54.8-64.6	215	28.3	23.8-32.8	64	12.1	8.6-15.6
\$100,000 - 199,999	401	46,744	265	64.9	59.0-70.8	108	27.0	21.5-32.5	28	8.1	4.6-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5898	601,171	250	6.6	5.6- 7.6	5648	93.4	92.4-94.4
Male	3017	307,672	116	5.2	4.0- 6.4	2901	94.8	93.6-96.0
Female	2881	293,499	134	8.1	6.5- 9.7	2747	91.9	90.3-93.5
Native	263	26,016	24	14.0	7.5-20.5	239	86.0	79.5-92.5
Non-Native	5549	567,488	222	6.3	5.3- 7.3	5327	93.7	92.7-94.7
18-24	374	82,779	29	9.6	5.9-13.3	345	90.4	86.7-94.1
25-34	549	115,532	51	11.3	8.2-14.4	498	88.7	85.6-91.8
35-44	661	99,719	44	7.3	4.9- 9.7	617	92.7	90.3-95.1
45-54	746	80,677	38	6.2	4.0- 8.4	708	93.8	91.6-96.0
55-64	1053	92,105	40	4.6	2.8- 6.4	1013	95.4	93.6-97.2
65+	2515	130,359	48	1.9	1.3- 2.5	2467	98.1	97.5-98.7
Less Than H.S.	270	46,440	42	19.9	13.0-26.8	228	80.1	73.2-87.0
H.S. or G.E.D.	1652	159,572	79	7.0	5.2- 8.8	1573	93.0	91.2-94.8
Some Post-H.S.	1924	227,265	81	6.3	4.7- 7.9	1843	93.7	92.1-95.3
College Graduate	2033	165,470	47	3.0	2.0- 4.0	1986	97.0	96.0-98.0
Less than \$15,000	202	24,803	32	21.9	13.3-30.5	170	78.1	69.5-86.7
\$15,000- 24,999	393	34,363	34	13.4	8.1-18.7	359	86.6	81.3-91.9
\$25,000- 34,999	523	51,324	34	11.5	7.0-16.0	489	88.5	84.0-93.0
\$35,000- 49,999	722	67,401	35	7.0	4.3- 9.7	687	93.0	90.3-95.7
\$50,000- 99,999	1603	164,797	52	4.7	3.1- 6.3	1551	95.3	93.7-96.9
\$100,000 - 199,999	1024	111,706	12	1.8	0.4- 3.2	1012	98.2	96.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3017	307,672	116	5.2	4.0- 6.4	2901	94.8	93.6-96.0
Native	118	12,543	9	12.5	2.7-22.3	109	87.5	77.7-97.3
Non-Native	2836	289,417	104	4.9	3.7- 6.1	2732	95.1	93.9-96.3
18-24	229	43,595	10	5.8	1.9- 9.7	219	94.2	90.3-98.1
25-34	337	62,471	21	7.5	4.0-11.0	316	92.5	89.0-96.0
35-44	375	52,525	24	7.8	4.5-11.1	351	92.2	88.9-95.5
45-54	374	41,842	13	3.9	1.4- 6.4	361	96.1	93.6-98.6
55-64	520	46,794	18	3.6	1.6- 5.6	502	96.4	94.4-98.4
65+	1182	60,445	30	2.5	1.3- 3.7	1152	97.5	96.3-98.7
Less Than H.S.	156	27,436	24	16.7	8.7-24.7	132	83.3	75.3-91.3
H.S. or G.E.D.	903	89,730	37	4.8	2.8- 6.8	866	95.2	93.2-97.2
Some Post-H.S.	950	112,559	32	4.6	2.8- 6.4	918	95.4	93.6-97.2
College Graduate	994	75,853	22	2.4	1.2- 3.6	972	97.6	96.4-98.8
Less than \$15,000	85	8,732	17	26.6	11.7-41.5	68	73.4	58.5-88.3
\$15,000- 24,999	165	15,525	15	17.4	8.0-26.8	150	82.6	73.2-92.0
\$25,000- 34,999	250	25,944	14	7.7	2.6-12.8	236	92.3	87.2-97.4
\$35,000- 49,999	363	36,096	17	6.1	2.8- 9.4	346	93.9	90.6-97.2
\$50,000- 99,999	843	85,422	26	3.9	2.1- 5.7	817	96.1	94.3-97.9
\$100,000 - 199,999	623	64,961	9	1.9	0.3- 3.5	614	98.1	96.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2881	293,499	134	8.1	6.5- 9.7	2747	91.9	90.3-93.5
Native	145	13,473	15	15.4	7.0-23.8	130	84.6	76.2-93.0
Non-Native	2713	278,071	118	7.8	6.2- 9.4	2595	92.2	90.6-93.8
18-24	145	39,184	19	13.8	7.3-20.3	126	86.2	79.7-92.7
25-34	212	53,061	30	15.7	10.0-21.4	182	84.3	78.6-90.0
35-44	286	47,194	20	6.8	3.3-10.3	266	93.2	89.7-96.7
45-54	372	38,835	25	8.8	5.1-12.5	347	91.2	87.5-94.9
55-64	533	45,310	22	5.6	2.9- 8.3	511	94.4	91.7-97.1
65+	1333	69,915	18	1.3	0.5- 2.1	1315	98.7	97.9-99.5
Less Than H.S.	114	19,003	18	24.6	12.6-36.6	96	75.4	63.4-87.4
H.S. or G.E.D.	749	69,842	42	9.8	6.7-12.9	707	90.2	87.1-93.3
Some Post-H.S.	974	114,706	49	8.0	5.3-10.7	925	92.0	89.3-94.7
College Graduate	1039	89,617	25	3.5	1.9- 5.1	1014	96.5	94.9-98.1
Less than \$15,000	117	16,071	15	19.3	8.9-29.7	102	80.7	70.3-91.1
\$15,000- 24,999	228	18,838	19	10.1	4.6-15.6	209	89.9	84.4-95.4
\$25,000- 34,999	273	25,380	20	15.4	8.1-22.7	253	84.6	77.3-91.9
\$35,000- 49,999	359	31,305	18	8.1	3.8-12.4	341	91.9	87.6-96.2
\$50,000- 99,999	760	79,374	26	5.5	3.0- 8.0	734	94.5	92.0-97.0
\$100,000 - 199,999	401	46,744	3	1.6	0.0- 4.0	398	98.4	96.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5828	591,963	4550	72.2	70.6-73.8	628	12.6	11.4-13.8	326	7.8	6.8- 8.8	283	6.6	5.6- 7.6	41	0.8	0.6- 1.0
Male	2972	302,247	2194	66.9	64.7-69.1	339	13.4	11.8-15.0	198	9.1	7.7-10.5	207	9.2	7.6-10.8	34	1.4	0.8- 2.0
Female	2856	289,716	2356	77.7	75.3-80.1	289	11.8	10.0-13.6	128	6.5	5.1- 7.9	76	3.8	2.6- 5.0	7	0.2	0.0- 0.4
Native	262	25,926	196	71.8	64.2-79.4	33	10.4	6.1-14.7	23	13.7	6.8-20.6	9	3.9	1.0- 6.8	1	0.1	0.0- 0.3
Non-Native	5481	558,349	4288	72.2	70.6-73.8	588	12.8	11.6-14.0	298	7.5	6.5- 8.5	269	6.7	5.7- 7.7	38	0.8	0.6- 1.0
18-24	361	79,731	217	60.1	54.4-65.8	59	15.7	11.4-20.0	56	14.8	10.7-18.9	24	7.9	4.4-11.4	5	1.4	0.2- 2.6
25-34	541	113,646	323	58.9	54.2-63.6	86	16.5	12.8-20.2	69	12.8	9.7-15.9	56	10.9	7.8-14.0	7	0.8	0.0- 1.6
35-44	652	98,465	417	65.5	61.4-69.6	109	16.0	12.9-19.1	54	8.3	5.9-10.7	59	8.9	6.5-11.3	13	1.4	0.6- 2.2
45-54	734	79,516	552	76.0	72.5-79.5	95	11.8	9.3-14.3	47	6.3	4.3- 8.3	35	5.3	3.3- 7.3	5	0.5	0.0- 1.1
55-64	1049	91,647	828	79.6	76.7-82.5	113	11.0	8.6-13.4	49	4.3	2.9- 5.7	57	4.8	3.2- 6.4	2	0.3	0.0- 0.7
65+	2491	128,958	2213	89.0	87.4-90.6	166	6.5	5.3- 7.7	51	2.0	1.4- 2.6	52	2.2	1.4- 3.0	9	0.3	0.1- 0.5
Less Than H.S.	265	45,223	191	66.2	58.4-74.0	33	13.4	7.5-19.3	17	8.4	3.7-13.1	22	11.7	6.2-17.2	2	0.3	0.0- 0.7
H.S. or G.E.D.	1625	156,418	1254	69.4	66.3-72.5	170	13.5	11.1-15.9	89	7.7	5.9-9.5	97	8.2	6.2-10.2	15	1.3	0.5- 2.1
Some Post-H.S.	1903	223,575	1479	72.5	69.8-75.2	215	12.4	10.4-14.4	109	8.3	6.5-10.1	90	6.2	4.6- 7.8	10	0.5	0.1- 0.9
College Graduate	2018	164,416	1615	76.3	73.9-78.7	209	11.9	10.1-13.7	108	6.9	5.5- 8.3	72	4.1	2.9- 5.3	14	0.8	0.4- 1.2
Less than \$15,000	201	24,612	152	71.1	62.3-79.9	24	12.9	6.2-19.6	14	11.1	4.6-17.6	11	4.8	1.3- 8.3			
\$15,000- 24,999	386	33,817	306	71.4	64.7-78.1	33	10.3	6.0-14.6	23	10.0	5.1-14.9	20	7.3	3.4-11.2	4	1.0	0.0- 2.2
\$25,000- 34,999	514	50,272	395	68.5	62.6-74.4	58	13.3	9.2-17.4	34	10.6	6.3-14.9	22	6.9	3.4-10.4	5	0.8	0.2- 1.4
\$35,000- 49,999	718	66,924	564	72.2	67.5-76.9	77	12.7	9.2-16.2	33	4.9	2.9- 6.9	39	9.3	5.8-12.8	5	0.9	0.0- 1.9
\$50,000- 99,999	1588	162,535	1234	71.5	68.4-74.6	175	12.4	10.2-14.6	93	8.6	6.6-10.6	72	6.5	4.7- 8.3	14	0.9	0.3- 1.5
\$100,000 - 199,999	1020	111,552	793	75.9	72.6-79.2	111	11.9	9.5-14.3	60	6.9	4.7- 9.1	54	5.1	3.3- 6.9	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2972	302,247	2194	66.9	64.7-69.1	339	13.4	11.8-15.0	198	9.1	7.7-10.5	207	9.2	7.6-10.8	34	1.4	0.8- 2.0
Native	116	12,437	82	63.8	51.8-75.8	17	16.0	7.8-24.2	12	14.7	4.1-25.3	5	5.5	0.2-10.8			
Non-Native	2795	284,263	2067	67.0	64.6-69.4	317	13.4	11.6-15.2	182	8.8	7.4-10.2	197	9.4	7.8-11.0	32	1.4	0.8- 2.0
18-24	221	42,037	124	54.8	47.4-62.2	40	18.0	12.1-23.9	34	15.2	9.7-20.7	18	9.4	4.5-14.3	5	2.7	0.3- 5.1
25-34	331	61,322	179	53.3	47.2-59.4	54	16.0	11.7-20.3	51	15.9	11.4-20.4	41	13.3	9.0-17.6	6	1.4	0.2- 2.6
35-44	368	51,625	205	55.6	49.9-61.3	69	18.3	14.0-22.6	33	9.7	6.2-13.2	50	14.3	10.4-18.2	11	2.2	0.8- 3.6
45-54	368	41,221	265	72.7	67.4-78.0	45	11.2	7.5-14.9	25	6.3	3.6- 9.0	30	9.0	5.5-12.5	3	0.9	0.0- 1.9
55-64	516	46,312	392	76.1	71.6-80.6	61	12.8	9.3-16.3	27	4.6	2.4- 6.8	34	6.0	3.5- 8.5	2	0.6	0.0- 1.4
65+	1168	59,731	1029	88.2	86.0-90.4	70	5.3	3.7- 6.9	28	2.6	1.4- 3.8	34	3.2	2.0- 4.4	7	0.6	0.0- 1.2
Less Than H.S.	150	26,185	103	57.4	46.8-68.0	16	13.4	6.0-20.8	10	9.1	2.6-15.6	19	19.5	10.5-28.5	2	0.6	0.0- 1.4
H.S. or G.E.D.	885	87,668	639	64.7	60.6-68.8	104	14.7	11.6-17.8	61	8.7	6.2-11.2	68	9.8	7.3-12.3	13	2.1	0.9- 3.3
Some Post-H.S.	940	110,974	692	69.0	65.3-72.7	105	11.6	9.1-14.1	67	10.2	7.7-12.7	67	8.2	6.0-10.4	9	1.0	0.2- 1.8
College Graduate	983	75,327	752	70.4	66.9-73.9	113	14.6	11.9-17.3	57	7.2	5.0- 9.4	51	6.4	4.4- 8.4	10	1.4	0.4- 2.4
Less than \$15,000	84	8,540	56	60.4	46.3-74.5	14	18.6	7.4-29.8	7	13.8	3.8-23.8	7	7.2	1.3-13.1			
\$15,000- 24,999	159	14,998	113	62.1	51.7-72.5	14	9.4	3.3-15.5	14	14.8	6.0-23.6	14	11.6	4.9-18.3	4	2.1	0.0- 5.0
\$25,000- 34,999	243	25,182	171	59.6	51.0-68.2	29	15.4	8.9-21.9	22	13.0	6.7-19.3	16	10.5	4.8-16.2	5	1.5	0.1- 2.9
\$35,000- 49,999	362	36,087	267	65.4	58.9-71.9	37	12.9	8.2-17.6	23	7.1	3.8-10.4	31	13.0	8.1-17.9	4	1.6	0.0- 3.2
\$50,000- 99,999	833	84,303	624	68.3	64.2-72.4	97	12.8	9.9-15.7	53	8.5	6.0-11.0	49	8.9	6.0-11.8	10	1.5	0.5- 2.5
\$100,000 - 199,999	620	64,855	464	71.7	67.2-76.2	73	13.9	10.4-17.4	38	7.4	4.7-10.1	43	6.6	4.1- 9.1	2	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2856	289,716	2356	77.7	75.3-80.1	289	11.8	10.0-13.6	128	6.5	5.1- 7.9	76	3.8	2.6- 5.0	7	0.2	0.0- 0.4
Native	146	13,489	114	79.2	69.8-88.6	16	5.3	2.2- 8.4	11	12.8	4.0-21.6	4	2.5	0.0- 5.4	1	0.2	0.0- 0.6
Non-Native	2686	274,085	2221	77.7	75.3-80.1	271	12.2	10.4-14.0	116	6.1	4.7- 7.5	72	3.9	2.7- 5.1	6	0.2	0.0- 0.4
18-24	140	37,694	93	66.1	57.5-74.7	19	13.3	7.2-19.4	22	14.4	8.3-20.5	6	6.2	1.1-11.3			
25-34	210	52,325	144	65.4	57.8-73.0	32	17.0	10.7-23.3	18	9.3	4.8-13.8	15	8.1	3.8-12.4	1	0.2	0.0- 0.6
35-44	284	46,840	212	76.4	70.9-81.9	40	13.5	9.0-18.0	21	6.7	3.6- 9.8	9	2.9	0.9- 4.9	2	0.6	0.0- 1.4
45-54	366	38,295	287	79.6	75.1-84.1	50	12.5	8.8-16.2	22	6.4	3.7- 9.1	5	1.3	0.0- 2.7	2	0.2	0.0- 0.4
55-64	533	45,335	436	83.1	79.4-86.8	52	9.1	6.2-12.0	22	4.1	2.1- 6.1	23	3.7	1.9- 5.5			
65+	1323	69,227	1184	89.6	87.6-91.6	96	7.4	5.6- 9.2	23	1.5	0.7- 2.3	18	1.3	0.5- 2.1	2	0.1	0.0- 0.3
Less Than H.S.	115	19,039	88	78.2	67.2-89.2	17	13.4	4.0-22.8	7	7.4	0.5-14.3	3	0.9	0.0- 1.9			
H.S. or G.E.D.	740	68,749	615	75.5	70.8-80.2	66	11.9	8.4-15.4	28	6.3	3.6- 9.0	29	6.1	3.4- 8.8	2	0.2	0.0- 0.4
Some Post-H.S.	963	112,601	787	76.0	71.9-80.1	110	13.2	10.1-16.3	42	6.5	4.1- 8.9	23	4.2	2.0- 6.4	1	0.1	0.0- 0.3
College Graduate	1035	89,089	863	81.3	78.2-84.4	96	9.7	7.3-12.1	51	6.5	4.5- 8.5	21	2.1	0.9- 3.3	4	0.3	0.0- 0.7
Less than \$15,000	117	16,071	96	76.9	65.5-88.3	10	9.9	1.5-18.3	7	9.7	1.3-18.1	4	3.6	0.0- 8.1			
\$15,000- 24,999	227	18,819	193	78.8	70.6-87.0	19	11.1	4.8-17.4	9	6.2	1.3-11.1	6	3.9	0.0- 8.4			
\$25,000- 34,999	271	25,089	224	77.4	69.6-85.2	29	11.1	5.8-16.4	12	8.2	2.3-14.1	6	3.3	0.0- 7.0			
\$35,000- 49,999	356	30,837	297	80.2	73.5-86.9	40	12.4	7.3-17.5	10	2.4	0.4- 4.4	8	5.0	0.3- 9.7	1	0.0	0.0- 0.0
\$50,000- 99,999	755	78,233	610	75.0	70.5-79.5	78	12.0	8.5-15.5	40	8.8	5.7-11.9	23	4.0	1.8- 6.2	4	0.2	0.0- 0.4
\$100,000 - 199,999	400	46,697	329	81.8	77.1-86.5	38	9.0	5.9-12.1	22	6.2	3.1- 9.3	11	3.0	0.5- 5.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021

SECTION 4: EXERCISE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5903	601,366	4302	74.5	72.9-76.1	1601	25.5	23.9-27.1
Male	3016	307,365	2223	75.6	73.6-77.6	793	24.4	22.4-26.4
Female	2887	294,001	2079	73.4	71.2-75.6	808	26.6	24.4-28.8
Native	265	26,085	178	71.7	64.4-79.0	87	28.3	21.0-35.6
Non-Native	5550	567,353	4047	74.5	72.9-76.1	1503	25.5	23.9-27.1
18-24	373	82,593	310	83.3	79.0-87.6	63	16.7	12.4-21.0
25-34	550	115,746	428	75.3	71.0-79.6	122	24.7	20.4-29.0
35-44	660	99,668	505	74.5	70.6-78.4	155	25.5	21.6-29.4
45-54	745	80,527	554	74.8	71.3-78.3	191	25.2	21.7-28.7
55-64	1057	92,425	779	73.1	69.8-76.4	278	26.9	23.6-30.2
65+	2518	130,406	1726	69.2	67.0-71.4	792	30.8	28.6-33.0
Less Than H.S.	271	46,452	161	58.2	50.2-66.2	110	41.8	33.8-49.8
H.S. or G.E.D.	1653	159,706	1071	67.3	64.4-70.2	582	32.7	29.8-35.6
Some Post-H.S.	1925	227,183	1413	75.7	73.3-78.1	512	24.3	21.9-26.7
College Graduate	2035	165,600	1643	84.2	82.2-86.2	392	15.8	13.8-17.8
Less than \$15,000	202	24,803	120	58.4	49.0-67.8	82	41.6	32.2-51.0
\$15,000- 24,999	393	34,321	236	65.6	59.3-71.9	157	34.4	28.1-40.7
\$25,000- 34,999	526	51,561	348	69.3	63.8-74.8	178	30.7	25.2-36.2
\$35,000- 49,999	722	67,431	510	72.6	68.3-76.9	212	27.4	23.1-31.7
\$50,000- 99,999	1603	164,797	1212	76.9	74.2-79.6	391	23.1	20.4-25.8
\$100,000 - 199,999	1023	111,655	851	84.9	82.4-87.4	172	15.1	12.6-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3016	307,365	2223	75.6	73.6-77.6	793	24.4	22.4-26.4
Native	119	12,596	90	82.9	74.5-91.3	29	17.1	8.7-25.5
Non-Native	2834	289,056	2077	75.0	73.0-77.0	757	25.0	23.0-27.0
18-24	228	43,409	192	85.4	80.3-90.5	36	14.6	9.5-19.7
25-34	337	62,471	272	78.6	73.5-83.7	65	21.4	16.3-26.5
35-44	374	52,474	285	75.0	69.9-80.1	89	25.0	19.9-30.1
45-54	373	41,692	272	73.5	68.4-78.6	101	26.5	21.4-31.6
55-64	521	46,878	377	71.9	67.2-76.6	144	28.1	23.4-32.8
65+	1183	60,440	825	70.4	67.3-73.5	358	29.6	26.5-32.7
Less Than H.S.	156	27,413	93	62.9	52.9-72.9	63	37.1	27.1-47.1
H.S. or G.E.D.	902	89,574	601	70.7	67.2-74.2	301	29.3	25.8-32.8
Some Post-H.S.	950	112,432	708	76.5	73.2-79.8	242	23.5	20.2-26.8
College Graduate	994	75,853	809	84.2	81.7-86.7	185	15.8	13.3-18.3
Less than \$15,000	85	8,732	52	61.3	46.8-75.8	33	38.7	24.2-53.2
\$15,000- 24,999	165	15,483	100	68.8	60.0-77.6	65	31.2	22.4-40.0
\$25,000- 34,999	250	25,944	159	67.3	59.5-75.1	91	32.7	24.9-40.5
\$35,000- 49,999	363	36,126	253	72.0	66.3-77.7	110	28.0	22.3-33.7
\$50,000- 99,999	843	85,422	642	77.8	74.3-81.3	201	22.2	18.7-25.7
\$100,000 - 199,999	622	64,911	516	84.9	81.6-88.2	106	15.1	11.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2887	294,001	2079	73.4	71.2-75.6	808	26.6	24.4-28.8
Native	146	13,489	88	61.3	50.3-72.3	58	38.7	27.7-49.7
Non-Native	2716	278,297	1970	73.9	71.5-76.3	746	26.1	23.7-28.5
18-24	145	39,184	118	80.9	73.6-88.2	27	19.1	11.8-26.4
25-34	213	53,275	156	71.5	64.4-78.6	57	28.5	21.4-35.6
35-44	286	47,194	220	73.9	67.8-80.0	66	26.1	20.0-32.2
45-54	372	38,835	282	76.2	71.3-81.1	90	23.8	18.9-28.7
55-64	536	45,547	402	74.3	69.8-78.8	134	25.7	21.2-30.2
65+	1335	69,966	901	68.1	65.2-71.0	434	31.9	29.0-34.8
Less Than H.S.	115	19,039	68	51.4	38.3-64.5	47	48.6	35.5-61.7
H.S. or G.E.D.	751	70,132	470	62.9	58.2-67.6	281	37.1	32.4-41.8
Some Post-H.S.	975	114,752	705	75.0	71.5-78.5	270	25.0	21.5-28.5
College Graduate	1041	89,747	834	84.1	81.4-86.8	207	15.9	13.2-18.6
Less than \$15,000	117	16,071	68	56.8	44.6-69.0	49	43.2	31.0-55.4
\$15,000- 24,999	228	18,838	136	63.0	54.4-71.6	92	37.0	28.4-45.6
\$25,000- 34,999	276	25,617	189	71.4	63.8-79.0	87	28.6	21.0-36.2
\$35,000- 49,999	359	31,305	257	73.2	66.7-79.7	102	26.8	20.3-33.3
\$50,000- 99,999	760	79,374	570	75.9	71.8-80.0	190	24.1	20.0-28.2
\$100,000 - 199,999	401	46,744	335	85.0	80.9-89.1	66	15.0	10.9-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	37
5	MALES ONLY	38
6	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5891	600,643	2442	31.1	29.7-32.5	36	0.6	0.4- 0.8	3325	67.0	65.4-68.6	88	1.3	0.9- 1.7
Male	3013	307,314	1281	33.8	31.8-35.8	1	0.0	0.0- 0.0	1675	64.5	62.3-66.7	56	1.7	1.1- 2.3
Female	2878	293,328	1161	28.3	26.3-30.3	35	1.2	0.6- 1.8	1650	69.7	67.5-71.9	32	0.9	0.5- 1.3
Native	265	26,085	124	41.0	33.0-49.0	2	0.3	0.0- 0.7	131	55.7	47.5-63.9	8	3.1	0.2- 6.0
Non-Native	5539	566,657	2286	30.6	29.2-32.0	34	0.6	0.4- 0.8	3140	67.6	66.0-69.2	79	1.2	0.8- 1.6
18-24	374	82,779	34	9.1	5.6-12.6	1	0.4	0.0- 1.2	339	90.5	87.0-94.0			
25-34	550	115,746	72	11.6	8.7-14.5	6	0.7	0.0- 1.5	466	86.2	83.1-89.3	6	1.5	0.3- 2.7
35-44	659	99,478	130	21.3	17.6-25.0	9	1.0	0.2- 1.8	507	76.0	72.1-79.9	13	1.7	0.7- 2.7
45-54	745	80,494	233	31.7	28.0-35.4	8	0.9	0.1- 1.7	496	66.8	62.9-70.7	8	0.6	0.2- 1.0
55-64	1054	92,191	447	44.8	41.3-48.3	5	0.3	0.0- 0.7	580	52.7	49.2-56.2	22	2.1	0.9- 3.3
65+	2509	129,955	1526	59.9	57.5-62.3	7	0.2	0.0- 0.4	937	38.4	36.0-40.8	39	1.5	0.9- 2.1
Less Than H.S.	271	46,498	144	41.7	33.9-49.5				124	57.2	49.4-65.0	3	1.1	0.0- 2.5
H.S. or G.E.D.	1648	159,357	715	31.4	28.7-34.1	6	0.4	0.0- 0.8	898	66.7	64.0-69.4	29	1.6	0.8- 2.4
Some Post-H.S.	1922	227,038	837	32.3	29.8-34.8	8	0.4	0.0- 0.8	1042	65.7	63.2-68.2	35	1.6	0.8- 2.4
College Graduate	2032	165,438	740	26.2	24.0-28.4	22	1.1	0.5- 1.7	1249	71.9	69.7-74.1	21	0.7	0.3- 1.1
Less than \$15,000	201	24,734	106	44.5	35.1-53.9				92	55.2	45.8-64.6	3	0.3	0.0- 0.7
\$15,000- 24,999	393	34,326	216	38.6	32.5-44.7	2	0.5	0.0- 1.1	170	59.4	53.1-65.7	5	1.5	0.0- 3.1
\$25,000- 34,999	524	51,426	272	37.7	32.2-43.2	2	0.1	0.0- 0.3	245	61.7	56.2-67.2	5	0.5	0.0- 1.1
\$35,000- 49,999	722	67,393	336	36.2	31.9-40.5	4	0.3	0.0- 0.7	366	61.2	56.7-65.7	16	2.3	0.9- 3.7
\$50,000- 99,999	1603	164,797	624	28.2	25.7-30.7	15	0.9	0.3- 1.5	940	69.8	67.1-72.5	24	1.1	0.5- 1.7
\$100,000 - 199,999	1023	111,622	326	26.3	23.2-29.4	7	0.7	0.1- 1.3	674	71.6	68.5-74.7	16	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3013	307,314	1281	33.8	31.8-35.8	1	0.0	0.0- 0.0	1675	64.5	62.3-66.7	56	1.7	1.1- 2.3
Native	119	12,596	58	44.4	32.4-56.4				56	50.8	38.6-63.0	5	4.8	0.0-10.3
Non-Native	2832	289,033	1199	33.3	31.1-35.5	1	0.0	0.0- 0.0	1581	65.1	62.9-67.3	51	1.6	1.0- 2.2
18-24	229	43,595	22	8.2	4.5-11.9				207	91.8	88.1-95.5			
25-34	337	62,471	53	15.4	10.9-19.9				281	83.2	78.5-87.9	3	1.4	0.0- 3.0
35-44	373	52,284	95	28.7	23.2-34.2				266	68.6	63.1-74.1	12	2.8	1.0- 4.6
45-54	374	41,842	138	36.4	30.9-41.9				231	63.1	57.6-68.6	5	0.5	0.0- 1.1
55-64	520	46,825	251	52.2	47.3-57.1				255	45.1	40.2-50.0	14	2.7	0.9- 4.5
65+	1180	60,297	722	59.6	56.3-62.9	1	0.1	0.0- 0.3	435	38.1	34.8-41.4	22	2.3	1.1- 3.5
Less Than H.S.	156	27,459	74	36.2	26.6-45.8				80	62.6	53.0-72.2	2	1.2	0.0- 3.4
H.S. or G.E.D.	903	89,691	381	32.8	29.3-36.3				504	65.5	61.8-69.2	18	1.8	0.8- 2.8
Some Post-H.S.	950	112,494	427	35.9	32.4-39.4				498	61.8	58.1-65.5	25	2.4	1.2- 3.6
College Graduate	991	75,691	395	31.4	28.1-34.7	1	0.0	0.0- 0.0	584	67.8	64.5-71.1	11	0.8	0.2- 1.4
Less than \$15,000	85	8,732	48	56.0	41.9-70.1				36	43.9	29.8-58.0	1	0.2	0.0- 0.6
\$15,000- 24,999	166	15,579	88	35.1	26.3-43.9				76	63.8	55.0-72.6	2	1.1	0.0- 2.7
\$25,000- 34,999	249	25,901	129	42.3	34.1-50.5				115	56.6	48.4-64.8	5	1.0	0.0- 2.2
\$35,000- 49,999	363	36,088	170	35.9	30.0-41.8				184	60.9	54.8-67.0	9	3.2	0.7- 5.7
\$50,000- 99,999	843	85,422	349	31.5	27.8-35.2				478	66.9	63.2-70.6	16	1.5	0.5- 2.5
\$100,000 - 199,999	622	64,877	231	32.5	28.2-36.8				377	65.4	60.9-69.9	14	2.2	0.8- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2878	293,328	1161	28.3	26.3-30.3	35	1.2	0.6- 1.8	1650	69.7	67.5-71.9	32	0.9	0.5- 1.3
Native	146	13,489	66	37.8	27.0-48.6	2	0.5	0.0- 1.3	75	60.2	49.4-71.0	3	1.5	0.0- 3.5
Non-Native	2707	277,624	1087	27.9	25.9-29.9	33	1.2	0.6- 1.8	1559	70.1	67.9-72.3	28	0.9	0.5- 1.3
18-24	145	39,184	12	10.0	3.9-16.1	1	0.9	0.0- 2.7	132	89.1	82.8-95.4			
25-34	213	53,275	19	7.1	3.6-10.6	6	1.6	0.0- 3.2	185	89.7	85.6-93.8	3	1.6	0.0- 3.4
35-44	286	47,194	35	13.1	8.2-18.0	9	2.2	0.6- 3.8	241	84.2	79.1-89.3	1	0.5	0.0- 1.5
45-54	371	38,652	95	26.6	21.5-31.7	8	1.9	0.3- 3.5	265	70.9	65.6-76.2	3	0.6	0.0- 1.4
55-64	534	45,367	196	37.2	32.3-42.1	5	0.6	0.0- 1.2	325	60.7	55.8-65.6	8	1.5	0.3- 2.7
65+	1329	69,657	804	60.1	57.0-63.2	6	0.3	0.1- 0.5	502	38.7	35.6-41.8	17	0.9	0.5- 1.3
Less Than H.S.	115	19,039	70	49.7	36.8-62.6				44	49.4	36.5-62.3	1	0.9	0.0- 2.7
H.S. or G.E.D.	745	69,667	334	29.7	25.8-33.6	6	0.8	0.0- 2.0	394	68.2	64.1-72.3	11	1.3	0.3- 2.3
Some Post-H.S.	972	114,545	410	28.8	25.5-32.1	8	0.8	0.0- 1.6	544	69.6	66.1-73.1	10	0.8	0.2- 1.4
College Graduate	1041	89,747	345	21.9	19.2-24.6	21	2.1	1.1- 3.1	665	75.3	72.4-78.2	10	0.7	0.1- 1.3
Less than \$15,000	116	16,002	58	38.2	26.6-49.8				56	61.4	49.8-73.0	2	0.3	0.0- 0.7
\$15,000- 24,999	227	18,748	128	41.4	33.0-49.8	2	0.8	0.0- 2.0	94	55.8	47.2-64.4	3	1.9	0.0- 4.4
\$25,000- 34,999	275	25,525	143	33.0	25.9-40.1	2	0.2	0.0- 0.6	130	66.8	59.7-73.9			
\$35,000- 49,999	359	31,305	166	36.6	30.1-43.1	4	0.6	0.0- 1.4	182	61.6	54.9-68.3	7	1.2	0.0- 2.4
\$50,000- 99,999	760	79,374	275	24.6	21.1-28.1	15	1.9	0.5- 3.3	462	72.9	69.2-76.6	8	0.6	0.2- 1.0
\$100,000 - 199,999	401	46,744	95	17.8	13.7-21.9	7	1.6	0.2- 3.0	297	80.3	76.0-84.6	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2435	186,498	2100	78.6	76.1-81.1	335	21.4	18.9-23.9
Male	1277	103,614	1065	74.7	71.4-78.0	212	25.3	22.0-28.6
Female	1158	82,884	1035	83.5	79.8-87.2	123	16.5	12.8-20.2
Native	124	10,683	90	63.6	51.3-75.9	34	36.4	24.1-48.7
Non-Native	2279	173,268	1986	79.7	77.2-82.2	293	20.3	17.8-22.8
25-34	72	13,407	27	37.2	23.9-50.5	45	62.8	49.5-76.1
35-44	130	21,188	69	52.6	42.4-62.8	61	47.4	37.2-57.6
45-54	232	25,474	170	72.5	66.0-79.0	62	27.5	21.0-34.0
55-64	447	41,331	395	88.6	85.1-92.1	52	11.4	7.9-14.9
65+	1520	77,583	1430	94.4	93.0-95.8	90	5.6	4.2- 7.0
Less Than H.S.	144	19,382	119	68.2	56.2-80.2	25	31.8	19.8-43.8
H.S. or G.E.D.	713	50,027	616	76.8	72.3-81.3	97	23.2	18.7-27.7
Some Post-H.S.	833	73,089	721	81.8	78.1-85.5	112	18.2	14.5-21.9
College Graduate	739	43,407	640	80.4	76.3-84.5	99	19.6	15.5-23.7
Less than \$15,000	106	11,006	89	74.0	61.5-86.5	17	26.0	13.5-38.5
\$15,000- 24,999	216	13,237	193	84.2	76.2-92.2	23	15.8	7.8-23.8
\$25,000- 34,999	270	19,323	243	80.6	72.4-88.8	27	19.4	11.2-27.6
\$35,000- 49,999	334	24,353	291	80.8	74.7-86.9	43	19.2	13.1-25.3
\$50,000- 99,999	624	46,423	544	80.7	76.0-85.4	80	19.3	14.6-24.0
\$100,000 - 199,999	326	29,380	263	73.9	67.6-80.2	63	26.1	19.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1277	103,614	1065	74.7	71.4-78.0	212	25.3	22.0-28.6
Native	58	5,586	43	66.0	48.9-83.1	15	34.0	16.9-51.1
Non-Native	1195	95,960	1006	75.5	72.0-79.0	189	24.5	21.0-28.0
25-34	53	9,631	18	34.5	18.8-50.2	35	65.5	49.8-81.2
35-44	95	14,991	45	49.1	37.5-60.7	50	50.9	39.3-62.5
45-54	137	15,204	107	76.1	67.9-84.3	30	23.9	15.7-32.1
55-64	251	24,453	219	86.7	81.8-91.6	32	13.3	8.4-18.2
65+	719	35,752	672	93.5	91.3-95.7	47	6.5	4.3- 8.7
Less Than H.S.	74	9,928	59	67.2	51.3-83.1	15	32.8	16.9-48.7
H.S. or G.E.D.	380	29,372	313	71.2	64.9-77.5	67	28.8	22.5-35.1
Some Post-H.S.	424	40,144	349	76.5	71.2-81.8	75	23.5	18.2-28.8
College Graduate	395	23,772	342	80.1	74.6-85.6	53	19.9	14.4-25.4
\$15,000- 24,999	88	5,472	75	82.1	71.1-93.1	13	17.9	6.9-28.9
\$25,000- 34,999	128	10,914	108	71.2	58.9-83.5	20	28.8	16.5-41.1
\$35,000- 49,999	169	12,922	140	72.7	63.1-82.3	29	27.3	17.7-36.9
\$50,000- 99,999	349	26,924	306	80.0	73.9-86.1	43	20.0	13.9-26.1
\$100,000 - 199,999	231	21,057	179	69.0	61.4-76.6	52	31.0	23.4-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 5: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1158	82,884	1035	83.5	79.8-87.2	123	16.5	12.8-20.2
Native	66	5,097	47	61.1	43.5-78.7	19	38.9	21.3-56.5
Non-Native	1084	77,308	980	84.9	81.2-88.6	104	15.1	11.4-18.8
45-54	95	10,270	63	67.1	56.5-77.7	32	32.9	22.3-43.5
55-64	196	16,878	176	91.5	86.8-96.2	20	8.5	3.8-13.2
65+	801	41,832	758	95.2	93.6-96.8	43	4.8	3.2- 6.4
Less Than H.S.	70	9,454	60	69.3	51.5-87.1	10	30.7	12.9-48.5
H.S. or G.E.D.	333	20,655	303	84.7	78.6-90.8	30	15.3	9.2-21.4
Some Post-H.S.	409	32,945	372	88.2	83.3-93.1	37	11.8	6.9-16.7
College Graduate	344	19,635	298	80.9	74.8-87.0	46	19.1	13.0-25.2
Less than \$15,000	58	6,120	49	69.6	51.4-87.8	9	30.4	12.2-48.6
\$15,000- 24,999	128	7,764	118	85.8	74.4-97.2	10	14.2	2.8-25.6
\$25,000- 34,999	142	8,410	135	92.8	84.2- 100	7	7.2	0.0-15.8
\$35,000- 49,999	165	11,431	151	90.1	84.0-96.2	14	9.9	3.8-16.0
\$50,000- 99,999	275	19,499	238	81.6	74.5-88.7	37	18.4	11.3-25.5
\$100,000 - 199,999	95	8,323	84	86.1	77.1-95.1	11	13.9	4.9-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)	
1 MALES AND FEMALES	41
2 MALES ONLY	42
3 FEMALES ONLY	43
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)	
4 MALES AND FEMALES	44
5 MALES ONLY	45
6 FEMALES ONLY	46
ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)	
7 MALES AND FEMALES	47
8 MALES ONLY	48
9 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 1: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Never		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5526	546,653	485	15.4	14.0-16.8	3961	62.4	60.6-64.2	722	14.3	13.1-15.5	143	3.2	2.6- 3.8	215	4.6	3.8- 5.4			
Male	2805	277,503	302	17.5	15.5-19.5	1931	59.5	57.1-61.9	357	14.0	12.4-15.6	81	3.8	2.8- 4.8	134	5.2	4.0- 6.4			
Female	2721	269,150	183	13.2	11.0-15.4	2030	65.5	63.0-68.0	365	14.7	12.9-16.5	62	2.6	1.8- 3.4	81	4.1	2.9- 5.3			
Native	244	23,342	25	14.1	7.8-20.4	169	66.3	58.1-74.5	29	8.5	4.8-12.2	12	7.2	2.5-11.9	9	3.8	0.0- 7.7			
Non-Native	5205	516,560	454	15.5	13.9-17.1	3736	62.3	60.5-64.1	682	14.6	13.2-16.0	130	3.1	2.5- 3.7	203	4.6	3.8- 5.4			
18-24	301	67,458	137	45.7	39.2-52.2	112	37.2	30.9-43.5	35	10.9	7.0-14.8	7	1.8	0.2- 3.4	10	4.3	1.6- 7.0			
25-34	455	95,020	130	30.7	25.8-35.6	187	39.8	34.7-44.9	83	17.8	13.7-21.9	29	5.5	3.3- 7.7	26	6.3	3.6- 9.0			
35-44	601	91,304	85	14.0	10.9-17.1	327	56.1	51.6-60.6	116	17.9	14.6-21.2	32	5.2	3.2- 7.2	41	6.9	4.4- 9.4			
45-54	717	77,412	57	8.7	6.3-11.1	475	67.0	63.1-70.9	130	16.9	14.0-19.8	21	3.0	1.6- 4.4	34	4.3	2.7- 5.9			
55-64	1038	90,577	35	2.4	1.4- 3.4	767	74.3	71.2-77.4	149	14.7	12.2-17.2	28	3.2	1.8- 4.6	59	5.3	3.5- 7.1			
65+	2414	124,881	41	1.8	1.2- 2.4	2093	86.6	85.0-88.2	209	9.1	7.7-10.5	26	0.9	0.5- 1.3	45	1.6	1.0- 2.2			
Less Than H.S.	248	41,625	24	17.5	10.2-24.8	172	59.9	51.3-68.5	26	9.8	4.7-14.9	6	2.2	0.0- 4.6	20	10.6	4.9-16.3			
H.S. or G.E.D.	1537	144,790	160	18.5	15.6-21.4	1094	59.5	56.2-62.8	193	14.9	12.5-17.3	28	2.8	1.6- 4.0	62	4.3	2.9- 5.7			
Some Post-H.S.	1792	204,270	170	16.0	13.5-18.5	1290	62.9	60.0-65.8	214	13.2	11.2-15.2	49	3.0	2.0- 4.0	69	4.9	3.5- 6.3			
College Graduate	1936	154,135	129	10.9	8.9-12.9	1397	65.6	62.9-68.3	287	16.4	14.2-18.6	60	4.1	2.9- 5.3	63	3.0	2.0- 4.0			
Less than \$15,000	188	22,865	18	17.8	9.2-26.4	128	60.6	50.8-70.4	21	11.1	5.6-16.6	6	3.1	0.4- 5.8	15	7.5	1.6-13.4			
\$15,000- 24,999	359	30,450	37	21.1	14.2-28.0	265	61.5	54.2-68.8	34	10.2	6.1-14.3	11	3.5	0.8- 6.2	12	3.6	0.7- 6.5			
\$25,000- 34,999	482	45,142	42	15.8	10.5-21.1	352	62.9	56.6-69.2	58	12.2	8.3-16.1	17	4.8	2.1- 7.5	13	4.3	1.2- 7.4			
\$35,000- 49,999	681	61,710	61	18.7	14.0-23.4	493	61.1	56.0-66.2	92	14.5	11.0-18.0	11	1.5	0.3- 2.7	24	4.2	2.2- 6.2			
\$50,000- 99,999	1516	151,920	138	15.5	12.8-18.2	1080	61.8	58.5-65.1	211	16.0	13.5-18.5	40	3.4	2.2- 4.6	47	3.2	2.0- 4.4			
\$100,000 - 199,999	977	103,728	69	10.5	7.8-13.2	675	64.1	60.4-67.8	155	16.8	13.9-19.7	33	3.9	2.3- 5.5	45	4.6	2.8- 6.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	Never		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2805	277,503	302	17.5	15.5-19.5	1931	59.5	57.1-61.9	357	14.0	12.4-15.6	81	3.8	2.8- 4.8	134	5.2	4.0- 6.4
Native	108	11,416	10	11.9	3.7-20.1	72	61.8	49.5-74.1	14	10.9	4.4-17.4	8	9.9	1.7-18.1	4	5.5	0.0-12.9
Non-Native	2643	261,436	287	17.9	15.7-20.1	1822	59.4	57.0-61.8	334	14.0	12.2-15.8	72	3.6	2.6- 4.6	128	5.2	4.0- 6.4
18-24	179	34,071	92	51.8	43.6-60.0	61	34.8	27.0-42.6	19	9.0	4.5-13.5	4	1.9	0.0- 3.9	3	2.5	0.0- 5.4
25-34	285	52,877	80	31.2	24.9-37.5	111	36.8	30.5-43.1	55	18.9	13.8-24.0	22	7.4	4.1-10.7	17	5.7	2.8- 8.6
35-44	335	47,168	54	15.8	11.5-20.1	167	50.7	44.6-56.8	68	19.0	14.5-23.5	17	5.5	2.6- 8.4	29	9.0	5.5-12.5
45-54	360	40,121	32	10.7	6.8-14.6	233	65.7	60.0-71.4	64	16.3	12.0-20.6	8	1.9	0.3- 3.5	23	5.4	2.9- 7.9
55-64	509	45,501	23	3.3	1.7- 4.9	375	75.1	70.8-79.4	62	10.9	7.8-14.0	18	4.4	2.2- 6.6	31	6.3	3.6- 9.0
65+	1137	57,764	21	2.1	1.1- 3.1	984	85.6	83.1-88.1	89	9.1	6.9-11.3	12	0.8	0.2- 1.4	31	2.3	1.3- 3.3
Less Than H.S.	138	23,238	16	21.5	11.1-31.9	94	56.8	45.6-68.0	12	8.7	3.2-14.2	3	2.1	0.0- 5.6	13	10.8	3.9-17.7
H.S. or G.E.D.	828	80,526	112	21.8	17.9-25.7	542	54.1	49.8-58.4	110	15.2	12.1-18.3	20	3.1	1.5- 4.7	44	5.7	3.7- 7.7
Some Post-H.S.	878	100,591	101	17.6	14.1-21.1	599	59.7	55.6-63.8	101	13.0	10.3-15.7	36	4.9	2.9- 6.9	41	4.9	3.1- 6.7
College Graduate	950	71,510	71	11.2	8.5-13.9	690	66.6	62.9-70.3	132	15.3	12.6-18.0	22	3.6	2.0- 5.2	35	3.3	1.9- 4.7
Less than \$15,000	79	7,970	10	18.5	6.7-30.3	49	56.2	41.3-71.1	10	13.6	3.8-23.4	3	5.6	0.0-11.9	7	6.1	0.4-11.8
\$15,000- 24,999	147	13,283	21	25.2	14.6-35.8	103	57.5	46.7-68.3	13	10.9	4.4-17.4	4	2.2	0.0- 4.9	6	4.2	0.5- 7.9
\$25,000- 34,999	229	23,519	29	20.9	12.9-28.9	152	55.7	46.7-64.7	29	12.1	6.6-17.6	10	6.6	2.1-11.1	9	4.6	0.5- 8.7
\$35,000- 49,999	339	32,862	46	25.3	18.6-32.0	228	54.6	47.7-61.5	44	13.5	9.0-18.0	8	2.2	0.2- 4.2	13	4.3	1.4- 7.2
\$50,000- 99,999	792	78,085	83	17.8	13.9-21.7	557	59.7	55.2-64.2	105	15.1	12.0-18.2	21	4.2	2.0- 6.4	26	3.4	1.8- 5.0
\$100,000 - 199,999	593	59,907	45	10.4	7.1-13.7	402	63.2	58.3-68.1	93	17.4	13.5-21.3	22	4.3	2.3- 6.3	31	4.7	2.7- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	Never		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2721	269,150	183	13.2	11.0-15.4	2030	65.5	63.0-68.0	365	14.7	12.9-16.5	62	2.6	1.8- 3.4	81	4.1	2.9- 5.3
Native	136	11,927	15	16.3	6.9-25.7	97	70.7	60.1-81.3	15	6.3	2.6-10.0	4	4.5	0.0- 9.4	5	2.2	0.0- 4.4
Non-Native	2562	255,124	167	13.0	10.8-15.2	1914	65.2	62.5-67.9	348	15.2	13.2-17.2	58	2.6	1.8- 3.4	75	4.0	2.8- 5.2
18-24	122	33,387	45	39.5	29.9-49.1	51	39.7	30.1-49.3	16	12.9	6.6-19.2	3	1.8	0.0- 4.0	7	6.1	1.4-10.8
25-34	170	42,143	50	30.0	22.0-38.0	76	43.5	34.9-52.1	28	16.3	9.6-23.0	7	3.2	0.7- 5.7	9	7.0	2.3-11.7
35-44	266	44,136	31	12.1	7.8-16.4	160	61.8	55.1-68.5	48	16.7	11.8-21.6	15	4.8	2.3- 7.3	12	4.7	1.0- 8.4
45-54	357	37,291	25	6.6	3.7- 9.5	242	68.5	63.0-74.0	66	17.5	13.2-21.8	13	4.2	1.8- 6.6	11	3.2	1.0- 5.4
55-64	529	45,076	12	1.6	0.6- 2.6	392	73.5	69.0-78.0	87	18.6	14.5-22.7	10	1.9	0.5- 3.3	28	4.3	2.3- 6.3
65+	1277	67,116	20	1.6	0.8- 2.4	1109	87.4	85.2-89.6	120	9.0	7.0-11.0	14	0.9	0.3- 1.5	14	1.0	0.4- 1.6
Less Than H.S.	110	18,387	8	12.4	2.6-22.2	78	63.9	50.6-77.2	14	11.1	2.1-20.1	3	2.3	0.0- 5.0	7	10.3	0.9-19.7
H.S. or G.E.D.	709	64,264	48	14.4	10.3-18.5	552	66.2	61.1-71.3	83	14.4	10.7-18.1	8	2.4	0.6- 4.2	18	2.6	1.0- 4.2
Some Post-H.S.	914	103,678	69	14.6	10.9-18.3	691	65.9	61.4-70.4	113	13.4	10.5-16.3	13	1.2	0.4- 2.0	28	4.8	2.6- 7.0
College Graduate	986	82,625	58	10.6	7.7-13.5	707	64.6	60.7-68.5	155	17.3	14.2-20.4	38	4.7	2.9- 6.5	28	2.8	1.4- 4.2
Less than \$15,000	109	14,895	8	17.4	5.6-29.2	79	63.0	49.9-76.1	11	9.7	3.0-16.4	3	1.7	0.0- 4.1	8	8.2	0.0-16.4
\$15,000- 24,999	212	17,167	16	17.9	8.9-26.9	162	64.6	54.8-74.4	21	9.7	4.4-15.0	7	4.6	0.3- 8.9	6	3.1	0.0- 7.2
\$25,000- 34,999	253	21,622	13	10.2	3.5-16.9	200	70.7	61.9-79.5	29	12.4	6.9-17.9	7	2.8	0.0- 5.9	4	3.9	0.0- 8.8
\$35,000- 49,999	342	28,848	15	11.1	4.6-17.6	265	68.6	61.0-76.2	48	15.7	10.0-21.4	3	0.7	0.0- 1.7	11	4.0	1.1- 6.9
\$50,000- 99,999	724	73,835	55	13.1	9.2-17.0	523	64.1	59.2-69.0	106	17.0	13.1-20.9	19	2.7	1.3- 4.1	21	3.0	1.2- 4.8
\$100,000 - 199,999	384	43,821	24	10.8	6.3-15.3	273	65.3	59.2-71.4	62	16.0	11.5-20.5	11	3.4	1.2- 5.6	14	4.6	1.5- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5001	460,221	2010	33.5	31.9-35.1	2991	66.5	64.9-68.1
Male	2476	227,125	994	33.9	31.5-36.3	1482	66.1	63.7-68.5
Female	2525	233,096	1016	33.1	30.7-35.5	1509	66.9	64.5-69.3
Native	217	19,916	86	29.7	22.1-37.3	131	70.3	62.7-77.9
Non-Native	4714	434,285	1904	33.8	32.0-35.6	2810	66.2	64.4-68.0
18-24	164	36,634	11	9.5	3.4-15.6	153	90.5	84.4-96.6
25-34	321	65,448	44	16.2	11.1-21.3	277	83.8	78.7-88.9
35-44	514	78,391	96	19.6	15.7-23.5	418	80.4	76.5-84.3
45-54	655	70,328	202	30.8	26.7-34.9	453	69.2	65.1-73.3
55-64	998	88,170	437	45.0	41.3-48.7	561	55.0	51.3-58.7
65+	2349	121,250	1220	52.5	50.1-54.9	1129	47.5	45.1-49.9
Less Than H.S.	221	34,087	97	43.4	34.4-52.4	124	56.6	47.6-65.6
H.S. or G.E.D.	1363	116,893	567	32.7	29.8-35.6	796	67.3	64.4-70.2
Some Post-H.S.	1612	171,066	643	33.9	31.0-36.8	969	66.1	63.2-69.0
College Graduate	1794	136,648	701	31.5	29.0-34.0	1093	68.5	66.0-71.0
Less than \$15,000	166	18,533	84	41.9	31.3-52.5	82	58.1	47.5-68.7
\$15,000- 24,999	320	23,991	158	42.3	35.2-49.4	162	57.7	50.6-64.8
\$25,000- 34,999	436	37,828	174	31.3	25.4-37.2	262	68.7	62.8-74.6
\$35,000- 49,999	615	49,811	248	34.0	29.3-38.7	367	66.0	61.3-70.7
\$50,000- 99,999	1371	127,857	578	34.0	30.9-37.1	793	66.0	62.9-69.1
\$100,000 - 199,999	906	92,726	324	33.0	29.3-36.7	582	67.0	63.3-70.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2476	227,125	994	33.9	31.5-36.3	1482	66.1	63.7-68.5
Native	98	10,058	42	33.3	21.7-44.9	56	66.7	55.1-78.3
Non-Native	2329	212,865	939	34.1	31.7-36.5	1390	65.9	63.5-68.3
18-24	87	16,419	2	1.8	0.0- 4.9	85	98.2	95.1- 100
25-34	202	36,043	32	18.2	11.7-24.7	170	81.8	75.3-88.3
35-44	279	39,578	57	21.0	15.5-26.5	222	79.0	73.5-84.5
45-54	324	35,621	117	36.6	30.5-42.7	207	63.4	57.3-69.5
55-64	485	43,946	225	47.9	42.8-53.0	260	52.1	47.0-57.2
65+	1099	55,517	561	50.2	46.7-53.7	538	49.8	46.3-53.3
Less Than H.S.	120	18,023	47	39.5	27.9-51.1	73	60.5	48.9-72.1
H.S. or G.E.D.	707	62,272	275	30.6	26.7-34.5	432	69.4	65.5-73.3
Some Post-H.S.	769	82,570	304	34.9	30.8-39.0	465	65.1	61.0-69.2
College Graduate	871	62,929	367	34.7	31.0-38.4	504	65.3	61.6-69.0
Less than \$15,000	68	6,468	36	43.9	26.8-61.0	32	56.1	39.0-73.2
\$15,000- 24,999	124	9,901	57	37.2	26.6-47.8	67	62.8	52.2-73.4
\$25,000- 34,999	197	18,486	81	34.1	25.1-43.1	116	65.9	56.9-74.9
\$35,000- 49,999	291	24,291	109	29.4	23.3-35.5	182	70.6	64.5-76.7
\$50,000- 99,999	704	63,784	294	33.0	28.9-37.1	410	67.0	62.9-71.1
\$100,000 - 199,999	546	53,627	210	36.6	31.7-41.5	336	63.4	58.5-68.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2525	233,096	1016	33.1	30.7-35.5	1509	66.9	64.5-69.3
Native	119	9,859	44	26.1	16.1-36.1	75	73.9	63.9-83.9
Non-Native	2385	221,420	965	33.6	31.1-36.1	1420	66.4	63.9-68.9
18-24	77	20,214	9	15.7	5.3-26.1	68	84.3	73.9-94.7
25-34	119	29,406	12	13.8	5.8-21.8	107	86.2	78.2-94.2
35-44	235	38,813	39	18.2	12.5-23.9	196	81.8	76.1-87.5
45-54	331	34,706	85	24.8	19.5-30.1	246	75.2	69.9-80.5
55-64	513	44,224	212	42.1	37.0-47.2	301	57.9	52.8-63.0
65+	1250	65,732	659	54.4	51.1-57.7	591	45.6	42.3-48.9
Less Than H.S.	101	16,064	50	47.9	34.0-61.8	51	52.1	38.2-66.0
H.S. or G.E.D.	656	54,621	292	35.1	30.4-39.8	364	64.9	60.2-69.6
Some Post-H.S.	843	88,495	339	33.0	28.9-37.1	504	67.0	62.9-71.1
College Graduate	923	73,719	334	28.8	25.5-32.1	589	71.2	67.9-74.5
Less than \$15,000	98	12,065	48	40.9	27.6-54.2	50	59.1	45.8-72.4
\$15,000- 24,999	196	14,091	101	45.9	36.5-55.3	95	54.1	44.7-63.5
\$25,000- 34,999	239	19,342	93	28.7	21.3-36.1	146	71.3	63.9-78.7
\$35,000- 49,999	324	25,520	139	38.4	31.3-45.5	185	61.6	54.5-68.7
\$50,000- 99,999	667	64,073	284	35.1	30.4-39.8	383	64.9	60.2-69.6
\$100,000 - 199,999	360	39,099	114	28.0	22.5-33.5	246	72.0	66.5-77.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5012	460,857	1691	24.4	23.0-25.8	3321	75.6	74.2-77.0
Male	2483	227,712	870	26.1	24.1-28.1	1613	73.9	71.9-75.9
Female	2529	233,145	821	22.7	20.9-24.5	1708	77.3	75.5-79.1
Native	218	20,005	68	23.5	16.6-30.4	150	76.5	69.6-83.4
Non-Native	4723	434,765	1607	24.5	23.1-25.9	3116	75.5	74.1-76.9
18-24	163	36,359	2	0.5	0.0- 1.1	161	99.5	98.9- 100
25-34	325	65,884	10	3.3	0.8- 5.8	315	96.7	94.2-99.2
35-44	516	78,531	33	7.5	4.8-10.2	483	92.5	89.8-95.2
45-54	659	70,477	111	17.3	14.0-20.6	548	82.7	79.4-86.0
55-64	1002	88,330	335	33.6	30.1-37.1	667	66.4	62.9-69.9
65+	2347	121,277	1200	51.3	48.9-53.7	1147	48.7	46.3-51.1
Less Than H.S.	222	34,193	82	26.9	19.6-34.2	140	73.1	65.8-80.4
H.S. or G.E.D.	1364	116,978	526	27.6	24.9-30.3	838	72.4	69.7-75.1
Some Post-H.S.	1612	170,968	531	24.9	22.5-27.3	1081	75.1	72.7-77.5
College Graduate	1803	137,192	551	20.6	18.6-22.6	1252	79.4	77.4-81.4
Less than \$15,000	167	18,467	69	28.5	19.3-37.7	98	71.5	62.3-80.7
\$15,000- 24,999	320	23,981	150	36.4	29.9-42.9	170	63.6	57.1-70.1
\$25,000- 34,999	435	37,786	165	26.4	21.1-31.7	270	73.6	68.3-78.9
\$35,000- 49,999	616	49,953	231	28.4	24.3-32.5	385	71.6	67.5-75.7
\$50,000- 99,999	1377	128,258	473	25.2	22.5-27.9	904	74.8	72.1-77.5
\$100,000 - 199,999	908	92,799	229	19.2	16.5-21.9	679	80.8	78.1-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	227,712	870	26.1	24.1-28.1	1613	73.9	71.9-75.9
Native	98	10,058	35	27.7	17.1-38.3	63	72.3	61.7-82.9
Non-Native	2336	213,452	823	26.1	23.9-28.3	1513	73.9	71.7-76.1
18-24	87	16,419	1	0.4	0.0- 1.2	86	99.6	98.8- 100
25-34	205	36,390	7	4.9	0.6- 9.2	198	95.1	90.8-99.4
35-44	281	39,718	20	8.8	4.5-13.1	261	91.2	86.9-95.5
45-54	327	35,649	72	22.6	17.3-27.9	255	77.4	72.1-82.7
55-64	486	44,006	188	38.3	33.2-43.4	298	61.7	56.6-66.8
65+	1097	55,530	582	52.7	49.2-56.2	515	47.3	43.8-50.8
Less Than H.S.	121	18,129	46	29.5	18.9-40.1	75	70.5	59.9-81.1
H.S. or G.E.D.	706	62,308	260	26.6	23.1-30.1	446	73.4	69.9-76.9
Some Post-H.S.	771	82,606	254	26.7	23.2-30.2	517	73.3	69.8-76.8
College Graduate	876	63,338	310	24.5	21.6-27.4	566	75.5	72.6-78.4
Less than \$15,000	69	6,500	33	42.0	24.9-59.1	36	58.0	40.9-75.1
\$15,000- 24,999	124	9,890	62	34.5	24.7-44.3	62	65.5	55.7-75.3
\$25,000- 34,999	195	18,376	73	27.6	19.2-36.0	122	72.4	64.0-80.8
\$35,000- 49,999	291	24,404	113	28.9	23.0-34.8	178	71.1	65.2-77.0
\$50,000- 99,999	708	64,109	267	28.6	24.7-32.5	441	71.4	67.5-75.3
\$100,000 - 199,999	548	53,700	149	20.7	17.0-24.4	399	79.3	75.6-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2529	233,145	821	22.7	20.9-24.5	1708	77.3	75.5-79.1
Native	120	9,947	33	19.3	10.5-28.1	87	80.7	71.9-89.5
Non-Native	2387	221,313	784	22.9	20.9-24.9	1603	77.1	75.1-79.1
18-24	76	19,940	1	0.5	0.0- 1.5	75	99.5	98.5- 100
25-34	120	29,494	3	1.4	0.0- 3.2	117	98.6	96.8- 100
35-44	235	38,813	13	6.2	2.7- 9.7	222	93.8	90.3-97.3
45-54	332	34,828	39	11.9	7.8-16.0	293	88.1	84.0-92.2
55-64	516	44,324	147	29.1	24.4-33.8	369	70.9	66.2-75.6
65+	1250	65,747	618	50.2	46.9-53.5	632	49.8	46.5-53.1
Less Than H.S.	101	16,064	36	23.9	14.3-33.5	65	76.1	66.5-85.7
H.S. or G.E.D.	658	54,669	266	28.7	24.6-32.8	392	71.3	67.2-75.4
Some Post-H.S.	841	88,362	277	23.3	20.2-26.4	564	76.7	73.6-79.8
College Graduate	927	73,853	241	17.3	14.8-19.8	686	82.7	80.2-85.2
Less than \$15,000	98	11,967	36	21.2	12.0-30.4	62	78.8	69.6-88.0
\$15,000- 24,999	196	14,091	88	37.7	29.1-46.3	108	62.3	53.7-70.9
\$25,000- 34,999	240	19,410	92	25.3	18.6-32.0	148	74.7	68.0-81.4
\$35,000- 49,999	325	25,548	118	27.9	22.0-33.8	207	72.1	66.2-78.0
\$50,000- 99,999	669	64,149	206	21.8	18.3-25.3	463	78.2	74.7-81.7
\$100,000 - 199,999	360	39,099	80	17.0	12.9-21.1	280	83.0	78.9-87.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60
(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	61
11 MALES ONLY	62
12 FEMALES ONLY	63
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	64
14 MALES ONLY	65
15 FEMALES ONLY	66
(EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	67
17 MALES ONLY	68
18 FEMALES ONLY	69
(EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	70
20 MALES ONLY	71
21 FEMALES ONLY	72
(EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	73
23 MALES ONLY	74
24 FEMALES ONLY	75
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
25 MALES AND FEMALES	76
26 MALES ONLY	77
27 FEMALES ONLY	78
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
28 MALES AND FEMALES	79
29 MALES ONLY	80
30 FEMALES ONLY	81
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
31 MALES AND FEMALES	82
32 MALES ONLY	83
33 FEMALES ONLY	84
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	
34 MALES AND FEMALES	85
35 MALES ONLY	86
36 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5878	599,117	359	3.9	3.3- 4.5	5519	96.1	95.5-96.7
Male	3005	306,399	241	5.0	4.0- 6.0	2764	95.0	94.0-96.0
Female	2873	292,718	118	2.7	2.1- 3.3	2755	97.3	96.7-97.9
Native	263	25,842	17	7.6	3.1-12.1	246	92.4	87.9-96.9
Non-Native	5528	565,375	338	3.7	3.1- 4.3	5190	96.3	95.7-96.9
18-24	373	82,412	1	0.3	0.0- 0.9	372	99.7	99.1- 100
25-34	550	115,746	5	1.3	0.0- 2.7	545	98.7	97.3- 100
35-44	660	99,608	7	1.3	0.3- 2.3	653	98.7	97.7-99.7
45-54	741	79,944	17	3.1	1.5- 4.7	724	96.9	95.3-98.5
55-64	1053	91,837	46	4.2	2.8- 5.6	1007	95.8	94.4-97.2
65+	2501	129,570	283	10.7	9.3-12.1	2218	89.3	87.9-90.7
Less Than H.S.	270	46,316	31	8.9	4.8-13.0	239	91.1	87.0-95.2
H.S. or G.E.D.	1647	159,396	139	4.9	3.9- 5.9	1508	95.1	94.1-96.1
Some Post-H.S.	1913	225,636	94	3.4	2.6- 4.2	1819	96.6	95.8-97.4
College Graduate	2029	165,345	95	2.3	1.7- 2.9	1934	97.7	97.1-98.3
Less than \$15,000	197	24,009	23	8.6	2.5-14.7	174	91.4	85.3-97.5
\$15,000- 24,999	392	34,088	46	7.6	4.9-10.3	346	92.4	89.7-95.1
\$25,000- 34,999	523	51,307	50	5.6	3.4- 7.8	473	94.4	92.2-96.6
\$35,000- 49,999	721	67,386	48	4.0	2.6- 5.4	673	96.0	94.6-97.4
\$50,000- 99,999	1600	164,643	76	3.3	2.3- 4.3	1524	96.7	95.7-97.7
\$100,000 - 199,999	1021	111,567	25	1.3	0.7- 1.9	996	98.7	98.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3005	306,399	241	5.0	4.0- 6.0	2764	95.0	94.0-96.0
Native	118	12,369	9	8.9	1.8-16.0	109	91.1	84.0-98.2
Non-Native	2825	288,345	228	4.9	3.9- 5.9	2597	95.1	94.1-96.1
18-24	229	43,595				229	100.0	100.0- 100
25-34	337	62,471	4	1.9	0.0- 4.3	333	98.1	95.7- 100
35-44	374	52,414	4	1.5	0.0- 3.1	370	98.5	96.9- 100
45-54	371	41,447	11	4.5	1.6- 7.4	360	95.5	92.6-98.4
55-64	517	46,290	32	6.0	3.6- 8.4	485	94.0	91.6-96.4
65+	1177	60,182	190	14.6	12.2-17.0	987	85.4	83.0-87.8
Less Than H.S.	156	27,343	20	10.5	4.2-16.8	136	89.5	83.2-95.8
H.S. or G.E.D.	902	89,637	91	5.6	4.2- 7.0	811	94.4	93.0-95.8
Some Post-H.S.	944	111,713	61	4.5	3.1- 5.9	883	95.5	94.1-96.9
College Graduate	989	75,614	69	3.4	2.4- 4.4	920	96.6	95.6-97.6
Less than \$15,000	83	8,426	13	15.3	1.0-29.6	70	84.7	70.4-99.0
\$15,000- 24,999	164	15,250	21	5.9	2.8- 9.0	143	94.1	91.0-97.2
\$25,000- 34,999	249	25,925	35	8.7	4.8-12.6	214	91.3	87.4-95.2
\$35,000- 49,999	363	36,142	32	5.0	3.0- 7.0	331	95.0	93.0-97.0
\$50,000- 99,999	841	85,286	65	5.3	3.5- 7.1	776	94.7	92.9-96.5
\$100,000 - 199,999	621	64,880	17	1.4	0.6- 2.2	604	98.6	97.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	292,718	118	2.7	2.1- 3.3	2755	97.3	96.7-97.9
Native	145	13,473	8	6.5	1.0-12.0	137	93.5	88.0-99.0
Non-Native	2703	277,030	110	2.5	1.9- 3.1	2593	97.5	96.9-98.1
18-24	144	38,817	1	0.5	0.0- 1.5	143	99.5	98.5- 100
25-34	213	53,275	1	0.5	0.0- 1.5	212	99.5	98.5- 100
35-44	286	47,194	3	1.1	0.0- 2.5	283	98.9	97.5- 100
45-54	370	38,497	6	1.6	0.2- 3.0	364	98.4	97.0-99.8
55-64	536	45,547	14	2.4	1.0- 3.8	522	97.6	96.2-99.0
65+	1324	69,388	93	7.4	5.6- 9.2	1231	92.6	90.8-94.4
Less Than H.S.	114	18,973	11	6.6	2.1-11.1	103	93.4	88.9-97.9
H.S. or G.E.D.	745	69,760	48	3.9	2.5- 5.3	697	96.1	94.7-97.5
Some Post-H.S.	969	113,923	33	2.3	1.3- 3.3	936	97.7	96.7-98.7
College Graduate	1040	89,731	26	1.4	0.8- 2.0	1014	98.6	98.0-99.2
Less than \$15,000	114	15,583	10	4.9	0.8- 9.0	104	95.1	91.0-99.2
\$15,000- 24,999	228	18,838	25	9.1	4.8-13.4	203	90.9	86.6-95.2
\$25,000- 34,999	274	25,383	15	2.4	0.8- 4.0	259	97.6	96.0-99.2
\$35,000- 49,999	358	31,244	16	2.9	1.1- 4.7	342	97.1	95.3-98.9
\$50,000- 99,999	759	79,356	11	1.0	0.2- 1.8	748	99.0	98.2-99.8
\$100,000 - 199,999	400	46,687	8	1.1	0.1- 2.1	392	98.9	97.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5845	597,904	336	3.5	2.9- 4.1	5509	96.5	95.9-97.1
Male	2987	305,558	206	4.2	3.4- 5.0	2781	95.8	95.0-96.6
Female	2858	292,346	130	2.6	2.0- 3.2	2728	97.4	96.8-98.0
Native	260	25,524	7	1.3	0.1- 2.5	253	98.7	97.5-99.9
Non-Native	5497	564,453	325	3.5	2.9- 4.1	5172	96.5	95.9-97.1
18-24	373	82,707				373	100.0	100.0- 100
25-34	548	115,334	3	1.1	0.0- 2.5	545	98.9	97.5- 100
35-44	659	99,423	1	0.2	0.0- 0.6	658	99.8	99.4- 100
45-54	744	80,466	10	1.9	0.5- 3.3	734	98.1	96.7-99.5
55-64	1049	91,695	42	4.1	2.7- 5.5	1007	95.9	94.5-97.3
65+	2472	128,280	280	10.9	9.5-12.3	2192	89.1	87.7-90.5
Less Than H.S.	267	46,115	22	7.0	2.9-11.1	245	93.0	88.9-97.1
H.S. or G.E.D.	1627	158,186	114	4.0	3.2- 4.8	1513	96.0	95.2-96.8
Some Post-H.S.	1908	226,063	98	3.1	2.3- 3.9	1810	96.9	96.1-97.7
College Graduate	2024	165,116	100	2.4	1.8- 3.0	1924	97.6	97.0-98.2
Less than \$15,000	196	24,180	16	7.9	1.8-14.0	180	92.1	86.0-98.2
\$15,000- 24,999	383	33,813	48	8.8	5.9-11.7	335	91.2	88.3-94.1
\$25,000- 34,999	518	51,258	39	3.9	2.3- 5.5	479	96.1	94.5-97.7
\$35,000- 49,999	715	66,922	49	3.4	2.2- 4.6	666	96.6	95.4-97.8
\$50,000- 99,999	1594	164,331	77	2.7	1.9- 3.5	1517	97.3	96.5-98.1
\$100,000 - 199,999	1021	111,467	28	2.0	0.8- 3.2	993	98.0	96.8-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2987	305,558	206	4.2	3.4- 5.0	2781	95.8	95.0-96.6
Native	116	12,160	2	0.6	0.0- 1.6	114	99.4	98.4- 100
Non-Native	2808	287,686	200	4.4	3.6- 5.2	2608	95.6	94.8-96.4
18-24	228	43,523				228	100.0	100.0- 100
25-34	335	62,059	3	2.1	0.0- 4.6	332	97.9	95.4- 100
35-44	375	52,525	1	0.3	0.0- 0.9	374	99.7	99.1- 100
45-54	374	41,842	7	2.4	0.4- 4.4	367	97.6	95.6-99.6
55-64	517	46,379	29	5.6	3.2- 8.0	488	94.4	92.0-96.8
65+	1158	59,230	166	13.4	11.0-15.8	992	86.6	84.2-89.0
Less Than H.S.	154	27,218	15	8.7	2.4-15.0	139	91.3	85.0-97.6
H.S. or G.E.D.	888	88,746	69	4.5	3.3- 5.7	819	95.5	94.3-96.7
Some Post-H.S.	943	111,828	50	3.5	2.3- 4.7	893	96.5	95.3-97.7
College Graduate	988	75,673	70	3.5	2.5- 4.5	918	96.5	95.5-97.5
Less than \$15,000	81	8,246	7	12.1	0.0-26.6	74	87.9	73.4- 100
\$15,000- 24,999	161	15,260	20	8.3	4.0-12.6	141	91.7	87.4-96.0
\$25,000- 34,999	245	25,685	20	4.7	2.0- 7.4	225	95.3	92.6-98.0
\$35,000- 49,999	360	35,981	32	4.3	2.5- 6.1	328	95.7	93.9-97.5
\$50,000- 99,999	838	85,207	61	3.8	2.6- 5.0	777	96.2	95.0-97.4
\$100,000 - 199,999	621	64,844	22	2.8	1.0- 4.6	599	97.2	95.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2858	292,346	130	2.6	2.0- 3.2	2728	97.4	96.8-98.0
Native	144	13,364	5	1.9	0.0- 4.1	139	98.1	95.9- 100
Non-Native	2689	276,767	125	2.7	2.1- 3.3	2564	97.3	96.7-97.9
18-24	145	39,184				145	100.0	100.0- 100
25-34	213	53,275				213	100.0	100.0- 100
35-44	284	46,898				284	100.0	100.0- 100
45-54	370	38,624	3	1.3	0.0- 3.1	367	98.7	96.9- 100
55-64	532	45,315	13	2.5	0.9- 4.1	519	97.5	95.9-99.1
65+	1314	69,050	114	8.7	6.7-10.7	1200	91.3	89.3-93.3
Less Than H.S.	113	18,897	7	4.7	0.2- 9.2	106	95.3	90.8-99.8
H.S. or G.E.D.	739	69,440	45	3.3	2.1- 4.5	694	96.7	95.5-97.9
Some Post-H.S.	965	114,235	48	2.8	1.8- 3.8	917	97.2	96.2-98.2
College Graduate	1036	89,442	30	1.4	0.8- 2.0	1006	98.6	98.0-99.2
Less than \$15,000	115	15,935	9	5.7	1.0-10.4	106	94.3	89.6-99.0
\$15,000- 24,999	222	18,554	28	9.2	5.1-13.3	194	90.8	86.7-94.9
\$25,000- 34,999	273	25,573	19	3.1	1.3- 4.9	254	96.9	95.1-98.7
\$35,000- 49,999	355	30,941	17	2.3	0.9- 3.7	338	97.7	96.3-99.1
\$50,000- 99,999	756	79,124	16	1.5	0.5- 2.5	740	98.5	97.5-99.5
\$100,000 - 199,999	400	46,623	6	0.8	0.0- 1.6	394	99.2	98.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5889	599,504	239	2.8	2.2- 3.4	5650	97.2	96.6-97.8
Male	3006	306,296	129	3.0	2.2- 3.8	2877	97.0	96.2-97.8
Female	2883	293,208	110	2.6	2.0- 3.2	2773	97.4	96.8-98.0
Native	263	25,725	9	3.1	0.2- 6.0	254	96.9	94.0-99.8
Non-Native	5539	565,878	225	2.8	2.2- 3.4	5314	97.2	96.6-97.8
18-24	373	82,740	2	0.5	0.0- 1.3	371	99.5	98.7- 100
25-34	548	114,888	3	1.2	0.0- 2.6	545	98.8	97.4- 100
35-44	660	99,558	5	1.0	0.0- 2.0	655	99.0	98.0- 100
45-54	746	80,677	10	1.8	0.6- 3.0	736	98.2	97.0-99.4
55-64	1052	91,769	39	3.7	2.3- 5.1	1013	96.3	94.9-97.7
65+	2510	129,871	180	7.1	5.9- 8.3	2330	92.9	91.7-94.1
Less Than H.S.	270	46,304	18	6.4	2.5-10.3	252	93.6	89.7-97.5
H.S. or G.E.D.	1648	159,474	83	2.7	1.9- 3.5	1565	97.3	96.5-98.1
Some Post-H.S.	1920	225,899	75	3.0	2.2- 3.8	1845	97.0	96.2-97.8
College Graduate	2032	165,402	62	1.6	1.0- 2.2	1970	98.4	97.8-99.0
Less than \$15,000	200	24,503	26	13.0	5.9-20.1	174	87.0	79.9-94.1
\$15,000- 24,999	393	34,189	35	7.6	4.7-10.5	358	92.4	89.5-95.3
\$25,000- 34,999	523	50,985	34	4.0	2.2- 5.8	489	96.0	94.2-97.8
\$35,000- 49,999	721	67,357	32	2.5	1.5- 3.5	689	97.5	96.5-98.5
\$50,000- 99,999	1599	164,101	40	1.3	0.9- 1.7	1559	98.7	98.3-99.1
\$100,000 - 199,999	1021	111,404	17	0.9	0.3- 1.5	1004	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3006	306,296	129	3.0	2.2- 3.8	2877	97.0	96.2-97.8
Native	117	12,236	5	5.7	0.0-11.8	112	94.3	88.2- 100
Non-Native	2827	288,375	121	2.8	2.0- 3.6	2706	97.2	96.4-98.0
18-24	228	43,556	1	0.5	0.0- 1.5	227	99.5	98.5- 100
25-34	336	62,054	1	1.0	0.0- 3.0	335	99.0	97.0- 100
35-44	375	52,525	5	1.8	0.0- 3.6	370	98.2	96.4- 100
45-54	374	41,842	6	1.9	0.3- 3.5	368	98.1	96.5-99.7
55-64	516	46,222	22	4.6	2.4- 6.8	494	95.4	93.2-97.6
65+	1177	60,097	94	7.3	5.5- 9.1	1083	92.7	90.9-94.5
Less Than H.S.	155	27,266	12	6.8	1.3-12.3	143	93.2	87.7-98.7
H.S. or G.E.D.	899	89,560	39	2.4	1.4- 3.4	860	97.6	96.6-98.6
Some Post-H.S.	947	111,722	39	3.2	2.0- 4.4	908	96.8	95.6-98.0
College Graduate	991	75,655	38	2.0	1.2- 2.8	953	98.0	97.2-98.8
Less than \$15,000	84	8,566	14	23.9	8.8-39.0	70	76.1	61.0-91.2
\$15,000- 24,999	165	15,351	12	5.7	1.8- 9.6	153	94.3	90.4-98.2
\$25,000- 34,999	249	25,866	16	4.2	1.5- 6.9	233	95.8	93.1-98.5
\$35,000- 49,999	362	36,052	18	2.7	1.1- 4.3	344	97.3	95.7-98.9
\$50,000- 99,999	840	84,887	28	1.7	0.9- 2.5	812	98.3	97.5-99.1
\$100,000 - 199,999	620	64,660	11	1.0	0.2- 1.8	609	99.0	98.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2883	293,208	110	2.6	2.0- 3.2	2773	97.4	96.8-98.0
Native	146	13,489	4	0.8	0.0- 1.6	142	99.2	98.4- 100
Non-Native	2712	277,504	104	2.7	1.9- 3.5	2608	97.3	96.5-98.1
18-24	145	39,184	1	0.5	0.0- 1.5	144	99.5	98.5- 100
25-34	212	52,834	2	1.5	0.0- 3.5	210	98.5	96.5- 100
35-44	285	47,033				285	100.0	100.0- 100
45-54	372	38,835	4	1.6	0.0- 3.6	368	98.4	96.4- 100
55-64	536	45,547	17	2.8	1.2- 4.4	519	97.2	95.6-98.8
65+	1333	69,774	86	6.9	5.1- 8.7	1247	93.1	91.3-94.9
Less Than H.S.	115	19,039	6	5.9	0.4-11.4	109	94.1	88.6-99.6
H.S. or G.E.D.	749	69,914	44	3.1	1.9- 4.3	705	96.9	95.7-98.1
Some Post-H.S.	973	114,177	36	2.9	1.7- 4.1	937	97.1	95.9-98.3
College Graduate	1041	89,747	24	1.3	0.7- 1.9	1017	98.7	98.1-99.3
Less than \$15,000	116	15,937	12	7.1	1.0-13.2	104	92.9	86.8-99.0
\$15,000- 24,999	228	18,838	23	9.2	4.7-13.7	205	90.8	86.3-95.3
\$25,000- 34,999	274	25,119	18	3.7	1.5- 5.9	256	96.3	94.1-98.5
\$35,000- 49,999	359	31,305	14	2.2	0.8- 3.6	345	97.8	96.4-99.2
\$50,000- 99,999	759	79,214	12	0.9	0.3- 1.5	747	99.1	98.5-99.7
\$100,000 - 199,999	401	46,744	6	0.8	0.0- 1.6	395	99.2	98.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5886	600,115	636	12.5	11.3-13.7	5250	87.5	86.3-88.7
Male	3009	306,900	287	11.5	9.9-13.1	2722	88.5	86.9-90.1
Female	2877	293,214	349	13.6	11.8-15.4	2528	86.4	84.6-88.2
Native	265	26,085	40	16.9	10.4-23.4	225	83.1	76.6-89.6
Non-Native	5534	566,129	587	12.2	11.0-13.4	4947	87.8	86.6-89.0
18-24	372	82,417	51	12.3	8.8-15.8	321	87.7	84.2-91.2
25-34	548	115,662	86	17.1	13.4-20.8	462	82.9	79.2-86.6
35-44	661	99,719	79	13.7	10.6-16.8	582	86.3	83.2-89.4
45-54	744	80,341	86	12.8	9.9-15.7	658	87.2	84.3-90.1
55-64	1051	91,960	96	9.0	7.0-11.0	955	91.0	89.0-93.0
65+	2510	130,017	238	9.8	8.4-11.2	2272	90.2	88.8-91.6
Less Than H.S.	271	46,492	41	19.2	12.5-25.9	230	80.8	74.1-87.5
H.S. or G.E.D.	1650	159,610	151	11.0	8.8-13.2	1499	89.0	86.8-91.2
Some Post-H.S.	1919	226,500	215	12.4	10.4-14.4	1704	87.6	85.6-89.6
College Graduate	2027	165,089	229	12.4	10.4-14.4	1798	87.6	85.6-89.6
Less than \$15,000	199	24,561	39	22.9	14.1-31.7	160	77.1	68.3-85.9
\$15,000- 24,999	394	34,417	58	15.8	11.1-20.5	336	84.2	79.5-88.9
\$25,000- 34,999	524	51,462	61	15.3	10.8-19.8	463	84.7	80.2-89.2
\$35,000- 49,999	723	67,489	78	13.9	10.4-17.4	645	86.1	82.6-89.6
\$50,000- 99,999	1600	164,505	167	11.8	9.6-14.0	1433	88.2	86.0-90.4
\$100,000 - 199,999	1020	111,331	104	11.6	9.1-14.1	916	88.4	85.9-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3009	306,900	287	11.5	9.9-13.1	2722	88.5	86.9-90.1
Native	119	12,596	18	20.0	9.2-30.8	101	80.0	69.2-90.8
Non-Native	2828	288,619	263	11.0	9.4-12.6	2565	89.0	87.4-90.6
18-24	228	43,305	26	10.5	6.2-14.8	202	89.5	85.2-93.8
25-34	335	62,387	51	17.8	12.9-22.7	284	82.2	77.3-87.1
35-44	375	52,525	30	8.8	5.5-12.1	345	91.2	87.9-94.5
45-54	374	41,842	47	14.8	10.5-19.1	327	85.2	80.9-89.5
55-64	517	46,579	37	7.5	4.8-10.2	480	92.5	89.8-95.2
65+	1180	60,262	96	8.7	6.7-10.7	1084	91.3	89.3-93.3
Less Than H.S.	156	27,453	24	19.1	10.7-27.5	132	80.9	72.5-89.3
H.S. or G.E.D.	901	89,589	69	9.3	6.8-11.8	832	90.7	88.2-93.2
Some Post-H.S.	948	112,111	101	12.2	9.5-14.9	847	87.8	85.1-90.5
College Graduate	990	75,655	93	10.4	8.0-12.8	897	89.6	87.2-92.0
Less than \$15,000	84	8,676	16	20.8	6.1-35.5	68	79.2	64.5-93.9
\$15,000- 24,999	166	15,579	16	10.8	4.7-16.9	150	89.2	83.1-95.3
\$25,000- 34,999	250	25,944	27	14.2	7.7-20.7	223	85.8	79.3-92.3
\$35,000- 49,999	364	36,184	37	13.1	8.4-17.8	327	86.9	82.2-91.6
\$50,000- 99,999	841	85,232	72	10.6	7.9-13.3	769	89.4	86.7-92.1
\$100,000 - 199,999	620	64,758	60	11.7	8.4-15.0	560	88.3	85.0-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2877	293,214	349	13.6	11.8-15.4	2528	86.4	84.6-88.2
Native	146	13,489	22	14.1	6.8-21.4	124	85.9	78.6-93.2
Non-Native	2706	277,510	324	13.5	11.7-15.3	2382	86.5	84.7-88.3
18-24	144	39,111	25	14.3	8.4-20.2	119	85.7	79.8-91.6
25-34	213	53,275	35	16.3	10.6-22.0	178	83.7	78.0-89.4
35-44	286	47,194	49	19.1	13.8-24.4	237	80.9	75.6-86.2
45-54	370	38,499	39	10.6	7.1-14.1	331	89.4	85.9-92.9
55-64	534	45,380	59	10.7	7.6-13.8	475	89.3	86.2-92.4
65+	1330	69,755	142	10.8	8.8-12.8	1188	89.2	87.2-91.2
Less Than H.S.	115	19,039	17	19.2	8.0-30.4	98	80.8	69.6-92.0
H.S. or G.E.D.	749	70,022	82	13.0	9.7-16.3	667	87.0	83.7-90.3
Some Post-H.S.	971	114,389	114	12.5	9.8-15.2	857	87.5	84.8-90.2
College Graduate	1037	89,433	136	14.1	11.4-16.8	901	85.9	83.2-88.6
Less than \$15,000	115	15,885	23	24.1	12.9-35.3	92	75.9	64.7-87.1
\$15,000- 24,999	228	18,838	42	19.9	12.8-27.0	186	80.1	73.0-87.2
\$25,000- 34,999	274	25,518	34	16.4	9.9-22.9	240	83.6	77.1-90.1
\$35,000- 49,999	359	31,305	41	14.8	9.3-20.3	318	85.2	79.7-90.7
\$50,000- 99,999	759	79,273	95	13.1	9.6-16.6	664	86.9	83.4-90.4
\$100,000 - 199,999	400	46,574	44	11.6	7.7-15.5	356	88.4	84.5-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	609	71,438	432	70.0	65.1-74.9	177	30.0	25.1-34.9
Male	275	33,621	184	68.4	61.5-75.3	91	31.6	24.7-38.5
Female	334	37,817	248	71.4	64.5-78.3	86	28.6	21.7-35.5
Non-Native	560	65,814	399	69.8	64.7-74.9	161	30.2	25.1-35.3
25-34	81	18,479	51	61.6	49.1-74.1	30	38.4	25.9-50.9
35-44	76	13,097	53	71.5	60.1-82.9	23	28.5	17.1-39.9
45-54	84	10,078	58	71.6	60.2-83.0	26	28.4	17.0-39.8
55-64	93	8,112	70	77.1	66.9-87.3	23	22.9	12.7-33.1
65+	227	12,193	167	73.8	67.1-80.5	60	26.2	19.5-32.9
H.S. or G.E.D.	144	16,187	111	78.8	70.6-87.0	33	21.2	13.0-29.4
Some Post-H.S.	208	27,061	155	72.6	64.8-80.4	53	27.4	19.6-35.2
College Graduate	218	19,762	137	61.2	53.0-69.4	81	38.8	30.6-47.0
\$15,000- 24,999	57	5,312	44	74.2	58.1-90.3	13	25.8	9.7-41.9
\$25,000- 34,999	59	7,751	40	74.7	61.2-88.2	19	25.3	11.8-38.8
\$35,000- 49,999	73	9,049	45	66.1	52.4-79.8	28	33.9	20.2-47.6
\$50,000- 99,999	164	18,558	111	65.2	54.8-75.6	53	34.8	24.4-45.2
\$100,000 - 199,999	97	11,860	71	69.2	57.8-80.6	26	30.8	19.4-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	275	33,621	184	68.4	61.5-75.3	91	31.6	24.7-38.5
Non-Native	251	30,311	171	69.3	62.0-76.6	80	30.7	23.4-38.0
65+	91	4,859	65	71.5	60.5-82.5	26	28.5	17.5-39.5
H.S. or G.E.D.	66	7,819	46	70.9	57.6-84.2	20	29.1	15.8-42.4
Some Post-H.S.	97	13,328	68	69.9	58.9-80.9	29	30.1	19.1-41.1
College Graduate	90	7,704	53	56.9	44.7-69.1	37	43.1	30.9-55.3
\$50,000- 99,999	71	8,911	44	65.2	51.1-79.3	27	34.8	20.7-48.9
\$100,000 - 199,999	57	6,983	42	69.4	55.1-83.7	15	30.6	16.3-44.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	334	37,817	248	71.4	64.3-78.5	86	28.6	21.5-35.7
Non-Native	309	35,503	228	70.3	63.0-77.6	81	29.7	22.4-37.0
55-64	57	4,735	43	78.1	65.9-90.3	14	21.9	9.7-34.1
65+	136	7,334	102	75.3	66.9-83.7	34	24.7	16.3-33.1
H.S. or G.E.D.	78	8,367	65	86.2	76.8-95.6	13	13.8	4.4-23.2
Some Post-H.S.	111	13,734	87	75.3	64.1-86.5	24	24.7	13.5-35.9
College Graduate	128	12,058	84	63.9	53.1-74.7	44	36.1	25.3-46.9
\$50,000- 99,999	93	9,646	67	65.2	49.9-80.5	26	34.8	19.5-50.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5895	601,112	537	5.9	5.3- 6.5	5358	94.1	93.5-94.7
Male	3014	307,541	277	5.4	4.6- 6.2	2737	94.6	93.8-95.4
Female	2881	293,571	260	6.5	5.3- 7.7	2621	93.5	92.3-94.7
Native	265	26,085	10	2.3	0.1- 4.5	255	97.7	95.5-99.9
Non-Native	5543	567,127	520	6.1	5.3- 6.9	5023	93.9	93.1-94.7
18-24	374	82,779	3	1.5	0.0- 3.5	371	98.5	96.5- 100
25-34	550	115,746	7	1.6	0.0- 3.2	543	98.4	96.8- 100
35-44	661	99,719	9	1.2	0.4- 2.0	652	98.8	98.0-99.6
45-54	746	80,677	34	4.1	2.5- 5.7	712	95.9	94.3-97.5
55-64	1055	92,195	83	8.5	6.5-10.5	972	91.5	89.5-93.5
65+	2509	129,997	401	15.5	13.7-17.3	2108	84.5	82.7-86.3
Less Than H.S.	270	46,180	30	7.8	3.3-12.3	240	92.2	87.7-96.7
H.S. or G.E.D.	1649	159,785	139	5.1	3.9- 6.3	1510	94.9	93.7-96.1
Some Post-H.S.	1926	227,362	152	5.5	4.3- 6.7	1774	94.5	93.3-95.7
College Graduate	2031	165,361	215	6.9	5.7- 8.1	1816	93.1	91.9-94.3
Less than \$15,000	199	24,407	22	6.9	1.4-12.4	177	93.1	87.6-98.6
\$15,000- 24,999	393	34,396	36	6.3	3.8- 8.8	357	93.7	91.2-96.2
\$25,000- 34,999	524	51,502	47	5.0	3.2- 6.8	477	95.0	93.2-96.8
\$35,000- 49,999	721	67,406	62	5.6	3.8- 7.4	659	94.4	92.6-96.2
\$50,000- 99,999	1601	164,698	154	6.3	5.1- 7.5	1447	93.7	92.5-94.9
\$100,000 - 199,999	1024	111,706	87	5.6	4.2- 7.0	937	94.4	93.0-95.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3014	307,541	277	5.4	4.6- 6.2	2737	94.6	93.8-95.4
Native	119	12,596	6	3.6	0.0- 7.7	113	96.4	92.3- 100
Non-Native	2833	289,260	267	5.5	4.5- 6.5	2566	94.5	93.5-95.5
18-24	229	43,595	1	0.5	0.0- 1.5	228	99.5	98.5- 100
25-34	337	62,471	4	1.7	0.0- 3.9	333	98.3	96.1- 100
35-44	375	52,525	1	0.0	0.0- 0.0	374	100.0	100.0- 100
45-54	374	41,842	16	3.4	1.4- 5.4	358	96.6	94.6-98.6
55-64	520	46,743	40	7.9	5.2-10.6	480	92.1	89.4-94.8
65+	1179	60,365	215	17.0	14.5-19.5	964	83.0	80.5-85.5
Less Than H.S.	156	27,343	12	5.2	0.3-10.1	144	94.8	89.9-99.7
H.S. or G.E.D.	902	89,787	76	4.9	3.5- 6.3	826	95.1	93.7-96.5
Some Post-H.S.	951	112,610	69	4.6	3.2- 6.0	882	95.4	94.0-96.8
College Graduate	991	75,709	119	7.4	5.8- 9.0	872	92.6	91.0-94.2
Less than \$15,000	84	8,566	9	10.2	0.0-23.7	75	89.8	76.3- 100
\$15,000- 24,999	166	15,579	14	4.6	1.7- 7.5	152	95.4	92.5-98.3
\$25,000- 34,999	248	25,885	26	5.1	2.6- 7.6	222	94.9	92.4-97.4
\$35,000- 49,999	364	36,184	24	4.2	1.8- 6.6	340	95.8	93.4-98.2
\$50,000- 99,999	841	85,324	79	5.4	3.8- 7.0	762	94.6	93.0-96.2
\$100,000 - 199,999	623	64,961	60	6.1	4.3- 7.9	563	93.9	92.1-95.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2881	293,571	260	6.5	5.5- 7.5	2621	93.5	92.5-94.5
Native	146	13,489	4	1.0	0.0- 2.2	142	99.0	97.8- 100
Non-Native	2710	277,867	253	6.7	5.5- 7.9	2457	93.3	92.1-94.5
18-24	145	39,184	2	2.7	0.0- 6.6	143	97.3	93.4- 100
25-34	213	53,275	3	1.5	0.0- 3.5	210	98.5	96.5- 100
35-44	286	47,194	8	2.6	0.8- 4.4	278	97.4	95.6-99.2
45-54	372	38,835	18	5.0	2.6- 7.4	354	95.0	92.6-97.4
55-64	535	45,452	43	9.2	6.3-12.1	492	90.8	87.9-93.7
65+	1330	69,631	186	14.3	11.9-16.7	1144	85.7	83.3-88.1
Less Than H.S.	114	18,837	18	11.6	3.2-20.0	96	88.4	80.0-96.8
H.S. or G.E.D.	747	69,999	63	5.3	3.5- 7.1	684	94.7	92.9-96.5
Some Post-H.S.	975	114,752	83	6.4	4.6- 8.2	892	93.6	91.8-95.4
College Graduate	1040	89,652	96	6.5	4.9- 8.1	944	93.5	91.9-95.1
Less than \$15,000	115	15,841	13	5.2	1.7- 8.7	102	94.8	91.3-98.3
\$15,000- 24,999	227	18,817	22	7.8	3.7-11.9	205	92.2	88.1-96.3
\$25,000- 34,999	276	25,617	21	4.8	2.1- 7.5	255	95.2	92.5-97.9
\$35,000- 49,999	357	31,222	38	7.3	4.4-10.2	319	92.7	89.8-95.6
\$50,000- 99,999	760	79,374	75	7.3	5.3- 9.3	685	92.7	90.7-94.7
\$100,000 - 199,999	401	46,744	27	5.0	2.8- 7.2	374	95.0	92.8-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5901	601,304	682	7.6	6.8- 8.4	5219	92.4	91.6-93.2
Male	3017	307,554	314	6.4	5.4- 7.4	2703	93.6	92.6-94.6
Female	2884	293,750	368	8.8	7.6-10.0	2516	91.2	90.0-92.4
Native	265	26,085	30	10.9	5.8-16.0	235	89.1	84.0-94.2
Non-Native	5550	567,455	643	7.4	6.6- 8.2	4907	92.6	91.8-93.4
18-24	374	82,779	3	1.6	0.0- 3.6	371	98.4	96.4- 100
25-34	550	115,746	7	1.3	0.0- 2.7	543	98.7	97.3- 100
35-44	661	99,719	24	3.8	2.2- 5.4	637	96.2	94.6-97.8
45-54	746	80,677	44	6.2	4.2- 8.2	702	93.8	91.8-95.8
55-64	1054	92,040	97	9.6	7.4-11.8	957	90.4	88.2-92.6
65+	2516	130,343	507	19.1	17.3-20.9	2009	80.9	79.1-82.7
Less Than H.S.	271	46,382	43	11.6	6.7-16.5	228	88.4	83.5-93.3
H.S. or G.E.D.	1654	159,907	194	6.9	5.7- 8.1	1460	93.1	91.9-94.3
Some Post-H.S.	1925	227,154	228	8.1	6.7- 9.5	1697	91.9	90.5-93.3
College Graduate	2032	165,437	215	6.4	5.4- 7.4	1817	93.6	92.6-94.6
Less than \$15,000	201	24,637	30	10.7	4.6-16.8	171	89.3	83.2-95.4
\$15,000- 24,999	392	34,187	67	13.7	9.8-17.6	325	86.3	82.4-90.2
\$25,000- 34,999	525	51,540	57	6.4	4.0- 8.8	468	93.6	91.2-96.0
\$35,000- 49,999	722	67,446	99	8.1	6.1-10.1	623	91.9	89.9-93.9
\$50,000- 99,999	1603	164,797	181	7.0	5.6- 8.4	1422	93.0	91.6-94.4
\$100,000 - 199,999	1023	111,592	88	5.8	4.4- 7.2	935	94.2	92.8-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3017	307,554	314	6.4	5.4- 7.4	2703	93.6	92.6-94.6
Native	119	12,596	12	9.8	2.7-16.9	107	90.2	83.1-97.3
Non-Native	2837	289,409	298	6.3	5.3- 7.3	2539	93.7	92.7-94.7
18-24	229	43,595				229	100.0	100.0- 100
25-34	337	62,471	3	1.7	0.0- 3.9	334	98.3	96.1- 100
35-44	375	52,525	6	1.8	0.2- 3.4	369	98.2	96.6-99.8
45-54	374	41,842	20	5.8	2.9- 8.7	354	94.2	91.3-97.1
55-64	519	46,607	45	8.4	5.7-11.1	474	91.6	88.9-94.3
65+	1183	60,514	240	18.6	16.1-21.1	943	81.4	78.9-83.9
Less Than H.S.	156	27,343	15	6.9	1.6-12.2	141	93.1	87.8-98.4
H.S. or G.E.D.	904	89,818	96	6.4	4.8- 8.0	808	93.6	92.0-95.2
Some Post-H.S.	951	112,496	90	6.3	4.7- 7.9	861	93.7	92.1-95.3
College Graduate	992	75,805	111	6.4	5.0- 7.8	881	93.6	92.2-95.0
Less than \$15,000	84	8,566	9	14.8	0.5-29.1	75	85.2	70.9-99.5
\$15,000- 24,999	165	15,443	24	9.2	4.7-13.7	141	90.8	86.3-95.3
\$25,000- 34,999	249	25,923	25	5.4	2.7- 8.1	224	94.6	91.9-97.3
\$35,000- 49,999	364	36,184	39	6.3	3.8- 8.8	325	93.7	91.2-96.2
\$50,000- 99,999	843	85,422	100	7.3	5.3- 9.3	743	92.7	90.7-94.7
\$100,000 - 199,999	623	64,961	52	4.9	3.3- 6.5	571	95.1	93.5-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2884	293,750	368	8.8	7.6-10.0	2516	91.2	90.0-92.4
Native	146	13,489	18	11.9	4.5-19.3	128	88.1	80.7-95.5
Non-Native	2713	278,046	345	8.5	7.3- 9.7	2368	91.5	90.3-92.7
18-24	145	39,184	3	3.4	0.0- 7.7	142	96.6	92.3- 100
25-34	213	53,275	4	0.9	0.0- 1.9	209	99.1	98.1- 100
35-44	286	47,194	18	6.1	3.0- 9.2	268	93.9	90.8-97.0
45-54	372	38,835	24	6.6	3.9- 9.3	348	93.4	90.7-96.1
55-64	535	45,433	52	10.7	7.4-14.0	483	89.3	86.0-92.6
65+	1333	69,829	267	19.5	17.0-22.0	1066	80.5	78.0-83.0
Less Than H.S.	115	19,039	28	18.4	9.0-27.8	87	81.6	72.2-91.0
H.S. or G.E.D.	750	70,089	98	7.5	5.7- 9.3	652	92.5	90.7-94.3
Some Post-H.S.	974	114,658	138	9.9	7.7-12.1	836	90.1	87.9-92.3
College Graduate	1040	89,633	104	6.4	4.8- 8.0	936	93.6	92.0-95.2
Less than \$15,000	117	16,071	21	8.5	3.4-13.6	96	91.5	86.4-96.6
\$15,000- 24,999	227	18,744	43	17.4	11.3-23.5	184	82.6	76.5-88.7
\$25,000- 34,999	276	25,617	32	7.5	3.8-11.2	244	92.5	88.8-96.2
\$35,000- 49,999	358	31,262	60	10.1	7.0-13.2	298	89.9	86.8-93.0
\$50,000- 99,999	760	79,374	81	6.6	4.6- 8.6	679	93.4	91.4-95.4
\$100,000 - 199,999	400	46,630	36	7.0	4.3- 9.7	364	93.0	90.3-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5883	599,752	385	4.8	4.2- 5.4	5498	95.2	94.6-95.8
Male	3007	306,394	175	4.4	3.4- 5.4	2832	95.6	94.6-96.6
Female	2876	293,358	210	5.3	4.3- 6.3	2666	94.7	93.7-95.7
Native	264	25,876	20	5.8	2.1- 9.5	244	94.2	90.5-97.9
Non-Native	5533	566,091	358	4.8	4.0- 5.6	5175	95.2	94.4-96.0
18-24	374	82,779	1	0.9	0.0- 2.7	373	99.1	97.3- 100
25-34	548	115,323	15	2.6	1.0- 4.2	533	97.4	95.8-99.0
35-44	658	99,229	17	3.4	1.6- 5.2	641	96.6	94.8-98.4
45-54	745	80,562	27	4.1	2.3- 5.9	718	95.9	94.1-97.7
55-64	1053	91,987	65	6.0	4.4- 7.6	988	94.0	92.4-95.6
65+	2505	129,871	260	10.2	8.8-11.6	2245	89.8	88.4-91.2
Less Than H.S.	269	46,112	36	12.5	6.8-18.2	233	87.5	81.8-93.2
H.S. or G.E.D.	1647	158,900	136	5.4	4.2- 6.6	1511	94.6	93.4-95.8
Some Post-H.S.	1918	226,935	124	4.3	3.3- 5.3	1794	95.7	94.7-96.7
College Graduate	2030	165,381	89	3.0	2.2- 3.8	1941	97.0	96.2-97.8
Less than \$15,000	199	24,372	30	14.0	7.3-20.7	169	86.0	79.3-92.7
\$15,000- 24,999	389	34,137	52	11.0	7.3-14.7	337	89.0	85.3-92.7
\$25,000- 34,999	523	51,402	50	6.0	3.6- 8.4	473	94.0	91.6-96.4
\$35,000- 49,999	722	67,275	42	4.4	2.6- 6.2	680	95.6	93.8-97.4
\$50,000- 99,999	1600	164,307	83	3.6	2.6- 4.6	1517	96.4	95.4-97.4
\$100,000 - 199,999	1024	111,706	38	2.9	1.5- 4.3	986	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3007	306,394	175	4.4	3.4- 5.4	2832	95.6	94.6-96.6
Native	118	12,387	7	6.2	0.0-12.5	111	93.8	87.5- 100
Non-Native	2828	288,438	164	4.3	3.3- 5.3	2664	95.7	94.7-96.7
18-24	229	43,595				229	100.0	100.0- 100
25-34	335	62,048	6	2.0	0.0- 4.2	329	98.0	95.8- 100
35-44	373	52,196	8	3.0	0.6- 5.4	365	97.0	94.6-99.4
45-54	374	41,842	14	4.5	2.0- 7.0	360	95.5	93.0-98.0
55-64	517	46,440	30	6.4	3.9- 8.9	487	93.6	91.1-96.1
65+	1179	60,273	117	9.6	7.6-11.6	1062	90.4	88.4-92.4
Less Than H.S.	154	27,073	16	10.3	3.6-17.0	138	89.7	83.0-96.4
H.S. or G.E.D.	898	89,000	63	4.7	3.3- 6.1	835	95.3	93.9-96.7
Some Post-H.S.	950	112,555	57	4.3	2.9- 5.7	893	95.7	94.3-97.1
College Graduate	991	75,674	39	2.2	1.4- 3.0	952	97.8	97.0-98.6
Less than \$15,000	82	8,301	15	26.7	11.2-42.2	67	73.3	57.8-88.8
\$15,000- 24,999	163	15,447	17	8.2	3.5-12.9	146	91.8	87.1-96.5
\$25,000- 34,999	248	25,812	22	6.0	2.1- 9.9	226	94.0	90.1-97.9
\$35,000- 49,999	363	35,970	17	3.7	1.5- 5.9	346	96.3	94.1-98.5
\$50,000- 99,999	842	85,208	44	3.4	2.0- 4.8	798	96.6	95.2-98.0
\$100,000 - 199,999	623	64,961	22	2.4	1.0- 3.8	601	97.6	96.2-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2876	293,358	210	5.3	4.3- 6.3	2666	94.7	93.7-95.7
Native	146	13,489	13	5.4	1.3- 9.5	133	94.6	90.5-98.7
Non-Native	2705	277,654	194	5.3	4.3- 6.3	2511	94.7	93.7-95.7
18-24	145	39,184	1	1.9	0.0- 5.6	144	98.1	94.4- 100
25-34	213	53,275	9	3.3	0.9- 5.7	204	96.7	94.3-99.1
35-44	285	47,033	9	3.7	1.0- 6.4	276	96.3	93.6-99.0
45-54	371	38,720	13	3.7	1.3- 6.1	358	96.3	93.9-98.7
55-64	536	45,547	35	5.5	3.3- 7.7	501	94.5	92.3-96.7
65+	1326	69,598	143	10.6	8.6-12.6	1183	89.4	87.4-91.4
Less Than H.S.	115	19,039	20	15.6	6.0-25.2	95	84.4	74.8-94.0
H.S. or G.E.D.	749	69,900	73	6.3	4.3- 8.3	676	93.7	91.7-95.7
Some Post-H.S.	968	114,380	67	4.4	3.0- 5.8	901	95.6	94.2-97.0
College Graduate	1039	89,707	50	3.7	2.5- 4.9	989	96.3	95.1-97.5
Less than \$15,000	117	16,071	15	7.4	2.9-11.9	102	92.6	88.1-97.1
\$15,000- 24,999	226	18,690	35	13.4	7.9-18.9	191	86.6	81.1-92.1
\$25,000- 34,999	275	25,590	28	5.9	3.2- 8.6	247	94.1	91.4-96.8
\$35,000- 49,999	359	31,305	25	5.2	2.5- 7.9	334	94.8	92.1-97.5
\$50,000- 99,999	758	79,099	39	3.9	2.3- 5.5	719	96.1	94.5-97.7
\$100,000 - 199,999	401	46,744	16	3.6	1.1- 6.1	385	96.4	93.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5889	599,724	921	19.5	18.1-20.9	4968	80.5	79.1-81.9
Male	3009	306,531	330	13.0	11.4-14.6	2679	87.0	85.4-88.6
Female	2880	293,192	591	26.3	23.9-28.7	2289	73.7	71.3-76.1
Native	265	26,085	65	28.6	21.0-36.2	200	71.4	63.8-79.0
Non-Native	5537	565,738	845	19.0	17.4-20.6	4692	81.0	79.4-82.6
18-24	369	82,121	81	25.1	20.0-30.2	288	74.9	69.8-80.0
25-34	548	115,159	125	25.8	21.3-30.3	423	74.2	69.7-78.7
35-44	661	99,719	126	20.7	17.0-24.4	535	79.3	75.6-83.0
45-54	743	80,244	134	18.9	15.8-22.0	609	81.1	78.0-84.2
55-64	1055	92,252	154	15.5	13.0-18.0	901	84.5	82.0-87.0
65+	2513	130,230	301	12.5	10.9-14.1	2212	87.5	85.9-89.1
Less Than H.S.	272	46,548	65	32.2	24.4-40.0	207	67.8	60.0-75.6
H.S. or G.E.D.	1646	158,915	226	18.7	16.0-21.4	1420	81.3	78.6-84.0
Some Post-H.S.	1923	226,900	313	19.8	17.3-22.3	1610	80.2	77.7-82.7
College Graduate	2030	165,209	315	16.2	14.2-18.2	1715	83.8	81.8-85.8
Less than \$15,000	200	24,608	74	50.0	40.4-59.6	126	50.0	40.4-59.6
\$15,000- 24,999	392	34,347	77	27.5	21.0-34.0	315	72.5	66.0-79.0
\$25,000- 34,999	525	51,489	104	27.5	21.8-33.2	421	72.5	66.8-78.2
\$35,000- 49,999	722	67,289	102	15.2	11.5-18.9	620	84.8	81.1-88.5
\$50,000- 99,999	1601	164,664	233	17.3	14.8-19.8	1368	82.7	80.2-85.2
\$100,000 - 199,999	1023	111,531	145	15.9	13.0-18.8	878	84.1	81.2-87.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3009	306,531	330	13.0	11.4-14.6	2679	87.0	85.4-88.6
Native	119	12,596	26	26.8	15.2-38.4	93	73.2	61.6-84.8
Non-Native	2828	288,250	297	12.3	10.7-13.9	2531	87.7	86.1-89.3
18-24	224	42,937	27	13.7	8.4-19.0	197	86.3	81.0-91.6
25-34	336	62,200	51	17.2	12.5-21.9	285	82.8	78.1-87.5
35-44	375	52,525	52	15.5	11.2-19.8	323	84.5	80.2-88.8
45-54	373	41,667	45	12.3	8.6-16.0	328	87.7	84.0-91.4
55-64	520	46,797	48	9.6	6.7-12.5	472	90.4	87.5-93.3
65+	1181	60,406	107	9.0	7.0-11.0	1074	91.0	89.0-93.0
Less Than H.S.	157	27,509	30	25.7	16.5-34.9	127	74.3	65.1-83.5
H.S. or G.E.D.	899	89,226	87	11.3	8.8-13.8	812	88.7	86.2-91.2
Some Post-H.S.	950	112,440	108	13.0	10.3-15.7	842	87.0	84.3-89.7
College Graduate	990	75,535	103	10.0	7.8-12.2	887	90.0	87.8-92.2
Less than \$15,000	84	8,594	29	47.9	33.2-62.6	55	52.1	37.4-66.8
\$15,000- 24,999	166	15,579	27	26.7	16.5-36.9	139	73.3	63.1-83.5
\$25,000- 34,999	249	25,872	38	21.2	13.8-28.6	211	78.8	71.4-86.2
\$35,000- 49,999	364	36,184	42	9.9	6.0-13.8	322	90.1	86.2-94.0
\$50,000- 99,999	842	85,382	76	10.5	7.8-13.2	766	89.5	86.8-92.2
\$100,000 - 199,999	622	64,786	64	11.2	8.1-14.3	558	88.8	85.7-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2880	293,192	591	26.3	23.9-28.7	2289	73.7	71.3-76.1
Native	146	13,489	39	30.2	20.2-40.2	107	69.8	59.8-79.8
Non-Native	2709	277,488	548	26.0	23.6-28.4	2161	74.0	71.6-76.4
18-24	145	39,184	54	37.6	29.0-46.2	91	62.4	53.8-71.0
25-34	212	52,959	74	36.0	28.6-43.4	138	64.0	56.6-71.4
35-44	286	47,194	74	26.6	20.7-32.5	212	73.4	67.5-79.3
45-54	370	38,578	89	26.0	20.9-31.1	281	74.0	68.9-79.1
55-64	535	45,455	106	21.6	17.3-25.9	429	78.4	74.1-82.7
65+	1332	69,823	194	15.5	13.1-17.9	1138	84.5	82.1-86.9
Less Than H.S.	115	19,039	35	41.6	28.3-54.9	80	58.4	45.1-71.7
H.S. or G.E.D.	747	69,689	139	28.2	23.5-32.9	608	71.8	67.1-76.5
Some Post-H.S.	973	114,460	205	26.4	22.5-30.3	768	73.6	69.7-77.5
College Graduate	1040	89,674	212	21.5	18.4-24.6	828	78.5	75.4-81.6
Less than \$15,000	116	16,014	45	51.1	38.8-63.4	71	48.9	36.6-61.2
\$15,000- 24,999	226	18,769	50	28.1	19.7-36.5	176	71.9	63.5-80.3
\$25,000- 34,999	276	25,617	66	34.0	25.4-42.6	210	66.0	57.4-74.6
\$35,000- 49,999	358	31,105	60	21.5	15.2-27.8	298	78.5	72.2-84.8
\$50,000- 99,999	759	79,282	157	24.7	20.2-29.2	602	75.3	70.8-79.8
\$100,000 - 199,999	401	46,744	81	22.3	17.0-27.6	320	77.7	72.4-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5885	600,022	229	2.9	2.3- 3.5	5656	97.1	96.5-97.7
Male	3012	307,110	122	3.0	2.2- 3.8	2890	97.0	96.2-97.8
Female	2873	292,911	107	2.7	2.1- 3.3	2766	97.3	96.7-97.9
Native	264	25,969	14	4.6	1.5- 7.7	250	95.4	92.3-98.5
Non-Native	5535	566,264	212	2.8	2.2- 3.4	5323	97.2	96.6-97.8
18-24	371	82,268	1	0.3	0.0- 0.9	370	99.7	99.1- 100
25-34	550	115,746	6	1.7	0.1- 3.3	544	98.3	96.7-99.9
35-44	660	99,607	8	1.4	0.2- 2.6	652	98.6	97.4-99.8
45-54	744	80,387	23	3.4	2.0- 4.8	721	96.6	95.2-98.0
55-64	1055	92,157	36	3.0	1.8- 4.2	1019	97.0	95.8-98.2
65+	2505	129,856	155	6.3	5.1- 7.5	2350	93.7	92.5-94.9
Less Than H.S.	271	46,339	7	2.0	0.0- 4.7	264	98.0	95.3- 100
H.S. or G.E.D.	1650	159,603	61	2.8	1.8- 3.8	1589	97.2	96.2-98.2
Some Post-H.S.	1917	226,424	81	3.3	2.5- 4.1	1836	96.7	95.9-97.5
College Graduate	2028	165,231	80	2.7	1.9- 3.5	1948	97.3	96.5-98.1
Less than \$15,000	201	24,701	12	7.2	1.3-13.1	189	92.8	86.9-98.7
\$15,000- 24,999	391	33,907	29	6.1	3.2- 9.0	362	93.9	91.0-96.8
\$25,000- 34,999	523	51,384	20	2.6	1.0- 4.2	503	97.4	95.8-99.0
\$35,000- 49,999	720	67,407	31	3.0	1.6- 4.4	689	97.0	95.6-98.4
\$50,000- 99,999	1599	164,577	58	2.6	1.8- 3.4	1541	97.4	96.6-98.2
\$100,000 - 199,999	1023	111,631	33	2.5	1.5- 3.5	990	97.5	96.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3012	307,110	122	3.0	2.2- 3.8	2890	97.0	96.2-97.8
Native	119	12,596	5	3.6	0.0- 7.5	114	96.4	92.5- 100
Non-Native	2832	288,941	115	3.0	2.2- 3.8	2717	97.0	96.2-97.8
18-24	228	43,409	1	0.5	0.0- 1.5	227	99.5	98.5- 100
25-34	337	62,471	3	1.8	0.0- 4.0	334	98.2	96.0- 100
35-44	374	52,413	4	0.9	0.0- 1.9	370	99.1	98.1- 100
45-54	373	41,657	12	3.7	1.5- 5.9	361	96.3	94.1-98.5
55-64	521	46,909	20	3.7	1.9- 5.5	501	96.3	94.5-98.1
65+	1179	60,251	82	7.1	5.3- 8.9	1097	92.9	91.1-94.7
Less Than H.S.	157	27,509	3	2.8	0.0- 7.3	154	97.2	92.7- 100
H.S. or G.E.D.	902	89,578	35	2.6	1.6- 3.6	867	97.4	96.4-98.4
Some Post-H.S.	948	112,225	41	3.5	2.1- 4.9	907	96.5	95.1-97.9
College Graduate	991	75,706	43	3.0	2.0- 4.0	948	97.0	96.0-98.0
Less than \$15,000	85	8,732	6	12.0	0.0-25.7	79	88.0	74.3- 100
\$15,000- 24,999	166	15,579	10	6.0	1.7-10.3	156	94.0	89.7-98.3
\$25,000- 34,999	248	25,881	12	2.7	0.9- 4.5	236	97.3	95.5-99.1
\$35,000- 49,999	363	36,159	19	3.8	1.6- 6.0	344	96.2	94.0-98.4
\$50,000- 99,999	843	85,422	30	2.2	1.2- 3.2	813	97.8	96.8-98.8
\$100,000 - 199,999	622	64,886	23	2.9	1.5- 4.3	599	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	292,911	107	2.7	2.1- 3.3	2766	97.3	96.7-97.9
Native	145	13,373	9	5.6	0.7-10.5	136	94.4	89.5-99.3
Non-Native	2703	277,323	97	2.6	2.0- 3.2	2606	97.4	96.8-98.0
18-24	143	38,859				143	100.0	100.0- 100
25-34	213	53,275	3	1.7	0.0- 3.7	210	98.3	96.3- 100
35-44	286	47,194	4	1.9	0.0- 3.9	282	98.1	96.1- 100
45-54	371	38,730	11	3.0	1.0- 5.0	360	97.0	95.0-99.0
55-64	534	45,248	16	2.3	0.9- 3.7	518	97.7	96.3-99.1
65+	1326	69,605	73	5.7	4.1- 7.3	1253	94.3	92.7-95.9
Less Than H.S.	114	18,830	4	0.8	0.0- 1.6	110	99.2	98.4- 100
H.S. or G.E.D.	748	70,026	26	3.0	1.4- 4.6	722	97.0	95.4-98.6
Some Post-H.S.	969	114,199	40	3.0	1.8- 4.2	929	97.0	95.8-98.2
College Graduate	1037	89,525	37	2.4	1.4- 3.4	1000	97.6	96.6-98.6
Less than \$15,000	116	15,969	6	4.5	0.2- 8.8	110	95.5	91.2-99.8
\$15,000- 24,999	225	18,329	19	6.2	2.3-10.1	206	93.8	89.9-97.7
\$25,000- 34,999	275	25,503	8	2.5	0.0- 5.2	267	97.5	94.8- 100
\$35,000- 49,999	357	31,249	12	2.1	0.7- 3.5	345	97.9	96.5-99.3
\$50,000- 99,999	756	79,154	28	2.9	1.5- 4.3	728	97.1	95.7-98.5
\$100,000 - 199,999	401	46,744	10	1.9	0.5- 3.3	391	98.1	96.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5899	601,060	766	9.5	8.7-10.3	60	1.3	0.9- 1.7	4934	87.5	86.5-88.5	139	1.7	1.3- 2.1
Male	3017	307,605	442	11.1	9.7-12.5				2500	87.2	85.8-88.6	75	1.7	1.1- 2.3
Female	2882	293,455	324	7.9	6.7- 9.1	60	2.6	1.8- 3.4	2434	87.9	86.5-89.3	64	1.6	1.2- 2.0
Native	263	25,972	65	22.2	15.9-28.5	4	1.0	0.0- 2.2	188	75.4	68.9-81.9	6	1.4	0.2- 2.6
Non-Native	5549	567,187	692	9.0	8.2- 9.8	56	1.3	0.9- 1.7	4670	88.1	87.1-89.1	131	1.7	1.3- 2.1
18-24	374	82,779	5	1.5	0.0- 3.5				369	98.5	96.5- 100			
25-34	549	115,528	14	2.5	0.9- 4.1	9	2.0	0.4- 3.6	523	95.0	92.8-97.2	3	0.5	0.0- 1.1
35-44	659	99,627	25	4.7	2.5- 6.9	9	1.6	0.4- 2.8	616	92.6	90.1-95.1	9	1.0	0.2- 1.8
45-54	746	80,677	82	10.8	8.3-13.3	11	1.9	0.7- 3.1	640	85.3	82.4-88.2	13	1.9	0.7- 3.1
55-64	1054	92,065	144	14.0	11.5-16.5	12	1.1	0.3- 1.9	867	81.9	79.2-84.6	31	3.0	1.8- 4.2
65+	2517	130,385	496	20.5	18.5-22.5	19	0.8	0.4- 1.2	1919	75.4	73.4-77.4	83	3.3	2.5- 4.1
Less Than H.S.	271	46,496	55	14.9	9.4-20.4	6	2.6	0.0- 5.3	206	81.6	75.5-87.7	4	0.8	0.0- 1.8
H.S. or G.E.D.	1653	159,833	219	9.3	7.7-10.9	17	1.3	0.5- 2.1	1374	87.8	86.0-89.6	43	1.6	1.0- 2.2
Some Post-H.S.	1925	227,044	260	10.0	8.4-11.6	18	1.1	0.5- 1.7	1602	87.1	85.3-88.9	45	1.9	1.3- 2.5
College Graduate	2031	165,263	229	7.8	6.6- 9.0	19	1.1	0.5- 1.7	1736	89.5	88.1-90.9	47	1.7	1.1- 2.3
Less than \$15,000	202	24,803	47	17.8	10.7-24.9	4	4.8	0.0-10.1	147	76.5	68.3-84.7	4	1.0	0.0- 2.2
\$15,000- 24,999	393	34,365	73	15.9	11.6-20.2				309	82.4	77.9-86.9	11	1.7	0.5- 2.9
\$25,000- 34,999	526	51,561	93	12.5	9.2-15.8	4	0.5	0.0- 1.1	418	85.3	81.8-88.8	11	1.6	0.4- 2.8
\$35,000- 49,999	723	67,489	102	11.0	8.3-13.7	6	1.1	0.0- 2.3	594	85.5	82.4-88.6	21	2.4	1.0- 3.8
\$50,000- 99,999	1601	164,585	200	8.3	6.7- 9.9	17	0.9	0.3- 1.5	1353	89.2	87.4-91.0	31	1.5	0.9- 2.1
\$100,000 - 199,999	1022	111,523	83	6.2	4.6- 7.8	14	1.7	0.5- 2.9	899	90.4	88.4-92.4	26	1.7	0.9- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3017	307,605	442	11.1	9.7-12.5	2500	87.2	85.8-88.6	75	1.7	1.1- 2.3
Native	119	12,596	36	28.7	18.3-39.1	79	69.3	58.7-79.9	4	2.0	0.0- 4.2
Non-Native	2836	289,323	398	10.3	8.9-11.7	2368	88.0	86.6-89.4	70	1.8	1.2- 2.4
18-24	229	43,595	3	0.9	0.0- 2.1	226	99.1	97.9- 100			
25-34	336	62,253	11	3.7	1.0- 6.4	322	95.4	92.5-98.3	3	0.9	0.0- 1.9
35-44	374	52,494	19	6.3	3.2- 9.4	350	92.8	89.5-96.1	5	0.8	0.0- 1.6
45-54	374	41,842	50	13.6	9.7-17.5	318	85.2	81.1-89.3	6	1.2	0.0- 2.4
55-64	521	46,909	93	17.9	14.0-21.8	408	77.9	73.8-82.0	20	4.2	2.0- 6.4
65+	1183	60,512	266	23.0	20.1-25.9	876	73.9	71.0-76.8	41	3.1	1.9- 4.3
Less Than H.S.	157	27,509	40	17.5	10.2-24.8	115	81.6	74.3-88.9	2	0.9	0.0- 2.5
H.S. or G.E.D.	903	89,794	132	10.5	8.3-12.7	746	87.9	85.5-90.3	25	1.6	0.8- 2.4
Some Post-H.S.	952	112,632	129	10.4	8.2-12.6	801	87.7	85.3-90.1	22	2.0	1.0- 3.0
College Graduate	991	75,577	139	10.6	8.4-12.8	826	87.5	85.3-89.7	26	1.9	1.1- 2.7
Less than \$15,000	85	8,732	23	31.4	16.5-46.3	61	68.3	53.4-83.2	1	0.2	0.0- 0.6
\$15,000- 24,999	166	15,579	30	15.3	8.6-22.0	131	82.6	75.7-89.5	5	2.1	0.1- 4.1
\$25,000- 34,999	250	25,944	55	15.3	10.0-20.6	192	83.5	78.0-89.0	3	1.2	0.0- 2.8
\$35,000- 49,999	364	36,184	57	11.3	7.8-14.8	294	85.8	81.7-89.9	13	2.9	0.7- 5.1
\$50,000- 99,999	842	85,399	122	9.8	7.6-12.0	703	88.6	86.2-91.0	17	1.6	0.6- 2.6
\$100,000 - 199,999	622	64,930	60	7.8	5.4-10.2	544	90.3	87.8-92.8	18	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2882	293,455	324	7.9	6.7- 9.1	60	2.6	1.8- 3.4	2434	87.9	86.5-89.3	64	1.6	1.2- 2.0
Native	144	13,376	29	16.0	9.1-22.9	4	2.0	0.0- 4.2	109	81.1	73.7-88.5	2	0.8	0.0- 2.2
Non-Native	2713	277,864	294	7.6	6.4- 8.8	56	2.6	1.8- 3.4	2302	88.2	86.6-89.8	61	1.7	1.1- 2.3
18-24	145	39,184	2	2.2	0.0- 5.9				143	97.8	94.1- 100			
25-34	213	53,275	3	1.1	0.0- 2.5	9	4.3	1.2- 7.4	201	94.6	91.1-98.1			
35-44	285	47,133	6	3.0	0.3- 5.7	9	3.5	1.1- 5.9	266	92.3	88.6-96.0	4	1.2	0.0- 2.4
45-54	372	38,835	32	7.9	5.0-10.8	11	4.0	1.5- 6.5	322	85.5	81.4-89.6	7	2.7	0.7- 4.7
55-64	533	45,156	51	10.0	6.9-13.1	12	2.3	0.7- 3.9	459	86.1	82.6-89.6	11	1.7	0.5- 2.9
65+	1334	69,872	230	18.4	15.9-20.9	19	1.4	0.6- 2.2	1043	76.8	74.1-79.5	42	3.4	2.2- 4.6
Less Than H.S.	114	18,987	15	11.2	2.8-19.6	6	6.4	0.0-13.1	91	81.8	71.6-92.0	2	0.7	0.0- 1.7
H.S. or G.E.D.	750	70,039	87	7.7	5.7- 9.7	17	3.0	1.2- 4.8	628	87.6	84.9-90.3	18	1.7	0.7- 2.7
Some Post-H.S.	973	114,413	131	9.6	7.6-11.6	18	2.2	1.0- 3.4	801	86.5	84.0-89.0	23	1.8	1.0- 2.6
College Graduate	1040	89,686	90	5.3	3.9- 6.7	19	1.9	0.9- 2.9	910	91.2	89.2-93.2	21	1.5	0.7- 2.3
Less than \$15,000	117	16,071	24	10.3	5.0-15.6	4	7.3	0.0-15.3	86	80.9	71.7-90.1	3	1.4	0.0- 3.2
\$15,000- 24,999	227	18,786	43	16.3	10.4-22.2				178	82.3	76.4-88.2	6	1.4	0.0- 2.8
\$25,000- 34,999	276	25,617	38	9.7	6.0-13.4	4	1.1	0.0- 2.3	226	87.2	82.9-91.5	8	2.1	0.3- 3.9
\$35,000- 49,999	359	31,305	45	10.6	6.3-14.9	6	2.4	0.0- 4.8	300	85.1	80.2-90.0	8	1.8	0.4- 3.2
\$50,000- 99,999	759	79,187	78	6.6	4.6- 8.6	17	2.0	0.8- 3.2	650	89.9	87.5-92.3	14	1.5	0.5- 2.5
\$100,000 - 199,999	400	46,593	23	3.9	2.1- 5.7	14	4.2	1.5- 6.9	355	90.5	87.2-93.8	8	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 34: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	711	53,168	12	4.0	0.7- 7.3	51	12.1	8.2-16.0	153	27.9	23.2-32.6	283	34.4	30.1-38.7	212	21.6	18.3-24.9
Male	416	31,803	8	3.7	0.6- 6.8	29	13.9	8.0-19.8	92	28.1	22.2-34.0	172	35.0	29.3-40.7	115	19.5	15.4-23.6
Female	295	21,364	4	4.5	0.0-11.2	22	9.4	4.9-13.9	61	27.7	20.1-35.3	111	33.6	26.7-40.5	97	24.8	19.1-30.5
Native	62	5,532				11	22.9	9.2-36.6	18	27.5	13.2-41.8	30	47.1	31.2-63.0	3	2.4	0.0- 5.3
Non-Native	640	46,936	11	4.4	0.7- 8.1	40	11.0	6.9-15.1	134	28.1	23.2-33.0	251	33.3	28.8-37.8	204	23.3	19.6-27.0
45-54	74	7,850	1	0.6	0.0- 1.8	11	14.2	5.6-22.8	40	58.2	45.5-70.9	20	23.6	12.6-34.6	2	3.3	0.0- 8.0
55-64	138	12,324	4	3.8	0.1- 7.5	12	9.0	3.3-14.7	37	29.6	20.4-38.8	77	53.0	43.2-62.8	8	4.7	1.2- 8.2
65+	456	24,204	1	0.3	0.0- 0.9	9	1.6	0.4- 2.8	58	13.1	9.2-17.0	186	41.0	35.5-46.5	202	44.0	38.5-49.5
H.S. or G.E.D.	205	13,887	2	1.6	0.0- 4.0	11	8.0	2.1-13.9	39	26.0	18.0-34.0	85	39.3	31.1-47.5	68	25.1	18.4-31.8
Some Post-H.S.	237	20,928	4	3.3	0.0- 7.4	17	10.0	5.1-14.9	52	31.8	23.8-39.8	92	33.1	25.8-40.4	72	21.8	16.1-27.5
College Graduate	220	12,413	5	3.6	0.3- 6.9	13	9.0	3.7-14.3	55	30.9	22.5-39.3	91	37.3	29.7-44.9	56	19.2	13.7-24.7
\$15,000- 24,999	66	5,085				7	14.6	2.4-26.8	10	19.8	5.5-34.1	24	38.2	23.9-52.5	25	27.4	15.2-39.6
\$25,000- 34,999	89	6,116	1	1.2	0.0- 3.6	4	14.0	0.0-28.1	17	25.6	13.3-37.9	32	29.5	17.5-41.5	35	29.7	18.7-40.7
\$35,000- 49,999	99	7,318				10	17.5	6.7-28.3	20	28.0	14.3-41.7	40	29.3	19.1-39.5	29	25.2	15.0-35.4
\$50,000- 99,999	191	13,213	5	6.4	0.0-13.3	10	8.1	3.0-13.2	43	32.4	22.6-42.2	82	34.7	26.5-42.9	51	18.3	12.4-24.2
\$100,000 - 199,999	80	6,581	2	2.5	0.0- 5.8	4	6.6	0.0-13.9	20	28.5	16.5-40.5	36	46.5	33.4-59.6	18	15.9	8.1-23.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 35: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	416	31,803	8	3.7	0.6- 6.8	29	13.9	8.2-19.6	92	28.1	22.0-34.2	172	35.0	29.1-40.9	115	19.5	15.4-23.6
Non-Native	373	27,619	7	4.0	0.5- 7.5	23	13.2	6.9-19.5	80	28.1	21.8-34.4	154	34.0	28.1-39.9	109	20.8	16.3-25.3
55-64	90	8,038	3	4.7	0.0-10.2	7	8.1	1.4-14.8	23	27.2	16.2-38.2	52	55.2	43.0-67.4	5	4.7	0.0- 9.4
65+	250	12,889	3	1.6	0.0- 3.4	30	11.8	6.7-16.9	108	42.7	35.3-50.1	109	43.9	36.5-51.3			
H.S. or G.E.D.	124	8,840	2	2.5	0.0- 6.2	7	8.3	1.2-15.4	27	29.4	18.8-40.0	52	38.4	28.0-48.8	36	21.4	13.6-29.2
Some Post-H.S.	119	10,782	3	5.8	0.0-13.4	11	13.5	5.5-21.5	26	29.8	19.0-40.6	46	31.0	21.2-40.8	33	19.9	12.1-27.7
College Graduate	136	7,857	3	4.0	0.0- 8.7	3	4.8	0.0-10.1	35	32.4	21.8-43.0	61	40.5	30.7-50.3	34	18.3	11.6-25.0
\$25,000- 34,999	52	3,710	1	1.9	0.0- 5.6	4	23.1	1.7-44.5	8	18.3	4.4-32.2	19	31.1	14.2-48.0	20	25.5	12.0-39.0
\$35,000- 49,999	57	4,074				6	20.0	4.9-35.1	10	20.7	6.6-34.8	23	31.2	17.5-44.9	18	28.2	14.7-41.7
\$50,000- 99,999	118	8,261	4	9.6	0.0-20.2	5	7.6	0.9-14.3	24	26.5	14.3-38.7	52	36.8	26.6-47.0	33	19.5	11.7-27.3
\$100,000 - 199,999	57	4,780	1	1.7	0.0- 5.0	2	7.3	0.0-16.9	18	36.2	21.1-51.3	25	42.8	26.9-58.7	11	12.0	4.2-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 36: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	295	21,364	4	4.5	0.0-11.4	22	9.4	4.9-13.9	61	27.7	20.1-35.3	111	33.6	26.9-40.3	97	24.8	19.1-30.5
Non-Native	267	19,317	4	5.0	0.0-12.4	17	7.8	3.3-12.3	54	28.2	20.0-36.4	97	32.3	25.2-39.4	95	26.8	20.5-33.1
65+	206	11,315	1	0.6	0.0- 1.8	6	1.6	0.2- 3.0	28	14.6	8.5-20.7	78	39.0	31.2-46.8	93	44.2	36.2-52.2
H.S. or G.E.D.	81	5,047				4	7.5	0.0-18.1	12	20.1	7.9-32.3	33	40.9	27.8-54.0	32	31.5	19.9-43.1
Some Post-H.S.	118	10,146	1	0.7	0.0- 2.1	6	6.2	1.1-11.3	26	33.8	21.6-46.0	46	35.4	25.0-45.8	39	23.9	15.5-32.3
College Graduate	84	4,556	2	2.9	0.0- 7.0	10	16.3	5.3-27.3	20	28.3	15.0-41.6	30	31.8	19.8-43.8	22	20.7	10.9-30.5
\$50,000- 99,999	73	4,952	1	1.0	0.0- 3.0	5	9.1	1.1-17.1	19	42.2	26.3-58.1	30	31.3	19.0-43.6	18	16.5	8.1-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 8: ARTHRITIS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1	89
2	90
3	91
4	92
5	93
6	94
7	95
8	96
9	97
10	98
11	99
12	100
13	101
14	102
15	103
16	104
17	105
18	106

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5886	600,237	2035	25.4	24.0-26.8	3851	74.6	73.2-76.0
Male	3011	307,056	888	22.6	20.8-24.4	2123	77.4	75.6-79.2
Female	2875	293,180	1147	28.4	26.4-30.4	1728	71.6	69.6-73.6
Native	264	25,974	80	29.5	22.1-36.9	184	70.5	63.1-77.9
Non-Native	5535	566,362	1930	25.3	23.9-26.7	3605	74.7	73.3-76.1
18-24	373	82,730	12	3.0	1.0- 5.0	361	97.0	95.0-99.0
25-34	550	115,746	55	10.8	7.7-13.9	495	89.2	86.1-92.3
35-44	659	99,512	87	14.0	10.9-17.1	572	86.0	82.9-89.1
45-54	744	80,391	201	27.7	24.0-31.4	543	72.3	68.6-76.0
55-64	1052	92,058	400	38.6	35.1-42.1	652	61.4	57.9-64.9
65+	2508	129,799	1280	50.9	48.5-53.3	1228	49.1	46.7-51.5
Less Than H.S.	270	46,315	115	32.2	25.1-39.3	155	67.8	60.7-74.9
H.S. or G.E.D.	1650	159,762	596	25.3	22.9-27.7	1054	74.7	72.3-77.1
Some Post-H.S.	1918	226,545	676	26.0	23.6-28.4	1242	74.0	71.6-76.4
College Graduate	2029	165,190	643	22.9	20.9-24.9	1386	77.1	75.1-79.1
Less than \$15,000	200	24,739	99	42.3	32.9-51.7	101	57.7	48.3-67.1
\$15,000- 24,999	394	34,417	188	31.8	26.3-37.3	206	68.2	62.7-73.7
\$25,000- 34,999	526	51,561	194	24.6	20.1-29.1	332	75.4	70.9-79.9
\$35,000- 49,999	720	67,213	280	28.8	24.9-32.7	440	71.2	67.3-75.1
\$50,000- 99,999	1600	164,368	529	23.9	21.5-26.3	1071	76.1	73.7-78.5
\$100,000 - 199,999	1021	111,429	263	21.1	18.2-24.0	758	78.9	76.0-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3011	307,056	888	22.6	20.8-24.4	2123	77.4	75.6-79.2
Native	119	12,596	34	31.9	20.3-43.5	85	68.1	56.5-79.7
Non-Native	2830	288,775	837	22.3	20.5-24.1	1993	77.7	75.9-79.5
18-24	228	43,546	7	2.7	0.3- 5.1	221	97.3	94.9-99.7
25-34	337	62,471	29	9.4	5.5-13.3	308	90.6	86.7-94.5
35-44	375	52,525	47	13.6	9.7-17.5	328	86.4	82.5-90.3
45-54	373	41,667	89	24.8	19.7-29.9	284	75.2	70.1-80.3
55-64	519	46,725	181	38.3	33.4-43.2	338	61.7	56.8-66.6
65+	1179	60,122	535	45.1	41.8-48.4	644	54.9	51.6-58.2
Less Than H.S.	155	27,277	56	26.7	18.3-35.1	99	73.3	64.9-81.7
H.S. or G.E.D.	903	89,769	275	22.3	19.4-25.2	628	77.7	74.8-80.6
Some Post-H.S.	947	112,142	271	22.3	19.4-25.2	676	77.7	74.8-80.6
College Graduate	992	75,776	281	21.9	19.0-24.8	711	78.1	75.2-81.0
Less than \$15,000	84	8,686	34	38.4	23.7-53.1	50	61.6	46.9-76.3
\$15,000- 24,999	166	15,579	68	28.8	20.6-37.0	98	71.2	63.0-79.4
\$25,000- 34,999	250	25,944	80	20.1	14.6-25.6	170	79.9	74.4-85.4
\$35,000- 49,999	363	36,046	116	22.0	17.3-26.7	247	78.0	73.3-82.7
\$50,000- 99,999	842	85,247	250	23.1	19.8-26.4	592	76.9	73.6-80.2
\$100,000 - 199,999	623	64,961	153	20.8	17.1-24.5	470	79.2	75.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	293,180	1147	28.4	26.4-30.4	1728	71.6	69.6-73.6
Native	145	13,378	46	27.3	17.9-36.7	99	72.7	63.3-82.1
Non-Native	2705	277,587	1093	28.5	26.3-30.7	1612	71.5	69.3-73.7
18-24	145	39,184	5	3.3	0.4- 6.2	140	96.7	93.8-99.6
25-34	213	53,275	26	12.4	7.1-17.7	187	87.6	82.3-92.9
35-44	284	46,987	40	14.5	9.6-19.4	244	85.5	80.6-90.4
45-54	371	38,724	112	30.9	25.6-36.2	259	69.1	63.8-74.4
55-64	533	45,333	219	38.9	34.0-43.8	314	61.1	56.2-66.0
65+	1329	69,677	745	55.9	52.8-59.0	584	44.1	41.0-47.2
Less Than H.S.	115	19,039	59	40.2	27.9-52.5	56	59.8	47.5-72.1
H.S. or G.E.D.	747	69,993	321	29.2	25.3-33.1	426	70.8	66.9-74.7
Some Post-H.S.	971	114,403	405	29.6	26.1-33.1	566	70.4	66.9-73.9
College Graduate	1037	89,415	362	23.8	20.9-26.7	675	76.2	73.3-79.1
Less than \$15,000	116	16,054	65	44.4	32.2-56.6	51	55.6	43.4-67.8
\$15,000- 24,999	228	18,838	120	34.4	27.0-41.8	108	65.6	58.2-73.0
\$25,000- 34,999	276	25,617	114	29.2	22.3-36.1	162	70.8	63.9-77.7
\$35,000- 49,999	357	31,167	164	36.5	30.0-43.0	193	63.5	57.0-70.0
\$50,000- 99,999	758	79,121	279	24.8	21.3-28.3	479	75.2	71.7-78.7
\$100,000 - 199,999	398	46,468	110	21.5	16.8-26.2	288	78.5	73.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1998	150,237	1216	59.6	56.7-62.5	782	40.4	37.5-43.3
Male	873	68,557	463	52.4	48.1-56.7	410	47.6	43.3-51.9
Female	1125	81,680	753	65.6	61.9-69.3	372	34.4	30.7-38.1
Native	78	7,497	49	62.6	48.1-77.1	29	37.4	22.9-51.9
Non-Native	1895	141,152	1152	59.5	56.6-62.4	743	40.5	37.6-43.4
25-34	54	12,363	30	53.4	37.5-69.3	24	46.6	30.7-62.5
35-44	84	13,475	48	53.7	41.5-65.9	36	46.3	34.1-58.5
45-54	199	22,090	112	57.1	49.3-64.9	87	42.9	35.1-50.7
55-64	395	35,122	245	60.7	55.0-66.4	150	39.3	33.6-45.0
65+	1254	64,737	774	62.1	58.8-65.4	480	37.9	34.6-41.2
Less Than H.S.	112	14,688	64	59.7	47.0-72.4	48	40.3	27.6-53.0
H.S. or G.E.D.	586	39,995	340	58.4	53.3-63.5	246	41.6	36.5-46.7
Some Post-H.S.	666	57,857	405	57.9	53.2-62.6	261	42.1	37.4-46.8
College Graduate	631	37,232	406	63.8	59.1-68.5	225	36.2	31.5-40.9
Less than \$15,000	97	10,386	64	70.8	57.5-84.1	33	29.2	15.9-42.5
\$15,000- 24,999	186	10,913	122	64.8	56.0-73.6	64	35.2	26.4-44.0
\$25,000- 34,999	191	12,386	109	59.4	50.0-68.8	82	40.6	31.2-50.0
\$35,000- 49,999	274	18,804	166	57.1	49.7-64.5	108	42.9	35.5-50.3
\$50,000- 99,999	520	38,564	307	57.4	51.9-62.9	213	42.6	37.1-48.1
\$100,000 - 199,999	260	23,261	165	61.3	53.7-68.9	95	38.7	31.1-46.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	873	68,557	463	52.4	48.1-56.7	410	47.6	43.3-51.9
Non-Native	823	63,420	435	52.2	47.9-56.5	388	47.8	43.5-52.1
45-54	88	10,258	41	46.9	35.1-58.7	47	53.1	41.3-64.9
55-64	177	17,601	102	56.1	47.9-64.3	75	43.9	35.7-52.1
65+	527	26,778	279	53.5	48.4-58.6	248	46.5	41.4-51.6
Less Than H.S.	55	7,228	28	62.7	45.8-79.6	27	37.3	20.4-54.2
H.S. or G.E.D.	273	19,930	138	54.0	46.7-61.3	135	46.0	38.7-53.3
Some Post-H.S.	266	24,599	139	46.2	38.8-53.6	127	53.8	46.4-61.2
College Graduate	276	16,334	157	55.6	48.3-62.9	119	44.4	37.1-51.7
\$15,000- 24,999	67	4,458	39	63.2	48.5-77.9	28	36.8	22.1-51.5
\$25,000- 34,999	79	5,166	34	45.8	31.5-60.1	45	54.2	39.9-68.5
\$35,000- 49,999	114	7,867	59	47.8	36.4-59.2	55	52.2	40.8-63.6
\$50,000- 99,999	246	19,323	120	47.8	39.8-55.8	126	52.2	44.2-60.2
\$100,000 - 199,999	151	13,327	87	55.1	44.9-65.3	64	44.9	34.7-55.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1125	81,680	753	65.6	61.9-69.3	372	34.4	30.7-38.1
Non-Native	1072	77,732	717	65.6	61.7-69.5	355	34.4	30.5-38.3
45-54	111	11,832	71	65.9	55.9-75.9	40	34.1	24.1-44.1
55-64	218	17,521	143	65.4	57.8-73.0	75	34.6	27.0-42.2
65+	727	37,959	495	68.2	64.1-72.3	232	31.8	27.7-35.9
Less Than H.S.	57	7,459	36	56.7	38.1-75.3	21	43.3	24.7-61.9
H.S. or G.E.D.	313	20,066	202	62.7	55.4-70.0	111	37.3	30.0-44.6
Some Post-H.S.	400	33,257	266	66.5	60.6-72.4	134	33.5	27.6-39.4
College Graduate	355	20,897	249	70.2	63.9-76.5	106	29.8	23.5-36.1
Less than \$15,000	63	7,047	43	69.4	52.0-86.8	20	30.6	13.2-48.0
\$15,000- 24,999	119	6,454	83	65.8	54.8-76.8	36	34.2	23.2-45.2
\$25,000- 34,999	112	7,220	75	69.0	57.4-80.6	37	31.0	19.4-42.6
\$35,000- 49,999	160	10,938	107	63.8	54.0-73.6	53	36.2	26.4-46.0
\$50,000- 99,999	274	19,241	187	67.0	59.7-74.3	87	33.0	25.7-40.3
\$100,000 - 199,999	109	9,934	78	69.7	57.9-81.5	31	30.3	18.5-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 7. HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2026	151,954	198	10.1	8.3-11.9	1828	89.9	88.1-91.7
Male	883	68,836	71	9.1	6.6-11.6	812	90.9	88.4-93.4
Female	1143	83,118	127	10.9	8.7-13.1	1016	89.1	86.9-91.3
Native	79	7,644	6	6.4	0.1-12.7	73	93.6	87.3-99.9
Non-Native	1922	142,721	190	10.3	8.5-12.1	1732	89.7	87.9-91.5
25-34	55	12,468	7	9.9	2.1-17.7	48	90.1	82.3-97.9
35-44	86	13,920	13	13.4	6.0-20.8	73	86.6	79.2-94.0
45-54	200	22,112	20	10.7	5.6-15.8	180	89.3	84.2-94.4
55-64	399	35,449	39	9.2	6.1-12.3	360	90.8	87.7-93.9
65+	1275	65,866	117	9.5	7.5-11.5	1158	90.5	88.5-92.5
Less Than H.S.	115	14,919	9	6.5	1.4-11.6	106	93.5	88.4-98.6
H.S. or G.E.D.	593	39,981	38	8.1	5.2-11.0	555	91.9	89.0-94.8
Some Post-H.S.	673	58,585	71	10.8	7.9-13.7	602	89.2	86.3-92.1
College Graduate	640	37,819	80	12.6	9.3-15.9	560	87.4	84.1-90.7
Less than \$15,000	98	10,437	10	7.8	1.9-13.7	88	92.2	86.3-98.1
\$15,000- 24,999	187	10,900	22	15.8	8.5-23.1	165	84.2	76.9-91.5
\$25,000- 34,999	194	12,683	15	7.8	3.1-12.5	179	92.2	87.5-96.9
\$35,000- 49,999	278	19,252	27	8.8	4.7-12.9	251	91.2	87.1-95.3
\$50,000- 99,999	528	39,176	53	9.6	6.5-12.7	475	90.4	87.3-93.5
\$100,000 - 199,999	261	23,140	23	7.8	3.9-11.7	238	92.2	88.3-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 8: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	883	68,836	71	9.1	6.6-11.6	812	90.9	88.4-93.4
Non-Native	832	63,593	68	9.3	6.6-12.0	764	90.7	88.0-93.4
45-54	88	10,159	7	8.4	1.1-15.7	81	91.6	84.3-98.9
55-64	180	17,829	20	11.8	6.3-17.3	160	88.2	82.7-93.7
65+	533	27,020	32	5.1	2.9- 7.3	501	94.9	92.7-97.1
Less Than H.S.	56	7,272	3	6.9	0.0-15.7	53	93.1	84.3- 100
H.S. or G.E.D.	273	19,582	16	8.4	3.9-12.9	257	91.6	87.1-96.1
Some Post-H.S.	268	24,744	25	10.1	5.4-14.8	243	89.9	85.2-94.6
College Graduate	281	16,588	27	9.6	5.1-14.1	254	90.4	85.9-94.9
\$15,000- 24,999	67	4,425	4	12.0	0.0-24.7	63	88.0	75.3- 100
\$25,000- 34,999	80	5,210	4	4.1	0.0- 9.2	76	95.9	90.8- 100
\$35,000- 49,999	115	7,901	6	5.1	0.2-10.0	109	94.9	90.0-99.8
\$50,000- 99,999	249	19,565	20	8.1	3.4-12.8	229	91.9	87.2-96.6
\$100,000 - 199,999	152	13,206	11	6.8	1.9-11.7	141	93.2	88.3-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 9: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1143	83,118	127	10.9	8.7-13.1	1016	89.1	86.9-91.3
Non-Native	1090	79,128	122	11.0	8.6-13.4	968	89.0	86.6-91.4
45-54	112	11,953	13	12.6	5.5-19.7	99	87.4	80.3-94.5
55-64	219	17,620	19	6.6	3.3-9.9	200	93.4	90.1-96.7
65+	742	38,845	85	12.6	9.7-15.5	657	87.4	84.5-90.3
Less Than H.S.	59	7,647	6	6.1	0.8-11.4	53	93.9	88.6-99.2
H.S. or G.E.D.	320	20,399	22	7.7	3.8-11.6	298	92.3	88.4-96.2
Some Post-H.S.	405	33,841	46	11.4	7.7-15.1	359	88.6	84.9-92.3
College Graduate	359	21,231	53	14.9	10.2-19.6	306	85.1	80.4-89.8
Less than \$15,000	64	7,099	6	6.3	0.2-12.4	58	93.7	87.6-99.8
\$15,000- 24,999	120	6,475	18	18.3	9.5-27.1	102	81.7	72.9-90.5
\$25,000- 34,999	114	7,473	11	10.4	3.1-17.7	103	89.6	82.3-96.9
\$35,000- 49,999	163	11,350	21	11.4	5.3-17.5	142	88.6	82.5-94.7
\$50,000- 99,999	279	19,612	33	11.2	6.9-15.5	246	88.8	84.5-93.1
\$100,000 - 199,999	109	9,934	12	9.2	2.9-15.5	97	90.8	84.5-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 10: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2018	151,637	720	37.0	34.3-39.7	1298	63.0	60.3-65.7
Male	881	69,085	293	34.8	30.7-38.9	588	65.2	61.1-69.3
Female	1137	82,553	427	38.8	34.9-42.7	710	61.2	57.3-65.1
Native	80	7,660	33	41.5	27.0-56.0	47	58.5	44.0-73.0
Non-Native	1913	142,389	677	36.5	33.6-39.4	1236	63.5	60.6-66.4
25-34	55	12,468	26	50.4	34.5-66.3	29	49.6	33.7-65.5
35-44	86	13,920	39	49.6	37.6-61.6	47	50.4	38.4-62.4
45-54	199	22,095	84	46.4	38.6-54.2	115	53.6	45.8-61.4
55-64	398	35,335	128	29.2	24.1-34.3	270	70.8	65.7-75.9
65+	1268	65,369	442	34.1	31.0-37.2	826	65.9	62.8-69.0
Less Than H.S.	114	14,882	50	52.7	40.2-65.2	64	47.3	34.8-59.8
H.S. or G.E.D.	588	39,926	192	34.7	29.8-39.6	396	65.3	60.4-70.2
Some Post-H.S.	672	58,555	239	35.4	30.9-39.9	433	64.6	60.1-69.1
College Graduate	639	37,624	237	35.6	31.1-40.1	402	64.4	59.9-68.9
Less than \$15,000	98	10,437	56	67.0	54.5-79.5	42	33.0	20.5-45.5
\$15,000- 24,999	187	10,914	84	51.7	42.7-60.7	103	48.3	39.3-57.3
\$25,000- 34,999	192	12,627	76	40.0	30.8-49.2	116	60.0	50.8-69.2
\$35,000- 49,999	278	19,281	93	31.5	24.6-38.4	185	68.5	61.6-75.4
\$50,000- 99,999	526	39,077	179	34.2	29.1-39.3	347	65.8	60.7-70.9
\$100,000 - 199,999	262	23,451	76	27.6	20.9-34.3	186	72.4	65.7-79.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 11: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	881	69,085	293	34.8	30.7-38.9	588	65.2	61.1-69.3
Non-Native	830	63,841	271	33.9	29.6-38.2	559	66.1	61.8-70.4
45-54	87	10,141	33	39.3	27.5-51.1	54	60.7	48.9-72.5
55-64	180	17,884	51	27.0	19.6-34.4	129	73.0	65.6-80.4
65+	531	26,921	179	34.9	30.0-39.8	352	65.1	60.2-70.0
Less Than H.S.	55	7,235	30	63.3	46.4-80.2	25	36.7	19.8-53.6
H.S. or G.E.D.	273	19,852	82	31.8	24.9-38.7	191	68.2	61.3-75.1
Some Post-H.S.	270	24,998	92	34.0	26.9-41.1	178	66.0	58.9-73.1
College Graduate	278	16,350	87	26.7	20.6-32.8	191	73.3	67.2-79.4
\$15,000- 24,999	68	4,484	29	54.4	39.1-69.7	39	45.6	30.3-60.9
\$25,000- 34,999	79	5,175	28	33.2	20.1-46.3	51	66.8	53.7-79.9
\$35,000- 49,999	114	7,902	41	34.2	23.2-45.2	73	65.8	54.8-76.8
\$50,000- 99,999	247	19,465	80	34.4	26.6-42.2	167	65.6	57.8-73.4
\$100,000 - 199,999	153	13,517	35	21.5	13.5-29.5	118	78.5	70.5-86.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 12: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1137	82,553	427	38.8	34.9-42.7	710	61.2	57.3-65.1
Non-Native	1083	78,547	406	38.7	34.8-42.6	677	61.3	57.4-65.2
45-54	112	11,953	51	52.4	42.0-62.8	61	47.6	37.2-58.0
55-64	218	17,451	77	31.4	24.3-38.5	141	68.6	61.5-75.7
65+	737	38,449	263	33.6	29.5-37.7	474	66.4	62.3-70.5
Less Than H.S.	59	7,647	20	42.6	23.8-61.4	39	57.4	38.6-76.2
H.S. or G.E.D.	315	20,074	110	37.5	30.4-44.6	205	62.5	55.4-69.6
Some Post-H.S.	402	33,557	147	36.4	30.3-42.5	255	63.6	57.5-69.7
College Graduate	361	21,274	150	42.5	36.0-49.0	211	57.5	51.0-64.0
Less than \$15,000	64	7,099	36	63.6	47.5-79.7	28	36.4	20.3-52.5
\$15,000- 24,999	119	6,429	55	49.8	38.8-60.8	64	50.2	39.2-61.2
\$25,000- 34,999	113	7,452	48	44.8	32.3-57.3	65	55.2	42.7-67.7
\$35,000- 49,999	164	11,378	52	29.5	20.9-38.1	112	70.5	61.9-79.1
\$50,000- 99,999	279	19,612	99	34.0	27.1-40.9	180	66.0	59.1-72.9
\$100,000 - 199,999	109	9,934	41	35.8	24.6-47.0	68	64.2	53.0-75.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 13: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2005	150,888	474	27.8	25.1-30.5	1531	72.2	69.5-74.9
Male	879	68,896	219	27.8	23.9-31.7	660	72.2	68.3-76.1
Female	1126	81,993	255	27.8	23.9-31.7	871	72.2	68.3-76.1
Native	80	7,660	35	40.1	25.8-54.4	45	59.9	45.6-74.2
Non-Native	1901	141,664	434	27.2	24.3-30.1	1467	72.8	69.9-75.7
25-34	55	12,468	24	45.0	28.9-61.1	31	55.0	38.9-71.1
35-44	85	13,729	32	36.5	24.9-48.1	53	63.5	51.9-75.1
45-54	199	21,998	85	44.6	36.8-52.4	114	55.4	47.6-63.2
55-64	396	35,016	111	26.3	21.2-31.4	285	73.7	68.6-78.8
65+	1258	65,226	218	17.4	14.9-19.9	1040	82.6	80.1-85.1
Less Than H.S.	114	14,751	39	43.2	30.1-56.3	75	56.8	43.7-69.9
H.S. or G.E.D.	584	39,661	132	26.9	22.2-31.6	452	73.1	68.4-77.8
Some Post-H.S.	670	58,331	185	29.4	24.9-33.9	485	70.6	66.1-75.1
College Graduate	632	37,497	115	19.6	15.7-23.5	517	80.4	76.5-84.3
Less than \$15,000	95	10,212	41	59.4	45.5-73.3	54	40.6	26.7-54.5
\$15,000- 24,999	185	10,845	44	33.8	24.4-43.2	141	66.2	56.8-75.6
\$25,000- 34,999	190	12,445	46	28.3	19.5-37.1	144	71.7	62.9-80.5
\$35,000- 49,999	277	19,154	66	23.8	17.5-30.1	211	76.2	69.9-82.5
\$50,000- 99,999	525	39,103	120	26.2	21.1-31.3	405	73.8	68.7-78.9
\$100,000 - 199,999	262	23,451	47	15.5	10.2-20.8	215	84.5	79.2-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 14: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	879	68,896	219	27.8	23.9-31.7	660	72.2	68.3-76.1
Non-Native	828	63,652	201	27.0	22.9-31.1	627	73.0	68.9-77.1
45-54	89	10,343	38	45.4	33.6-57.2	51	54.6	42.8-66.4
55-64	180	17,750	51	27.8	20.2-35.4	129	72.2	64.6-79.8
65+	528	26,854	101	18.5	14.6-22.4	427	81.5	77.6-85.4
Less Than H.S.	55	7,103	21	45.0	26.8-63.2	34	55.0	36.8-73.2
H.S. or G.E.D.	270	19,557	69	30.0	22.7-37.3	201	70.0	62.7-77.3
Some Post-H.S.	271	25,032	81	28.4	21.9-34.9	190	71.6	65.1-78.1
College Graduate	278	16,553	45	15.6	10.5-20.7	233	84.4	79.3-89.5
\$15,000- 24,999	67	4,412	20	42.8	26.9-58.7	47	57.2	41.3-73.1
\$25,000- 34,999	78	5,013	17	22.9	10.4-35.4	61	77.1	64.6-89.6
\$35,000- 49,999	114	7,803	32	26.8	16.8-36.8	82	73.2	63.2-83.2
\$50,000- 99,999	249	19,639	65	30.9	23.3-38.5	184	69.1	61.5-76.7
\$100,000 - 199,999	153	13,517	23	13.1	6.6-19.6	130	86.9	80.4-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 15: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1126	81,993	255	27.8	23.9-31.7	871	72.2	68.3-76.1
Non-Native	1073	78,011	233	27.4	23.5-31.3	840	72.6	68.7-76.5
45-54	110	11,655	47	44.0	33.4-54.6	63	56.0	45.4-66.6
55-64	216	17,266	60	24.9	18.2-31.6	156	75.1	68.4-81.8
65+	730	38,372	117	16.7	13.4-20.0	613	83.3	80.0-86.6
Less Than H.S.	59	7,647	18	41.4	22.6-60.2	41	58.6	39.8-77.4
H.S. or G.E.D.	314	20,104	63	24.0	17.7-30.3	251	76.0	69.7-82.3
Some Post-H.S.	399	33,298	104	30.2	23.9-36.5	295	69.8	63.5-76.1
College Graduate	354	20,944	70	22.8	17.1-28.5	284	77.2	71.5-82.9
Less than \$15,000	62	6,894	26	58.3	41.2-75.4	36	41.7	24.6-58.8
\$15,000- 24,999	118	6,432	24	27.6	16.6-38.6	94	72.4	61.4-83.4
\$25,000- 34,999	112	7,432	29	31.8	19.6-44.0	83	68.2	56.0-80.4
\$35,000- 49,999	163	11,350	34	21.7	13.7-29.7	129	78.3	70.3-86.3
\$50,000- 99,999	276	19,464	55	21.4	14.9-27.9	221	78.6	72.1-85.1
\$100,000 - 199,999	109	9,934	24	18.8	10.2-27.4	85	81.2	72.6-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 16: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE? (JOINPA12)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1993	149,608	150	7.4	5.8- 9.0	700	33.5	30.8-36.2	773	38.1	35.4-40.8	279	16.0	13.6-18.4	91	5.1	3.7- 6.5
Male	873	68,549	77	8.3	6.1-10.5	348	37.3	33.2-41.4	315	37.2	33.1-41.3	102	13.6	10.3-16.9	31	3.7	2.1- 5.3
Female	1120	81,058	73	6.7	4.7- 8.7	352	30.3	26.8-33.8	458	38.8	35.1-42.5	177	18.0	14.9-21.1	60	6.3	3.9- 8.7
Native	80	7,660	5	5.7	0.0-13.5	13	16.0	5.2-26.8	29	33.8	19.9-47.7	27	32.7	18.6-46.8	6	11.8	2.2-21.4
Non-Native	1890	140,449	144	7.5	5.9- 9.1	676	34.4	31.7-37.1	739	38.4	35.5-41.3	247	15.0	12.6-17.4	84	4.7	3.3- 6.1
25-34	55	12,468	3	2.1	0.0- 4.8	15	24.1	11.6-36.6	19	35.3	20.2-50.4	15	31.6	16.3-46.9	3	6.9	0.0-16.3
35-44	84	13,689	5	8.2	0.2-16.2	33	35.2	23.8-46.6	27	32.5	21.3-43.7	15	19.0	9.6-28.4	4	5.1	0.0-10.6
45-54	198	21,906	20	10.4	5.3-15.5	51	25.1	18.2-32.0	73	35.5	28.1-42.9	43	22.4	15.9-28.9	11	6.7	2.4-11.0
55-64	398	35,345	28	6.2	3.5- 8.9	156	39.1	33.6-44.6	140	34.9	29.4-40.4	60	14.6	10.3-18.9	14	5.2	2.1- 8.3
65+	1246	63,749	93	8.1	6.3- 9.9	440	34.6	31.5-37.7	509	41.8	38.5-45.1	145	11.3	9.1-13.5	59	4.2	2.8- 5.6
Less Than H.S.	111	14,461	11	7.7	0.6-14.8	20	16.0	7.0-25.0	40	29.9	19.1-40.7	25	31.4	18.5-44.3	15	15.0	5.0-25.0
H.S. or G.E.D.	584	39,775	36	5.5	3.1- 7.9	171	30.3	25.4-35.2	261	42.8	37.7-47.9	85	16.2	12.1-20.3	31	5.1	2.9- 7.3
Some Post-H.S.	659	57,308	43	7.2	4.8- 9.6	244	34.4	29.9-38.9	243	39.2	34.3-44.1	101	14.6	11.3-17.9	28	4.7	2.5- 6.9
College Graduate	634	37,414	60	9.8	7.1-12.5	264	42.7	37.8-47.6	227	34.4	29.9-38.9	66	11.2	8.1-14.3	17	1.8	0.4- 3.2
Less than \$15,000	95	10,096	1	0.7	0.0- 2.1	15	12.2	5.1-19.3	39	30.2	17.7-42.7	32	42.9	27.4-58.4	8	14.0	1.5-26.5
\$15,000- 24,999	181	10,610	9	3.9	1.0- 6.8	44	21.9	14.5-29.3	77	41.4	32.4-50.4	36	23.3	14.9-31.7	15	9.6	4.3-14.9
\$25,000- 34,999	191	12,479	12	6.4	1.7-11.1	56	27.2	19.0-35.4	80	43.8	34.4-53.2	28	16.9	9.3-24.5	15	5.6	2.3- 8.9
\$35,000- 49,999	277	19,183	29	10.0	5.9-14.1	102	37.6	30.3-44.9	109	39.0	31.6-46.4	30	10.2	5.7-14.7	7	3.2	0.3- 6.1
\$50,000- 99,999	528	39,219	43	8.0	5.1-10.9	207	39.0	33.7-44.3	200	37.7	32.4-43.0	60	12.2	8.7-15.7	18	3.1	1.1- 5.1
\$100,000 - 199,999	259	23,315	22	9.9	4.6-15.2	114	45.8	38.0-53.6	91	31.0	23.9-38.1	30	12.2	7.3-17.1	2	1.1	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 17: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE? (JOINPA12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	873	68,549	77	8.3	6.1-10.5	348	37.3	33.2-41.4	315	37.2	33.1-41.3	102	13.6	10.3-16.9	31	3.7	2.1- 5.3
Non-Native	824	63,395	74	8.3	6.1-10.5	337	38.9	34.6-43.2	295	36.7	32.4-41.0	89	12.7	9.4-16.0	29	3.4	1.8- 5.0
45-54	89	10,343	13	13.5	5.3-21.7	23	25.8	15.4-36.2	27	32.1	21.1-43.1	22	23.9	14.1-33.7	4	4.6	0.0-10.1
55-64	181	17,919	13	6.3	2.6-10.0	80	44.0	35.8-52.2	58	33.9	25.9-41.9	24	11.8	6.1-17.5	6	3.9	0.6- 7.2
65+	521	26,180	44	9.0	6.1-11.9	211	37.8	32.9-42.7	202	41.3	36.2-46.4	46	8.3	5.6-11.0	18	3.7	1.5- 5.9
Less Than H.S.	54	7,162	5	5.3	0.0-10.6	12	23.0	7.1-38.9	20	34.7	18.4-51.0	9	27.4	9.2-45.6	8	9.5	1.9-17.1
H.S. or G.E.D.	270	19,697	17	5.6	1.9- 9.3	98	37.9	30.6-45.2	118	42.2	34.9-49.5	25	9.2	4.9-13.5	12	5.1	1.8- 8.4
Some Post-H.S.	266	24,536	18	7.0	3.3-10.7	114	36.7	29.6-43.8	92	38.1	30.7-45.5	37	15.6	9.9-21.3	5	2.6	0.0- 5.3
College Graduate	278	16,505	37	15.0	9.9-20.1	123	44.7	37.4-52.0	83	30.8	24.1-37.5	29	8.4	4.9-11.9	6	1.1	0.0- 2.5
\$15,000- 24,999	63	4,267	7	6.7	1.0-12.4	21	27.7	13.6-41.8	22	37.8	22.5-53.1	9	21.5	6.4-36.6	4	6.4	0.0-13.7
\$25,000- 34,999	79	5,198	5	4.3	0.2- 8.4	27	32.6	19.3-45.9	34	47.1	32.8-61.4	8	10.8	1.8-19.8	5	5.2	0.1-10.3
\$35,000- 49,999	115	7,843	15	15.9	7.7-24.1	46	37.1	26.1-48.1	36	35.4	24.0-46.8	14	8.8	3.1-14.5	4	2.8	0.0- 6.5
\$50,000- 99,999	250	19,654	24	9.5	4.6-14.4	100	37.2	29.8-44.6	94	38.5	30.7-46.3	24	11.2	5.9-16.5	8	3.7	0.4- 7.0
\$100,000 - 199,999	151	13,424	16	9.7	4.4-15.0	73	52.9	42.7-63.1	49	28.1	19.3-36.9	12	8.7	3.2-14.2	1	0.7	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 8: ARTHRITIS**

TABLE 18: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE? (JOINPAI2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1120	81,058	73	6.7	4.7- 8.7	352	30.3	26.8-33.8	458	38.8	35.1-42.5	177	18.0	14.9-21.1	60	6.3	3.9- 8.7
Non-Native	1066	77,053	70	6.9	4.7- 9.1	339	30.8	27.3-34.3	444	39.7	35.8-43.6	158	16.9	13.8-20.0	55	5.7	3.3- 8.1
45-54	109	11,563	7	7.6	1.7-13.5	28	24.4	15.4-33.4	46	38.5	28.1-48.9	21	20.9	12.3-29.5	7	8.6	2.1-15.1
55-64	217	17,427	15	6.2	2.5- 9.9	76	33.9	26.5-41.3	82	35.9	28.5-43.3	36	17.4	10.9-23.9	8	6.6	1.3-11.9
65+	725	37,569	49	7.5	5.1- 9.9	229	32.5	28.4-36.6	307	42.1	37.8-46.4	99	13.4	10.5-16.3	41	4.6	3.0- 6.2
Less Than H.S.	57	7,299	6	10.1	0.0-23.0	8	9.0	1.9-16.1	20	25.1	11.2-39.0	16	35.4	17.0-53.8	7	20.4	3.2-37.6
H.S. or G.E.D.	314	20,079	19	5.3	2.4- 8.2	73	22.9	16.8-29.0	143	43.5	36.6-50.4	60	23.1	16.6-29.6	19	5.2	2.5- 7.9
Some Post-H.S.	393	32,772	25	7.3	4.2-10.4	130	32.6	26.7-38.5	151	39.9	33.4-46.4	64	14.0	9.9-18.1	23	6.2	3.1- 9.3
College Graduate	356	20,909	23	5.7	2.8- 8.6	141	41.2	34.7-47.7	144	37.3	31.0-43.6	37	13.4	8.3-18.5	11	2.4	0.2- 4.6
Less than \$15,000	61	6,758	1	1.1	0.0- 3.3	10	12.7	3.9-21.5	27	32.7	16.4-49.0	18	37.5	18.9-56.1	5	16.0	0.0-33.2
\$15,000- 24,999	118	6,343	2	2.0	0.0- 5.3	23	18.0	10.2-25.8	55	43.8	32.8-54.8	27	24.5	14.5-34.5	11	11.7	4.3-19.1
\$25,000- 34,999	112	7,281	7	8.0	0.4-15.6	29	23.4	13.2-33.6	46	41.5	29.0-54.0	20	21.3	9.9-32.7	10	5.9	1.4-10.4
\$35,000- 49,999	162	11,340	14	6.0	2.3- 9.7	56	37.9	28.1-47.7	73	41.4	31.8-51.0	16	11.2	4.5-17.9	3	3.5	0.0- 7.8
\$50,000- 99,999	278	19,565	19	6.5	3.2- 9.8	107	40.9	33.6-48.2	106	36.9	30.0-43.8	36	13.3	8.4-18.2	10	2.5	0.7- 4.3
\$100,000 - 199,999	108	9,891	6	10.2	0.0-20.6	41	36.3	25.3-47.3	42	35.0	23.6-46.4	18	16.9	8.3-25.5	1	1.7	0.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	111
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4 MALES AND FEMALES	114
5 MALES ONLY	115
6 FEMALES ONLY	116
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
7 MALES AND FEMALES	117
8 MALES ONLY	118
9 FEMALES ONLY	119
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	120
11 MALES ONLY	121
12 FEMALES ONLY	122
ARE YOU: (MARITAL STATUS) (MARITAL)	
13 MALES AND FEMALES	123
14 MALES ONLY	124
15 FEMALES ONLY	125
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
16 MALES AND FEMALES	126
17 MALES ONLY	127
18 FEMALES ONLY	128
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
19 MALES AND FEMALES	129
20 MALES ONLY	130
21 FEMALES ONLY	131

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	132
23 MALES ONLY	133
24 FEMALES ONLY	134
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	135
26 MALES ONLY	136
27 FEMALES ONLY	137
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	138
29 MALES ONLY	139
30 FEMALES ONLY	140
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	141
32 MALES ONLY	142
33 FEMALES ONLY	143
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	144
35 MALES ONLY	145
36 FEMALES ONLY	146
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	147
38 MALES ONLY	148
39 FEMALES ONLY	149
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	150
41 MALES ONLY	151
42 FEMALES ONLY	152

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43	MALES AND FEMALES	153
44	MALES ONLY	154
45	FEMALES ONLY	155
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)	
46	MALES AND FEMALES	156
47	MALES ONLY	157
48	FEMALES ONLY	158
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
49	MALES AND FEMALES	159
50	MALES ONLY	160
51	FEMALES ONLY	161
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
52	MALES AND FEMALES	162
53	MALES ONLY	163
54	FEMALES ONLY	164
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
55	MALES AND FEMALES	165
56	MALES ONLY	166
57	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5909	601,921	374	13.8	12.4-15.2	550	19.2	17.6-20.8	661	16.6	15.2-18.0	746	13.4	12.4-14.4	1058	15.4	14.4-16.4	2520	21.7	20.7-22.7
Male	3021	307,905	229	14.2	12.2-16.2	337	20.3	18.1-22.5	375	17.1	15.3-18.9	374	13.6	12.0-15.2	522	15.2	13.8-16.6	1184	19.7	18.3-21.1
Female	2888	294,016	145	13.3	11.1-15.5	213	18.1	15.7-20.5	286	16.1	14.1-18.1	372	13.2	11.8-14.6	536	15.5	13.9-17.1	1336	23.8	22.2-25.4
Native	265	26,085	28	17.4	10.3-24.5	33	20.3	12.9-27.7	41	18.9	12.2-25.6	46	14.8	9.7-19.9	62	19.2	13.3-25.1	55	9.4	6.3-12.5
Non-Native	5555	567,893	343	13.6	12.2-15.0	511	19.3	17.7-20.9	607	16.4	15.0-17.8	685	13.3	12.3-14.3	980	15.2	14.2-16.2	2429	22.2	21.2-23.2
Less Than H.S.	272	46,548	21	18.3	11.0-25.6	23	19.9	12.5-27.3	27	18.6	11.9-25.3	22	8.5	4.6-12.4	36	11.2	6.9-15.5	143	23.5	18.4-28.6
H.S. or G.E.D.	1655	159,950	151	18.9	16.2-21.6	150	19.1	16.2-22.0	145	13.5	11.3-15.7	136	9.1	7.5-10.7	307	16.4	14.4-18.4	766	23.0	21.0-25.0
Some Post-H.S.	1927	227,384	140	14.5	12.1-16.9	172	18.5	15.8-21.2	190	14.6	12.4-16.8	245	13.8	12.0-15.6	351	16.2	14.4-18.0	829	22.3	20.5-24.1
College Graduate	2035	165,600	61	6.4	4.6- 8.2	200	19.8	17.3-22.3	297	21.7	19.3-24.1	339	18.3	16.3-20.3	364	14.5	12.9-16.1	774	19.2	17.6-20.8
Less than \$15,000	202	24,803	24	22.6	13.8-31.4	16	20.6	11.0-30.2	15	12.3	6.0-18.6	19	10.2	5.3-15.1	38	14.7	9.2-20.2	90	19.6	14.1-25.1
\$15,000- 24,999	394	34,417	30	19.2	12.7-25.7	29	16.6	10.5-22.7	15	7.7	3.6-11.8	24	7.3	4.0-10.6	44	12.3	8.2-16.4	252	36.9	31.2-42.6
\$25,000- 34,999	526	51,561	47	19.1	13.8-24.4	43	19.9	14.2-25.6	35	12.6	8.1-17.1	39	9.0	5.9-12.1	66	11.3	8.0-14.6	296	28.1	24.0-32.2
\$35,000- 49,999	723	67,489	59	18.3	13.8-22.8	58	16.8	12.5-21.1	46	10.4	7.1-13.7	63	10.7	8.0-13.4	103	12.6	9.9-15.3	394	31.1	27.4-34.8
\$50,000- 99,999	1603	164,797	82	11.0	8.5-13.5	187	23.0	19.9-26.1	194	17.2	14.7-19.7	196	12.6	10.6-14.6	333	17.2	15.0-19.4	611	19.0	17.2-20.8
\$100,000 - 199,999	1024	111,706	28	6.0	3.8- 8.2	111	18.8	15.3-22.3	203	25.0	21.7-28.3	215	20.0	17.3-22.7	244	19.5	17.0-22.0	223	10.7	8.9-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3021	307,905	229	14.2	12.4-16.0	337	20.3	18.1-22.5	375	17.1	15.3-18.9	374	13.6	12.0-15.2	522	15.2	13.8-16.6	1184	19.7	18.3-21.1
Native	119	12,596	11	12.5	3.7-21.3	13	17.0	6.8-27.2	19	21.2	10.2-32.2	26	19.6	10.8-28.4	29	20.9	11.9-29.9	21	8.7	4.0-13.4
Non-Native	2839	289,597	217	14.4	12.4-16.4	319	20.6	18.4-22.8	344	16.6	14.8-18.4	334	13.1	11.5-14.7	483	15.1	13.7-16.5	1142	20.1	18.7-21.5
Less Than H.S.	157	27,509	16	22.0	12.2-31.8	14	18.3	9.3-27.3	20	22.4	13.6-31.2	10	7.0	2.5-11.5	22	10.5	5.4-15.6	75	19.9	14.2-25.6
H.S. or G.E.D.	904	89,818	103	20.3	16.6-24.0	98	19.4	15.7-23.1	89	13.6	10.7-16.5	88	10.1	7.7-12.5	179	17.4	14.7-20.1	347	19.2	16.8-21.6
Some Post-H.S.	952	112,632	82	13.8	10.9-16.7	108	20.3	16.8-23.8	119	16.7	13.8-19.6	127	15.2	12.5-17.9	164	15.3	12.8-17.8	352	18.7	16.3-21.1
College Graduate	994	75,853	27	4.6	2.8- 6.4	112	21.3	17.8-24.8	145	19.9	16.8-23.0	147	17.8	14.9-20.7	157	14.7	12.2-17.2	406	21.8	19.4-24.2
Less than \$15,000	85	8,732	9	13.7	4.1-23.3	4	15.5	0.6-30.4	8	17.3	5.9-28.7	11	14.7	5.7-23.7	19	22.6	11.8-33.4	34	16.2	8.9-23.5
\$15,000- 24,999	166	15,579	19	24.7	14.5-34.9	13	15.5	7.3-23.7	9	9.4	2.9-15.9	11	8.1	2.4-13.8	20	12.6	6.7-18.5	94	29.7	22.1-37.3
\$25,000- 34,999	250	25,944	26	20.3	12.7-27.9	21	18.0	10.7-25.3	23	16.1	9.0-23.2	20	8.8	4.3-13.3	33	12.6	7.5-17.7	127	24.2	18.7-29.7
\$35,000- 49,999	364	36,184	42	21.3	15.2-27.4	34	15.9	10.4-21.4	28	12.2	7.7-16.7	35	12.3	8.2-16.4	52	12.5	8.8-16.2	173	25.8	21.3-30.3
\$50,000- 99,999	843	85,422	52	10.9	7.6-14.2	129	26.7	22.6-30.8	93	15.0	11.9-18.1	82	11.5	8.8-14.2	152	15.9	13.2-18.6	335	19.9	17.4-22.4
\$100,000 - 199,999	623	64,961	18	6.4	3.5- 9.3	76	20.8	16.3-25.3	131	24.5	20.4-28.6	120	19.8	16.1-23.5	128	16.6	13.5-19.7	150	11.9	9.5-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2888	294,016	145	13.3	11.1-15.5	213	18.1	15.7-20.5	286	16.1	14.1-18.1	372	13.2	11.8-14.6	536	15.5	13.9-17.1	1336	23.8	22.2-25.4
Native	146	13,489	17	22.0	11.2-32.8	20	23.3	12.7-33.9	22	16.7	8.7-24.7	20	10.3	5.0-15.6	33	17.7	9.9-25.5	34	10.0	5.9-14.1
Non-Native	2716	278,297	126	12.7	10.5-14.9	192	17.9	15.5-20.3	263	16.1	14.1-18.1	351	13.4	11.8-15.0	497	15.3	13.7-16.9	1287	24.4	22.8-26.0
Less Than H.S.	115	19,039	5	13.0	2.0-24.0	9	22.3	9.4-35.2	7	13.1	2.9-23.3	12	10.7	4.0-17.4	14	12.3	5.0-19.6	68	28.6	19.4-37.8
H.S. or G.E.D.	751	70,132	48	17.0	12.5-21.5	52	18.7	14.0-23.4	56	13.3	9.8-16.8	48	7.8	5.4-10.2	128	15.2	12.3-18.1	419	28.0	24.7-31.3
Some Post-H.S.	975	114,752	58	15.3	11.4-19.2	64	16.8	12.7-20.9	71	12.6	9.5-15.7	118	12.4	10.0-14.8	187	17.1	14.4-19.8	477	25.8	23.1-28.5
College Graduate	1041	89,747	34	8.0	5.3-10.7	88	18.5	15.0-22.0	152	23.3	20.0-26.6	192	18.8	16.1-21.5	207	14.4	12.2-16.6	368	17.0	14.8-19.2
Less than \$15,000	117	16,071	15	27.4	15.2-39.6	12	23.3	11.1-35.5	7	9.6	2.3-16.9	8	7.8	1.9-13.7	19	10.4	4.7-16.1	56	21.5	14.1-28.9
\$15,000- 24,999	228	18,838	11	14.7	6.5-22.9	16	17.6	9.0-26.2	6	6.2	1.1-11.3	13	6.7	2.6-10.8	24	12.0	6.5-17.5	158	42.8	34.6-51.0
\$25,000- 34,999	276	25,617	21	17.9	10.5-25.3	22	21.9	13.3-30.5	12	9.0	3.5-14.5	19	9.3	4.8-13.8	33	10.0	5.7-14.3	169	32.0	25.5-38.5
\$35,000- 49,999	359	31,305	17	14.7	7.8-21.6	24	17.8	10.9-24.7	18	8.4	3.7-13.1	28	9.0	5.5-12.5	51	12.7	8.6-16.8	221	37.4	31.3-43.5
\$50,000- 99,999	760	79,374	30	11.0	7.1-14.9	58	19.1	14.4-23.8	101	19.5	15.6-23.4	114	13.8	11.1-16.5	181	18.5	15.4-21.6	276	18.0	15.5-20.5
\$100,000 - 199,999	401	46,744	10	5.4	2.1- 8.7	35	16.0	10.5-21.5	72	25.6	20.1-31.1	95	20.2	15.9-24.5	116	23.6	19.1-28.1	73	9.2	6.8-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5875	598,678	54	2.5	1.7- 3.3	7	0.3	0.1- 0.5	2	0.1	0.0- 0.3	26	1.0	0.6- 1.4	6	0.3	0.1- 0.5	5780	95.9	94.9-96.9
Male	3000	305,781	33	2.9	1.9- 3.9	6	0.5	0.1- 0.9				12	0.8	0.2- 1.4	2	0.2	0.0- 0.6	2947	95.5	94.3-96.7
Female	2875	292,897	21	2.0	1.0- 3.0	1	0.0	0.0- 0.0	2	0.2	0.0- 0.4	14	1.1	0.3- 1.9	4	0.3	0.0- 0.7	2833	96.4	95.2-97.6
18-24	373	82,398	17	6.3	3.2- 9.4	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9	2	0.7	0.0- 1.7	349	91.0	87.5-94.5
25-34	547	115,187	16	4.2	2.0- 6.4	2	0.5	0.0- 1.3				7	2.1	0.5- 3.7				522	93.2	90.5-95.9
35-44	659	99,432	12	3.3	1.1- 5.5	2	0.5	0.0- 1.1	1	0.3	0.0- 0.9	4	0.8	0.0- 1.6	3	0.9	0.0- 2.1	637	94.3	91.8-96.8
45-54	736	79,631	4	0.7	0.0- 1.5	1	0.1	0.0- 0.3				1	0.4	0.0- 1.2				730	98.8	97.8-99.8
55-64	1053	92,169	3	0.6	0.0- 1.4	1	0.2	0.0- 0.6				7	0.8	0.2- 1.4	1	0.2	0.0- 0.6	1041	98.2	97.0-99.4
65+	2507	129,861	2	0.2	0.0- 0.6							4	0.4	0.0- 0.8				2501	99.4	98.8- 100
Less Than H.S.	271	46,495	10	8.3	3.0-13.6							2	1.6	0.0- 4.0	1	0.9	0.0- 2.7	258	89.2	83.3-95.1
H.S. or G.E.D.	1646	159,061	25	3.7	2.1- 5.3	2	0.5	0.0- 1.1	1	0.2	0.0- 0.6	6	0.6	0.0- 1.2	4	0.7	0.1- 1.3	1608	94.4	92.6-96.2
Some Post-H.S.	1920	226,515	14	1.7	0.7- 2.7	1	0.1	0.0- 0.3				11	1.4	0.6- 2.2	1	0.1	0.0- 0.3	1893	96.7	95.3-98.1
College Graduate	2023	164,543	4	0.5	0.0- 1.1	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	7	0.6	0.0- 1.2				2007	98.3	97.5-99.1
Less than \$15,000	201	24,422	5	4.4	0.5- 8.3	1	0.5	0.0- 1.5				3	5.6	0.0-11.9	1	1.0	0.0- 3.0	191	88.5	81.1-95.9
\$15,000- 24,999	394	34,417	1	0.6	0.0- 1.8							3	1.3	0.0- 3.1				390	98.1	95.9- 100
\$25,000- 34,999	523	51,381	9	4.1	1.0- 7.2	1	0.8	0.0- 2.4	1	0.4	0.0- 1.2	2	1.3	0.0- 3.1	1	0.8	0.0- 2.4	509	92.5	88.4-96.6
\$35,000- 49,999	722	67,411	10	3.5	1.1- 5.9							4	1.4	0.0- 2.8	2	0.6	0.0- 1.4	706	94.5	91.6-97.4
\$50,000- 99,999	1600	164,480	13	2.0	0.8- 3.2	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	1581	97.2	95.8-98.6
\$100,000 - 199,999	1021	111,408	7	2.1	0.5- 3.7	2	0.6	0.0- 1.4				5	0.7	0.1- 1.3				1007	96.7	94.7-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3000	305,781	33	2.9	1.9- 3.9	6	0.5	0.1- 0.9	12	0.8	0.2- 1.4	2	0.2	0.0- 0.6	2947	95.5	94.3-96.7
18-24	229	43,595	9	5.9	1.8-10.0	1	0.9	0.0- 2.7	2	1.1	0.0- 2.7				217	92.0	87.3-96.7
25-34	335	62,126	11	5.7	2.4- 9.0	2	0.9	0.0- 2.3	3	1.4	0.0- 3.0				319	92.0	88.1-95.9
35-44	373	52,238	9	3.6	1.1- 6.1	2	0.9	0.0- 2.1	1	0.5	0.0- 1.5	2	1.3	0.0- 3.1	359	93.7	90.2-97.2
45-54	364	40,796	1	0.1	0.0- 0.3				1	0.7	0.0- 2.1				362	99.2	97.8- 100
55-64	520	46,811	2	1.0	0.0- 2.6	1	0.4	0.0- 1.2	3	0.7	0.0- 1.7				514	97.8	95.8-99.8
65+	1179	60,215	1	0.4	0.0- 1.2				2	0.6	0.0- 1.4				1176	99.0	97.8- 100
Less Than H.S.	156	27,456	7	9.3	2.4-16.2				1	0.7	0.0- 2.1	1	1.6	0.0- 4.7	147	88.4	81.0-95.8
H.S. or G.E.D.	899	89,348	17	4.4	2.2- 6.6	2	0.8	0.0- 2.0	4	0.9	0.0- 1.9	1	0.3	0.0- 0.9	875	93.6	91.1-96.1
Some Post-H.S.	949	112,327	7	1.7	0.3- 3.1	1	0.3	0.0- 0.9	5	1.2	0.2- 2.2				936	96.9	95.1-98.7
College Graduate	985	74,874	1	0.2	0.0- 0.6	3	0.8	0.0- 1.6	2	0.4	0.0- 1.0				979	98.6	97.4-99.8
Less than \$15,000	85	8,732	1	1.3	0.0- 3.8										84	98.7	96.2- 100
\$15,000- 24,999	166	15,579							2	2.2	0.0- 5.7				164	97.8	94.3- 100
\$25,000- 34,999	249	25,872	7	6.4	1.1-11.7	1	1.5	0.0- 4.4	1	1.3	0.0- 3.8	1	1.7	0.0- 4.8	239	89.1	82.2-96.0
\$35,000- 49,999	363	36,106	7	5.2	1.3- 9.1				1	0.6	0.0- 1.8	1	0.6	0.0- 1.8	354	93.6	89.3-97.9
\$50,000- 99,999	841	85,150	8	2.1	0.5- 3.7	2	0.5	0.0- 1.1	1	0.2	0.0- 0.6				830	97.2	95.4-99.0
\$100,000 - 199,999	620	64,664	5	2.5	0.3- 4.7	2	1.0	0.0- 2.4	3	0.8	0.0- 1.8				610	95.7	93.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	292,897	21	2.0	1.0- 3.0	1	0.0	0.0- 0.0	2	0.2	0.0- 0.4	14	1.1	0.3- 1.9	4	0.3	0.0- 0.7	2833	96.4	95.2-97.6
18-24	144	38,803	8	6.8	2.1-11.5				1	0.5	0.0- 1.5	1	1.4	0.0- 4.1	2	1.4	0.0- 3.4	132	89.9	84.2-95.6
25-34	212	53,061	5	2.5	0.1- 4.9							4	2.9	0.0- 5.8				203	94.6	90.9-98.3
35-44	286	47,194	3	2.8	0.0- 6.3				1	0.5	0.0- 1.5	3	1.2	0.0- 2.8	1	0.5	0.0- 1.5	278	94.8	90.9-98.7
45-54	372	38,835	3	1.3	0.0- 2.9	1	0.3	0.0- 0.9										368	98.3	96.7-99.9
55-64	533	45,358	1	0.1	0.0- 0.3							4	0.9	0.1- 1.7	1	0.4	0.0- 1.2	527	98.6	97.4-99.8
65+	1328	69,646	1	0.0	0.0- 0.0							2	0.3	0.0- 0.7				1325	99.7	99.3- 100
Less Than H.S.	115	19,039	3	6.9	0.0-15.1							1	2.8	0.0- 8.1				111	90.3	80.7-99.9
H.S. or G.E.D.	747	69,712	8	2.8	0.6- 5.0				1	0.4	0.0- 1.2	2	0.2	0.0- 0.6	3	1.2	0.0- 2.6	733	95.4	92.9-97.9
Some Post-H.S.	971	114,187	7	1.8	0.4- 3.2							6	1.6	0.2- 3.0	1	0.2	0.0- 0.6	957	96.5	94.5-98.5
College Graduate	1038	89,669	3	0.7	0.0- 1.5	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	5	0.9	0.1- 1.7				1028	98.1	96.7-99.5
Less than \$15,000	116	15,690	4	6.1	0.2-12.0	1	0.8	0.0- 2.4				3	8.8	0.0-18.4	1	1.6	0.0- 4.7	107	82.8	71.8-93.8
\$15,000- 24,999	228	18,838	1	1.1	0.0- 3.3							1	0.6	0.0- 1.8				226	98.3	95.9- 100
\$25,000- 34,999	274	25,509	2	1.7	0.0- 4.8				1	0.8	0.0- 2.4	1	1.4	0.0- 4.1				270	96.1	91.8- 100
\$35,000- 49,999	359	31,305	3	1.5	0.0- 3.7							3	2.3	0.0- 5.2	1	0.6	0.0- 1.8	352	95.6	91.9-99.3
\$50,000- 99,999	759	79,330	5	1.8	0.0- 3.6				1	0.3	0.0- 0.9				2	0.7	0.0- 1.7	751	97.2	95.2-99.2
\$100,000 - 199,999	401	46,744	2	1.6	0.0- 3.8							2	0.5	0.0- 1.1				397	98.0	95.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5821	592,717	5297	87.5	86.1-88.9	76	2.8	2.0- 3.6	274	4.8	4.0- 5.6	48	1.7	1.1- 2.3	12	0.5	0.1- 0.9	114	2.8	2.0- 3.6
Male	2958	301,213	2700	87.3	85.5-89.1	45	2.8	1.8- 3.8	122	4.3	3.3- 5.3	22	1.7	0.9- 2.5	8	0.7	0.1- 1.3	61	3.3	2.3- 4.3
Female	2863	291,504	2597	87.8	86.0-89.6	31	2.8	1.6- 4.0	152	5.2	4.0- 6.4	26	1.6	0.8- 2.4	4	0.2	0.0- 0.4	53	2.3	1.3- 3.3
18-24	369	81,262	292	77.3	72.2-82.4	20	7.0	3.9-10.1	31	6.5	3.8- 9.2	8	2.8	0.8- 4.8	5	2.0	0.0- 4.2	13	4.4	1.7- 7.1
25-34	545	114,950	442	80.9	77.0-84.8	21	4.8	2.6- 7.0	37	5.5	3.3- 7.7	13	3.0	1.2- 4.8	3	0.5	0.0- 1.1	29	5.2	3.0- 7.4
35-44	645	97,095	560	86.4	83.1-89.7	16	2.7	1.3- 4.1	42	5.3	3.3- 7.3	14	3.0	1.2- 4.8				13	2.5	0.5- 4.5
45-54	734	79,397	650	89.3	86.8-91.8	11	2.3	0.7- 3.9	46	4.9	3.1- 6.7	3	0.6	0.0- 1.2	4	0.6	0.0- 1.2	20	2.3	1.1- 3.5
55-64	1043	91,443	951	91.7	89.5-93.9	5	0.8	0.0- 1.6	63	5.5	3.7- 7.3	5	0.4	0.0- 0.8				19	1.6	0.8- 2.4
65+	2485	128,570	2402	96.6	95.8-97.4	3	0.2	0.0- 0.4	55	1.9	1.3- 2.5	5	0.3	0.1- 0.5				20	1.0	0.4- 1.6
Less Than H.S.	268	45,813	216	70.9	62.7-79.1	6	6.5	1.4-11.6	32	10.2	5.7-14.7	3	2.6	0.0- 5.9	3	2.7	0.0- 6.2	8	7.1	1.8-12.4
H.S. or G.E.D.	1637	157,690	1490	85.5	83.0-88.0	24	3.1	1.9- 4.3	74	5.6	4.0- 7.2	8	1.5	0.5- 2.5	5	0.6	0.0- 1.2	36	3.7	2.3- 5.1
Some Post-H.S.	1902	224,231	1732	89.7	87.7-91.7	21	2.4	1.4- 3.4	99	4.7	3.5- 5.9	8	0.7	0.1- 1.3	3	0.1	0.0- 0.3	39	2.3	1.3- 3.3
College Graduate	2001	163,245	1846	91.0	89.2-92.8	25	2.0	1.0- 3.0	69	2.5	1.7- 3.3	29	2.9	1.7- 4.1	1	0.1	0.0- 0.3	31	1.6	1.0- 2.2
Less than \$15,000	202	24,803	160	69.4	60.0-78.8	6	6.4	1.1-11.7	30	15.8	9.1-22.5	2	3.1	0.0- 8.2	1	0.5	0.0- 1.5	3	4.8	0.0-10.7
\$15,000- 24,999	385	33,637	329	78.5	72.2-84.8	6	4.0	0.5- 7.5	36	13.1	7.8-18.4	3	1.7	0.0- 3.7				11	2.7	0.5- 4.9
\$25,000- 34,999	518	50,588	463	82.5	77.2-87.8	10	4.1	1.4- 6.8	29	6.3	3.4- 9.2	5	3.1	0.4- 5.8	1	0.8	0.0- 2.4	10	3.2	0.7- 5.7
\$35,000- 49,999	717	67,129	651	88.6	85.3-91.9	5	1.6	0.2- 3.0	40	5.0	3.0- 7.0	7	1.5	0.1- 2.9				14	3.3	1.1- 5.5
\$50,000- 99,999	1591	163,784	1476	90.1	87.7-92.5	13	1.7	0.7- 2.7	61	3.9	2.5- 5.3	7	0.9	0.1- 1.7	5	0.8	0.0- 1.8	29	2.5	1.3- 3.7
\$100,000 - 199,999	1014	110,440	941	91.7	89.3-94.1	7	0.9	0.1- 1.7	31	2.5	1.1- 3.9	14	2.1	0.9- 3.3				21	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	301,213	2700	87.3	85.5-89.1	45	2.8	1.8- 3.8	122	4.3	3.3- 5.3	22	1.7	0.9- 2.5	8	0.7	0.1- 1.3	61	3.3	2.3- 4.3
18-24	227	43,169	188	80.2	73.5-86.9	9	4.5	1.6- 7.4	12	4.1	1.2- 7.0	4	2.7	0.0- 5.4	4	2.9	0.0- 6.6	10	5.5	1.4- 9.6
25-34	333	61,971	284	82.9	77.8-88.0	11	4.2	1.5- 6.9	14	3.6	1.2- 6.0	7	3.2	0.5- 5.9	1	0.6	0.0- 1.8	16	5.6	2.5- 8.7
35-44	360	49,974	314	85.0	80.3-89.7	13	3.9	1.5- 6.3	19	5.4	2.3- 8.5	5	2.6	0.1- 5.1				9	3.2	0.8- 5.6
45-54	363	40,636	320	87.4	83.3-91.5	6	3.1	0.6- 5.6	26	6.1	3.2- 9.0	1	0.4	0.0- 1.2	3	0.9	0.0- 1.9	7	2.1	0.3- 3.9
55-64	512	46,230	466	90.4	87.3-93.5	4	1.4	0.0- 3.0	30	5.8	3.3- 8.3	3	0.5	0.0- 1.1				9	1.9	0.5- 3.3
65+	1163	59,234	1128	96.5	95.1-97.9	2	0.2	0.0- 0.4	21	1.8	0.8- 2.8	2	0.3	0.0- 0.7				10	1.2	0.2- 2.2
Less Than H.S.	153	26,774	125	72.0	61.4-82.6	1	1.9	0.0- 5.6	17	10.5	4.2-16.8	2	4.1	0.0- 9.8	2	4.0	0.0- 9.7	6	7.5	0.8-14.2
H.S. or G.E.D.	888	87,916	805	85.7	82.4-89.0	12	2.8	1.2- 4.4	39	5.0	3.2- 6.8	3	1.1	0.0- 2.3	3	0.6	0.0- 1.6	26	4.9	2.7- 7.1
Some Post-H.S.	936	110,734	865	90.8	88.3-93.3	13	2.9	1.3- 4.5	38	3.5	1.9- 5.1	2	0.5	0.0- 1.3	2	0.2	0.0- 0.4	16	2.0	0.8- 3.2
College Graduate	971	74,266	895	89.1	86.4-91.8	19	3.2	1.6- 4.8	28	2.5	1.3- 3.7	15	3.2	1.4- 5.0	1	0.2	0.0- 0.6	13	1.8	0.6- 3.0
Less than \$15,000	85	8,732	69	72.5	57.4-87.6	1	2.3	0.0- 6.8	13	16.4	6.0-26.8	2	8.8	0.0-22.3						
\$15,000- 24,999	159	14,943	134	78.4	68.8-88.0	3	4.1	0.0- 9.2	15	10.4	3.1-17.7	2	3.1	0.0- 7.4				5	4.0	0.0- 8.3
\$25,000- 34,999	245	25,148	216	79.8	72.0-87.6	5	3.7	0.4- 7.0	13	5.3	2.0- 8.6	4	5.2	0.0-10.5	1	1.6	0.0- 4.7	6	4.4	0.1- 8.7
\$35,000- 49,999	358	35,824	329	89.2	84.5-93.9	3	1.6	0.0- 3.6	15	3.6	1.6- 5.6	2	1.0	0.0- 2.8				9	4.6	0.9- 8.3
\$50,000- 99,999	835	84,780	778	89.7	86.4-93.0	8	1.6	0.4- 2.8	30	4.6	2.4- 6.8				4	1.2	0.0- 3.0	15	2.9	1.1- 4.7
\$100,000 - 199,999	614	63,787	569	90.6	87.3-93.9	5	1.2	0.0- 2.4	18	2.4	0.8- 4.0	8	2.0	0.4- 3.6				14	3.7	1.3- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2863	291,504	2597	87.8	86.0-89.6	31	2.8	1.6- 4.0	152	5.2	4.0- 6.4	26	1.6	0.8- 2.4	4	0.2	0.0- 0.4	53	2.3	1.3- 3.3
18-24	142	38,093	104	74.0	66.0-82.0	11	9.7	3.8-15.6	19	9.3	4.4-14.2	4	2.9	0.2- 5.6	1	0.8	0.0- 2.4	3	3.2	0.0- 6.9
25-34	212	52,979	158	78.7	72.6-84.8	10	5.5	1.8- 9.2	23	7.8	4.1-11.5	6	2.7	0.3- 5.1	2	0.5	0.0- 1.1	13	4.8	1.7- 7.9
35-44	285	47,121	246	88.0	83.5-92.5	3	1.3	0.0- 2.9	23	5.3	2.8- 7.8	9	3.5	1.1- 5.9				4	1.9	0.0- 4.8
45-54	371	38,761	330	91.3	88.4-94.2	5	1.5	0.1- 2.9	20	3.6	1.8- 5.4	2	0.8	0.0- 2.0	1	0.3	0.0- 0.9	13	2.5	0.9- 4.1
55-64	531	45,213	485	93.0	90.3-95.7	1	0.2	0.0- 0.6	33	5.3	2.8- 7.8	2	0.3	0.0- 0.7				10	1.2	0.2- 2.2
65+	1322	69,336	1274	96.7	95.5-97.9	1	0.2	0.0- 0.6	34	2.0	1.2- 2.8	3	0.3	0.0- 0.7				10	0.8	0.2- 1.4
Less Than H.S.	115	19,039	91	69.3	56.4-82.2	5	13.0	2.0-24.0	15	9.9	3.6-16.2	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	2	6.5	0.0-15.1
H.S. or G.E.D.	749	69,774	685	85.3	81.4-89.2	12	3.5	1.3- 5.7	35	6.4	3.9- 8.9	5	2.0	0.2- 3.8	2	0.6	0.0- 1.6	10	2.1	0.5- 3.7
Some Post-H.S.	966	113,497	867	88.6	85.7-91.5	8	1.9	0.5- 3.3	61	5.9	3.9- 7.9	6	0.9	0.1- 1.7	1	0.1	0.0- 0.3	23	2.5	0.9- 4.1
College Graduate	1030	88,979	951	92.6	90.4-94.8	6	1.0	0.0- 2.0	41	2.5	1.5- 3.5	14	2.6	1.2- 4.0				18	1.4	0.6- 2.2
Less than \$15,000	117	16,071	91	67.8	55.6-80.0	5	8.6	1.0-16.2	17	15.5	7.1-23.9				1	0.8	0.0- 2.4	3	7.4	0.0-16.2
\$15,000- 24,999	226	18,695	195	78.6	70.2-87.0	3	3.9	0.0- 8.8	21	15.3	7.9-22.7	1	0.5	0.0- 1.5				6	1.7	0.1- 3.3
\$25,000- 34,999	273	25,440	247	85.3	78.6-92.0	5	4.4	0.1- 8.7	16	7.4	2.7-12.1	1	0.9	0.0- 2.7				4	2.0	0.0- 4.9
\$35,000- 49,999	359	31,305	322	88.0	83.1-92.9	2	1.6	0.0- 3.8	25	6.6	3.1-10.1	5	2.0	0.0- 4.4				5	1.8	0.0- 3.8
\$50,000- 99,999	756	79,003	698	90.6	87.5-93.7	5	1.8	0.0- 3.6	31	3.1	1.5- 4.7	7	1.9	0.3- 3.5	1	0.4	0.0- 1.2	14	2.1	0.5- 3.7
\$100,000 - 199,999	400	46,654	372	93.2	90.1-96.3	2	0.6	0.0- 1.4	13	2.7	0.3- 5.1	6	2.1	0.3- 3.9				7	1.4	0.0- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian		Pacific Islanders			Other			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	62	8,314	34	59.8	43.7-75.9	2	2.5	0.0- 6.6	17	22.7	10.7-34.7	3	6.8	0.0-17.0	1	0.7	0.0- 2.1	5	7.6	0.0-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5872	597,389	3317	55.9	54.1-57.7	592	9.0	8.0-10.0	746	6.4	5.8- 7.0	50	1.1	0.7- 1.5	999	23.5	21.9-25.1	168	4.0	3.2- 4.8
Male	3001	304,513	1709	54.9	52.5-57.3	322	9.2	8.0-10.4	198	3.5	2.7- 4.3	24	1.1	0.5- 1.7	651	26.8	24.6-29.0	97	4.6	3.4- 5.8
Female	2871	292,876	1608	57.0	54.5-59.5	270	8.8	7.4-10.2	548	9.4	8.2-10.6	26	1.2	0.6- 1.8	348	20.2	17.8-22.6	71	3.4	2.4- 4.4
Native	265	26,085	85	32.6	24.6-40.6	40	14.0	8.7-19.3	30	6.5	3.2- 9.8	13	5.1	1.8- 8.4	81	35.9	27.9-43.9	16	5.9	1.4-10.4
Non-Native	5529	564,479	3183	56.9	55.1-58.7	544	8.8	7.8- 9.8	709	6.4	5.6- 7.2	37	1.0	0.6- 1.4	906	23.0	21.4-24.6	150	3.9	3.1- 4.7
18-24	370	81,833	34	12.0	7.9-16.1				1	0.9	0.0- 2.7	1	0.4	0.0- 1.2	304	78.5	73.4-83.6	30	8.2	5.1-11.3
25-34	543	114,308	241	47.4	42.5-52.3	25	5.3	2.9- 7.7	4	1.5	0.0- 3.1	9	1.8	0.4- 3.2	215	35.8	31.3-40.3	49	8.0	5.5-10.5
35-44	655	98,852	439	68.0	63.9-72.1	72	12.1	9.0-15.2	3	0.4	0.0- 1.0	11	1.9	0.7- 3.1	105	14.5	11.6-17.4	25	3.2	1.8- 4.6
45-54	739	79,904	517	71.0	67.3-74.7	83	11.6	8.9-14.3	23	3.2	1.8- 4.6	8	1.5	0.3- 2.7	87	9.7	7.3-12.1	21	3.0	1.6- 4.4
55-64	1056	92,436	697	70.7	67.6-73.8	145	13.5	11.1-15.9	64	5.1	3.5- 6.7	8	0.9	0.1- 1.7	118	8.0	6.2- 9.8	24	1.8	1.0- 2.6
65+	2509	130,056	1389	62.1	59.9-64.3	267	10.8	9.2-12.4	651	21.5	19.7-23.3	13	0.4	0.2- 0.6	170	4.5	3.7- 5.3	19	0.7	0.3- 1.1
Less Than H.S.	272	46,548	97	36.7	29.1-44.3	37	12.3	7.0-17.6	69	14.4	8.9-19.9	1	0.6	0.0- 1.8	54	28.1	20.7-35.5	14	7.8	3.3-12.3
H.S. or G.E.D.	1649	159,520	805	46.8	43.7-49.9	175	9.7	7.9-11.5	273	7.4	6.2- 8.6	20	1.9	0.9- 2.9	323	28.9	25.8-32.0	53	5.3	3.7- 6.9
Some Post-H.S.	1917	225,714	1075	57.0	54.1-59.9	203	8.6	7.0-10.2	234	5.9	4.9- 6.9	19	1.2	0.6- 1.8	333	24.0	21.3-26.7	53	3.3	2.1- 4.5
College Graduate	2024	164,716	1335	68.7	66.2-71.2	176	8.0	6.6- 9.4	168	3.8	3.0- 4.6	10	0.5	0.1- 0.9	287	16.2	14.0-18.4	48	2.7	1.7- 3.7
Less than \$15,000	200	24,564	20	6.1	2.8- 9.4	58	26.4	18.4-34.4	43	13.4	7.1-19.7	4	1.5	0.0- 3.3	69	48.2	38.6-57.8	6	4.5	0.6- 8.4
\$15,000- 24,999	391	34,300	68	20.6	14.9-26.3	79	16.9	12.4-21.4	130	19.1	15.0-23.2	6	2.3	0.3- 4.3	99	37.0	30.1-43.9	9	4.0	0.7- 7.3
\$25,000- 34,999	524	51,333	173	35.4	29.5-41.3	83	14.9	10.8-19.0	114	11.5	8.6-14.4	7	1.6	0.0- 3.2	124	29.4	23.7-35.1	23	7.2	3.7-10.7
\$35,000- 49,999	721	67,274	329	42.6	37.9-47.3	87	12.3	9.4-15.2	124	8.6	6.6-10.6	7	1.4	0.0- 2.8	149	29.7	24.8-34.6	25	5.4	2.9- 7.9
\$50,000- 99,999	1600	164,227	1056	64.6	61.5-67.7	110	6.1	4.7- 7.5	111	3.4	2.4- 4.4	11	1.0	0.2- 1.8	253	20.1	17.4-22.8	59	4.8	3.4- 6.2
\$100,000 - 199,999	1021	111,348	847	82.8	79.9-85.7	52	4.0	2.6- 5.4	25	1.1	0.5- 1.7	7	1.0	0.0- 2.0	70	8.6	6.2-11.0	20	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3001	304,513	1709	54.9	52.5-57.3	322	9.2	8.0-10.4	198	3.5	2.7- 4.3	24	1.1	0.5- 1.7	651	26.8	24.6-29.0	97	4.6	3.4- 5.8
Native	119	12,596	43	39.2	27.0-51.4	21	15.6	7.6-23.6	11	5.6	1.7- 9.5	5	4.3	0.0- 9.0	32	26.5	16.3-36.7	7	8.8	0.2-17.4
Non-Native	2826	287,177	1629	55.3	52.9-57.7	295	8.9	7.7-10.1	184	3.4	2.6- 4.2	19	0.9	0.3- 1.5	610	27.0	24.8-29.2	89	4.4	3.2- 5.6
18-24	225	42,649	15	10.0	4.7-15.3							1	0.7	0.0- 2.1	191	80.9	74.4-87.4	18	8.4	4.1-12.7
25-34	332	61,328	139	44.9	38.8-51.0	13	4.3	1.9- 6.7	1	1.0	0.0- 3.0	4	2.0	0.0- 4.0	143	38.4	32.7-44.1	32	9.3	5.8-12.8
35-44	369	51,658	233	63.7	58.2-69.2	36	10.8	7.1-14.5	1	0.1	0.0- 0.3	7	2.2	0.4- 4.0	76	19.1	14.8-23.4	16	4.1	1.7- 6.5
45-54	372	41,544	251	68.3	62.8-73.8	45	12.8	8.9-16.7	11	3.1	1.1- 5.1				55	12.4	8.7-16.1	10	3.3	0.9- 5.7
55-64	522	46,936	332	69.3	64.8-73.8	93	16.7	13.0-20.4	13	2.5	0.9- 4.1	5	0.9	0.1- 1.7	70	9.4	6.9-11.9	9	1.2	0.4- 2.0
65+	1181	60,396	739	68.9	65.8-72.0	135	10.9	8.7-13.1	172	12.3	10.1-14.5	7	0.3	0.1- 0.5	116	6.6	5.2- 8.0	12	1.0	0.4- 1.6
Less Than H.S.	157	27,509	62	40.6	30.6-50.6	23	10.6	4.9-16.3	24	7.7	2.6-12.8				36	29.1	19.7-38.5	12	12.0	4.9-19.1
H.S. or G.E.D.	902	89,483	446	45.2	41.3-49.1	103	9.6	7.4-11.8	70	3.8	2.8- 4.8	11	1.9	0.5- 3.3	240	34.2	30.3-38.1	32	5.3	3.3- 7.3
Some Post-H.S.	947	111,516	529	56.7	52.8-60.6	118	9.7	7.5-11.9	53	2.7	1.7- 3.7	8	1.1	0.1- 2.1	208	26.2	22.7-29.7	31	3.6	2.0- 5.2
College Graduate	988	75,329	668	69.1	65.6-72.6	77	7.4	5.4- 9.4	51	2.8	1.8- 3.8	5	0.5	0.1- 0.9	165	17.8	14.9-20.7	22	2.5	1.3- 3.7
Less than \$15,000	84	8,519	8	7.3	0.6-14.0	25	27.8	16.0-39.6	14	14.8	1.1-28.5	2	0.9	0.0- 2.3	32	43.3	29.0-57.6	3	5.9	0.0-12.8
\$15,000- 24,999	166	15,579	36	24.5	15.5-33.5	36	16.5	9.8-23.2	30	10.8	6.1-15.5				60	42.2	32.0-52.4	4	6.0	0.0-12.7
\$25,000- 34,999	249	25,764	85	34.1	26.1-42.1	39	14.3	8.4-20.2	35	8.2	4.7-11.7	2	0.2	0.0- 0.4	76	34.9	26.9-42.9	12	8.2	2.9-13.5
\$35,000- 49,999	363	35,994	163	41.5	35.0-48.0	51	13.3	9.2-17.4	30	3.8	2.0- 5.6	3	1.5	0.0- 3.9	105	35.8	29.3-42.3	11	4.2	1.3- 7.1
\$50,000- 99,999	842	85,141	522	59.0	54.7-63.3	67	7.3	5.1- 9.5	34	1.7	0.9- 2.5	7	1.5	0.3- 2.7	175	24.5	20.8-28.2	37	5.9	3.7- 8.1
\$100,000 - 199,999	621	64,787	497	79.4	75.3-83.5	37	5.1	3.1- 7.1	15	1.0	0.4- 1.6	6	1.6	0.0- 3.2	52	10.1	7.0-13.2	14	2.8	0.8- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2871	292,876	1608	57.0	54.5-59.5	270	8.8	7.4-10.2	548	9.4	8.2-10.6	26	1.2	0.6- 1.8	348	20.2	17.8-22.6	71	3.4	2.4- 4.4
Native	146	13,489	42	26.3	16.3-36.3	19	12.5	5.8-19.2	19	7.4	2.1-12.7	8	5.9	1.0-10.8	49	44.8	33.4-56.2	9	3.1	0.7- 5.5
Non-Native	2703	277,302	1554	58.6	56.1-61.1	249	8.7	7.3-10.1	525	9.5	8.3-10.7	18	1.0	0.4- 1.6	296	18.8	16.4-21.2	61	3.4	2.4- 4.4
18-24	145	39,184	19	14.2	7.7-20.7				1	1.9	0.0- 5.6				113	75.9	67.9-83.9	12	8.0	3.3-12.7
25-34	211	52,980	102	50.4	42.8-58.0	12	6.5	2.6-10.4	3	2.1	0.0- 4.6	5	1.7	0.1- 3.3	72	32.9	25.8-40.0	17	6.5	3.0-10.0
35-44	286	47,194	206	72.7	66.6-78.8	36	13.4	8.5-18.3	2	0.7	0.0- 1.7	4	1.6	0.0- 3.2	29	9.4	5.7-13.1	9	2.2	0.6- 3.8
45-54	367	38,359	266	74.0	68.9-79.1	38	10.3	6.6-14.0	12	3.3	1.3- 5.3	8	3.1	0.7- 5.5	32	6.7	4.2- 9.2	11	2.6	0.8- 4.4
55-64	534	45,500	365	72.0	67.5-76.5	52	10.3	7.2-13.4	51	7.8	5.1-10.5	3	1.0	0.0- 2.2	48	6.6	4.2- 9.0	15	2.4	1.0- 3.8
65+	1328	69,660	650	56.2	53.1-59.3	132	10.8	8.6-13.0	479	29.5	26.6-32.4	6	0.4	0.0- 0.8	54	2.7	1.9- 3.5	7	0.4	0.0- 0.8
Less Than H.S.	115	19,039	35	31.1	19.5-42.7	14	14.9	4.7-25.1	45	24.1	13.5-34.7	1	1.6	0.0- 4.7	18	26.6	14.4-38.8	2	1.8	0.0- 4.3
H.S. or G.E.D.	747	70,037	359	48.7	43.8-53.6	72	9.8	7.1-12.5	203	12.1	9.9-14.3	9	1.9	0.5- 3.3	83	22.2	17.5-26.9	21	5.3	2.8- 7.8
Some Post-H.S.	970	114,198	546	57.4	53.1-61.7	85	7.5	5.5- 9.5	181	9.0	7.4-10.6	11	1.3	0.5- 2.1	125	22.0	17.9-26.1	22	2.9	1.3- 4.5
College Graduate	1036	89,387	667	68.5	64.8-72.2	99	8.5	6.5-10.5	117	4.7	3.5- 5.9	5	0.5	0.0- 1.1	122	14.9	11.8-18.0	26	2.9	1.5- 4.3
Less than \$15,000	116	16,045	12	5.5	1.8- 9.2	33	25.6	15.0-36.2	29	12.6	6.7-18.5	2	1.9	0.0- 4.4	37	50.7	38.4-63.0	3	3.7	0.0- 8.4
\$15,000- 24,999	225	18,721	32	17.4	10.3-24.5	43	17.3	11.2-23.4	100	26.0	19.5-32.5	6	4.2	0.5- 7.9	39	32.7	23.1-42.3	5	2.4	0.0- 4.9
\$25,000- 34,999	275	25,569	88	36.6	28.2-45.0	44	15.6	9.7-21.5	79	14.8	10.3-19.3	5	3.0	0.0- 6.1	48	23.9	16.1-31.7	11	6.1	1.6-10.6
\$35,000- 49,999	358	31,280	166	43.8	36.7-50.9	36	11.1	6.8-15.4	94	14.2	10.5-17.9	4	1.4	0.0- 3.0	44	22.8	15.5-30.1	14	6.8	2.5-11.1
\$50,000- 99,999	758	79,085	534	70.6	66.1-75.1	43	4.8	3.0- 6.6	77	5.2	3.2- 7.2	4	0.5	0.0- 1.1	78	15.4	11.5-19.3	22	3.6	1.8- 5.4
\$100,000 - 199,999	400	46,561	350	87.7	83.6-91.8	15	2.5	0.7- 4.3	10	1.2	0.2- 2.2	1	0.2	0.0- 0.6	18	6.5	3.2- 9.8	6	2.1	0.0- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5889	599,482	3	0.2	0.0- 0.4	86	1.6	1.2- 2.0	183	6.0	5.0- 7.0	1655	26.7	25.3-28.1	1927	37.9	36.1-39.7	2035	27.6	26.2-29.0
Male	3007	305,812	3	0.4	0.0- 1.0	53	1.7	1.1- 2.3	101	6.9	5.3- 8.5	904	29.4	27.4-31.4	952	36.8	34.6-39.0	994	24.8	23.0-26.6
Female	2882	293,670				33	1.5	0.7- 2.3	82	5.0	3.6- 6.4	751	23.9	21.7-26.1	975	39.1	36.6-41.6	1041	30.6	28.4-32.8
Native	265	26,085				2	1.0	0.0- 2.6	28	15.8	8.7-22.9	71	31.7	24.1-39.3	97	37.5	29.5-45.5	67	14.1	9.6-18.6
Non-Native	5543	566,177	3	0.2	0.0- 0.4	83	1.6	1.0- 2.2	154	5.6	4.4- 6.8	1567	26.5	24.9-28.1	1806	37.9	36.1-39.7	1930	28.1	26.7-29.5
18-24	373	82,490				1	0.9	0.0- 2.7	20	9.4	5.3-13.5	151	36.6	31.3-41.9	140	40.1	34.4-45.8	61	12.9	9.6-16.2
25-34	545	114,698	2	0.9	0.0- 2.1	2	1.0	0.0- 2.4	19	6.3	3.4- 9.2	150	26.6	22.5-30.7	172	36.8	32.1-41.5	200	28.5	24.6-32.4
35-44	659	99,455				3	0.9	0.0- 1.9	24	7.8	4.7-10.9	145	21.7	18.2-25.2	190	33.4	29.1-37.7	297	36.2	32.3-40.1
45-54	742	80,136				6	1.2	0.2- 2.2	16	3.8	1.8- 5.8	136	18.1	15.0-21.2	245	39.1	35.0-43.2	339	37.9	34.2-41.6
55-64	1058	92,483	1	0.4	0.0- 1.2	5	0.7	0.1- 1.3	30	4.5	2.5- 6.5	307	28.4	25.3-31.5	351	39.9	36.4-43.4	364	26.0	23.3-28.7
65+	2512	130,220				69	3.8	2.8- 4.8	74	4.5	3.3- 5.7	766	28.3	26.3-30.3	829	38.9	36.5-41.3	774	24.4	22.6-26.2
Less than \$15,000	202	24,803	1	2.6	0.0- 7.5	5	2.1	0.0- 4.3	20	19.7	10.7-28.7	81	30.0	22.2-37.8	69	36.3	27.3-45.3	26	9.3	5.0-13.6
\$15,000- 24,999	394	34,417				13	2.5	0.9- 4.1	31	12.4	7.1-17.7	157	32.2	26.3-38.1	138	40.0	33.3-46.7	55	12.9	8.6-17.2
\$25,000- 34,999	525	51,310	1	0.7	0.0- 2.1	16	2.6	0.8- 4.4	25	10.8	6.1-15.5	188	32.9	27.4-38.4	169	36.9	31.0-42.8	126	16.0	12.3-19.7
\$35,000- 49,999	722	67,425				12	1.6	0.6- 2.6	21	4.9	2.4- 7.4	260	36.3	31.6-41.0	245	38.6	33.7-43.5	184	18.6	15.3-21.9
\$50,000- 99,999	1602	164,624				8	0.7	0.0- 1.5	28	3.8	2.0- 5.6	363	23.2	20.5-25.9	556	41.6	38.5-44.7	647	30.6	27.9-33.3
\$100,000 - 199,999	1024	111,706				5	0.6	0.0- 1.6	7	1.7	0.3- 3.1	165	17.3	14.6-20.0	307	36.0	32.3-39.7	540	44.4	40.7-48.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3007	305,812	3	0.4	0.0- 1.0	53	1.7	1.1- 2.3	101	6.9	5.3- 8.5	904	29.4	27.4-31.4	952	36.8	34.6-39.0	994	24.8	23.0-26.6
Native	119	12,596							16	21.4	9.6-33.2	38	34.3	23.1-45.5	38	31.0	20.0-42.0	27	13.3	6.8-19.8
Non-Native	2830	288,096	3	0.5	0.0- 1.1	52	1.7	1.1- 2.3	84	6.4	4.8- 8.0	853	29.3	27.1-31.5	899	37.2	34.8-39.6	939	25.0	23.2-26.8
18-24	228	43,306							16	14.0	7.5-20.5	103	42.2	35.1-49.3	82	35.8	28.7-42.9	27	8.0	4.9-11.1
25-34	332	61,423	2	1.6	0.0- 4.0	1	0.8	0.0- 2.4	11	5.7	2.2- 9.2	98	28.4	23.1-33.7	108	37.2	31.3-43.1	112	26.2	21.3-31.1
35-44	373	52,261				2	1.2	0.0- 2.8	18	10.6	5.9-15.3	89	23.4	18.7-28.1	119	36.0	30.3-41.7	145	28.8	24.1-33.5
45-54	372	41,547				2	0.5	0.0- 1.3	8	4.1	1.2- 7.0	88	21.8	17.1-26.5	127	41.1	35.2-47.0	147	32.5	27.4-37.6
55-64	522	46,936	1	0.8	0.0- 2.4	3	1.0	0.0- 2.2	18	4.3	1.9- 6.7	179	33.3	28.6-38.0	164	36.8	31.9-41.7	157	23.7	19.8-27.6
65+	1180	60,339				45	5.4	3.6- 7.2	30	3.7	2.1- 5.3	347	28.5	25.6-31.4	352	35.0	31.7-38.3	406	27.4	24.7-30.1
Less than \$15,000	85	8,732	1	7.4	0.0-20.9	3	2.8	0.0- 6.9	7	10.2	1.6-18.8	38	35.6	22.7-48.5	27	35.8	22.3-49.3	9	8.2	1.9-14.5
\$15,000- 24,999	166	15,579				8	3.5	0.6- 6.4	16	15.3	6.3-24.3	66	33.8	24.8-42.8	52	35.0	25.0-45.0	24	12.4	6.3-18.5
\$25,000- 34,999	249	25,693	1	1.4	0.0- 4.1	10	2.8	0.6- 5.0	17	16.3	8.5-24.1	101	37.0	29.2-44.8	72	32.9	25.1-40.7	48	9.6	5.9-13.3
\$35,000- 49,999	363	36,120				9	2.4	0.6- 4.2	14	7.2	2.9-11.5	147	40.8	34.3-47.3	115	34.6	28.3-40.9	78	14.9	10.8-19.0
\$50,000- 99,999	843	85,422				5	0.5	0.0- 1.1	20	5.0	2.3- 7.7	216	25.6	21.9-29.3	302	43.1	38.8-47.4	300	25.7	22.4-29.0
\$100,000 - 199,999	623	64,961				5	1.1	0.0- 2.7	3	1.4	0.0- 3.0	125	21.9	18.0-25.8	192	37.6	32.7-42.5	298	37.9	33.6-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2882	293,670	33	1.5	0.7- 2.3	82	5.0	3.6- 6.4	751	23.9	21.7-26.1	975	39.1	36.6-41.6	1041	30.6	28.4-32.8
Native	146	13,489	2	1.9	0.0- 4.8	12	10.5	2.9-18.1	33	29.2	18.6-39.8	59	43.6	32.2-55.0	40	14.8	8.5-21.1
Non-Native	2713	278,081	31	1.5	0.7- 2.3	70	4.8	3.2- 6.4	714	23.7	21.5-25.9	907	38.7	36.2-41.2	991	31.4	29.2-33.6
18-24	145	39,184	1	1.9	0.0- 5.6	4	4.4	0.1- 8.7	48	30.5	22.7-38.3	58	44.8	35.8-53.8	34	18.4	12.1-24.7
25-34	213	53,275	1	1.1	0.0- 3.3	8	6.8	1.9-11.7	52	24.6	18.1-31.1	64	36.3	28.7-43.9	88	31.2	24.7-37.7
35-44	286	47,194	1	0.7	0.0- 2.1	6	4.6	0.5- 8.7	56	19.8	14.7-24.9	71	30.6	24.1-37.1	152	44.4	38.1-50.7
45-54	370	38,589	4	1.8	0.0- 3.8	8	3.5	1.0- 6.0	48	14.2	10.1-18.3	118	36.9	31.2-42.6	192	43.7	38.2-49.2
55-64	536	45,547	2	0.4	0.0- 1.0	12	4.8	1.9- 7.7	128	23.4	19.3-27.5	187	43.2	38.1-48.3	207	28.3	24.2-32.4
65+	1332	69,881	24	2.5	1.3- 3.7	44	5.3	3.5- 7.1	419	28.1	25.4-30.8	477	42.3	39.0-45.6	368	21.8	19.4-24.2
Less than \$15,000	117	16,071	2	1.7	0.0- 4.2	13	24.9	12.4-37.4	43	26.9	17.1-36.7	42	36.6	24.6-48.6	17	9.9	4.0-15.8
\$15,000- 24,999	228	18,838	5	1.8	0.0- 3.6	15	10.0	4.1-15.9	91	30.9	23.1-38.7	86	44.2	35.0-53.4	31	13.2	7.3-19.1
\$25,000- 34,999	276	25,617	6	2.4	0.0- 4.9	8	5.3	0.6-10.0	87	28.8	21.4-36.2	97	41.1	32.5-49.7	78	22.5	16.0-29.0
\$35,000- 49,999	359	31,305	3	0.6	0.0- 1.4	7	2.3	0.5- 4.1	113	31.0	24.3-37.7	130	43.1	35.7-50.5	106	22.9	17.4-28.4
\$50,000- 99,999	759	79,202	3	1.0	0.0- 2.6	8	2.4	0.0- 4.8	147	20.6	16.7-24.5	254	40.0	35.1-44.9	347	35.9	31.6-40.2
\$100,000 - 199,999	401	46,744				4	2.0	0.0- 4.4	40	11.0	7.3-14.7	115	33.6	27.7-39.5	242	53.4	47.3-59.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5874	598,348	4541	67.0	65.2-68.8	1132	27.2	25.6-28.8	201	5.8	4.8- 6.8
Male	3009	306,136	2309	66.9	64.5-69.3	594	27.9	25.7-30.1	106	5.2	4.0- 6.4
Female	2865	292,212	2232	67.1	64.6-69.6	538	26.5	24.1-28.9	95	6.4	4.8- 8.0
Native	264	25,995	174	54.5	46.1-62.9	77	39.5	31.1-47.9	13	6.0	1.9-10.1
Non-Native	5525	564,727	4301	67.6	65.8-69.4	1040	26.6	25.0-28.2	184	5.8	4.8- 6.8
18-24	371	82,214	70	19.4	14.9-23.9	221	57.4	51.7-63.1	80	23.2	18.1-28.3
25-34	545	114,581	287	51.0	46.1-55.9	230	43.0	38.3-47.7	28	5.9	3.5- 8.3
35-44	658	99,323	500	73.3	69.4-77.2	144	24.6	20.7-28.5	14	2.1	0.5- 3.7
45-54	738	80,011	611	78.8	75.3-82.3	115	19.0	15.5-22.5	12	2.2	0.8- 3.6
55-64	1056	92,335	926	87.2	84.8-89.6	109	10.8	8.4-13.2	21	2.0	1.0- 3.0
65+	2506	129,885	2147	84.6	82.8-86.4	313	13.0	11.4-14.6	46	2.4	1.6- 3.2
Less Than H.S.	271	46,501	168	47.7	39.7-55.7	84	39.8	31.6-48.0	19	12.5	6.2-18.8
H.S. or G.E.D.	1644	158,958	1159	58.4	55.3-61.5	403	33.7	30.6-36.8	82	7.9	5.9- 9.9
Some Post-H.S.	1921	226,540	1507	68.6	65.7-71.5	356	26.2	23.5-28.9	58	5.1	3.5- 6.7
College Graduate	2025	164,903	1697	78.5	76.1-80.9	287	18.8	16.4-21.2	41	2.7	1.7- 3.7
Less than \$15,000	202	24,803	77	22.7	16.0-29.4	109	66.4	58.0-74.8	16	11.0	4.5-17.5
\$15,000- 24,999	394	34,417	220	41.5	35.2-47.8	157	52.1	45.4-58.8	17	6.4	2.9- 9.9
\$25,000- 34,999	525	51,420	349	47.2	41.3-53.1	153	47.4	41.3-53.5	23	5.4	2.5- 8.3
\$35,000- 49,999	721	67,396	537	61.5	56.6-66.4	165	34.8	29.9-39.7	19	3.8	1.3- 6.3
\$50,000- 99,999	1600	164,518	1347	74.2	71.1-77.3	221	22.3	19.4-25.2	32	3.5	1.9- 5.1
\$100,000 - 199,999	1022	111,515	936	89.8	87.4-92.2	69	7.4	5.4- 9.4	17	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3009	306,136	2309	66.9	64.7-69.1	594	27.9	25.7-30.1	106	5.2	4.0- 6.4
Native	119	12,596	83	65.0	53.0-77.0	33	32.7	20.7-44.7	3	2.3	0.0- 5.0
Non-Native	2828	288,013	2175	66.8	64.4-69.2	553	27.8	25.6-30.0	100	5.3	4.1- 6.5
18-24	227	43,120	47	21.6	15.5-27.7	134	57.1	49.7-64.5	46	21.3	15.0-27.6
25-34	333	61,820	181	54.1	48.0-60.2	137	40.7	34.8-46.6	15	5.1	2.4- 7.8
35-44	373	52,235	268	67.8	62.3-73.3	99	31.0	25.5-36.5	6	1.2	0.2- 2.2
45-54	372	41,643	310	79.1	74.0-84.2	57	18.9	14.0-23.8	5	1.9	0.1- 3.7
55-64	522	46,936	455	86.3	82.8-89.8	56	12.0	8.7-15.3	11	1.7	0.5- 2.9
65+	1182	60,382	1048	88.0	85.6-90.4	111	9.8	7.6-12.0	23	2.2	1.0- 3.4
Less Than H.S.	157	27,509	107	56.0	45.6-66.4	39	32.8	22.8-42.8	11	11.2	3.8-18.6
H.S. or G.E.D.	898	88,980	625	57.7	53.6-61.8	227	35.0	30.9-39.1	46	7.3	4.9- 9.7
Some Post-H.S.	952	112,632	735	69.0	65.3-72.7	187	26.8	23.3-30.3	30	4.3	2.5- 6.1
College Graduate	991	75,613	834	78.6	75.3-81.9	139	19.6	16.3-22.9	18	1.8	0.8- 2.8
Less than \$15,000	85	8,732	39	32.3	20.0-44.6	42	60.6	47.1-74.1	4	7.1	0.0-14.7
\$15,000- 24,999	166	15,579	89	37.8	28.6-47.0	71	57.7	48.1-67.3	6	4.4	0.1- 8.7
\$25,000- 34,999	249	25,804	158	44.7	36.5-52.9	75	48.8	40.4-57.2	16	6.4	2.7-10.1
\$35,000- 49,999	364	36,184	256	58.4	51.7-65.1	95	38.7	32.0-45.4	13	2.9	0.9- 4.9
\$50,000- 99,999	843	85,422	693	72.9	68.8-77.0	132	23.1	19.4-26.8	18	4.0	1.6- 6.4
\$100,000 - 199,999	621	64,770	561	87.3	83.8-90.8	52	10.4	7.3-13.5	8	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	292,212	2232	67.1	64.6-69.6	538	26.5	24.1-28.9	95	6.4	4.8- 8.0
Native	145	13,398	91	44.7	33.7-55.7	44	45.8	34.2-57.4	10	9.5	2.1-16.9
Non-Native	2697	276,714	2126	68.3	65.8-70.8	487	25.4	23.0-27.8	84	6.3	4.7- 7.9
18-24	144	39,093	23	17.0	10.1-23.9	87	57.8	48.8-66.8	34	25.2	17.2-33.2
25-34	212	52,760	106	47.5	39.9-55.1	93	45.7	38.1-53.3	13	6.8	3.1-10.5
35-44	285	47,089	232	79.5	73.8-85.2	45	17.5	12.4-22.6	8	3.1	0.0- 6.2
45-54	366	38,368	301	78.5	73.4-83.6	58	19.1	14.2-24.0	7	2.4	0.4- 4.4
55-64	534	45,399	471	88.1	84.8-91.4	53	9.5	6.6-12.4	10	2.3	0.5- 4.1
65+	1324	69,503	1099	81.7	79.2-84.2	202	15.7	13.3-18.1	23	2.6	1.2- 4.0
Less Than H.S.	114	18,992	61	35.7	24.5-46.9	45	49.9	36.8-63.0	8	14.4	3.8-25.0
H.S. or G.E.D.	746	69,978	534	59.2	54.3-64.1	176	32.1	27.2-37.0	36	8.7	5.4-12.0
Some Post-H.S.	969	113,908	772	68.3	64.0-72.6	169	25.7	21.6-29.8	28	6.0	3.5- 8.5
College Graduate	1034	89,290	863	78.4	74.9-81.9	148	18.2	14.9-21.5	23	3.5	1.7- 5.3
Less than \$15,000	117	16,071	38	17.4	10.0-24.8	67	69.5	58.7-80.3	12	13.1	4.1-22.1
\$15,000- 24,999	228	18,838	131	44.5	35.7-53.3	86	47.4	38.2-56.6	11	8.1	2.8-13.4
\$25,000- 34,999	276	25,617	191	49.7	41.3-58.1	78	45.9	37.3-54.5	7	4.4	0.1- 8.7
\$35,000- 49,999	357	31,212	281	65.1	57.5-72.7	70	30.2	23.1-37.3	6	4.7	0.0- 9.6
\$50,000- 99,999	757	79,096	654	75.6	70.7-80.5	89	21.5	16.8-26.2	14	2.9	0.9- 4.9
\$100,000 - 199,999	401	46,744	375	93.2	90.1-96.3	17	3.2	1.4- 5.0	9	3.6	1.1- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5806	582,513	5428	92.2	91.2-93.2	171	3.2	2.6- 3.8	207	4.6	3.8- 5.4
Male	2960	296,643	2757	91.8	90.4-93.2	96	3.6	2.8- 4.4	107	4.7	3.5- 5.9
Female	2846	285,870	2671	92.7	91.3-94.1	75	2.8	2.0- 3.6	100	4.5	3.3- 5.7
Native	261	25,627	245	95.8	93.3-98.3	8	2.3	0.3- 4.3	8	1.9	0.3- 3.5
Non-Native	5458	549,495	5111	92.2	91.2-93.2	160	3.2	2.6- 3.8	187	4.6	3.8- 5.4
18-24	336	73,337	297	89.1	85.4-92.8	27	6.7	4.0- 9.4	12	4.2	1.5- 6.9
25-34	523	110,142	474	89.5	86.4-92.6	15	2.8	1.2- 4.4	34	7.7	4.8-10.6
35-44	653	98,837	603	91.9	89.4-94.4	13	2.0	0.6- 3.4	37	6.0	3.8- 8.2
45-54	738	79,733	689	94.0	92.2-95.8	18	2.2	1.0- 3.4	31	3.8	2.2- 5.4
55-64	1052	91,553	999	94.7	93.1-96.3	24	2.6	1.4- 3.8	29	2.7	1.5- 3.9
65+	2504	128,910	2366	93.7	92.5-94.9	74	3.3	2.3- 4.3	64	2.9	2.1- 3.7
Less Than H.S.	268	45,417	239	87.5	81.8-93.2	14	5.2	1.5- 8.9	15	7.3	2.8-11.8
H.S. or G.E.D.	1626	154,284	1491	89.7	87.7-91.7	75	5.4	4.0- 6.8	60	5.0	3.4- 6.6
Some Post-H.S.	1894	220,099	1794	94.0	92.4-95.6	38	1.8	1.0- 2.6	62	4.2	2.8- 5.6
College Graduate	1998	160,273	1892	94.1	92.7-95.5	43	2.4	1.6- 3.2	63	3.5	2.5- 4.5
Less than \$15,000	192	22,774	186	97.3	95.1-99.5	5	2.4	0.2- 4.6	1	0.2	0.0- 0.6
\$15,000- 24,999	385	32,723	365	93.3	89.6-97.0	14	4.1	1.4- 6.8	6	2.6	0.1- 5.1
\$25,000- 34,999	513	48,531	488	92.6	88.9-96.3	20	5.1	2.2- 8.0	5	2.3	0.0- 4.8
\$35,000- 49,999	717	66,434	682	93.8	91.3-96.3	21	3.3	1.5- 5.1	14	2.9	0.9- 4.9
\$50,000- 99,999	1573	159,201	1507	94.9	93.3-96.5	31	2.0	1.2- 2.8	35	3.2	2.0- 4.4
\$100,000 - 199,999	1012	110,031	978	96.0	94.4-97.6	12	1.2	0.4- 2.0	22	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2960	296,643	2757	91.8	90.4-93.2	96	3.6	2.8- 4.4	107	4.7	3.5- 5.9
Native	117	12,245	107	94.8	91.3-98.3	4	1.6	0.0- 3.4	6	3.6	0.5- 6.7
Non-Native	2781	278,871	2596	91.7	90.3-93.1	90	3.7	2.7- 4.7	95	4.6	3.4- 5.8
18-24	205	38,201	176	85.6	80.1-91.1	20	8.7	4.6-12.8	9	5.7	1.6- 9.8
25-34	322	59,495	295	91.3	87.8-94.8	9	3.0	1.0- 5.0	18	5.7	2.8- 8.6
35-44	372	52,121	340	90.2	86.5-93.9	7	2.3	0.3- 4.3	25	7.5	4.4-10.6
45-54	370	41,333	347	94.6	92.1-97.1	10	2.3	0.5- 4.1	13	3.1	1.1- 5.1
55-64	517	46,076	486	93.7	91.3-96.1	14	3.0	1.2- 4.8	17	3.3	1.5- 5.1
65+	1174	59,417	1113	94.3	92.7-95.9	36	3.2	2.0- 4.4	25	2.5	1.3- 3.7
Less Than H.S.	153	26,379	132	83.5	75.1-91.9	8	4.3	0.0- 8.6	13	12.2	4.8-19.6
H.S. or G.E.D.	886	86,510	812	89.8	87.3-92.3	45	5.9	3.9- 7.9	29	4.3	2.5- 6.1
Some Post-H.S.	927	107,667	882	95.1	93.3-96.9	19	2.3	1.1- 3.5	26	2.6	1.4- 3.8
College Graduate	980	73,994	923	93.3	91.3-95.3	23	2.4	1.2- 3.6	34	4.3	2.7- 5.9
Less than \$15,000	85	8,732	82	96.8	93.1- 100	2	2.5	0.0- 6.0	1	0.6	0.0- 1.8
\$15,000- 24,999	160	14,544	147	88.7	81.4-96.0	8	5.9	0.6-11.2	5	5.3	0.0-10.6
\$25,000- 34,999	241	23,895	224	87.0	79.9-94.1	14	8.9	3.2-14.6	3	4.2	0.0- 9.1
\$35,000- 49,999	358	35,129	336	92.5	88.6-96.4	15	4.6	1.9- 7.3	7	2.9	0.0- 5.8
\$50,000- 99,999	826	82,275	799	96.7	95.3-98.1	14	1.3	0.3- 2.3	13	2.0	0.8- 3.2
\$100,000 - 199,999	614	63,487	591	95.3	92.9-97.7	8	1.3	0.3- 2.3	15	3.4	1.2- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	285,870	2671	92.7	91.3-94.1	75	2.8	2.0- 3.6	100	4.5	3.3- 5.7
Native	144	13,382	138	96.8	93.1- 100	4	2.8	0.0- 6.3	2	0.4	0.0- 1.0
Non-Native	2677	270,625	2515	92.6	91.0-94.2	70	2.7	1.9- 3.5	92	4.7	3.5- 5.9
18-24	131	35,136	121	92.8	87.7-97.9	7	4.6	0.7- 8.5	3	2.6	0.0- 5.9
25-34	201	50,647	179	87.5	82.0-93.0	6	2.6	0.4- 4.8	16	9.9	4.8-15.0
35-44	281	46,716	263	93.8	90.7-96.9	6	1.7	0.1- 3.3	12	4.4	1.7- 7.1
45-54	368	38,401	342	93.5	90.8-96.2	8	2.0	0.4- 3.6	18	4.5	2.3- 6.7
55-64	535	45,477	513	95.6	93.4-97.8	10	2.3	0.7- 3.9	12	2.1	0.7- 3.5
65+	1330	69,494	1253	93.2	91.4-95.0	38	3.4	2.0- 4.8	39	3.3	2.1- 4.5
Less Than H.S.	115	19,039	107	93.1	86.6-99.6	6	6.4	0.0-12.9	2	0.5	0.0- 1.3
H.S. or G.E.D.	740	67,774	679	89.5	86.4-92.6	30	4.7	2.5- 6.9	31	5.8	3.3- 8.3
Some Post-H.S.	967	112,432	912	92.9	90.4-95.4	19	1.3	0.7- 1.9	36	5.7	3.3- 8.1
College Graduate	1018	86,279	969	94.7	92.9-96.5	20	2.4	1.2- 3.6	29	2.9	1.5- 4.3
Less than \$15,000	107	14,042	104	97.6	94.9- 100	3	2.4	0.0- 5.1			
\$15,000- 24,999	225	18,178	218	96.9	94.2-99.6	6	2.6	0.1- 5.1	1	0.5	0.0- 1.5
\$25,000- 34,999	272	24,636	264	98.0	96.4-99.6	6	1.5	0.3- 2.7	2	0.5	0.0- 1.3
\$35,000- 49,999	359	31,305	346	95.3	92.0-98.6	6	1.8	0.0- 3.6	7	2.9	0.2- 5.6
\$50,000- 99,999	747	76,925	708	92.9	90.2-95.6	17	2.6	1.2- 4.0	22	4.4	2.0- 6.8
\$100,000 - 199,999	398	46,545	387	97.0	95.0-99.0	4	1.1	0.0- 2.3	7	1.9	0.3- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5909	601,921	5412	89.6	88.4-90.8	129	2.6	2.0- 3.2	368	7.8	6.8- 8.8
Male	3021	307,905	2744	89.1	87.5-90.7	78	2.8	2.0- 3.6	199	8.1	6.7- 9.5
Female	2888	294,016	2668	90.1	88.3-91.9	51	2.4	1.4- 3.4	169	7.4	6.0- 8.8
Native	265	26,085	247	93.8	89.9-97.7	10	4.5	0.8- 8.2	8	1.8	0.4- 3.2
Non-Native	5555	567,893	5097	89.6	88.4-90.8	119	2.6	2.0- 3.2	339	7.8	6.8- 8.8
18-24	374	82,779	325	86.3	82.4-90.2	14	3.6	1.4- 5.8	35	10.1	6.6-13.6
25-34	550	115,746	470	83.5	79.8-87.2	20	4.3	2.1- 6.5	60	12.2	8.9-15.5
35-44	661	99,719	594	90.1	87.4-92.8	9	1.7	0.1- 3.3	58	8.2	5.8-10.6
45-54	746	80,677	679	91.6	89.4-93.8	9	1.1	0.3- 1.9	58	7.3	5.3- 9.3
55-64	1058	92,483	999	94.3	92.5-96.1	10	1.2	0.2- 2.2	49	4.5	2.9- 6.1
65+	2520	130,517	2345	92.3	90.9-93.7	67	3.2	2.2- 4.2	108	4.6	3.6- 5.6
Less Than H.S.	272	46,548	233	82.3	75.6-89.0	23	9.5	4.4-14.6	16	8.2	3.5-12.9
H.S. or G.E.D.	1655	159,950	1515	89.3	87.1-91.5	44	3.2	2.0- 4.4	96	7.5	5.7- 9.3
Some Post-H.S.	1927	227,384	1775	90.4	88.4-92.4	30	1.5	0.7- 2.3	122	8.1	6.3- 9.9
College Graduate	2035	165,600	1881	91.7	90.1-93.3	31	1.6	0.8- 2.4	123	6.7	5.3- 8.1
Less than \$15,000	202	24,803	188	88.9	81.8-96.0	8	4.9	1.0- 8.8	6	6.2	0.1-12.3
\$15,000- 24,999	394	34,417	371	90.9	86.8-95.0	8	2.5	0.5- 4.5	15	6.6	2.9-10.3
\$25,000- 34,999	526	51,561	501	93.0	89.7-96.3	9	2.2	0.2- 4.2	16	4.8	1.9- 7.7
\$35,000- 49,999	723	67,489	695	94.0	91.3-96.7	7	1.6	0.0- 3.2	21	4.4	2.0- 6.8
\$50,000- 99,999	1603	164,797	1521	92.7	90.7-94.7	20	1.9	0.7- 3.1	62	5.3	3.7- 6.9
\$100,000 - 199,999	1024	111,706	978	95.3	93.7-96.9	7	0.6	0.0- 1.2	39	4.1	2.5- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3021	307,905	2744	89.1	87.5-90.7	78	2.8	2.0- 3.6	199	8.1	6.7- 9.5
Native	119	12,596	106	93.0	88.9-97.1	7	4.2	0.9- 7.5	6	2.8	0.4- 5.2
Non-Native	2839	289,597	2589	89.2	87.6-90.8	71	2.8	2.0- 3.6	179	8.0	6.6- 9.4
18-24	229	43,595	195	83.9	78.4-89.4	10	4.2	1.3- 7.1	24	11.9	7.0-16.8
25-34	337	62,471	290	84.8	80.3-89.3	11	3.6	1.2- 6.0	36	11.6	7.5-15.7
35-44	375	52,525	333	89.0	85.5-92.5	7	1.7	0.3- 3.1	35	9.3	6.0-12.6
45-54	374	41,842	344	93.2	90.5-95.9	6	1.1	0.1- 2.1	24	5.6	3.1- 8.1
55-64	522	46,936	486	92.8	90.1-95.5	8	1.9	0.1- 3.7	28	5.3	3.1- 7.5
65+	1184	60,536	1096	91.7	89.7-93.7	36	3.7	2.3- 5.1	52	4.6	3.2- 6.0
Less Than H.S.	157	27,509	136	81.0	72.4-89.6	10	6.9	1.8-12.0	11	12.1	4.5-19.7
H.S. or G.E.D.	904	89,818	819	88.7	86.0-91.4	30	4.1	2.3- 5.9	55	7.2	5.0- 9.4
Some Post-H.S.	952	112,632	875	91.6	89.4-93.8	18	1.4	0.6- 2.2	59	7.0	4.8- 9.2
College Graduate	994	75,853	908	90.3	87.9-92.7	20	1.9	0.9- 2.9	66	7.7	5.5- 9.9
Less than \$15,000	85	8,732	79	86.5	72.6- 100	4	5.5	0.0-11.0	2	8.0	0.0-21.5
\$15,000- 24,999	166	15,579	151	84.5	76.5-92.5	4	3.2	0.0- 6.5	11	12.3	4.7-19.9
\$25,000- 34,999	250	25,944	235	89.0	82.9-95.1	7	4.1	0.4- 7.8	8	6.9	1.8-12.0
\$35,000- 49,999	364	36,184	344	93.4	89.9-96.9	5	2.1	0.0- 4.6	15	4.5	2.0- 7.0
\$50,000- 99,999	843	85,422	796	93.4	91.2-95.6	16	2.0	0.6- 3.4	31	4.6	2.8- 6.4
\$100,000 - 199,999	623	64,961	591	94.3	91.8-96.8	6	0.9	0.1- 1.7	26	4.8	2.4- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2888	294,016	2668	90.1	88.3-91.9	51	2.4	1.4- 3.4	169	7.4	6.0- 8.8
Native	146	13,489	141	94.5	88.0- 100	3	4.7	0.0-11.2	2	0.8	0.0- 1.8
Non-Native	2716	278,297	2508	90.1	88.3-91.9	48	2.4	1.4- 3.4	160	7.6	6.0- 9.2
18-24	145	39,184	130	88.9	83.2-94.6	4	3.0	0.0- 6.1	11	8.2	3.3-13.1
25-34	213	53,275	180	81.9	75.8-88.0	9	5.1	1.6- 8.6	24	12.9	7.6-18.2
35-44	286	47,194	261	91.4	87.3-95.5	2	1.7	0.0- 4.6	23	6.9	3.8-10.0
45-54	372	38,835	335	89.8	86.3-93.3	3	1.0	0.0- 2.2	34	9.2	5.9-12.5
55-64	536	45,547	513	95.8	93.6-98.0	2	0.5	0.0- 1.3	21	3.7	1.7- 5.7
65+	1336	69,981	1249	92.8	91.0-94.6	31	2.7	1.5- 3.9	56	4.5	3.1- 5.9
Less Than H.S.	115	19,039	97	84.3	74.1-94.5	13	13.2	3.2-23.2	5	2.5	0.0- 5.0
H.S. or G.E.D.	751	70,132	696	90.1	86.8-93.4	14	2.1	0.5- 3.7	41	7.8	4.9-10.7
Some Post-H.S.	975	114,752	900	89.1	86.2-92.0	12	1.7	0.5- 2.9	63	9.1	6.4-11.8
College Graduate	1041	89,747	973	92.9	90.9-94.9	11	1.4	0.4- 2.4	57	5.7	3.9- 7.5
Less than \$15,000	117	16,071	109	90.2	82.6-97.8	4	4.5	0.0- 9.8	4	5.3	0.0-11.0
\$15,000- 24,999	228	18,838	220	96.2	93.1-99.3	4	1.9	0.0- 4.3	4	1.9	0.0- 4.1
\$25,000- 34,999	276	25,617	266	97.0	94.6-99.4	2	0.4	0.0- 1.0	8	2.6	0.4- 4.8
\$35,000- 49,999	359	31,305	351	94.7	90.2-99.2	2	1.1	0.0- 3.1	6	4.2	0.1- 8.3
\$50,000- 99,999	760	79,374	725	92.1	89.0-95.2	4	1.8	0.0- 3.8	31	6.1	3.6- 8.6
\$100,000 - 199,999	401	46,744	387	96.6	94.6-98.6	1	0.2	0.0- 0.6	13	3.2	1.2- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2324	137,963	442	18.3	16.1-20.5	1882	81.7	79.5-83.9
Male	965	56,274	193	20.2	16.9-23.5	772	79.8	76.5-83.1
Female	1359	81,690	249	17.1	14.2-20.0	1110	82.9	80.0-85.8
Native	57	5,548	13	24.4	10.5-38.3	44	75.6	61.7-89.5
Non-Native	2239	131,007	421	17.9	15.7-20.1	1818	82.1	79.9-84.3
35-44	78	9,751	10	8.9	2.6-15.2	68	91.1	84.8-97.4
45-54	163	15,185	35	21.8	14.2-29.4	128	78.2	70.6-85.8
55-64	425	31,311	98	22.0	17.3-26.7	327	78.0	73.3-82.7
65+	1611	70,729	286	16.2	14.0-18.4	1325	83.8	81.6-86.0
Less Than H.S.	126	10,735	19	15.7	7.7-23.7	107	84.3	76.3-92.3
H.S. or G.E.D.	685	35,681	130	20.9	16.6-25.2	555	79.1	74.8-83.4
Some Post-H.S.	744	53,173	124	15.7	11.8-19.6	620	84.3	80.4-88.2
College Graduate	765	38,244	168	20.5	16.8-24.2	597	79.5	75.8-83.2
Less than \$15,000	78	4,629	15	20.2	8.0-32.4	63	79.8	67.6-92.0
\$15,000- 24,999	215	10,435	34	16.3	8.9-23.7	181	83.7	76.3-91.1
\$25,000- 34,999	233	10,525	47	19.0	12.3-25.7	186	81.0	74.3-87.7
\$35,000- 49,999	330	18,331	47	13.0	7.7-18.3	283	87.0	81.7-92.3
\$50,000- 99,999	619	37,669	140	21.2	17.1-25.3	479	78.8	74.7-82.9
\$100,000 - 199,999	262	18,936	65	22.1	15.8-28.4	197	77.9	71.6-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	965	56,274	193	20.2	16.9-23.5	772	79.8	76.5-83.1
Non-Native	929	52,878	186	20.0	16.5-23.5	743	80.0	76.5-83.5
45-54	55	5,324	15	31.8	16.3-47.3	40	68.2	52.7-83.7
55-64	179	13,563	42	20.8	13.7-27.9	137	79.2	72.1-86.3
65+	663	28,873	121	17.1	13.6-20.6	542	82.9	79.4-86.4
Less Than H.S.	63	4,566	9	14.4	4.0-24.8	54	85.6	75.2-96.0
H.S. or G.E.D.	283	15,939	60	19.9	13.8-26.0	223	80.1	74.0-86.2
Some Post-H.S.	277	18,913	50	19.9	13.4-26.4	227	80.1	73.6-86.6
College Graduate	340	16,768	73	22.3	16.4-28.2	267	77.7	71.8-83.6
\$15,000- 24,999	70	3,265	10	19.3	5.6-33.0	60	80.7	67.0-94.4
\$25,000- 34,999	94	4,553	18	20.4	8.6-32.2	76	79.6	67.8-91.4
\$35,000- 49,999	133	7,277	20	14.1	5.3-22.9	113	85.9	77.1-94.7
\$50,000- 99,999	274	16,734	58	21.0	14.3-27.7	216	79.0	72.3-85.7
\$100,000 - 199,999	143	9,326	37	25.5	16.5-34.5	106	74.5	65.5-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1359	81,690	249	17.1	14.2-20.0	1110	82.9	80.0-85.8
Non-Native	1310	78,130	235	16.5	13.6-19.4	1075	83.5	80.6-86.4
45-54	108	9,861	20	16.5	8.9-24.1	88	83.5	75.9-91.1
55-64	246	17,748	56	23.0	16.5-29.5	190	77.0	70.5-83.5
65+	948	41,855	165	15.6	12.9-18.3	783	84.4	81.7-87.1
Less Than H.S.	63	6,169	10	16.6	4.8-28.4	53	83.4	71.6-95.2
H.S. or G.E.D.	402	19,742	70	21.7	15.8-27.6	332	78.3	72.4-84.2
Some Post-H.S.	467	34,260	74	13.4	8.7-18.1	393	86.6	81.9-91.3
College Graduate	425	21,475	95	19.0	14.3-23.7	330	81.0	76.3-85.7
\$15,000- 24,999	145	7,170	24	15.0	6.2-23.8	121	85.0	76.2-93.8
\$25,000- 34,999	139	5,972	29	17.9	10.6-25.2	110	82.1	74.8-89.4
\$35,000- 49,999	197	11,054	27	12.3	5.8-18.8	170	87.7	81.2-94.2
\$50,000- 99,999	345	20,934	82	21.3	16.2-26.4	263	78.7	73.6-83.8
\$100,000 - 199,999	119	9,610	28	18.9	10.3-27.5	91	81.1	72.5-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 9: DEMOGRAPHICS

TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	433	24,863	289	79.5	74.6-84.4	102	14.3	10.2-18.4	27	2.6	1.4- 3.8	3	0.6	0.0- 1.6	2	0.1	0.0- 0.3	2	0.5	0.0- 1.3	8	2.4	0.2- 4.4
Male	188	11,040	128	78.8	71.2-86.4	42	15.4	8.1-22.7	13	3.1	0.9- 5.3	1	1.1	0.0- 3.3	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	2	0.8	0.0- 2.2
Female	245	13,823	161	80.0	73.9-86.1	60	13.4	8.7-18.1	14	2.2	0.8- 3.6	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	6	3.7	0.2- 7.2
Non-Native	414	23,117	278	80.8	76.3-85.3	96	12.9	9.2-16.6	26	2.7	1.5- 3.9	3	0.6	0.0- 1.6	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	8	2.6	0.4- 4.4
55-64	97	6,790	75	80.1	69.5-90.7	14	14.2	4.8-23.6	5	1.4	0.2- 2.6										3	4.3	0.0-10.0
65+	279	11,237	171	75.4	69.9-80.9	80	16.8	12.3-21.3	19	4.3	1.9- 6.7	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5	5	2.7	0.2- 5.2
H.S. or G.E.D.	128	7,356	90	77.3	67.3-87.3	27	14.7	6.3-23.1	6	2.7	0.0- 5.4	1	0.1	0.0- 0.3				2	1.7	0.0- 4.1	2	3.4	0.0- 8.6
Some Post-H.S.	123	8,220	78	81.2	72.8-89.6	36	14.8	7.2-22.4	6	1.8	0.2- 3.4	1	0.1	0.0- 0.3							2	2.1	0.0- 5.3
College Graduate	162	7,581	108	79.9	72.8-87.0	34	12.5	6.8-18.2	13	3.2	1.2- 5.2	1	1.6	0.0- 4.7	2	0.5	0.0- 1.3				4	2.3	0.0- 4.6
\$50,000- 99,999	139	7,965	106	84.6	77.0-92.2	25	12.3	5.0-19.6	5	1.3	0.0- 2.7	2	1.7	0.0- 4.6	1	0.1	0.0- 0.3						
\$100,000 - 199,999	64	4,076	42	80.7	69.1-92.3	11	8.0	2.1-13.9	7	3.4	0.7- 6.1				1	0.6	0.0- 1.8				3	7.3	0.0-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	11,040	128	78.8	71.0-86.6	42	15.4	8.1-22.7	13	3.1	0.9- 5.3	1	1.1	0.0- 3.3	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	2	0.8	0.0- 2.2
Non-Native	182	10,393	126	81.7	74.6-88.8	40	13.1	6.8-19.4	12	3.0	0.8- 5.2	1	1.2	0.0- 3.6	1	0.1	0.0- 0.3				2	0.9	0.0- 2.2
65+	118	4,856	77	79.4	71.4-87.4	30	13.7	7.2-20.2	8	4.8	0.7- 8.9				1	0.2	0.0- 0.6				2	1.8	0.0- 4.4
H.S. or G.E.D.	59	3,124	46	78.8	62.9-94.7	8	13.8	0.0-28.9	4	5.1	0.0-11.2							1	2.3	0.0- 6.8			
College Graduate	70	3,598	44	77.5	65.9-89.1	17	14.6	4.8-24.4	6	2.9	0.5- 5.3	1	3.4	0.0-10.1	1	0.3	0.0- 0.9				1	1.3	0.0- 3.3
\$50,000- 99,999	57	3,497	44	78.4	62.9-93.9	10	17.3	2.4-32.2	1	0.5	0.0- 1.5	1	3.5	0.0-10.4	1	0.3	0.0- 0.9						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	245	13,823	161	80.0	73.9-86.1	60	13.4	8.7-18.1	14	2.2	0.8- 3.6	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	6	3.7	0.2- 7.2	
Non-Native	232	12,724	152	80.1	74.0-86.2	56	12.7	8.4-17.0	14	2.4	1.0- 3.8	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	6	4.0	0.1- 7.7	
55-64	56	4,076	43	79.9	66.4-93.4	8	11.9	1.9-21.9	2	1.0	0.0- 2.4										3	7.2	0.0-17.1	
65+	161	6,381	94	72.3	64.7-79.9	50	19.2	12.9-25.5	11	3.9	1.4- 6.4	2	0.4	0.0- 1.0				1	0.9	0.0- 2.7	3	3.3	0.0- 7.7	
H.S. or G.E.D.	69	4,232	44	76.2	63.1-89.3	19	15.3	5.7-24.9	2	1.0	0.0- 2.4	1	0.3	0.0- 0.9				1	1.3	0.0- 3.8	2	5.9	0.0-15.1	
Some Post-H.S.	74	4,581	44	79.1	68.1-90.1	23	15.1	6.7-23.5	5	2.8	0.1- 5.5	1	0.3	0.0- 0.9							1	2.7	0.0- 8.1	
College Graduate	92	3,983	64	82.1	74.1-90.1	17	10.6	4.1-17.1	7	3.4	0.5- 6.3				1	0.6	0.0- 1.8				3	3.2	0.0- 6.6	
\$50,000- 99,999	82	4,468	62	89.4	83.9-94.9	15	8.4	3.5-13.3	4	1.9	0.0- 4.1	1	0.3	0.0- 0.9										

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5847	594,617	4997	87.6	86.4-88.8	497	8.2	7.2- 9.2	48	0.7	0.5- 0.9	23	0.7	0.3- 1.1	8	0.2	0.0- 0.4	7	0.2	0.0- 0.4	267	2.4	2.0- 2.8
Male	2985	303,307	2532	86.7	85.1-88.3	281	9.2	7.8-10.6	27	0.8	0.4- 1.2	10	0.4	0.2- 0.6	6	0.3	0.1- 0.5	6	0.3	0.1- 0.5	123	2.4	2.0- 2.8
Female	2862	291,310	2465	88.6	87.0-90.2	216	7.1	5.7- 8.5	21	0.5	0.3- 0.7	13	1.0	0.2- 1.8	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	144	2.5	2.1- 2.9
Native	259	25,605	223	89.1	84.4-93.8	18	5.1	1.6- 8.6	2	0.6	0.0- 1.4				1	0.2	0.0- 0.6				15	5.1	2.2- 8.0
Non-Native	5509	562,172	4716	87.7	86.5-88.9	470	8.3	7.3- 9.3	43	0.6	0.4- 0.8	21	0.7	0.3- 1.1	7	0.2	0.0- 0.4	7	0.2	0.0- 0.4	245	2.3	1.9- 2.7
18-24	367	81,444	348	93.0	89.5-96.5	17	5.7	2.6- 8.8				2	1.2	0.0- 3.2									
25-34	543	114,499	482	89.4	86.5-92.3	53	9.7	6.8-12.6	3	0.3	0.0- 0.7	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6				2	0.2	0.0- 0.6
35-44	649	98,207	571	87.9	85.0-90.8	46	6.7	4.5- 8.9	8	1.0	0.2- 1.8	8	2.0	0.2- 3.8	2	0.4	0.0- 1.0	6	1.1	0.1- 2.1	8	0.9	0.3- 1.5
45-54	734	79,437	649	90.1	87.7-92.5	57	7.0	5.0- 9.0	9	0.6	0.0- 1.2	6	0.7	0.1- 1.3	4	0.5	0.1- 0.9	1	0.2	0.0- 0.6	8	0.9	0.1- 1.7
55-64	1050	91,489	889	85.6	83.2-88.0	113	9.8	7.8-11.8	9	1.1	0.3- 1.9	4	0.5	0.0- 1.1	1	0.1	0.0- 0.3				34	2.9	1.7- 4.1
65+	2504	129,542	2058	82.4	80.6-84.2	211	9.0	7.6-10.4	19	0.8	0.4- 1.2	1	0.1	0.0- 0.3							215	7.7	6.5- 8.9
Less Than H.S.	271	46,507	212	81.2	74.3-88.1	21	10.5	4.8-16.2	1	0.1	0.0- 0.3	3	3.3	0.0- 7.6	1	0.5	0.0- 1.5				33	4.4	2.6- 6.2
H.S. or G.E.D.	1639	157,782	1377	87.3	85.3-89.3	135	7.2	5.6- 8.8	11	0.6	0.2- 1.0	5	0.4	0.0- 0.8	5	0.5	0.1- 0.9	4	0.4	0.0- 0.8	102	3.6	2.8- 4.4
Some Post-H.S.	1911	225,376	1656	88.6	86.8-90.4	163	8.2	6.6- 9.8	15	0.7	0.3- 1.1	6	0.4	0.0- 0.8				2	0.2	0.0- 0.6	69	1.8	1.4- 2.2
College Graduate	2013	163,346	1741	88.5	86.7-90.3	176	8.3	6.7- 9.9	21	0.8	0.4- 1.2	9	0.6	0.2- 1.0	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	63	1.6	1.2- 2.0
Less than \$15,000	200	24,640	161	88.3	82.4-94.2	6	4.1	0.0- 9.2	2	0.8	0.0- 2.0										31	6.8	3.7- 9.9
\$15,000- 24,999	394	34,417	318	84.8	80.5-89.1	22	5.9	2.8- 9.0				1	0.2	0.0- 0.6	1	0.8	0.0- 2.4	1	0.7	0.0- 2.1	51	7.6	5.1- 10.1
\$25,000- 34,999	524	51,361	452	90.3	87.2-93.4	34	6.6	3.7- 9.5	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3							36	2.9	1.9- 3.9
\$35,000- 49,999	721	67,138	623	90.1	87.7-92.5	57	6.7	4.5- 8.9	5	0.3	0.0- 0.7	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6				34	2.5	1.5- 3.5
\$50,000- 99,999	1600	164,495	1398	88.4	86.4-90.4	157	9.3	7.5-11.1	10	0.4	0.2- 0.6	8	0.6	0.0- 1.2	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	23	0.8	0.4- 1.2
\$100,000 - 199,999	1021	111,377	870	85.5	82.8-88.2	116	11.5	9.0-14.0	14	1.1	0.5- 1.7	6	0.7	0.1- 1.3	2	0.2	0.0- 0.6	2	0.2	0.0- 0.4	11	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2985	303,307	2532	86.7	85.1-88.3	281	9.2	7.8-10.6	27	0.8	0.4- 1.2	10	0.4	0.2- 0.6	6	0.3	0.1- 0.5	6	0.3	0.1- 0.5	123	2.4	2.0- 2.8	
Native	116	12,383	99	87.6	79.6-95.6	10	7.5	0.4-14.6							1	0.4	0.0- 1.2				6	4.5	0.4- 8.6	
Non-Native	2813	286,183	2394	86.9	85.3-88.5	263	9.1	7.7-10.5	24	0.8	0.4- 1.2	8	0.3	0.1- 0.5	5	0.3	0.1- 0.5	6	0.3	0.0- 0.7	113	2.3	1.9- 2.7	
18-24	225	42,967	210	91.1	86.0-96.2	14	8.3	3.2-13.4				1	0.6	0.0- 1.8										
25-34	330	61,224	292	89.1	85.4-92.8	34	10.3	6.6-14.0	1	0.3	0.0- 0.9	2	0.2	0.0- 0.4							1	0.1	0.0- 0.6	
35-44	366	51,388	314	86.0	82.1-89.9	34	8.8	5.5-12.1	4	1.1	0.0- 2.3	1	0.4	0.0- 1.2	2	0.8	0.0- 2.0	5	1.6	0.0- 3.2	6	1.3	0.1- 2.5	
45-54	366	40,985	311	86.3	82.4-90.2	36	9.4	6.1-12.7	5	0.8	0.0- 1.6	3	0.9	0.0- 1.9	3	0.7	0.0- 1.5	1	0.3	0.0- 0.9	7	1.7	0.3- 3.1	
55-64	518	46,389	437	86.0	82.7-89.3	47	7.7	5.2-10.2	6	1.8	0.4- 3.2	3	0.4	0.0- 0.8	1	0.3	0.0- 0.9				24	3.9	2.1- 5.7	
65+	1180	60,354	968	82.7	80.2-85.2	116	9.8	7.8-11.8	11	1.0	0.4- 1.6										85	6.5	4.9- 8.1	
Less Than H.S.	157	27,509	128	86.9	79.6-94.2	10	8.4	1.3-15.5	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.9	0.0- 2.7				16	3.5	1.5- 5.5	
H.S. or G.E.D.	891	88,097	761	87.3	84.8-89.8	69	7.3	5.3- 9.3	6	0.7	0.1- 1.3	3	0.4	0.0- 1.0	4	0.6	0.0- 1.2	4	0.7	0.0- 1.5	44	2.9	1.7- 4.1	
Some Post-H.S.	946	111,771	808	86.8	84.3-89.3	90	9.6	7.2-12.0	11	1.1	0.3- 1.9	3	0.4	0.0- 1.0				1	0.2	0.0- 0.6	33	1.9	1.1- 2.7	
College Graduate	981	74,540	827	86.0	83.5-88.5	110	10.7	8.3-13.1	9	0.7	0.1- 1.3	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	30	2.1	1.3- 2.9	
Less than \$15,000	83	8,569	66	88.0	80.2-95.8	2	2.8	0.0- 7.9													15	9.1	3.0- 15.1	
\$15,000- 24,999	166	15,579	135	84.2	77.1-91.3	12	9.2	2.9-15.5													19	6.6	2.9- 10.3	
\$25,000- 34,999	249	25,843	216	89.9	85.4-94.4	19	7.3	3.0-11.6				1	0.3	0.0- 0.9							13	2.5	0.9- 4.1	
\$35,000- 49,999	362	35,833	310	90.3	87.0-93.6	31	6.6	3.7- 9.5	1	0.0	0.0- 0.0	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9				18	2.3	0.9- 3.7	
\$50,000- 99,999	840	85,121	723	86.8	83.7-89.9	89	10.5	7.6-13.4	4	0.4	0.0- 0.8	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	3	0.7	0.0- 1.5	18	1.3	0.5- 2.2	
\$100,000 - 199,999	620	64,633	513	82.4	78.7-86.1	79	13.3	9.8-16.8	11	1.6	0.4- 2.8	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	10	1.4	0.4- 2.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	291,310	2465	88.6	87.0-90.2	216	7.1	5.7- 8.5	21	0.5	0.3- 0.7	13	1.0	0.2- 1.8	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	144	2.5	2.1- 2.9
Native	143	13,222	124	90.4	85.5-95.3	8	2.9	0.5- 5.3	2	1.2	0.0- 2.8										9	5.5	1.4- 9.6
Non-Native	2696	275,989	2322	88.6	87.0-90.2	207	7.4	6.0- 8.8	19	0.5	0.3- 0.7	13	1.1	0.3- 1.9	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	132	2.3	1.9- 2.7
18-24	142	38,477	138	95.2	90.3- 100	3	2.8	0.0- 6.1				1	2.0	0.0- 5.7							1	0.4	0.0- 1.1
25-34	213	53,275	190	89.7	85.0-94.4	19	9.1	4.6-13.6	2	0.3	0.0- 0.7				1	0.5	0.0- 1.5				1	0.4	0.0- 1.1
35-44	283	46,819	257	90.0	85.5-94.5	12	4.4	1.7- 7.1	4	1.0	0.0- 2.2	7	3.7	0.4- 7.0				1	0.5	0.0- 1.5	2	0.4	0.0- 1.1
45-54	368	38,451	338	94.3	91.9-96.7	21	4.4	2.2- 6.6	4	0.5	0.0- 1.1	3	0.4	0.0- 1.0	1	0.3	0.0- 0.9				1	0.1	0.0- 0.3
55-64	532	45,100	452	85.1	81.6-88.6	66	11.9	8.8-15.0	3	0.5	0.0- 1.1	1	0.6	0.0- 1.8							10	2.0	0.6- 3.4
65+	1324	69,188	1090	82.2	79.8-84.6	95	8.3	6.3-10.3	8	0.6	0.2- 1.0	1	0.1	0.0- 0.3							130	8.8	7.2-10.4
Less Than H.S.	114	18,999	84	72.9	60.6-85.2	11	13.5	4.1-22.9				2	7.7	0.0-17.7							17	5.8	2.7- 8.9
H.S. or G.E.D.	748	69,684	616	87.3	84.6-90.0	66	7.1	4.9- 9.3	5	0.5	0.1- 0.9	2	0.3	0.0- 0.7	1	0.4	0.0- 1.2				58	4.5	3.1- 5.9
Some Post-H.S.	965	113,606	848	90.4	88.2-92.6	73	6.8	4.8- 8.8	4	0.2	0.0- 0.4	3	0.5	0.0- 1.1				1	0.2	0.0- 0.6	36	1.8	1.2- 2.4
College Graduate	1032	88,806	914	90.6	88.4-92.8	66	6.2	4.2- 8.2	12	0.9	0.3- 1.5	6	0.9	0.1- 1.7	1	0.1	0.0- 0.3				33	1.3	0.9- 1.7
Less than \$15,000	117	16,071	95	88.4	80.6-96.2	4	4.8	0.0-12.1	2	1.3	0.0- 3.1										16	5.5	2.4- 8.6
\$15,000- 24,999	228	18,838	183	85.4	79.9-90.9	10	3.1	0.9- 5.3				1	0.3	0.0- 0.9	1	1.5	0.0- 4.4	1	1.3	0.0- 3.8	32	8.4	4.9-11.9
\$25,000- 34,999	275	25,518	236	90.7	86.6-94.8	15	5.9	2.2- 9.6	1	0.1	0.0- 0.3										23	3.3	1.7- 4.9
\$35,000- 49,999	359	31,305	313	89.9	86.4-93.4	26	6.8	3.7- 9.9	4	0.7	0.0- 1.5										16	2.7	1.1- 4.4
\$50,000- 99,999	760	79,374	675	90.2	87.7-92.7	68	7.9	5.5-10.3	6	0.4	0.0- 0.8	6	1.2	0.2- 2.2							5	0.4	0.0- 0.8
\$100,000 - 199,999	401	46,744	357	89.8	86.1-93.5	37	8.9	5.4-12.4	3	0.4	0.0- 0.8	2	0.6	0.0- 1.6	1	0.2	0.0- 0.6				1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5892	599,681	842	11.9	10.9-12.9	5050	88.1	87.1-89.1
Male	3011	306,647	770	20.6	18.8-22.4	2241	79.4	77.6-81.2
Female	2881	293,033	72	2.8	2.0- 3.6	2809	97.2	96.4-98.0
Native	265	26,085	23	7.0	3.1-10.9	242	93.0	89.1-96.9
Non-Native	5542	565,806	795	11.9	10.9-12.9	4747	88.1	87.1-89.1
18-24	371	81,968	30	7.5	4.6-10.4	341	92.5	89.6-95.4
25-34	547	115,137	43	8.2	5.5-10.9	504	91.8	89.1-94.5
35-44	659	99,561	74	11.3	8.6-14.0	585	88.7	86.0-91.4
45-54	743	80,398	83	11.2	8.7-13.7	660	88.8	86.3-91.3
55-64	1056	92,277	114	10.8	8.6-13.0	942	89.2	87.0-91.4
65+	2516	130,339	498	19.5	17.7-21.3	2018	80.5	78.7-82.3
Less Than H.S.	272	46,548	32	8.8	4.5-13.1	240	91.2	86.9-95.5
H.S. or G.E.D.	1651	159,071	254	13.1	11.1-15.1	1397	86.9	84.9-88.9
Some Post-H.S.	1923	226,795	282	13.0	11.2-14.8	1641	87.0	85.2-88.8
College Graduate	2031	165,360	272	10.2	8.8-11.6	1759	89.8	88.4-91.2
Less than \$15,000	202	24,803	29	9.8	4.1-15.5	173	90.2	84.5-95.9
\$15,000- 24,999	394	34,417	55	9.9	6.8-13.0	339	90.1	87.0-93.2
\$25,000- 34,999	526	51,561	78	12.8	9.1-16.5	448	87.2	83.5-90.9
\$35,000- 49,999	722	67,286	122	14.9	11.6-18.2	600	85.1	81.8-88.4
\$50,000- 99,999	1603	164,797	237	12.0	10.0-14.0	1366	88.0	86.0-90.0
\$100,000 - 199,999	1024	111,706	137	12.4	10.0-14.8	887	87.6	85.2-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3011	306,647	770	20.6	18.8-22.4	2241	79.4	77.6-81.2
Native	119	12,596	21	13.6	6.0-21.2	98	86.4	78.8-94.0
Non-Native	2830	288,361	726	20.7	18.9-22.5	2104	79.3	77.5-81.1
18-24	228	43,392	26	13.0	7.9-18.1	202	87.0	81.9-92.1
25-34	334	61,862	38	12.9	8.6-17.2	296	87.1	82.8-91.4
35-44	373	52,367	56	15.8	11.5-20.1	317	84.2	79.9-88.5
45-54	373	41,820	75	19.8	15.3-24.3	298	80.2	75.7-84.7
55-64	521	46,791	99	18.7	15.0-22.4	422	81.3	77.6-85.0
65+	1182	60,415	476	39.9	36.6-43.2	706	60.1	56.8-63.4
Less Than H.S.	157	27,509	32	14.9	7.8-22.0	125	85.1	78.0-92.2
H.S. or G.E.D.	902	89,407	238	21.2	18.1-24.3	664	78.8	75.7-81.9
Some Post-H.S.	949	112,366	260	23.1	20.0-26.2	689	76.9	73.8-80.0
College Graduate	991	75,674	238	18.3	15.6-21.0	753	81.7	79.0-84.4
Less than \$15,000	85	8,732	27	25.8	11.9-39.7	58	74.2	60.3-88.1
\$15,000- 24,999	166	15,579	54	21.6	14.7-28.5	112	78.4	71.5-85.3
\$25,000- 34,999	250	25,944	69	22.5	15.8-29.2	181	77.5	70.8-84.2
\$35,000- 49,999	363	35,981	115	25.6	20.1-31.1	248	74.4	68.9-79.9
\$50,000- 99,999	843	85,422	219	20.5	17.4-23.6	624	79.5	76.4-82.6
\$100,000 - 199,999	623	64,961	125	19.4	15.5-23.3	498	80.6	76.7-84.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2881	293,033	72	2.8	2.0- 3.6	2809	97.2	96.4-98.0
Native	146	13,489	2	0.8	0.0- 2.2	144	99.2	97.8- 100
Non-Native	2712	277,445	69	2.8	2.0- 3.6	2643	97.2	96.4-98.0
18-24	143	38,576	4	1.4	0.0- 3.0	139	98.6	97.0- 100
25-34	213	53,275	5	2.8	0.0- 5.7	208	97.2	94.3- 100
35-44	286	47,194	18	6.2	3.1- 9.3	268	93.8	90.7-96.9
45-54	370	38,578	8	1.8	0.4- 3.2	362	98.2	96.8-99.6
55-64	535	45,487	15	2.7	1.1- 4.3	520	97.3	95.7-98.9
65+	1334	69,924	22	1.9	0.9- 2.9	1312	98.1	97.1-99.1
Less Than H.S.	115	19,039				115	100.0	100.0- 100
H.S. or G.E.D.	749	69,664	16	2.8	1.2- 4.4	733	97.2	95.6-98.8
Some Post-H.S.	974	114,429	22	2.9	1.1- 4.7	952	97.1	95.3-98.9
College Graduate	1040	89,686	34	3.2	1.8- 4.6	1006	96.8	95.4-98.2
Less than \$15,000	117	16,071	2	1.2	0.0- 3.0	115	98.8	97.0- 100
\$15,000- 24,999	228	18,838	1	0.2	0.0- 0.6	227	99.8	99.4- 100
\$25,000- 34,999	276	25,617	9	2.9	0.9- 4.9	267	97.1	95.1-99.1
\$35,000- 49,999	359	31,305	7	2.6	0.1- 5.1	352	97.4	94.9-99.9
\$50,000- 99,999	760	79,374	18	2.9	1.3- 4.5	742	97.1	95.5-98.7
\$100,000 - 199,999	401	46,744	12	2.6	1.0- 4.2	389	97.4	95.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5844	593,251	3157	66.1	64.5-67.7	143	3.6	2.8- 4.4	156	3.3	2.5- 4.1	117	4.2	3.4- 5.0	2084	19.3	18.3-20.3	187	3.5	2.9- 4.1
Male	2985	303,066	1821	72.2	70.2-74.2	76	3.6	2.6- 4.6	6	0.5	0.0- 1.1	63	3.8	2.8- 4.8	922	16.4	15.2-17.6	97	3.6	2.8- 4.4
Female	2859	290,185	1336	59.7	57.3-62.1	67	3.6	2.4- 4.8	150	6.2	4.8- 7.6	54	4.6	3.2- 6.0	1162	22.3	20.7-23.9	90	3.5	2.5- 4.5
Native	265	26,085	159	64.1	56.5-71.7	20	9.0	4.3-13.7	6	2.8	0.1- 5.5	10	4.2	1.3- 7.1	45	8.9	5.6-12.2	25	11.0	6.1-15.9
Non-Native	5495	559,391	2952	66.2	64.6-67.8	120	3.3	2.5- 4.1	147	3.3	2.5- 4.1	107	4.3	3.3- 5.3	2011	19.8	18.8-20.8	158	3.2	2.6- 3.8
18-24	361	79,395	232	63.7	58.0-69.4	24	6.4	3.7- 9.1	5	2.6	0.2- 5.0	95	26.5	21.2-31.8	1	0.2	0.0- 0.6	4	0.6	0.0- 1.2
25-34	543	114,226	469	82.9	79.0-86.8	28	6.5	4.0- 9.0	19	5.2	2.7- 7.7	14	2.7	1.1- 4.3	1	0.2	0.0- 0.6	12	2.6	1.0- 4.2
35-44	652	98,585	590	89.0	86.1-91.9	13	2.3	0.9- 3.7	24	4.0	2.2- 5.8	5	0.6	0.0- 1.2	5	0.7	0.1- 1.3	15	3.5	1.3- 5.7
45-54	735	79,562	632	84.7	81.8-87.6	24	3.7	2.1- 5.3	19	2.2	1.2- 3.2	2	0.4	0.0- 1.0	19	2.9	1.5- 4.3	39	6.3	4.1- 8.5
55-64	1051	91,824	735	70.1	66.8-73.4	26	2.6	1.4- 3.8	33	3.3	1.9- 4.7				192	17.5	14.8-20.2	65	6.5	4.7- 8.3
65+	2502	129,660	499	21.0	19.0-23.0	28	1.0	0.6- 1.4	56	2.0	1.4- 2.6	1	0.0	0.0- 0.0	1866	73.4	71.2-75.6	52	2.4	1.6- 3.2
Less Than H.S.	270	45,520	94	51.4	43.4-59.4	13	7.8	2.9-12.7	12	6.7	1.4-12.0	6	3.9	0.4- 7.4	115	18.6	14.3-22.9	30	11.6	6.5-16.7
H.S. or G.E.D.	1635	156,863	799	63.9	61.0-66.8	53	4.7	3.1- 6.3	54	3.8	2.4- 5.2	30	3.5	2.1- 4.9	639	20.6	18.6-22.6	60	3.5	2.5- 4.5
Some Post-H.S.	1906	224,318	1028	64.9	62.2-67.6	44	3.2	2.0- 4.4	52	2.9	1.9- 3.9	56	6.0	4.2- 7.8	663	19.6	17.8-21.4	63	3.4	2.4- 4.4
College Graduate	2017	164,512	1224	73.6	71.4-75.8	33	2.1	1.3- 2.9	38	2.3	1.5- 3.1	25	2.5	1.3- 3.7	664	18.0	16.4-19.6	33	1.5	0.9- 2.1
Less than \$15,000	200	24,753	28	19.5	11.7-27.3	24	22.4	13.2-31.6	9	4.2	0.9- 7.5	15	14.2	6.6-21.8	83	20.1	14.4-25.8	41	19.6	12.9-26.3
\$15,000- 24,999	392	34,087	100	39.4	32.5-46.3	16	6.3	2.6-10.0	8	2.0	0.2- 3.8	9	6.0	1.7-10.3	226	34.3	28.8-39.8	33	11.9	7.2-16.6
\$25,000- 34,999	526	51,561	196	52.5	46.6-58.4	23	6.4	3.5- 9.3	21	5.4	2.3- 8.5	11	3.7	1.2- 6.2	253	26.1	22.0-30.2	22	6.0	2.7- 9.3
\$35,000- 49,999	720	66,860	347	64.3	60.0-68.6	14	3.1	1.1- 5.1	19	3.9	1.5- 6.3	8	2.1	0.5- 3.7	317	25.0	21.7-28.3	15	1.7	0.7- 2.7
\$50,000- 99,999	1599	164,371	977	73.3	70.6-76.0	21	1.7	0.7- 2.7	32	3.8	2.0- 5.6	22	2.7	1.3- 4.1	526	17.5	15.7-19.3	21	1.0	0.6- 1.4
\$100,000 - 199,999	1020	111,159	807	84.4	81.9-86.9	10	1.1	0.3- 1.9	17	2.0	0.8- 3.2	9	2.1	0.7- 3.5	172	10.0	8.2-11.8	5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2985	303,066	1821	72.2	70.2-74.2	76	3.6	2.6- 4.6	6	0.5	0.0- 1.1	63	3.8	2.8- 4.8	922	16.4	15.2-17.6	97	3.6	2.8- 4.4
Native	119	12,596	79	68.8	58.2-79.4	8	8.4	1.7-15.1				3	2.7	0.0- 5.8	16	7.1	2.8-11.4	13	13.0	5.2-20.8
Non-Native	2804	284,780	1703	72.3	70.3-74.3	66	3.4	2.4- 4.4	6	0.5	0.0- 1.1	60	3.9	2.7- 5.1	888	16.8	15.4-18.2	81	3.1	2.3- 3.9
18-24	221	41,940	145	67.1	60.0-74.2	16	6.6	3.3- 9.9	2	2.2	0.0- 5.7	55	23.5	17.2-29.8	1	0.3	0.0- 0.9	2	0.3	0.0- 0.7
25-34	333	61,570	311	91.0	87.1-94.9	13	5.3	2.2- 8.4				6	2.3	0.3- 4.3	1	0.3	0.0- 0.9	2	1.1	0.0- 2.7
35-44	368	51,460	341	90.5	86.8-94.2	8	2.8	0.8- 4.8	1	0.5	0.0- 1.5	2	0.5	0.0- 1.1	4	0.8	0.0- 1.6	12	4.9	2.0- 7.8
45-54	369	41,368	326	87.2	83.3-91.1	12	3.9	1.5- 6.3	1	0.3	0.0- 0.9				8	2.2	0.6- 3.8	22	6.5	3.6- 9.4
55-64	519	46,644	389	76.6	72.5-80.7	14	2.3	0.9- 3.7	1	0.1	0.0- 0.3				86	14.5	11.2-17.8	29	6.6	4.1- 9.1
65+	1175	60,083	309	27.1	24.0-30.2	13	1.1	0.3- 1.9	1	0.1	0.0- 0.3				822	68.8	65.7-71.9	30	2.9	1.7- 4.1
Less Than H.S.	156	27,239	65	61.3	51.7-70.9	5	4.0	0.0- 8.9	1	2.7	0.0- 7.8	4	4.3	0.0- 8.8	60	15.7	10.6-20.8	21	12.0	5.9-18.1
H.S. or G.E.D.	895	88,288	521	70.8	67.5-74.1	30	4.7	2.7- 6.7	2	0.3	0.0- 0.7	20	3.5	1.7- 5.3	290	17.3	14.9-19.7	32	3.3	1.9- 4.7
Some Post-H.S.	940	110,705	601	73.2	69.9-76.5	24	3.5	1.9- 5.1	1	0.2	0.0- 0.6	30	5.5	3.3- 7.7	254	14.4	12.2-16.6	30	3.3	1.9- 4.7
College Graduate	981	75,012	623	75.9	73.0-78.8	17	2.2	1.0- 3.4	2	0.2	0.0- 0.6	9	1.6	0.4- 2.8	317	18.9	16.5-21.3	13	1.2	0.4- 2.0
Less than \$15,000	85	8,732	13	17.8	7.4-28.2	11	24.3	9.2-39.4	1	2.3	0.0- 6.8	6	8.0	0.9-15.1	32	18.9	10.1-27.7	22	28.6	16.3-40.9
\$15,000- 24,999	164	15,249	48	41.4	31.0-51.8	8	6.3	1.4-11.2				5	6.7	0.4-13.0	86	29.4	21.6-37.2	17	16.3	8.1-24.5
\$25,000- 34,999	250	25,944	110	60.1	52.3-67.9	13	8.4	3.7-13.1				8	4.4	1.1- 7.7	106	22.2	16.7-27.7	13	4.9	1.0- 8.8
\$35,000- 49,999	361	35,555	201	70.0	64.5-75.5	11	4.7	1.4- 8.0	1	0.7	0.0- 2.1	6	2.6	0.2- 5.0	135	20.1	16.0-24.2	7	1.9	0.3- 3.5
\$50,000- 99,999	841	85,157	537	77.9	74.8-81.0	11	1.3	0.3- 2.3	2	1.0	0.0- 2.8	9	1.8	0.4- 3.2	273	17.0	14.6-19.4	9	1.0	0.2- 1.8
\$100,000 - 199,999	620	64,531	500	86.8	83.9-89.7	8	1.8	0.4- 3.2				5	2.0	0.2- 3.8	106	9.3	7.1-11.5	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	290,185	1336	59.7	57.3-62.1	67	3.6	2.4- 4.8	150	6.2	4.8- 7.6	54	4.6	3.2- 6.0	1162	22.3	20.7-23.9	90	3.5	2.5- 4.5
Native	146	13,489	80	59.7	48.9-70.5	12	9.6	3.1-16.1	6	5.4	0.0-10.9	7	5.6	0.9-10.3	29	10.5	5.6-15.4	12	9.2	3.1-15.3
Non-Native	2691	274,611	1249	59.8	57.4-62.2	54	3.2	2.0- 4.4	141	6.2	4.8- 7.6	47	4.6	3.2- 6.0	1123	22.9	21.3-24.5	77	3.2	2.2- 4.2
18-24	140	37,455	87	60.0	51.0-69.0	8	6.2	1.7-10.7	3	3.0	0.0- 6.3	40	29.9	21.5-38.3				2	0.9	0.0- 2.3
25-34	210	52,655	158	73.5	66.4-80.6	15	7.9	3.6-12.2	19	11.3	5.8-16.8	8	3.0	0.8- 5.2				10	4.2	1.3- 7.1
35-44	284	47,125	249	87.4	82.7-92.1	5	1.7	0.1- 3.3	23	7.8	4.3-11.3	3	0.7	0.0- 1.5	1	0.5	0.0- 1.5	3	1.9	0.0- 4.8
45-54	366	38,194	306	81.9	77.2-86.6	12	3.4	1.2- 5.6	18	4.2	2.0- 6.4	2	0.8	0.0- 2.0	11	3.6	1.2- 6.0	17	6.0	2.9- 9.1
55-64	532	45,179	346	63.5	58.6-68.4	12	2.9	0.9- 4.9	32	6.6	4.1- 9.1				106	20.6	16.5-24.7	36	6.5	4.1- 8.9
65+	1327	69,576	190	15.8	13.4-18.2	15	1.0	0.4- 1.6	55	3.7	2.5- 4.9	1	0.1	0.0- 0.3	1044	77.4	74.7-80.1	22	2.1	1.1- 3.1
Less Than H.S.	114	18,281	29	36.7	24.2-49.2	8	13.4	3.8-23.0	11	12.7	2.3-23.1	2	3.3	0.0- 9.0	55	22.9	15.1-30.7	9	11.0	2.2-19.8
H.S. or G.E.D.	740	68,575	278	54.9	50.2-59.6	23	4.7	2.5- 6.9	52	8.4	5.3-11.5	10	3.6	1.2- 6.0	349	24.8	21.7-27.9	28	3.8	2.0- 5.6
Some Post-H.S.	966	113,613	427	56.9	52.8-61.0	20	2.8	1.2- 4.4	51	5.4	3.4- 7.4	26	6.6	4.1- 9.1	409	24.7	21.8-27.6	33	3.5	1.9- 5.1
College Graduate	1036	89,500	601	71.6	68.5-74.7	16	1.9	0.7- 3.1	36	4.1	2.5- 5.7	16	3.3	1.5- 5.1	347	17.3	15.1-19.5	20	1.7	0.7- 2.7
Less than \$15,000	115	16,021	15	20.4	9.6-31.2	13	21.3	9.7-32.9	8	5.3	0.8- 9.8	9	17.6	6.8-28.4	51	20.8	13.4-28.2	19	14.6	7.0-22.2
\$15,000- 24,999	228	18,838	52	37.8	28.4-47.2	8	6.3	1.0-11.6	8	3.7	0.6- 6.8	4	5.5	0.0-11.4	140	38.3	30.5-46.1	16	8.4	3.5-13.3
\$25,000- 34,999	276	25,617	86	44.8	36.2-53.4	10	4.3	1.2- 7.4	21	10.8	4.7-16.9	3	2.9	0.0- 6.6	147	30.0	23.7-36.3	9	7.1	1.8-12.4
\$35,000- 49,999	359	31,305	146	57.7	50.8-64.6	3	1.2	0.0- 2.8	18	7.5	2.8-12.2	2	1.6	0.0- 4.0	182	30.6	25.1-36.1	8	1.4	0.4- 2.4
\$50,000- 99,999	758	79,214	440	68.4	63.9-72.9	10	2.2	0.4- 4.0	30	6.8	3.5-10.1	13	3.7	1.3- 6.1	253	18.0	15.3-20.7	12	1.0	0.4- 1.6
\$100,000 - 199,999	400	46,629	307	81.2	76.9-85.5	2	0.2	0.0- 0.4	17	4.7	2.2- 7.2	4	2.3	0.0- 4.7	66	11.0	8.1-13.9	4	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5778	584,625	435	11.4	10.2-12.6	434	11.2	10.0-12.4	213	5.5	4.7- 6.3	75	1.9	1.3- 2.5	51	1.6	1.0- 2.2	4570	68.4	66.6-70.2
Male	2941	297,487	219	10.5	8.9-12.1	227	10.8	9.2-12.4	103	5.0	3.8- 6.2	38	1.6	1.0- 2.2	26	1.5	0.7- 2.3	2328	70.6	68.4-72.8
Female	2837	287,138	216	12.3	10.5-14.1	207	11.6	9.8-13.4	110	6.0	4.6- 7.4	37	2.3	1.3- 3.3	25	1.8	1.0- 2.6	2242	66.1	63.6-68.6
Native	259	25,643	36	17.0	10.5-23.5	37	13.6	7.7-19.5	17	7.5	3.0-12.0	7	2.5	0.3- 4.7	8	3.6	0.3- 6.9	154	55.8	47.6-64.0
Non-Native	5441	552,163	393	11.1	9.9-12.3	389	11.1	9.9-12.3	191	5.3	4.5- 6.1	67	1.9	1.3- 2.5	42	1.5	0.9- 2.1	4359	69.0	67.2-70.8
18-24	364	80,150	43	12.1	8.2-16.0	19	6.4	3.3- 9.5	7	2.1	0.5- 3.7	3	0.7	0.0- 1.5	3	1.4	0.0- 3.4	289	77.3	72.2-82.4
25-34	526	111,252	84	16.6	13.1-20.1	77	15.9	12.2-19.6	48	8.8	5.9-11.7	14	3.1	1.1- 5.1	15	3.2	1.2- 5.2	288	52.4	47.5-57.3
35-44	631	95,853	115	21.0	17.3-24.7	180	28.0	24.1-31.9	101	16.0	12.7-19.3	41	5.8	3.8- 7.8	24	3.9	2.1- 5.7	170	25.3	21.4-29.2
45-54	716	76,880	120	16.5	13.4-19.6	117	16.1	13.2-19.0	43	5.2	3.4- 7.0	13	1.5	0.5- 2.5	7	1.3	0.1- 2.5	416	59.4	55.3-63.5
55-64	1044	91,198	42	3.9	2.5- 5.3	23	2.2	1.0- 3.4	9	1.0	0.2- 1.8	3	0.4	0.0- 1.0	2	0.1	0.1- 0.1	965	92.4	90.4-94.4
65+	2497	129,292	31	1.6	1.0- 2.2	18	1.0	0.4- 1.6	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0				2442	97.1	96.1-98.1
Less Than H.S.	270	45,223	24	16.1	9.6-22.6	14	8.5	3.8-13.2	10	5.5	1.8- 9.2	3	1.9	0.0- 5.2	7	6.7	1.6-11.8	212	61.3	53.1-69.5
H.S. or G.E.D.	1621	155,409	103	10.8	8.6-13.0	85	9.3	7.1-11.5	47	4.5	3.1- 5.9	19	2.2	1.2- 3.2	17	1.5	0.7- 2.3	1350	71.6	68.5-74.7
Some Post-H.S.	1890	221,964	139	10.8	8.8-12.8	133	10.9	8.9-12.9	59	4.9	3.3- 6.5	21	1.6	0.8- 2.4	11	0.9	0.3- 1.5	1527	70.9	68.0-73.8
College Graduate	1984	160,428	167	11.5	9.5-13.5	201	14.3	12.3-16.3	97	7.2	5.6- 8.8	32	2.0	1.2- 2.8	16	1.3	0.5- 2.1	1471	63.7	61.0-66.4
Less than \$15,000	202	24,803	17	11.7	5.4-18.0	4	4.3	0.0- 9.4	2	2.7	0.0- 6.4	1	0.8	0.0- 2.4	3	2.2	0.0- 5.1	175	78.3	69.7-86.9
\$15,000- 24,999	391	34,130	18	10.1	5.2-15.0	15	5.3	1.8- 8.8	6	2.7	0.3- 5.1	2	0.6	0.0- 1.6	5	2.1	0.0- 4.5	345	79.3	73.0-85.6
\$25,000- 34,999	525	51,370	32	12.8	8.1-17.5	22	7.2	3.7-10.7	6	2.5	0.1- 4.9	2	0.4	0.0- 1.0	3	1.3	0.0- 2.9	460	75.7	69.8-81.6
\$35,000- 49,999	722	67,286	44	9.9	6.6-13.2	29	7.9	4.6-11.2	15	3.7	1.3- 6.1	4	0.9	0.0- 1.9	6	1.4	0.2- 2.6	624	76.2	71.5-80.9
\$50,000- 99,999	1596	163,615	136	12.5	10.1-14.9	133	12.4	10.0-14.8	63	5.1	3.7- 6.5	30	3.2	1.8- 4.6	19	2.5	1.1- 3.9	1215	64.4	61.1-67.7
\$100,000 - 199,999	1016	110,769	115	14.1	11.4-16.8	147	18.2	15.3-21.1	75	9.4	7.0-11.8	23	2.4	1.2- 3.6	7	0.9	0.1- 1.7	649	55.1	51.4-58.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2941	297,487	219	10.5	8.9-12.1	227	10.8	9.2-12.4	103	5.0	3.8-6.2	38	1.6	1.0-2.2	26	1.5	0.7-2.3	2328	70.6	68.4-72.8
Native	116	12,351	15	15.0	5.6-24.4	10	7.2	0.3-14.1	9	10.5	2.5-18.5	4	3.3	0.0-7.0	3	1.9	0.0-4.3	75	62.2	50.0-74.4
Non-Native	2769	280,202	200	10.3	8.7-11.9	209	10.9	9.3-12.5	89	4.6	3.4-5.8	33	1.5	0.9-2.1	22	1.4	0.6-2.2	2216	71.2	68.8-73.6
18-24	224	42,492	19	8.9	4.6-13.2	10	5.0	1.7-8.3	4	2.2	0.0-4.4	1	0.5	0.0-1.5	3	2.7	0.0-6.2	187	80.8	74.5-87.1
25-34	322	60,007	50	16.8	12.1-21.5	42	14.5	10.0-19.0	23	7.1	4.0-10.2	7	2.0	0.4-3.6	7	2.2	0.0-4.4	193	57.4	51.3-63.5
35-44	352	49,556	58	18.7	13.8-23.6	88	24.8	19.7-29.9	48	13.8	9.5-18.1	21	5.0	2.6-7.4	10	2.3	0.7-3.9	127	35.4	29.7-41.1
45-54	357	39,518	48	12.4	8.7-16.1	70	19.7	15.2-24.2	21	5.4	2.9-7.9	7	1.4	0.2-2.6	6	2.2	0.2-4.2	205	59.0	53.3-64.7
55-64	515	46,128	25	4.4	2.4-6.4	8	1.2	0.2-2.2	5	1.2	0.0-2.6	1	0.5	0.0-1.5				476	92.8	90.3-95.3
65+	1171	59,786	19	1.9	0.9-2.9	9	1.1	0.1-2.1	2	0.4	0.0-1.0	1	0.1	0.0-0.3				1140	96.5	95.1-97.9
Less Than H.S.	156	26,942	14	14.1	6.5-21.7	11	9.4	3.3-15.5	6	6.1	0.8-11.4	1	0.1	0.0-0.3	5	7.6	0.7-14.5	119	62.7	52.3-73.1
H.S. or G.E.D.	888	87,648	58	10.1	7.4-12.8	46	7.6	5.2-10.0	22	3.1	1.5-4.7	15	2.8	1.2-4.4	11	1.5	0.5-2.5	736	75.0	71.3-78.7
Some Post-H.S.	928	108,900	74	10.4	7.9-12.9	76	12.1	9.4-14.8	34	5.6	3.4-7.8	7	0.8	0.2-1.4	2	0.3	0.0-0.7	735	70.9	67.2-74.6
College Graduate	959	72,611	71	9.6	7.2-12.0	93	13.4	10.7-16.1	41	6.1	4.1-8.1	15	1.9	0.9-2.9	8	1.1	0.3-1.9	731	67.8	64.1-71.5
Less than \$15,000	85	8,732	2	2.9	0.0-7.0							1	2.4	0.0-7.1	1	2.4	0.0-7.1	81	92.3	84.9-99.7
\$15,000- 24,999	163	15,292	6	9.4	1.8-17.0	6	3.1	0.2-6.0	1	1.3	0.0-3.8				2	1.3	0.0-3.3	148	85.0	76.6-93.4
\$25,000- 34,999	249	25,753	16	11.7	5.4-18.0	10	5.6	1.5-9.7	5	4.9	0.2-9.6	1	0.5	0.0-1.5				217	77.4	69.4-85.4
\$35,000- 49,999	363	35,981	25	9.9	5.6-14.2	15	7.2	3.3-11.1	8	3.6	0.7-6.5	2	0.6	0.0-1.4	4	1.8	0.0-3.8	309	76.9	70.8-83.0
\$50,000- 99,999	837	84,299	60	10.4	7.5-13.3	63	12.3	9.2-15.4	27	4.1	2.3-5.9	13	2.3	0.9-3.7	9	2.0	0.0-4.0	665	68.9	64.6-73.2
\$100,000 - 199,999	617	64,330	71	13.6	10.1-17.1	94	18.5	14.6-22.4	42	8.1	5.4-10.8	13	2.0	0.8-3.2	5	1.1	0.0-2.3	392	56.8	51.9-61.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2837	287,138	216	12.3	10.5-14.1	207	11.6	9.8-13.4	110	6.0	4.6- 7.4	37	2.3	1.3- 3.3	25	1.8	1.0- 2.6	2242	66.1	63.6-68.6
Native	143	13,292	21	18.9	9.9-27.9	27	19.6	10.4-28.8	8	4.8	0.7- 8.9	3	1.8	0.0- 4.2	5	5.1	0.0-11.0	79	49.8	38.4-61.2
Non-Native	2672	271,961	193	12.0	10.0-14.0	180	11.3	9.5-13.1	102	6.1	4.7- 7.5	34	2.3	1.3- 3.3	20	1.6	0.8- 2.4	2143	66.7	64.2-69.2
18-24	140	37,658	24	15.7	9.0-22.4	9	8.0	2.3-13.7	3	1.9	0.0- 4.1	2	1.0	0.0- 2.6				102	73.3	65.1-81.5
25-34	204	51,245	34	16.4	10.9-21.9	35	17.5	11.4-23.6	25	10.7	5.8-15.6	7	4.4	0.5- 8.3	8	4.4	1.1- 7.7	95	46.6	38.8-54.4
35-44	279	46,297	57	23.4	17.5-29.3	92	31.4	25.3-37.5	53	18.4	13.3-23.5	20	6.6	3.3- 9.9	14	5.7	2.6- 8.8	43	14.5	9.6-19.4
45-54	359	37,362	72	20.9	16.0-25.8	47	12.3	8.6-16.0	22	5.0	2.6- 7.4	6	1.7	0.3- 3.1	1	0.4	0.0- 1.2	211	59.8	54.1-65.5
55-64	529	45,070	17	3.3	1.5- 5.1	15	3.3	1.1- 5.5	4	0.8	0.0- 1.8	2	0.4	0.0- 1.0	2	0.1	0.0- 0.3	489	92.0	89.1-94.9
65+	1326	69,506	12	1.2	0.4- 2.0	9	0.9	0.1- 1.7	3	0.3	0.0- 0.7							1302	97.6	96.4-98.8
Less Than H.S.	114	18,281	10	19.1	7.7-30.5	3	7.1	0.0-14.9	4	4.6	0.0- 9.7	2	4.5	0.0-12.5	2	5.3	0.0-12.6	93	59.4	45.9-72.9
H.S. or G.E.D.	733	67,761	45	11.7	8.2-15.2	39	11.6	7.7-15.5	25	6.3	3.6- 9.0	4	1.5	0.0- 3.1	6	1.6	0.2- 3.0	614	67.3	62.2-72.4
Some Post-H.S.	962	113,064	65	11.1	8.2-14.0	57	9.7	6.8-12.6	25	4.3	2.1- 6.5	14	2.4	0.8- 4.0	9	1.5	0.3- 2.7	792	71.0	66.7-75.3
College Graduate	1025	87,817	96	13.0	10.3-15.7	108	15.0	12.1-17.9	56	8.1	5.7-10.5	17	2.2	1.0- 3.4	8	1.4	0.2- 2.6	740	60.2	56.3-64.1
Less than \$15,000	117	16,071	15	16.4	7.0-25.8	4	6.6	0.0-14.4	2	4.2	0.0- 9.9				2	2.1	0.0- 5.8	94	70.7	58.7-82.7
\$15,000- 24,999	228	18,838	12	10.7	4.4-17.0	9	7.0	1.1-12.9	5	3.8	0.0- 7.7	2	1.0	0.0- 2.6	3	2.7	0.0- 6.6	197	74.8	66.0-83.6
\$25,000- 34,999	276	25,617	16	13.9	6.8-21.0	12	8.8	3.1-14.5	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	3	2.7	0.0- 5.8	243	74.1	65.5-82.7
\$35,000- 49,999	359	31,305	19	9.9	4.8-15.0	14	8.7	3.2-14.2	7	3.7	0.2- 7.2	2	1.2	0.0- 3.4	2	1.0	0.0- 2.4	315	75.4	68.0-82.8
\$50,000- 99,999	759	79,316	76	14.6	10.9-18.3	70	12.5	9.2-15.8	36	6.1	3.7- 8.5	17	4.2	1.7- 6.7	10	2.9	0.7- 5.1	550	59.7	54.8-64.6
\$100,000 - 199,999	399	46,439	44	14.7	10.2-19.2	53	17.8	12.9-22.7	33	11.1	6.8-15.4	10	3.1	0.9- 5.3	2	0.6	0.0- 1.6	257	52.7	46.6-58.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4665	477,045	596	12.4	11.0-13.8	526	10.8	9.6-12.0	723	14.1	12.7-15.5	1603	34.5	32.7-36.3	1024	23.4	21.8-25.0	193	4.7	3.9- 5.5
Male	2453	249,529	251	9.7	8.1-11.3	250	10.4	8.8-12.0	364	14.5	12.7-16.3	843	34.2	31.8-36.6	623	26.0	23.8-28.2	122	5.1	4.1- 6.1
Female	2212	227,516	345	15.3	13.1-17.5	276	11.3	9.5-13.1	359	13.8	11.8-15.8	760	34.9	32.2-37.6	401	20.5	18.3-22.7	71	4.2	3.0- 5.4
Native	225	22,674	61	31.9	23.3-40.5	29	14.1	8.0-20.2	37	12.1	7.2-17.0	61	27.9	19.5-36.3	30	10.3	5.4-15.2	7	3.6	0.5- 6.7
Non-Native	4394	450,456	525	11.3	10.1-12.5	491	10.7	9.5-11.9	680	14.3	12.9-15.7	1531	35.0	33.2-36.8	984	24.1	22.5-25.7	183	4.7	3.9- 5.5
18-24	272	59,643	54	20.5	15.0-26.0	47	16.5	11.6-21.4	59	20.7	15.4-26.0	82	30.3	24.0-36.6	28	11.2	7.1-15.3	2	0.8	0.0- 2.0
25-34	458	94,106	45	11.5	8.0-15.0	43	10.9	7.6-14.2	58	12.0	8.7-15.3	187	40.3	35.2-45.4	111	22.3	18.0-26.6	14	2.9	1.1- 4.7
35-44	554	83,709	30	6.8	4.3- 9.3	35	7.7	4.8-10.6	46	8.4	5.7-11.1	194	33.8	29.3-38.3	203	33.3	29.0-37.6	46	9.8	6.7-12.9
45-54	597	64,707	43	7.8	5.3-10.3	39	7.2	4.7- 9.7	63	11.2	8.3-14.1	196	32.1	27.8-36.4	215	34.4	30.1-38.7	41	7.2	4.8- 9.6
55-64	873	76,361	82	10.3	7.8-12.8	66	7.7	5.5- 9.9	103	11.1	8.7-13.5	333	37.1	33.4-40.8	244	28.6	25.1-32.1	45	5.2	3.4- 7.0
65+	1911	98,519	342	17.8	15.6-20.0	296	14.7	12.7-16.7	394	21.3	19.1-23.5	611	31.8	29.3-34.3	223	12.2	10.4-14.0	45	2.2	1.4- 3.0
Less Than H.S.	197	33,931	70	33.0	24.2-41.8	42	21.3	13.7-28.9	33	13.0	7.7-18.3	36	21.9	13.5-30.3	12	7.7	2.4-13.0	4	3.1	0.0- 7.2
H.S. or G.E.D.	1252	122,216	238	15.2	12.8-17.6	188	13.8	11.3-16.3	260	20.0	17.1-22.9	363	31.3	28.0-34.6	165	15.8	13.3-18.3	38	3.9	2.5- 5.3
Some Post-H.S.	1531	182,807	207	12.5	10.3-14.7	169	10.4	8.4-12.4	245	14.2	12.0-16.4	556	37.5	34.4-40.6	307	22.0	19.5-24.5	47	3.5	2.3- 4.7
College Graduate	1682	137,603	81	4.9	3.5- 6.3	126	6.0	4.6- 7.4	184	9.1	7.3-10.9	647	36.7	33.8-39.6	540	36.0	33.1-38.9	104	7.3	5.7- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2453	249,529	251	9.7	8.1-11.3	250	10.4	8.8-12.0	364	14.5	12.7-16.3	843	34.2	31.8-36.6	623	26.0	23.8-28.2	122	5.1	4.1- 6.1
Native	105	11,211	27	26.2	14.6-37.8	13	11.8	4.4-19.2	13	8.9	3.4-14.4	30	34.5	21.8-47.2	18	13.6	5.2-22.0	4	5.0	0.0-10.9
Non-Native	2312	235,270	217	8.8	7.2-10.4	234	10.4	8.6-12.2	345	14.8	13.0-16.6	805	34.4	32.0-36.8	596	26.6	24.4-28.8	115	4.9	3.9- 5.9
18-24	168	32,021	28	15.7	9.4-22.0	26	16.4	9.9-22.9	42	24.1	17.0-31.2	52	29.2	21.4-37.0	18	13.0	7.1-18.9	2	1.5	0.0- 3.7
25-34	288	52,406	17	7.2	3.5-10.9	21	8.9	5.0-12.8	34	11.0	6.9-15.1	129	43.5	37.0-50.0	76	25.8	20.1-31.5	11	3.7	1.3- 6.1
35-44	312	43,159	17	6.9	3.4-10.4	23	9.7	5.2-14.2	28	10.2	6.3-14.1	93	29.7	24.0-35.4	131	36.9	31.0-42.8	20	6.5	3.6- 9.4
45-54	308	35,101	22	7.2	3.9-10.5	20	6.5	3.2- 9.8	35	12.6	8.3-16.9	82	28.1	22.2-34.0	120	36.6	30.5-42.7	29	8.9	5.6-12.2
55-64	436	39,230	39	10.1	6.8-13.4	33	8.4	5.1-11.7	52	11.6	8.1-15.1	152	34.7	29.4-40.0	128	27.5	22.8-32.2	32	7.8	4.9-10.7
65+	941	47,613	128	12.7	10.2-15.2	127	13.2	10.5-15.9	173	19.6	16.5-22.7	335	35.7	32.2-39.2	150	16.2	13.3-19.1	28	2.7	1.5- 3.9
Less Than H.S.	121	20,020	35	23.5	13.5-33.5	28	26.3	15.7-36.9	23	17.5	9.3-25.7	25	23.6	13.0-34.2	8	8.2	1.1-15.3	2	0.9	0.0- 2.3
H.S. or G.E.D.	720	72,227	104	11.6	8.9-14.3	101	13.2	10.1-16.3	147	20.4	16.7-24.1	216	30.3	26.2-34.4	125	19.7	16.0-23.4	27	4.8	2.8- 6.8
Some Post-H.S.	787	94,001	79	9.1	6.7-11.5	72	9.0	6.5-11.5	115	13.3	10.6-16.0	302	39.2	35.1-43.3	192	26.0	22.3-29.7	27	3.4	1.8- 5.0
College Graduate	823	62,966	33	4.2	2.4- 6.0	48	3.9	2.5- 5.3	78	8.6	6.2-11.0	300	34.9	31.0-38.8	298	39.2	35.1-43.3	66	9.3	6.9-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2212	227,516	345	15.3	13.1-17.5	276	11.3	9.5-13.1	359	13.8	11.8-15.8	760	34.9	32.2-37.6	401	20.5	18.3-22.7	71	4.2	3.0- 5.4
Native	120	11,463	34	37.4	25.1-49.7	16	16.4	6.8-26.0	24	15.3	7.3-23.3	31	21.5	11.3-31.7	12	7.1	1.8-12.4	3	2.3	0.0- 5.0
Non-Native	2082	215,186	308	14.0	12.0-16.0	257	10.9	9.1-12.7	335	13.7	11.7-15.7	726	35.7	33.0-38.4	388	21.3	18.9-23.7	68	4.3	2.9- 5.7
18-24	104	27,622	26	26.0	16.8-35.2	21	16.6	9.2-24.0	17	16.7	8.7-24.7	30	31.7	21.7-41.7	10	9.1	3.4-14.8			
25-34	170	41,700	28	16.9	10.4-23.4	22	13.4	7.5-19.3	24	13.4	7.9-18.9	58	36.4	28.0-44.8	35	18.0	11.7-24.3	3	1.9	0.0- 4.4
35-44	242	40,550	13	6.7	3.0-10.4	12	5.7	2.2- 9.2	18	6.5	2.8-10.2	101	38.2	31.3-45.1	72	29.5	23.0-36.0	26	13.4	7.9-18.9
45-54	289	29,606	21	8.5	4.6-12.4	19	8.0	4.1-11.9	28	9.5	5.8-13.2	114	36.9	30.6-43.2	95	31.9	26.0-37.8	12	5.1	2.2- 8.0
55-64	437	37,131	43	10.6	6.9-14.3	33	6.9	4.0- 9.8	51	10.7	7.2-14.2	181	39.6	34.3-44.9	116	29.7	24.6-34.8	13	2.5	0.9- 4.1
65+	970	50,906	214	22.6	19.5-25.7	169	16.1	13.4-18.8	221	23.0	19.9-26.1	276	28.1	24.8-31.4	73	8.5	6.3-10.7	17	1.7	0.7- 2.7
Less Than H.S.	76	13,911	35	46.6	31.1-62.1	14	14.2	4.4-24.0	10	6.6	1.9-11.3	11	19.5	5.2-33.8	4	6.9	0.0-14.9	2	6.3	0.0-16.1
H.S. or G.E.D.	532	49,988	134	20.3	16.0-24.6	87	14.7	10.6-18.8	113	19.4	14.9-23.9	147	32.6	26.9-38.3	40	10.3	6.8-13.8	11	2.6	0.6- 4.6
Some Post-H.S.	744	88,807	128	16.0	12.5-19.5	97	11.8	8.7-14.9	130	15.2	11.9-18.5	254	35.7	31.2-40.2	115	17.7	14.0-21.4	20	3.6	1.6- 5.6
College Graduate	859	74,637	48	5.5	3.5- 7.5	78	7.7	5.3-10.1	106	9.6	7.2-12.0	347	38.1	34.0-42.2	242	33.4	29.3-37.5	38	5.7	3.7- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 49: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	787	153,269	24	3.4	1.8- 5.0	763	96.6	95.0-98.2
Native	59	8,090				59	100.0	100.0- 100
Non-Native	725	144,358	24	3.7	2.1- 5.3	701	96.3	94.7-97.9
18-24	137	37,003	6	4.1	0.6- 7.6	131	95.9	92.4-99.4
25-34	206	51,855	14	6.4	2.7-10.1	192	93.6	89.9-97.3
35-44	280	46,559	4	0.9	0.0- 1.9	276	99.1	98.1- 100
45-54	164	17,852				164	100.0	100.0- 100
H.S. or G.E.D.	165	34,523	7	3.7	0.4- 7.0	158	96.3	93.0-99.6
Some Post-H.S.	243	57,502	5	2.1	0.0- 4.3	238	97.9	95.7- 100
College Graduate	355	52,085	11	4.5	1.8- 7.2	344	95.5	92.8-98.2
\$25,000- 34,999	61	13,172	3	3.1	0.0- 6.8	58	96.9	93.2- 100
\$35,000- 49,999	69	14,010	4	5.2	0.0-10.9	65	94.8	89.1- 100
\$50,000- 99,999	235	44,120	9	4.8	1.1- 8.5	226	95.2	91.5-98.9
\$100,000 - 199,999	167	26,779	5	4.2	0.3- 8.1	162	95.8	91.9-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5431	550,527	31	0.5	0.3- 0.7	1192	23.0	21.4-24.6	2485	44.4	42.6-46.2	1282	23.2	21.8-24.6	431	8.5	7.5- 9.5	10	0.4	0.2- 0.6
Male	2883	291,553	4	0.2	0.0- 0.4	206	8.4	7.0- 9.8	1335	45.2	42.8-47.6	994	33.4	31.2-35.6	338	12.3	10.7-13.9	6	0.4	0.0- 0.8
Female	2548	258,974	27	0.9	0.3- 1.5	986	39.4	36.9-41.9	1150	43.5	40.8-46.2	288	11.6	9.8-13.4	93	4.3	3.1- 5.5	4	0.3	0.0- 0.7
Native	249	24,306	1	0.1	0.0- 0.3	34	11.5	6.2-16.8	108	41.3	32.9-49.7	67	29.0	21.0-37.0	39	18.1	11.4-24.8			
Non-Native	5113	520,078	30	0.5	0.3- 0.7	1147	23.6	22.0-25.2	2339	44.6	42.8-46.4	1199	22.8	21.4-24.2	388	8.1	7.1- 9.1	10	0.4	0.2- 0.6
18-24	347	76,183	2	0.7	0.0- 1.7	112	36.2	30.3-42.1	158	43.7	37.8-49.6	56	14.6	10.5-18.7	17	4.3	2.1- 6.5	2	0.5	0.0- 1.3
25-34	508	106,436	3	0.8	0.0- 1.8	107	23.8	19.5-28.1	223	43.6	38.7-48.5	120	22.3	18.2-26.4	52	8.8	6.3-11.3	3	0.7	0.0- 1.5
35-44	602	90,605				107	19.2	15.7-22.7	242	42.4	37.9-46.9	176	25.9	22.0-29.8	73	11.7	8.8-14.6	4	0.8	0.0- 2.0
45-54	658	70,171				108	16.2	13.1-19.3	292	44.3	40.0-48.6	188	28.6	24.7-32.5	70	10.9	8.2-13.6			
55-64	983	86,675	5	0.5	0.0- 1.1	181	17.6	14.9-20.3	443	44.4	40.7-48.1	257	26.5	23.4-29.6	97	11.0	8.6-13.4			
65+	2333	120,457	21	0.8	0.4- 1.2	577	24.7	22.5-26.9	1127	47.3	44.9-49.7	485	21.7	19.7-23.7	122	5.4	4.2- 6.6	1	0.1	0.0- 0.3
Less Than H.S.	251	42,708	2	0.3	0.0- 0.7	51	21.2	14.1-28.3	120	45.1	36.9-53.3	57	21.5	15.0-28.0	20	10.9	5.8-16.0	1	1.1	0.0- 3.3
H.S. or G.E.D.	1515	144,550	13	0.9	0.3- 1.5	352	22.8	20.1-25.5	702	46.0	42.7-49.3	326	21.1	18.6-23.6	120	8.9	7.1-10.7	2	0.3	0.0- 0.7
Some Post-H.S.	1780	210,509	8	0.4	0.0- 0.8	374	21.7	19.2-24.2	790	43.6	40.7-46.5	458	25.4	22.9-27.9	150	8.8	7.2-10.4			
College Graduate	1874	151,515	8	0.3	0.0- 0.7	412	25.5	23.0-28.0	871	44.2	41.5-46.9	435	22.0	19.8-24.2	141	7.3	5.9- 8.7	7	0.8	0.2- 1.4
Less than \$15,000	189	22,896	3	0.8	0.0- 1.8	42	24.4	15.4-33.4	87	43.1	33.5-52.7	36	17.9	9.9-25.9	21	13.9	7.4-20.4			
\$15,000- 24,999	381	33,466	2	0.2	0.0- 0.6	104	27.5	21.4-33.6	178	43.3	36.4-50.2	71	18.3	13.4-23.2	26	10.7	5.8-15.6			
\$25,000- 34,999	500	49,176	6	0.7	0.0- 1.5	112	21.1	16.0-26.2	234	48.6	42.5-54.7	101	17.7	13.2-22.2	45	10.5	6.6-14.4	2	1.4	0.0- 3.4
\$35,000- 49,999	687	63,335	4	0.6	0.0- 1.4	161	22.9	18.6-27.2	323	48.5	43.4-53.6	140	19.4	15.7-23.1	59	8.6	5.9-11.3			
\$50,000- 99,999	1529	156,780	7	0.7	0.1- 1.3	285	19.7	17.0-22.4	736	46.1	42.8-49.4	378	24.8	22.1-27.5	120	8.4	6.6-10.2	3	0.3	0.0- 0.7
\$100,000 - 199,999	984	107,669	1	0.1	0.0- 0.3	178	21.1	17.8-24.4	406	39.8	36.1-43.5	300	29.8	26.3-33.3	98	9.2	7.0-11.4	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2883	291,553	4	0.2	0.0- 0.4	206	8.4	7.0- 9.8	1335	45.2	42.8-47.6	994	33.4	31.2-35.6	338	12.3	10.7-13.9	6	0.4	0.0- 0.8
Native	114	11,677				4	2.4	0.0- 5.1	47	40.3	28.0-52.6	41	38.7	26.4-51.0	22	18.6	9.6-27.6			
Non-Native	2717	275,342	4	0.2	0.0- 0.4	198	8.6	7.0-10.2	1259	45.4	43.0-47.8	938	33.2	31.0-35.4	312	12.2	10.6-13.8	6	0.4	0.0- 0.8
18-24	214	40,531	1	0.8	0.0- 2.4	42	21.6	15.1-28.1	111	51.1	43.5-58.7	47	20.7	14.6-26.8	12	5.4	2.1- 8.7	1	0.5	0.0- 1.5
25-34	317	58,881				33	10.6	6.9-14.3	151	47.4	41.1-53.7	93	30.3	24.6-36.0	39	11.2	7.5-14.9	1	0.5	0.0- 1.5
35-44	352	49,147				21	5.6	3.1- 8.1	123	37.3	31.4-43.2	144	38.4	32.7-44.1	61	17.3	12.8-21.8	3	1.4	0.0- 3.4
45-54	351	38,938				13	3.3	1.3- 5.3	153	44.1	38.2-50.0	136	39.1	33.2-45.0	49	13.5	9.6-17.4			
55-64	508	45,776	1	0.1	0.0- 0.3	11	2.4	0.8- 4.0	217	41.5	36.6-46.4	203	38.6	33.7-43.5	76	17.4	13.3-21.5			
65+	1141	58,281	2	0.2	0.0- 0.6	86	7.4	5.6- 9.2	580	49.5	46.0-53.0	371	33.4	30.1-36.7	101	9.4	7.4-11.4	1	0.1	0.0- 0.3
Less Than H.S.	152	26,110	1	0.4	0.0- 1.2	17	14.5	6.3-22.7	73	43.1	32.9-53.3	44	27.6	18.6-36.6	16	12.7	5.8-19.6	1	1.8	0.0- 5.1
H.S. or G.E.D.	859	84,083	1	0.1	0.0- 0.3	79	9.5	7.1-11.9	400	46.8	42.7-50.9	271	29.7	26.0-33.4	107	13.6	10.9-16.3	1	0.3	0.0- 0.9
Some Post-H.S.	917	108,890	1	0.3	0.0- 0.9	56	7.5	5.3- 9.7	398	43.1	39.2-47.0	349	36.8	33.1-40.5	113	12.3	9.8-14.8			
College Graduate	945	71,248	1	0.1	0.0- 0.3	52	6.0	4.0- 8.0	462	48.1	44.2-52.0	324	34.2	30.5-37.9	102	10.9	8.5-13.3	4	0.7	0.0- 1.5
Less than \$15,000	84	8,414				10	8.0	1.7-14.3	38	45.0	30.9-59.1	23	25.6	11.3-39.9	13	21.5	9.9-33.1			
\$15,000- 24,999	164	15,293				21	14.4	7.1-21.7	88	50.9	40.7-61.1	40	23.7	15.7-31.7	15	11.0	4.3-17.7			
\$25,000- 34,999	246	25,534	1	0.2	0.0- 0.6	28	12.8	6.9-18.7	109	47.2	38.8-55.6	77	25.0	18.1-31.9	30	12.9	7.0-18.8	1	1.8	0.0- 5.3
\$35,000- 49,999	357	34,980				39	12.6	8.1-17.1	174	49.9	43.2-56.6	96	25.0	19.3-30.7	48	12.5	8.4-16.6			
\$50,000- 99,999	830	83,764	1	0.1	0.0- 0.3	41	6.3	3.8- 8.8	400	46.2	41.9-50.5	288	34.1	30.0-38.2	98	13.1	10.4-15.8	2	0.3	0.0- 0.7
\$100,000 - 199,999	611	63,934				27	5.0	2.6- 7.4	245	38.8	34.1-43.5	259	43.5	38.6-48.4	79	12.6	9.5-15.7	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2548	258,974	27	0.9	0.3- 1.5	986	39.4	36.9-41.9	1150	43.5	41.0-46.0	288	11.6	9.8-13.4	93	4.3	3.1- 5.5	4	0.3	0.0- 0.7
Native	135	12,630	1	0.2	0.0- 0.6	30	19.9	10.5-29.3	61	42.2	30.8-53.6	26	20.0	10.2-29.8	17	17.6	7.6-27.6			
Non-Native	2396	244,736	26	0.9	0.3- 1.5	949	40.4	37.7-43.1	1080	43.7	41.0-46.4	261	11.1	9.3-12.9	76	3.6	2.6- 4.6	4	0.3	0.0- 0.7
18-24	133	35,652	1	0.7	0.0- 2.1	70	52.9	43.5-62.3	47	35.2	26.2-44.2	9	7.6	2.5-12.7	5	3.0	0.1- 5.9	1	0.6	0.0- 1.8
25-34	191	47,555	3	1.8	0.0- 3.8	74	40.0	32.2-47.8	72	38.9	30.9-46.9	27	12.4	7.1-17.7	13	5.9	2.4- 9.4	2	1.0	0.0- 2.4
35-44	250	41,458				86	35.3	28.6-42.0	119	48.4	41.3-55.5	32	11.0	6.9-15.1	12	5.1	2.0- 8.2	1	0.2	0.0- 0.6
45-54	307	31,233				95	32.4	26.5-38.3	139	44.6	38.3-50.9	52	15.5	11.0-20.0	21	7.6	4.1-11.1			
55-64	475	40,900	4	0.9	0.0- 2.1	170	34.6	29.5-39.7	226	47.7	42.4-53.0	54	13.0	9.3-16.7	21	3.9	1.9- 5.9			
65+	1192	62,176	19	1.4	0.6- 2.2	491	40.8	37.5-44.1	547	45.3	42.0-48.6	114	10.8	8.6-13.0	21	1.7	0.9- 2.5			
Less Than H.S.	99	16,598	1	0.2	0.0- 0.6	34	31.6	19.1-44.1	47	48.3	34.4-62.2	13	11.9	3.5-20.3	4	8.1	0.5-15.7			
H.S. or G.E.D.	656	60,467	12	2.0	0.4- 3.6	273	41.4	36.1-46.7	302	44.9	39.6-50.2	55	9.2	6.3-12.1	13	2.4	0.8- 4.0	1	0.1	0.0- 0.3
Some Post-H.S.	863	101,619	7	0.6	0.0- 1.2	318	37.0	32.5-41.5	392	44.2	39.7-48.7	109	13.3	10.2-16.4	37	5.0	3.0- 7.0			
College Graduate	929	80,267	7	0.6	0.0- 1.4	360	42.8	38.7-46.9	409	40.6	36.7-44.5	111	11.2	8.7-13.7	39	4.0	2.4- 5.6	3	0.9	0.0- 1.9
Less than \$15,000	105	14,483	3	1.2	0.0- 2.8	32	33.9	21.0-46.8	49	41.9	29.2-54.6	13	13.4	4.2-22.6	8	9.6	2.2-17.0			
\$15,000- 24,999	217	18,173	2	0.4	0.0- 1.0	83	38.5	29.5-47.5	90	36.9	28.3-45.5	31	13.8	7.7-19.9	11	10.4	3.3-17.5			
\$25,000- 34,999	254	23,642	5	1.2	0.0- 2.8	84	30.0	22.0-38.0	125	50.1	41.3-58.9	24	9.8	4.5-15.1	15	7.9	3.0-12.8	1	1.0	0.0- 3.0
\$35,000- 49,999	330	28,355	4	1.3	0.0- 3.3	122	35.6	28.3-42.9	149	46.7	39.1-54.3	44	12.6	8.1-17.1	11	3.8	0.9- 6.7			
\$50,000- 99,999	699	73,016	6	1.4	0.0- 2.8	244	35.1	30.4-39.8	336	46.1	41.0-51.2	90	14.1	10.6-17.6	22	3.1	1.5- 4.7	1	0.3	0.0- 0.9
\$100,000 - 199,999	373	43,735	1	0.1	0.0- 0.3	151	44.6	38.3-50.9	161	41.3	35.2-47.4	41	9.9	6.2-13.6	19	4.1	1.7- 6.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5695	577,194	220	3.0	2.4- 3.6	2188	37.5	35.7-39.3	2699	48.1	46.3-49.9	570	11.1	10.1-12.1	14	0.2	0.0- 0.4	4	0.1	0.0- 0.3
Male	2919	295,356	11	0.6	0.2- 1.0	271	9.5	7.9-11.1	2065	68.5	66.3-70.7	557	21.0	19.0-23.0	13	0.4	0.2- 0.6	2	0.1	0.0- 0.3
Female	2776	281,838	209	5.5	4.5- 6.5	1917	66.8	64.4-69.2	634	26.8	24.4-29.2	13	0.7	0.3- 1.1	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Native	254	25,307	9	2.0	0.4- 3.6	99	31.7	24.1-39.3	115	53.8	45.4-62.2	29	12.0	6.7-17.3	2	0.5	0.0- 1.3			
Non-Native	5365	545,077	208	3.0	2.4- 3.6	2068	37.9	36.1-39.7	2541	47.7	45.9-49.5	532	11.0	10.0-12.0	12	0.2	0.0- 0.4	4	0.1	0.0- 0.3
18-24	356	78,198	5	1.0	0.0- 2.0	91	30.6	24.9-36.3	186	53.3	47.4-59.2	71	14.5	10.8-18.2	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9
25-34	520	109,589	11	2.9	1.1- 4.7	152	36.3	31.4-41.2	272	47.2	42.3-52.1	84	13.5	10.4-16.6	1	0.2	0.0- 0.6			
35-44	636	96,287	11	2.3	0.7- 3.9	194	33.9	29.6-38.2	325	49.1	44.6-53.6	102	14.3	11.4-17.2	2	0.1	0.0- 0.3	2	0.3	0.0- 0.7
45-54	711	76,856	17	2.1	0.9- 3.3	252	35.4	31.5-39.3	361	50.9	46.8-55.0	78	11.1	8.6-13.6	3	0.5	0.0- 1.1			
55-64	1027	90,074	23	1.8	1.0- 2.6	413	40.7	37.2-44.2	502	48.1	44.6-51.6	87	9.3	7.1-11.5	2	0.2	0.0- 0.4			
65+	2445	126,191	153	6.3	5.1- 7.5	1086	44.6	42.2-47.0	1053	43.3	40.9-45.7	148	5.7	4.7- 6.7	4	0.1	0.1- 0.1	1	0.1	0.0- 0.3
Less Than H.S.	260	44,179	21	7.4	3.1-11.7	105	43.1	34.9-51.3	112	40.4	32.6-48.2	22	9.1	4.8-13.4						
H.S. or G.E.D.	1594	152,377	80	3.5	2.5- 4.5	596	34.2	31.1-37.3	761	50.3	47.2-53.4	149	11.6	9.4-13.8	7	0.4	0.0- 0.8	1	0.1	0.0- 0.3
Some Post-H.S.	1861	220,128	56	1.9	1.3- 2.5	740	37.9	35.0-40.8	887	49.6	46.7-52.5	176	10.5	8.7-12.3	2	0.1	0.0- 0.3			
College Graduate	1969	159,123	61	2.7	1.9- 3.5	745	38.8	36.1-41.5	935	46.2	43.5-48.9	220	11.8	10.0-13.6	5	0.2	0.0- 0.4	3	0.3	0.0- 0.7
Less than \$15,000	200	24,645	13	4.9	0.8- 9.0	87	50.0	40.4-59.6	86	36.9	28.3-45.5	12	7.1	2.8-11.4	2	1.2	0.0- 3.0			
\$15,000- 24,999	390	33,870	31	5.4	3.2- 7.6	186	42.2	35.5-48.9	152	43.2	36.3-50.1	21	9.2	4.7-13.7						
\$25,000- 34,999	517	50,133	34	4.9	2.4- 7.4	212	38.5	32.6-44.4	232	48.3	42.2-54.4	39	8.3	5.0-11.6						
\$35,000- 49,999	712	66,363	29	3.2	1.6- 4.8	295	37.4	32.7-42.1	330	49.1	44.2-54.0	57	10.0	6.9-13.1	1	0.4	0.0- 1.0			
\$50,000- 99,999	1585	162,790	36	1.8	1.0- 2.6	587	36.9	33.8-40.0	795	50.4	47.1-53.7	161	10.6	8.6-12.6	3	0.0	0.0- 0.0	3	0.3	0.0- 0.7
\$100,000 - 199,999	1012	110,493	12	1.6	0.4- 2.8	308	32.3	28.8-35.8	534	49.7	46.0-53.4	154	16.1	13.4-18.8	4	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2919	295,356	11	0.6	0.2- 1.0	271	9.5	7.9-11.1	2065	68.5	66.3-70.7	557	21.0	19.0-23.0	13	0.4	0.2- 0.6	2	0.1	0.0- 0.3
Native	116	12,332				6	7.8	0.0-15.8	81	69.3	57.7-80.9	27	21.9	12.1-31.7	2	1.0	0.0- 2.8			
Non-Native	2748	278,084	9	0.5	0.0- 1.1	259	9.6	8.0-11.2	1946	68.4	66.0-70.8	521	21.0	19.0-23.0	11	0.3	0.1- 0.5	2	0.1	0.0- 0.3
18-24	219	41,330				10	5.5	1.8- 9.2	137	67.2	60.3-74.1	70	26.5	20.2-32.8	2	0.8	0.0- 2.0			
25-34	320	59,283	1	0.9	0.0- 2.5	25	10.7	6.2-15.2	212	64.0	57.9-70.1	81	24.2	19.1-29.3	1	0.3	0.0- 0.9			
35-44	358	50,163	3	1.7	0.0- 3.7	23	8.7	4.8-12.6	230	62.5	56.6-68.4	99	26.6	21.5-31.7	2	0.2	0.0- 0.4	1	0.4	0.0- 1.2
45-54	358	40,010	1	0.2	0.0- 0.6	30	8.4	5.1-11.7	249	70.0	64.7-75.3	76	20.5	16.0-25.0	2	0.8	0.0- 2.0			
55-64	509	45,857	1	0.1	0.0- 0.3	41	9.5	6.2-12.8	381	72.4	67.7-77.1	84	17.7	13.8-21.6	2	0.3	0.0- 0.9			
65+	1155	58,714	5	0.3	0.1- 0.5	142	12.5	10.1-14.9	856	74.9	72.0-77.8	147	12.1	9.9-14.3	4	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less Than H.S.	154	26,334	3	4.5	0.0- 9.6	34	26.7	17.1-36.3	95	53.5	43.1-63.9	22	15.3	8.2-22.4						
H.S. or G.E.D.	872	85,992	3	0.1	0.0- 0.3	84	7.8	5.6-10.0	631	71.1	67.2-75.0	147	20.3	16.8-23.8	7	0.7	0.0- 1.5			
Some Post-H.S.	921	108,970	1	0.0	0.0- 0.0	79	8.1	5.9-10.3	667	71.3	67.8-74.8	172	20.4	17.3-23.5	2	0.2	0.0- 0.6			
College Graduate	962	72,698	3	0.2	0.0- 0.6	72	7.2	5.2- 9.2	668	67.2	63.5-70.9	213	24.6	21.3-27.9	4	0.4	0.0- 0.8	2	0.3	0.0- 0.9
Less than \$15,000	83	8,573				8	13.9	0.0-28.4	62	65.4	50.1-80.7	11	17.2	6.6-27.8	2	3.4	0.0- 8.3			
\$15,000- 24,999	164	15,379	1	0.3	0.0- 0.9	35	20.8	11.8-29.8	107	58.5	47.9-69.1	21	20.3	11.1-29.5						
\$25,000- 34,999	248	25,586	3	2.3	0.0- 5.6	39	17.1	9.8-24.4	167	64.3	55.9-72.7	39	16.3	10.2-22.4						
\$35,000- 49,999	358	35,405	1	0.0	0.0- 0.0	41	12.0	7.9-16.1	259	68.8	62.5-75.1	56	18.5	13.0-24.0	1	0.7	0.0- 2.1			
\$50,000- 99,999	837	84,557	1	0.1	0.0- 0.3	65	8.0	5.6-10.4	610	72.1	68.2-76.0	156	19.5	16.2-22.8	3	0.1	0.1- 0.1	2	0.3	0.0- 0.7
\$100,000 - 199,999	616	64,278	1	0.8	0.0- 2.4	37	5.2	3.0- 7.4	421	66.0	61.3-70.7	153	27.5	23.2-31.8	4	0.5	0.0- 1.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 9: DEMOGRAPHICS**

TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2776	281,838	209	5.5	4.5- 6.5	1917	66.8	64.4-69.2	634	26.8	24.4-29.2	13	0.7	0.3- 1.1	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Native	138	12,975	9	3.9	0.8- 7.0	93	54.4	42.4-66.4	34	39.0	26.8-51.2	2	2.7	0.0- 6.8				2	0.1	0.0- 0.3
Non-Native	2617	266,993	199	5.6	4.6- 6.6	1809	67.4	64.9-69.9	595	26.2	23.8-28.6	11	0.6	0.2- 1.0	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
18-24	137	36,868	5	2.1	0.0- 4.3	81	58.7	49.7-67.7	49	37.6	28.6-46.6	1	1.0	0.0- 2.8				1	0.6	0.0- 1.8
25-34	200	50,306	10	5.3	1.8- 8.8	127	66.4	59.0-73.8	60	27.4	20.5-34.3	3	1.0	0.0- 2.2						
35-44	278	46,124	8	3.0	0.6- 5.4	171	61.2	54.5-67.9	95	34.6	28.1-41.1	3	1.0	0.0- 2.2				1	0.2	0.0- 0.6
45-54	353	36,846	16	4.1	1.9- 6.3	222	64.6	58.9-70.3	112	30.2	24.9-35.5	2	0.8	0.0- 2.0	1	0.2	0.0- 0.6			
55-64	518	44,218	22	3.5	1.9- 5.1	372	73.0	68.5-77.5	121	23.0	18.7-27.3	3	0.6	0.0- 1.4						
65+	1290	67,476	148	11.5	9.3-13.7	944	72.6	69.7-75.5	197	15.8	13.4-18.2	1	0.1	0.0- 0.3						
Less Than H.S.	106	17,845	18	11.6	4.3-18.9	71	67.3	55.0-79.6	17	21.1	9.7-32.5									
H.S. or G.E.D.	722	66,385	77	7.8	5.4-10.2	512	68.3	63.6-73.0	130	23.3	18.8-27.8	2	0.4	0.0- 1.0				1	0.1	0.0- 0.3
Some Post-H.S.	940	111,158	55	3.7	2.3- 5.1	661	67.1	63.0-71.2	220	28.4	24.3-32.5	4	0.7	0.0- 1.5						
College Graduate	1007	86,425	58	4.8	3.2- 6.4	673	65.3	61.6-69.0	267	28.6	25.1-32.1	7	1.0	0.2- 1.8	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
Less than \$15,000	117	16,071	13	7.5	1.2-13.8	79	69.2	58.0-80.4	24	21.7	12.1-31.3	1	1.6	0.0- 4.7						
\$15,000- 24,999	226	18,491	30	9.5	5.6-13.4	151	60.0	50.8-69.2	45	30.4	21.2-39.6									
\$25,000- 34,999	269	24,547	31	7.6	3.9-11.3	173	60.7	52.3-69.1	65	31.7	23.3-40.1									
\$35,000- 49,999	354	30,957	28	6.8	3.3-10.3	254	66.3	59.0-73.6	71	26.7	19.6-33.8	1	0.2	0.0- 0.6						
\$50,000- 99,999	748	78,232	35	3.6	2.0- 5.2	522	68.1	63.6-72.6	185	27.0	22.5-31.5	5	1.0	0.0- 2.2				1	0.3	0.0- 0.9
\$100,000 - 199,999	396	46,214	11	2.8	0.6- 5.0	271	69.8	64.3-75.3	113	27.0	21.7-32.3	1	0.4	0.0- 1.2						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 10: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	165
2 MALES ONLY	166
3 FEMALES ONLY	167
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	168
5 MALES ONLY	169
6 FEMALES ONLY	170
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	171
8 MALES ONLY	172
9 FEMALES ONLY	173
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	174
11 MALES ONLY	175
12 FEMALES ONLY	176
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	177
14 MALES ONLY	178
15 FEMALES ONLY	179
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFFALON)	
16 MALES AND FEMALES	180
17 MALES ONLY	181
18 FEMALES ONLY	182

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 10: DISABILITY

TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5765	584,397	734	8.6	7.8- 9.4	5031	91.4	90.6-92.2
Male	2945	299,417	467	11.4	10.0-12.8	2478	88.6	87.2-90.0
Female	2820	284,981	267	5.8	4.8- 6.8	2553	94.2	93.2-95.2
Native	256	25,458	26	7.6	4.1-11.1	230	92.4	88.9-95.9
Non-Native	5428	551,709	693	8.6	7.8- 9.4	4735	91.4	90.6-92.2
18-24	358	78,818	12	2.7	0.9- 4.5	346	97.3	95.5-99.1
25-34	530	111,632	13	2.6	1.0- 4.2	517	97.4	95.8-99.0
35-44	642	96,765	26	4.1	2.1- 6.1	616	95.9	93.9-97.9
45-54	725	78,372	50	6.7	4.7- 8.7	675	93.3	91.3-95.3
55-64	1039	90,815	104	9.9	7.9-11.9	935	90.1	88.1-92.1
65+	2471	127,996	529	21.2	19.2-23.2	1942	78.8	76.8-80.8
Less Than H.S.	264	44,341	51	11.5	7.0-16.0	213	88.5	84.0-93.0
H.S. or G.E.D.	1610	154,551	237	9.4	7.8-11.0	1373	90.6	89.0-92.2
Some Post-H.S.	1876	220,984	248	9.6	8.2-11.0	1628	90.4	89.0-91.8
College Graduate	1998	162,326	196	5.9	4.9- 6.9	1802	94.1	93.1-95.1
Less than \$15,000	200	24,678	38	12.3	6.0-18.6	162	87.7	81.4-94.0
\$15,000- 24,999	394	34,417	83	16.7	12.4-21.0	311	83.3	79.0-87.6
\$25,000- 34,999	520	50,750	83	10.4	7.5-13.3	437	89.6	86.7-92.5
\$35,000- 49,999	716	66,710	100	8.9	6.7-11.1	616	91.1	88.9-93.3
\$50,000- 99,999	1595	163,818	162	6.8	5.4- 8.2	1433	93.2	91.8-94.6
\$100,000 - 199,999	1021	111,021	87	6.7	4.9- 8.5	934	93.3	91.5-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2945	299,417	467	11.4	10.0-12.8	2478	88.6	87.2-90.0
Native	116	12,332	13	9.5	3.4-15.6	103	90.5	84.4-96.6
Non-Native	2772	281,855	440	11.3	9.9-12.7	2332	88.7	87.3-90.1
18-24	221	41,894	9	3.3	0.9- 5.7	212	96.7	94.3-99.1
25-34	326	60,564	11	4.5	1.6- 7.4	315	95.5	92.6-98.4
35-44	361	50,626	22	5.9	3.2- 8.6	339	94.1	91.4-96.8
45-54	364	40,760	33	8.8	5.7-11.9	331	91.2	88.1-94.3
55-64	515	46,318	78	15.1	11.6-18.6	437	84.9	81.4-88.4
65+	1158	59,255	314	27.6	24.5-30.7	844	72.4	69.3-75.5
Less Than H.S.	153	26,235	33	12.3	6.2-18.4	120	87.7	81.6-93.8
H.S. or G.E.D.	882	87,479	150	11.8	9.4-14.2	732	88.2	85.8-90.6
Some Post-H.S.	930	110,170	156	12.6	10.2-15.0	774	87.4	85.0-89.8
College Graduate	967	73,648	126	8.7	6.9-10.5	841	91.3	89.5-93.1
Less than \$15,000	83	8,606	17	19.0	4.5-33.5	66	81.0	66.5-95.5
\$15,000- 24,999	166	15,579	41	20.3	13.0-27.6	125	79.7	72.4-87.0
\$25,000- 34,999	247	25,666	45	11.8	7.7-15.9	202	88.2	84.1-92.3
\$35,000- 49,999	359	35,785	62	10.4	7.3-13.5	297	89.6	86.5-92.7
\$50,000- 99,999	839	84,882	120	10.3	7.9-12.7	719	89.7	87.3-92.1
\$100,000 - 199,999	622	64,893	71	9.0	6.5-11.5	551	91.0	88.5-93.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2820	284,981	267	5.8	4.8- 6.8	2553	94.2	93.2-95.2
Native	140	13,125	13	5.9	2.2- 9.6	127	94.1	90.4-97.8
Non-Native	2656	269,854	253	5.8	4.8- 6.8	2403	94.2	93.2-95.2
18-24	137	36,925	3	2.1	0.0- 4.6	134	97.9	95.4- 100
25-34	204	51,068	2	0.3	0.0- 0.7	202	99.7	99.3- 100
35-44	281	46,139	4	2.2	0.0- 4.7	277	97.8	95.3- 100
45-54	361	37,612	17	4.5	2.1- 6.9	344	95.5	93.1-97.9
55-64	524	44,496	26	4.5	2.5- 6.5	498	95.5	93.5-97.5
65+	1313	68,741	215	15.8	13.4-18.2	1098	84.2	81.8-86.6
Less Than H.S.	111	18,105	18	10.3	3.6-17.0	93	89.7	83.0-96.4
H.S. or G.E.D.	728	67,072	87	6.3	4.7- 7.9	641	93.7	92.1-95.3
Some Post-H.S.	946	110,814	92	6.5	4.7- 8.3	854	93.5	91.7-95.3
College Graduate	1031	88,678	70	3.5	2.5- 4.5	961	96.5	95.5-97.5
Less than \$15,000	117	16,071	21	8.7	4.0-13.4	96	91.3	86.6-96.0
\$15,000- 24,999	228	18,838	42	13.8	8.7-18.9	186	86.2	81.1-91.3
\$25,000- 34,999	273	25,084	38	9.0	5.1-12.9	235	91.0	87.1-94.9
\$35,000- 49,999	357	30,925	38	7.2	4.5- 9.9	319	92.8	90.1-95.5
\$50,000- 99,999	756	78,936	42	2.9	1.7- 4.1	714	97.1	95.9-98.3
\$100,000 - 199,999	399	46,128	16	3.5	1.0- 6.0	383	96.5	94.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 10: DISABILITY

TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5765	583,679	245	3.4	2.8- 4.0	5520	96.6	96.0-97.2
Male	2946	299,185	116	3.3	2.5- 4.1	2830	96.7	95.9-97.5
Female	2819	284,495	129	3.5	2.7- 4.3	2690	96.5	95.7-97.3
Native	255	25,397	15	6.3	2.0-10.6	240	93.7	89.4-98.0
Non-Native	5428	551,042	228	3.3	2.7- 3.9	5200	96.7	96.1-97.3
18-24	358	78,818	4	1.0	0.0- 2.2	354	99.0	97.8- 100
25-34	529	111,034	10	2.1	0.5- 3.7	519	97.9	96.3-99.5
35-44	642	96,964	15	2.9	1.3- 4.5	627	97.1	95.5-98.7
45-54	724	78,086	20	3.4	1.6- 5.2	704	96.6	94.8-98.4
55-64	1038	90,698	31	3.5	2.1- 4.9	1007	96.5	95.1-97.9
65+	2474	128,079	165	6.4	5.2- 7.6	2309	93.6	92.4-94.8
Less Than H.S.	264	43,831	26	8.8	4.3-13.3	238	91.2	86.7-95.7
H.S. or G.E.D.	1610	154,522	80	4.0	2.8- 5.2	1530	96.0	94.8-97.2
Some Post-H.S.	1876	220,773	76	3.1	2.3- 3.9	1800	96.9	96.1-97.7
College Graduate	1998	162,357	62	1.8	1.2- 2.4	1936	98.2	97.6-98.8
Less than \$15,000	201	24,766	24	12.4	5.7-19.1	177	87.6	80.9-94.3
\$15,000- 24,999	393	34,131	38	8.5	5.0-12.0	355	91.5	88.0-95.0
\$25,000- 34,999	521	50,760	40	8.0	4.7-11.3	481	92.0	88.7-95.3
\$35,000- 49,999	716	66,712	24	2.2	1.0- 3.4	692	97.8	96.6-99.0
\$50,000- 99,999	1591	162,861	36	1.5	0.9- 2.1	1555	98.5	97.9-99.1
\$100,000 - 199,999	1022	111,356	20	1.5	0.7- 2.3	1002	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 10: DISABILITY

TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2946	299,185	116	3.3	2.5- 4.1	2830	96.7	95.9-97.5
Native	116	12,332	7	6.2	1.1-11.3	109	93.8	88.7-98.9
Non-Native	2772	281,613	107	3.2	2.2- 4.2	2665	96.8	95.8-97.8
18-24	221	41,894	2	0.7	0.0- 1.7	219	99.3	98.3- 100
25-34	326	60,564	5	2.2	0.0- 4.6	321	97.8	95.4- 100
35-44	361	50,551	11	4.4	1.5- 7.3	350	95.6	92.7-98.5
45-54	363	40,475	6	1.5	0.1- 2.9	357	98.5	97.1-99.9
55-64	515	46,370	17	4.0	1.8- 6.2	498	96.0	93.8-98.2
65+	1160	59,331	75	6.1	4.5- 7.7	1085	93.9	92.3-95.5
Less Than H.S.	154	26,324	15	9.9	3.2-16.6	139	90.1	83.4-96.8
H.S. or G.E.D.	883	87,639	29	2.8	1.6- 4.0	854	97.2	96.0-98.4
Some Post-H.S.	928	109,598	34	2.8	1.6- 4.0	894	97.2	96.0-98.4
College Graduate	968	73,740	37	2.3	1.3- 3.3	931	97.7	96.7-98.7
Less than \$15,000	84	8,695	9	19.6	5.1-34.1	75	80.4	65.9-94.9
\$15,000- 24,999	165	15,293	18	9.5	3.6-15.4	147	90.5	84.6-96.4
\$25,000- 34,999	248	25,676	17	8.0	3.1-12.9	231	92.0	87.1-96.9
\$35,000- 49,999	359	35,787	14	2.7	0.9- 4.5	345	97.3	95.5-99.1
\$50,000- 99,999	838	84,790	21	1.7	0.7- 2.7	817	98.3	97.3-99.3
\$100,000 - 199,999	622	64,893	12	1.2	0.4- 2.0	610	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 10: DISABILITY

TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2819	284,495	129	3.5	2.7- 4.3	2690	96.5	95.7-97.3
Native	139	13,064	8	6.4	0.0-13.1	131	93.6	86.9- 100
Non-Native	2656	269,429	121	3.4	2.6- 4.2	2535	96.6	95.8-97.4
18-24	137	36,925	2	1.3	0.0- 3.5	135	98.7	96.5- 100
25-34	203	50,470	5	1.9	0.0- 4.1	198	98.1	95.9- 100
35-44	281	46,413	4	1.2	0.0- 2.4	277	98.8	97.6- 100
45-54	361	37,612	14	5.4	2.3- 8.5	347	94.6	91.5-97.7
55-64	523	44,328	14	2.9	1.3- 4.5	509	97.1	95.5-98.7
65+	1314	68,748	90	6.6	5.0- 8.2	1224	93.4	91.8-95.0
Less Than H.S.	110	17,507	11	7.3	2.0-12.6	99	92.7	87.4-98.0
H.S. or G.E.D.	727	66,883	51	5.5	3.3- 7.7	676	94.5	92.3-96.7
Some Post-H.S.	948	111,176	42	3.4	2.0- 4.8	906	96.6	95.2-98.0
College Graduate	1030	88,617	25	1.3	0.7- 1.9	1005	98.7	98.1-99.3
Less than \$15,000	117	16,071	15	8.5	2.6-14.4	102	91.5	85.6-97.4
\$15,000- 24,999	228	18,838	20	7.6	3.7-11.5	208	92.4	88.5-96.3
\$25,000- 34,999	273	25,084	23	8.0	3.3-12.7	250	92.0	87.3-96.7
\$35,000- 49,999	357	30,925	10	1.5	0.3- 2.7	347	98.5	97.3-99.7
\$50,000- 99,999	753	78,071	15	1.4	0.6- 2.2	738	98.6	97.8-99.4
\$100,000 - 199,999	400	46,463	8	1.8	0.4- 3.2	392	98.2	96.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5727	579,387	515	11.1	9.9-12.3	5212	88.9	87.7-90.1
Male	2929	297,223	241	9.4	8.0-10.8	2688	90.6	89.2-92.0
Female	2798	282,164	274	12.9	10.9-14.9	2524	87.1	85.1-89.1
Native	252	25,323	40	20.5	13.2-27.8	212	79.5	72.2-86.8
Non-Native	5394	546,865	467	10.6	9.4-11.8	4927	89.4	88.2-90.6
18-24	356	78,140	56	16.8	12.3-21.3	300	83.2	78.7-87.7
25-34	523	109,445	55	13.7	10.0-17.4	468	86.3	82.6-90.0
35-44	638	96,336	59	11.6	8.5-14.7	579	88.4	85.3-91.5
45-54	724	78,306	61	9.3	6.8-11.8	663	90.7	88.2-93.2
55-64	1033	90,083	79	7.9	5.9-9.9	954	92.1	90.1-94.1
65+	2453	127,076	205	8.3	6.9-9.7	2248	91.7	90.3-93.1
Less Than H.S.	258	42,855	57	28.3	20.5-36.1	201	71.7	63.9-79.5
H.S. or G.E.D.	1600	153,277	178	13.0	10.6-15.4	1422	87.0	84.6-89.4
Some Post-H.S.	1862	219,540	171	10.6	8.6-12.6	1691	89.4	87.4-91.4
College Graduate	1992	161,832	107	5.2	4.0-6.4	1885	94.8	93.6-96.0
Less than \$15,000	199	24,182	65	47.6	38.0-57.2	134	52.4	42.8-62.0
\$15,000- 24,999	393	34,323	67	20.3	14.6-26.0	326	79.7	74.0-85.4
\$25,000- 34,999	517	50,610	65	17.3	12.2-22.4	452	82.7	77.6-87.8
\$35,000- 49,999	713	66,523	54	8.5	5.6-11.4	659	91.5	88.6-94.4
\$50,000- 99,999	1585	161,996	84	5.6	4.0-7.2	1501	94.4	92.8-96.0
\$100,000 - 199,999	1019	110,843	43	5.0	3.2-6.8	976	95.0	93.2-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2929	297,223	241	9.4	8.0-10.8	2688	90.6	89.2-92.0
Native	116	12,332	15	17.3	6.9-27.7	101	82.7	72.3-93.1
Non-Native	2755	279,651	219	9.0	7.6-10.4	2536	91.0	89.6-92.4
18-24	221	41,894	28	13.3	8.2-18.4	193	86.7	81.6-91.8
25-34	321	59,397	22	8.6	4.7-12.5	299	91.4	87.5-95.3
35-44	360	50,407	26	9.7	5.8-13.6	334	90.3	86.4-94.2
45-54	364	40,760	32	8.7	5.4-12.0	332	91.3	88.0-94.6
55-64	512	45,878	40	8.3	5.6-11.0	472	91.7	89.0-94.4
65+	1151	58,888	93	8.3	6.3-10.3	1058	91.7	89.7-93.7
Less Than H.S.	150	25,527	33	23.5	14.3-32.7	117	76.5	67.3-85.7
H.S. or G.E.D.	879	87,194	82	8.9	6.5-11.3	797	91.1	88.7-93.5
Some Post-H.S.	922	109,369	72	9.6	7.2-12.0	850	90.4	88.0-92.8
College Graduate	966	73,520	52	4.6	3.0- 6.2	914	95.4	93.8-97.0
Less than \$15,000	84	8,695	27	46.1	31.4-60.8	57	53.9	39.2-68.6
\$15,000- 24,999	166	15,579	27	21.6	12.2-31.0	139	78.4	69.0-87.8
\$25,000- 34,999	245	25,548	27	13.1	7.0-19.2	218	86.9	80.8-93.0
\$35,000- 49,999	358	35,761	30	8.5	5.0-12.0	328	91.5	88.0-95.0
\$50,000- 99,999	834	84,515	42	4.9	3.1- 6.7	792	95.1	93.3-96.9
\$100,000 - 199,999	619	64,380	31	5.2	3.0- 7.4	588	94.8	92.6-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2798	282,164	274	12.9	10.9-14.9	2524	87.1	85.1-89.1
Native	136	12,991	25	23.4	13.2-33.6	111	76.6	66.4-86.8
Non-Native	2639	267,214	248	12.3	10.3-14.3	2391	87.7	85.7-89.7
18-24	135	36,246	28	20.8	13.4-28.2	107	79.2	71.8-86.6
25-34	202	50,049	33	19.6	12.9-26.3	169	80.4	73.7-87.1
35-44	278	45,929	33	13.8	8.7-18.9	245	86.2	81.1-91.3
45-54	360	37,546	29	9.9	6.2-13.6	331	90.1	86.4-93.8
55-64	521	44,206	39	7.4	4.7-10.1	482	92.6	89.9-95.3
65+	1302	68,188	112	8.2	6.4-10.0	1190	91.8	90.0-93.6
Less Than H.S.	108	17,328	24	35.2	21.9-48.5	84	64.8	51.5-78.1
H.S. or G.E.D.	721	66,083	96	18.5	14.2-22.8	625	81.5	77.2-85.8
Some Post-H.S.	940	110,171	99	11.7	8.8-14.6	841	88.3	85.4-91.2
College Graduate	1026	88,312	55	5.8	3.8- 7.8	971	94.2	92.2-96.2
Less than \$15,000	115	15,487	38	48.5	35.8-61.2	77	51.5	38.8-64.2
\$15,000- 24,999	227	18,744	40	19.2	12.1-26.3	187	80.8	73.7-87.9
\$25,000- 34,999	272	25,063	38	21.6	13.8-29.4	234	78.4	70.6-86.2
\$35,000- 49,999	355	30,761	24	8.6	4.1-13.1	331	91.4	86.9-95.9
\$50,000- 99,999	751	77,481	42	6.4	3.9- 8.9	709	93.6	91.1-96.1
\$100,000 - 199,999	400	46,463	12	4.8	1.7- 7.9	388	95.2	92.1-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 10: DISABILITY

TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5741	581,005	871	11.3	10.3-12.3	4870	88.7	87.7-89.7
Male	2937	298,415	375	9.8	8.4-11.2	2562	90.2	88.8-91.6
Female	2804	282,590	496	12.9	11.3-14.5	2308	87.1	85.5-88.7
Native	253	25,001	55	19.9	13.4-26.4	198	80.1	73.6-86.6
Non-Native	5407	548,874	803	10.8	9.8-11.8	4604	89.2	88.2-90.2
18-24	355	77,910	4	0.9	0.0- 1.9	351	99.1	98.1- 100
25-34	528	110,944	19	5.3	2.8- 7.8	509	94.7	92.2-97.2
35-44	638	96,369	33	7.0	4.3- 9.7	605	93.0	90.3-95.7
45-54	723	77,945	80	12.6	9.7-15.5	643	87.4	84.5-90.3
55-64	1036	90,506	149	14.8	12.1-17.5	887	85.2	82.5-87.9
65+	2461	127,331	586	22.9	20.9-24.9	1875	77.1	75.1-79.1
Less Than H.S.	259	43,173	77	30.2	22.6-37.8	182	69.8	62.2-77.4
H.S. or G.E.D.	1602	153,693	277	10.7	9.1-12.3	1325	89.3	87.7-90.9
Some Post-H.S.	1868	220,058	298	11.6	10.0-13.2	1570	88.4	86.8-90.0
College Graduate	1995	161,885	218	6.5	5.3- 7.7	1777	93.5	92.3-94.7
Less than \$15,000	199	24,182	88	42.7	33.1-52.3	111	57.3	47.7-66.9
\$15,000- 24,999	392	34,362	128	26.4	21.1-31.7	264	73.6	68.3-78.9
\$25,000- 34,999	518	50,647	126	17.4	13.1-21.7	392	82.6	78.3-86.9
\$35,000- 49,999	715	66,569	104	10.4	7.9-12.9	611	89.6	87.1-92.1
\$50,000- 99,999	1586	161,912	176	7.2	5.8- 8.6	1410	92.8	91.4-94.2
\$100,000 - 199,999	1020	111,211	59	4.3	2.9- 5.7	961	95.7	94.3-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2937	298,415	375	9.8	8.4-11.2	2562	90.2	88.8-91.6
Native	115	12,027	21	18.4	9.2-27.6	94	81.6	72.4-90.8
Non-Native	2765	281,261	344	9.2	7.8-10.6	2421	90.8	89.4-92.2
18-24	220	41,691	3	1.2	0.0- 2.6	217	98.8	97.4- 100
25-34	326	60,564	8	4.0	0.9- 7.1	318	96.0	92.9-99.1
35-44	360	50,439	18	7.3	3.6-11.0	342	92.7	89.0-96.4
45-54	363	40,454	32	9.2	5.7-12.7	331	90.8	87.3-94.3
55-64	513	46,178	65	14.6	10.7-18.5	448	85.4	81.5-89.3
65+	1155	59,089	249	20.6	17.9-23.3	906	79.4	76.7-82.1
Less Than H.S.	152	26,090	42	27.3	18.1-36.5	110	72.7	63.5-81.9
H.S. or G.E.D.	879	87,074	119	8.5	6.5-10.5	760	91.5	89.5-93.5
Some Post-H.S.	926	109,774	111	8.9	6.9-10.9	815	91.1	89.1-93.1
College Graduate	967	73,593	102	6.6	5.0- 8.2	865	93.4	91.8-95.0
Less than \$15,000	84	8,695	33	43.2	28.5-57.9	51	56.8	42.1-71.5
\$15,000- 24,999	165	15,546	48	24.8	16.6-33.0	117	75.2	67.0-83.4
\$25,000- 34,999	247	25,662	58	18.1	11.4-24.8	189	81.9	75.2-88.6
\$35,000- 49,999	359	35,787	46	9.9	6.4-13.4	313	90.1	86.6-93.6
\$50,000- 99,999	835	84,344	84	6.7	4.7- 8.7	751	93.3	91.3-95.3
\$100,000 - 199,999	621	64,869	31	3.5	2.1- 4.9	590	96.5	95.1-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2804	282,590	496	12.9	11.3-14.5	2308	87.1	85.5-88.7
Native	138	12,975	34	21.2	12.2-30.2	104	78.8	69.8-87.8
Non-Native	2642	267,613	459	12.5	10.9-14.1	2183	87.5	85.9-89.1
18-24	135	36,219	1	0.6	0.0- 1.8	134	99.4	98.2- 100
25-34	202	50,380	11	6.8	2.5-11.1	191	93.2	88.9-97.5
35-44	278	45,929	15	6.6	2.5-10.7	263	93.4	89.3-97.5
45-54	360	37,490	48	16.2	11.5-20.9	312	83.8	79.1-88.5
55-64	523	44,328	84	15.1	11.4-18.8	439	84.9	81.2-88.6
65+	1306	68,242	337	24.9	22.2-27.6	969	75.1	72.4-77.8
Less Than H.S.	107	17,082	35	34.6	21.7-47.5	72	65.4	52.5-78.3
H.S. or G.E.D.	723	66,619	158	13.7	11.0-16.4	565	86.3	83.6-89.0
Some Post-H.S.	942	110,284	187	14.2	11.7-16.7	755	85.8	83.3-88.3
College Graduate	1028	88,292	116	6.4	4.8- 8.0	912	93.6	92.0-95.2
Less than \$15,000	115	15,487	55	42.5	30.0-55.0	60	57.5	45.0-70.0
\$15,000- 24,999	227	18,817	80	27.7	20.6-34.8	147	72.3	65.2-79.4
\$25,000- 34,999	271	24,985	68	16.6	11.3-21.9	203	83.4	78.1-88.7
\$35,000- 49,999	356	30,783	58	10.9	7.4-14.4	298	89.1	85.6-92.6
\$50,000- 99,999	751	77,569	92	7.8	5.8- 9.8	659	92.2	90.2-94.2
\$100,000 - 199,999	399	46,342	28	5.3	2.9- 7.7	371	94.7	92.3-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5745	581,287	194	2.8	2.2- 3.4	5551	97.2	96.6-97.8
Male	2938	298,371	99	3.0	2.2- 3.8	2839	97.0	96.2-97.8
Female	2807	282,916	95	2.7	1.9- 3.5	2712	97.3	96.5-98.1
Native	253	25,001	14	5.1	1.8- 8.4	239	94.9	91.6-98.2
Non-Native	5411	549,157	174	2.7	2.1- 3.3	5237	97.3	96.7-97.9
18-24	356	78,113	3	0.6	0.0- 1.4	353	99.4	98.6- 100
25-34	528	110,944	7	2.1	0.3- 3.9	521	97.9	96.1-99.7
35-44	637	96,268	8	1.8	0.4- 3.2	629	98.2	96.8-99.6
45-54	721	77,739	26	4.3	2.5- 6.1	695	95.7	93.9-97.5
55-64	1036	90,506	40	3.8	2.4- 5.2	996	96.2	94.8-97.6
65+	2467	127,718	110	4.0	3.0- 5.0	2357	96.0	95.0-97.0
Less Than H.S.	260	43,326	20	9.3	4.0-14.6	240	90.7	85.4-96.0
H.S. or G.E.D.	1604	153,853	52	2.3	1.5- 3.1	1552	97.7	96.9-98.5
Some Post-H.S.	1869	219,953	63	2.5	1.7- 3.3	1806	97.5	96.7-98.3
College Graduate	1995	161,960	58	2.0	1.4- 2.6	1937	98.0	97.4-98.6
Less than \$15,000	199	24,182	27	16.5	8.5-24.5	172	83.5	75.5-91.5
\$15,000- 24,999	394	34,417	30	5.5	3.0- 8.0	364	94.5	92.0-97.0
\$25,000- 34,999	517	50,542	23	4.5	1.8- 7.2	494	95.5	92.8-98.2
\$35,000- 49,999	715	66,569	23	2.1	1.1- 3.1	692	97.9	96.9-98.9
\$50,000- 99,999	1588	161,986	32	1.3	0.7- 1.9	1556	98.7	98.1-99.3
\$100,000 - 199,999	1020	111,211	9	0.8	0.2- 1.4	1011	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2938	298,371	99	3.0	2.2- 3.8	2839	97.0	96.2-97.8
Native	115	12,027	7	5.5	0.4-10.6	108	94.5	89.4-99.6
Non-Native	2766	281,217	87	2.7	1.9- 3.5	2679	97.3	96.5-98.1
18-24	221	41,894	2	1.0	0.0- 2.4	219	99.0	97.6- 100
25-34	326	60,564	2	1.4	0.0- 3.6	324	98.6	96.4- 100
35-44	359	50,223	6	2.3	0.1- 4.5	353	97.7	95.5-99.9
45-54	362	40,349	15	4.5	2.1- 6.9	347	95.5	93.1-97.9
55-64	513	46,178	19	4.3	2.1- 6.5	494	95.7	93.5-97.9
65+	1157	59,164	55	4.5	3.1- 5.9	1102	95.5	94.1-96.9
Less Than H.S.	152	26,039	12	8.2	1.9-14.5	140	91.8	85.5-98.1
H.S. or G.E.D.	880	87,261	26	2.3	1.1- 3.5	854	97.7	96.5-98.9
Some Post-H.S.	926	109,622	28	2.2	1.2- 3.2	898	97.8	96.8-98.8
College Graduate	967	73,565	32	3.0	1.8- 4.2	935	97.0	95.8-98.2
Less than \$15,000	84	8,695	14	23.6	9.1-38.1	70	76.4	61.9-90.9
\$15,000- 24,999	166	15,579	12	5.8	1.9- 9.7	154	94.2	90.3-98.1
\$25,000- 34,999	246	25,557	15	5.7	1.6- 9.8	231	94.3	90.2-98.4
\$35,000- 49,999	359	35,787	15	2.8	1.0- 4.6	344	97.2	95.4-99.0
\$50,000- 99,999	836	84,268	14	1.3	0.5- 2.1	822	98.7	97.9-99.5
\$100,000 - 199,999	621	64,869	3	0.6	0.0- 1.4	618	99.4	98.6- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	282,916	95	2.7	1.9- 3.5	2712	97.3	96.5-98.1
Native	138	12,975	7	4.7	0.4- 9.0	131	95.3	91.0-99.6
Non-Native	2645	267,940	87	2.6	1.8- 3.4	2558	97.4	96.6-98.2
18-24	135	36,219	1	0.2	0.0- 0.6	134	99.8	99.4- 100
25-34	202	50,380	5	2.9	0.0- 6.0	197	97.1	94.0- 100
35-44	278	46,045	2	1.3	0.0- 3.3	276	98.7	96.7- 100
45-54	359	37,390	11	4.0	1.5- 6.5	348	96.0	93.5-98.5
55-64	523	44,328	21	3.3	1.5- 5.1	502	96.7	94.9-98.5
65+	1310	68,554	55	3.6	2.4- 4.8	1255	96.4	95.2-97.6
Less Than H.S.	108	17,287	8	11.1	1.9-20.3	100	88.9	79.7-98.1
H.S. or G.E.D.	724	66,591	26	2.3	1.1- 3.5	698	97.7	96.5-98.9
Some Post-H.S.	943	110,331	35	2.9	1.7- 4.1	908	97.1	95.9-98.3
College Graduate	1028	88,395	26	1.1	0.5- 1.7	1002	98.9	98.3-99.5
Less than \$15,000	115	15,487	13	12.6	3.2-22.0	102	87.4	78.0-96.8
\$15,000- 24,999	228	18,838	18	5.4	2.3- 8.5	210	94.6	91.5-97.7
\$25,000- 34,999	271	24,985	8	3.3	0.0- 6.8	263	96.7	93.2- 100
\$35,000- 49,999	356	30,783	8	1.2	0.2- 2.2	348	98.8	97.8-99.8
\$50,000- 99,999	752	77,718	18	1.4	0.6- 2.2	734	98.6	97.8-99.4
\$100,000 - 199,999	399	46,342	6	1.1	0.1- 2.1	393	98.9	97.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5731	580,049	320	5.6	4.6- 6.6	5411	94.4	93.4-95.4
Male	2934	298,287	121	4.5	3.3- 5.7	2813	95.5	94.3-96.7
Female	2797	281,763	199	6.7	5.3- 8.1	2598	93.3	91.9-94.7
Native	251	24,937	28	10.4	4.9-15.9	223	89.6	84.1-95.1
Non-Native	5400	548,007	287	5.3	4.3- 6.3	5113	94.7	93.7-95.7
18-24	356	78,113	16	4.6	2.1- 7.1	340	95.4	92.9-97.9
25-34	526	110,412	26	8.1	4.8-11.4	500	91.9	88.6-95.2
35-44	637	96,210	16	3.6	1.6- 5.6	621	96.4	94.4-98.4
45-54	720	77,773	30	4.9	2.9- 6.9	690	95.1	93.1-97.1
55-64	1035	90,531	44	3.7	2.3- 5.1	991	96.3	94.9-97.7
65+	2457	127,011	188	7.2	6.0- 8.4	2269	92.8	91.6-94.0
Less Than H.S.	260	43,389	36	17.9	10.8-25.0	224	82.1	75.0-89.2
H.S. or G.E.D.	1602	153,696	106	5.3	3.9- 6.7	1496	94.7	93.3-96.1
Some Post-H.S.	1859	218,939	105	5.6	4.2- 7.0	1754	94.4	93.0-95.8
College Graduate	1993	161,830	72	2.4	1.6- 3.2	1921	97.6	96.8-98.4
Less than \$15,000	197	23,958	46	28.5	19.1-37.9	151	71.5	62.1-80.9
\$15,000- 24,999	390	34,204	56	13.4	8.7-18.1	334	86.6	81.9-91.3
\$25,000- 34,999	516	50,369	42	8.6	4.9-12.3	474	91.4	87.7-95.1
\$35,000- 49,999	713	66,473	34	3.8	2.0- 5.6	679	96.2	94.4-98.0
\$50,000- 99,999	1587	161,942	44	3.2	1.8- 4.6	1543	96.8	95.4-98.2
\$100,000 - 199,999	1019	111,065	19	1.6	0.6- 2.6	1000	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2934	298,287	121	4.5	3.3- 5.7	2813	95.5	94.3-96.7
Native	114	11,984	8	10.1	1.3-18.9	106	89.9	81.1-98.7
Non-Native	2763	281,176	109	4.2	3.0- 5.4	2654	95.8	94.6-97.0
18-24	221	41,894	4	2.0	0.0- 4.5	217	98.0	95.5- 100
25-34	326	60,564	13	6.4	2.7-10.1	313	93.6	89.9-97.3
35-44	358	50,077	8	3.7	1.0- 6.4	350	96.3	93.6-99.0
45-54	361	40,383	15	4.9	2.2- 7.6	346	95.1	92.4-97.8
55-64	514	46,346	17	3.8	1.8- 5.8	497	96.2	94.2-98.2
65+	1154	59,023	64	5.3	3.7- 6.9	1090	94.7	93.1-96.3
Less Than H.S.	153	26,208	20	16.9	8.3-25.5	133	83.1	74.5-91.7
H.S. or G.E.D.	879	87,218	40	3.6	2.2- 5.0	839	96.4	95.0-97.8
Some Post-H.S.	922	109,453	31	3.6	2.0- 5.2	891	96.4	94.8-98.0
College Graduate	967	73,524	29	2.4	1.2- 3.6	938	97.6	96.4-98.8
Less than \$15,000	84	8,695	15	26.4	11.7-41.1	69	73.6	58.9-88.3
\$15,000- 24,999	165	15,550	19	15.1	6.3-23.9	146	84.9	76.1-93.7
\$25,000- 34,999	246	25,619	19	7.7	2.8-12.6	227	92.3	87.4-97.2
\$35,000- 49,999	357	35,691	11	3.4	1.0- 5.8	346	96.6	94.2-99.0
\$50,000- 99,999	835	84,223	16	1.7	0.5- 2.9	819	98.3	97.1-99.5
\$100,000 - 199,999	620	64,723	8	0.9	0.1- 1.7	612	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 10: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2797	281,763	199	6.7	5.3- 8.1	2598	93.3	91.9-94.7
Native	137	12,953	20	10.6	3.9-17.3	117	89.4	82.7-96.1
Non-Native	2637	266,832	178	6.5	5.1- 7.9	2459	93.5	92.1-94.9
18-24	135	36,219	12	7.6	2.9-12.3	123	92.4	87.7-97.1
25-34	200	49,848	13	10.2	4.5-15.9	187	89.8	84.1-95.5
35-44	279	46,133	8	3.5	1.0- 6.0	271	96.5	94.0-99.0
45-54	359	37,390	15	4.8	2.3- 7.3	344	95.2	92.7-97.7
55-64	521	44,184	27	3.5	1.9- 5.1	494	96.5	94.9-98.1
65+	1303	67,988	124	8.8	7.0-10.6	1179	91.2	89.4-93.0
Less Than H.S.	107	17,181	16	19.3	7.1-31.5	91	80.7	68.5-92.9
H.S. or G.E.D.	723	66,477	66	7.6	5.1-10.1	657	92.4	89.9-94.9
Some Post-H.S.	937	109,486	74	7.7	5.3-10.1	863	92.3	89.9-94.7
College Graduate	1026	88,306	43	2.4	1.4- 3.4	983	97.6	96.6-98.6
Less than \$15,000	113	15,263	31	29.7	17.4-42.0	82	70.3	58.0-82.6
\$15,000- 24,999	225	18,653	37	11.9	7.4-16.4	188	88.1	83.6-92.6
\$25,000- 34,999	270	24,750	23	9.5	3.8-15.2	247	90.5	84.8-96.2
\$35,000- 49,999	356	30,783	23	4.2	1.7- 6.7	333	95.8	93.3-98.3
\$50,000- 99,999	752	77,718	28	4.8	2.1- 7.5	724	95.2	92.5-97.9
\$100,000 - 199,999	399	46,342	11	2.6	0.6- 4.6	388	97.4	95.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	180
2 MALES ONLY	181
3 FEMALES ONLY	182
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	183
5 MALES ONLY	184
6 FEMALES ONLY	185
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)	
7 MALES AND FEMALES	186
8 MALES ONLY	187
9 FEMALES ONLY	188
DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW1)	
10 MALES AND FEMALES	189
11 MALES ONLY	190
12 FEMALES ONLY	191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5704	577,261	2349	39.8	38.0-41.6	3355	60.2	58.4-62.0
Male	2917	296,413	1360	45.0	42.6-47.4	1557	55.0	52.6-57.4
Female	2787	280,848	989	34.3	31.9-36.7	1798	65.7	63.3-68.1
Native	250	24,690	156	64.5	56.5-72.5	94	35.5	27.5-43.5
Non-Native	5376	545,736	2158	38.6	36.8-40.4	3218	61.4	59.6-63.2
18-24	355	77,925	62	16.5	12.2-20.8	293	83.5	79.2-87.8
25-34	524	109,970	189	37.2	32.5-41.9	335	62.8	58.1-67.5
35-44	633	95,526	287	48.4	43.9-52.9	346	51.6	47.1-56.1
45-54	715	77,157	266	38.3	34.2-42.4	449	61.7	57.6-65.8
55-64	1031	90,117	440	45.1	41.6-48.6	591	54.9	51.4-58.4
65+	2446	126,566	1105	47.1	44.7-49.5	1341	52.9	50.5-55.3
Less Than H.S.	260	43,444	164	64.6	56.8-72.4	96	35.4	27.6-43.2
H.S. or G.E.D.	1593	152,894	776	47.3	44.2-50.4	817	52.7	49.6-55.8
Some Post-H.S.	1849	217,666	789	39.3	36.6-42.0	1060	60.7	58.0-63.4
College Graduate	1987	161,316	612	26.6	24.2-29.0	1375	73.4	71.0-75.8
Less than \$15,000	198	24,080	104	50.4	40.8-60.0	94	49.6	40.0-59.2
\$15,000- 24,999	386	33,886	193	48.0	41.1-54.9	193	52.0	45.1-58.9
\$25,000- 34,999	516	50,369	249	48.6	42.5-54.7	267	51.4	45.3-57.5
\$35,000- 49,999	711	66,064	328	41.0	36.3-45.7	383	59.0	54.3-63.7
\$50,000- 99,999	1581	161,099	636	39.5	36.4-42.6	945	60.5	57.4-63.6
\$100,000 - 199,999	1014	110,578	376	36.6	33.1-40.1	638	63.4	59.9-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2917	296,413	1360	45.0	42.6-47.4	1557	55.0	52.6-57.4
Native	113	11,933	65	62.8	51.0-74.6	48	37.2	25.4-49.0
Non-Native	2749	279,573	1266	44.1	41.7-46.5	1483	55.9	53.5-58.3
18-24	220	41,706	46	20.0	14.1-25.9	174	80.0	74.1-85.9
25-34	324	60,122	129	43.3	37.2-49.4	195	56.7	50.6-62.8
35-44	355	49,610	184	54.9	49.0-60.8	171	45.1	39.2-51.0
45-54	359	40,050	152	44.5	38.6-50.4	207	55.5	49.6-61.4
55-64	511	46,090	223	46.2	41.1-51.3	288	53.8	48.7-58.9
65+	1148	58,835	626	55.7	52.4-59.0	522	44.3	41.0-47.6
Less Than H.S.	152	26,157	103	65.2	55.0-75.4	49	34.8	24.6-45.0
H.S. or G.E.D.	872	86,651	474	51.9	47.8-56.0	398	48.1	44.0-52.2
Some Post-H.S.	918	108,742	424	42.6	38.7-46.5	494	57.4	53.5-61.3
College Graduate	963	73,161	353	33.2	29.7-36.7	610	66.8	63.3-70.3
Less than \$15,000	84	8,695	49	56.0	41.7-70.3	35	44.0	29.7-58.3
\$15,000- 24,999	161	15,423	88	48.6	38.4-58.8	73	51.4	41.2-61.6
\$25,000- 34,999	246	25,619	132	53.9	45.5-62.3	114	46.1	37.7-54.5
\$35,000- 49,999	357	35,465	194	49.0	42.3-55.7	163	51.0	44.3-57.7
\$50,000- 99,999	831	83,615	375	44.0	39.7-48.3	456	56.0	51.7-60.3
\$100,000 - 199,999	617	64,382	264	42.2	37.5-46.9	353	57.8	53.1-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2787	280,848	989	34.3	31.9-36.7	1798	65.7	63.3-68.1
Native	137	12,758	91	66.0	54.8-77.2	46	34.0	22.8-45.2
Non-Native	2627	266,163	892	32.8	30.4-35.2	1735	67.2	64.8-69.6
18-24	135	36,219	16	12.4	6.1-18.7	119	87.6	81.3-93.9
25-34	200	49,848	60	29.7	22.4-37.0	140	70.3	63.0-77.6
35-44	278	45,916	103	41.5	34.8-48.2	175	58.5	51.8-65.2
45-54	356	37,107	114	31.7	26.2-37.2	242	68.3	62.8-73.8
55-64	520	44,027	217	44.0	38.9-49.1	303	56.0	50.9-61.1
65+	1298	67,731	479	39.7	36.6-42.8	819	60.3	57.2-63.4
Less Than H.S.	108	17,287	61	63.7	51.4-76.0	47	36.3	24.0-48.6
H.S. or G.E.D.	721	66,243	302	41.4	36.5-46.3	419	58.6	53.7-63.5
Some Post-H.S.	931	108,924	365	36.0	31.9-40.1	566	64.0	59.9-68.1
College Graduate	1024	88,156	259	21.1	18.2-24.0	765	78.9	76.0-81.8
Less than \$15,000	114	15,386	55	47.3	34.8-59.8	59	52.7	40.2-65.2
\$15,000- 24,999	225	18,463	105	47.5	38.3-56.7	120	52.5	43.3-61.7
\$25,000- 34,999	270	24,750	117	43.1	34.5-51.7	153	56.9	48.3-65.5
\$35,000- 49,999	354	30,599	134	31.7	25.2-38.2	220	68.3	61.8-74.8
\$50,000- 99,999	750	77,484	261	34.7	30.2-39.2	489	65.3	60.8-69.8
\$100,000 - 199,999	397	46,196	112	28.7	23.2-34.2	285	71.3	65.8-76.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2347	229,824	505	27.3	24.8-29.8	209	10.4	8.6-12.2	1633	62.3	59.6-65.0
Male	1359	133,423	273	27.1	23.8-30.4	117	9.7	7.5-11.9	969	63.2	59.9-66.5
Female	988	96,401	232	27.4	23.3-31.5	92	11.5	8.8-14.2	664	61.1	56.8-65.4
Native	155	15,876	57	37.0	26.6-47.4	30	18.7	10.3-27.1	68	44.3	33.5-55.1
Non-Native	2158	210,691	440	26.5	24.0-29.0	175	9.8	8.0-11.6	1543	63.7	61.0-66.4
18-24	62	12,828	9	18.6	6.8-30.4	18	27.0	14.5-39.5	35	54.5	40.4-68.6
25-34	189	40,876	65	38.1	30.1-46.1	34	15.4	9.7-21.1	90	46.5	38.3-54.7
35-44	287	46,278	99	38.4	31.7-45.1	38	11.4	7.3-15.5	150	50.2	43.5-56.9
45-54	266	29,582	84	31.7	25.2-38.2	24	7.5	4.2-10.8	158	60.8	54.1-67.5
55-64	438	40,626	126	28.3	23.2-33.4	41	8.3	5.4-11.2	271	63.4	57.9-68.9
65+	1105	59,634	122	10.2	8.0-12.4	54	5.6	3.8- 7.4	929	84.2	81.7-86.7
Less Than H.S.	164	28,053	60	44.1	33.9-54.3	17	11.6	5.3-17.9	87	44.3	34.3-54.3
H.S. or G.E.D.	775	72,313	190	31.5	27.2-35.8	68	10.7	7.8-13.6	517	57.8	53.3-62.3
Some Post-H.S.	789	85,489	173	25.3	21.4-29.2	86	11.1	8.4-13.8	530	63.5	59.2-67.8
College Graduate	611	42,892	79	12.7	9.4-16.0	38	8.0	5.1-10.9	494	79.3	75.2-83.4
Less than \$15,000	104	12,144	42	47.0	33.5-60.5	11	11.8	3.2-20.4	51	41.2	28.3-54.1
\$15,000- 24,999	193	16,264	46	24.7	16.7-32.7	20	13.3	6.0-20.6	127	62.1	52.9-71.3
\$25,000- 34,999	249	24,472	55	31.2	22.6-39.8	29	14.6	8.1-21.1	165	54.2	45.4-63.0
\$35,000- 49,999	328	27,100	74	29.6	22.5-36.7	25	7.3	4.0-10.6	229	63.1	56.0-70.2
\$50,000- 99,999	636	63,633	121	23.9	19.4-28.4	59	11.2	7.9-14.5	456	64.8	59.7-69.9
\$100,000 - 199,999	376	40,458	67	20.6	15.3-25.9	33	9.4	5.7-13.1	276	70.0	64.1-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1359	133,423	273	27.1	23.8-30.4	117	9.7	7.5-11.9	969	63.2	59.9-66.5
Native	64	7,451	19	31.9	16.8-47.0	13	16.6	4.8-28.4	32	51.5	35.2-67.8
Non-Native	1266	123,300	247	26.7	23.4-30.0	103	9.4	7.2-11.6	916	63.9	60.4-67.4
25-34	129	26,061	36	33.2	23.6-42.8	24	16.3	9.4-23.2	69	50.5	40.7-60.3
35-44	184	27,215	64	39.1	31.1-47.1	24	11.1	6.0-16.2	96	49.8	41.6-58.0
45-54	152	17,815	46	30.0	21.8-38.2	11	5.7	2.0-9.4	95	64.3	55.7-72.9
55-64	222	21,254	59	30.4	23.0-37.8	20	7.5	3.8-11.2	143	62.2	54.6-69.8
65+	626	32,757	60	9.7	6.8-12.6	28	4.8	2.6-7.0	538	85.6	82.1-89.1
Less Than H.S.	103	17,042	38	47.9	35.4-60.4	8	9.3	1.9-16.7	57	42.8	30.8-54.8
H.S. or G.E.D.	473	44,904	108	29.3	24.0-34.6	46	10.0	6.7-13.3	319	60.7	55.2-66.2
Some Post-H.S.	424	46,275	88	26.0	20.7-31.3	42	10.1	6.4-13.8	294	63.9	58.0-69.8
College Graduate	353	24,321	36	10.2	6.3-14.1	21	8.6	4.5-12.7	296	81.1	75.8-86.4
\$15,000- 24,999	88	7,501	21	28.4	16.2-40.6	9	14.5	2.9-26.1	58	57.2	43.7-70.7
\$25,000- 34,999	132	13,805	25	27.5	16.1-38.9	18	16.5	7.3-25.7	89	56.0	44.0-68.0
\$35,000- 49,999	194	17,389	45	31.7	22.9-40.5	14	6.7	2.8-10.6	135	61.6	52.6-70.6
\$50,000- 99,999	375	36,762	64	23.9	17.8-30.0	35	11.8	7.5-16.1	276	64.3	57.8-70.8
\$100,000 - 199,999	264	27,197	43	18.2	12.5-23.9	18	7.0	3.1-10.9	203	74.8	68.3-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	988	96,401	232	27.4	23.3-31.5	92	11.5	8.8-14.2	664	61.1	56.8-65.4
Native	91	8,425	38	41.5	27.4-55.6	17	20.5	8.5-32.5	36	38.0	23.9-52.1
Non-Native	892	87,391	193	26.2	21.9-30.5	72	10.5	7.6-13.4	627	63.3	58.8-67.8
25-34	60	14,815	29	46.7	32.0-61.4	10	13.7	4.3-23.1	21	39.6	24.7-54.5
35-44	103	19,063	35	37.3	26.1-48.5	14	11.9	5.0-18.8	54	50.8	39.6-62.0
45-54	114	11,767	38	34.3	24.3-44.3	13	10.1	4.0-16.2	63	55.7	45.1-66.3
55-64	216	19,372	67	26.0	19.1-32.9	21	9.2	4.5-13.9	128	64.8	57.2-72.4
65+	479	26,877	62	10.9	7.8-14.0	26	6.7	3.8-9.6	391	82.4	78.3-86.5
Less Than H.S.	61	11,012	22	38.3	21.2-55.4	9	15.1	3.9-26.3	30	46.6	29.4-63.8
H.S. or G.E.D.	302	27,409	82	35.1	27.5-42.7	22	11.8	5.9-17.7	198	53.0	45.4-60.6
Some Post-H.S.	365	39,214	85	24.6	18.7-30.5	44	12.3	8.0-16.6	236	63.1	56.6-69.6
College Graduate	258	18,570	43	15.9	10.2-21.6	17	7.3	3.0-11.6	198	76.8	70.1-83.5
Less than \$15,000	55	7,278	21	39.2	21.4-57.0	5	14.4	1.1-27.7	29	46.4	28.6-64.2
\$15,000- 24,999	105	8,763	25	21.5	10.7-32.3	11	12.2	3.2-21.2	69	66.3	53.8-78.8
\$25,000- 34,999	117	10,667	30	36.1	23.0-49.2	11	12.0	3.0-21.0	76	51.9	39.0-64.8
\$35,000- 49,999	134	9,711	29	25.9	14.1-37.7	11	8.4	2.3-14.5	94	65.7	53.7-77.7
\$50,000- 99,999	261	26,871	57	23.9	16.8-31.0	24	10.5	5.4-15.6	180	65.6	57.8-73.4
\$100,000 - 199,999	112	13,261	24	25.5	14.9-36.1	15	14.3	6.5-22.1	73	60.2	48.8-71.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

**TABLE 7: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5714	577,212	169	3.4	2.8- 4.0	110	2.7	2.1- 3.3	5435	93.9	93.1-94.7
Male	2920	296,024	163	6.4	5.2- 7.6	93	4.5	3.3- 5.7	2664	89.1	87.5-90.7
Female	2794	281,189	6	0.3	0.1- 0.5	17	0.8	0.2- 1.4	2771	98.9	98.3-99.5
Native	250	24,467	12	4.6	1.3- 7.9	6	1.8	0.0- 3.6	232	93.6	89.9-97.3
Non-Native	5386	545,886	151	3.3	2.7- 3.9	102	2.7	2.1- 3.3	5133	93.9	92.9-94.9
18-24	354	77,684	8	1.8	0.4- 3.2	13	4.0	1.5- 6.5	333	94.1	91.2-97.0
25-34	523	109,478	27	4.5	2.5- 6.5	23	4.6	2.6- 6.6	473	90.9	88.2-93.6
35-44	633	95,526	32	4.6	2.8- 6.4	24	3.9	2.1- 5.7	577	91.5	89.1-93.9
45-54	717	77,366	36	5.3	3.3- 7.3	17	2.2	1.0- 3.4	664	92.5	90.3-94.7
55-64	1034	90,343	31	3.4	2.0- 4.8	15	1.1	0.5- 1.7	988	95.5	94.1-96.9
65+	2453	126,815	35	1.4	0.8- 2.0	18	0.8	0.4- 1.2	2400	97.8	97.0-98.6
Less Than H.S.	260	43,457	10	4.0	0.5- 7.5	5	4.9	0.4- 9.4	245	91.1	85.6-96.6
H.S. or G.E.D.	1594	152,432	66	4.7	3.3- 6.1	29	2.7	1.5- 3.9	1499	92.6	90.8-94.4
Some Post-H.S.	1856	217,798	56	3.4	2.4- 4.4	44	2.8	1.8- 3.8	1756	93.8	92.4-95.2
College Graduate	1990	161,623	36	1.9	1.1- 2.7	32	2.0	1.2- 2.8	1922	96.1	95.1-97.1
Less than \$15,000	197	23,805	4	4.1	0.0- 9.6	1	0.7	0.0- 2.1	192	95.2	89.7- 100
\$15,000- 24,999	388	33,838	9	2.2	0.4- 4.0	3	0.5	0.0- 1.3	376	97.3	95.3-99.3
\$25,000- 34,999	516	50,369	12	2.8	1.0- 4.6	12	3.5	1.1- 5.9	492	93.7	90.8-96.6
\$35,000- 49,999	711	65,792	20	3.6	1.8- 5.4	15	3.6	1.4- 5.8	676	92.8	90.1-95.5
\$50,000- 99,999	1580	161,011	51	3.8	2.6- 5.0	31	2.7	1.3- 4.1	1498	93.5	91.7-95.3
\$100,000 - 199,999	1017	110,994	34	3.2	1.8- 4.6	28	3.4	2.0- 4.8	955	93.4	91.4-95.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 8: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2920	296,024	163	6.4	5.2- 7.6	93	4.5	3.3- 5.7	2664	89.1	87.5-90.7
Native	114	11,984	11	9.1	2.4-15.8	4	2.9	0.0- 6.2	99	88.0	80.6-95.4
Non-Native	2750	279,093	146	6.2	5.0- 7.4	88	4.6	3.4- 5.8	2516	89.2	87.6-90.8
18-24	219	41,465	7	2.8	0.4- 5.2	11	6.1	1.8-10.4	201	91.1	86.2-96.0
25-34	324	59,905	26	8.1	4.6-11.6	21	7.6	4.1-11.1	277	84.3	79.6-89.0
35-44	355	49,610	30	8.2	5.1-11.3	21	6.2	3.5- 8.9	304	85.6	81.5-89.7
45-54	359	40,050	35	10.3	6.6-14.0	16	4.1	1.9- 6.3	308	85.6	81.5-89.7
55-64	512	46,203	30	6.4	3.9- 8.9	10	1.4	0.4- 2.4	472	92.1	89.4-94.8
65+	1151	58,791	35	3.0	1.8- 4.2	14	1.3	0.5- 2.1	1102	95.7	94.3-97.1
Less Than H.S.	153	26,208	10	6.6	0.7-12.5	5	8.2	1.1-15.3	138	85.2	76.4-94.0
H.S. or G.E.D.	872	86,335	63	7.7	5.5- 9.9	22	3.7	1.9- 5.5	787	88.6	85.9-91.3
Some Post-H.S.	919	108,465	56	6.9	4.9- 8.9	37	4.6	2.8- 6.4	826	88.5	86.0-91.0
College Graduate	965	73,353	33	3.8	2.2- 5.4	29	4.0	2.4- 5.6	903	92.1	89.9-94.3
Less than \$15,000	84	8,695	4	11.3	0.0-25.2	1	1.8	0.0- 5.3	79	86.9	72.8- 100
\$15,000- 24,999	165	15,550	9	4.8	1.1- 8.5	2	0.5	0.0- 1.3	154	94.8	90.9-98.7
\$25,000- 34,999	246	25,619	12	5.5	2.0- 9.0	9	6.0	1.7-10.3	225	88.5	83.0-94.0
\$35,000- 49,999	356	35,048	19	6.6	3.5- 9.7	13	5.6	2.1- 9.1	324	87.7	83.0-92.4
\$50,000- 99,999	829	83,480	49	7.0	4.8- 9.2	26	4.5	2.1- 6.9	754	88.5	85.4-91.6
\$100,000 - 199,999	619	64,694	33	5.2	3.0- 7.4	26	5.4	3.0- 7.8	560	89.4	86.5-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 9: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2794	281,189	6	0.3	0.1- 0.5	17	0.8	0.2- 1.4	2771	98.9	98.3-99.5
Native	136	12,483	1	0.2	0.0- 0.6	2	0.8	0.0- 1.8	133	99.0	97.8- 100
Non-Native	2636	266,793	5	0.3	0.1- 0.5	14	0.8	0.2- 1.4	2617	98.9	98.3-99.5
18-24	135	36,219	1	0.8	0.0- 2.4	2	1.6	0.0- 3.8	132	97.6	94.9- 100
25-34	199	49,573	1	0.1	0.0- 0.3	2	1.0	0.0- 2.6	196	98.9	97.3- 100
35-44	278	45,916	2	0.8	0.0- 2.0	3	1.4	0.0- 3.2	273	97.8	95.6- 100
45-54	358	37,316	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	356	99.8	99.6- 100
55-64	522	44,140	1	0.2	0.0- 0.6	5	0.7	0.0- 1.5	516	99.1	98.3-99.9
65+	1302	68,024				4	0.3	0.0- 0.7	1298	99.7	99.3- 100
Less Than H.S.	107	17,249							107	100.0	100.0- 100
H.S. or G.E.D.	722	66,098	3	0.8	0.0- 1.8	7	1.3	0.0- 2.7	712	97.8	96.2-99.4
Some Post-H.S.	937	109,333				7	1.0	0.0- 2.0	930	99.0	98.0- 100
College Graduate	1025	88,271	3	0.3	0.0- 0.7	3	0.4	0.0- 1.0	1019	99.3	98.7-99.9
Less than \$15,000	113	15,111							113	100.0	100.0- 100
\$15,000- 24,999	223	18,288				1	0.6	0.0- 1.8	222	99.4	98.2- 100
\$25,000- 34,999	270	24,750				3	0.9	0.0- 2.1	267	99.1	97.9- 100
\$35,000- 49,999	355	30,744	1	0.2	0.0- 0.6	2	1.2	0.0- 3.2	352	98.6	96.6- 100
\$50,000- 99,999	751	77,531	2	0.4	0.0- 1.2	5	0.8	0.0- 1.8	744	98.8	97.6- 100
\$100,000 - 199,999	398	46,300	1	0.5	0.0- 1.3	2	0.7	0.0- 1.9	395	98.9	97.5- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 10: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW1)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Never smoked e-cigs		
	TOTAL	WEIGHTED	Every day			Some days			Not at all			N	%	C.I. (95%)
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	2337	228,732	71	6.0	4.4-7.6	84	6.2	4.6-7.8	1671	69.9	67.4-72.4	511	17.9	15.9-19.9
Male	1354	132,957	42	6.3	4.1-8.5	51	7.0	4.8-9.2	967	69.0	65.7-72.3	294	17.6	15.2-20.0
Female	983	95,776	29	5.6	3.2-8.0	33	4.9	2.7-7.1	704	71.2	67.3-75.1	217	18.3	15.4-21.2
Native	154	15,613	4	3.5	0.0-7.8	12	9.0	3.3-14.7	111	67.0	56.2-77.8	27	20.4	10.4-30.4
Non-Native	2148	209,840	66	6.1	4.5-7.7	71	6.0	4.4-7.6	1532	70.2	67.7-72.7	479	17.8	15.8-19.8
18-24	62	12,828	18	31.9	18.8-45.0	13	19.8	7.8-31.8	26	38.6	24.9-52.3	5	9.7	0.7-18.7
25-34	187	40,391	23	13.1	7.2-19.0	29	15.3	9.4-21.2	120	63.8	55.8-71.8	15	7.8	3.5-12.1
35-44	287	46,278	13	5.1	2.4-7.8	19	6.2	3.3-9.1	210	73.2	67.5-78.9	45	15.6	10.9-20.3
45-54	266	29,582	5	2.3	0.0-4.7	14	5.9	2.6-9.2	210	78.9	73.4-84.4	37	12.9	8.6-17.2
55-64	437	40,536	7	2.0	0.2-3.8	7	1.3	0.0-2.7	325	74.7	69.8-79.6	98	22.1	17.4-26.8
65+	1098	59,116	5	0.7	0.0-1.5	2	0.4	0.0-1.0	780	70.7	67.6-73.8	311	28.1	25.0-31.2
Less Than H.S.	163	28,013	10	12.0	4.6-19.4	8	8.6	2.5-14.7	109	62.9	52.9-72.9	36	16.5	9.8-23.2
H.S. or G.E.D.	771	71,668	29	7.6	4.9-10.3	26	4.5	2.5-6.5	550	69.9	65.8-74.0	166	17.9	14.8-21.0
Some Post-H.S.	786	85,171	24	4.7	2.5-6.9	34	7.7	5.0-10.4	575	71.8	67.7-75.9	153	15.8	12.7-18.9
College Graduate	610	42,842	7	1.7	0.3-3.1	14	3.4	1.4-5.4	433	71.5	67.0-76.0	156	23.4	19.3-27.5
Less than \$15,000	101	11,752	5	14.6	1.1-28.1	5	8.9	0.9-16.9	73	67.8	53.9-81.7	18	8.6	3.5-13.7
\$15,000- 24,999	191	15,917	3	3.9	0.0-8.2	7	5.1	0.4-9.8	140	69.4	60.0-78.8	41	21.6	13.2-30.0
\$25,000- 34,999	248	24,319	8	6.9	1.8-12.0	11	8.2	2.9-13.5	182	69.6	61.4-77.8	47	15.2	9.5-20.9
\$35,000- 49,999	327	27,086	5	3.0	0.3-5.7	12	5.4	2.1-8.7	227	71.4	65.3-77.5	83	20.2	15.1-25.3
\$50,000- 99,999	634	63,499	26	7.4	4.3-10.5	25	5.9	3.2-8.6	448	70.1	65.4-74.8	135	16.5	13.2-19.8
\$100,000 - 199,999	376	40,458	10	3.4	1.0-5.8	9	3.4	1.0-5.8	280	72.8	67.3-78.3	77	20.5	15.6-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 11: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Never smoked e-cigs		
	TOTAL	WEIGHTED	Every day			Some days			Not at all			N	%	C.I. (95%)
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1354	132,957	42	6.3	4.1- 8.5	51	7.0	4.8- 9.2	967	69.0	65.7-72.3	294	17.6	15.2-20.0
Native	65	7,491	1	1.7	0.0- 5.0	3	6.5	0.0-14.7	51	72.0	55.7-88.3	10	19.7	4.4-35.0
Non-Native	1260	122,793	41	6.7	4.5- 8.9	47	7.1	4.9- 9.3	893	68.7	65.4-72.0	279	17.5	15.1-19.9
25-34	128	25,852	15	14.2	6.6-21.8	22	18.7	11.1-26.3	81	60.2	50.4-70.0	10	6.8	2.1-11.5
35-44	184	27,215	8	5.7	1.8- 9.6	16	9.6	4.9-14.3	135	70.1	62.5-77.7	25	14.6	8.7-20.5
45-54	152	17,815	2	1.6	0.0- 3.8	4	3.1	0.0- 6.2	128	84.5	78.2-90.8	18	10.8	5.5-16.1
55-64	221	21,170	2	1.4	0.0- 3.9	1	0.5	0.0- 1.5	163	74.8	67.9-81.7	55	23.3	16.8-29.8
65+	623	32,584	4	1.1	0.0- 2.3				438	69.4	65.1-73.7	181	29.5	25.2-33.8
Less Than H.S.	103	17,042	8	15.1	4.7-25.5	4	6.6	0.0-13.3	68	60.7	48.2-73.2	23	17.5	8.5-26.5
H.S. or G.E.D.	470	44,534	16	6.5	3.4- 9.6	17	5.4	2.5- 8.3	339	70.7	65.6-75.8	98	17.4	13.5-21.3
Some Post-H.S.	424	46,275	13	5.2	2.3- 8.1	19	9.2	5.1-13.3	314	70.7	65.0-76.4	78	14.9	10.8-19.0
College Graduate	352	24,264	4	1.4	0.0- 3.0	9	4.8	1.7- 7.9	244	69.7	63.8-75.6	95	24.0	18.7-29.3
\$15,000- 24,999	87	7,291	2	5.2	0.0-12.5	1	0.7	0.0- 2.1	62	72.2	60.0-84.4	22	21.9	10.9-32.9
\$25,000- 34,999	132	13,805	4	6.1	0.0-12.4	6	10.1	2.1-18.1	100	70.6	59.4-81.8	22	13.1	5.5-20.7
\$35,000- 49,999	194	17,389	4	4.2	0.1- 8.3	8	5.5	1.4- 9.6	129	69.3	61.3-77.3	53	21.0	14.3-27.7
\$50,000- 99,999	373	36,628	13	6.3	2.6-10.0	16	8.2	3.9-12.5	261	67.3	61.0-73.6	83	18.1	13.2-23.0
\$100,000 - 199,999	264	27,197	7	3.5	0.8- 6.2	7	3.8	0.9- 6.7	199	73.0	66.5-79.5	51	19.7	14.0-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 11: TOBACCO USE**

TABLE 12: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Never smoked e-cigs		
	TOTAL	WEIGHTED	Every day			Some days			Not at all			N	%	C.I. (95%)
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	983	95,776	29	5.6	3.2- 8.0	33	4.9	2.7- 7.1	704	71.2	67.3-75.1	217	18.3	15.4-21.2
Native	89	8,123	3	5.1	0.0-12.5	9	11.3	3.5-19.1	60	62.4	47.7-77.1	17	21.1	7.8-34.4
Non-Native	888	87,047	25	5.2	2.8- 7.6	24	4.4	2.2- 6.6	639	72.3	68.4-76.2	200	18.2	15.3-21.1
25-34	59	14,540	8	11.1	1.9-20.3	7	9.4	1.4-17.4	39	70.1	56.8-83.4	5	9.4	0.8-18.0
35-44	103	19,063	5	4.1	0.2- 8.0	3	1.3	0.0- 2.9	75	77.6	69.2-86.0	20	16.9	9.3-24.5
45-54	114	11,767	3	3.5	0.0- 8.2	10	10.0	3.5-16.5	82	70.3	60.7-79.9	19	16.1	8.8-23.4
55-64	216	19,366	5	2.6	0.0- 5.3	6	2.2	0.0- 4.9	162	74.6	67.3-81.9	43	20.7	14.0-27.4
65+	475	26,533	1	0.3	0.0- 0.9	2	0.9	0.0- 2.1	342	72.4	67.7-77.1	130	26.4	21.7-31.1
Less Than H.S.	60	10,971	2	7.1	0.0-17.1	4	11.6	0.0-23.4	41	66.3	50.2-82.4	13	15.0	5.0-25.0
H.S. or G.E.D.	301	27,134	13	9.4	3.9-14.9	9	3.1	0.7- 5.5	211	68.6	61.5-75.7	68	18.8	13.5-24.1
Some Post-H.S.	362	38,897	11	4.2	1.1- 7.3	15	5.9	2.4- 9.4	261	73.0	67.1-78.9	75	16.9	12.2-21.6
College Graduate	258	18,578	3	2.0	0.0- 4.2	5	1.6	0.0- 3.2	189	73.9	67.0-80.8	61	22.5	15.8-29.2
Less than \$15,000	53	6,975	3	13.4	0.0-29.9	4	12.3	0.0-24.6	35	64.2	46.0-82.4	11	10.2	2.6-17.8
\$15,000- 24,999	104	8,625	1	2.8	0.0- 8.1	6	8.8	0.2-17.4	78	67.1	53.6-80.6	19	21.4	9.1-33.7
\$25,000- 34,999	116	10,515	4	7.9	0.0-16.1	5	5.7	0.0-12.2	82	68.4	56.4-80.4	25	18.0	9.4-26.6
\$35,000- 49,999	133	9,697	1	0.9	0.0- 2.7	4	5.2	0.0-10.7	98	75.2	65.8-84.6	30	18.7	10.7-26.7
\$50,000- 99,999	261	26,871	13	8.9	3.8-14.0	9	2.7	0.5- 4.9	187	74.0	67.3-80.7	52	14.4	9.9-18.9
\$100,000 - 199,999	112	13,261	3	3.1	0.0- 7.0	2	2.4	0.0- 5.7	81	72.3	62.3-82.3	26	22.2	13.0-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	193
2	MALES ONLY	194
3	FEMALES ONLY	195
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4	MALES AND FEMALES	196
5	MALES ONLY	197
6	FEMALES ONLY	198
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	199
8	MALES ONLY	200
9	FEMALES ONLY	201
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK3)	
10	MALES AND FEMALES	202
11	MALES ONLY	203
12	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5611	567,021	616	11.6	10.4-12.8	83	1.4	1.0- 1.8	1874	36.2	34.6-37.8	523	9.4	8.4-10.4	2515	41.4	39.6-43.2
Male	2860	290,875	371	13.2	11.6-14.8	56	2.0	1.4- 2.6	976	36.2	34.0-38.4	392	14.0	12.4-15.6	1065	34.7	32.5-36.9
Female	2751	276,146	245	9.9	8.3-11.5	27	0.8	0.4- 1.2	898	36.3	33.8-38.8	131	4.6	3.6- 5.6	1450	48.5	46.0-51.0
Native	245	24,181	23	11.0	5.5-16.5	3	0.5	0.0- 1.1	72	30.7	22.9-38.5	8	3.0	0.5- 5.5	139	54.9	46.3-63.5
Non-Native	5291	536,145	589	11.7	10.5-12.9	78	1.4	1.0- 1.8	1779	36.6	34.8-38.4	503	9.6	8.6-10.6	2342	40.7	38.9-42.5
18-24	346	75,990	30	8.3	5.0-11.6	4	0.6	0.0- 1.4	143	38.5	32.8-44.2	23	5.4	2.9- 7.9	146	47.1	41.2-53.0
25-34	516	108,038	78	13.2	10.1-16.3	8	1.8	0.4- 3.2	209	39.2	34.5-43.9	55	10.1	7.4-12.8	166	35.7	30.8-40.6
35-44	623	94,207	79	12.5	9.6-15.4	9	1.6	0.4- 2.8	257	41.3	37.0-45.6	64	9.8	7.1-12.5	214	34.8	30.5-39.1
45-54	704	75,999	86	11.7	9.2-14.2	7	1.1	0.1- 2.1	267	38.6	34.5-42.7	81	11.7	9.0-14.4	263	37.0	32.9-41.1
55-64	1016	88,554	136	14.5	12.0-17.0	15	1.4	0.6- 2.2	376	37.8	34.3-41.3	104	10.5	8.3-12.7	385	35.8	32.3-39.3
65+	2406	124,233	207	9.3	7.9-10.7	40	1.4	0.8- 2.0	622	26.0	23.8-28.2	196	8.8	7.4-10.2	1341	54.5	52.1-56.9
Less Than H.S.	254	42,570	22	11.1	5.2-17.0	5	2.0	0.0- 4.4	61	25.4	18.3-32.5	17	7.3	2.6-12.0	149	54.3	46.1-62.5
H.S. or G.E.D.	1555	148,792	171	11.2	9.2-13.2	20	1.2	0.6- 1.8	468	33.1	30.0-36.2	125	8.8	7.0-10.6	771	45.7	42.6-48.8
Some Post-H.S.	1834	215,153	203	11.4	9.6-13.2	35	1.6	0.8- 2.4	574	35.1	32.2-38.0	181	9.7	8.1-11.3	841	42.2	39.3-45.1
College Graduate	1955	158,826	219	12.4	10.6-14.2	23	1.1	0.5- 1.7	768	43.6	40.9-46.3	199	10.2	8.6-11.8	746	32.7	30.2-35.2
Less than \$15,000	194	23,663	13	9.4	2.7-16.1				45	23.3	15.3-31.3	10	3.9	1.0- 6.8	126	63.4	54.0-72.8
\$15,000- 24,999	383	33,192	28	8.3	4.6-12.0	4	1.4	0.0- 3.2	94	27.5	21.2-33.8	16	3.9	1.7- 6.1	241	58.9	52.0-65.8
\$25,000- 34,999	509	49,831	41	8.4	5.1-11.7	12	1.9	0.1- 3.7	144	34.8	28.7-40.9	31	7.3	4.2-10.4	281	47.7	41.6-53.8
\$35,000- 49,999	705	65,649	83	13.9	10.6-17.2	6	0.8	0.0- 1.6	224	37.6	32.7-42.5	60	7.9	5.4-10.4	332	39.8	35.1-44.5
\$50,000- 99,999	1564	159,229	178	11.6	9.4-13.8	25	1.2	0.6- 1.8	585	39.3	36.2-42.4	178	10.7	8.9-12.5	598	37.1	34.0-40.2
\$100,000 - 199,999	1010	110,334	142	15.2	12.5-17.9	18	1.3	0.5- 2.1	441	45.2	41.5-48.9	135	13.2	10.7-15.7	274	25.1	21.8-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2860	290,875	371	13.2	11.6-14.8	56	2.0	1.4- 2.6	976	36.2	34.0-38.4	392	14.0	12.4-15.6	1065	34.7	32.5-36.9
Native	112	11,837	14	15.0	5.8-24.2	2	0.8	0.0- 2.0	35	30.4	19.0-41.8	5	4.5	0.0- 9.4	56	49.3	36.8-61.8
Non-Native	2695	274,256	354	13.2	11.6-14.8	53	2.0	1.2- 2.8	924	36.6	34.2-39.0	377	14.3	12.7-15.9	987	33.9	31.7-36.1
18-24	214	40,475	19	9.3	4.4-14.2	3	0.4	0.0- 1.0	95	42.9	35.5-50.3	20	8.7	4.6-12.8	77	38.7	31.3-46.1
25-34	323	59,919	62	17.0	12.5-21.5	6	2.2	0.4- 4.0	130	38.8	32.9-44.7	42	13.7	9.4-18.0	83	28.3	22.6-34.0
35-44	349	48,997	39	10.2	6.7-13.7	8	2.7	0.3- 5.1	146	41.1	35.2-47.0	52	14.2	10.3-18.1	104	31.8	26.1-37.5
45-54	353	39,456	52	14.2	10.1-18.3	6	2.0	0.2- 3.8	113	33.1	27.6-38.6	64	18.2	13.7-22.7	118	32.5	27.0-38.0
55-64	499	44,899	73	15.4	11.7-19.1	10	2.3	0.7- 3.9	177	36.3	31.4-41.2	71	14.9	11.2-18.6	168	31.0	26.5-35.5
65+	1122	57,129	126	12.0	9.6-14.4	23	2.0	1.0- 3.0	315	26.4	23.5-29.3	143	14.0	11.5-16.5	515	45.6	42.1-49.1
Less Than H.S.	147	25,330	18	15.7	7.1-24.3	5	3.4	0.0- 7.3	42	30.3	20.7-39.9	15	8.6	2.9-14.3	67	42.1	31.7-52.5
H.S. or G.E.D.	848	84,279	114	12.9	10.2-15.6	15	1.6	0.6- 2.6	259	32.3	28.4-36.2	99	12.4	9.7-15.1	361	40.8	36.7-44.9
Some Post-H.S.	912	107,881	122	12.8	10.3-15.3	22	2.3	1.1- 3.5	292	35.4	31.5-39.3	141	15.9	13.0-18.8	335	33.6	29.9-37.3
College Graduate	943	71,943	116	13.3	10.6-16.0	14	1.5	0.7- 2.3	381	44.2	40.3-48.1	136	14.8	12.1-17.5	296	26.1	22.8-29.4
Less than \$15,000	82	8,580	10	18.7	3.8-33.6				21	25.1	13.3-36.9	7	7.5	0.6-14.4	44	48.7	34.2-63.2
\$15,000- 24,999	162	15,287	18	11.5	5.4-17.6	1	1.9	0.0- 5.4	41	29.8	20.0-39.6	12	6.5	2.2-10.8	90	50.4	40.0-60.8
\$25,000- 34,999	241	25,271	26	11.7	6.0-17.4	8	3.2	0.0- 6.7	62	29.1	21.1-37.1	27	13.3	7.2-19.4	118	42.7	34.5-50.9
\$35,000- 49,999	355	35,173	54	15.8	11.1-20.5	1	0.3	0.0- 0.9	120	40.0	33.3-46.7	44	11.9	7.6-16.2	136	32.0	25.9-38.1
\$50,000- 99,999	820	82,526	109	13.0	9.9-16.1	20	2.1	0.9- 3.3	306	39.5	35.2-43.8	127	15.4	12.5-18.3	258	30.0	25.9-34.1
\$100,000 - 199,999	615	64,247	88	15.2	11.7-18.7	12	1.8	0.6- 3.0	256	42.6	37.9-47.3	103	16.9	13.2-20.6	156	23.6	19.5-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	276,146	245	9.9	8.3-11.5	27	0.8	0.4- 1.2	898	36.3	33.8-38.8	131	4.6	3.6- 5.6	1450	48.5	46.0-51.0
Native	133	12,344	9	7.0	1.3-12.7	1	0.1	0.0- 0.3	37	31.1	20.1-42.1	3	1.5	0.0- 3.5	83	60.2	48.6-71.8
Non-Native	2596	261,889	235	10.0	8.4-11.6	25	0.8	0.4- 1.2	855	36.6	34.1-39.1	126	4.7	3.5- 5.9	1355	47.9	45.4-50.4
18-24	132	35,515	11	7.3	2.8-11.8	1	0.8	0.0- 2.4	48	33.6	25.0-42.2	3	1.7	0.0- 3.7	69	56.7	47.5-65.9
25-34	193	48,119	16	8.4	4.1-12.7	2	1.4	0.0- 3.4	79	39.7	31.9-47.5	13	5.5	2.2- 8.8	83	45.0	37.0-53.0
35-44	274	45,210	40	15.0	10.1-19.9	1	0.5	0.0- 1.3	111	41.4	34.7-48.1	12	5.1	1.4- 8.8	110	38.1	31.6-44.6
45-54	351	36,543	34	8.9	5.8-12.0	1	0.1	0.0- 0.3	154	44.5	38.6-50.4	17	4.6	2.2- 7.0	145	41.8	35.9-47.7
55-64	517	43,655	63	13.4	9.9-16.9	5	0.6	0.0- 1.2	199	39.3	34.2-44.4	33	5.9	3.5- 8.3	217	40.8	35.7-45.9
65+	1284	67,104	81	7.0	5.2- 8.8	17	1.0	0.4- 1.6	307	25.6	22.7-28.5	53	4.3	2.9- 5.7	826	62.1	59.0-65.2
Less Than H.S.	107	17,240	4	4.4	0.0-10.3				19	18.2	8.6-27.8	2	5.3	0.0-13.3	82	72.1	59.8-84.4
H.S. or G.E.D.	707	64,513	57	8.9	5.8-12.0	5	0.7	0.0- 1.7	209	34.2	29.3-39.1	26	4.1	1.9- 6.3	410	52.2	47.1-57.3
Some Post-H.S.	922	107,272	81	10.0	7.5-12.5	13	1.0	0.2- 1.8	282	34.9	30.6-39.2	40	3.4	2.0- 4.8	506	50.7	46.4-55.0
College Graduate	1012	86,883	103	11.6	9.1-14.1	9	0.7	0.0- 1.5	387	43.2	39.3-47.1	63	6.3	4.3- 8.3	450	38.2	34.5-41.9
Less than \$15,000	112	15,083	3	4.1	0.0- 9.0				24	22.3	11.7-32.9	3	1.8	0.0- 4.0	82	71.8	60.4-83.2
\$15,000- 24,999	221	17,905	10	5.6	0.9-10.3	3	1.0	0.0- 2.6	53	25.5	17.7-33.3	4	1.7	0.0- 3.7	151	66.1	57.5-74.7
\$25,000- 34,999	268	24,559	15	4.9	1.4- 8.4	4	0.5	0.0- 1.1	82	40.6	31.8-49.4	4	1.1	0.0- 2.3	163	52.8	44.0-61.6
\$35,000- 49,999	350	30,475	29	11.8	6.9-16.7	5	1.4	0.0- 3.2	104	34.7	27.4-42.0	16	3.3	0.9- 5.7	196	48.8	41.5-56.1
\$50,000- 99,999	744	76,703	69	10.2	7.5-12.9	5	0.2	0.0- 0.4	279	39.1	34.4-43.8	51	5.7	3.9- 7.5	340	44.8	39.9-49.7
\$100,000 - 199,999	395	46,087	54	15.3	10.4-20.2	6	0.5	0.1- 0.9	185	48.9	42.8-55.0	32	8.1	4.8-11.4	118	27.1	21.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3047	326,213	1281	35.2	33.0-37.4	861	29.2	27.0-31.4	388	14.3	12.7-15.9	193	7.9	6.5- 9.3	307	12.7	11.1-14.3	17	0.7	0.3- 1.1
Male	1760	186,473	590	27.4	24.9-29.9	515	29.8	27.1-32.5	271	16.3	14.1-18.5	128	8.6	6.8-10.4	247	17.2	14.8-19.6	9	0.7	0.1- 1.3
Female	1287	139,739	691	45.6	42.1-49.1	346	28.4	25.1-31.7	117	11.6	9.2-14.0	65	6.9	4.9- 8.9	60	6.8	4.6- 9.0	8	0.7	0.1- 1.3
Native	101	10,499	28	23.3	13.1-33.5	22	25.4	13.8-37.0	5	4.0	0.0- 8.9	18	22.0	10.0-34.0	28	25.3	14.5-36.1			
Non-Native	2906	312,189	1233	35.5	33.3-37.7	828	29.3	27.1-31.5	379	14.7	13.1-16.3	175	7.5	6.1- 8.9	274	12.2	10.6-13.8	17	0.8	0.4- 1.2
18-24	195	38,809	38	20.3	14.0-26.6	50	24.4	17.7-31.1	29	14.4	8.9-19.9	22	11.7	6.6-16.8	56	29.2	21.9-36.5			
25-34	342	68,335	74	23.7	18.4-29.0	103	29.6	24.1-35.1	66	18.8	14.1-23.5	35	10.2	6.7-13.7	62	17.1	12.4-21.8	2	0.6	0.0- 1.4
35-44	401	59,986	120	31.0	25.9-36.1	128	33.3	28.0-38.6	63	14.4	10.7-18.1	36	8.9	5.6-12.2	51	11.3	8.0-14.6	3	1.1	0.0- 2.3
45-54	436	47,318	149	33.1	28.2-38.0	136	30.7	25.8-35.6	58	14.0	10.3-17.7	35	8.4	5.3-11.5	53	12.6	9.1-16.1	5	1.2	0.0- 2.4
55-64	624	56,105	269	42.7	38.2-47.2	190	29.8	25.7-33.9	86	15.2	11.9-18.5	34	5.6	3.2- 8.0	45	6.6	4.4- 8.8			
65+	1049	55,659	631	58.4	54.9-61.9	254	25.6	22.5-28.7	86	7.7	5.7- 9.7	31	3.1	1.7- 4.5	40	3.8	2.4- 5.2	7	1.3	0.3- 2.3
Less Than H.S.	97	17,390	43	32.7	20.9-44.5	21	25.5	14.1-36.9	7	3.3	0.2- 6.4	8	12.7	3.9-21.5	16	23.3	11.1-35.5	2	2.5	0.0- 6.0
H.S. or G.E.D.	769	79,544	309	33.3	29.2-37.4	194	25.7	21.8-29.6	110	16.0	12.7-19.3	47	7.4	4.9- 9.9	105	16.8	13.3-20.3	4	0.8	0.0- 1.6
Some Post-H.S.	980	122,729	379	32.8	29.3-36.3	265	27.7	24.2-31.2	142	16.4	13.5-19.3	71	8.6	6.2-11.0	117	13.9	11.0-16.8	6	0.7	0.1- 1.3
College Graduate	1196	105,798	547	39.8	36.5-43.1	380	34.2	30.9-37.5	129	12.4	10.0-14.8	67	6.7	4.9- 8.5	68	6.5	4.7- 8.3	5	0.5	0.1- 0.9
Less than \$15,000	67	8,635	31	42.7	26.6-58.8	11	13.0	3.8-22.2	9	10.8	2.2-19.4	4	6.6	0.0-13.9	12	27.0	10.5-43.5			
\$15,000- 24,999	139	13,079	65	37.4	27.2-47.6	28	21.0	12.0-30.0	19	13.2	6.1-20.3	8	7.2	1.7-12.7	18	19.4	10.2-28.6	1	1.8	0.0- 5.3
\$25,000- 34,999	226	25,700	98	28.4	21.3-35.5	46	24.1	16.1-32.1	31	15.8	9.1-22.5	22	14.7	7.8-21.6	26	15.9	9.0-22.8	3	1.1	0.0- 2.3
\$35,000- 49,999	365	38,387	155	35.4	29.1-41.7	99	25.6	19.7-31.5	45	15.3	10.2-20.4	22	7.1	3.8-10.4	40	15.2	10.3-20.1	4	1.3	0.0- 2.7
\$50,000- 99,999	951	98,752	394	34.4	30.7-38.1	283	31.3	27.6-35.0	125	15.3	12.4-18.2	59	7.5	5.1- 9.9	85	11.0	8.3-13.7	5	0.6	0.0- 1.2
\$100,000 - 199,999	731	82,277	269	33.6	29.5-37.7	235	32.2	28.1-36.3	98	14.0	10.9-17.1	50	8.1	5.6-10.6	78	12.0	9.1-14.9	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	186,473	590	27.4	24.9-29.9	515	29.8	27.1-32.5	271	16.3	14.1-18.5	128	8.6	6.8-10.4	247	17.2	14.8-19.6	9	0.7	0.1- 1.3
Native	51	5,590	14	24.2	8.7-39.7	11	24.8	8.7-40.9	2	1.2	0.0- 3.0	5	23.1	5.1-41.1	19	26.6	12.3-40.9			
Non-Native	1679	178,308	564	27.4	24.9-29.9	494	29.9	27.2-32.6	265	16.8	14.6-19.0	123	8.3	6.5-10.1	224	16.9	14.5-19.3	9	0.8	0.2- 1.4
18-24	134	24,081	22	17.4	10.1-24.7	32	22.0	14.2-29.8	19	12.3	6.2-18.4	14	9.9	4.4-15.4	47	38.4	28.8-48.0			
25-34	233	42,196	37	17.2	11.7-22.7	69	28.8	22.3-35.3	51	22.2	16.1-28.3	24	10.8	6.3-15.3	51	20.6	14.7-26.5	1	0.3	0.0- 0.9
35-44	239	32,809	58	24.9	18.8-31.0	76	34.1	27.0-41.2	42	15.4	10.5-20.3	20	9.0	4.7-13.3	41	15.3	10.4-20.2	2	1.3	0.0- 3.1
45-54	233	26,459	61	24.4	18.3-30.5	76	32.0	25.3-38.7	34	16.3	10.8-21.8	22	9.4	4.9-13.9	38	16.7	11.2-22.2	2	1.1	0.0- 2.7
55-64	325	30,272	112	34.5	28.4-40.6	105	32.1	26.2-38.0	51	16.7	12.2-21.2	23	7.4	3.9-10.9	34	9.3	6.0-12.6			
65+	596	30,657	300	47.7	43.0-52.4	157	28.2	23.9-32.5	74	11.8	8.7-14.9	25	4.6	2.6- 6.6	36	6.0	3.6- 8.4	4	1.6	0.0- 3.2
Less Than H.S.	74	13,499	32	29.6	17.3-41.9	15	25.3	12.0-38.6	5	3.0	0.0- 6.3	6	11.5	1.9-21.1	14	27.4	12.7-42.1	2	3.3	0.0- 7.8
H.S. or G.E.D.	478	49,289	156	27.9	23.2-32.6	118	25.0	20.3-29.7	85	19.5	15.0-24.0	30	6.0	3.5- 8.5	87	21.1	16.4-25.8	2	0.5	0.0- 1.3
Some Post-H.S.	568	70,827	163	23.9	19.8-28.0	166	29.4	24.9-33.9	99	18.8	14.7-22.9	49	10.3	7.2-13.4	87	16.9	13.2-20.6	4	0.7	0.0- 1.5
College Graduate	636	52,279	237	31.2	27.1-35.3	215	36.0	31.5-40.5	82	13.5	10.4-16.6	43	8.2	5.5-10.9	58	10.8	7.9-13.7	1	0.3	0.0- 0.9
\$15,000- 24,999	69	7,017	23	24.3	11.6-37.0	14	21.8	9.1-34.5	12	12.8	4.4-21.2	4	6.7	0.0-14.0	16	34.4	19.3-49.5			
\$25,000- 34,999	122	14,334	48	25.4	16.2-34.6	26	23.2	13.0-33.4	16	16.1	7.1-25.1	12	13.0	4.4-21.6	19	21.7	11.3-32.1	1	0.7	0.0- 2.1
\$35,000- 49,999	215	23,302	75	26.4	19.7-33.1	56	25.3	17.9-32.7	37	20.9	13.6-28.2	16	10.3	5.0-15.6	28	15.1	9.2-21.0	3	1.9	0.0- 4.1
\$50,000- 99,999	549	56,845	169	23.6	19.5-27.7	176	33.8	28.9-38.7	89	17.2	13.3-21.1	41	8.4	5.3-11.5	71	16.3	12.0-20.6	3	0.7	0.0- 1.5
\$100,000 - 199,999	454	48,681	138	28.5	23.4-33.6	139	29.6	24.5-34.7	71	15.3	11.4-19.2	37	9.4	6.1-12.7	68	16.9	12.6-21.2	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1287	139,739	691	45.6	42.1-49.1	346	28.4	25.1-31.7	117	11.6	9.2-14.0	65	6.9	4.9- 8.9	60	6.8	4.6- 9.0	8	0.7	0.1- 1.3
Native	50	4,909	14	22.3	9.8-34.8	11	26.2	9.0-43.4	3	7.1	0.0-17.1	13	20.7	6.0-35.4	9	23.7	7.2-40.2			
Non-Native	1227	133,881	669	46.4	42.9-49.9	334	28.6	25.3-31.9	114	11.8	9.4-14.2	52	6.5	4.5- 8.5	50	6.0	4.0- 8.0	8	0.8	0.2- 1.4
18-24	61	14,728	16	25.1	13.5-36.7	18	28.2	15.9-40.5	10	17.8	7.2-28.4	8	14.7	5.1-24.3	9	14.2	4.6-23.8			
25-34	109	26,140	37	34.2	24.0-44.4	34	30.9	21.1-40.7	15	13.3	6.2-20.4	11	9.2	3.3-15.1	11	11.5	4.1-18.9	1	1.0	0.0- 3.0
35-44	162	27,177	62	38.3	29.9-46.7	52	32.3	24.3-40.3	21	13.2	7.5-18.9	16	8.8	3.9-13.7	10	6.5	2.2-10.8	1	0.9	0.0- 2.7
45-54	203	20,860	88	44.2	36.6-51.8	60	29.0	22.1-35.9	24	11.1	6.4-15.8	13	7.0	2.7-11.3	15	7.3	3.2-11.4	3	1.4	0.0- 3.0
55-64	299	25,833	157	52.3	45.8-58.8	85	27.2	21.1-33.3	35	13.5	8.6-18.4	11	3.5	1.0- 6.0	11	3.5	1.1- 5.9			
65+	453	25,002	331	71.6	66.5-76.7	97	22.3	17.6-27.0	12	2.8	1.0- 4.6	6	1.3	0.0- 2.7	4	1.0	0.0- 2.2	3	1.0	0.0- 2.2
H.S. or G.E.D.	291	30,255	153	42.2	34.9-49.5	76	26.8	20.1-33.5	25	10.4	5.7-15.1	17	9.7	4.6-14.8	18	9.7	4.8-14.6	2	1.2	0.0- 3.0
Some Post-H.S.	412	51,902	216	44.9	38.6-51.2	99	25.4	19.7-31.1	43	13.0	8.5-17.5	22	6.4	3.3- 9.5	30	9.8	5.5-14.1	2	0.6	0.0- 1.6
College Graduate	560	53,520	310	48.1	43.0-53.2	165	32.5	27.6-37.4	47	11.4	7.9-14.9	24	5.2	2.8- 7.6	10	2.2	0.6- 3.8	4	0.7	0.1- 1.3
\$15,000- 24,999	70	6,061	42	52.5	36.8-68.2	14	20.1	7.2-33.0	7	13.7	2.1-25.3	4	7.7	0.0-16.3	2	2.1	0.0- 5.6	1	3.9	0.0-11.3
\$25,000- 34,999	104	11,366	50	32.3	21.1-43.5	20	25.3	12.8-37.8	15	15.4	5.2-25.6	10	16.9	5.5-28.3	7	8.5	1.1-15.9	2	1.5	0.0- 3.9
\$35,000- 49,999	150	15,085	80	49.3	38.3-60.3	43	26.2	17.0-35.4	8	6.7	1.0-12.4	6	2.2	0.2- 4.2	12	15.2	6.4-24.0	1	0.5	0.0- 1.5
\$50,000- 99,999	402	41,907	225	48.9	42.6-55.2	107	27.9	22.2-33.6	36	12.7	8.2-17.2	18	6.1	2.8- 9.4	14	3.9	1.4- 6.4	2	0.4	0.0- 1.0
\$100,000 - 199,999	277	33,596	131	40.9	34.0-47.8	96	35.8	28.9-42.7	27	12.2	7.3-17.1	13	6.2	2.5- 9.9	10	4.9	1.2- 8.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3039	325,223	312	11.6	10.0-13.2	192	7.7	6.5- 8.9	98	4.3	3.3- 5.3	67	2.8	2.0- 3.6	221	9.3	7.7-10.9	2149	64.2	62.0-66.4
Male	1759	186,331	194	11.6	9.8-13.4	130	8.8	7.0-10.6	71	5.0	3.6- 6.4	46	3.4	2.2- 4.6	168	11.8	9.6-14.0	1150	59.5	56.6-62.4
Female	1280	138,892	118	11.7	9.2-14.2	62	6.2	4.4- 8.0	27	3.5	1.9- 5.1	21	2.1	0.9- 3.3	53	6.1	3.9- 8.3	999	70.5	67.0-74.0
Native	101	10,139	16	12.2	4.9-19.5	12	14.4	5.0-23.8	10	7.3	2.4-12.2	3	1.6	0.0- 3.4	9	9.6	1.8-17.4	51	55.0	42.5-67.5
Non-Native	2898	311,559	294	11.6	10.0-13.2	176	7.5	6.3- 8.7	88	4.3	3.3- 5.3	63	2.9	2.1- 3.7	209	9.2	7.6-10.8	2068	64.5	62.1-66.9
18-24	197	39,600	35	18.2	12.1-24.3	31	16.2	10.5-21.9	5	3.5	0.4- 6.6	6	3.1	0.6- 5.6	33	15.8	9.7-21.9	87	43.2	35.4-51.0
25-34	341	67,449	57	14.0	10.1-17.9	35	9.2	5.9-12.5	21	6.9	3.8-10.0	18	5.2	2.5- 7.9	38	12.5	8.2-16.8	172	52.3	46.2-58.4
35-44	401	60,128	50	12.3	8.8-15.8	36	8.5	5.6-11.4	24	6.9	3.8-10.0	10	1.9	0.5- 3.3	39	9.3	5.8-12.8	242	61.2	55.7-66.7
45-54	430	46,603	52	11.9	8.6-15.2	35	7.8	5.1-10.5	14	2.9	1.1- 4.7	8	1.9	0.5- 3.3	44	11.0	7.5-14.5	277	64.5	59.4-69.6
55-64	621	55,786	56	9.1	6.4-11.8	29	4.3	2.5- 6.1	17	2.8	1.2- 4.4	18	3.7	1.7- 5.7	34	5.4	3.4- 7.4	467	74.7	70.6-78.8
65+	1049	55,657	62	5.5	3.9- 7.1	26	2.5	1.3- 3.7	17	1.8	0.8- 2.8	7	0.6	0.2- 1.0	33	3.6	2.2- 5.0	904	86.1	83.6-88.6
Less Than H.S.	100	18,390	8	5.4	0.5-10.3	5	5.3	0.4-10.2	5	8.5	0.9-16.1	3	2.6	0.0- 6.5	12	21.8	9.3-34.3	67	56.4	43.3-69.5
H.S. or G.E.D.	764	78,429	79	11.5	8.6-14.4	41	7.7	5.2-10.2	28	5.3	2.9- 7.7	15	2.1	0.9- 3.3	66	10.1	7.4-12.8	535	63.5	59.0-68.0
Some Post-H.S.	973	122,225	116	12.6	9.9-15.3	72	8.2	6.0-10.4	37	4.2	2.6- 5.8	28	3.8	2.2- 5.4	83	10.3	7.8-12.8	637	60.9	57.0-64.8
College Graduate	1197	105,427	109	11.7	9.3-14.1	74	7.7	5.7- 9.7	28	3.1	1.7- 4.5	21	2.3	1.1- 3.5	59	5.3	3.7- 6.9	906	69.9	66.6-73.2
Less than \$15,000	66	8,374	8	10.9	2.1-19.7	3	5.0	0.0-10.7				1	1.4	0.0- 4.1	7	18.1	2.0-34.2	47	64.6	47.9-81.3
\$15,000- 24,999	140	13,536	9	8.0	1.5-14.5	13	12.4	5.0-19.8	5	4.2	0.0- 8.5	3	1.6	0.0- 3.8	10	10.6	3.5-17.7	100	63.2	52.4-74.0
\$25,000- 34,999	224	25,489	17	8.8	3.7-13.9	15	9.5	4.0-15.0	10	9.6	3.3-15.9	4	3.7	0.0- 7.6	21	12.0	6.1-17.9	157	56.4	47.4-65.4
\$35,000- 49,999	363	38,580	46	16.0	10.9-21.1	20	7.0	3.5-10.5	10	4.3	1.4- 7.2	6	1.3	0.0- 2.7	19	7.7	3.8-11.6	262	63.7	57.0-70.4
\$50,000- 99,999	952	98,527	96	10.6	8.2-13.0	53	6.8	4.6- 9.0	35	4.4	2.6- 6.2	22	3.3	1.7- 4.9	64	8.4	5.9-10.9	682	66.6	62.7-70.5
\$100,000 - 199,999	727	81,235	80	12.9	9.8-16.0	56	8.9	6.4-11.4	22	3.3	1.5- 5.1	16	2.3	0.9- 3.7	65	9.7	7.0-12.4	488	62.8	58.5-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	186,331	194	11.6	9.8-13.4	130	8.8	7.0-10.6	71	5.0	3.6-6.4	46	3.4	2.2-4.6	168	11.8	9.6-14.0	1150	59.5	56.6-62.4
Native	54	5,825	7	12.0	1.4-22.6	8	14.7	2.9-26.5	8	11.4	3.0-19.8	3	2.7	0.0-5.8	4	8.2	0.0-19.2	24	51.0	33.6-68.4
Non-Native	1675	177,932	185	11.6	9.6-13.6	119	8.6	6.8-10.4	63	4.8	3.4-6.2	42	3.4	2.2-4.6	162	11.9	9.7-14.1	1104	59.7	56.8-62.6
18-24	135	24,535	19	12.9	6.8-19.0	23	17.5	10.2-24.8	4	4.0	0.1-7.9	4	3.6	0.1-7.1	28	20.8	12.4-29.2	57	41.3	31.7-50.9
25-34	236	42,310	40	13.5	9.2-17.8	27	10.2	6.3-14.1	15	7.3	3.6-11.0	14	5.4	2.1-8.7	26	13.2	7.9-18.5	114	50.3	43.2-57.4
35-44	241	33,030	34	14.0	9.1-18.9	22	8.4	4.7-12.1	18	8.3	4.0-12.6	8	2.9	0.5-5.3	30	11.0	6.9-15.1	129	55.4	48.3-62.5
45-54	230	26,053	34	15.5	10.2-20.8	25	10.7	6.4-15.0	6	1.9	0.1-3.7	5	1.8	0.0-3.6	33	14.8	9.3-20.3	127	55.2	47.9-62.5
55-64	322	29,953	26	7.4	4.3-10.5	15	4.1	1.7-6.5	15	4.6	2.1-7.1	11	4.9	1.4-8.4	24	7.0	3.9-10.1	231	72.0	66.3-77.7
65+	595	30,450	41	5.7	3.7-7.7	18	3.5	1.5-5.5	13	2.0	0.6-3.4	4	0.5	0.0-1.1	27	5.5	3.1-7.9	492	82.8	79.1-86.5
Less Than H.S.	76	14,084	6	5.9	0.0-12.0	5	6.9	0.6-13.2	3	6.5	0.0-14.3	3	3.4	0.0-8.5	9	20.9	7.0-34.8	50	56.5	41.6-71.4
H.S. or G.E.D.	477	49,112	52	10.8	7.5-14.1	32	9.2	5.7-12.7	21	5.1	2.6-7.6	7	1.3	0.1-2.5	55	13.0	9.3-16.7	310	60.6	55.1-66.1
Some Post-H.S.	561	69,973	67	11.6	8.5-14.7	47	9.0	6.1-11.9	28	5.8	3.4-8.2	22	5.4	2.9-7.9	59	11.9	8.6-15.2	338	56.3	51.4-61.2
College Graduate	641	52,583	69	13.9	10.6-17.2	46	8.9	6.2-11.6	19	3.5	1.7-5.3	14	2.6	1.0-4.2	44	7.6	5.2-10.0	449	63.6	59.1-68.1
\$15,000- 24,999	70	7,474	5	9.1	0.0-19.1	7	12.4	2.2-22.6	4	7.1	0.0-14.7	2	2.6	0.0-6.5	7	16.7	4.7-28.7	45	52.1	36.8-67.4
\$25,000- 34,999	121	14,428	10	9.0	2.5-15.5	11	13.6	5.0-22.2	7	11.0	2.0-20.0	3	6.1	0.0-13.0	14	14.4	6.0-22.8	76	45.8	34.2-57.4
\$35,000- 49,999	213	23,250	28	13.8	8.3-19.3	12	6.6	2.5-10.7	8	6.1	1.6-10.6	4	1.6	0.0-3.8	12	7.3	2.4-12.2	149	64.7	56.7-72.7
\$50,000- 99,999	552	56,906	61	11.3	8.0-14.6	35	7.7	5.0-10.4	25	4.7	2.5-6.9	16	4.3	1.9-6.7	49	11.5	7.6-15.4	366	60.5	55.2-65.8
\$100,000 - 199,999	452	48,274	51	11.9	8.4-15.4	43	10.7	7.2-14.2	18	4.6	2.1-7.1	12	2.5	0.7-4.3	54	12.8	8.9-16.7	274	57.5	52.0-63.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1280	138,892	118	11.7	9.2-14.2	62	6.2	4.4- 8.0	27	3.5	1.9- 5.1	21	2.1	0.9- 3.3	53	6.1	3.9- 8.3	999	70.5	67.0-74.0
Non-Native	1223	133,627	109	11.7	9.2-14.2	57	6.0	4.2- 7.8	25	3.5	1.9- 5.1	21	2.2	1.0- 3.4	47	5.7	3.5- 7.9	964	71.0	67.5-74.5
18-24	62	15,065	16	26.9	14.9-38.9	8	14.1	4.9-23.3	1	2.7	0.0- 8.0	2	2.2	0.0- 5.9	5	7.7	0.3-15.1	30	46.4	32.9-59.9
25-34	105	25,139	17	14.8	7.0-22.6	8	7.5	2.0-13.0	6	6.2	1.1-11.3	4	4.9	0.2- 9.6	12	11.2	3.8-18.6	58	55.5	44.5-66.5
35-44	160	27,098	16	10.1	5.0-15.2	14	8.6	3.7-13.5	6	5.1	0.8- 9.4	2	0.8	0.0- 2.0	9	7.2	1.3-13.1	113	68.3	59.7-76.9
45-54	200	20,550	18	7.3	3.6-11.0	10	4.2	1.3- 7.1	8	4.1	0.8- 7.4	3	2.0	0.0- 4.4	11	6.2	2.3-10.1	150	76.2	69.5-82.9
55-64	299	25,833	30	11.1	6.8-15.4	14	4.4	1.9- 6.9	2	0.9	0.0- 2.3	7	2.2	0.4- 4.0	10	3.5	0.8- 6.2	236	77.9	72.2-83.6
65+	454	25,207	21	5.2	2.7- 7.7	8	1.3	0.3- 2.3	4	1.5	0.0- 3.3	3	0.6	0.0- 1.4	6	1.3	0.1- 2.5	412	90.0	86.7-93.3
H.S. or G.E.D.	287	29,317	27	12.6	7.1-18.1	9	5.1	1.2- 9.0	7	5.5	1.2- 9.8	8	3.4	0.7- 6.1	11	5.1	1.2- 9.0	225	68.2	60.6-75.8
Some Post-H.S.	412	52,252	49	14.0	9.3-18.7	25	7.1	3.6-10.6	9	2.1	0.3- 3.9	6	1.6	0.0- 3.4	24	8.2	4.1-12.3	299	67.0	60.7-73.3
College Graduate	556	52,844	40	9.5	6.2-12.8	28	6.5	3.8- 9.2	9	2.7	0.5- 4.9	7	2.0	0.2- 3.8	15	3.0	1.2- 4.8	457	76.2	71.5-80.9
\$15,000- 24,999	70	6,061	4	6.6	0.0-14.0	6	12.3	1.3-23.3	1	0.6	0.0- 1.8	1	0.4	0.0- 1.2	3	3.2	0.0- 7.3	55	77.0	63.9-90.1
\$25,000- 34,999	103	11,061	7	8.6	0.8-16.4	4	4.2	0.0- 9.5	3	7.6	0.0-16.2	1	0.5	0.0- 1.5	7	8.7	0.5-16.9	81	70.2	57.3-83.1
\$35,000- 49,999	150	15,330	18	19.4	9.6-29.2	8	7.5	1.2-13.8	2	1.5	0.0- 4.0	2	1.0	0.0- 2.4	7	8.3	1.4-15.2	113	62.3	51.1-73.5
\$50,000- 99,999	400	41,621	35	9.7	6.0-13.4	18	5.5	2.2- 8.8	10	3.9	1.2- 6.6	6	2.0	0.0- 4.0	15	4.2	1.8- 6.6	316	74.8	69.1-80.5
\$100,000 - 199,999	275	32,961	29	14.4	8.5-20.3	13	6.4	2.5-10.3	4	1.5	0.0- 3.5	4	2.0	0.0- 4.2	11	5.2	1.5- 8.9	214	70.5	63.2-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having not consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2967	316,179	831	23.0	21.2-24.8	706	22.3	20.3-24.3	447	15.7	13.9-17.5	245	8.0	6.8- 9.2	738	30.9	28.7-33.1
Male	1705	179,556	362	17.1	14.9-19.3	346	18.8	16.4-21.2	281	16.7	14.5-18.9	149	8.4	6.8-10.0	567	39.0	36.1-41.9
Female	1262	136,623	469	30.7	27.6-33.8	360	27.0	23.9-30.1	166	14.4	11.9-16.9	96	7.6	5.8- 9.4	171	20.4	17.1-23.7
Native	100	10,177	16	9.2	4.1-14.3	21	29.7	17.5-41.9	12	12.2	3.4-21.0	10	10.5	1.5-19.5	41	38.4	26.1-50.7
Non-Native	2830	302,723	806	23.4	21.4-25.4	675	22.1	20.1-24.1	430	15.9	14.1-17.7	231	7.9	6.7- 9.1	688	30.6	28.4-32.8
18-24	191	38,738	26	14.1	8.6-19.6	27	14.2	8.5-19.9	24	12.8	7.5-18.1	15	7.3	3.2-11.4	99	51.6	43.6-59.6
25-34	323	64,493	42	13.4	9.1-17.7	49	18.1	13.2-23.0	58	17.5	12.8-22.2	25	7.7	4.6-10.8	149	43.3	37.2-49.4
35-44	386	57,438	72	19.9	15.4-24.4	80	22.3	17.6-27.0	68	17.7	13.4-22.0	35	7.6	4.7-10.5	131	32.5	27.2-37.8
45-54	418	45,181	90	20.1	15.8-24.4	93	22.2	17.7-26.7	72	18.2	14.1-22.3	34	8.5	5.6-11.4	129	30.9	25.8-36.0
55-64	616	55,464	168	26.9	22.8-31.0	164	27.3	23.2-31.4	96	15.0	11.7-18.3	63	9.9	7.2-12.6	125	20.9	17.2-24.6
65+	1033	54,866	433	42.1	38.6-45.6	293	28.2	24.9-31.5	129	12.2	9.8-14.6	73	7.2	5.2- 9.2	105	10.4	8.0-12.8
Less Than H.S.	94	16,840	37	26.3	15.7-36.9	13	17.1	7.3-26.9	10	11.5	3.3-19.7	6	6.6	0.0-13.3	28	38.5	25.2-51.8
H.S. or G.E.D.	747	76,780	208	22.8	19.3-26.3	177	22.5	18.8-26.2	108	14.7	11.6-17.8	61	8.0	5.5-10.5	193	32.0	27.7-36.3
Some Post-H.S.	954	118,967	249	22.0	18.9-25.1	208	20.1	17.0-23.2	134	15.8	12.7-18.9	88	8.8	6.6-11.0	275	33.2	29.3-37.1
College Graduate	1167	102,839	334	23.5	20.8-26.2	308	25.8	22.7-28.9	195	17.2	14.7-19.7	89	7.3	5.5- 9.1	241	26.2	23.1-29.3
Less than \$15,000	66	8,374	28	37.5	21.8-53.2	8	13.6	2.4-24.8	8	9.6	1.0-18.2	6	7.1	0.2-14.0	16	32.2	15.5-48.9
\$15,000- 24,999	137	13,162	48	26.7	17.5-35.9	26	16.7	8.5-24.9	22	18.1	9.7-26.5	8	4.5	0.4- 8.6	33	34.1	23.5-44.7
\$25,000- 34,999	215	23,700	66	21.0	14.7-27.3	51	20.0	13.1-26.9	27	17.3	9.3-25.3	13	4.1	1.0- 7.2	58	37.6	28.6-46.6
\$35,000- 49,999	355	37,434	104	25.9	20.0-31.8	94	21.8	16.5-27.1	45	13.7	9.2-18.2	30	7.5	4.0-11.0	82	31.1	24.8-37.4
\$50,000- 99,999	938	97,349	261	21.8	18.7-24.9	216	22.9	19.6-26.2	148	16.4	13.3-19.5	84	9.3	6.9-11.7	229	29.6	25.9-33.3
\$100,000 - 199,999	707	78,938	139	17.2	14.1-20.3	187	25.4	21.5-29.3	119	16.5	13.2-19.8	56	7.8	5.4-10.2	206	33.1	28.8-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1705	179,556	362	17.1	14.9-19.3	346	18.8	16.4-21.2	281	16.7	14.5-18.9	149	8.4	6.8-10.0	567	39.0	36.1-41.9
Native	53	5,760	7	6.9	1.2-12.6	10	29.2	12.3-46.1	6	6.9	0.0-13.8	3	12.5	0.0-27.4	27	44.5	27.3-61.7
Non-Native	1625	171,467	350	17.4	15.2-19.6	329	18.5	16.1-20.9	271	17.1	14.7-19.5	143	8.2	6.6- 9.8	532	38.8	35.9-41.7
18-24	130	23,996	18	14.8	7.9-21.7	13	10.4	4.1-16.7	16	12.1	5.8-18.4	10	6.4	1.7-11.1	73	56.4	46.6-66.2
25-34	218	39,421	17	7.0	3.5-10.5	30	17.1	11.2-23.0	44	19.3	13.4-25.2	14	7.4	3.5-11.3	113	49.2	41.8-56.6
35-44	228	31,084	31	15.3	10.0-20.6	39	18.5	12.6-24.4	39	17.5	11.8-23.2	18	6.8	3.1-10.5	101	41.9	34.8-49.0
45-54	222	25,135	33	12.7	8.0-17.4	31	14.2	8.7-19.7	40	19.7	13.8-25.6	20	9.7	5.4-14.0	98	43.6	36.2-51.0
55-64	322	30,003	65	20.4	15.1-25.7	80	26.3	20.6-32.0	50	14.7	10.4-19.0	37	11.2	7.3-15.1	90	27.4	21.7-33.1
65+	585	29,917	198	34.4	29.9-38.9	153	24.4	20.5-28.3	92	15.9	12.4-19.4	50	9.0	6.1-11.9	92	16.4	12.7-20.1
Less Than H.S.	71	12,946	28	25.6	14.0-37.2	9	17.2	5.4-29.0	6	9.9	0.9-18.9	5	8.4	0.0-16.8	23	39.0	23.7-54.3
H.S. or G.E.D.	461	47,455	100	18.3	14.2-22.4	94	19.0	14.5-23.5	72	16.9	12.6-21.2	36	6.2	3.8- 8.6	159	39.7	34.2-45.2
Some Post-H.S.	549	68,017	98	14.6	11.3-17.9	106	17.7	14.0-21.4	85	16.3	12.6-20.0	52	9.9	6.8-13.0	208	41.5	36.6-46.4
College Graduate	620	50,559	134	16.8	13.7-19.9	137	20.8	16.9-24.7	118	19.2	15.5-22.9	55	8.3	5.8-10.8	176	34.9	30.4-39.4
\$15,000- 24,999	68	7,134	18	17.0	5.4-28.6	6	12.5	1.7-23.3	15	17.6	7.6-27.6	5	6.9	0.0-14.2	24	46.0	30.7-61.3
\$25,000- 34,999	115	13,087	29	16.7	9.3-24.1	28	17.2	8.6-25.8	10	12.3	3.3-21.3	7	2.4	0.0- 4.8	41	51.4	39.2-63.6
\$35,000- 49,999	208	22,730	46	20.7	14.2-27.2	50	18.6	11.9-25.3	32	17.0	10.3-23.7	17	7.1	2.6-11.6	63	36.5	28.5-44.5
\$50,000- 99,999	540	55,842	108	14.4	11.1-17.7	101	18.4	14.3-22.5	100	18.3	14.4-22.2	51	9.7	6.6-12.8	180	39.2	33.9-44.5
\$100,000 - 199,999	434	45,687	65	13.5	9.6-17.4	98	22.2	17.3-27.1	71	15.7	11.6-19.8	39	8.4	5.5-11.3	161	40.2	34.5-45.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1262	136,623	469	30.7	27.6-33.8	360	27.0	23.9-30.1	166	14.4	11.9-16.9	96	7.6	5.8- 9.4	171	20.4	17.1-23.7
Non-Native	1205	131,256	456	31.3	28.0-34.6	346	27.0	23.9-30.1	159	14.3	11.8-16.8	88	7.6	5.6- 9.6	156	19.9	16.6-23.2
18-24	61	14,743	8	13.1	3.9-22.3	14	20.4	9.4-31.4	8	14.0	4.6-23.4	5	8.8	1.0-16.6	26	43.7	30.2-57.2
25-34	105	25,072	25	23.5	14.1-32.9	19	19.8	11.2-28.4	14	14.7	6.5-22.9	11	8.0	2.7-13.3	36	34.0	23.6-44.4
35-44	158	26,353	41	25.2	17.6-32.8	41	26.7	18.9-34.5	29	18.0	11.5-24.5	17	8.6	4.1-13.1	30	21.5	13.9-29.1
45-54	196	20,045	57	29.4	22.1-36.7	62	32.2	24.9-39.5	32	16.4	10.5-22.3	14	7.1	3.0-11.2	31	14.9	9.4-20.4
55-64	294	25,461	103	34.4	28.1-40.7	84	28.5	22.4-34.6	46	15.4	10.3-20.5	26	8.4	4.9-11.9	35	13.3	8.4-18.2
65+	448	24,948	235	51.3	45.8-56.8	140	32.7	27.4-38.0	37	7.8	4.9-10.7	23	5.0	2.6- 7.4	13	3.3	1.3- 5.3
H.S. or G.E.D.	286	29,325	108	30.0	23.3-36.7	83	28.2	21.3-35.1	36	11.2	6.7-15.7	25	11.0	5.9-16.1	34	19.7	13.0-26.4
Some Post-H.S.	405	50,950	151	31.8	26.1-37.5	102	23.4	18.1-28.7	49	15.1	10.0-20.2	36	7.4	4.5-10.3	67	22.2	16.3-28.1
College Graduate	547	52,281	200	29.9	25.4-34.4	171	30.7	26.0-35.4	77	15.3	11.6-19.0	34	6.4	3.9- 8.9	65	17.8	13.3-22.3
\$15,000- 24,999	69	6,028	30	38.1	23.6-52.6	20	21.7	9.0-34.4	7	18.6	4.5-32.7	3	1.7	0.0- 3.7	9	20.0	7.1-32.9
\$25,000- 34,999	100	10,613	37	26.2	15.6-36.8	23	23.6	12.8-34.4	17	23.5	10.0-37.0	6	6.2	0.0-12.5	17	20.6	9.0-32.2
\$35,000- 49,999	147	14,704	58	34.0	23.4-44.6	44	26.6	17.6-35.6	13	8.4	3.1-13.7	13	8.2	2.5-13.9	19	22.8	12.6-33.0
\$50,000- 99,999	398	41,506	153	31.9	26.4-37.4	115	28.8	23.1-34.5	48	13.8	9.1-18.5	33	8.9	5.4-12.4	49	16.6	11.7-21.5
\$100,000 - 199,999	273	33,251	74	22.3	16.8-27.8	89	29.8	23.5-36.1	48	17.6	12.5-22.7	17	6.9	3.4-10.4	45	23.4	16.1-30.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	206
2 MALES ONLY	207
3 FEMALES ONLY	208
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	209
5 MALES ONLY	210
6 FEMALES ONLY	211
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA2)	
7 MALES AND FEMALES	212
8 MALES ONLY	213
9 FEMALES ONLY	214
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	215
11 MALES ONLY	216
12 FEMALES ONLY	217

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5615	566,570	3090	47.3	45.5-49.1	2525	52.7	50.9-54.5
Male	2852	288,661	1421	42.6	40.2-45.0	1431	57.4	55.0-59.8
Female	2763	277,909	1669	52.2	49.7-54.7	1094	47.8	45.3-50.3
Native	246	24,145	120	46.6	38.0-55.2	126	53.4	44.8-62.0
Non-Native	5291	535,566	2932	47.4	45.6-49.2	2359	52.6	50.8-54.4
18-24	344	75,901	121	35.2	29.5-40.9	223	64.8	59.1-70.5
25-34	512	107,066	167	32.5	27.8-37.2	345	67.5	62.8-72.2
35-44	623	94,121	237	39.2	34.7-43.7	386	60.8	56.3-65.3
45-54	704	75,967	333	46.6	42.5-50.7	371	53.4	49.3-57.5
55-64	1016	88,455	556	53.8	50.3-57.3	460	46.2	42.7-49.7
65+	2416	125,060	1676	69.2	67.0-71.4	740	30.8	28.6-33.0
Less Than H.S.	253	42,085	122	37.4	29.6-45.2	131	62.6	54.8-70.4
H.S. or G.E.D.	1554	148,170	772	41.2	38.1-44.3	782	58.8	55.7-61.9
Some Post-H.S.	1832	215,282	944	44.5	41.6-47.4	888	55.5	52.6-58.4
College Graduate	1963	159,304	1247	59.4	56.7-62.1	716	40.6	37.9-43.3
Less than \$15,000	193	23,467	103	46.0	36.4-55.6	90	54.0	44.4-63.6
\$15,000- 24,999	385	33,483	225	53.8	46.9-60.7	160	46.2	39.3-53.1
\$25,000- 34,999	509	49,712	274	43.5	37.6-49.4	235	56.5	50.6-62.4
\$35,000- 49,999	695	64,403	378	45.0	40.1-49.9	317	55.0	50.1-59.9
\$50,000- 99,999	1560	158,409	880	47.8	44.7-50.9	680	52.2	49.1-55.3
\$100,000 - 199,999	1004	109,273	568	52.4	48.7-56.1	436	47.6	43.9-51.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2852	288,661	1421	42.6	40.4-44.8	1431	57.4	55.2-59.6
Native	111	11,700	48	42.3	29.6-55.0	63	57.7	45.0-70.4
Non-Native	2685	272,015	1345	42.5	40.1-44.9	1340	57.5	55.1-59.9
18-24	209	39,681	65	30.7	23.6-37.8	144	69.3	62.2-76.4
25-34	318	58,902	90	29.0	23.5-34.5	228	71.0	65.5-76.5
35-44	345	48,205	107	32.0	26.3-37.7	238	68.0	62.3-73.7
45-54	351	39,178	146	41.5	35.6-47.4	205	58.5	52.6-64.4
55-64	498	44,782	249	49.9	44.8-55.0	249	50.1	45.0-55.2
65+	1131	57,913	764	68.3	65.2-71.4	367	31.7	28.6-34.8
Less Than H.S.	146	24,857	64	32.4	23.0-41.8	82	67.6	58.2-77.0
H.S. or G.E.D.	846	83,977	356	35.4	31.5-39.3	490	64.6	60.7-68.5
Some Post-H.S.	904	106,675	430	42.0	38.1-45.9	474	58.0	54.1-61.9
College Graduate	945	71,490	567	55.8	51.9-59.7	378	44.2	40.3-48.1
Less than \$15,000	80	8,357	35	39.7	25.6-53.8	45	60.3	46.2-74.4
\$15,000- 24,999	163	15,502	84	50.3	40.1-60.5	79	49.7	39.5-59.9
\$25,000- 34,999	241	25,205	122	40.8	32.6-49.0	119	59.2	51.0-67.4
\$35,000- 49,999	349	34,326	174	41.4	34.9-47.9	175	58.6	52.1-65.1
\$50,000- 99,999	813	81,568	425	44.7	40.4-49.0	388	55.3	51.0-59.6
\$100,000 - 199,999	608	63,344	307	45.1	40.4-49.8	301	54.9	50.2-59.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2763	277,909	1669	52.2	49.7-54.7	1094	47.8	45.3-50.3
Native	135	12,445	72	50.6	38.6-62.6	63	49.4	37.4-61.4
Non-Native	2606	263,551	1587	52.4	49.9-54.9	1019	47.6	45.1-50.1
18-24	135	36,219	56	40.1	31.1-49.1	79	59.9	50.9-68.9
25-34	194	48,164	77	36.7	29.1-44.3	117	63.3	55.7-70.9
35-44	278	45,916	130	46.8	40.1-53.5	148	53.2	46.5-59.9
45-54	353	36,790	187	52.1	46.2-58.0	166	47.9	42.0-53.8
55-64	518	43,673	307	57.8	52.7-62.9	211	42.2	37.1-47.3
65+	1285	67,147	912	69.9	66.8-73.0	373	30.1	27.0-33.2
Less Than H.S.	107	17,229	58	44.6	31.7-57.5	49	55.4	42.5-68.3
H.S. or G.E.D.	708	64,193	416	48.9	43.8-54.0	292	51.1	46.0-56.2
Some Post-H.S.	928	108,607	514	47.1	42.8-51.4	414	52.9	48.6-57.2
College Graduate	1018	87,814	680	62.4	58.5-66.3	338	37.6	33.7-41.5
Less than \$15,000	113	15,111	68	49.5	36.8-62.2	45	50.5	37.8-63.2
\$15,000- 24,999	222	17,981	141	56.9	47.7-66.1	81	43.1	33.9-52.3
\$25,000- 34,999	268	24,506	152	46.4	37.8-55.0	116	53.6	45.0-62.2
\$35,000- 49,999	346	30,078	204	49.1	41.8-56.4	142	50.9	43.6-58.2
\$50,000- 99,999	747	76,841	455	51.1	46.2-56.0	292	48.9	44.0-53.8
\$100,000 - 199,999	396	45,929	261	62.6	56.7-68.5	135	37.4	31.5-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020			Jan-Apr 2021			May-Aug 2021			Sep-Dec 2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2837	244,170	10	0.6	0.2- 1.0	29	1.3	0.7- 1.9	1492	49.1	46.7-51.5	210	6.9	5.7- 8.1	59	2.6	1.6- 3.6	1037	39.4	37.0-41.8
Male	1292	110,540	6	0.8	0.0- 1.6	11	1.0	0.2- 1.8	663	48.1	44.6-51.6	112	7.7	5.9- 9.5	31	3.5	1.9- 5.1	469	38.9	35.6-42.2
Female	1545	133,630	4	0.4	0.0- 1.0	18	1.6	0.8- 2.4	829	50.0	46.7-53.3	98	6.2	4.6- 7.8	28	2.0	0.8- 3.2	568	39.8	36.5-43.1
Native	106	9,977	2	1.3	0.0- 3.5	1	1.0	0.0- 3.0	40	34.0	21.7-46.3	10	9.1	1.8-16.4	3	1.5	0.0- 3.7	50	53.1	39.8-66.4
Non-Native	2701	231,798	8	0.6	0.2- 1.0	28	1.4	0.8- 2.0	1437	49.9	47.5-52.3	196	6.7	5.5- 7.9	53	2.6	1.6- 3.6	979	38.9	36.5-41.3
18-24	104	23,277	3	3.3	0.0- 7.2	5	4.2	0.1- 8.3	42	40.5	30.1-50.9	12	11.3	4.6-18.0	10	10.1	3.2-17.0	32	30.7	20.9-40.5
25-34	146	29,452	1	0.8	0.0- 2.4	2	1.7	0.0- 4.1	72	47.0	37.8-56.2	12	6.5	2.6-10.4	3	1.9	0.0- 4.1	56	42.1	33.1-51.1
35-44	218	33,873				3	1.1	0.0- 2.3	107	45.2	37.8-52.6	9	5.2	1.7- 8.7	6	3.2	0.5- 5.9	93	45.3	37.9-52.7
45-54	309	32,611	1	0.3	0.0- 0.9	2	0.9	0.0- 2.1	164	51.6	45.3-57.9	14	5.4	2.3- 8.5	3	1.2	0.0- 2.6	125	40.6	34.5-46.7
55-64	519	44,609	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3	291	51.8	46.7-56.9	22	4.5	2.3- 6.7	7	1.4	0.2- 2.6	196	41.3	36.2-46.4
65+	1541	80,348	4	0.2	0.0- 0.4	15	1.2	0.4- 2.0	816	51.5	48.6-54.4	141	8.4	6.8-10.0	30	1.8	1.0- 2.6	535	36.9	34.0-39.8
Less Than H.S.	105	12,998				1	0.9	0.0- 2.7	51	36.1	24.3-47.9	10	6.3	1.8-10.8	5	10.5	0.3-20.7	38	46.2	33.1-59.3
H.S. or G.E.D.	699	54,663	4	0.9	0.0- 1.9	5	1.5	0.0- 3.1	353	47.1	42.2-52.0	68	9.2	6.3-12.1	19	2.7	1.3- 4.1	250	38.8	33.9-43.7
Some Post-H.S.	871	88,220	4	0.7	0.0- 1.7	11	1.1	0.3- 1.9	443	47.4	43.1-51.7	67	8.0	5.6-10.4	19	2.2	1.0- 3.4	327	40.5	36.2-44.8
College Graduate	1159	87,901	2	0.4	0.0- 1.0	12	1.6	0.6- 2.6	643	53.8	50.3-57.3	65	4.5	3.1- 5.9	16	1.9	0.7- 3.1	421	37.9	34.4-41.4
Less than \$15,000	95	9,955	1	2.8	0.0- 8.1	2	1.6	0.0- 4.0	45	41.2	28.3-54.1	11	13.3	4.7-21.9	2	2.6	0.0- 7.3	34	38.4	25.7-51.1
\$15,000- 24,999	202	15,754				1	0.2	0.0- 0.6	107	50.2	40.4-60.0	22	12.4	5.3-19.5	6	3.2	0.1- 6.3	66	33.9	24.5-43.3
\$25,000- 34,999	255	20,734				5	2.1	0.0- 4.3	128	44.7	35.9-53.5	23	8.6	3.7-13.5	7	2.2	0.0- 4.4	92	42.4	33.6-51.2
\$35,000- 49,999	354	27,014	1	0.4	0.0- 1.2	3	0.6	0.0- 1.4	169	36.7	30.6-42.8	37	12.7	8.2-17.2	13	5.1	1.6- 8.6	131	44.5	37.6-51.4
\$50,000- 99,999	827	69,900	3	0.6	0.0- 1.4	6	1.0	0.0- 2.0	463	52.1	47.6-56.6	49	4.9	3.1- 6.7	10	1.9	0.3- 3.5	296	39.4	34.9-43.9
\$100,000 - 199,999	539	54,567	1	0.2	0.0- 0.6	5	1.4	0.0- 3.0	281	49.8	44.7-54.9	17	3.7	1.3- 6.1	7	1.5	0.3- 2.7	228	43.4	38.3-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020			Jan-Apr 2021			May-Aug 2021			Sep-Dec 2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1292	110,540	6	0.8	0.0- 1.6	11	1.0	0.2- 1.8	663	48.1	44.8-51.4	112	7.7	5.9- 9.5	31	3.5	1.9- 5.1	469	38.9	35.6-42.2
Non-Native	1231	104,655	5	0.7	0.0- 1.5	11	1.1	0.3- 1.9	640	48.8	45.3-52.3	106	7.6	5.8- 9.4	27	3.4	1.8- 5.0	442	38.3	34.8-41.8
18-24	52	9,552	2	5.1	0.0-12.9	1	3.3	0.0- 9.6	19	32.2	18.5-45.9	5	8.0	0.4-15.6	6	12.8	2.2-23.4	19	38.7	23.8-53.6
25-34	76	13,937							37	46.9	34.9-58.9	8	9.2	2.5-15.9	3	3.9	0.0- 8.4	28	40.0	28.0-52.0
35-44	99	14,580							52	45.3	34.1-56.5	5	5.8	0.5-11.1	3	4.5	0.0- 9.6	39	44.3	32.9-55.7
45-54	133	14,735	1	0.7	0.0- 2.1	2	1.9	0.0- 4.4	64	46.5	36.9-56.1	8	7.7	2.0-13.4	3	2.7	0.0- 5.8	55	40.6	31.2-50.0
55-64	231	21,070	1	0.9	0.0- 2.7	1	0.5	0.0- 1.5	123	51.8	44.4-59.2	13	5.5	2.2- 8.8	4	1.5	0.0- 3.1	89	39.9	32.5-47.3
65+	701	36,664	2	0.2	0.0- 0.6	7	1.2	0.0- 2.4	368	52.3	48.0-56.6	73	9.2	6.7-11.7	12	1.9	0.7- 3.1	239	35.2	31.1-39.3
Less Than H.S.	54	6,455							31	42.1	24.7-59.5	5	4.9	0.2- 9.6	3	11.3	0.0-24.8	15	41.7	23.1-60.3
H.S. or G.E.D.	319	26,805	3	0.7	0.0- 1.7	2	1.5	0.0- 3.9	152	45.3	38.4-52.2	33	7.7	4.4-11.0	7	3.1	0.6- 5.6	122	41.6	34.7-48.5
Some Post-H.S.	394	40,697	2	1.4	0.0- 3.4	3	0.8	0.0- 1.8	200	46.8	40.7-52.9	31	9.1	5.4-12.8	12	3.7	1.3- 6.1	146	38.2	32.3-44.1
College Graduate	522	36,195	1	0.3	0.0- 0.9	6	1.1	0.1- 2.1	278	52.1	46.8-57.4	43	6.8	4.3- 9.3	9	2.1	0.3- 3.9	185	37.6	32.5-42.7
\$15,000- 24,999	74	6,333							41	56.5	41.2-71.8	11	12.7	2.5-22.9	3	5.1	0.0-11.6	19	25.7	11.8-39.6
\$25,000- 34,999	108	9,598				1	0.2	0.0- 0.6	48	37.2	24.5-49.9	12	8.4	2.1-14.7	2	2.8	0.0- 7.1	45	51.4	38.1-64.7
\$35,000- 49,999	160	13,159	1	0.8	0.0- 2.4	2	0.6	0.0- 1.4	76	33.7	25.3-42.1	19	13.8	7.1-20.5	9	9.4	2.3-16.5	53	41.7	31.7-51.7
\$50,000- 99,999	400	33,714	1	0.6	0.0- 1.8	4	1.2	0.0- 2.6	210	51.3	45.0-57.6	36	6.9	4.0- 9.8	4	1.6	0.0- 4.0	145	38.5	32.2-44.8
\$100,000 - 199,999	291	26,908	1	0.4	0.0- 1.2	2	1.5	0.0- 3.9	154	52.5	45.6-59.4	10	4.2	0.9- 7.5	6	2.5	0.1- 4.9	118	38.8	32.1-45.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020			Jan-Apr 2021			May-Aug 2021			Sep-Dec 2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1545	133,630	4	0.4	0.0- 1.0	18	1.6	0.8- 2.4	829	50.0	46.7-53.3	98	6.2	4.6- 7.8	28	2.0	0.8- 3.2	568	39.8	36.5-43.1
Native	66	5,976	1	0.4	0.0- 1.2	1	1.7	0.0- 5.0	27	33.4	17.7-49.1	6	10.9	0.0-22.1	2	2.1	0.0- 5.4	29	51.4	34.2-68.6
Non-Native	1470	127,144	3	0.5	0.0- 1.1	17	1.6	0.6- 2.6	797	50.7	47.4-54.0	90	6.0	4.4- 7.6	26	2.0	0.8- 3.2	537	39.3	36.0-42.6
18-24	52	13,725	1	2.0	0.0- 5.9	4	4.9	0.0-10.2	23	46.2	31.7-60.7	7	13.5	3.5-23.5	4	8.2	0.0-17.0	13	25.2	12.7-37.7
25-34	70	15,514	1	1.5	0.0- 4.4	2	3.2	0.0- 7.5	35	47.2	33.7-60.7	4	4.1	0.0- 8.4				28	43.9	30.4-57.4
35-44	119	19,293				3	1.9	0.0- 4.1	55	45.2	35.2-55.2	4	4.8	0.1- 9.5	3	2.1	0.0- 4.6	54	46.0	36.0-56.0
45-54	176	17,876							100	55.8	47.6-64.0	6	3.6	0.5- 6.7				70	40.7	32.7-48.7
55-64	288	23,538				1	0.5	0.0- 1.5	168	51.9	45.0-58.8	9	3.6	0.9- 6.3	3	1.4	0.0- 3.2	107	42.7	35.8-49.6
65+	840	43,684	2	0.2	0.0- 0.6	8	1.2	0.2- 2.2	448	50.9	47.0-54.8	68	7.8	5.6-10.0	18	1.7	0.7- 2.7	296	38.2	34.3-42.1
Less Than H.S.	51	6,542				1	1.8	0.0- 5.3	20	30.1	14.4-45.8	5	7.8	0.0-15.6	2	9.7	0.0-24.8	23	50.6	32.0-69.2
H.S. or G.E.D.	380	27,858	1	1.0	0.0- 3.0	3	1.4	0.0- 3.6	201	48.7	41.8-55.6	35	10.5	5.8-15.2	12	2.3	0.7- 3.9	128	36.0	29.3-42.7
Some Post-H.S.	477	47,524	2	0.2	0.0- 0.4	8	1.4	0.4- 2.4	243	47.9	41.8-54.0	36	7.1	4.0-10.2	7	1.0	0.0- 2.0	181	42.4	36.3-48.5
College Graduate	637	51,706	1	0.5	0.0- 1.5	6	1.9	0.1- 3.7	365	55.1	50.2-60.0	22	2.9	1.3- 4.5	7	1.7	0.1- 3.3	236	38.0	33.1-42.9
Less than \$15,000	64	7,177	1	3.8	0.0-11.1	2	2.3	0.0- 5.4	32	45.3	29.4-61.2	8	14.3	3.5-25.1				21	34.3	19.2-49.4
\$15,000- 24,999	128	9,421				1	0.4	0.0- 1.2	66	46.0	33.3-58.7	11	12.2	2.6-21.8	3	2.0	0.0- 4.5	47	39.4	26.9-51.9
\$25,000- 34,999	147	11,135				4	3.8	0.1- 7.5	80	51.1	39.3-62.9	11	8.7	1.4-16.0	5	1.7	0.0- 3.7	47	34.7	23.5-45.9
\$35,000- 49,999	194	13,855				1	0.7	0.0- 2.1	93	39.5	30.9-48.1	18	11.6	5.3-17.9	4	1.1	0.0- 2.3	78	47.1	37.7-56.5
\$50,000- 99,999	427	36,186	2	0.7	0.0- 2.1	2	0.9	0.0- 2.3	253	52.8	46.5-59.1	13	3.0	0.8- 5.2	6	2.3	0.1- 4.5	151	40.3	34.0-46.6
\$100,000 - 199,999	248	27,659				3	1.3	0.0- 3.1	127	47.1	39.5-54.7	7	3.3	0.0- 6.6	1	0.4	0.0- 1.2	110	47.9	40.3-55.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11,12)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3059	264,807	1102	37.2	34.8-39.6	891	23.8	21.8-25.8	43	1.0	0.6- 1.4	587	18.6	16.8-20.4	432	19.2	17.2-21.2	4	0.2	0.0- 0.4
Male	1404	120,894	533	39.9	36.6-43.2	406	23.3	20.6-26.0	15	1.1	0.3- 1.9	260	18.4	15.9-20.9	189	17.2	14.5-19.9	1	0.1	0.0- 0.3
Female	1655	143,913	569	34.9	31.8-38.0	485	24.2	21.7-26.7	28	0.8	0.4- 1.2	327	18.8	16.3-21.3	243	20.9	18.0-23.8	3	0.3	0.0- 0.7
Native	118	11,051	53	49.8	36.9-62.7	46	30.7	19.1-42.3	2	1.5	0.0- 3.7	3	2.0	0.0- 4.4	14	16.0	5.4-26.6			
Non-Native	2903	250,856	1034	36.6	34.2-39.0	838	23.6	21.6-25.6	40	0.9	0.5- 1.3	576	19.3	17.5-21.1	411	19.3	17.3-21.3	4	0.2	0.0- 0.4
18-24	118	26,119	46	38.9	29.1-48.7	20	14.6	7.7-21.5				19	17.4	9.8-25.0	33	29.1	19.9-38.3			
25-34	163	34,066	62	38.7	30.3-47.1	35	19.2	12.5-25.9	3	1.8	0.0- 4.0	18	9.7	5.0-14.4	45	30.5	22.3-38.7			
35-44	233	36,368	78	35.6	28.3-42.9	58	21.6	15.7-27.5	1	0.2	0.0- 0.6	30	15.3	9.4-21.2	65	26.9	20.6-33.2	1	0.5	0.0- 1.5
45-54	332	35,307	128	39.8	33.9-45.7	70	21.0	16.1-25.9				46	13.6	9.5-17.7	88	25.6	20.3-30.9			
55-64	555	47,542	193	35.8	31.1-40.5	150	24.4	20.3-28.5	5	0.6	0.0- 1.2	115	22.5	18.4-26.6	91	16.5	12.8-20.2	1	0.2	0.0- 0.6
65+	1658	85,405	595	36.5	33.8-39.2	558	30.2	27.7-32.7	34	1.8	1.0- 2.6	359	23.9	21.4-26.4	110	7.3	5.7- 8.9	2	0.2	0.0- 0.4
Less Than H.S.	119	15,254	50	46.0	33.3-58.7	42	27.7	17.3-38.1	1	1.2	0.0- 3.6	16	18.4	7.2-29.6	10	6.7	1.0-12.4			
H.S. or G.E.D.	763	60,348	271	40.4	35.7-45.1	237	23.1	19.6-26.6	11	0.8	0.2- 1.4	157	20.0	16.5-23.5	86	15.5	11.8-19.2	1	0.1	0.0- 0.3
Some Post-H.S.	933	94,834	341	36.3	32.2-40.4	265	23.7	20.4-27.0	12	0.8	0.2- 1.4	181	18.2	15.3-21.1	132	20.6	16.7-24.5	2	0.3	0.0- 0.7
College Graduate	1239	93,889	436	34.3	31.0-37.6	347	23.8	20.9-26.7	19	1.1	0.3- 1.9	233	18.4	15.7-21.1	203	22.3	19.2-25.4	1	0.1	0.0- 0.3
Less than \$15,000	102	10,713	49	50.6	38.1-63.1	28	24.7	14.1-35.3	2	1.3	0.0- 3.3	13	7.5	2.6-12.4	10	15.9	5.3-26.5			
\$15,000- 24,999	222	17,871	78	36.2	27.2-45.2	70	27.1	18.9-35.3	4	0.6	0.0- 1.2	45	16.3	10.2-22.4	25	19.8	11.2-28.4			
\$25,000- 34,999	271	21,281	107	45.8	37.2-54.4	83	20.6	14.5-26.7	4	1.8	0.0- 4.0	50	18.1	12.0-24.2	26	13.4	7.5-19.3	1	0.4	0.0- 1.2
\$35,000- 49,999	378	28,981	143	41.4	34.9-47.9	115	24.6	19.3-29.9	7	2.3	0.0- 4.7	66	15.2	10.9-19.5	47	16.4	11.1-21.7			
\$50,000- 99,999	878	75,447	275	31.4	27.3-35.5	273	25.4	21.9-28.9	11	0.8	0.2- 1.4	188	20.5	17.2-23.8	128	21.4	17.5-25.3	3	0.5	0.0- 1.1
\$100,000 - 199,999	562	56,897	189	33.1	28.4-37.8	147	23.6	19.3-27.9	3	0.3	0.0- 0.7	102	18.1	14.2-22.0	121	24.8	20.3-29.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11,12)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1404	120,894	533	39.9	36.6-43.2	406	23.3	20.6-26.0	15	1.1	0.3- 1.9	260	18.4	15.9-20.9	189	17.2	14.5-19.9	1	0.1	0.0- 0.3
Non-Native	1329	113,705	497	39.4	36.1-42.7	385	23.3	20.6-26.0	15	1.2	0.4- 2.0	254	19.2	16.7-21.7	177	16.9	14.2-19.6	1	0.1	0.0- 0.3
18-24	62	11,602	26	40.9	27.4-54.4	11	19.2	7.2-31.2				10	17.6	6.8-28.4	15	22.3	10.7-33.9			
25-34	87	16,457	31	37.0	26.0-48.0	18	18.6	9.8-27.4	2	3.1	0.0- 7.4	14	15.5	7.7-23.3	22	25.8	15.8-35.8			
35-44	105	15,247	37	42.4	31.2-53.6	27	20.3	11.7-28.9				14	15.4	7.8-23.0	27	21.9	13.5-30.3			
45-54	146	16,268	60	43.8	34.6-53.0	31	21.1	13.7-28.5				21	11.7	6.2-17.2	34	23.4	15.6-31.2			
55-64	249	22,336	98	39.8	32.7-46.9	61	20.4	14.7-26.1	2	0.7	0.0- 1.9	52	23.2	16.9-29.5	36	15.9	10.4-21.4			
65+	755	38,983	281	38.2	34.1-42.3	258	30.4	26.7-34.1	11	1.7	0.5- 2.9	149	21.2	17.7-24.7	55	8.4	6.0-10.8	1	0.2	0.0- 0.6
Less Than H.S.	62	7,598	29	49.2	32.0-66.4	20	30.8	14.9-46.7	1	2.4	0.0- 6.9	7	13.7	1.4-26.0	5	4.0	0.1- 7.9			
H.S. or G.E.D.	351	29,172	133	43.2	36.5-49.9	107	21.7	16.6-26.8	2	0.3	0.0- 0.7	69	20.8	15.5-26.1	40	14.0	9.3-18.7			
Some Post-H.S.	423	43,977	157	37.3	31.6-43.0	119	22.9	18.0-27.8	5	0.9	0.0- 1.9	72	16.9	12.6-21.2	70	22.0	16.7-27.3			
College Graduate	564	39,689	210	37.8	32.9-42.7	160	23.8	19.7-27.9	7	1.6	0.0- 3.4	112	19.6	15.7-23.5	74	17.0	13.1-20.9	1	0.2	0.0- 0.6
\$15,000- 24,999	83	7,728	31	42.6	27.7-57.5	27	31.2	16.5-45.9	1	0.2	0.0- 0.6	11	11.2	3.0-19.4	13	14.7	5.3-24.1			
\$25,000- 34,999	119	9,913	50	57.5	45.3-69.7	40	18.8	10.6-27.0	2	2.0	0.0- 5.5	16	11.7	4.6-18.8	11	10.0	3.1-16.9			
\$35,000- 49,999	174	14,212	73	45.4	35.8-55.0	52	23.9	16.5-31.3	4	3.5	0.0- 8.0	24	11.4	5.9-16.9	21	15.7	8.4-23.0			
\$50,000- 99,999	423	36,186	141	33.0	27.1-38.9	129	24.4	19.3-29.5	3	0.9	0.0- 2.1	97	22.9	17.8-28.0	52	18.6	13.1-24.1	1	0.2	0.0- 0.6
\$100,000 - 199,999	302	28,200	97	31.7	25.4-38.0	87	24.1	18.2-30.0	2	0.4	0.0- 1.2	58	20.7	15.0-26.4	58	23.1	17.2-29.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11,12)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1655	143,913	569	34.9	31.8-38.0	485	24.2	21.7-26.7	28	0.8	0.4- 1.2	327	18.8	16.3-21.3	243	20.9	18.0-23.8	3	0.3	0.0- 0.7
Native	71	6,209	28	47.6	30.5-64.7	30	30.9	17.4-44.4	2	2.7	0.0- 6.6	2	2.7	0.0- 6.6	9	16.1	2.4-29.8			
Non-Native	1574	137,151	537	34.4	31.3-37.5	453	24.0	21.3-26.7	25	0.7	0.3- 1.1	322	19.5	17.0-22.0	234	21.2	18.3-24.1	3	0.3	0.0- 0.7
18-24	56	14,517	20	37.3	23.4-51.2	9	11.0	3.6-18.4				9	17.2	6.6-27.8	18	34.5	21.0-48.0			
25-34	76	17,609	31	40.3	27.6-53.0	17	19.8	9.8-29.8	1	0.6	0.0- 1.8	4	4.4	0.0- 9.1	23	34.9	22.4-47.4			
35-44	128	21,121	41	30.6	21.4-39.8	31	22.6	14.8-30.4	1	0.3	0.0- 0.9	16	15.1	6.7-23.5	38	30.5	21.7-39.3	1	0.9	0.0- 2.7
45-54	186	19,038	68	36.4	28.6-44.2	39	21.0	14.5-27.5				25	15.2	9.1-21.3	54	27.4	20.3-34.5			
55-64	306	25,206	95	32.2	25.9-38.5	89	27.9	22.0-33.8	3	0.4	0.0- 1.0	63	21.9	16.4-27.4	55	17.1	12.0-22.2	1	0.5	0.0- 1.5
65+	903	46,422	314	35.0	31.3-38.7	300	30.1	26.6-33.6	23	2.0	1.0- 3.0	210	26.3	22.8-29.8	55	6.4	4.4- 8.4	1	0.2	0.0- 0.6
Less Than H.S.	57	7,656	21	42.9	24.3-61.5	22	24.6	12.1-37.1				9	23.1	5.1-41.1	5	9.4	0.0-20.0			
H.S. or G.E.D.	412	31,177	138	37.8	31.1-44.5	130	24.4	19.3-29.5	9	1.3	0.3- 2.3	88	19.2	14.3-24.1	46	17.0	11.5-22.5	1	0.3	0.0- 0.9
Some Post-H.S.	510	50,857	184	35.4	29.7-41.1	146	24.5	19.8-29.2	7	0.7	0.1- 1.3	109	19.4	15.3-23.5	62	19.5	14.0-25.0	2	0.6	0.0- 1.4
College Graduate	675	54,200	226	31.8	27.3-36.3	187	23.9	20.0-27.8	12	0.8	0.2- 1.4	121	17.5	13.8-21.2	129	26.1	21.6-30.6			
Less than \$15,000	67	7,394	29	44.6	28.9-60.3	21	27.1	14.4-39.8	2	1.9	0.0- 4.8	9	7.8	1.7-13.9	6	18.7	4.6-32.8			
\$15,000- 24,999	139	10,143	47	31.4	20.2-42.6	43	24.0	15.2-32.8	3	0.8	0.0- 1.8	34	20.1	11.7-28.5	12	23.7	10.6-36.8			
\$25,000- 34,999	152	11,368	57	35.6	24.2-47.0	43	22.1	13.3-30.9	2	1.8	0.0- 4.2	34	23.6	14.4-32.8	15	16.3	7.1-25.5	1	0.7	0.0- 2.1
\$35,000- 49,999	204	14,769	70	37.6	28.8-46.4	63	25.3	17.9-32.7	3	1.1	0.0- 2.7	42	18.9	12.4-25.4	26	17.1	9.5-24.7			
\$50,000- 99,999	455	39,260	134	30.0	24.3-35.7	144	26.3	21.2-31.4	8	0.7	0.1- 1.3	91	18.2	13.7-22.7	76	24.1	18.4-29.8	2	0.8	0.0- 2.0
\$100,000 - 199,999	260	28,698	92	34.6	27.5-41.7	60	23.1	16.8-29.4	1	0.1	0.0- 0.3	44	15.6	10.5-20.7	63	26.6	19.7-33.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5235	513,657	2278	32.3	30.7-33.9	2957	67.7	66.1-69.3
Male	2627	260,248	1014	28.6	26.6-30.6	1613	71.4	69.4-73.4
Female	2608	253,409	1264	36.1	33.7-38.5	1344	63.9	61.5-66.3
Native	219	20,885	75	36.3	27.3-45.3	144	63.7	54.7-72.7
Non-Native	4946	487,088	2173	32.0	30.4-33.6	2773	68.0	66.4-69.6
18-24	275	62,599	74	24.4	18.9-29.9	201	75.6	70.1-81.1
25-34	437	91,762	65	15.7	11.8-19.6	372	84.3	80.4-88.2
35-44	551	82,428	87	17.9	14.0-21.8	464	82.1	78.2-86.0
45-54	664	71,169	118	18.1	14.8-21.4	546	81.9	78.6-85.2
55-64	973	84,855	280	28.4	25.1-31.7	693	71.6	68.3-74.9
65+	2335	120,843	1654	70.1	67.9-72.3	681	29.9	27.7-32.1
Less Than H.S.	239	38,128	115	34.7	27.1-42.3	124	65.3	57.7-72.9
H.S. or G.E.D.	1457	134,894	611	31.0	28.1-33.9	846	69.0	66.1-71.9
Some Post-H.S.	1713	195,825	766	33.6	30.9-36.3	947	66.4	63.7-69.1
College Graduate	1814	143,369	782	31.3	28.8-33.8	1032	68.7	66.2-71.2
Less than \$15,000	176	20,139	87	40.2	30.6-49.8	89	59.8	50.2-69.4
\$15,000- 24,999	349	28,552	194	43.7	36.8-50.6	155	56.3	49.4-63.2
\$25,000- 34,999	478	45,705	243	38.5	32.6-44.4	235	61.5	55.6-67.4
\$35,000- 49,999	662	60,692	316	34.1	29.6-38.6	346	65.9	61.4-70.4
\$50,000- 99,999	1483	147,503	639	32.0	29.1-34.9	844	68.0	65.1-70.9
\$100,000 - 199,999	913	96,326	261	21.8	18.7-24.9	652	78.2	75.1-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	260,248	1014	28.6	26.6-30.6	1613	71.4	69.4-73.4
Native	103	10,329	26	30.3	17.8-42.8	77	69.7	57.2-82.2
Non-Native	2473	245,605	972	28.5	26.3-30.7	1501	71.5	69.3-73.7
18-24	169	33,167	45	23.9	16.8-31.0	124	76.1	69.0-83.2
25-34	273	50,880	37	14.1	9.6-18.6	236	85.9	81.4-90.4
35-44	300	42,216	37	14.6	9.7-19.5	263	85.4	80.5-90.3
45-54	326	36,169	58	17.6	12.9-22.3	268	82.4	77.7-87.1
55-64	470	42,225	123	25.4	20.9-29.9	347	74.6	70.1-79.1
65+	1089	55,591	714	65.0	61.7-68.3	375	35.0	31.7-38.3
Less Than H.S.	142	23,585	60	30.2	20.8-39.6	82	69.8	60.4-79.2
H.S. or G.E.D.	783	75,965	267	25.7	22.2-29.2	516	74.3	70.8-77.8
Some Post-H.S.	831	96,180	313	27.9	24.4-31.4	518	72.1	68.6-75.6
College Graduate	861	63,144	371	32.7	29.2-36.2	490	67.3	63.8-70.8
Less than \$15,000	74	7,552	28	37.5	22.8-52.2	46	62.5	47.8-77.2
\$15,000- 24,999	143	12,736	60	33.6	23.4-43.8	83	66.4	56.2-76.6
\$25,000- 34,999	229	23,458	102	31.3	23.5-39.1	127	68.7	60.9-76.5
\$35,000- 49,999	330	32,436	133	26.4	21.1-31.7	197	73.6	68.3-78.9
\$50,000- 99,999	762	75,359	322	32.3	28.4-36.2	440	67.7	63.8-71.6
\$100,000 - 199,999	544	54,422	155	20.6	16.7-24.5	389	79.4	75.5-83.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 13: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2608	253,409	1264	36.1	33.7-38.5	1344	63.9	61.5-66.3
Native	116	10,556	49	42.2	29.5-54.9	67	57.8	45.1-70.5
Non-Native	2473	241,483	1201	35.6	33.2-38.0	1272	64.4	62.0-66.8
18-24	106	29,431	29	25.0	16.4-33.6	77	75.0	66.4-83.6
25-34	164	40,882	28	17.6	11.1-24.1	136	82.4	75.9-88.9
35-44	251	40,213	50	21.4	15.5-27.3	201	78.6	72.7-84.5
45-54	338	35,000	60	18.6	13.9-23.3	278	81.4	76.7-86.1
55-64	503	42,630	157	31.3	26.4-36.2	346	68.7	63.8-73.6
65+	1246	65,252	940	74.4	71.5-77.3	306	25.6	22.7-28.5
Less Than H.S.	97	14,544	55	41.9	29.0-54.8	42	58.1	45.2-71.0
H.S. or G.E.D.	674	58,930	344	37.8	33.1-42.5	330	62.2	57.5-66.9
Some Post-H.S.	882	99,645	453	39.1	35.0-43.2	429	60.9	56.8-65.0
College Graduate	953	80,225	411	30.2	26.7-33.7	542	69.8	66.3-73.3
Less than \$15,000	102	12,587	59	41.9	29.2-54.6	43	58.1	45.4-70.8
\$15,000- 24,999	206	15,815	134	51.9	42.3-61.5	72	48.1	38.5-57.7
\$25,000- 34,999	249	22,247	141	46.1	37.3-54.9	108	53.9	45.1-62.7
\$35,000- 49,999	332	28,256	183	42.9	35.6-50.2	149	57.1	49.8-64.4
\$50,000- 99,999	721	72,145	317	31.8	27.5-36.1	404	68.2	63.9-72.5
\$100,000 - 199,999	369	41,904	106	23.4	18.5-28.3	263	76.6	71.7-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)	
1	MALES AND FEMALES	219
2	MALES ONLY	220
3	FEMALES ONLY	221
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	222
5	MALES ONLY	223
6	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 14: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5339	543,471	1236	29.6	27.8-31.4	4103	70.4	68.6-72.2
Male	2712	278,065	671	30.3	27.9-32.7	2041	69.7	67.3-72.1
Female	2627	265,405	565	28.8	26.3-31.3	2062	71.2	68.7-73.7
Native	235	23,203	106	47.1	38.3-55.9	129	52.9	44.1-61.7
Non-Native	5031	513,765	1110	28.7	26.9-30.5	3921	71.3	69.5-73.1
18-24	344	75,730	78	22.8	17.9-27.7	266	77.2	72.3-82.1
25-34	498	104,083	176	39.5	34.4-44.6	322	60.5	55.4-65.6
35-44	598	89,732	254	46.3	41.8-50.8	344	53.7	49.2-58.2
45-54	677	73,467	241	34.6	30.5-38.7	436	65.4	61.3-69.5
55-64	957	83,411	228	25.4	22.1-28.7	729	74.6	71.3-77.9
65+	2265	117,048	259	12.0	10.4-13.6	2006	88.0	86.4-89.6
Less Than H.S.	236	40,621	70	43.5	34.9-52.1	166	56.5	47.9-65.1
H.S. or G.E.D.	1484	143,488	300	29.7	26.6-32.8	1184	70.3	67.2-73.4
Some Post-H.S.	1753	206,339	409	28.0	25.3-30.7	1344	72.0	69.3-74.7
College Graduate	1852	151,120	453	27.7	25.2-30.2	1399	72.3	69.8-74.8
Less than \$15,000	184	22,870	70	47.1	37.1-57.1	114	52.9	42.9-62.9
\$15,000- 24,999	371	32,391	75	28.7	22.0-35.4	296	71.3	64.6-78.0
\$25,000- 34,999	479	47,892	110	35.1	28.8-41.4	369	64.9	58.6-71.2
\$35,000- 49,999	666	62,606	134	26.3	21.6-31.0	532	73.7	69.0-78.4
\$50,000- 99,999	1486	152,718	373	31.0	27.7-34.3	1113	69.0	65.7-72.3
\$100,000 - 199,999	964	104,273	259	30.2	26.5-33.9	705	69.8	66.1-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2712	278,065	671	30.3	27.9-32.7	2041	69.7	67.3-72.1
Native	108	11,361	49	49.9	37.0-62.8	59	50.1	37.2-63.0
Non-Native	2552	262,090	606	29.4	27.0-31.8	1946	70.6	68.2-73.0
18-24	210	39,859	39	19.0	12.9-25.1	171	81.0	74.9-87.1
25-34	315	58,608	108	39.9	33.6-46.2	207	60.1	53.8-66.4
35-44	330	46,106	124	42.9	36.6-49.2	206	57.1	50.8-63.4
45-54	337	37,715	123	35.8	29.9-41.7	214	64.2	58.3-70.1
55-64	467	42,230	127	28.9	24.0-33.8	340	71.1	66.2-76.0
65+	1053	53,548	150	14.6	12.1-17.1	903	85.4	82.9-87.9
Less Than H.S.	138	24,848	48	45.4	34.4-56.4	90	54.6	43.6-65.6
H.S. or G.E.D.	806	81,086	199	31.7	27.6-35.8	607	68.3	64.2-72.4
Some Post-H.S.	866	102,447	210	27.8	24.1-31.5	656	72.2	68.5-75.9
College Graduate	891	68,021	211	26.8	23.3-30.3	680	73.2	69.7-76.7
Less than \$15,000	77	8,126	36	51.7	36.6-66.8	41	48.3	33.2-63.4
\$15,000- 24,999	155	14,763	39	33.6	23.4-43.8	116	66.4	56.2-76.6
\$25,000- 34,999	228	24,175	56	31.8	23.2-40.4	172	68.2	59.6-76.8
\$35,000- 49,999	337	33,581	72	27.7	21.2-34.2	265	72.3	65.8-78.8
\$50,000- 99,999	777	79,300	200	31.2	26.9-35.5	577	68.8	64.5-73.1
\$100,000 - 199,999	577	60,009	148	29.8	25.1-34.5	429	70.2	65.5-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 14: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2627	265,405	565	28.8	26.3-31.3	2062	71.2	68.7-73.7
Native	127	11,842	57	44.5	32.3-56.7	70	55.5	43.3-67.7
Non-Native	2479	251,674	504	27.9	25.4-30.4	1975	72.1	69.6-74.6
18-24	134	35,871	39	27.0	19.0-35.0	95	73.0	65.0-81.0
25-34	183	45,476	68	39.0	30.8-47.2	115	61.0	52.8-69.2
35-44	268	43,625	130	50.0	43.3-56.7	138	50.0	43.3-56.7
45-54	340	35,752	118	33.4	27.9-38.9	222	66.6	61.1-72.1
55-64	490	41,181	101	21.7	17.2-26.2	389	78.3	73.8-82.8
65+	1212	63,501	109	9.9	7.7-12.1	1103	90.1	87.9-92.3
Less Than H.S.	98	15,774	22	40.5	26.4-54.6	76	59.5	45.4-73.6
H.S. or G.E.D.	678	62,402	101	27.1	22.0-32.2	577	72.9	67.8-78.0
Some Post-H.S.	887	103,892	199	28.1	24.0-32.2	688	71.9	67.8-76.0
College Graduate	961	83,099	242	28.5	24.8-32.2	719	71.5	67.8-75.2
Less than \$15,000	107	14,744	34	44.6	31.5-57.7	73	55.4	42.3-68.5
\$15,000- 24,999	216	17,628	36	24.7	16.1-33.3	180	75.3	66.7-83.9
\$25,000- 34,999	251	23,717	54	38.5	29.5-47.5	197	61.5	52.5-70.5
\$35,000- 49,999	329	29,025	62	24.6	17.7-31.5	267	75.4	68.5-82.3
\$50,000- 99,999	709	73,418	173	30.9	26.0-35.8	536	69.1	64.2-74.0
\$100,000 - 199,999	387	44,263	111	30.6	24.7-36.5	276	69.4	63.5-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 14: HIV/AIDS

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2006			2007-2014			2015-2020			2021		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	719	101,429	22	1.8	0.8- 2.8	46	4.0	2.6- 5.4	67	7.0	5.0- 9.0	106	15.0	11.7-18.3	364	54.3	49.8-58.8	114	18.0	14.3-21.7
Male	374	49,756	8	1.3	0.1- 2.5	23	4.7	2.3- 7.1	38	7.1	4.4- 9.8	37	11.0	7.1-14.9	194	53.4	47.1-59.7	74	22.5	17.0-28.0
Female	345	51,673	14	2.3	0.9- 3.7	23	3.3	1.7- 4.9	29	6.8	4.1- 9.5	69	18.8	13.7-23.9	170	55.1	48.4-61.8	40	13.6	8.9-18.3
Native	75	8,000	3	4.8	0.0-10.9	3	3.5	0.0- 7.8	2	1.4	0.0- 3.4	11	13.1	2.1-24.1	44	60.9	46.8-75.0	12	16.3	5.5-27.1
Non-Native	633	91,876	19	1.6	0.8- 2.4	42	4.1	2.7- 5.5	65	7.6	5.4- 9.8	94	15.3	11.8-18.8	312	53.1	48.2-58.0	101	18.4	14.5-22.3
18-24	63	13,638							1	2.3	0.0- 6.6	2	3.2	0.0- 8.5	42	62.7	49.2-76.2	18	31.8	18.7-44.9
25-34	124	29,451							3	2.1	0.0- 4.5	10	9.3	3.4-15.2	83	67.9	58.5-77.3	28	20.7	12.7-28.7
35-44	175	28,267				5	2.4	0.0- 4.9	15	8.0	3.5-12.5	42	26.4	18.6-34.2	89	47.4	38.8-56.0	24	15.8	9.3-22.3
45-54	138	13,968	3	2.3	0.0- 5.2	13	10.3	4.4-16.2	20	12.8	6.7-18.9	29	21.5	13.7-29.3	63	46.6	37.0-56.2	10	6.5	2.0-11.0
55-64	117	10,223	13	11.6	4.9-18.3	16	13.2	6.3-20.1	16	14.8	7.2-22.4	11	9.5	3.2-15.8	44	36.0	26.0-46.0	17	14.9	7.1-22.7
65+	102	5,882	6	5.7	0.0-11.4	12	10.2	4.1-16.3	12	10.5	3.4-17.6	12	9.0	3.5-14.5	43	49.4	38.0-60.8	17	15.2	7.0-23.4
H.S. or G.E.D.	168	26,311	7	3.0	0.6- 5.4	8	2.5	0.5- 4.5	13	6.6	2.9-10.3	20	12.6	6.5-18.7	84	52.3	43.5-61.1	36	23.0	15.4-30.6
Some Post-H.S.	239	35,363	10	2.2	0.6- 3.8	18	5.0	2.3- 7.7	18	6.6	3.1-10.1	32	13.5	8.2-18.8	125	55.5	47.9-63.1	36	17.1	11.0-23.2
College Graduate	266	26,544	4	0.5	0.0- 1.1	17	4.5	2.1- 6.9	33	9.6	5.7-13.5	45	18.1	12.6-23.6	136	55.7	48.6-62.8	31	11.5	6.8-16.2
\$25,000- 34,999	61	10,387				2	0.9	0.0- 2.3	6	6.2	0.3-12.1	7	12.1	1.5-22.7	35	56.3	41.0-71.6	11	24.5	10.6-38.4
\$35,000- 49,999	74	10,356	3	3.5	0.0- 7.6	5	3.9	0.0- 7.8	4	4.3	0.0- 9.2	11	9.5	2.2-16.8	35	55.9	42.0-69.8	16	22.8	10.3-35.3
\$50,000- 99,999	233	31,761	6	1.3	0.1- 2.5	16	4.3	1.8- 6.8	23	8.6	4.5-12.7	40	18.5	12.0-25.0	114	51.3	43.1-59.5	34	16.0	9.9-22.1
\$100,000 - 199,999	145	17,874	1	0.3	0.0- 0.9	13	7.7	2.8-12.6	20	9.4	4.3-14.5	29	22.6	14.0-31.2	67	52.1	41.9-62.3	15	7.8	2.9-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 14: HIV/AIDS

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2006			2007-2014			2015-2020			2021		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	374	49,756	8	1.3	0.1- 2.5	23	4.7	2.3- 7.1	38	7.1	4.4- 9.8	37	11.0	7.1-14.9	194	53.4	47.1-59.7	74	22.5	17.0-28.0
Non-Native	333	45,092	6	1.0	0.0- 2.0	20	4.8	2.4- 7.2	36	7.6	4.5-10.7	34	10.9	7.0-14.8	169	52.2	45.7-58.7	68	23.6	17.7-29.5
25-34	71	15,431							3	4.0	0.0- 8.5	6	8.7	1.6-15.8	46	64.5	52.0-77.0	16	22.8	11.6-34.0
35-44	80	12,532				4	4.6	0.0- 9.9	7	5.8	0.7-10.9	15	20.7	10.1-31.3	37	44.9	32.2-57.6	17	24.1	12.9-35.3
45-54	71	7,444				7	12.1	3.1-21.1	11	12.2	4.4-20.0	5	7.8	0.5-15.1	42	60.0	46.9-73.1	6	7.9	1.0-14.8
55-64	65	5,709	5	9.9	0.9-18.9	8	11.6	3.0-20.2	8	10.2	2.4-18.0	6	11.3	1.7-20.9	26	38.2	24.7-51.7	12	18.8	8.0-29.6
65+	58	2,979	3	2.7	0.0- 6.0	4	7.3	0.0-14.6	8	13.5	2.7-24.3	5	10.7	1.5-19.9	24	45.4	31.1-59.7	14	20.4	9.2-31.6
H.S. or G.E.D.	98	13,542	1	1.3	0.0- 3.8	5	3.4	0.3- 6.5	5	4.6	0.3- 8.9	12	15.2	6.6-23.8	53	52.2	40.8-63.6	22	23.3	13.3-33.3
Some Post-H.S.	122	17,559	4	2.2	0.0- 4.6	12	7.5	2.6-12.4	11	7.0	1.9-12.1	9	6.9	2.0-11.8	63	56.4	46.2-66.6	23	20.0	11.4-28.6
College Graduate	125	10,771	3	0.8	0.0- 1.8	5	3.4	0.1- 6.7	19	11.4	5.5-17.3	11	9.2	3.3-15.1	68	60.6	50.8-70.4	19	14.7	7.6-21.8
\$50,000- 99,999	125	15,821	2	0.9	0.0- 2.3	9	5.4	1.3- 9.5	13	7.1	2.2-12.0	12	13.2	5.4-21.0	69	57.1	46.9-67.3	20	16.4	9.0-23.8
\$100,000 - 199,999	78	9,276				10	12.2	3.6-20.8	12	11.8	3.6-20.0	9	10.7	3.1-18.3	35	53.3	39.6-67.0	12	12.1	3.5-20.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 14: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2006			2007-2014			2015-2020			2021		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	345	51,673	14	2.3	0.9- 3.7	23	3.3	1.7- 4.9	29	6.8	4.1- 9.5	69	18.8	13.7-23.9	170	55.1	48.4-61.8	40	13.6	8.9-18.3
Non-Native	300	46,785	13	2.2	0.8- 3.6	22	3.3	1.7- 4.9	29	7.6	4.5-10.7	60	19.6	13.9-25.3	143	53.9	46.8-61.0	33	13.4	8.5-18.3
25-34	53	14,021										4	10.1	0.5-19.7	37	71.6	57.7-85.5	12	18.3	6.7-29.9
35-44	95	15,735				1	0.7	0.0- 2.1	8	9.7	3.0-16.4	27	31.0	19.8-42.2	52	49.4	37.8-61.0	7	9.3	2.4-16.2
45-54	67	6,524	3	5.0	0.0-11.3	6	8.2	1.5-14.9	9	13.4	4.2-22.6	24	37.2	24.1-50.3	21	31.3	18.8-43.8	4	4.9	0.0-10.4
55-64	52	4,514	8	13.6	3.4-23.8	8	15.3	4.3-26.3	8	20.5	6.8-34.2	5	7.3	0.0-14.6	18	33.3	19.8-46.8	5	10.0	0.0-21.0
H.S. or G.E.D.	70	12,769	6	4.8	0.5- 9.1	3	1.5	0.0- 3.5	8	8.8	2.5-15.1	8	9.9	1.7-18.1	31	52.4	39.1-65.7	14	22.7	11.1-34.3
Some Post-H.S.	117	17,804	6	2.3	0.0- 4.7	6	2.6	0.2- 5.0	7	6.1	1.0-11.2	23	20.0	10.8-29.2	62	54.7	43.3-66.1	13	14.3	5.7-22.9
College Graduate	141	15,773	1	0.4	0.0- 1.2	12	5.3	2.0- 8.6	14	8.4	3.3-13.5	34	24.2	16.0-32.4	68	52.3	42.5-62.1	12	9.3	3.2-15.4
\$50,000- 99,999	108	15,940	4	1.7	0.0- 3.5	7	3.2	0.5- 5.9	10	10.2	3.5-16.9	28	23.8	13.6-34.0	45	45.5	33.0-58.0	14	15.7	6.1-25.3
\$100,000 - 199,999	67	8,597	1	0.7	0.0- 2.1	3	2.9	0.0- 6.4	8	6.8	1.3-12.3	20	35.6	20.9-50.3	32	50.9	36.0-65.8	3	3.1	0.0- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

SECTION 15: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)	
1 MALES AND FEMALES	226
2 MALES ONLY	227
3 FEMALES ONLY	228
NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)	
4 MALES AND FEMALES	229
5 MALES ONLY	230
6 FEMALES ONLY	231
HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)	
7 MALES AND FEMALES	232
8 MALES ONLY	233
9 FEMALES ONLY	234
HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)	
10 MALES AND FEMALES	235
11 MALES ONLY	236
12 FEMALES ONLY	237
HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)	
13 MALES AND FEMALES	238
14 MALES ONLY	239
15 FEMALES ONLY	240
NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)	
16 MALES AND FEMALES	241
17 MALES ONLY	242
18 FEMALES ONLY	243

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 1: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5455	548,551	2668	45.3	43.5-47.1	1743	34.3	32.5-36.1	837	16.4	15.0-17.8	53	0.9	0.5- 1.3	154	3.1	2.5- 3.7
Male	2780	282,202	1197	39.8	37.4-42.2	959	36.2	33.8-38.6	486	18.4	16.6-20.2	33	1.2	0.6- 1.8	105	4.4	3.4- 5.4
Female	2675	266,348	1471	51.0	48.5-53.5	784	32.3	29.8-34.8	351	14.3	12.5-16.1	20	0.7	0.3- 1.1	49	1.7	0.9- 2.5
Native	243	23,920	96	39.2	30.6-47.8	94	39.3	30.7-47.9	46	19.8	13.1-26.5	2	0.3	0.0- 0.7	5	1.5	0.1- 2.9
Non-Native	5135	517,733	2540	45.7	43.9-47.5	1620	34.0	32.2-35.8	777	16.2	14.8-17.6	51	1.0	0.6- 1.4	147	3.2	2.6- 3.8
18-24	338	74,146	134	37.7	31.8-43.6	137	43.1	37.2-49.0	52	15.2	10.9-19.5	5	1.5	0.1- 2.9	10	2.5	0.7- 4.3
25-34	489	102,259	202	42.0	36.9-47.1	176	37.3	32.4-42.2	88	16.4	12.9-19.9	5	0.9	0.0- 1.9	18	3.4	1.4- 5.4
35-44	597	89,925	266	44.4	39.9-48.9	199	33.8	29.5-38.1	98	16.8	13.3-20.3	6	0.7	0.1- 1.3	28	4.3	2.3- 6.3
45-54	697	74,747	313	43.9	39.8-48.0	232	32.3	28.4-36.2	124	19.2	15.9-22.5	7	0.8	0.0- 1.6	21	3.8	2.0- 5.6
55-64	1001	86,955	462	44.1	40.6-47.6	338	34.2	30.7-37.7	163	17.9	15.0-20.8	10	1.0	0.4- 1.6	28	2.8	1.6- 4.0
65+	2333	120,519	1291	55.0	52.6-57.4	661	28.0	25.8-30.2	312	14.1	12.3-15.9	20	0.8	0.4- 1.2	49	2.1	1.3- 2.9
Less Than H.S.	241	40,246	99	34.3	26.5-42.1	81	37.5	29.1-45.9	46	20.9	14.2-27.6	2	1.3	0.0- 3.3	13	6.1	1.8-10.4
H.S. or G.E.D.	1498	141,581	687	41.5	38.4-44.6	459	33.1	30.0-36.2	276	19.5	17.0-22.0	20	1.5	0.7- 2.3	56	4.3	2.9- 5.7
Some Post-H.S.	1774	208,593	839	44.7	41.8-47.6	567	34.0	31.1-36.9	297	17.5	15.3-19.7	16	0.7	0.3- 1.1	55	3.1	2.1- 4.1
College Graduate	1929	156,401	1036	52.0	49.3-54.7	632	35.1	32.4-37.8	218	11.2	9.4-13.0	15	0.6	0.2- 1.0	28	1.0	0.6- 1.4
Less than \$15,000	189	22,731	82	35.9	27.1-44.7	61	34.1	24.5-43.7	33	20.9	12.7-29.1	3	1.6	0.0- 3.8	10	7.4	1.3-13.5
\$15,000- 24,999	371	32,483	185	45.4	38.5-52.3	106	30.5	24.0-37.0	63	19.5	14.0-25.0	5	0.8	0.0- 1.8	12	3.7	0.8- 6.6
\$25,000- 34,999	492	48,327	234	39.3	33.4-45.2	156	38.4	32.1-44.7	79	18.0	13.3-22.7	7	1.0	0.0- 2.0	16	3.3	1.3- 5.3
\$35,000- 49,999	686	63,318	326	42.6	37.7-47.5	225	33.2	28.5-37.9	112	20.2	16.1-24.3	5	1.0	0.0- 2.4	18	2.9	1.1- 4.7
\$50,000- 99,999	1539	155,925	758	47.4	44.1-50.7	498	34.6	31.5-37.7	243	16.1	13.7-18.5	11	0.5	0.1- 0.9	29	1.5	0.9- 2.1
\$100,000 - 199,999	987	107,047	479	47.3	43.4-51.2	347	35.8	32.1-39.5	130	13.5	11.0-16.0	6	0.6	0.0- 1.2	25	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 2: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2780	282,202	1197	39.8	37.4-42.2	959	36.2	33.8-38.6	486	18.4	16.6-20.2	33	1.2	0.6- 1.8	105	4.4	3.4- 5.4
Native	110	11,579	42	35.9	23.7-48.1	43	41.4	28.7-54.1	21	20.1	10.1-30.1	1	0.4	0.0- 1.2	3	2.1	0.0- 4.6
Non-Native	2614	265,548	1131	39.9	37.5-42.3	896	35.9	33.5-38.3	455	18.4	16.4-20.4	32	1.2	0.6- 1.8	100	4.6	3.6- 5.6
18-24	207	39,423	84	37.0	29.6-44.4	81	42.7	35.1-50.3	30	14.3	9.0-19.6	4	2.5	0.0- 5.0	8	3.4	0.7- 6.1
25-34	306	57,248	110	35.4	29.3-41.5	117	39.7	33.4-46.0	62	19.5	14.6-24.4	4	1.2	0.0- 2.6	13	4.2	1.8- 6.6
35-44	332	46,572	123	37.0	31.1-42.9	118	35.2	29.3-41.1	67	20.7	15.6-25.8	4	0.9	0.0- 1.9	20	6.2	3.1- 9.3
45-54	349	38,674	142	40.0	34.1-45.9	118	33.5	27.8-39.2	70	19.6	14.9-24.3	4	0.8	0.0- 1.8	15	6.1	3.0- 9.2
55-64	491	44,154	202	38.6	33.7-43.5	173	35.2	30.3-40.1	93	21.0	16.7-25.3	5	1.2	0.0- 2.4	18	4.1	1.9- 6.3
65+	1095	56,132	536	49.3	45.8-52.8	352	31.5	28.2-34.8	164	15.5	13.0-18.0	12	0.8	0.2- 1.4	31	3.0	1.8- 4.2
Less Than H.S.	145	25,264	54	33.1	23.1-43.1	50	38.6	28.0-49.2	29	20.0	12.0-28.0	1	1.4	0.0- 4.1	11	6.9	2.0-11.8
H.S. or G.E.D.	821	81,625	342	39.4	35.3-43.5	265	32.5	28.4-36.6	163	20.6	17.3-23.9	15	2.0	0.6- 3.4	36	5.5	3.5- 7.5
Some Post-H.S.	877	103,533	343	36.6	32.7-40.5	322	37.8	33.9-41.7	165	19.9	16.6-23.2	9	0.8	0.2- 1.4	38	4.9	3.1- 6.7
College Graduate	927	70,321	453	47.0	43.1-50.9	319	37.6	33.7-41.5	129	13.4	10.9-15.9	8	0.7	0.0- 1.5	18	1.2	0.6- 1.8
Less than \$15,000	78	8,123	33	34.6	21.5-47.7	21	28.3	12.8-43.8	17	27.2	14.1-40.3	2	2.8	0.0- 7.7	5	7.0	0.0-14.1
\$15,000- 24,999	157	14,769	69	36.7	27.1-46.3	50	37.1	26.5-47.7	28	18.5	10.7-26.3	3	0.6	0.0- 1.4	7	7.0	0.7-13.3
\$25,000- 34,999	231	24,574	98	36.5	28.3-44.7	74	35.3	26.9-43.7	43	22.0	14.6-29.4	5	1.1	0.0- 2.7	11	5.2	1.5- 8.9
\$35,000- 49,999	343	33,905	135	35.5	29.0-42.0	128	36.8	30.3-43.3	63	21.5	15.8-27.2	2	1.0	0.0- 2.8	15	5.2	2.1- 8.3
\$50,000- 99,999	805	80,891	346	41.9	37.6-46.2	282	36.5	32.2-40.8	155	18.9	15.6-22.2	6	0.8	0.0- 1.6	16	1.9	0.7- 3.1
\$100,000 - 199,999	597	62,136	253	41.1	36.2-46.0	232	38.5	33.8-43.2	85	15.1	11.6-18.6	5	1.0	0.0- 2.0	22	4.3	2.1- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 3: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2675	266,348	1471	51.0	48.5-53.5	784	32.3	29.8-34.8	351	14.3	12.5-16.1	20	0.7	0.3- 1.1	49	1.7	0.9- 2.5
Native	133	12,341	54	42.2	30.2-54.2	51	37.3	25.5-49.1	25	19.5	10.5-28.5	1	0.1	0.0- 0.3	2	0.9	0.0- 2.3
Non-Native	2521	252,185	1409	51.7	49.0-54.4	724	31.9	29.4-34.4	322	13.9	12.1-15.7	19	0.7	0.3- 1.1	47	1.8	1.0- 2.6
18-24	131	34,723	50	38.5	29.3-47.7	56	43.5	34.3-52.7	22	16.3	9.4-23.2	1	0.3	0.0- 0.9	2	1.5	0.0- 3.5
25-34	183	45,011	92	50.3	42.1-58.5	59	34.2	26.4-42.0	26	12.5	7.6-17.4	1	0.6	0.0- 1.8	5	2.4	0.0- 5.3
35-44	265	43,353	143	52.3	45.4-59.2	81	32.2	25.7-38.7	31	12.5	7.8-17.2	2	0.6	0.0- 1.6	8	2.4	0.4- 4.4
45-54	348	36,073	171	48.0	42.1-53.9	114	31.1	25.6-36.6	54	18.8	13.9-23.7	3	0.7	0.0- 1.9	6	1.4	0.0- 2.8
55-64	510	42,801	260	49.9	44.8-55.0	165	33.3	28.4-38.2	70	14.7	11.0-18.4	5	0.8	0.0- 1.6	10	1.3	0.3- 2.3
65+	1238	64,387	755	60.0	56.7-63.3	309	25.0	22.1-27.9	148	12.9	10.5-15.3	8	0.8	0.0- 1.6	18	1.4	0.6- 2.2
Less Than H.S.	96	14,982	45	36.2	23.7-48.7	31	35.7	21.8-49.6	17	22.4	11.0-33.8	1	1.0	0.0- 3.0	2	4.8	0.0-12.4
H.S. or G.E.D.	677	59,956	345	44.5	39.4-49.6	194	33.9	28.8-39.0	113	18.0	14.1-21.9	5	0.8	0.0- 1.6	20	2.8	1.0- 4.6
Some Post-H.S.	897	105,060	496	52.8	48.3-57.3	245	30.2	26.1-34.3	132	15.1	12.0-18.2	7	0.6	0.0- 1.2	17	1.4	0.6- 2.2
College Graduate	1002	86,080	583	56.1	52.2-60.0	313	33.0	29.3-36.7	89	9.4	7.0-11.8	7	0.6	0.0- 1.2	10	0.8	0.2- 1.4
Less than \$15,000	111	14,608	49	36.7	24.9-48.5	40	37.3	25.0-49.6	16	17.3	6.9-27.7	1	1.0	0.0- 3.0	5	7.7	0.0-16.1
\$15,000- 24,999	214	17,714	116	52.7	43.3-62.1	56	25.0	17.2-32.8	35	20.3	12.7-27.9	2	1.0	0.0- 2.6	5	1.0	0.0- 2.0
\$25,000- 34,999	261	23,753	136	42.3	33.9-50.7	82	41.6	32.6-50.6	36	14.0	8.1-19.9	2	0.8	0.0- 2.0	5	1.3	0.0- 2.9
\$35,000- 49,999	343	29,414	191	50.9	43.5-58.3	97	29.0	22.3-35.7	49	18.7	12.6-24.8	3	1.1	0.0- 3.1	3	0.3	0.0- 0.7
\$50,000- 99,999	734	75,034	412	53.2	48.3-58.1	216	32.5	27.8-37.2	88	12.9	9.8-16.0	5	0.3	0.0- 0.7	13	1.0	0.4- 1.6
\$100,000 - 199,999	390	44,911	226	55.9	49.8-62.0	115	32.1	26.2-38.0	45	11.4	7.5-15.3	1	0.1	0.0- 0.3	3	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 4: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5469	549,305	831	13.5	12.3-14.7	1052	20.7	19.3-22.1	1120	22.6	21.0-24.2	258	4.7	3.9- 5.5	2208	38.6	36.8-40.4
Male	2788	282,939	453	13.8	12.2-15.4	598	22.9	20.9-24.9	630	25.0	22.8-27.2	129	4.4	3.4- 5.4	978	33.9	31.7-36.1
Female	2681	266,367	378	13.1	11.3-14.9	454	18.4	16.4-20.4	490	19.9	17.7-22.1	129	4.9	3.7- 6.1	1230	43.6	41.1-46.1
Native	242	23,892	31	15.4	8.9-21.9	75	26.0	18.9-33.1	59	27.5	19.3-35.7	2	0.7	0.0- 2.1	75	30.4	22.4-38.4
Non-Native	5153	518,804	792	13.4	12.2-14.6	958	20.4	18.8-22.0	1047	22.4	20.8-24.0	253	4.8	4.0- 5.6	2103	38.9	37.1-40.7
18-24	335	72,957	39	12.1	8.0-16.2	92	25.8	20.5-31.1	91	27.6	22.1-33.1	14	4.2	1.8- 6.6	99	30.3	24.6-36.0
25-34	493	103,394	56	12.4	8.9-15.9	128	24.8	20.5-29.1	130	25.9	21.6-30.2	20	4.3	2.1- 6.5	159	32.6	27.9-37.3
35-44	602	90,514	57	10.3	7.4-13.2	139	22.1	18.4-25.8	143	23.3	19.6-27.0	32	4.6	2.8- 6.4	231	39.7	35.2-44.2
45-54	698	74,940	65	9.3	6.9-11.7	146	20.5	17.2-23.8	174	25.2	21.5-28.9	27	4.2	2.4- 6.0	286	40.8	36.7-44.9
55-64	995	86,491	127	14.4	11.7-17.1	191	17.1	14.4-19.8	187	19.0	16.3-21.7	44	4.4	2.8- 6.0	446	45.1	41.4-48.8
65+	2346	121,009	487	19.4	17.6-21.2	356	15.9	14.1-17.7	395	17.0	15.2-18.8	121	5.7	4.5- 6.9	987	41.9	39.5-44.3
Less Than H.S.	245	40,089	55	21.6	14.7-28.5	46	20.4	13.5-27.3	43	19.3	12.4-26.2	13	5.0	1.3- 8.7	88	33.7	25.7-41.7
H.S. or G.E.D.	1501	141,853	264	15.1	12.7-17.5	268	18.8	16.3-21.3	273	21.8	19.1-24.5	85	5.9	4.3- 7.5	611	38.4	35.3-41.5
Some Post-H.S.	1789	209,924	266	13.4	11.4-15.4	353	21.8	19.3-24.3	363	22.9	20.4-25.4	82	4.3	3.1- 5.5	725	37.5	34.6-40.4
College Graduate	1921	155,709	244	9.9	8.3-11.5	383	21.1	18.7-23.5	438	23.6	21.2-26.0	78	3.9	2.9- 4.9	778	41.5	38.8-44.2
Less than \$15,000	185	22,482	38	19.5	12.1-26.9	33	22.8	13.8-31.8	31	16.3	8.7-23.9	10	5.0	0.1- 9.9	73	36.4	27.2-45.6
\$15,000- 24,999	371	32,130	75	18.5	13.0-24.0	64	21.8	15.7-27.9	58	17.8	12.3-23.3	15	3.7	1.3- 6.1	159	38.2	31.5-44.9
\$25,000- 34,999	492	48,284	94	17.6	12.9-22.3	84	19.5	14.4-24.6	96	20.5	15.6-25.4	25	5.1	2.4- 7.8	193	37.3	31.4-43.2
\$35,000- 49,999	686	63,535	120	13.6	10.5-16.7	144	21.7	17.6-25.8	125	22.3	17.8-26.8	24	2.8	1.4- 4.2	273	39.6	34.7-44.5
\$50,000- 99,999	1540	155,440	198	11.8	9.6-14.0	333	22.7	20.0-25.4	346	24.7	22.0-27.4	62	4.0	2.8- 5.2	601	36.7	33.6-39.8
\$100,000 - 199,999	984	106,761	99	9.0	6.8-11.2	188	17.3	14.6-20.0	231	24.4	21.1-27.7	47	4.6	3.0- 6.2	419	44.8	40.9-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 5: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2788	282,939	453	13.8	12.2-15.4	598	22.9	20.9-24.9	630	25.0	22.8-27.2	129	4.4	3.4- 5.4	978	33.9	31.7-36.1
Native	109	11,582	15	14.5	5.9-23.1	33	21.9	13.1-30.7	28	32.3	19.4-45.2				33	31.4	19.4-43.4
Non-Native	2626	266,571	431	13.8	12.2-15.4	551	22.9	20.7-25.1	590	24.8	22.6-27.0	129	4.7	3.7- 5.7	925	33.9	31.5-36.3
18-24	206	38,872	23	9.6	5.5-13.7	62	28.6	21.7-35.5	61	30.6	23.3-37.9	6	3.6	0.7- 6.5	54	27.6	20.5-34.7
25-34	310	58,243	32	10.6	6.9-14.3	81	25.6	19.9-31.3	88	28.3	22.8-33.8	14	4.4	1.9- 6.9	95	31.1	25.4-36.8
35-44	338	47,466	37	13.0	8.7-17.3	85	25.2	19.9-30.5	90	26.2	20.9-31.5	16	4.2	2.0- 6.4	110	31.4	25.7-37.1
45-54	349	38,660	35	9.8	6.3-13.3	85	22.7	17.8-27.6	92	27.6	22.3-32.9	11	3.3	0.9- 5.7	126	36.5	30.8-42.2
55-64	489	43,829	70	15.6	11.7-19.5	104	18.9	15.0-22.8	97	20.5	16.4-24.6	25	4.5	2.5- 6.5	193	40.5	35.4-45.6
65+	1096	55,870	256	22.0	19.3-24.7	181	17.6	14.9-20.3	202	18.5	15.8-21.2	57	5.7	3.9- 7.5	400	36.2	32.9-39.5
Less Than H.S.	143	24,781	32	20.1	11.9-28.3	27	24.4	14.8-34.0	32	23.2	14.0-32.4	10	5.1	0.8- 9.4	42	27.2	17.8-36.6
H.S. or G.E.D.	822	82,075	142	14.7	11.8-17.6	169	19.5	16.2-22.8	158	22.7	19.0-26.4	39	5.0	3.0- 7.0	314	38.0	33.9-42.1
Some Post-H.S.	887	104,493	130	12.2	9.7-14.7	204	25.6	22.1-29.1	205	26.0	22.5-29.5	45	4.4	2.8- 6.0	303	31.9	28.2-35.6
College Graduate	926	70,130	147	12.8	10.4-15.2	196	22.3	19.0-25.6	233	27.0	23.5-30.5	35	3.5	2.1- 4.9	315	34.3	30.6-38.0
Less than \$15,000	78	8,251	19	26.6	13.5-39.7	12	23.5	8.2-38.8	12	14.4	4.8-24.0	4	1.6	0.0- 3.4	31	34.0	20.7-47.3
\$15,000- 24,999	155	14,294	32	15.6	8.7-22.5	33	25.5	16.3-34.7	32	23.0	13.8-32.2	2	0.8	0.0- 2.0	56	35.1	25.3-44.9
\$25,000- 34,999	234	24,572	54	19.0	12.3-25.7	40	20.7	13.1-28.3	54	22.8	15.7-29.9	16	7.2	2.3-12.1	70	30.3	22.5-38.1
\$35,000- 49,999	342	33,951	61	12.6	8.9-16.3	81	23.9	18.0-29.8	73	24.4	18.5-30.3	13	2.5	0.9- 4.1	114	36.6	29.9-43.3
\$50,000- 99,999	805	80,857	122	14.2	11.3-17.1	195	25.6	21.7-29.5	191	27.6	23.7-31.5	30	3.9	2.1- 5.7	267	28.8	24.9-32.7
\$100,000 - 199,999	597	62,128	70	9.5	6.8-12.2	130	20.0	16.3-23.7	145	26.5	22.0-31.0	27	4.6	2.6- 6.6	225	39.4	34.5-44.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 6: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2681	266,367	378	13.1	11.3-14.9	454	18.4	16.4-20.4	490	19.9	17.7-22.1	129	4.9	3.7- 6.1	1230	43.6	41.1-46.1
Native	133	12,310	16	16.2	6.4-26.0	42	29.9	19.3-40.5	31	23.0	12.8-33.2	2	1.4	0.0- 3.9	42	29.4	18.4-40.4
Non-Native	2527	252,234	361	13.0	11.2-14.8	407	17.8	15.6-20.0	457	19.9	17.7-22.1	124	5.0	3.8- 6.2	1178	44.3	41.8-46.8
18-24	129	34,084	16	14.9	7.6-22.2	30	22.6	14.6-30.6	30	24.1	15.9-32.3	8	4.9	1.2- 8.6	45	33.4	24.6-42.2
25-34	183	45,152	24	14.6	8.3-20.9	47	23.8	17.1-30.5	42	22.8	15.7-29.9	6	4.2	0.7- 7.7	64	34.5	26.7-42.3
35-44	264	43,048	20	7.3	3.6-11.0	54	18.5	13.4-23.6	53	20.2	14.7-25.7	16	5.1	2.4- 7.8	121	48.9	42.0-55.8
45-54	349	36,280	30	8.7	5.4-12.0	61	18.1	13.6-22.6	82	22.6	17.7-27.5	16	5.2	2.7- 7.7	160	45.4	39.5-51.3
55-64	506	42,663	57	13.2	9.5-16.9	87	15.3	11.8-18.8	90	17.4	13.5-21.3	19	4.2	2.0- 6.4	253	50.0	44.9-55.1
65+	1250	65,139	231	17.3	14.9-19.7	175	14.5	12.1-16.9	193	15.8	13.4-18.2	64	5.7	4.1- 7.3	587	46.7	43.4-50.0
Less Than H.S.	102	15,309	23	24.1	12.1-36.1	19	13.9	6.1-21.7	11	12.9	3.3-22.5	3	4.9	0.0-11.8	46	44.2	30.7-57.7
H.S. or G.E.D.	679	59,778	122	15.6	12.1-19.1	99	17.7	13.6-21.8	115	20.6	16.3-24.9	46	7.1	4.4- 9.8	297	38.9	34.0-43.8
Some Post-H.S.	902	105,430	136	14.7	11.4-18.0	149	18.1	14.6-21.6	158	19.9	16.2-23.6	37	4.3	2.7- 5.9	422	43.1	38.8-47.4
College Graduate	995	85,579	97	7.5	5.5- 9.5	187	20.1	16.8-23.4	205	20.8	17.7-23.9	43	4.2	2.6- 5.8	463	47.4	43.5-51.3
Less than \$15,000	107	14,231	19	15.5	6.7-24.3	21	22.4	11.0-33.8	19	17.4	6.8-28.0	6	6.9	0.0-14.5	42	37.8	25.5-50.1
\$15,000- 24,999	216	17,836	43	20.9	12.9-28.9	31	18.9	11.1-26.7	26	13.6	7.1-20.1	13	6.0	1.9-10.1	103	40.6	31.6-49.6
\$25,000- 34,999	258	23,711	40	16.1	9.4-22.8	44	18.3	11.6-25.0	42	18.1	11.2-25.0	9	3.0	0.6- 5.4	123	44.5	35.7-53.3
\$35,000- 49,999	344	29,584	59	14.8	9.5-20.1	63	19.1	13.4-24.8	52	19.9	13.2-26.6	11	3.1	0.9- 5.3	159	43.0	35.7-50.3
\$50,000- 99,999	735	74,583	76	9.3	6.4-12.2	138	19.6	15.9-23.3	155	21.6	17.7-25.5	32	4.2	2.4- 6.0	334	45.3	40.4-50.2
\$100,000 - 199,999	387	44,633	29	8.3	4.6-12.0	58	13.4	9.5-17.3	86	21.4	16.3-26.5	20	4.6	2.1- 7.1	194	52.3	46.2-58.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 7: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5455	547,325	791	13.8	12.6-15.0	2671	48.0	46.2-49.8	1439	27.1	25.5-28.7	102	2.0	1.4- 2.6	452	9.0	8.0-10.0
Male	2771	280,577	332	10.8	9.4-12.2	1296	45.4	43.0-47.8	802	29.6	27.4-31.8	59	2.3	1.5- 3.1	282	11.9	10.3-13.5
Female	2684	266,748	459	16.9	14.9-18.9	1375	50.8	48.3-53.3	637	24.5	22.3-26.7	43	1.8	1.0- 2.6	170	6.0	4.6- 7.4
Native	241	23,546	28	11.9	6.2-17.6	121	43.6	35.2-52.0	62	28.1	20.1-36.1	5	1.5	0.1- 2.9	25	14.9	8.0-21.8
Non-Native	5141	517,322	751	13.8	12.6-15.0	2510	48.3	46.5-50.1	1364	27.1	25.5-28.7	96	2.0	1.4- 2.6	420	8.8	7.8- 9.8
18-24	334	73,201	32	9.4	5.9-12.9	147	45.1	39.0-51.2	88	24.9	19.8-30.0	9	3.2	1.0- 5.4	58	17.4	12.7-22.1
25-34	485	101,263	66	13.8	10.3-17.3	214	46.1	41.0-51.2	130	27.3	22.8-31.8	10	1.8	0.4- 3.2	65	11.0	8.1-13.9
35-44	602	90,321	85	14.0	10.9-17.1	295	49.5	45.0-54.0	164	26.8	22.7-30.9	13	2.1	0.9- 3.3	45	7.6	5.1-10.1
45-54	697	75,446	112	15.5	12.6-18.4	332	46.7	42.6-50.8	211	31.3	27.4-35.2	6	1.1	0.1- 2.1	36	5.4	3.4- 7.4
55-64	998	86,379	127	12.9	10.5-15.3	497	49.5	45.8-53.2	288	28.9	25.6-32.2	21	2.0	1.0- 3.0	65	6.7	4.9- 8.5
65+	2339	120,715	369	15.8	14.0-17.6	1186	50.1	47.7-52.5	558	24.7	22.5-26.9	43	2.1	1.3- 2.9	183	7.3	6.1- 8.5
Less Than H.S.	243	40,248	33	11.1	6.2-16.0	92	39.2	31.0-47.4	65	25.3	18.0-32.6	11	3.9	1.0- 6.8	42	20.5	13.2-27.8
H.S. or G.E.D.	1496	140,798	189	11.7	9.5-13.9	696	44.2	40.9-47.5	402	28.8	25.9-31.7	37	2.4	1.4- 3.4	172	13.0	10.6-15.4
Some Post-H.S.	1782	209,145	226	12.8	10.6-15.0	897	49.9	47.0-52.8	504	28.9	26.2-31.6	27	1.9	1.1- 2.7	128	6.5	5.1- 7.9
College Graduate	1922	155,693	339	17.5	15.3-19.7	982	51.5	48.8-54.2	466	23.8	21.4-26.2	27	1.5	0.7- 2.3	108	5.7	4.3- 7.1
Less than \$15,000	183	22,388	19	8.2	3.7-12.7	74	36.1	26.9-45.3	58	29.8	20.4-39.2	5	5.9	0.2-11.6	27	20.0	11.6-28.4
\$15,000- 24,999	368	31,701	44	11.4	6.9-15.9	175	48.4	41.3-55.5	87	24.7	18.8-30.6	8	1.9	0.1- 3.7	54	13.5	8.6-18.4
\$25,000- 34,999	489	47,579	65	10.7	7.4-14.0	240	47.7	41.4-54.0	115	24.8	19.3-30.3	11	2.6	0.4- 4.8	58	14.1	9.6-18.6
\$35,000- 49,999	688	63,465	90	11.0	8.3-13.7	351	50.9	45.8-56.0	179	27.4	22.9-31.9	10	1.2	0.4- 2.0	58	9.5	6.6-12.4
\$50,000- 99,999	1539	155,543	217	13.7	11.3-16.1	783	50.3	47.0-53.6	431	27.7	24.8-30.6	16	1.4	0.6- 2.2	92	6.8	5.0- 8.6
\$100,000 - 199,999	984	107,130	138	13.7	11.2-16.2	504	50.1	46.2-54.0	278	29.4	25.9-32.9	9	0.8	0.2- 1.4	55	5.9	4.1- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 8: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2771	280,577	332	10.8	9.4-12.2	1296	45.4	43.0-47.8	802	29.6	27.4-31.8	59	2.3	1.5- 3.1	282	11.9	10.3-13.5
Native	108	11,153	11	9.9	1.7-18.1	55	40.4	28.4-52.4	29	34.8	21.9-47.7	3	2.2	0.0- 4.9	10	12.7	4.5-20.9
Non-Native	2610	264,721	313	10.7	9.3-12.1	1213	45.6	43.2-48.0	763	29.5	27.3-31.7	55	2.2	1.4- 3.0	266	11.9	10.1-13.7
18-24	204	38,854	19	7.8	4.1-11.5	77	37.7	30.3-45.1	58	28.2	21.3-35.1	5	3.2	0.3- 6.1	45	23.1	16.2-30.0
25-34	301	56,568	34	11.3	7.2-15.4	123	41.9	35.6-48.2	85	29.5	23.6-35.4	6	1.5	0.1- 2.9	53	15.9	11.4-20.4
35-44	336	46,808	29	7.3	4.2-10.4	156	48.0	41.9-54.1	106	31.0	25.3-36.7	8	2.4	0.6- 4.2	37	11.3	7.2-15.4
45-54	349	39,079	46	13.2	9.3-17.1	158	45.9	40.0-51.8	120	33.6	27.9-39.3	4	1.6	0.0- 3.4	21	5.7	3.2- 8.2
55-64	489	43,600	55	10.9	7.8-14.0	234	47.2	42.1-52.3	146	30.8	25.9-35.7	12	2.2	0.8- 3.6	42	8.8	5.9-11.7
65+	1092	55,668	149	13.5	11.1-15.9	548	50.5	47.0-54.0	287	25.8	22.7-28.9	24	2.7	1.5- 3.9	84	7.4	5.4- 9.4
Less Than H.S.	142	24,817	17	9.8	4.3-15.3	55	39.0	28.6-49.4	41	28.8	19.0-38.6	5	1.7	0.1- 3.3	24	20.8	11.6-30.0
H.S. or G.E.D.	816	81,076	88	8.8	6.4-11.2	362	43.2	39.1-47.3	231	28.3	24.4-32.2	25	3.1	1.5- 4.7	110	16.7	13.4-20.0
Some Post-H.S.	880	103,478	88	10.1	7.6-12.6	435	47.2	43.1-51.3	268	31.9	28.2-35.6	16	2.4	1.0- 3.8	73	8.4	6.0-10.8
College Graduate	924	70,036	137	14.3	11.8-16.8	441	47.9	44.0-51.8	260	28.0	24.5-31.5	13	1.4	0.6- 2.2	73	8.4	6.2-10.6
Less than \$15,000	75	7,924	7	5.7	0.6-10.8	29	35.9	21.8-50.0	27	36.1	20.4-51.8	2	2.5	0.0- 6.4	10	19.7	7.5-31.9
\$15,000- 24,999	155	14,295	15	6.4	2.7-10.1	73	44.8	34.4-55.2	33	27.7	17.7-37.7	3	1.3	0.0- 3.1	31	19.8	11.0-28.6
\$25,000- 34,999	234	24,517	30	9.3	5.2-13.4	97	39.1	30.7-47.5	62	26.9	18.9-34.9	7	4.3	0.4- 8.2	38	20.5	13.2-27.8
\$35,000- 49,999	344	33,931	36	8.9	5.4-12.4	164	46.1	39.2-53.0	97	29.3	23.2-35.4	8	1.6	0.4- 2.8	39	14.1	9.2-19.0
\$50,000- 99,999	801	80,676	82	9.7	7.0-12.4	387	46.0	41.7-50.3	256	32.2	28.1-36.3	11	1.8	0.4- 3.2	65	10.3	7.2-13.4
\$100,000 - 199,999	596	62,126	70	11.8	8.7-14.9	303	49.4	44.5-54.3	176	31.1	26.6-35.6	7	0.8	0.2- 1.4	40	6.9	4.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 9: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2684	266,748	459	16.9	14.9-18.9	1375	50.8	48.3-53.3	637	24.5	22.3-26.7	43	1.8	1.0- 2.6	170	6.0	4.6- 7.4
Native	133	12,393	17	13.7	5.7-21.7	66	46.4	34.4-58.4	33	22.2	13.2-31.2	2	0.8	0.0- 2.0	15	17.0	6.6-27.4
Non-Native	2531	252,601	438	17.0	15.0-19.0	1297	51.1	48.4-53.8	601	24.6	22.4-26.8	41	1.9	1.1- 2.7	154	5.5	4.3- 6.7
18-24	130	34,347	13	11.2	5.1-17.3	70	53.3	43.9-62.7	30	21.3	14.0-28.6	4	3.1	0.0- 6.4	13	11.0	4.9-17.1
25-34	184	44,696	32	17.0	10.7-23.3	91	51.5	43.3-59.7	45	24.6	17.5-31.7	4	2.3	0.0- 4.7	12	4.8	1.3- 8.3
35-44	266	43,514	56	21.3	15.8-26.8	139	51.1	44.2-58.0	58	22.4	16.7-28.1	5	1.8	0.2- 3.4	8	3.5	1.0- 6.0
45-54	348	36,367	66	18.0	13.7-22.3	174	47.4	41.5-53.3	91	28.8	23.3-34.3	2	0.7	0.0- 1.7	15	5.1	2.2- 8.0
55-64	509	42,779	72	14.9	11.2-18.6	263	51.9	46.8-57.0	142	27.0	22.5-31.5	9	1.7	0.3- 3.1	23	4.5	2.3- 6.7
65+	1247	65,047	220	17.8	15.3-20.3	638	49.8	46.5-53.1	271	23.7	20.8-26.6	19	1.5	0.7- 2.3	99	7.2	5.6- 8.8
Less Than H.S.	101	15,431	16	13.2	4.2-22.2	37	39.5	26.2-52.8	24	19.6	9.2-30.0	6	7.6	0.3-14.9	18	20.1	8.9-31.3
H.S. or G.E.D.	680	59,722	101	15.6	11.9-19.3	334	45.5	40.4-50.6	171	29.5	24.8-34.2	12	1.4	0.2- 2.6	62	8.1	5.2-11.0
Some Post-H.S.	902	105,668	138	15.5	12.4-18.6	462	52.5	48.0-57.0	236	26.0	22.3-29.7	11	1.4	0.4- 2.4	55	4.7	2.9- 6.5
College Graduate	998	85,658	202	20.1	17.0-23.2	541	54.4	50.5-58.3	206	20.3	17.2-23.4	14	1.6	0.4- 2.8	35	3.5	1.9- 5.1
Less than \$15,000	108	14,465	12	9.6	3.1-16.1	45	36.2	24.0-48.4	31	26.4	15.0-37.8	3	7.7	0.0-15.9	17	20.1	8.9-31.3
\$15,000- 24,999	213	17,405	29	15.6	8.2-23.0	102	51.4	42.0-60.8	54	22.3	15.2-29.4	5	2.4	0.0- 5.1	23	8.4	3.5-13.3
\$25,000- 34,999	255	23,062	35	12.3	7.0-17.6	143	56.9	48.1-65.7	53	22.6	15.0-30.2	4	0.9	0.0- 1.9	20	7.3	2.8-11.8
\$35,000- 49,999	344	29,534	54	13.4	9.1-17.7	187	56.4	49.1-63.7	82	25.2	18.7-31.7	2	0.7	0.0- 1.9	19	4.3	1.6- 7.0
\$50,000- 99,999	738	74,867	135	18.0	14.3-21.7	396	55.0	50.3-59.7	175	22.9	19.0-26.8	5	0.9	0.0- 1.9	27	3.2	1.4- 5.0
\$100,000 - 199,999	388	45,004	68	16.3	12.0-20.6	201	51.2	45.1-57.3	102	27.2	21.7-32.7	2	0.8	0.0- 2.0	15	4.5	2.0- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 10: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5475	549,330	213	4.8	4.0- 5.6	2313	44.8	43.0-46.6	2160	39.3	37.5-41.1	186	2.6	2.0- 3.2	603	8.5	7.7- 9.3
Male	2785	282,867	135	5.1	3.9- 6.3	1356	49.7	47.3-52.1	1006	36.5	34.1-38.9	75	2.1	1.5- 2.7	213	6.6	5.4- 7.8
Female	2690	266,463	78	4.4	3.0- 5.8	957	39.6	37.1-42.1	1154	42.2	39.7-44.7	111	3.2	2.4- 4.0	390	10.6	9.2-12.0
Native	242	23,649	12	6.6	1.7-11.5	127	56.5	48.1-64.9	75	28.1	20.5-35.7	6	1.4	0.0- 2.8	22	7.3	3.4-11.2
Non-Native	5158	519,030	198	4.7	3.9- 5.5	2156	44.2	42.4-46.0	2059	39.8	38.0-41.6	177	2.7	2.1- 3.3	568	8.6	7.6- 9.6
18-24	333	72,917	19	6.4	3.3- 9.5	182	53.3	47.2-59.4	115	35.6	29.7-41.5	4	1.3	0.0- 2.7	13	3.4	1.4- 5.4
25-34	491	102,372	30	7.5	4.6-10.4	254	50.7	45.6-55.8	180	36.5	31.6-41.4	12	2.2	0.8- 3.6	15	3.1	1.1- 5.1
35-44	604	90,628	20	3.5	1.7- 5.3	274	45.2	40.7-49.7	240	39.4	34.9-43.9	18	2.6	1.2- 4.0	52	9.3	6.6-12.0
45-54	698	75,506	24	4.2	2.4- 6.0	298	42.4	38.3-46.5	308	43.5	39.4-47.6	11	1.8	0.6- 3.0	57	8.0	5.8-10.2
55-64	996	86,398	29	3.2	1.8- 4.6	402	41.1	37.6-44.6	439	43.7	40.2-47.2	18	1.8	0.8- 2.8	108	10.3	8.1-12.5
65+	2353	121,508	91	3.8	2.8- 4.8	903	38.6	36.2-41.0	878	37.9	35.5-40.3	123	4.9	3.9- 5.9	358	14.8	13.0-16.6
Less Than H.S.	247	40,759	20	10.1	4.6-15.6	91	38.3	30.3-46.3	90	38.5	30.3-46.7	11	2.3	0.5- 4.1	35	10.8	6.1-15.5
H.S. or G.E.D.	1504	141,956	83	5.0	3.6- 6.4	626	43.3	40.0-46.6	577	40.0	36.9-43.1	61	3.6	2.4- 4.8	157	8.1	6.5- 9.7
Some Post-H.S.	1788	209,481	60	4.9	3.3- 6.5	773	47.0	44.1-49.9	705	37.3	34.4-40.2	55	2.4	1.6- 3.2	195	8.4	6.8-10.0
College Graduate	1923	155,652	49	2.9	1.9- 3.9	818	44.9	42.2-47.6	784	41.4	38.7-44.1	58	2.1	1.3- 2.9	214	8.6	7.2-10.0
Less than \$15,000	191	23,060	10	6.8	0.9-12.7	61	29.2	20.8-37.6	73	41.4	31.6-51.2	6	2.4	0.0- 4.8	41	20.2	12.8-27.6
\$15,000- 24,999	374	32,472	19	4.6	1.9- 7.3	145	45.3	38.2-52.4	135	35.8	29.1-42.5	20	4.1	1.4- 6.8	55	10.1	6.8-13.4
\$25,000- 34,999	497	48,647	25	5.6	2.7- 8.5	199	47.7	41.4-54.0	190	34.9	29.0-40.8	23	3.5	1.5- 5.5	60	8.3	5.4-11.2
\$35,000- 49,999	688	63,188	27	4.3	2.1- 6.5	301	48.3	43.2-53.4	257	37.9	33.0-42.8	23	1.9	0.9- 2.9	80	7.6	5.6- 9.6
\$50,000- 99,999	1538	155,652	54	5.0	3.2- 6.8	664	45.2	41.9-48.5	667	42.1	39.0-45.2	33	1.6	0.8- 2.4	120	6.1	4.7- 7.5
\$100,000 - 199,999	983	106,633	23	2.8	1.4- 4.2	461	46.8	42.9-50.7	413	42.1	38.4-45.8	15	1.5	0.5- 2.5	71	6.8	5.0- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 11: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2785	282,867	135	5.1	3.9- 6.3	1356	49.7	47.3-52.1	1006	36.5	34.1-38.9	75	2.1	1.5- 2.7	213	6.6	5.4- 7.8
Native	109	11,256	5	4.3	0.0- 8.6	61	57.6	45.1-70.1	30	28.3	16.5-40.1	4	2.3	0.0- 4.8	9	7.4	0.9-13.9
Non-Native	2623	266,825	127	5.1	3.9- 6.3	1272	49.3	46.9-51.7	957	36.9	34.5-39.3	70	2.1	1.5- 2.7	197	6.5	5.3- 7.7
18-24	205	39,137	10	5.0	1.7- 8.3	108	50.7	42.9-58.5	74	38.6	31.0-46.2	2	0.7	0.0- 1.7	11	5.0	1.9- 8.1
25-34	308	57,917	15	5.9	2.8- 9.0	174	57.9	51.8-64.0	106	32.3	26.4-38.2	6	1.7	0.1- 3.3	7	2.1	0.3- 3.9
35-44	337	47,010	12	4.1	1.4- 6.8	154	45.7	39.6-51.8	134	38.7	32.8-44.6	12	3.4	1.4- 5.4	25	8.1	4.6-11.6
45-54	351	39,221	14	5.2	2.3- 8.1	169	47.5	41.6-53.4	143	40.3	34.4-46.2	5	1.4	0.0- 2.8	20	5.6	3.1- 8.1
55-64	489	43,699	22	4.7	2.5- 6.9	230	47.2	42.1-52.3	188	38.2	33.1-43.3	7	1.4	0.2- 2.6	42	8.5	5.8-11.2
65+	1095	55,882	62	5.4	3.8- 7.0	521	47.1	43.6-50.6	361	33.8	30.5-37.1	43	3.3	2.1- 4.5	108	10.5	8.1-12.9
Less Than H.S.	146	25,339	10	8.5	2.6-14.4	63	41.6	31.2-52.0	59	42.5	31.9-53.1	5	1.4	0.0- 2.8	9	6.0	1.3-10.7
H.S. or G.E.D.	816	81,288	63	6.3	4.3- 8.3	383	47.4	43.1-51.7	284	37.1	33.0-41.2	23	2.2	1.2- 3.2	63	7.0	5.0- 9.0
Some Post-H.S.	886	104,888	37	5.1	3.1- 7.1	451	53.0	48.9-57.1	315	34.0	30.3-37.7	21	1.9	0.7- 3.1	62	6.0	4.2- 7.8
College Graduate	928	70,181	24	2.3	1.3- 3.3	455	50.3	46.4-54.2	345	37.4	33.7-41.1	25	2.5	1.3- 3.7	79	7.5	5.5- 9.5
Less than \$15,000	80	8,450	6	7.0	0.0-14.1	29	29.4	17.1-41.7	27	38.1	23.0-53.2	2	1.5	0.0- 4.2	16	24.0	11.5-36.5
\$15,000- 24,999	158	14,905	9	4.3	0.0- 8.6	74	48.0	37.6-58.4	53	35.6	25.4-45.8	1	0.3	0.0- 0.9	21	11.9	6.2-17.6
\$25,000- 34,999	236	24,841	19	9.0	3.7-14.3	102	43.9	35.3-52.5	91	40.0	31.4-48.6	10	2.5	0.7- 4.3	14	4.6	1.5- 7.7
\$35,000- 49,999	344	34,113	20	4.8	2.1- 7.5	182	52.3	45.4-59.2	112	36.2	29.5-42.9	5	1.2	0.0- 2.4	25	5.5	3.0- 8.0
\$50,000- 99,999	804	80,969	34	5.0	3.0- 7.0	397	51.2	46.7-55.7	318	38.8	34.5-43.1	15	1.3	0.5- 2.1	40	3.7	2.1- 5.3
\$100,000 - 199,999	595	62,032	14	3.3	1.3- 5.3	308	52.7	47.8-57.6	226	36.6	31.9-41.3	11	1.8	0.4- 3.2	36	5.6	3.4- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 12: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2690	266,463	78	4.4	3.0- 5.8	957	39.6	37.1-42.1	1154	42.2	39.7-44.7	111	3.2	2.4- 4.0	390	10.6	9.2-12.0
Native	133	12,393	7	8.7	0.5-16.9	66	55.4	43.8-67.0	45	28.0	18.0-38.0	2	0.6	0.0- 1.6	13	7.3	2.8-11.8
Non-Native	2535	252,205	71	4.2	2.8- 5.6	884	38.8	36.3-41.3	1102	42.9	40.4-45.4	107	3.4	2.6- 4.2	371	10.7	9.3-12.1
18-24	128	33,781	9	8.1	2.4-13.8	74	56.3	46.9-65.7	41	32.0	23.4-40.6	2	2.1	0.0- 5.0	2	1.5	0.0- 3.5
25-34	183	44,455	15	9.5	3.8-15.2	80	41.2	33.2-49.2	74	42.0	33.8-50.2	6	2.9	0.4- 5.4	8	4.4	0.7- 8.1
35-44	267	43,618	8	3.0	0.6- 5.4	120	44.6	37.9-51.3	106	40.1	33.4-46.8	6	1.8	0.2- 3.4	27	10.5	6.4-14.6
45-54	347	36,284	10	3.1	0.9- 5.3	129	36.9	31.2-42.6	165	47.0	41.1-52.9	6	2.3	0.3- 4.3	37	10.6	6.9-14.3
55-64	507	42,699	7	1.6	0.0- 3.2	172	34.8	29.7-39.9	251	49.4	44.3-54.5	11	2.1	0.5- 3.7	66	12.2	8.9-15.5
65+	1258	65,626	29	2.5	1.3- 3.7	382	31.3	28.2-34.4	517	41.5	38.2-44.8	80	6.3	4.5- 8.1	250	18.4	15.9-20.9
Less Than H.S.	101	15,419	10	12.7	1.9-23.5	28	32.9	20.2-45.6	31	31.9	19.0-44.8	6	3.8	0.0- 7.7	26	18.7	9.3-28.1
H.S. or G.E.D.	688	60,668	20	3.2	1.2- 5.2	243	37.8	32.7-42.9	293	43.9	38.8-49.0	38	5.6	3.2- 8.0	94	9.6	7.1-12.1
Some Post-H.S.	902	104,592	23	4.7	2.2- 7.2	322	40.9	36.4-45.4	390	40.6	36.3-44.9	34	2.9	1.5- 4.3	133	10.8	8.4-13.2
College Graduate	995	85,471	25	3.4	1.8- 5.0	363	40.5	36.6-44.4	439	44.7	40.8-48.6	33	1.8	1.0- 2.6	135	9.5	7.5-11.5
Less than \$15,000	111	14,610	4	6.7	0.0-14.9	32	29.0	17.8-40.2	46	43.4	30.7-56.1	4	2.9	0.0- 6.2	25	18.0	8.8-27.2
\$15,000- 24,999	216	17,566	10	5.0	1.3- 8.7	71	43.1	33.7-52.5	82	36.0	27.2-44.8	19	7.4	2.3-12.5	34	8.6	5.1-12.1
\$25,000- 34,999	261	23,806	6	2.1	0.3- 3.9	97	51.6	42.8-60.4	99	29.6	22.2-37.0	13	4.6	1.1- 8.1	46	12.2	7.3-17.1
\$35,000- 49,999	344	29,076	7	3.7	0.4- 7.0	119	43.8	36.4-51.2	145	39.9	32.8-47.0	18	2.6	1.2- 4.0	55	10.0	6.9-13.1
\$50,000- 99,999	734	74,684	20	5.1	2.2- 8.0	267	38.6	33.9-43.3	349	45.7	40.8-50.6	18	1.9	0.7- 3.1	80	8.7	6.2-11.2
\$100,000 - 199,999	388	44,601	9	2.1	0.3- 3.9	153	38.7	32.6-44.8	187	49.7	43.6-55.8	4	1.1	0.0- 2.3	35	8.4	5.3-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 13: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5419	543,336	327	5.8	5.0- 6.6	2530	44.3	42.5-46.1	1987	37.2	35.4-39.0	121	2.4	1.8- 3.0	454	10.3	9.1-11.5
Male	2761	279,407	177	6.0	4.8- 7.2	1291	44.7	42.3-47.1	995	36.2	33.8-38.6	54	1.9	1.3- 2.5	244	11.2	9.6-12.8
Female	2658	263,929	150	5.6	4.2- 7.0	1239	43.9	41.4-46.4	992	38.3	35.8-40.8	67	2.9	2.1- 3.7	210	9.4	7.6-11.2
Native	238	23,332	13	6.5	1.8-11.2	116	48.0	39.2-56.8	90	36.5	28.1-44.9	8	3.7	0.8- 6.6	11	5.3	1.2- 9.4
Non-Native	5109	513,732	313	5.8	4.8- 6.8	2379	44.1	42.3-45.9	1868	37.2	35.4-39.0	111	2.3	1.7- 2.9	438	10.6	9.4-11.8
18-24	333	73,070	14	3.8	1.4- 6.2	129	37.2	31.3-43.1	133	41.2	35.1-47.3	9	2.4	0.6- 4.2	48	15.4	11.1-19.7
25-34	481	100,903	28	7.3	4.2-10.4	222	43.6	38.5-48.7	171	34.9	30.0-39.8	5	1.2	0.0- 2.4	55	13.0	9.5-16.5
35-44	594	88,824	23	3.9	2.1- 5.7	268	45.0	40.5-49.5	223	36.4	32.1-40.7	18	3.5	1.7- 5.3	62	11.3	8.4-14.2
45-54	694	74,805	32	5.5	3.3- 7.7	290	40.9	36.8-45.0	283	40.9	36.8-45.0	18	2.6	1.2- 4.0	71	10.1	7.6-12.6
55-64	989	85,551	44	4.8	3.0- 6.6	440	44.7	41.0-48.4	405	40.1	36.6-43.6	20	2.3	1.1- 3.5	80	8.0	6.0-10.0
65+	2328	120,183	186	8.0	6.6- 9.4	1181	50.5	48.1-52.9	772	33.0	30.6-35.4	51	2.5	1.7- 3.3	138	6.1	4.9- 7.3
Less Than H.S.	243	39,992	29	14.6	8.3-20.9	99	37.6	29.8-45.4	85	33.3	25.3-41.3	11	3.2	0.8- 5.6	19	11.4	5.5-17.3
H.S. or G.E.D.	1480	139,398	116	6.0	4.6- 7.4	658	41.2	38.1-44.3	556	39.9	36.6-43.2	34	3.1	1.9- 4.3	116	9.8	7.6-12.0
Some Post-H.S.	1774	208,226	107	5.7	4.3- 7.1	826	44.0	41.1-46.9	632	36.3	33.4-39.2	40	2.2	1.4- 3.0	169	11.8	9.6-14.0
College Graduate	1912	154,426	75	3.4	2.4- 4.4	942	49.2	46.5-51.9	709	37.0	34.3-39.7	36	1.8	1.0- 2.6	150	8.6	7.0-10.2
Less than \$15,000	185	22,705	11	2.8	0.6- 5.0	74	38.1	28.7-47.5	74	40.9	31.1-50.7	9	4.4	1.3- 7.5	17	13.7	5.7-21.7
\$15,000- 24,999	369	31,745	34	6.6	3.5- 9.7	156	40.2	33.3-47.1	135	39.1	32.2-46.0	11	3.5	0.6- 6.4	33	10.6	5.9-15.3
\$25,000- 34,999	493	48,022	37	8.3	4.8-11.8	230	48.0	41.9-54.1	161	27.0	21.7-32.3	15	3.2	1.4- 5.0	50	13.6	9.3-17.9
\$35,000- 49,999	684	63,475	40	5.3	3.1- 7.5	339	46.3	41.4-51.2	244	38.6	33.5-43.7	12	1.2	0.4- 2.0	49	8.7	5.6-11.8
\$50,000- 99,999	1522	153,217	79	5.5	3.7- 7.3	727	45.1	41.8-48.4	582	39.1	36.0-42.2	18	1.5	0.7- 2.3	116	8.8	6.8-10.8
\$100,000 - 199,999	979	105,940	31	3.5	1.9- 5.1	464	44.5	40.8-48.2	388	40.6	36.9-44.3	12	1.2	0.4- 2.0	84	10.3	7.8-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 14: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2761	279,407	177	6.0	4.8- 7.2	1291	44.7	42.3-47.1	995	36.2	33.8-38.6	54	1.9	1.3- 2.5	244	11.2	9.6-12.8
Native	108	11,153	5	3.8	0.3- 7.3	53	43.5	31.0-56.0	40	40.5	27.8-53.2	3	2.6	0.0- 5.7	7	9.6	1.6-17.6
Non-Native	2601	263,736	171	6.1	4.9- 7.3	1211	44.6	42.2-47.0	934	36.0	33.6-38.4	50	1.9	1.3- 2.5	235	11.5	9.9-13.1
18-24	204	38,897	7	2.3	0.0- 4.7	74	35.5	28.1-42.9	80	39.4	31.8-47.0	5	2.6	0.2- 5.0	38	20.2	13.9-26.5
25-34	301	56,720	14	5.7	2.4- 9.0	145	46.8	40.5-53.1	105	34.8	28.7-40.9	2	0.5	0.0- 1.1	35	12.2	8.1-16.3
35-44	332	46,074	12	4.2	1.5- 6.9	145	44.1	38.0-50.2	129	37.2	31.3-43.1	11	3.4	1.0- 5.8	35	11.1	7.2-15.0
45-54	347	38,583	17	6.4	3.1- 9.7	149	42.0	36.1-47.9	139	39.1	33.2-45.0	6	1.4	0.2- 2.6	36	11.0	7.3-14.7
55-64	483	43,181	27	6.3	3.6- 9.0	224	45.7	40.6-50.8	186	38.2	33.1-43.3	6	1.2	0.0- 2.4	40	8.6	5.7-11.5
65+	1094	55,952	100	9.6	7.4-11.8	554	50.3	46.8-53.8	356	31.1	28.0-34.2	24	2.6	1.4- 3.8	60	6.4	4.4- 8.4
Less Than H.S.	145	24,912	19	17.2	9.2-25.2	57	34.0	24.2-43.8	49	32.9	22.7-43.1	6	2.8	0.0- 5.9	14	13.1	5.8-20.4
H.S. or G.E.D.	808	80,518	67	6.4	4.4- 8.4	361	43.4	39.1-47.7	292	36.5	32.4-40.6	14	1.8	0.8- 2.8	74	12.0	9.1-14.9
Some Post-H.S.	880	103,518	55	5.0	3.4- 6.6	404	43.7	39.8-47.6	312	36.8	32.9-40.7	20	2.1	0.9- 3.3	89	12.3	9.6-15.0
College Graduate	920	69,413	36	2.9	1.7- 4.1	465	51.4	47.5-55.3	338	36.0	32.3-39.7	14	1.4	0.4- 2.4	67	8.2	6.0-10.4
Less than \$15,000	76	8,147	6	3.9	0.2- 7.6	34	39.5	25.0-54.0	25	41.4	25.7-57.1	4	5.3	0.0-10.8	7	9.9	2.1-17.7
\$15,000- 24,999	155	14,550	16	7.3	3.0-11.6	61	36.2	26.4-46.0	59	43.8	33.2-54.4	4	3.6	0.0- 8.5	15	9.2	3.3-15.1
\$25,000- 34,999	235	24,446	21	11.9	5.8-18.0	102	42.3	33.7-50.9	76	25.8	18.7-32.9	8	3.3	0.9- 5.7	28	16.8	10.1-23.5
\$35,000- 49,999	342	33,860	21	4.2	1.8- 6.6	162	44.4	37.7-51.1	127	38.7	32.0-45.4	4	0.9	0.0- 2.1	28	11.8	6.7-16.9
\$50,000- 99,999	792	79,471	48	5.6	3.6- 7.6	383	46.6	42.1-51.1	301	37.8	33.5-42.1	8	1.2	0.2- 2.2	52	8.9	6.4-11.4
\$100,000 - 199,999	593	61,523	20	4.4	2.0- 6.8	295	46.5	41.6-51.4	216	37.7	32.8-42.6	6	0.6	0.0- 1.2	56	10.9	7.6-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 15: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2658	263,929	150	5.6	4.2- 7.0	1239	43.9	41.4-46.4	992	38.3	35.8-40.8	67	2.9	2.1- 3.7	210	9.4	7.6-11.2
Native	130	12,179	8	9.0	0.8-17.2	63	52.1	40.1-64.1	50	32.8	22.2-43.4	5	4.8	0.0- 9.7	4	1.4	0.0- 3.0
Non-Native	2508	249,996	142	5.5	4.1- 6.9	1168	43.5	41.0-46.0	934	38.5	36.0-41.0	61	2.8	2.0- 3.6	203	9.7	7.9-11.5
18-24	129	34,172	7	5.4	1.1- 9.7	55	39.1	29.9-48.3	53	43.4	34.0-52.8	4	2.2	0.0- 4.6	10	9.9	4.0-15.8
25-34	180	44,183	14	9.2	3.5-14.9	77	39.4	31.4-47.4	66	35.1	27.3-42.9	3	2.2	0.0- 4.6	20	14.1	7.8-20.4
35-44	262	42,750	11	3.6	1.2- 6.0	123	46.0	39.1-52.9	94	35.4	28.9-41.9	7	3.5	0.8- 6.2	27	11.6	7.1-16.1
45-54	347	36,222	15	4.5	2.1- 6.9	141	39.8	33.9-45.7	144	42.8	36.9-48.7	12	3.9	1.5- 6.3	35	9.0	5.9-12.1
55-64	506	42,370	17	3.4	1.4- 5.4	216	43.7	38.6-48.8	219	42.1	37.0-47.2	14	3.3	1.3- 5.3	40	7.5	4.8-10.2
65+	1234	64,231	86	6.6	5.0- 8.2	627	50.6	47.3-53.9	416	34.6	31.5-37.7	27	2.4	1.2- 3.6	78	5.8	4.2- 7.4
Less Than H.S.	98	15,080	10	10.3	0.1-20.5	42	43.6	30.1-57.1	36	33.9	21.0-46.8	5	3.8	0.0- 7.7	5	8.5	0.0-18.3
H.S. or G.E.D.	672	58,880	49	5.5	3.3- 7.7	297	38.2	33.3-43.1	264	44.5	39.4-49.6	20	4.8	2.3- 7.3	42	6.9	4.2- 9.6
Some Post-H.S.	894	104,708	52	6.5	4.1- 8.9	422	44.2	39.9-48.5	320	35.8	31.5-40.1	20	2.3	1.1- 3.5	80	11.2	8.1-14.3
College Graduate	992	85,014	39	3.7	2.1- 5.3	477	47.4	43.5-51.3	371	37.8	33.9-41.7	22	2.1	1.1- 3.1	83	8.9	6.5-11.3
Less than \$15,000	109	14,558	5	2.2	0.0- 4.9	40	37.3	25.1-49.5	49	40.6	28.1-53.1	5	4.0	0.3- 7.7	10	15.9	4.3-27.5
\$15,000- 24,999	214	17,195	18	6.1	1.6-10.6	95	43.6	34.4-52.8	76	35.1	26.3-43.9	7	3.4	0.1- 6.7	18	11.8	4.5-19.1
\$25,000- 34,999	258	23,576	16	4.5	1.2- 7.8	128	54.0	45.2-62.8	85	28.2	20.6-35.8	7	3.0	0.3- 5.7	22	10.2	4.7-15.7
\$35,000- 49,999	342	29,616	19	6.6	2.9-10.3	177	48.4	41.0-55.8	117	38.5	30.9-46.1	8	1.4	0.2- 2.6	21	5.2	2.3- 8.1
\$50,000- 99,999	730	73,746	31	5.5	2.8- 8.2	344	43.5	38.8-48.2	281	40.5	35.6-45.4	10	1.8	0.4- 3.2	64	8.6	5.9-11.3
\$100,000 - 199,999	386	44,417	11	2.2	0.6- 3.8	169	41.8	35.7-47.9	172	44.6	38.5-50.7	6	1.9	0.1- 3.7	28	9.5	5.2-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 16: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5434	545,512	2091	37.0	35.2-38.8	2079	38.9	37.1-40.7	1078	20.4	19.0-21.8	52	1.1	0.7- 1.5	134	2.7	2.1- 3.3
Male	2772	280,586	849	29.3	27.1-31.5	1150	41.4	39.0-43.8	651	24.4	22.4-26.4	34	1.3	0.7- 1.9	88	3.7	2.7- 4.7
Female	2662	264,926	1242	45.1	42.6-47.6	929	36.3	33.8-38.8	427	16.1	14.1-18.1	18	0.9	0.3- 1.5	46	1.6	0.8- 2.4
Native	240	23,375	74	28.9	21.3-36.5	101	43.6	34.8-52.4	52	21.1	13.8-28.4	4	2.8	0.0- 6.5	9	3.6	0.7- 6.5
Non-Native	5120	515,685	1988	37.3	35.5-39.1	1949	38.7	36.9-40.5	1010	20.3	18.9-21.7	48	1.0	0.6- 1.4	125	2.6	2.0- 3.2
18-24	333	72,787	85	23.9	18.8-29.0	147	46.1	40.0-52.2	85	24.7	19.4-30.0	5	1.4	0.0- 2.8	11	3.8	1.4- 6.2
25-34	486	102,185	174	38.8	33.7-43.9	203	40.7	35.8-45.6	89	16.4	12.7-20.1	7	1.4	0.2- 2.6	13	2.7	0.9- 4.5
35-44	598	89,157	232	40.0	35.5-44.5	218	34.8	30.5-39.1	119	19.8	16.1-23.5	8	1.4	0.2- 2.6	21	3.9	1.9- 5.9
45-54	693	74,886	257	36.9	32.8-41.0	262	38.3	34.2-42.4	159	22.9	19.4-26.4	1	0.1	0.0- 0.3	14	1.9	0.7- 3.1
55-64	987	85,019	363	36.4	32.9-39.9	362	36.7	33.2-40.2	231	23.7	20.6-26.8	11	1.3	0.5- 2.1	20	1.9	0.9- 2.9
65+	2337	121,478	980	41.3	38.9-43.7	887	38.1	35.7-40.5	395	17.5	15.7-19.3	20	1.0	0.4- 1.6	55	2.1	1.3- 2.9
Less Than H.S.	240	39,344	85	31.8	24.2-39.4	84	36.5	28.3-44.7	52	21.4	14.3-28.5	4	1.8	0.0- 4.0	15	8.6	3.5-13.7
H.S. or G.E.D.	1491	141,527	515	33.5	30.4-36.6	569	37.1	34.0-40.2	332	23.5	20.8-26.2	24	2.2	1.0- 3.4	51	3.8	2.4- 5.2
Some Post-H.S.	1782	208,526	662	36.1	33.2-39.0	705	40.4	37.5-43.3	366	21.0	18.6-23.4	10	0.5	0.1- 0.9	39	1.9	1.1- 2.7
College Graduate	1908	154,367	821	42.3	39.6-45.0	718	39.5	36.8-42.2	326	16.4	14.4-18.4	14	0.7	0.1- 1.3	29	1.1	0.5- 1.7
Less than \$15,000	188	22,763	55	25.9	17.7-34.1	71	38.6	29.0-48.2	43	23.8	15.4-32.2	4	1.4	0.0- 3.0	15	10.3	3.0-17.6
\$15,000- 24,999	367	31,789	142	32.4	26.1-38.7	133	39.4	32.5-46.3	78	24.1	17.8-30.4	3	0.6	0.0- 1.6	11	3.5	1.0- 6.0
\$25,000- 34,999	491	47,508	192	37.6	31.5-43.7	190	39.6	33.5-45.7	88	18.7	13.8-23.6	9	1.5	0.3- 2.7	12	2.5	0.3- 4.7
\$35,000- 49,999	684	63,647	256	34.0	29.3-38.7	279	41.6	36.5-46.7	126	19.8	15.9-23.7	7	1.2	0.0- 2.4	16	3.3	1.1- 5.5
\$50,000- 99,999	1530	154,531	564	37.7	34.6-40.8	600	39.1	36.0-42.2	330	21.4	18.7-24.1	10	0.6	0.2- 1.0	26	1.2	0.6- 1.8
\$100,000 - 199,999	986	106,729	373	37.6	33.9-41.3	391	39.2	35.5-42.9	197	20.6	17.5-23.7	2	0.2	0.0- 0.4	23	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

TABLE 17: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2772	280,586	849	29.3	27.1-31.5	1150	41.4	39.0-43.8	651	24.4	22.4-26.4	34	1.3	0.7- 1.9	88	3.7	2.7- 4.7
Native	109	11,256	29	25.2	14.2-36.2	47	43.3	30.8-55.8	25	23.5	12.5-34.5	3	2.1	0.0- 4.8	5	5.9	0.0-11.8
Non-Native	2610	264,674	802	29.3	27.1-31.5	1080	41.2	38.8-43.6	614	24.5	22.3-26.7	31	1.3	0.7- 1.9	83	3.6	2.6- 4.6
18-24	206	39,097	46	20.1	14.2-26.0	87	42.0	34.4-49.6	63	32.3	24.9-39.7	2	0.6	0.0- 1.6	8	4.9	1.4- 8.4
25-34	302	56,754	92	32.2	26.3-38.1	137	45.7	39.4-52.0	58	17.1	12.4-21.8	5	1.4	0.0- 2.8	10	3.5	1.1- 5.9
35-44	336	46,559	95	27.8	22.3-33.3	132	37.1	31.4-42.8	87	26.8	21.5-32.1	5	2.0	0.0- 4.0	17	6.4	3.1- 9.7
45-54	347	38,836	90	27.3	22.0-32.6	150	44.6	38.7-50.5	98	26.2	21.1-31.3	1	0.1	0.0- 0.3	8	1.8	0.4- 3.2
55-64	483	42,953	138	28.5	23.8-33.2	190	37.8	32.7-42.9	136	29.3	24.6-34.0	9	2.1	0.7- 3.5	10	2.3	0.7- 3.9
65+	1098	56,387	388	35.8	32.5-39.1	454	40.7	37.2-44.2	209	19.2	16.5-21.9	12	1.2	0.4- 2.0	35	3.1	1.7- 4.5
Less Than H.S.	144	24,409	44	27.4	18.4-36.4	52	36.1	25.9-46.3	34	24.9	15.1-34.7	3	2.0	0.0- 4.9	11	9.6	3.3-15.9
H.S. or G.E.D.	815	81,266	228	28.1	24.4-31.8	336	39.1	35.0-43.2	196	25.3	21.6-29.0	16	2.0	0.8- 3.2	39	5.6	3.4- 7.8
Some Post-H.S.	884	103,965	259	27.6	24.1-31.1	380	44.0	39.9-48.1	216	25.1	21.6-28.6	6	0.7	0.1- 1.3	23	2.6	1.2- 4.0
College Graduate	919	69,486	312	32.9	29.2-36.6	379	42.6	38.7-46.5	204	22.5	19.4-25.6	9	0.9	0.1- 1.7	15	1.1	0.3- 1.9
Less than \$15,000	79	8,432	24	25.1	13.1-37.1	28	31.1	18.4-43.8	20	35.4	20.1-50.7	3	2.9	0.0- 6.8	4	5.5	0.0-12.8
\$15,000- 24,999	155	14,463	45	24.3	16.1-32.5	62	36.8	26.8-46.8	40	32.1	21.7-42.5	1	1.0	0.0- 3.0	7	5.8	0.7-10.9
\$25,000- 34,999	230	23,828	70	32.1	23.9-40.3	96	41.8	33.2-50.4	50	20.1	13.4-26.8	6	1.6	0.0- 3.2	8	4.4	0.3- 8.5
\$35,000- 49,999	341	33,868	103	29.7	23.4-36.0	143	40.0	33.3-46.7	78	23.7	18.0-29.4	3	0.5	0.0- 1.1	14	6.1	2.4- 9.8
\$50,000- 99,999	799	80,245	225	27.4	23.5-31.3	341	43.9	39.6-48.2	209	26.2	22.3-30.1	8	1.1	0.1- 2.1	16	1.5	0.5- 2.5
\$100,000 - 199,999	599	62,192	171	28.0	23.7-32.3	274	44.6	39.7-49.5	135	24.3	20.0-28.6	2	0.3	0.0- 0.7	17	2.8	1.0- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021
SECTION 15: FRUITS AND VEGETABLES**

**TABLE 18: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2662	264,926	1242	45.1	42.6-47.6	929	36.3	33.8-38.8	427	16.1	14.1-18.1	18	0.9	0.3- 1.5	46	1.6	0.8- 2.4
Native	131	12,119	45	32.3	21.7-42.9	54	44.0	31.8-56.2	27	18.8	9.4-28.2	1	3.4	0.0-10.1	4	1.5	0.0- 3.1
Non-Native	2510	251,011	1186	45.7	43.2-48.2	869	36.1	33.6-38.6	396	15.9	13.9-17.9	17	0.8	0.4- 1.2	42	1.6	0.8- 2.4
18-24	127	33,690	39	28.4	20.0-36.8	60	50.9	41.3-60.5	22	15.9	9.2-22.6	3	2.3	0.0- 5.2	3	2.4	0.0- 5.1
25-34	184	45,431	82	47.1	38.9-55.3	66	34.4	26.8-42.0	31	15.5	9.6-21.4	2	1.3	0.0- 3.1	3	1.6	0.0- 4.1
35-44	262	42,598	137	53.4	46.5-60.3	86	32.3	25.8-38.8	32	12.3	7.6-17.0	3	0.8	0.0- 1.8	4	1.2	0.0- 2.6
45-54	346	36,050	167	47.2	41.3-53.1	112	31.5	26.0-37.0	61	19.3	14.4-24.2				6	2.0	0.0- 4.0
55-64	504	42,066	225	44.5	39.4-49.6	172	35.5	30.4-40.6	95	18.0	14.1-21.9	2	0.4	0.0- 1.2	10	1.5	0.3- 2.7
65+	1239	65,091	592	46.1	42.8-49.4	433	35.9	32.8-39.0	186	16.0	13.5-18.5	8	0.8	0.0- 1.6	20	1.2	0.6- 1.8
Less Than H.S.	96	14,934	41	39.0	25.5-52.5	32	37.1	23.6-50.6	18	15.6	6.6-24.6	1	1.4	0.0- 4.1	4	6.9	0.0-15.5
H.S. or G.E.D.	676	60,261	287	40.7	35.6-45.8	233	34.3	29.4-39.2	136	21.1	16.8-25.4	8	2.4	0.4- 4.4	12	1.5	0.3- 2.7
Some Post-H.S.	898	104,562	403	44.5	40.0-49.0	325	36.9	32.6-41.2	150	17.0	13.7-20.3	4	0.3	0.0- 0.7	16	1.3	0.3- 2.3
College Graduate	989	84,881	509	49.9	46.0-53.8	339	37.0	33.1-40.9	122	11.5	9.1-13.9	5	0.5	0.0- 1.1	14	1.0	0.2- 1.8
Less than \$15,000	109	14,331	31	26.4	15.4-37.4	43	43.1	30.2-56.0	23	16.9	8.1-25.7	1	0.5	0.0- 1.5	11	13.2	2.8-23.6
\$15,000- 24,999	212	17,326	97	39.2	30.2-48.2	71	41.6	32.0-51.2	38	17.4	10.5-24.3	2	0.2	0.0- 0.6	4	1.6	0.0- 3.4
\$25,000- 34,999	261	23,680	122	43.1	34.5-51.7	94	37.5	29.1-45.9	38	17.4	10.1-24.7	3	1.5	0.0- 3.3	4	0.6	0.0- 1.2
\$35,000- 49,999	343	29,779	153	39.0	31.9-46.1	136	43.5	36.1-50.9	48	15.4	10.1-20.7	4	2.0	0.0- 4.2	2	0.2	0.0- 0.4
\$50,000- 99,999	731	74,286	339	48.9	44.0-53.8	259	34.0	29.5-38.5	121	16.2	12.7-19.7	2	0.0	0.0- 0.0	10	0.9	0.3- 1.5
\$100,000 - 199,999	387	44,537	202	51.1	45.0-57.2	117	31.7	25.8-37.6	62	15.4	11.1-19.7				6	1.8	0.0- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2021**

End of Core Data Report