

NORTH DAKOTA

2021 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021

MODULE 01: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4814	503,616	2657	45.7	43.9-47.5	2157	54.3	52.5-56.1
Male	2406	251,743	1266	43.4	41.0-45.8	1140	56.6	54.2-59.0
Female	2408	251,873	1391	48.0	45.3-50.7	1017	52.0	49.3-54.7
Native	184	18,286	106	47.7	37.7-57.7	78	52.3	42.3-62.3
Non-Native	4557	479,004	2505	45.5	43.5-47.5	2052	54.5	52.5-56.5
18-24	317	68,999	53	16.5	12.0-21.0	264	83.5	79.0-88.0
25-34	496	104,233	137	27.2	22.7-31.7	359	72.8	68.3-77.3
35-44	603	90,618	251	41.6	37.1-46.1	352	58.4	53.9-62.9
45-54	627	67,607	344	54.8	50.3-59.3	283	45.2	40.7-49.7
55-64	871	75,213	566	66.3	62.6-70.0	305	33.7	30.0-37.4
65+	1900	96,946	1306	68.0	65.5-70.5	594	32.0	29.5-34.5
Less Than H.S.	203	36,822	106	41.0	32.2-49.8	97	59.0	50.2-67.8
H.S. or G.E.D.	1341	133,578	683	42.0	38.7-45.3	658	58.0	54.7-61.3
Some Post-H.S.	1569	189,990	898	47.5	44.4-50.6	671	52.5	49.4-55.6
College Graduate	1687	141,032	967	48.4	45.5-51.3	720	51.6	48.7-54.5
Less than \$15,000	140	17,691	72	49.4	38.0-60.8	68	50.6	39.2-62.0
\$15,000- 24,999	295	26,226	161	43.5	35.9-51.1	134	56.5	48.9-64.1
\$25,000- 34,999	404	40,355	225	46.1	39.4-52.8	179	53.9	47.2-60.6
\$35,000- 49,999	585	55,781	339	47.9	42.6-53.2	246	52.1	46.8-57.4
\$50,000- 99,999	1315	139,478	740	46.3	42.8-49.8	575	53.7	50.2-57.2
\$100,000- 199,999	890	98,426	496	50.4	46.3-54.5	394	49.6	45.5-53.7
\$200,000+	167	19,717	96	47.8	38.4-57.2	71	52.2	42.8-61.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2406	251,743	1266	43.4	41.0-45.8	1140	56.6	54.2-59.0
Native	74	7,805	37	44.9	29.6-60.2	37	55.1	39.8-70.4
Non-Native	2280	239,301	1198	43.1	40.6-45.6	1082	56.9	54.4-59.4
18-24	192	35,797	27	13.1	07.8-18.4	165	86.9	81.6-92.2
25-34	304	55,767	73	23.7	18.4-29.0	231	76.3	71.0-81.6
35-44	338	46,788	133	40.0	34.1-45.9	205	60.0	54.1-65.9
45-54	307	34,101	184	58.0	51.7-64.3	123	42.0	35.7-48.3
55-64	410	36,380	257	63.0	57.5-68.5	153	37.0	31.5-42.5
65+	855	42,909	592	69.6	65.9-73.3	263	30.4	26.7-34.1
Less Than H.S.	107	20,262	51	32.5	22.1-42.9	56	67.5	57.1-77.9
H.S. or G.E.D.	717	73,392	345	39.7	35.4-44.0	372	60.3	56.0-64.6
Some Post-H.S.	771	93,228	414	44.9	40.6-49.2	357	55.1	50.8-59.4
College Graduate	800	62,900	454	49.6	45.5-53.7	346	50.4	46.3-54.5
Less than \$15,000	59	5,644	27	37.3	22.4-52.2	32	62.7	47.8-77.6
\$15,000- 24,999	123	11,792	57	37.8	26.6-49.0	66	62.2	51.0-73.4
\$25,000- 34,999	177	19,394	83	34.8	26.0-43.6	94	65.2	56.4-74.0
\$35,000- 49,999	288	29,223	160	46.3	39.0-53.6	128	53.7	46.4-61.0
\$50,000- 99,999	674	70,591	360	43.6	39.1-48.1	314	56.4	51.9-60.9
\$100,000- 199,999	531	56,004	304	51.4	46.1-56.7	227	48.6	43.3-53.9
\$200,000+	104	10,795	65	57.6	46.2-69.0	39	42.4	31.0-53.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2408	251,873	1391	48.0	45.3-50.7	1017	52.0	49.3-54.7
Native	110	10,481	69	49.8	36.5-63.1	41	50.2	36.9-63.5
Non-Native	2277	239,703	1307	47.8	45.1-50.5	970	52.2	49.5-54.9
18-24	125	33,202	26	20.2	12.8-27.6	99	79.8	72.4-87.2
25-34	192	48,466	64	31.1	23.5-38.7	128	68.9	61.3-76.5
35-44	265	43,830	118	43.3	36.6-50.0	147	56.7	50.0-63.4
45-54	320	33,506	160	51.5	45.4-57.6	160	48.5	42.4-54.6
55-64	461	38,833	309	69.4	64.5-74.3	152	30.6	25.7-35.5
65+	1045	54,037	714	66.7	63.2-70.2	331	33.3	29.8-36.8
Less Than H.S.	96	16,559	55	51.4	37.5-65.3	41	48.6	34.7-62.5
H.S. or G.E.D.	624	60,186	338	44.8	39.5-50.1	286	55.2	49.9-60.5
Some Post-H.S.	798	96,762	484	49.9	45.2-54.6	314	50.1	45.4-54.8
College Graduate	887	78,132	513	47.4	43.3-51.5	374	52.6	48.5-56.7
Less than \$15,000	81	12,048	45	55.1	40.2-70.0	36	44.9	30.0-59.8
\$15,000- 24,999	172	14,434	104	48.2	37.8-58.6	68	51.8	41.4-62.2
\$25,000- 34,999	227	20,961	142	56.5	46.9-66.1	85	43.5	33.9-53.1
\$35,000- 49,999	297	26,558	179	49.6	41.6-57.6	118	50.4	42.4-58.4
\$50,000- 99,999	641	68,887	380	49.0	43.7-54.3	261	51.0	45.7-56.3
\$100,000- 199,999	359	42,422	192	49.1	42.8-55.4	167	50.9	44.6-57.2
\$200,000+	63	8,923	31	36.0	21.7-50.3	32	64.0	49.7-78.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5014	523,519	604	8.9	07.9-09.9	48	1.0	00.6-01.4	4362	90.1	89.1-91.1
Male	2503	261,647	324	9.7	08.3-11.1				2179	90.3	88.9-91.7
Female	2511	261,872	280	8.0	06.8-09.2	48	2.0	01.2-02.8	2183	89.9	88.5-91.3
Native	195	19,859	30	12.4	06.7-18.1	4	1.5	00.0-03.1	161	86.1	80.2-92.0
Non-Native	4743	497,011	570	8.8	07.8-09.8	44	1.0	00.6-01.4	4129	90.2	89.2-91.2
18-24	329	71,401	3	0.9	00.0-02.1	1	0.5	00.0-01.5	325	98.5	96.9-0100
25-34	508	106,997	17	3.5	01.5-05.5	5	1.1	00.0-02.3	486	95.4	93.2-97.6
35-44	625	93,910	31	4.7	02.9-06.5	11	1.8	00.6-03.0	583	93.5	91.3-95.7
45-54	655	71,123	69	11.5	08.6-14.4	10	1.4	00.4-02.4	576	87.1	84.2-90.0
55-64	906	78,738	147	16.9	14.0-19.8	8	0.5	00.1-00.9	751	82.5	79.6-85.4
65+	1991	101,349	337	16.0	14.0-18.0	13	0.6	00.2-01.0	1641	83.5	81.5-85.5
Less Than H.S.	211	37,954	22	9.4	04.7-14.1	4	2.0	00.0-04.2	185	88.6	83.5-93.7
H.S. or G.E.D.	1399	138,962	161	7.8	06.2-09.4	15	1.1	00.3-01.9	1223	91.1	89.5-92.7
Some Post-H.S.	1631	197,340	207	9.6	08.0-11.2	15	0.9	00.3-01.5	1409	89.4	87.6-91.2
College Graduate	1757	146,925	214	8.8	07.4-10.2	14	0.8	00.2-01.4	1529	90.3	88.7-91.9
Less than \$15,000	146	18,445	16	9.6	02.9-16.3	5	4.5	00.0-09.2	125	85.9	78.1-93.7
\$15,000- 24,999	309	26,988	43	8.4	05.1-11.7	4	1.0	00.0-02.6	262	90.6	87.1-94.1
\$25,000- 34,999	420	42,173	50	6.3	03.9-08.7	7	1.1	00.1-02.1	363	92.6	90.1-95.1
\$35,000- 49,999	610	58,111	87	11.0	08.1-13.9	3	0.7	00.0-01.7	520	88.3	85.4-91.2
\$50,000- 99,999	1368	145,539	171	10.1	08.3-11.9	9	0.5	00.1-00.9	1188	89.4	87.4-91.4
\$100,000- 199,999	927	103,059	96	7.4	05.6-09.2	15	2.1	00.7-03.5	816	90.5	88.3-92.7
\$200,000+	171	20,235	17	7.3	03.0-11.6				154	92.7	88.4-97.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2503	261,647	324	9.7	08.3-11.1	2179	90.3	88.9-91.7
Native	81	8,626	13	16.5	05.7-27.3	68	83.5	72.7-94.3
Non-Native	2369	248,157	308	9.6	08.2-11.0	2061	90.4	89.0-91.8
18-24	200	37,138	2	1.6	00.0-03.8	198	98.4	96.2-0100
25-34	311	57,209	9	3.1	00.9-05.3	302	96.9	94.7-99.1
35-44	351	48,653	17	5.2	02.7-07.7	334	94.8	92.3-97.3
45-54	319	35,784	34	11.3	07.2-15.4	285	88.7	84.6-92.8
55-64	423	37,830	85	21.7	17.0-26.4	338	78.3	73.6-83.0
65+	899	45,032	177	18.4	15.5-21.3	722	81.6	78.7-84.5
Less Than H.S.	111	21,038	10	8.2	02.3-14.1	101	91.8	85.9-97.7
H.S. or G.E.D.	751	76,849	90	9.1	06.7-11.5	661	90.9	88.5-93.3
Some Post-H.S.	796	96,095	112	10.8	08.4-13.2	684	89.2	86.8-91.6
College Graduate	833	65,634	112	9.6	07.4-11.8	721	90.4	88.2-92.6
Less than \$15,000	62	5,987	4	6.6	00.0-13.7	58	93.4	86.3-0100
\$15,000- 24,999	128	11,915	19	10.0	04.3-15.7	109	90.0	84.3-95.7
\$25,000- 34,999	186	20,019	21	6.4	02.7-10.1	165	93.6	89.9-97.3
\$35,000- 49,999	299	30,500	45	12.0	07.7-16.3	254	88.0	83.7-92.3
\$50,000- 99,999	701	73,994	98	11.4	08.9-13.9	603	88.6	86.1-91.1
\$100,000- 199,999	552	58,282	62	8.6	06.1-11.1	490	91.4	88.9-93.9
\$200,000+	104	10,946	12	9.7	02.8-16.6	92	90.3	83.4-97.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 01: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents that do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2511	261,872	280	8.0	06.8-09.2	48	2.0	01.2-02.8	2183	89.9	88.5-91.3
Native	114	11,232	17	9.3	03.6-15.0	4	2.7	00.0-05.4	93	88.0	81.7-94.3
Non-Native	2374	248,854	262	8.0	06.8-09.2	44	2.0	01.2-02.8	2068	90.0	88.6-91.4
18-24	129	34,262	1	0.3	00.0-00.9	1	1.1	00.0-03.1	127	98.7	96.5-0100
25-34	197	49,788	8	4.0	00.7-07.3	5	2.5	00.1-04.9	184	93.6	89.7-97.5
35-44	274	45,257	14	4.1	01.6-06.6	11	3.8	01.4-06.2	249	92.1	88.8-95.4
45-54	336	35,339	35	11.6	07.7-15.5	10	2.8	00.8-04.8	291	85.6	81.3-89.9
55-64	483	40,908	62	12.5	09.0-16.0	8	1.0	00.2-01.8	413	86.4	82.9-89.9
65+	1092	56,317	160	14.0	11.6-16.4	13	1.0	00.4-01.6	919	85.0	82.6-87.4
Less Than H.S.	100	16,916	12	10.9	03.3-18.5	4	4.4	00.0-09.3	84	84.7	75.9-93.5
H.S. or G.E.D.	648	62,113	71	6.3	04.5-08.1	15	2.4	00.8-04.0	562	91.3	88.9-93.7
Some Post-H.S.	835	101,245	95	8.5	06.3-10.7	15	1.8	00.6-03.0	725	89.7	87.2-92.2
College Graduate	924	81,290	102	8.2	06.2-10.2	14	1.5	00.5-02.5	808	90.3	88.1-92.5
Less than \$15,000	84	12,458	12	11.0	01.8-20.2	5	6.6	00.0-13.5	67	82.3	71.1-93.5
\$15,000- 24,999	181	15,072	24	7.0	03.5-10.5	4	1.8	00.0-04.5	153	91.1	86.6-95.6
\$25,000- 34,999	234	22,154	29	6.1	03.4-08.8	7	2.1	00.3-03.9	198	91.7	88.4-95.0
\$35,000- 49,999	311	27,612	42	9.8	06.1-13.5	3	1.5	00.0-03.5	266	88.7	84.6-92.8
\$50,000- 99,999	667	71,545	73	8.7	06.2-11.2	9	1.1	00.3-01.9	585	90.2	87.5-92.9
\$100,000- 199,999	375	44,776	34	6.0	03.6-08.4	15	4.8	01.7-07.9	326	89.2	85.5-92.9
\$200,000+	67	9,289	5	4.4	00.1-08.7				62	95.6	91.3-99.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	756	55,903	294	37.7	33.0-42.4	462	62.3	57.6-67.0
Male	436	32,935	179	41.1	34.8-47.4	257	58.9	52.6-65.2
Female	320	22,968	115	32.7	26.0-39.4	205	67.3	60.6-74.0
Native	63	5,649	33	50.1	34.2-66.0	30	49.9	34.0-65.8
Non-Native	684	49,555	260	36.7	31.8-41.6	424	63.3	58.4-68.2
45-54	80	8,523	33	36.6	24.6-48.6	47	63.4	51.4-75.4
55-64	141	12,599	56	40.5	30.9-50.1	85	59.5	49.9-69.1
65+	493	26,494	187	35.8	30.7-40.9	306	64.2	59.1-69.3
Less Than H.S.	54	6,510	28	53.3	33.3-73.3	26	46.7	26.7-66.7
H.S. or G.E.D.	216	14,574	79	35.2	27.0-43.4	137	64.8	56.6-73.0
Some Post-H.S.	256	22,151	103	36.5	29.2-43.8	153	63.5	56.2-70.8
College Graduate	227	12,582	82	34.2	26.8-41.6	145	65.8	58.4-73.2
\$15,000- 24,999	72	5,347	36	49.8	35.1-64.5	36	50.2	35.5-64.9
\$25,000- 34,999	91	5,883	32	29.3	18.3-40.3	59	70.7	59.7-81.7
\$35,000- 49,999	102	7,406	37	33.8	22.0-45.6	65	66.2	54.4-78.0
\$50,000- 99,999	198	13,403	76	34.2	26.0-42.4	122	65.8	57.6-74.0
\$100,000- 199,999	82	6,779	32	43.5	30.6-56.4	50	56.5	43.6-69.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	436	32,935	179	41.1	34.8-47.4	257	58.9	52.6-65.2
Non-Native	392	28,680	160	41.0	34.5-47.5	232	59.0	52.5-65.5
55-64	90	8,101	38	45.6	33.3-57.9	52	54.4	42.1-66.7
65+	266	13,911	105	36.9	30.2-43.6	161	63.1	56.4-69.8
H.S. or G.E.D.	131	9,345	53	39.6	29.0-50.2	78	60.4	49.8-71.0
Some Post-H.S.	127	11,340	56	39.9	29.5-50.3	71	60.1	49.7-70.5
College Graduate	137	7,801	48	34.4	24.6-44.2	89	65.6	55.8-75.4
\$25,000- 34,999	53	3,401	20	30.8	15.5-46.1	33	69.2	53.9-84.5
\$35,000- 49,999	57	4,074	24	47.1	31.0-63.2	33	52.9	36.8-69.0
\$50,000- 99,999	121	8,191	46	34.4	23.8-45.0	75	65.6	55.0-76.2
\$100,000- 199,999	60	5,063	25	47.4	32.1-62.7	35	52.6	37.3-67.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	320	22,968	115	32.7	26.0-39.4	205	67.3	60.6-74.0
Non-Native	292	20,876	100	30.8	23.9-37.7	192	69.2	62.3-76.1
55-64	51	4,498	18	31.1	16.8-45.4	33	68.9	54.6-83.2
65+	227	12,583	82	34.7	27.1-42.3	145	65.3	57.7-72.9
H.S. or G.E.D.	85	5,229	26	27.2	14.7-39.7	59	72.8	60.3-85.3
Some Post-H.S.	129	10,811	47	33.0	23.2-42.8	82	67.0	57.2-76.8
College Graduate	90	4,781	34	33.9	22.1-45.7	56	66.1	54.3-77.9
\$50,000- 99,999	77	5,212	30	33.9	20.8-47.0	47	66.1	53.0-79.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	737	54,829	98	14.6	11.1-18.1	246	33.0	28.5-37.5	350	44.3	39.6-49.0	43	8.1	05.0-11.2
Male	425	32,104	45	12.0	07.9-16.1	159	36.1	30.2-42.0	188	41.4	35.3-47.5	33	10.5	05.8-15.2
Female	312	22,725	53	18.1	12.0-24.2	87	28.6	21.2-36.0	162	48.5	40.9-56.1	10	4.8	01.1-08.5
Native	60	5,474	8	17.6	05.6-29.6	16	23.1	11.5-34.7	35	56.4	41.3-71.5	1	2.9	00.0-08.4
Non-Native	669	48,792	87	13.8	10.3-17.3	228	34.3	29.4-39.2	312	43.0	38.1-47.9	42	8.8	05.3-12.3
45-54	78	8,389	12	15.1	05.9-24.3	19	22.3	12.3-32.3	40	53.3	40.8-65.8	7	9.3	02.0-16.6
55-64	135	12,065	16	13.5	06.4-20.6	49	35.5	26.1-44.9	56	39.3	29.5-49.1	14	11.7	05.4-18.0
65+	482	26,087	64	14.6	10.7-18.5	164	34.9	29.8-40.0	239	47.9	42.6-53.2	15	2.6	01.2-04.0
Less Than H.S.	50	6,252	7	14.2	02.2-26.2	16	35.2	14.4-56.0	25	39.7	20.7-58.7	2	11.0	00.0-29.4
H.S. or G.E.D.	211	14,418	30	14.8	09.1-20.5	76	38.3	30.1-46.5	95	40.1	32.1-48.1	10	6.7	01.6-11.8
Some Post-H.S.	250	21,585	37	17.6	11.1-24.1	80	29.9	22.8-37.0	118	46.3	38.5-54.1	15	6.2	02.5-09.9
College Graduate	223	12,489	23	8.9	04.8-13.0	74	31.4	24.1-38.7	110	48.0	39.8-56.2	16	11.7	05.8-17.6
\$15,000- 24,999	69	5,170	11	19.3	07.7-30.9	16	18.9	08.7-29.1	40	55.6	40.7-70.5	2	6.3	00.0-16.7
\$25,000- 34,999	90	5,844	15	19.1	08.3-29.9	23	27.8	15.8-39.8	51	52.7	39.8-65.6	1	0.5	00.0-01.5
\$35,000- 49,999	98	7,208	14	20.4	07.3-33.5	44	38.6	26.4-50.8	35	33.5	21.7-45.3	5	7.6	00.3-14.9
\$50,000- 99,999	193	13,041	20	8.9	04.4-13.4	68	37.4	28.0-46.8	92	46.5	36.9-56.1	13	7.3	02.4-12.2
\$100,000- 199,999	82	6,779	9	15.1	04.5-25.7	31	31.7	20.3-43.1	32	37.1	24.8-49.4	10	16.1	06.5-25.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	425	32,104	45	12.0	07.9-16.1	159	36.1	30.2-42.0	188	41.4	35.1-47.7	33	10.5	05.8-15.2
Non-Native	383	28,098	40	11.9	07.6-16.2	148	38.1	31.6-44.6	163	38.5	32.2-44.8	32	11.4	06.1-16.7
55-64	86	7,616	10	11.8	03.8-19.8	31	35.5	23.9-47.1	33	36.3	23.8-48.8	12	16.4	07.0-25.8
65+	260	13,677	26	13.1	07.6-18.6	102	40.1	32.8-47.4	121	43.2	35.9-50.5	11	3.7	01.3-06.1
H.S. or G.E.D.	129	9,283	15	11.8	05.3-18.3	52	42.7	32.1-53.3	53	38.1	27.7-48.5	9	7.4	01.7-13.1
Some Post-H.S.	122	10,804	13	13.3	05.5-21.1	46	36.3	25.5-47.1	53	41.7	30.9-52.5	10	8.6	02.7-14.5
College Graduate	135	7,753	10	7.2	02.3-12.1	48	32.4	23.2-41.6	65	46.7	36.3-57.1	12	13.7	05.9-21.5
\$25,000- 34,999	53	3,401	8	17.8	02.7-32.9	16	35.7	18.8-52.6	28	45.7	28.6-62.8	1	0.8	00.0-02.4
\$35,000- 49,999	55	3,922	9	15.9	05.1-26.7	24	38.8	22.9-54.7	19	37.0	20.9-53.1	3	8.4	00.0-18.0
\$50,000- 99,999	117	7,853	8	5.9	01.6-10.2	49	44.4	31.5-57.3	51	42.4	29.9-54.9	9	7.2	01.5-12.9
\$100,000- 199,999	60	5,063	6	14.3	01.8-26.8	23	31.7	18.4-45.0	22	34.3	19.6-49.0	9	19.7	07.5-31.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	312	22,725	53	18.1	12.0-24.2	87	28.6	21.2-36.0	162	48.5	40.9-56.1	10	4.8	01.1-08.5
Non-Native	286	20,694	47	16.4	10.3-22.5	80	29.1	21.3-36.9	149	49.2	41.2-57.2	10	5.3	01.2-09.4
65+	222	12,410	38	16.2	10.7-21.7	62	29.2	21.9-36.5	118	53.1	45.3-60.9	4	1.4	00.0-03.0
H.S. or G.E.D.	82	5,134	15	20.3	09.3-31.3	24	30.4	17.7-43.1	42	43.7	30.6-56.8	1	5.6	00.0-16.0
Some Post-H.S.	128	10,781	24	21.8	11.4-32.2	34	23.4	15.0-31.8	65	50.9	39.9-61.9	5	3.9	00.0-08.4
College Graduate	88	4,735	13	11.8	04.2-19.4	26	29.6	18.0-41.2	45	50.2	36.9-63.5	4	8.4	00.0-17.4
\$50,000- 99,999	76	5,188	12	13.3	04.1-22.5	19	26.7	14.4-39.0	41	52.6	37.7-67.5	4	7.4	00.0-16.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	735	53,831	395	56.4	51.7-61.1	123	14.9	11.8-18.0	52	7.9	04.6-11.2	35	4.7	02.7-06.7	120	15.1	12.0-18.2	10	1.0	00.2-01.8
Male	424	31,989	224	57.1	51.0-63.2	75	15.2	11.1-19.3	28	5.6	03.2-08.0	21	3.9	01.9-05.9	73	17.8	13.3-22.3	3	0.4	00.0-01.0
Female	311	21,842	171	55.4	47.8-63.0	48	14.6	09.5-19.7	24	11.3	04.0-18.6	14	5.7	02.0-09.4	47	11.2	07.5-14.9	7	1.8	00.2-03.4
Native	63	5,649	43	66.3	51.2-81.4	11	20.5	06.8-34.2	1	0.9	00.0-02.7	4	5.9	00.0-12.6	4	6.4	00.0-13.5			
Non-Native	663	47,483	349	55.5	50.4-60.6	110	14.3	11.2-17.4	50	8.6	04.9-12.3	31	4.6	02.6-06.6	113	15.9	12.6-19.2	10	1.1	00.3-01.9
45-54	77	8,231	53	70.1	58.7-81.5	10	13.4	04.8-22.0	2	2.8	00.0-07.5	2	1.9	00.0-04.4	10	11.8	04.2-19.4			
55-64	140	12,509	87	61.3	51.7-70.9	21	13.6	06.9-20.3	8	7.4	01.9-12.9	6	4.5	00.4-08.6	18	13.1	06.8-19.4			
65+	478	25,691	234	51.4	46.1-56.7	86	16.7	12.8-20.6	41	9.0	05.7-12.3	23	4.5	02.3-06.7	84	16.4	12.5-20.3	10	2.1	00.7-03.5
Less Than H.S.	52	6,228	32	58.9	37.9-79.9	7	15.0	02.3-27.7	4	14.5	00.0-35.7	3	5.5	00.0-12.0	6	6.1	00.0-12.4			
H.S. or G.E.D.	210	14,189	102	49.8	41.2-58.4	35	12.9	08.0-17.8	19	10.2	05.1-15.3	10	5.8	01.1-10.5	39	19.8	12.9-26.7	5	1.5	00.0-03.1
Some Post-H.S.	248	20,964	146	61.7	54.4-69.0	45	16.6	11.1-22.1	15	6.6	02.7-10.5	9	2.8	00.6-05.0	30	11.5	06.8-16.2	3	0.8	00.0-02.0
College Graduate	222	12,363	114	54.0	46.0-62.0	34	14.2	08.3-20.1	14	4.1	01.6-06.6	13	6.2	02.5-09.9	45	20.5	14.0-27.0	2	1.1	00.0-02.7
\$15,000- 24,999	71	5,223	41	60.7	46.4-75.0	11	11.9	03.9-19.9	6	7.3	00.6-14.0	3	8.3	00.0-19.1	10	11.8	03.6-20.0			
\$25,000- 34,999	89	5,785	52	59.3	46.8-71.8	14	17.0	07.2-26.8	4	2.7	00.0-05.4	2	3.0	00.0-07.3	12	12.7	04.3-21.1	5	5.4	00.3-10.5
\$35,000- 49,999	100	6,901	51	57.7	45.7-69.7	18	15.2	07.4-23.0	12	7.1	02.4-11.8	6	4.1	00.0-08.6	11	15.1	05.3-24.9	2	0.8	00.0-01.8
\$50,000- 99,999	192	12,839	103	58.0	49.2-66.8	32	15.9	09.2-22.6	11	5.1	01.6-08.6	12	5.8	02.1-09.5	33	15.0	09.1-20.9	1	0.3	00.0-00.9
\$100,000- 199,999	82	6,779	47	62.4	50.4-74.4	11	9.8	03.3-16.3	3	2.9	00.0-07.0	5	6.1	00.4-11.8	16	18.8	09.4-28.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	424	31,989	224	57.1	51.0-63.2	75	15.2	11.1-19.3	28	5.6	03.2-08.0	21	3.9	01.9-05.9	73	17.8	13.3-22.3	3	0.4	00.0-01.0
Non-Native	380	27,733	195	55.7	49.2-62.2	68	14.7	10.6-18.8	26	5.8	03.1-08.5	20	4.3	02.1-06.5	68	19.0	13.9-24.1	3	0.5	00.0-01.1
55-64	90	8,134	54	61.7	49.7-73.7	14	11.7	04.4-19.0	5	7.1	00.4-13.8	3	2.8	00.0-06.3	14	16.6	07.8-25.4			
65+	257	13,493	122	49.7	42.3-57.1	48	17.2	11.9-22.5	23	8.9	05.0-12.8	16	5.8	02.7-08.9	45	17.5	12.0-23.0	3	1.0	00.0-02.4
H.S. or G.E.D.	127	9,137	64	51.5	40.9-62.1	21	11.8	05.9-17.7	10	9.4	03.3-15.5	3	1.9	00.0-04.4	27	24.3	14.7-33.9	2	1.1	00.0-02.9
Some Post-H.S.	124	10,881	71	59.5	49.3-69.7	26	18.3	10.3-26.3	6	4.7	00.4-09.0	7	3.9	00.6-07.2	14	13.7	06.3-21.1			
College Graduate	133	7,594	63	52.2	41.8-62.6	22	14.2	07.7-20.7	9	3.5	01.0-06.0	10	7.7	02.2-13.2	28	21.8	13.2-30.4	1	0.5	00.0-01.5
\$25,000- 34,999	53	3,401	35	69.4	54.3-84.5	6	10.6	00.8-20.4	3	3.8	00.0-08.1	1	1.7	00.0-05.0	6	11.6	00.2-23.0	2	2.9	00.0-07.6
\$35,000- 49,999	56	4,040	24	46.2	30.1-62.3	13	18.7	07.7-29.7	6	6.8	00.7-12.9	4	6.0	00.0-13.4	9	22.3	07.0-37.6			
\$50,000- 99,999	116	7,661	59	55.7	44.3-67.1	20	14.2	06.9-21.5	7	5.3	00.8-09.8	9	7.1	01.8-12.4	20	17.2	08.6-25.8	1	0.5	00.0-01.5
\$100,000- 199,999	60	5,063	34	66.0	52.5-79.5	9	9.6	02.3-16.9	3	3.9	00.0-09.4	3	3.8	00.0-08.3	11	16.7	06.3-27.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	21,842	171	55.4	47.8-63.0	48	14.6	09.5-19.7	24	11.3	04.0-18.6	14	5.7	02.0-09.4	47	11.2	07.3-15.1	7	1.8	00.2-03.4
Non-Native	283	19,750	154	55.3	47.1-63.5	42	13.7	08.4-19.0	24	12.5	04.7-20.3	11	4.9	01.2-08.6	45	11.6	07.5-15.7	7	2.0	00.4-03.6
55-64	50	4,374	33	60.6	44.3-76.9	7	17.2	04.3-30.1	3	8.0	00.0-17.2	3	7.6	00.0-17.2	4	6.7	00.0-14.3			
65+	221	12,197	112	53.2	45.4-61.0	38	16.1	10.2-22.0	18	9.3	04.0-14.6	7	3.1	00.4-05.8	39	15.1	09.8-20.4	7	3.2	00.5-05.9
H.S. or G.E.D.	83	5,053	38	46.5	33.2-59.8	14	14.9	06.7-23.1	9	11.9	02.5-21.3	7	12.8	01.0-24.6	12	11.5	03.7-19.3	3	2.3	00.0-05.0
Some Post-H.S.	124	10,084	75	64.1	54.1-74.1	19	14.8	07.5-22.1	9	8.6	02.1-15.1	2	1.6	00.0-04.5	16	9.2	03.9-14.5	3	1.8	00.0-04.2
College Graduate	89	4,769	51	56.8	43.9-69.7	12	14.2	03.2-25.2	5	5.0	00.0-10.3	3	3.7	00.0-08.2	17	18.4	09.0-27.8	1	1.9	00.0-05.6
\$50,000- 99,999	76	5,178	44	61.4	46.9-75.9	12	18.4	05.9-30.9	4	4.7	00.0-10.4	3	3.9	00.0-08.8	13	11.7	04.4-19.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	742	54,693	172	23.9	19.8-28.0	275	36.8	32.3-41.3	76	8.6	06.2-11.0	115	16.2	12.1-20.3	43	5.6	03.4-07.8	61	8.9	06.4-11.4
Male	427	32,090	91	24.1	18.4-29.8	169	38.0	32.1-43.9	45	9.1	05.8-12.4	70	16.0	10.9-21.1	25	5.2	02.7-07.7	27	7.6	04.5-10.7
Female	315	22,603	81	23.7	17.6-29.8	106	35.1	27.8-42.4	31	7.9	04.4-11.4	45	16.6	09.3-23.9	18	6.1	02.4-09.8	34	10.6	06.5-14.7
Native	62	5,590	14	28.3	13.6-43.0	17	25.1	11.4-38.8	10	11.5	00.7-22.3	8	10.9	02.1-19.7	7	10.7	02.3-19.1	6	13.6	02.8-24.4
Non-Native	671	48,404	155	23.3	19.0-27.6	255	38.2	33.3-43.1	65	8.4	05.9-10.9	107	17.1	12.4-21.8	35	4.8	02.6-07.0	54	8.3	05.8-10.8
45-54	80	8,523	14	22.2	11.0-33.4	31	38.6	26.4-50.8	7	6.9	00.8-13.0	12	13.9	05.3-22.5	7	8.4	01.7-15.1	9	9.9	03.0-16.8
55-64	140	12,404	26	18.3	10.7-25.9	54	38.4	29.0-47.8	16	9.6	03.7-15.5	21	16.6	09.3-23.9	9	5.7	01.0-10.4	14	11.4	05.1-17.7
65+	481	25,662	121	25.7	21.0-30.4	179	39.2	33.7-44.7	48	8.6	05.9-11.3	76	14.8	11.1-18.5	23	4.0	02.0-06.0	34	7.7	04.8-10.6
Less Than H.S.	51	6,278	17	33.5	15.3-51.7	14	22.4	08.7-36.1	4	5.5	00.0-11.2	8	27.8	03.7-51.9	3	4.6	00.0-10.1	5	6.2	00.0-12.5
H.S. or G.E.D.	214	14,439	48	26.2	18.6-33.8	79	35.4	27.6-43.2	19	8.4	03.3-13.5	35	12.6	07.7-17.5	11	4.4	01.1-07.7	22	13.0	06.9-19.1
Some Post-H.S.	247	21,278	57	22.5	15.6-29.4	100	42.2	34.4-50.0	21	6.5	03.0-10.0	36	15.6	10.1-21.1	12	5.1	01.8-08.4	21	8.1	04.2-12.0
College Graduate	227	12,613	49	18.8	13.1-24.5	81	36.5	28.7-44.3	31	13.8	08.1-19.5	36	15.8	10.1-21.5	17	8.2	02.9-13.5	13	6.8	02.7-10.9
\$15,000- 24,999	69	5,079	15	23.3	08.8-37.8	23	39.8	24.7-54.9	8	7.3	01.2-13.4	12	13.7	04.7-22.7	6	7.3	00.6-14.0	5	8.6	00.8-16.4
\$25,000- 34,999	91	5,883	23	29.6	17.4-41.8	26	28.6	17.2-40.0	4	3.8	00.0-08.1	19	18.0	08.8-27.2	7	6.0	00.0-13.1	12	14.0	05.2-22.8
\$35,000- 49,999	99	7,289	27	28.6	16.8-40.4	37	40.1	26.8-53.4	8	9.5	02.2-16.8	18	12.1	05.4-18.8	2	0.6	00.0-01.6	7	9.0	01.4-16.6
\$50,000- 99,999	195	13,154	44	26.9	17.5-36.3	85	41.5	32.3-50.7	22	6.6	03.1-10.1	27	15.2	08.3-22.1	6	3.1	00.0-07.0	11	6.7	02.2-11.2
\$100,000- 199,999	81	6,716	12	12.2	04.6-19.8	38	49.9	37.0-62.8	11	15.3	04.7-25.9	11	12.3	04.5-20.1	3	3.3	00.0-07.4	6	6.9	00.4-13.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	427	32,090	91	24.1	18.4-29.8	169	38.0	32.1-43.9	45	9.1	05.8-12.4	70	16.0	10.9-21.1	25	5.2	02.7-07.7	27	7.6	04.5-10.7				
Non-Native	384	27,893	80	22.9	17.2-28.6	157	39.5	33.2-45.8	38	8.6	05.5-11.7	66	17.3	11.6-23.0	20	4.7	02.2-07.2	23	7.0	03.9-10.1				
55-64	89	7,906	19	19.9	10.1-29.7	33	39.2	27.4-51.0	12	11.9	03.3-20.5	15	17.4	08.4-26.4	5	4.6	00.0-09.5	5	7.1	00.8-13.4				
65+	259	13,444	55	21.6	15.7-27.5	108	43.1	35.7-50.5	26	8.9	05.2-12.6	44	15.9	10.8-21.0	13	3.7	01.3-06.1	13	6.9	03.0-10.8				
H.S. or G.E.D.	129	9,209	25	23.8	14.2-33.4	55	36.9	26.9-46.9	11	9.3	02.2-16.4	19	10.0	04.9-15.1	6	4.6	00.3-08.9	13	15.4	07.0-23.8				
Some Post-H.S.	122	10,811	22	19.3	09.5-29.1	55	45.5	34.5-56.5	13	8.0	02.7-13.3	21	20.1	11.3-28.9	5	3.2	00.0-06.9	6	3.9	00.6-07.2				
College Graduate	138	7,852	30	21.0	13.4-28.6	51	40.1	29.9-50.3	17	12.1	05.2-19.0	25	15.7	08.8-22.6	11	7.8	02.3-13.3	4	3.3	00.0-07.2				
\$25,000- 34,999	53	3,401	10	26.8	09.7-43.9	16	32.4	16.3-48.5	1	1.3	00.0-04.0	15	26.3	11.8-40.8	6	4.3	00.2-08.4	5	8.8	00.4-17.2				
\$35,000- 49,999	54	3,957	14	33.9	17.6-50.2	22	32.2	17.7-46.7	3	5.9	00.0-12.6	11	16.7	05.5-27.9	1	0.7	00.0-02.1	3	10.5	00.0-22.8				
\$50,000- 99,999	120	8,113	23	23.6	11.4-35.8	59	48.2	35.7-60.7	15	8.4	03.1-13.7	17	16.3	07.5-25.1	3	1.3	00.0-03.1	3	2.1	00.0-04.6				
\$100,000- 199,999	59	5,000	9	12.4	03.2-21.6	28	52.4	36.9-67.9	9	18.3	04.8-31.8	8	10.0	02.2-17.8	1	2.1	00.0-06.2	4	4.8	00.0-10.3				

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	315	22,603	81	23.7	17.6-29.8	106	35.1	27.8-42.4	31	7.9	04.4-11.4	45	16.6	09.3-23.9	18	6.1	02.4-09.8	34	10.6	06.5-14.7
Non-Native	287	20,511	75	23.7	17.4-30.0	98	36.4	28.6-44.2	27	8.1	04.2-12.0	41	16.8	09.2-24.4	15	5.0	01.5-08.5	31	10.0	05.9-14.1
55-64	51	4,498	7	15.6	03.3-27.9	21	37.1	21.6-52.6	4	5.7	00.0-11.8	6	15.1	02.9-27.3	4	7.6	00.0-17.2	9	19.0	06.1-31.9
65+	222	12,218	66	30.1	22.8-37.4	71	35.0	27.0-43.0	22	8.2	04.3-12.1	32	13.6	08.3-18.9	10	4.4	01.1-07.7	21	8.6	04.5-12.7
H.S. or G.E.D.	85	5,229	23	30.4	18.1-42.7	24	32.7	19.6-45.8	8	6.9	01.2-12.6	16	17.1	07.1-27.1	5	4.0	00.0-08.9	9	8.8	01.5-16.1
Some Post-H.S.	125	10,467	35	25.8	16.2-35.4	45	38.8	27.8-49.8	8	4.9	00.4-09.4	15	11.0	04.3-17.7	7	7.1	01.6-12.6	15	12.4	05.3-19.5
College Graduate	89	4,760	19	15.2	07.4-23.0	30	30.5	18.9-42.1	14	16.8	06.4-27.2	11	16.0	06.0-26.0	6	8.9	00.0-19.3	9	12.6	04.0-21.2
\$50,000- 99,999	75	5,040	21	32.2	17.1-47.3	26	30.7	18.4-43.0	7	3.6	00.7-06.5	10	13.5	02.9-24.1	3	6.0	00.0-15.6	8	14.1	03.7-24.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	726	54,064	460	61.6	56.5-66.7	206	28.7	24.0-33.4	15	2.3	00.9-03.7	9	0.6	00.0-01.2	31	6.1	02.8-09.4	5	0.7	00.0-01.5
Male	417	31,810	267	62.1	55.8-68.4	119	29.0	22.7-35.3	10	2.7	00.7-04.7	3	0.4	00.0-01.0	17	5.6	02.5-08.7	1	0.1	00.0-00.3
Female	309	22,254	193	60.8	52.8-68.8	87	28.2	21.3-35.1	5	1.7	00.0-03.7	6	0.9	00.0-01.9	14	6.8	00.1-13.5	4	1.6	00.0-03.4
Native	59	5,437	31	52.1	36.0-68.2	21	36.5	20.4-52.6	2	2.7	00.0-07.0	2	1.5	00.0-03.9	2	4.6	00.0-11.5	1	2.6	00.0-07.5
Non-Native	659	48,006	425	62.9	57.6-68.2	183	27.9	23.2-32.6	13	2.3	00.7-03.9	7	0.5	00.0-01.1	27	5.9	02.4-09.4	4	0.5	00.0-01.1
45-54	78	8,327	40	51.5	38.8-64.2	27	35.7	23.2-48.2	3	2.8	00.0-06.5				7	8.2	00.9-15.5	1	1.7	00.0-05.0
55-64	140	12,574	84	60.5	50.9-70.1	43	29.8	20.8-38.8	3	2.3	00.0-05.4	3	1.1	00.0-02.7	7	6.3	01.4-11.2			
65+	467	25,060	315	71.5	66.8-76.2	123	23.0	18.7-27.3	7	1.6	00.0-03.2	6	0.8	00.0-01.6	12	2.1	00.5-03.7	4	1.0	00.0-02.0
Less Than H.S.	51	6,315	34	50.1	29.5-70.7	10	27.9	07.3-48.5				1	1.0	00.0-03.0	6	21.0	00.0-42.2			
H.S. or G.E.D.	203	13,942	136	69.0	60.8-77.2	51	20.9	14.0-27.8	4	1.4	00.0-03.0	3	0.7	00.0-01.7	9	8.0	02.5-13.5			
Some Post-H.S.	247	21,257	150	60.8	53.0-68.6	76	31.5	24.1-38.9	5	3.4	00.3-06.5	3	0.6	00.0-01.6	8	1.8	00.2-03.4	5	1.8	00.0-03.6
College Graduate	222	12,464	138	60.3	52.1-68.5	68	33.1	25.1-41.1	6	2.6	00.1-05.1	2	0.4	00.0-01.0	8	3.7	00.8-06.6			
\$15,000- 24,999	70	5,146	41	56.4	41.3-71.5	23	34.1	19.2-49.0	1	2.3	00.0-06.6	2	1.7	00.0-04.2	3	5.6	00.0-12.5			
\$25,000- 34,999	89	5,839	52	58.6	45.5-71.7	27	27.7	16.1-39.3	2	1.2	00.0-03.4	2	1.3	00.0-03.3	6	11.2	00.8-21.6			
\$35,000- 49,999	96	6,965	66	66.9	53.0-80.8	24	25.8	12.3-39.3	1	1.3	00.0-03.8	1	0.4	00.0-01.2	4	5.7	00.0-12.8			
\$50,000- 99,999	189	12,978	131	71.1	62.5-79.7	49	25.3	16.9-33.7	3	0.7	00.0-01.7	2	0.9	00.0-02.3	3	1.2	00.0-02.8	1	0.8	00.0-02.4
\$100,000- 199,999	82	6,779	53	65.1	52.8-77.4	25	32.2	19.9-44.5				1	0.4	00.0-01.2	3	2.3	00.0-05.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	417	31,810	267	62.1	55.6-68.6	119	29.0	22.7-35.3	10	2.7	0.7-04.7	3	0.4	0.0-01.0	17	5.6	02.5-08.7	1	0.1	00.0-00.3
Non-Native	377	27,829	248	64.8	58.3-71.3	104	27.0	20.7-33.3	9	3.0	0.6-05.4	2	0.3	0.0-00.7	13	4.8	01.7-07.9	1	0.1	00.0-00.3
55-64	89	8,076	53	58.6	46.3-70.9	31	33.6	21.8-45.4	2	3.4	0.0-08.3				3	4.4	00.0-09.7			
65+	251	13,190	170	72.9	66.8-79.0	66	21.6	16.1-27.1	5	1.4	0.0-02.8	3	1.1	0.0-02.5	6	2.8	00.1-05.5	1	0.3	00.0-00.9
H.S. or G.E.D.	122	8,925	83	68.1	57.5-78.7	28	19.1	10.3-27.9	3	1.9	0.0-04.3	1	0.6	0.0-01.8	7	10.3	02.7-17.9			
Some Post-H.S.	122	10,856	76	63.9	53.5-74.3	39	30.7	20.9-40.5	3	3.8	0.0-08.7	1	0.2	0.0-00.6	2	1.0	0.0-02.4	1	0.3	00.0-00.9
College Graduate	134	7,738	85	62.5	52.1-72.9	42	31.7	21.5-41.9	4	3.7	0.0-07.8				3	2.2	0.0-05.1			
\$25,000- 34,999	51	3,357	28	57.1	39.5-74.7	18	29.4	13.9-44.9	2	2.1	0.0-05.8	1	1.6	0.0-04.7	2	9.8	00.0-24.3			
\$35,000- 49,999	53	3,821	36	66.1	50.2-82.0	13	21.7	09.2-34.2	1	2.3	0.0-06.8	1	0.7	0.0-02.1	2	9.2	00.0-21.7			
\$50,000- 99,999	115	7,977	81	70.6	59.0-82.2	30	27.6	16.0-39.2	2	0.9	0.0-02.5				2	0.9	0.0-02.1			
\$100,000- 199,999	60	5,063	42	70.1	55.4-84.8	16	27.9	13.4-42.4							2	1.9	0.0-04.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	309	22,254	193	60.8	52.8-68.8	87	28.2	21.3-35.1	5	1.7	00.0-03.7	6	0.9	00.0-01.9	14	6.8	00.1-13.5	4	1.6	00.0-03.4
Non-Native	282	20,177	177	60.2	51.6-68.8	79	29.1	21.7-36.5	4	1.2	00.0-03.2	5	0.9	00.0-01.9	14	7.5	00.2-14.8	3	1.0	00.0-02.4
55-64	51	4,498	31	63.9	48.4-79.4	12	23.0	09.1-36.9	1	0.4	00.0-01.2	3	3.1	00.0-07.4	4	9.6	00.0-19.6			
65+	216	11,869	145	70.0	62.6-77.4	57	24.6	17.9-31.3	2	1.8	00.0-04.9	3	0.5	00.0-01.1	6	1.3	00.3-02.3	3	1.8	00.0-04.0
H.S. or G.E.D.	81	5,016	53	70.5	58.2-82.8	23	23.9	12.7-35.1	1	0.5	00.0-01.7	2	0.9	00.0-02.3	2	4.1	00.0-10.8			
Some Post-H.S.	125	10,401	74	57.6	46.2-69.0	37	32.4	21.2-43.6	2	2.9	00.0-07.0	2	1.1	00.0-02.9	6	2.6	00.0-05.5	4	3.4	00.0-06.9
College Graduate	88	4,726	53	56.8	43.7-69.9	26	35.3	22.4-48.2	2	0.7	00.0-01.7	2	1.0	00.0-02.4	5	6.1	00.0-12.2			
\$50,000- 99,999	74	5,001	50	71.9	59.0-84.8	19	21.7	09.7-33.7	1	0.3	00.0-00.9	2	2.3	00.0-06.0	1	1.7	00.0-05.0	1	2.1	00.0-06.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	731	54,158	236	33.8	29.3-38.3	212	28.3	24.2-32.4	40	5.4	0.2-08.1	75	9.9	0.7-12.6	35	3.2	0.2-04.4	133	19.4	15.1-23.7
Male	425	32,117	138	34.9	28.8-41.0	133	31.9	26.2-37.6	21	5.2	0.1-09.3	42	9.2	0.5-12.5	24	4.0	0.2-06.0	67	14.7	10.6-18.8
Female	306	22,041	98	32.2	25.1-39.3	79	23.0	17.1-28.9	19	5.6	0.2-08.7	33	11.0	0.6-15.5	11	1.9	0.0-03.1	66	26.3	18.3-34.3
Native	60	5,400	17	29.7	14.8-44.6	22	36.5	21.2-51.8	9	11.4	0.3-19.6	1	0.4	0.0-01.2	3	6.3	0.0-13.7	8	15.6	0.4-27.0
Non-Native	662	48,058	216	34.3	29.4-39.2	189	27.7	23.4-32.0	30	4.5	0.1-07.4	74	11.2	0.8-14.1	32	2.8	0.1-04.0	121	19.5	15.0-24.0
45-54	80	8,523	27	36.0	23.8-48.2	20	25.8	14.6-37.0	3	4.1	0.0-08.8	8	12.1	0.3-20.9	5	5.6	0.1-11.1	17	16.5	0.8-24.7
55-64	140	12,418	38	26.6	18.2-35.0	48	35.2	25.8-44.6	10	6.5	0.2-11.0	15	12.0	0.5-18.5	3	0.7	0.0-01.5	26	19.1	11.3-26.9
65+	470	25,113	158	35.7	30.4-41.0	132	28.9	23.8-34.0	24	3.5	0.1-05.1	49	9.8	0.6-12.9	27	4.6	0.2-06.6	80	17.5	13.2-21.8
Less Than H.S.	52	6,295	23	43.6	24.0-63.2	10	13.2	0.3-23.0	3	13.4	0.0-31.8	2	0.9	0.0-02.3	4	4.3	0.0-09.0	10	24.7	0.9-45.5
H.S. or G.E.D.	206	13,988	58	30.8	22.6-39.0	67	32.5	24.5-40.5	9	2.3	0.0-03.9	16	4.8	0.2-07.3	12	4.5	0.1-07.6	44	25.1	17.5-32.7
Some Post-H.S.	245	21,304	84	32.4	25.0-39.8	69	28.9	21.8-36.0	17	5.7	0.2-09.0	31	15.4	0.9-21.1	7	1.7	0.0-03.1	37	15.9	0.9-22.2
College Graduate	225	12,486	70	34.7	26.9-42.5	64	29.8	22.2-37.4	11	4.3	0.1-07.0	26	11.0	0.6-15.9	12	3.7	0.1-06.2	42	16.5	10.8-22.2
\$15,000- 24,999	70	5,229	21	36.3	20.6-52.0	17	21.1	10.3-31.9	7	13.4	0.3-23.8	8	7.6	0.1-13.7	5	4.4	0.0-08.5	12	17.3	0.6-28.1
\$25,000- 34,999	84	5,452	24	32.3	19.2-45.4	24	29.7	17.7-41.7	3	2.5	0.0-05.2	13	13.1	0.4-22.1	4	2.8	0.0-05.9	16	19.6	0.9-30.0
\$35,000- 49,999	96	6,976	35	39.9	27.0-52.8	25	24.5	13.9-35.1	3	2.0	0.0-04.7	10	7.9	0.1-14.0	4	2.4	0.0-04.9	19	23.3	0.8-36.8
\$50,000- 99,999	194	13,251	74	40.3	30.9-49.7	56	29.1	20.7-37.5	10	3.1	0.0-05.5	16	11.9	0.5-18.4	10	2.2	0.0-03.8	28	13.4	0.7-19.5
\$100,000- 199,999	81	6,728	23	28.0	16.6-39.4	29	41.1	28.0-54.2	3	1.9	0.0-04.4	10	10.5	0.3-17.8	2	1.5	0.0-03.9	14	16.9	0.9-25.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	425	32,117	138	34.9	28.8-41.0	133	31.9	26.2-37.6	21	5.2	01.1-09.3	42	9.2	05.9-12.5	24	4.0	02.0-06.0	67	14.7	10.6-18.8
Non-Native	382	27,920	125	35.3	29.0-41.6	118	31.3	25.4-37.2	14	4.2	00.0-08.7	42	10.6	06.7-14.5	21	3.4	01.6-05.2	62	15.2	10.7-19.7
55-64	90	8,094	23	23.9	13.7-34.1	32	38.7	26.5-50.9	7	6.4	01.3-11.5	11	12.4	04.6-20.2	2	0.7	00.0-01.7	15	17.9	08.3-27.5
65+	256	13,283	90	39.4	32.1-46.7	75	30.7	23.6-37.8	12	3.0	01.2-04.8	24	7.9	04.4-11.4	18	5.9	03.0-08.8	37	13.0	08.3-17.7
H.S. or G.E.D.	126	9,092	35	27.9	18.1-37.7	46	36.8	26.4-47.2	5	2.2	00.2-04.2	7	3.1	00.6-05.6	8	5.4	00.9-09.9	25	24.6	14.6-34.6
Some Post-H.S.	123	10,978	41	33.9	23.1-44.7	41	34.7	24.1-45.3	9	4.5	01.0-08.0	15	16.6	08.2-25.0	5	2.3	00.0-04.7	12	8.0	02.1-13.9
College Graduate	137	7,813	44	34.8	25.2-44.4	41	34.9	24.7-45.1	4	1.7	00.0-03.5	18	10.4	04.7-16.1	7	3.8	00.3-07.3	23	14.5	07.4-21.6
\$25,000- 34,999	51	3,301	14	36.6	18.4-54.8	17	37.2	20.3-54.1	1	1.7	00.0-05.0	9	11.0	02.4-19.6	4	4.7	00.0-09.8	6	8.8	00.6-17.0
\$35,000- 49,999	54	3,871	22	48.6	31.9-65.3	14	19.8	07.8-31.8	1	0.8	00.0-02.4	6	12.3	01.7-22.9	1	0.7	00.0-02.3	10	17.7	04.6-30.8
\$50,000- 99,999	118	8,057	42	34.3	22.3-46.3	32	33.5	21.3-45.7	7	4.0	00.5-07.5	12	13.4	05.0-21.8	7	2.6	00.2-05.0	18	12.2	04.9-19.5
\$100,000- 199,999	59	5,012	15	25.8	12.7-38.9	26	50.9	35.4-66.4	1	0.3	00.0-00.9	7	8.2	01.1-15.3	1	1.5	00.0-04.4	9	13.2	04.0-22.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	306	22,041	98	32.2	25.1-39.3	79	23.0	17.1-28.9	19	5.6	02.5-08.7	33	11.0	06.7-15.3	11	1.9	00.7-03.1	66	26.3	18.3-34.3
Non-Native	280	20,138	91	32.9	25.5-40.3	71	22.7	16.6-28.8	16	4.9	02.0-07.8	32	11.9	07.0-16.8	11	2.0	00.6-03.4	59	25.6	17.0-34.2
55-64	50	4,324	15	31.6	16.5-46.7	16	28.5	14.2-42.8	3	6.8	00.0-15.6	4	11.2	00.0-22.6	1	0.6	00.0-01.8	11	21.3	08.0-34.6
65+	214	11,830	68	31.6	24.0-39.2	57	26.8	19.5-34.1	12	4.0	01.5-06.5	25	11.9	06.8-17.0	9	3.1	00.9-05.3	43	22.6	15.3-29.9
H.S. or G.E.D.	80	4,896	23	36.3	22.0-50.6	21	24.6	13.2-36.0	4	2.5	00.0-05.0	9	7.8	01.9-13.7	4	2.8	00.0-05.7	19	26.1	13.8-38.4
Some Post-H.S.	122	10,326	43	30.9	20.9-40.9	28	22.7	13.9-31.5	8	6.9	01.4-12.4	16	14.2	06.6-21.8	2	1.0	00.0-02.6	25	24.4	13.6-35.2
College Graduate	88	4,672	26	34.3	21.0-47.6	23	21.4	11.4-31.4	7	8.6	01.7-15.5	8	12.2	03.0-21.4	5	3.5	00.0-07.0	19	19.9	09.9-29.9
\$50,000- 99,999	76	5,194	32	49.7	34.8-64.6	24	22.3	12.1-32.5	3	1.8	00.0-03.8	4	9.6	00.0-19.6	3	1.5	00.0-03.5	10	15.2	04.8-25.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	735	53,608	144	18.1	14.6-21.6	414	50.1	45.4-54.8	89	12.7	09.6-15.8	67	12.7	09.0-16.4	21	6.4	02.5-10.3
Male	424	31,250	83	18.3	13.6-23.0	234	49.5	43.4-55.6	53	12.3	08.4-16.2	42	14.4	09.3-19.5	12	5.5	01.0-10.0
Female	311	22,359	61	17.8	12.7-22.9	180	51.1	43.3-58.9	36	13.3	08.0-18.6	25	10.2	04.9-15.5	9	7.6	00.3-14.9
Native	61	5,268	11	18.0	05.1-30.9	31	49.2	33.7-64.7	10	13.9	01.9-25.9	7	15.6	04.0-27.2	2	3.3	00.0-08.0
Non-Native	665	47,641	132	18.2	14.7-21.7	378	50.1	45.0-55.2	78	12.6	09.3-15.9	59	12.4	08.5-16.3	18	6.6	02.1-11.1
45-54	79	8,451	19	27.2	15.2-39.2	36	42.6	30.3-54.9	12	15.0	06.4-23.6	10	13.7	04.9-22.5	2	1.5	00.0-03.7
55-64	141	12,612	22	15.6	08.5-22.7	79	52.9	43.3-62.5	20	16.1	08.5-23.7	17	12.5	05.8-19.2	3	2.9	00.0-06.2
65+	478	25,407	99	19.5	15.4-23.6	287	60.0	54.7-65.3	52	10.8	07.3-14.3	32	8.2	05.1-11.3	8	1.4	00.2-02.6
H.S. or G.E.D.	211	14,096	37	19.8	13.1-26.5	122	50.7	42.3-59.1	29	15.3	08.8-21.8	16	8.6	03.7-13.5	7	5.6	00.9-10.3
Some Post-H.S.	248	21,055	40	15.4	10.1-20.7	150	54.5	46.5-62.5	29	11.7	06.6-16.8	24	15.1	08.0-22.2	5	3.2	00.0-06.9
College Graduate	224	12,437	55	23.1	16.0-30.2	120	50.5	42.3-58.7	25	13.4	07.3-19.5	17	8.4	03.9-12.9	7	4.6	00.7-08.5
\$15,000- 24,999	69	5,027	7	7.0	00.7-13.3	44	58.4	43.1-73.7	7	11.3	01.9-20.7	10	22.9	08.0-37.8	1	0.4	00.0-01.2
\$25,000- 34,999	91	5,883	24	26.2	14.4-38.0	44	42.2	29.9-54.5	10	12.9	03.7-22.1	10	15.1	04.9-25.3	3	3.6	00.0-08.1
\$35,000- 49,999	98	6,904	13	13.7	05.3-22.1	63	58.0	44.3-71.7	10	8.5	02.0-15.0	11	17.0	03.5-30.5	1	2.8	00.0-08.3
\$50,000- 99,999	196	13,316	40	18.5	11.2-25.8	113	52.1	42.7-61.5	26	12.7	06.6-18.8	11	10.3	02.9-17.7	6	6.3	00.2-12.4
\$100,000- 199,999	78	6,362	19	27.3	15.9-38.7	43	49.7	36.6-62.8	8	13.8	03.0-24.6	6	7.1	00.4-13.8	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	424	31,250	83	18.3	13.6-23.0	234	49.5	43.4-55.6	53	12.3	08.4-16.2	42	14.4	09.3-19.5	12	5.5	01.0-10.0
Non-Native	382	27,375	76	18.6	13.7-23.5	212	49.5	42.8-56.2	48	12.2	08.3-16.1	37	14.4	09.1-19.7	9	5.3	00.4-10.2
55-64	91	8,152	13	14.1	06.1-22.1	54	56.7	44.9-68.5	14	15.7	06.3-25.1	9	12.4	04.0-20.8	1	1.1	00.0-03.3
65+	258	13,323	58	21.4	15.5-27.3	149	57.6	50.3-64.9	27	9.8	05.7-13.9	19	9.1	04.4-13.8	5	2.1	00.1-04.1
H.S. or G.E.D.	128	8,952	26	22.4	13.6-31.2	65	44.5	33.9-55.1	22	19.1	10.3-27.9	10	7.5	01.8-13.2	5	6.4	00.1-12.7
Some Post-H.S.	123	10,621	18	12.3	05.4-19.2	74	56.7	45.7-67.7	13	8.2	02.9-13.5	15	19.8	09.4-30.2	3	3.0	00.0-06.9
College Graduate	136	7,767	31	23.5	14.1-32.9	78	52.5	42.1-62.9	15	13.2	05.9-20.5	9	8.4	02.3-14.5	3	2.5	00.0-05.6
\$25,000- 34,999	53	3,401	15	32.8	15.4-50.2	24	37.3	21.4-53.2	5	10.6	00.4-20.8	6	13.0	00.1-25.9	3	6.3	00.0-14.1
\$35,000- 49,999	55	3,764	5	8.9	00.1-17.7	37	64.6	48.7-80.5	7	12.4	01.8-23.0	6	14.2	02.0-26.4			
\$50,000- 99,999	120	8,152	24	17.0	08.0-26.0	69	53.8	42.2-65.4	14	9.4	03.9-14.9	9	14.9	03.5-26.3	4	4.9	00.0-10.8
\$100,000- 199,999	57	4,718	11	22.1	09.4-34.8	32	51.4	35.7-67.1	7	15.4	02.1-28.7	6	9.6	00.6-18.6	1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	22,359	61	17.8	12.7-22.9	180	51.1	43.3-58.9	36	13.3	08.0-18.6	25	10.2	04.9-15.5	9	7.6	00.3-14.9
Non-Native	283	20,266	56	17.6	12.1-23.1	166	51.0	42.8-59.2	30	13.2	07.5-18.9	22	9.8	04.3-15.3	9	8.4	00.6-16.2
55-64	50	4,460	9	18.3	05.4-31.2	25	46.0	29.9-62.1	6	16.8	03.5-30.1	8	12.8	02.0-23.6	2	6.2	00.0-14.8
65+	220	12,085	41	17.4	11.5-23.3	138	62.7	54.9-70.5	25	11.9	06.0-17.8	13	7.3	03.2-11.4	3	0.6	00.0-01.4
H.S. or G.E.D.	83	5,144	11	15.2	05.8-24.6	57	61.4	48.1-74.7	7	8.7	01.1-16.3	6	10.5	01.5-19.5	2	4.2	00.0-10.9
Some Post-H.S.	125	10,434	22	18.6	10.4-26.8	76	52.4	41.0-63.8	16	15.4	07.0-23.8	9	10.3	01.1-19.5	2	3.5	00.0-09.8
College Graduate	88	4,670	24	22.5	12.1-32.9	42	47.2	34.3-60.1	10	13.7	02.5-24.9	8	8.5	01.8-15.2	4	8.0	00.0-17.0
\$50,000- 99,999	76	5,164	16	21.0	08.7-33.3	44	49.5	34.6-64.4	12	17.7	05.2-30.2	2	3.2	00.0-07.7	2	8.6	00.0-21.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	746	55,189	113	16.9	12.6-21.2	633	83.1	78.8-87.4
Male	432	32,508	74	18.5	13.0-24.0	358	81.5	76.0-87.0
Female	314	22,681	39	14.6	07.5-21.7	275	85.4	78.3-92.5
Native	63	5,649	15	19.9	07.6-32.2	48	80.1	67.8-92.4
Non-Native	674	48,841	95	16.3	11.6-21.0	579	83.7	79.0-88.4
45-54	77	8,142	13	17.9	08.1-27.7	64	82.1	72.3-91.9
55-64	142	12,651	20	15.4	08.0-22.8	122	84.6	77.2-92.0
65+	485	26,109	72	14.0	10.5-17.5	413	86.0	82.5-89.5
Less Than H.S.	52	6,380	12	37.2	14.7-59.7	40	62.8	40.3-85.3
H.S. or G.E.D.	211	14,297	31	16.7	10.0-23.4	180	83.3	76.6-90.0
Some Post-H.S.	253	21,852	34	12.8	07.9-17.7	219	87.2	82.3-92.1
College Graduate	227	12,574	36	14.0	08.7-19.3	191	86.0	80.7-91.3
\$15,000- 24,999	70	5,269	11	15.9	02.8-29.0	59	84.1	71.0-97.2
\$25,000- 34,999	90	5,863	17	17.1	08.3-25.9	73	82.9	74.1-91.7
\$35,000- 49,999	102	7,406	10	11.4	04.0-18.8	92	88.6	81.2-96.0
\$50,000- 99,999	196	13,320	27	12.2	06.3-18.1	169	87.8	81.9-93.7
\$100,000- 199,999	81	6,720	11	16.1	05.7-26.5	70	83.9	73.5-94.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	432	32,508	74	18.5	13.0-24.0	358	81.5	76.0-87.0
Non-Native	388	28,253	61	17.7	11.8-23.6	327	82.3	76.4-88.2
55-64	91	8,152	14	16.8	07.0-26.6	77	83.2	73.4-93.0
65+	263	13,754	46	17.8	12.3-23.3	217	82.2	76.7-87.7
H.S. or G.E.D.	128	9,145	22	20.0	11.0-29.0	106	80.0	71.0-89.0
Some Post-H.S.	126	11,156	20	13.6	06.9-20.3	106	86.4	79.7-93.1
College Graduate	138	7,852	24	15.6	08.5-22.7	114	84.4	77.3-91.5
\$25,000- 34,999	53	3,401	12	19.2	07.0-31.4	41	80.8	68.6-93.0
\$35,000- 49,999	57	4,074	5	9.4	00.8-18.0	52	90.6	82.0-99.2
\$50,000- 99,999	120	8,143	20	14.1	06.5-21.7	100	85.9	78.3-93.5
\$100,000- 199,999	60	5,063	7	13.7	01.7-25.7	53	86.3	74.3-98.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	314	22,681	39	14.6	07.5-21.7	275	85.4	78.3-92.5
Non-Native	286	20,589	34	14.4	06.8-22.0	252	85.6	78.0-93.2
55-64	51	4,498	6	13.1	02.1-24.1	45	86.9	75.9-97.9
65+	222	12,355	26	9.8	05.7-13.9	196	90.2	86.1-94.3
H.S. or G.E.D.	83	5,152	9	10.8	02.4-19.2	74	89.2	80.8-97.6
Some Post-H.S.	127	10,696	14	12.0	05.1-18.9	113	88.0	81.1-94.9
College Graduate	89	4,722	12	11.2	03.8-18.6	77	88.8	81.4-96.2
\$50,000- 99,999	76	5,177	7	9.2	00.0-18.4	69	90.8	81.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	751	55,505	373	49.7	44.8-54.6	378	50.3	45.4-55.2
Male	434	32,830	206	47.5	41.2-53.8	228	52.5	46.2-58.8
Female	317	22,676	167	52.8	45.2-60.4	150	47.2	39.6-54.8
Native	63	5,649	25	34.4	20.3-48.5	38	65.6	51.5-79.7
Non-Native	679	49,158	345	51.8	46.7-56.9	334	48.2	43.1-53.3
45-54	79	8,464	44	57.1	44.6-69.6	35	42.9	30.4-55.4
55-64	142	12,651	70	45.4	36.0-54.8	72	54.6	45.2-64.0
65+	488	26,103	237	50.2	44.7-55.7	251	49.8	44.3-55.3
Less Than H.S.	53	6,415	20	40.5	20.7-60.3	33	59.5	39.7-79.3
H.S. or G.E.D.	215	14,532	81	38.9	30.7-47.1	134	61.1	52.9-69.3
Some Post-H.S.	254	21,918	139	53.8	46.0-61.6	115	46.2	38.4-54.0
College Graduate	226	12,554	132	59.7	51.7-67.7	94	40.3	32.3-48.3
\$15,000- 24,999	72	5,347	27	33.7	20.2-47.2	45	66.3	52.8-79.8
\$25,000- 34,999	91	5,883	46	49.6	36.7-62.5	45	50.4	37.5-63.3
\$35,000- 49,999	101	7,310	51	49.9	36.8-63.0	50	50.1	37.0-63.2
\$50,000- 99,999	195	13,203	100	55.8	46.4-65.2	95	44.2	34.8-53.6
\$100,000- 199,999	81	6,720	50	62.7	50.2-75.2	31	37.3	24.8-49.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	434	32,830	206	47.5	41.2-53.8	228	52.5	46.2-58.8
Non-Native	390	28,574	190	50.1	43.4-56.8	200	49.9	43.2-56.6
55-64	91	8,152	42	42.4	30.8-54.0	49	57.6	46.0-69.2
65+	263	13,753	118	43.3	36.0-50.6	145	56.7	49.4-64.0
H.S. or G.E.D.	130	9,302	46	35.3	25.1-45.5	84	64.7	54.5-74.9
Some Post-H.S.	127	11,340	66	50.1	39.3-60.9	61	49.9	39.1-60.7
College Graduate	137	7,832	81	62.1	52.1-72.1	56	37.9	27.9-47.9
\$25,000- 34,999	53	3,401	24	41.6	24.4-58.8	29	58.4	41.2-75.6
\$35,000- 49,999	57	4,074	25	42.8	26.9-58.7	32	57.2	41.3-73.1
\$50,000- 99,999	119	8,128	58	56.1	43.9-68.3	61	43.9	31.7-56.1
\$100,000- 199,999	60	5,063	39	66.7	52.0-81.4	21	33.3	18.6-48.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	317	22,676	167	52.8	45.0-60.6	150	47.2	39.4-55.0
Non-Native	289	20,584	155	54.2	46.0-62.4	134	45.8	37.6-54.0
55-64	51	4,498	28	50.8	34.5-67.1	23	49.2	32.9-65.5
65+	225	12,350	119	57.9	50.1-65.7	106	42.1	34.3-49.9
H.S. or G.E.D.	85	5,229	35	45.3	31.6-59.0	50	54.7	41.0-68.4
Some Post-H.S.	127	10,578	73	57.7	46.3-69.1	54	42.3	30.9-53.7
College Graduate	89	4,722	51	55.7	42.4-69.0	38	44.3	31.0-57.6
\$50,000- 99,999	76	5,075	42	55.3	40.2-70.4	34	44.7	29.6-59.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 19: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 19: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPER1)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOU1)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 1: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5440	537,351	920	16.3	15.1-17.5	4517	83.7	82.5-84.9	3	0.0	00.0-00.0
Male	2758	273,122	376	12.9	11.3-14.5	2382	87.1	85.5-88.7			
Female	2682	264,229	544	19.7	17.7-21.7	2135	80.3	78.3-82.3	3	0.1	00.1-00.1
Native	238	23,223	69	29.0	21.2-36.8	169	71.0	63.2-78.8			
Non-Native	5127	507,932	832	15.5	14.3-16.7	4292	84.5	83.3-85.7	3	0.0	00.0-00.0
18-24	302	64,983	33	10.8	06.9-14.7	269	89.2	85.3-93.1			
25-34	477	100,037	44	10.8	07.3-14.3	433	89.2	85.7-92.7			
35-44	605	90,475	95	16.2	12.9-19.5	510	83.8	80.5-87.1			
45-54	689	74,303	124	17.9	14.6-21.2	565	82.1	78.8-85.4			
55-64	990	85,499	217	22.1	19.0-25.2	772	77.8	74.7-80.9	1	0.1	00.0-00.3
65+	2377	122,054	407	18.5	16.5-20.5	1968	81.4	79.4-83.4	2	0.0	00.0-00.0
Less Than H.S.	245	38,832	42	17.9	11.4-24.4	203	82.1	75.6-88.6			
H.S. or G.E.D.	1505	140,211	232	15.1	12.7-17.5	1272	84.8	82.4-87.2	1	0.1	00.0-00.3
Some Post-H.S.	1773	205,279	336	17.7	15.5-19.9	1436	82.3	80.1-84.5	1	0.0	00.0-00.0
College Graduate	1903	151,432	309	15.0	13.0-17.0	1593	85.0	83.0-87.0	1	0.0	00.0-00.0
Less than \$15,000	185	21,973	34	21.6	13.2-30.0	151	78.4	70.0-86.8			
\$15,000- 24,999	368	30,974	65	22.9	16.6-29.2	303	77.1	70.8-83.4			
\$25,000- 34,999	488	45,428	97	18.9	14.2-23.6	391	81.1	76.4-85.8			
\$35,000- 49,999	683	62,498	133	15.7	12.4-19.0	550	84.3	81.0-87.6			
\$50,000- 99,999	1515	151,591	257	15.9	13.5-18.3	1257	84.0	81.6-86.4	1	0.1	00.0-00.3
\$100,000- 199,999	975	105,073	157	15.4	12.7-18.1	818	84.6	81.9-87.3			
\$200,000+	184	20,707	23	13.2	07.1-19.3	161	86.8	80.7-92.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 2: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2758	273,122	376	12.9	11.3-14.5	2382	87.1	85.5-88.7
Native	108	10,974	26	19.9	10.9-28.9	82	80.1	71.1-89.1
Non-Native	2596	257,451	337	12.3	10.7-13.9	2259	87.7	86.1-89.3
18-24	183	33,443	19	9.9	05.0-14.8	164	90.1	85.2-95.0
25-34	299	55,587	23	8.4	04.9-11.9	276	91.6	88.1-95.1
35-44	337	46,264	40	11.5	07.8-15.2	297	88.5	84.8-92.2
45-54	345	38,504	53	14.5	10.2-18.8	292	85.5	81.2-89.8
55-64	485	43,093	95	19.6	15.5-23.7	390	80.4	76.3-84.5
65+	1109	56,230	146	14.2	11.7-16.7	963	85.8	83.3-88.3
Less Than H.S.	142	23,023	21	13.3	06.8-19.8	121	86.7	80.2-93.2
H.S. or G.E.D.	816	79,301	96	11.3	08.8-13.8	720	88.7	86.2-91.2
Some Post-H.S.	867	100,587	141	15.2	12.5-17.9	726	84.8	82.1-87.5
College Graduate	923	68,926	117	11.3	08.9-13.7	806	88.7	86.3-91.1
Less than \$15,000	82	8,505	16	24.2	12.0-36.4	66	75.8	63.6-88.0
\$15,000- 24,999	153	13,839	28	24.9	15.5-34.3	125	75.1	65.7-84.5
\$25,000- 34,999	228	22,089	41	18.3	11.4-25.2	187	81.7	74.8-88.6
\$35,000- 49,999	338	32,722	44	11.4	07.5-15.3	294	88.6	84.7-92.5
\$50,000- 99,999	791	78,373	96	10.5	08.0-13.0	695	89.5	87.0-92.0
\$100,000- 199,999	589	60,565	74	12.2	09.1-15.3	515	87.8	84.7-90.9
\$200,000+	115	11,953	9	4.6	01.3-07.9	106	95.4	92.1-98.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 3: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2682	264,229	544	19.7	17.7-21.7	2135	80.3	78.3-82.3	3	0.1	00.1-00.1
Native	130	12,249	43	37.2	25.2-49.2	87	62.8	50.8-74.8			
Non-Native	2531	250,481	495	18.7	16.7-20.7	2033	81.2	79.2-83.2	3	0.1	00.1-00.1
18-24	119	31,540	14	11.8	05.5-18.1	105	88.2	81.9-94.5			
25-34	178	44,450	21	13.8	07.3-20.3	157	86.2	79.7-92.7			
35-44	268	44,210	55	21.2	15.7-26.7	213	78.8	73.3-84.3			
45-54	344	35,798	71	21.5	16.6-26.4	273	78.5	73.6-83.4			
55-64	505	42,406	122	24.7	20.2-29.2	382	75.1	70.6-79.6	1	0.2	00.0-00.6
65+	1268	65,824	261	22.3	19.6-25.0	1005	77.7	75.0-80.4	2	0.1	00.0-00.3
Less Than H.S.	103	15,809	21	24.6	12.1-37.1	82	75.4	62.9-87.9			
H.S. or G.E.D.	689	60,909	136	20.1	16.0-24.2	552	79.7	75.6-83.8	1	0.2	00.0-00.6
Some Post-H.S.	906	104,693	195	20.1	16.8-23.4	710	79.9	76.6-83.2	1	0.0	00.0-00.0
College Graduate	980	82,506	192	18.0	15.1-20.9	787	82.0	79.1-84.9	1	0.0	00.0-00.0
Less than \$15,000	103	13,468	18	20.1	08.5-31.7	85	79.9	68.3-91.5			
\$15,000- 24,999	215	17,135	37	21.2	13.0-29.4	178	78.8	70.6-87.0			
\$25,000- 34,999	260	23,339	56	19.4	12.9-25.9	204	80.6	74.1-87.1			
\$35,000- 49,999	345	29,777	89	20.5	15.4-25.6	256	79.5	74.4-84.6			
\$50,000- 99,999	724	73,217	161	21.8	17.7-25.9	562	78.1	74.0-82.2	1	0.1	00.0-00.3
\$100,000- 199,999	386	44,508	83	19.7	15.0-24.4	303	80.3	75.6-85.0			
\$200,000+	69	8,754	14	24.9	12.0-37.8	55	75.1	62.2-88.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 4: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	909	86,565	219	25.5	21.6-29.4	135	15.3	12.2-18.4	218	19.8	16.9-22.7	116	15.1	12.0-18.2	60	6.6	04.6-08.6	161	17.7	14.4-21.0	
Male	371	34,899	85	22.9	17.4-28.4	52	13.6	09.5-17.7	100	22.4	17.5-27.3	52	16.0	11.1-20.9	19	5.3	02.6-08.0	63	19.8	14.5-25.1	
Female	538	51,666	134	27.3	22.0-32.6	83	16.4	11.9-20.9	118	18.0	14.3-21.7	64	14.5	10.4-18.6	41	7.5	04.6-10.4	98	16.3	12.0-20.6	
Native	69	6,739	24	36.1	20.8-51.4	13	18.5	06.5-30.5	5	4.6	00.0-09.7	13	20.6	06.3-34.9	5	7.3	00.0-15.5	9	13.0	02.0-24.0	
Non-Native	822	77,954	191	24.8	20.7-28.9	120	15.0	11.7-18.3	208	20.9	17.8-24.0	102	14.8	11.5-18.1	54	6.6	04.4-08.8	147	17.8	14.3-21.3	
35-44	92	14,374	26	26.0	16.0-36.0	10	10.6	03.7-17.5	11	10.4	03.3-17.5	22	26.1	15.9-36.3	9	10.5	03.4-17.6	14	16.5	07.9-25.1	
45-54	121	13,114	42	28.1	19.7-36.5	18	13.8	06.9-20.7	18	18.8	10.4-27.2	18	15.0	07.9-22.1	6	6.7	01.2-12.2	19	17.6	09.4-25.8	
55-64	213	18,637	72	30.8	23.5-38.1	44	22.8	15.9-29.7	34	17.8	11.9-23.7	20	9.2	04.7-13.7	14	5.7	02.2-09.2	29	13.6	08.1-19.1	
65+	406	22,610	54	13.8	09.9-17.7	53	12.1	08.6-15.6	152	41.0	35.3-46.7	38	8.9	05.8-12.0	26	6.7	03.8-09.6	83	17.4	13.3-21.5	
H.S. or G.E.D.	229	20,975	44	19.7	13.0-26.4	44	21.3	14.2-28.4	53	18.3	12.8-23.8	27	14.5	07.8-21.2	21	8.0	03.9-12.1	40	18.2	11.5-24.9	
Some Post-H.S.	334	36,203	81	23.9	18.0-29.8	39	12.6	07.7-17.5	83	21.7	16.6-26.8	41	14.1	09.2-19.0	19	5.8	02.7-08.9	71	21.9	16.0-27.8	
College Graduate	303	22,244	78	24.7	19.0-30.4	48	16.2	11.1-21.3	75	20.5	15.4-25.6	43	18.7	12.8-24.6	16	6.1	02.4-09.8	43	13.8	08.7-18.9	
\$15,000- 24,999	65	7,084	15	29.3	13.6-45.0	12	12.3	04.3-20.3	12	15.4	05.8-25.0	6	10.3	00.9-19.7	4	6.9	00.4-13.4	16	25.8	11.5-40.1	
\$25,000- 34,999	97	8,569	11	14.5	03.3-25.7	15	16.8	06.6-27.0	22	19.9	10.9-28.9	14	12.1	03.5-20.7	12	13.0	02.8-23.2	23	23.8	12.0-35.6	
\$35,000- 49,999	132	9,812	28	19.5	11.5-27.5	10	6.7	01.0-12.4	43	33.2	23.2-43.2	19	20.0	09.8-30.2	7	4.8	00.7-08.9	25	15.9	08.5-23.3	
\$50,000- 99,999	253	23,906	64	27.8	20.0-35.6	32	13.2	07.3-19.1	63	20.7	14.6-26.8	35	14.5	09.0-20.0	14	5.2	02.1-08.3	45	18.6	11.9-25.3	
\$100,000- 199,999	156	16,089	41	23.3	15.9-30.7	33	22.0	14.4-29.6	33	16.0	09.7-22.3	23	20.4	12.4-28.4	11	8.1	02.8-13.4	15	10.2	03.9-16.5	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 5: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	371	34,899	85	22.9	17.4-28.4	52	13.6	09.5-17.7	100	22.4	17.5-27.3	52	16.0	11.1-20.9	19	5.3	02.6-08.0	63	19.8	14.5-25.1	
Non-Native	333	31,413	76	23.2	17.3-29.1	44	13.3	09.0-17.6	94	22.9	17.8-28.0	46	16.1	11.0-21.2	17	5.3	02.4-08.2	56	19.2	13.7-24.7	
45-54	51	5,446	15	19.1	08.3-29.9	10	15.5	04.9-26.1	9	24.3	10.0-38.6	7	12.8	02.4-23.2	3	9.7	00.0-20.7	7	18.6	04.7-32.5	
55-64	94	8,405	31	28.4	18.4-38.4	17	19.2	10.2-28.2	15	18.4	09.4-27.4	12	12.9	05.1-20.7	3	3.3	00.0-07.4	16	17.9	08.5-27.3	
65+	146	7,990	15	8.9	03.8-14.0	16	11.1	05.4-16.8	67	47.2	37.6-56.8	15	9.7	04.6-14.8	9	7.2	01.7-12.7	24	15.9	09.0-22.8	
H.S. or G.E.D.	94	8,772	22	25.9	14.1-37.7	15	18.0	08.4-27.6	18	14.7	07.1-22.3	15	17.2	08.0-26.4	10	8.9	02.6-15.2	14	15.3	06.1-24.5	
Some Post-H.S.	140	15,270	33	21.0	13.2-28.8	17	12.5	06.2-18.8	41	25.8	17.6-34.0	17	12.5	05.6-19.4	2	1.4	00.0-03.4	30	26.9	17.3-36.5	
College Graduate	115	7,602	23	16.9	09.6-24.2	19	16.0	08.2-23.8	36	27.4	17.6-37.2	16	19.0	09.6-28.4	4	4.0	00.0-08.7	17	16.7	08.1-25.3	
\$50,000- 99,999	96	8,221	21	26.8	15.8-37.8	10	8.7	02.6-14.8	27	23.0	13.0-33.0	18	19.8	09.8-29.8	5	5.4	00.3-10.5	15	16.4	06.8-26.0	
\$100,000- 199,999	74	7,379	19	21.9	10.7-33.1	14	18.2	07.6-28.8	20	22.1	11.1-33.1	11	19.3	08.5-30.1	5	8.0	00.0-16.0	5	10.5	01.1-19.9	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	538	51,666	134	27.3	22.0-32.6	83	16.4	11.9-20.9	118	18.0	14.3-21.7	64	14.5	10.4-18.6	41	7.5	04.6-10.4	98	16.3	12.0-20.6
Non-Native	489	46,541	115	25.9	20.4-31.4	76	16.1	11.4-20.8	114	19.6	15.5-23.7	56	14.0	09.9-18.1	37	7.6	04.7-10.5	91	16.8	12.3-21.3
35-44	54	9,294	14	23.0	10.7-35.3	5	8.9	00.5-17.3	5	9.3	00.5-18.1	14	27.3	14.0-40.6	7	13.7	03.5-23.9	9	17.8	06.4-29.2
45-54	70	7,668	27	34.5	22.5-46.5	8	12.5	03.7-21.3	9	15.0	05.2-24.8	11	16.6	07.0-26.2	3	4.6	00.0-09.7	12	16.8	07.0-26.6
55-64	119	10,232	41	32.8	22.6-43.0	27	25.8	15.8-35.8	19	17.4	09.6-25.2	8	6.1	00.8-11.4	11	7.8	02.5-13.1	13	10.2	03.9-16.5
65+	260	14,620	39	16.5	11.0-22.0	37	12.6	08.1-17.1	85	37.7	30.6-44.8	23	8.5	04.4-12.6	17	6.5	03.2-09.8	59	18.2	13.1-23.3
H.S. or G.E.D.	135	12,203	22	15.2	07.9-22.5	29	23.7	13.7-33.7	35	21.0	13.4-28.6	12	12.6	03.4-21.8	11	7.4	01.9-12.9	26	20.2	11.0-29.4
Some Post-H.S.	194	20,934	48	26.1	17.9-34.3	22	12.7	05.4-20.0	42	18.7	12.2-25.2	24	15.3	08.4-22.2	17	9.0	03.9-14.1	41	18.3	10.9-25.7
College Graduate	188	14,643	55	28.8	21.2-36.4	29	16.3	09.6-23.0	39	16.8	10.9-22.7	27	18.6	11.3-25.9	12	7.2	02.3-12.1	26	12.3	06.0-18.6
\$25,000- 34,999	56	4,523	6	13.2	00.7-25.7	8	16.5	01.8-31.2	11	18.2	06.6-29.8	7	9.4	01.6-17.2	10	19.5	02.4-36.6	14	23.2	07.7-38.7
\$35,000- 49,999	89	6,106	21	22.2	12.2-32.2	6	2.6	00.1-05.1	28	33.0	20.8-45.2	12	19.5	06.0-33.0	5	5.2	00.5-09.9	17	17.4	07.8-27.0
\$50,000- 99,999	157	15,685	43	28.3	17.7-38.9	22	15.6	07.2-24.0	36	19.5	11.9-27.1	17	11.7	05.4-18.0	9	5.1	01.2-09.0	30	19.8	11.0-28.6
\$100,000- 199,999	82	8,710	22	24.5	14.3-34.7	19	25.2	14.2-36.2	13	10.8	03.9-17.7	12	21.4	09.6-33.2	6	8.2	01.1-15.3	10	9.9	01.3-18.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	894	85,525	130	16.4	12.9-19.9	122	15.0	11.9-18.1	167	17.7	14.6-20.8	184	20.1	16.8-23.4	291	30.7	26.8-34.6
Male	365	34,565	54	15.6	11.1-20.1	44	13.2	08.7-17.7	65	18.0	12.9-23.1	79	21.0	15.9-26.1	123	32.1	26.2-38.0
Female	529	50,960	76	17.0	12.1-21.9	78	16.2	11.9-20.5	102	17.5	13.4-21.6	105	19.5	15.2-23.8	168	29.8	24.7-34.9
Native	66	6,446	9	14.6	01.3-27.9	12	15.2	04.0-26.4	13	17.0	03.7-30.3	13	22.8	09.3-36.3	19	30.4	15.5-45.3
Non-Native	809	77,070	120	16.9	13.2-20.6	106	14.6	11.3-17.9	151	17.9	14.6-21.2	167	19.8	16.3-23.3	265	30.8	26.7-34.9
35-44	93	14,332	14	13.7	06.1-21.3	13	12.5	05.4-19.6	18	19.1	10.3-27.9	18	21.5	11.9-31.1	30	33.3	22.3-44.3
45-54	121	12,999	22	17.1	09.7-24.5	19	14.0	07.5-20.5	22	21.4	12.6-30.2	31	28.4	19.2-37.6	27	19.1	11.3-26.9
55-64	209	18,248	25	13.7	08.0-19.4	33	13.8	08.3-19.3	42	18.0	11.9-24.1	38	17.9	11.8-24.0	71	36.6	29.0-44.2
65+	394	22,115	52	13.1	09.2-17.0	39	10.1	06.6-13.6	73	17.5	13.2-21.8	84	20.1	15.6-24.6	146	39.2	33.5-44.9
H.S. or G.E.D.	225	20,688	30	13.9	08.2-19.6	35	19.5	12.2-26.8	38	16.5	10.2-22.8	50	23.3	16.2-30.4	72	26.8	19.9-33.7
Some Post-H.S.	325	35,588	48	18.2	12.3-24.1	40	12.0	07.3-16.7	66	18.9	13.6-24.2	59	17.2	12.1-22.3	112	33.7	27.4-40.0
College Graduate	302	22,196	45	15.3	10.6-20.0	44	18.1	12.2-24.0	51	13.9	09.4-18.4	67	21.9	16.2-27.6	95	30.8	24.3-37.3
\$15,000- 24,999	62	6,811	12	23.4	08.5-38.3	8	16.0	02.9-29.1	9	18.2	05.3-31.1	14	15.8	05.2-26.4	19	26.6	13.9-39.3
\$25,000- 34,999	93	8,387	20	17.9	07.3-28.5	9	17.3	04.0-30.6	20	20.5	10.7-30.3	15	13.0	05.0-21.0	29	31.4	18.5-44.3
\$35,000- 49,999	130	9,753	17	14.2	06.8-21.6	15	14.2	05.4-23.0	19	10.9	04.8-17.0	32	25.4	16.0-34.8	47	35.2	24.8-45.6
\$50,000- 99,999	253	23,798	33	18.5	10.3-26.7	33	12.9	07.8-18.0	51	19.1	13.0-25.2	61	25.2	18.1-32.3	75	24.2	18.1-30.3
\$100,000- 199,999	156	15,952	26	18.7	11.3-26.1	21	14.1	07.6-20.6	29	16.3	09.2-23.4	24	14.5	08.0-21.0	56	36.3	27.3-45.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	365	34,565	54	15.6	11.1-20.1	44	13.2	08.7-17.7	65	18.0	12.9-23.1	79	21.0	15.9-26.1	123	32.1	26.2-38.0
Non-Native	327	31,031	50	16.8	11.7-21.9	39	13.3	08.4-18.2	59	18.4	13.1-23.7	72	20.9	15.4-26.4	107	30.7	24.6-36.8
45-54	51	5,355	7	12.0	02.0-22.0	9	14.6	04.4-24.8	7	16.6	03.3-29.9	17	38.8	22.7-54.9	11	17.9	05.4-30.4
55-64	90	8,109	11	12.0	04.4-19.6	11	10.2	03.5-16.9	16	16.7	07.7-25.7	16	17.2	08.4-26.0	36	43.8	32.0-55.6
65+	142	7,787	19	14.1	07.6-20.6	12	10.3	04.2-16.4	27	19.2	11.6-26.8	31	17.0	09.9-24.1	53	39.4	29.8-49.0
H.S. or G.E.D.	92	8,692	10	12.7	04.5-20.9	11	16.8	05.4-28.2	16	14.6	06.4-22.8	19	20.0	10.4-29.6	36	35.9	24.1-47.7
Some Post-H.S.	137	15,033	26	21.3	12.9-29.7	16	11.1	04.6-17.6	27	19.6	11.4-27.8	24	16.0	08.7-23.3	44	31.9	22.7-41.1
College Graduate	115	7,673	17	13.6	06.9-20.3	15	16.8	08.2-25.4	16	14.7	06.3-23.1	31	27.1	16.9-37.3	36	27.8	18.4-37.2
\$50,000- 99,999	95	8,076	12	13.6	04.4-22.8	10	10.7	03.3-18.1	17	20.4	10.0-30.8	24	27.6	16.2-39.0	32	27.6	17.2-38.0
\$100,000- 199,999	74	7,379	15	22.0	10.6-33.4	10	14.2	04.4-24.0	11	13.6	04.0-23.2	12	12.1	03.7-20.5	26	38.0	24.5-51.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	529	50,960	76	17.0	12.1-21.9	78	16.2	11.9-20.5	102	17.5	13.4-21.6	105	19.5	15.2-23.8	168	29.8	24.7-34.9
Non-Native	482	46,040	70	17.0	11.9-22.1	67	15.5	11.2-19.8	92	17.5	13.2-21.8	95	19.1	14.6-23.6	158	30.8	25.3-36.3
35-44	53	8,996	5	10.2	00.8-19.6	10	16.8	06.2-27.4	10	16.5	05.7-27.3	12	24.9	11.6-38.2	16	31.6	17.3-45.9
45-54	70	7,645	15	20.7	10.3-31.1	10	13.6	05.4-21.8	15	24.7	12.9-36.5	14	21.2	10.6-31.8	16	19.9	09.9-29.9
55-64	119	10,139	14	15.1	07.1-23.1	22	16.6	08.4-24.8	26	19.0	10.6-27.4	22	18.4	10.2-26.6	35	30.8	21.0-40.6
65+	252	14,329	33	12.5	07.6-17.4	27	10.0	05.7-14.3	46	16.5	11.2-21.8	53	21.8	15.9-27.7	93	39.1	32.0-46.2
H.S. or G.E.D.	133	11,996	20	14.8	07.0-22.6	24	21.5	12.1-30.9	22	17.8	08.6-27.0	31	25.7	15.5-35.9	36	20.2	12.4-28.0
Some Post-H.S.	188	20,555	22	15.9	07.9-23.9	24	12.7	06.0-19.4	39	18.4	11.7-25.1	35	18.1	11.0-25.2	68	34.9	26.1-43.7
College Graduate	187	14,523	28	16.2	09.9-22.5	29	18.8	11.2-26.4	35	13.5	08.2-18.8	36	19.2	12.3-26.1	59	32.3	23.9-40.7
\$25,000- 34,999	54	4,424	13	21.9	05.6-38.2	5	16.9	00.0-34.9	10	16.0	05.0-27.0	9	17.9	04.4-31.4	17	27.3	12.0-42.6
\$35,000- 49,999	87	6,046	12	14.7	05.5-23.9	11	16.9	04.6-29.2	11	8.1	02.6-13.6	21	23.6	13.0-34.2	32	36.7	23.8-49.6
\$50,000- 99,999	158	15,722	21	21.1	09.7-32.5	23	14.0	07.1-20.9	34	18.5	10.9-26.1	37	23.9	15.1-32.7	43	22.5	14.9-30.1
\$100,000- 199,999	82	8,573	11	15.8	06.0-25.6	11	14.1	05.3-22.9	18	18.7	08.7-28.7	12	16.5	07.1-25.9	30	34.9	22.6-47.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	839	80,968	507	58.5	54.2-62.8	106	13.6	10.7-16.5	91	11.2	08.5-13.9	135	16.7	13.2-20.2
Male	345	32,894	214	59.4	52.9-65.9	47	15.5	10.6-20.4	36	11.2	06.7-15.7	48	13.8	09.1-18.5
Female	494	48,074	293	57.9	52.0-63.8	59	12.4	08.5-16.3	55	11.2	07.5-14.9	87	18.6	13.7-23.5
Native	64	6,469	36	57.8	41.3-74.3	8	6.6	01.5-11.7	7	13.0	01.6-24.4	13	22.6	08.1-37.1
Non-Native	756	72,490	458	58.1	53.4-62.8	97	14.6	11.3-17.9	81	11.0	08.1-13.9	120	16.4	12.9-19.9
35-44	90	14,208	51	58.9	47.5-70.3	14	10.5	04.2-16.8	15	18.9	09.9-27.9	10	11.6	03.8-19.4
45-54	116	12,626	68	58.3	48.1-68.5	15	14.5	06.9-22.1	10	9.2	03.3-15.1	23	18.0	10.4-25.6
55-64	203	17,668	136	66.1	58.5-73.7	26	14.9	09.2-20.6	16	6.4	03.1-09.7	25	12.7	07.0-18.4
65+	358	19,764	215	58.4	52.3-64.5	37	10.5	06.8-14.2	40	9.8	06.3-13.3	66	21.3	16.2-26.4
H.S. or G.E.D.	209	19,546	131	61.4	52.8-70.0	21	9.5	04.8-14.2	20	9.6	04.7-14.5	37	19.5	12.2-26.8
Some Post-H.S.	301	33,063	180	57.4	50.1-64.7	42	15.5	10.2-20.8	35	11.9	07.0-16.8	44	15.2	10.1-20.3
College Graduate	287	21,305	172	60.5	53.4-67.6	37	14.3	09.0-19.6	32	12.2	07.3-17.1	46	13.0	08.7-17.3
\$15,000- 24,999	60	6,618	31	51.5	35.0-68.0	9	11.9	02.7-21.1	6	13.7	01.5-25.9	14	22.9	09.0-36.8
\$25,000- 34,999	86	7,712	53	54.5	39.6-69.4	9	9.8	00.6-19.0	14	22.9	09.8-36.0	10	12.8	02.8-22.8
\$35,000- 49,999	120	8,875	73	61.9	51.1-72.7	14	14.8	06.8-22.8	11	6.4	01.3-11.5	22	16.9	09.1-24.7
\$50,000- 99,999	240	22,656	155	62.8	54.6-71.0	36	17.9	11.2-24.6	21	8.6	03.9-13.3	28	10.6	05.9-15.3
\$100,000- 199,999	150	15,543	89	57.9	48.3-67.5	18	12.2	05.7-18.7	19	12.7	06.4-19.0	24	17.2	09.6-24.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	345	32,894	214	59.4	52.7-66.1	47	15.5	10.6-20.4	36	11.2	06.7-15.7	48	13.8	09.1-18.5
Non-Native	308	29,380	191	58.8	51.7-65.9	43	16.6	11.3-21.9	31	11.1	06.4-15.8	43	13.5	08.6-18.4
45-54	50	5,302	33	62.1	46.0-78.2	8	18.6	05.3-31.9	6	12.0	01.6-22.4	3	7.3	00.0-15.9
55-64	88	7,823	61	68.1	56.9-79.3	11	15.6	06.6-24.6	5	3.6	00.3-06.9	11	12.8	04.6-21.0
65+	130	6,948	80	58.9	49.1-68.7	12	9.6	03.5-15.7	13	8.8	03.7-13.9	25	22.6	13.6-31.6
H.S. or G.E.D.	86	7,996	59	67.3	55.0-79.6	7	10.2	02.4-18.0	8	9.8	02.2-17.4	12	12.7	04.1-21.3
Some Post-H.S.	129	14,215	75	55.3	44.9-65.7	21	18.2	10.0-26.4	13	11.8	04.5-19.1	20	14.7	07.4-22.0
College Graduate	109	7,515	70	68.1	57.7-78.5	16	14.5	06.5-22.5	12	10.5	03.8-17.2	11	6.9	02.2-11.6
\$50,000- 99,999	92	7,875	56	58.9	46.6-71.2	15	20.8	10.0-31.6	9	8.4	02.3-14.5	12	11.9	04.1-19.7
\$100,000- 199,999	71	7,166	46	58.7	44.4-73.0	11	17.8	06.0-29.6	7	10.6	01.8-19.4	7	12.9	02.9-22.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	494	48,074	293	57.9	52.0-63.8	59	12.4	08.5-16.3	55	11.2	07.5-14.9	87	18.6	13.7-23.5
Non-Native	448	43,110	267	57.6	51.3-63.9	54	13.1	08.8-17.4	50	10.9	07.2-14.6	77	18.3	13.2-23.4
35-44	52	8,967	33	63.8	49.1-78.5	6	8.4	01.0-15.8	7	14.8	04.0-25.6	6	12.9	01.9-23.9
45-54	66	7,324	35	55.6	42.5-68.7	7	11.5	02.7-20.3	4	7.2	00.3-14.1	20	25.8	14.6-37.0
55-64	115	9,845	75	64.4	54.0-74.8	15	14.4	07.0-21.8	11	8.7	03.4-14.0	14	12.6	04.8-20.4
65+	228	12,816	135	58.2	50.6-65.8	25	10.9	06.2-15.6	27	10.4	05.9-14.9	41	20.6	14.3-26.9
H.S. or G.E.D.	123	11,550	72	57.3	45.5-69.1	14	9.1	03.2-15.0	12	9.5	03.0-16.0	25	24.2	13.6-34.8
Some Post-H.S.	172	18,847	105	58.9	49.1-68.7	21	13.4	06.1-20.7	22	12.1	05.4-18.8	24	15.6	08.3-22.9
College Graduate	178	13,789	102	56.4	47.4-65.4	21	14.2	07.3-21.1	20	13.1	06.4-19.8	35	16.3	10.2-22.4
\$25,000- 34,999	52	4,294	31	45.3	26.7-63.9	6	12.7	00.0-27.4	8	31.1	11.5-50.7	7	10.9	02.1-19.7
\$35,000- 49,999	81	5,442	48	60.3	47.4-73.2	10	15.5	05.5-25.5	8	6.1	01.2-11.0	15	18.1	08.3-27.9
\$50,000- 99,999	148	14,780	99	65.0	54.4-75.6	21	16.4	08.0-24.8	12	8.8	02.3-15.3	16	9.9	03.8-16.0
\$100,000- 199,999	79	8,377	43	57.3	44.2-70.4	7	7.3	01.2-13.4	12	14.6	05.8-23.4	17	20.8	09.4-32.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism, Asthma, COPD Values (1,2,4)			Cancer (3) Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension, Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	453	45,524	53	10.2	06.7-13.7	71	14.3	10.4-18.2	133	34.1	28.2-40.0	107	21.9	17.2-26.6	19	3.3	01.5-05.1	70	16.3	11.8-20.8
Male	164	16,896	19	9.4	04.5-14.3	21	12.4	06.1-18.7	50	31.5	22.9-40.1	38	25.8	17.4-34.2	8	4.7	01.0-08.4	28	16.2	09.5-22.9
Female	289	28,628	34	10.6	05.7-15.5	50	15.3	10.2-20.4	83	35.6	27.8-43.4	69	19.7	14.4-25.0	11	2.5	00.9-04.1	42	16.3	10.2-22.4
Non-Native	408	41,266	50	10.9	07.0-14.8	61	14.2	10.1-18.3	122	34.7	28.4-41.0	96	21.5	16.6-26.4	18	3.1	01.5-04.7	61	15.6	11.1-20.1
45-54	61	6,680	6	7.5	01.0-14.0	10	16.9	06.1-27.7	20	30.3	18.1-42.5	12	19.3	07.9-30.7	2	1.8	00.0-04.5	11	24.2	10.9-37.5
55-64	101	9,204	13	13.2	04.8-21.6	21	18.8	10.2-27.4	23	24.1	14.5-33.7	21	18.4	10.8-26.0	8	9.3	02.2-16.4	15	16.1	07.9-24.3
65+	200	11,710	23	9.5	05.0-14.0	26	11.5	06.6-16.4	58	30.3	22.9-37.7	53	30.2	22.6-37.8	9	4.4	01.3-07.5	31	14.1	08.2-20.0
H.S. or G.E.D.	117	11,196	15	9.2	03.7-14.7	10	11.3	03.5-19.1	34	28.8	18.4-39.2	30	29.0	18.2-39.8	8	5.3	00.8-09.8	20	16.4	08.2-24.6
Some Post-H.S.	154	18,316	17	11.2	04.5-17.9	26	12.4	06.7-18.1	35	29.2	19.2-39.2	41	21.4	14.3-28.5	7	3.8	00.7-06.9	28	22.0	13.2-30.8
College Graduate	155	11,800	16	8.1	03.4-12.8	30	18.5	11.2-25.8	57	47.6	37.6-57.6	30	15.8	08.9-22.7	4	1.7	00.0-03.7	18	8.3	03.8-12.8
\$25,000- 34,999	57	5,061	8	6.7	00.8-12.6	7	10.4	01.0-19.8	21	41.6	24.0-59.2	14	28.9	12.0-45.8	1	1.3	00.0-03.8	6	11.2	00.4-22.0
\$35,000- 49,999	58	4,863	7	13.2	02.8-23.6	8	13.8	03.2-24.4	12	30.6	14.1-47.1	18	24.7	11.6-37.8				13	17.7	06.5-28.9
\$50,000- 99,999	124	12,007	15	11.7	04.3-19.1	25	19.0	10.8-27.2	32	27.8	17.2-38.4	30	17.8	10.5-25.1	4	3.8	00.0-07.9	18	20.0	10.2-29.8
\$100,000- 199,999	81	8,745	7	5.3	01.0-09.6	7	7.7	01.0-14.4	30	38.9	26.2-51.6	20	26.1	14.9-37.3	4	2.7	00.0-05.6	13	19.3	08.1-30.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	164	16,896	19	9.4	04.5-14.3	21	12.4	06.1-18.7	50	31.5	22.9-40.1	38	25.8	17.4-34.2	8	4.7	01.0-08.4	28	16.2	09.5-22.9
Non-Native	145	15,146	18	10.3	05.0-15.6	17	12.1	05.4-18.8	45	32.3	22.9-41.7	34	26.0	16.8-35.2	7	3.8	00.5-07.1	24	15.3	08.4-22.2
65+	60	3,679	8	9.3	02.2-16.4	5	10.6	01.0-20.2	18	33.0	18.7-47.3	15	28.5	14.4-42.6	2	2.6	00.0-06.3	12	16.0	06.4-25.6
Some Post-H.S.	58	6,860	4	5.8	00.0-12.1	8	12.1	03.1-21.1	15	27.9	14.4-41.4	15	25.1	12.8-37.4	3	5.6	00.0-12.3	13	23.4	10.7-36.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism, Asthma, COPD Values (1,2,4)			Cancer (3) Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension, Stroke (Values 7,8)			HIV Organ Failure, Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	289	28,628	34	10.6	05.7-15.5	50	15.3	10.2-20.4	83	35.6	27.8-43.4	69	19.7	14.4-25.0	11	2.5	00.9-04.1	42	16.3	10.2-22.4
Non-Native	263	26,120	32	11.3	06.0-16.6	44	15.4	10.1-20.7	77	36.1	27.9-44.3	62	18.8	13.3-24.3	11	2.7	00.9-04.5	37	15.7	09.8-21.6
55-64	61	5,087	9	14.2	02.2-26.2	13	21.2	08.9-33.5	11	19.9	07.7-32.1	16	24.6	13.2-36.0	4	5.7	00.0-11.4	8	14.4	04.0-24.8
65+	140	8,031	15	9.6	03.9-15.3	21	11.9	06.2-17.6	40	29.1	20.3-37.9	38	30.9	21.7-40.1	7	5.2	00.9-09.5	19	13.3	06.0-20.6
H.S. or G.E.D.	72	6,467	7	5.8	00.7-10.9	9	19.2	06.5-31.9	19	27.9	14.6-41.2	19	26.9	14.4-39.4	5	4.0	00.3-07.7	13	16.3	05.9-26.7
Some Post-H.S.	96	11,456	13	14.4	04.6-24.2	18	12.5	05.2-19.8	20	30.0	16.1-43.9	26	19.2	10.8-27.6	4	2.7	00.0-05.6	15	21.1	09.1-33.1
College Graduate	108	8,452	11	7.1	02.4-11.8	21	17.6	08.8-26.4	42	50.0	38.0-62.0	21	15.5	07.7-23.3	2	1.6	00.0-04.0	11	8.2	02.5-13.9
\$50,000- 99,999	84	8,129	9	10.7	01.1-20.3	23	26.6	15.0-38.2	19	25.0	11.7-38.3	19	16.1	07.3-24.9	2	1.7	00.0-04.1	12	19.8	07.6-32.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 16: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	828	78,551	121	13.7	10.8-16.6	707	86.3	83.4-89.2
Male	344	32,185	50	11.0	07.5-14.5	294	89.0	85.5-92.5
Female	484	46,365	71	15.6	11.3-19.9	413	84.4	80.1-88.7
Native	63	6,310	12	18.6	07.0-30.2	51	81.4	69.8-93.0
Non-Native	747	70,391	107	13.3	10.2-16.4	640	86.7	83.6-89.8
35-44	90	13,651	9	13.9	05.1-22.7	81	86.1	77.3-94.9
45-54	112	11,957	21	16.2	09.1-23.3	91	83.8	76.7-90.9
55-64	196	17,215	32	15.0	09.3-20.7	164	85.0	79.3-90.7
65+	363	20,021	55	17.2	12.5-21.9	308	82.8	78.1-87.5
H.S. or G.E.D.	209	19,492	25	12.5	07.0-18.0	184	87.5	82.0-93.0
Some Post-H.S.	309	33,006	37	12.4	07.5-17.3	272	87.6	82.7-92.5
College Graduate	268	18,994	51	17.7	12.4-23.0	217	82.3	77.0-87.6
\$15,000- 24,999	60	6,477	8	7.4	01.7-13.1	52	92.6	86.9-98.3
\$25,000- 34,999	86	7,228	10	10.6	03.0-18.2	76	89.4	81.8-97.0
\$35,000- 49,999	124	8,897	18	16.7	08.7-24.7	106	83.3	75.3-91.3
\$50,000- 99,999	231	22,076	34	12.6	06.7-18.5	197	87.4	81.5-93.3
\$100,000- 199,999	142	14,767	18	13.3	06.4-20.2	124	86.7	79.8-93.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 17: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	344	32,185	50	11.0	07.5-14.5	294	89.0	85.5-92.5
Non-Native	307	28,786	43	10.4	06.9-13.9	264	89.6	86.1-93.1
55-64	87	7,646	11	8.7	02.8-14.6	76	91.3	85.4-97.2
65+	132	7,116	29	23.3	14.9-31.7	103	76.7	68.3-85.1
H.S. or G.E.D.	86	8,211	10	9.9	03.0-16.8	76	90.1	83.2-97.0
Some Post-H.S.	131	14,111	14	6.8	02.7-10.9	117	93.2	89.1-97.3
College Graduate	106	6,691	19	15.5	07.9-23.1	87	84.5	76.9-92.1
\$50,000- 99,999	89	7,501	12	8.4	03.3-13.5	77	91.6	86.5-96.7
\$100,000- 199,999	70	6,862	7	6.6	01.1-12.1	63	93.4	87.9-98.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 18: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	484	46,365	71	15.6	11.3-19.9	413	84.4	80.1-88.7
Non-Native	440	41,606	64	15.3	10.8-19.8	376	84.7	80.2-89.2
35-44	50	8,315	8	20.5	07.2-33.8	42	79.5	66.2-92.8
45-54	63	6,944	14	18.1	08.5-27.7	49	81.9	72.3-91.5
55-64	109	9,569	21	20.0	10.8-29.2	88	80.0	70.8-89.2
65+	231	12,905	26	13.9	08.2-19.6	205	86.1	80.4-91.8
H.S. or G.E.D.	123	11,281	15	14.4	06.2-22.6	108	85.6	77.4-93.8
Some Post-H.S.	178	18,895	23	16.5	08.5-24.5	155	83.5	75.5-91.5
College Graduate	162	12,303	32	18.9	12.0-25.8	130	81.1	74.2-88.0
\$35,000- 49,999	81	5,191	13	20.6	09.4-31.8	68	79.4	68.2-90.6
\$50,000- 99,999	142	14,575	22	14.8	06.4-23.2	120	85.2	76.8-93.6
\$100,000- 199,999	72	7,905	11	19.1	07.5-30.7	61	80.9	69.3-92.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	909	86,522	407	45.7	41.4-50.0	502	54.3	50.0-58.6
Male	369	34,702	148	39.4	33.1-45.7	221	60.6	54.3-66.9
Female	540	51,820	259	49.9	44.2-55.6	281	50.1	44.4-55.8
Native	68	6,675	39	58.7	42.4-75.0	29	41.3	25.0-57.6
Non-Native	822	77,838	360	44.8	40.3-49.3	462	55.2	50.7-59.7
35-44	94	14,637	50	48.8	37.4-60.2	44	51.2	39.8-62.6
45-54	124	13,273	64	49.0	39.0-59.0	60	51.0	41.0-61.0
55-64	214	18,733	92	42.6	34.8-50.4	122	57.4	49.6-65.2
65+	401	22,258	166	44.8	39.1-50.5	235	55.2	49.5-60.9
H.S. or G.E.D.	227	20,738	100	47.7	39.3-56.1	127	52.3	43.9-60.7
Some Post-H.S.	331	35,995	129	37.8	31.1-44.5	202	62.2	55.5-68.9
College Graduate	308	22,646	155	53.0	46.1-59.9	153	47.0	40.1-53.9
\$15,000- 24,999	65	7,084	23	32.6	18.1-47.1	42	67.4	52.9-81.9
\$25,000- 34,999	96	8,505	46	56.2	42.7-69.7	50	43.8	30.3-57.3
\$35,000- 49,999	132	9,812	54	44.6	33.8-55.4	78	55.4	44.6-66.2
\$50,000- 99,999	254	23,953	114	40.9	32.9-48.9	140	59.1	51.1-67.1
\$100,000- 199,999	157	16,160	81	51.2	41.8-60.6	76	48.8	39.4-58.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	369	34,702	148	39.4	33.1-45.7	221	60.6	54.3-66.9
Non-Native	330	31,079	131	38.7	32.0-45.4	199	61.3	54.6-68.0
45-54	53	5,584	21	33.3	19.0-47.6	32	66.7	52.4-81.0
55-64	92	8,266	38	38.7	27.5-49.9	54	61.3	50.1-72.5
65+	143	7,747	52	38.5	28.9-48.1	91	61.5	51.9-71.1
H.S. or G.E.D.	91	8,471	33	42.4	29.5-55.3	58	57.6	44.7-70.5
Some Post-H.S.	139	15,163	54	35.2	25.8-44.6	85	64.8	55.4-74.2
College Graduate	117	7,812	50	40.3	29.5-51.1	67	59.7	48.9-70.5
\$50,000- 99,999	95	8,110	37	33.8	22.4-45.2	58	66.2	54.8-77.6
\$100,000- 199,999	74	7,379	34	42.8	29.3-56.3	40	57.2	43.7-70.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	540	51,820	259	49.9	44.2-55.6	281	50.1	44.4-55.8
Non-Native	492	46,759	229	48.9	43.0-54.8	263	51.1	45.2-57.0
35-44	54	9,302	29	47.8	33.1-62.5	25	52.2	37.5-66.9
45-54	71	7,689	43	60.4	48.1-72.7	28	39.6	27.3-51.9
55-64	122	10,467	54	45.6	34.8-56.4	68	54.4	43.6-65.2
65+	258	14,511	114	48.1	40.8-55.4	144	51.9	44.6-59.2
H.S. or G.E.D.	136	12,267	67	51.4	40.2-62.6	69	48.6	37.4-59.8
Some Post-H.S.	192	20,832	75	39.8	30.6-49.0	117	60.2	51.0-69.4
College Graduate	191	14,834	105	59.7	51.3-68.1	86	40.3	31.9-48.7
\$25,000- 34,999	55	4,459	30	65.1	47.9-82.3	25	34.9	17.7-52.1
\$35,000- 49,999	89	6,106	36	42.7	29.8-55.6	53	57.3	44.4-70.2
\$50,000- 99,999	159	15,843	77	44.5	33.9-55.1	82	55.5	44.9-66.1
\$100,000- 199,999	83	8,782	47	58.3	45.8-70.8	36	41.7	29.2-54.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 22: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	902	85,893	694	79.5	76.2-82.8	208	20.5	17.2-23.8
Male	366	34,466	276	77.5	72.4-82.6	90	22.5	17.4-27.6
Female	536	51,427	418	80.9	76.6-85.2	118	19.1	14.8-23.4
Native	67	6,648	51	82.1	71.1-93.1	16	17.9	06.9-28.9
Non-Native	816	77,237	626	78.9	75.4-82.4	190	21.1	17.6-24.6
35-44	93	14,443	83	86.8	78.6-95.0	10	13.2	05.0-21.4
45-54	124	13,273	98	81.2	73.6-88.8	26	18.8	11.2-26.4
55-64	213	18,706	167	75.7	68.6-82.8	46	24.3	17.2-31.4
65+	396	21,851	281	71.7	66.6-76.8	115	28.3	23.2-33.4
H.S. or G.E.D.	226	20,544	171	79.7	73.4-86.0	55	20.3	14.0-26.6
Some Post-H.S.	325	35,561	240	76.1	70.2-82.0	85	23.9	18.0-29.8
College Graduate	308	22,646	248	83.2	78.5-87.9	60	16.8	12.1-21.5
\$15,000- 24,999	65	7,084	44	66.8	52.1-81.5	21	33.2	18.5-47.9
\$25,000- 34,999	96	8,505	73	83.2	75.2-91.2	23	16.8	08.8-24.8
\$35,000- 49,999	132	9,812	96	77.9	69.5-86.3	36	22.1	13.7-30.5
\$50,000- 99,999	253	23,858	204	81.6	75.5-87.7	49	18.4	12.3-24.5
\$100,000- 199,999	156	15,966	126	82.9	76.2-89.6	30	17.1	10.4-23.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 23: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	366	34,466	276	77.5	72.4-82.6	90	22.5	17.4-27.6
Non-Native	327	30,843	245	76.3	70.8-81.8	82	23.7	18.2-29.2
45-54	53	5,584	40	80.0	67.7-92.3	13	20.0	07.7-32.3
55-64	92	8,266	68	71.4	60.6-82.2	24	28.6	17.8-39.4
65+	140	7,511	96	65.7	56.5-74.9	44	34.3	25.1-43.5
H.S. or G.E.D.	91	8,471	65	74.4	63.8-85.0	26	25.6	15.0-36.2
Some Post-H.S.	136	14,927	99	76.5	68.3-84.7	37	23.5	15.3-31.7
College Graduate	117	7,812	94	79.7	71.1-88.3	23	20.3	11.7-28.9
\$50,000- 99,999	94	8,015	72	74.2	63.0-85.4	22	25.8	14.6-37.0
\$100,000- 199,999	74	7,379	59	82.3	72.5-92.1	15	17.7	07.9-27.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

**TABLE 24: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	536	51,427	418	80.9	76.6-85.2	118	19.1	14.8-23.4
Non-Native	489	46,393	381	80.6	76.1-85.1	108	19.4	14.9-23.9
35-44	53	9,107	46	84.5	73.1-95.9	7	15.5	04.1-26.9
45-54	71	7,689	58	82.1	72.3-91.9	13	17.9	08.1-27.7
55-64	121	10,439	99	79.1	69.9-88.3	22	20.9	11.7-30.1
65+	256	14,340	185	74.9	68.6-81.2	71	25.1	18.8-31.4
H.S. or G.E.D.	135	12,073	106	83.4	75.8-91.0	29	16.6	09.0-24.2
Some Post-H.S.	189	20,633	141	75.8	67.8-83.8	48	24.2	16.2-32.2
College Graduate	191	14,834	154	85.0	79.5-90.5	37	15.0	09.5-20.5
\$25,000- 34,999	55	4,459	42	83.6	72.8-94.4	13	16.4	05.6-27.2
\$35,000- 49,999	89	6,106	66	77.4	66.6-88.2	23	22.6	11.8-33.4
\$50,000- 99,999	159	15,843	132	85.4	78.3-92.5	27	14.6	07.5-21.7
\$100,000- 199,999	82	8,587	67	83.5	74.3-92.7	15	16.5	07.3-25.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4253	426,742	503	11.5	10.3-12.7	3750	88.5	87.3-89.7
Male	2237	225,105	239	10.4	08.8-12.0	1998	89.6	88.0-91.2
Female	2016	201,638	264	12.7	10.9-14.5	1752	87.3	85.5-89.1
Native	161	15,630	22	13.0	06.1-19.9	139	87.0	80.1-93.9
Non-Native	4041	407,194	477	11.4	10.2-12.6	3564	88.6	87.4-89.8
18-24	261	56,871	33	11.1	07.0-15.2	228	88.9	84.8-93.0
25-34	418	85,447	28	6.1	03.7-08.5	390	93.9	91.5-96.3
35-44	487	72,484	54	11.8	08.5-15.1	433	88.2	84.9-91.5
45-54	535	57,429	87	14.9	11.6-18.2	448	85.1	81.8-88.4
55-64	714	61,494	107	16.0	12.9-19.1	607	84.0	80.9-87.1
65+	1838	93,018	194	11.3	09.5-13.1	1644	88.7	86.9-90.5
Less Than H.S.	194	31,021	19	6.6	02.7-10.5	175	93.4	89.5-97.3
H.S. or G.E.D.	1190	113,793	118	10.7	08.3-13.1	1072	89.3	86.9-91.7
Some Post-H.S.	1343	157,503	169	11.6	09.4-13.8	1174	88.4	86.2-90.6
College Graduate	1514	122,820	197	13.4	11.2-15.6	1317	86.6	84.4-88.8
Less than \$15,000	141	16,530	11	5.5	01.0-10.0	130	94.5	90.0-99.0
\$15,000- 24,999	286	23,138	28	11.9	06.0-17.8	258	88.1	82.2-94.0
\$25,000- 34,999	368	35,267	33	8.1	04.4-11.8	335	91.9	88.2-95.6
\$35,000- 49,999	510	48,601	70	15.0	10.9-19.1	440	85.0	80.9-89.1
\$50,000- 99,999	1196	121,322	139	11.0	08.8-13.2	1057	89.0	86.8-91.2
\$100,000- 199,999	786	84,649	116	14.6	11.7-17.5	670	85.4	82.5-88.3
\$200,000+	152	17,358	26	17.8	10.7-24.9	126	82.2	75.1-89.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2237	225,105	239	10.4	08.8-12.0	1998	89.6	88.0-91.2
Native	78	8,556	9	7.9	01.0-14.8	69	92.1	85.2-99.0
Non-Native	2121	213,408	227	10.5	08.9-12.1	1894	89.5	87.9-91.1
18-24	158	29,613	20	11.3	06.0-16.6	138	88.7	83.4-94.0
25-34	264	48,585	19	7.1	03.8-10.4	245	92.9	89.6-96.2
35-44	281	38,685	31	10.6	06.7-14.5	250	89.4	85.5-93.3
45-54	278	31,434	39	12.9	08.6-17.2	239	87.1	82.8-91.4
55-64	357	31,751	42	12.9	08.8-17.0	315	87.1	83.0-91.2
65+	899	45,037	88	9.7	07.3-12.1	811	90.3	87.9-92.7
Less Than H.S.	115	19,319	10	6.3	01.0-11.6	105	93.7	88.4-99.0
H.S. or G.E.D.	673	67,004	75	10.9	08.0-13.8	598	89.1	86.2-92.0
Some Post-H.S.	682	80,210	71	9.4	06.9-11.9	611	90.6	88.1-93.1
College Graduate	759	57,277	83	12.8	09.9-15.7	676	87.2	84.3-90.1
Less than \$15,000	60	6,130	4	4.7	00.0-11.4	56	95.3	88.6-0100
\$15,000- 24,999	115	9,927	8	11.2	01.6-20.8	107	88.8	79.2-98.4
\$25,000- 34,999	178	17,330	16	7.1	03.0-11.2	162	92.9	88.8-97.0
\$35,000- 49,999	272	27,169	37	13.0	07.9-18.1	235	87.0	81.9-92.1
\$50,000- 99,999	659	66,884	60	8.3	05.9-10.7	599	91.7	89.3-94.1
\$100,000- 199,999	492	49,987	70	15.1	11.4-18.8	422	84.9	81.2-88.6
\$200,000+	99	10,815	18	21.3	11.9-30.7	81	78.7	69.3-88.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 19: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2016	201,638	264	12.7	10.9-14.5	1752	87.3	85.5-89.1
Native	83	7,074	13	19.2	07.0-31.4	70	80.8	68.6-93.0
Non-Native	1920	193,786	250	12.4	10.4-14.4	1670	87.6	85.6-89.6
18-24	103	27,258	13	10.9	04.4-17.4	90	89.1	82.6-95.6
25-34	154	36,862	9	4.8	01.3-08.3	145	95.2	91.7-98.7
35-44	206	33,798	23	13.2	07.9-18.5	183	86.8	81.5-92.1
45-54	257	25,995	48	17.3	12.2-22.4	209	82.7	77.6-87.8
55-64	357	29,743	65	19.3	14.4-24.2	292	80.7	75.8-85.6
65+	939	47,981	106	12.7	10.0-15.4	833	87.3	84.6-90.0
Less Than H.S.	79	11,701	9	7.0	01.5-12.5	70	93.0	87.5-98.5
H.S. or G.E.D.	517	46,789	43	10.5	06.8-14.2	474	89.5	85.8-93.2
Some Post-H.S.	661	77,293	98	13.8	10.5-17.1	563	86.2	82.9-89.5
College Graduate	755	65,543	114	14.0	11.1-16.9	641	86.0	83.1-88.9
Less than \$15,000	81	10,400	7	5.9	00.0-11.8	74	94.1	88.2-0100
\$15,000- 24,999	171	13,212	20	12.5	05.2-19.8	151	87.5	80.2-94.8
\$25,000- 34,999	190	17,937	17	9.1	03.2-15.0	173	90.9	85.0-96.8
\$35,000- 49,999	238	21,433	33	17.5	10.6-24.4	205	82.5	75.6-89.4
\$50,000- 99,999	537	54,438	79	14.3	10.6-18.0	458	85.7	82.0-89.4
\$100,000- 199,999	294	34,661	46	13.9	09.6-18.2	248	86.1	81.8-90.4
\$200,000+	53	6,544	8	12.0	01.8-22.2	45	88.0	77.8-98.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 20: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1 MALES AND FEMALES	69
2 MALES ONLY	70
3 FEMALES ONLY	71
DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4 MALES AND FEMALES	72
5 MALES ONLY	73
6 FEMALES ONLY	74
DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7 MALES AND FEMALES	75
8 MALES ONLY	76
9 FEMALES ONLY	77
DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10 MALES AND FEMALES	78
11 MALES ONLY	79
12 FEMALES ONLY	80
WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13 MALES AND FEMALES	81
14 MALES ONLY	82
15 FEMALES ONLY	83
HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)	
16 MALES AND FEMALES	84
17 MALES ONLY	85
18 FEMALES ONLY	86
NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT- (ACEHURT1)	
19 MALES AND FEMALES	87
20 MALES ONLY	88
21 FEMALES ONLY	89
HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)	
22 MALES AND FEMALES	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

MODULE 20: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
23 MALES ONLY	91
24 FEMALES ONLY	92
25 MALES AND FEMALES	93
26 MALES ONLY	94
27 FEMALES ONLY	95
28 MALES AND FEMALES	96
29 MALES ONLY	97
30 FEMALES ONLY	98
31 MALES AND FEMALES	99
32 MALES ONLY	100
33 FEMALES ONLY	101
34 MALES AND FEMALES	102
35 MALES ONLY	103
36 FEMALES ONLY	104
37 MALES AND FEMALES	105
38 MALES ONLY	106
39 FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5208	510,326	778	20.7	19.1-22.3	4430	79.3	77.7-80.9
Male	2626	257,626	331	16.0	14.0-18.0	2295	84.0	82.0-86.0
Female	2582	252,700	447	25.5	23.0-28.0	2135	74.5	72.0-77.0
Native	220	21,921	60	34.7	25.9-43.5	160	65.3	56.5-74.1
Non-Native	4921	483,067	709	20.1	18.5-21.7	4212	79.9	78.3-81.5
18-24	293	63,373	105	37.6	31.1-44.1	188	62.4	55.9-68.9
25-34	451	93,431	123	30.8	25.7-35.9	328	69.2	64.1-74.3
35-44	570	84,845	138	25.7	21.6-29.8	432	74.3	70.2-78.4
45-54	645	69,103	121	18.9	15.6-22.2	524	81.1	77.8-84.4
55-64	961	82,853	115	11.1	08.7-13.5	846	88.9	86.5-91.3
65+	2288	116,721	176	7.7	06.3-09.1	2112	92.3	90.9-93.7
Less Than H.S.	232	36,297	42	29.1	20.3-37.9	190	70.9	62.1-79.7
H.S. or G.E.D.	1431	132,277	191	21.0	17.9-24.1	1240	79.0	75.9-82.1
Some Post-H.S.	1686	194,175	251	20.3	17.6-23.0	1435	79.7	77.0-82.4
College Graduate	1849	146,331	293	19.0	16.6-21.4	1556	81.0	78.6-83.4
Less than \$15,000	172	20,045	40	37.7	26.7-48.7	132	62.3	51.3-73.3
\$15,000- 24,999	347	28,957	55	23.7	16.8-30.6	292	76.3	69.4-83.2
\$25,000- 34,999	461	42,388	65	24.4	18.1-30.7	396	75.6	69.3-81.9
\$35,000- 49,999	666	60,475	82	16.8	12.7-20.9	584	83.2	79.1-87.3
\$50,000- 99,999	1474	146,008	229	21.7	18.6-24.8	1245	78.3	75.2-81.4
\$100,000- 199,999	949	102,341	167	19.4	16.1-22.7	782	80.6	77.3-83.9
\$200,000+	180	20,251	27	16.2	08.9-23.5	153	83.8	76.5-91.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2626	257,626	331	16.0	14.0-18.0	2295	84.0	82.0-86.0
Native	99	10,085	24	31.9	19.0-44.8	75	68.1	55.2-81.0
Non-Native	2479	243,663	299	15.3	13.3-17.3	2180	84.7	82.7-86.7
18-24	176	32,394	47	28.2	20.2-36.2	129	71.8	63.8-79.8
25-34	283	52,241	60	23.8	17.9-29.7	223	76.2	70.3-82.1
35-44	315	42,757	63	18.7	13.8-23.6	252	81.3	76.4-86.2
45-54	324	35,708	48	14.7	10.4-19.0	276	85.3	81.0-89.6
55-64	467	41,296	42	8.2	05.5-10.9	425	91.8	89.1-94.5
65+	1061	53,229	71	5.8	04.2-07.4	990	94.2	92.6-95.8
Less Than H.S.	132	20,970	19	26.6	15.2-38.0	113	73.4	62.0-84.8
H.S. or G.E.D.	770	74,279	86	14.9	11.4-18.4	684	85.1	81.6-88.6
Some Post-H.S.	821	94,994	108	16.1	12.8-19.4	713	83.9	80.6-87.2
College Graduate	895	66,333	117	13.8	11.1-16.5	778	86.2	83.5-88.9
Less than \$15,000	75	7,648	17	33.9	17.2-50.6	58	66.1	49.4-82.8
\$15,000- 24,999	145	13,053	16	19.5	08.9-30.1	129	80.5	69.9-91.1
\$25,000- 34,999	212	20,128	25	18.4	10.4-26.4	187	81.6	73.6-89.6
\$35,000- 49,999	328	31,742	42	14.8	09.5-20.1	286	85.2	79.9-90.5
\$50,000- 99,999	766	74,744	99	16.9	13.2-20.6	667	83.1	79.4-86.8
\$100,000- 199,999	573	58,902	81	15.1	11.4-18.8	492	84.9	81.2-88.6
\$200,000+	112	11,588	12	10.2	03.5-16.9	100	89.8	83.1-96.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2582	252,700	447	25.5	23.0-28.0	2135	74.5	72.0-77.0
Native	121	11,836	36	37.2	25.0-49.4	85	62.8	50.6-75.0
Non-Native	2442	239,404	410	25.0	22.5-27.5	2032	75.0	72.5-77.5
18-24	117	30,979	58	47.5	37.5-57.5	59	52.5	42.5-62.5
25-34	168	41,190	63	39.7	31.1-48.3	105	60.3	51.7-68.9
35-44	255	42,088	75	32.8	26.1-39.5	180	67.2	60.5-73.9
45-54	321	33,395	73	23.4	18.1-28.7	248	76.6	71.3-81.9
55-64	494	41,556	73	13.9	10.4-17.4	421	86.1	82.6-89.6
65+	1227	63,491	105	9.3	07.3-11.3	1122	90.7	88.7-92.7
Less Than H.S.	100	15,327	23	32.5	18.4-46.6	77	67.5	53.4-81.6
H.S. or G.E.D.	661	57,998	105	28.8	23.5-34.1	556	71.2	65.9-76.5
Some Post-H.S.	865	99,181	143	24.2	20.1-28.3	722	75.8	71.7-79.9
College Graduate	954	79,998	176	23.3	19.8-26.8	778	76.7	73.2-80.2
Less than \$15,000	97	12,397	23	40.1	25.6-54.6	74	59.9	45.4-74.4
\$15,000- 24,999	202	15,905	39	27.1	18.3-35.9	163	72.9	64.1-81.7
\$25,000- 34,999	249	22,260	40	29.9	20.7-39.1	209	70.1	60.9-79.3
\$35,000- 49,999	338	28,733	40	19.1	12.8-25.4	298	80.9	74.6-87.2
\$50,000- 99,999	708	71,263	130	26.7	21.8-31.6	578	73.3	68.4-78.2
\$100,000- 199,999	376	43,439	86	25.3	19.6-31.0	290	74.7	69.0-80.4
\$200,000+	68	8,662	15	24.2	10.5-37.9	53	75.8	62.1-89.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5204	510,364	1201	26.0	24.4-27.6	4003	74.0	72.4-75.6
Male	2630	258,296	576	23.4	21.2-25.6	2054	76.6	74.4-78.8
Female	2574	252,068	625	28.7	26.2-31.2	1949	71.3	68.8-73.8
Native	220	21,921	97	47.2	38.2-56.2	123	52.8	43.8-61.8
Non-Native	4917	483,020	1088	25.0	23.4-26.6	3829	75.0	73.4-76.6
18-24	293	63,215	89	31.6	25.3-37.9	204	68.4	62.1-74.7
25-34	451	93,196	127	29.0	24.1-33.9	324	71.0	66.1-75.9
35-44	573	85,589	149	26.8	22.7-30.9	424	73.2	69.1-77.3
45-54	645	69,072	163	25.1	21.2-29.0	482	74.9	71.0-78.8
55-64	963	83,091	245	27.4	24.1-30.7	718	72.6	69.3-75.9
65+	2279	116,202	428	19.6	17.6-21.6	1851	80.4	78.4-82.4
Less Than H.S.	231	36,098	69	34.0	25.8-42.2	162	66.0	57.8-74.2
H.S. or G.E.D.	1426	132,169	360	29.7	26.6-32.8	1066	70.3	67.2-73.4
Some Post-H.S.	1694	195,183	381	25.8	23.1-28.5	1313	74.2	71.5-76.9
College Graduate	1843	145,667	387	20.8	18.4-23.2	1456	79.2	76.8-81.6
Less than \$15,000	173	20,249	54	39.7	29.1-50.3	119	60.3	49.7-70.9
\$15,000- 24,999	350	29,465	92	32.5	25.4-39.6	258	67.5	60.4-74.6
\$25,000- 34,999	460	41,878	122	33.9	27.6-40.2	338	66.1	59.8-72.4
\$35,000- 49,999	658	59,696	161	25.2	20.7-29.7	497	74.8	70.3-79.3
\$50,000- 99,999	1472	146,263	319	25.0	21.9-28.1	1153	75.0	71.9-78.1
\$100,000- 199,999	951	102,458	227	25.6	22.1-29.1	724	74.4	70.9-77.9
\$200,000+	179	20,204	38	20.6	13.5-27.7	141	79.4	72.3-86.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	258,296	576	23.4	21.2-25.6	2054	76.6	74.4-78.8
Native	99	10,085	38	34.1	22.1-46.1	61	65.9	53.9-77.9
Non-Native	2483	244,248	525	22.8	20.6-25.0	1958	77.2	75.0-79.4
18-24	176	32,236	41	24.3	16.7-31.9	135	75.7	68.1-83.3
25-34	285	52,601	66	23.1	17.6-28.6	219	76.9	71.4-82.4
35-44	315	42,956	71	22.7	17.4-28.0	244	77.3	72.0-82.6
45-54	326	35,967	86	25.0	19.7-30.3	240	75.0	69.7-80.3
55-64	472	41,692	128	29.0	24.1-33.9	344	71.0	66.1-75.9
65+	1056	52,843	184	18.2	15.5-20.9	872	81.8	79.1-84.5
Less Than H.S.	131	20,904	40	33.8	23.0-44.6	91	66.2	55.4-77.0
H.S. or G.E.D.	772	74,438	185	26.5	22.6-30.4	587	73.5	69.6-77.4
Some Post-H.S.	827	95,707	170	21.9	18.4-25.4	657	78.1	74.6-81.6
College Graduate	892	66,197	178	18.5	15.6-21.4	714	81.5	78.6-84.4
Less than \$15,000	76	7,852	24	33.1	19.4-46.8	52	66.9	53.2-80.6
\$15,000- 24,999	147	13,304	38	27.6	17.8-37.4	109	72.4	62.6-82.2
\$25,000- 34,999	214	20,029	58	31.6	23.0-40.2	156	68.4	59.8-77.0
\$35,000- 49,999	324	31,389	66	20.7	15.0-26.4	258	79.3	73.6-85.0
\$50,000- 99,999	765	74,826	150	22.0	18.1-25.9	615	78.0	74.1-81.9
\$100,000- 199,999	572	58,989	130	22.9	18.6-27.2	442	77.1	72.8-81.4
\$200,000+	112	11,588	20	18.8	10.2-27.4	92	81.2	72.6-89.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2574	252,068	625	28.7	26.2-31.2	1949	71.3	68.8-73.8
Native	121	11,836	59	58.4	46.6-70.2	62	41.6	29.8-53.4
Non-Native	2434	238,772	563	27.2	24.7-29.7	1871	72.8	70.3-75.3
18-24	117	30,979	48	39.2	29.4-49.0	69	60.8	51.0-70.6
25-34	166	40,595	61	36.8	28.4-45.2	105	63.2	54.8-71.6
35-44	258	42,632	78	30.9	24.4-37.4	180	69.1	62.6-75.6
45-54	319	33,105	77	25.2	19.7-30.7	242	74.8	69.3-80.3
55-64	491	41,398	117	25.7	21.0-30.4	374	74.3	69.6-79.0
65+	1223	63,358	244	20.8	18.1-23.5	979	79.2	76.5-81.9
Less Than H.S.	100	15,194	29	34.3	21.6-47.0	71	65.7	53.0-78.4
H.S. or G.E.D.	654	57,731	175	33.7	28.6-38.8	479	66.3	61.2-71.4
Some Post-H.S.	867	99,477	211	29.7	25.4-34.0	656	70.3	66.0-74.6
College Graduate	951	79,470	209	22.7	19.2-26.2	742	77.3	73.8-80.8
Less than \$15,000	97	12,397	30	43.9	29.4-58.4	67	56.1	41.6-70.6
\$15,000- 24,999	203	16,161	54	36.6	27.0-46.2	149	63.4	53.8-73.0
\$25,000- 34,999	246	21,849	64	36.0	26.8-45.2	182	64.0	54.8-73.2
\$35,000- 49,999	334	28,308	95	30.3	23.4-37.2	239	69.7	62.8-76.6
\$50,000- 99,999	707	71,437	169	28.1	23.4-32.8	538	71.9	67.2-76.6
\$100,000- 199,999	379	43,468	97	29.2	23.3-35.1	282	70.8	64.9-76.7
\$200,000+	67	8,615	18	22.9	11.1-34.7	49	77.1	65.3-88.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5205	510,290	391	11.8	10.4-13.2	4814	88.2	86.8-89.6
Male	2627	257,956	212	11.9	10.1-13.7	2415	88.1	86.3-89.9
Female	2578	252,334	179	11.6	09.6-13.6	2399	88.4	86.4-90.4
Native	220	21,929	47	28.8	20.2-37.4	173	71.2	62.6-79.8
Non-Native	4917	482,868	336	10.9	09.5-12.3	4581	89.1	87.7-90.5
18-24	292	63,032	54	20.2	14.7-25.7	238	79.8	74.3-85.3
25-34	450	93,333	87	21.1	16.6-25.6	363	78.9	74.4-83.4
35-44	575	85,698	81	15.4	11.9-18.9	494	84.6	81.1-88.1
45-54	642	68,711	55	9.1	06.6-11.6	587	90.9	88.4-93.4
55-64	964	83,168	63	6.6	04.8-08.4	901	93.4	91.6-95.2
65+	2282	116,349	51	2.3	01.5-03.1	2231	97.7	96.9-98.5
Less Than H.S.	228	35,810	31	23.8	15.4-32.2	197	76.2	67.8-84.6
H.S. or G.E.D.	1427	132,012	126	14.9	12.2-17.6	1301	85.1	82.4-87.8
Some Post-H.S.	1692	194,962	134	11.5	09.3-13.7	1558	88.5	86.3-90.7
College Graduate	1848	146,261	99	6.4	05.0-07.8	1749	93.6	92.2-95.0
Less than \$15,000	171	20,201	17	20.4	10.4-30.4	154	79.6	69.6-89.6
\$15,000- 24,999	352	29,425	30	14.8	08.7-20.9	322	85.2	79.1-91.3
\$25,000- 34,999	461	42,000	35	14.5	09.2-19.8	426	85.5	80.2-90.8
\$35,000- 49,999	660	59,984	51	12.2	08.5-15.9	609	87.8	84.1-91.5
\$50,000- 99,999	1471	146,195	106	11.0	08.6-13.4	1365	89.0	86.6-91.4
\$100,000- 199,999	949	102,360	84	11.9	09.0-14.8	865	88.1	85.2-91.0
\$200,000+	180	20,251	13	8.1	03.6-12.6	167	91.9	87.4-96.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	257,956	212	11.9	10.1-13.7	2415	88.1	86.3-89.9
Native	100	10,181	17	21.0	10.2-31.8	83	79.0	68.2-89.8
Non-Native	2478	243,742	188	11.5	09.5-13.5	2290	88.5	86.5-90.5
18-24	175	32,053	23	14.9	08.2-21.6	152	85.1	78.4-91.8
25-34	284	52,544	53	22.1	16.2-28.0	231	77.9	72.0-83.8
35-44	318	43,179	47	15.2	10.7-19.7	271	84.8	80.3-89.3
45-54	325	35,786	31	11.0	06.9-15.1	294	89.0	84.9-93.1
55-64	470	41,594	31	6.3	03.9-08.7	439	93.7	91.3-96.1
65+	1055	52,800	27	2.5	01.3-03.7	1028	97.5	96.3-98.7
Less Than H.S.	128	20,616	20	28.9	17.1-40.7	108	71.1	59.3-82.9
H.S. or G.E.D.	770	74,155	76	14.1	10.8-17.4	694	85.9	82.6-89.2
Some Post-H.S.	825	95,462	69	11.0	08.3-13.7	756	89.0	86.3-91.7
College Graduate	896	66,673	46	5.7	03.7-07.7	850	94.3	92.3-96.3
Less than \$15,000	74	7,804	7	21.2	04.5-37.9	67	78.8	62.1-95.5
\$15,000- 24,999	147	13,190	11	9.1	02.4-15.8	136	90.9	84.2-97.6
\$25,000- 34,999	215	20,112	19	16.9	09.1-24.7	196	83.1	75.3-90.9
\$35,000- 49,999	326	31,483	24	10.8	05.9-15.7	302	89.2	84.3-94.1
\$50,000- 99,999	763	74,722	53	10.2	06.9-13.5	710	89.8	86.5-93.1
\$100,000- 199,999	573	59,120	56	12.7	09.2-16.2	517	87.3	83.8-90.8
\$200,000+	112	11,588	11	12.0	04.7-19.3	101	88.0	80.7-95.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2578	252,334	179	11.6	09.6-13.6	2399	88.4	86.4-90.4
Native	120	11,748	30	35.6	23.1-48.1	90	64.4	51.9-76.9
Non-Native	2439	239,126	148	10.3	08.3-12.3	2291	89.7	87.7-91.7
18-24	117	30,979	31	25.6	17.0-34.2	86	74.4	65.8-83.0
25-34	166	40,789	34	19.8	12.9-26.7	132	80.2	73.3-87.1
35-44	257	42,519	34	15.7	10.4-21.0	223	84.3	79.0-89.6
45-54	317	32,925	24	7.1	04.0-10.2	293	92.9	89.8-96.0
55-64	494	41,573	32	6.9	04.2-09.6	462	93.1	90.4-95.8
65+	1227	63,549	24	2.2	01.2-03.2	1203	97.8	96.8-98.8
Less Than H.S.	100	15,194	11	16.8	05.8-27.8	89	83.2	72.2-94.2
H.S. or G.E.D.	657	57,856	50	15.8	11.3-20.3	607	84.2	79.7-88.7
Some Post-H.S.	867	99,500	65	12.0	08.7-15.3	802	88.0	84.7-91.3
College Graduate	952	79,588	53	7.1	04.9-09.3	899	92.9	90.7-95.1
Less than \$15,000	97	12,397	10	19.9	07.4-32.4	87	80.1	67.6-92.6
\$15,000- 24,999	205	16,235	19	19.5	10.3-28.7	186	80.5	71.3-89.7
\$25,000- 34,999	246	21,888	16	12.2	04.9-19.5	230	87.8	80.5-95.1
\$35,000- 49,999	334	28,501	27	13.8	07.9-19.7	307	86.2	80.3-92.1
\$50,000- 99,999	708	71,472	53	11.8	08.3-15.3	655	88.2	84.7-91.7
\$100,000- 199,999	376	43,239	28	10.8	06.1-15.5	348	89.2	84.5-93.9
\$200,000+	68	8,662	2	3.0	00.0-07.1	66	97.0	92.9-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5212	510,247	284	9.2	08.0-10.4	4928	90.8	89.6-92.0
Male	2634	258,496	162	9.8	08.0-11.6	2472	90.2	88.4-92.0
Female	2578	251,751	122	8.5	06.7-10.3	2456	91.5	89.7-93.3
Native	219	21,833	49	25.9	17.9-33.9	170	74.1	66.1-82.1
Non-Native	4924	482,863	232	8.4	07.2-09.6	4692	91.6	90.4-92.8
18-24	291	62,965	56	19.8	14.5-25.1	235	80.2	74.9-85.5
25-34	450	93,206	67	17.4	13.1-21.7	383	82.6	78.3-86.9
35-44	570	84,752	55	11.0	08.1-13.9	515	89.0	86.1-91.9
45-54	645	69,268	32	5.1	03.1-07.1	613	94.9	92.9-96.9
55-64	965	83,281	31	3.9	02.3-05.5	934	96.1	94.5-97.7
65+	2291	116,775	43	1.7	01.1-02.3	2248	98.3	97.7-98.9
Less Than H.S.	232	36,134	31	24.5	16.1-32.9	201	75.5	67.1-83.9
H.S. or G.E.D.	1429	131,889	105	12.0	09.5-14.5	1324	88.0	85.5-90.5
Some Post-H.S.	1694	194,952	97	8.6	06.6-10.6	1597	91.4	89.4-93.4
College Graduate	1847	146,026	50	3.6	02.4-04.8	1797	96.4	95.2-97.6
Less than \$15,000	172	20,225	19	19.9	09.7-30.1	153	80.1	69.9-90.3
\$15,000- 24,999	352	29,430	28	13.8	08.1-19.5	324	86.2	80.5-91.9
\$25,000- 34,999	462	42,077	29	12.1	07.2-17.0	433	87.9	83.0-92.8
\$35,000- 49,999	659	59,653	35	9.6	05.9-13.3	624	90.4	86.7-94.1
\$50,000- 99,999	1474	145,958	72	8.5	06.1-10.9	1402	91.5	89.1-93.9
\$100,000- 199,999	950	102,499	48	6.8	04.6-09.0	902	93.2	91.0-95.4
\$200,000+	180	20,251	6	3.8	00.5-07.1	174	96.2	92.9-99.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2634	258,496	162	9.8	08.0-11.6	2472	90.2	88.4-92.0
Native	99	10,085	21	22.0	11.8-32.2	78	78.0	67.8-88.2
Non-Native	2485	244,320	139	9.3	07.5-11.1	2346	90.7	88.9-92.5
18-24	174	31,986	25	16.9	09.8-24.0	149	83.1	76.0-90.2
25-34	285	52,601	42	17.7	12.2-23.2	243	82.3	76.8-87.8
35-44	316	43,088	37	13.8	09.3-18.3	279	86.2	81.7-90.7
45-54	326	35,964	18	5.0	02.5-07.5	308	95.0	92.5-97.5
55-64	472	41,755	17	4.1	01.7-06.5	455	95.9	93.5-98.3
65+	1061	53,101	23	2.0	01.0-03.0	1038	98.0	97.0-99.0
Less Than H.S.	131	20,904	19	26.9	15.5-38.3	112	73.1	61.7-84.5
H.S. or G.E.D.	773	74,415	64	11.8	08.5-15.1	709	88.2	84.9-91.5
Some Post-H.S.	826	95,523	51	8.8	06.3-11.3	775	91.2	88.7-93.7
College Graduate	896	66,605	27	3.4	01.8-05.0	869	96.6	95.0-98.2
Less than \$15,000	75	7,828	9	18.0	02.5-33.5	66	82.0	66.5-97.5
\$15,000- 24,999	146	13,165	13	12.6	05.0-20.2	133	87.4	79.8-95.0
\$25,000- 34,999	215	20,207	12	8.9	03.0-14.8	203	91.1	85.2-97.0
\$35,000- 49,999	326	31,483	17	9.3	04.0-14.6	309	90.7	85.4-96.0
\$50,000- 99,999	768	74,976	47	10.3	06.8-13.8	721	89.7	86.2-93.2
\$100,000- 199,999	573	59,103	33	8.1	05.0-11.2	540	91.9	88.8-95.0
\$200,000+	112	11,588	4	4.4	00.0-09.1	108	95.6	90.9-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2578	251,751	122	8.5	06.7-10.3	2456	91.5	89.7-93.3
Native	120	11,748	28	29.3	17.5-41.1	92	70.7	58.9-82.5
Non-Native	2439	238,543	93	7.4	05.6-09.2	2346	92.6	90.8-94.4
18-24	117	30,979	31	22.8	14.8-30.8	86	77.2	69.2-85.2
25-34	165	40,605	25	16.9	10.0-23.8	140	83.1	76.2-90.0
35-44	254	41,663	18	8.0	04.1-11.9	236	92.0	88.1-95.9
45-54	319	33,304	14	5.1	02.0-08.2	305	94.9	91.8-98.0
55-64	493	41,526	14	3.6	01.2-06.0	479	96.4	94.0-98.8
65+	1230	63,674	20	1.5	00.7-02.3	1210	98.5	97.7-99.3
Less Than H.S.	101	15,230	12	21.1	08.9-33.3	89	78.9	66.7-91.1
H.S. or G.E.D.	656	57,474	41	12.2	08.1-16.3	615	87.8	83.7-91.9
Some Post-H.S.	868	99,430	46	8.3	05.6-11.0	822	91.7	89.0-94.4
College Graduate	951	79,421	23	3.7	01.9-05.5	928	96.3	94.5-98.1
Less than \$15,000	97	12,397	10	21.2	07.7-34.7	87	78.8	65.3-92.3
\$15,000- 24,999	206	16,265	15	14.9	06.7-23.1	191	85.1	76.9-93.3
\$25,000- 34,999	247	21,870	17	15.0	07.4-22.6	230	85.0	77.4-92.6
\$35,000- 49,999	333	28,170	18	10.0	04.7-15.3	315	90.0	84.7-95.3
\$50,000- 99,999	706	70,982	25	6.5	03.6-09.4	681	93.5	90.6-96.4
\$100,000- 199,999	377	43,396	15	5.1	02.2-08.0	362	94.9	92.0-97.8
\$200,000+	68	8,662	2	2.8	00.0-06.7	66	97.2	93.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE
TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5203	510,752	866	23.4	21.8-25.0	4296	75.4	73.8-77.0	41	1.2	0.8-01.6
Male	2627	257,813	452	23.7	21.5-25.9	2157	75.5	73.3-77.7	18	0.8	0.4-01.2
Female	2576	252,939	414	23.1	20.7-25.5	2139	75.2	72.7-77.7	23	1.7	0.9-02.5
Native	218	21,823	87	51.2	42.2-60.2	124	46.0	37.2-54.8	7	2.8	0.1-05.5
Non-Native	4918	483,463	767	22.1	20.5-23.7	4118	76.7	74.9-78.5	33	1.1	0.7-01.5
18-24	292	63,029	104	37.8	31.5-44.1	178	59.7	53.2-66.2	10	2.5	0.7-04.3
25-34	450	93,388	155	36.2	31.1-41.3	288	61.8	56.5-67.1	7	2.0	0.4-03.6
35-44	573	85,390	150	26.5	22.4-30.6	415	71.9	67.8-76.0	8	1.5	0.3-02.7
45-54	641	68,815	144	23.2	19.5-26.9	487	75.4	71.7-79.1	10	1.5	0.3-02.7
55-64	962	83,410	141	17.0	14.1-19.9	816	82.4	79.5-85.3	5	0.7	0.0-01.5
65+	2285	116,720	172	7.8	06.4-09.2	2112	92.2	90.8-93.6	1	0.0	0.0-00.0
Less Than H.S.	231	36,003	58	37.4	28.8-46.0	170	60.8	52.0-69.6	3	1.8	0.0-04.0
H.S. or G.E.D.	1428	131,991	276	26.8	23.7-29.9	1135	70.9	67.6-74.2	17	2.2	0.1-03.4
Some Post-H.S.	1694	195,563	285	23.5	20.8-26.2	1399	75.9	73.2-78.6	10	0.6	0.2-01.0
College Graduate	1840	145,950	244	16.6	14.4-18.8	1585	82.4	80.0-84.8	11	1.0	0.2-01.8
Less than \$15,000	172	20,225	37	34.9	24.3-45.5	132	63.5	52.9-74.1	3	1.6	0.0-04.1
\$15,000- 24,999	354	29,851	71	36.6	29.0-44.2	282	62.5	54.9-70.1	1	1.0	0.0-02.8
\$25,000- 34,999	461	42,144	89	30.3	24.0-36.6	369	68.6	62.3-74.9	3	1.1	0.0-02.7
\$35,000- 49,999	658	59,891	90	20.7	16.2-25.2	558	76.6	71.9-81.3	10	2.6	0.6-04.6
\$50,000- 99,999	1474	145,993	224	21.4	18.5-24.3	1235	77.2	74.3-80.1	15	1.4	0.6-02.2
\$100,000- 199,999	948	102,159	174	22.0	18.5-25.5	769	77.3	73.8-80.8	5	0.7	0.0-01.5
\$200,000+	180	20,251	34	18.9	12.2-25.6	146	81.1	74.4-87.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	257,813	452	23.7	21.5-25.9	2157	75.5	73.3-77.7	18	0.8	00.4-01.2
Native	98	10,007	40	46.1	33.0-59.2	57	53.2	40.1-66.3	1	0.7	00.0-02.1
Non-Native	2481	243,800	402	22.8	20.4-25.2	2063	76.4	74.0-78.8	16	0.8	00.4-01.2
18-24	175	32,050	54	34.9	26.9-42.9	115	63.6	55.4-71.8	6	1.5	00.0-03.1
25-34	282	51,996	95	37.4	30.9-43.9	186	62.1	55.6-68.6	1	0.5	00.0-01.5
35-44	317	43,212	77	24.2	18.9-29.5	236	74.3	68.8-79.8	4	1.5	00.0-03.1
45-54	322	35,507	73	21.9	16.8-27.0	244	76.3	71.2-81.4	5	1.7	00.0-03.5
55-64	472	41,864	79	18.7	14.6-22.8	391	81.2	77.1-85.3	2	0.1	00.0-00.3
65+	1059	53,183	74	8.1	06.1-10.1	985	91.9	89.9-93.9			
Less Than H.S.	130	20,773	33	37.8	26.4-49.2	96	60.8	49.2-72.4	1	1.4	00.0-04.1
H.S. or G.E.D.	771	74,089	154	26.0	21.9-30.1	607	72.4	68.3-76.5	10	1.6	00.4-02.8
Some Post-H.S.	827	95,576	146	24.6	20.7-28.5	677	75.2	71.3-79.1	4	0.3	00.1-00.5
College Graduate	891	66,326	117	15.4	12.5-18.3	771	84.1	81.2-87.0	3	0.5	00.0-01.1
Less than \$15,000	75	7,828	18	39.9	23.6-56.2	55	59.3	43.2-75.4	2	0.8	00.0-02.0
\$15,000- 24,999	148	13,429	34	38.7	27.1-50.3	114	61.3	49.7-72.9			
\$25,000- 34,999	214	20,029	38	27.6	19.2-36.0	175	72.1	63.7-80.5	1	0.4	00.0-01.2
\$35,000- 49,999	325	31,349	50	23.1	16.6-29.6	270	74.7	68.2-81.2	5	2.2	00.0-04.6
\$50,000- 99,999	767	74,918	118	20.7	16.8-24.6	642	78.0	74.1-81.9	7	1.3	00.1-02.5
\$100,000- 199,999	570	58,742	104	22.0	17.5-26.5	464	77.8	73.3-82.3	2	0.2	00.0-00.6
\$200,000+	112	11,588	20	18.5	10.1-26.9	92	81.5	73.1-89.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE
TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2576	252,939	414	23.1	20.7-25.5	2139	75.2	72.7-77.7	23	1.7	00.9-02.5
Native	120	11,816	47	55.4	43.4-67.4	67	39.9	28.5-51.3	6	4.6	00.0-09.5
Non-Native	2437	239,663	365	21.4	19.0-23.8	2055	77.0	74.5-79.5	17	1.5	00.7-02.3
18-24	117	30,979	50	40.8	31.0-50.6	63	55.8	46.0-65.6	4	3.5	00.2-06.8
25-34	168	41,392	60	34.6	26.4-42.8	102	61.6	53.2-70.0	6	3.8	00.7-06.9
35-44	256	42,178	73	28.9	22.6-35.2	179	69.5	63.2-75.8	4	1.6	00.0-03.4
45-54	319	33,308	71	24.4	18.9-29.9	243	74.3	68.8-79.8	5	1.2	00.0-02.6
55-64	490	41,546	62	15.2	11.1-19.3	425	83.6	79.3-87.9	3	1.2	00.0-02.8
65+	1226	63,537	98	7.5	05.7-09.3	1127	92.4	90.6-94.2	1	0.1	00.0-00.3
Less Than H.S.	101	15,230	25	36.8	23.3-50.3	74	60.8	47.3-74.3	2	2.3	00.0-06.0
H.S. or G.E.D.	657	57,902	122	27.9	22.8-33.0	528	69.1	63.8-74.4	7	3.0	00.8-05.2
Some Post-H.S.	867	99,987	139	22.5	18.4-26.6	722	76.6	72.5-80.7	6	1.0	00.0-02.0
College Graduate	949	79,624	127	17.6	14.3-20.9	814	80.9	77.6-84.2	8	1.5	00.3-02.7
Less than \$15,000	97	12,397	19	31.8	17.9-45.7	77	66.1	52.2-80.0	1	2.1	00.0-06.2
\$15,000- 24,999	206	16,422	37	34.8	24.6-45.0	168	63.5	53.3-73.7	1	1.7	00.0-05.0
\$25,000- 34,999	247	22,115	51	32.8	23.6-42.0	194	65.4	56.2-74.6	2	1.8	00.0-04.7
\$35,000- 49,999	333	28,542	40	18.2	11.9-24.5	288	78.7	72.0-85.4	5	3.1	00.0-06.2
\$50,000- 99,999	707	71,076	106	22.0	17.5-26.5	593	76.4	71.9-80.9	8	1.6	00.2-03.0
\$100,000- 199,999	378	43,417	70	22.0	16.5-27.5	305	76.7	71.0-82.4	3	1.3	00.0-03.1
\$200,000+	68	8,662	14	19.4	08.8-30.0	54	80.6	70.0-91.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5145	503,521	4509	84.2	82.8-85.6	171	3.9	03.1-04.7	465	11.8	10.4-13.2
Male	2596	254,565	2297	86.7	84.9-88.5	83	3.5	02.5-04.5	216	9.8	08.2-11.4
Female	2549	248,955	2212	81.8	79.4-84.2	88	4.3	02.9-05.7	249	13.9	11.9-15.9
Native	218	21,785	140	58.3	49.1-67.5	15	9.3	03.2-15.4	63	32.4	23.6-41.2
Non-Native	4863	476,773	4311	85.4	84.0-86.8	154	3.7	02.9-04.5	398	10.9	09.5-12.3
18-24	287	61,497	232	78.1	72.4-83.8	17	6.8	03.3-10.3	38	15.1	10.2-20.0
25-34	449	93,427	365	79.2	74.7-83.7	29	6.2	03.5-08.9	55	14.6	10.5-18.7
35-44	563	83,685	473	83.1	79.6-86.6	13	2.2	00.8-03.6	77	14.8	11.3-18.3
45-54	633	67,761	532	83.8	80.5-87.1	22	3.4	01.8-05.0	79	12.8	09.9-15.7
55-64	948	81,771	825	86.4	83.9-88.9	30	3.0	01.8-04.2	93	10.6	08.2-13.0
65+	2265	115,378	2082	91.2	89.8-92.6	60	2.8	02.0-03.6	123	6.1	04.9-07.3
Less Than H.S.	226	35,496	176	70.9	62.7-79.1	9	5.4	00.9-09.9	41	23.7	16.1-31.3
H.S. or G.E.D.	1404	129,827	1214	82.6	79.9-85.3	41	3.6	02.2-05.0	149	13.8	11.3-16.3
Some Post-H.S.	1671	191,919	1473	85.1	82.6-87.6	57	4.1	02.7-05.5	141	10.9	08.7-13.1
College Graduate	1834	145,032	1639	88.1	86.1-90.1	64	3.7	02.7-04.7	131	8.2	06.6-09.8
Less than \$15,000	172	20,225	140	71.7	61.5-81.9	4	1.6	00.0-03.4	28	26.6	16.4-36.8
\$15,000- 24,999	345	28,722	291	77.7	71.0-84.4	13	4.9	01.8-08.0	41	17.4	11.1-23.7
\$25,000- 34,999	456	41,359	399	77.5	71.4-83.6	18	7.3	03.4-11.2	39	15.2	09.9-20.5
\$35,000- 49,999	655	59,356	574	86.6	83.1-90.1	26	4.3	02.3-06.3	55	9.2	06.3-12.1
\$50,000- 99,999	1454	143,830	1283	84.3	81.6-87.0	47	4.4	02.6-06.2	124	11.3	08.9-13.7
\$100,000- 199,999	943	101,933	822	87.3	84.8-89.8	27	2.3	01.3-03.3	94	10.4	08.0-12.8
\$200,000+	178	19,995	158	87.8	82.1-93.5	6	2.7	00.0-05.4	14	9.5	04.4-14.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2596	254,565	2297	86.7	84.9-88.5	83	3.5	02.5-04.5	216	9.8	08.2-11.4
Native	98	10,069	67	65.3	52.2-78.4	7	9.2	01.0-17.4	24	25.6	13.6-37.6
Non-Native	2452	240,873	2189	87.4	85.6-89.2	74	3.3	02.3-04.3	189	9.2	07.6-10.8
18-24	173	31,640	150	85.2	78.9-91.5	7	4.4	01.1-07.7	16	10.4	04.7-16.1
25-34	282	52,142	241	83.7	78.6-88.8	15	5.5	02.6-08.4	26	10.8	06.3-15.3
35-44	309	42,112	271	87.4	83.1-91.7	4	1.2	00.0-02.4	34	11.4	07.3-15.5
45-54	320	35,243	270	84.3	79.8-88.8	13	3.7	01.2-06.2	37	12.0	08.1-15.9
55-64	461	40,741	397	86.6	83.1-90.1	17	3.3	01.5-05.1	47	10.2	07.1-13.3
65+	1051	52,686	968	91.6	89.4-93.8	27	2.9	01.5-04.3	56	5.5	03.7-07.3
Less Than H.S.	129	20,481	98	69.6	58.6-80.6	6	6.2	00.5-11.9	25	24.1	13.9-34.3
H.S. or G.E.D.	758	72,992	667	86.6	83.5-89.7	25	3.7	01.9-05.5	66	9.7	07.0-12.4
Some Post-H.S.	815	94,225	728	88.8	86.1-91.5	21	2.5	01.1-03.9	66	8.8	06.4-11.2
College Graduate	886	65,818	798	89.4	86.9-91.9	31	4.0	02.2-05.8	57	6.6	04.6-08.6
Less than \$15,000	75	7,828	58	69.0	52.9-85.1	2	1.5	00.0-04.0	15	29.4	13.1-45.7
\$15,000- 24,999	142	12,761	118	76.0	65.2-86.8	6	7.3	00.8-13.8	18	16.7	06.9-26.5
\$25,000- 34,999	214	20,156	185	75.9	67.3-84.5	14	11.7	05.0-18.4	15	12.4	05.5-19.3
\$35,000- 49,999	323	31,086	285	88.7	84.6-92.8	12	4.2	01.5-06.9	26	7.1	03.8-10.4
\$50,000- 99,999	753	73,490	675	88.1	85.2-91.0	19	2.8	01.2-04.4	59	9.1	06.4-11.8
\$100,000- 199,999	567	58,606	502	89.3	86.2-92.4	16	2.3	00.9-03.7	49	8.5	05.8-11.2
\$200,000+	112	11,588	103	90.2	83.5-96.9	3	1.7	00.0-04.2	6	8.1	01.8-14.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2549	248,955	2212	81.8	79.4-84.2	88	4.3	02.9-05.7	249	13.9	11.9-15.9
Native	120	11,715	73	52.3	39.8-64.8	8	9.4	00.6-18.2	39	38.3	26.0-50.6
Non-Native	2411	235,900	2122	83.3	80.9-85.7	80	4.1	02.9-05.3	209	12.6	10.6-14.6
18-24	114	29,857	82	70.6	61.2-80.0	10	9.3	03.0-15.6	22	20.1	11.9-28.3
25-34	167	41,286	124	73.5	65.5-81.5	14	7.2	02.3-12.1	29	19.3	12.2-26.4
35-44	254	41,573	202	78.7	73.0-84.4	9	3.2	00.8-05.6	43	18.2	12.7-23.7
45-54	313	32,518	262	83.4	78.7-88.1	9	3.0	00.8-05.2	42	13.6	09.1-18.1
55-64	487	41,030	428	86.2	82.3-90.1	13	2.8	01.0-04.6	46	11.0	07.5-14.5
65+	1214	62,692	1114	90.8	88.8-92.8	33	2.6	01.6-03.6	67	6.5	04.7-08.3
Less Than H.S.	97	15,015	78	72.7	60.0-85.4	3	4.2	00.0-11.3	16	23.1	11.5-34.7
H.S. or G.E.D.	646	56,836	547	77.5	72.6-82.4	16	3.6	01.2-06.0	83	19.0	14.5-23.5
Some Post-H.S.	856	97,694	745	81.5	77.4-85.6	36	5.6	03.1-08.1	75	12.9	09.4-16.4
College Graduate	948	79,214	841	87.1	84.4-89.8	33	3.4	02.0-04.8	74	9.5	07.0-12.0
Less than \$15,000	97	12,397	82	73.5	60.4-86.6	2	1.7	00.0-04.1	13	24.9	11.8-38.0
\$15,000- 24,999	203	15,961	173	79.1	70.7-87.5	7	2.9	00.5-05.3	23	18.0	09.8-26.2
\$25,000- 34,999	242	21,203	214	79.0	70.4-87.6	4	3.0	00.0-07.1	24	17.9	09.9-25.9
\$35,000- 49,999	332	28,270	289	84.2	78.5-89.9	14	4.4	01.3-07.5	29	11.4	06.3-16.5
\$50,000- 99,999	701	70,340	608	80.2	75.7-84.7	28	6.1	03.2-09.0	65	13.7	10.0-17.4
\$100,000- 199,999	376	43,327	320	84.6	80.1-89.1	11	2.4	00.8-04.0	45	13.0	08.7-17.3
\$200,000+	66	8,406	55	84.6	74.8-94.4	3	4.0	00.0-09.3	8	11.5	03.1-19.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5148	504,628	4131	76.7	75.1-78.3	325	6.7	05.7-07.7	692	16.6	15.2-18.0
Male	2591	253,771	2049	76.5	74.3-78.7	161	6.6	05.2-08.0	381	16.9	14.9-18.9
Female	2557	250,857	2082	76.9	74.5-79.3	164	6.8	05.2-08.4	311	16.3	14.1-18.5
Native	218	21,778	140	56.1	46.9-65.3	14	4.1	01.4-06.8	64	39.8	30.6-49.0
Non-Native	4864	477,632	3943	77.8	76.2-79.4	305	6.7	05.7-07.7	616	15.5	14.1-16.9
18-24	287	61,785	215	70.6	64.3-76.9	19	6.9	03.4-10.4	53	22.5	16.6-28.4
25-34	450	93,090	338	72.6	67.7-77.5	34	9.0	05.5-12.5	78	18.4	14.1-22.7
35-44	572	85,024	446	74.8	70.7-78.9	24	5.5	03.1-07.9	102	19.7	16.0-23.4
45-54	637	68,305	492	76.2	72.3-80.1	36	6.2	04.0-08.4	109	17.7	14.2-21.2
55-64	950	81,442	774	80.4	77.3-83.5	53	5.4	03.6-07.2	123	14.2	11.5-16.9
65+	2252	114,982	1866	82.5	80.5-84.5	159	6.8	05.6-08.0	227	10.7	09.1-12.3
Less Than H.S.	223	34,233	152	56.3	47.1-65.5	16	9.3	02.8-15.8	55	34.3	25.5-43.1
H.S. or G.E.D.	1404	130,121	1108	75.8	72.9-78.7	88	6.7	04.9-08.5	208	17.5	14.8-20.2
Some Post-H.S.	1677	193,884	1336	76.3	73.6-79.0	107	7.0	05.2-08.8	234	16.7	14.3-19.1
College Graduate	1835	145,433	1528	83.0	80.8-85.2	114	5.6	04.2-07.0	193	11.4	09.4-13.4
Less than \$15,000	166	19,400	115	51.5	40.7-62.3	10	11.0	02.4-19.6	41	37.4	26.4-48.4
\$15,000- 24,999	346	29,063	267	72.2	65.3-79.1	25	6.8	03.5-10.1	54	20.9	14.2-27.6
\$25,000- 34,999	455	41,544	355	68.4	61.9-74.9	38	9.6	05.9-13.3	62	22.0	15.9-28.1
\$35,000- 49,999	656	59,300	533	80.6	76.7-84.5	48	7.6	04.9-10.3	75	11.8	08.7-14.9
\$50,000- 99,999	1458	144,459	1172	77.7	74.8-80.6	87	6.0	04.2-07.8	199	16.4	13.7-19.1
\$100,000- 199,999	949	102,417	764	79.4	76.1-82.7	48	5.8	03.8-07.8	137	14.8	12.1-17.5
\$200,000+	179	20,211	147	83.3	77.0-89.6	10	3.8	01.1-06.5	22	12.9	07.2-18.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2591	253,771	2049	76.5	74.3-78.7	161	6.6	05.2-08.0	381	16.9	14.9-18.9
Native	97	9,942	61	56.6	43.3-69.9	5	5.3	00.2-10.4	31	38.0	24.7-51.3
Non-Native	2447	240,071	1958	77.6	75.4-79.8	150	6.5	05.1-07.9	339	15.9	13.9-17.9
18-24	172	31,409	134	73.5	65.3-81.7	12	8.1	03.2-13.0	26	18.4	11.0-25.8
25-34	283	51,964	216	74.3	68.4-80.2	20	8.0	04.1-11.9	47	17.7	12.6-22.8
35-44	315	42,551	253	78.2	72.9-83.5	10	3.9	01.4-06.4	52	17.9	13.0-22.8
45-54	320	35,219	237	72.7	67.0-78.4	22	7.8	04.5-11.1	61	19.6	14.5-24.7
55-64	460	40,320	362	77.0	72.5-81.5	27	5.9	03.4-08.4	71	17.1	13.0-21.2
65+	1041	52,308	847	81.6	78.9-84.3	70	6.1	04.5-07.7	124	12.2	09.8-14.6
Less Than H.S.	125	19,537	82	54.0	42.2-65.8	7	8.8	01.0-16.6	36	37.2	25.6-48.8
H.S. or G.E.D.	758	73,208	586	76.1	72.4-79.8	47	7.4	05.0-09.8	125	16.5	13.2-19.8
Some Post-H.S.	816	94,466	635	76.1	72.4-79.8	54	6.2	04.2-08.2	127	17.7	14.4-21.0
College Graduate	885	65,800	741	84.6	81.7-87.5	53	5.7	03.9-07.5	91	9.8	07.3-12.3
Less than \$15,000	72	7,450	49	53.0	36.9-69.1	6	19.0	02.1-35.9	17	28.0	14.5-41.5
\$15,000- 24,999	145	13,218	112	69.9	58.9-80.9	9	7.0	01.3-12.7	24	23.1	12.5-33.7
\$25,000- 34,999	211	19,699	160	70.3	61.5-79.1	19	10.1	04.6-15.6	32	19.6	11.6-27.6
\$35,000- 49,999	321	30,711	259	81.5	76.0-87.0	22	7.2	03.3-11.1	40	11.3	07.2-15.4
\$50,000- 99,999	756	73,988	592	75.9	71.8-80.0	48	5.4	03.4-07.4	116	18.7	14.8-22.6
\$100,000- 199,999	572	59,057	461	79.5	75.4-83.6	23	4.2	02.2-06.2	88	16.3	12.6-20.0
\$200,000+	111	11,548	94	86.0	78.7-93.3	8	6.2	01.3-11.1	9	7.8	01.9-13.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2557	250,857	2082	76.9	74.5-79.3	164	6.8	05.2-08.4	311	16.3	14.1-18.5
Native	121	11,836	79	55.7	43.2-68.2	9	3.1	00.6-05.6	33	41.2	28.5-53.9
Non-Native	2417	237,561	1985	78.0	75.5-80.5	155	7.0	05.4-08.6	277	15.0	12.8-17.2
18-24	115	30,375	81	67.6	58.0-77.2	7	5.7	00.8-10.6	27	26.7	17.5-35.9
25-34	167	41,127	122	70.4	62.0-78.8	14	10.2	03.9-16.5	31	19.3	12.0-26.6
35-44	257	42,472	193	71.5	65.2-77.8	14	7.0	03.1-10.9	50	21.5	15.8-27.2
45-54	317	33,087	255	79.9	74.8-85.0	14	4.5	02.0-07.0	48	15.6	10.9-20.3
55-64	490	41,123	412	83.7	79.8-87.6	26	4.9	02.7-07.1	52	11.4	07.9-14.9
65+	1211	62,674	1019	83.2	80.7-85.7	89	7.3	05.5-09.1	103	9.5	07.5-11.5
Less Than H.S.	98	14,696	70	59.4	44.9-73.9	9	10.1	00.0-20.7	19	30.5	16.8-44.2
H.S. or G.E.D.	646	56,914	522	75.4	70.5-80.3	41	5.8	03.4-08.2	83	18.8	14.3-23.3
Some Post-H.S.	861	99,418	701	76.4	72.3-80.5	53	7.8	05.1-10.5	107	15.8	12.3-19.3
College Graduate	950	79,633	787	81.7	78.6-84.8	61	5.6	03.8-07.4	102	12.7	09.8-15.6
Less than \$15,000	94	11,950	66	50.6	36.3-64.9	4	6.1	00.0-14.7	24	43.3	28.6-58.0
\$15,000- 24,999	201	15,845	155	74.2	65.6-82.8	16	6.7	02.8-10.6	30	19.1	10.9-27.3
\$25,000- 34,999	244	21,845	195	66.7	57.5-75.9	19	9.1	03.8-14.4	30	24.2	15.4-33.0
\$35,000- 49,999	335	28,589	274	79.6	73.7-85.5	26	7.9	04.0-11.8	35	12.4	07.5-17.3
\$50,000- 99,999	702	70,471	580	79.5	75.0-84.0	39	6.5	03.4-09.6	83	14.0	10.5-17.5
\$100,000- 199,999	377	43,360	303	79.2	73.9-84.5	25	7.9	04.0-11.8	49	12.9	08.8-17.0
\$200,000+	68	8,662	53	79.7	68.9-90.5	2	0.5	00.0-01.3	13	19.8	09.0-30.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5122	503,015	3531	62.0	60.2-63.8	322	7.0	06.0-08.0	1269	31.0	29.2-32.8
Male	2579	252,624	1719	61.0	58.5-63.5	176	7.7	06.3-09.1	684	31.3	28.9-33.7
Female	2543	250,391	1812	63.0	60.3-65.7	146	6.3	04.9-07.7	585	30.7	28.2-33.2
Native	217	21,635	108	46.1	37.1-55.1	13	4.8	01.3-08.3	96	49.1	40.1-58.1
Non-Native	4840	476,232	3385	62.9	61.1-64.7	304	7.1	06.1-08.1	1151	30.0	28.2-31.8
18-24	290	62,637	132	43.7	37.2-50.2	23	8.4	04.7-12.1	135	47.9	41.2-54.6
25-34	445	91,785	235	50.6	45.3-55.9	45	10.3	06.8-13.8	165	39.1	33.8-44.4
35-44	572	85,035	331	56.1	51.4-60.8	37	6.2	04.0-08.4	204	37.7	33.2-42.2
45-54	633	67,522	408	64.6	60.3-68.9	34	5.2	03.2-07.2	191	30.2	26.1-34.3
55-64	954	82,304	669	70.6	67.3-73.9	64	6.5	04.7-08.3	221	22.9	19.8-26.0
65+	2228	113,733	1756	78.1	75.9-80.3	119	5.4	04.2-06.6	353	16.5	14.5-18.5
Less Than H.S.	221	33,833	145	48.7	39.7-57.7	9	7.6	01.9-13.3	67	43.7	34.7-52.7
H.S. or G.E.D.	1407	130,885	996	61.1	57.6-64.6	87	6.7	04.9-08.5	324	32.2	28.9-35.5
Some Post-H.S.	1665	192,805	1155	62.6	59.5-65.7	96	7.0	05.2-08.8	414	30.4	27.5-33.3
College Graduate	1821	144,606	1231	65.4	62.7-68.1	129	6.9	05.5-08.3	461	27.6	25.1-30.1
Less than \$15,000	166	19,233	100	47.0	36.4-57.6	8	5.2	00.0-11.7	58	47.7	36.9-58.5
\$15,000- 24,999	337	28,503	233	54.5	47.1-61.9	21	8.4	03.7-13.1	83	37.1	29.7-44.5
\$25,000- 34,999	453	41,827	326	59.2	52.5-65.9	18	2.7	00.7-04.7	109	38.1	31.4-44.8
\$35,000- 49,999	651	59,055	445	63.6	58.5-68.7	43	7.1	04.2-10.0	163	29.2	24.5-33.9
\$50,000- 99,999	1457	144,822	978	60.7	57.4-64.0	110	8.2	06.2-10.2	369	31.1	27.8-34.4
\$100,000- 199,999	942	101,381	606	60.7	56.8-64.6	65	7.5	05.1-09.9	271	31.8	28.1-35.5
\$200,000+	178	20,184	129	68.1	59.7-76.5	9	7.2	02.3-12.1	40	24.7	16.9-32.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2579	252,624	1719	61.0	58.5-63.5	176	7.7	06.3-09.1	684	31.3	28.9-33.7
Native	98	10,038	51	50.0	36.7-63.3	5	6.6	00.0-13.5	42	43.4	30.3-56.5
Non-Native	2435	238,899	1641	61.7	59.2-64.2	168	7.7	06.3-09.1	626	30.6	28.2-33.0
18-24	173	31,658	83	45.2	36.8-53.6	13	7.7	03.2-12.2	77	47.1	38.5-55.7
25-34	278	50,691	154	52.4	45.7-59.1	27	10.9	06.2-15.6	97	36.7	30.2-43.2
35-44	315	42,547	186	58.5	52.4-64.6	20	6.8	03.5-10.1	109	34.7	28.8-40.6
45-54	318	34,822	195	62.0	55.9-68.1	15	4.4	01.9-06.9	108	33.5	27.4-39.6
55-64	463	41,065	315	68.7	63.8-73.6	39	8.3	05.4-11.2	109	23.0	18.5-27.5
65+	1032	51,840	786	74.5	71.4-77.6	62	6.8	04.8-08.8	184	18.7	15.8-21.6
Less Than H.S.	123	19,095	79	45.3	33.7-56.9	8	13.2	03.6-22.8	36	41.5	29.5-53.5
H.S. or G.E.D.	763	73,542	524	61.4	56.9-65.9	50	7.4	05.0-09.8	189	31.2	26.9-35.5
Some Post-H.S.	809	93,977	528	61.2	57.1-65.3	56	7.2	05.0-09.4	225	31.5	27.4-35.6
College Graduate	878	65,320	585	65.2	61.3-69.1	61	6.9	04.9-08.9	232	27.9	24.4-31.4
Less than \$15,000	70	7,230	41	43.6	28.5-58.7	3	9.7	00.0-25.8	26	46.6	30.7-62.5
\$15,000- 24,999	142	13,014	93	49.4	38.2-60.6	13	15.3	06.1-24.5	36	35.3	24.1-46.5
\$25,000- 34,999	209	19,875	145	58.4	49.2-67.6	7	2.2	00.0-04.6	57	39.3	30.1-48.5
\$35,000- 49,999	320	30,700	214	63.4	56.5-70.3	22	6.4	03.3-09.5	84	30.2	23.5-36.9
\$50,000- 99,999	754	73,792	496	60.2	55.7-64.7	64	9.4	06.7-12.1	194	30.4	26.1-34.7
\$100,000- 199,999	569	58,413	362	61.5	56.4-66.6	41	7.5	04.6-10.4	166	31.0	26.3-35.7
\$200,000+	111	11,548	78	63.1	52.1-74.1	5	7.0	00.5-13.5	28	29.9	19.3-40.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2543	250,391	1812	63.0	60.3-65.7	146	6.3	04.9-07.7	585	30.7	28.2-33.2
Native	119	11,598	57	42.8	30.6-55.0	8	3.2	00.7-05.7	54	54.0	41.7-66.3
Non-Native	2405	237,334	1744	64.1	61.4-66.8	136	6.4	04.8-08.0	525	29.5	27.0-32.0
18-24	117	30,979	49	42.3	32.5-52.1	10	9.0	02.9-15.1	58	48.7	38.7-58.7
25-34	167	41,093	81	48.3	39.5-57.1	18	9.6	04.3-14.9	68	42.1	33.5-50.7
35-44	257	42,488	145	53.6	46.7-60.5	17	5.7	02.8-08.6	95	40.7	33.8-47.6
45-54	315	32,700	213	67.3	61.4-73.2	19	6.1	03.2-09.0	83	26.6	20.9-32.3
55-64	491	41,238	354	72.5	67.8-77.2	25	4.6	02.4-06.8	112	22.8	18.3-27.3
65+	1196	61,893	970	81.1	78.6-83.6	57	4.3	02.9-05.7	169	14.6	12.2-17.0
Less Than H.S.	98	14,738	66	53.1	39.0-67.2	1	0.4	00.0-01.2	31	46.5	32.4-60.6
H.S. or G.E.D.	644	57,343	472	60.8	55.3-66.3	37	5.8	03.4-08.2	135	33.4	28.1-38.7
Some Post-H.S.	856	98,828	627	63.9	59.2-68.6	40	6.8	03.9-09.7	189	29.3	24.8-33.8
College Graduate	943	79,286	646	65.6	61.7-69.5	68	7.0	05.0-09.0	229	27.4	23.7-31.1
Less than \$15,000	96	12,003	59	49.1	34.8-63.4	5	2.5	00.0-05.4	32	48.4	33.9-62.9
\$15,000- 24,999	195	15,489	140	58.7	48.7-68.7	8	2.6	00.4-04.8	47	38.7	28.5-48.9
\$25,000- 34,999	244	21,952	181	59.9	50.5-69.3	11	3.1	00.4-05.8	52	37.0	27.6-46.4
\$35,000- 49,999	331	28,355	231	63.8	56.2-71.4	21	8.0	02.7-13.3	79	28.2	21.3-35.1
\$50,000- 99,999	703	71,030	482	61.3	56.2-66.4	46	7.0	04.3-09.7	175	31.8	26.9-36.7
\$100,000- 199,999	373	42,968	244	59.7	53.4-66.0	24	7.4	03.9-10.9	105	32.9	26.8-39.0
\$200,000+	67	8,635	51	74.8	62.3-87.3	4	7.5	00.0-15.1	12	17.6	06.6-28.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5161	504,536	4751	89.9	88.7-91.1	163	3.6	02.8-04.4	247	6.5	05.5-07.5
Male	2609	255,120	2483	94.1	92.9-95.3	59	2.5	01.7-03.3	67	3.5	02.5-04.5
Female	2552	249,417	2268	85.5	83.3-87.7	104	4.8	03.4-06.2	180	9.7	07.9-11.5
Native	212	21,162	171	72.4	63.6-81.2	11	8.3	02.6-14.0	30	19.4	11.6-27.2
Non-Native	4884	478,248	4520	90.6	89.4-91.8	152	3.4	02.6-04.2	212	6.0	05.0-07.0
18-24	289	62,068	258	87.8	83.3-92.3	8	3.2	00.8-05.6	23	9.0	05.1-12.9
25-34	450	93,252	388	85.1	81.0-89.2	24	5.6	02.9-08.3	38	9.4	06.1-12.7
35-44	567	83,919	516	89.9	87.0-92.8	14	3.1	01.1-05.1	37	7.0	04.6-09.4
45-54	634	67,555	567	89.1	86.4-91.8	28	4.1	02.3-05.9	39	6.8	04.4-09.2
55-64	953	82,281	880	91.1	88.7-93.5	26	3.3	01.7-04.9	47	5.6	03.8-07.4
65+	2268	115,461	2142	94.4	93.2-95.6	63	2.6	01.8-03.4	63	3.0	02.2-03.8
Less Than H.S.	219	32,704	195	82.2	74.6-89.8	10	6.8	01.9-11.7	14	10.9	04.4-17.4
H.S. or G.E.D.	1414	131,050	1315	90.7	88.5-92.9	40	2.9	01.7-04.1	59	6.4	04.6-08.2
Some Post-H.S.	1684	194,369	1539	88.4	86.2-90.6	46	4.0	02.6-05.4	99	7.7	05.9-09.5
College Graduate	1834	145,167	1692	92.8	91.4-94.2	67	3.1	02.1-04.1	75	4.2	03.0-05.4
Less than \$15,000	170	19,513	150	78.8	69.0-88.6	6	4.2	00.1-08.3	14	17.0	07.6-26.4
\$15,000- 24,999	347	28,662	313	83.1	76.4-89.8	13	7.3	02.4-12.2	21	9.6	04.3-14.9
\$25,000- 34,999	462	41,942	415	87.2	82.7-91.7	20	4.4	01.7-07.1	27	8.3	04.4-12.2
\$35,000- 49,999	655	59,615	605	91.9	89.2-94.6	17	2.6	01.0-04.2	33	5.5	03.1-07.9
\$50,000- 99,999	1463	144,628	1341	89.8	87.6-92.0	47	3.3	02.1-04.5	75	7.0	05.0-09.0
\$100,000- 199,999	944	101,763	878	91.8	89.4-94.2	29	3.4	01.8-05.0	37	4.8	02.8-06.8
\$200,000+	179	20,051	169	95.3	91.6-99.0	3	1.9	00.0-04.3	7	2.8	00.0-05.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2609	255,120	2483	94.1	92.9-95.3	59	2.5	01.7-03.3	67	3.5	02.5-04.5
Native	98	9,822	86	80.6	68.8-92.4	5	6.5	00.6-12.4	7	12.9	01.9-23.9
Non-Native	2464	241,539	2354	94.6	93.4-95.8	54	2.3	01.5-03.1	56	3.0	02.0-04.0
18-24	174	31,712	165	93.9	89.4-98.4	4	2.4	00.0-05.1	5	3.7	00.0-07.4
25-34	283	52,159	261	92.4	88.9-95.9	7	2.9	00.7-05.1	15	4.7	02.0-07.4
35-44	315	42,467	295	92.9	89.6-96.2	7	2.1	00.3-03.9	13	5.0	02.1-07.9
45-54	319	34,936	299	93.2	90.1-96.3	9	2.8	00.8-04.8	11	4.0	01.5-06.5
55-64	466	41,275	445	94.3	91.6-97.0	11	3.5	01.3-05.7	10	2.2	00.4-04.0
65+	1052	52,571	1018	97.2	96.2-98.2	21	1.3	00.7-01.9	13	1.4	00.6-02.2
Less Than H.S.	125	19,283	116	90.4	83.1-97.7	5	3.4	00.0-07.1	4	6.2	00.0-12.7
H.S. or G.E.D.	766	73,911	733	94.4	92.2-96.6	17	2.4	01.0-03.8	16	3.2	01.4-05.0
Some Post-H.S.	822	95,015	775	93.2	91.0-95.4	17	2.7	01.3-04.1	30	4.1	02.3-05.9
College Graduate	888	65,861	851	96.1	94.5-97.7	20	2.0	00.8-03.2	17	2.0	01.0-03.0
Less than \$15,000	74	7,510	67	86.1	75.5-96.7	3	4.6	00.0-10.7	4	9.3	00.3-18.3
\$15,000- 24,999	147	13,144	142	88.1	78.1-98.1	3	6.5	00.0-13.8	2	5.4	00.0-13.0
\$25,000- 34,999	214	20,085	203	92.8	87.5-98.1	5	3.6	00.0-07.3	6	3.7	00.0-07.6
\$35,000- 49,999	323	31,154	310	96.5	94.0-99.0	8	1.8	00.2-03.4	5	1.8	00.0-03.8
\$50,000- 99,999	760	74,204	719	93.5	91.1-95.9	12	1.5	00.3-02.7	29	4.9	02.9-06.9
\$100,000- 199,999	570	58,572	542	94.4	92.0-96.8	16	2.9	01.3-04.5	12	2.8	01.0-04.6
\$200,000+	112	11,588	109	98.1	95.7-0100	2	1.7	00.0-04.1	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2552	249,417	2268	85.5	83.3-87.7	104	4.8	03.4-06.2	180	9.7	07.9-11.5
Native	114	11,341	85	65.2	52.5-77.9	6	9.8	00.6-19.0	23	25.0	13.8-36.2
Non-Native	2420	236,709	2166	86.4	84.2-88.6	98	4.5	03.1-05.9	156	9.0	07.2-10.8
18-24	115	30,357	93	81.4	73.6-89.2	4	4.0	00.1-07.9	18	14.6	07.5-21.7
25-34	167	41,093	127	75.7	67.9-83.5	17	9.0	03.7-14.3	23	15.3	08.6-22.0
35-44	252	41,451	221	86.8	81.7-91.9	7	4.1	00.8-07.4	24	9.1	05.2-13.0
45-54	315	32,619	268	84.7	80.0-89.4	19	5.5	02.8-08.2	28	9.9	06.0-13.8
55-64	487	41,006	435	87.9	84.2-91.6	15	3.0	01.0-05.0	37	9.1	06.0-12.2
65+	1216	62,890	1124	92.0	90.2-93.8	42	3.6	02.4-04.8	50	4.4	03.0-05.8
Less Than H.S.	94	13,421	79	70.6	56.3-84.9	5	11.8	01.2-22.4	10	17.7	05.4-30.0
H.S. or G.E.D.	648	57,140	582	85.9	82.0-89.8	23	3.5	01.5-05.5	43	10.6	07.1-14.1
Some Post-H.S.	862	99,353	764	83.7	80.0-87.4	29	5.2	02.8-07.6	69	11.1	08.0-14.2
College Graduate	946	79,306	841	90.0	87.6-92.4	47	4.0	02.6-05.4	58	6.0	04.0-08.0
Less than \$15,000	96	12,003	83	74.3	60.2-88.4	3	3.9	00.0-09.6	10	21.8	08.1-35.5
\$15,000- 24,999	200	15,518	171	78.9	69.9-87.9	10	7.9	01.0-14.8	19	13.2	05.9-20.5
\$25,000- 34,999	248	21,857	212	82.2	74.9-89.5	15	5.2	01.3-09.1	21	12.6	06.1-19.1
\$35,000- 49,999	332	28,461	295	86.9	82.0-91.8	9	3.6	00.9-06.3	28	9.5	05.4-13.6
\$50,000- 99,999	703	70,423	622	85.8	82.1-89.5	35	5.1	02.9-07.3	46	9.1	05.8-12.4
\$100,000- 199,999	374	43,191	336	88.3	83.6-93.0	13	4.2	01.1-07.3	25	7.5	03.8-11.2
\$200,000+	67	8,462	60	91.4	83.6-99.2	1	2.3	00.0-06.8	6	6.3	00.0-13.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5159	505,335	4878	92.7	91.7-93.7	117	2.9	02.1-03.7	164	4.5	03.7-05.3
Male	2612	255,763	2515	95.0	93.8-96.2	48	2.6	01.6-03.6	49	2.3	01.5-03.1
Female	2547	249,572	2363	90.2	88.4-92.0	69	3.1	02.1-04.1	115	6.7	05.1-08.3
Native	215	21,558	188	84.3	77.4-91.2	7	3.0	00.3-05.7	20	12.7	06.2-19.2
Non-Native	4880	478,723	4629	93.0	91.8-94.2	110	2.9	02.1-03.7	141	4.1	03.3-04.9
18-24	290	62,367	265	91.4	87.7-95.1	9	2.5	00.7-04.3	16	6.1	02.8-09.4
25-34	449	93,181	399	88.2	84.5-91.9	26	5.8	03.1-08.5	24	6.0	03.3-08.7
35-44	569	84,667	532	92.7	90.2-95.2	10	2.3	00.7-03.9	27	5.0	02.8-07.2
45-54	633	67,408	585	91.5	89.0-94.0	19	3.2	01.6-04.8	29	5.3	03.1-07.5
55-64	951	82,075	892	93.4	91.4-95.4	20	2.1	00.9-03.3	39	4.5	02.9-06.1
65+	2267	115,638	2205	97.1	96.3-97.9	33	1.5	00.9-02.1	29	1.4	00.8-02.0
Less Than H.S.	223	34,039	204	85.6	78.3-92.9	10	7.0	01.7-12.3	9	7.4	01.9-12.9
H.S. or G.E.D.	1409	130,435	1336	93.1	91.3-94.9	32	2.4	01.4-03.4	41	4.6	03.0-06.2
Some Post-H.S.	1682	194,369	1574	91.3	89.3-93.3	45	3.6	02.2-05.0	63	5.1	03.5-06.7
College Graduate	1835	145,246	1754	95.7	94.5-96.9	30	1.5	00.9-02.1	51	2.9	01.9-03.9
Less than \$15,000	170	19,747	154	79.5	69.1-89.9	6	6.2	00.0-13.1	10	14.3	05.3-23.3
\$15,000- 24,999	345	28,591	324	88.7	83.0-94.4	11	5.1	01.2-09.0	10	6.2	01.7-10.7
\$25,000- 34,999	461	42,251	428	89.2	84.7-93.7	16	5.5	02.0-09.0	17	5.3	02.4-08.2
\$35,000- 49,999	656	59,578	625	94.3	91.9-96.7	14	1.8	00.6-03.0	17	3.9	01.7-06.1
\$50,000- 99,999	1460	144,710	1387	93.7	91.9-95.5	22	2.1	00.9-03.3	51	4.2	02.8-05.6
\$100,000- 199,999	944	101,777	897	95.2	93.6-96.8	16	1.5	00.5-02.5	31	3.3	01.9-04.7
\$200,000+	179	20,051	171	96.1	92.8-99.4	4	2.1	00.0-04.5	4	1.9	00.0-04.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2612	255,763	2515	95.0	93.8-96.2	48	2.6	01.6-03.6	49	2.3	01.5-03.1
Native	97	10,044	91	91.7	84.4-99.0	1	1.1	00.0-03.3	5	7.1	00.2-14.0
Non-Native	2469	242,032	2381	95.2	94.0-96.4	47	2.7	01.7-03.7	41	2.1	01.3-02.9
18-24	174	31,712	168	96.7	93.8-99.6	4	2.5	00.0-05.2	2	0.8	00.0-02.0
25-34	282	52,088	262	92.4	88.5-96.3	11	4.8	01.5-08.1	9	2.9	00.7-05.1
35-44	317	42,899	298	93.0	89.7-96.3	8	3.2	00.8-05.6	11	3.8	01.3-06.3
45-54	319	34,907	302	94.0	90.9-97.1	6	2.2	00.4-04.0	11	3.9	01.4-06.4
55-64	466	41,357	448	95.9	93.7-98.1	8	2.1	00.5-03.7	10	2.0	00.4-03.6
65+	1054	52,800	1037	98.4	97.6-99.2	11	0.8	00.2-01.4	6	0.8	00.2-01.4
Less Than H.S.	126	19,601	119	89.6	81.2-98.0	5	8.0	00.2-15.8	2	2.4	00.0-06.1
H.S. or G.E.D.	766	73,877	742	95.8	93.8-97.8	15	2.3	00.9-03.7	9	1.9	00.5-03.3
Some Post-H.S.	821	95,048	784	94.5	92.5-96.5	15	2.6	01.2-04.0	22	2.9	01.5-04.3
College Graduate	891	66,188	862	96.5	95.1-97.9	13	1.5	00.5-02.5	16	2.0	00.8-03.2
Less than \$15,000	75	7,828	68	80.3	64.2-96.4	5	15.1	00.0-30.8	2	4.5	00.0-11.0
\$15,000- 24,999	146	13,116	142	92.1	84.3-99.9	2	3.4	00.0-08.5	2	4.5	00.0-10.6
\$25,000- 34,999	213	20,014	206	93.6	88.5-98.7	6	5.4	00.5-10.3	1	0.9	00.0-02.7
\$35,000- 49,999	323	31,154	315	97.2	94.8-99.6	4	0.8	00.0-01.8	4	1.9	00.0-04.1
\$50,000- 99,999	760	74,252	729	94.8	92.6-97.0	11	2.1	00.7-03.5	20	3.1	01.5-04.7
\$100,000- 199,999	569	58,571	548	95.9	93.9-97.9	9	1.9	00.5-03.3	12	2.1	00.7-03.5
\$200,000+	112	11,588	109	97.8	94.9-0100	1	1.2	00.0-03.4	2	1.1	00.0-02.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2547	249,572	2363	90.2	88.4-92.0	69	3.1	02.1-04.1	115	6.7	05.1-08.3
Native	118	11,514	97	77.8	66.8-88.8	6	4.7	00.0-09.4	15	17.5	07.1-27.9
Non-Native	2411	236,691	2248	90.8	89.0-92.6	63	3.1	01.9-04.3	100	6.2	04.6-07.8
18-24	116	30,655	97	86.0	79.3-92.7	5	2.4	00.0-04.9	14	11.6	05.3-17.9
25-34	167	41,093	137	82.8	75.7-89.9	15	7.2	02.3-12.1	15	10.0	04.5-15.5
35-44	252	41,768	234	92.3	88.4-96.2	2	1.4	00.0-03.4	16	6.3	03.0-09.6
45-54	314	32,501	283	88.8	84.7-92.9	13	4.3	01.6-07.0	18	6.8	03.5-10.1
55-64	485	40,718	444	90.9	87.8-94.0	12	2.1	00.3-03.9	29	7.1	04.4-09.8
65+	1213	62,838	1168	96.1	94.7-97.5	22	2.0	01.0-03.0	23	1.9	00.9-02.9
Less Than H.S.	97	14,438	85	80.2	67.9-92.5	5	5.6	00.0-11.9	7	14.2	02.8-25.6
H.S. or G.E.D.	643	56,559	594	89.5	86.2-92.8	17	2.4	00.8-04.0	32	8.0	04.9-11.1
Some Post-H.S.	861	99,321	790	88.3	85.0-91.6	30	4.5	02.3-06.7	41	7.2	04.7-09.7
College Graduate	944	79,058	892	95.0	93.2-96.8	17	1.5	00.7-02.3	35	3.6	02.0-05.2
Less than \$15,000	95	11,919	86	79.0	65.3-92.7	1	0.3	00.0-00.9	8	20.7	07.0-34.4
\$15,000- 24,999	199	15,475	182	85.7	77.5-93.9	9	6.5	01.0-12.0	8	7.7	01.0-14.4
\$25,000- 34,999	248	22,238	222	85.2	78.3-92.1	10	5.6	00.5-10.7	16	9.2	03.9-14.5
\$35,000- 49,999	333	28,424	310	91.0	86.7-95.3	10	3.0	00.6-05.4	13	6.0	02.3-09.7
\$50,000- 99,999	700	70,458	658	92.5	89.8-95.2	11	2.2	00.6-03.8	31	5.3	02.9-07.7
\$100,000- 199,999	375	43,206	349	94.1	91.4-96.8	7	0.9	00.1-01.7	19	5.0	02.3-07.7
\$200,000+	67	8,462	62	93.7	87.0-0100	3	3.3	00.0-08.2	2	3.0	00.0-07.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5148	503,644	4985	95.0	94.0-96.0	57	1.6	01.0-02.2	106	3.3	02.5-04.1
Male	2603	253,885	2551	97.0	96.0-98.0	22	1.4	00.6-02.2	30	1.6	01.0-02.2
Female	2545	249,759	2434	93.0	91.4-94.6	35	1.9	00.9-02.9	76	5.1	03.7-06.5
Native	212	20,983	192	87.6	81.1-94.1	7	3.2	00.3-06.1	13	9.2	03.3-15.1
Non-Native	4871	477,536	4729	95.3	94.3-96.3	50	1.6	01.0-02.2	92	3.1	02.3-03.9
18-24	286	61,746	275	96.0	93.5-98.5	3	0.7	00.0-01.5	8	3.3	00.8-05.8
25-34	449	93,001	416	90.4	86.7-94.1	11	3.6	01.1-06.1	22	6.1	03.2-09.0
35-44	566	84,200	536	93.6	91.1-96.1	7	1.8	00.4-03.2	23	4.6	02.4-06.8
45-54	633	67,324	602	94.5	92.3-96.7	9	1.9	00.5-03.3	22	3.6	01.8-05.4
55-64	952	82,158	922	96.4	94.8-98.0	14	1.3	00.5-02.1	16	2.3	00.9-03.7
65+	2262	115,216	2234	98.7	98.1-99.3	13	0.6	00.2-01.0	15	0.7	00.3-01.1
Less Than H.S.	221	33,608	207	87.6	80.5-94.7	5	5.0	00.3-09.7	9	7.4	01.9-12.9
H.S. or G.E.D.	1408	130,227	1360	94.7	92.9-96.5	18	1.9	00.7-03.1	30	3.4	02.0-04.8
Some Post-H.S.	1673	193,553	1615	94.7	93.1-96.3	21	1.7	00.7-02.7	37	3.6	02.2-05.0
College Graduate	1837	145,300	1794	97.4	96.4-98.4	13	0.6	00.2-01.0	30	2.0	01.2-02.8
Less than \$15,000	167	19,165	153	80.9	70.3-91.5	5	5.5	00.0-12.4	9	13.6	04.4-22.8
\$15,000- 24,999	347	28,897	332	90.6	85.3-95.9	1	0.2	00.0-00.6	14	9.2	03.9-14.5
\$25,000- 34,999	462	42,097	440	92.8	88.9-96.7	8	2.9	00.4-05.4	14	4.3	01.2-07.4
\$35,000- 49,999	653	59,440	639	97.0	95.2-98.8	5	0.6	00.0-01.2	9	2.4	00.6-04.2
\$50,000- 99,999	1459	144,361	1414	95.6	94.0-97.2	17	1.8	00.6-03.0	28	2.6	01.4-03.8
\$100,000- 199,999	942	101,682	920	97.3	95.9-98.7	5	0.7	00.0-01.5	17	2.0	00.8-03.2
\$200,000+	179	20,051	178	99.9	99.7-0100				1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	253,885	2551	97.0	96.0-98.0	22	1.4	00.6-02.2	30	1.6	01.0-02.2
Native	95	9,544	88	91.6	84.3-98.9	1	0.4	00.0-01.2	6	8.0	00.7-15.3
Non-Native	2461	240,582	2417	97.2	96.2-98.2	21	1.4	00.6-02.2	23	1.4	00.8-02.0
18-24	171	31,123	169	98.9	97.3-0100	2	1.1	00.0-02.7			
25-34	282	51,908	270	94.8	91.3-98.3	5	2.8	00.0-05.7	7	2.3	00.3-04.3
35-44	313	42,244	300	95.2	92.3-98.1	5	2.1	00.1-04.1	8	2.7	00.5-04.9
45-54	317	34,609	307	96.2	93.7-98.7	3	1.2	00.0-02.6	7	2.7	00.5-04.9
55-64	468	41,416	459	97.9	96.1-99.7	4	0.6	00.0-01.2	5	1.6	00.0-03.2
65+	1052	52,586	1046	99.4	98.8-0100	3	0.2	00.0-00.4	3	0.4	00.0-00.8
Less Than H.S.	124	19,169	119	91.7	83.7-99.7	3	5.8	00.0-13.1	2	2.5	00.0-06.2
H.S. or G.E.D.	766	73,622	755	97.4	95.8-99.0	5	1.2	00.0-02.4	6	1.4	00.2-02.6
Some Post-H.S.	815	94,201	794	97.1	95.5-98.7	7	0.9	00.1-01.7	14	2.0	00.8-03.2
College Graduate	891	66,132	876	98.0	96.8-99.2	7	0.9	00.1-01.7	8	1.1	00.3-01.9
Less than \$15,000	72	7,247	68	84.5	67.8-0100	2	11.8	00.0-28.3	2	3.7	00.0-08.8
\$15,000- 24,999	147	13,144	144	93.0	85.4-0100				3	7.0	00.0-14.6
\$25,000- 34,999	213	19,837	209	96.8	92.9-0100	2	2.7	00.0-06.6	2	0.4	00.0-01.2
\$35,000- 49,999	322	31,103	319	98.3	96.3-0100				3	1.7	00.0-03.7
\$50,000- 99,999	758	73,762	745	97.8	96.4-99.2	6	1.0	00.0-02.0	7	1.2	00.2-02.2
\$100,000- 199,999	568	58,455	556	97.6	96.0-99.2	4	1.0	00.0-02.0	8	1.5	00.3-02.7
\$200,000+	112	11,588	112	100.0	0100-0100						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2545	249,759	2434	93.0	91.4-94.6	35	1.9	00.9-02.9	76	5.1	03.7-06.5
Native	117	11,439	104	84.1	74.3-93.9	6	5.6	00.3-10.9	7	10.3	01.5-19.1
Non-Native	2410	236,954	2312	93.4	91.8-95.0	29	1.8	00.8-02.8	69	4.8	03.4-06.2
18-24	115	30,623	106	93.0	87.9-98.1	1	0.3	00.0-00.9	8	6.7	01.8-11.6
25-34	167	41,093	146	84.8	77.9-91.7	6	4.5	00.2-08.8	15	10.8	04.9-16.7
35-44	253	41,956	236	92.0	88.1-95.9	2	1.5	00.0-03.7	15	6.5	03.0-10.0
45-54	316	32,715	295	92.7	89.2-96.2	6	2.7	00.3-05.1	15	4.6	01.9-07.3
55-64	484	40,742	463	94.8	92.3-97.3	10	2.1	00.5-03.7	11	3.1	01.1-05.1
65+	1210	62,629	1188	98.1	97.1-99.1	10	0.9	00.3-01.5	12	1.1	00.3-01.9
Less Than H.S.	97	14,438	88	82.1	69.9-94.3	2	3.9	00.0-09.4	7	14.0	02.6-25.4
H.S. or G.E.D.	642	56,605	605	91.2	87.9-94.5	13	2.9	00.9-04.9	24	5.9	03.2-08.6
Some Post-H.S.	858	99,352	821	92.5	89.6-95.4	14	2.3	00.5-04.1	23	5.1	02.7-07.5
College Graduate	946	79,168	918	96.8	95.4-98.2	6	0.4	00.0-00.8	22	2.8	01.4-04.2
Less than \$15,000	95	11,919	85	78.8	65.1-92.5	3	1.6	00.0-03.8	7	19.6	05.9-33.3
\$15,000- 24,999	200	15,753	188	88.6	81.3-95.9	1	0.4	00.0-01.2	11	11.0	03.7-18.3
\$25,000- 34,999	249	22,260	231	89.3	82.8-95.8	6	3.0	00.0-06.3	12	7.7	02.0-13.4
\$35,000- 49,999	331	28,337	320	95.7	92.8-98.6	5	1.3	00.0-02.7	6	3.1	00.4-05.8
\$50,000- 99,999	701	70,599	669	93.3	90.6-96.0	11	2.6	00.6-04.6	21	4.2	02.0-06.4
\$100,000- 199,999	374	43,227	364	96.9	94.7-99.1	1	0.4	00.0-01.2	9	2.7	00.5-04.9
\$200,000+	67	8,462	66	99.8	99.4-0100				1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 34: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5171	506,141	125	3.2	02.4-04.0	93	2.6	01.8-03.4	165	4.1	03.3-04.9	788	16.4	15.0-17.8	4000	73.7	71.9-75.5
Male	2603	254,950	66	3.0	02.0-04.0	39	2.1	01.1-03.1	68	3.3	02.3-04.3	413	16.0	14.2-17.8	2017	75.6	73.4-77.8
Female	2568	251,191	59	3.3	02.1-04.5	54	3.2	02.0-04.4	97	4.9	03.5-06.3	375	16.7	14.5-18.9	1983	71.8	69.3-74.3
Native	215	21,458	2	3.2	00.0-07.7	7	7.4	01.3-13.5	22	13.3	06.2-20.4	44	20.4	13.0-27.8	140	55.7	46.3-65.1
Non-Native	4888	479,212	121	3.2	02.4-04.0	85	2.4	01.6-03.2	140	3.7	02.9-04.5	731	16.1	14.7-17.5	3811	74.6	72.8-76.4
18-24	288	62,247	6	2.6	00.4-04.8	16	6.8	03.1-10.5	17	6.0	02.7-09.3	55	19.7	14.4-25.0	194	64.9	58.4-71.4
25-34	445	92,123	17	5.6	02.5-08.7	9	2.9	00.9-04.9	23	5.3	02.8-07.8	75	16.5	12.6-20.4	321	69.7	64.6-74.8
35-44	571	85,191	21	4.1	02.1-06.1	17	3.3	01.5-05.1	31	5.7	03.5-07.9	101	18.9	15.2-22.6	401	68.0	63.5-72.5
45-54	639	68,429	18	2.7	01.1-04.3	12	1.7	00.5-02.9	23	3.9	02.1-05.7	96	15.5	12.4-18.6	490	76.2	72.5-79.9
55-64	959	82,689	13	1.5	00.5-02.5	12	1.1	00.3-01.9	23	2.6	01.4-03.8	147	14.4	11.9-16.9	764	80.4	77.5-83.3
65+	2269	115,463	50	2.2	01.4-03.0	27	1.4	00.8-02.0	48	2.3	01.5-03.1	314	14.5	12.7-16.3	1830	79.5	77.5-81.5
Less Than H.S.	227	34,627	14	11.4	04.3-18.5	9	6.9	01.6-12.2	17	7.1	03.0-11.2	48	23.3	15.7-30.9	139	51.3	42.3-60.3
H.S. or G.E.D.	1408	130,580	47	3.6	02.2-05.0	37	4.5	02.7-06.3	48	4.5	02.9-06.1	246	18.0	15.5-20.5	1030	69.4	66.3-72.5
Some Post-H.S.	1682	194,087	34	2.4	01.4-03.4	29	2.0	01.0-03.0	53	4.3	02.9-05.7	252	16.3	13.9-18.7	1314	75.0	72.3-77.7
College Graduate	1845	145,889	30	1.9	01.1-02.7	18	0.8	00.4-01.2	46	2.7	01.7-03.7	240	13.4	11.4-15.4	1511	81.3	79.1-83.5
Less than \$15,000	166	19,181	11	11.4	02.6-20.2	6	7.1	01.0-13.2	12	7.0	01.9-12.1	26	22.9	13.3-32.5	111	51.7	40.9-62.5
\$15,000- 24,999	348	29,027	11	5.4	01.3-09.5	8	2.8	00.3-05.3	12	6.0	01.7-10.3	60	18.4	12.5-24.3	257	67.4	60.1-74.7
\$25,000- 34,999	460	41,796	10	2.9	00.4-05.4	12	3.8	01.1-06.5	16	4.8	01.9-07.7	66	17.7	12.6-22.8	356	70.8	64.7-76.9
\$35,000- 49,999	658	59,851	10	1.6	00.0-03.2	14	3.0	01.0-05.0	24	4.3	01.9-06.7	127	18.8	15.1-22.5	483	72.4	67.9-76.9
\$50,000- 99,999	1468	145,858	36	3.1	01.5-04.7	22	2.1	00.7-03.5	39	4.1	02.5-05.7	218	16.6	14.1-19.1	1153	74.0	70.9-77.1
\$100,000- 199,999	945	101,872	16	2.4	01.0-03.8	18	2.8	01.2-04.4	29	2.9	01.7-04.1	133	13.9	11.2-16.6	749	78.0	74.7-81.3
\$200,000+	178	19,909	6	2.1	00.1-04.1	1	0.7	00.0-02.1	5	2.3	00.1-04.5	23	12.1	06.4-17.8	143	82.8	76.5-89.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 35: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	254,950	66	3.0	02.0-04.0	39	2.1	01.1-03.1	68	3.3	02.3-04.3	413	16.0	14.2-17.8	2017	75.6	73.4-77.8
Native	97	9,981	1	2.5	00.0-07.4	1	3.2	00.0-09.3	10	13.8	02.8-24.8	16	15.3	05.7-24.9	69	65.2	51.7-78.7
Non-Native	2456	240,865	63	3.0	02.0-04.0	37	2.0	01.0-03.0	55	2.9	01.9-03.9	388	16.0	14.2-17.8	1913	76.1	73.9-78.3
18-24	171	31,268	4	3.2	00.0-06.5	6	5.5	00.2-10.8	8	4.8	00.9-08.7	35	20.1	13.2-27.0	118	66.4	58.0-74.8
25-34	280	51,654	10	4.9	01.4-08.4	4	2.0	00.0-04.0	7	2.8	00.6-05.0	49	15.5	11.0-20.0	210	74.8	68.9-80.7
35-44	315	42,846	8	2.1	00.3-03.9	8	2.9	00.7-05.1	15	5.1	02.2-08.0	46	14.5	10.0-19.0	238	75.4	69.9-80.9
45-54	321	35,315	8	3.0	00.6-05.4	5	0.9	00.1-01.7	10	3.8	01.3-06.3	49	16.2	11.5-20.9	249	76.0	70.5-81.5
55-64	467	41,359	6	1.2	00.0-02.4	4	0.6	00.0-01.4	10	2.3	00.7-03.9	86	16.7	13.0-20.4	361	79.2	75.1-83.3
65+	1049	52,507	30	3.0	01.8-04.2	12	1.3	00.3-02.3	18	2.0	00.8-03.2	148	14.9	12.4-17.4	841	78.8	75.9-81.7
Less Than H.S.	128	19,906	11	11.4	03.0-19.8	6	10.2	01.4-19.0	13	10.1	03.4-16.8	18	13.2	05.9-20.5	80	55.0	43.2-66.8
H.S. or G.E.D.	758	73,341	23	2.4	01.2-03.6	18	2.5	01.1-03.9	16	2.3	00.9-03.7	142	18.3	15.0-21.6	559	74.5	70.8-78.2
Some Post-H.S.	817	94,653	18	2.6	01.2-04.0	8	1.1	00.1-02.1	21	3.3	01.7-04.9	137	17.7	14.4-21.0	633	75.4	71.7-79.1
College Graduate	893	66,289	14	1.6	00.4-02.8	7	0.5	00.1-00.9	17	2.2	01.0-03.4	114	12.0	09.5-14.5	741	83.7	80.8-86.6
Less than \$15,000	72	7,333	7	14.6	00.0-30.5	3	9.7	00.0-20.3	6	8.3	00.5-16.1	8	12.6	02.8-22.4	48	54.8	38.5-71.1
\$15,000- 24,999	147	13,328	5	5.6	00.0-11.3	4	2.6	00.0-05.5	5	9.3	00.5-18.1	20	11.4	04.9-17.9	113	71.1	60.3-81.9
\$25,000- 34,999	212	19,976	6	2.3	00.0-05.0	5	4.7	00.0-09.6	5	4.4	00.3-08.5	36	18.4	11.1-25.7	160	70.2	61.4-79.0
\$35,000- 49,999	323	31,383	5	0.5	00.0-01.1	4	1.7	00.0-04.1	11	2.7	00.5-04.9	69	20.8	15.3-26.3	234	74.3	68.4-80.2
\$50,000- 99,999	761	74,471	16	2.2	00.8-03.6	8	1.6	00.0-03.6	15	2.9	01.3-04.5	126	17.5	14.0-21.0	596	75.9	71.8-80.0
\$100,000- 199,999	568	58,512	11	3.0	01.0-05.0	9	1.5	00.3-02.7	13	2.5	00.9-04.1	84	14.6	11.1-18.1	451	78.4	74.3-82.5
\$200,000+	111	11,447	5	3.1	00.0-06.2				1	1.3	00.0-03.8	13	9.4	03.5-15.3	92	86.1	79.0-93.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 36: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2568	251,191	59	3.3	02.1-04.5	54	3.2	02.0-04.4	97	4.9	03.5-06.3	375	16.7	14.5-18.9	1983	71.8	69.3-74.3
Native	118	11,476	1	3.8	00.0-10.9	6	11.0	01.4-20.6	12	13.0	03.8-22.2	28	24.9	13.7-36.1	71	47.3	34.8-59.8
Non-Native	2432	238,348	58	3.3	02.1-04.5	48	2.9	01.9-03.9	85	4.6	03.4-05.8	343	16.2	14.0-18.4	1898	73.1	70.6-75.6
18-24	117	30,979	2	2.0	00.0-04.7	10	8.1	02.8-13.4	9	7.2	02.1-12.3	20	19.4	11.2-27.6	76	63.3	53.7-72.9
25-34	165	40,469	7	6.5	01.2-11.8	5	4.0	00.3-07.7	16	8.3	03.4-13.2	26	17.9	11.0-24.8	111	63.3	54.5-72.1
35-44	256	42,345	13	6.2	02.5-09.9	9	3.7	01.2-06.2	16	6.2	02.9-09.5	55	23.3	17.2-29.4	163	60.6	53.7-67.5
45-54	318	33,113	10	2.3	00.7-03.9	7	2.6	00.4-04.8	13	4.0	01.6-06.4	47	14.7	10.4-19.0	241	76.4	71.1-81.7
55-64	492	41,330	7	1.8	00.4-03.2	8	1.6	00.2-03.0	13	2.9	01.1-04.7	61	12.1	08.6-15.6	403	81.7	77.6-85.8
65+	1220	62,956	20	1.6	00.8-02.4	15	1.4	00.6-02.2	30	2.6	01.4-03.8	166	14.2	11.8-16.6	989	80.1	77.4-82.8
Less Than H.S.	99	14,721	3	11.3	00.0-23.5	3	2.5	00.0-06.0	4	3.1	00.0-06.4	30	36.9	23.0-50.8	59	46.2	32.7-59.7
H.S. or G.E.D.	650	57,239	24	5.2	02.8-07.6	19	7.0	03.5-10.5	32	7.3	04.2-10.4	104	17.6	13.5-21.7	471	63.0	57.7-68.3
Some Post-H.S.	865	99,434	16	2.1	00.5-03.7	21	2.9	01.1-04.7	32	5.3	02.9-07.7	115	14.9	11.6-18.2	681	74.7	70.4-79.0
College Graduate	952	79,600	16	2.1	00.9-03.3	11	1.1	00.3-01.9	29	3.1	01.7-04.5	126	14.5	11.6-17.4	770	79.2	75.9-82.5
Less than \$15,000	94	11,848	4	9.5	00.0-19.7	3	5.4	00.0-12.5	6	6.1	00.0-12.6	18	29.2	15.5-42.9	63	49.8	35.5-64.1
\$15,000- 24,999	201	15,699	6	5.3	00.0-11.0	4	3.0	00.0-06.9	7	3.2	00.3-06.1	40	24.4	15.2-33.6	144	64.2	54.2-74.2
\$25,000- 34,999	248	21,820	4	3.5	00.0-07.4	7	3.0	00.1-05.9	11	5.1	01.2-09.0	30	17.1	09.8-24.4	196	71.3	62.9-79.7
\$35,000- 49,999	335	28,467	5	2.7	00.0-06.0	10	4.4	01.1-07.7	13	6.1	02.0-10.2	58	16.6	11.3-21.9	249	70.3	63.2-77.4
\$50,000- 99,999	707	71,387	20	4.1	01.4-06.8	14	2.6	00.8-04.4	24	5.5	03.0-08.0	92	15.8	12.1-19.5	557	72.1	67.2-77.0
\$100,000- 199,999	377	43,360	5	1.5	00.0-03.1	9	4.6	01.3-07.9	16	3.4	01.4-05.4	49	13.0	08.7-17.3	298	77.5	72.0-83.0
\$200,000+	67	8,462	1	0.7	00.0-02.1	1	1.7	00.0-05.0	4	3.6	00.0-07.3	10	15.8	05.2-26.4	51	78.2	66.8-89.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 37: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5188	508,316	58	1.4	01.0-01.8	55	1.7	01.1-02.3	114	2.9	02.1-03.7	520	10.3	09.1-11.5	4441	83.7	82.3-85.1
Male	2616	256,315	32	1.5	00.7-02.3	22	1.4	00.6-02.2	47	2.2	01.4-03.0	265	9.9	08.5-11.3	2250	85.0	83.0-87.0
Female	2572	252,001	26	1.2	00.6-01.8	33	1.9	01.1-02.7	67	3.7	02.5-04.9	255	10.8	09.0-12.6	2191	82.3	80.1-84.5
Native	217	21,682	4	2.1	00.0-04.3	6	4.7	00.2-09.2	12	9.6	02.9-16.3	34	18.2	10.9-25.5	161	65.3	56.1-74.5
Non-Native	4903	481,164	54	1.4	01.0-01.8	49	1.6	01.0-02.2	100	2.7	02.1-03.3	478	10.0	08.8-11.2	4222	84.5	83.1-85.9
18-24	289	62,350	4	1.0	00.0-02.0	10	4.7	01.4-08.0	14	5.8	02.5-09.1	30	9.8	05.9-13.7	231	78.7	73.0-84.4
25-34	449	92,991	9	2.2	00.4-04.0	8	2.1	00.3-03.9	18	4.1	01.9-06.3	43	12.1	08.4-15.8	371	79.5	74.8-84.2
35-44	574	85,503	13	2.1	00.9-03.3	9	1.8	00.4-03.2	20	3.4	01.8-05.0	56	10.7	07.8-13.6	476	82.0	78.5-85.5
45-54	640	68,509	4	0.6	00.0-01.2	7	1.1	00.1-02.1	19	3.0	01.4-04.6	53	8.0	05.6-10.4	557	87.3	84.4-90.2
55-64	961	82,913	6	0.9	00.1-01.7	7	0.6	00.0-01.2	11	1.2	00.2-02.2	84	8.6	06.6-10.6	853	88.8	86.4-91.2
65+	2275	116,050	22	1.2	00.6-01.8	14	0.8	00.4-01.2	32	1.4	00.8-02.0	254	11.6	10.0-13.2	1953	85.1	83.3-86.9
Less Than H.S.	228	34,742	9	4.3	00.2-08.4	10	6.1	00.8-11.4	10	7.0	02.3-11.7	43	18.4	11.7-25.1	156	64.2	55.4-73.0
H.S. or G.E.D.	1419	131,689	27	2.4	01.4-03.4	17	2.0	00.8-03.2	43	4.2	02.6-05.8	200	13.6	11.2-16.0	1132	77.8	74.9-80.7
Some Post-H.S.	1684	194,686	6	0.2	00.0-00.4	16	1.4	00.6-02.2	31	2.3	01.1-03.5	146	9.7	07.7-11.7	1485	86.3	83.9-88.7
College Graduate	1848	146,243	16	1.3	00.5-02.1	12	0.8	00.2-01.4	30	1.7	00.9-02.5	129	6.3	04.9-07.7	1661	90.0	88.2-91.8
Less than \$15,000	169	19,700	10	7.6	00.7-14.5	6	8.4	01.1-15.7	10	8.0	02.1-13.9	25	13.5	06.6-20.4	118	62.6	52.0-73.2
\$15,000- 24,999	350	29,379	3	1.0	00.0-02.2	4	1.1	00.0-02.3	10	4.6	00.7-08.5	51	16.3	10.4-22.2	282	77.0	70.3-83.7
\$25,000- 34,999	461	42,191	9	2.4	00.4-04.4	8	2.3	00.1-04.5	5	2.4	00.0-04.9	46	11.7	07.2-16.2	393	81.2	75.7-86.7
\$35,000- 49,999	658	59,851	5	0.5	00.1-00.9	6	0.9	00.0-01.9	17	4.0	01.6-06.4	84	11.3	08.4-14.2	546	83.3	79.6-87.0
\$50,000- 99,999	1470	145,971	8	0.7	00.1-01.3	14	1.8	00.6-03.0	28	2.5	01.3-03.7	130	9.7	07.5-11.9	1290	85.4	82.9-87.9
\$100,000- 199,999	947	102,025	5	0.8	00.0-01.6	8	1.3	00.1-02.5	17	1.4	00.6-02.2	71	8.6	06.2-11.0	846	87.8	85.1-90.5
\$200,000+	180	20,251	3	1.2	00.0-02.8	2	1.5	00.0-03.5	3	2.0	00.0-04.4	6	2.3	00.1-04.5	166	93.0	88.9-97.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 38: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2616	256,315	32	1.5	00.7-02.3	22	1.4	00.6-02.2	47	2.2	01.4-03.0	265	9.9	08.5-11.3	2250	85.0	83.0-87.0
Native	98	10,085	2	2.2	00.0-05.3	3	5.9	00.0-13.5	4	6.7	00.0-15.9	11	13.3	04.3-22.3	78	71.9	59.0-84.8
Non-Native	2468	242,127	30	1.5	00.7-02.3	19	1.3	00.5-02.1	41	2.0	01.2-02.8	248	9.7	08.3-11.1	2130	85.5	83.5-87.5
18-24	172	31,371	4	1.9	00.0-04.1	2	3.0	00.0-07.5	7	4.9	00.6-09.2	18	9.6	04.7-14.5	141	80.6	73.2-88.0
25-34	283	52,082	7	3.3	00.4-06.2	3	1.6	00.0-03.6	5	1.5	00.0-03.1	19	8.0	04.3-11.7	249	85.6	80.5-90.7
35-44	317	42,958	3	0.6	00.0-01.4	5	2.2	00.0-04.4	10	2.5	00.7-04.3	28	9.8	06.1-13.5	271	84.9	80.4-89.4
45-54	323	35,608	2	0.5	00.0-01.3	5	1.6	00.0-03.4	9	3.3	00.9-05.7	28	8.5	05.0-12.0	279	86.1	81.6-90.6
55-64	469	41,583	4	1.0	00.0-02.2	1	0.1	00.0-00.3	5	1.0	00.0-02.2	52	11.3	08.0-14.6	407	86.6	83.1-90.1
65+	1052	52,713	12	1.3	00.5-02.1	6	0.7	00.1-01.3	11	1.1	00.3-01.9	120	11.8	09.4-14.2	903	85.2	82.5-87.9
Less Than H.S.	128	19,906	7	6.4	00.0-13.5	4	6.1	00.0-13.7	6	8.0	01.1-14.9	27	16.9	09.5-24.3	84	62.6	51.0-74.2
H.S. or G.E.D.	766	74,164	14	2.0	00.8-03.2	5	0.5	00.0-01.1	19	2.3	01.1-03.5	105	12.5	09.6-15.4	623	82.7	79.4-86.0
Some Post-H.S.	820	95,053	3	0.2	00.0-00.4	8	1.8	00.4-03.2	9	1.4	00.2-02.6	68	8.8	06.4-11.2	732	87.8	84.9-90.7
College Graduate	895	66,432	8	1.4	00.2-02.6	5	0.6	00.0-01.2	13	1.5	00.5-02.5	64	6.3	04.3-08.3	805	90.3	87.9-92.7
Less than \$15,000	74	7,730	7	15.2	00.0-30.5	2	6.8	00.0-16.0	4	4.4	00.0-09.7	8	12.5	02.7-22.3	53	61.2	44.9-77.5
\$15,000- 24,999	148	13,429	2	1.1	00.0-02.9	1	1.1	00.0-03.1	4	6.7	00.0-14.5	26	16.0	08.6-23.4	115	75.2	65.2-85.2
\$25,000- 34,999	213	20,155	4	1.3	00.0-02.7	3	2.3	00.0-05.6	2	1.1	00.0-02.7	22	12.9	05.8-20.0	182	82.4	74.8-90.0
\$35,000- 49,999	323	31,383	2	0.1	00.0-00.3	2	0.1	00.0-00.3	8	2.8	00.3-05.3	48	13.1	08.8-17.4	263	83.8	78.9-88.7
\$50,000- 99,999	764	74,642	5	0.7	00.0-01.5	3	1.3	00.0-03.3	13	1.8	00.6-03.0	69	9.1	06.6-11.6	674	87.1	83.8-90.4
\$100,000- 199,999	569	58,595	2	0.8	00.0-01.8	6	1.6	00.0-03.2	8	1.2	00.2-02.2	41	7.5	04.8-10.2	512	89.0	85.7-92.3
\$200,000+	112	11,588	2	2.0	00.0-04.7	1	1.3	00.0-03.8				5	2.6	00.1-05.1	104	94.0	89.5-98.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 39: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2572	252,001	26	1.2	00.6-01.8	33	1.9	01.1-02.7	67	3.7	02.5-04.9	255	10.8	09.0-12.6	2191	82.3	80.1-84.5
Native	119	11,598	2	2.1	00.0-05.0	3	3.7	00.0-09.0	8	12.2	02.4-22.0	23	22.5	11.5-33.5	83	59.6	46.9-72.3
Non-Native	2435	239,037	24	1.2	00.6-01.8	30	1.9	01.1-02.7	59	3.3	02.1-04.5	230	10.2	08.4-12.0	2092	83.4	81.2-85.6
18-24	117	30,979				8	6.4	01.7-11.1	7	6.7	01.6-11.8	12	10.1	03.8-16.4	90	76.8	68.4-85.2
25-34	166	40,910	2	0.8	00.0-02.0	5	2.7	00.0-05.6	13	7.4	02.9-11.9	24	17.4	10.3-24.5	122	71.8	63.6-80.0
35-44	257	42,545	10	3.6	01.2-06.0	4	1.5	00.1-02.9	10	4.2	01.5-06.9	28	11.7	07.0-16.4	205	79.1	73.4-84.8
45-54	317	32,901	2	0.7	00.0-01.7	2	0.6	00.0-01.4	10	2.8	00.8-04.8	25	7.4	04.1-10.7	278	88.5	84.6-92.4
55-64	492	41,330	2	0.8	00.0-01.8	6	1.2	00.0-02.4	6	1.3	00.0-02.7	32	5.8	03.4-08.2	446	91.0	88.1-93.9
65+	1223	63,337	10	1.1	00.3-01.9	8	0.8	00.2-01.4	21	1.7	00.9-02.5	134	11.4	09.2-13.6	1050	85.0	82.5-87.5
Less Than H.S.	100	14,836	2	1.5	00.0-03.7	6	6.1	00.0-13.4	4	5.6	00.0-11.5	16	20.4	08.6-32.2	72	66.4	53.1-79.7
H.S. or G.E.D.	653	57,525	13	3.0	01.2-04.8	12	4.0	01.5-06.5	24	6.7	03.6-09.8	95	14.9	11.0-18.8	509	71.4	66.3-76.5
Some Post-H.S.	864	99,633	3	0.3	00.0-00.7	8	1.0	00.0-02.0	22	3.2	01.2-05.2	78	10.6	07.5-13.7	753	84.9	81.2-88.6
College Graduate	953	79,812	8	1.1	00.3-01.9	7	0.9	00.1-01.7	17	1.9	00.7-03.1	65	6.3	04.3-08.3	856	89.8	87.4-92.2
Less than \$15,000	95	11,970	3	2.7	00.0-06.0	4	9.5	00.0-19.7	6	10.3	01.3-19.3	17	14.1	04.9-23.3	65	63.5	49.6-77.4
\$15,000- 24,999	202	15,950	1	0.9	00.0-02.7	3	1.1	00.0-02.5	6	2.9	00.0-05.8	25	16.6	07.8-25.4	167	78.5	69.5-87.5
\$25,000- 34,999	248	22,036	5	3.4	00.1-06.7	5	2.3	00.0-05.2	3	3.6	00.0-08.3	24	10.5	05.0-16.0	211	80.1	72.5-87.7
\$35,000- 49,999	335	28,467	3	0.9	00.0-01.9	4	1.7	00.0-03.9	9	5.4	01.5-09.3	36	9.4	05.3-13.5	283	82.7	77.0-88.4
\$50,000- 99,999	706	71,329	3	0.6	00.0-01.4	11	2.2	00.6-03.8	15	3.4	01.2-05.6	61	10.3	07.0-13.6	616	83.6	79.5-87.7
\$100,000- 199,999	378	43,430	3	0.9	00.0-01.9	2	0.9	00.0-02.3	9	1.8	00.2-03.4	30	10.1	05.6-14.6	334	86.3	81.4-91.2
\$200,000+	68	8,662	1	0.1	00.0-00.3	1	1.7	00.0-05.0	3	4.7	00.0-10.2	1	2.0	00.0-05.9	62	91.5	84.2-98.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021

MODULE 21: MARIJUANA USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1	MALES AND FEMALES	109
2	MALES ONLY	110
3	FEMALES ONLY	111
	DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN3)	
4	MALES AND FEMALES	112
5	MALES ONLY	113
6	FEMALES ONLY	114
	WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)	
7	MALES AND FEMALES	115
8	MALES ONLY	116
9	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			Data was weighted using _LLCPWT.						6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	1 Day		2-5 Days		6-10 Days		11-20 Days		21-30 Days		N	%	C.I. (95%)		
						N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5270	517,851	4965	91.4	90.2-92.6	32	0.7	00.5-00.9	77	2.2	01.6-02.8	27	0.7	00.3-01.1	43	1.2	00.8-01.6	126	3.8	03.0-04.6
Male	2656	261,750	2478	90.2	88.4-92.0	23	1.0	00.6-01.4	43	2.6	01.6-03.6	17	0.9	00.3-01.5	25	1.0	00.6-01.4	70	4.2	03.0-05.4
Female	2614	256,101	2487	92.6	91.0-94.2	9	0.4	00.0-00.8	34	1.7	00.9-02.5	10	0.6	00.2-01.0	18	1.3	00.5-02.1	56	3.4	02.4-04.4
Native	221	22,167	182	73.8	65.4-82.2	2	0.3	00.0-00.9	11	9.9	03.0-16.8	5	1.6	00.0-03.4	3	2.5	00.0-05.4	18	11.7	05.8-17.6
Non-Native	4975	489,684	4715	92.2	91.0-93.4	30	0.7	00.3-01.1	66	1.8	01.2-02.4	22	0.7	00.3-01.1	40	1.1	00.7-01.5	102	3.4	02.6-04.2
18-24	289	62,385	241	83.9	79.0-88.8	6	1.4	00.0-02.8	13	5.2	01.7-08.7	3	0.7	00.0-01.5	8	2.2	00.4-04.0	18	6.6	03.5-09.7
25-34	459	95,972	389	83.8	79.9-87.7	6	1.0	00.0-02.0	16	3.3	01.5-05.1	4	1.4	00.0-02.8	10	2.0	00.6-03.4	34	8.5	05.4-11.6
35-44	580	86,591	528	91.6	89.2-94.0	3	0.4	00.0-01.0	6	1.2	00.2-02.2	7	0.9	00.1-01.7	10	1.8	00.6-03.0	26	4.2	02.4-06.0
45-54	660	70,388	623	93.8	91.6-96.0	6	0.7	00.1-01.3	12	2.2	00.8-03.6	5	0.9	00.1-01.7	3	0.5	00.0-01.1	11	2.0	00.8-03.2
55-64	967	83,743	909	93.6	91.6-95.6	4	0.5	00.0-01.1	19	2.1	00.9-03.3	7	0.7	00.1-01.3	9	1.0	00.2-01.8	19	2.1	00.9-03.3
65+	2315	118,772	2275	98.3	97.7-98.9	7	0.4	00.0-00.8	11	0.4	00.0-00.8	1	0.0	00.0-00.0	3	0.1	00.1-00.1	18	0.7	00.3-01.1
Less Than H.S.	229	35,591	213	85.5	78.1-92.9				3	4.0	00.0-08.7				2	1.3	00.0-03.3	11	9.2	03.3-15.1
H.S. or G.E.D.	1446	134,240	1362	90.8	88.6-93.0	10	1.2	00.4-02.0	19	2.0	00.8-03.2	6	0.7	00.1-01.3	10	0.6	00.2-01.0	39	4.7	02.9-06.5
Some Post-H.S.	1718	198,898	1602	91.0	89.0-93.0	8	0.4	00.0-00.8	28	2.0	01.2-02.8	10	0.8	00.2-01.4	20	1.8	00.8-02.8	50	4.0	02.6-05.4
College Graduate	1865	147,898	1778	94.1	92.7-95.5	14	0.8	00.2-01.4	26	2.0	01.0-03.0	11	0.8	00.2-01.4	11	0.8	00.2-01.4	25	1.5	00.7-02.3
Less than \$15,000	173	20,376	153	82.7	73.9-91.5				3	2.4	00.0-05.1	3	0.6	00.0-01.4	1	1.3	00.0-03.8	13	13.0	04.8-21.2
\$15,000- 24,999	356	29,871	329	85.8	79.9-91.7	3	1.0	00.0-02.4	8	4.1	00.4-07.8	1	0.7	00.0-02.1	6	4.1	00.8-07.4	9	4.4	01.1-07.7
\$25,000- 34,999	469	42,765	431	87.4	82.7-92.1	3	0.7	00.0-01.5	8	3.5	00.8-06.2	2	1.1	00.0-02.7	4	0.7	00.0-01.9	21	6.6	03.1-10.1
\$35,000- 49,999	664	60,740	626	90.0	86.5-93.5	3	1.0	00.0-02.2	9	1.4	00.4-02.4	4	1.0	00.0-02.2	9	2.0	00.6-03.4	13	4.6	01.9-07.3
\$50,000- 99,999	1479	147,598	1398	92.9	90.9-94.9	7	0.4	00.0-00.8	24	2.5	01.1-03.9	5	0.3	00.0-00.7	11	0.8	00.2-01.4	34	3.0	01.8-04.2
\$100,000- 199,999	958	102,823	911	94.3	92.3-96.3	10	0.9	00.3-01.5	13	1.5	00.5-02.5	7	1.1	00.0-02.3	4	0.4	00.0-00.8	13	1.8	00.6-03.0
\$200,000+	181	20,355	179	98.7	96.9-0100	1	0.7	00.0-02.1							1	0.6	00.0-01.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2656	261,750	2478	90.2	88.4-92.0	23	1.0	00.6-01.4	43	2.6	01.6-03.6	17	0.9	00.3-01.5	25	1.0	00.6-01.4	70	4.2	03.0-05.4
Native	98	10,330	86	84.5	73.7-95.3	2	0.7	00.0-01.9	3	7.2	00.0-16.8	2	1.1	00.0-02.7	1	1.4	00.0-04.1	4	5.0	00.0-10.3
Non-Native	2506	247,040	2344	90.4	88.6-92.2	21	1.0	00.6-01.4	40	2.5	01.5-03.5	15	0.9	00.3-01.5	24	1.0	00.4-01.6	62	4.1	02.9-05.3
18-24	172	31,211	145	82.9	75.6-90.2	4	1.8	00.0-03.6	9	7.9	01.8-14.0	2	0.6	00.0-01.6	4	1.1	00.0-02.3	8	5.7	01.8-09.6
25-34	291	54,276	246	82.3	77.0-87.6	4	1.0	00.0-02.2	10	3.7	01.3-06.1	3	1.5	00.0-03.3	6	1.4	00.0-02.8	22	10.1	05.6-14.6
35-44	321	43,754	288	89.7	86.0-93.4	3	0.9	00.0-02.1	3	0.9	00.0-02.1	4	1.1	00.0-02.3	8	2.6	00.6-04.6	15	4.8	02.3-07.3
45-54	331	36,536	312	93.5	90.6-96.4	4	1.2	00.0-02.4	7	2.5	00.5-04.5	4	1.5	00.0-03.1	1	0.3	00.0-00.9	3	1.0	00.0-02.2
55-64	471	41,874	441	93.6	91.1-96.1	4	1.0	00.0-02.0	8	1.8	00.2-03.4	3	0.6	00.0-01.4	4	0.7	00.0-01.5	11	2.3	00.7-03.9
65+	1070	54,098	1046	97.8	96.8-98.8	4	0.6	00.0-01.2	6	0.6	00.0-01.2	1	0.1	00.0-00.3	2	0.1	00.0-00.3	11	0.8	00.2-01.4
Less Than H.S.	128	20,187	117	79.4	67.8-91.0				2	6.0	00.0-14.0				1	1.5	00.0-04.4	8	13.1	03.7-22.5
H.S. or G.E.D.	775	75,181	718	89.6	86.7-92.5	7	1.2	00.2-02.2	15	2.8	01.0-04.6	5	1.2	00.0-02.4	6	0.6	00.0-01.2	24	4.6	02.6-06.6
Some Post-H.S.	839	97,754	779	90.8	88.3-93.3	5	0.7	00.1-01.3	14	2.4	01.0-03.8	6	0.9	00.1-01.7	11	1.4	00.4-02.4	24	3.9	02.1-05.7
College Graduate	906	67,716	858	93.6	91.6-95.6	11	1.6	00.6-02.6	11	1.5	00.5-02.5	6	0.9	00.1-01.7	7	0.8	00.0-01.6	13	1.6	00.6-02.6
Less than \$15,000	73	7,632	59	70.6	54.1-87.1				3	6.3	00.0-13.4	2	1.4	00.0-03.4				9	21.7	05.2-38.2
\$15,000- 24,999	149	13,472	135	81.5	71.5-91.5	3	2.2	00.0-05.1	3	6.5	00.0-14.1	1	1.5	00.0-04.4	3	4.1	00.0-09.0	4	4.2	00.0-08.7
\$25,000- 34,999	219	20,501	197	84.0	76.6-91.4	1	0.6	00.0-01.8	5	5.5	00.2-10.8	1	1.2	00.0-03.6	3	1.4	00.0-03.8	12	7.2	02.1-12.3
\$35,000- 49,999	327	31,840	308	90.7	86.0-95.4	2	1.0	00.0-02.4	4	1.2	00.0-02.4	2	1.5	00.0-03.7	6	1.8	00.0-03.6	5	3.9	00.4-07.4
\$50,000- 99,999	769	75,964	720	91.5	88.6-94.4	4	0.4	00.0-01.0	16	3.3	00.9-05.7	3	0.5	00.0-01.1	6	0.7	00.1-01.3	20	3.6	01.6-05.6
\$100,000- 199,999	578	59,442	551	94.6	92.1-97.1	7	1.2	00.2-02.2	6	1.2	00.0-02.4	4	0.5	00.0-01.1	3	0.3	00.0-00.7	7	2.2	00.2-04.2
\$200,000+	113	11,693	111	97.8	94.7-0100	1	1.2	00.0-03.6										1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2614	256,101	2487	92.6	91.0-94.2	9	0.4	00.0-00.8	34	1.7	00.9-02.5	10	0.6	00.2-01.0	18	1.3	00.5-02.1	56	3.4	02.4-04.4
Native	123	11,837	96	64.5	52.2-76.8				8	12.2	02.4-22.0	3	2.1	00.0-05.0	2	3.5	00.0-08.4	14	17.6	08.0-27.2
Non-Native	2469	242,644	2371	94.1	92.7-95.5	9	0.4	00.0-00.8	26	1.2	00.6-01.8	7	0.5	00.1-00.9	16	1.2	00.4-02.0	40	2.6	01.6-03.6
18-24	117	31,174	96	84.9	78.0-91.8	2	1.1	00.0-02.9	4	2.5	00.0-05.4	1	0.7	00.0-02.1	4	3.3	00.0-06.8	10	7.5	02.6-12.4
25-34	168	41,695	143	85.8	79.9-91.7	2	0.9	00.0-02.5	6	2.8	00.3-05.3	1	1.2	00.0-03.6	4	2.7	00.0-05.4	12	6.5	02.6-10.4
35-44	259	42,837	240	93.5	90.4-96.6				3	1.4	00.0-03.0	3	0.6	00.0-01.4	2	1.0	00.0-02.4	11	3.5	01.3-05.7
45-54	329	33,852	311	94.0	91.1-96.9	2	0.2	00.0-00.6	5	1.9	00.1-03.7	1	0.3	00.0-00.9	2	0.6	00.0-01.4	8	3.0	00.8-05.2
55-64	496	41,869	468	93.6	90.9-96.3				11	2.3	00.7-03.9	4	0.9	00.0-01.9	5	1.4	00.0-02.8	8	2.0	00.4-03.6
65+	1245	64,674	1229	98.7	97.9-99.5	3	0.3	00.0-00.7	5	0.3	00.0-00.7				1	0.0	00.0-00.0	7	0.6	00.0-01.2
Less Than H.S.	101	15,404	96	93.5	87.6-99.4				1	1.3	00.0-03.8				1	1.1	00.0-03.3	3	4.0	00.0-09.1
H.S. or G.E.D.	671	59,059	644	92.3	89.0-95.6	3	1.1	00.0-02.5	4	1.0	00.0-02.4	1	0.0	00.0-00.0	4	0.6	00.0-01.4	15	4.9	02.2-07.6
Some Post-H.S.	879	101,144	823	91.2	88.5-93.9	3	0.2	00.0-00.4	14	1.6	00.6-02.6	4	0.8	00.0-01.8	9	2.1	00.5-03.7	26	4.1	02.3-05.9
College Graduate	959	80,182	920	94.4	92.4-96.4	3	0.1	00.0-00.3	15	2.3	00.9-03.7	5	0.8	00.0-01.6	4	0.9	00.0-01.9	12	1.4	00.4-02.4
Less than \$15,000	100	12,744	94	90.0	81.2-98.8							1	0.2	00.0-00.6	1	2.1	00.0-06.2	4	7.7	00.0-15.7
\$15,000- 24,999	207	16,398	194	89.2	82.5-95.9				5	2.1	00.0-04.5				3	4.0	00.0-08.5	5	4.7	00.0-09.4
\$25,000- 34,999	250	22,264	234	90.5	85.0-96.0	2	0.8	00.0-02.0	3	1.6	00.0-04.0	1	1.0	00.0-03.0	1	0.1	00.0-00.3	9	6.0	01.3-10.7
\$35,000- 49,999	337	28,900	318	89.3	84.0-94.6	1	1.1	00.0-03.3	5	1.7	00.0-03.5	2	0.5	00.0-01.1	3	2.1	00.0-04.5	8	5.4	01.3-09.5
\$50,000- 99,999	710	71,634	678	94.3	91.9-96.7	3	0.5	00.0-01.3	8	1.7	00.3-03.1	2	0.2	00.0-00.6	5	0.9	00.0-02.1	14	2.4	00.8-04.0
\$100,000- 199,999	380	43,381	360	93.9	90.6-97.2	3	0.4	00.0-00.8	7	2.0	00.4-03.6	3	1.9	00.0-04.4	1	0.5	00.0-01.5	6	1.3	00.1-02.5
\$200,000+	68	8,662	68	100.0	0100-0100															

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	303	44,307	218	74.0	67.7-80.3	47	11.8	07.9-15.7	2	1.6	00.0-04.3	16	6.3	02.4-10.2	12	4.7	01.8-07.6	8	1.5	00.1-02.9
Male	178	25,687	134	76.1	68.1-84.1	24	10.4	05.7-15.1	1	2.5	00.0-07.4	9	5.0	00.7-09.3	7	4.6	00.9-08.3	3	1.3	00.0-03.3
Female	125	18,620	84	71.0	61.4-80.6	23	13.7	07.4-20.0	1	0.4	00.0-01.2	7	8.2	00.9-15.5	5	4.9	00.2-09.6	5	1.8	00.0-03.8
Non-Native	259	37,858	183	74.2	67.7-80.7	44	13.4	08.9-17.9	2	1.9	00.0-05.2	14	5.1	01.6-08.6	10	4.1	01.4-06.8	6	1.3	00.0-02.7
25-34	69	15,365	51	74.9	62.7-87.1	7	7.4	01.5-13.3	1	4.2	00.0-12.2	4	6.0	00.0-13.1	5	5.8	00.3-11.3	1	1.7	00.0-05.0
35-44	52	7,271	41	77.7	64.8-90.6	6	11.3	01.5-21.1				3	5.4	00.0-12.3	1	3.5	00.0-10.2	1	2.2	00.0-06.5
55-64	58	5,384	42	70.2	56.3-84.1	14	25.4	12.3-38.5				1	2.6	00.0-07.7				1	1.7	00.0-05.0
H.S. or G.E.D.	84	12,345	71	85.8	77.0-94.6	7	4.6	00.3-08.9				2	2.8	00.0-06.7	4	6.8	00.0-13.9			
Some Post-H.S.	115	17,821	83	72.7	62.9-82.5	17	11.7	05.8-17.6				7	8.5	01.1-15.9	5	5.0	00.3-09.7	3	2.1	00.0-05.0
College Graduate	86	8,618	50	61.5	49.3-73.7	21	24.5	13.5-35.5	1	0.8	00.0-02.4	6	5.4	00.1-10.7	3	4.3	00.0-09.4	5	3.5	00.0-07.4
\$50,000- 99,999	81	10,512	59	74.8	63.6-86.0	10	12.8	04.4-21.2	1	0.6	00.0-02.0	6	6.2	00.1-12.3	2	2.6	00.0-06.7	3	2.9	00.0-06.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	178	25,687	134	76.1	68.1-84.1	24	10.4	05.7-15.1	1	2.5	00.0-07.4	9	5.0	00.5-09.5	7	4.6	00.9-08.3	3	1.3	00.0-03.3
Non-Native	162	23,700	120	76.4	68.2-84.6	23	11.1	06.0-16.2	1	2.7	00.0-08.0	8	3.4	00.7-06.1	7	5.0	00.9-09.1	3	1.4	00.0-03.6
H.S. or G.E.D.	57	7,822	48	84.8	73.6-96.0	4	3.9	00.0-09.2				2	4.5	00.0-10.8	3	6.8	00.0-15.2			
Some Post-H.S.	60	9,012	47	80.1	68.9-91.3	7	10.0	02.2-17.8				2	1.1	00.0-02.7	3	5.9	00.0-13.2	1	2.8	00.0-08.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	125	18,620	84	71.0	61.2-80.8	23	13.7	07.4-20.0	1	0.4	00.0-01.2	7	8.2	00.9-15.5	5	4.9	00.2-09.6	5	1.8	00.0-03.8
Non-Native	97	14,158	63	70.5	59.7-81.3	21	17.4	09.4-25.4	1	0.5	00.0-01.5	6	8.1	00.0-16.3	3	2.5	00.0-05.6	3	1.0	00.0-02.4
Some Post-H.S.	55	8,810	36	65.2	49.5-80.9	10	13.3	04.5-22.1				5	16.1	01.8-30.4	2	4.1	00.0-10.2	2	1.3	00.0-03.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	303	44,161	97	29.1	22.8-35.4	105	36.7	29.8-43.6	101	34.2	27.5-40.9
Male	177	25,473	43	25.1	17.1-33.1	74	44.2	35.0-53.4	60	30.8	22.2-39.4
Female	126	18,688	54	34.7	24.7-44.7	31	26.5	16.7-36.3	41	38.8	28.2-49.4
Non-Native	258	37,572	84	30.7	23.6-37.8	98	39.6	32.2-47.0	76	29.7	22.6-36.8
25-34	68	15,079	21	34.7	21.6-47.8	30	44.5	31.2-57.8	17	20.8	10.6-31.0
35-44	52	7,271	16	31.6	17.5-45.7	13	27.8	14.1-41.5	23	40.7	26.0-55.4
55-64	58	5,384	21	39.3	24.4-54.2	18	24.8	12.3-37.3	19	35.9	21.2-50.6
H.S. or G.E.D.	82	11,878	22	20.4	10.4-30.4	30	42.8	29.5-56.1	30	36.8	24.1-49.5
Some Post-H.S.	116	17,962	40	35.4	24.8-46.0	35	30.8	21.2-40.4	41	33.8	23.6-44.0
College Graduate	87	8,798	26	24.2	14.2-34.2	37	47.5	35.0-60.0	24	28.4	17.0-39.8
\$50,000- 99,999	80	10,298	28	29.8	17.8-41.8	31	39.1	26.0-52.2	21	31.1	16.2-46.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	177	25,473	43	25.1	17.1-33.1	74	44.2	35.0-53.4	60	30.8	22.2-39.4
Non-Native	161	23,486	39	25.6	17.2-34.0	73	47.3	37.7-56.9	49	27.2	18.4-36.0
H.S. or G.E.D.	56	7,608	9	14.9	04.5-25.3	25	53.9	38.4-69.4	22	31.2	17.7-44.7
Some Post-H.S.	60	9,012	16	32.6	18.3-46.9	22	36.2	23.5-48.9	22	31.1	18.2-44.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021
MODULE 21: MARIJUANA USE**

TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2			3		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	126	18,688	54	34.7	24.5-44.9	31	26.5	16.7-36.3	41	38.8	28.2-49.4
Non-Native	97	14,086	45	39.3	27.1-51.5	25	26.8	15.8-37.8	27	33.9	22.1-45.7
Some Post-H.S.	56	8,950	24	38.1	22.4-53.8	13	25.4	10.9-39.9	19	36.5	20.8-52.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

End of Module Data Report