

| Legal Name of ALS Ground Ambulance Service  | License Numbe  | er     | Date   |        |  |  |  |
|---|----------------|--------|--------|--------|--|--|--|
| <b>CHECKLIST OF REQUIRED EQUIPMENT: ALS GROUND</b>  |                | ANCE   |        |        |  |  |  |
|   | Unit Number(s) |        |        |        |  |  |  |
| Make copies if additional pages are needed.   | UNIT #         | UNIT # | UNIT # | UNIT # |  |  |  |
| Item Place an "X" in boxes if stocked.  |                |        |        |        |  |  |  |
| Mounted ambulance cot with retaining straps   |                |        |        |        |  |  |  |
| Stretchers with retaining straps. Vehicle design dictates quantity.   |                |        |        |        |  |  |  |
| One adult long backboard, with retaining straps   |                |        |        |        |  |  |  |
| One seated spinal immobilization device, with retaining straps  |                |        |        |        |  |  |  |
| One pediatric-safe transport device   |                |        |        |        |  |  |  |
| One adult cervical collar   |                |        |        |        |  |  |  |
| One pediatric cervical collar   |                |        |        |        |  |  |  |
| Piped oxygen system - with appropriate regulator and flow meter, or two "E" size bottles for minimum oxygen supply with regulator and flow meter              |                |        |        |        |  |  |  |
| Portable oxygen unit with carrying device, including one "D" size bottle with another "D" bottle in reserve   |                |        |        |        |  |  |  |
| Three adult cannulas  |                |        |        |        |  |  |  |
| Three pediatric nasal cannulas  |                |        |        |        |  |  |  |
| Three adult nonrebreather oxygen masks  |                |        |        |        |  |  |  |
| Three pediatric nonrebreather oxygen masks  |                |        |        |        |  |  |  |
| Three sets of oxygen supply tubing  |                |        |        |        |  |  |  |
| Noninvasive positive pressure ventilation device  |                |        |        |        |  |  |  |
| Nebulizer with tubing   |                |        |        |        |  |  |  |
| End-tidal carbon dioxide detectors with pediatric and adult capability  |                |        |        |        |  |  |  |
| Wall-mounted suction capable of achieving a minimum of four hundred millimeters of mercury vacuum within four seconds or less after clamping the suction tube |                |        |        |        |  |  |  |
| Portable suction capable of achieving a minimum of four hundred millimeters of mercury vacuum within four seconds or less after clamping the suction tube     |                |        |        |        |  |  |  |
| One rigid tonsil tip suction catheter   |                |        |        |        |  |  |  |
| One flexible suction catheter between size six and ten french   |                |        |        |        |  |  |  |
| One flexible suction catheter between twelve and sixteen french   |                |        |        |        |  |  |  |
| One meconium aspirator adaptor  |                |        |        |        |  |  |  |
| One set of adult sizes nasopharyngeal airways   |                |        |        |        |  |  |  |
| One set of pediatric sizes nasopharyngeal airways   |                |        |        |        |  |  |  |
| One set of adult sizes oropharyngeal airways  |                |        |        |        |  |  |  |
| One set of child sizes oropharyngeal airways  |                |        |        |        |  |  |  |
| One set of infant sizes oropharyngeal airways   |                |        |        |        |  |  |  |
| Alternative airway devices such as supraglottic airway as approved by local medical direction   |                |        |        |        |  |  |  |
| Adult endotracheal airway equipment   |                |        |        |        |  |  |  |

| 08/2024<br>Legal Name of ALS Ground Ambulance Service |   | License Number |        |        |        |  |
|---|---|----------------|--------|--------|--------|--|
|   |   | Unit Number(s) |        |        |        |  |
|   | Make copies if additional pages are needed.                                       | UNIT #         | UNIT # | UNIT # | UNIT # |  |
| ltem  | Place an "X" in boxes if stocked.   |                |        |        |        |  |
| Pediatric endotra                                     | acheal airway equipment   |                |        |        |        |  |
| One size zero st                                      | raight laryngoscope blade   |                |        |        |        |  |
| One size one str                                      | aight laryngoscope blade  |                |        |        |        |  |
| One size two stra                                     | aight laryngoscope blade  |                |        |        |        |  |
| One size three o                                      | or four straight laryngoscope blade   |                |        |        |        |  |
| One size two cui                                      | rved laryngoscope blade   |                |        |        |        |  |
| One size three o                                      | or four curved laryngoscope blade   |                |        |        |        |  |
| One adult stylett                                     | e   |                |        |        |        |  |
| One pediatric sty                                     | ylette  |                |        |        |        |  |
| One pair of adult                                     | t Magill forceps  |                |        |        |        |  |
| One pair of pedia                                     | atric Magill forceps  |                |        |        |        |  |
| One adult laryng                                      | joscope handle with extra batteries   |                |        |        |        |  |
| One pediatric lar                                     | ryngoscope handle with extra batteries  |                |        |        |        |  |
| One adult bag va                                      | alve mask resuscitation unit with face mask                                       |                |        |        |        |  |
| One child bag va                                      | alve mask resuscitation unit with face mask                                       |                |        |        |        |  |
| One infant bag v                                      | valve mask resuscitation unit with face mask                                      |                |        |        |        |  |
| Adult commercia<br>boards                             | al fracture splints usable for open and closed fractures, or padded               |                |        |        |        |  |
| Pediatric comme<br>boards                             | ercial fracture splints usable for open and closed fractures, or padded           |                |        |        |        |  |
| Adult lower extre                                     | emity traction splint   |                |        |        |        |  |
| Pediatric lower e                                     | extremity traction splint   |                |        |        |        |  |
| Hot packs - four                                      | minimum   |                |        |        |        |  |
| Cold packs - fou                                      | r minimum   |                |        |        |        |  |
| Two sterile burn                                      | sheets or equivalent  |                |        |        |        |  |
| Three triangular                                      | bandages or commercial slings   |                |        |        |        |  |
| Two trauma dres<br>inches (91.44 ce                   | ssings – approximately ten inches (25.4 centimeters) by thirty-six<br>entimeters) |                |        |        |        |  |
| nches (10.16 ce                                       | •   |                |        |        |        |  |
| neters) long  | r self-adhering type bandages – approximately five yards (4.57                    |                |        |        |        |  |
| nches (228.6 mi                                       |   |                |        |        |        |  |
|   | l "tactical" tourniquets  |                |        |        |        |  |
| Adult blood pres                                      |   |                |        |        |        |  |
| _arge adult bloo                                      |   |                |        |        |        |  |
| Child blood pres                                      | sure cuff   |                |        |        |        |  |
| Stethoscope   |   |                |        |        |        |  |
| Pulse oximeter  |   |                |        |        |        |  |

| 08/2024<br>Legal Name of ALS Ground Ambulance Service   |                | License Number |        |        |  |
|---|----------------|----------------|--------|--------|--|
|   | Unit Number(s) |                |        |        |  |
| Make copies if additional pages are needed.   | UNIT #         | UNIT #         | UNIT # | UNIT # |  |
| Item Place an "X" in boxes if stocked.  |                |                |        |        |  |
| Glucose measuring device  |                |                |        |        |  |
| Penlight  |                |                |        |        |  |
| Thermometer   |                |                |        |        |  |
| Manual cardiac monitor defibrillator with transcutaneous pacing, waveform capnography, and pediatric capabilities   |                |                |        |        |  |
| Monitor electrocardiogram paper rolls   |                |                |        |        |  |
| Monitor electrodes  |                |                |        |        |  |
| Adult defibrillator pads  |                |                |        |        |  |
| Pediatric defibrillator pads  |                |                |        |        |  |
| Three oral doses of glutose or glucose  |                |                |        |        |  |
| One small bottle, chewable aspirin  |                |                |        |        |  |
| Epinepherine, auto-injector for adult and pediatric doses or intramuscular, including syringes and needles for intramuscular delivery, if approved by medical director  |                |                |        |        |  |
| Naloxone, auto-injector (0.8 mg) or intranasal (4 mg – nasal spray, or syringe and atomizer)  |                |                |        |        |  |
| Intravenous therapy equipment, including venous restriction device, micro and macro<br>drip administration sets, catheters from sixteen gauge to twenty-four gauge,<br>intraosseous needles, tubing, solutions, and intravenous arm boards for both pediatric<br>and adult patients, as approved by local medical direction |                |                |        |        |  |
| Syringes and needles  |                |                |        |        |  |
| One size small box of nitrile gloves  |                |                |        |        |  |
| One size medium box of nitrile gloves   |                |                |        |        |  |
| One size large box of nitrile gloves  |                |                |        |        |  |
| Box of surgical masks   |                |                |        |        |  |
| N95 masks, in small, medium, and large sizes and at least one per crew member   |                |                |        |        |  |
| Four nonabsorbent gowns   |                |                |        |        |  |
| Four pairs of protective eyewear  |                |                |        |        |  |
| Three red biohazard bags  |                |                |        |        |  |
| Biological fluid cleanup kit  |                |                |        |        |  |
| One sharps container, that is less than half full   |                |                |        |        |  |
| Medical grade disinfectant  |                |                |        |        |  |
| One gallon (3.79 liters) of distilled water or saline solution  |                |                |        |        |  |
| One bedpan  |                |                |        |        |  |
| One emesis basin  |                |                |        |        |  |
| One urinal  |                |                |        |        |  |
| One container of nonwater hand disinfectant   |                |                |        |        |  |
| Two reflective vests  |                |                |        |        |  |
| A minimum set of three reflectorized flares   |                |                |        |        |  |
| Two flashlights   |                |                |        |        |  |

| 08/2024  |        | Licopoo Numb   | ~ |        |  |  |
|--|--------|----------------|---|--------|--|--|
| Legal Name of ALS Ground Ambulance Service   |        | License Number |   |        |  |  |
|  |        | Unit Number(s) |   |        |  |  |
| Make copies if additional pages are needed.  | UNIT # | UNIT #         | UNIT #                                  | UNIT # |  |  |
| Item Place an "X" in boxes if stocked.   |        |                |   |        |  |  |
| A minimum of two dry chemical, mounted, five-pound (2.27 kilogram) fire extinguishers located in patient compartment and in either cab or exterior compartment |        |                |   |        |  |  |
| Helmet, protective safety glasses or goggles eyewear, and leather or extrication gloves per crew member  |        |                |   |        |  |  |
| Two window and glass punches located in patient compartment and in cab   |        |                |   |        |  |  |
| Radio, compatible with local communications system   |        |                |   |        |  |  |
| Portable, hand-held radio, rechargeable, battery-operated, compatible with local communication system  |        |                |   |        |  |  |
| Automated external defibrillator   |        |                |   |        |  |  |
| Twenty-five triage tags  |        |                |   |        |  |  |
| Pediatric reference material for equipment sizing and medication dosing  |        |                |   |        |  |  |
| Four assorted sizes rolls of tape  |        |                |   |        |  |  |
| Two blunt shears   |        |                |   |        |  |  |
| Cot-mounted or ceiling hooks intravenous fluid holder  |        |                |   |        |  |  |
| Two blankets   |        |                |   |        |  |  |
| Four sheets  |        |                |   |        |  |  |
| Four towels  |        |                |   |        |  |  |
| Disposable or sterilizable obstetrical kit that includes an infant bulb suction and receiving blanket with head cover  |        |                |   |        |  |  |
| One current edition of the Emergency Response Guidebook  |        |                |   |        |  |  |
| Alcohol or iodine swabs  |        |                |   |        |  |  |
| Water-soluble lubricant  |        |                |   |        |  |  |
| Razor  |        |                |   |        |  |  |
| Following minimum medication requirements must be carried in pediatric and adult dosages:  |        |                |   |        |  |  |
| 1. Alkalinizer agent   |        |                |   |        |  |  |
| 2. Bronchodilator – adrenergic intravenous or subcutaneous   |        |                |   |        |  |  |
| 3. Bronchodilator for nebulized delivery   |        |                |   |        |  |  |
| 4. Antidysrhythmic or antiarrhythmic   |        |                |   |        |  |  |
| 5. Anticholinergen parasympatholytic   |        |                |   |        |  |  |
| 6. Opioid antagonist   |        |                |   |        |  |  |
| 7. Coronary vasodilator, antianginal   |        |                |   |        |  |  |
| 8. Anxiolytic  |        |                |   |        |  |  |
| 9. Dextrose containing solution  |        |                |   |        |  |  |
| 10. Anticonvulsant   |        |                |   |        |  |  |
| 11. Analgesic  |        |                |   |        |  |  |
| 12. Antiemetic   |        |                |   |        |  |  |